

# NOTICES

## DEPARTMENT OF AGRICULTURE

### Fiscal Year 2021-2022 Annual Plan for Awarding Grants under the Pennsylvania Agricultural Fair Act

This notice presents the Fiscal Year (FY) 2021-2022 Annual Plan (Annual Plan) of the Department of Agriculture (Department) for the administration of the grant program authorized under the Pennsylvania Agricultural Fair Act (act) (3 P.S. §§ 1501—1510). It prescribes how the available funds appropriated by the General Assembly shall be distributed. This Annual Plan is authorized by section 8(a) the act (3 P.S. § 1508(a)), has been prepared with the assistance and advice of the Agricultural Fair Advisory Committee (Committee), and was approved by that Committee at its September 20, 2021, meeting.

The act authorizes the Department to make grants to organizations conducting eligible agricultural fairs, Statewide agricultural organizations which contribute to the development of agriculture and agribusiness and to eligible agricultural youth groups for support of their programs.

Funds appropriated by the General Assembly to fund the act in FY 2021-2022 shall be dispersed by the Department as follows, on a funds-available basis, in the following order of priority:

1. First priority shall be given to grants to finance a portion of a fair's operating costs. These costs include, but are not limited to, the cost of exhibiting agribusiness products, materials and equipment, conducting agricultural or agribusiness educational activities and demonstrations, and awarding premiums to contest and exhibit winners at the agricultural fair. For these grants, the maximum payment shall be as allowed for each Class Fair under section 5(1)(i)(A) of the act (3 P.S. § 1505(1)(i)(A)). These maximum payments range from \$2,500 to \$14,000, depending on the Class Fair involved.

2. Second priority shall be given to grants to finance a portion of the agricultural premiums identified in section 5(1)(i)(B) of the act. For these grants, the maximum payment shall not exceed \$15,000.

3. Third priority shall be given to grants to reimburse a county agricultural society, or an independent agricultural society, that conducts harness horse racing at its annual agricultural fair, other than races for colts and fillies 2 and 3 years of age, in an amount equal to that used during the annual agricultural fair as purse money for harness horse racing, track and stable maintenance, starting gate rental and the cost of harness horse racing officials during the annual fair. For these grants, the maximum amount of reimbursement shall be as allowed under section 5(1)(iii) of the act. This maximum amount is \$13,000, at least \$4,000 of which must be used to reimburse purse money.

4. Fourth priority shall be given to grants to reimburse a county agricultural society, or an independent agricultural society, that conducts harness horse racing for 2-year-old and 3-year-old colts and fillies at its annual agricultural fair. For these grants, the maximum amount of reimbursement shall be as allowed under section 5(1)(iv) of the act. This maximum amount is \$7,600.

5. Fifth priority shall be given to grants to reimburse a Statewide agricultural organization that conducts an agricultural fair and is otherwise eligible for grants under section 5(2) of the act, for up to \$2,000 of its fair's operating expenses (including premium payments) on a dollar-for-dollar basis, and for 50% of all additional premium costs that are not included in that initial dollar-for-dollar reimbursement, up to a maximum amount of \$10,000. The total maximum payment shall not exceed \$12,000.

6. Sixth priority shall be given to grants to countywide or Statewide 4-H and Future Farmers of America (FFA) or combined FFA and Future Homemakers of America units of boys and girls under 21 years of age that are eligible for grants under section 5(3) of the act. Grants shall be awarded in accordance with the requirements of that provision of the act.

a. The purpose of the act is to make funds available to encourage the further development and improvement of the Commonwealth's agricultural fairs, and to continue the contribution of agricultural fairs to agriculture and agribusiness by encouraging related careers, fostering agricultural production and agricultural product improvements, and promoting increased investments in agriculture. This Commonwealth's agricultural fairs also enrich the life of the community by showcasing agricultural and agribusiness achievements, offering recreational opportunities and promoting tourism. For these reasons, the Department encourages those agricultural youth groups that are eligible for grants under section 5(3) of the act to engage in projects and activities that are conducted at agricultural fairs or that are of direct benefit to agricultural fairs.

b. The Department will award grants to the agricultural youth groups previously described as follows:

i. For actual expenses incurred for activities which contribute to the advancement of agriculture or agribusiness by a 4-H Youth group, a payment which will be calculated according to the following formula, under authority of section 5(3) of the act:

*Tier 1:* \$2,000 for total enrollment of up to 1,000 members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member.

*Tier 2:* \$2,500 for total enrollment of 1,001 to 2,000 members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member.

*Tier 3:* \$3,000 for total enrollment of 2,001 to 3,000 members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member.

*Tier 4:* \$3,500 for total enrollment of 3,001+ members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member, a maximum reimbursement of \$9,000.

ii. For actual expenses incurred for activities which contribute to the advancement of agriculture or agribusiness by FFA Youth groups, a payment which will be calculated using the following formula, under authority of section 5(3) of the act:

*Tier I:* County FFA Organizations with 100 members or less will receive base funding of \$1,000 with an additional \$4 per member.

*Tier II:* County FFA Organizations with 101 to 210 members inclusive will receive a \$2,000 base funding with an additional \$2 per member.

*Tier III:* County FFA Organizations with 211 members or more will receive funding of \$2,000 with an additional \$4 per member for every member over 210.

7. Funds remaining after the previous grants have been awarded shall be utilized for capital improvement as provided in section 5(1)(ii) of the act.

Given the ongoing novel coronavirus (COVID-19) pandemic, the Department advises that the amount of funding appropriated for dispersal in accordance with the act and this Annual Plan may ultimately be less than in

previous years. Also, in the event subsequent COVID-19-related legislation changes available funding amounts or requires that expenditures of available funding be reprioritized, the Department will publish a revised version of this Annual Plan that is consistent with that legislation.

The Department will endeavor to disburse the previous payments at the earliest date practicable.

RUSSELL C. REDDING,  
*Secretary*

[Pa.B. Doc. No. 21-1693. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 28, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i>                 | <i>Location of Branch</i>   | <i>Action</i> |
|-------------|---|---|---------------|
| 09-28-2021  | Somerset Trust Company<br>Somerset<br>Somerset County | 201 Falcon Drive<br>Connellsville<br>Fayette County<br>(Limited Service Facility) | Opened        |

##### Branch Discontinuances

| <i>Date</i> | <i>Name and Location of Applicant</i>                                  | <i>Location of Branch</i>                             | <i>Action</i> |
|-------------|--|---|---------------|
| 09-24-2021  | The Fidelity Deposit and Discount Bank<br>Dunmore<br>Lackawanna County | 3016 Pittston Avenue<br>Scranton<br>Lackawanna County | Closed        |
| 09-24-2021  | The Fidelity Deposit and Discount Bank<br>Dunmore<br>Lackawanna County | 2 South Main Street<br>Pittston<br>Luzerne County     | Closed        |

### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 21-1694. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

#### APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

| <i>Section</i> | <i>Category</i>  |
|----------------|--|
| I              | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II             | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III            | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

| <i>Application Number</i> | <i>Permit Type</i>   | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>              | <i>DEP Office</i> |
|---------------------------|--|-------------------------|--|--|-------------------|
| 0121806                   | Joint DEP/PFBC Pesticides Permit                                 | New                     | CCD Rock Creek LLC<br>45 Martin Road<br>Gettysburg, PA 17325-7614  | Straban Township<br>Adams County         | SCRO              |
| 1521831                   | Joint DEP/PFBC Pesticides Permit                                 | New                     | Montana Connie<br>29 Parsons Road<br>Landenberg, PA 19350-1549   | Franklin Township<br>Chester County      | SERO              |
| 1521832                   | Joint DEP/PFBC Pesticides Permit                                 | New                     | Neitzel Jan<br>466 Glen Hope Road<br>Oxford, PA 19363-2295   | Elk Township<br>Chester County           | SERO              |
| 4613801                   | Joint DEP/PFBC Pesticides Permit                                 | Transfer                | Union League Liberty Hill<br>800 Ridge Pike<br>Lafayette Hill, PA 19444-1751                             | Whitemarsh Township<br>Montgomery County | SERO              |
| 0274219                   | Major Industrial Waste Treatment Facility Individual WQM Permit  | Amendment               | Libertas Copper LLC<br>100 Washington Street<br>Leetsdale, PA 15056-1000                                 | Leetsdale Borough<br>Allegheny County    | SWRO              |
| 0708201                   | Major Industrial Waste Treatment Facility Individual WQM Permit  | Transfer                | Roaring Spring Park LLC<br>1654 King Street<br>Enfield, CT 06082-6000                                    | Roaring Spring Borough<br>Blair County   | SCRO              |
| 4876412                   | Major Sewage Treatment Facility Individual WQM Permit            | Amendment               | Easton Area Joint Sewer Authority<br>Northampton County<br>50A S Delaware Drive<br>Easton, PA 18042-9405 | Easton City<br>Northampton County        | NERO              |
| PA0008591                 | Minor Industrial Waste Facility with ELG Individual NPDES Permit | Transfer                | Gold Bond Bldg Products LLC<br>P.O. Box 210<br>West Milton, PA 17886-0210                                | White Deer Township<br>Union County      | NCRO              |

## NOTICES

6423

| <i>Application Number</i> | <i>Permit Type</i>  | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>               | <i>DEP Office</i> |
|---------------------------|---|-------------------------|--|---|-------------------|
| PA0008265                 | Minor Industrial Waste Facility without ELG Individual NPDES Permit           | Transfer                | Roaring Spring Park LLC<br>1654 King Street<br>Enfield, CT 06082-6000                | Roaring Spring Borough<br>Blair County    | SCRO              |
| PA0114677                 | Minor Industrial Waste Facility without ELG Individual NPDES Permit           | Transfer                | Chance Group LLC<br>11616 Landstar Boulevard<br>Orlando, FL 32824-9025               | Williamsport City<br>Lycoming County      | NCRO              |
| 0320200                   | Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit | Amendment               | PPG Ind Inc.<br>4829 Fairland Road<br>Barberton, OH 44203-3913                       | Cadogan Township<br>Armstrong County      | SWRO              |
| 6511201                   | Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit | Amendment               | Cleveland Cliffs Monessen Coke LLC<br>345 Donner Avenue<br>Monessen, PA 15062-1156   | Monessen City<br>Westmoreland County      | SWRO              |
| 1774404                   | Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit           | Amendment               | PA DCNR<br>28 Fairview Road<br>Penfield, PA 15849-7902                               | Huston Township<br>Clearfield County      | NCRO              |
| 6089415                   | Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit           | New                     | Lewis Township Union County<br>P.O. Box 51<br>Millmont, PA 17845-0051                | Lewis Township Union County               | NCRO              |
| NOEXSC279                 | No Exposure Certification   | Renewal                 | ID Technology<br>1145 E Wellspring Road<br>New Freedom, PA 17349-8426                | Hopewell Township<br>York County          | SCRO              |
| NOEXSC366                 | No Exposure Certification   | New                     | ID Tech<br>391 Greendale Road<br>York, PA 17403-4638                                 | York City<br>York County                  | SCRO              |
| NOEXSW047                 | No Exposure Certification   | New                     | Joy Global Underground Mining LLC<br>220 Simko Boulevard<br>Charleroi, PA 15022-3493 | Fallowfield Township<br>Washington County | SWRO              |
| PAG036305                 | PAG-03 NPDES General Permit for Industrial Stormwater                         | New                     | Fi Hoff Concrete Products Inc.<br>240 Bentwood Avenue<br>Johnstown, PA 15904-1334    | Geistown Borough<br>Cambria County        | SWRO              |
| PAR806118                 | PAG-03 NPDES General Permit for Industrial Stormwater                         | Amendment               | First Transit Inc.<br>110 Perimeter Park Road Suite E<br>Knoxville, TN 37922-2200    | Bethel Park Borough<br>Allegheny County   | SWRO              |
| PAG046177                 | PAG-04 NPDES General Permit for Small Flow Treatment Facilities               | Transfer                | Nichols Edward C<br>1140 Old William Penn Highway<br>Greensburg, PA 15601-8469       | Salem Township<br>Westmoreland County     | SWRO              |
| PAG048998                 | PAG-04 NPDES General Permit for Small Flow Treatment Facilities               | Transfer                | Laurie & Michael Nicholson<br>6473 Heidler Road<br>Fairview, PA 16415-2103           | Fairview Township<br>Erie County          | NWRO              |
| PAG123529                 | PAG-12 NPDES General Permit for CAFOs   | Renewal                 | Deiter Jay<br>2040 River Road<br>Bainbridge, PA 17502-9329                           | Conoy Township<br>Lancaster County        | SCRO              |

| <i>Application Number</i> | <i>Permit Type</i>  | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                 | <i>DEP Office</i> |
|---------------------------|---|-------------------------|--|---|-------------------|
| 1521407                   | Pump Stations WQM Individual Permit                           | New                     | East Whiteland Township<br>Chester County<br>209 Conestoga Road<br>Frazer, PA 19355-1633 | East Whiteland Township<br>Chester County   | SERO              |
| 1521408                   | Pump Stations WQM Individual Permit                           | New                     | Willistown Township<br>Chester County<br>688 Sugartown Road<br>Malvern, PA 19355-3302    | Willistown Township<br>Chester County       | SERO              |
| 1521409                   | Pump Stations WQM Individual Permit                           | New                     | Willistown Township<br>Chester County<br>688 Sugartown Road<br>Malvern, PA 19355-3302    | Willistown Township<br>Chester County       | SERO              |
| 4621404                   | Sewage Treatment Facilities Individual WQM Permit             | New                     | Louis J Mascaro<br>Foundation Inc.<br>585 Freeman School Road<br>Schwenksville, PA 19473 | Lower Salford Township<br>Montgomery County | SERO              |
| PA0086819                 | Single Residence STP Individual NPDES Permit                  | Transfer                | Philip & Sharon Fullerton<br>130 Oberholtzer Road<br>Elizabethtown, PA 17022-9588        | Southampton Township<br>Bedford County      | SCRO              |
| 1003413                   | Single Residence Sewage Treatment Plant Individual WQM Permit | Amendment               | Amy & Stephen Nalepa<br>110 Lawnview Court<br>Cranberry Township, PA<br>16066-3548       | Adams Township<br>Butler County             | NWRO              |
| 2591412                   | Single Residence Sewage Treatment Plant Individual WQM Permit | Transfer                | Mundy Kevin<br>16675 Stuart Road<br>Corry, PA 16407-8712                                 | Wayne Township<br>Erie County               | NWRO              |
| 2721404                   | Single Residence Sewage Treatment Plant Individual WQM Permit | New                     | Halke Susan<br>4967 Garrett Drive<br>North Ridgeville, OH<br>44039-2011                  | Jenks Township<br>Forest County             | NWRO              |
| 3921402                   | Single Residence Sewage Treatment Plant Individual WQM Permit | New                     | Scott Petersen<br>9 Paige Trail<br>Perkasie, PA 18944-2646                               | Upper Saucon Township<br>Lehigh County      | NERO              |
| 6599404                   | Single Residence Sewage Treatment Plant Individual WQM Permit | Transfer                | Nichols Edward C<br>1140 Old William Penn<br>Highway<br>Greensburg, PA 15601-8469        | Salem Township<br>Westmoreland County       | SWRO              |
| 1621404                   | Small Flow Treatment Facility Individual WQM Permit           | New                     | Giering Layne<br>697 McClain-Watson Road<br>Shippensburg, PA 16254                       | Farmington Township<br>Clarion County       | NWRO              |
| WQG018310                 | WQG-01 WQM General Permit                                     | Transfer                | Laurie & Michael Nicholson<br>6473 Heidler Road<br>Fairview, PA 16415-2103               | Fairview Township<br>Erie County            | NWRO              |
| WQG02102101               | WQG-02 WQM General Permit                                     | New                     | Breakneck Creek<br>Region Authority<br>1166 Mars Evans City Road<br>Mars, PA 16046-2216  | Adams Township<br>Butler County             | NWRO              |

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Northcentral Regional Office*

**PA0233170**, Sewage, SIC Code 4952, **Scott Wellar**, 5050 S Eagle Valley Road, Julian, PA 16844-9779. Facility Name: Scott Wellar SRSTP. This proposed facility is located in Huston Township, **Centre County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Bald Eagle Creek (CWF, MF), is located in State Water Plan watershed 9-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Annual Average</i>        | <i>Maximum</i> |             |
| Flow (MGD)                                    | Report<br>Annl Avg          | XXX                   | XXX            | XXX                          | XXX            | XXX         |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                         | XXX                   | XXX            | 10.0                         | XXX            | 20.0        |
| Total Suspended Solids                        | XXX                         | XXX                   | XXX            | 10.0                         | XXX            | 20.0        |
| Fecal Coliform (No./100 ml)                   | XXX                         | XXX                   | XXX            | 200                          | XXX            | XXX         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0063690**, Sewage, SIC Code 4952, **Melroes Restaurant**, 832 Salem Boulevard, Berwick, PA 18603-6838. Facility Name: Melroes Restaurant. This existing facility is located in Salem Township, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Susquehanna River (CWF, MF), is located in State Water Plan watershed 5-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .003 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Flow (MGD)  | Report                      | Report<br>Daily Max   | XXX             | XXX                          | XXX            | XXX         |
| pH (S.U.)   | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0         |
| Total Residual Chlorine (TRC)                               | XXX                         | XXX                   | XXX             | 1.2                          | XXX            | 2.8         |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 25.0                         | XXX            | 50          |
| Total Suspended Solids                                      | XXX                         | XXX                   | XXX             | 30.0                         | XXX            | 60          |
| Fecal Coliform (No./100 ml)                                 |                             |                       |                 |                              |                |             |
| Oct 1 - Apr 30  | XXX                         | XXX                   | XXX             | 2,000<br>Geo Mean            | XXX            | 10,000      |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX             | 200<br>Geo Mean              | XXX            | 1,000       |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0025551**, Sewage, SIC Code 7033, **USDA Forest Service**, 4 Farm Colony Drive, Warren, PA 16365-5206. Facility Name: Dew Drop Campground STP. This existing facility is located in Mead Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Kinzua Bay Branch of the Allegheny Reservoir (Kinzua Creek) (HQ-CWF), is located in State Water Plan watershed 16-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|-------------------------------|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report<br>Daily Max   | XXX             | XXX                          | XXX            | XXX         |
| pH (S.U.)                     | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0         |
| Dissolved Oxygen              | XXX                         | XXX                   | 4.0<br>Inst Min | XXX                          | XXX            | XXX         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                   | XXX             | 0.5                          | XXX            | 1.6         |

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                         | XXX                   | XXX            | 10.0                         | XXX            | 20          |
| Total Suspended Solids                                      | XXX                         | XXX                   | XXX            | 10.0                         | XXX            | 20          |
| Fecal Coliform (No./100 ml)                                 | XXX                         | XXX                   | XXX            | 200                          | XXX            | 1,000       |
| Ammonia-Nitrogen  | XXX                         | XXX                   | XXX            | Geo Mean Report              | XXX            | XXX         |
| Total Nitrogen  | XXX                         | XXX                   | XXX            | Report                       | XXX            | XXX         |
| Total Phosphorus  | XXX                         | XXX                   | XXX            | Annl Avg Report              | XXX            | XXX         |
| E. Coli   | XXX                         | XXX                   | XXX            | Annl Avg XXX                 | XXX            | Report      |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0033821**, Sewage, SIC Code 8733, **Pittsburgh University**, 3412 Forbes Avenue, Public Safety Building, Floor 4, Pittsburgh, PA 15213-3203. Facility Name: Pymatuning Ecology Lab. This existing facility is located at 13142 Hartstown Road, Linesville, PA 16424, located in North Shenango Township, **Crawford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pymatuning Reservoir (Shenango River) (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00855 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>   | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|------------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                  | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Flow (MGD)  | Report                      | Report                | XXX              | XXX                          | XXX            | XXX         |
| pH (S.U.)   | XXX                         | XXX                   | 6.0              | XXX                          | XXX            | 9.0         |
| Dissolved Oxygen  | XXX                         | XXX                   | Daily Min<br>4.0 | XXX                          | XXX            | XXX         |
| Total Residual Chlorine (TRC)                               | XXX                         | XXX                   | XXX              | 0.5                          | XXX            | 1.6         |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                         | XXX                   | XXX              | 25.0                         | XXX            | 50.0        |
| Total Suspended Solids                                      | XXX                         | XXX                   | XXX              | 30.0                         | XXX            | 60.0        |
| Fecal Coliform (No./100 ml)                                 |                             |                       |                  |                              |                |             |
| Oct 1 - Apr 30  | XXX                         | XXX                   | XXX              | 2,000                        | XXX            | 10,000      |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX              | 200                          | XXX            | 1,000       |
| Ammonia-Nitrogen  | XXX                         | XXX                   | XXX              | Geo Mean Report              | XXX            | XXX         |
| E. Coli (No./100 ml)  | XXX                         | XXX                   | XXX              | XXX                          | XXX            | Report      |
| Total Nitrogen  | XXX                         | XXX                   | XXX              | Report                       | XXX            | XXX         |
| Total Phosphorus  | XXX                         | XXX                   | XXX              | Annl Avg Report              | XXX            | XXX         |
|   |                             |                       |                  | Annl Avg                     |                |             |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289647**, Sewage, SIC Code 8800, **Dylan Prorok & Tara Belloma**, 115 Caldwell Drive, Butler, PA 16002-3701. Facility Name: Dylan Prorok & Tara Belloma SRSTP. This proposed facility is located in Jefferson Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Thorn Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.



The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Annual Average</i>        | <i>Maximum</i> |             |
| Flow (GPD)                                    | Report<br>Annl Avg          | XXX                   | XXX             | XXX                          | XXX            | XXX         |
| pH (S.U.)                                     | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0         |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20          |
| Total Suspended Solids                        | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20          |
| Fecal Coliform (No./100 ml)                   | XXX                         | XXX                   | XXX             | 200                          | XXX            | XXX         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289680**, Sewage, SIC Code 8800, **John A Leonard**, 864 Vernon Road, Greenville, PA 16125-8643. Facility Name: John Leonard SRSTP. This proposed facility is located in West Salem Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Booth Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Annual Average</i>        | <i>Maximum</i> |             |
| Flow (GPD)                                    | Report<br>Annl Avg          | XXX                   | XXX             | XXX                          | XXX            | XXX         |
| pH (S.U.)                                     | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0         |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20          |
| Total Suspended Solids                        | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20          |
| Fecal Coliform (No./100 ml)                   | XXX                         | XXX                   | XXX             | 200                          | XXX            | XXX         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289744**, Sewage, SIC Code 8800, **Beatrice & William Smith**, 1706 Clifford Drive, Erie, PA 16505-2806. Facility Name: Beatrice & William Smith SRSTP. This proposed facility is located in Conneaut Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Conneaut Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Annual Average</i>        | <i>Maximum</i> |             |
| Flow (GPD)                                    | Report<br>Annl Avg          | XXX                   | XXX             | XXX                          | XXX            | XXX         |
| pH (S.U.)                                     | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0         |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20          |
| Total Suspended Solids                        | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20          |
| Fecal Coliform (No./100 ml)                   | XXX                         | XXX                   | XXX             | 200                          | XXX            | XXX         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0289817**, Sewage, SIC Code 8800, **Alex Stein & Tessa McCauley**, 6162 Fisher Road, Conneautville, PA 16406-5018. Facility Name: Alex Stein & Tessa McCauley SRSTP. This proposed facility is located in Beaver Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Crazy Run (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters                                    | Mass Units (lbs/day) |                | Minimum         | Concentrations (mg/L) |         | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
|   | Average Monthly      | Average Weekly |                 | Annual Average        | Maximum |      |
| Flow (GPD)                                    | Report Annl Avg      | XXX            | XXX             | XXX                   | XXX     | XXX  |
| pH (S.U.)                                     | XXX                  | XXX            | 6.0<br>Inst Min | XXX                   | XXX     | 9.0  |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                  | XXX            | XXX             | 10.0                  | XXX     | 20   |
| Total Suspended Solids                        | XXX                  | XXX            | XXX             | 10.0                  | XXX     | 20   |
| Fecal Coliform (No./100 ml)                   | XXX                  | XXX            | XXX             | 200                   | XXX     | XXX  |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**Application No. PA0281824**, Concentrated Animal Feeding Operation (CAFO), **Darvin N Martin** (Darvin Martin Farm), 8245 Holbens Road, New Tripoli, PA 18066.

Darvin N Martin has submitted an application for an Individual NPDES permit for a new CAFO known as Darvin Martin Farm, located in Weisenberg Township, **Lehigh County**.

The CAFO is situated near Unnamed Tributary of Switzer Creek (HQ-CWF, MF) in Watershed 2-C, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO will be designed to maintain an animal population of approximately 212.38 animal equivalent units (AEUs) consisting of 8,000 ducks, 65 cows, 60 heifers, 5 calves, and 60 beef cows. Manure will be stored in a slurrystore. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

**PA0020923**, Sewage, SIC Code 4952, **New Oxford Municipal Authority Adams County**, 409 Water Works Road, New Oxford, PA 17350-1511. Facility Name: New Oxford STP. This existing facility is located in New Oxford Borough, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to South Branch Conewago Creek (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.788 MGD.

| Parameters                    | Mass Units (lbs/day) |               | Minimum | Concentrations (mg/L) |                | IMAX |
|-------------------------------|----------------------|---------------|---------|-----------------------|----------------|------|
|                               | Average Monthly      | Daily Maximum |         | Average Monthly       | Weekly Average |      |
| Flow (MGD)                    | Report               | Report        | XXX     | XXX                   | XXX            | XXX  |
| pH (S.U.)                     | XXX                  | XXX           | 6.0     | XXX                   | XXX            | 9.0  |
| Dissolved Oxygen              | XXX                  | XXX           | 5.0     | XXX                   | XXX            | XXX  |
| Total Residual Chlorine (TRC) | XXX                  | XXX           | XXX     | 0.19                  | XXX            | 0.61 |

| Parameters                  | Mass Units (lbs/day) |                   | Minimum | Concentrations (mg/L) |                | IMAX   |
|-----------------------------|----------------------|-------------------|---------|-----------------------|----------------|--------|
|                             | Average Monthly      | Daily Maximum     |         | Average Monthly       | Weekly Average |        |
| CBOD <sub>5</sub>           |                      |                   |         |                       |                |        |
| May 1 - Oct 31              | 179.0                | 268.0             | XXX     | 12.0                  | 18.0           | 24.0   |
| Nov 1 - Apr 30              | 373.0                | Wkly Avg<br>596.0 | XXX     | 25.0                  | 40.0           | 50.0   |
| Total Suspended Solids      | 447.0                | Wkly Avg<br>671.0 | XXX     | 30.0                  | 45.0           | 60.0   |
| BOD <sub>5</sub>            | Report               | Report            | XXX     | Report                | XXX            | XXX    |
| Raw Sewage Influent         |                      |                   |         |                       |                |        |
| Total Suspended Solids      | Report               | Report            | XXX     | Report                | XXX            | XXX    |
| Raw Sewage Influent         |                      |                   |         |                       |                |        |
| Fecal Coliform (No./100 ml) |                      |                   |         |                       |                |        |
| May 1 - Sep 30              | XXX                  | XXX               | XXX     | 200                   | XXX            | 1,000  |
| Oct 1 - Apr 30              | XXX                  | XXX               | XXX     | Geo Mean<br>2,000     | XXX            | 10,000 |
| E. Coli (No./100 ml)        | XXX                  | XXX               | XXX     | Geo Mean<br>XXX       | XXX            | Report |
| Ammonia-Nitrogen            |                      |                   |         |                       |                |        |
| May 1 - Oct 31              | 52.0                 | XXX               | XXX     | 3.5                   | XXX            | 7.0    |
| Nov 1 - Apr 30              | 112.0                | XXX               | XXX     | 7.5                   | XXX            | 15.0   |
| Total Phosphorus            | 30.0                 | XXX               | XXX     | 2.0                   | XXX            | 4.0    |

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

| Parameters           | Mass Units (lbs/day) |        | Monthly | Concentrations (mg/L) |         | Instant. Maximum |
|----------------------|----------------------|--------|---------|-----------------------|---------|------------------|
|                      | Monthly              | Annual |         | Monthly Average       | Maximum |                  |
| Ammonia—N            | Report               | Report | XXX     | Report                | XXX     | XXX              |
| Kjeldahl—N           | Report               | XXX    | XXX     | Report                | XXX     | XXX              |
| Nitrate-Nitrite as N | Report               | XXX    | XXX     | Report                | XXX     | XXX              |
| Total Nitrogen       | Report               | Report | XXX     | Report                | XXX     | XXX              |
| Total Phosphorus     | Report               | Report | XXX     | Report                | XXX     | XXX              |
| Net Total Nitrogen   | Report               | 32,657 | XXX     | XXX                   | XXX     | XXX              |
| Net Total Phosphorus | Report               | 4,354  | XXX     | XXX                   | XXX     | XXX              |

\*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- To implement requirements applicable to stormwater outfalls.
- 2,400 lbs/year of Total Nitrogen offsets was approved to be used for compliance with TN Cap Load.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0261343**, Sewage, SIC Code 4952, **Joshua Hill Sewer Co. LLC**, 929 Baltimore Street, Hanover, PA 17331. Facility Name: Joshua Hill STP. This existing facility is located in West Manheim Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to West Branch Codorus Creek (WWF), is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

| Parameters  | Mass Units (lbs/day) |               | Minimum | Concentrations (mg/L) |         | IMAX |
|---|----------------------|---------------|---------|-----------------------|---------|------|
|   | Average Monthly      | Daily Maximum |         | Average Monthly       | Maximum |      |
| Flow (MGD)  | Report               | Report        | XXX     | XXX                   | XXX     | XXX  |
| pH (S.U.)   | XXX                  | XXX           | 6.0     | XXX                   | XXX     | 9.0  |
| Dissolved Oxygen  | XXX                  | XXX           | 5.0     | XXX                   | XXX     | XXX  |
| Ultraviolet light intensity ( $\mu\text{w}/\text{cm}^2$ ) | XXX                  | XXX           | Report  | XXX                   | XXX     | XXX  |
| CBOD <sub>5</sub>   | XXX                  | XXX           | XXX     | 25.0                  | XXX     | 50.0 |

| Parameters                  | Mass Units (lbs/day) |               | Minimum | Concentrations (mg/L) |         | IMAX   |
|-----------------------------|----------------------|---------------|---------|-----------------------|---------|--------|
|                             | Average Monthly      | Daily Maximum |         | Average Monthly       | Maximum |        |
| Total Suspended Solids      | XXX                  | XXX           | XXX     | 30.0                  | XXX     | 60.0   |
| Fecal Coliform (No./100 ml) |                      |               |         |                       |         |        |
| May 1 - Sep 30              | XXX                  | XXX           | XXX     | 200                   | XXX     | 1,000  |
| Oct 1 - Apr 30              | XXX                  | XXX           | XXX     | Geo Mean<br>2,000     | XXX     | 10,000 |
| E. Coli (No./100 ml)        | XXX                  | XXX           | XXX     | Geo Mean<br>XXX       | XXX     | Report |
| Ammonia-Nitrogen            |                      |               |         |                       |         |        |
| May 1 - Oct 31              | XXX                  | XXX           | XXX     | 1.5                   | XXX     | 3.0    |
| Nov 1 - Apr 30              | XXX                  | XXX           | XXX     | 4.5                   | XXX     | 9.0    |
| Total Phosphorus            | XXX                  | XXX           | XXX     | 0.5                   | XXX     | 1.0    |

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

| Parameters           | Mass (lbs) |        | Minimum | Concentration (mg/l) |         |
|----------------------|------------|--------|---------|----------------------|---------|
|                      | Monthly    | Annual |         | Monthly Average      | Maximum |
| Ammonia—N            | Report     | Report | XXX     | Report               | XXX     |
| Kjeldahl—N           | Report     | XXX    | XXX     | Report               | XXX     |
| Nitrate-Nitrite as N | Report     | XXX    | XXX     | Report               | XXX     |
| Total Nitrogen       | Report     | Report | XXX     | Report               | XXX     |
| Total Phosphorus     | Report     | Report | XXX     | Report               | XXX     |
| Net Total Nitrogen   | Report     | 0      | XXX     | XXX                  | XXX     |
| Net Total Phosphorus | Report     | 0      | XXX     | XXX                  | XXX     |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0244091**, Industrial, SIC Code 3823, **Patriot Sensors & Controls Corporation**, 205 Keith Valley Road, Horsham, PA 19044-1408. Facility Name: Ametek Drexelbrook Division. This existing facility is located in Horsham Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Park Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .009 MGD.—Limits.

| Parameters            | Mass Units (lbs/day) |                | Minimum | Concentrations (mg/L) |         | IMAX   |
|-----------------------|----------------------|----------------|---------|-----------------------|---------|--------|
|                       | Average Monthly      | Average Weekly |         | Average Monthly       | Maximum |        |
| Flow (MGD)            | Report               | XXX            | XXX     | XXX                   | XXX     | XXX    |
| 1,1,1-Trichloroethane | XXX                  | XXX            | XXX     | 0.0103                | XXX     | 0.0258 |
| 1,1-Dichloroethylene  | XXX                  | XXX            | XXX     | 0.002                 | XXX     | 0.005  |

The proposed effluent limits for Outfall 001 are based on a design flow of .009 MGD.—Limits.

| Parameters                                   | Mass Units (lbs/day) |                | Minimum | Concentrations (mg/L) |         | IMAX |
|--|----------------------|----------------|---------|-----------------------|---------|------|
|  | Average Monthly      | Average Weekly |         | Average Monthly       | Maximum |      |
| 1,1,1-Trichloroethane<br>Industrial Influent | XXX                  | XXX            | XXX     | Report<br>Semi Avg    | XXX     | XXX  |
| 1,1-Dichloroethylene<br>Industrial Influent  | XXX                  | XXX            | XXX     | Report<br>Semi Avg    | XXX     | XXX  |

In addition, the permit contains the following major special conditions:

- A. Acquire Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Permit Requirement
- D. BAT/ELG Reopener
- E. Visual Inspections
- F. PPC Plan Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0244864**, Industrial, SIC Code 4941, **Warminster Municipal Authority Bucks County**, 415 Gibson Avenue, Warminster, PA 18974-4163. Facility Name: Warminster Municipal Authority Well # 26. This existing facility is located in Warminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Little Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .266 MGD.

| Parameters                 | Mass Units (lbs/day) |                  | Minimum         | Concentrations (mg/L) |         | IMAX   |
|----------------------------|----------------------|------------------|-----------------|-----------------------|---------|--------|
|                            | Average Monthly      | Average Weekly   |                 | Average Monthly       | Maximum |        |
| Flow (MGD)                 | Report               | Report Daily Max | XXX             | XXX                   | XXX     | XXX    |
| pH (S.U.)                  | XXX                  | XXX              | 6.0<br>Inst Min | XXX                   | XXX     | 9.0    |
| Tetrachloroethylene        | XXX                  | XXX              | XXX             | 0.001                 | XXX     | 0.0025 |
| Trichloroethylene          | XXX                  | XXX              | XXX             | 0.004                 | XXX     | 0.010  |
| PFOA                       | XXX                  | XXX              | XXX             | Report                | XXX     | Report |
| PFOS                       | XXX                  | XXX              | XXX             | Report                | XXX     | Report |
| Total PFOA and PFOS (ug/l) | XXX                  | XXX              | XXX             | 0.07                  | XXX     | 0.175  |

In addition, the permit contains the following major special conditions:

- Obtain Necessary Property Rights
- Proper Sludge Disposal
- BAT/BCT Reopener
- Small Stream Discharge

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0245313**, Sewage, SIC Code 4952, **PA Historical & Museum Commission**, 400 North Street, Room N118, Harrisburg, PA 17120. Facility Name: Mather Mill STP. This proposed facility is located in Whitemarsh Township, **Montgomery County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream, Wissahickon Creek (TSF, MF), is located in State Water Plan watershed 3-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .000396 MGD.—Limits.

| Parameters  | Mass Units (lbs/day) |                  | Minimum         | Concentrations (mg/L) |         | IMAX   |
|---|----------------------|------------------|-----------------|-----------------------|---------|--------|
|   | Average Monthly      | Average Weekly   |                 | Annual Average        | Maximum |        |
| Flow (GPD)  | Report               | Report Daily Max | XXX             | XXX                   | XXX     | XXX    |
| pH (S.U.)   | XXX                  | XXX              | 6.0<br>Inst Min | XXX                   | XXX     | 9.0    |
| Total Residual Chlorine (TRC)                               | XXX                  | XXX              | XXX             | Report                | XXX     | Report |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                  | XXX              | XXX             | 10.0                  | XXX     | 20     |
| Total Suspended Solids                                      | XXX                  | XXX              | XXX             | 10.0                  | XXX     | 20     |
| Fecal Coliform (No./100 ml)                                 | XXX                  | XXX              | XXX             | 200                   | XXX     | XXX    |

In addition, the permit contains the following major special conditions:

- AMR to DEP
- DMR to DEP
- Septage and Scum Measurement
- Septic Tank Pumping
- Chlorine Optimization
- No Stormwater Condition

- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Phase Out When Municipal Sewers Available

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0094510**, Industrial, SIC Code 3312, **US Steel Corp.**, 400 State Street, Clairton, PA 15025-1855. Facility Name: US Steel Mon Valley Works Edgar Thomson Plant. This existing facility is located in Braddock Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 005 are based on an average discharge flow of 186 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)                     | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                  | XXX                     | 0.3                          | XXX                  | 0.75        |
| Temperature (°F)              |                             |                      |                         |                              |                      |             |
| Jan 1 - 31                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 92.7        |
| Feb 1 - 28                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 98.1        |
| Mar 1 - Sep 30                | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 110.0       |
| Oct 1 - 15                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 110.0       |
| Oct 16 - 31                   | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 105.9       |
| Nov 1 - 15                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 105.7       |
| Nov 16 - 30                   | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 88.1        |
| Dec 1 - 31                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 80.3        |
| Aluminum, Total               | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Chromium, Hexavalent          | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Copper, Total                 | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Chemical Oxygen Demand (COD)  | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Total Suspended Solids        | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Fluoride, Total               | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Iron, Total                   | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Manganese, Total              | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Zinc, Total                   | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |

The proposed effluent limits for Outfall 006 are based on an average discharge flow of 26.8 MGD.—Interim Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)                     | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                  | XXX                     | 0.5                          | XXX                  | 1.25        |
| Temperature (°F)              |                             |                      |                         |                              |                      |             |
| Jan 1 - 31                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 92.7        |
| Feb 1 - 28                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 98.1        |
| Mar 1 - Sep 30                | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 110.0       |
| Oct 1 - 15                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 110.0       |
| Oct 16 - 31                   | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 105.9       |
| Nov 1 - 15                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 105.7       |
| Nov 16 - 30                   | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 88.1        |
| Dec 1 - 31                    | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 80.3        |
| Aluminum, Total               | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Lead, Total                   | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Acrolein (ug/L)               | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Total Suspended Solids        | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Copper, Total                 | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Iron, Total                   | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Zinc, Total                   | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |

The proposed effluent limits for Outfall 006 are based on an average discharge flow of 26.8 MGD.—Final Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                          | <i>Instant.<br/>Minimum</i> | <i>Concentrations (mg/L)</i> |                          | <i>IMAX</i> |
|-------------------------------|-----------------------------|--------------------------|-----------------------------|------------------------------|--------------------------|-------------|
|                               | <i>Average<br/>Monthly</i>  | <i>Daily<br/>Maximum</i> |                             | <i>Average<br/>Monthly</i>   | <i>Daily<br/>Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report                   | XXX                         | XXX                          | XXX                      | XXX         |
| pH (S.U.)                     | XXX                         | XXX                      | 6.0                         | XXX                          | XXX                      | 9.0         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                      | XXX                         | 0.5                          | XXX                      | 1.25        |
| Temperature (°F)              |                             |                          |                             |                              |                          |             |
| Jan 1 - 31                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 92.7        |
| Feb 1 - 28                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 98.1        |
| Mar 1 - Sep 30                | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 110.0       |
| Oct 1 - 15                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 110.0       |
| Oct 16 - 31                   | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 105.9       |
| Nov 1 - 15                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 105.7       |
| Nov 16 - 30                   | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 88.1        |
| Dec 1 - 31                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 80.3        |
| Aluminum, Total               | XXX                         | XXX                      | XXX                         | Report                       | Report                   | XXX         |
| Lead, Total                   | XXX                         | XXX                      | XXX                         | Report                       | Report                   | XXX         |
| Acrolein (ug/L)               | XXX                         | XXX                      | XXX                         | 17.2                         | 26.8                     | XXX         |
| Total Suspended Solids        | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Copper, Total                 | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Iron, Total                   | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Zinc, Total                   | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |

The proposed effluent limits for Outfall 106.—Limits.

| <i>Parameters</i>      | <i>Mass Units (lbs/day)</i> |                          | <i>Instant.<br/>Minimum</i> | <i>Concentrations (mg/L)</i> |                          | <i>IMAX</i> |
|------------------------|-----------------------------|--------------------------|-----------------------------|------------------------------|--------------------------|-------------|
|                        | <i>Average<br/>Monthly</i>  | <i>Daily<br/>Maximum</i> |                             | <i>Average<br/>Monthly</i>   | <i>Daily<br/>Maximum</i> |             |
| Flow (MGD)             | Report                      | Report                   | XXX                         | XXX                          | XXX                      | XXX         |
| pH (S.U.)              | XXX                         | XXX                      | 6.0                         | XXX                          | XXX                      | 9.0         |
| Total Suspended Solids | 365                         | 1,097                    | XXX                         | Report                       | Report                   | 50          |
| Ammonia-Nitrogen       | 41.0                        | 123                      | XXX                         | Report                       | Report                   | 60          |
| Cyanide, Total         | 12.3                        | 24.6                     | XXX                         | Report                       | Report                   | 2.5         |
| Lead, Total            | 1.23                        | 3.69                     | XXX                         | Report                       | Report                   | 0.94        |
| Zinc, Total            | 1.84                        | 5.53                     | XXX                         | Report                       | Report                   | 1.13        |
| Phenolics, Total       | 0.41                        | 0.816                    | XXX                         | Report                       | Report                   | 0.25        |

The proposed effluent limits for Outfall 008 are based on an average discharge flow of 2.21 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                          | <i>Instant.<br/>Minimum</i> | <i>Concentrations (mg/L)</i> |                          | <i>IMAX</i> |
|-------------------------------|-----------------------------|--------------------------|-----------------------------|------------------------------|--------------------------|-------------|
|                               | <i>Average<br/>Monthly</i>  | <i>Daily<br/>Maximum</i> |                             | <i>Average<br/>Monthly</i>   | <i>Daily<br/>Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report                   | XXX                         | XXX                          | XXX                      | XXX         |
| pH (S.U.)                     | XXX                         | XXX                      | 6.0                         | XXX                          | XXX                      | 9.0         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                      | XXX                         | 0.5                          | XXX                      | 1.25        |
| Temperature (°F)              |                             |                          |                             |                              |                          |             |
| Jan 1 - 31                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 92.7        |
| Feb 1 - 28                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 98.1        |
| Mar 1 - Sep 30                | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 110.0       |
| Oct 1 - 15                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 110.0       |
| Oct 16 - 31                   | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 105.9       |
| Nov 1 - 15                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 105.7       |
| Nov 16 - 30                   | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 88.1        |
| Dec 1 - 31                    | XXX                         | XXX                      | XXX                         | XXX                          | XXX                      | 80.3        |
| Total Suspended Solids        | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Aluminum, Total               | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Copper, Total                 | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Iron, Total                   | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Lead, Total                   | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |
| Zinc, Total                   | XXX                         | XXX                      | XXX                         | XXX                          | Report                   | XXX         |

The proposed effluent limits for Outfall 009 are based on an average discharge flow of 5.68 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                          | <i>Instant.<br/>Minimum</i> | <i>Concentrations (mg/L)</i> |                          | <i>IMAX</i> |
|-------------------------------|-----------------------------|--------------------------|-----------------------------|------------------------------|--------------------------|-------------|
|                               | <i>Average<br/>Monthly</i>  | <i>Daily<br/>Maximum</i> |                             | <i>Average<br/>Monthly</i>   | <i>Daily<br/>Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report                   | XXX                         | XXX                          | XXX                      | XXX         |
| pH (S.U.)                     | XXX                         | XXX                      | 6.0                         | XXX                          | XXX                      | 9.0         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                      | XXX                         | 0.5                          | XXX                      | 1.25        |

| <i>Parameters</i>      | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                        | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Temperature (°F)       |                             |                      |                         |                              |                      |             |
| Jan 1 - 31             | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 92.7        |
| Feb 1 - 28             | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 98.1        |
| Mar 1 - Sep 30         | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 110.0       |
| Oct 1 - 15             | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 110.0       |
| Oct 16 - 31            | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 105.9       |
| Nov 1 - 15             | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 105.7       |
| Nov 16 - 30            | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 88.1        |
| Dec 1 - 31             | XXX                         | XXX                  | XXX                     | XXX                          | XXX                  | 80.3        |
| Aluminum, Total        | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Zinc, Total            | XXX                         | XXX                  | XXX                     | 0.711                        | 1.42                 | 1.78        |
| Acrylamide             | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Acrylonitrile          | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Total Suspended Solids | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Copper, Total          | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Fluoride, Total        | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Iron, Total            | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |
| Lead, Total            | XXX                         | XXX                  | XXX                     | XXX                          | Report               | XXX         |

The proposed effluent limits for Outfall 109 are based on an average discharge flow of 0.068 MGD.—Limits.

| <i>Parameters</i>      | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                        | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)             | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)              | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Suspended Solids | 415                         | 1,240                | XXX                     | Report                       | Report               | 88          |
| Oil and Grease         | 3.67                        | 11.1                 | XXX                     | 15.0                         | 30.0                 | 38          |
| Lead, Total            | 2.62                        | 7.84                 | XXX                     | Report                       | Report               | 1.13        |
| Zinc, Total            | 3.93                        | 11.8                 | XXX                     | Report                       | Report               | 1.69        |

The proposed effluent limits for Outfall 209 are based on an average discharge flow of 0.191 MGD.—Limits.

| <i>Parameters</i>      | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                        | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)             | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)              | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Suspended Solids | 34.7                        | 97.0                 | XXX                     | 25.0                         | 70.0                 | 88          |
| Oil and Grease         | 13.8                        | 41.6                 | XXX                     | 10.0                         | 30.0                 | 38          |
| Lead, Total            | 0.416                       | 1.25                 | XXX                     | 0.30                         | 0.90                 | 1.13        |
| Zinc, Total            | 0.623                       | 1.87                 | XXX                     | 0.45                         | 1.35                 | 1.69        |

The proposed effluent limits for Outfall 309.—Limits.

| <i>Parameters</i>      | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                        | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)             | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)              | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Suspended Solids | 34.7                        | 97.0                 | XXX                     | 25.0                         | 70.0                 | XXX         |
| Oil and Grease         | 13.8                        | 41.6                 | XXX                     | 10.0                         | 30.0                 | XXX         |
| Lead, Total            | 0.416                       | 1.25                 | XXX                     | 0.30                         | 0.90                 | XXX         |
| Zinc, Total            | 0.623                       | 1.87                 | XXX                     | 0.45                         | 1.35                 | XXX         |

The proposed effluent limits for Outfall 409.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)                     | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                  | XXX                     | 0.5                          | XXX                  | 1.6         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.



**PA0097233**, Sewage, SIC Code 4952, **South Versailles Township Allegheny County**, P.O. Box 66, Coulters, PA 15028. Facility Name: S Versailles Township. This existing facility is located at Lower Railroad Street, Coulters, PA 15028, located in South Versailles Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Youghiogheny River (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>   | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|------------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                  | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Flow (MGD)  | Report                      | Report                | XXX              | XXX                          | XXX            | XXX         |
| pH (S.U.)   | XXX                         | XXX                   | 6.0              | XXX                          | XXX            | 9.0         |
| Dissolved Oxygen  | XXX                         | XXX                   | Daily Min<br>4.0 | XXX                          | XXX            | XXX         |
| Total Residual Chlorine (TRC)                               | XXX                         | XXX                   | Daily Min<br>0.5 | XXX                          | XXX            | 1.6         |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | 6.3                         | XXX                   | XXX              | 25.0                         | XXX            | 50.0        |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )               | Report                      | XXX                   | XXX              | Report                       | XXX            | XXX         |
| Raw Sewage Influent Total Suspended Solids                  | Report                      | XXX                   | XXX              | Report                       | XXX            | XXX         |
| Raw Sewage Influent Total Suspended Solids                  | 7.5                         | XXX                   | XXX              | 30.0                         | XXX            | 60.0        |
| Fecal Coliform (No./100 ml)                                 |                             |                       |                  |                              |                |             |
| Oct 1 - Apr 30  | XXX                         | XXX                   | XXX              | 2,000                        | XXX            | 10,000      |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX              | 200                          | XXX            | 1,000       |
| Ammonia-Nitrogen  | Report                      | XXX                   | XXX              | Report                       | XXX            | Report      |

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

| <i>Parameters</i>    | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|----------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
|                      | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| E. Coli (No./100 ml) | XXX                         | XXX                   | XXX            | XXX                          | XXX            | Report      |
| Total Nitrogen       | XXX                         | XXX                   | XXX            | Report                       | XXX            | XXX         |
| Total Phosphorus     | XXX                         | XXX                   | XXX            | Annl Avg<br>Report           | XXX            | XXX         |
|                      |                             |                       |                | Annl Avg                     |                |             |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0217514**, Sewage, SIC Code 3339, **Honeywell Electronic Materials Inc.**, 195 Hartzell School Road, Fombell, PA 16123-1207. Facility Name: Honeywell Electric Materials. This existing facility is located in Marion Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Connoquenessing Creek and Connoquenessing Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                       | <i>Average Monthly</i> | <i>Concentrations (mg/L)</i> |                  | <i>IMAX</i> |
|-------------------------------|-----------------------------|-----------------------|------------------------|------------------------------|------------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Average Weekly</i> |                        | <i>Average Monthly</i>       | <i>Maximum</i>   |             |
| Flow (MGD)                    | 0.015                       | XXX                   | XXX                    | XXX                          | XXX              | XXX         |
| pH (S.U.)                     | XXX                         | XXX                   | 6.0                    | XXX                          | 9.0              | XXX         |
| Dissolved Oxygen              | XXX                         | XXX                   | Daily Min<br>5.0       | XXX                          | Daily Max<br>XXX | XXX         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                   | Daily Min<br>0.5       | XXX                          | XXX              | 1.6         |

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Average Monthly</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|------------------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                        | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                         | XXX                   | 25.0                   | XXX                          | XXX            | 50.0        |
| Total Suspended Solids                                      | XXX                         | XXX                   | 30.0                   | XXX                          | XXX            | 60.0        |
| Fecal Coliform (No./100 ml)                                 |                             |                       |                        |                              |                |             |
| Oct 1 - Apr 30  | XXX                         | XXX                   | XXX                    | 2,000                        | XXX            | 10,000      |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX                    | Geo Mean<br>200              | XXX            | 1,000       |
| Total Phosphorus  | XXX                         | XXX                   | 2.0                    | Geo Mean<br>XXX              | XXX            | 4.0         |

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

| <i>Parameters</i>    | <i>Mass Units (lbs/day)</i> |                       | <i>Average Monthly</i> | <i>Concentrations (mg/L)</i> |                        | <i>IMAX</i> |
|----------------------|-----------------------------|-----------------------|------------------------|------------------------------|------------------------|-------------|
|                      | <i>Average Monthly</i>      | <i>Average Weekly</i> |                        | <i>Average Monthly</i>       | <i>Average Monthly</i> |             |
| E. Coli (No./100 ml) | XXX                         | XXX                   | XXX                    | XXX                          | XXX                    | Report      |
| Total Nitrogen       | XXX                         | XXX                   | XXX                    | Report                       | XXX                    | XXX         |
|                      |                             |                       |                        | Daily Max                    |                        |             |

In addition, the permit contains the following major special conditions:

- Solids management for non-lagoon system
- Requirements applicable to stormwater outfalls
- Chlorine minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0253260**, Sewage, SIC Code 6514, **Henry Berdine**, 559 Zediker Station Road, Washington, PA 15301-3169. Facility Name: Berdine SRSTP. This existing facility is located in South Strabane Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Chartiers Creek (HQ-WWF), is located in State Water Plan watershed 20-F and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-------------------------|------------------------------|----------------------|-------------|
|   | <i>Semi-Annual Average</i>  | <i>Average Weekly</i> |                         | <i>Semi-Annual Average</i>   | <i>Daily Maximum</i> |             |
| Flow (MGD)  | 0.0004                      | XXX                   | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)   | XXX                         | XXX                   | 6.0                     | XXX                          | XXX                  | 9.0         |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) |                             |                       |                         |                              |                      |             |
| Nov 1 - Apr 30  | XXX                         | XXX                   | XXX                     | 20.0                         | XXX                  | 40.0        |
| May 1 - Oct 31  | XXX                         | XXX                   | XXX                     | 10.0                         | XXX                  | 20.0        |
| Total Suspended Solids                                      | XXX                         | XXX                   | XXX                     | 10.0                         | XXX                  | 20.0        |
| Fecal Coliform (No./100 ml)                                 |                             |                       |                         |                              |                      |             |
| Oct 1 - Apr 30  | XXX                         | XXX                   | XXX                     | 2,000                        | XXX                  | 10,000      |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX                     | 200                          | XXX                  | 1,000       |
| Ammonia-Nitrogen  |                             |                       |                         |                              |                      |             |
| Nov 1 - Apr 30  | XXX                         | XXX                   | XXX                     | 15.0                         | XXX                  | 30.0        |
| May 1 - Oct 31  | XXX                         | XXX                   | XXX                     | 5.0                          | XXX                  | 10.0        |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0255980**, Sewage, SIC Code 8800, **Matthew E Hussak**, 41 Orchard Street, Canonsburg, PA 15317. Facility Name: Hussak Properties SRSTP. This proposed facility is located in Industry Borough, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Wolf Run (WWF), is located in State Water Plan watershed and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Flow (GPD)                                    | Report<br>Annl Avg          | XXX                   | XXX             | XXX                          | XXX            | XXX         |
| pH (S.U.)                                     | XXX                         | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0         |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20.0        |
| Total Suspended Solids                        | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20.0        |
| Fecal Coliform (No./100 ml)                   | XXX                         | XXX                   | XXX             | 200                          | XXX            | XXX         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0218146**, Industrial, SIC Code 4922, **Texas Eastern Transmission, LP**, 5400 Westheimer Court, Houston, TX 77056-5310. Facility Name: Armagh Compressor Station. This existing facility is located in West Wheatfield Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to East Branch Richards Run (CWF), is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0016 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> |                      | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                   | <i>Average Monthly</i>      | <i>Daily Maximum</i> |                         | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)        | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| Oil and Grease    | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Aluminum, Total   | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Iron, Total       | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Manganese, Total  | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| PCBs, Total       | XXX                         | XXX                  | XXX                     | 0.000063                     | 0.000124             | XXX         |
| pH (S.U.)         | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |

The proposed effluent limits for Outfall 001 are based on a design flow of .0.0016 MGD.—Final Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> |                      | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                   | <i>Average Monthly</i>      | <i>Daily Maximum</i> |                         | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)        | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| Oil and Grease    | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Aluminum, Total   | XXX                         | XXX                  | XXX                     | 0.75                         | 0.75                 | XXX         |
| Iron, Total       | XXX                         | XXX                  | XXX                     | 1.5                          | 3.0                  | XXX         |
| Manganese, Total  | XXX                         | XXX                  | XXX                     | 1.0                          | 2.0                  | XXX         |
| PCBs, Total       | XXX                         | XXX                  | XXX                     | 0.000063                     | 0.000124             | XXX         |
| pH (S.U.)         | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |

The proposed effluent limits for IMP 101.—Limits.

| <i>Parameters</i>                 | <i>Mass Units (lbs/day)</i> |                       | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|-----------------------------------|-----------------------------|-----------------------|-------------------------|------------------------------|----------------|-------------|
|                                   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                         | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Flow (GPM)                        | Report                      | XXX                   | XXX                     | XXX                          | XXX            | XXX         |
| Total Flow (Total Volume) (M Gal) | Report<br>Total<br>Monthly  | XXX                   | XXX                     | XXX                          | XXX            | XXX         |
| Duration of Discharge (hours)     | XXX                         | XXX                   | XXX                     | Report                       | XXX            | XXX         |
| pH (S.U.)                         | XXX                         | XXX                   | 6.0                     | XXX                          | XXX            | 9.0         |
| Dissolved Oxygen                  | XXX                         | XXX                   | 5.0                     | XXX                          | XXX            | XXX         |
| Total Residual Chlorine (TRC)     | XXX                         | XXX                   | XXX                     | Report                       | XXX            | 0.05        |
| Total Suspended Solids            | XXX                         | XXX                   | XXX                     | 30.0                         | XXX            | 60.0        |
| Oil and Grease                    | XXX                         | XXX                   | XXX                     | 15.0                         | XXX            | 30          |
| Iron, Dissolved                   | XXX                         | XXX                   | XXX                     | XXX                          | XXX            | 7.0         |
| Benzene                           | XXX                         | XXX                   | XXX                     | XXX                          | XXX            | 0.0025      |

| <i>Parameters</i>  | <i>Mass Units (lbs/day)</i> |                           | <i>Instant.<br/>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|--------------------|-----------------------------|---------------------------|-----------------------------|------------------------------|----------------|-------------|
|                    | <i>Average<br/>Monthly</i>  | <i>Average<br/>Weekly</i> |                             | <i>Average<br/>Monthly</i>   | <i>Maximum</i> |             |
| BTEX, Total        | XXX                         | XXX                       | XXX                         | XXX                          | XXX            | 0.25        |
| PCBs, Total (ug/L) | XXX                         | XXX                       | XXX                         | Report                       | XXX            | Report      |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>               | <i>Office</i> |
|---------------------------|-------------------------|---|---|---------------|
| PAD230058                 | New                     | Upper Darby School District<br>4611 Bond Avenue<br>Drexel Hill, PA 19026-4236                                   | Upper Darby Township<br>Delaware County   | SERO          |
| PAD480157                 | New                     | Northampton County Parks & Recreation Dept.<br>Bryan Cope<br>669 Washington St.<br>Easton, PA 18042             | Plainfield Township<br>Northampton County | NERO          |
| PAD400048                 | New                     | National Sisterhood United for Journeymen Linemen<br>Rachel Johnson<br>15 Jarrick Lane<br>White Haven, PA 18661 | Foster Township<br>Luzerne County         | NERO          |
| PAD050013                 | New                     | Bedford Township<br>Municipal Authority<br>1007 Shed Road<br>Bedford, PA 15522                                  | Bedford Township<br>Bedford County        | SCRO          |
| PAD630060                 | Individual NPDES        | Eighty-Four Land Company<br>163 Lelak Lane<br>Venetia, PA 15367   | Somerset Township<br>Washington County    | SWRO          |
| PAD650034                 | Individual NPDES        | Yorkshire Enterprises<br>3684 Vineland Avenue<br>The Villages, FL 32163   | Unity Township<br>Westmoreland County     | SWRO          |

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

| <i>Agricultural Operation<br/>Name and Address</i>   | <i>County</i> | <i>Total<br/>Acres</i> | <i>Animal<br/>Equivalent<br/>Units</i> | <i>Animal<br/>Type</i>                | <i>Special<br/>Protection<br/>Waters (HQ<br/>or EV or NA)</i> | <i>Renewal/<br/>New</i> |
|--|---------------|------------------------|--|---------------------------------------|---|-------------------------|
| Todd Rabert Poultry<br>Operation<br>380 South Locust Point Road<br>Mechanicsburg, PA 17055 | Cumberland    | 55.42                  | 274.29                                 | Poultry<br>Broilers Beef<br>Finishers | NA  | New                     |

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**Application No. 4021506**, Public Water Supply.

|                  |   |
|------------------|---|
| Applicant        | <b>Aqua Pennsylvania, Inc.</b><br>1 Aqua Way<br>White Haven, PA 18661 |
| Municipality     | Hazle Township  |
| County           | <b>Luzerne</b>  |
| Type of Facility | Public Water Supply   |

|                           |  |
|---------------------------|--|
| Consulting Engineer       | David R. Knapton, P.E.<br>GHD, Inc.<br>4068 Mt. Royal Boulevard<br>Gamma Building<br>Suite 201<br>Allison Park, PA 15101   |
| Application Received Date | September 9, 2021  |
| Description of Action     | Aqua Pennsylvania, Inc. proposes to construct a new recirculation pump station in the Eagle Rock Resort development located at the intersection of Stony Mountain Drive and Adler/Swope Mountain Lane. |

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 2221515**, Public Water Supply.

|                      |  |
|----------------------|--|
| Applicant            | <b>Capital Region Water</b>  |
| Municipality         | Susquehanna Township   |
| County               | <b>Dauphin</b>   |
| Responsible Official | David Stewart<br>Director of Engineering<br>212 Locust Street<br>Suite 302<br>Harrisburg, PA 17101 |
| Type of Facility     | Public Water Supply  |
| Consulting Engineer  | Jamie R. Shambaugh, P.E.<br>Gannett Fleming, Inc.<br>P.O. Box 67100<br>Harrisburg, PA 17106-7100   |

|                       |   |
|-----------------------|---|
| Application Received: | August 9, 2021  |
| Description of Action | Modifications to the existing flocculation basins and drive motors. |

**Permit No. 3821505**, Public Water Supply.

|                      |  |
|----------------------|--|
| Applicant            | <b>Heidelberg Township</b>   |
| Municipality         | Heidelberg Township  |
| County               | <b>Lebanon</b>   |
| Responsible Official | Paul Fetter<br>Chairman<br>111 Mill Road<br>P.O. Box 188<br>Schaefferstown, PA 17088 |
| Type of Facility     | Public Water Supply  |

Consulting Engineer Charles A. Kehew II, P.E.  
James R. Holley &  
Associates, Inc.  
18 South George Street  
York, PA 17401

Application Received: August 5, 2021

Description of Action Replacement of the existing  
nitrate treatment system.

**Permit No. 0121507**, Public Water Supply.

Applicant **Possum Valley  
Municipal Authority**

Municipality Menallen Township

County **Adams**

Responsible Official Michael Johnson  
Chairman  
609 Clearview Road  
Aspers, PA 17304

Type of Facility Public Water Supply

Consulting Engineer Mark Mazzochette, P.E.  
Hydro-Terra Group  
1106 Business Parkway South  
Suite E  
Westminster, MD 21157

Application Received: August 26, 2021

Description of Action Rarate of the Labor Camp Well.

**Permit No. 0121508**, Public Water Supply.

Applicant **Possum Valley  
Municipal Authority**

Municipality Menallen Township

County **Adams**

Responsible Official Michael Johnson  
Chairman  
609 Clearview Road  
Aspers, PA 17304

Type of Facility Public Water Supply

Consulting Engineer Mark Mazzochette, P.E.  
Hydro-Terra Group  
1106 Business Parkway South  
Suite E  
Westminster, MD 21157

Application Received: August 26, 2021

Description of Action Installation of a new well—  
Alternate Labor Camp Well.

*Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 1121509**, Public Water Supply.

Applicant **Greater Johnstown  
Water Authority**  
640 Franklin Street  
Johnstown, PA 15901

Borough Westmont Borough

County **Cambria**

Responsible Official Michael Kerr  
Manager

Type of Facility Water system

Consulting Engineer Gibson Thomas Engineering  
Company, Inc.  
1004 Ligonier Street  
Box 853  
Latrobe, PA 15650

Application Received: September 8, 2021

Description of Action Construction of the  
486,000-gallon Westmont Brick  
tank with a mixing system and a  
pressure reducing vault.

**Permit No. 0221541**, Public Water Supply.

Applicant **Susan Affolder & Randy Muto  
Fools, Inc.**  
370 Rochester Road  
Pittsburgh, PA 15237

Township Ross Township

County **Allegheny**

Responsible Official Susan Affolder  
President

Type of Facility Water system

Consulting Engineer Key Environmental, Inc.  
200 3rd Avenue  
Carnegie, PA 15106

Application Received: September 15, 2021

Description of Action Water supply system for Fools  
Tavern.

*Northwest Region: Safe Drinking Water Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 4321504**, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**

Municipality City of Sharon

County **Mercer**

Responsible Official Zach F. Martin  
665 South Dock Street  
Sharon, PA 16146

Type of Facility Booster Pump Station

Consulting Engineer Mark R. Widdershelm, P.E.  
Entech Engineering, Inc.  
400 Industry Drive  
Suite 200  
Pittsburgh, PA 15275

Application Received: September 3, 2021

Description of Action Stateline Booster Pump Station.

**Permit No. 4321503**, Public Water Supply.

Applicant **Grove City Borough**

Municipality Grove City Borough

County **Mercer**

Responsible Official Vance Oakes  
125 West Main Street  
Grove City, PA 16127

Type of Facility Grove City WTP

Consulting Engineer Daniel J. Goncz, P.E.  
Gannett Fleming, Inc.  
Foster Plaza 8  
Suite 400  
730 Holiday Drive  
Pittsburgh, PA 15220

Application Received August 16, 2021  
Date

Description of Action New WTP

**Permit No. 2021501**, Public Water Supply.

Applicant **Mobile Realty 10, LLC**

Township Woodcock Township

County **Crawford**

Responsible Official J. Herbert Fisher, Jr.  
1768 Oregon Pike  
Lancaster, PA 17601

Type of Facility Mobile Home Park

Consulting Engineer Steven R. Halmi, P.E.  
Deiss & Halmi Engineering, Inc.  
105 Meadville Street  
Edinboro, PA 16412

Application Received September 10 2021  
Date

Description of Action Treatment Consolidation and  
Contact Segment Addition.

**Permit No. 4321502**, Public Water Supply.

Applicant **Greenville Municipal  
Water Authority**

Township Hempfield Township

County **Mercer**

Responsible Official Thomas Strahler  
44 Clinton Street  
Greenville, PA 16125

Type of Facility Pump Station

Consulting Engineer Robert Horvat, Jr. P.E.  
Entech Engineering, Inc.  
400 Industry Drive  
Suite 200  
Pittsburgh, PA 15275

Application Received June 25, 2021  
Date

Description of Action Hadley Road Booster Pump  
Station Relocation.

**Permit No. 6121501**, Public Water Supply.

Applicant **General Authority of the  
City of Franklin**

Municipality City of Franklin

County **Venango**

Responsible Official Timothy Dunkle  
430 13th Street  
Franklin, PA 16323

Type of Facility 15th Street Pump Station

Consulting Engineer Kyle W. Fritz P.E.  
The EADS Group  
227 Franklin Street  
Suite 300  
Johnstown, PA 15901

Application Received August 27, 2021  
Date

Description of Action Pump Station

**Permit No. 1021503**, Public Water Supply.

Applicant **Concordia Lutheran  
Ministries**

Township Jefferson Township

County **Butler**

Responsible Official Brian Hortert  
134 Marwood Road  
Cabot, PA 16023

Type of Facility New Groundwater Source

Consulting Engineer Donald Olmstead, P.E.  
Venture Engineering and  
Construction  
100 Global View Drive  
Warrendale, PA 15086

Application Received June 16, 2021  
Date

Description of Action New Well # 5.

*Central Office: Safe Drinking Water, P.O. Box 8467,  
Harrisburg, PA 17105-8467.*

**Permit No. 9996630**, Public Water Supply.

Applicant **Niagara Bottling, LLC**  
4800 Langdon Road  
Suite 400  
Dallas, TX 75241

Township or Borough Dallas, Texas

Responsible Official Andy Peykoff II

Type of Facility Out of State Bottled Water  
System

Application Received September 23, 202  
Date

Description of Action Application to sell Essentia  
2-gallon bag in box purified  
water with minerals.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

**Acknowledgment of Notices of Intent to Remediate  
Submitted Under the Land Recycling and Envi-  
ronmental Remediation Standards Act (35 P.S.  
§§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environ-  
mental Remediation Standards Act (Act) require the  
Department of Environmental Protection (Department) to  
publish in the *Pennsylvania Bulletin* an acknowledgment  
noting receipt of any Notices of Intent to Remediate. An  
acknowledgment of the receipt of a Notice of Intent (NOI)  
to Remediate is used to identify a site where a person  
proposes to, or has been required to, respond to a release  
of a regulated substance at a site. Persons intending to  
use the background standard, Statewide health standard,  
the site-specific standard, or who intend to remediate a  
site as a special industrial area, must file a (NOI) to  
Remediate with the Department. A NOI to Remediate  
filed with the Department provides a brief description of  
the location of the site, a list of known or suspected

contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5787, Charline Bass.*

**West Swamp Mennonite Church**, 2501 Allentown Road, Quakertown, PA 18951, Milford Township, **Bucks County**. Alex Arcega, ACV Environmental Services, Inc., 928 East Hazelwood Avenue, Rahway, NJ 07065 on behalf of Otis Johnson, Diesel Direct, 2527 Market Street, Aston, PA 19014 submitted a Notice of Intent to Remediate. Soil at the site has been found to be contaminated with hydraulic oil and antifreeze. The proposed future use of the property will be as is (i.e., church facility). The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Bucks County Courier Times* on September 15, 2021.

*Southcentral Region: Environmental Cleanup & Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Eastern Consolidation & Distribution Services, Inc.**, 460 Sterling Street, Camp Hill, PA 17011, Hampden Township, **Cumberland County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of ECD Services and Baron Ventures, Inc., 560 Sterling Street, Camp Hill, PA 17011, submitted a

Notice of Intent to Remediate site soil and groundwater contaminated with diesel fuel. The site will be remediated to the site specific and residential Statewide health standards. Future use of the site will be used as nonresidential commercial purposes. The Notice of Intent to Remediate was published in *The Sentinel* on August 16, 2021.

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Mountain Energy Service Tanker Accident**, 3019 Mountain Road, Monroeton, PA 18832, Franklin Township, **Bradford County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Chief Oil & Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754 has submitted a Notice of Intent to Remediate concerning site soil contaminated with produced water due to an overturned tanker truck. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was published in *The Daily Review* on September 9, 2021.

**Clarke 5H on the Clarke BRA Pad**, 3427 Morris Road, Overton, PA 18833, Overton Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Notice of Intent to Remediate concerning site soil contaminated with produced water. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was published in *The Daily Review* on September 14, 2021.

**Highland & York Property Heating Oil Release Cleanup**, 240 North Third Street, Lewisburg, PA 17837, Lewisburg Borough, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Highland & York, LLC, 660 Sixth Street, Northumberland, PA 17857, has submitted a Notice of Intent to Remediate concerning site soil contaminated with heating oil. The applicant proposes to remediate the site to meet the Statewide health standard. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on September 16, 2021.

#### HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

**Applications Received, Withdrawn, Denied or Returned Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**PAD010154045. Envirite of Pennsylvania, Inc.**, 730 Vogelsong Road, York, PA 17404, City of York, **York County**. Application for a Class 2 Permit Modification was determined to be administratively complete on September 23, 2021.

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**PAD005033055. Wabtec US Rail, Inc.**, 2901 East Lake Road, Erie, PA 16531, Lawrence Park Township, **Erie County**. Application received on September 8, 2021.



**DETERMINATION OF APPLICABILITY FOR  
RESIDUAL WASTE GENERAL PERMITS**

**Application(s) for Determination of Applicability Administratively Complete Under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**General Permit Application No. WMGR123SW053. EQT Production Company**, 400 Woodcliff Drive, Canonsburg, PA 15317. An application for coverage under General Permit No. WMGR123 for the processing, transfer and beneficial use of oil and gas liquid waste to develop or hydraulically fracture an oil or gas well at the Hoosker Doo Aboveground Storage Tank facility, located at Bryan Ridge Road in Aleppo Township, **Greene County** was accepted as administratively complete by the Southwest Regional Office on September 23, 2021.

Comments concerning the application should be directed to the Southwest Regional Office Resource Account at RA-EP-EXTUPLSWRO@pa.gov. Persons interested in obtaining more information about the general permit application may contact the Southwest Regional Office, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice.

**Application(s) Received for Determination of Applicability under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for a General Permit to Operate a Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Southwest Region: Waste Management Environmental Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.*

**General Permit Application No. WMGR138SW001. Woehler Landscape Supply Yard at 202, LLC**, 1357 Streets Run Road, Pittsburgh, PA 15236. The site address is 202 Buckeye Street, Canonsburg, PA 15317, Peters Township, **Washington County**. The Department received a new application for coverage under General Permit No. WMGR138. This general permit is for the processing of yard waste, land clearing and grubbing waste, construction and demolition waste, concrete and asphalt waste and pre- and post-consumer asphalt shingles for beneficial use as landscape material and for further recycling. The application was deemed administratively complete in the Regional Office on September 14, 2021.

Comments concerning the application should be directed to the Waste Management Program Manager, DEP Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application. Persons interested in reviewing the general permit or the

application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481, Christina Wilhelm.*

**General Permit Application No. WMGR123NW016, PennEnergy Resources, LLC**, 762 Brownsdale Road, Evans City, PA 16033, Forward Township, **Butler County**. The application requests approval to install a tank and secondary containment at the McElhinney Tank Pad site to store, process, and beneficially reuse oil and gas liquid waste. The application for determination of applicability was received by the Northwest Regional Office on September 20, 2021.

Comments concerning the application should be directed to Christina Wilhelm, Waste Management Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335. Persons interested in obtaining more information about the general permit application may contact the Northwest Regional Office, (814) 332-6648. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of, the application.

**OPERATE WASTE PROCESSING OR DISPOSAL  
AREA OR SITE**

**Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

**Permit Application No. 400633. Wheelabrator Falls Inc.**, 1201 New Ford Mill Road, Morrisville, PA 19067-3707. This Application is for the ten (10) year renewal of the existing Solid Waste Permit No. 400633 to continue operation of the Wheelabrator Falls Resource Recovery Facility, a commercial resource recovery incinerator, located at 1201 New Ford Mill Road in Falls Township, **Bucks County**. The application was received by the Southeast Regional Office on September 15, 2021.

Comments concerning the application should be directed to the Waste Management Program Manager, Department of Environmental Protection (DEP) Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the (DEP) through the Pennsylvania Hamilton Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**AIR QUALITY  
PLAN APPROVAL AND OPERATING  
PERMIT APPLICATIONS**

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating

Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

---

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

---

*Southwest Regional Office, Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**PA-63-00895A: Ensinger, Inc.** (365 Meadowlands Blvd., Washington, PA 15301-8904). In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-63-00895A) to Ensinger, Inc. (Enginger) to authorize the installation and temporary operation of a new Schwing Thermal Cleaning System and integrated emission controls at its existing Ensinger Washington Facility located at 365 Meadowlands Boulevard in North Strabane Township, **Washington County**. The thermal cleaning system is a combined process involving pyrolysis and oxidation.

The emissions will be controlled by a 3-way Integral Catalytic Oxidizer, manufactured by Schwing, Model No. 354, air dilution rated at 11 SCFM. The potential emissions after control from this project are limited to: NO<sub>x</sub> = 16.5 tpy; VOC = 5.0 tpy; CO = 3.0 tpy; PM<sub>10</sub> = 0.5 tpy; PM<sub>2.5</sub> = 0.5 tpy; HCHO = 0.25 tpy; MeCHO = 0.25 tpy; and total HAPs = 0.50 tpy.

This authorization is subject to the best available technology (BAT) and the State regulations including 25 Pa. Code Chapters 123 and 127. Plan approval conditions include emission limits, operational restrictions, monitoring requirements, work practice standards, associated recordkeeping, reporting requirements, and stack testing. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise or submit a State Only Operating Permit (SOOP) application in accordance with 25 Pa. Code Subchapter F. Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at [jparihar@pa.gov](mailto:jparihar@pa.gov) or 412.442.4030.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to [jparihar@pa.gov](mailto:jparihar@pa.gov); or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-63-00895A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief, (814) 332-6940.*

**61-200B: Webco Industries, Inc.—Oil City Tube Division** (363 Seneca St., Oil City, PA 16301) for the establishment of a site-wide CO emissions limit for existing sources at their facility in the City of Oil City, **Venango County**.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 61-200B to Webco Industries, Inc.—Oil City Tube Division for the establishment of a site-wide CO emissions limit for existing sources at their facility in the City of Oil City, Venango County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 61-200B establishes a site-wide emissions limit of 100 tons carbon monoxide per year for all sources at the site, in order to maintain classification as a synthetic minor source with respect to Title V. Compliance with this limit will be demonstrated via monitoring of throughput and hours of operation, and emission factors establish via prior stack testing.

The Plan Approval will contain additional testing, monitoring, reporting, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8:00 a.m. and 4:00 p.m. weekdays at the following address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 61-200B and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.*

The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval for installation of air pollution sources at the following facility:

**IP20-000495: Temple University—Health Sciences Campus** (3401 North Broad Street, Philadelphia, PA 19140) for the installation of air emission sources at a University, in the City of Philadelphia, **Philadelphia County**. The air emission sources that are part of the Plan Approval are two (2) new boilers that will replace two existing boilers, with the new boilers firing natural gas primarily and No. 2 oil during periods of natural gas curtailment each rated 89.98 MMBtu/hr (natural gas)/86.33 MMBtu/hr (No. 2 oil), and one (1) rental boiler firing natural gas primarily and No. 2 oil during periods of natural gas curtailment rated 94.7 MMBtu/hr (natural gas)/91.3 MMBtu/hr (No. 2 oil). The potential emission from the installation are as follows: (1) 26.28 tons per year (tpy) of Carbon Monoxide (CO), (2) 23.59 tpy of Nitrogen Oxides (NO<sub>x</sub>), (3) 17.35 tpy of Sulfur Oxides (SO<sub>x</sub>), (4) 5.05 tpy of Particulate Matter (PM), and (5) 1.85 tpy of Volatile Organic Compound (VOC). The plan approval will contain operating, monitoring, and record-keeping requirements to ensure operation within all applicable requirements.

The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed plan approval must submit the protest, comments or request for a public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the plan approval or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

#### OPERATING PERMITS

#### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6328.*

**10-00079: BNZ Materials, Incorporated** (191 Front St, Zelienople, PA 16063-1088). In accordance with 25 Pa. Code §§ 127.441, 127.425 and 127.521, the Department is providing notice that they intend to issue a renewed Title V Operating Permit for the insulating fire brick (IFB) manufacturing facility located in Zelienople Borough, **Butler County**. The manufacturing process involves the use of clay and sawdust. The air contamination sources include emissions from silos, conveyors, material transfer, machine feeders, dryers, and kilns. Other emission sources are two emergency generator engines, a solvent degreaser, a 300-gallon gasoline storage tank, and miscellaneous natural gas combustion. The facility is a major facility due to its potential to emit CO. 2020 reported emissions are as follows: 8.39 tons NO<sub>x</sub>, 86.90 tons CO, 2.90 tons VOC, 5.61 tons PM<sub>10</sub>, and 10.13 tons SO<sub>x</sub>. The natural gas-fired kiln control panel emergency generator is subject to 40 CFR Part 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating

Internal Combustion Engines. The natural gas-fired emergency lighting generator is subject to 40 CFR 60 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The gasoline storage tank is subject to 40 CFR 63 Subpart CCCCC, NESHAP for Gasoline Dispensing Facilities. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**46-00108: Highway Materials Inc./Perkiomenville Quarry** (409 Stenton Ave, Flourtown, PA 19031) for a Non-Title V Facility, Renewal of a State-Only, Synthetic Minor Permit in Marlborough Township, **Montgomery County**. Highway Materials is an asphalt paving mixture and block manufacturing facility. The sources of emissions include crushers. The company took a tons per year throughput restriction on the amount of particulate matter emissions. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.*

**39-00074: Sumitomo (SHI) Cryogenics of America, Inc.** (1833 Vultee Street, Allentown, PA 18103) for the operation of sources at their facility located in Allentown City, **Lehigh County**. This is a renewal State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**40-00093: Fabri-Kal Corporation** (150 Lions Drive, Valmont Industrial Park, Hazle Township, PA 18202) for the operation of sources at their facility located in Hazle Township, **Luzerne County**. This is a renewal State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**48-00068: PA Perlite Corporation/Bethlehem Plant** (1428 Mauch Chunk Road, Bethlehem, PA 18018) for the operation of sources at their facility located in Bethlehem City, **Lehigh County**. This is a renewal State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within applicable air quality requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**08-00025: Richards Funeral Home, Inc.** (502 North Keystone Avenue, South Waverly, PA 18840) to issue a renewal State Only Natural Minor Operating Permit for their Northern Bradford Crematory located in South Waverly Borough, **Bradford County**. The facility is currently operating under State Only Operating Permit 08-00025. The facility's main sources are three crematory incinerators.

The facility has potential emissions of 3.1 tons per year (tpy) of NO<sub>x</sub>, 1.8 tpy of SO<sub>x</sub>, 4.0 tpy of PM<sub>10</sub>, 2.5 tpy of CO, 0.3 tpy of VOCs, 1.2 tpy of total HAPs, and 2,135 tpy of GHGs. There are no emissions increases or equipment changes being proposed by this action.

The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145.

All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**11-00423: Johnstown Wire Technologies, Inc.** (124 Laurel Avenue, Johnstown, PA 15906-2246). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it intends to issue a renewal natural minor State Only Operating Permit (SOOP) for the operation of the Johnstown Wire Technologies Plant Site in the city of Johnstown, **Cambria County**.

Equipment at this facility includes a boiler plant containing four (4) natural gas-fired combustion units rated at 10 MMBtu/hr each, sixteen (16) natural gas-fired heat treating furnaces rated at a total of 104 MMBtu/hr, three (3) wire cleaning/pickling houses, an aluminizing house, and four (4) Bethanizing lines. Potential annual emissions are estimated to be 61.84 tons of NO<sub>x</sub>, 51.94 tons of CO, 3.4 tons of VOC, 15.25 tons of PM<sub>10</sub>, 0.37 ton of SO<sub>2</sub>, 2.72 tons of HCl, 1.11 tons of hexane, 3.83 tons of HAP, and 74,206 tons of GHG.

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The proposed operating permit includes emissions limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the

proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 11-00423) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**42-00246: National Fuel Gas Supply Corp., Keelor Compressor Station** (575 Township Line Rd, Kane, PA 16735). The Department intends to issue the initial State-Only Operating Permit of a natural gas transmission facility located in Wetmore Township, **McKean County**. Permitted air contamination sources at the facility are three natural gas-fired compressor engines, a natural gas-fired emergency generator, a dehydration unit, and miscellaneous fugitive emission sources. Sources at the facility were initially authorized through PA 42-246A. With respect to the sources authorized through and requirements of PA 24-246A, several changes are made. The three electrical generator turbines authorized under the plan approval were not constructed and therefore not included in the permit. The leak detection and repair (LDAR) requirements of the plan approval are less stringent than the LDAR requirements of 40 CFR 60 Subpart OOOOa and, as a result, streamlined out of the permit. For permitting purposes, the facility is Natural Minor.

**COAL & NONCOAL MINING  
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous

Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

*Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

| Parameter         | 30-Day Average   | Daily Maximum                   | Instantaneous Maximum |
|-------------------|------------------|---------------------------------|-----------------------|
| Iron (total)      | 1.5 to 3.0 mg/l  | 3.0 to 6.0 mg/l                 | 3.5 to 7.0 mg/l       |
| Manganese (total) | 1.0 to 2.0 mg/l  | 2.0 to 4.0 mg/l                 | 2.5 to 5.0 mg/l       |
| Suspended solids  | 10 to 35 mg/l    | 20 to 70 mg/l                   | 25 to 90 mg/l         |
| Aluminum (Total)  | 0.75 to 2.0 mg/l | 1.5 to 4.0 mg/l                 | 2.0 to 5.0 mg/l       |
| pH <sup>1</sup>   |                  | greater than 6.0; less than 9.0 |                       |

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).*

**Permit No. 56841301 and NPDES Permit No. PA0110914. Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201 to renew the permit and related NPDES Permit for Solar No. 7 Mine in Quemahoning Township, **Somerset County**. No additional discharges. The application was considered administratively complete on September 22, 2021. Application received: August 6, 2021.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).*

**Permit No. 56210103 and NPDES No. PA0279838. Wilson Creek Energy, LLC**, 1576 Stoystown Road, P.O. Box 149, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface and auger mine in Somerset Township, **Somerset County** affecting 312.4 acres. Receiving stream: Kimberly Run and unnamed tributaries to Wells Creek classified for the following use: cold water fishes & cold water fishes. There are no potable water supply intakes within 10 miles downstream. Application received: September 3, 2021.

*New Stanton District Mining Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).*

**Permit No. 02080102 and NPDES Permit No. PA0251500. Cherep's Excavating, LLC**, 9742 Saltsburg Road, Pittsburgh, PA 15239. Revision application for land use change from forestland to unmanaged natural habitat to an existing bituminous surface mine, located in Collier and North Fayette Townships, **Allegheny County**, affecting 138.2 acres. Receiving streams: unnamed tributaries to Pinkertons Run, Chartiers Creek, Robinson Run, unnamed tributaries to Robinson Run and Pinkertons Run, classified for the following use: WWF. There is no potable water supply intake within 10 miles downstream from the point of discharge. Application received: September 28, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. PA0225606R. Stouidt's Ferry Preparation Co., Inc.**, 68 Mush Dahl Road, New Ringgold, PA 17960, renewal of an existing NPDES Permit for discharge of treated mine drainage from a coal dredging operation in Upper Providence Township, **Montgomery County**. Receiving stream: Schuylkill River, classified for the following use: cold water fishery. Application received: August 30, 2021.

**Permit No. 54940203R5. Wilbur White Coal Company**, 11 Low Road, Pottsville, PA 17901, renewal of an existing anthracite coal refuse reprocessing operation in Butler Township, **Schuylkill County** affecting 23.0 acres. Receiving stream: Mahanoy Creek, classified for the following uses: warm water and migratory fishes. Application received: September 3, 2021.

**Permit No. 54111301R2. Little Buck Coal Company**, 57 Lincoln Road, Pine Grove, PA 17963, renewal of an existing anthracite underground mine operation for reclamation only in Tremont Township, **Schuylkill County** affecting 1.5 acres. Receiving stream: Stumps Run, classified for the following uses: cold water and migratory fishes. Application received: September 20, 2021.

**Permit No. 49851602C2. D. Molesevich & Sons Construction Co., Inc.**, P.O. Box 121, Mt. Carmel, PA 17851, correction of an existing anthracite coal preparation plant and coal refuse reprocessing operation to include surface mining with blasting in Mt. Carmel Township, **Northumberland County** affecting 23.0 acres of the 46.2 acres permit. Receiving stream: Shamokin Creek, classified for the following uses: warm water and migratory fishes. Application received: September 23, 2021.

#### *Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

| Parameter                            | 30-day<br>Average | Daily<br>Maximum                | Instantaneous<br>Maximum |
|--------------------------------------|-------------------|---------------------------------|--------------------------|
| Suspended solids                     | 10 to 35 mg/l     | 20 to 70 mg/l                   | 25 to 90 mg/l            |
| Alkalinity exceeding acidity*<br>pH* |                   | greater than 6.0; less than 9.0 |                          |

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 10960304. Allegheny Mineral Corporation**, P.O. Box 1022, Kittanning, PA 16201. Renewal of NPDES Permit No. PA0227218 in Washington Township, **Butler County**, affecting 113.3 acres. Receiving stream: South Branch Slippery Rock Creek classified for the following use: CWF. There are no potable surface water supply intakes within 10 miles downstream. Application received: September 20, 2021.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).*

**Permit No. 17200301. Russell Stone Products, Inc.**, 2640 Greenville Pike, Grampian, PA 16838. Commencement, operation and restoration of a Large Noncoal Industrial Minerals mine located in Bloom and Pike Townships, **Clearfield County** affecting 38.9 acres. Receiving stream(s): Anderson Creek and Bilger Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: August 16, 2021.

**Permit No. 41990301. Glenn O. Hawbaker, Inc.**, 1952 Waddle Road, State College, PA 16803. Permit revision to expand to the Southwest on an adjacent 0.14 acre, including a request for a variance to conduct support activities within 100 feet of Hagerman's Run on a Large Noncoal Industrial Minerals mine located in Armstrong Township, **Lycoming County** affecting 44.21 acres. Receiving stream(s): Hagerman's Run classified for the following use(s): EV, CWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: August 10, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0226211. WM Quarries, LLC**, 500 West 5th Street, Suite 1010, Austin, TX 78701, NPDES Permit for discharge of treated mine drainage from a quarry operation on Surface Mining Permit No. 58080301C in Lanesboro Borough and Harmony Township, **Susquehanna County** affecting 465.6 acres. Receiving stream: Starrucca Creek, classified for the following uses: cold water and migratory fishes. Application received: June 20, 2021.

**NPDES Permit No. PA0594211. Pennsy Supply, Inc.**, 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation on Surface Mining Permit No. 22880302C3 in Lower Swatara Township, **Dauphin County** affecting 136.02 acres. Receiving stream: Swatara Creek, classified for the following use: warm water fishes. Application received: September 14, 2021.

#### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P. S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

##### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i>                 | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i>        | <i>Instantaneous<br/>Maximum</i> |
|----------------------------------|---------------------------|---------------------------------|----------------------------------|
| Iron (Total)                     | 3.0 mg/l                  | 6.0 mg/l                        | 7.0 mg/l                         |
| Manganese (Total)                | 2.0 mg/l                  | 4.0 mg/l                        | 5.0 mg/l                         |
| Suspended solids                 | 35 mg/l                   | 70 mg/l                         | 90 mg/l                          |
| pH*                              |                           | greater than 6.0; less than 9.0 |                                  |
| Alkalinity greater than acidity* |                           |                                 |                                  |

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

##### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100.

**NPDES No. PA0214191 (Mining Permit No. 17921602), King Coal Sales, Inc.**, P.O. Box 712, Philipsburg, PA 16866, a renewal to the NPDES and mining activity permit for Cunard Coal Preparation Facility in Morris Township, **Clearfield County**, affecting 20.9 surface acres. Receiving stream(s): Unnamed Wetland to Adler Run: CWF. Alder Run TMDL. The application was considered administratively complete: April 2, 2019. The application was received: August 20, 2018.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

*Outfall 001* discharges to: Unnamed Wetland to Alder Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 57' 31" Long: -78° 12' 36") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to End of 36th Month:

| Parameter                              |        | Minimum | 30-Day<br>Average | Daily<br>Maximum | Instant.<br>Maximum |
|--|--------|---------|-------------------|------------------|---------------------|
| Flow                                   | (mgd)  | -       | -                 | -                | REPORT              |
| Iron                                   | (mg/l) | -       | 3.0               | 6.0              | 7.0                 |
| Manganese                              | (mg/l) | -       | 2.0               | 4.0              | 5.0                 |
| Aluminum                               | (mg/l) | -       | -                 | -                | REPORT              |
| Suspended Solids                       | (mg/l) | -       | 35                | 70               | 90                  |
| pH                                     | (s.u.) | 6.0     | -                 | -                | 9.0                 |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l) | -       | -                 | -                | REPORT              |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l) | -       | -                 | -                | REPORT              |
| Alkalinity, Net                        | (mg/l) | 0.0     | -                 | -                | -                   |
| Sulfate                                | (mg/l) | -       | -                 | -                | REPORT              |
| Total Dissolved Solids                 | (mg/l) | -       | -                 | -                | REPORT              |

*Outfall 001* discharges to: Unnamed Wetland to Alder Run

The proposed effluent limits for *Outfall 001* (Lat: 40° 57' 31" Long: -78° 12' 36") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from First Day of 37th Month to Permit Expiration Date:

| Parameter |        | Minimum | 30-Day<br>Average | Daily<br>Maximum | Instant.<br>Maximum |
|-----------|--------|---------|-------------------|------------------|---------------------|
| Flow      | (mgd)  | -       | -                 | -                | REPORT              |
| Iron      | (mg/l) | -       | 1.5               | 3.0              | 3.8                 |



| <i>Parameter</i>                       |        | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Manganese                              | (mg/l) | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l) | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l) | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.) | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l) | -              | -                         | -                        | REPORT                      |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l) | -              | -                         | -                        | REPORT                      |
| Alkalinity, Net                        | (mg/l) | 0.0            | -                         | -                        | -                           |
| Sulfate                                | (mg/l) | -              | -                         | -                        | REPORT                      |
| Total Dissolved Solids                 | (mg/l) | -              | -                         | -                        | REPORT                      |

The EPA Waiver is not in effect.

**NPDES No. PA0215490 (Mining Permit No. 17743702), Rosebud Mining Company**, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for Lady Jane Plant in Huston Township, **Clearfield County**, affecting 114.2 surface acres. Receiving stream(s): Moose Run: CWF. Bennett Branch Sinnemahoning Creek Watershed TMDL. The application was considered administratively complete: February 7, 2020. The application was received: January 23, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

*Outfall 001* discharges to: Moose Run

The proposed effluent limits for *Outfall 001* (Lat: 41° 11' 58.7" Long: -78° 33' 07.5") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i>                       |        | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow                                   | (mgd)  | -              | -                         | -                        | REPORT                      |
| Iron                                   | (mg/l) | -              | 1.5                       | 3.0                      | 3.8                         |
| Manganese                              | (mg/l) | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l) | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l) | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.) | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l) | -              | -                         | -                        | REPORT                      |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l) | -              | -                         | -                        | REPORT                      |
| Alkalinity, Net                        | (mg/l) | 0.0            | -                         | -                        | -                           |
| Total Dissolved Solids                 | (mg/l) | -              | -                         | -                        | REPORT                      |
| Sulfate                                | (mg/l) | -              | -                         | -                        | REPORT                      |

*Outfall 002* discharges to: Moose Run

The proposed effluent limits for *Outfall 002* (Lat: 41° 11' 56.2" Long: -78° 33' 04.1") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i>                       |        | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow                                   | (mgd)  | -              | -                         | -                        | REPORT                      |
| Iron                                   | (mg/l) | -              | 1.5                       | 3.0                      | 3.8                         |
| Manganese                              | (mg/l) | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l) | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l) | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.) | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l) | -              | -                         | -                        | REPORT                      |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l) | -              | -                         | -                        | REPORT                      |
| Alkalinity, Net                        | (mg/l) | 0.0            | -                         | -                        | -                           |
| Total Dissolved Solids                 | (mg/l) | -              | -                         | -                        | REPORT                      |
| Sulfate                                | (mg/l) | -              | -                         | -                        | REPORT                      |

*Outfall 004* discharges to: Moose Run

The proposed effluent limits for *Outfall 001* (Lat: 41° 12' 03.5" Long: -78° 33' 09.2") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> |        | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|------------------|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow             | (mgd)  | -              | -                         | -                        | REPORT                      |
| Iron             | (mg/l) | -              | 1.5                       | 3.0                      | 3.8                         |

## NOTICES

| <i>Parameter</i>                       |        | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Manganese                              | (mg/l) | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l) | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l) | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.) | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l) | -              | -                         | -                        | REPORT                      |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l) | -              | -                         | -                        | REPORT                      |
| Alkalinity, Net                        | (mg/l) | 0.0            | -                         | -                        | -                           |
| Total Dissolved Solids                 | (mg/l) | -              | -                         | -                        | REPORT                      |
| Sulfate                                | (mg/l) | -              | -                         | -                        | REPORT                      |

*Outfall 005* discharges to: Unnamed Tributary to Moose Run

The proposed effluent limits for *Outfall 005* (Lat: 41° 12' 18.7" Long: -78° 33' 37.0") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i>                       |          | <i>Annual<br/>loading</i>      | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|----------|--------------------------------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow                                   | (mgd)    | -                              | -              | -                         | -                        | REPORT                      |
| Iron                                   | (mg/l)   | -                              | -              | 1.5                       | 3.0                      | 3.8                         |
| Manganese                              | (mg/l)   | -                              | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l)   | -                              | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l)   | -                              | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.)   | -                              | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l)   | -                              | -              | -                         | -                        | REPORT                      |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l)   | -                              | -              | -                         | -                        | REPORT                      |
| Alkalinity, Net                        | (mg/l)   | -                              | 0.0            | -                         | -                        | -                           |
| Osmotic Pressure                       | (mOs/kg) | -                              | -              | 50                        | 94.12                    | 94.12                       |
| Total Dissolved Solids                 | (mg/l)   | 5,000<br>lb/day<br>Annual Avg. | -              | -                         | -                        | REPORT                      |
| Sulfate                                | (mg/l)   | -                              | -              | -                         | -                        | REPORT                      |
| Bromide                                | (mg/l)   | -                              | -              | -                         | -                        | REPORT                      |

The EPA Waiver is not in effect.

*Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191.*

**NPDES No. PA0212130 (Permit No. 16940105), Original Fuels, Inc.,** P.O. Box 343, Punxsutawney, PA 15767, Renewal of an NPDES permit for a bituminous surface mine in Perry Township, **Clarion County**, affecting 131.0 acres. Receiving stream(s): Unnamed tributary to the Allegheny River classified for the following use(s): CWF. TMDL: None. Application received: August 16, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to an unnamed tributary to Allegheny River:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 007                 | N                        |
| 008                 | N                        |
| 009                 | N                        |
| 010                 | N                        |
| 011                 | N                        |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Parameter</i>                             | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|----------------|---------------------------|--------------------------|-----------------------------|
| pH <sup>1</sup> (S.U.)                       | 6.0            |                           |                          | 9.0                         |
| Iron (mg/l)                                  |                | 3.0                       | 6.0                      | 7.0                         |
| Manganese (mg/l)                             |                | 2.0                       | 4.0                      | 5.0                         |
| Aluminum (mg/l)                              |                | 2.0                       | 4.0                      | 5.0                         |
| Total Suspended Solids (mg/l)                |                | 35.0                      | 70.0                     | 90.0                        |
| Alkalinity greater than acidity <sup>1</sup> |                |                           |                          |                             |

<sup>1</sup> The parameter is applicable at all times.

The following outfalls discharge to an unnamed tributary to Allegheny River:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001                 | N                        |
| 002                 | N                        |

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 003                 | N                        |
| 004                 | N                        |
| 005                 | N                        |
| 006                 | N                        |

The proposed effluent limits for the previously listed outfalls are as follows:

| <i>Parameter</i>                             | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------------|-----------------------|----------------------|-------------------------|
| pH <sup>1</sup> (S.U.)                       | 6.0            |                       |                      | 9.0                     |
| Iron (mg/l)                                  |                | 3.0                   | 6.0                  | 7.0                     |
| Manganese (mg/l)                             |                | 2.0                   | 4.0                  | 5.0                     |
| Aluminum (mg/l)                              |                | 2.0                   | 4.0                  | 5.0                     |
| Total Suspended Solids (mg/l)                |                | 35.0                  | 70.0                 | 90.0                    |
| Alkalinity greater than acidity <sup>1</sup> |                |                       |                      |                         |

<sup>1</sup> The parameter is applicable at all times.

*Noncoal NPDES Draft Permits*

*Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191.*

**NPDES No. PA0241938, (Permit No. 10010309), Annandale Sandstone** (219 Goff Station Road, Boyer, PA 16020), renewal of NPDES permit for a large industrial minerals surface mine in Venango Township, **Butler County**, affecting 17.6 acres. Receiving stream: Unnamed tributary to Seaton Creek classified for the following use: CWF. TMDL: Seaton Creek. Application received: August 27, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfall discharges to an unnamed tributary to Seaton Creek:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 002                 | N                        |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Outfalls:<br/>Parameter</i>               | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|--|----------------|-----------------------|----------------------|------------------------------|
| pH <sup>1</sup> (S.U.)                       | 6.0            |                       |                      | 9.0                          |
| Total Suspended Solids (mg/l)                |                | 35.0                  | 70.0                 | 90.0                         |
| Alkalinity greater than acidity <sup>1</sup> |                |                       |                      |                              |

<sup>1</sup> The parameter is applicable at all times.

The following outfall discharges to an unnamed tributary to Seaton Creek:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> |
|---------------------|--------------------------|
| 001                 | N                        |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Outfalls:<br/>Parameter</i>               | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|--|----------------|-----------------------|----------------------|------------------------------|
| pH <sup>1</sup> (S.U.)                       | 6.0            |                       |                      | 9.0                          |
| Total Suspended Solids (mg/l)                |                | 35.0                  | 70.0                 | 90.0                         |
| Alkalinity greater than acidity <sup>1</sup> |                |                       |                      |                              |

<sup>1</sup> The parameter is applicable at all times.

*New Stanton District Mining Office, P.O. Box 133, New Stanton, PA 15672, (724) 925.5500.*

**NPDES No. PA0592579, (Mining Permit No. 3378NC17), Hanson Aggregates Pennsylvania, LLC**, 2200 Springfield Pike, Connellsville, PA 15425, renewal of the NPDES permit for a noncoal mine permit located in Connellsville Township, **Fayette County**, affecting approximately 73.57 acres. Receiving stream(s): UNT to Connell Run and Connell Run, both classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is in McKeesport, PA. The Department has made a tentative determination to impose effluent limitations, within the ranges specified. Application received: February 1, 2021.

The following stormwater outfall discharges to UNT to Connell Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i>        |
|---------------------|--------------------------|--------------------|
| 003                 | N                        | Stormwater Outfall |

The proposed effluent limits for all discharges from the previously listed outfall are as follows:

| <i>(All Weather Conditions)</i><br><i>Parameter</i> | <i>30-Day</i><br><i>Average</i> | <i>Daily</i><br><i>Maximum</i> | <i>Instant.</i><br><i>Maximum</i> |
|---|---------------------------------|--------------------------------|-----------------------------------|
| Total Iron (mg/L)                                   | 3.0                             | 6.0                            | 7.0                               |
| Total Manganese (mg/L)                              | 2.0                             | 4.0                            | 5.0                               |
| Total Aluminum (mg/L)                               | 1.35                            | 2.70                           | 3.38                              |
| Total Suspended Solids (mg/L)                       | 35                              | 70                             | 90                                |
| Specific Conductance (umhos/cm)                     |                                 | Monitor and Report             |                                   |
| Sulfate (mg/l)                                      |                                 | Monitor and Report             |                                   |

Alkalinity must be greater than acidity at all times.

pH must be between 6.0 and 9.0 at all times.

The following stormwater outfalls discharge to Connell Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i>        |
|---------------------|--------------------------|--------------------|
| 001                 | N                        | Stormwater Outfall |
| 002                 | N                        | Stormwater Outfall |
| 005                 | N                        | Stormwater Outfall |

The proposed effluent limits for the three previously listed outfalls are as follows:

| <i>(Dry Weather Conditions)</i><br><i>Parameter</i> | <i>30-Day</i><br><i>Average</i> | <i>Daily</i><br><i>Maximum</i> | <i>Instant.</i><br><i>Maximum</i> |
|---|---------------------------------|--------------------------------|-----------------------------------|
| Total Iron (mg/L)                                   | 3.0                             | 6.0                            | 7.0                               |
| Total Manganese (mg/L)                              | 2.0                             | 4.0                            | 5.0                               |
| Total Aluminum (mg/L)                               | 2.0                             | 4.0                            | 5.0                               |
| Total Suspended Solids (mg/L)                       | 35                              | 70                             | 90                                |
| Specific Conductance (umhos/cm)                     |                                 | Monitor and Report             |                                   |
| Sulfate (mg/l)                                      |                                 | Monitor and Report             |                                   |

Alkalinity must be greater than acidity at all times.

pH must be between 6.0 and 9.0 at all times.

| <i>(&lt;10-yr/24-hr Precip. Event)</i><br><i>Parameter</i> | <i>30-Day</i><br><i>Average</i> | <i>Daily</i><br><i>Maximum</i> | <i>Instant.</i><br><i>Maximum</i> |
|--|---------------------------------|--------------------------------|-----------------------------------|
| Total Iron (mg/L)  | -                               | -                              | 7.0                               |
| Total Manganese (mg/L)                                     | -                               | -                              | 5.0                               |
| Total Aluminum (mg/L)                                      | -                               | -                              | 5.0                               |
| Total Settleable Solids (m/L)                              | -                               | -                              | 0.5                               |
| Specific Conductance (umhos/cm)                            |                                 | Monitor and Report             |                                   |
| Sulfate (mg/l)   |                                 | Monitor and Report             |                                   |

Alkalinity must be greater than acidity at all times.

pH must be between 6.0 and 9.0 at all times.

**NPDES No. PA0591483, (Mining Permit No. 26900306), Hanson Aggregates Pennsylvania, LLC**, 2200 Springfield Pike, Connellsville, PA 15425, renewal of the NPDES permit for a noncoal mine permit located in Connellsville Township, **Fayette County**, affecting approximately 51.4 acres. Receiving stream(s): UNT to Connell Run classified for the following use: WWF. The first downstream potable water supply intake from the point of discharge is in McKeesport, PA. The Department has made a tentative determination to impose effluent limitations, within the ranges specified. Application received: September 2, 2020.

The following stormwater outfall discharges to UNT to Connell Run:

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | <i>Type</i>        |
|---------------------|--------------------------|--------------------|
| 001                 | N                        | Stormwater Outfall |

The proposed effluent limits for all discharges from the previously listed outfall are as follows:

| <i>(All Weather Conditions)</i><br><i>Parameter</i> | <i>30-Day</i><br><i>Average</i> | <i>Daily</i><br><i>Maximum</i> | <i>Instant.</i><br><i>Maximum</i> |
|---|---------------------------------|--------------------------------|-----------------------------------|
| Total Iron (mg/L)                                   | 3.0                             | 6.0                            | 7.0                               |
| Total Manganese (mg/L)                              | 2.0                             | 4.0                            | 5.0                               |
| Total Aluminum (mg/L)                               | 1.02                            | 2.04                           | 2.55                              |
| Total Suspended Solids (mg/L)                       | 35                              | 70                             | 90                                |
| Specific Conductance (umhos/cm)                     |                                 | Monitor and Report             |                                   |
| Sulfate (mg/l)                                      |                                 | Monitor and Report             |                                   |

Alkalinity must be greater than acidity at all times.

pH must be between 6.0 and 9.0 at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

**NPDES Permit No. PA0226041. Edison Quarry, Inc.,** 25 Quarry Road, Doylestown, PA 18901, a new NPDES Permit on Large Noncoal Surface Mine Permit No. 7975SM4 in Doylestown Township, **Bucks County**, affecting 17.7 acres. Receiving stream: Neshaminy Creek Watershed classified for the following uses: trout stock and migratory fishes. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1 in addition to the limits identified in Table 2. Application received: July 22, 2019.

| Outfall Nos.                                    | New Outfall (Y/N) |                | Type                        |                       |
|---|-------------------|----------------|-----------------------------|-----------------------|
|   | 001               | Y              | Pumped Stormwater Discharge |                       |
| Outfalls: 001<br>Parameter                      | Minimum           | 30-Day Average | Daily Maximum               | Instantaneous Maximum |
| Discharge (MGD)                                 |                   | 0.065          | 3.3                         |                       |
| pH <sup>1</sup> (S.U.)                          | 6.0               |                |                             |                       |
| Total Suspended Solids                          |                   | 35.0           | 70.0                        | 90.0                  |
| Total Alkalinity (as CaCO <sub>3</sub> ) (mg/L) |                   |                | Monitor and Report          |                       |
| Total Acidity (as CaCO <sub>3</sub> ) (mg/L)    |                   |                | Monitor and Report          |                       |
| Net Alkalinity (mg/L)                           | 0.0               |                |                             |                       |
| Turbidity (NTU)                                 |                   | 40.0           | 80.0                        | 100.0                 |
| Oil and Grease (mg/L)                           |                   |                | Monitor and Report          |                       |

<sup>1</sup> This Parameter is applicable at all times.

**NPDES Permit No. PA0226017. Leo's 848 Product LLC,** P.O. Box 277, Lake Como, PA 18437, application for an NPDES Permit on General Permit for Bluestone GP-105 No. 64212503 in Preston Township, **Wayne County** affecting 12.0 acres. The NPDES permit is located in the: unnamed tributary to Kinneysville Creek Watershed and classified for the following uses: HQ—cold water and migratory fishes. No discharge is proposed for the NPDES permit. Non-Discharging Best Management Practices will be in effect. Application received: April 29, 2021.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may

contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

#### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E3502221-006. Triboro Industrial Park, LLC,** 1210 Wheeler Avenue, Dunmore, PA 18510, in Olyphant Borough, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the development of four warehouse facilities:

1. To permanently fill approximately 0.30 acre of PEM wetlands for the construction of an access road and warehouse.
2. To permanently fill approximately 0.14 acre of open water pits for the construction of an access roads and a warehouse.
3. To construct and maintain a roadway crossing of Eddy Creek (WWF, MF) consisting of a 84.5-foot long, 12" x 6" concrete box culvert depressed 1-foot below the natural streambed.
4. To construct and maintain a stream enclosure roadway crossing of Eddy Creek (WWF, MF) consisting of a 154-foot long, 12" x 6" concrete box culvert depressed 1-foot below the natural streambed.
5. To install an 8-inch diameter natural gas pipeline crossing of Eddy Creek (WWF, MF).

6. To install a 16-inch diameter ductile iron water main crossing of Eddy Creek (WWF, MF).

7. To install an 8-inch PVC sanitary sewer main crossing of Eddy Creek (WWF, MF).

8. To place approximately 0.02 acre of fill within a UNT to Eddy Creek (WWF, MF) and 0.38 acre of fill in the stream's floodway for the construction of the main access road to the industrial park. The impact results in the elimination of 181 linear feet of stream channel.

9. To place approximately 0.03 acre of fill within a UNT to Eddy Creek (WWF, MF) and 0.44 acre of fill in the stream's floodway for the construction of the main access road to the industrial park. The impact results in the elimination of 193 linear feet of stream channel.

10. To install an 8-inch diameter natural gas pipeline crossing of Sterry Creek (CWF, MF).

11. To install a 16-inch diameter ductile iron water main crossing of Sterry Creek (CWF, MF).

12. To construct and maintain an outfall structure in the floodway of a UNT to Eddy Creek (WWF, MF) consisting of a 60-inch TP stormwater outfall pipe and riprap apron.

13. To construct and maintain four (4) outfall structure in the floodway of Eddy Creek (WWF, MF) consisting of 18-inch TP stormwater outfall pipes and riprap aprons.

14. To construct and maintain an outfall structure in the floodway of Sterry Creek (CWF, MF) consisting of a 36-inch TP stormwater outfall pipe and riprap apron.

The project is located on the left of Marshwood Road (SR 2008) after taking exit 2 from US-6 East (Olyphant, PA Quadrangle Latitude: 41° 26' 42" Longitude: -75° 34' 19") in Olyphant Borough, Lackawanna County. (Olyphant, PA Quadrangle, Latitude: 41° 26' 42"; Longitude: -75° 34' 19").

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E1804221-004: Gary L. & Patti A. Young**, 584 Island Road, Lock Haven, PA 17745, Accessory Shed in Floodway, Dunnstable Township, **Clinton County**, U.S. Army Corps of Engineers Baltimore District (Lock Haven Quadrangle; 41.144123, -77.395222).

The Small Projects application proposes to replace two (2) 8 FT x 10 FT Accessory Sheds with one (1) 14 FT x 25 FT Accessory Shed. The two (2) 8 FT x 10 FT Accessory Sheds will be permanently removed from the property. The new 14 FT x 25 FT Accessory Shed will be placed on an at grade concrete slab. The project is in the floodway of West Branch Susquehanna River (WWF, MF) and will result in 1008 sq. ft. of direct floodway impact.

**E5904221-007. Eastern Gas Transmission and Storage, Inc.**, 6603 West Broad Street, Richmond, VA 23230, Jemison Creek Culvert in West Field Township, **Tioga County**, ACOE Baltimore District (Knoxville, PA Quadrangle; Latitude: 41° 53' 01.5"; Longitude: -77° 29' 31.5").

To install a new crossing over Jemison Creek (WWF, MF). The project will involve the installation of a 12' x 6' box culvert and re-shaping of the banks within the floodway. The proposed structure will be depressed 12".

The total disturbed area along the watercourses is 0.04 acre.

A PNDI search determined no species of concern to be present. Wetlands have been delineated on site; however, they are outside of the Limits of Disturbance.

**E0804121-007 PA DOT Engineering District 3-0**, 715 Jordan Ave., Montoursville, PA 17754, SR 0014, Section 115, Segment 0050, Offset 0050-0250, Wall Removal and Stream Relocation, Canton Township, **Bradford County**, Baltimore ACOE (Grover, PA Quadrangle N: 41° 37' 17"; W: -76° 52' 19").

PA DOT proposes to remove a failing wall and stabilize the streambank along SR 0014. The wall removal and bank stabilization will result in a channel relocation of approximately 245 L.F. The stream relocation will shift the channel approximately 8 Ft. to the East and includes Rip Rap along both streambanks. The project will include two proposed outfalls to the receiving stream. The project will not impact any jurisdictional wetlands. The Unnamed Tributary to Towanda Creek is classified as a Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and a Wild Trout Stream by PA Fish and Boat Commission.

**E4104121-005 PA DOT Engineering District 3-0**, 715 Jordan Ave., Montoursville, PA 17754, SR 2039, Section 09S, Segment 0090, Offset 0538 through Segment 0100, Offset 0342, Roadway Slide Repair and Stream Relocation, Eldred and Loyalsock Townships, **Lycoming County**, Baltimore ACOE (Montoursville North, PA Quadrangle N: 41° 17' 42"; W: -76° 56' 16").

PA DOT proposes to restore the roadway side slope on SR 2039, which is located adjacent to the left channel bank of Mill Creek. The project includes the repair of two roadway slide which are located approximately 300 L.F. apart. The first roadway slide is approximately 350 L.F. and the second roadway slide is approximately 600 L.F. The project includes restoration of the roadway side slope/left channel bank with Grouted R-8 Rip Rap. The Rip Rap will be placed at a 1.5:1 slope. The project will relocate Mill Creek to approximately the pre-slide location, which will result in approximately 1,275 L.F. of stream relocation/restoration. The project includes four multi-log cross vanes, six log deflectors and root wads to stabilize the channel and add aquatic habitat. The project includes a temporary access road that will cross the stream at the upstream and downstream ends of the stream relocation. The project includes 0.04 acre of temporary wetland impact and 0.05 acre of permanent wetland impact. Mill Creek is classified as a Trout Stocked Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and a Stocked and Wild Trout Stream by PA Fish and Boat Commission.

*Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E2006220-021, Drew Russ**, 4025 Lawnview Avenue, Pittsburgh, PA 15227, Lakeside HOA Boat Dock Major Modification, in Summit Township, **Crawford County**, ACOE Pittsburgh District (Harmonsborg, PA Quadrangle N: 46°, 38', 07"; W: -80°, 18', 42").

To change the original configuration of the Lakeside HOA boat dock in order to construct and maintain a dock project approximately 161 feet lakeward from the shore consisting of a 125 feet of straight dock with two 31 feet long by 2 feet wide fingers set 20 feet apart, providing 10 boat spaces permanently impacting approximately 1,082 square feet of Conneaut Lake in Summit Township, Crawford County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E5729221-004: EQT ARO LLC**, 33 West Third Street, Suite 300, Williamsport, PA 17701, Hillsgrove Township, **Sullivan County**, ACOE Baltimore District.

To construct, operate, and maintain:

1) An intake structure comprised of two buried 6 foot long 30 inch diameter screens, two 12 inch diameter HDPE waterlines, and two 3 inch diameter airlines impacting 80 linear feet of Loyalsock Creek (EV) (Hillsgrove, PA Quadrangle 41° 26' 10" N, 76° 43' 12" W);

2) Temporary construction workspace impacting 147,096 square feet of the FEMA delineated floodway of Loyalsock Creek (EV). (Hillsgrove, PA Quadrangle 41° 26' 10" N, 76° 43' 12" W);

3) A temporary road crossing; using timber mats, two 8 inch diameter waterlines and two 3 inch diameter airlines impacting 43 linear feet of an unnamed tributary to Loyalsock Creek (EV), 56 square feet of an exceptional value palustrine forested (EV-PFO) wetland, 116 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, and 991 square feet of an exceptional value palustrine emergent (EV-PEM) wetland. (Hillsgrove, PA Quadrangle 41° 26' 11" N, 76° 43' 21" W).

The project will result in 123 linear feet of temporary stream impacts, 1,107 square feet (0.03 acre) of temporary wetland impacts, 56 square feet (0.01) of permanent wetland impacts and 147,096 square feet (3.38 acres) of temporary floodway impacts all for the purpose of installing an intake structure and water lines in Hillsgrove Township, Sullivan County.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2,*

*400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.*

**D48-168 EA. Brian Cope, Superintendent, Northampton County, Parks and Recreation**, 151 Country Club Road, Easton, PA 18045, Bethlehem Township and Bethlehem City, **Northampton County**, USACOE Philadelphia District.

Project proposes to remove a series of eight concrete and stone structures, including five small dams, in the Archibald Johnson Conservation Area, to eliminate a threat to public safety and to restore approximately 300 feet of stream channel to a free-flowing condition. The proposed restoration project includes the removal of a concrete bridge, a stone wall, and remnants of a breached dam. A small grade control rock riffle will also be constructed. The project is located across Monocacy Creek (HQ-CWF, MF) (Nazareth, PA Quadrangle, Latitude: 40.6740; Longitude: -75.3545).

#### DAM SAFETY

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, 400 Market Street, 2nd Floor, Harrisburg, PA 17101, telephone: 717-787-3411.*

**D58-004, Oakland Borough, Mayor Randy Glover**, 380 State Street, Susquehanna, PA 18847 and Susquehanna Depot Borough, Roy Williams, Council President, 83 Erie Boulevard, Suite A, Susquehanna, PA 18847. The Department of Environmental Protection, Division of Dam Safety (Department) has reviewed and approved the restoration plan to breach and remove the Oakland Dam to eliminate a significant threat to public safety and restore the Susquehanna River to a free-flowing condition. In addition, the Department has conducted an environmental assessment and concluded the project will have a long-term beneficial impact on aquatic resources. Oakland and Susquehanna Depot Boroughs, Oakland Township, **Susquehanna County**.

---

## ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

#### **I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

| <i>Application Number</i> | <i>Permit Type</i>                     | <i>Action Type</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>                   | <i>DEP Office</i> |
|---------------------------|--|--------------------|---|---|-------------------|
| PAG123819                 | PAG-12 NPDES General Permit for CAFOs  | Issued             | Hard Earned Acres, Inc.<br>1317 Ritner Highway<br>Shippensburg, PA 17257-9798           | Southampton Township<br>Cumberland County     | SCRO              |
| PA0246964                 | CAFO Individual NPDES Permit           | Issued             | Martin Kenneth R<br>1397 Robert Fulton Highway<br>Quarryville, PA 17566-9630            | East Drumore Township<br>Lancaster County     | SCRO              |
| PA0266060                 | CAFO Individual NPDES Permit           | Issued             | Wentzel Timothy M<br>3819 Powells Valley Road<br>Halifax, PA 17032-9629                 | Jefferson Township<br>Dauphin County          | SCRO              |
| PA0281816                 | CAFO Individual NPDES Permit           | Issued             | Merkey Harold E<br>2904 Sunnyside Road<br>Manheim, PA 17545-8333                        | Rapho Township<br>Lancaster County            | SCRO              |
| 6594201                   | Industrial Waste Individual WQM Permit | Issued             | ATI Flat Rolled Products Holdings, LLC<br>100 River Road<br>Brackenridge, PA 15014-1537 | Vandergrift Borough<br>Westmoreland County    | SWRO              |
| 6786201                   | Industrial Waste Individual WQM Permit | Issued             | Republic Service of PA, LLC<br>4400 Mount Pisgah Road<br>York, PA 17406-8240            | Lower Windsor Township<br>York County         | SCRO              |
| 0421801                   | Joint DEP/PFBC Pesticides Permit       | Issued             | Taylor Kathi<br>1331 US Route 30<br>Clinton, PA 15026                                   | Hanover Township<br>Beaver County             | SWRO              |
| 1521831                   | Joint DEP/PFBC Pesticides Permit       | Issued             | Montana Connie<br>29 Parsons Road<br>Landenberg, PA 19350-1549                          | Franklin Township<br>Chester County           | SERO              |
| 1521832                   | Joint DEP/PFBC Pesticides Permit       | Issued             | Neitzel Jan<br>466 Glen Hope Road<br>Oxford, PA 19363-2295                              | Elk Township<br>Chester County                | SERO              |
| 4613801                   | Joint DEP/PFBC Pesticides Permit       | Issued             | Union League Liberty Hill<br>800 Ridge Pike<br>Lafayette Hill, PA 19444-1751            | Whitemarsh Township<br>Montgomery County      | SERO              |
| 4613855                   | Joint DEP/PFBC Pesticides Permit       | Issued             | Green Lane Park<br>2144 Snyder Road<br>Green Lane, PA 18054-9508                        | Upper Frederick Township<br>Montgomery County | SERO              |
| 6416804                   | Joint DEP/PFBC Pesticides Permit       | Issued             | Reflection Lakes POA Inc.<br>182 Stalker Road<br>Equinunk, PA 18417-3510                | Manchester Township<br>Wayne County           | NERO              |



## NOTICES

6459

| <i>Application Number</i> | <i>Permit Type</i>   | <i>Action Type</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>                  | <i>DEP Office</i> |
|---------------------------|--|--------------------|---|--|-------------------|
| 6416805                   | Joint DEP/PFBC Pesticides Permit   | Issued             | Reflection Lakes POA Inc.<br>182 Stalker Road<br>Equinunk, PA 18417-3510                                | Manchester Township<br>Wayne County          | NERO              |
| 6521801                   | Joint DEP/PFBC Pesticides Permit   | Issued             | Westmoreland County Parks & Recreation<br>2 N Main Street<br>Greensburg, PA 15601-2405                  | Unity Township<br>Westmoreland County        | SWRO              |
| PAI136107                 | MS4 Individual NPDES Permit  | Issued             | Dunbar Township<br>Fayette County<br>128 Township Drive<br>Dunbar, PA 15431-2338                        | Dunbar Township<br>Fayette County            | SWRO              |
| PA0023043                 | Major Sewage Facility<br>>= 1 MGD and<br>< 5 MGD Individual NPDES Permit | Issued             | North East Borough<br>Erie County<br>31 W Main Street<br>North East, PA 16428-1135                      | North East Borough<br>Erie County            | NWRO              |
| PA0026361                 | Major Sewage Facility with CSOs Individual NPDES Permit                  | Issued             | Lower Lackawanna Valley Sanitary Authority<br>P.O. Box 2067<br>398 Cotton Road<br>Duryea, PA 18642-0067 | Duryea Borough<br>Luzerne County             | NERO              |
| 1489412                   | Major Sewage Treatment Facility Individual WQM Permit                    | Issued             | University Area Joint Authority<br>1576 Spring Valley Road<br>State College, PA 16801-8401              | Benner Township<br>Centre County             | NCRO              |
| PA0012432                 | Minor Industrial Waste Facility without ELG Individual NPDES Permit      | Issued             | Sunny Dell Foods Inc.<br>135 N 5th Street<br>Oxford, PA 19363-1502                                      | Oxford Borough<br>Chester County             | SERO              |
| PA0027341                 | Minor Industrial Waste Facility without ELG Individual NPDES Permit      | Issued             | Vitro Meadville Flat Glass, LLC<br>5123 Victory Boulevard<br>Cochranon, PA 16314-3969                   | Greenwood Township<br>Crawford County        | NWRO              |
| PA0034304                 | Minor Industrial Waste Facility without ELG Individual NPDES Permit      | Issued             | Cambridge Lee Ind, LLC<br>86 Tube Drive<br>Reading, PA 19612  | Ontelaunee Township<br>Berks County          | SCRO              |
| PA0261637                 | Minor Industrial Waste Facility without ELG Individual NPDES Permit      | Issued             | NGK Metals Corp<br>917 US Highway 11 South<br>Sweetwater, TN 37874                                      | Muhlenberg Township<br>Berks County          | SCRO              |
| PA0272833                 | Minor Industrial Waste Facility without ELG Individual NPDES Permit      | Issued             | Collins Pine Co.<br>P.O. Box 807<br>Kane, PA 16735-0807   | Kane Borough<br>McKean County                | NWRO              |
| PA0206016                 | Minor Sewage Facility<br>< 0.05 MGD Individual NPDES Permit              | Issued             | Lightning Properties LLC<br>55 Timberline Drive<br>Washington, PA 15301-8173                            | South Franklin Township<br>Washington County | SWRO              |
| PA0221554                 | Minor Sewage Facility<br>< 0.05 MGD Individual NPDES Permit              | Issued             | Wampum Operator, LLC<br>1605 Old Route 18<br>Wampum, PA 16157-3417                                      | New Beaver Borough<br>Lawrence County        | NWRO              |

| <i>Application Number</i> | <i>Permit Type</i>   | <i>Action Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                         | <i>DEP Office</i> |
|---------------------------|--|--------------------|--|---|-------------------|
| PA0266469                 | Minor Sewage Facility<br>>= 0.05 MGD and<br>< 1 MGD Individual<br>NPDES Permit | Issued             | Weaverland Valley Authority<br>4610 Division Highway<br>East Earl, PA 17519-9200                   | East Earl Township<br>Lancaster County              | SCRO              |
| NOEX14202                 | No Exposure<br>Certification   | Issued             | B Braun Medical Inc.<br>901 Marcon Boulevard<br>Allentown, PA 18109-9512                           | Hanover Township<br>Lehigh County                   | NERO              |
| NOEXSE184                 | No Exposure<br>Certification   | Issued             | First Student Inc.<br>110 Perimeter Park Road<br>Suite E<br>Knoxville, TN 37922-2200               | New Britain Township<br>Bucks County                | SERO              |
| PAG030121                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | Amazon Com Service, LLC<br>Attn: NA Environmental Dept<br>P.O. Box 80842<br>Seattle, WA 98108-0842 | Philadelphia City<br>Philadelphia County            | SERO              |
| PAG033663                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | Lumsden Corp<br>10 Abraso Street<br>Lancaster, PA 17601-3104                                       | Lancaster City<br>Lancaster County                  | SCRO              |
| PAG033664                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | Lumsden Corp<br>1296 Loop Road<br>Lancaster, PA 17601-3167   | Lancaster City<br>Lancaster County                  | SCRO              |
| PAG034886                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | Old Dominion Freight Line Inc.<br>500 Old Dominion Way<br>Thomasville, NC 27360-8923               | Milton Borough<br>Northumberland<br>County          | NCRO              |
| PAG036145                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Denied             | SPN Well Service Inc.<br>158 Painter Road<br>Smithton, PA 15479-8722                               | South Huntingdon<br>Township<br>Westmoreland County | SWRO              |
| PAG036265                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | Kehm Oil Co.<br>P.O. Box 130<br>Oakdale, PA 15071  | North Fayette<br>Township<br>Allegheny County       | SWRO              |
| PAG038381                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | Waste Management of PA Inc.<br>6330 Route 219<br>Brockway, PA 15824-5016                           | Washington Township<br>Jefferson County             | NWRO              |
| PAR208368                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | EFCO Inc.<br>P.O. Box 4061<br>Erie, PA 16512-4061  | Erie City<br>Erie County                            | NWRO              |
| PAR208370                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | AMG Titanium Alloys &<br>Coatings, LLC<br>207 Frenz Drive<br>New Castle, PA 16101-1107             | Neshannock Township<br>Lawrence County              | NWRO              |
| PAR208370                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | AMG Titanium Alloys &<br>Coatings, LLC<br>207 Frenz Drive<br>New Castle, PA 16101-1107             | Neshannock Township<br>Lawrence County              | NWRO              |
| PAR208370                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | AMG Chrome US, LLC<br>207 Frenz Drive<br>New Castle, PA 16101-1107                                 | Neshannock Township<br>Lawrence County              | NWRO              |
| PAR508306                 | PAG-03 NPDES<br>General Permit for<br>Industrial<br>Stormwater                 | Issued             | Waste Management of PA Inc.<br>18380 Paint Boulevard<br>Shippenville, PA 16254-4130                | Paint Township<br>Clarion County                    | NWRO              |

## NOTICES

6461

| <i>Application Number</i> | <i>Permit Type</i>   | <i>Action Type</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>                | <i>DEP Office</i> |
|---------------------------|--|--------------------|---|--|-------------------|
| PAG046211                 | PAG-04 NPDES<br>General Permit for<br>Small Flow<br>Treatment Facilities | Issued             | Amy S & William D Hoffer Jr<br>148 Hoffer Lane<br>Acme, PA 15610-2217                 | Black Township<br>Somerset County          | SWRO              |
| PAG122217                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Manbeck Dwight<br>917 Schwartz Valley Road<br>Schuylkill Haven, PA 17972              | Wayne Township<br>Schuylkill County        | SCRO              |
| PAG123513                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Hord Family Farms<br>2742 Shearer Road<br>Bucyrus, OH 44820                           | Peters Township<br>Franklin County         | SCRO              |
| PAG123543                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Harnish Alan<br>3421 Blue Rock Road<br>Lancaster, PA 17603-9775                       | Manor Township<br>Lancaster County         | SCRO              |
| PAG123581                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Nolt Elvin<br>11 Seth Erb Road<br>Richland, PA 17087-9404                             | Millcreek Township<br>Lebanon County       | SCRO              |
| PAG123623                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Future View Farm, LLC<br>13 Radcliff Road<br>Willow Street, PA 17584-9770             | Pequea Township<br>Lancaster County        | SCRO              |
| PAG123666                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Brubaker Nicholas<br>2871 N Colebrook Road<br>Manheim, PA 17545                       | Rapho Township<br>Lancaster County         | SCRO              |
| PAG123693                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Funk Jeff<br>18255 Fort Davis Road<br>Mercersburg, PA 17236-9430                      | Warren Township<br>Franklin County         | SCRO              |
| PAG123699                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Blue Berry Hill Farm Inc.<br>2950 Centennial Road<br>Hanover, PA 17331-8759           | Mount Pleasant<br>Township<br>Adams County | SCRO              |
| PAG123704                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Daniel F Lukens<br>7075 Old Stage Road<br>McClure, PA 17841-8908                      | Decatur Township<br>Mifflin County         | SCRO              |
| PAG123828                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Brechbill Christopher J<br>3387 Mont Alto Road<br>Fayetteville, PA 17222-9661         | Guilford Township<br>Franklin County       | SCRO              |
| PAG123848                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Johnson Drew<br>20522 Hammond Road<br>Spring Run, PA 17262-9718                       | Fannett Township<br>Franklin County        | SCRO              |
| PAG123859                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Deppen Colton W<br>847 Imes Road<br>Mifflin, PA 17058-7100                            | Spruce Hill Township<br>Juniata County     | SCRO              |
| PAG123916                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Weiler Creek Farms, LLC<br>350 E Mill Avenue<br>Myerstown, PA 17067-2404              | Bethel Township<br>Berks County            | SCRO              |
| PAG124825                 | PAG-12 NPDES<br>General Permit for<br>CAFOs                              | Issued             | Pine Hurst Acres<br>3304 Sunbury Road<br>Danville, PA 17821-9454                      | Rush Township<br>Northumberland<br>County  | SCRO              |
| 1521408                   | Pump Stations WQM<br>Individual Permit                                   | Issued             | Willistown Township<br>Chester County<br>688 Sugartown Road<br>Malvern, PA 19355-3302 | Willistown Township<br>Chester County      | SERO              |
| 1521409                   | Pump Stations WQM<br>Individual Permit                                   | Issued             | Willistown Township<br>Chester County<br>688 Sugartown Road<br>Malvern, PA 19355-3302 | Willistown Township<br>Chester County      | SERO              |
| 1596410                   | Sewage Land<br>Application<br>Individual WQM<br>Permit                   | Issued             | Aqua PA Wastewater Inc.<br>762 West Lancaster Avenue<br>Bryn Mawr, PA 19010-3402      | Thornbury Township<br>Chester County       | SERO              |

| <i>Application Number</i> | <i>Permit Type</i>                                       | <i>Action Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                  | <i>DEP Office</i> |
|---------------------------|--|--------------------|--|--|-------------------|
| 4502401                   | Sewage Land Application Individual WQM Permit            | Issued             | Weston Sr Living at Hillcrest<br>6000 Running Valley Road<br>Stroudsburg, PA 18360-8270          | Jackson Township<br>Monroe County            | NERO              |
| 0421403                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Gearhart Dean A<br>573 E Portersville Road<br>Portersville, PA 16051-2117                        | Marion Township<br>Beaver County             | SWRO              |
| 1621413                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Laveing Joseph<br>4659 Forest Road<br>Vowinckel, PA 16260-1122                                   | Washington Township<br>Clarion County        | NWRO              |
| 2519416                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Eric Erdely & Kayla Wynkoop<br>10286 Sharp Road<br>Waterford, PA 16441-3954                      | Waterford Township<br>Erie County            | NWRO              |
| 2521421                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | John & Theresa Clark<br>2500 Nursery Road<br>Lake City, PA 16423-2025                            | Elk Creek Township<br>Erie County            | NWRO              |
| 3271401                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Prime Metals Acquisition, LLC<br>101 Innovation Drive<br>Homer City, PA 15748-7433               | Center Township<br>Indiana County            | NWRO              |
| 3396401                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Boylan Kenny<br>3111 Trails End Lane<br>Sigel, PA 15860-5719                                     | Barnett Township<br>Jefferson County         | NWRO              |
| 0365S54                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Wampum Operator, LLC<br>1605 Old Route 18<br>Wampum, PA 16157-3417                               | New Beaver Borough<br>Lawrence County        | NWRO              |
| 5600402                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Amy S & William D Hoffer Jr<br>148 Hoffer Lane<br>Acme, PA 15610-2217                            | Black Township<br>Somerset County            | SWRO              |
| 6384416                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | South Franklin Township<br>Washington County<br>100 Municipal Road<br>Washington, PA 15301-9000  | South Franklin Township<br>Washington County | SWRO              |
| 6393404                   | Sewage Treatment Facilities Individual WQM Permit        | Issued             | Lightning Properties, LLC<br>55 Timberline Drive<br>Washington, PA 15301-8173                    | South Franklin Township<br>Washington County | SWRO              |
| 2619401                   | Sewer Extensions and Pump Stations Individual WQM Permit | Issued             | North Union Township<br>Municipal Service Authority<br>90 Romeo Lane<br>Uniontown, PA 15401-2337 | Uniontown City<br>Fayette County             | SWRO              |
| PA0222038                 | Single Residence STP Individual NPDES Permit             | Issued             | Boylan Kenny<br>3111 Trails End Lane<br>Sigel, PA 15860-5719                                     | Barnett Township<br>Jefferson County         | NWRO              |
| PA0255921                 | Single Residence STP Individual NPDES Permit             | Issued             | Gearhart Dean A<br>573 E Portersville Road<br>Portersville, PA 16051-2117                        | Marion Township<br>Beaver County             | SWRO              |
| PA0272434                 | Single Residence STP Individual NPDES Permit             | Issued             | Eric Erdely & Kayla Wynkoop<br>10286 Sharp Road<br>Waterford, PA 16441-3954                      | Waterford Township<br>Erie County            | NWRO              |
| PA0289655                 | Single Residence STP Individual NPDES Permit             | Issued             | Laveing Joseph<br>4659 Forest Road<br>Vowinckel, PA 16260-1122                                   | Washington Township<br>Clarion County        | NWRO              |
| PA0289701                 | Single Residence STP Individual NPDES Permit             | Issued             | John & Theresa Clark<br>2500 Nursery Road<br>Lake City, PA 16423-2025                            | Elk Creek Township<br>Erie County            | NWRO              |

**II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.**

| <i>Permit Number</i>                         | <i>Permit Type</i>                 | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                   | <i>Office</i>  |
|--|------------------------------------|---------------------|--|---|--|
| PAC230173                                    | General (Renewal/ Major Amendment) | Permit Issuance     | SEPTA<br>1234 Market Street<br>12th Floor<br>Philadelphia, PA 19107  | Upper Darby Township<br>Delaware County       | SERO   |
| PAC510211                                    | PAG-02 General Permit              | Issued              | Philadelphia Parks and Recreation<br>1515 Arch Street<br>10th Floor<br>Philadelphia, PA 19102-1511                 | City of Philadelphia<br>Philadelphia County   | SERO   |
| PAC090381<br>Prior NPDES #<br>PAG02000916012 | PAG-02 General Permit              | Issued              | Dolington Land, LP<br>1140 Virginia Drive<br>Fort Washington, PA 19034   | Upper Makefield Township<br>Bucks County      | SERO   |
| PAC090464                                    | PAG-02 General Permit              | Issued              | Rotelle Development Company<br>1011 Ridge Road<br>South Coventry, PA 19465   | Durham Township<br>Bucks County               | SERO   |
| PAC090486                                    | PAG-02 General Permit              | Issued              | Northampton Township<br>55 Township Road<br>Richboro, PA 18954-1546  | Northampton Township<br>Bucks County          | SERO   |
| PAC150271                                    | PAG-02                             | Issued              | US Home Corporation<br>d/b/a Lennar<br>Philly Metro Division<br>1285 Drummers Lane<br>Suite 100<br>Wayne, PA 19087 | Spring City Borough<br>Chester County         | SERO   |
| PAD090064                                    | Individual NPDES                   | Issued              | Delaware River Joint Toll<br>Bridge Commission (DRJTBC)<br>1199 Woodside Road<br>Yardley, PA 19067-1334            | Middletown Township<br>Bucks County           | SERO   |
| PAC540108                                    | PAG-02 General Permit              | Issued              | James L. Miller<br>MBC Properties, LP<br>P.O. Box 472<br>950 East Main Street<br>Schuylkill Haven, PA 17972        | City of Pottsville<br>Schuylkill County       | Schuylkill<br>Conservation District<br>1206 AG Center<br>Drive<br>Pottsville PA<br>17901-9733<br>570-622-3742          |
| PAC350113                                    | PAG-02 General Permit              | Issued              | NLMS, Inc.<br>1170 Winola Road<br>Clarks Summit, PA 18411-9686   | Waverly Township<br>Lackawanna County         | Lackawanna County<br>Conservation District<br>1038 Montdale Road<br>Scott Township, PA<br>18447<br>570-382-3086        |
| PAD450046                                    | Individual NPDES                   | Issued              | CMBK Resort Holdings, LLC<br>193 Resort Drive<br>Tannersville, PA 18372  | Pocono and Jackson Townships<br>Monroe County | NERO   |
| PAC400213                                    | PAG-02 General Permit              | Issued              | UGI Utilities, Inc.<br>Eric Sorber<br>One UGI Center<br>Wilkes-Barre, PA 18711-0600                                | Union Township<br>Luzerne County              | Luzerne Conservation<br>District<br>325 Smiths Pond<br>Road<br>Shavertown, PA<br>18708<br>570-674-7991                 |
| PA390001C                                    | PAG-02 General Permit              | Issued              | Pennsylvania Turnpike<br>Commission<br>700 S. Eisenhower Blvd.<br>Middletown, PA 17057                             | South Whitehall Township<br>Lehigh County     | Lehigh County<br>Conservation District<br>4184 Dorney Park<br>Road<br>Suite 105<br>Allentown, PA 18401<br>610-391-9583 |

| <i>Permit Number</i> | <i>Permit Type</i>          | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                     | <i>Office</i>   |
|----------------------|-----------------------------|---------------------|--|---|---|
| PAD130033            | Individual NPDES            | Issued              | Mieczyslaw and Ewa Klecha<br>469 Forest Street<br>Lehighon, PA 18235                           | Franklin Township<br>Carbon County              | NERO  |
| PAD390196            | Individual NPDES            | Issued              | Diakon Lutheran<br>Social Ministries<br>960 Century Drive<br>Mechanicsburg, PA 17055           | South Whitehall<br>Township<br>Lehigh County    | NERO  |
| PAD450138            | Individual NPDES            | Issued              | Arrowhead Lakes Community<br>Association, Inc.<br>961 Arrowhead Drive<br>Pocono Lake, PA 18347 | Coolbaugh Township<br>Monroe County             | NERO  |
| PAC350119            | PAG-02<br>General<br>Permit | Issued              | Roba Farms, Inc.<br>1491 Lakeland Drive<br>Scott Township, PA 18433-7826                       | Scott Township<br>Lackawanna County             | Lackawanna County<br>Conservation District<br>1038 Montdale Road<br>Scott Township, PA<br>18447<br>570-382-3086               |
| PAC350115            | PAG-02<br>General<br>Permit | Issued              | B&M Property<br>Development, LLC<br>2 Nicole Drive<br>Dunmore, PA 18504-2852                   | South Abington<br>Township<br>Lackawanna County | Lackawanna County<br>Conservation District<br>1038 Montdale Road<br>Scott Township, PA<br>18447<br>570-382-3086               |
| PA450001C            | PAG-02<br>General<br>Permit | Issued              | Kunkletown DG, LLC<br>361 Summit Blvd<br>Suite 110<br>Birmingham, AL 35243-3168                | Eldred Township<br>Monroe County                | Monroe County<br>Conservation District<br>8050 Running Valley<br>Road<br>Stroudsburg, PA<br>18347<br>570-629-3060             |
| PAC390145            | PAG-02<br>General<br>Permit | Issued              | Guardian Storage<br>Allentown, LLC<br>5879 Centre Ave.<br>Pittsburgh, PA 15206                 | Hanover Township<br>Lehigh County               | Lehigh County<br>Conservation District<br>4184 Dorney Park<br>Road<br>Suite 105<br>Allentown, PA 18401<br>610-391-9583        |
| PAD360072            | Individual NPDES            | Issued              | Maryjo Steele<br>227 Green Lane<br>Quarryville, PA 17566                                       | Little Britain<br>Township<br>Lancaster County  | SCRO  |
| PAC050046            | PAG-02<br>General<br>Permit | Issued              | Hopewell (26) DPP, LLC<br>9010 Overlook Boulevard<br>Brentwood, TN 37027                       | Broad Top Township<br>Bedford County            | SCRO  |
| PAC670491            | PAG-02<br>General<br>Permit | Issued              | Kinsley Equities II, LP<br>6250 Reynolds Mill Road<br>Seven Valleys, PA 17360                  | Manchester<br>Township<br>York County           | SCRO  |
| PAC140131            | PAG-02<br>General<br>Permit | Issued              | The Pennsylvania<br>State University<br>Fischer Road<br>University Park, PA 16802              | State College<br>Borough<br>Centre County       | Centre County<br>Conservation District<br>414 Holmes Avenue<br>Suite 4<br>Bellefonte, PA<br>16823-1400                        |
| PAC170047            | PAG-02<br>General<br>Permit | Issued              | Billor Boyz Land Co.<br>1950 Dale Road<br>Woodland, PA 16881                                   | Bradford Township<br>Clearfield County          | Clearfield County<br>Conservation District<br>6395 Clearfield-<br>Woodland Highway<br>Suite 2<br>Clearfield, PA<br>16830-1923 |

| <i>Permit Number</i> | <i>Permit Type</i>       | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>                            | <i>Office</i>   |
|----------------------|--------------------------|---------------------|---|--|---|
| PAC600074            | PAG-02<br>General Permit | Issued              | Steven Lyncha<br>260 International Drive<br>Lewisburg, PA 17837               | Kelly Township<br>Union County                         | Union County<br>Conservation District<br>155 N 15th Street<br>Lewisburg, PA<br>17837-8822   |
| PAC630132A-1         | PAG-02                   | Issued              | 519 Properties, LLC<br>2150 Washington Road<br>Canonsburg, PA 15317           | North Strabane<br>Washington County                    | Washington County<br>Conservation District<br>50 Old Hickory Ridge<br>Road<br>Suite 1<br>Washington, PA<br>15301<br>724-705-7098  |
| PAD650031            | Individual<br>NPDES      | Issued              | RWS Development<br>Company, RC<br>8954 Hill Drive<br>Irwin, PA 15642          | North Huntingdon<br>Township<br>Westmoreland<br>County | SWRO  |
| PAC430063            | PAG-02<br>General Permit | Issued              | Grove City Borough<br>123 West Main Street<br>Grove City, PA 16127            | Grove City Borough<br>Mercer County                    | Mercer County<br>Conservation District<br>24 Avalon Court<br>Suite 300<br>Mercer, PA 16137<br>724-662-2242  |
| PAC250136            | PAG-02<br>General Permit | Issued              | Erie Downtown<br>Development Corporation<br>10 E 5th Street<br>Erie, PA 16507 | Erie City<br>Erie County                               | Erie County<br>Conservation District<br>1927 Wager Road<br>Erie, PA 16509<br>814-825-6403   |
| PAC250148            | PAG-02<br>General Permit | Issued              | Shearer's Foods, LLC<br>821 State Route 97 South<br>Waterford, PA 16441       | Waterford Township<br>LeBoeuf Township<br>Erie County  | Erie County<br>Conservation District<br>1927 Wager Road<br>Erie, PA 16509<br>814-825-6403   |
| PAD360069            | Individual<br>NPDES      | Issued              | Robert Redcay<br>259 Brook Farms Road<br>Lancaster, PA 17601                  | Rapho Township<br>Lancaster County                     | Regional Permit<br>Coordination Office<br>(RPCO)<br>Rachel Carson State<br>Office Building<br>400 Market Street<br>Harrisburg, PA 17101<br>Email:<br>RA-EPREGIONAL<br>PERMIT@pa.gov |

### STATE CONSERVATION COMMISSION

#### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

| <i>Agricultural Operation<br/>Name and Address</i>   | <i>County</i>       | <i>Total<br/>Acres</i> | <i>AEU's</i> | <i>Animal<br/>Type</i> | <i>Special<br/>Protection<br/>Waters (HQ<br/>or EV or NA)</i>  | <i>Approved or<br/>Disapproved</i> |
|--|---------------------|------------------------|--------------|------------------------|--|------------------------------------|
| Pleasant View Farms, Inc.<br>261 Pleasant View Farms<br>Road<br>Martinsburg, PA 16662                    | Blair<br>Bedford    | 4424.8                 | 4395.05      | Dairy                  | Clover Creek<br>(HQ-CWF),<br>Piney Creek<br>(HQ-CSF),<br>Yellow Creek<br>(HQ, CWF),<br>Plum Creek<br>(HQ-CWF),<br>Potter Creek<br>(HQ-CWF) | Approved                           |
| Penn England Farm<br>10341 Fox Run Road<br>Williamsburg, PA 16693<br><i>Crop Year 2021<br/>Amendment</i> | Blair<br>Huntingdon | 3341.3                 | 4410.72      | Dairy                  | Clover Creek<br>(HQ),<br>Fox Run<br>(HQ),<br>New Creek<br>(HQ),<br>Piney Creek<br>(HQ)   | Acknowledged                       |
| Penn England Farm<br>10341 Fox Run Road<br>Williamsburg, PA 16693<br><i>Crop Year 2022</i>               | Blair<br>Huntingdon | 3347                   | 4410.72      | Dairy                  | Clover Creek<br>(HQ),<br>Fox Run<br>(HQ),<br>New Creek<br>(HQ),<br>Piney Creek<br>(HQ)   | Approved                           |
| Ryan Snyder<br>6 Snyder Lane<br>Lewistown PA 17044   | Mifflin             | 120.9                  | 726.9        | Swine<br>Finisher      | NA   | Approved                           |

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### **Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northeast Region: Safe Drinking Water Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**Permit No. 6621502MA, Construction Permit, Public Water Supply.**

|              |  |
|--------------|--|
| Applicant    | <b>D&amp;C Fuel Sales, Inc.</b><br>6313 State Route 6<br>Tunkhannock, PA 18657 |
| Municipality | Tunkhannock Township   |
| County       | <b>Wyoming</b>   |



|                            |   |
|----------------------------|---|
| Type of Facility           | Public Water Supply   |
| Consulting Engineer        | Michael P. Goodwin, P.E.<br>Milnes Engineering, Inc.<br>12 Frear Hill Road<br>Tunkhannock, PA 18657 |
| Permit to Construct Issued | September 21, 2021  |
| Description of Action      | Air over carbon filter—odor treatment system.   |

*Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Comprehensive Operation Permit No. 7010066** issued to: **The York Water Company (PWS ID No. 7010066)**, Straban Township, **Adams County** on September 20, 2021 for the operation of facilities at Amblebrook water system submitted under Application No. 7010066.

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Operations Permit** issued to: **Kipps Run MHP, LLC**, 100 E. 8th St., Milton, PA 17847, PWSID No. 1361048, Riverside Borough, **Northumberland County** on September 28, 2021 for the operation of facilities approved under construction permit # 4990501-T2; MA (3/31/98)-T2; MA (9/29/08)-T1; & MA-GWR-T1. This permit approves the operation of the public water system in Riverside Borough, which are hereby transferred from Kipps Run Mobile Home Park to Kipps Run MHP, LLC. The Kipps Run MHP, LLC water system consists of Well No. 1 with a permitted capacity of 12 gpm and a Goulds 1.5 HP submersible pump model 25EL. The water system also includes polyphosphate feed with a LMI Model AA941-358HI 0.58 gph chemical pump, sodium hypochlorite injection with a Chem Tech Model 240 chemical pump, 400 gallon chlorine contact tank, 1,500 gallon storage tank, 180-gallon hydropneumatic tank and distribution system of 34 connections.

**Operations Permit** issued to: **Wellsboro Municipal Authority**, 14 Crafton St., Wellsboro, PA 16901, PWSID No. 2590042, Wellsboro Borough, **Tioga County** on September 23, 2021 for the operation of facilities approved under construction permit # 5920502MA-A1. This permit authorizes the water system for the modification of the calculation methodology for CT to use only data from the first large storage tank (FLST) to determine the reduction at the Wellsboro Water Treatment Plant.

**Operations Permit** issued to: **SMM Holdings, LLC**, 23 Boyer Road, Fleetwood, PA 19522, PWSID No. 2590041, Delmar Township, **Tioga County** on September 23, 2021 for the operation of facilities approved under construction permits # 5989502-T3, 5992502-T3, and MA-GWR-T2. This permit authorizes the transfer of Permit No. 5989502-T3 that approves operation of the existing public water system, including Well No. 1, sodium hypochlorite disinfection system, 2,000-gallon baffled detention tank, detention piping, submersible booster pumps, hydropneumatic tanks, and distribution system; Permit No. 5991502-T3 that approves operation of Well No. 2.; Minor Amendment-GWR-T2 that approves operation of the treatment facilities for 4-log inactivation of viruses.

## SEWAGE FACILITIES ACT PLAN APPROVAL

### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

#### Plan Location:

| Township            | Township Address                                | County |
|---------------------|---|--------|
| Frankstown Township | 2122 Frankstown Road<br>Hollidaysburg, PA 16648 | Blair  |

#### Plan Description:

Approval of a revision to the official plan of Frankstown Township, **Blair County**. The project is known as **Old Frankstown Road Extension**. The proposal is for a sewer line extension and consists of installation of approximately 1200 L.F. of 8" sewer main to serve three existing homes with failing on-lot sewage systems for a total of 1200 gallons per day tributary to Frankstown Township's collection and conveyance system and the Hollidaysburg Borough Sewer Authority's WWTP.

The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-07911-210-3m and the APS Id is 1041643. Any permits must be obtained in the name of the municipality.

## SEWAGE FACILITIES ACT PLAN DISAPPROVAL

### Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

#### Plan Location:

| Borough             | Borough Address                                   | County           |
|---------------------|---|------------------|
| Quarryville Borough | 300 St. Catherine Street<br>Quarryville, PA 17566 | Lancaster County |

#### Plan Description:

The request for planning exemption for the Fritz Avenue Subdivision (DEP Code No. A3-36947-030-3E; APS ID No. 1047646) has been disapproved. The proposed development—to be located along Fritz Avenue in Quarryville—consists of 13 single-family dwellings using a low-pressure sewer system to connect to public sewer. This request for planning exemption has been disapproved because the submission does not qualify as an exemption request, as the subdivision proposes the connection to or an extension of public sewer facilities which require or which must apply for a new or modified permit from DEP under the Pennsylvania Clean Streams Law (CSL) as per Chapter 71, Section 71.51(b)(5).

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5787, Charline Bass.*

**Fieldstone/Ridings Spray Site**, 4613 Hughesian Drive, P.O. Box 413, Buckingham, PA 18912, Buckingham Township, **Bucks County**. Geoff Kristof, Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite A, West Chester, PA 19382 on behalf of Stephen Clark, Buckingham Township, 4613 Hughesian Drive, P.O. Box 413, Buckingham, PA 18912 submitted a Final Report concerning remediation of site soil contaminated with 1,2-dibromoethane. The report is intended to document remediation of the site to meet the Statewide health standard.

**411 Swedeland Road Quarry 3**, 411 Swedeland Road, King of Prussia, PA 19406, Upper Merion Township and West Conshohocken Borough, **Montgomery County**. Mark Fortna, Penn Environmental and Remediation, Inc., 2755 Bergey Road, Hatfield, PA 19440 on behalf of Kevin Kyle, Innovation 411 Fee Owner, LLC, 201 King of Prussia Road, Suite 501, Radnor, PA 19087 submitted a Final Report concerning remediation of site soil contaminated with lead. The report is intended to document remediation of the site to meet the Statewide health standard.

**Darien Crossing**, 700 Pattison Avenue, Unit 2, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia**

**County**. Victoria Bisbing, BrightFields, Inc., 340 South Broad Street, 17th Floor, Philadelphia, PA 19102 on behalf of Edward Linkewich, Resource Environmental Solutions, Inc., 340 South Broad Street, 17th Floor, Philadelphia, PA 19102 submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with SVOCs and metals. The report is intended to document remediation of the site to meet the site-specific standard.

**West Swamp Mennonite Church**, 2501 Allentown Road, Quakertown, PA 18951, Milford Township, **Bucks County**. Alex Arcega, ACV Environmental Services, Inc., 928 East Hazelwood Avenue, Rahway, NJ 07065 on behalf of Otis Johnson, Diesel Direct, 2527 Market Street, Aston, PA 19014 submitted a Final Report concerning remediation of site soil contaminated with hydraulic oil and antifreeze. The report is intended to document remediation of the site to meet the Statewide health standard.

**580 East Lancaster Avenue**, 580 East Lancaster Avenue, Berwyn, PA 19312, Easttown Township, **Chester County**. Michael S. Welsh, PE, Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of David Della Porta, Berwyn Owner, LLC, 775 Lancaster Avenue, Suite 210, Villanova, PA 19075 submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorobenzene and benzene. The report is intended to document remediation of the site to meet the site-specific standard.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Warner's Central Garage**, 8-10 Hudsonale Street, Weatherly, PA 18255, Weatherly Borough, **Carbon County**. Barry Isett & Associates, 1170 Highway 315, Wilkes-Barre, PA 18702, on behalf of Mauch Chunk Trust Company, 1111 North Street, P.O. Box 289, Jim Thorpe, PA 18229, submitted a Cleanup Plan concerning soil contaminated with lead and hydrocarbons from historic fill. The report is intended to document remediation of the site to meet site specific standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**York Plant Holding, LLC Power Generation Facility**, 651 Memory Lane, York, PA 17402, Springettsbury Township, **York County**. AECOM Technical Services, Inc., 100 Sterling Parkway, Suite 205, Mechanicsburg, PA 17050, on behalf of Talen Energy, 651 Memory Lane, York, PA 17402 and Equity Industrial Properties, 145 Rosemary Street, Suite E, Needham, MA 02494, submitted a Remedial Investigation and Final Report concerning remediation of site soil and groundwater contaminated with. The Report is intended to document remediation of the site to meet the site-specific and residential Statewide health standards.

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Mountain Energy Service Tanker Accident**, 3019 Mountain Road, Monroeton, PA 18832, Franklin Township, **Bradford County**. Civil & Environmental Consultants, Inc., 333 Baldwin Road, Pittsburgh, PA 15205, on behalf of Chief Oil & Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754 has submitted a Final Report concerning site soil contaminated with produced water

due to an overturned tanker truck. The report is intended to document remediation of the site to meet the Statewide health standard.

**Clarke 5H on the Clarke BRA Pad**, 3427 Morris Road, Overton, PA 18833, Overton Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Final Report concerning site soil contaminated with produced water. The report is intended to document remediation of the site to meet the Statewide health standard.

**ProPetro, LLC Diesel Fuel Release**, Millstone Road, Monroe, PA 18832, Monroe Township, **Bradford County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of ProPetro, LLC, 35 Investment Lane, Apt 1, Milan, PA 18831, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide health standard.

**Deljanovan Trucking truck rollover, Elbow Fish & Game Club**, 11480 Route 287, Cogan House Township, **Lycoming County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of EQT ARO, LLC, 33 West Third Street, PA 17701 has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel and produced water. The report is intended to document remediation of the site to meet the Statewide health standard.

**Highland & York Property Heating Oil Release Cleanup**, 240 North Third Street, Lewisburg, PA 17837, Lewisburg Borough, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Highland & York, LLC, 660 Sixth Street, Northumberland, PA 17857, has submitted a Final Report concerning site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a

remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Lehigh Hills**, 1301-1499 Church Street, Fogelsville, PA 18051, Upper Macungie Township, **Lehigh County**. Geo-Technology Associates, 2405 John Fries Highway, Quakertown, PA 18951, on behalf of Jaindl Land Development, 3150 Coffeetown Road, Orefield, PA 18069, submitted a revised, combined Remedial Investigation Report, Risk Assessment, and Final Report concerning remediation of soil impacted with pesticides from historic orchard operations. The Report demonstrated attainment of site-specific standards and was approved by DEP on September 23, 2021.

**Carlton Property**, 388 Valley View Drive North, Stroudsburg, PA 18360, Stroud Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pipeline Petroleum, Inc., P.O. Box 159, Shippers Road, Macungie, PA 18062, submitted additional Final Report information concerning remediation of soil contaminated by heating oil from an underground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on September 27, 2021.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Kuhn Property**, 720-724 North Hanover Street, Carlisle, PA 17013, North Middletown Township, **Cumberland County**. Hull & Associates, P.O. Box 260, New Brighton, PA 15066, on behalf of Real Estate Collaborative, LLC, 53 West South Street, Suite 1, Carlisle, PA 17013, submitted a Final Report concerning remediation of site soil contaminated with TCE. The Final Report

demonstrated attainment of the Background Standard and was approved by the Department on September 14, 2021.

**Former Danskin Factory**, 300 North State Street, York, PA 17403, York City, **York County**. ECS Mid-Atlantic, LLC, 56 Grumbacher Road, York, PA 17406, on behalf of the City of York, 101 South George Street, York, PA 17405, and Pennrose, Inc, One Brewery Park, 1301 North 31st Street, Philadelphia, PA 19121, submitted a Final Report concerning remediation of site soil and groundwater contaminated with heating oil. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on September 22, 2021.

**Clean Enterprises**, 315 West State Street, Quarryville, PA 17566, Quarryville Borough, **Lancaster County**. Reliance Environmental Inc., 235 North Duke Street, Suite 1, Lancaster, PA 17602, on behalf of GEN 2, 3, LLC, 315 West State Street, Quarryville, PA 17566, submitted as Remedial Investigation and Cleanup Plan concerning remediation of site soil and groundwater contaminated with PERC and PCE. The Plan was approved by the Department on September 21, 2021.

*Northcentral Region: Environmental Cleanup & Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**DVL Express, Inc. Accident Cleanup**, Interstate 80 at MM 184.2E, Loganton, PA 17747, Greene Township, **Clinton County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of DVL Express, Inc., 2064 167th Street, Markham, IL 60428, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel and motor oil. The report demonstrated attainment of the Statewide health standard and was approved by the Department on August 30, 2021.

**Benton Loop Spill Site**, Bradley Road, Benton, PA 17774, Jordan Township, **Lycoming County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Transcontinental Gas Pipe Line Company, LLC, 2000 Commerce Drive, Park Place 2, Pittsburgh, PA 15275, has submitted a Final Report concerning remediation of site soil contaminated with engine oil. The report demonstrated attainment of the Statewide health standard and was approved by the Department on August 17, 2021.

**Modular Structures of PA, Inc/Durabuilt Custom Homes**, 1910 North Old Trail, Selinsgrove, PA 17870, Monroe Township, **Snyder County**. BlackRock Environmental, Inc., P.O. Box 288, Nazareth, PA 18064, on behalf of Durabuilt Custom Homes, LLC, 1910 North Old Trail, has submitted a Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with petroleum. Characterization has not been completed at the site and the report was disapproved by the Department on August 13, 2021.

**Harer 713 Beneficial Reuse Unit**, 957 Bogar Run Road, Roaring Branch, PA 17765, Liberty Township, **Tioga County**. Moody and Associates, Inc., 11548 Cotton Road, Meadville, PA 16336, on behalf of Rockdale Marcelus, LLC, 4600 J Barry Court, Suite 220, Canonsburg, PA 15317, has submitted a Combined Soil Site Characterization and Soil Remedial Action Completion Report concerning remediation of site soil contaminated with produced water. The report demonstrated attainment of the Background and Statewide health standards and was approved by the Department on August 30, 2021.

*Northwest Region: Environmental Cleanup & Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Interstate Chemical Company**, 2797 Freedland Road, Hermitage, PA 16148, City of Hermitage, **Mercer County**. Wood Environment & Infrastructure Solutions, Inc., 437 Grant Street, Suite 918, Pittsburgh, PA 15219 on behalf of Interstate Chemical Company, Inc., 2797 Freedland Road, Hermitage, PA 16148 has submitted a Risk Assessment (Revision 3) Report concerning remediation of site soil and groundwater contaminated with 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloro-1,2,2-trifluoroethane, 1,1-Dichloroethane, 1,1-Dichloroethene, 1,2-Dichlorobenzene, 1,2-Dichloroethane, 2-Butanone (MEK), 2-Hexanone, 4-Methyl-2-pentanone (MIBK), Acetone, Benzene, Carbon disulfide, Chlorobenzene, Chloroethane, Chloroform, cis-1,2-Dichloroethene, Cyclohexane, Cyclohexanone, Dichlorodifluoromethane, Ethylbenzene, Hexane, Isopropylbenzene, Methyl acetate, Methyl tert-butyl ether, Methylcyclohexane, Methylene Chloride, Styrene, Tetrachloroethene, Tetrahydrofuran, Toluene, trans-1,2-Dichloroethene, trans-1,3-Dichloropropene, Trichloroethene, Vinyl chloride, Xylenes (Total), 1-Propanol, 2-Propanol (Isopropanol), Ethyl acetate, Ethylene glycol, Furfural, Methanol, n-Butyl alcohol, Formaldehyde, Isobutyl alcohol, 1,1'-Biphenyl, 2,4-Dimethylphenol, 2-Methylnaphthalene, 2-Methylphenol, 4-Chloroaniline, Acenaphthene, Acenaphthylene, Acetophenone, Aniline, Anthracene, Benzaldehyde, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Benzoic acid, Bis(2-ethylhexyl) phthalate, Butyl benzyl phthalate, Carbazole, Chrysene, Cresols (Total), Dibenz(a,h)anthracene, Dibenzofuran, Diethyl phthalate, Di-n-butyl phthalate, Di-n-octyl phthalate, Fluoranthene, Fluorene, Hexachlorobenzene, Indeno[1,2,3-cd]pyrene, Isophorone, Methylphenol, 3 & 4, Naphthalene, Nitrobenzene, Phenanthrene, Phenol, Pyrene, PCB-1242, Arsenic, Barium, Cadmium, Chromium, Chromium (VI), Lead, Mercury, Selenium, Silver, and Distilled Ammonia. The report was withdrawn by Interstate Chemical Company on September 22, 2021.

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401, Charline Bass, 484-250-5787.*

**510 North Broad Street**, 1419-1437 Spring Garden Street, 510 North Broad Street, and 559-563 North 15th Street, Philadelphia, PA 19130, City of Philadelphia, **Philadelphia County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Mark Cartella, 510 Broad Partners, LLC, 414 South 16th Street, Suite 100, Philadelphia, PA 19146 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil contaminated with PAHs, mercury and vanadium. The Report was approved by the Department on September 15, 2021.

**Existing Keystone Auto & Tire Center/Jeffrey's Auto World, LLC**, 1538 & 1546 Easton Road, Abington, PA 19001, Abington Township, **Montgomery County**. Jeffrey T. Bauer, PG, Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Michael F. Russo, Jr., JSF Management, LLC, 86 Summit Avenue, Suite 201, Summit, NJ 07901 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with 1,2,4-TMB, PCE, TCE and MTBE. The Final Report did not demonstrate

attainment of the Statewide health standard and was disapproved by the Department on September 14, 2021.

**Wawa Store No. 8053**, 8220 West Bartram Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Geoff Kristof, PG, Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite A, West Chester, PA 19382 on behalf of Joseph W. Standen, Jr., PG, Wawa, Inc., 260 West Baltimore Pike, Wawa, PA 19063 submitted a Final Report concerning the remediation of site soil contaminated with benzene, toluene, ethylbenzene, xylenes, cumene, naphthalene, 1,2,4-TMB, 1,3,5-TMB and MTBE. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on September 15, 2021.

**Ponds and Gardens**, 200 Limekiln Pike, Glenside, PA 19038, Cheltenham Township, **Montgomery County**. Philip M. Donmoyer, PG, ECS Mid-Atlantic, 52-6 Grumbacher Road, York, PA 17406 on behalf of Greg Baltz, Grindstone Properties LP, 1259 Cox Road, Rydal, PA 19046 submitted a Remedial Investigation Report/Cleanup Plan/Risk Assessment Report/Final Report concerning the remediation of site soil contaminated with arsenic. The Report was reviewed by the Department which issued a technical deficiency letter on September 20, 2021.

**Parkwood Fill Site**, Dunks Ferry Road and Mechanicsville Road, Philadelphia, PA 19154, City of Philadelphia, **Philadelphia County**. Jennifer L. Gresh, PG, Duffield Associates, Inc., 211 North 13th Street, Suite 702, Philadelphia PA 19107 on behalf of Daniel Harkins, Philadelphia Department of Public Property, City Hall-Room 784, Philadelphia, PA 19107 submitted a Remedial Investigation Report/Risk Assessment Report concerning the remediation of site soil contaminated with vanadium and benzo(a)pyrene. The Report was approved by the Department on September 20, 2021.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 100963. Lycoming County Resource Management Service**, P.O. Box 187, 447 Alexander Drive, Montgomery, PA 17752, Brady Township, **Lycoming County**. This Minor Permit Modification is for the installation of eighty (80) additional vertical gas wells on a 100 ft x 100 ft grid pattern in specific areas of the permitted landfill to increase the gas recovery efficiency and more efficient liquids management within the waste mass. The permit was issued by Northcentral Regional Office on September 17, 2021.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. 570-327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay service, (800) 654-5984.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**GP3-15-0082: East Coast Crushing, LLC** (1398 Wilmington Pike, West Chester, PA 19382-8218) on September 24, 2021 for a Sandvik Crusher Discharge Conveyor and Water Spray Dust Suppression System in Phoenixville Borough, **Chester County**.

**GP9-15-0037: East Coast Crushing, LLC** (1398 Wilmington Pike, West Chester, PA 19382-8218) on September 24, 2021 for Diesel fuel Internal Combustion Engine caterpillar OP.3 Engine Tier 4 in Phonexville, **Chester County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP3-36-03215C: Mellott Company** (100 Mellott Drive, Warfordsburg, PA 17267) on September 22, 2021, for the installation and operation of portable nonmetallic mineral processing equipment, under GP3, at the Cedar Hill Quarry located in Fulton Township, **Lancaster County**.

**GP11-36-03215C: Mellott Company** (100 Mellott Drive, Warfordsburg, PA 17267) on September 22, 2021, for the installation and operation of five nonroad engines, under GP11, to power portable nonmetallic mineral processing equipment, at the Cedar Hill Quarry located in Fulton Township, **Lancaster County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**AG5-41-00005B: EQT ARO, LLC** (625 Liberty Ave, Suite 1700, Pittsburgh, PA 15222) on September 24, 2021, received authorization for the change of ownership and continued operation of two (2) 1,380 bhp Caterpillar model G3516B LE four-stroke ultra-lean-burn natural-gas-fired compressor engines equipped with oxidation catalysts; one (1) 40 MMsct/day J.W. Williams dehydration unit equipped with a 1.15 MMBtu/hr natural-gas fired reboiler and flash tank, one (1) Capstone model C65 Microturbine generator, eight (8) Gas Production Units, four (4) Produced Fluids Tanks, two (2) 500-gallon engine oil tanks, one (1) 520-gallon engine coolant tank, one (1) 1,000-gallon produced fluids tank, one (1) 4,200-gallon dehydration unit produced fluids tank, one (1) 2250-gallon engine oil tank, and various fugitive emissions under the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmissions Stations (BAQ-GPA/GP-5) at the Elbow Fish & Game Club Pad B Compressor Station in Cogan House Township, **Lycoming County**.

**AG5-41-00013A: EQT ARO, LLC** (625 Liberty Ave, Suite 1700, Pittsburgh, PA 15222) on September 24, 2021, received authorization for the change of ownership and continued operation of four (4) 1380 bhp Caterpillar model G3516ULB compressor engines each equipped with an oxidation catalyst, two (2) 87 bhp Capstone model G65 Microturbine generators, one (1) 40 MMscf/day Valerus model GLY-DEHY-750 dehydration unit equipped with a 0.75 MMBtu/hr natural-gas fired reboiler and flash tank, one (1) J.W. Williams glycol dehydration unit rated at 15 MMscf/day and equipped with a 0.35 MMBtu/hr natural-gas fired reboiler and flash tank, two (2) 16,800-gallon produced water tanks, two (2) 500-gallon lube oil tanks, one (1) 500-gallon engine coolant tank and one (1) 500-gallon triethylene glycol tank, one (1) 1,000-gallon waste oil tank and various fugitive emissions under the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmissions Stations (BAQ-GPA/GP-5) at the COP Tract 289 Compressor Station in McHenry Township, **Lycoming County**.

**AG5-41-00010B: EQT ARO, LLC** (625 Liberty Ave, Suite 1700, Pittsburgh, PA 15222) on September 27, 2021, received authorization for the change of ownership and continued operation of three (3) 1380 bhp Caterpillar model G3516 four-stroke ultra-lean-burn natural-gas-fired compressor engine equipped with oxidation catalyst, two (2) 35 MMscf/day J.W. Williams dehydration unit equipped with a 0.75 MMBtu/hr natural gas-fired reboiler and flash tank, two (2) 87 bhp Capstone model C65 Microturbine generators, one (1) 195 bhp Caterpillar model G3306 TA LCR rich-burn emergency generator engine, two (2) 16,800-gallon produced water tanks, two (2) 250-gallon compressor oil tanks, two (2) 500-gallon lube oil tanks, one (1) 500-gallon engine coolant tank, one (1) 500-gallon triethylene glycol tank, one (1) 1,000-gallon waste oil tank and various fugitive emissions under the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmissions Stations (BAQ-GPA/GP-5) for EQT ARO, LLC's Lycoming Hunt & Fish Club Compressor Station located in Cogan House Township, **Lycoming County**.

**AG5-41-00010B: EQT ARO, LLC** (625 Liberty Ave, Suite 1700, Pittsburgh, PA 15222) on September 28, 2021, received authorization for the change of ownership and continued operation of two (2) 1,380 bhp Caterpillar model G3516TA four-stroke lean-burn natural-gas-fired compressor engines equipped with an oxidation catalyst, one (1) 35 MMscf/day J.W. Williams dehydration unit equipped with a 0.75 MMBtu/hr natural gas-fired reboiler burner, and flash tank, one (1) 195 bhp Caterpillar G3306TA four-stroke lean-burn natural-gas-fired emergency engine equipped with oxidation catalyst, one (1) 87 bhp Capstone model C65 Microturbine generator, two (2) 16,800-gallon produced water tanks, two (2) 500-gallon lube oil tanks, one (1) 520-gallon coolant tank, two (2) 250-gallon compressor oil tanks, one (1) 500-gallon engine coolant tank, one (1) 500-gallon triethylene glycol tank, one (1) 1,000-gallon waste oil tank and various fugitive emissions under the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmissions Stations (BAQ-GPA/GP-5) for EQT ARO, LLC's Vargo Compressor Station located in Cascade Township, **Lycoming County**.

**AG5-41-00019A: EQT ARO, LLC** (625 Liberty Ave, Suite 1700, Pittsburgh, PA 15222) on September 28, 2021, for authorization to continue operation of three (3) 1,380 bhp Caterpillar model G3516TA four-stroke ultra-lean-burn natural-gas-fired compressor engines equipped

with oxidation catalysts, one (1) 50 MMscf/day J.W. Williams dehydration unit equipped with a 1.0 MMBtu/hr natural-gas fired reboiler and flash tank, one (1) 35 MMscf/day J.W. Williams dehydration unit equipped with a 0.75 MMBtu/hr natural-gas fired reboiler and flash tank, one (1) 203 bhp Caterpillar G3306TA four-stroke lean-burn natural-gas-fired emergency engine equipped with oxidation catalyst, two (2) 87 bhp Capstone model C65 Microturbine generators, two (2) 16,800-gallon produced water tanks, two (2) 500-gallon lube oil tanks, one (1) 500-gallon engine coolant tank, one (1) 500-gallon triethylene glycol tank and one (1) 1,000-gallon waste oil tank pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Larry's Creek Compressor Station located in Cummings Township, **Lycoming County**.

*Southwest Regional Office, Air Quality, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**GP3-63-00995D and GP11-63-00995B: W.G. Tomko, Inc.** (2559 State Route 88 Finleyville, PA 15332-3504) on September 24, 2021, received authorization under GP-3 and GP-11 for installation and/or operation of one (1) Cone Crusher Unit, one (1) Screening Plant, two (2) McCloskey Conveyors, one (1) 131.3 bhp Caterpillar engine, one (1) 49.3 bhp Kubota engine, one (1) 49.3 bhp Caterpillar engine, and one (1) 440 bhp Caterpillar engine at its Headquarters facility located in Union Township, **Washington County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.*

**GP1-43-295C: Dairy Farmers of America, Incorporated** (82 North Street, West Middlesex, PA 16159) on August 5, 2021, for the authority to reissuance of a 12.54 MMBtu/hr boiler, fueled with natural gas (BAQ-GPA/GP1) located at their facility in Shenango Township, **Mercer County**.

**GP1-62-018C: Warren State Hospital** (33 Main Drive, Warren, PA 16365) on August 4, 2021, for the authority to install an 800 bhp (32.1MMBth/hr) temporary package boiler which can be fueled with natural gas or # 2 fuel oil to serve as a backup to existing Boiler 3 (Source 033) (BAQ-GPA/GP1) located at their facility in Conewango Township, **Warren County**.

**GP5A-10-427A (AG5A-10-00002A): XTO Energy, Incorporated, AK Steel Well Pad A** (236 Schaffner Road, Butler, PA 16001) on September 16, 2021 for the authority to allow the installation and operation of equipment (BAQ-GPA/GP5A) located at the AK Steel A well pad in Butler Township, **Butler County**.

---

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**09-0246: Metals USA** (50 Cabot Boulevard E, Langhorne, PA 19047) for the installation of two Peddinghaus

Plate Processors to perform cutting (oxyfuel and plasma) activities on carbon steel workpieces in **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**29-03001B: JLG Equipment Services, Inc.** (1 JLG Drive, McConnellsburg, PA 17233) on September 15, 2021, for the installation of a new primer spray coating booth to debottleneck the roll-on truck deck manufacturing facility located in Ayr Township, **Fulton County**. The new spray booth will use HVLP application of compliant coatings, panel filters to control overspray, and includes a 3.4 mmBtu/hr natural gas makeup air unit.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**15-0158: Whitford Corporation** (47 Park Avenue, Elverson, PA 19520-3845) on September 21, 2021 to permit the continued operation of an existing manufacturing plant making coatings, adhesive, sealants and epoxy sticks. Raw materials are mixed, blended, milled, and packaged for industrial and consumer products using water-borne and low-volatility solvent compounds. There is a total of three (3) dust collection systems that capture the particulate matter emissions before being exhausted to the outdoor atmosphere in Elverson Borough, **Chester County**.

**09-0197A: Hiossen Inc.** (85 Ben Fairless Drive, Fairless Hills, PA 19030-5012) on September 21, 2021 for the installations of an acid etching machine using hydrochloric sulfuric, and hydrofluoric acids with two (2) Balestri Technologies SRL counter-current packed towers (in parallel) and having a co-current spray column to control and neutralize the acid fumes in Falls Township, **Bucks County**.

**09-0210A: Waste Management of Fairless, LLC** (1000 New Ford Mill Road, Morrisville, PA 19067-3704) On September 22, 2021, for the construction of the second flare from the originally issued Plan Approval for the Fairless Landfill in Falls Township, **Bucks County**.

**46-0036K: VV2750** (1 Belmont Ave, Suite 250, Balacynwyd, PA 19004-1617) on September 21, 2021, to increase the permitted operating hours for the four (4) existing electric generating engines (source Id 731A) engines 1—4, and to modify these engines with the installation of oxidation catalyst to reduce CO and VOC emissions, 2) to facilitate a Change of Ownership (COO) and name change of the facility and 3 to change of name and title of the Responsible Official listed on the title/cover in Worchester Township, **Montgomery County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**06-05159A: DAK Americas, LLC** (4030 Pottsville Pike, Reading, PA 19605) on September 13, 2021, for the installation of four (4) Caterpillar, 2,069 HP, natural gas-fired engines for their combined heat and power system and three (3) natural gas-fired, 7,877 MMBtu/hr, Miura boilers at the pcrPET bottles and container recycle plant located in Muhlenberg Township, **Berks County**. The plan approval was administratively amended to reflect a change of ownership.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**60-00024A: GAF Keystone, LLC** (2093 Old Route 15, New Columbia, PA 17856) on September 24, 2021, to extend the plan approval expiration date to April 7, 2022 to allow continued operation of several plastic roofing materials manufacturing lines at its facility in White Deer Township, **Union County**.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**PA-04-00468E Extension: S.H. Bell Company** (2217 Michigan Avenue East, Liverpool, OH 43920-3637) plan approval extension issuance date effective September 27, 2021, to facilitate the shakedown of sources and air cleaning devices and to allow time for initial operating inspection for their mineral processing facility located in Ohioville Borough, **Beaver County**.

**11-00541A: Cleveland Brothers Equipment Company, Inc.** (100 Commerce Dr., Ebensburg, PA 15931-4122) plan approval extension effective on September 28, 2021, with expiration on March 28, 2022, to extend the period of temporary operation of sources and controls at its industrial engine rebuilding facility in Cambria Township, **Cambria County**.

**30-00233B: Hill Top Energy Center, LLC** (278 Thomas Road, Carmichaels, PA 15320-0169) on September 22, 2021, to extend the temporary operation period for the Hill Top Energy Center natural gas-fired combined cycle power plant located in Cumberland Township, **Greene County**. The new expiration date is March 28, 2022.

**30-00233C: Hill Top Energy Center, LLC** (278 Thomas Road, Carmichaels, PA 15320-0169) on September 22, 2021, to extend the authorization for the transfer and use of NO<sub>x</sub> and VOC emission reduction credits at the Hill Top Energy Center natural gas-fired combined cycle power plant located in Cumberland Township, **Greene County**. The new expiration date is March 28, 2022.

**65-00634A: Eastern Gas Transmission and Storage, Inc.** (6603 W. Broad St., Richmond, VA 23230-1711) on September 22, 2021, for continued construction and operation at the JB Tonkin Compressor Station located in Murrysville Borough, **Westmoreland County**. The new expiration date of the plan approval is March 28, 2022.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.*

**03-179A: Leading Technologies Incorporated** (1153 Industrial Park Road, Leechburg, PA 15353) on July 28, 2021, effective July 28, 2021, has issued a plan approval

extension for construction of two replacement scrubber control devices in Parks Township, **Armstrong County**. This is a State Only facility. This will expire on January 31, 2022.

**10-284H: Seneca Landfill, Incorporated** (421 Hartmann Road, Evans City, PA 16033) on August 31, 2021, effective August 31, 2021, has issued a plan approval extension to allow continuation of project construction in Jackson Township, **Butler County**. This is a TV facility. This will expire on February 28, 2022.

**25-1045A: RH Energytrans, LLC, Countyline Compressor Station** (Pageville Road, Edinboro, PA 16412) on July 29, 2021, effective July 29, 2021, has issued a plan approval extension to allow construction to continue on the project, in Elk Creek Township, **Erie County**. This is a State Only facility. This will expire on January 31, 2023.

**42-004K: American Refining Group, Bradford Facility** (77 North Kendall Avenue, Bradford, PA 16701) on August 31, 2021, effective August 31, 2021, has issued a plan approval extension to allow for shakedown activities on the new gathered equipment leaks flare to continue, in the City Of Bradford, **McKean County**. This is a TV facility. This will expire on February 28, 2022.

**43-273A: Select Industries Incorporated dba Select Metal Litho Greenville** (242 Reynolds Industrial Park Drive, Greenville, PA 16125) on August 31, 2021, effective August 31, 2021, has issued a plan approval extension for the installation of an additional coating line (Source 106) along with the addition of a regenerative thermal oxidizer (RTO-C106) in Pymatuning Township, **Mercer County**. This is a State Only facility. This will expire on February 28, 2022.

**43-354B: Reclaimed Rubber and Plastics Incorporated** (15921 South Mosiertown Road, Meadville, PA 16335) on July 29, 2021, effective July 29, 2021, has issued a plan approval extension for the post-construction operation of an artificial turf recycling facility in Jackson Township, **Mercer County**. This is a State Only facility. This will expire on November 30, 2021.

**62-0320: Ellwood National Forge, Irvine Facility** (1 Front Street, Irvine, PA 16329) on August 31, 2021, effective August 31, 2021, has issued a plan approval extension to allow for submittal of the facility TV renewal application by the end of 2021, during which the facility will request the sources in this plan approval be included in Brokenstraw Township, **Warren County**. This is a Title V facility. This will expire on February 28, 2022.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**48-00117: L&M Fabrication & Machine Inc.** (6814 Chrisphalt Drive, Bath, PA 18014) The Department issued, on August 30, 2021, a State-Only Operating Permit for the operation of sources at their facility located in East Allen Township, **Northampton County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**45-00034: Gower Funeral Home & Crematory Inc.** (1426 Route 209, Gilbert, PA 18331) The Department issued, on August 16, 2021, a State-Only Operating Permit for the operation of sources at their facility located in Chestnuthill Township, **Monroe County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-03115: Pennsy Supply, Inc.** (P.O. Box 3331, Harrisburg, PA 17105-3331) on September 9, 2021, for the stone crushing operations at the Landisville Quarry located in West Hempfield Township, **Lancaster County**. The State-Only permit was renewed.

**22-03018: Millersburg Area School District** (799 Center Street, Millersburg, PA 17061) on September 7, 2021, for the coal-fired boiler at the Lenkerville Elementary School located in Upper Paxton Township, **Dauphin County**. The State-Only permit was renewed.

**06-03128: Royal Green, LLC** (Huller Lane, P.O. Box 9, Temple, PA 19560-0009) on September 14, 2021, for the ferrous metal shredding facility located in Ontelaunee Township, **Berks County**. The State-Only permit was renewed.

*Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**56-00204: Columbia Gas Transmission, LLC** (950 Manifold Rd., Washington, PA 15301-9602) on September 2, 2021, for the Salisbury Compressor Station in Greenville Township, **Somerset County**. The State-Only permit was renewed.

**65-00353: TechSpec, Inc.** (718 Y St., P.O. Box 69, Derry, PA 15627-1007) on September 21, 2021, a State Only Operating Permit (SOOP) renewal TechSpec to authorize the continued operation of a titanium bar, billet, and forging production facility located in Derry Township, **Westmoreland County**.

**65-00921: Smithfield Packaged Meats Corp./Arnold Plant** (2200 Rivers Edge Dr., New Kensington, PA 15068-4540) on September 27, 2021, the Department issued a Natural Minor Operating Permit for the operation of the facility's air contamination sources consisting of one Cleaver Brooks boiler, four meat product processing lines, and two room air vents. The proposed Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at their facility located in the City of Arnold, **Westmoreland County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**43-00372: Integrated Fabrication & Machining Incorporated**, (639 Keystone Road, Greenville, PA 16125) on September 22, 2021, the Department issued a State



Only Operating Permit for the metal fabrication facility located in Hempfield Township, **Mercer County**. Integrated Fab specializes in the manufacturing of components for the electric power grid here in North America. At the Greenville Plant, Integrated Fab consists of dry abrasive blasting operations, welding operations, and surface coating. The facility is limited to 20.0 tpy VOC, 1 tpy individual HAPs or 2.5 tpy combined HAPs for each dry abrasive blasting unit. The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR Part 63 Subpart XXXXXX). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.*

**46-00267: Flexential**, (1000 Black Rock Road, Colleagueville, PA 19426) On September 22, 2021 for the issuance of an Administrative Amendment to their State Only Operating Permit for their facility in Upper Providence Township, **Montgomery County**. The Administrative Amendment reflects a change in the permit contact and plant/facility names identified in the Operating Permit. The Administrative Amendment of the State-Only Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

**ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).**

*Coal Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191, (Contact: Cayleigh Boniger).*

**Permit No. 24990102 and NPDES Permit No. PA0241580. Tamburlin Brothers Coal Co., Inc., P.O.**

Box 1419, Clearfield, PA 16803, renewal of an existing bituminous surface mine in Fox Township, **Elk County**, affecting 136.0 acres. Receiving stream(s): Limestone Run. Application received: March 1, 2021. Permit Issued: September 22, 2021.

**Permit No. 33090206. MSM Coal Company, Inc.**, P.O. Box 243, renewal of an existing bituminous surface mine in Knox Township, **Jefferson County**, affecting 54.1 acres. Receiving stream(s): Unnamed tributaries to Fivemile Run. Application received: February 19, 2021. Permit Issued: September 22, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 54070105R2. S & J Coal Mine**, 15 Motter Drive, Pine Grove, PA 17963, renewal of an anthracite surface mine operation in Reilly Township, **Schuylkill County** affecting 71.2 acres. Receiving stream: Swatara Creek. Application received: October 28, 2019. Renewal issued: September 21, 2021.

**Permit No. PAM117055R. S & J Coal Mine**, 15 Motter Drive, Pine Grove, PA 17963, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54070105 in Reilly Township, **Schuylkill County**, receiving stream: Swatara Creek. Application received: October 28, 2019. Renewal issued: September 21, 2021.

**Permit No. 54950201R5. Gilberton Coal Company**, 10 Gilberton Road, Gilberton, PA 17934, renewal of an anthracite coal refuse reprocessing operation in Butler Township, **Schuylkill County** affecting 15.0 acres. Receiving stream: Big Mine Run to Mahanoy Creek. Application received: April 1, 2021. Renewal issued: September 21, 2021.

**Permit No. PAM111076R2. Gilberton Coal Company**, 10 Gilberton Road, Gilberton, PA 17934, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54950201 in Butler Township, **Schuylkill County**, receiving stream: Big Mine Run to Mahanoy Creek. Application received: April 1, 2021. Renewal issued: September 21, 2021.

**Permit No. GP12-54773006. Reading Anthracite Company**, P.O. Box 1200, Pottsville, PA 17901, application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 54773006 in Cass, Foster and New Castle, **Schuylkill County**. Application received: July 27, 2021. Permit Issued: September 23, 2021.

*Noncoal Permits Issued*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).*

**Permit No. 08110307. Bishop Brothers Construction Company, Inc.**, 1376 Leisure Drive, Towanda, PA 18848. Permit revision to add 7.3 acres of support area on a large non-coal surface mining site located in North Towanda Township, **Bradford County** affecting 44.1 acres. Receiving stream(s): Sugar Run to Susquehanna River classified for the following use(s): WWF, MF. There are no potable water supply intakes within 10 miles downstream. Application received: December 16, 2020. Permit issued: September 16, 2021.

**Permit No. 08210801 and NPDES GP-104 PAM221017. Quality Stone, LLC**, 4244 Leraysville Rd., Warren Center, PA 18851. Commencement, operation, and restoration of a small noncoal mining site located in Sheshequin Township, **Bradford County** affecting 1.9 acres. Receiving stream(s): Bullard Creek and Wysox Creek Watershed classified for the following use(s): CWF, MF. Application received: July 8, 2021. Permit issued: September 16, 2021.

**Permit No. 17200802. Samuel D. Brink**, 1382 Puntkin Ridge Road, LaJose, PA 15753. Commencement, operation, and restoration of a small noncoal mining site located in Chest Township, **Clearfield County** affecting 1.0 acre. Receiving stream(s): Unnamed Tributary to Pine Run classified for the following use(s): Exceptional Value, Migratory Fishes. Application received: August 26, 2020. Permit issued: September 23, 2021.

**Permit No. 08120304 and NPDES GP-104 PAM214008. Austin's Excavating & Paving, Inc.**, 121 Talmadge Hill Road West, Waverly, NY 14892. Transfer of an existing large noncoal mining site from Insinger Excavating, Inc., located in Windham Township, **Bradford County** affecting 36.3 acres. Receiving stream(s): Unnamed Tributary to Wappasening Creek to Wappasening Creek to Susquehanna River classified for the following use(s): CWF, MF. Application received: December 28, 2020. Permit issued: September 23, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0594601. Pennsy Supply, Inc.**, 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, renewal of an NPDES Permit for discharge of treated mine drainage from quarry operation on Surface Mining Permit No. 8275SM1C6 in West Hempfield Township, **Lancaster County**. Application received: January 3, 2019. Renewal issued: September 27, 2021.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

##### *Blasting Permits Issued*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).*

**Permit No. 08214110. Meshoppen Blasting Inc.**, Frantz Rd., P.O. Box 127, Meshoppen, PA 18630. Blasting for construction of a Gas Pad located in Wilmot Township, **Bradford County** with an expiration date of September 20, 2022. Permit issued: September 22, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 15214108. Rock Work, Inc.**, 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Devault Village in Charlestown Township, **Chester County** with an expiration date of October 1, 2022. Permit issued: September 22, 2021.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E6004221-001. Hufnagle Park**, Lewisburg, PA 17837, Lewisburg Township, **Union County**, ACOE District (Lewisburg, PA Quadrangle 40.961685°N; Longitude: 76.886342°W).

To construct and maintain, a 2 stall ADA complaint bathroom with site improvements and associated utility connections. The structure will be 173 square feet (sf) and associated work includes directional drilling of utilities under railroad tracks, installation of a grinder pump, and required grade to meet ADA standards.

As development of the project will result in an earth disturbance less than one acre, no stormwater mitigation is required. As such, no stormwater management best management practices (BMPs) are proposed.

A portion of the project site will be constructed within the Limestone Run floodway and floodplain. The completion of the project will result in a net reduction in the floodway obstructions.

This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

*Southwest District Oil and Gas Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**ES3007221-001, CNX Midstream Operating Company, LLC**, 1000 Consol Energy Drive, Canonsburg, PA 15317.

To stabilize an area of slope distress along CNX's GH to Hopewell Pipeline right-of-way and rehabilitate the disturbed streambed and banks of Tributary 40679 to West Run to pre-existing conditions. Tributary 40679 to West Run is designated as a High-Quality Warm Water Fisheries (HQ-WWF). The remediation will permanently impact approximately 180 LF (0.029 acre) of Tributary 40679 and .072 acre of associated floodway. The project will also temporarily impact .024 acre of Palustrine Emergent wetlands, .007 acre of Trib. 40679 and .481 acre of floodway in order to access the remediation areas during construction. The stabilization and rehabilitation site is located in Morris Township, **Greene County**, Pittsburgh USACE District, at Lat: 39.909950, Longitude: -80.304263 (Rogersville Quadrangle).

#### DAM SAFETY

*Central Office: Bureau of Waterways Engineering & Wetlands, Rachel Carson State Office Building, 400 Market Street, 2nd Floor, Harrisburg, PA 17101, telephone: 717-787-3411.*

**D58-004, Oakland Borough**, Mayor Randy Glover, 380 State Street, Susquehanna, PA 18847 and Susquehanna Depot Borough, Roy Williams, Council President, 83 Erie Boulevard, Suite A, Susquehanna, PA 18847. The Department of Environmental Protection, Division of Dam Safety (Department) has reviewed and approved the restoration plan to breach and remove the Oakland Dam to eliminate a significant threat to public safety and restore the Susquehanna River to a free-flowing condition. In addition, the Department has conducted an environmental assessment and concluded the project will have a long-term beneficial impact on aquatic resources. Oakland and Susquehanna Depot Boroughs, Oakland Township, **Susquehanna County**.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time

period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281*

ESCGP-3 # ESG073020001-01

Applicant Name CNX Midstream OPR Co, LLC

Contact Person Erika Whetstone

Address 1000 Consol Energy Drive

City, State, Zip Canonsburg, PA 15317

County Greene

Township(s) Richhill

Receiving Stream(s) and Classification(s) Barney's Run (TSF), South Fork Dunkard Fork (TSF), UNTs to Barney's Run (TSF), UNTs to South Fork Dunkard Fork (TSF);

Secondary Receiving Waters: South Fork Dunkard Fork (TSF), Dunkard Fork (WWF), Barney's Run (TSF)

ESCGP-3 # ESG076321007-00

Applicant Name EQM Gathering OPCO, LLC

Contact Person Stephanie Frazier

Address 2200 Energy Drive

City, State, Zip Canonsburg, PA 15317

County Washington

Township(s) Amwell

Receiving Stream(s) and Classification(s) UNTs to Little Tenmile Creek (TSF), Little Tenmile Creek (TSF, siltation-impaired); Little Tenmile Creek (TSF, siltation-impaired), Tenmile Creek (TSF)

ESCGP-3 # ESX13-003-0006

Applicant Name Superior Appalachian Pipeline, LLC

Contact Person Art Smith

Address 4000 Town Center Blvd Suite 220

City, State, Zip Canonsburg, PA 15317

County Allegheny

Township(s) Frazer

Receiving Stream(s) and Classification(s) UNTs to Bull Creek (TSF), UNTs to Lardintown Run (TSF), Lardintown Run (TSF)/Bull Creek (TSF)

ESCGP-3 # ESG076521002-00

Applicant Name CNX Midstream OPR Co, LLC

Contact Person Sarah Weigand

Address 1000 Consol Energy Drive

City, State, Zip Canonsburg, PA 15317

County Westmoreland

Township(s) Bell

Receiving Stream(s) and Classification(s) UNT1 to Kiskiminetas River (WWF), UNT2 to Kiskiminetas River (WWF), UNT3 to Kiskiminetas River (WWF), UNT4 to Kiskiminetas River (WWF), Tributary 42945 to Beaver Run (TSF), Tributary 42946 to Beaver Run (TSF), Kiskiminetas River (WWF), Wetland 12 (PEM-EV), Wetland 7B (PEM-EV), Wetland 7D (PEM-EV);

Secondary Receiving Waters: Kiskiminetas River (WWF), Beaver Run (TSF), Allegheny River (WWF), Tributary 42945 to Beaver Run (TSF), Tributary 42946 to Beaver Run (TSF)

ESCGP-3 # ESX18-059-0009  
 Applicant Name CNX Gas Company  
 Contact Person Sarah Weigand  
 Address 1000 Consol Energy Drive  
 City, State, Zip Canonsburg, PA 15317  
 County Greene  
 Township(s) Richhill  
 Receiving Stream(s) and Classification(s) UNTs to Dunkard Fork (WWF); Dunkard Fork (WWF)

ESCGP-3 # ESX16-007-0005  
 Applicant Name ETC Northeast Field Service, LLC  
 Contact Person Nicholas Bryan  
 Address 6051 Wallace Road Ext. Third Floor  
 City, State, Zip Wexford, PA 15090  
 County Beaver  
 Township(s) New Sewickley  
 Receiving Stream(s) and Classification(s) UNT to Brush Creek, Brush Creek, Connoquenessing Creek, Beaver River (WWF)

ESCGP-3 # ESX14-003-0005  
 Applicant Name EQT Productions Company  
 Contact Person Todd Klaner  
 Address Woodcliff Drive Suite 200  
 City, State, Zip Canonsburg, PA 15317  
 County Allegheny  
 Township(s) Forward  
 Receiving Stream(s) and Classification(s) Trib 39770 to Sunfish Run and Sunfish Run of Monongahela River Watershed which has a Chapter 93 designated use as Warm Water Fishes (WWF)

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESX29-081-16-0030(1)  
 Applicant Name EXCO Resources PA, LLC  
 Contact Person John Sink  
 Address 12377 Merit Dr. Suite 1700  
 City, State, Zip Dallas, TX 75251  
 County Lycoming  
 Township(s) Penn  
 Receiving Stream(s) and Classification(s) Big Run (CWF)  
 Secondary: Little Muncy Creek (CWF)

ESCGP-3 # ESG290821055-00  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 County Bradford  
 Township(s) Sheshequin  
 Receiving Stream(s) and Classification(s) UNT to Susquehanna River (WWF, MF) Susquehanna River (WWF, MF)

ESCGP-3 # ESG295721005-00  
 Applicant Name EQT ARO, LLC  
 Contact Person Stephen Barondeau  
 Address 33 West Third Street Suite 300  
 City, State, Zip Williamsport, PA 17701  
 County Sullivan  
 Township(s) Hillsgrove  
 Receiving Stream(s) and Classification(s) UNTs Loyalsock Creek (EV), Loyalsock Creek (EV)  
 Secondary: Loyalsock Creek (EV), West Branch Susquehanna River (WWF)

**STORAGE TANKS**

**SITE-SPECIFIC INSTALLATION PERMITS**

**The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.**

| <i>SSIP Permit No.</i> | <i>Applicant Name &amp; Address</i>   | <i>County</i> | <i>Municipality</i>     | <i>Tank Type</i>             | <i>Tank Capacity</i> |
|------------------------|---|---------------|-------------------------|------------------------------|----------------------|
| 21-36-006              | Penn State Health<br>P.O. Box 855<br>Mail Code A330<br>Hershey, PA 17033<br>Attn: David Barto | Lancaster     | East Hempfield Township | Two ASTs storing diesel fuel | 40,000 gallons total |

**CORRECTIVE ACTION UNDER ACT 32, 1989**

**PREAMBLE 2**

**The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for

the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical re-

sults which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Leffler's Service Station**, Storage Tank ID # 13-50651, 1103 North Street, Jim Thorpe, PA 18229, Jim Thorpe Borough, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Subhash Patel, 1103 North Street, Jim Thorpe, PA 18229, has submitted a revised, combined Site Characterization Report & Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide health standards.

**Henry's Service Station**, Storage Tank ID # 48-03706, 4024 Mountain View Drive, Danielsville, PA 18038, Lehigh Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Preston Henry, 4024 Mountain View Drive, Danielsville, PA 18038, submitted a combined Site Characterization and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet a combination of Site Specific and Statewide health standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**The Department of Environmental Protection (DEP) Has Taken Action on the Following Plans and Reports Under The Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the

remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Sunoco 0374 6435**, Storage Tank ID # 39-02332, 5052 Cetronia Road, Wescosville, PA 18106, Upper Macungie Township, **Lehigh County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Group, LLC 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a combined, revised Site Characterization and Remedial Action Plan concerning remediation of soil contaminated with petroleum. The report actually constituted a Remedial Action Completion Report and it was reviewed as such. The Report demonstrated attainment of site-specific standards and was approved by DEP on September 27, 2021.

**Former Hawk Valley General Store**, Storage Tank ID # 54-50635, 16 Summer Valley Road, Orwigsburg, PA 17961, West Brunswick Township, **Schuylkill County**, United Environmental, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Jack Rich Inc., 617 Altamont Boulevard, Frackville, PA 17931, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved by DEP on September 23, 2021.

*Northcentral Regional Office: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.*

*Contact: Randy Farmerie, Environmental Program Manager.*

**Kwik Fill M086**, Storage Tank Facility ID # 17-14823, 978 North Front St, Philipsburg, PA 16866, Decatur Township, **Clearfield County**. Groundwater Environmental Services, 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company, 814 Lexington Ave, Warren, PA 16365, submitted a combined Site Characterization report and Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on September 16, 2021.

**Harvest Moon Plaza**, Storage Tank Facility ID # 41-70206, 7468 US Highway 220, Linden, PA 17744, Woodward Township, **Lycoming County**. P Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Harvest Moon Plaza, Inc., 640 Yerger Road,

Linden, PA 17744, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on August 30, 2021.

**Former Potato City Country Inn**, Storage Tank Facility ID # 53-35753, 3084 Second Street, Coudersport, PA 16915, Sweden Township, **Potter County**. Brownfield Science & Technology, Inc., 3157 Limestone Road, Cochranville, PA 19330, on behalf of Miller Bros. Construction, Inc., P.O. Box 472, 950 E. Main St, Schuylkill Haven, PA 17972, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on August 16, 2021.

*Northwest Regional Office: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.*

*Contact: Kim Bontrager, Clerk Typist 3.*

**Joes Service Station**, Storage Tank Facility ID # 43-90087, 1808 Perry Highway, Volant, PA 16156, Springfield Township, **Mercer County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323 on behalf of Joseph Mattace, 1808 Perry Highway, Volant, PA 16156, submitted a Remedial Action Plan addendum concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the site-specific standard and was approved by DEP on September 22, 2021.

**GD Leasing**, Storage Tank Facility ID # 43-90667, 3035 Lynwood Drive, Hermitage, PA 16148, City of Hermitage, **Mercer County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323 on behalf of Kirila Realty, 3035 Lynwood Drive, Hermitage, PA 16148 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel fuel. The Remedial Action Plan was acceptable to meet the site-specific standard and was approved by DEP on September 22, 2021.

**Zain Mini Mart**, Storage Tank Facility ID # 37-24163, 2012 East Washington Street, New Castle, PA 16101, Shenango Township, **Lawrence County**. Groundwater & Environmental Consultants, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066 on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, and methyl tert-butyl ether. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on September 22, 2021.

**Wayne Pumps**, Storage Tank Facility ID # 32-81999, 1194 Wayne Avenue, Indiana, PA 15701-3512, White Township, **Indiana County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Wayne Pumps, 4303 West Lake Drive, Cambridge, NE 69022-6112, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Remedial Action Plan was not acceptable to meet the site-specific standards and was disapproved by DEP on September 23, 2021.

**Kwik Fill M174**, Storage Tank Facility ID # 61-14802, 1293 Allegheny Boulevard, Franklin, PA 16343, Sugarcreek Borough, **Venango County**. Atlas Technical Consultants, LLC, 270 William Pitt Way, Pittsburgh, PA 15238 on behalf of United Refining Company, 11 Bradley Street, Warren, PA 16365 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline and diesel fuel. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on September 22, 2021.

**BFS Slippery Rock**, Storage Tank Facility ID # 10-14073, 103 North Main Street, Slippery Rock, PA 16057, Slippery Rock Borough, **Butler County**. Letterle & Associates, 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Bruceton Farm Services, Inc., 116 Shannon Drive, Morgantown, WV 26508, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on September 28, 2021.

**GetGo 3045**, Storage Tank Facility ID # 37-03568, 1901 W. State Street, New Castle, PA 16100, Union Township, **Lawrence County**. Apex Companies, LLC, 1600 Commerce Circle, Trafford, PA 15085, on behalf of Guttman Oil Company, 200 Speers Street, Belle Vernon, PA 15012, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on September 28, 2021.

---

## SPECIAL NOTICES

---

### WASTE MANAGEMENT

---

#### Notice of Plan Revision Approval Under the Municipal Waste Planning and Waste Reduction Act Of 1988, Act 101

---

*Northeast Region: Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

The Department of Environmental Protection (DEP) approved a revision to the **Luzerne County Municipal Waste Management Plan** on September 23, 2021.

Any Person aggrieved by this action may appeal, pursuant to section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of this appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the board within 30 days. You do not need a lawyer to file an appeal with the board.

Important legal rights are at stake. However, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717-787-3483) for more information.

The Plan Revision is a public document and may be viewed at the DEP Regional Office noted above.

Questions concerning this approval should be directed to Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

#### ACTIVE AND ABANDONED MINE OPERATIONS

#### DISTRICT MINING OPERATIONS

#### Request for Comment and Notice of Public Meeting

*Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119.*

**Mining Permit No. 50210301, Centre Lime & Stone Company, Inc.**, 1952 Waddle Road, State College, PA 16803. Receiving streams: unnamed tributary to Little Juniata Creek and Lutman Run, classified for the following uses: Cold Water Fishes and High Quality, Cold Water Fishes. The proposed permit area is 29.3 acres and the proposed access road is located approximately 670 feet northwest of the intersection of Mannsville Road (SR 4003) and Kretzing Road in Centre Township, **Perry County**. All drainage from the site will be directed to an unnamed tributary to Little Juniata Creek

An informal conference/public hearing will be held on Wednesday, October 27, 2021, at the Perry County Courthouse, Room #1, located at 2 East Main Street, New Bloomfield, PA 17068. The purpose of the public hearing is to discuss the mining permit application. The hearing will address topics identified by the public in previous comments including the following: private water supply impacts, blasting, noise and any other aspects of the permit application. An open house will be conducted between 10 a.m. to 11 a.m., during which time Department representatives will be available to answer questions concerning the permit application. Beginning at 11 a.m., formal comments regarding the permit application will be accepted. Those interested in making a formal comment will have the option of voicing their comment for the official record during the public hearing or submitting a written comment within two weeks of the public hearing. Attendees who choose to voice their comment will be called upon one at a time and allotted five minutes to speak. Commentators are encouraged to provide a written transcript of oral comments to the Department. A copy of the permit application is on file for public review at the Perry County Conservation District, 31 West Main Street, New Bloomfield, PA 17068 and at the Department of Environmental Protection, Ebensburg District Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119, (814) 472-1900. The notice that this application was received was published in the *Pennsylvania Bulletin* on July 24, 2021.

[Pa.B. Doc. No. 21-1695. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Agricultural Advisory Board Meeting Cancellation

The October 21, 2021, meeting of the Agricultural Advisory Board (Board) is cancelled. The next Board meeting is scheduled for Thursday, December 9, 2021, and will begin at 9 a.m. in the 12th floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Jay Braund at jbraund@pa.gov or (717) 772-5636.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Water," then "Agricultural Advisory Board," then "Agendas and Handouts").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the December 9, 2021, meeting can be directed to Jay Braund at jbraund@pa.gov or (717) 772-5636.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5636 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
Secretary

[Pa.B. Doc. No. 21-1696. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Mining and Reclamation Advisory Board Meeting

The Mining and Reclamation Advisory Board (Board) will meet on Thursday, October 21, 2021, at 9 a.m. in the main conference room of the Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Mining," then "Mining and Reclamation Advisory Board," then "2021").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the October 21, 2021,

meeting can be directed to Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Daniel E. Snowden at (717) 783-8846 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
Secretary

[Pa.B. Doc. No. 21-1697. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Mosquitoborne Disease Control County Grants; Notice of Availability

The Department of Environmental Protection (Department) invites county parties awarded a grant in 2021 to apply for the State Appropriated Fiscal Year 2022 Mosquitoborne Disease Control (MDC) reimbursable county grants.

Applicants must meet certain eligibility requirements (for example, the applicant must be a county authority—

health department, conservation district, emergency management agency, county planning agency or another county agency). The grantees will perform mosquito Integrated Pest Management activities within the borders of the designated county or counties, as noted in the MDC Grant Application Instruction Guide.

Information is available on the Department's web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Businesses," then "Program Integration," then "Vector Management," then under West Nile Virus, "Pennsylvania's West Nile Virus Control Program web site").

Applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us). The Department will begin accepting applications on Friday, October 15, 2021. Applications must be received no later than 4 p.m. on Monday, November 15, 2021.

Questions concerning the grant program can be directed to the Department of Environmental Protection, Vector Management, P.O. Box 1467, Harrisburg, PA 17105-1467, at [mhelwig@pa.gov](mailto:mhelwig@pa.gov) or (717) 497-7154.

PATRICK McDONNELL,  
Secretary

[Pa.B. Doc. No. 21-1698. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

| <i>Facility Name</i>                           | <i>Regulation and relating to</i>  |
|--|--|
| Hazleton Surgery Center, LLC                   | 28 Pa. Code § 551.21(d)(1) (relating to criteria for ambulatory surgery) |
| Physician's Care Surgery Center                | 28 Pa. Code § 551.21(d)(1)   |
| Western PA Surgery Center—Beaver County Branch | 28 Pa. Code § 569.35(7) (relating to general safety precautions)         |

The following ASF has filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (*FGI Guidelines*). The following list includes the citation to the section of the *FGI Guidelines* for which the hospital is seeking an exception and the year of publication.

| <i>Facility Name</i>      | <i>Guidelines Section and Relating to</i> | <i>Yr<sup>1</sup></i> |
|---------------------------|---|-----------------------|
| Children's Dental Surgery | 2.7-3.5.8.7(1) clinical sink              | 18-O                  |

<sup>1</sup> 2018 Year *FGI Regulations* were split into 2 books; *Hospitals*, and *Outpatient Facilities* as indicated by "-O."

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov). Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and



Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
Acting Secretary

[Pa.B. Doc. No. 21-1699. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code, Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from September 1, 2021, through September 30, 2021. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

#### Ambulatory Surgical Facilities

| <i>Facility Name</i>             | <i>28 Pa. Code Regulation</i>                                | <i>Dec. Date</i> | <i>Decision</i>                   |
|----------------------------------|--|------------------|-----------------------------------|
| Huntingdon Valley Surgery Center | § 551.21(d)(1) (relating to criteria for ambulatory surgery) | 09/21/2021       | Granted Probationary w/Conditions |
| North East Surgery Center        | § 551.21(d)(2)   | 09/07/2021       | Granted w/Conditions              |

#### Hospitals

| <i>Facility Name</i>                 | <i>28 Pa. Code Regulation</i>  | <i>Dec. Date</i> | <i>Decision</i>                   |
|--------------------------------------|--|------------------|-----------------------------------|
| AHN Wexford Hospital                 | § 138.15 (relating to high-risk cardiac catheterizations)                          | 09/16/2021       | Granted Probationary w/Conditions |
| Geisinger Medical Center             | § 107.64 (relating to administration of drugs)                                     | 09/21/2021       | Granted w/Conditions              |
| Geisinger Medical Center Muncy       | § 107.2 (relating to medical staff membership)                                     | 09/07/2021       | Granted w/Conditions              |
|                                      | § 127.32 (relating to written orders)  | 09/07/2021       | Granted w/Conditions              |
| Lecom Health Corry Memorial Hospital | § 51.23 (relating to positron emission tomography)                                 | 09/16/2021       | Granted w/Conditions              |
|                                      | § 153.1(a) (relating to minimum standards) 2.2-3.4.1.2 imaging room classification | 09/16/2021       | Granted                           |
|                                      | § 153.1(a) 2.2-3.4.1.3(1)(c) radiation protection                                  | 09/16/2021       | Granted                           |
|                                      | § 153.1(a) 2.2-3.4.1.3(1) and (2) radiation protection                             | 09/16/2021       | Granted                           |
|                                      | § 153.1(a) 2.2-3.4.2.3(1)—(3) hand-washing station or hand scrub facilities        | 09/16/2021       | Granted                           |
|                                      | § 153.1(a) 2.2-3.4.7.3(6)(a)—(c) positron emission tomography (PET)                | 09/16/2021       | Granted                           |
| Penn Highlands Dubois                | § 153.1(a) 2.1-8.4.3.2(2) hand-washing station sinks                               | 09/16/2021       | Granted                           |

| <i>Facility Name</i>      | <i>28 Pa. Code Regulation</i>   | <i>Dec. Date</i> | <i>Decision</i>   |
|---------------------------|---|------------------|-------------------|
| Penn Highlands Huntingdon | § 153.1(a) 2.1-3.2.1.2(2)(a)(i) single-patient examination/observation room | 09/16/2021       | Granted           |
|                           | § 153.1(a) 2.1-7.2.2.3(2)(a) doors and door hardware                        | 09/16/2021       | Granted           |
|                           | § 153.1(a) 2.1-8.3.6 electrical receptacles                                 | 09/16/2021       | Granted           |
|                           | § 153.1(a) 2.1-8.4.3.2(2) hand-washing station sinks                        | 09/16/2021       | Granted           |
| Wellspan York Hospital    | § 153.1(a) 2.2-2.2.2.6 patient toilet room                                  | 09/14/2021       | Granted Temporary |

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1700. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Emergency Medical Services Operating Fund Funding Priorities for Fiscal Year 2021-2022

Under 28 Pa. Code §§ 1021.24 and 1021.25 (relating to use of EMSOF funding by a regional EMS council; and allocation of EMSOF funds to regional EMS councils), the Department of Health (Department) gives notice of priorities for the distribution by the regional emergency medical services (EMS) councils of funding from the Emergency Medical Services Operating Fund (EMSOF) for the fiscal year beginning July 1, 2021, and ending June 30, 2022.

EMSOF moneys are to be used to provide funding to maintain, improve and develop the quality of the EMS system within this Commonwealth. The Department finds that EMSOF is not sufficient to fully fund the EMS system. Therefore, it gives notice, under § 1021.24(e), that recipients of EMSOF funding from regional EMS councils may be required to provide matching funds toward all purchases, acquisitions and projects for which the Department permits the use of EMSOF moneys.

Each regional EMS council shall prioritize the distribution of its EMSOF moneys allocated for the established priorities set forth in this notice. These allocations shall be based upon the Statewide EMS Development Plan and its regional EMS development plan, subject to the funding priorities set forth in this notice. By October 30, 2021, the regional EMS councils shall notify the providers and other appropriate entities of the established funding priorities, the application process, acquisition documentation requirements and processing deadlines. Each regional EMS council must complete all documents required for the distribution of EMSOF funding by June 30, 2022.

The Department may increase the amount of the initial payment or reimbursement from EMSOF based upon the EMS development plans (State and regional) or documented financial hardship of a provider of EMS. A provider of EMS that seeks additional funds due to financial hardship shall be required to submit a financial disclosure statement and other documentation deemed necessary by the Department.

A provider of EMS applying for EMSOF funding must be in full compliance with all regulations, policies and priorities of the State and regional EMS systems.

Funds for purchases, acquisitions and projects for the fiscal year beginning July 1, 2021, and ending June 30, 2022, must have been expended or encumbered by the regional EMS council by June 30, 2022.

#### *Funding Priorities*

The following funding priorities are listed in order of current State priority. These priorities must be considered before there is any regional distribution of EMSOF moneys for initiatives that are not listed. All funding must be distributed in a manner consistent with the regional and Statewide EMS development plans. Consequently, if the priorities in this notice have been met and additional funding is available, the request to use EMSOF money towards lower-priority items must still be supported by the Statewide and regional EMS development plans.

1. Recruitment and retention programs, including scholarships or tuition reimbursement for emergency medical responder (EMR), emergency medical technician (EMT), advanced emergency medical technician (AEMT) and paramedic (P) education in areas with higher than average prehospital personnel vacancy rates or other challenges associated with the provision of EMS primary education, or both, as determined by the regional EMS council and approved by the Department.

2. Costs associated with investigating a potential merger or consolidation of services. These costs include, but are not limited to, consulting fees, studies, legal fees and statistical analysis.

3. Costs associated with the actual merger or consolidation of services.

4. Development or improvement of an organizational risk management program (safety measures, hazard recognition or mitigation and the necessary organizational structure and support processes) proposed by an ambulance service. Proposals for funding must be comprehensive and include safe vehicle operations. Approval by the Department is required prior to funding. Equipment that is required to meet basic life support (BLS), intermediate

advanced life support (IALS), and advanced life support (ALS) ambulance service licensure.

5. Capnography equipment (especially wave-form end-tidal CO<sub>2</sub> monitors).

6. Software or computer equipment to enable services to collect and transmit EMS patient care reports electronically.

7. Bariatric equipment to equip ambulances.

8. Replacement of an ambulance, for ambulance services, that is older than 10 years or has more than 200,000 miles on it. This allowance is limited to one per fiscal year.

When two or more ambulance companies have consolidated to create one entity, for the first 5 years after the ambulance companies completed consolidation, the entity may be deemed eligible to receive funding not to exceed the amount of the combined total for which the individual companies would have been eligible had they not consolidated.

#### *Emergency Preparedness and Response Funding Requests*

Emergency preparedness and response funding requests must be based on local and response roles of services, regional needs and needs identified by threat vulnerability analysis. Purchases must be coordinated with county emergency, fire service, hazmat and hospital organizations in the applicant's service area to assure interoperability and to prevent duplication. Funding requests related to respond to all hazard and emergency preparedness must have a clear connection to the regional EMS catastrophic plan and the regional EMS development plan. Priority will be given to fund the ambulance services in each region that have committed to participat-

ing in the EMS strike team capability project and respond to requests for EMS, both interstate and intrastate, as identified in the State and regional mass casualty plans.

#### *Provider Equipment*

Purchases by providers of EMS are not limited to equipment. If a provider of EMS requests EMSOF monies to purchase equipment, the Eligible Provider Equipment List included with this announcement identifies equipment for which EMSOF funds will be made available to purchase. This list provides the types of providers of EMS eligible for equipment purchases supported by EMSOF funding and the maximum allowable cost upon which the EMSOF contribution will be calculated.

EMSOF funds may be funded up to the maximum allowable cost of an equipment item. Providers of EMS that receive funding are responsible for the balance of the purchase price. The provider may purchase an item for an amount that exceeds the maximum allowable cost, but the provider will be responsible for any amount exceeding that figure.

#### *Examinations*

Funding may be provided to EMS agencies to cover the cost of the State written test for P, prehospital physician extender (PHPE), prehospital registered nurse (PHRN), AEMT, EMT and EMR certification taken by their personnel at 100% of the cost as established by the National Registry of EMTs (NREMT). Funding utilizing this method is limited to two testing attempts by the individual seeking certification

#### *Medical Director*

The maximum allowable cost for an EMS agency to contract for medical director oversight is \$12,000 for Fiscal Year 2021-2022.

**Eligible Provider Equipment List**

| EQUIPMENT DESCRIPTION   | LIFE EXPECTANCY | Eligible Purchase for: |                |                |                |                |                |                |                |                |                | ALLOWABLE COSTS <sup>1</sup> |                |              |
|---|-----------------|------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------------------------|----------------|--------------|
|   |                 | ALS                    | ALS/SQ         | IALS           | IALS/SQ        | BLS            | BLS/SQ         | QRS            | ALS            | ALS/SQ         | IALS           |                              | IALS/SQ        |              |
| EKG Monitor/Defibrillator with Pacer  | 5 years         | Y                      | Y              | N              | N              | N              | N              | N              | N              | N              | N              | N                            | N              | 12,000       |
| 12 Lead EKG <sup>2</sup>  | 5 years         | Y                      | Y              | Y              | Y              | N              | N              | N              | N              | N              | N              | N                            | N              | 20,000       |
| Automated External Defibrillator (AED)  | 5 years         | N                      | N              | N              | N              | N              | Y <sup>3</sup> | Y <sup>3</sup> | Y <sup>3</sup> | Y <sup>3</sup> | Y <sup>3</sup> | Y <sup>3</sup>               | Y <sup>3</sup> | 1,500        |
| Automated External Defibrillator Trainer  | 5 years         | N                      | N              | N              | N              | N              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 400          |
| Oxygen Equipment (any combination) Cylinder Demand Valve w/Hose and Mask Regulator (combination or constant flow—25 lpm capable) Case | 5 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 500          |
| Capnography Equipment   | 3 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | N              | N              | N                            | N              | 3,000        |
| CPAP Ventilation Portable Equipment   | 5 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 1,500        |
| Pulse Oximeter  | 5 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 700          |
| Nitrous Oxide Delivery System   | 5 years         | Y                      | Y              | N              | N              | N              | N              | N              | N              | N              | N              | N                            | N              | 2,000        |
| Intravenous Infusion Pumps  | 5 years         | Y                      | Y              | N              | N              | N              | N              | N              | N              | N              | N              | N                            | N              | 2,000        |
| Adult /Pediatric Intubation Kits  | 5 years         | Y <sup>4</sup>         | Y <sup>4</sup> | N              | N              | N              | N              | N              | N              | N              | N              | N                            | N              | 600          |
| Transtacheal Jet Insufflators (TTJ)   | 5 years         | Y                      | Y              | N              | N              | N              | N              | N              | N              | N              | N              | N                            | N              | 200          |
| Splinting/Immobilization Devices (any combination) Backboard Cervical Immobilization Device Splints (rigid, traction, and the like)   | 3 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 500          |
| Stairchair  | 5 years         | Y                      | N              | Y              | N              | N              | Y              | N              | Y              | Y              | N              | N                            | N              | Up to 5,000  |
| Stretcher   | 5 years         | Y                      | N              | Y              | N              | N              | Y              | N              | Y              | Y              | N              | N                            | N              | Up to 10,000 |
| Stair Stretcher 500 lb. Capacity  | 5 years         | Y                      | N              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | N              | N                            | N              | 2,700        |
| Suction (Portable)  | 3 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 900          |
| Ventilator, Automatic (per Department of Health Guidelines)   | 5 years         | Y <sup>5</sup>         | Y <sup>5</sup> | Y <sup>6</sup> | Y <sup>6</sup> | Y <sup>6</sup> | Y <sup>6</sup> | Y <sup>6</sup> | Y <sup>6</sup> | Y <sup>6</sup> | Y <sup>6</sup> | Y <sup>6</sup>               | Y <sup>6</sup> | 3,000        |
| Ambulance with Chevron Marking on Back of Unit  | —               | Y                      | N              | Y              | N              | N              | Y              | N              | Y              | N              | N              | N                            | N              | -            |
| Chevron   | —               | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 1,500        |
| Squad/Response Vehicle with Chevron Marking on Back of Unit   | —               | N                      | Y              | N              | N              | Y              | N              | N              | Y              | N              | Y              | Y                            | Y              | -            |
| Data Collection Software/Technology <sup>7</sup>  | —               | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 1,700        |
| Data Collection Hardware <sup>8</sup>   | 3 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 2,000        |
| Radio, Mobile (two per vehicle)   | 5 years         | Y <sup>9</sup>         | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup>               | Y <sup>9</sup> | 5,000        |
| Radio, Portable (two per vehicle per year)  | 5 years         | Y <sup>9</sup>         | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup>               | Y <sup>9</sup> | 5,000        |
| Triage Vest with Reflection Stripes Meeting ANSI National Standards   | 5 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 150          |
| Triage System   | 5 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 750          |
| Alerting Equipment (5 per service at \$400 each)  | 5 years         | Y <sup>9</sup>         | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup> | Y <sup>9</sup>               | Y <sup>9</sup> | 2,000        |
| Vehicle Safety Monitoring Systems   | 5 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 3,500        |
| Personal Protective Equipment/Turnout Gear: Helmet, Coat, Pants, Boots  | 5 years         | Y                      | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y              | Y                            | Y              | 1,200        |
| Protection Respiratory  |                 |                        |                |                |                |                |                |                |                |                |                |                              |                |              |
| Protection from Communicable Diseases   |                 |                        |                |                |                |                |                |                |                |                |                |                              |                |              |

| EQUIPMENT DESCRIPTION   | LIFE EXPECTANCY | Eligible Purchase for: |        |      |         |     |        |     |     | ALLOWABLE COSTS <sup>1</sup>      |
|---|-----------------|------------------------|--------|------|---------|-----|--------|-----|-----|-----------------------------------|
|   |                 | ALS                    | ALS/SQ | IALS | IALS/SQ | BLS | BLS/SQ | QRS | QRS |                                   |
| Protective Ballistic Vest   | 5 years         | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 1,000                             |
| Global Positioning System Receiver one per licensed Ambulance or Recognized QRS Vehicle | 5 years         | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 500                               |
| Traffic Safety Equipment  | 5 years         | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 2,500                             |
| Large Patient Moving/Carrying Device  | 10 years        | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 3,000                             |
| Self-Contained Breathing Apparatus (2 per licensed vehicle)                             | 10 years        | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 3,000                             |
| P/PHPE/PHRN Testing (Written)   | —               |                        |        |      |         |     |        |     |     | Current rate established by NREMT |
| AEMT—Testing (Written)  | —               |                        |        |      |         |     |        |     |     | Current rate established by NREMT |
| EMT Testing (Written)   | —               |                        |        |      |         |     |        |     |     | Current rate established by NREMT |
| EMR Testing (Written)   | —               |                        |        |      |         |     |        |     |     | Current rate established by NREMT |
| CO Detectors (Monitors)   | 5 Years         | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 200                               |
| 12 Lead EKG Transmitter System  | 5 Years         | Y                      | Y      | Y    | Y       | N   | N      | N   | N   | 1,000                             |
| IO Drills or Bone Injection Systems   | 5 Years         | Y                      | Y      | Y    | Y       | N   | N      | N   | N   | 300                               |
| Narcotics Security Systems  | 5 Years         | Y                      | Y      | Y    | Y       | N   | N      | N   | N   | 900                               |
| Refrigerators (mini)  | 10 Years        | Y                      | Y      | Y    | Y       | N   | N      | N   | N   | 1,200                             |
| Pediatric Safe Transport Device   | 10 Years        | Y                      | N      | Y    | Y       | Y   | N      | N   | N   | Up to 400                         |
| Tourniquet (tactical)   | 5 Years         | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 25                                |
| Bariatric equipment   | 5 Years         | Y                      | Y      | Y    | Y       | Y   | Y      | Y   | Y   | 27,000                            |

ALS—Advanced Life Support ambulance service; ALSβQ—Advanced Life Support Squad service; IALS—Intermediate Advanced Life Support ambulance service; IALSβQ—Intermediate Advanced Life Support Squad service; BLS—Basic Life Support ambulance service; BLSβQ—Basic Life Support Squad service; QRS—Quick Response Service

<sup>1</sup> All figures are dollar amounts for each item of equipment.  
<sup>2</sup> Amount includes \$1,000 for communications package. Receiving facility must have appropriate communications capabilities.  
<sup>3</sup> Must be an approved AED service or part of regional planning and AED medical director required.  
<sup>4</sup> Must be durable equipment, not disposable equipment.  
<sup>5</sup> Completion of approved training program required.  
<sup>6</sup> Completion of approved training program required and BLS service medical director approval required.  
<sup>7</sup> Must be a Department-approved software program, version and vendor.  
<sup>8</sup> Data collection hardware may include computer, modem, printer, backup device and battery system.  
<sup>9</sup> Must be compatible with regional and State EMS communications plan.

Questions regarding this notice should be directed to Aaron M. Rhone, PhD, EMS Program Manager, Bureau of Emergency Medical Services, Department of Health, 1310 Elmerton Avenue, Harrisburg, PA 17110, (717) 787-8740.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Aaron M. Rhone, PhD at the previously listed address or telephone number or for speech or hearing impaired persons may use VTT: (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984.

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1701. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Home Health Agencies; Requests for Exception

The following home health agencies are seeking exceptions to 28 Pa. Code § 601.31 (relating to acceptance of patients, plan of treatment and medical supervision):

Tower Health at Home—Berks  
1170 Berkshire Boulevard  
Wyomissing, PA 19610  
LIC # 700105

VNA of Saint Luke's Home Health/Hospice  
240 Union Station Plaza  
Bethlehem, PA 18015  
LIC # 700205

Bayada Home Health Care, Inc.  
100 Broadhead Road  
Suite 120B  
Bethlehem, PA 18017  
LIC # 04300501

Visiting Nurse Association of Western PA  
154 Hindman Road  
Butler, PA 16001  
LIC # 709405

Traditional Home Health Care  
113 West Drinker Street  
Dunmore, PA 18512  
LIC # 77740501

Continuous Home Care, Inc.  
28 West Eagle Road  
Suite 201  
Havertown, PA 19083  
LIC # 764505

Advanced Personal Care  
290 Bilmar Drive  
Suite 301  
Pittsburgh, PA 15205  
LIC # 77590501

Aveanna Healthcare  
601 West Main Street  
Suite 1  
Smethport, PA 16749  
LIC # 766305

Aveanna Healthcare  
482 Jeffers Street  
Dubois, PA 15801  
LIC # 04650501

Aveanna Healthcare  
1605 North Cedar Crest Boulevard  
Suite 109  
Allentown, PA 18104  
LIC # 02910501

Aveanna Healthcare  
1167 North Washington Street  
Suite E  
Wilkes-Barre, PA 18705  
LIC # 04250501

Bayada Home Health Care, Inc.  
100 North Wilkes-Barre Boulevard  
Suite 207  
Wilkes-Barre, PA 18702  
LIC # 76750501

Bayada Home Health Care, Inc.  
2275 Bridge Street  
Unit 208D  
Suite 220  
Philadelphia, PA 19137  
LIC # 72310501

Bayada Home Health Care, Inc.  
1400 North Providence Road  
Suite 210  
Media, PA 19603  
LIC # 06380501

Bayada Home Health Care, Inc.  
750 East Park Drive  
Suite 102  
Harrisburg, PA 17111  
LIC # 77700501

Bayada Home Health Care, Inc.  
2 Meridian Boulevard  
2nd Floor  
Wyomissing, PA 19601  
LIC # 02570501

Bayada Home Health Care, Inc.  
1020 North Delaware Avenue  
Suite 301  
Philadelphia, PA 19125  
LIC # 76430501

Bayada Home Health Care, Inc.  
512 Township Line Road  
Suite 303  
Blue Bell, PA 19422  
LIC # 06570501

Bayada Home Health Care, Inc.  
1611 Pond Road  
Suite 103  
Allentown, PA 18104  
LIC # 753305

Bayada Home Health Care, Inc.  
390 Waterloo Boulevard  
Suite 220  
Exton, PA 19341  
LIC # 06300501

Bayada Home Health Care, Inc.  
2500 York Road  
Suite 140  
Jamison, PA 18929  
LIC # 77910501

Bayada Home Health Care, Inc.  
233 Northern Boulevard  
Suite 5A  
Clarks Summit, PA 18411  
LIC # 03860501

Bayada Home Health Care, Inc.  
1189 Highway 315  
Suite 4  
Wilkes-Barre, PA 18702  
LIC # 02730501

Bayada Home Health Care, Inc.  
600 Main Street  
Suite 4  
Towanda, PA 18848  
LIC # 04170501

Bayada Home Health Care, Inc.  
1 Outlet Lane  
Suite 205/206  
Lock Haven, PA 17745  
LIC # 03660501

Bayada Home Health Care, Inc.  
3565 Route 611  
Suite 100  
Bartonsville, PA 18321  
LIC # 03450501

Bayada Home Health Care, Inc.  
209 East Third Street  
Williamsport, PA 17701  
LIC # 04260501

Bayada Home Health Care, Inc.  
317 South Cedar Crest Boulevard  
Allentown, PA 18103  
LIC # 772205

Bayada Home Health Care, Inc.  
1850 William Penn Highway  
Suite 110  
Lancaster, PA 17601  
LIC # 03790501

Bayada Home Health Care, Inc.  
5001 Louise Drive  
Suite 203  
Mechanicsburg, PA 17055  
LIC # 04350501

Bayada Home Health Care, Inc.  
701 Bridge Street  
Suite 201  
Lehighton, PA 18235  
LIC # 05950501

Bayada Home Health Care, Inc.  
231 East Market Street  
Blairsville, PA 15717  
LIC # 05190501

Bayada Home Health Care, Inc.  
4314 Old William Penn Highway  
Suite 207  
Monroeville, PA 15146  
LIC # 07210501

Bayada Home Health Care, Inc.  
2147 West 12th Street  
Unit A5  
Erie, PA 16505  
LIC # 06050501

Bayada Home Health Care, Inc.  
2310 Rothsville Road  
Suite 100  
Lititz, PA 17543  
LIC # 01830500

Bayada Home Health Care, Inc.  
49 East 4th Street  
Suites 201 and 203  
Williamsport, PA 17701  
LIC # 04450501

Bayada Home Health Care, Inc.  
3409 West Chester Pike  
Suite 102  
Newtown Square, PA 19073  
LIC # 759805

Bayada Home Health Care, Inc.  
115 East Castle Street  
Zelienople, PA 16063  
LIC # 04600501

Bayada Home Health Care, Inc.  
300 Oxford Drive  
Suite 300  
Monroeville, PA 15146  
LIC # 77630501

Bayada Home Health Care, Inc.  
2123 East College Avenue  
Suite 200  
State College, PA 16801  
LIC # 04460501

Bayada Home Health Care, Inc.  
1600 Peninsula Drive  
Suite 17  
Erie, PA 16505  
LIC # 02680501

Bayada Home Health Care, Inc.  
8 West Snyder Street  
Selingsgrove, PA 17870  
LIC # 04440501

Bayada Home Health Care, Inc.  
1305 South Main Street  
Suite 201  
Meadville, PA 16335  
LIC # 07220501

Bayada Home Health Care, Inc.  
2041 Columbia Boulevard  
Bloomsburg, PA 17895  
LIC # 02740501

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379, fax (717) 787-3188, [ra-communityprogramlicensure@pa.gov](mailto:ra-communityprogramlicensure@pa.gov).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1702. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

| <i>Facility Name</i>                                 | <i>Regulation and relating to</i>   |
|--|---|
| Allied Services Institute of Rehabilitation Medicine | 28 Pa. Code § 101.31(5) (relating to hospital requirements)                                   |
| The Children's Hospital of Philadelphia              | 28 Pa. Code § 101.31(7)   |
| The Good Shepherd Rehabilitation Hospital            | 28 Pa. Code § 101.31(5)   |
| John Heinz Institute of Rehabilitation Medicine      | 28 Pa. Code § 101.31(5)   |
| Penn Highlands Brookville                            | 28 Pa. Code § 107.26(b)(1) (relating to additional committees)                                |
| Penn Highlands Dubois                                | 28 Pa. Code § 107.26(b)(1)  |
| Penn Highlands Elk                                   | 28 Pa. Code § 107.26(b)(1)  |
| Penn Highlands Huntingdon                            | 28 Pa. Code § 107.26(b)(1)  |
| Penn Highlands Tyrone                                | 28 Pa. Code § 107.26(b)(1)  |
| Penn State Health Hampden Medical Center             | 28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards) |
| Phoenixville Hospital                                | 28 Pa. Code § 103.31 (relating to the chief executive officer)                                |
| Pottstown Hospital                                   | 28 Pa. Code § 103.31  |
| Saint Mary Rehabilitation Hospital, LLP              | 28 Pa. Code § 101.31(5)   |
| Wellspring Gettysburg Hospital                       | 28 Pa. Code § 107.12(11) (relating to content of bylaws, rules and regulations)               |

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

| <i>Facility Name</i>                           | <i>FGI Guidelines Section and relating to</i>            | <i>Yr<sup>1</sup></i> |
|--|--|-----------------------|
| Geisinger Wyoming Valley Medical Center        | 2.1-3.2.2.2(1)(a) space requirements                     | 18-O                  |
| The Hospital of the University of Pennsylvania | 2.2-3.3.4.2(b) and (c) preoperative patient care area    | 14                    |
|  | 2.2-3.3.4.4(1)(b)(iii) phase II recovery room(s) or area | 14                    |
| Penn Highlands Huntingdon                      | 2.1-1.4 facility layout                                  | 18-O                  |
|  | 2.1-1.4 facility layout                                  | 18-O                  |
|  | 2.12-3.3.2.3 acoustic requirements                       | 18-O                  |
|  | 2.1-3.10.2.1 patient toilet room(s)                      | 18-O                  |
|  | 2.1-3.8.11.3 clean supply room                           | 18-O                  |
|  | 2.1-8.3.6 electrical receptacles                         | 18-O                  |
| Thomas Jefferson University Hospitals, Inc.    | 2.2-2.6.2.2(4)(a) space requirements                     | 18                    |

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by "O."

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.



Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1703. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Milford Healthcare and Rehabilitation Center  
264 Route 6 and 209  
Milford, PA 18337  
FAC ID # 133602

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.22(j):

Calvary Fellowship Homes, Inc.  
502 Elizabeth Drive  
Lancaster, PA 17601  
FAC ID # 030102

Kinzua Healthcare and Rehabilitation Center  
205 Water Street  
Warren, PA 16365  
FAC ID # 071402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.20(a) (relating to resident bedrooms):

Maple Farm  
604 Oak Street  
Akron, PA 17501-0136  
FAC ID # 22720201

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamil-

ton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1704. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Maternal Mortality Review Committee Conference Call Meeting

The Maternal Mortality Review Committee, established under section 4 of the Maternal Mortality Review Act (act) (35 P.S. § 10244), will hold a conference call meeting on Wednesday, October 20, 2021, from 9 a.m. to 12 p.m. by means of a conference call. To join the conference call dial (267) 332-8737 and when prompted, enter the following conference code: 804 357 314#. Attendees can participate in the conference call on location at the Bureau of Family Health Office, 625 Forster Street Harrisburg, PA. In-person participants are required to RSVP to Tahesia Thomas by close of business October 15th. Sign-in at the desk in the lobby of the building by 8:45 a.m., wear a mask and practice social distancing while in the building.

The purpose of the conference call meeting is to discuss the nomination of a new cochair, the committee membership application processes and procedures as well as the time commitment for the 2022 calendar year review meetings. In addition, there will be a brief discussion regarding the submission of the legislative report as required by the act. The meeting agenda will be posted at <https://www.health.pa.gov/topics/healthy/Pages/Maternal-Mortality.aspx> at least 24 hours prior to the conference call meeting date and time.

For additional information, or for persons with a disability who wish to attend the conference call meeting and require an auxiliary aid, service or other accommodation to do so, contact Tahesia Thomas, Program Administrator, Maternal Mortality Review Committee, Bureau of Family Health, 7th Floor, East Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3317, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This conference call meeting is subject to cancellation without notice.

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1705. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Medical Marijuana Program, Availability of Clinical Registrant Applications and Time Period to Submit Applications

The purpose of this notice is to announce implementation of section 2002(a)(1)(ii) of the Medical Marijuana Act (35 P.S. § 10231.2002(a)(1)(ii)), to open applications for the approval of one additional clinical registrant (CR) and to establish the time period during which applications will be accepted by the Department of Health (Department).

#### *Availability of Applications for Approval of a CR and Submission Deadline*

Notice is hereby given, as required by 28 Pa. Code § 1211.27(a) (relating to application for approval of a clinical restraint), that on October 14, 2021, the Department intends to make available, on its web site at [www.health.pa.gov](http://www.health.pa.gov), the form of the application required to be submitted to be approved as a CR. The Department will accept applications until November 18, 2021. The Department will consider any application sent by mail to have been received on the date it is deposited in the mail as long as the postmark on the outside of the package is clear and legible. The Department will not consider or review an application that is postmarked after the November 18, 2021, deadline. An applicant must submit an application by mail in an electronic format that is listed in the instructions of the application to the Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120.

Interested persons are invited to submit written comments, suggestions or objections regarding this notice to John J. Collins, Office of Medical Marijuana, Department of Health, Room 628, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3047, RA-DHMedMarijuana@pa.gov.

Persons with a disability who wish to submit comments, suggestions or objections regarding this notice or who require an alternative format of this notice (for example, large print, audiotape or Braille) may do so by using the previously listed contact information. Speech and/or hearing impaired persons may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1706. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Renal Disease Advisory Committee Conference Call Meeting

The Renal Disease Advisory Committee, established by section 4 of the act of June 23, 1970 (P.L. 419, No. 140) (35 P.S. § 6204), will hold its quarterly virtual public meeting on Friday, October 15, 2021, from 10 a.m. to 12 p.m. by means of conference call. The purpose of the conference call meeting is to discuss new and ongoing issues relating to treatment of chronic renal disease and the Department of Health's programs related to care and

treatment. To join the conference call dial (267) 332-8737 and when prompted, enter the following conference code: 800288066#. Attendees may participate in the conference call on location at the Bureau of Family Health Office, 625 Forster Street, Harrisburg, PA. In-person participants are required to RSVP to the Bureau of Family Health by 5 p.m., October 11, 2021, at (717) 772-2762. In-person participants must sign-in at the desk in the lobby of the building by 9:45 a.m., must wear masks and practice social distancing while in the building. The meeting agenda will be posted at <https://www.health.pa.gov/topics/programs/Chronic-Renal-Disease/Pages/Advisory-Committee.aspx> at least 24 hours prior to the meeting date and time.

For additional information or for persons with a disability who wish to attend the conference call meeting and require an auxiliary aid, service or other accommodation to do so contact Kathy Jo Stence, Director, Division of Child and Adult Health Services, 7th Floor East, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 772-2762, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This conference call meeting is subject to cancellation without notice.

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1707. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Pharmaceutical Benefits Program Advisory Council Public Teleconference Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resource Emergency Act of 1990 (42 U.S.C.A. § 300ff-26), will hold a public teleconference meeting on Thursday, October 28, 2021, from 10 a.m. to 12 p.m. To participate dial in by location at (412) 648-8888 or (866) 588-4789. The meeting ID is 943 503 419#. Consider calling in by 9:50 a.m. so the meeting can begin promptly at 10 a.m. Individuals who have questions may call Sandy Brosius at (717) 547-3419.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information, contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419.

Persons with a disability who wish to attend the teleconference meeting and require an auxiliary aid, service or other accommodation to do so should contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419, or

for speech or hearing impaired persons contact V/TT (717) 783-0572 or the Pennsylvania Hamilton Relay Services at (800) 654-5984 (TT).

This teleconference meeting is subject to cancellation without prior notice.

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1708. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Spinal Cord Research Advisory Committee Virtual Public Meeting

The Department of Health's Spinal Cord Research Advisory Committee (Committee), established by section 903.1(b) of the Tobacco Settlement Act (35 P.S. § 5701.903A(b)), will hold a virtual public meeting on Thursday, October 21, 2021 from 9:30 a.m. to 11 a.m. The virtual public meeting will be held by means of Microsoft Teams at (267) 332-8737 with Conference ID: 674 499 032#.

The purpose of the virtual public meeting is to review the work of the Committee, to review the status of the current request for application and to plan the process to review the next spinal cord research applications.

For additional information or for persons with disabilities who wish to attend the virtual public meeting and requiring an auxiliary aid, service or other accommodation, contact Will Cramer, Director, Health Research Office or Pamela Brown, Management Technician, Health Research Office at (717) 231-2825, ra-healthresearch@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Check the Department of Health, Health Research Office CURE Spinal Cord Research Advisory Committee web site at <https://www.health.pa.gov/topics/Research/CURE/Pages/Spinal-Cord.aspx> for an agenda and any changes to this virtual public meeting.

This virtual public meeting is subject to cancellation without notice.

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-1709. Filed for public inspection October 8, 2021, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3) intends to sell certain land owned by the Department.

The following is available for sale by the Department.

Derry Township, Mifflin County. The parcel contains 4,866.91 square feet of vacant land situated in Lewistown, PA. The estimated fair market value is \$20,700.

Interested persons are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to John R. Gaylor, Right-of-Way Administrator, Department of Transportation, Engineering District 2-0, 70 PennDOT Drive, Clearfield, PA 16830.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 21-1710. Filed for public inspection October 8, 2021, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Data Submission and Collection

Under section 6(a)(2) of the Health Care Cost Containment Act (act) (35 P.S. § 449.6(a)(2)), the Health Care Cost Containment Council is required to publish a list of diseases, procedures and medical conditions, not to exceed 35, for which data under subsections (c)(21) and (d) shall be required.

The list of 35 diseases, procedures and medical conditions follows:

1. Heart Attack
2. Heart Failure
3. Chest Pain
4. Abnormal Heartbeat
5. Coronary Bypass
6. Heart Valve Replacement
7. Percutaneous Transluminal Coronary Angioplasty
8. Pneumonia
9. Asthma
10. Respiratory Failure
11. Blood Clot in Lung
12. Lung Repair
13. Hypotension
14. Blood Clot in Extremities
15. Vascular Repair
16. Stroke
17. Removal of Blockage in Head and Neck Vessel
18. Craniotomy
19. Diabetes
20. Digestive Disease
21. Liver Disease
22. Colorectal Repair
23. Gallbladder Removal
24. Stomach and Small Intestine Repair
25. Kidney Failure
26. Kidney and Urinary Tract Infection
27. Prostatectomy
28. Medical Back
29. Major Joint Repair
30. Neck/Back Repair
31. Breast Cancer
32. Hysterectomy
33. Infectious Disease

34. Ventilation for Respiratory Disease  
35. Tracheostomy

BARRY BUCKINGHAM,  
*Executive Director*

[Pa.B. Doc. No. 21-1711. Filed for public inspection October 8, 2021, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, September 23, 2021, and announced the following:

#### Actions Taken—Regulations Approved:

Environmental Quality Board # 7-552: Administration of the Land Recycling Programs (amends 25 Pa. Code Chapter 250)

Bureau of Professional and Occupational Affairs # 16A-7103: Schedule of Civil Penalties—Crane Operators (amends 49 Pa. Code Section 43b.28)

### Approval Order

Public Meeting Held  
September 23, 2021

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Environmental Quality Board—  
Administration of the Land Recycling Program  
Regulation No. 7-552 (# 3251)*

On January 27, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Environmental Quality Board (Board). This rulemaking amends 25 Pa. Code Chapter 250. The proposed regulation was published in the February 15, 2020 *Pennsylvania Bulletin* with a public comment period ending on April 30, 2020. The final-form regulation was submitted to the Commission on August 17, 2021.

This final-form regulation updates the statewide health standard medium-specific concentrations (MSC) that guide the cleanup of contaminated sites under the Land Recycling and Environmental Standards Act of 1995. 35 P.S. §§ 6026.101—6026.908. MSCs are added for Perfluorooctanoic Acid (PFOA), Perfluorooctane Sulfonate (PFOS) and Perfluorobutane Sulfonate (PFBS). Additional regulations are clarified, including definitions, administrative requirements, and citations to guidance, models, databases and publications.

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

We have determined this regulation is consistent with the statutory authority of the Board (35 P.S. §§ 6026.104(a) and 6026.303(a) and 71 P.S. § 510-20) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

### Approval Order

Public Meeting Held  
September 23, 2021

*Commissioners Voting:* George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*Bureau of Professional and Occupational Affairs—  
Schedule of Civil Penalties—Crane Operators  
Regulation No. 16A-7103 (# 3273)*

On October 8, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Bureau of Professional and Occupational Affairs (Bureau). This rulemaking amends 49 Pa. Code Section 43b.28. The proposed regulation was published in the October 24, 2020 *Pennsylvania Bulletin* with a public comment period ending on November 23, 2020. The final-form regulation was submitted to the Commission on August 17, 2021. At its June 17, 2021 public meeting, the Commission voted to disapprove the final-form regulation. On August 17, 2021, the revised final-form regulation was submitted to the Commission.

This rulemaking implements a schedule of civil penalties for the following offenses: operating a crane without a license; employing, allowing, directing, retaining or hiring an unlicensed individual to operate a crane; holding oneself out as a crane operator or using the title “licensed crane operator” without holding a license; operating a crane on a lapsed or expired license; failing to notify the Board in writing within 10 days of a criminal proceeding in a court case against a licensed crane operator; and failing to maintain certification or to submit evidence of renewal of certification before the expiration date of certification.

We have determined this regulation is consistent with the statutory authority of the Bureau (63 Pa.C.S. § 3108(a)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

*By Order of the Commission:*

This regulation is approved.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 21-1712. Filed for public inspection October 8, 2021, 9:00 a.m.]

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

| <i>Reg. No.</i> | <i>Agency/Title</i>  | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|-----------------|--|---|-----------------------------|
| 10-221          | Department of Health<br>Long-Term Nursing Care Facilities<br>51 Pa.B. 4074 (July 31, 2021) | 8/30/21                                   | 9/29/21                     |

**Department of Health Regulation # 10-221  
(IRRC # 3312)**

**Long-Term Care Nursing Facilities**

**September 29, 2021**

We submit for your consideration the following comments on the proposed rulemaking published in the July 31, 2021 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the Department of Health (Department) to respond to all comments received from us or any other source.

**1. Determining whether the regulation is in the public interest; Economic or fiscal impacts; Clarity; Reasonableness; Compliance with the RRA.**

Section 5.2 of the RRA (71 P.S. § 745.5b) directs the Independent Regulatory Review Commission (Commission) to determine whether a regulation is in the public interest. When making this determination, the Commission considers criteria such as economic or fiscal impacts and reasonableness. To make that determination, the Commission must analyze the text of the Preamble and proposed regulation and the reasons for the new or amended language. The Commission also considers the information a promulgating agency is required to provide under Section 745.5(a) in the Regulatory Analysis Form (RAF).

The explanation of the regulation in the Preamble and the information contained in the RAF are not sufficient to allow this Commission to determine if the regulation is in the public interest. In the Preamble and RAF submitted with the final-form rulemaking, the Department should provide more detailed and expanded information related to economic or fiscal impacts, impacts on small businesses, and alternative regulatory provisions as required under Section 745.5(a) of the RRA. For example:

- Commenters assert that the Department does not address adequately the fiscal impacts of the proposed regulation. For example, LeadingAge PA states, “The cost burden calculations on the commonwealth and nursing homes are elementary and incomplete. It underestimates and seemingly ignores the cost of staff benefits, the costs to hire and train staff, the cost increases to private pay residents who will more quickly spend down to Medical Assistance (and the consequent costs to the Medical Assistance Program), and makes no effort to calculate the costs to counties.” We address these issues in more detail in comment # 4;

- In response to several questions in the RAF, the Department states that the proposed regulation will result in a net cost of approximately \$182.5 million to (the Department of Human Services (DHS)). The Department states, “DHS does not have sufficient data to determine who will bear the burden of the remaining

costs not covered by [Medical Assistance] but believes that at least some of this amount will have to be borne by the regulated community.” We ask the Department to work with DHS to provide additional information related to how the regulated community will be impacted by the \$182.5 million in additional costs, and to explain how this may impact residents in facilities that rely on Medical Assistance and residents in private-pay facilities;

- In addressing potential impacts on small businesses, the Department states that it is “unable to identify which long-term care nursing facilities may be small businesses,” and that “[t]he Department’s responsibility to the health and welfare of all residents in long-term care facilities is not altered by the fact that a long-term care nursing facility may be a small business.” An association states that many of its members are small businesses and asserts that the Department, in conjunction with other State agencies, has the ability and access to data to enable the Department to evaluate potential impacts on small businesses. We ask the Department to calculate and address the impact of the final-form regulation on small businesses as required under the RRA; and

- RAF Question # 26 requires an agency to include “a description of any alternative regulatory provisions which have been considered and rejected.” The Department responded that it “considered other increases in the number of direct care resident hours, but ultimately decided that the increase to 4.1 hours represents the least burdensome acceptable alternative when weighed against the health and safety of residents in long-term care nursing facilities.” However, the Department provided no information on what other increases were considered, nor did the Department explain the factors considered in determining that 4.1 was the least burdensome acceptable alternative. If the Department retains an increase in direct care hours per resident in the final regulation, we ask that the Department amend its response to Question # 26 and include a description of its reasoning regarding the other increases that were considered, as well as any subsequent alternative regulatory provisions contemplated in preparing the final-form regulation.

*Five Regulatory Packages*

The Preamble states that “the Department tentatively intends to promulgate proposed amendments to Part IV Subpart C (relating to long-term care facilities) in five separate parts.” This decision prompted comments of concern from many of those who support the proposed regulation and nearly all of those who oppose it. Several commenters urge the Department to withdraw the proposed regulation, and many commenters would prefer that the Department submit all of its proposed revisions to Part IV Subpart C as one comprehensive package. Commenters state that regulations governing the operation of nursing homes are complex and interrelated, and that the Department should be able to promulgate its revised licensure requirements in a comprehensive, uni-

fied, and transparent process. Others express the challenges they will face in trying to understand the full scope and impact of this first package when it is unknown how these changes will correlate with subsequent packages. For example, there is no way to fully evaluate the impact of proposed deletions of definitions without reviewing the full regulatory package to consider how and whether those terms are used throughout.

Acknowledging the Department's authority to promulgate regulations as it deems appropriate, we ask the Department to consider the significant concerns of the regulated community, and the requests to withdraw this proposed regulation and move forward with one comprehensive regulation. If the Department proceeds with five regulatory packages, we ask the Department to explain why this approach is reasonable given the concerns expressed by the regulated community. We also ask the Department to ensure that the regulations and any amendments are consistent across the packages, and that the interrelation and any impacts between the packages are clearly presented for the regulated community.

**2. Section 201.2. Requirements.—Statutory authority; Economic or fiscal impacts; Clarity and lack of ambiguity; Need; Reasonableness of requirements.**

Subsection (a) currently states, "The Department incorporates by reference Subpart B of the Federal requirements for long-term care facilities, 42 CFR 483.1—483.75 (relating to requirements for long-term care facilities) revised as of October 1, 1998, as licensing regulations for long-term care nursing facilities. . . ." (Emphasis added.) The Department proposes to amend Subsection (a) to incorporate by reference the entirety of 42 CFR Part 483, Subpart B of the Federal requirements for long-term care facilities.

The Preamble states, ". . . all long-term care nursing facilities licensed by the Department were and are already required to comply with some of the Federal requirements based on the existing language in this section. Thus, any negative impact in applying the Federal requirements to the three facilities that do not participate in Medicare or Medicaid will be *minimum* [sic] and is vastly outweighed by the need for consistency in the application of standards in long-term care nursing facilities Statewide." (Emphasis added.) Comments from these private-pay facilities state that they were not represented in the Long-Term Care Work Group, and that the Department neglected to provide an analysis of the impact of the Federal requirements on them. These commenters assert that they will need to hire additional positions, such as a grievance officer, and certify and submit data using software that they will need to purchase since they are not Medicaid/Medicare certified. We ask the Department to amend the final-form Preamble and RAF to provide an analysis of the impacts on private-pay facilities of these additional Federal requirements, including fiscal, reporting, recordkeeping, and other paperwork. We also ask the Department to explain the reasonableness of these requirements for private-pay facilities.

Subsection (b) states, "The Department incorporates by reference the Centers for Medicare & Medicaid State Operations Manual [(SOM)], Chapter 7 and Appendix PP—Guidance to Surveyors for Long-Term Care Facilities [(Appendix PP)]." The incorporation by reference of a Federal manual and guidance document are an improper delegation of the agency's statutory authority. Neither of these documents are subject to Federal regulatory review

requirements, and incorporating them by reference removes them from State requirements provided in the Commonwealth Documents Law and the RRA. Changes can be made to these documents without the regulated community and other parties having the opportunity for public comment. We ask the Department to amend the final-form regulation, deleting this language and including any mandatory provisions from the SOM and Appendix PP in order to establish clear and unambiguous standards that could be predicted by the regulated community. If the Department does not intend to enforce any of the referenced provisions, the Department should explain why it is appropriate to retain this language.

*Subsection (d)*

Proposed Subsection (d) states, "Failure to comply with the requirements specified in 42 CFR Part 483, Subpart B shall be considered a violation of this subpart, unless an exception has been granted under §§ 51.31—51.34." What is the need for this provision since it is incorporated by reference? By virtue of the new language in Subsection (b), failure to comply with requirements in 42 CFR Part 483, Subpart B is a violation since regulations have the full force and effect of law. This Subsection should be deleted.

If the Department retains the language in Subsection (d) in the final-form regulation, commenters assert that this provision would apply both State and Federal violations resulting in possible double sanctions to the same incidence of noncompliance. LeadingAge PA states that this proposal "appears duplicative, unnecessary, and overly punitive." We ask the Department to explain in the Preamble of the final-form regulation the need for and reasonableness of this provision.

**3. Section 201.3. Definitions.—Protection of public health, safety, and welfare; Clarity.**

In the Preamble, the Department states that it proposes to delete several definitions "because they are now incorporated by reference from either the Federal regulations or the [SOM], or both. . . ." (Emphasis added.) This proposal from the Department to incorporate by reference definitions from one or more of three sources which will not be identified in the final-form regulation is likely to cause significant confusion for the regulated community and anyone who looks to the Department's regulations for meanings of these terms. The Department's explanation in the Preamble of where to find various definitions of the term "abuse" exemplifies the difficulty a person would face if the definition is entirely deleted:

Abuse is defined in 42 CFR 483.5 and in multiple sections of Appendix PP of the [SOM]. Abuse includes verbal abuse, sexual abuse, physical abuse and mental abuse. Verbal abuse is further defined in Appendix PP of the [SOM] in section F600. Sexual abuse is defined separately in 42 CFR 483.5 and further defined in section F600 of Appendix PP of the [SOM]. Physical abuse is defined in section F600 of Appendix PP of the [SOM]. Mental abuse is defined in section F600 of Appendix PP of the [SOM]. Involuntary seclusion, which is included in the existing regulations, is defined in section F603 of Appendix PP of the [SOM]. Neglect is defined separately in 42 CFR 483.5 and in section F609 of Appendix PP of the [SOM].

We recognize that members of the regulated community may be familiar with where to find a deleted definition in Federal regulations; however, these proposed regulations address the care of residents of long-term care nursing

facilities and, as such, people who have a family member in a facility and are not familiar with these regulations should have readily available access to the definitions in order to read and understand them. Without this lengthy instructional paragraph, how would a person know where to find these various definitions? Additionally, commenters express significant concerns because words that are defined in the SOM can be changed by the Centers of Medicare & Medicaid Services (CMS) without any notice or opportunity for comment.

Beyond the likely confusion exists a potential for harm. AARP PA states, "Pennsylvania's Older Adults Protective Services Act is materially different from [F]ederal regulations. The Department's adoption of the current [F]ederal regulations (Chapter 7 of the [SOM], and [Appendix PP]) will conflict with relevant State law definitions, will undoubtedly create confusion in the nursing home industry, and will certainly hinder the Pennsylvania Department of Aging's ability to properly uphold the provisions of the Older Adults Protective Services Act, which is their responsibility." A joint comment from the Center for Advocacy for the Rights and Interests of the Elderly (CARIE) and Community Legal Services (CLS) states, "[W]e have concerns about the impact on State enforcement of Protective Services and associated criminal laws that could result from eliminating State definitions in these regulations of abuse, neglect, exploitation, etc. Deleting terms wholesale instead of aligning them with both [F]ederal and State laws, we believe, would pose a new and unnecessary challenge for law enforcement and Protective Services programs."

If the Department intends to rely on Federal regulations to define certain terms, we ask the Department to incorporate by reference those terms or promulgate the text of those terms in the final-form regulations. If the Department intends to rely on definitions found in Federal guidance, we ask the Department to promulgate the text of those definitions in the final-form regulations.

**4. Section 211.12. Nursing services.—Economic or fiscal impacts; Protection of public health, safety, and welfare; Clarity; Reasonableness of requirements; Implementation procedures and timetables for compliance.**

Subsection (a) states, "The facility shall provide services by sufficient numbers of personnel on a 24-hour basis to provide nursing care to meet the needs of all residents." The Department states in the Preamble that it proposes to amend Paragraph (i) to add the phrase "for each shift" to ensure that there are proper nursing staff to provide direct care for residents throughout the 24-hour period. The Department also proposes to increase from 2.7 to 4.1 the minimum number of hours of direct care. The proposed language states,

- (i) A minimum number of general nursing care hours shall be provided for each 24-hour period. The total number of hours of general nursing care provided during each shift in each 24-hour period shall, when totaled for the entire facility, be a minimum of 4.1 hours of direct resident care for each resident.

Commenters both for and opposed to this increase question the addition of the language "during each shift." The joint comment from CARIE and CLS in support of the increase describes this language as "an error," stating, "We don't believe the Department intended to require 12.3 hours per resident per day." We ask the Department to clarify whether this increase is to be per shift or per day.

This proposed increase to 4.1 generated a significant volume of feedback from the regulated community. Comments in support state that this increase is long overdue and essential to ensure that all long-term care nursing facility residents receive quality care, while comments in opposition addressed a range of issues including:

*Fiscal or economic impacts*

- "[T]his proposal does not include funding for staffing increases beyond the [Medical Assistance] program, nor does it account for employer-paid benefits which could more than double the reported price-tag in the regulatory package." (Southwestern PA Partnership for Aging (SWPPA))

*Protection of public health, safety, and welfare*

- "The proposed regulations...create the risk of adversely impacting our ability to serve those who most need our assistance by imposing staffing requirements which could drive operating costs to unsustainable levels in a time when there is an acute shortage of qualified staff across the entire facility." (Delaware County Council)

- "Many nursing homes in the Commonwealth have closed beds because they cannot find enough staff. The Department has not addressed the impact its proposal will have on access to care." (PELICAN)

*Reasonableness of requirements*

- "Providers of healthcare and nursing services are in constant and ever-more expensive competition for the same small cohort of eligible and interested workers." (SWPPA)

- "[N]urses and nurse aides are not the only staff who provide direct care to nursing home residents. CMS recognizes therapists, life enrichment staff, and others who provide care and services that add to the overall wellbeing of residents and complement direct care staff." (Phoebe Ministries)

*Implementation procedures and timetables for compliance*

- "If [the Department] disregards other comments relating to the impossible task of hiring direct care staff, [the Department] must offer a compliance period during which providers can work towards increased staffing levels before citations for non-compliance are able to be issued." (SWPPA)

- "...Nursing Assistants are not available in the job market. (Training programs were closed during the pandemic, leading to a significant lack of available recruits.)" (Phoebe Ministries)

If positions remain unfilled when the regulation goes into effect, does the Department see any potential negative impact for residents? Would the public health, safety, and welfare be protected by expanding the definition of direct care staff to align with the Federal definition? Would the Department consider a delayed implementation timetable for compliance?

Ultimately, commenters who support and who oppose this change cite concern for residents' care as the basis for their comments. Whether the Department retains or amends the minimum of 4.1 hours of direct care in the final-form regulation, we ask the Department to explain how the final-form regulation protects residents of long-term care nursing facilities, while also addressing the impact of the minimum number of direct care hours on facilities. Specifically, we ask the Department to address concerns raised by commenters, as noted above, related to economic or fiscal impacts; protection of public health,

safety, and welfare; reasonableness of requirements; and timetable for implementation.

#### 5. RAF.—Clarity.

We ask the Department to amend and clarify the final-form RAF to ensure that the responses are consistent and accurate. For example:

- In response to Question # 15 under the heading “Long-Term Care Nursing Facilities,” the Department references 603 facilities that participate in Medical Assistance; however, under the heading “DHS,” 615 facilities are cited as receiving Medical Assistance payments; and
- In response to Question # 20, the Department states that there are currently 20 county-owned long-term care nursing facilities. The Department explains further that Allegheny County owns four and then identifies the remaining 15, totaling 19.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 21-1713. Filed for public inspection October 8, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### United Security Assurance Company of Pennsylvania; Rate Increase Filing for Individual LTC Form TQLTC-97-U (SERFF # USPA-132978232); Rate Filing

United Security Assurance Company of Pennsylvania is requesting approval to increase the premium an aggregate 33.2% on 23 policyholders with individual LTC form TQLTC-97-U.

Unless formal administrative action is taken prior to December 24, 2021, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to Valerie Romig, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, [vromig@pa.gov](mailto:vromig@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 21-1714. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Acquisition by Purchase

**A-2021-3028766. Columbia Gas of Pennsylvania, Inc.** Application of Columbia Gas of Pennsylvania, Inc. for approval of the acquisition by purchase of real property known as 103 Stoney Ridge Drive, Monaca.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 25, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission’s (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant’s business address. In accordance with the Commission’s Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission’s web site and accepting eService.

*Applicant:* Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

*Through and By Counsel for:* Meagan Moore, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317, (724) 416-6347, [mbmoore@nisource.com](mailto:mbmoore@nisource.com); Amy E. Hirakis, Esquire, 800 North Third Street, Suite 204, Harrisburg, PA 17102, [AHirakis@nisource.com](mailto:AHirakis@nisource.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-1715. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Cancellation of Certificates of Public Convenience for Motor Carriers; Failure to Pay Assessment for Fiscal Year 2020-2021

Public Meeting held  
September 15, 2021

*Commissioners Present:* Gladys Brown Dutrieuille, Chairperson; David W. Sweet, Vice Chairperson; John F. Coleman, Jr.; Ralph V. Yanora

*Cancellation of Certificates of Public Convenience for Motor Carriers; Failure to Pay Assessment for Fiscal Year 2020-2021; M-2021-3027784*

#### Tentative Order

*By the Commission:*

For each fiscal year, the Commission determines the total assessment for regulatory expenses, which is allocated to, and paid by, public utilities pursuant to the methodology set forth in the Public Utility Code. 66 Pa.C.S. §§ 510(a), (b). The Commission provides notice of the amount lawfully assessed against a utility and requires the utility to pay that amount within thirty (30) days of receipt of the notice. 66 Pa.C.S. § 510(c).<sup>1</sup> The Public Utility Code authorizes the Commission to revoke a utility’s Certificate of Public Convenience (CPC) for failure to pay the assessment within the time prescribed. *Id.*

The Commission undertook a review of its records to determine whether various motor carriers have complied

<sup>1</sup> In order to properly allocate the assessment, the Public Utility Code requires that by March 31 each year, every public utility must file a report detailing its gross intrastate operating revenue for the preceding calendar year. 66 Pa.C.S. § 510(b).



with the assessment payment requirements of the Public Utility Code. The Commission's review revealed that a number of carriers failed to pay their 2020-2021 assessments. Specifically, each carrier listed in Appendix A, attached hereto, has an outstanding assessment balance.

The Fiscal Office of the Commission's Bureau of Administration sent a letter to each carrier listed in Appendix A, notifying them of their outstanding assessment balance and requesting that they pay the past due balance within twenty (20) days of receipt of the letter. The letter warned that failure to comply would result in the Commission taking appropriate action to cancel the carrier's CPC. None of the carriers in Appendix A submitted payment in response to the Commission's Bureau of Administration letter.

Additionally, Commission staff made two attempts to contact each carrier listed in Appendix A at the telephone number the carrier provided to the Commission but were unable to make contact.

Given these carriers' failure to respond to the aforementioned notices, the Commission tentatively concludes that the motor carriers listed in Appendix A are not in compliance with the assessment payment requirements of 66 Pa.C.S. § 510(c), and may no longer continue to operate in Pennsylvania as a motor carrier public utility. As a result, it is appropriate and in the public interest to initiate the process to cancel their CPCs; *Therefore,*

*It Is Ordered That:*

1. Cancellation of the Certificates of Public Convenience of each motor carrier listed in Appendix A is tentatively approved as being in the public interest.
2. The Secretary shall serve a copy of this Tentative Order upon all motor carriers listed in Appendix A.
3. The Secretary shall file this Tentative Order at each motor carrier's assigned docket number.
4. The Law Bureau shall publish a copy of this Tentative Order in the *Pennsylvania Bulletin*.
5. To the extent that any of the motor carriers listed on Appendix A challenge cancellation of their Certificates of

Public Convenience, they must file comments within thirty (30) days after publication of this Tentative Order in the *Pennsylvania Bulletin*. Comments shall be sent to the Pennsylvania Public Utility Commission, Attn: Secretary Rosemary Chiavetta, Commonwealth Keystone Building, 400 North Street, 2nd Floor, Harrisburg, PA 17120.

6. Alternatively, to avoid cancellation, carriers listed in Appendix A may pay their outstanding assessment balance within thirty (30) days after publication in the *Pennsylvania Bulletin*. Payment shall be sent to the Pennsylvania Public Utility Commission, Attn: Fiscal Office, P.O. Box 3265, Harrisburg, PA 17105. Checks shall be made payable to "Commonwealth of Pennsylvania."

7. Absent the timely filing of comments challenging the cancellation of the Certificate of Public Convenience or the timely payment of a carrier's outstanding assessment balance, the Law Bureau shall prepare a Secretarial Letter, for issuance by the Secretary's Bureau, canceling the Certificate of Public Convenience of each motor carrier that fails to respond. The Secretarial Letter shall direct the Department of Transportation to suspend the carrier's vehicle registration(s) consistent with 75 Pa.C.S. § 1375.

8. Upon the Secretary's issuance of the Secretarial Letter per Ordering Paragraph No. 7, the Certificate of Public Convenience of each non-compliant carrier shall be cancelled.

9. The Secretary serve a copy of the Secretarial Letter upon the Commission's Bureau of Investigation and Enforcement, Bureau of Technical Utility Services, and Bureau of Administration, the Pennsylvania Department of Revenue—Bureau of Corporation Taxes, and the Pennsylvania Department of Transportation.

ROSEMARY CHIAVETTA,  
*Secretary*

ORDER ADOPTED: September 15, 2021

ORDER ENTERED: September 15, 2021

**Appendix A**

**Carriers With Outstanding Assessment Balances**

| <i>Utility Code</i> | <i>Carrier Name</i>                        | <i>Docket No.</i>                |
|---------------------|--|----------------------------------|
| 632296              | EXECUTIVE TRANSPORTATION SERVICES, INC.    | A-00107390<br>A-00107390F0002    |
| 632822              | UNITED TAXI COMPANY, LLC                   | A-00123614                       |
| 640389              | CLASSIC LIMOUSINE TRANSPORTATION, LLC      | A-00112166<br>A-2012-2334929     |
| 640912              | GRIFFITH TRANSPORTATION, INC.              | A-00117265<br>A-2012-2321696     |
| 6411698             | JOE & JANS, INC.                           | A-2010-2151587                   |
| 641181              | MID-ATLANTIC TRANSPORTATION SERVICES, INC. | A-00119364<br>A-2009-2123038     |
| 6417260             | FIRST CLASS LIMOUSINE, LLC                 | A-2015-2464420<br>A-2016-2571647 |
| 6417344             | POWER EXPRESS, LLC                         | A-2015-2467873                   |
| 6418799             | SAMUEL GROFF                               | A-2016-2548547                   |
| 6419020             | RC JONES TRANSPORTATION, LLC               | A-2016-2558324                   |
| 6420268             | EXECUTIVE TRANS, INC.                      | A-2018-3002171                   |
| 6420596             | MEDICAL TRANSPORTATION PROVIDERS, LLC      | A-2019-3009430                   |

| <i>Utility Code</i> | <i>Carrier Name</i>                   | <i>Docket No.</i> |
|---------------------|---------------------------------------|-------------------|
| 6422167             | THULE TRANSPORTATION, LLC             | A-2019-3009677    |
| 701687              | FALCON TRANSPORT CO.                  | A-00112635        |
| 704704              | S.A. JUZBASIC, INC.                   | A-00117334        |
| 706595              | G. E. VARNER TRUCKING, INC.           | A-00120513        |
| 707488              | HORST, NATHAN S.                      | A-00122045        |
| 731140              | COOK, ROBERT                          | A-00093134        |
| 8910297             | J & E SANITATION, INC.                | A-2008-2052775    |
| 8910664             | JENNINGS ENTERPRISE, LLC              | A-2008-2079836    |
| 8910696             | KENNETH W. SCHODT                     | A-2009-2083365    |
| 8912935             | APOLO V EXPRESS, LLC                  | A-2010-2208194    |
| 8913104             | I-HAUL, LLC                           | A-2011-2220987    |
| 891331              | MILLER, RICK LEE                      | A-00103622        |
| 8914967             | CARL R. SNOOK                         | A-2012-2314015    |
| 8915162             | TROY M. KELLER                        | A-2012-2326726    |
| 8915596             | GRYGO TRUCKING, INC.                  | A-2013-2354957    |
| 8915818             | RAPID TRANSIT, INC.                   | A-2013-2369268    |
| 8915862             | SCOTT WILCOX                          | A-2013-2372958    |
| 8917227             | PATRIOT ONE, INC.                     | A-2015-2461362    |
| 8917295             | WOLVERINE ENTERPRISE, LLC             | A-2015-2465864    |
| 8918952             | TIER ONE, LLC                         | A-2016-2553662    |
| 8919069             | A & S CARRIERS, LLC                   | A-2017-2635902    |
| 8919255             | PENNSYLVANIA CONTRACTING INCORPORATED | A-2016-2567948    |
| 8919536             | F & R SPERRY LOGGING, LLC             | A-2017-2586201    |
| 8919744             | BEECH WOODS EQUIPMENT LEASING COMPANY | A-2017-2597155    |
| 8920060             | MICHAEL J. COMPTON                    | A-2017-2614197    |
| 8920472             | JOSEPH LANGUERAND                     | A-2017-2636256    |
| 8920559             | MOVING U & JUNK U, LLC                | A-2018-3000016    |
| 8920933             | BRENDEN C. FINCK                      | A-2018-3001423    |
| 8921067             | CP MAULE, LLC                         | A-2018-3002549    |
| 8921457             | STREET KING TRANSPORT, LLC            | A-2018-3005201    |
| 8922269             | TAMRON TRUCKING, INC.                 | A-2019-3010351    |

[Pa.B. Doc. No. 21-1716. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Natural Gas Service

**A-2021-3028787. Columbia Gas of Pennsylvania, Inc.** Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to two residential premises located in Fayette County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 25, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylva-

nia Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

*Applicant:* Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

*Through and By Counsel for:* Theodore J. Gallagher, Esquire, 21 Champion Way, Suite 100, Canonsburg, PA 15317, (724) 809-0525, [tjgallagher@nisource.com](mailto:tjgallagher@nisource.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-1717. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Natural Gas Service

**A-2021-3028789. Columbia Gas of Pennsylvania, Inc.** Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to three active residential customers and one inactive residential customer in Washington County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 25, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

*Applicant:* Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

*Through and By Counsel for:* Theodore J. Gallagher, Esquire, 21 Champion Way, Suite 100, Canonsburg, PA 15317, (724) 809-0525, [tjgallagher@nisource.com](mailto:tjgallagher@nisource.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-1718. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 25, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 25, 2021. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web

site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2021-3028247. Bill's Car Service and Transport, LLC** (1200 Center Street, Wilkinsburg, PA 15221) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the County of Allegheny, to points in Pennsylvania, and return.

**A-2021-3028550. Firkin Brew Tours, LLC** (4000 Peacock Drive, Bethlehem, Northampton County, PA 18020) persons in group and party service, in vehicles seating between 11 to 15 passengers, including the driver, from 4000 Peacock Drive, Bethlehem, Northampton County, PA 18020, to points in the Counties of Bucks, Carbon, Lehigh, Monroe and Northampton, and return.

**A-2021-3028628. T&A Limousine, LLC** (213 Kingston Road, Upper Darby, Delaware County, PA 19082) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Chester and Delaware to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

**A-2021-3028707. Unibe Group Homecare Agency, LLC** (228 North Sandy Lane, Sinking Spring, Berks County, PA 19608) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Berks, Bucks, Chester, Lancaster, Lebanon, Lehigh, Montgomery, Northampton and Schuylkill.

**Application of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.**

**A-2021-3028606. Carl Sylvester Weaver, t/a Miller's Transfer** (658 State Street, Danville, Montour County, PA 17821) for the discontinuance and cancellation of his right, to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania, as originally docketed at A-00081921.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 21-1719. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer of Control; Registration of Securities

**A-2021-3028668 and A-2021-3028669. The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink, CenturyTel Broadband Services, LLC, Connect Holding, LLC and Lumen Technologies, Inc.** Joint application of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink, CenturyTel Broadband Services, LLC, Connect Holding, LLC and Lumen Technologies, Inc. for all approvals of a general rule transfer of control and registration of securities.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 25, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Joint Applicants:* The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink; CenturyTel Broadband Services, LLC; Connect Holding, LLC; Lumen Technologies, Inc.

*Through and By:* Sarah C. Stoner, Esquire, Eckert Seamans Cherin & Mellott, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 237-6026, [sstoner@eckertseamans.com](mailto:sstoner@eckertseamans.com)

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 21-1720. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer by Sale

**A-2021-3028676. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company under 66 Pa.C.S. § 1102(a) (relating to enumeration of acts requiring certificate) for approval of: (1) the transfer, by sale, of substantially all of the Township of Foster's assets, properties and rights related to its wastewater collection and conveyance system (known as the West End System) to Pennsylvania-American Water Company; and (2) the right of Pennsylvania-American Water Company to begin to offer or furnish wastewater service to the public in portions of Foster Township, and to two bulk service interconnection points located within Foster Township, Luzerne County, and a filing by Pennsylvania-American Water Company under 66 Pa.C.S. § 507 (relating to contracts between public utilities and municipalities) of: (i) the assets purchase agreement by and among the Township of Foster and Pennsylvania-American Water Company; and (ii) four agreement and their respective modifying agreements with municipal corporations to be assumed by Pennsylvania-American Water Company upon closing of its acquisition of substantially all the asset related to the wastewater collection and conveyance system owned by the Township of Foster.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 25, 2021. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their

submissions by opening an eFiling account—free of charge—through the Commission's web site and accepting eService.

*Applicant:* Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

*Through and By Counsel:* Susan Simms Marsh, Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055, (717) 550-1570, [susan.marsh@amwater.com](mailto:susan.marsh@amwater.com)

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 21-1721. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Zito Mifflin County, LLC; Doc. No. P-2021-3023622

The Pennsylvania Public Utility Commission (Commission) approved the petition of Zito Mifflin County, LLC (Zito Mifflin) for designation as an eligible telecommunications carrier (ETC), by order entered on September 15, 2021, at Doc. No. P-2021-3023622.

To be eligible to receive the Federal high-cost support funding that it was awarded in the Federal Communications Commission's (FCC) Rural Digital Opportunity Fund Auction (Auction 904), Zito Mifflin was required to obtain designation as an ETC from the Commission. Zito Mifflin filed its ETC petition at the Commission on January 7, 2021. The Commission invited comments on the petition by notice published at 51 Pa.B 2365 (April 24, 2021). After review, the Commission has approved the petition. Zito Mifflin is now required to certify to the FCC that it has received designation as an ETC in the eligible census block group in this Commonwealth for which it submitted a winning bid and has been awarded Auction 904 Federal high-cost support by the FCC.

Documents relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 21-1722. Filed for public inspection October 8, 2021, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson

Street, Philadelphia, PA 19148, no later than October 25, 2021. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-21-09-22. Hossain and Nargin, Inc.** (110 Penn Boulevard, East Lansdowne, PA 19050): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-21-09-23. Happy, Inc.** (96 North 46th Street, Philadelphia, PA 19145): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

**Doc. No. A-21-09-24. R&A Trans, Inc.** (258 Wemply Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

SCOTT PETRI,  
*Executive Director*

[Pa.B. Doc. No. 21-1723. Filed for public inspection October 8, 2021, 9:00 a.m.]

