

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending January 26, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Holding Company Acquisitions

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Action</i> |
|-------------|---|---------------|
| 01-25-2021 | Dollar Mutual Bancorp Pittsburgh Allegheny County, PA | Withdrawn |
| | Application for approval to acquire 100% of Standard AVB Financial Corp., Murrysville, PA, and thereby indirectly acquire 100% of Standard Bank, PaSB, Murrysville, PA. | |

Branch Applications

De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 01-21-2021 | Huntingdon Valley Bank Doylestown Bucks County | 1300 Route 73 Suite 105 Mount Laurel Burlington County, NJ | Filed |
| 01-25-2021 | Univest Bank and Trust Co. Souderton Montgomery County | 2901 Whiteford Road York York County | Opened |

Branch Discontinuances

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|---|--|---------------|
| 01-21-2021 | Wayne Bank Honesdale Wayne County | 93 Main Street Narrowsburg Sullivan County, NY | Closed |

CREDIT UNIONS

Branch Applications

De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 01-25-2021 | TruMark Financial Credit Union Fort Washington Montgomery County | 7350 Large Street Philadelphia Philadelphia County (formerly 7301 Castor Avenue) | Opened |

Branch Relocations

| <i>Date</i> | <i>Name and Location of Applicant</i> | <i>Location of Branch</i> | <i>Action</i> |
|-------------|--|---|---------------|
| 01-04-2021 | Freedom Credit Union Warminster Bucks County | <i>To:</i> 35 West Street Road Warminster Bucks County <i>From:</i> 25 Jacksonville Road Warminster Bucks County | Effective |

Articles of Amendment

| <i>Date</i> | <i>Name and Location of Institution</i> | <i>Action</i> |
|-------------|--|---------------|
| 01-21-2021 | Knoll Employees Credit Union East Greenville Montgomery County | Filed |
| | Amendment to Article VII of the institution's Articles of Incorporation provides for a change to the Credit Union's field of membership. | |
| | Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety. | |

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 21-198. Filed for public inspection February 5, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

| <i>Section</i> | <i>Category</i> |
|----------------|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the "Applications and NOIs without Comment Periods Report" or, for Individual WQM Permit Applications, the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|-------------------------|---|---------------------------------------|-------------------|
| 5516201 | Industrial Waste Individual WQM Permit | Amendment | Panda Hummel Station LLC P.O. Box 518 Shamokin Dam, PA 17876-0518 | Shamokin Dam Borough Snyder County | NCRO |
| 0371404 | Sewage Treatment Facilities Individual WQM Permit | Amendment | Freeport Borough Armstrong County 414 Market Street Freeport, PA 16229-1122 | Freeport Borough Armstrong County | NWRO |
| 0708401 | Sewage Treatment Facilities Individual WQM Permit | Amendment | Duncansville Borough Municipal Authority Blair County P.O. Box 502 Duncansville, PA 16635-0502 | Duncansville Borough Blair County | SCRO |

NOTICES

693

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|--|-------------------------|---|--|-------------------|
| 6389402 | Sewage Treatment Facilities Individual WQM Permit | Amendment | Centerville Borough Sanitary Authority Washington County P.O. Box 332 Richeyville, PA 15358-0332 | Centerville Borough Washington County | SWRO |
| 6720406 | Sewage Treatment Facilities Individual WQM Permit | Amendment | Brunner Island LLC 835 West Hamilton Street Allentown, PA 18101 | East Manchester Township York County | SCRO |
| 0307203 | Industrial Waste Individual WQM Permit | Transfer | Eastern Gas Trans & Storage Inc. 5000 Dominion Boulevard Glen Allen, VA 23060-3308 | South Bend Township Armstrong County | NWRO |
| 6321201 | Industrial Waste Individual WQM Permit | New | Cyprus Amax Minerals Co. 333 N Central Avenue Phoenix, AZ 85004-2189 | Smith Township Washington County | SWRO |
| 0920822 | Joint DEP/PFBC Pesticides Permit | New | Jodie Tait P O Box 90 Buckingham, PA 18912 | Bedminster Township Bucks County | SERO |
| 0921801 | Joint DEP/PFBC Pesticides Permit | New | Hearthstone Community Association 975 Easton Road Suite 202 Warrington, PA 18976-1858 | Buckingham Township Bucks County | SERO |
| 0921802 | Joint DEP/PFBC Pesticides Permit | New | Spring View Association 918 Spring View Drive Southampton, PA 18966-4309 | Upper Southampton Township Bucks County | SERO |
| 1521801 | Joint DEP/PFBC Pesticides Permit | New | New Daleville Hoa P.O. Box 299 Spring City, PA 19475-0299 | Londonderry Township Chester County | SERO |
| 2321801 | Joint DEP/PFBC Pesticides Permit | New | Ii Ringfield P O Box 972 Chadds Ford, PA 19317 | Chadds Ford Township Delaware County | SERO |
| 4621801 | Joint DEP/PFBC Pesticides Permit | New | Highfield At Providence 49 E Lancaster Avenue Suite 300 Malvern, PA 19355-3002 | Upper Providence Township Montgomery County | SERO |
| PA0220779 | Minor Sewage Facility < 0.05 MGD Individual NPDES Permit | Transfer | Ash West Springfield Properties LLC 7427 Chestnut Street Fairview, PA 16415-1132 | Springfield Township Erie County | NWRO |
| NOEX09602 | No Exposure Certification | Renewal | Manchester LLC 200 Orleans Street Richmond, VA 23231-3005 | Hanover Township Luzerne County | NERO |
| NOEXSE248 | No Exposure Certification | Renewal | Idemia American Corp 523 James Hance Court Exton, PA 19341 | West Whiteland Township Chester County | SERO |
| PAG033528 | PAG-03 NPDES General Permit for Industrial Stormwater | Amendment | Ultimaster Corp 64 Cocalico Creek Road Ephrata, PA 17522-9455 | West Earl Township Lancaster County | SCRO |
| PAG033641 | PAG-03 NPDES General Permit for Industrial Stormwater | New | Bbgy Inc. dba Boger Concrete Co. 201 Iron Valley Drive Lebanon, PA 17042-8812 | Lower Swatara Township Dauphin County | SCRO |
| PAG036292 | PAG-03 NPDES General Permit for Industrial Stormwater | New | Kantner Iron & Steel Inc. 365 Bassett Road Hooversville, PA 15936-7608 | Somerset Township Somerset County | SWRO |

NOTICES

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|--|-------------------------|---|--|-------------------|
| PAG038393 | PAG-03 NPDES General Permit for Industrial Stormwater | New | Reynolds Service Inc. 860 Brentwood Drive Greenville, PA 16125-8865 | Pymatuning Township Mercer County | NWRO |
| PAG041159 | PAG-04 NPDES General Permit for Small Flow Treatment Facilities | Transfer | Margaret & Robert Yarnell 3271 Liams Court The Villages, FL 32163 | Springfield Township Erie County | NWRO |
| PAG041197 | PAG-04 NPDES General Permit for Small Flow Treatment Facilities | Transfer | T Walker Enterprises 2 LLC 1439 Greeley Street Bear Lake, PA 16402-1441 | Bear Lake Borough Warren County | NWRO |
| PAG120006 | PAG-12 NPDES General Permit for CAFOs | Renewal | Paul Smoker 133 Woodland Drive Oxford, PA 19363-4100 | East Nottingham Township Chester County | SCRO |
| PAG120008 | PAG-12 NPDES General Permit for CAFOs | Renewal | Howard Reyburn 1021 Limestone Road Oxford, PA 19363 | Upper Oxford Township Chester County | SCRO |
| PAG123531 | PAG-12 NPDES General Permit for CAFOs | Renewal | Brookside Acres 159 Yoder Road Bainbridge, PA 17502-9597 | Conoy Township Lancaster County | SCRO |
| PAG123564 | PAG-12 NPDES General Permit for CAFOs | Renewal | Buckwalter Farms LLC 350 Rock Point Road Marietta, PA 17547-9209 | East Donegal Township Lancaster County | SCRO |
| PAG123670 | PAG-12 NPDES General Permit for CAFOs | Renewal | Daniel K Forry 1015 Prospect Road Columbia, PA 17512-8930 | West Hempfield Township Lancaster County | SCRO |
| PAG123680 | PAG-12 NPDES General Permit for CAFOs | Renewal | H Lamar Zimmerman 1908 Shumaker Road Manheim, PA 17545-8227 | Rapho Township Lancaster County | SCRO |
| PAG123682 | PAG-12 NPDES General Permit for CAFOs | Renewal | Joel H Rutt 1178 White Oak Road Manheim, PA 17545-9304 | Rapho Township Lancaster County | SCRO |
| PAG123708 | PAG-12 NPDES General Permit for CAFOs | Renewal | Tyler J Snider 22357 Mt Foot Road Neelyton, PA 17239-9434 | Dublin Township Huntingdon County | SCRO |
| PAG123738 | PAG-12 NPDES General Permit for CAFOs | Renewal | Rm Snyder Hog Farm LLC 6 Snyder Lane Lewistown, PA 17044-8645 | Granville Township Mifflin County | SCRO |
| PAG123766 | PAG-12 NPDES General Permit for CAFOs | Renewal | Scattered Acres Inc. 1750 Van Reed Road Sinking Spring, PA 19608-8801 | West Cocalico Township Lancaster County | SCRO |
| PAG123767 | PAG-12 NPDES General Permit for CAFOs | Renewal | Brubaker Farms LLC 493 Musser Road Mount Joy, PA 17552-9045 | East Donegal Township Lancaster County | SCRO |
| PAG123782 | PAG-12 NPDES General Permit for CAFOs | Renewal | Country View Family Farms LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990 | Ayr Township Fulton County | SCRO |
| PAG123783 | PAG-12 NPDES General Permit for CAFOs | Renewal | Meadow Vista Farms LLC 166 Risser Road Bainbridge, PA 17502-9407 | Conoy Township Lancaster County | SCRO |
| PAG123830 | PAG-12 NPDES General Permit for CAFOs | Renewal | Reinford Farms Inc. 505 Cedar Grove Road Mifflintown, PA 17059-8134 | Walker Township Juniata County | SCRO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|--|-------------------------|--|--|-------------------|
| PAG123837 | PAG-12 NPDES General Permit for CAFOs | Renewal | Michael Wilt 1408 Pointer Road Everett, PA 15537 | East Providence Township Bedford County | SCRO |
| PAG123858 | PAG-12 NPDES General Permit for CAFOs | Renewal | Laurel Ridge Pig Co. 700 Swamp Church Road Reinholds, PA 17569-9417 | West Cocalico Township Lancaster County | SCRO |
| PAG123902 | PAG-12 NPDES General Permit for CAFOs | Renewal | Shadow Ridge Farm 2418 Bachman Road Lancaster, PA 17602-1802 | Strasburg Township Lancaster County | SCRO |
| PAG123913 | PAG-12 NPDES General Permit for CAFOs | New | Brian Martin 684 Church Road Womelsdorf, PA 19567-9481 | Marion Township Berks County | SCRO |
| PAG123914 | PAG-12 NPDES General Permit for CAFOs | New | Doug Woglemuth 1197 Landis Road Elizabethtown, PA 17022 | Mount Joy Borough Lancaster County | SCRO |
| PAG124864 | PAG-12 NPDES General Permit for CAFOs | Renewal | Country View Family Farms LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990 | Wells Township Bradford County | SCRO |
| 2518404 | Sewage Treatment Facilities Individual WQM Permit | Transfer | Deidre & Luke Reinhart 2805 Summerville Road Erie, PA 16510-4245 | Harborcreek Township Erie County | NWRO |
| 2593413 | Sewage Treatment Facilities Individual WQM Permit | Transfer | Ash West Springfield Properties LLC 7427 Chestnut Street Fairview, PA 16415-1132 | Springfield Township Erie County | NWRO |
| 2599412 | Sewage Treatment Facilities Individual WQM Permit | Transfer | Ash West Springfield Properties LLC 7427 Chestnut Street Fairview, PA 16415-1132 | Springfield Township Erie County | NWRO |
| 3274409 | Sewage Treatment Facilities Individual WQM Permit | Transfer | William B McIntire 1160 Hudson Road Creekside, PA 15732-8228 | Armstrong Township Indiana County | NWRO |
| 4020402 | Sewage Treatment Facilities Individual WQM Permit | New | Aqua Pennsylvania Wastewater, Inc. 1021 Pine Lane Mountain Top, PA 18707 | Rice Township Luzerne County | NERO |
| 4021401 | Sewage Treatment Facilities Individual WQM Permit | New | Aqua Pennsylvania Wastewater Inc. 1 Aqua Way White Haven, PA 18661-1115 | White Haven Borough Luzerne County | NERO |
| 5620406 | Sewage Treatment Facilities Individual WQM Permit | New | Pete A Yoder 6748 Mount Davis Road Meyersdale, PA 15552-6513 | Summit Township Somerset County | SWRO |
| 6286403 | Sewage Treatment Facilities Individual WQM Permit | Transfer | T Walker Enterprises 2 LLC 1439 Greeley Street Bear Lake, PA 16402-1441 | Bear Lake Borough Warren County | NWRO |
| 0220404 | Sewer Extensions and Pump Stations Individual WQM Permit | New | Churchill Borough Allegheny County 3300 Preble Avenue Pittsburgh, PA 15233-1025 | Pittsburgh City Allegheny County | SWRO |
| PA0265772 | Single Residence STP Individual NPDES Permit | Transfer | Deidre & Luke Reinhart 2805 Summerville Road Erie, PA 16510-4245 | Harborcreek Township Erie County | NWRO |
| WQG01251406 | WQG-01 WQM General Permit | Transfer | Margaret & Robert Yarnell 3271 Liams Court The Villages, FL 32163 | Springfield Township Erie County | NWRO |

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.
Northcentral Regional Office

PA0028631, Sewage, SIC Code 4952, **Mid Cameron Municipal Authority**, 421 N Broad Street, Emporium, PA 15834-1401. Facility Name: Mid Cameron Authority Sewer System STP. This existing facility is located in Emporium Borough, **Cameron County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Driftwood Branch Sinnemahoning Creek (TSF), is located in State Water Plan watershed 8-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | IMAX |
|---|---------------------------|---------------|-----------------|-----------------------|---------------|------------|
| | Average Monthly | Daily Maximum | Daily Minimum | Average Monthly | Daily Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min Report | XXX | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | | | | | | |
| Oct 1 - Apr 30 | 150 | 230 | XXX | 18 | 27 | 36 |
| May 1 - Sep 30 | 125 | 190 | XXX | 15 | 23 | 30 |
| | | Wkly Avg | | | Wkly Avg | |
| Biochemical Oxygen Demand (BOD ₅) | Report | XXX | XXX | Report | XXX | XXX |
| Raw Sewage Influent | | | | | | |
| Total Suspended Solids | 250 | 380 | XXX | 30 | 45 | 60 |
| | | Wkly Avg | | | Wkly Avg | |
| Total Suspended Solids | Report | XXX | XXX | Report | XXX | XXX |
| Raw Sewage Influent | | | | | | |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | Geo Mean 200 | XXX | 1,000 |
| | | | | Geo Mean | | |
| Nitrate-Nitrite as N (Total Load, lbs) (lbs) | XXX Report Total Mo | XXX XXX | XXX XXX | Report XXX | XXX XXX | XXX XXX |
| Total Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Total Nitrogen (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Effluent Net | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Ammonia-Nitrogen | | | | | | |
| Oct 1 - Apr 30 | 50 | 75 | XXX | 6 | 9 | 12 |
| May 1 - Sep 30 | 42 | 63 | XXX | 5.0 | 8.0 | 12 |
| | | Wkly Avg | | | Wkly Avg | |
| Ammonia-Nitrogen (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Total Kjeldahl Nitrogen (Total Load, lbs) (lbs) | XXX Report Total Mo | XXX | XXX | Report XXX | XXX | XXX |
| Total Phosphorus | XXX | XXX | XXX | Report | XXX | XXX |
| Total Phosphorus (Total Load, lbs) (lbs) | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Effluent Net | Report Total Mo | XXX | XXX | XXX | XXX | XXX |
| Thallium, Total (ug/L) | 0.005 | 0.008 | XXX | 0.6 | 0.93 | 1.49 |
| 3,3-Dichlorobenzidine (ug/L) | 0.002 | 0.003 | XXX | 0.23 | 0.36 | 0.57 |
| Ultraviolet light dosage (mjoules/cm ²) | XXX | XXX | Report | XXX | XXX | XXX |
| Hexachlorobutadiene (ug/L) | 0.04 | 0.063 | XXX | 4.82 | 7.51 | 12 |

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Daily Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------------------|-----------------------------|----------------------|----------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Copper, Total (mg/L) | 0.117 | 0.234 | XXX | 0.021 | 0.031 | 0.042 |
| Selenium, Total (ug/L) | Report | Report | XXX | Report | Report | XXX |
| Silver, Total (ug/L) | Avg Qrtly Report | Report | XXX | Avg Qrtly Report | Report | XXX |
| | Avg Qrtly Report | Report | XXX | Avg Qrtly Report | Report | XXX |
| Zinc, Total (ug/L) | Report | Report | XXX | Report | Report | XXX |
| 2,4-Dinitrophenol (ug/L) | Avg Qrtly Report | Report | XXX | Avg Qrtly Report | Report | XXX |
| | Avg Qrtly Report | Report | XXX | Avg Qrtly Report | Report | XXX |
| Bis(2-Ethylhexyl) Phthalate (ug/L) | Report | Report | XXX | Report | Report | XXX |
| | Avg Qrtly | | | Avg Qrtly | | |

Sludge use and disposal description and location(s): Greentree Landfill in Kersey, PA.

In addition, the permit contains the following major special conditions:

- Combined Sewer Overflow Requirements
- WET Testing Requirements
- Chesapeake Bay Requirements
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0208574, Sewage, SIC Code 7011, **Coach Stop LLC**, 4755 Route 6, Wellsboro, PA 16901-8046. Facility Name: Coach Stop Inn. This existing facility is located in Shippen Township, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), UNT to Pine Creek (EV), is located in State Water Plan watershed 9-A and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 Geo Mean | XXX | 1000 |

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| | | Daily Max | | | | |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 0.75 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 10 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 20 | XXX | 40 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0232726, Sewage, SIC Code 4952, **Potter Township Centre County**, 124 Short Road, Spring Mills, PA 16875-9326. Facility Name: Bloom Road Sewer Treatment System. This existing facility is located in Potter Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Potter Run (HQ-CWF), is located in State Water Plan watershed 6-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0016 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (CFU/100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |
| | | | | Geo Mean | | |

In addition, the permit contains the following major special conditions:

- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Regional Office

PA0035548, Sewage, SIC Code 9621, **PA DOT Maintenance & Operations Bureau**, 400 North Street Floor 6, Harrisburg, PA 17120-0206. Facility Name: PA DOT Rest Area 15. This existing facility is located in Plain Grove Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Jamison Run (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.008 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min 4.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | Geo Mean 200 | XXX | 1,000 |
| Total Nitrogen | XXX | XXX | XXX | Geo Mean Report | XXX | XXX |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 54.0 | XXX | 108.0 |
| May 1 - Oct 31 | XXX | XXX | XXX | 18.0 | XXX | 36.0 |
| Total Phosphorus | XXX | XXX | XXX | Report | XXX | XXX |

Sludge use and disposal description and location(s): Sludge is sent to an approved STP where it ultimately is disposed of at an approved landfill.

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0035556, Sewage, SIC Code 4173, 4952, **PA DOT Maintenance & Operations Bureau**, 400 North Street, Floor 6, Harrisburg, PA 17120-0206. Facility Name: PA DOT Rest Area 16. This existing facility is located in Plain Grove Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to the Jamison Run (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.008 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX Daily Max | 6.0 Inst Min | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 4.0 Inst Min | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Total Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 25.0 | XXX | 50 |
| May 1 - Oct 31 | XXX | XXX | XXX | 17.5 | XXX | 35 |
| Total Phosphorus | XXX | XXX | XXX | Report | XXX | XXX |

Sludge use and disposal description and location(s): Sludge is sent to an approved STP where it ultimately is disposed of at an approved landfill.

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288861, Sewage, SIC Code 8800, **Frances & Timothy Maziarz**, 15913 Wagner Drive, Meadville, PA 16335-9691. Facility Name: Frances & Timothy Maziarz SRSTP. This proposed facility is located in Woodcock Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to French Creek (WWF), is located in State Water Plan watershed 16-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX Annl Avg | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288870, Sewage, SIC Code 4952, 8800, **Sarah Curry**, 439 District Road, Fredonia, PA 16124-1505. Facility Name: Sarah Curry SRSTP. This proposed facility is located in Delaware Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Lawango Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0288888, Sewage, SIC Code 8800, **David Graber**, 120 Mount Zion Road, Sligo, PA 16255. Facility Name: David Graber SRSTP. This proposed facility is located in Licking Township, **Clarion County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Licking Creek (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Flow (GPD) | Report Annl Avg | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | Report | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

Application No. PA0266078, Concentrated Animal Feeding Operation (CAFO), **Danyell L & Robbie L Dickinson** (Robbie & Danyell Dickinson Farm CAFO), 199 W McKinleyville Road, Hustontown, PA 17229-9215.

Danyell L & Robbie L Dickinson have submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Robbie & Danyell Dickinson Farm CAFO, located in Taylor Township, **Fulton County**.

The CAFO is situated near Unnamed Tributary to Sideling Hill Creek (HQ-CWF, MF) in Watershed 12-C, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO will be designed to maintain an animal population of approximately 693.59 animal equivalent units (AEUs) consisting of 4,580 Swine Grow Finish. Liquid swine manure will be stored in two rectangular slatted floor underbarn storages while solid compost will be stored in three compost bins. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0081850 A-1, Industrial, SIC Code 4941, **Gettysburg Borough Municipal Authority Adams County**, 601 E Middle Street, Gettysburg, PA 17325-1951. Facility Name: Gettysburg Municipal Authority Water System. This existing facility is located in Cumberland Township, **Adams County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Marsh Creek (CWF), is located in State Water Plan watershed 13-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.215 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | 60 | 75 |
| Total Aluminum | XXX | XXX | XXX | 4.0 | 8.0 | 10 |
| Total Iron | XXX | XXX | XXX | 2.0 | 4.0 | 5.0 |
| Total Manganese | XXX | XXX | XXX | 1.0 | 2.0 | 2.5 |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0086541, Industrial, SIC Code 4222, **Denver Cold Storage Inc.**, 555A Sandy Hill Road, Denver, PA 17517. Facility Name: Denver Cold Storage. This existing facility is located in West Cocalico Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Indian Run (TSF), is located in State Water Plan watershed 7-J and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0505 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|-----------------|------------------------------|-----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Temperature (°F) | | | | | | |
| Nov 1 - Mar 31 | XXX | XXX | XXX | XXX | 60 Daily Max | XXX |
| Apr 1 - Oct 31 | XXX | XXX | XXX | XXX | 84 Daily Max | XXX |

The proposed effluent limits for Outfall 002 are based on a design flow of .0012 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | Daily Max XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |

The proposed effluent limits for Outfall 002 are based on a design flow of .0012 MGD.—Final Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| pH (S.U.) | XXX | XXX | 6.0 Inst Min | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |

In addition, the permit contains the following major special conditions:

- Septic tanks must be pumped out on routine basis
- Sludges and solids must be properly disposed
- Chemical additives can only be used in accordance with permit conditions
- A Preparedness, Prevention, and Contingency Plan must be maintained for stormwater management.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0030511 A-1, Sewage, SIC Code 8211, **Bermudian Springs School District**, 7335 Carlisle Pike, York Springs, PA 17372-0501. Facility Name: Bermudian Springs High School. This existing facility is located in Huntington Township, **Adams County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to North Branch Mud Run (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Interim Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.42 | XXX | 1.37 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| Ammonia-Nitrogen | | | | | | |
| May 1 - Oct 31 | XXX | XXX | XXX | 3.0 | XXX | 6.0 |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 9.0 | XXX | 18.0 |

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Final Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|----------------------|------------------------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Ultraviolet light intensity (mW/cm ²) | XXX | XXX | Report | XXX | XXX | XXX |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------|-----------------------------|----------------------|------------------------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Fecal Coliform (No./100 ml) | | | | | | |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 | XXX | 1,000 |
| Oct 1 - Apr 30 | XXX | XXX | XXX | Geo Mean 2,000 | XXX | 10,000 |
| Ammonia-Nitrogen | | | | | | |
| May 1 - Oct 31 | XXX | XXX | XXX | 3.0 | XXX | 6.0 |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 9.0 | XXX | 18.0 |

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------------|-----------------------------|---------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Total Annual</i> | | <i>Annual Average</i> | <i>Maximum</i> | |
| Nitrate-Nitrite as N | XXX | Report | XXX | Report | XXX | XXX |
| Total Nitrogen | XXX | Report | XXX | Report | XXX | XXX |
| Total Kjeldahl Nitrogen | XXX | Report | XXX | Report | XXX | XXX |
| Total Phosphorus | XXX | Report | XXX | Report | XXX | XXX |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0082147, Sewage, SIC Code 4952, **Graystone Community LLC**, P.O. Box 358, Mount Joy, PA 17552-0358. Facility Name: Holtwood MHP. This existing facility is located in Martic Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Muddy Run (TSF), is located in State Water Plan watershed 7-K and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|---------------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Nitrate-Nitrite as N (lbs/year) | XXX | Report Total Annual | XXX | Report Annl Avg | XXX | XXX |
| Total Nitrogen (lbs/year) | XXX | Report Total Annual | XXX | Report Annl Avg | XXX | XXX |
| Total Kjeldahl Nitrogen (lbs/year) | XXX | Report Total Annual | XXX | Report Annl Avg | XXX | XXX |
| Total Phosphorus (Total Load, lbs) (lbs) | XXX | Report Total Annual | XXX | XXX | XXX | XXX |

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|--|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report Daily Max | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | Inst Min XXX | 0.21 | XXX | 0.69 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | XXX | 60 |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-----------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Average Weekly</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | Geo Mean 200 | XXX | 1,000 |
| Ammonia-Nitrogen | | | | | | |
| Nov 1 - Apr 30 | XXX | XXX | XXX | 10.5 | XXX | 21 |
| May 1 - Oct 31 | XXX | XXX | XXX | 3.5 | XXX | 7 |
| Total Phosphorus (lbs/mo) | Report | XXX | XXX | 2.0 | XXX | 4 |
| | Total Mo | | | | | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0085316, Sewage, SIC Code 3999, **Fort Heritage Ltd**, 1958 Emmitsburg Road, Gettysburg, PA 17325-7196. Facility Name: Fort Heritage Lighthouse Chapel. This existing facility is located in Cumberland Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Marsh Creek, is located in State Water Plan watershed 13-D and is classified for cold-water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|----------------------|----------------|------------------------------|----------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.50 | XXX | 1.63 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25 | XXX | 50 |
| Total Suspended Solids | XXX | XXX | XXX | 30 | XXX | 60 |
| Fecal Coliform (No./100 ml) | | | | | | |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 | XXX | 1,000 |
| Oct 1 - Apr 30 | XXX | XXX | XXX | Geo Mean 2,000 | XXX | 10,000 |
| Nitrate-Nitrite as N | Report | XXX | XXX | Report | XXX | XXX |
| Total Nitrogen | Total Qrtly | Report | XXX | Avg Qrtly | XXX | XXX |
| Total Kjeldahl Nitrogen | Report | XXX | XXX | Report | XXX | XXX |
| Total Phosphorus | Total Qrtly | Report | XXX | Avg Qrtly | XXX | XXX |
| | Total Qrtly | Avg Qrtly | | Avg Qrtly | | |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0111422, Sewage, SIC Code 4952, **Thompsons town Borough Municipal Authority Juniata County**, P.O. Box 154, Thompsontown, PA 17094-0154. Facility Name: Thompsontown STP. This existing facility is located in Delaware Township, **Juniata County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Delaware Creek (TSF), is located in State Water Plan watershed 12-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.250 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|----------------|------------------------------|-----------------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Weekly Average</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|---------------------------|---------|-----------------------|----------------|--------|
| | Average Monthly | Daily Maximum | | Average Monthly | Weekly Average | |
| Dissolved Oxygen | XXX | XXX | 5.0 | XXX | XXX | XXX |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.6 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | 52.0 | 83.0 | XXX | 25.0 | 40.0 | 50.0 |
| Total Suspended Solids | 63.0 | Wkly Avg 94.0 | XXX | 30.0 | 45.0 | 60.0 |
| Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent | Report | Report | XXX | Report | XXX | XXX |
| Total Suspended Solids Raw Sewage Influent | Report | Report | XXX | Report | XXX | XXX |
| Fecal Coliform (No./100 ml) May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| Ammonia-Nitrogen May 1 - Oct 31 | 21.0 | XXX | XXX | 10.0 | XXX | 20.0 |
| Nov 1 - Apr 30 | Report | XXX | XXX | Report | XXX | Report |
| Nitrate-Nitrite as N | Report | XXX | XXX | Report | XXX | XXX |
| Total Nitrogen | Report Total Mo | Report Total Annual | XXX | Report | XXX | XXX |
| Effluent Net | Report Total Mo | 974 Total Annual | XXX | XXX | XXX | XXX |
| Ammonia-Nitrogen | Report Total Mo | Report Total Annual | XXX | XXX | XXX | XXX |
| Total Kjeldahl Nitrogen | Report Total Mo | XXX | XXX | Report | XXX | XXX |
| Total Phosphorus | Report Total Mo | XXX | XXX | Report | XXX | XXX |
| Effluent Net | Report Total Mo | 7,032 Total Annual | XXX | XXX | XXX | XXX |

In addition, the permit contains the following major special conditions:

- This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorous effluent mass limits, under the Department's Trading of Nutrients and Sediment reduction Credits Policy and Guidelines (Document # 392-0900-001, December 30, 2006). The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0245241, Sewage, SIC Code 4952, **Aaron Rittenhouse**, 18 Rosenberger Drive, Perkasie, PA 18944-2838. Facility Name: Rittenhouse SFTF. This proposed facility is located in Hilltown Township, **Bucks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Morris Run (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|---------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Average Quarterly | Maximum | |
| Ultraviolet light dosage (mWsec/cm ²) | XXX | XXX | XXX | Report Avg Mo | XXX | XXX |

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|------|
| | Average Monthly | Average Weekly | | Average Quarterly | Maximum | |
| Flow (GPD) | Report | XXX | XXX | XXX | XXX | XXX |
| pH (S.U.) | Avg Qrtly XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Dissolved Oxygen | XXX | XXX | Inst Min 5.0 | XXX | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | Inst Min XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | XXX |
| Total Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |
| Ammonia-Nitrogen | XXX | XXX | XXX | Report | XXX | XXX |

Sludge use and disposal description and location(s): Off-site.

In addition, the permit contains the following major special conditions:

- AMR to DEP
- DMR to DEP if Attached
- 1/year Measure Depth of Septage and Scum
- Septic Tanks Pumped Once Every Three Years
- Total Residual Chlorine Requirement
- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0218456, Sewage, SIC Code 4952, **Dale R. & Elaine L. Wright**, 432 Lakeview Drive, New Brighton, PA 15066-4123. Facility Name: Wright SRSTP. This existing facility is located in New Sewickley Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Brush Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | Minimum | Concentrations (mg/L) | | IMAX |
|---|----------------------|----------------|-----------------|-----------------------|---------|--------|
| | Average Monthly | Average Weekly | | Annual Average | Maximum | |
| Flow (MGD) | Report | XXX | XXX | XXX | XXX | XXX |
| Biochemical Oxygen Demand (BOD ₅) | Annl Avg XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Total Suspended Solids | XXX | XXX | XXX | 10.0 | XXX | 20.0 |
| Fecal Coliform (No./100 ml) | XXX | XXX | XXX | 200 | XXX | 1000 |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | Inst Min XXX | Report Avg Mo | XXX | Report |

In addition, the permit contains the following major special conditions:

- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0027715, Industrial, SIC Code 4953, **MAX Environmental Technologies Inc.**, Foster Plaza # 5, 651 Holiday Drive, Pittsburgh, PA 15220-2740. Facility Name: Yukon Facility. This existing facility is located in South Huntingdon Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for discharges of treated sanitary wastewater; treated landfill leachate and groundwater; and storm water. This is a revision to draft limits published on November 9, 2019.

The receiving streams, Sewickley Creek (WWF) and Unnamed Tributary to Sewickley Creek (WWF), are located in State Water Plan watershed 19-D and are classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.048 MGD.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | IMAX |
|---|----------------------|---------------|------------------|-----------------------|---------------|--------|
| | Average Monthly | Daily Maximum | Instant. Minimum | Average Monthly | Daily Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | 1.0 | XXX |
| Biochemical Oxygen Demand (BOD ₅) | XXX | XXX | XXX | 37.0 | 140.0 | 175 |
| Total Suspended Solids | XXX | XXX | XXX | 28.0 | 60.0 | 75 |
| Total Dissolved Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Osmotic Pressure (mOs/kg) | XXX | XXX | XXX | 1,000 | 2,000 | 2,500 |
| Oil and Grease | XXX | XXX | XXX | 15.0 | XXX | 30.0 |
| Ammonia-Nitrogen | XXX | XXX | XXX | 18.9 | 37.9 | 47.25 |
| Aluminum, Total | XXX | 2.34 | XXX | 1.0 | 2.0 | 2.5 |
| Antimony, Total | XXX | XXX | XXX | Report | Report | XXX |
| Arsenic, Total | XXX | XXX | XXX | 2.69 | 4.21 | 6.74 |
| Barium, Total | XXX | XXX | XXX | 4.0 | 8.0 | 10 |
| Cadmium, Total | XXX | XXX | XXX | 0.025 | 0.05 | 0.0625 |
| Chromium, Hexavalent | XXX | XXX | XXX | 0.05 | 0.1 | 0.125 |
| Chromium, Total | XXX | XXX | XXX | 0.5 | 1.0 | 1.25 |
| Copper, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Cyanide, Free | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |
| Iron, Total | XXX | 8.17 | XXX | 3.5 | 7.0 | 8.75 |
| Lead, Total | XXX | XXX | XXX | 0.12 | 0.24 | 0.3 |
| Molybdenum, Total | XXX | XXX | XXX | Report Avg Qrtly | Report | XXX |
| Nickel, Total | XXX | XXX | XXX | 1.0 | 2.0 | 2.5 |
| Selenium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Silver, Total | XXX | XXX | XXX | 0.005 | 0.01 | 0.0125 |
| Strontium, Total | XXX | XXX | XXX | Report | Report | XXX |
| Sulfate, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Tin, Total | XXX | XXX | XXX | Report Avg Qrtly | Report | XXX |
| Zinc, Total | XXX | XXX | XXX | 0.19 | 0.37 | 0.475 |
| Phenol | XXX | XXX | XXX | 0.015 | 0.026 | 0.0375 |
| a-Terpineol | XXX | XXX | XXX | 0.016 | 0.033 | 0.04 |
| Benzoic Acid | XXX | XXX | XXX | 0.071 | 0.12 | 0.177 |
| Chloride | XXX | XXX | XXX | XXX | Report | XXX |
| Bromide | XXX | XXX | XXX | XXX | Report | XXX |
| p-Cresol | XXX | XXX | XXX | 0.014 | 0.025 | 0.035 |
| Phenolics, Total | XXX | XXX | XXX | 0.1 | 0.2 | 0.25 |

The proposed monitoring requirements for Internal Monitoring Point 101 are for groundwater and seepage.—Limits.

| Parameters | Mass Units (lbs/day) | | | Concentrations (mg/L) | | IMAX |
|------------------|----------------------|---------------|---------|-----------------------|---------------|------|
| | Average Monthly | Daily Maximum | Minimum | Average Monthly | Daily Maximum | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Antimony, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Arsenic, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Barium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Beryllium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cadmium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Chromium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Cyanide, Free | XXX | XXX | XXX | XXX | Report | XXX |
| Cyanide, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Fluoride, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Lead, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Mercury, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Nickel, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Selenium, Total | XXX | XXX | XXX | XXX | Report | XXX |

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Silver, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Strontium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Sulfide, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Thallium, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Vanadium, Total | XXX | XXX | XXX | XXX | Report | XXX |

The proposed monitoring requirements for Internal Monitoring Point 201 are for raw landfill leachate.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |

The proposed effluent limits for Outfall 007 are based on a design flow of 0.0015 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|---|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | Report | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | 6.0 | XXX | XXX | 9.0 |
| Total Residual Chlorine (TRC) | XXX | XXX | XXX | 0.5 | XXX | 1.0 |
| Carbonaceous Biochemical Oxygen Demand (CBOD ₅) | XXX | XXX | XXX | 25.0 | XXX | 50.0 |
| Total Suspended Solids | XXX | XXX | XXX | 30.0 | XXX | 60.0 |
| Fecal Coliform (No./100 ml) | | | | | | |
| Oct 1 - Apr 30 | XXX | XXX | XXX | 2,000 Geo Mean | XXX | 10,000 |
| May 1 - Sep 30 | XXX | XXX | XXX | 200 Geo Mean | XXX | 1,000 |

The proposed effluent limits for Outfall 009 and Internal Monitoring Points 109, 209, and 309 are for storm water.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> | | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> | | <i>IMAX</i> |
|------------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
| | <i>Average Monthly</i> | <i>Daily Maximum</i> | | <i>Average Monthly</i> | <i>Daily Maximum</i> | |
| Flow (MGD) | XXX | Report | XXX | XXX | XXX | XXX |
| pH (S.U.) | XXX | XXX | XXX | XXX | Report | XXX |
| Chemical Oxygen Demand (COD) | XXX | XXX | XXX | XXX | Report | XXX |
| Total Suspended Solids | XXX | XXX | XXX | XXX | Report | XXX |
| Ammonia-Nitrogen | XXX | XXX | XXX | XXX | Report | XXX |
| Aluminum, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Iron, Total | XXX | XXX | XXX | XXX | Report | XXX |
| Manganese, Total | XXX | XXX | XXX | XXX | Report | XXX |

In addition, the permit contains the following major special conditions: requirements applicable to storm water, chemical additives, and emergency overflows.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|---------------------------|-------------------------|---|---|---|
| PAD510012 A-8 | New | Philadelphia Authority for Industrial Development 1500 Market Street Philadelphia, PA 19102 | City of Philadelphia Philadelphia County | DEP SERO, Waterways and Wetlands Program 2 E. Main Street Norristown, PA 19401-4915 (484) 250-5900 |
| PAD510196 | New | Wood Capital Investments 8, LLC 2301 Washington Avenue Suite 111 Philadelphia, PA 19146-2534 | City of Philadelphia Philadelphia County | DEP SERO, Waterways and Wetlands Program 2 E. Main Street Norristown, PA 19401-4915 (484) 250-5900 |

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|---------------------------|-----------------------------|--|--|---|
| PAD090066 | New | Richard and Margaret DeAngelis 301 Pointe View Drive Mars, PA 16046 | Plumstead Township Bucks County | DEP Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| PAD090070 | New | Sellersville Management LLC 374 Easton Road Warrington, PA 18976-2418 | West Rockhill Township Bucks County | DEP Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900 |
| PAD640025 | New | Name Roamingwood Sewer and Water Authority John Lennox P.O. Box 6 Lake Ariel, PA 18436-0006 | Salem Township Wayne County | DEP NERO, Waterways & Wetlands Program 2 Public Square Wilkes-Barre, PA 18701 570.826.2511 |
| PAD390193 | New | Muhlenberg College 2400 Chew St. Allentown, PA 18104 | City of Allentown Lehigh County | DEP NERO, Waterways & Wetlands Program 2 Public Square Wilkes-Barre, PA 18701 570.826.2511 |
| PAD210065 | New | The Giant Company, LLC 1149 Harrisburg Pike Carlisle, PA 17013-1607 | Middlesex Township Cumberland County | DEP SCRO, Waterways & Wetlands Program 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4802 |
| PAD210017 A-1 | Major Amendment | Ridge Penn Commerce Partners I, LLC 3340 Peachtree Road Suite 1000 Atlanta, GA 30326 | Penn Township Cumberland County | DEP SCRO, Waterways & Wetlands Program 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4802 |
| PAD070014 | New | M&G Realty, Inc. 2100 North George Street York, PA 17404 | Antis Township Blair County | DEP SCRO, Waterways & Wetlands Program 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4802 |
| PAD380012 | New | Exel Inc. d/b/a DHL Supply Chain (USA) 360 Westar Boulevard Westerville, OH 43082 | South Lebanon Township Lebanon County | DEP SCRO, Waterways & Wetlands Program 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4802 |
| PAD140009 A-1 | Renewal and Major Amendment | Lindsey Kiefer 2990 Ernest Lane State College, PA 16801 | Ferguson Township Centre County | NCRO |
| PAD410013 | New | Pennsylvania General Energy Co LLC 120 Market St Warren, PA 16365 | Mill Creek & Plunketts Creek Twps Lycoming County | NCRO |

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at

http://www.nacdnet.org/about/districts/directory/pa.phtml or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal / New</i> |
|---|-----------------|--------------------|--------------------------------|-----------------------|---|----------------------|
| Wayne Leid 14159 Paxton Run Rd Shippensburg, PA 17257 | Franklin County | 90.5 | 418.20 | Poultry, Horse, Swine | NA | New |
| Noah Sauder 401 Elco Drive Myerstown, PA 17067 | Lebanon County | 12 | 626.85 | Swine | NA | Renewal |
| Curtis Brubaker 3038 Beaver Run Road Mifflinburg PA 17844 | Union County | 354.75 Acres | 633.63 | Swine and Poultry | N/A | Renewal |
| Irwin Martin 231 Brosius Hill Road Mt. Pleasant Mills, PA 17853 | Snyder County | 113.5 | 614.26 | Turkey | NA | Renewal |

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office

listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 6520508, Public Water Supply.

| | |
|---------------------------|---|
| Applicant | Ligonier Township Municipal Authority 1 Municipal Park Drive Ligonier, PA 15658 |
| Township or Borough | Ligonier and Fairfield Townships; Ligonier Borough |
| County | Westmoreland County |
| Responsible Official | Anthony Griffith, Manager |
| Type of Facility | Water system |
| Consulting Engineer | The EADS Group 450 Aberdeen Drive Somerset, PA 15501 |
| Application Received Date | November 25, 2020 |
| Description of Action | Installation of a water storage tank, four booster stations, pressure reducing stations and control modifications at the water treatment plant. |

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Havas-Jacobsen Residence, 1804 Jennings Street, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. J. Rockwood and Associates, P.O. Box 1006, Easton, PA 18044, on behalf of Karyn Havas and Christie Jacobsen, 1804 Jennings Street, Bethlehem, PA 18017, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Lehigh Valley Press* on January 13, 2021.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

531 East 28th Division Highway, Lititz, PA 17543, Elizabeth Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Martin Paving, Inc., 531 East 28th Division Highway, Lititz, PA 17543, submitted a Notice of Intent Remediate site soil contaminated with diesel fuel. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is expected to be non-residential. The Notice of Intent to Remediate was published in the *Lititz Record Express* on December 24, 2020.

5 Penryn Lane, Cornwall, PA 17016, Borough of Cornwall, **Lebanon County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Angelica F. Brennan, 5 Penryn Lane, Cornwall, PA 17016, and Robert J. Hamilton, P.O. Box 478, Ephrata, PA 17522, submitted a Notice of Intent to Remediate site soil contaminated with heating oil. Heating oil also entered a surface-water drainage ditch within the adjacent property. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is to be used as residential. The Notice of Intent to Remediate was published in the *Lebanon Daily News* on January 7, 2021.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

AITX, LLC, 345 Yocum Road, Milton, PA 17847-7501, West Chillisquaque Township, **Northumberland County**. HRP Associates, Inc., 197 Scott Swamp Road, Farmington, CT 06032, on behalf of AITX, LLC, 100 Clark Street, Saint Charles, MO 63301, has submitted a Notice of Intent to Remediate concerning site soil and groundwater contaminated with tetrachloroethylene (PCE) and trichloroethylene (TCE). The applicant proposes to remediate the site to meet the Non-Residential Site-Specific Standard. A summary of the Notice of Intent to Remediate was published in the *Standard Journal* on December 26, 2020.

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Community Guidance Center, 304 East Pike Road, Indiana, PA 15701, White Township, **Indiana County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101-3603 on behalf of Community Guidance Center, 793 Old Route 119, Highway N, Indiana, PA 15701 has submitted a Notice of Intent to Remediate. Historical operation of a

natural gas well has resulted in site soil and groundwater being contaminated with Arsenic, Beryllium, Iron, Manganese, and Nickel. Intended future use of the property will be non-residential. The Notice of Intent to Remediate was published in the *Indiana Gazette* on December 17, 2020.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Renewal Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110-8200.

Permit No. 101566. Hanover Area Transfer Station—Borough of Hanover, 44 Frederick Street, Hanover, PA 17331, Penn Township, **York County**. An application for a permit renewal was submitted by the Borough of Hanover, for continued operation of the Hanover Area Municipal Waste Transfer Station located in Penn Township, York County. This application was deemed administratively complete by the Southcentral Regional Office on January 21, 2021.

Comments concerning the application should be directed to Mr. John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200. Persons interested in obtaining more information about this permit application may contact the Southcentral Regional Office at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments,

protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

63-00990C: Donora Dock, LLC (1501 Ligonier Street, Latrobe, PA 15650). In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-63-00990C) to Donora Dock LLC to authorize the expansion from five (5) petroleum coke and coal stockpiles, each of which are 1.4 acres in size to ten (10) petroleum coke and coal stockpiles, each of which are 1.4 acres in size as well as extension of haul roads to each of the stockpiles at the facility located in Carroll Township, **Washington County**. Allowance of temporary operation of the expansion described previously is also intended for issuance through this plan approval. Control of emissions from the facility will remain the same as permitted in the current synthetic minor SOOP as follows: a pressurized water truck equipped with water

cannon and roadway spray nozzles; a sweeper, and pressurized water truck for roadway control; water sprays at each transfer point; minimization of drop heights, a barge loading by telescopic chute.

Upon authorization of this plan approval, the facility's potential to emit will not exceed 71.0 tons PM₁₀ and 0.1 ton of HAPs. The facility is subject to the best available technology (BAT). The emission limit restrictions, throughput limitations, monitoring, recordkeeping, reporting, and work standards practice conditions of the proposed plan approval have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise the current synthetic minor SOOP application in accordance with 25 Pa. Code Subchapter F.

Donora Dock's Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Laura Dickson at ldickson@pa.gov or 412.442.4155. A person may oppose the proposed Plan Approval by filing a written protest with the Department through Laura Dickson via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to ldickson@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-63-00990C) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Edward F. Orris, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to eorris@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

20-145C: Vitro Flat Glass LLC (5123 Victory Boulevard, Cochranton, PA 16314), for the proposed Plantwide Applicability Limits (PAL) at the Vitro Flat Glass—Meadville Plant in Greenwood Township, **Crawford County**. This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval

will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No. 20-145C is for the proposed PALs for the facility. This Plan Approval will contain emission restrictions, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Site Level Requirements
- Pursuant to the requirements of 40 CFR 52.21(aa) and 25 Pa. Code § 127.218, the following PSD/NNSR PAL is established for the following pollutants:
 - PM (TSP)—299.5 tpy based on a 12-month rolling total
 - PM₁₀—287.09 tpy based on a 12-month rolling total
 - PM_{2.5}—256.55 tpy based on a 12-month rolling total
 - SO_x—313.65 tpy based on a 12-month rolling total
 - NO_x—1859.59 tpy based on a 12-month rolling total
 - The emissions shall include fugitive emissions, to the extent quantifiable, from all emissions units that emit or have the potential to emit the PAL pollutant at the major facility as required by 25 Pa. Code § 127.218(c)(4) and 40 CFR 52.21(aa)(4)(i)(d).
 - For each month during the PAL effective period after the first 12 months of establishing a PAL, the owner or operator of the major facility shall show that the sum of the monthly emissions from each emissions unit under the PAL for the previous 12 consecutive months, expressed as a 12-month rolling total, is less than the PAL. For each month during the first 11 months from the PAL effective date, the owner or operator of the major facility shall show that the sum of the preceding monthly emissions from the PAL effective date for each emissions unit under the PAL is less than the PAL as required by 25 Pa. Code § 127.218(c)(1) and 40 CFR 52.21(aa)(4)(i)(a).
 - The owner or operator of a major facility shall monitor all emissions units in accordance with 25 Pa. Code § 127.218(m) and 40 CFR 52.21(aa)(12).
 - The owner or operator shall retain a copy of the records necessary to determine compliance with the PAL, including a determination of the 12-month rolling total emissions for each emissions unit, for 5 years as required by 25 Pa. Code § 127.218(n)(1) and 40 CFR 52.21(aa)(13)(i).
 - The owner or operator shall retain a copy of the following records for the duration of the PAL effective period and 5 years after the PAL permit expires as required by 25 Pa. Code § 127.218(n)(2) and 40 CFR 52.21(aa)(13)(ii):
 - A copy of the PAL permit application and applications for revisions to the PAL permit.
 - Each annual certification of compliance required under Title V of the Clean Air Act (42 U.S.C.A. §§ 7661–7661f) and regulations adopted under the act and the data relied on in certifying the compliance.
 - The owner or operator of a major facility shall retain the records required under 25 Pa. Code § 127.218(n) and 40 CFR 52.21(aa)(13) and they shall be retrievable onsite. Such records may be retained in an electronic format.

- The owner or operator of a major facility shall submit the reports required under 25 Pa. Code § 127.218(o) and 40 CFR 52.21(aa)(14) by the required deadlines.

- Emission calculations for compliance purposes shall include emissions from startups, shutdowns and malfunctions as required by 25 Pa. Code § 127.218(g)(4) and 40 CFR 52.21(aa)(7)(iv).

- The owner or operator of a major facility shall use the calculation procedures contained in Air-Emissions, Meadville_CY2018rv2 & Air-Emissions, Meadville_CY2019rv2 spreadsheet from the PAL application (or a Department approved equivalent) to convert the monitoring system data to monthly emissions and annual emissions based on a 12-month rolling total for each month as required by 25 Pa. Code § 127.218(n)(1) and 40 CFR 52.21(aa)(13)(i).

- The PSD and NNSR PAL for emissions are established for the following sources at the facility:

1. Source 031—Boiler # 1
2. Source 032—Boiler # 2
3. Source 033—Boiler # 3
4. Source 034—Boiler # 4
5. Source 101—Glass Melting Furnace 8-1
6. Source 102—Glass Melting Furnace 8-2
7. Source 108—Wareroom Packers B&C
8. Source 109—Wareroom Packers 1—3
9. Source 111—Culler Drop 0 Line 1
10. Source 112—Culler Drop 0 Line 2
11. Source 114—Raw Material Transfer (Non-sand)
12. Source 114A—Soda Ash Handling System
13. Source 119A—Check Scale Line 1
14. Source 119B—Check Scale Line 2
15. Source 120—Wareroom Packer A
16. Source 132—Surface Passivation 1
17. Source 133—Surface Passivation 2
18. Source 168—Raw Material Transfer (Sand)
19. Source 169—Soda Ash Silo
20. Source 170—Sand Silo (2)
21. Source 171—Cullet Silo (3)
22. Source 172—Limestone Silo
23. Source 173—Gypsum Silo
24. Source 174—Dolomite Silo
25. Source 175—W System Line 1
26. Source 176—W System Line 2
27. Source 177—Batch Mixer Line 1
28. Source 178—Batch Mixer Line 2
29. Source 183—Parts Cleaner
30. Source 184—Incline Cullet Area line 1 & 2
31. Source 121—EDE L1
32. Source 122—EDE L2
33. Source 123—EDE Boiler Room
34. Source 129A—EDE L1 Mill Water
35. Source 129B—EDE L2 Mill Water

36. Source 130—EDE Fire Water Pump

37. Source 131—EDE City Water Pump

- The PAL effective period is 10 years from plan approval issuance.

- In accordance with the plantwide applicability limit (PAL) provisions incorporated by reference at 25 Pa. Code § 127.83 and those of 25 Pa. Code § 127.218(k), if the owner or operator of the facility submits a timely application to renew the PAL, the PAL permit will not expire at the end of the PAL effective period. The PAL permit shall remain in effect until the Department issues a revised PAL permit.

- If not required by condition (c)(2), the Department shall renew the PAL unchanged, if the emissions, calculated in accordance with 25 Pa. Code § 127.218(f) and 40 CFR 52.21(aa)(10)(iii) are below 80% of the PAL level solely due to reduced utilization.

- The Department may reduce the PAL in accordance with 25 Pa. Code §§ 127.218(i)(1)(ii), 127.218(i)(2), 127.218(k)(4)(iii), or 40 CFR 52.21(aa)(10)(iv)(c)(1) as necessary.

- Upon expiration of the PAL permit, the owner or operator of a major facility is subject to the requirements of 25 Pa. Code § 127.218(j) and 40 CFR 52.21(aa)(9).

- Emissions from a new source that requires a plan approval shall be the minimum attainable through the use of BAT. A physical change or change in method of operation at an existing emissions unit will not be subjected to BAT requirements of this chapter unless the emissions unit is modified so that the fixed capital cost of new components exceeds 50% of the fixed capital cost that would be required to construct a comparable entirely new emissions unit as required by 25 Pa. Code § 127.218(g)(10).

- Subject to 25 Pa. Code § 127.218 and 40 CFR 52.21(aa).

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval 20-145C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests

for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously listed public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State Only Operating Permits or §§ 127.521 to 127.524 for Title V operating permits.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief of Source Registration at 215-685-9426.

AMS Plan Approval No. IP20-000455: AdvanSix Resins & Chemicals LLC—Frankford Plant (2501 Margaret St., Philadelphia, PA 19137) for a change in operation to process VT-118 phenol at the high purity phenol unit, specifically through distillation columns CL-120 and CL-121 at their facility in the City of Philadelphia, **Philadelphia County**. The process change has a potential emission increase of 3.39 tons per year of hazardous air pollutants and 3.39 tons per year of volatile organic carbons. Emissions increases are due to processing lower purity phenol in the distillation columns. The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

Copies of all documents and information concerning this permit are available for review in the offices of Air Management Services, 321 University Ave., Philadelphia, PA 19104-4543 during normal business hours. Persons wishing to review these documents should contact Debra Williams (215-685-7572) at the previously listed address.

Persons wishing to file protest, comments or to request a public hearing on the previously listed permit must submit the protest, comments, or request for a public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

38-03064: Rothermel Finkenbinder Funeral Home & Crematory, Inc. (25 West Pine Street, Palmyra, PA 17078) to issue a State Only Operating Permit for the funeral home located in Palmyra Borough, **Lebanon County**. The potential emissions from the facility are estimated at 1.9 tpy of NO_x, 4.1 tpy of CO, 2.4 tpy of PM,

0.8 tpy of SO_x and 1.1 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00040: Moshannon Valley School District (4934 Green Acre Road, Houtzdale, PA 16651-9424) for a renewal of the Air Quality State Only Operating Permit for continued operation of the sources at this education institute facility in Bigler Township, **Clearfield County**. The sources in operation are two (2) 6.4 MMBtu/hr (each) CNB boilers (identical model T185-LW-CA/02), designated as Source IDs 031 and 031A which are permitted to be fired on bituminous coal and No. 2 fuel oil; two (2) small No. 2 fuel fired boilers and a hot water tank heater (Source IDs 032 and 033 respectively), a 80-kW propane fired generator (Source P101), and two (2) 470-hp diesel Cummins emergency engines (Source IDs P201 and P201A). The potential emissions (tons per year) of nitrogen oxides (NO_x, expressed as NO₂), carbon monoxide (CO), volatile organic compounds (VOC), sulfur oxides (SO_x expressed as SO₂), PM₁₀ & PM_{2.5}, and hazardous air pollutants (HAP), and carbon dioxide (CO₂) for the facility are, as follows: 9.0 TPY NO_x; 5.9 TPY CO; 0.8 TPY VOC; 36.6 TPY SO_x; 3.8 TPY PM₁₀; 0.6 TPY HAP; and 6,603 TPY CO₂. The boilers are each subject to fuel quality standards, established pursuant to Best Available Technology, along with monitoring and recordkeeping to verify compliance with the standards. Additionally, the boilers are subject to work practice requirements, including combustion tune-ups pursuant to 40 CFR Part 63 Subpart JJJJJ (6J). The Cummins emergency engines are subject to 40 CFR Part 60 subpart IIII and the other emergency engine fired on propane is subject to 40 CFR Part 63 Subpart ZZZZ. The renewal permit includes all applicable air quality regulatory requirements including appropriate testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance. The applicable regulatory requirements were derived from 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.3636.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

30-00089: Eastern Gas Transmission and Storage, Inc. (5000 Dominion Blvd., 2NW, Glen Allen, VA 23060-3308) In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice that they intend to issue a renewal natural minor State Only Operating Permit for the operation of the Crayne Compressor Station in Franklin Township, **Greene County**.

Equipment authorized under this operating permit includes two (2) Solar model Taurus 60 natural gas-fired combustion turbines rated at 7,830 hp each, a 1,000-gallon pipeline fluids tank, a 3,000-gallon residual wastewater tank, an 0.52 MMBtu/hr natural gas-fired Peerless boiler, and a plant hot water heater.

Annual potential emissions from this facility are estimated at: 55.83 tons of NO_x, 3.89 tons of VOC, 69.65 tons of CO, 25.16 tons of PM₁₀/PM_{2.5}, 0.36 ton of sulfur oxides, 3.68 tons of total HAPs, and 74,426 tons of CO₂e.

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The turbines are subject to 40 CFR Part 60, Subpart GG—Standards of Performance for Stationary Gas Turbines. The proposed operating permit includes emission limitations, monitoring, work practice, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 30-00089) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

30-00195: Equitrans, LP (2200 Energy Drive, Canonsburg, PA 15317-1001). In accordance with 25 Pa. Code §§ 127.441, 127.425, and 127.521, the Department is providing notice that it intends to issue an initial Title V Operating Permit for the continued operation of a natural gas compressor station located off of Denny Hill Road in Jefferson Township, **Greene County**. The facility is currently operating under plan approvals PA-30-00195 and PA-30-00195A, respectively. Sources of emissions at the facility include three (3) 4,735-HP Caterpillar G3616LE compressor engines, one (1) 124.14 MMBtu/hr Solar Mars 100-16000S natural gas-fired turbine, one (1) 690-HP Caterpillar G3412TA emergency generator, one (1) 3.85 MMBtu/hr reboiler and 0.36 MMBtu/hr fuel line heater, one (1) 10,000-gallon storage tank, one (1) 450 MMscf/day dehydration unit, venting and blowdown events, fugitive emissions, crankcase emissions, and pigging operations. Miscellaneous sources at this facility include rod packing, pneumatic devices, condensate loadout, and seven (7) storage tanks with 4,000-gallon capacities or less. The facility's potential-to-emit is estimated to be the following: 105.0 TPY NO_x; 26.2 TPY CO; 39.9 TPY VOC; 2.3 TPY SO_x; 15.0 TPY PM₁₀; 15.0 TPY PM_{2.5}; 10.3 TPY total HAP; 7.2 TPY single

HAP; and 164,300 TPY CO₂e. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145, 40 CFR Part 60 Subpart KKKK, 40 CFR Part 60 Subpart JJJJ, and 40 CFR Part 63 Subpart ZZZZ. The proposed Title V operating permit includes emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Title V Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit 30-00195 and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

63-00914: Bolsan Company Inc. (163 Linnwood Road, Eighty Four, PA 15330-2919). In accordance with 25 Pa. Code §§ 127.424 and 127.425, notice is hereby given that the Pennsylvania Department of Environmental Protection (DEP) intends to issue an Air Quality State Only Operating Permit (SOOP) renewal to Bolsan Company to authorize the continued operation of their facility that manufactures shims and laminated shim stock, mostly for the aerospace industry. The facility is located in North Strabane Township, **Washington County**.

The emission sources at this facility are a Faustel coater and dryer, a 1A coater and dryer, an enclosed spray booth, a hot oil heater that is used to heat oil for presses, a dust collector vented indoor and a thermal oxidizer. The estimated potential emissions from the facility are: 1.718 tpy NO_x, 1.443 tpy CO, 0.010 tpy SO_x, 0.131 PM₁₀, and 21.263 tpy VOC. The proposed SOOP renewal contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145.

A person may oppose the proposed State Only Operating Permit renewal by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and

telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (63-00914) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

Bolsan Company's State Only Operating Permit application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Operating Permit for this facility are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Bolsan Company's State Only Operating Permit application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Operating Permit for this facility, a person may contact Noor Nahar at nnahar@pa.gov or 412.442.5225.

All comments must be received prior to the close of business 30 days after the date of this publication.

65-00659: Hanson Aggregates BMC, Inc./Adamsburg Asphalt Plant (2200 Springfield Pike, Connellsville, PA 15425). In accordance with 25 Pa. Code §§ 127.424, 127.425, and 127.521, the Department is providing notice of intent to issue a synthetic minor State Only Operating Permit for the operation of a drum mix Hot Mix Asphalt (HMA) plant located in Hempfield Township, **Westmoreland County**.

Hanson operates one HMA plant at a maximum production rate of 500 tons HMA/year and one asphalt crusher and screening deck. This facility has a potential to emit 15.3 tons of NO_x, 60.4 tons of CO, 20.3 tons of VOCs, 21.3 tons of SO_x, 17.3 tons of PM, 9.8 tons of PM₁₀, and 3.7 tons of HAPs based on the proposed operating limits. The facility will be limited to 736,000 tons HMA/yr and 1,380,000 gallons of liquid fuel per 12-cmp. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit 65-00659 and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under

25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00340: Eagle Printing Company (P.O. Box 271, Butler, PA 16003). The Department intends to renew the State Only Operating Permit for the newsprint facility located in the City of Butler, **Butler County**. The major source at the facility is a cold set printing press process. The facility is a Synthetic Minor. The potential emissions from the facility are as follows: VOCs, 45.16 tpy; any single HAP < 1 tpy; and all combined HAPs < 1 tpy. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

03-00173: Armstrong Terminal, Inc./Schenley Terminal (1 Railroad Street, Schenley, PA 15682). The Department intends to issue a Natural Minor Operating Permit renewal for the operation of barge unloading and bulk commodity storage located in Gilpin Township, **Armstrong County**. The facility consists of a single dock for unloading barges with one clam shell crane. Material is transferred via a 400-ton per hour hopper and conveyor belt into the building; to trucks; or to an outside stockpile. All trucks carrying bulk material must be tarped when leaving the terminal, drop height from front-end loaders and clam shell bucket must be kept as short as possible to minimize dust emissions, and stockpiles must be kept as compact as possible to limit exposure to the wind. The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

10-00119: Allegheny Mineral Corporation, Slippery Rock Plant (P.O. Box 1022, Kittanning, PA 16201-5022). The Department is providing notice that they intend to reissue a State Only Operating Permit for the limestone processing plant located in Slippery Rock Township, **Butler County**. The facility consists of the limestone processing plant (crushers, conveyors, screening, bins, loading/unloading, roadways), a 440 hp diesel generator engine, and a 225 hp diesel generator engine. The potential emissions of the major pollutants from the facility are as follows: PM₁₀: 12.85 TPY, NO_x: 2.38 TPY, SO_x: 0.0063 TPY, VOC: 1.248 TPY, and CO: 0.71 TPY; thus, the facility is a natural minor. The engines are subject to 40 CFR Part 60, Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, as well as General Permit GP9 conditions. The facility is subject to 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants, as well as General Permit GP3 conditions. The permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

10-00379: Mountain Gathering (22777 Springwoods Village Parkway, Spring, TX 77389). The Department intends to renew a new State Only Operating Permit for Mountain Gathering's Penn Cryo facility located in Penn Township, **Butler County**. The facility is a Natural Minor. Potential emissions are estimated as follows: 4.076 tpy NO_x; 8.1333 tpy CO; 7.178 tpy VOC; 0.059 tpy SO₂; 0.666 tpy PM; and 0.915 tpy all combined HAPs. The primary sources at the facility are a 21.4 million Btu/hr process heater, 3 storage tanks, and a gas processing plant. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

16-00043: J. M. Smucker, LLC, (300 Kleck Avenue, New Bethlehem, PA 16242). The Department intends to renew the State Only operating permit for the peanut processing facility located in the Borough of New Bethlehem, **Clarion County**. The sources at the facility include peanut processing equipment, 2 natural gas fueled peanut roasters, peanut skin transfer, and natural gas fueled heaters for comfort heating. The facility is a Natural Minor. Emissions from the facility are as follows: VOCs, < 1 tpy; CO, < 1 tpy; NO_x, < 1 tpy; SO₂, < 1 tpy; PM, < 1 tpy; and all combined HAPs < 1 tpy. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

20-00232: Meadville Plating (10775 Franklin Pike, Meadville, PA 16335). The Department intends to renew the State Only Operating Permit for the plating operations facility located in West Mead Township, **Crawford County**. The sources at the facility include 8 hard chromium plating tanks (subject to 40 CFR Part 63, Subpart N), miscellaneous natural gas combustion sources, a TCE cold cleaning tank (subject to 40 CFR Part 63 Subpart T), nickel electroplating tanks (subject to 40 CFR Part 63 Subpart WWWW) and other trivial activities. Emissions from the hard chromium plating tanks are less than 0.015 mg/dscm. Other criteria pollutants are less than 1 TPY. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Trinity Glass International Inc.** (8014 Industrial Blvd, Breinigsville, PA 18032) for their facility located in Upper Macungie Twp., **Lehigh County**. This **Plan Approval No. 39-00112A** will be converted into a synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 39-00112A is for the installation & operation of a new paint spray booth with panel filters to paint fiberglass and plastic doors. VOC emissions from the facility will be less than 50 TPY threshold limit, 12-month rolling sum. Particulate emissions will not exceed 0.04 grains/dscf. The company shall be subject to and comply with 25 Pa. Code Chapter 129.52 for VOC emission limits for coatings. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. Emissions will be controlled by the use of dry filters. All coatings will be low VOC contain coatings and will meet the coating VOC limits. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 39-00112A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, EEM, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is avail-

able for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of

comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

| Parameter | 30-Day Average | Daily Maximum | Instantaneous Maximum |
|-------------------|------------------|---------------------------------|-----------------------|
| Iron (total) | 1.5 to 3.0 mg/l | 3.0 to 6.0 mg/l | 3.5 to 7.0 mg/l |
| Manganese (total) | 1.0 to 2.0 mg/l | 2.0 to 4.0 mg/l | 2.5 to 5.0 mg/l |
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Aluminum (Total) | 0.75 to 2.0 mg/l | 1.5 to 4.0 mg/l | 2.0 to 5.0 mg/l |
| pH ¹ | | greater than 6.0; less than 9.0 | |

Alkalinity greater than acidity¹

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).

Permit No. 17100101 and NPDES PA0257265. Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830. Permit renewal for continued operation and restoration of a bituminous surface coal mine located in Lawrence Township, **Clearfield County** affecting 115.0 acres. Receiving stream(s): Unnamed Tributaries to W. Branch Susquehanna River and Laurel Run classified for the following use(s): There are no potable water supply intakes within 10 miles downstream. Application received: January 5, 2021.

Permit No. 17100106. RES Coal, LLC, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920. Permit renewal for reclamation only of a bituminous surface mine located in Bigler Township, **Clearfield County** affecting 68.4 acres. Receiving stream(s): Clearfield Creek classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: January 8, 2021.

Permit No. 17070103 and NPDES No. PA0256498. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, for addition of an NPDES outfall, construction of additional treatment facilities, revision to the permit boundary and a stream variance. The permit boundary revision consists of the addition of 5 acres for the construction of an additional treatment facility and the deletion 5 unaffected acres for an existing coal surface mine located in Girard Township, **Clearfield County** affecting 326.1 acres. Receiving stream(s): Tributary 25990 Deer Creek and Clearfield Creek Watershed classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: January 7, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54850202C32. B-D Mining Company (10 Gilberton Road, Gilberton, PA 17934), correction to update the post-mining land use from forestland to unmanaged natural habitat of an anthracite surface mine and coal refuse disposal operation in Gilberton and Shenandoah Boroughs, Mahanoy and West Mahanoy Townships, **Schuylkill County** affecting 1,590.0 acres. Receiving stream: Mahanoy Creek, classified for the following uses: cold water and migratory fishes. Application received: December 10, 2020.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

| <i>Parameter</i> | <i>30-day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|--------------------------------------|---------------------------|---------------------------------|----------------------------------|
| Suspended solids | 10 to 35 mg/l | 20 to 70 mg/l | 25 to 90 mg/l |
| Alkalinity exceeding acidity* pH* | | greater than 6.0; less than 9.0 | |

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).

Permit No. 65110401. Ligonier Stone and Lime Company, 117 Marcia Street, Latrobe, PA 15650. Renewal application for a non-started status three-year renewal to an existing noncoal surface mine, located in Derry Township, **Westmoreland County**, affecting 101.4 acres. Receiving streams: Stony Run. Renewal application received: January 19, 2021.

Permit No. 65182001 and NPDES Permit No. PA0278483. Hanson Aggregates BMC, Inc., 2200 Springfield Pike, Connellsville, PA 15425. Application for commencement, operation and restoration of large noncoal surface mine, located in Unity Township, **Westmoreland County**, affecting 500.0 acres. Receiving streams: unnamed tributaries to Ninemile Run, to Ninemile Run, to Loyalhanna Creek, to Kiskiminetas River, classified for the following use: WWF. Application received: January 25, 2021.

NOTICE OF PROJECTS UNDER THE ENVIRONMENTAL GOOD SAMARITAN ACT

The Environmental Good Samaritan Act (27 Pa.C.S.A. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department.

The following project proposals have been received by the Department of Environmental Protection. A copy of the proposals is available for inspection at the DEP Northwest (Meadville) Regional Office at 230 Chestnut Street, Meadville, PA 16335 between the hours of 9:00 a.m. and 4:00 p.m.

Written comments or objections may be submitted by any person or any office or head of any Federal, State, or local government agency or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

PROJECT PROPOSALS RECEIVED

EGSOG08-0002—P Brown Orphan Well Plugging. SWN Production Company, LLC, 10000 Energy Drive, Spring, TX 77389. SWN Production Company, LLC is planning to plug an abandoned oil and gas well (API No. 015-90007) located in Stevens Township, **Bradford County**. The P Brown well is located in a wooded area with adjacent agricultural fields surrounding the location. The well plugging project will affect an area of 5 acres. Complete project proposal received January 14, 2021.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|-------------------|---------------------------|---------------------------------|----------------------------------|
| Iron (Total) | 3.0 mg/l | 6.0 mg/l | 7.0 mg/l |
| Manganese (Total) | 2.0 mg/l | 4.0 mg/l | 5.0 mg/l |
| Suspended solids | 35 mg/l | 70 mg/l | 90 mg/l |
| pH* | | greater than 6.0; less than 9.0 | |

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality-based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769.1100.

NPDES No. PA0235628 (Mining Permit No. 17041301), Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a renewal to the NPDES and mining activity permit for Penfield Mine in Huston Township, **Clearfield County**, affecting 62.1 surface acres and 5,370.6 underground acres. Receiving stream(s): Unnamed Tributary "S" to Wilson Run: CWF. Bennett Branch Sinnemahoning Creek Watershed TMDL. Receiving stream(s): Unnamed Tributary "B" to Wilson Run: CWF. Sinnemahoning Creek Watershed TMDL. The application was considered administratively complete: February 12, 2020. The application was received: January 13, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: Unnamed Tributary “S” to Wilson Run

The proposed effluent limits for *Outfall 001* (Lat: 41° 13' 59" Long: -78° 36' 31") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |

Outfall 002 discharges to: Unnamed Tributary “S” to Wilson Run

The proposed effluent limits for *Outfall 002* (Lat: 41° 13' 54" Long: -78° 36' 34") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |

Outfall 003 discharges to: Unnamed Tributary “B” to Wilson Run

The proposed effluent limits for *Outfall 003* (Lat: 41° 14' 09" Long: -78° 36' 38") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i> | | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instant. Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow | (mgd) | - | - | - | Report |
| Iron | (mg/l) | - | 1.5 | 3.0 | 3.8 |
| Manganese | (mg/l) | - | 1.0 | 2.0 | 2.5 |
| Aluminum | (mg/l) | - | 0.75 | 0.75 | 0.75 |
| Suspended Solids | (mg/l) | - | 35 | 70 | 90 |
| pH | (s.u.) | 6.0 | - | - | 9.0 |
| Alkalinity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Acidity, Total as CaCO ₃ | (mg/l) | - | - | - | Report |
| Alkalinity, Net | (mg/l) | 0.0 | - | - | - |
| Osmotic Pressure | (mOs/kg) | - | 50 | 100 | 100 |
| Total Dissolved Solids | (mg/l) | - | - | - | Report |
| Sulfate | (mg/l) | - | - | - | Report |

The EPA Waiver is not in effect.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

NPDES Permit No. PA0225886. Eureka Stone Quarry, Inc. (P.O. Box 249, Chalfont, PA 18914), new non-discharging no-outfall Individual NPDES Application on SMP No. 64950301 in Sterling Township, **Wayne County** affecting 162 acres. Receiving stream: Uban Creek, classified for the following uses: HQ—cold water and migratory fishes. The first active downstream potable water supply intake from the non-discharging mining operation is Easton Area Water Supply, Delaware River intake. The Department has made a tentative determination to approve the non-discharge to Uban Creek. Application received: June 6, 2018.

NPDES Permit No. PA0226106. K & C N, LLC (205 Elk Manor Estate, Clifford Township, PA 18470), new NPDES Permit on Surface Mine Permit No. 58110301 in New Milford Township, **Susquehanna County** affecting 135.7 acres. Receiving streams: Mitchell Creek and Salt Lick Creek Watersheds classified for the following uses: CWF & MF and

HQ-CWF & MF. The first downstream potable water supply intake from the point of discharge is greater than ten miles distance on the Susquehanna River. The Department has made a tentative determination to impose effluent limitations, within the ranges specified as listed as follows. Application received: May 4, 2020.

| <i>Outfall Nos.</i> | <i>New Outfall (Y/N)</i> | | <i>Type</i> | |
|---------------------|--------------------------|-----|-------------|--|
| 001 | | Yes | E & S | |
| 002 | | Yes | E & S | |

| <i>Outfalls: Parameter</i> | <i>Minimum</i> | <i>30-Day Average</i> | <i>Daily Maximum</i> | <i>Instantaneous Maximum</i> |
|---|----------------|---------------------------|--------------------------|----------------------------------|
| pH ¹ (S.U.) | 6.0 | | | 9.0 |
| Total Alkalinity (as CaCO ₃) (mg/L) | | | Monitor And Report | |
| Total Acidity (as CaCO ₃) (mg/L) | | | Monitor And Report | |
| Net Alkalinity (mg/L) | 0.0 | | | |
| Total Suspended Solids (mg/L) | | 35.0 | 70.0 | 90.0 |
| Discharge (MGD) [Each Discharge] | | 0.1 | | |

¹ This Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E1501221-001, Mountain Laurel Funding Company, LLC, 155 North Wacker Drive, Suite 4250, Chicago, IL 60606, East Whiteland Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain approximately 80 linear feet of a new 8-inch diameter DIP sanitary sewer pipe across an unnamed tributary to Valley Creek (EV) for the purpose of connecting two new office buildings, 4 and 5, to the existing infrastructure. This permit was issued under Permit No. E15-857 in 2017.

The site is located on the campus of 20 Moores Road (Malvern, PA; Latitude: 40:054040; Longitude: -75:558399) in East Whiteland Township, Chester County.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1404120-025: PA DOT Engineering District 2-0, 70 Penn Dot Drive, Clearfield, PA 16830. SR 0026, Section N37, Segment 0080, Offset 0549, SR 0026 and SR 0045 Intersection Safety Improvement, Ferguson Township, **Centre County**, Baltimore ACOE (State College, PA Quadrangle N: 40° 45' 00"; W: -77° 52' 10").

PA DoT propose to replace a Single Span Concrete T-Beam Bridge with a Single Span Pre-Stressed Concrete Spread Box Beam Bridge over Slab Cabin Run. The existing bridge has a span of 21.21 Ft., a skew of 45 degrees, an underclearance of 8.02 Ft., and a low chord of 1,118.98 Ft. and a hydraulic opening of 181 Ft². The proposed structure has a span of 30.45 Ft., a skew of 35 degrees, an underclearance of 7.16 Ft., and a low chord of 1,119.66 Ft. and a hydraulic opening of 257 Ft². Both the existing and proposed structures will convey the 100-year storm. The proposed structure will utilize R-8 Rip Rap, choked with R-3 Rip Rap scour protection around the abutment and wingwalls. The project will utilize temporary roadway and 72-inch pipe to convey traffic during construction. The project will utilize a sandbag diversion dike and 36-inch temporary pipe system to convey the stream during construction. The project will include widening and overlaying 2,350 L.F. of SR 0026 and 962 L.F. of SR 0045. A turning lane between SR 0026 and SR 0045 will be added. A driveway near the intersection will be relocated. The project will utilize a temporary construction access road with 18-inch pipe crossing. The project includes 4,955 cubic yards of tempo-

rary fill in the floodplain and 2,116 cubic yards of permanent fill in the floodplain. The project will temporarily impact 0.27 acre and permanently impact 0.17 acre of jurisdictional wetlands. The wetland impacts will be debited from Huntington AWC site. Slab Cabin Run is classified as a Cold-Water Fishery by Title 25, Chapter 93 Water Quality Standards and is listed as a Class A Wild Trout Stream by the PA Fish and Boat Commission.

Southwest District Oil and Gas Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

E3007220-019: Rice Drilling B, LLC, 400 Woodcliff Drive, Canonsburg, PA 15317. To repair a large slip located at the existing Don Flamenco and reconstruct a portion of an unnamed tributary to North Fork Dunkard Fork, a Trout Stocked Fisheries, to approximate original conditions prior to the discharge of slip material. The project is located within Richhill Township, **Greene County**, Pittsburgh USACE District (Latitude: 39.869009, Longitude: -80.431091, Sub-Basin 20E (Wheeling Buffalo Creeks Watershed), Quad Name: New Freeport). The project will result in permanent impacts to 0.02 acre of PEM wetland, 0.55 acre of floodway, and 445 linear feet of stream. The project will temporarily impact 0.34 acre of floodway.

| | <i>Coordinates</i> | <i>Permanent Impact</i> | <i>Temporary Impact</i> |
|--|-----------------------|----------------------------|----------------------------|
| UNT to North Fork Dunkard Fork (TSF) | 39.869009, -80.431091 | 449 LF | 0 |
| Floodway of UNT to North Fork Dunkard Fork (TSF) | 39.869009, -80.431091 | 23,961 sq. ft. (0.55 acre) | 14,776 sq. ft. (0.34 acre) |
| Wetland C (PEM) | 39.868926, -80.431006 | 256 sq. ft. (0.006 acre) | 0 |
| Wetland 22 (PEM) | 39.867958, -80.430527 | 562 sq. ft. (0.0129 acre) | 0 |

E30-07-016: EQT Production Company, 2400 Ansys Drive, Suite 200, Canonsburg, PA 15317. To construct a 24-foot-wide by 1,700 long access road to access the Holt Well Pad. The access road will include the installation of a bridge across a UNT to Clawson Run, a Warm Water Fisheries, and permanent placements of fill within wetlands on site. The project is located within Gilmore Township, **Greene County**, Pittsburgh USACE District, (Wadestown Quadrangle, Latitude: N 39.742343, Longitude: W -80.313121). The installation of the bridge and access road permanently impacts approximately 0.04 acre of wetland, 0.208 acre of floodway, and 25 LF of stream.

| | <i>Coordinates</i> | <i>Permanent Impact</i> | <i>Temporary Impact</i> |
|--------------------|-----------------------|-------------------------|-------------------------|
| UNT to Clawson Run | 39.742494, -80.313255 | 700 sq. ft. (25 LF) | 12 sq. ft. |

| | <i>Coordinates</i> | <i>Permanent Impact</i> | <i>Temporary Impact</i> |
|--------------------------------|-----------------------|-------------------------|-------------------------|
| Floodway of UNT to Clawson Run | 39.742782, -80.313642 | 2,734 sq.ft | 6,810 sq. ft. |
| Floodway of Clawson Run | 39.742528, -80.313221 | 4,443 sq.ft | 6,359 sq. ft. |
| Wetland C2 (PFO) | 39.742574, -80.313260 | 298 sq. ft. | 0 |
| Wetland C1 (PEM) | 39.742657, -80.313324 | 763 sq. ft. | 1,445 sq. ft. |
| Wetland A (PEM) | 39.742301, -80.313182 | 521 sq. ft. | 3,808 sq. ft. |
| Wetland B2 (PSS) | 39.742911, -80.313768 | 0 | 321 sq. ft. |

Permit No. E3007220-027: Greylock Midstream, 500 Corporate Landing, Charleston, WV 25311. To install 27,000 LF of a 12 natural gas pipeline and a 16" waterline to connect the proposed Wildcat Well Pad to an existing riser on the Beacon Pipeline. The project is in Greene and Whiteley Township, **Greene County**, Pittsburgh USACE district, (Garards Ford Quadrangle). The pipelines will cross seven streams and five wetlands. Greylock is also proposing to cross seven streams and ten wetlands with temporary road crossings. General Permit 5's, General Permit 8's and Chapter 105 Waiver 2's will be registered for all crossings, besides the crossing of Wetland 3. A Joint Permit Application (JPA) was submitted for the crossing of Wetland 3, due to Wetland 3 being part of a wetland system that is greater than 10 acres and a temporary road crossing that exceeds 200 feet in length. Wetland 3 was delineated as a Palustrine Emergent wetland and is located at Latitude: 39.8205 Longitude: -80.0667. The installation of the pipelines will permanently impact 0.25 acre of Wetland 3 and the temporary road crossing will temporarily impact 0.08 acre of Wetland 3.

Northwest Region: Waterways and Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E2506220-025, NLA III Real Estate Holdings, LLC, 5739 West Ridge Road, Building C, Erie, PA 16505. Elizabeth Lane Townhomes, in Fairview Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 42°, 01', 52.386"; W: -80°, 14', 44.680").

The applicant is proposing to construct and maintain nine (9), six-unit apartment buildings on a 26-acre parcel on the north side of Water Street (SR 4004) just east of Avonia Road (SR 0098) in Fairview Township, Erie County resulting in 0.04 acre of permanent wetland impact, 0.43 acre of temporary wetland impact, and two (2) Dunn Creek crossings for the installation of a 624 feet long utility line tie in.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the tables below. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed below for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I. is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|----------------------------------|---------------------|--|---|-------------------|
| 0920822 | Joint DEP/PFBC Pesticides Permit | Issued | Jodie Tait P.O. Box 90 Buckingham, PA 18912 | Bedminster Township Bucks County | SERO |
| 0921801 | Joint DEP/PFBC Pesticides Permit | Issued | Hearthstone Community Association 975 Easton Road Suite 202 Warrington, PA 18976-1858 | Buckingham Township Bucks County | SERO |
| 2321801 | Joint DEP/PFBC Pesticides Permit | Issued | Ii Ringfield P.O. Box 972 Chadds Ford, PA 19317 | Chadds Ford Township Delaware County | SERO |

NOTICES

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|---------------------|---|---|-------------------|
| PAI130005 | MS4 Individual NPDES Permit | Issued | Franconia Township Montgomery County P.O. Box 128 671 Allentown Road Telford, PA 18969-0128 | Franconia Township Montgomery County | SERO |
| PA0061344 | Minor Industrial Waste Facility with ELG Individual NPDES Permit | Issued | Rausch Creek Generation LLC 490 W Main Street Tremont, PA 17981-1716 | Frailey Township Schuylkill County | NERO |
| PA0012424 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | McAdoo & Allen Inc. 201 South Hellertown Avenue Quakertown, PA 18951-1768 | Quakertown Borough Bucks County | SERO |
| PA0097756 | Minor Industrial Waste Facility without ELG Individual NPDES Permit | Issued | Highland Sewer & Water Authority 120 Tank Drive Johnstown, PA 15904-3251 | Summerhill Township Cambria County | SWRO |
| PA0055468 | Minor Sewage Facility < 0.05 MGD Individual NPDES Permit | Issued | Hd Holdings LLC 506 Gehman Road Barto, PA 19504-9541 | New Hanover Township Montgomery County | SERO |
| PA0102911 | Minor Sewage Facility < 0.05 MGD Individual NPDES Permit | Issued | Miller Bros Three LLC 4177 Route 19 Cochranton, PA 16314 | Sadsbury Township Crawford County | NWRO |
| PA0036412 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Tel Hai Retirement Comm P.O. Box 190 1200 Tel Hai Circle Honey Brook, PA 19344-0190 | Honey Brook Township Chester County | SERO |
| PA0060283 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Comm Utilities of Pennsylvania 570 Hallet Road East Stroudsburg, PA 18301-7274 | Stroud Township Monroe County | NERO |
| PA0223051 | Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit | Issued | Connoquenessing Borough Butler County P.O. Box 471 Connoquenessing, PA 16027-0471 | Connoquenessing Borough Butler County | NWRO |
| PAG033636 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | Conestoga Wood Specialties Corp 245 Reading Road P.O. Box 158 East Earl, PA 17519-9549 | East Earl Township Lancaster County | SCRO |
| PAG033638 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | Epiroc USA LLC 3700 E 68th Avenue Commerce City, CO 80022-2243 | Swatara Township Dauphin County | SCRO |
| PAG033639 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | Loves Travel Stops & Country Stores Inc. P.O. Box 26210 Oklahoma City, OK 73126-0210 | Union Township Lebanon County | SCRO |
| PAR806276 | PAG-03 NPDES General Permit for Industrial Stormwater | Issued | Zenith Energy Terminals PA Holdings LLC 3900 Essex Lane Suite 700 Houston, TX 77027-5166 | Speers Borough Washington County | SWRO |

NOTICES

727

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---|---------------------|--|---|-------------------|
| PAG043619 | PAG-04 NPDES General Permit for Small Flow Treatment Facilities | Issued | Eric L Norcross 1046 Tallow Hill Road Chambersburg, PA 17202-9276 | Hamilton Township Franklin County | SCRO |
| PAG049271 | PAG-04 NPDES General Permit for Small Flow Treatment Facilities | Issued | Florence & Larry Moore 7576 Sharon Mercer Road Mercer, PA 16137-6514 | Lackawannock Township Mercer County | NWRO |
| 0608402 | Sewage Treatment Facilities Individual WQM Permit | Issued | Shoemakersville Borough Municipal Authority Berks County 115 E 9th Street Shoemakersville, PA 19555-1608 | Shoemakersville Borough Berks County | SCRO |
| 3120403 | Sewage Treatment Facilities Individual WQM Permit | Issued | Cpareg LLC 401 W Whitehall Road State College, PA 16801 | Jackson Township Huntingdon County | SCRO |
| 4598410A2 | Sewage Treatment Facilities Individual WQM Permit | Issued | Comm Utilities of Pennsylvania 570 Hallet Road East Stroudsburg, PA 18301-7274 | Stroud Township Monroe County | NERO |
| 4598410A3 | Sewage Treatment Facilities Individual WQM Permit | Issued | Comm Utilities of Pennsylvania 570 Hallet Road East Stroudsburg, PA 18301-7274 | Stroud Township Monroe County | NERO |
| 6020401 | Sewage Treatment Facilities Individual WQM Permit | Issued | Donald L Rowe 221 W Pine Street Selinsgrove, PA 17870-1515 | Hartley Township Union County | NCRO |
| 6115401 | Sewage Treatment Facilities Individual WQM Permit | Issued | Beverly & Guy Forbes 259 Old Route 8 Titusville, PA 16354-7555 | Cherrytree Township Venango County | NWRO |
| PA0112755 | Single Residence STP Individual NPDES Permit | Issued | Matthew Robson 12 Burnett Road Mendham, NJ 07945-3113 | Gaines Township Tioga County | NCRO |
| PA0233072 | Single Residence STP Individual NPDES Permit | Issued | Donald L Rowe 221 W Pine Street Selinsgrove, PA 17870-1515 | Hartley Township Union County | NCRO |
| PA0233081 | Single Residence STP Individual NPDES Permit | Issued | David L & Sabrina S Etters 2496 N Eagle Valley Road Howard, PA 16841-2802 | Howard Township Centre County | NCRO |
| PA0263559 | Single Residence STP Individual NPDES Permit | Issued | Richard D Pack 1300 Pennsylvania Avenue Irwin, PA 15642-3867 | North East Township Erie County | NWRO |
| PA0267210 | Single Residence STP Individual NPDES Permit | Issued | Cpareg LLC 401 W Whitehall Road State College, PA 16801 | Jackson Township Huntingdon County | SCRO |
| PA0272973 | Single Residence STP Individual NPDES Permit | Issued | Beverly & Guy Forbes 259 Old Route 8 Titusville, PA 16354-7555 | Cherrytree Township Venango County | NWRO |
| PA0057606 | Small Flow Treatment Facility Individual NPDES Permit | Issued | Upper Salford Township Montgomery County P.O. Box 100 Salfordville, PA 18958-0100 | Upper Salford Township Montgomery County | SERO |
| 1142001 | WQG-01 WQM General Permit | Issued | David L & Sabrina S Etters 2496 N Eagle Valley Road Howard, PA 16841-2802 | Howard Township Centre County | NCRO |
| WQG012230 | WQG-01 WQM General Permit | Issued | Place's Properties LLC P.O. Box 260 Lawton, PA 18828-0260 | Forest Lake Township Susquehanna County | NERO |

| <i>Application Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Permittee Name & Address</i> | <i>Municipality, County</i> | <i>DEP Office</i> |
|---------------------------|---------------------------|---------------------|---|--|-------------------|
| WQG018479 | WQG-01 WQM General Permit | Issued | Florence & Larry Moore 7576 Sharon Mercer Road Mercer, PA 16137-6514 | Lackawannock Township Mercer County | NWRO |
| WQG02232014 | WQG-02 WQM General Permit | Issued | Southwest Delaware County Municipal Authority P.O. Box 2466 Aston, PA 19014-0466 | Aston Township Delaware County | SERO |
| WQG02362002 | WQG-02 WQM General Permit | Issued | Lititz Borough Sewer Authority Lancaster County 50 Lititz Run Road Lititz, PA 17543-8503 | Lititz Borough Lancaster County | SCRO |

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|------------------------------------|-----------------------------|---------------------|--|--|---|
| PAC460481 | PAG-02 | Issued | Christopher Canavan Reynolds Acquisitions LP 404 Sumneytown Pike North Wales, PA 19454 | Upper Providence Township Montgomery County | Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 |
| PAC460293 | PAG-02 | Issued | PennDOT District 6-0 7000 Geerdes Blvd King of Prussia, PA 19406-1525 | Lower Pottsgrove Township Montgomery County | Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 |
| PAC460512 | PAG-02 | Issued | Claiborne Williams FDS PA Skippack LLC 1001 19th Street Suite 1401 Arlington, VA 22209 | Skippack Township Montgomery County | Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 |
| PAC090352 Major Modification | PAG-02 General Permit | Issued | Perkasie Woods, LP 1243 Easton Road Suite 205 Warrington, PA 18976-3801 | Perkasie Borough Bucks County | Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 |
| PAC090397 | PAG-02 General Permit | Issued | AAA Development New Hope, LLC 5 Glen Eagles Drive New Hope, PA 18938-2211 | Wrightstown Township Bucks County | Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 |
| PAC230169 | PAG-02 General Permit | Issued | JW Congregation Support, Inc. 1005 Red Mills Road Wallkill, NY 12589-3221 | Darby Borough Delaware County | Delaware CCD Rose Tree Park- Hunt Club 1521 N. Providence Road Media, PA 19063 (610)-892-9484 |
| PAC230179 | PAG-02 General Permit | Issued | Blue Devil Realty, LLC 124 East State Street Media, PA 19063 | Aldan Borough Delaware County | Delaware CCD Rose Tree Park- Hunt Club 1521 N. Providence Road Media, PA 19063 (610)-892-9484 |
| PAD450119 | Individual NPDES | Issued | Kobalt Construction, Inc. 216 Route 196 Tobyhanna, PA 18466-7700 | Tobyhanna Township Monroe County | DEP NERO, Waterways & Wetlands Program 2 Public Square Wilkes-Barre, PA 18701 570-826-2511 |
| PAD390173 | Individual NPDES | Issued | Parkland School District 2219 North Cedar Crest Blvd. Allentown, PA 18104 | North Whitehall Township Lehigh County | DEP NERO, Waterways & Wetlands Program 2 Public Square Wilkes-Barre, PA 18701 570-826-2511 |

NOTICES

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> | |
|----------------------|-----------------------|---------------------|--|--|--|--|
| PAD390189 | Individual NPDES | Issued | Woodmont Properties, LLC 100 Passaic Ave. Suite 240 Fairfield, NJ 07004 | Lower Macungie Twp Lehigh County | DEP NERO, Waterways & Wetlands Program 2 Public Square Wilkes-Barre, PA 18701 570-826-2511 | |
| PAD480130 | Individual NPDES | Issued | Weis Markets, Inc. 1000 S. Second Ave. P.O. Box 471 Sunbury, PA 17801 | Lower Nazareth Township Northampton County | DEP NERO, Waterways & Wetlands Program 2 Public Square Wilkes-Barre, PA 18701 570-826-2511 | |
| PAC060296 | PAG-02 General Permit | Issued | Triple Net Investments LXII, LLC c/o Peter Polt 171 Route 173 Suite 201 Asbury, NJ 08802 | The Hankin Group 707 Eagleview Boulevard Exton, PA 19341 | Caernarvon Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC060297 | PAG-02 General Permit | Issued | Lee Williams 1590 Canary Road Quakertown, PA 18951 | Washington Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 | |
| PAC060298 | PAG-02 General Permit | Issued | Chris Heiniman 8 Morgan Drive Sinking Spring, PA 19608 | Womelsdorf Borough Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 | |
| PAC060299 | PAG-02 General Permit | Issued | Reitnouer Real Estate, LP 5 East Point Drive Birdsboro, PA 19508 | Ontelaunee Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 | |
| PAC060300 | PAG-02 General Permit | Issued | Grande Construction Co. 2213 Quarry Drive West Lawn, PA 19609 | Birdsboro Borough Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 | |
| PAC060303 | PAG-02 General Permit | Issued | PennDOT (5-0) 1002 Hamilton Street Allentown, PA 18101 | Maxatawny Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 | |
| PAC060304 | PAG-02 General Permit | Issued | Greg Kline 217 Old State Road Boyertown, PA 19512 | Albany Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 | |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|-----------------------------|---------------------|--|--|--|
| PAC060301 | PAG-02 General Permit | Issued | Conrad Weiser Area School District 44 Big School Road Robesonia, PA 19551 | Heidelberg Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC060302 | PAG-02 General Permit | Issued | The Hankin Group 707 Eagleview Boulevard Exton, PA 19341 | Caernarvon Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC060305 | PAG-02 General Permit | Issued | Forino Company, LP 555 Mountain Home Road Sinking Spring, PA 19608 | Ontelaunee Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC060306 | PAG-02 General Permit | Issued | Texas Eastern Transmission, LP 890 Winter Street Suite 320 Waltham, MA 02451 | Washington Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC060308 | PAG-02 General Permit | Issued | Mount Aetna Developers, Inc. 530 West Trout Run Road Ephrata, PA 17522 | Tulpehocken Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC060309 | PAG-02 General Permit | Issued | Sunset Manor Investments, LLC 318 West Main Street Birdsboro, PA 19508 | Exeter Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC060310 | PAG-02 General Permit | Issued | Olyvia & Bradley Swinsinski 280 Naftzinger Road Mohrsville, PA 19541 | Upper Bern Township Berks County | Berks County Conservation District 1238 County Welfare Road Suite 200 Leesport, PA 19533-9710 610.372.4657 |
| PAC070083 | PAG-02 General Permit | Issued | G&R Excavating & Demolition, Inc. 900 Pennsylvania Avenue Tyrone, PA 16686 | Snyder Township Blair County | Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5 |
| PAC670006 A-1 | PAG-02 General Permit | Issued | UPMC Pinnacle Memorial 205 South Front Street Harrisburg, PA 17101 | West Manchester Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC670436 | PAG-02 General Permit | Issued | BLG Construction, LLC 11 Pleasant Hill Court Dillsburg, PA 17019 | Carroll Township York County | York County Conservation District 2401 Pleasant Valley Road Suite 101, Room 139 York, PA 17402 717.840.7430 |
| PAC180018 | New | Issued | Woods Land Company P.O. Box 400 McElhatten, PA 17748 | Wayne Township Clinton County | NCRO |

| <i>Permit Number</i> | <i>Permit Type</i> | <i>Action Taken</i> | <i>Applicant Name & Address</i> | <i>Municipality, County</i> | <i>Office</i> |
|----------------------|--------------------------|---------------------|---|--|--|
| PAC100180 | PAG-02 General Permit | Issued | Trails at Harmony Junction LLC Mr. Chris Kaclik 1272 Mars-Evans City Road Evans City, PA 16033 | Jackson Township Butler County | Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270 |
| PAC160034 | PAG-02 General Permit | Issued | Hager Paving Inc. 191 9th Street Strattanville, PA 16258 | Paint Township Clarion County | Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813 |
| PAC430053 | PAG-02 General Permit | Issued | Aqua Pennsylvania Inc. 665 South Dock Street Sharon, PA 16146 | Mercer Borough Findley Township Lackawannock Township Mercer County | Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242 |
| PAC330024 | PAG-02 General Permit | Issued | PTV 1129 LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235 | Winslow Township Jefferson County | Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463 |

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

| <i>Agricultural Operation Name and Address</i> | <i>County</i> | <i>Total Acres</i> | <i>AEU's</i> | <i>Animal Type</i> | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Approved or Disapproved</i> |
|--|----------------------|--------------------|--------------|---------------------|---|--------------------------------|
| Melvin Bricker North Mountain Gobbler # 1 6429 Ft. McCord Road Chambersburg, PA 17202 | Franklin County | 108.63 | 422.83 | Poultry | NA | Approved |
| Brian Musser 173 Hickory Road Pine Grove, PA 17963 | Schuylkill County | 48 | 213.95 | Poultry Broilers | NA | Approved |

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 4020515, Public Water Supply.

| | |
|----------------------------|--|
| Applicant | SUEZ Water Pennsylvania, Inc. (SUEZ Water Dallas—Highpoint Booster Pump Station) 6310 Allentown Blvd. Harrisburg, PA 17112 |
| Municipality | Dallas Borough |
| County | Luzerne County |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Brendan J. West, P.E. SUEZ Water Pennsylvania, Inc. 6310 Allentown Blvd. Harrisburg, PA 17112 |
| Permit to Construct Issued | January 25, 2021 |

Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4920512MA, Minor Amendment. Public Water Supply.

| | |
|---------------------|--|
| Applicant | Aqua Pennsylvania, Inc.—East Cameron Township 762 West Lancaster Avenue Bryn Mawr, PA 19010 |
| Borough or Township | East Cameron Township |
| County | Northumberland County |
| Type of Facility | Public Water Supply |
| Consulting Engineer | Mr. David R. Knapton GHD, Inc. 4068 Mount Royal Boulevard Gamma Bldg., Suite 201 Allison Park, PA 15101 |
| Permit Issued | January 21, 2021 |

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 1120503, Major Amendment. Public Water Supply.

| | |
|---------------------|---|
| Applicant | West Carroll Water Authority P.O. Box 328 Elmora, PA 15737 |
| Borough or Township | West Carroll Township |
| County | Cambria County |
| Type of Facility | Bakerton water treatment facility |
| Consulting Engineer | JHA Companies 466 South Main Street Montrose PA 18801 |
| Permit Issued | December 11, 2020 |

Permit No. 1120504, Major Amendment. Public Water Supply.

| | |
|---------------------|---|
| Applicant | West Carroll Water Authority P.O. Box 328 Elmora, PA 15737 |
| Borough or Township | West Carroll Township |
| County | Cambria County |
| Type of Facility | St. Benedict water treatment facility |
| Consulting Engineer | JHA Companies 466 South Main Street Montrose PA 18801 |
| Permit Issued | December 11, 2020 |

Permit No. 1120504, Major Amendment. Public Water Supply.

| | |
|---------------------|---|
| Applicant | West Carroll Water Authority P.O. Box 328 Elmora, PA 15737 |
| Borough or Township | West Carroll Township |
| County | Cambria County |
| Type of Facility | St. Benedict water treatment facility |
| Consulting Engineer | JHA Companies 466 South Main Street Montrose PA 18801 |
| Permit Issued | December 11, 2020 |

Permit No. 0220522MA, Minor Amendment. Public Water Supply.

Applicant **Pittsburgh Water & Sewer Authority**
1200 Penn Avenue
Pittsburgh, PA 15222

Borough or Township City of Pittsburgh

County **Allegheny County**

Type of Facility Liner and cover at the Highland No. 2 reservoir

Consulting Engineer Pittsburgh Water & Sewer Authority
1200 Penn Avenue
Pittsburgh, PA 15222

Permit Issued January 8, 2021

Permit No. 0420508MA, Minor Amendment. Public Water Supply.

Applicant **Beaver Falls Municipal Authority**
1425 8th Avenue
Beaver Falls, PA 15010

Borough or Township Eastvale Borough

County **Beaver County**

Type of Facility Rehabilitation of Filters # 4 and # 5

Consulting Engineer Entech Engineering
400 Rouser Road
Building # 2
Suite 200
Coraopolis, PA 15108

Permit Issued January 14, 2021

Operations Permit issued to: **Hooversville Borough**, 50 Main Street, P.O. Box 176, Hooversville, PA 15936, **PWSID No. 4560037**, Hooversville Borough, **Somerset County** on January 7, 2021 for the operation of facilities approved under permit # 5618507 for DelPAC 2020 at the water treatment plant.

Operations Permit issued to: **Creswell Heights Joint Authority**, 3961 Jordan Street, P.O. Box 301, South Heights, PA 15081, **PWSID No. 5040063**, Crescent Township, **Beaver County** on December 18, 2020 for the operation of facilities approved under permit # 0419505 for mixing systems in the Cochran Acres Tanks # 1, # 2 and the Gingo Tank.

Operations Permit issued to: **Ambridge Water Authority**, P.O. Box 257, 600 Eleventh Street, Ambridge, PA 15344, **PWSID No. 5040008**, Economy Borough, **Beaver County** on January 6, 2021 for the operation of facilities approved under permit # 0419517MA for use of the interconnection with West View Water Authority (AWA/WVWA Emergency Interconnect No. 2).

Operations Permit issued to: **Southwestern Pennsylvania Water Authority**, P.O. Box 187, 1442 Jefferson Road, Jefferson, PA 15344, **PWSID No. 5300017**, Greensboro Borough, **Greene County** on January 14, 2021 for the operation of facilities approved under permit # 5300007-T1 for use of the transfer of the Dunkard Valley Water Authority's public water supply system.

Operations Permit issued to: **Municipal Authority of Westmoreland**, 124 Park & Pool Road, New Stanton, PA 15672, **PWSID No. 5650032**, Bell Township, **Westmoreland County** on December 17, 2020 for the opera-

tion of facilities approved under permit # 6520507MA Filter No. 7 at the George Sweeney water treatment plant.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA56-1010A, Water Allocations. Conemaugh Township Municipal Authority, 113 South Main Street, Davidsville, PA 15928, **Somerset County**. Applicant requests the right to purchase 750,000 gallons of water per day, on a peak month, 30-day average, from the Somerset County General Authority.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Water Management Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

| Borough | Borough Address | County |
|--------------------|--|--------------|
| Marysville Borough | 200 Overcrest Road Marysville, PA 17053 | Perry County |

Plan Description: Approval of a revision to the official plan of Marysville Borough, 200 Overcrest Road, Marysville, PA 17053, Perry County has been issued. This action is a result of the review of a planning module for the Rockville Phase III Development (DEP Code No. A3-50801-34-3; APS ID No. 1028287). The proposed development—to be located on Rockville Boulevard in Marysville Borough—consists of fifty-eight new residential lots connecting to the Marysville Borough Wastewater Treatment Plant public sewage system with project flows of 14,500 gpd. Phase III and future Phases IV & V of the development will be served by a new pump station, and fourteen of the proposed lots for Phase III will be served by a low-pressure force main. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. Any permits must be obtained in the name of the municipality.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for se-

lecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.

Wawa Dairy Truck Release, West Baltimore Pike & Granite Run Mall Road, Media, PA 19063, Middletown Township, **Delaware County**. Geoff Kristof, Aquaterra Technologies, Inc., 122 South Church Street, West Chester, PA 19382 on behalf of Joseph W. Standen, Jr., PG, Wawa, Inc., 260 West Baltimore Pike, Wawa, PA 19063 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

PECO Transformer Oil Spill, 1300 Alfred Avenue, Yeadon, PA 19050, Yeadon Borough, **Delaware County**. Bruce Middleman, Stantec Consulting Services, Inc., 400 Davis Drive, Plymouth Meeting, PA 19462 on behalf of George Horvat, PECO Energy Company, 2301 Market Street, S7-2, Philadelphia, PA 19103 submitted a Final Report concerning remediation of site soil contaminated with PCBs. The report is intended to document remediation of the site to meet the Statewide health standard.

Whitley Estate, 6677 Laurel Road, New Hope, PA 18938, Solebury Township, **Bucks County**. Matthew Mercuri, P.G., RMS Environmental LLC, 2198 Pennsylvania Drive, Jamison, PA 18929 on behalf of Joe Crooks, Superior Tank & Energy Company, LLC, 302 Jefferson Avenue, Bristol, PA 19007 submitted a Final Report concerning remediation of site soil contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the Statewide health standard.

580 East Lancaster Avenue, 576 and 580 East Lancaster Avenue, Berwyn, PA 19312, Easttown Township, **Chester County**. Michael S. Welsh, PE, Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of David Della Porta, Berwyn Owner,

LLC, 775 Lancaster Avenue, Suite 210, Villanova, PA 19075 submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorobenzene, benzene and MTBE. The report is intended to document remediation of the site to meet the site-specific standard.

PECO Norristown MGP Site, 358 Washington Street, Norristown, PA 19401, Borough of Norristown, **Montgomery County**. Michael Welsh, PE, Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335 on behalf of Kimberly Huntley, T. Lowe Enterprise, GP, LLC, P.O. Box 645, Southeastern, PA 19399 submitted a Risk Assessment Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with other organics. The report is intended to document remediation of the site to meet the site-specific standard.

Sonny Cleaners, 130 West Main Street, Suite 108, Trappe, PA 19426, Trappe Borough, **Montgomery County**. Geoff Kristof, Aquaterra Technologies, Inc., 122 South Church Street, West Chester, PA 19382 on behalf of Arne Anderson, Trappe Center, LP, 1055 Westlakes Drive, Berwyn, PA 19392 submitted a Cleanup Plan/Remedial Investigation Report/Final Report concerning remediation of site soil contaminated with PCE, TCE and other organics. The report is intended to document remediation of the site to meet the site-specific standard.

Raleigh Mill Roeper Foundry, 1617-35 North 35th Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Jennifer Poole, PG, Pennoni, 1900 Market Street, Philadelphia, PA 19103 on behalf of Lawrence McKnight, PE, L & M Turner Court, LLC, c/o The River Wards Group, 3020 Richmond Street, Philadelphia, PA 19134 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with PAHs. The report is intended to document remediation of the site to meet the site-specific standard.

Corona Corporation Facility, Main Street and Ninth Street, Red Hill, PA 18076, Red Hill Borough, **Montgomery County**. Andrew K. Markoski, PG, Patriot Environmental Management, LLC, 2404 Brown Street, Pottstown, PA 19464 on behalf of Harriet R. Litz, Esq., Mullaney & Mullaney, LLC, 3381 Skippack Pike, P.O. Box 1368, Skippack, PA 19474 submitted a Final Report concerning remediation of site groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the site-specific standard.

2935-2965 North 2nd Street, 2935-2965 North 2nd Street, Philadelphia, PA 19133, City of Philadelphia, **Philadelphia County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Maria Gonzalez, Casa Indiana, LLC, 167 West Allegheny Avenue, Philadelphia, PA 19140 submitted a Cleanup Plan/Final Report concerning remediation of site soil contaminated with PAHs. The report is intended to document remediation of the site to meet the site-specific standard.

NW Controls Facility Property, 2210 Shelly Road, Harleysville, PA 19438, Upper Salford Township, **Montgomery County**. Terence A. O'Reilly, PG, TriState Environmental Management Services, Inc., 3937A Bristol Pike, Bensalem, PA 19020 on behalf of c/o Keith Miller, Guardian for Karl Ifert, Acorn Fund, LLC, 6 Kendra Court, Ridgefield, CT 06877 submitted a Final Report concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the site-specific standard.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Havas-Jacobsen Residence, 1804 Jennings Street, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. J. Rockwood and Associates, P.O. Box 1006, Easton, PA 18044, on behalf of Karyn Havas and Christie Jacobsen, 1804 Jennings Street, Bethlehem, PA 18017, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

Lopotofsky WYO Well Pad, 152 Aukema Road, Meshoppen, PA 18630, Meshoppen Township, **Wyoming County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated by a release of oil-based drilling mud. The report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

CREDC's Former Harsco Herr Street Facility, 1001 Herr Street, Harrisburg, PA 17103, City of Harrisburg, **Dauphin County**. Independence Environmental Consulting, LLC, 1750 Kaylor Road, Hummelstown, PA 17036, on behalf of Capital Region Economic Development Corporation, 3211 North Front Street, Harrisburg, PA 17110, submitted a Final Report concerning remediation of site groundwater contaminated with historical polycyclic aromatic hydrocarbons, VOCs, and metals. The Final Report is intended to document remediation of the site to meet the site-specific and residential Statewide health standard.

531 East 28th Division Highway, Lititz, PA 17543, Elizabeth Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Martin Paving, Inc., 531 East 28th Division Highway, Lititz, PA 17543, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Residential Statewide health standard.

Aviva Diesel Release I-81, Mile Marker 92.8, Jonestown, PA 17038, Swatara Township, **Lebanon County**. Stantec Consulting Services, Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380, on behalf of Aviva Protect, 10 Aviva Way, Markham, Ontario, Canada, L6G 0G1, and PA Department of Transportation Engineering, 2140 Herr Street, Harrisburg, PA 17103, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Nonresidential Statewide health standard.

York Wallcoverings, 750 Linden Avenue, York, PA 17404, City of York, **York County**. Ramboll US Consulting, Inc., 101 Carnegie Center, Suite 200, Princeton, NJ 08540, on behalf of York Wallcoverings, 750 Linden Avenue, York, PA 17404, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the site-specific standard.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Hattie BRA Pad, Dietz Road, Sugar Run, PA 18846, Wilmot Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Residential Statewide health standard for soil.

Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Titusville Wax Plant, 1100 East Main Street, (a.k.a. 1007 East Spring Street), Titusville, PA 16354, City of Titusville, **Crawford County**. Wood Environment & Infrastructure Solutions, Inc., 4600 J Barry Court, Suite 210, Canonsburg, PA 15317, on behalf of Honeywell, 115 Tabor Road, Morris Plains, NJ 07950, submitted a Risk Assessment Report concerning the remediation of site soil and groundwater contaminated with Volatile Organic Compounds, Semi-volatile Organic Compounds, Polychlorinated Biphenyls, and Metals. The report is intended to document remediation of the site to meet the site-specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based

on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

2045 West Hunting Park Avenue, 2023-2061 West Hunting Park Avenue, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County**. Thomas Geiger, Geosyntec Consultants, 1750 American Boulevard, Suite 200, Pennington, NJ 08534 on behalf of Duane Warty, GPI Interim, Inc., 70 Mechanic Street, C41-32, Foxboro, MA 02035 submitted a Final Report concerning the remediation of site soil contaminated with PAHs. The Final Report did not demonstrate attainment of the Statewide health standard and was disapproved by the Department on January 8, 2021.

Center Square Golf Club Property, 2620 Skippack Pike, Norristown, PA 19403, Worcester Township, **Montgomery County**. Terence A. O'Reilly, PG, TriState Environmental Management Services, Inc., 3937A Bristol Pike, Bensalem, PA 19020 on behalf of Thaddeus Craun, Toll Mid-Atlantic LP Company, Inc., 250 Gibraltar Road, Suite 2E, Horsham, PA 19044 submitted a Final Report concerning the remediation of site soil contaminated with pesticides and inorganics. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on January 12, 2021.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Frei Property, 1315 North Main Street, Honesdale, PA 18431, Honesdale Borough, **Wayne County**. Bluestone, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of John Frei, 1315 North Main Street, Honesdale, PA 18431, submitted a revised Final Report concerning remediation of soil contaminated by heating oil. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on January 26, 2021.

Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Gregory Meinzer Property, 580 Church Street, Landisville, PA 17538, East Hempfield Township, **Lancaster County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602, on behalf of Peachey Railworks, LLC, 1699 Dry Tavern Road, Denver, PA 17517, and Gregory Meinzer, 580 Church Street, Landisville, PA 17538, submitted a Final Report concern-

ing remediation of site soil contaminated with agricultural waste material during transfer activities. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on January 8, 2020.

Mechanicsburg North Petroleum Storage Terminal, 127 Texaco Road, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Sovereign Consulting, Inc., 1215 Manor Drive, Mechanicsburg, PA 17055, on behalf of Motiva Enterprises LLC, P.O. Box 4540, Houston, TX 77210, and Lucknow Highspire Terminals, P.O. Box 2621, Harrisburg, PA 17105 submitted a Final Report concerning remediation of site soil and groundwater contaminated with historic releases from No. 2 fuel oil. The Final Report did not demonstrate attainment of the Residential Statewide health standard and was disapproved by the Department on January 13, 2021.

Ay Machine Company, 350 Railroad Avenue, Ephrata, PA 17522, Ephrata Borough, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Ay Machine Company, 703 Owl Hill Road, Lititz, PA 17543, submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on January 4, 2021.

Witmer Brothers Garage, 2089 Lincoln Highway East, Lancaster, PA 17602, Lancaster, PA 17602, East Lampeter Township, **Lancaster County**, August Mack Environmental, Inc., 941 Wheatland Avenue, Lancaster, PA 17603, on behalf of Lloyd Witmer, 122 Water Street, New Holland, PA 17557, submitted Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of site groundwater contaminated with No. 2 fuel oil. The combined Final Report demonstrated attainment of the site-specific standard and was disapproved by the Department on January 15, 2021.

Loves Travel Stops, 20-22, Old Forge Road, Jonestown, PA 17038, Union Township, **Lebanon County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Love's Travel Stops and Country Stores, P.O. Box 26210, Oklahoma City, OK 73126, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the Residential Statewide health standard and was approved by the Department on January 15, 2021.

Topton Volunteer Fire Company Diesel Fuel Release, 600 & 595 State Street, Mertztown, PA 19539, Longswamp Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Topton Volunteer Fire Company, 600 State Street, Mertztown, PA 19539, and Brandywine Transportation, 595 State Street, Mertztown, PA 19539, submitted a Cleanup Plan, Remedial Investigation Report, and Final Report concerning remediation of site groundwater contaminated with diesel fuel. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on January 25, 2021.

Titus Combustion Site, 545 Poplar Neck Road, Birdsboro, PA 19508, Cumru Township, **Berks County**. Groundwater & Environmental Sciences, 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Titus Power, LLC, 315 Riegelsville, Road, Milford, NJ 08848, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil contaminated

with fuel oil and lubricating oil. The combined Report was administratively incomplete and was disapproved by the Department on January 25, 2021.

Northcentral Region: Environmental Cleanup and Brownfields Program Manager, 208 West Third Street, Williamsport, PA 17701.

Breon Residence Heating Oil Release, 171 W. Main Street, Rebersburg, PA 16872, Miles Township, **Centre County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of Eagle Towing and Recovery, 1049 S. Eagle Valley Road, Milesburg, PA 16853, submitted a Final Report concerning remediation of site soil contaminated with heating oil. The Final report demonstrated attainment of the Residential Statewide health standard and was approved by the Department on January 15, 2021.

Whitetail Pad, 1237 Stump Lick Run Road, Frenchville, PA 16836, Goshen Township, **Clearfield County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV, 25311, submitted a Cleanup Plan concerning remediation of site soil and groundwater contaminated with brine. The Cleanup Plan was approved by the Department on January 13, 2021.

Peter's Sandblasting Heating Oil Release, 280 W. Brown Street, Lock Haven, PA 17745, Castanea Township, **Clinton County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of Peter's Sandblasting, 280 W. Brown Street, Lock Haven, PA 17745, submitted a Final Report concerning remediation of site groundwater contaminated with heating oil. The Final Report demonstrated attainment of the Residential Statewide health standard and was approved by the Department on January 20, 2021.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Draft permits Issued, Revised or Withdrawn under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

PAD000738823. Safety-Kleen Systems, Inc., 42 Longwater Drive, Norwell, MA 02061 for the New Kingstown Facility located at 10 Eleanor Drive, New Kingstown, PA 17072, Silver Spring Township, **Cumberland County**. A Draft Hazardous Waste Storage Permit, which will renew the current permit for an additional 10-year term, was prepared by the Southcentral Regional Office on February 1, 2021. As required by 25 Pa. Code § 270a.80(d)(2), the Department is providing public notice of this action.

Persons wishing to comment on the draft permit are invited to submit comments to John Oren, P.E., Permits Section Chief, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110 within 45 days from the date of this public notice. Comments received within this 45-day period will be considered in the formulation of the final determination regarding this application. Responses should include the name, address, and telephone number of the writer; and a concise statement to inform the Regional Office of the exact basis of any comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 45-day comment period and/or public hearing, the Department will make a final determination regarding the proposed permit action. Notice of this action will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

Persons interested in obtaining more information about the draft permit may contact the Southcentral Regional Office, Waste Management Program at (717) 705-4706. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP9-39-015: East Coast Crushing LLC (1398 Wilmington Pike, West Chester, PA 19382) on January 20, 2021, for the construction and operation of an Internal Combustion Engine at the facility located in Allentown City, **Lehigh County**.

GP3-39-015: East Coast Crushing LLC (1398 Wilmington Pike, West Chester, PA 19382) on January 20, 2021, for the construction and operation of a portable stone crushing plant at the facility located in Allentown City, **Lehigh County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

AG5-18-00005B: Mountain Gathering, LLC (22777 Springwoods Village Parkway, Spring, TX 77389) on January 25, 2021 to authorize the operation of three 1,775 bhp Caterpillar 3606 TALE, 4SLB, natural gas-fired compressor engines, each equipped with 2-way oxidation catalysts; one JATCO 60 MMscfd TEG dehydration unit equipped with a 2 MMBtu/hr natural gas-fired reboiler; one 145 bhp Caterpillar 3306NA, 4SRB, compressor engine equipped with a 3-way oxidation catalyst; one 0.8 MW Capstone C800 microturbine; three storage tanks equipped with a tanker truck loadout; pigging operations; and various fugitive emissions pursuant to the General Plan Approval and General Operating Permit for Natural Gas Compressor and/or Processing Facilities (BAQ-GPA/GP-5) at their Dry Run Compressor Station in Chapman Township, **Clinton County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

40-00143A: Bekaert Corporation (165 New Commerce Blvd., Wilkes-Barre, PA 18706) issued on January 20, 2021 for the installation and operation of a steel wire drawing process with fabric collector to remove soap dust at their manufacturing facility to be located in Hanover Township, **Luzerne County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05016H: RH Sheppard Co., Inc. (101 Philadelphia Street, Hanover, PA 17331) on January 19, 2021, for the modification of the Sinto and Disa Sand Preparation Lines, which includes the construction of two new sand mixers, two new bucket elevators, two new shutoff hoppers, five new belt conveyors, a new compactability tester, and the installation of a new baghouse at the facility located in Hanover Borough, **York County**.

22-05050C: Dauphin Meadows, Inc./Millersburg Municipal Waste Landfill (10376 Bullock Drive, King George, VA 22485-6658) on January 25, 2021, for the modification of the gas collection and control system (GCCS) which allows for the permanent passive operation of the landfill gas (LFG) collection system by removing the enclosed ground flare (DEP ID No. C001) and the LFG Utility Flare (DEP ID No. C002) at the landfill facility in Washington Township, **Dauphin County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-05002S: Letterkenny Army Depot (One Overcash Avenue, Chambersburg, PA 17201) on January 19, 2020, for the permanent shutdown and removal of the Regenerative Thermal Oxidizer (RTO), which has functioned as a VOC control device for four coating booths operating inside Building 350, and for the rework of the ventilation system for the coating booths at the Letterkenny Army Depot located in Letterkenny Township, **Franklin County**. The plan approval also revised the facility's existing PAL provisions. The plan approval was extended.

06-05159A: CarbonLITE P, LLC (4030 Pottsville Pike, Reading, PA 19605) on January 19, 2021, for the installation of four (4) Caterpillar, 2,069 HP, natural gas-fired engines for their combined heat and power system and three (3) natural gas-fired, 7.877 MMBtu/hr, Miura boilers at the pcrPET bottles and container recycle plant located in Muhlenberg Township, **Berks County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

49-00063A: Renewal Processing, Inc. (10705 State Route 44, Watsonstown, PA 17777) on January 14, 2021, to

extend the authorization to construct a bakery waste rotary dryer at their facility located in Lewis Township, **Northumberland County** to July 15, 2021. The plan approval has been extended.

19-00007B: Transcontinental Gas Pipe Line Company, LLC (P.O. Box 1396, Houston, TX 77251-1396) on January 15, 2021, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from January 17, 2021 to July 16, 2021, at their Compressor Station 517 located in Jackson Township, **Columbia County**. The plan approval has been extended.

14-00003J: Penn State University (208 Office of Physical Plant, University Park, PA 16802) was issued a plan approval extension to authorize continued operation of the Ag Digester (Source ID P201) at their University Park Campus in State College, **Centre County**, and allow additional time for shakedown and to complete the required source testing. The plan approval has been extended for an additional 180 days.

18-00033A: Renovo Energy Center, LLC (12011 Sunset Hills Road, Suite 110, Reston, VA 20190) was issued a plan approval extension on January 22, 2021, for the extension of the construction period for the construction of a 950 megawatt power plant to be located in the borough of Renovo, **Clinton County**. The plan approval has been extended to January 21, 2022.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

03-196B: National Fuel Gas Supply Corporation, Kaylor Compressor Station (3021 Pump Station Lane, Sugarcreek, PA 16028) on January 7, 2021, effective January 7, 2021, has issued a plan approval extension for change in responsible official in Sugarcreek Township, **Armstrong County**. This is a State Only facility. This will expire on March 30, 2021.

42-246A: National Fuel Gas Supply Corporation, Keelor Compressor Station (575 Township Line Road, Kane, PA 16735) on January 7, 2021, effective January 7, 2021, has issued a plan approval extension for change in responsible official in Wetmore Township, **McKean County**. This is a State Only facility. This will expire on April 30, 2021.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

53-00007: Eastern Gas Transmission and Storage, Inc. (6603 West Broad Street, Richmond, VA 23230) was issued a Title V operating permit on January 21, 2021, for Title V operating permit renewal for operation of their State Line Transmission Station located in Genesee Township, **Potter County**. The Title V operating permit was administratively amended to revise the corporate name from Dominion Energy Transmission, Inc. and the mailing address. The Title V operating permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

15-00041: Eastern Shore Natural Gas Company (604 Street Rd., Cochranville, PA 19330) on January 20, 2021, a State-Only Operating Permit renewal for the operation of a five (5) natural gas-fired compressors internal combustion engines and two (2) natural gas-fired emergency generators at its Daleville Compressor Station located in Cochranville, Londonderry Township, **Chester County**.

23-00096: County of Delaware George W. Hill Correctional Facility (500 Cheyney Road, Thornton, PA 19373) on January 20, 2021, for the renewal permit for a non-Title V, Synthetic Minor facility to operate six (6) diesel-fired engines and various small natural gas-fired hot water heaters at the correctional facility located in Concord Township, **Delaware County**.

46-00069: Highway Materials Plymouth Meeting Quarry (5000 Joshua Road, Plymouth Meeting, PA 19462) on January 21, 2021, for the renewal of a State Only, Natural Minor Operating Permit for the operation of an aggregate processing plant at the Plymouth Meeting quarry using various crushers, screeners, and conveyors in Whitmarsh Township, **Montgomery County**.

09-00225: Forest Park Water (144 Park Avenue, Chalfont, PA 18914-0317) on January 21, 2021, located in Chalfont Borough, **Bucks County** for the renewal State Only (Synthetic Minor) Operating Permit for three (3) generators at the company's water treatment plant.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05162: Quality Custom Cabinetry, Inc. (125 Peters Road, New Holland, PA 17557-9205) on January 14, 2021, for the custom wood kitchen cabinet and countertop manufacturing facility located in Earl Township, **Lancaster County**. The State-Only Permit was renewed.

38-03002: Crestwood Services, LLC (811 Main Street, Suite 3400, Houston, TX 77002-6119) on January 14, 2021, for the liquid propane storage and distribution facility located in Heidelberg Township, **Lebanon County**. The State-Only Permit was renewed.

36-03120: Esbenshade Mills (220 Eby Chiques Road, Mount Joy, PA 17552-8800) on January 22, 2021, for the animal feed processing facility located in Rapho Township, **Lancaster County**. The State-only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00037: King Coal Sales, Inc. (P.O. Box 712, Philipsburg, PA 16866) on January 15, 2021, was issued a State Only permit for their Cunard Tipple in Morris

Township, **Clearfield County**. All applicable Federal and state regulatory requirements including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the permit.

17-00028: Greenwood Processing & Loading Complex LLC (1340 Hoyt Road, Curwensville, PA 16833) on January 21, 2021, was issued a State Only Permit for their Belles Landing Tipple in Greenwood Township, **Clearfield County**. All applicable Federal and State regulatory requirements including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the permit.

17-00045: Pennsylvania Department of Corrections (State Correctional Institute—Houtzdale, 209 Institutional Drive, Houtzdale, PA 16689) on January 12, 2021, was issued a State Only Operating Permit (renewal) for the Pennsylvania Department of Correction's State Correctional Institute at Houtzdale facility located in Woodward Township, **Clearfield County**. All applicable Federal and State regulatory requirements including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the permit.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00218: NF & M International, Inc. (1729 Pennsylvania Avenue, Monaca, PA 15061-1852) on January 22, 2021 a State Only Operating Permit (SOOP) renewal to NF & M International to authorize the continued operation of their plant located in the Monaca Borough, **Beaver County**.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued a Synthetic Minor (State Only) Operating Permit for the following facility:

OP20-000032: Albert Einstein Medical Center (5501 Old York Road, Philadelphia, PA 19141), for operation of 3 (three) combustion unit each rated less than 10 MMBtu/hr firing Natural gas and No. 2 fuel oil, one combustion unit rated less than 30.1 MMBtu/hr firing Natural gas and No. 2 fuel oil, three (3) diesel emergency generators each rated 1,225 kw, three (3) diesel emergency generators each rated 600 kw, two (2) diesel emergency generators each rated 800 kw, and two (2) diesel emergency generators each rated 300 kw in the City of Philadelphia, **Philadelphia County**.

The City of Philadelphia, Air Management Services (AMS) issued a renewal for a Minor State Only Operating Permit for the following facility:

OP18-000005: PBF Logistic Products Terminals, LLC (1650 South 51st Street, Philadelphia, PA 19143) for the operation of a Petroleum Bulk Station and Terminal facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include eleven distillate tanks, and Distillate Rack Loading.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00298: GlaxoSmithKline, LLC (709 Swedeland Road, King of Prussia, PA 19406), on January 21, 2021 for the facility located in Upper Merion Township, **Montgomery County**. Administrative Amendment of the Title V Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The Administrative Amendment incorporates terms and conditions from Plan Approval No. 46-0035I which is for the installation of four (4) boilers, one (1) emergency generator engine, and one above ground storage tank for No. 2 oil at the existing facility. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

01-05017: Berryville Graphics, Inc. (26 Jack Enders Blvd., Berryville, VA 22611-1500) on January 14, 2021, for the book printing facility located in Fairfield Borough, **Adams County**. The State-Only Permit was administratively amended in order to reflect a change of ownership.

36-05147: Wenger Feeds, LLC (101 West Harrisburg Avenue, Rheems, PA 17570) on January 25, 2021, for the feed mill located in Mount Joy Borough, **Lancaster County**. The State-Only Permit underwent a minor modification in order to convert the backup fuel supply of the two (2) existing boilers from # 4 fuel oil to # 2 fuel oil, and to update the responsible official and permit contact.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00041: Lonza, LLC (3500 Trenton Ave, Williamsport, PA 17701-7924) on January 25, 2021, was issued a revised State-Only (Synthetic Minor) operating permit to incorporate the terms and conditions of Plan Approval 41-00041A for their Williamsport Plant facility located in the City of Williamsport, **Lycoming County**. The revised State-Only (Synthetic Minor) operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Additionally, the State-Only (Synthetic Minor) operating permit was revised to reflect the change in the owner's name from Lonza Inc.

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

04-00708: Watco Transloading, LLC (2701 Route 68 West, Industry, PA 15052) Natural Minor Operating Per-

mit on January 26, 2021, the Department of Environmental Protection (DEP) authorized a natural minor State-Only Operating Permit modification to correct a misclassification of the facility as a synthetic minor facility during the previous permit renewal to a natural minor facility. The facility warehouses ferroalloy metals, pig iron, gypsum, steel, non-ferrous metals, and general commodities and is located in Industry Borough, **Beaver County**. Emission calculations were reviewed for this modification, and no permit conditions were changed. The permit includes emission limits, operating requirements, monitoring requirements, and recordkeeping requirements for the site.

04-00712: Watco Transloading, LLC (2701 Route 68 West, Industry, PA 15052) Natural Minor Operating Permit on January 26, 2021, the Department of Environmental Protection (DEP) authorized a natural minor State-Only Operating Permit modification to correct a misclassification of the facility as a synthetic minor facility during the previous permit renewal to a natural minor facility. The facility's operations include ferroalloy material handling, crushing, screening, and packaging for material unloaded at the nearby Lot # 1 and is located in Midland Borough, **Beaver County**. Emission calculations were reviewed for this modification, and no permit conditions were changed. The permit includes emission limits, operating requirements, monitoring requirements, and recordkeeping requirements for the site.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).

Permit No. 56900701 and NPDES Permit No. PA0214078. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, to revise the permit and related NPDES Permit to construct temporary sludge drying ponds for Job 12 Expansion located in Shade Township, **Somerset County**. No additional discharges. The application was considered administratively complete on June 18, 2020. Application received: March 20, 2020. Permit issued: December 15, 2020.

Permit No. 56081301 and NPDES Permit No. PA0235903. LCT Energy LP, 938 Mt. Airy Drive, Suite 200, Johnstown, PA 15904, to revise the permit and

related NPDES Permit for land use change from existing forestland and unmanaged natural habitat to unmanaged habitat and industrial use for Brubaker Mine located in Shade Township, **Somerset County**. No additional discharges. The application was considered administratively complete on June 3, 2019. Application received: April 4, 2019. Permit issued: December 8, 2020.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Ashley Smith).

Permit No. 17180101 and NPDES No. PA0269891. Bell Resources, Inc., 1340 Hoyt Road, Curwensville, PA 16833, Commencement, operation, and restoration of a bituminous surface and auger mine located in Penn Township, **Clearfield County** affecting 146.2 acres. Receiving stream(s): unnamed tributaries to Bell Run classified for the following use(s): Cold Water Fishes. There are no potable water supply intakes within 10 miles downstream. Permit issued: January 22, 2021.

Stream Variances Approved:

This permit authorizes a variance to conduct surface mining activities within 100 feet of unnamed tributary "N" to Bell Run beginning at its spring source and extending downstream (east) approximately 570 feet as measured along the stream. Surface mining activities may be conducted within 100 feet of the above referenced stream, but no coal/industrial mineral removal activities may be conducted within 25 feet of the stream. A replacement ephemeral channel will be tied into the headwaters of UNT "N" starting at the current beginning of UNT "N" and extending upslope 325 feet.

This permit authorizes a variance to conduct surface mining activities within 100 feet of unnamed tributary "O" to Bell Run beginning at its spring source and extending downstream (southeast) approximately 190 feet as measured along the stream, to its confluence with UNT "N". Surface mining activities may be conducted within 100 feet of the above referenced stream, but not within 50 feet of the stream.

This permit authorizes a variance to conduct surface mining activities within 100 feet of unnamed tributary "X" to Bell Run beginning at its spring source and extending downstream (east) approximately 420 feet as measured along the stream. Surface mining activities may be conducted within 100 feet of the above referenced stream, but no coal/industrial mineral removal activities may be conducted within 50 feet of the stream.

This permit authorizes a variance to conduct surface mining activities within 100 feet of unnamed tributary "Y" to Bell Run beginning at its spring source and extending downstream (east) approximately 410 feet as measured along the stream. Surface mining activities may be conducted within 100 feet of the above referenced stream, but not within 50 feet of the stream.

This permit authorizes a variance to conduct surface mining activities within 100 feet of Unnamed Tributary "Z" to Bell Run beginning at its spring source and extending downstream (east) approximately 100 feet as measured along the stream. Surface mining activities may be conducted within 100 feet of the above referenced stream, but not within 25 feet of the stream.

This permit authorizes a variance to conduct surface mining activities within 100 feet of Unnamed Tributary "AA" to Bell Run beginning at its spring source and extending downstream (southeast) approximately 75 feet as measured along the stream. Surface mining activities

may be conducted within 100 feet of the above referenced stream, but not within 50 feet of the stream.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, 724-925-5500, (Contact: Tracy Norbert).

Permit No. 651903 and NPDES No. PA0278408. P&N Company, P.O. Box 332, Punxsutawney, PA 15767. Government Financed Construction Contract issued for reclamation of approximately 6.3 acres of abandoned mine lands located in Derry Township, **Westmoreland County**. Receiving streams: unnamed tributary to McGee Run. Application received: November 22, 2019. Contract issued: January 14, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 54803204R7. Gilberton Coal Company (10 Gilberton Road, Gilberton, PA 17934), renewal of an existing anthracite coal refuse reprocessing operation in Butler Township and Ashland Borough, **Schuylkill County** affecting 24.6 acres. Receiving stream: unnamed tributary to Mahanoy Creek. Application received: July 14, 2020. Renewal issued: January 21, 2021.

Permit No. PAM111078R2. Gilberton Coal Company (10 Gilberton Road, Gilberton, PA 17934), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54803204 in Butler Township and Ashland Borough, **Schuylkill County**, receiving stream: unnamed tributary to Mahanoy Creek. Application received: July 14, 2020. Renewal issued: January 21, 2021.

Permit No. 54950104R5. City of Philadelphia, Trustee Acting by the Board of Directors of City Trusts for Girard Estate, Philadelphia, PA 19107, renewal of an anthracite surface mine operation in West Mahanoy Township and Shenandoah Borough, **Schuylkill County** affecting 397.3 acres. Receiving streams: Shenandoah and Mahanoy Creeks. Application received: August 11, 2020. Renewal issued: January 21, 2021.

Permit No. PAM112033R2. City of Philadelphia, Trustee Acting by the Board of Directors of City Trusts for Girard Estate, Philadelphia, PA 19107, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 54950104 in West Mahanoy Township and Shenandoah Borough, **Schuylkill County**, receiving streams: Shenandoah and Mahanoy Creeks. Application received: August 11, 2020. Renewal issued: January 21, 2021.

Permit No. 40130201R. Ken Nowakowski (80 Foote Avenue, Duryea, PA 18642), renewal of an existing anthracite coal refuse reprocessing operation in Avoca Borough, **Luzern County** affecting 15.7 acres. Receiving stream: Mill Creek. Application received: August 13, 2020. Renewal issued: January 21, 2021.

Permit No. PAM113039R. Ken Nowakowski (80 Foote Avenue, Duryea, PA 18642), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40130201 in Avoca Borough, **Luzerne County**, receiving stream: Mill Creek. Application received: August 13, 2020. Renewal issued: January 21, 2021.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 40870302C5 and NPDES Permit No. PA0225827. Pocono Transcrete, Inc. (179 Burger Road, Blakeslee, PA 18610), correction to an existing quarry operation to include an NPDES Permit for discharge of treated mine drainage in Foster Township, **Luzerne County**. Receiving stream: unnamed tributary to Lehigh River, classified for the following use: HQ—cold water and migratory fishes. Application received: January 16, 2018. Correction issued: January 22, 2021.

Permit No. 5873SM3C8 and NPDES Permit No. PA0595691. H & K Group, Inc. (P.O. Box 196, Skippack, PA 19474), renewal of an NPDES Permit for discharge of mine drainage from a quarry operation in Penn Forest Township, **Carbon County** affecting 20.0 acres. Receiving stream: Stony Creek, classified for the following use: EV. Application received: May 25, 2018. Renewal issued: January 22, 2021.

Permit No. 7373SM1C6 and NPDES Permit No. PA0595683. H & K Group, Inc. (P.O. Box 196, Skippack, PA 19474), renewal of an NPDES Permit for discharge of mine drainage from a quarry operation in Penn Forest Township, **Carbon County** affecting 20.0 acres. Receiving stream: Stony Creek, classified for the following use: EV. Application received: November 21, 2018. Renewal issued: January 22, 2021.

Permit No. 13930301C7 and NPDES Permit No. PA0595829. H & K Group, Inc. (P.O. Box 196, Skippack, PA 19474), renewal of an NPDES Permit for discharge of mine drainage from a quarry operation in Penn Forest Township, **Carbon County** affecting 14.9 acres. Receiving stream: Stony Creek, classified for the following use: EV. Application received: December 26, 2018. Renewal issued: January 22, 2021.

Permit No. 7975SM5C12 and PA0225649. KPK Development Corp. (149 Newbold Road, Fairless Hills, PA 19030), correction to increase the permitted acres from 229.91 to 278.73 acres and update the NPDES Permit for discharge of mine drainage from a quarry operation in Falls Township, **Bucks County**. Receiving stream: unnamed tributary to Delaware River, classified for the following uses: warm water and migratory fishes. Application received: April 9, 2020. Correction issued: January 25, 2021.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 40214101. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Humboldt Industrial Park Lot 57B in Hazle

Township, **Luzerne County** with an expiration date of January 14, 2022. Permit issued: January 20, 2021.

Permit No. 40214102. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Humboldt Industrial Park Lot 57A in Hazle Township, **Luzerne County** with an expiration date of January 14, 2022. Permit issued: January 20, 2021.

Permit No. 36214102. Maine Drilling & Blasting, Inc. (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Shoppes at Belmont in Manheim Township, **Lancaster County** with an expiration date of January 14, 2022. Permit issued: January 22, 2021.

Permit No. 36214103. Douglas Explosives, Inc. (2052 Philipsburg Bigler Highway, Philipsburg, PA 16866), construction blasting for Parkside Reserve Phase I in Manheim Township, **Lancaster County** with an expiration date of December 30, 2021. Permit issued: January 22, 2021.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E5504220-022. Middleburg Borough, 13 North Main Street, Middleburg, PA 17842. Stumps Run Channel Maintenance, in Middleburg Borough, **Snyder County**, ACOE Baltimore District (Middleburg, PA Quadrangle; Latitude: 40-47-32.48; Longitude: -77-2-39.69).

To construct, operate and maintain a stream maintenance/rehabilitation project within the Borough limits in Stumps Run, Cold Water Fishery. The project shall remove 270 feet of an existing failing concrete walls along the right bank, remove 80 feet of existing failing concrete wall along the left bank, removal of an existing box culvert crossing from the closed Cemetery Street and removal of accumulated sediment to re-establish stream channel pattern and profile. The rehabilitation shall construct 380 feet of stream bank retaining wall along both banks, 384 feet of a low flow channel defined by R-5 riprap and a depth of 1 foot and to install riprap armoring to protect the upstream tie out of the wall and associated banks. This project is located at the intersection of Cemetery Road and E. Market Street, in the Borough of Middleburg, Snyder County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281

ESCGP-3 # ESG073020016-00
Applicant Name EQM Gathering OPCO LLC
Contact Person Gregg West
Address 2200 Energy Drive
City, State, Zip Canonsburg, PA 15317
County Greene County
Township(s) Franklin Twp
Receiving Stream(s) and Classification(s) Stewart Run (HQ-WWF), Smith Creek (WWF); Pursley Creek (HQ-WWF), South Fork Tenmile Creek (WWF)

ESCGP-3 # ESG073020008-00
Applicant Name EQM Gathering OPCO LLC
Contact Person Gregg West
Address 2200 Energy Drive
City, State, Zip Canonsburg, PA 15317
County Greene County
Township(s) Wayne Twp
Receiving Stream(s) and Classification(s) Rudolph Run (WWF), Roberts Run (WWF); Dunkard Creek (WWF)

ESCGP-3 # ESG073020016-00—Whites Ridge 1C and H-154: L01 Spur Project
Applicant Name EQM Gathering OPCO LLC
Contact Person Gregg West
Address 625 Liberty Avenue, Suite 1700
City, State, Zip Pittsburgh, PA 15222-3114
County Greene County
Township(s) Franklin Township
Receiving Stream(s) and Classification(s) Stewart Run (HQ-WWF) and Smith Creek (WWF)
Secondary: Pursley Creek (HQ-WWF) and South Fork Tenmile Creek (WWF)

Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295820054-00
Applicant Name Repsol Oil & Gas USA, LLC
Contact Person Tom Cassetta
Address 50 Pennwood Place
City, State, Zip Warrendale, PA 15086-6512
County Susquehanna County
Township(s) Rush
Receiving Stream(s) and Classification(s) North Branch Wyalusing Creek (CWF/MF), Gaylord Creek (CWF/MF)
Secondary: Wyalusing Creek (WWF/MF), North Branch Wyalusing Creek (CWF/MF)

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 16021.102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP

| Permit No. | Applicant Name & Address | County | Municipality | Tank Type | Tank Capacity |
|------------|--|-------------------|--------------------|----------------------------|----------------------|
| 20-21-015 | SAIA Motor Freight Line, LLC 80 Roadway Drive Carlisle, PA 17015 Attn: Brett Rabe | Cumberland County | Middlesex Township | 2 ASTs storing diesel fuel | 40,000 gallons total |

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Phoenixville Shell, 15-00306, 508 Bridge St., Phoenixville, PA 19460, Phoenixville Borough, **Chester**

County. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of 508 Bridge Street LP, 1055 Westlakes Dr., Suite 170, Berwyn, PA 19312, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health standards.

Jefferson Health N E Bucks Cnty, 09-55419, 380 Oxford Valley Rd., Langhorne, PA 19047, **Bucks County**. Center Point Tank Services, Inc., 563 E. Benjamin Franklin Highway, Douglasville, PA 19518, on behalf of Jefferson Health Northeast—Bucks, 380 Oxford Valley Rd., Langhorne, PA 19047, submitted a Site Characterization Report 310(b) concerning remediation of soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet residential Statewide health standards.

Sunoco 80010510 05662408, 15-38409, 950 Common Dr., Parkesburg, PA 19365, Parkesburg Borough, **Chester County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

A1 Gas Mini Mart, Storage Tank ID # 39-40896, 1247 West Turner Street, Allentown, PA 18102, Allentown City, **Lehigh County**. Center Point Tank Services, 536 East Benjamin Franklin Highway, Douglassville, PA 19518, on behalf of Moobi and Qasim Corporation, 1247 West Turner Street, Allentown, PA 18102, has submitted a Remedial Action Plan concerning remediation of soil contaminated with gasoline. The Remedial Action Plan is intended to document the remedial actions for meeting the site-specific standards.

Effort Texaco, Storage Tank ID # 45-50054, 2604 Route 115, Effort, PA 18330, Chestnuthill Township, **Monroe County**. MEA 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pratixa Corporation, P.O. Box 381, Effort, PA 18330, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Plan is intended to document the remedial actions for meeting the Statewide health standards.

CF Mart # 3035, Storage Tank ID # 58-39706, 3615 State Route 374, Nicholson, PA 18446, Lenox Township, **Susquehanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Convenient Food Marts of Pennsylvania, 215 Clark Avenue, Clarks Summit, PA 18411 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet the Statewide health standards. The Remedial Action Completion Report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Rutters Farm Store 54, Storage Tank Facility ID # 67-32277, 5305 Susquehanna Trail, York, PA 17402, Conewago Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of CHR Corporation, 2295 Susquehanna Trail, York, PA 17404, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum contaminants. The plan is intended to document remediation of the site to meet the site-specific standard.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Environmental Group Manager, Storage Tanks Program.

Former Uni-Mart Gas Station, Storage Tank Facility ID # 30-32254, 695 E. High St., Waynesburg, PA 15370, Waynesburg Borough, **Greene County**. Moody and Associates, Inc., 199 Johnson Rd., Bldg. 2, Ste. 101, Houston, PA 15342, on behalf of S.E.F. Inc., 743 E. High St., Waynesburg, PA 15222, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Conway Superette, Storage Tank Facility ID # 04-24790, 1120 13th St., Conway, PA 15027, Conway Borough, **Beaver County**. Flynn Environmental, Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of Nund Oil, 514 State St., Baden, PA 15005, submitted a Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Former BP Service Station No. 07264, Storage Tank Facility ID # 04-14083, 1008 Midland Ave., Midland, PA 15059, Midland Borough, **Beaver County**. Antea USA, Inc., 535 Rt. 38, Ste. 203, Cherry Hill, NJ 08002, on behalf of BP Products North America, Inc., 3343 Lapp Lane, Naperville, IL 60564, submitted a combined Site Characterization Report, Remedial Action Plan and Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

Marie's Service Station, Primary Facility ID # 65-80800, 404 New Alexandria Rd., Greensburg, PA

15601, Hempfield Township, **Westmoreland County**. DMS Environmental Services, LLC, 103 S. Spring St., Bellefonte, PA 16823, on behalf of Douglas and Rita Semington, 5350 E. Deer Valley Dr., Unit 3432, Phoenix, AZ 85054, submitted a revised Remedial Action Plan concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

F&E Rentals, Primary Facility ID # 11-32072, 830 W. High St., Ebensburg, PA 15931, Ebensburg Borough, **Cambria County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Frank Falchini, 840 High St., Ebensburg, PA 15931, resubmitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the site-specific standard.

Former Chippewa Buy-N-Fly # 4, Storage Tank Facility ID # 04-28195, 2561 Constitution Blvd., Beaver Falls, PA 15010, Chippewa Township, **Beaver County**. Flynn Environmental, Inc., 5640 Whipple Ave., N.W., North Canton, OH 44720, on behalf of Richard Blackwood, 644 Blackhawk Rd., Beaver Falls, PA 15010, submitted a combined Site Characterization Report, Remedial Action Plan and Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Sunoco Facility # 0363-4813, Storage Tank Facility ID # 02-30643, 2873 W. Liberty Ave., Mt. Lebanon, PA 15216, Dormont Borough, **Allegheny County**. Enviro-Trac Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sunoco, Inc., 2 Righter Parkway, Ste. 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning the remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet the Statewide health standard.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Sheetz 75R, Storage Tank Facility ID # 10-91749, 107 Franklin Street, Slippery Rock, PA 16057, Slippery Rock Borough, **Butler County**. Envirotrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 351 Sheetz Way, Claysburg, PA 16625 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and used motor oil constituents: benzene, ethylbenzene, toluene, xylenes, isopropylbenzene, naphthalene, methyl tertiary butyl ether (MTBE), 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, indeno(1,2,3-cd)pyrene, pyrene and lead. The report is intended to document remediation of the site to meet the Statewide Health and site-specific standards.

Kwik Fill M 176, Storage Tank Facility ID # 25-14853, 231 W. Main Street, Girard, PA 16417, Girard Borough, **Erie County**. ATC Group Services, LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of United Refining Company of PA, P.O. Box 688, Warren, PA 16365, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with

benzene, toluene, ethylbenzene, xylenes, naphthalene, MTBE, cumene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide health standard.

Tom Dylewski Service, Storage Tank Facility ID # 25-05386, 4421 Pine Avenue, Erie, PA 16504, City of Erie, **Erie County**. Environmental Remediation and Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Mark Dylewski, 4421 Pine Avenue, Erie, PA 16504 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, isopropylbenzene (cumene), benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, indeno(1,2,3-cd)pyrene, pyrene and lead. The report is intended to document the remedial actions for meeting the Statewide health standard.

Correction: Dixonville Food N Gas, Storage Tank Facility ID # 32-81438, 17659 State Route 403 Highway N, Dixonville, PA 15734, Green Township, **Indiana County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Mr. Naveed Chowdhry, 17659 State Route 403 Highway N, Dixonville, PA 15734, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The plan is intended to document the remedial actions for meeting the Statewide health standard.

TSP 217, Storage Tank Facility ID # 10-06945, 20133 Route 19, Cranberry Township, **Butler County**. EnviroTrac Ltd, 176 Thorn Hill Rd, Warrendale, PA 15086, on behalf of Tri State Petroleum, 705 Lakeview Plaza Boulevard, Suite A, Worthington, OH 43085-4779, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene (TMB), 1,3,4-TMB and methyl tert-butyl ether. The plan is intended to document the remedial actions for meeting the Statewide health standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature

and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Amoco Car Wash, 23-27098, 3100 Edgmont Ave., Parkside, PA 19015, Parkside Borough, **Delaware County**. Reliance Environmental, Inc., 235 N. Duke St., Lancaster, PA 17602 on behalf of Jagger Investments, LLC, 275 Hess Boulevard submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of residential Statewide health and site-specific standards and was approved by the DEP on January 22, 2021.

Kinder Morgan Liquids Term, 51-40930, 3300 N. Delaware Ave., Philadelphia, PA 19134, **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341 on behalf of Kinder Morgan Philadelphia Terminal, 3300 North Delaware Avenue, Philadelphia, PA 19134 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with cumene. The report is acceptable to meet site-specific standards and was approved by DEP on January 26, 2021.

Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Kinship Square (former Mary MacIntosh Cleaners), Storage Tank ID # 40-24299, 165 North Main Street, Wilkes-Barre, PA 18711, Wilkes-Barre City, **Luzerne County**, Quad 3 Group Inc., 37 North Washington Street, Wilkes-Barre, PA 18701, on behalf of King's College, 133 North River Street, Wilkes-Barre, PA 18711, submitted a revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum and Stoddard Solvent. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved by DEP on January 25, 2021.

Bennett's Airline Texaco, Storage Tank ID # 66-20615, 10944 State Route 6, Laceyville, PA 18623, Braintrim Township, **Wyoming County**, Synergy Envi-

ronmental, Inc., 155 Railroad Plaza, Royersford, PA 19468, on behalf of Dunmore Oil Company, 1031B Reeves Street, Dunmore, PA 18512, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of a combination of site-specific and Statewide health standards and was approved by DEP on January 22, 2021.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Cynthia Stine, Licensed Professional Geologist.

Tyrone Convenience Store, Storage Tank Facility ID # 07-15475, 1960 Adams Avenue, Tyrone, PA 16686, Tyrone Borough, **Blair County**. P. Joseph Lehman, Inc., Post Office Box 419, Hollidaysburg, PA 16648 on behalf of Mr. Hiteshkumar Patel, 1960 Adams Avenue, Tyrone, PA 16686, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum contaminants. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on January 14, 2021.

Suburban Temple, Storage Tank Facility ID # 06-26252, 5365 Allentown Pike, Muhlenberg Township, **Berks County**. Groundwater Sciences Corporation, 2601 Market Street, Suite 310, Harrisburg, PA 17110, on behalf of Suburban Propane, 240 Route 10 West, Whippany, NY 07981 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report did not demonstrate attainment of the site-specific standard and was disapproved by DEP on January 25, 2021.

Contact: Cherie M. Campbell, Soil Scientist.

Keneco, Storage Tank Facility ID # 01-36776, 6149 Baltimore Pike, Littlestown, PA 17340-9504, Germany Township, **Adams County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Spangler Oil Company, 464 Locust Lane, Littlestown, PA 17340 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Petroleum. The Remedial Action Plan was acceptable to meet the site-specific standard and was approved by

DEP on January 27, 2021.

Southwest Region: Environmental Cleanup Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Environmental Group Manager, Storage Tanks Program.

Gulf Terminal—Neville Island, Storage Tank Facility ID # 02-80588, 400 Grand Ave., Pittsburgh, PA 15225, Neville Township, **Allegheny County**. Arcadis U.S. Inc., 10 Friends Lane, Ste. 100, Newtown, PA 18940, on behalf of Chevron EMC, 1500 Louisiana St., No. 38154, Houston, TX 77002, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on January 20, 2021.

SPECIAL NOTICES

OIL AND GAS

Notice of Projects under the Environmental Good Samaritan Act.

The Environmental Good Samaritan Act (27 Pa.C.S.A. §§ 8001—8114) provides certain protections and immunities from civil liability for landowners and persons who voluntarily undertake reclamation and abatement projects to address land and water adversely affected by mining or oil or gas extraction or exploration for natural resources and left in an unreclaimed condition or left discharging water pollution. In order for landowners and persons to qualify for immunity, the projects must be approved by the Department.

The following project proposals have been received by the Department of Environmental Protection. A copy of the proposals is available for inspection at the DEP Northwest (Meadville) Regional Office at 230 Chestnut Street, Meadville, PA 16335 between the hours of 9:00 a.m. and 4:00 p.m.

Written comments or objections may be submitted by any person or any office or head of any Federal, State, or local government agency or authority to the Department at the same address within 30 days of this publication.

Written comments or objections should contain the name, address and telephone number of the person submitting comments or objections; the proposal identification number; and a statement of sufficient detail to inform the Department of the basis of the comment or objection and the relevant facts upon which it is based.

PROJECT PROPOSALS RECEIVED

EGSOG08-0002—P Brown Orphan Well Plugging. SWN Production Company, LLC, 10000 Energy Drive, Spring, TX 77389. SWN Production Company, LLC is planning to plug an abandoned oil and gas well (API No. 015-90007) located in Stevens Township, **Bradford County**. The P Brown well is located in a wooded area with adjacent agricultural fields surrounding the location. The well plugging project will affect an area of 5 acres. Complete project proposal received January 14, 2021.

[Pa.B. Doc. No. 21-199. Filed for public inspection February 5, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 18(1123,6679)101.1, Abandoned Mine Reclamation Project, Huling Branch East, Noyes and Leidy Townships, Clinton County. The principal items of work and approximate quantities include: AMD subsurface underdrains and AMD subsurface treatment cell: perforated 12" PE pipe, 3,265 linear feet, solid 12" PE pipe, 130 linear feet, AASHTO No. 1 calcareous coarse aggregate, 13,112 tons, calcareous modified 2A aggregate, 500 tons, noncalcareous AASHTO No. 1 coarse aggregate, 7,155 tons, ethylene-propylene-diene terpolymer (EPDM) impervious lining, 9,496 square yards; revamped treatment pond: coal refuse removal, 12,500 cubic yards, EPDM impervious lining, 5,393 square yards; fence, 1,300

linear feet; alkaline addition (limestone screenings), 50,800 tons; grading, 450,481 cubic yards; reconstruct recreational trails, 5,610 linear feet; forestland preparation for the forest reclamation approach backfill, 18.8 acres; tree planting, 16,750 trees; and seeding—wildlife habitat—mulching, 22.9 acres.

This bid issues on January 22, 2021, and bids will be opened on February 18, 2021, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Small Diverse Business/Veteran Business Enterprise goals have been set for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-200. Filed for public inspection February 5, 2021, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Sewage Advisory Committee Rescheduled Virtual Meeting

The Sewage Advisory Committee (Committee) meeting scheduled for Wednesday, September 16, 2020, has been rescheduled to Tuesday, February 23, 2021. The meeting will be held as a virtual meeting and will begin at 10 a.m. Individuals who wish to join the meeting may do so remotely. Information will be provided on the Committee's webpage. Individuals interested in providing public comments during the meeting must sign up prior to the start of the meeting by contacting Janice Vollero at jvollero@pa.gov or (717) 772-5157.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water Advisory Committees," then "Sewage Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the February 23, 2021, meeting can be directed to Janice Vollero at jvollero@pa.gov or (717) 772-5157.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-8951 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 21-201. Filed for public inspection February 5, 2021, 9:00 a.m.]

DEPARTMENT OF HEALTH

Pennsylvania Rural Health Redesign Center Authority Board Virtual Meeting

The Pennsylvania Rural Health Redesign Center Authority Board (Board), established under section 302 of the Pennsylvania Rural Health Redesign Center Authority Act (35 P.S. § 449.132), will hold its next meeting on Tuesday, February 16, 2021, from 10 a.m. to 12 p.m. The meeting will be held virtually by means of Microsoft Teams at https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZDJINmUwOTctYzZmNC00MGU2LTliNzAtM2E5YjA4OTIzMzNk%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%220fc4a4bd-5e1b-4934-80c5-00e4d2bb8f23%22%7d or by using the following call-in information: toll number: +1 (267) 332-8737; conference ID: 526183240#.

The Board is charged with administering the Pennsylvania Rural Health Model (Model) which aims to protect the financial viability of rural hospitals in this Commonwealth through transitioning them from a traditional fee-for-service model to a global budget payment model. The meeting will provide updates on a variety of topics including Model status updates, Federal grant deliverables, global budget methodology and more. It will also discuss current and upcoming activities.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so, contact Emily Roussel, Executive Advisor for Health Resources and Services, Department of Health, (717) 425-0623, eroussel@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

ALISON BEAM,
Acting Secretary

[Pa.B. Doc. No. 21-202. Filed for public inspection February 5, 2021, 9:00 a.m.]

DEPARTMENT OF REVENUE

Internet Instant Games iLottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) Title 4 Amusements (4 Pa.C.S.A. §§ 501—505) and 61 Pa. Code § 876.2d (relating to iLottery game rules by category of game offered), the Secretary of Revenue hereby provides public notice of the rules for internet instant games of the iLottery category of games, as required by the iLottery permanent regulations published at 50 Pa.B. 1528 (March 14, 2020).

1. *Purpose.* This notice shall provide the rules governing internet instant games offered through the Bureau's iLottery system available on the iLottery web site (www.PAiLottery.com) and the Bureau's mobile application. Internet instant lottery games are operated under 4 Pa.C.S.A. §§ 501—505 and 61 Pa. Code §§ 876.1—876.20, as applicable. This notice shall also rescind the notice published at 48 Pa.B. 2027 (April 7, 2018).

2. *Game Type.* The type of iLottery games governed by this notice are internet instant games, as provided for under 61 Pa. Code § 876.2c(a)(4). Internet instant games

are a category of games where the result of the game is a reveal of numbers, letters or symbols, indicating whether a prize has been won according to this notice, the game's prize structure and the game description.

3. *Definitions.* The words and terms, when used in this notice, have the meanings ascribed to them under 61 Pa. Code § 876.2 (relating to definitions), unless the context clearly indicates otherwise.

4. *Time and place of outcome determination.* Each internet instant game is available on demand and the outcome will be revealed on the computer, tablet computer or other mobile device on which the game is played immediately upon completion of the game.

5. *Method of outcome determination.*

(a) Internet instant game outcomes are determined through the use of a random number generator. At the time the registered iLottery player starts a game, a random number generator selects outcomes from a preset range of potential outcomes and how that outcome will be displayed to the player, based on the specific design of each individual game.

(b) The outcome of an internet instant game is determined at the time the registered iLottery player purchases a play, chance or share (hereinafter referred to as "play" in the singular, or "plays" in the plural). Registered iLottery player selections, actions or choices within iLottery games do not affect the outcome of the game or the prize won.

6. *Prize Structure.*

(a) Prize structures for internet instant games may include one or more of the following: prize tiers; progressive prizes; fixed payout; and prize pool or pools.

(1) Prize tiers are the specific prize amounts that can be won in an internet instant game. Prize amounts may be won and displayed differently in each game and each game may have its own, different prize tiers.

(2) Progressive prizes are a prize tier or tiers that may be present in some games. Any specific progressive prize starts at a predetermined value and a portion of each amount played contributes a preset amount to the progressive prize or prizes each time a play is purchased for that game. When any specific progressive prize is won, the progressive prize for the next play is reset to a predetermined value based on the rules of the game. The operation of the progressive prize or prizes can vary from game to game, and the method of operation will be communicated in the game description.

(3) Fixed payout games feature static prize amounts, and the number and amount of the prizes are not affected by the amount of times a game is played or by the number of people who play the game.

(4) A prize pool or pools are a predetermined set of play outcomes.

(i) A depleting prize pool includes a pre-defined number of plays, including both winning and non-winning outcomes that are random throughout an entire prize pool. As plays are purchased, the total number of outcomes deplete until all plays are gone. A depleting prize pool can be replaced, in its entirety, once all plays are depleted.

(ii) A non-depleting prize pool includes a pre-defined number of plays, including both winning and non-winning outcomes that are random throughout an entire prize pool. As plays are purchased, the winning and losing outcomes are automatically replenished and available for each subsequent purchase.

(b) Internet instant games give a registered iLottery player the opportunity to win one prize per play.

(c) The prize structure of each internet instant game is communicated to players in the game description provided for each individual game, as further described in section 9 (relating to location of individual game descriptions).

7. *Purchase Price.* The purchase price for a single play in any individual internet instant game is determined by the game selected and can range from \$0.01 to \$30. The price, or range of prices, of any individual play in any internet instant game can be found in the game description as further described in section 9 (relating to location of game descriptions).

8. *Availability.*

(a) *Eligibility:* To be eligible to participate in iLottery and purchase plays for internet instant games, a person must agree to the iLottery terms and conditions as provided for at 61 Pa. Code § 876.9, and must meet all of the requirements of 61 Pa. Code §§ 876.10, 876.10a and 876.11.

(1) A person must become a registered iLottery player by establishing a lottery account through the Bureau's iLottery web site or the Bureau's mobile application.

(2) A registered iLottery player must be 18 years of age, or older.

(3) A registered iLottery player must be located within the physical boundaries of the Commonwealth of Pennsylvania to purchase a play.

(4) During any period of self-exclusion as provided for under 61 Pa. Code § 876.16 (relating to self-exclusion from iLottery and responsible gambling tools), no self-excluded registered iLottery player shall purchase plays, deposit or withdraw funds from the registered iLottery player's lottery account or otherwise participate in iLottery and iLottery promotions prior to the conclusion of the self-exclusion period.

(5) A registered iLottery player shall abide by all other requirements of 4 Pa.C.S.A. §§ 501—505 (relating to lottery), as well as any regulations promulgated thereunder.

(b) Internet instant games are available to registered iLottery players from the on-sale date, as determined by the Bureau, until the game is terminated or suspended in accordance with this section.

(c) The termination of specific internet instant games, of the internet instant game category, or of the iLottery category of games, will be communicated through the Bureau's web site (<http://www.palottery.com>) at the discretion of the Secretary.

(d) Individual internet instant games may be suspended and removed from the game lobby at the discretion of the Bureau for any reason. A game may be suspended or removed by the Bureau for any reason and is not considered terminated unless communicated as described in this section.

9. *Location of Individual Game Descriptions.* The description of each individual internet instant game, containing all of the information as required by 61 Pa. Code § 876.4 (relating to iLottery game description), as well as the instructions for playing each individual internet instant game, will be posted to the Bureau's iLottery web site and the iLottery section of the Bureau's mobile application.

10. *Procedures for Purchasing a Play.*

(a) To purchase a play, a registered iLottery player must have a valid lottery account, as referenced in section 8 (relating to availability).

(b) A registered iLottery player must fund the player's lottery account with money from an approved payment provider, as further detailed on the Bureau's iLottery web site, or the iLottery section of the Bureau's mobile application.

(c) A registered iLottery player may purchase a play using the player's own money, or by using bonus money provided to the registered iLottery player by the Bureau at its discretion, which is deposited into the player's lottery account.

11. *Procedures for Claiming and Payment of Prizes.*

(a) After purchasing a play for an internet instant game, a registered iLottery player must follow the instructions provided for that internet instant game to reveal whether a prize is awarded.

(b) Prizes won by playing internet instant games will be deposited into the registered iLottery player's lottery account and may be withdrawn from the player's lottery account at the player's discretion, as further detailed in the iLottery terms and conditions.

(c) The Bureau will report taxable events to the relevant taxing authorities based on established statutory thresholds and a registered iLottery player will have the ability to view and print tax statements within the registered iLottery player's lottery account.

(d) State and Federal withholding taxes will be automatically deducted from prizes meeting established statutory thresholds and shall be remitted to the appropriate taxing authorities as required by law.

(e) Statutorily required offsets under 23 Pa.C.S. § 4308 (relating to lottery winnings intercept) and 72 P.S. § 215 regarding lottery winnings intercept, shall be automatically deducted from prizes meeting statutory thresholds, and shall be paid to the relevant agencies as required by law.

12. *Governing Law.* By registering to participate in iLottery, the registered iLottery player agrees to comply with and abide by Federal and State law, the iLottery regulations, iLottery Bonus Policy, applicable game rules, the terms and conditions for registration and participation in iLottery and final decisions of the Secretary.

13. *Applicability.*

(a) This notice applies only to the internet instant games category of iLottery games as offered by the Bureau.

(b) Internet instant games are only offered through the Bureau's iLottery web site and the Bureau's mobile application.

(c) Internet instant games are not available through Lottery retailers.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 21-203. Filed for public inspection February 5, 2021, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Cash 5 with Quick Cash Terminal-Based Lottery Game

Under 61 Pa. Code § 816.101 (relating to creation), the Secretary of Revenue hereby provides public notice of the termination of the Cash 5 lottery game rules at 61 Pa. Code §§ 816.101—816.117, effective for tickets purchased on or before February 8, 2021. Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 875.4 (relating to notice of terminal-based lottery game rules), the Secretary of Revenue hereby provides public notice of the following new rules for the terminal-based lottery game, Pennsylvania Cash 5 with Quick Cash, effective for tickets purchased on or after February 9, 2021:

1. *Name:* The name of the terminal-based lottery game is Pennsylvania Cash 5 with Quick Cash (hereinafter, "Cash 5 with Quick Cash"). The game will commence at the discretion of the Secretary, and will continue until the Secretary publicly announces a suspension or termination date.

2. *Price:* The price of one Cash 5 with Quick Cash play is \$2. Each Cash 5 with Quick Cash \$2 play includes one Cash 5 Drawing play and one Quick Cash instant win play, printed on separate tickets. Additional Cash 5 with Quick Cash plays may be purchased at the discretion of the player, up to a maximum of ten plays for seven consecutive Cash 5 Drawings.

3. *Description of the Cash 5 with Quick Cash lottery game:*

(a) Cash 5 with Quick Cash is designed to give players the opportunity to win one Cash 5 Drawing prize and one Quick Cash instant win prize for each play purchased. Cash 5 Drawing plays or Quick Cash plays cannot be purchased separately.

(b) For a single \$2 purchase, the player receives one ticket containing five different Cash 5 Drawing numbers ranging from 1 to 43, which may either be quick pick or at the player's selection, and a ticket containing one Quick Cash play.

(c) Players meeting all validation criteria can win a Cash 5 Drawing prize, identified in section 6(b) (relating to Determinations of Cash 5 Drawing prize winners for tickets correctly matching the winning numbers selected by the Lottery), by matching, in the same play, five, four, three or two of the winning numbers randomly selected by the Lottery as determined and publicly announced by the Secretary.

(d) Players can win one Quick Cash instant win prize by matching any of the play symbols located in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING NUMBERS" area in a Quick Cash GAME. Correctly matching play symbols in this manner entitles the ticket holder to the prize shown to the right of the "YOUR NUMBERS" play symbols for that GAME, as further identified in Section 6(c) (relating to Quick Cash prizes available to be won and determination of prize winners). If more than one Quick Cash GAME appears on a ticket, (for example, where a purchase of two Cash 5 with Quick Cash plays includes a ticket containing two Quick Cash GAMES) each Quick Cash GAME is played separately.

4. *Cash 5 with Quick Cash bet slip and ticket characteristics:*

(a) To purchase a Cash 5 with Quick Cash play, the player shall remit to an authorized retailer the purchase price, submit the completed Cash 5 with Quick Cash bet slip or request the number selection through quick pick or manual terminal entry to have a ticket issued.

(b) The Cash 5 Drawing ticket portion of the Cash 5 with Quick Cash play shall consist of one to ten plays, each containing one five-number selection for each \$2 wagered, the drawing date or range of dates for which the ticket is entered, amount bet, and validation number data. On Cash 5 Drawing tickets containing multiple plays, each five-number Cash 5 Drawing selection will be identified by a letter prefix: A for the first play printed on the ticket; B for the second play printed on the ticket; C for the third play printed on the ticket; D for the fourth play printed on the ticket; E for the fifth play printed on the ticket; F for the sixth play printed on the ticket; G for the seventh play printed on the ticket; H for the eighth play printed on the ticket; I for the ninth play printed on the ticket; and J for the tenth play printed on the ticket. Each Cash 5 Drawing ticket shall be the only valid proof of the bet placed, and the only valid receipt for claiming a prize. The ticket shall only be valid for the drawing date or range of dates printed on the ticket. In addition, within the same purchase, a player may repeat the selected Cash 5 Drawing numbers for up to seven consecutive Cash 5 Drawings, for a maximum of 70 total Cash 5 Drawing plays, and 70 Quick Cash GAMES, per purchase.

(c) The Quick Cash ticket portion of the Cash 5 with Quick Cash play shall consist of one to five GAMES, each containing five Quick Cash "WINNING NUMBERS" play symbols, five Quick Cash "YOUR NUMBERS" play symbols and one Quick Cash Prize area containing one Quick Cash prize symbol. On Quick Cash tickets containing multiple plays, each Quick Cash GAME will be identified by a GAME number: GAME 1 for the first play printed on the ticket; GAME 2 for the second play printed on the ticket; GAME 3 for the third play printed on the ticket; GAME 4 for the fourth play printed on the ticket; and GAME 5 for the fifth play printed on the ticket. A player who purchases more than five total Cash 5 with Quick Cash plays will receive multiple Quick Cash instant win tickets, each containing one to five Quick Cash GAMES, until the total number of Quick Cash GAMES has been printed. Each Quick Cash ticket shall be the only valid proof of the bet placed, and the only valid receipt for claiming a prize.

(d) Cash 5 with Quick Cash bet slips shall be available at no cost to the player. The minimum wager is \$2. For \$2, purchase Cash 5 Drawing play A and one Quick Cash instant win GAME; for \$4, purchase Cash 5 Drawing plays A and B and two Quick Cash instant win GAMES; for \$6, purchase Cash 5 Drawing plays A, B and C and three Quick Cash instant win GAMES; for \$8, purchase Cash 5 Drawing plays A, B, C and D and four Quick Cash instant win GAMES; for \$10, purchase Cash 5 Drawing plays A, B, C, D and E and five Quick Cash instant win GAMES; for \$12, purchase Cash 5 Drawing plays A, B, C, D, E and F and six Quick Cash instant win GAMES, printed on two tickets; for \$14, purchase Cash 5 Drawing plays A, B, C, D, E, F and G and seven Quick Cash instant win GAMES, printed on two tickets; for \$16, purchase Cash 5 Drawing plays A, B, C, D, E, F, G and H and eight Quick Cash instant win GAMES, printed on two tickets; for \$18, purchase Cash 5 Drawing plays A, B,

C, D, E, F, G, H and I and nine Quick Cash instant win plays, printed on two tickets; and for \$20, purchase Cash 5 Drawing plays A, B, C, D, E, F, G, H, I and J and ten Quick Cash instant win GAMES, printed on two tickets. Plays shall be selected in accordance with the instructions printed on the Cash 5 with Quick Cash bet slip. A Cash 5 with Quick Cash bet slip has no pecuniary or prize value and does not constitute evidence of the purchase of a ticket or the numbers selected.

(e) If Cash 5 with Quick Cash bet slips are unavailable, number selections may be given to an authorized retailer in groups of five-number selections, for each play and for each \$2 wagered. The retailer shall manually enter the selections into the Lottery terminal. A player may also request number selection using the quick pick option by indication on the bet slip or making the request to an authorized retailer.

(f) A player may also purchase Cash 5 with Quick Cash plays using a Pennsylvania Lottery self-service terminal. To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of the Cash 5 with Quick Cash game ticket and select the Cash 5 with Quick Cash option on the Lottery self-service terminal.

(g) No portion of a Cash 5 with Quick Cash game ticket can be canceled or voided once printed by the Lottery Terminal, even if printed in error.

5. *Time, place and manner of conducting Cash 5 Drawings:*

(a) *Time of drawing.* A Cash 5 Drawing will be held on a daily basis or as determined and publicly announced by the Secretary.

(b) *Place of drawing.* A Cash 5 Drawing will be conducted in the Harrisburg, Pennsylvania area unless the Secretary directs that a drawing or part of the drawing procedure be conducted at some other location.

(c) *Manner of conducting drawings.* The Lottery will select, at random, five numbers from 1 through 43, with the aid of mechanical devices or any other selection methodology as authorized by the Secretary. The five numbers selected will be used in determining winners for each individual Cash 5 Drawing. The validity of a Drawing will be determined solely by the Lottery.

(d) Winning Cash 5 Drawing selections are determined separately from winning Quick Cash GAMES. Tickets containing a Quick Cash GAME win may be presented for payment at any time while the ticket remains valid, as described in section 9(b) (relating to Unclaimed prize money).

6. *Cash 5 with Quick Cash prizes available to be won and determination of prize winners:*

(a) An amount equal to 44.39% of Cash 5 with Quick Cash gross sales for a Cash 5 Drawing will be reserved for prizes and allocated to the prize pool for payment of prizes as enumerated in Section 6(b) (relating to Determinations of Cash 5 Drawing prize winners for tickets correctly matching the winning numbers selected by the Lottery). The prize pool does not include money carried forward from a previous Pennsylvania Cash 5 Drawing.

(b) Determinations of Cash 5 Drawing prize winners for tickets correctly matching the winning numbers selected by the Lottery, are:

(1) Holders of tickets upon which the player's five numbers, in a single play, match the five winning numbers selected by the Lottery, shall be the winner of the jackpot category prize. The jackpot category prize shall consist of 44.0% of the Cash 5 Drawing prize pool, plus any prize money carried forward from a prior Cash 5 Drawing pursuant to §§ 6(b)(1)(iii), 6(b)(2)(ii) and 6(b)(3)(ii).

(i) The Lottery will estimate and announce the projected amount of the upcoming jackpot category prize prior to the drawing. Payment will be made in the amount estimated and announced as the projected jackpot category prize or in the actual amount of the jackpot category prize, whichever is greater, divided equally by the number of plays on tickets determined by the Lottery to be entitled to claim a jackpot category prize.

(ii) Prize money allocated to the jackpot category prize will be paid on a pari-mutuel basis. If more than one winning jackpot prize play is determined, each, upon meeting the requirements of 61 Pa. Code §§ 875.10 and 875.11 (relating to terminal-based lottery game ticket validation and requirements; and procedures for claiming and payment of prizes), is entitled to a prorated payment share of the total jackpot category prize.

(iii) If, in a Cash 5 Drawing, there are no winning jackpot category prize plays, prize money allocated from the prize pool to that prize category will be carried forward and added to the amount allocated for the jackpot category prize money in the next Cash 5 Drawing.

(2) Holders of tickets upon which four of the player's numbers, in a single play, match four of the winning numbers selected by the Lottery, shall be entitled to a second category prize of \$200.

(3) Holders of tickets upon which three of the player's numbers, in a single play, match three of the winning numbers selected by the Lottery, shall be entitled to a third category prize of \$10.

(4) Holders of tickets upon which two of the player's numbers, in a single play, match two of the winning numbers selected by the Lottery, shall be entitled to a fourth category prize of \$2.

(c) *Quick Cash prizes available to be won and determination of prize winners:*

(1) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$6⁰⁰ appears in the Prize area to the right of the "YOUR NUMBERS" play symbols, in the same GAME, shall be entitled to a prize of \$6.

(2) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols matches any of the "WINNING NUMBERS" play symbols, and a prize symbol of \$2⁰⁰ appears in the Prize area to the right of the "YOUR NUMBERS" play symbols, in the same GAME, shall be entitled to a prize of \$2.

(d) All Cash 5 with Quick Cash prize payments, including the jackpot category prize, will be made as a one-time, lump-sum cash payment. For the purposes of jackpot prize calculation, the calculation will be rounded down so that prizes will be paid in multiples of \$0.50.

(e) A winning Cash 5 Drawing ticket is entitled only to the highest prize won by those numbers in each play appearing on the ticket.

(f) A winning Quick Cash ticket is entitled to the prize for any winning GAME printed on that Quick Cash ticket. A winning Quick Cash ticket may contain up to five winning GAMES.

(g) The number of prize categories, the allocation of prize money among the prize categories, and the minimum jackpot category prize amount for the Cash 5 Drawing portion of the Cash 5 with Quick Cash play may be changed at the discretion of the Secretary and the change will be announced by public notice. The changes will only apply prospectively to Cash 5 Drawings as of the date specified in the public notice.

7. *Probability of winning:* The following tables set forth all possible ways that a prize can be won for the Cash 5 Drawing portion of a single Cash 5 with Quick Cash play; all the possible ways that a prize can be won for each GAME on the Quick Cash portion of a single Cash 5 with Quick Cash play; corresponding prize or prizes won; and probability of winning each prize or combination of prizes:

(a) *Cash 5 Drawing prizes:*

| <i>Cash 5 Drawing Prize Level:</i> | <i>Match:</i> | <i>Payout:</i> | <i>Approximate Odds of Winning Are 1 In:</i> |
|------------------------------------|---------------|----------------|--|
| 1 | 5/5 | Jackpot | 962,598 |
| 2 | 4/5 | \$200 | 5,066.3 |
| 3 | 3/5 | \$10 | 136.9 |
| 4 | 2/5 | \$2 | 11.4 |

(b) *Quick Cash GAME prizes:*

| <i>Payout:</i> | <i>Approximate Odds of Winning Are 1 In:</i> |
|----------------|--|
| \$6 | 80 |
| \$2 | 5 |

8. *Retailer Incentive and Marketing Promotion Programs:*

(a) The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Cash 5 with Quick Cash lottery tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

(b) Retailer Incentive and Marketing Promotion Programs, including the use of unfunded free tickets, may be implemented at the discretion of the Secretary. If needed, funds for the programs, including the payment of prizes resulting from the programs, will be drawn from the Lottery Fund.

9. *Unclaimed Prize Money:*

(a) For a period of 1 year from the announced Drawing date, prize money from winning Cash 5 Drawing game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the anniversary date of the Drawing in which the ticket or chance was entered, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

(b) A Quick Cash prize must be claimed within 1 year of the sale date of the Quick Cash ticket. If no claim is made within 1 year of the sale date of a Quick Cash ticket, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

10. *Governing Law:* In purchasing a ticket, the player agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 21-204. Filed for public inspection February 5, 2021, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Commission Virtual Conference Call Meeting

The State Transportation Commission (Commission) will hold a meeting on Wednesday, February 17, 2021, from 10 a.m. to 12 p.m. Due to the circumstances surrounding the novel coronavirus (COVID-19), this meeting will be held online by means of a conference call. For more information, including call-in information, contact the Commission at (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 21-205. Filed for public inspection February 5, 2021, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Proposed Additions and Revisions; April 2021

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on April 12 and 13, 2021, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

| <i>County of Mouth</i> | <i>Stream Name</i> | <i>Section Limits</i> | <i>Tributary to</i> | <i>Mouth Lat/Lon</i> |
|------------------------|--|-----------------------|-----------------------|------------------------|
| Armstrong | UNT to Allegheny River (RM 78.02) | Headwaters to Mouth | Allegheny River | 41.040329 79.641019 |
| Armstrong | UNT to Pine Run (RM 1.02) | Headwaters to Mouth | Pine Run | 40.949380 79.267480 |
| Blair | UNT to Bald Eagle Creek (RM 6.82) | Headwaters to Mouth | Bald Eagle Creek | 40.726694 78.163781 |
| Cameron | UNT to West Branch Hicks Run (RM 3.76) | Headwaters to Mouth | West Branch Hicks Run | 41.407660 78.328060 |
| Clarion | UNT to Catfish Run (RM 0.42) | Headwaters to Mouth | Catfish Run | 41.009305 79.584810 |
| Clearfield | Chestnut Run | Headwaters to Mouth | Laborde Branch | 41.100953 78.670258 |

| <i>County of Mouth</i> | <i>Stream Name</i> | <i>Section Limits</i> | <i>Tributary to</i> | <i>Mouth Lat/Lon</i> |
|------------------------|--|-----------------------|---------------------------------|------------------------|
| Clinton | UNT to Middle Branch Queens Run (RM 1.61) | Headwaters to Mouth | Middle Branch Queens Run | 41.204782 77.474760 |
| Clinton | UNT to Middle Branch Queens Run (RM 2.55) | Headwaters to Mouth | Middle Branch Queens Run | 41.217025 77.480844 |
| Clinton | UNT to Paddy Run (RM 1.62) | Headwaters to Mouth | Paddy Run | 41.347494 77.743400 |
| Clinton | UNT to West Branch Queens Run (RM 0.57) | Headwaters to Mouth | West Branch Queens Run | 41.186643 77.481752 |
| Clinton | UNT to West Branch Queens Run (RM 0.80) | Headwaters to Mouth | West Branch Queens Run | 41.189718 77.481013 |
| Elk | UNT (RM 0.50) to UNT to Wolf Run (RM 4.90) | Headwaters to Mouth | UNT to Wolf Run (RM 4.90) | 41.605839 78.832821 |
| Mercer | UNT to Mill Creek (RM 5.27) | Headwaters to Mouth | Mill Creek | 41.419661 80.025511 |
| Montour | UNT to West Branch Chillisquaque Creek (RM 7.05) | Headwaters to Mouth | West Branch Chillisquaque Creek | 41.146337 76.659048 |
| Potter | UNT to Nelson Run (RM 0.77) | Headwaters to Mouth | Nelson Run | 41.734736 77.923357 |
| Schuylkill | UNT to Swatara Creek (RM 59.73) | Headwaters to Mouth | Swatara Creek | 40.560848 76.394945 |
| Tioga | UNT to Harrison Run (RM 1.54) | Headwaters to Mouth | Harrison Run | 41.571720 77.285520 |
| Venango | UNT to Little Sandy Creek (RM 3.22) | Headwaters to Mouth | Little Sandy Creek | 41.385467 79.949518 |
| Venango | UNT to Little Sandy Creek (RM 5.64) | Headwaters to Mouth | Little Sandy Creek | 41.379858 79.985984 |
| Venango | UNT to Little Sandy Creek (RM 5.99) | Headwaters to Mouth | Little Sandy Creek | 41.383460 79.988757 |
| Venango | UNT to Little Sandy Creek (RM 6.70) | Headwaters to Mouth | Little Sandy Creek | 41.386813 79.998035 |
| Venango | UNT to Mill Creek (RM 1.27) | Headwaters to Mouth | Mill Creek | 41.427147 79.971793 |

The Commission also will consider the following revisions to the section limits of streams on the list:

| <i>County of Mouth</i> | <i>Stream Name</i> | <i>Current Limits</i> | <i>Revised Limits</i> | <i>Tributary to</i> | <i>Mouth Lat/Lon</i> |
|------------------------|----------------------|--|------------------------------|-------------------------------|------------------------|
| Bedford | Rhodes Run | Headwaters to State Game Lands 26 boundary | Headwaters to Mouth | Bobs Creek | 40.290278 78.611111 |
| Clinton | Cooks Run | Headwaters to Rock Run | Headwaters to Crowley Hollow | West Branch Susquehanna River | 41.277500 77.885278 |
| Mifflin | Kishacoquillas Creek | Headwaters to Mill Road Bridge | Headwaters to Mouth | Juniata River | 40.593611 77.576389 |

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 21-206. Filed for public inspection February 5, 2021, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Changes to List of Class A Wild Trout Waters; April 2021

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed Wild Brook and Rainbow Trout Fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed Wild Brown and Rainbow Trout Fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A Wild Trout Streams at its meeting on April 12 and 13, 2021.

| <i>County</i> | <i>Stream</i> | <i>Section</i> | <i>Limits</i> | <i>Tributary to</i> | <i>Mouth Lat/Lon</i> | <i>Brook Trout (kg/ha)</i> | <i>Brown Trout (kg/ha)</i> | <i>Rainbow Trout (kg/ha)</i> | <i>Length (miles)</i> | <i>Survey Year</i> |
|---------------------|-----------------------------|----------------|------------------------------------|-----------------------|------------------------|----------------------------|----------------------------|------------------------------|-----------------------|--------------------|
| Blair | Redlick Run | 1 | Headwaters to Mouth | Adams Run | 40.433096 78.533803 | 44.44 | — | — | 1.26 | 2020 |
| Cameron/ Clinton | Lebo Branch | 1 | Headwaters to Mouth | Crawford Branch | 41.357967 77.967461 | 25.30 | 16.84 | — | 2.11 | 2020 |
| Centre | Hayes Run | 1 | Headwaters to Mouth | Beech Creek | 41.105278 77.750000 | 55.66 | — | — | 3.64 | 2020 |
| Centre | Two Rock Run | 1 | Headwaters to Mouth | Beech Creek | 41.113333 77.775000 | 43.86 | — | — | 3.00 | 2020 |
| Clinton | Cold Fork | 1 | Headwaters to Mouth | Baker Run | 41.230432 77.641815 | 36.65 | 2.86 | — | 2.04 | 2020 |
| Clinton | Cougar Run | 1 | Headwaters to Mouth | Left Branch Hyner Run | 41.407050 77.602688 | 33.01 | — | — | 1.68 | 2020 |
| Clinton | Crawford Branch | 1 | Headwaters to Mouth | Cooks Run | 41.354443 77.963890 | 35.58 | 39.30 | — | 2.28 | 2020 |
| Clinton | Eagleton Run | 1 | Headwaters to Mouth | Baker Run | 41.231507 77.619080 | 40.21 | 4.93 | — | 1.60 | 2020 |
| Clinton | Left Branch Hyner Run | 1 | Headwaters to Big Slide Hollow Run | Hyner Run | 41.378044 77.607920 | 39.58 | 6.55 | — | 2.77 | 2020 |
| Clinton | Right Branch Hyner Run | 1 | Headwaters to Spring Run | Hyner Run | 41.377778 77.608333 | 39.53 | — | — | 1.75 | 2020 |
| Clinton | Shoemaker Branch | 1 | Headwaters to Mouth | Baker Run | 41.230556 77.644167 | 51.48 | 17.97 | — | 2.60 | 2020 |
| Clinton | Weaver Hollow | 1 | Headwaters to Mouth | Paddy Run | 41.361208 77.750417 | 72.62 | 3.31 | — | 1.06 | 2020 |
| Elk | McDonald Run | 1 | Headwaters to Mouth | Bell Draft | 41.362164 78.319059 | 60.48 | — | — | 1.92 | 2020 |
| Indiana | North Branch Two Lick Creek | 2 | UNT at RM 3.57 to Mouth | Two Lick Creek | 40.673744 78.963654 | 4.94 | 47.59 | — | 3.57 | 2020 |
| Lackawanna | Painter Creek | 1 | Headwaters to Mouth | Panther Creek | 41.282778 75.630833 | 45.57 | 3.65 | — | 3.44 | 2020 |
| Lackawanna | Rattlesnake Creek | 1 | Outlet Maple Lake to SR 690 | Spring Brook | 41.313889 75.638333 | 5.97 | 64.72 | — | 2.12 | 2020 |
| Lycoming | Hackett Fork | 1 | Headwaters to Mouth | Otter Run | 41.420758 77.355647 | 65.79 | — | — | 2.14 | 2020 |
| Lycoming | Lick Run (English Center) | 1 | Headwaters to Mouth | Little Pine Creek | 41.436111 77.279444 | 68.86 | 0.88 | — | 3.93 | 2020 |
| Lycoming | Ott Fork | 1 | Headwaters to Mouth | Upper Pine Bottom Run | 41.318041 77.415916 | 51.85 | 17.82 | — | 2.72 | 2020 |
| Lycoming | Shadrach Draft | 1 | Headwaters to Mouth | Lick Run | 41.432331 77.271812 | 90.17 | — | — | 1.52 | 2020 |

| <i>County</i> | <i>Stream</i> | <i>Section</i> | <i>Limits</i> | <i>Tributary to</i> | <i>Mouth Lat / Lon</i> | <i>Brook Trout (kg / ha)</i> | <i>Brown Trout (kg / ha)</i> | <i>Rainbow Trout (kg / ha)</i> | <i>Length (miles)</i> | <i>Survey Year</i> |
|--------------------|--|----------------|--------------------------------------|-----------------------------------|----------------------------|--------------------------------------|--------------------------------------|--|---------------------------|------------------------|
| Mercer/ Venango | UNT to Little Sandy Creek (RM 5.64) | 1 | Headwaters to Mouth | Little Sandy Creek | 41.379858 79.985984 | 0.81 | 81.44 | — | 3.21 | 2020 |
| Mercer/ Venango | UNT to Little Sandy Creek (RM 6.70) | 1 | Headwaters to Mouth | Little Sandy Creek | 41.386813 79.998035 | 35.98 | 14.36 | — | 1.57 | 2020 |
| Potter | Shaytown Branch | 1 | Headwaters to Tinker Stevens Road | Bell Run | 41.917274 78.203033 | 59.07 | — | — | 2.30 | 2020 |
| Potter | Spring Brook | 1 | Headwaters to Mouth | Left Branch Young Womans Creek | 41.483442 77.682451 | 37.94 | 7.66 | — | 2.87 | 2020 |
| Tioga | Three Springs Run | 1 | Headwaters to Mouth | Zimmerman Creek | 41.552943 77.254231 | 40.18 | 1.63 | — | 1.33 | 2020 |
| Tioga | UNT to Harrison Run (RM 1.54) | 1 | Headwaters to Mouth | Harrison Run | 41.571720 77.285520 | 31.18 | — | — | 0.73 | 2020 |
| Union | UNT to Rapid Run (RM 10.47) | 1 | Headwaters to Mouth | Rapid Run | 40.980785 77.184288 | 50.49 | 0.54 | — | 0.60 | 2020 |
| Venango | UNT to French Creek (RM 7.75) | 1 | Headwaters to Mouth | French Creek | 41.417953 79.927282 | 32.08 | — | — | 1.47 | 2020 |

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 21-207. Filed for public inspection February 5, 2021, 9:00 a.m.]

FISH AND BOAT COMMISSION

Temporary Change to Fishing Regulations; Fishing in Stocked Trout Waters and Regional Opening Day of Trout Season

The Executive Director of the Fish and Boat Commission (Commission), acting under the authority of 58 Pa. Code § 65.25 (relating to temporary changes to fishing regulations), has taken immediate action to amend 58 Pa. Code § 63.3 (relating to fishing in stocked trout waters), and 58 Pa. Code § 65.12 (relating to regional opening day of trout season), 58 Pa. Code § 65.26 (relating to extended trout season) and 58 Pa. Code § 69.12 (relating to seasons, sizes and creel limits—Lake Erie, Lake Erie tributaries and Presque Isle Bay including peninsula waters). This action is necessitated by the continuing novel coronavirus (COVID-19) pandemic that continues to pose a risk to the health of anglers and is designed to decrease that risk by reducing the potential for larger concentrations of anglers and adjusting the closed season to allow for modifications to stocking schedules. Specifically, the Executive Director has amended these sections to:

- Close to fishing all stocked trout streams and rivers between February 15, 2021, and 8 a.m. on April 3, 2021.
- Regulate all trout stocked lakes under Stocked Trout Waters Open to Year-Round Fishing regulations to allow for catch-and-release fishing for trout between February 15, 2021, and 8 a.m. on April 3, 2021.
- Eliminate the Regional Mentored Youth Trout Day and move the Statewide Mentored Youth Trout Day to March 27, 2021.
- Eliminate the Regional Opening Day of Trout Season and move the Statewide Opening Day of Trout Season to April 3, 2021.
- Modify Lake Erie trout and salmon season, size and creel limits.

These are temporary changes affecting only the 2021 trout season and will expire on April 11, 2021.

While this temporary amendment is in effect, the following sections will be amended to read as follows:

§ 63.3. Fishing in stocked trout waters.

It is unlawful to fish in stocked trout waters regulated under § 61.1 (relating to Commonwealth inland waters) from 12:01 a.m. on [**March 1 to 8 a.m. on the first Saturday after April 11**] **February 15 to 8 a.m. on Saturday April 3, except for stocked trout water lakes where catch and release fishing only shall be permitted** and in stocked trout waters regulated under § 65.12 (relating to regional opening day of trout season) from 12:01 a.m. on [**March 1**] **February 15** to 8 a.m. on [**the first Saturday after March 28**] **Saturday April 3, except for stocked trout water lakes where catch and release fishing only shall be permitted.** As used in this subpart, the term “stocked trout waters” means waters that are stocked with adult trout by the Commission. A listing of stocked trout waters is published in the Commission’s “Summary of Fishing Regulations and Laws,” which is available from the Commission at Post Office Box 67000, Harrisburg, Pennsylvania 17106-7000. The Executive Director or a designee may, from time to time, supplement or modify the list of stocked trout waters, and additions or deletions will be published in the *Pennsylvania Bulletin*.

§ 65.26. Extended trout season.

(a) *General rule.* The extended trout season is in effect [**from the day after Labor Day until the last day of February of the following year**] **until 12:01 a.m. on February 15** on stocked trout waters and all waters downstream of stocked trout waters. A creel limit of three trout per day and a minimum size limit of 7 inches apply during this season, except Class A wild trout streams where the creel limit is 0 and areas with special regulations.

* * * * *

§ 69.12. Seasons, sizes and creel limits—Lake Erie, Lake Erie tributaries and Presque Isle Bay including peninsula waters.

* * * * *

(d) It is unlawful to fish in or along any Lake Erie tributary stream from 12:01 a.m. on [**the Friday before the first Saturday after April 11**] **April 2, 2021** until 8 a.m. on [**the first Saturday after April 11**] **April 3, 2021.**

(e) It is unlawful to possess trout or salmon in or along any Lake Erie tributary stream from 12:01 a.m. on [**the Friday before the first Saturday after April 11**] **April 2, 2021** until 8 a.m. on [**the first Saturday after April 11**] **April 3, 2021.**

(f) Except as otherwise provided in subsections (d) and (e) and this subpart, the following seasons, sizes and creel limits apply to Lake Erie, Lake Erie tributaries and Presque Isle Bay, including peninsula waters:

* * * * *

| | | | |
|------------------|--|-----------------|---|
| TROUT and SALMON | 8 a.m. [first Saturday after April 11] April 3, 2021 , until midnight [Labor Day] April 16, 2021 . | 9 inches | 5 (combined species only 2 of which may be lake trout or only 3 of which may be rainbow trout). |
| | 12:01 on April 17, 2021 until midnight September 6, 2021 (Labor Day) . | 9 inches | 5 (combined species only 2 of which may be lake trout) . |
| | 12:01 a.m. the day after Labor Day 2020 , until 12:01 a.m. [on the Friday before the first Saturday after April 11] April 2, 2021 . | 15 inches | 3 (combined species only 2 of which may be lake trout). |

* * * * *

The Executive Director has determined the COVID-19 pandemic continues to pose a risk to the health of anglers and has found that these actions are necessary and appropriate to conserve and preserve fishing opportunities and to provide for the health and safety of persons who fish Commonwealth waters. The temporary modifications will go into effect immediately and expire on Labor Day, 2021.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 21-208. Filed for public inspection February 5, 2021, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, January 21, 2021, and announced the following:

Actions Taken:

Notice is hereby given that the Independent Regulatory Review Commission approved an Emergency Order, dated January 13, 2021, authorizing the conduct of virtual meetings during the current pandemic emergency. The full Order can be found at <http://www.irrc.state.pa.us/documents/>.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 21-209. Filed for public inspection February 5, 2021, 9:00 a.m.]

INSURANCE DEPARTMENT

Export List of Insurance Coverages; Request for Comments

In September 2020, the Insurance Commissioner (Commissioner) determined that certain insurance coverages were generally unavailable in the authorized market and declared those coverages as exportable. A list of exportable coverages was published at 50 Pa.B. 4631 (September 5, 2020). Accordingly, for those insurance coverages that are included on the export list, a diligent search among insurers admitted to do business in this Commonwealth is not required before placement of the coverages in the surplus lines market.

The Commissioner declared that the export list would remain in effect until revised or superseded by a subsequent list.

At this time, the Commissioner is soliciting comments regarding the current export list. Persons may request in writing that a coverage be added or removed from the list.

Persons wishing to comment on the Commissioner's current export list are invited to submit a written statement within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include sufficient detail and relevant facts to inform the Insurance Department of the exact basis of the statement. Written statements must be e-mailed to Cressinda Bybee, cbybee@pa.gov. After consideration of all comments received, the Commissioner will publish a notice in the *Pennsylvania Bulletin* providing a 15-day opportunity to comment on any proposed changes before formal publication of the revised list.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 21-210. Filed for public inspection February 5, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before due date. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by February 22, 2021. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the

permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2021-3023533. Transportation Network Services, LLC, t/a Go Wolley (1411 Cooper Avenue, Pittsburgh, PA 15212) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Allegheny, Armstrong, Beaver, Butler, Fayette, Washington and Westmoreland to points in Allegheny County, and return.

A-2021-3023578. Transportation Network Services, LLC, t/a Go Wolley (1411 Cooper Avenue, Pittsburgh, PA 15212) to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Allegheny, Armstrong, Beaver, Butler, Fayette, Washington and Westmoreland to Pittsburgh International Airport, and return.

A-2021-3023744. Tri State EMS, LLC (831 Brower Road, Wayne, Montgomery County, PA 19087) in paratransit service, limited to service in wheelchair and stretcher vans, to and from appointments, between points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia.

A-2021-3023792. Affordable Medical Transportation, LLC (404 1st Street, Matamoras, Pike County, PA 18336) for the right to begin to transport, as a common carrier, by motor vehicles, persons in paratransit service, from points in the Counties of Lackawanna, Monroe, Pike and Wayne to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2020-3022479. New Horizons Transportation, LLC (1 Shielding Way, Delaware Water Gap, PA 18327) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2021-3023771. Royal Charters, Inc. (P.O. Box 79003, Pittsburgh, Allegheny County, PA 15216) for the discontinuance and cancellation of its authority, begin to operate as a broker, to arrange for the transportation of persons between points in Pennsylvania, as described in the original ordering paragraph at Docket No. A-2017-2613079.

A-2021-3023776. Leslie A. Peed (226 White Oak Drive, Oxford, Chester County, PA 19363) for the discontinuance and cancellation of its authority, begin to transport persons, in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster and that portion of the County of Chester west

of Route 10, to points in Pennsylvania, and return, as described in the original ordering paragraph at Docket No. A-2016-2553256.

A-2021-3023793. Daniel Neiman Fake, t/a Royal-D Limo Service (1399 Manor Road, Windsor, York County, PA 17366) discontinuance of service and cancellation of its certificate to transport as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11—15 passengers, including the driver, from points in York County to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-211. Filed for public inspection February 5, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due February 22, 2021, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Sterling Transport Co., Inc.; Docket No. C-2020-3023055

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Sterling Transport Co., Inc., (respondent) is under suspension effective November 11, 2020 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at P.O. Box 456, Lakeview, NC 28350.
3. That respondent was issued a Certificate of Public Convenience by this Commission on September 28, 2016, at A-8918977.
4. That respondent has failed to maintain evidence of Liability and Cargo insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-8918977 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,
Kimberly M. Johnston, Acting Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Kimberly M. Johnston, Acting Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: December 14, 2020

Kimberly M. Johnston, Acting
Chief
Motor Carrier Enforcement
Bureau of Investigation and En-
forcement

NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
Pennsylvania Public Utility Commission
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility
Services
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-212. Filed for public inspection February 5, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications; Centre WISP Venture Company, LLC; Doc. No. P-2021-3023605

The Pennsylvania Public Utility Commission (Commission) invites comment on the following petition for designation as an eligible telecommunications carrier (ETC) since it was awarded Federal high-cost support moneys from the Federal Communications Commission's Rural Digital Opportunity Fund Auction: Centre WISP Venture Company, LLC; Docket No. P-2021-3023605.

On August 2, 2010, the Commission entered an Order adopting a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers at Docket No. M-2010-2164741. See 52 Pa. Code § 69.2501 (relating to standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support) for the Final Policy Statement, standards applicable for designation and annual certification as an ETC, for purposes of obtaining Federal universal service support. The Final Policy Statement became effective on October 2, 2010.

This notice is to inform telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission. By this notice, the Commission extends the time for filing an answer to the petition under 52 Pa. Code § 5.61 (relating to answers to complaints, petitions, motions and preliminary objections). Interested persons may file and serve an answer on or before 20 days after this notice is published in the *Pennsylvania Bulletin*. Thereafter, the petitioner has 10 days to file and serve its response. Filings must reference Docket No. P-2021-3023605.

In accordance with the Commission's Emergency Order at Docket No. M-2020-3019262 (issued on March 20, 2020; ratified on March 26, 2020; modified by Secretarial Letter issued July 27, 2020), all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. Documents filed relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

Any confidential filings should be clearly marked as such and e-mailed directly to Commission Secretary, Rosemary Chiavetta, at rchiavetta@pa.gov.

The contact for questions regarding this notice is Rhonda L. Daviston, Assistant Counsel, Law Bureau, (717) 787-6166.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-213. Filed for public inspection February 5, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications; Commonwealth Telephone Company, LLC, d/b/a Frontier Communications Commonwealth Telephone Company; Frontier Communications of Breezewood, LLC; Frontier Communications of Canton, LLC; Frontier Communications of Pennsylvania, LLC; Doc. No. P-00971281

The Pennsylvania Public Utility Commission (Commission) invites comments on the following petition for expansion of existing eligible telecommunications carrier (ETC) status. The petition was filed because the joint petitioners were awarded Federal high-cost support moneys from the Federal Communications Commission's Rural Digital Opportunity Fund Auction: Commonwealth Telephone Company, LLC, d/b/a Frontier Communications Commonwealth Telephone Company; Frontier Communications of Breezewood, LLC; Frontier Communications of Canton, LLC; Frontier Communications of Pennsylvania, LLC; Docket No. P-00971281.

On August 2, 2010, the Commission entered an Order adopting a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers at Docket No. M-2010-2164741. See 52 Pa. Code § 69.2501 (relating to standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support) for the Final Policy Statement, standards applicable for designation and annual certification as an ETC, for purposes of obtaining Federal universal service support. The Final Policy Statement became effective on October 2, 2010.

This notice is to inform telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission. By this notice, the Commission extends the time for filing an answer to the petition under 52 Pa. Code § 5.61 (relating to answers to complaints, petitions, motions and preliminary objections). Interested persons may file and serve an answer on or before 20 days after this notice is published in the *Pennsylvania Bulletin*. Thereafter, the petitioner has 10 days to file and serve its response. Filings must reference Docket No. P-00971281.

In accordance with the Commission's Emergency Order at Docket No. M-2020-3019262 (issued on March 20, 2020; ratified on March 26, 2020; modified by Secretarial Letter issued July 27, 2020), all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. Documents filed relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

Any confidential filings should be clearly marked as such and e-mailed directly to Commission Secretary, Rosemary Chiavetta, at rchiavetta@pa.gov.

The contact person for questions regarding this notice is Tiffany L. Tran, Assistant Counsel, Law Bureau, (717) 783-5413, tiftran@pa.gov.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-214. Filed for public inspection February 5, 2021, 9:00 a.m.]

The contact for questions regarding this notice is Joseph P. Cardinale, Jr., Assistant Counsel, Law Bureau, (717) 787-5558.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-215. Filed for public inspection February 5, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications; Starlink Services, LLC; Doc. No. P-2021-3023580

The Pennsylvania Public Utility Commission (Commission) invites comment on the following petition for designation as an eligible telecommunications carrier (ETC) since it was awarded Federal high-cost support moneys from the Federal Communications Commission's Rural Digital Opportunity Fund Auction: Starlink Services, LLC; Docket No. P-2021-3023580.

On August 2, 2010, the Commission entered an Order adopting a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers at Docket No. M-2010-2164741. See 52 Pa. Code § 69.2501 (relating to standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support) for the Final Policy Statement, standards applicable for designation and annual certification as an ETC, for purposes of obtaining Federal universal service support. The Final Policy Statement became effective on October 2, 2010.

This notice is to inform telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission. By this notice, the Commission extends the time for filing an answer to the petition under 52 Pa. Code § 5.61 (relating to answers to complaints, petitions, motions and preliminary objections). Interested persons may file and serve an answer on or before 20 days after this notice is published in the *Pennsylvania Bulletin*. Thereafter, the petitioner has 10 days to file and serve its response. Filings must reference Docket No. P-2021-3023580.

In accordance with the Commission's Emergency Order at Docket No. M-2020-3019262 (issued on March 20, 2020; ratified on March 26, 2020; modified by Secretarial Letter issued July 27, 2020), all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. Documents filed relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

Any confidential filings should be clearly marked as such and e-mailed directly to Commission Secretary, Rosemary Chiavetta, at rchiavetta@pa.gov.

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications; Time Warner Cable Information Systems (Pennsylvania), LLC; Doc. No. P-2021-3023594

The Pennsylvania Public Utility Commission (Commission) invites comments on the following petition for designation as an eligible telecommunications carrier (ETC). The petition was filed because the joint petitioners were awarded Federal high-cost support moneys from the Federal Communications Commission's Rural Digital Opportunity Fund Auction: Time Warner Cable Information Systems (Pennsylvania), LLC; Docket No. P-2021-3023594.

On August 2, 2010, the Commission entered an Order adopting a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers at Docket No. M-2010-2164741. See 52 Pa. Code § 69.2501 (relating to standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support) for the Final Policy Statement, standards applicable for designation and annual certification as an ETC, for purposes of obtaining Federal universal service support. The Final Policy Statement became effective on October 2, 2010.

This notice is to inform telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission. By this notice, the Commission extends the time for filing an answer to the petition under 52 Pa. Code § 5.61 (relating to answers to complaints, petitions, motions and preliminary objections). Interested persons may file and serve an answer on or before 20 days after this notice is published in the *Pennsylvania Bulletin*. Thereafter, the petitioner has 10 days to file and serve its response. Filings must reference Docket No. P-2021-3023594.

In accordance with the Commission's Emergency Order at Docket No. M-2020-3019262 (issued on March 20, 2020; ratified on March 26, 2020; modified by Secretarial Letter issued July 27, 2020), all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. Documents filed relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

Any confidential filings should be clearly marked as such and e-mailed directly to Commission Secretary, Rosemary Chiavetta, at rchiavetta@pa.gov.

The contact person for questions regarding this notice is Christian A. McDewell, Assistant Counsel, Law Bureau, (717) 787-7466, cmcdewell@pa.gov.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-216. Filed for public inspection February 5, 2021, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications; Youngsville Television Corporation, d/b/a Blue Fiber Corp.; Doc. No. P-2021-3023604

The Pennsylvania Public Utility Commission (Commission) invites comments on the following petition for designation as an eligible telecommunications carrier (ETC). The petition was filed because the petitioner was awarded Federal high-cost support moneys from the Federal Communications Commission's Rural Digital Opportunity Fund Auction: Youngsville Television Corporation, d/b/a Blue Fiber Corp.; Docket No. P-2021-3023604.

On August 2, 2010, the Commission entered an Order adopting a final policy statement on ETC designation and ETC annual recertification and reporting requirements for all telecommunications carriers at Docket No. M-2010-2164741. See 52 Pa. Code § 69.2501 (relating to standards applicable for designation and annual certification as an eligible telecommunications carrier, for purposes of obtaining Federal universal service support) for the Final Policy Statement, standards applicable for designation and annual certification as an ETC, for purposes of obtaining Federal universal service support. The Final Policy Statement became effective on October 2, 2010.

This notice is to inform telecommunications providers and interested parties that the Commission intends to act on the previously-referenced ETC petition pending before the Commission. By this notice, the Commission extends the time for filing an answer to the petition under 52 Pa. Code § 5.61 (relating to answers to complaints, petitions, motions and preliminary objections). Interested persons may file and serve an answer on or before 20 days after this notice is published in the *Pennsylvania Bulletin*. Thereafter, the petitioner has 10 days to file and serve its response. Filings must reference Docket No. P-2021-3023604.

In accordance with the Commission's Emergency Order at Docket No. M-2020-3019262 (issued March 20, 2020; ratified March 26, 2020; modified by Secretarial Letter issued July 27, 2020), all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting eService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. Documents filed relative to this docket are available for inspection by searching under the petitioner's docket number on the Commission's web site at <https://www.puc.pa.gov/search/document-search/>.

Any confidential filings should be clearly marked as such and e-mailed directly to Commission Secretary, Rosemary Chiavetta, at rchiavetta@pa.gov.

The contact person for questions regarding this notice is Scott J. Thomas, Assistant Counsel, Law Bureau, (717) 783-2812, sjthomas@pa.gov.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 21-217. Filed for public inspection February 5, 2021, 9:00 a.m.]
