

# NOTICES

## DEPARTMENT OF AGRICULTURE

### Agricultural Hemp Promotion, Education and Export Promotion Matching Grant Program; 2019-2020 Application Period

The Department of Agriculture (Department) announces the program requirements and application period for grants under the Pennsylvania Agricultural Hemp Promotion, Education and Export Promotion Matching Grant Program (Program). The Program is authorized under a Fiscal Year (FY) 2019-2020 budgetary appropriation to the Department for agricultural product promotion, education and exports for hemp. The Department intends to make up to \$253,000 available for grants under the Program.

#### 1. Program objectives.

(a) *Purpose.* The Department will award grants to provide matching funds to nonprofit agricultural product promotion and marketing organizations to reimburse up to 50% of the cost of projects intended to:

(1) Increase consumer awareness of agricultural hemp products within this Commonwealth and thereby increase sales of these agricultural hemp products.

(2) Educate producers and consumers with respect to agricultural hemp products within this Commonwealth.

(3) Otherwise facilitate the growth and development of export markets for agricultural hemp products within this Commonwealth.

(b) *Applicants.* Grants will be awarded to Pennsylvania nonprofit agricultural product promotion and marketing organizations.

#### (c) FY 2019-2020 project funding priorities.

(1) The Department will prioritize eligible projects for promotion, education and export market development of agricultural hemp within this Commonwealth to receive grant funding.

(d) *Competitive program.* The Program is competitive. Grant requests and related documentation will be reviewed by the Secretary, who will approve or reject each grant request.

(e) *Funds available basis.* Grants will not be awarded unless funds are available for this purpose. The Department need not expend all the funds that are available for the Program.

2. *Definitions.* The following words and terms have the following meanings:

*Applicant*—A Pennsylvania nonprofit agricultural product promotion and marketing organization which applies for grant moneys under the Program.

*Bureau*—The Bureau of Market Development of the Department.

*Eligible hemp products*—Any agricultural or industrial hemp product that is legal to sell in this Commonwealth which has a major component/ingredient derived from the hemp plant.

*Pennsylvania nonprofit agricultural product promotion and marketing organization*—A nonprofit business organization having its principal business offices within this Commonwealth, or having 50% or more of its membership within this Commonwealth, or having 50% or more of the agricultural products which it promotes or markets produced within this Commonwealth, and having as its members groups, individuals or organizations that serve to distribute a Commonwealth produced agricultural product in commerce. These members may include wholesalers, distributors, brokers, retailers, processors, growers and producers.

*Secretary*—The Secretary of the Department.

3. *Limitations on grants.* The minimum amount of a matching grant is \$1,000. A matching grant is a reimbursement grant, meaning no payment of grant funds will be made by the Department until the subject project is completed and the applicant documents the completion of the project to the Department in accordance with this notice.

#### 4. Uses of matching grant moneys.

(a) *Conformity to application.* Matching grant moneys awarded to an applicant shall be expended solely to reimburse up to 50% of the cost of the specific project described in the grant application.

(b) *Allowable expenditures of grant moneys.* Grant moneys shall be used for one or more of the following purposes described in the grant application:

(1) To pay the cost of the specific project described in the grant application.

(2) To pay the cost of a portion of a Pennsylvania nonprofit agricultural product promotion and marketing organization's contribution to a National or regional agricultural product promotion and marketing project.

(3) To pay the cost of programs conducted by an applicant to educate producers and consumers with respect to agricultural hemp products within this Commonwealth.

(4) To pay the cost of the other activities consistent with the Secretary of Agriculture's authority under the Administrative Code of 1929, as amended (see 71 P.S. § 444).

(c) *Prohibited expenditure of grant moneys.* Grant moneys may not be used to defray the costs of employing temporary or permanent personnel.

#### 5. Applications.

(a) *Application required.* Interested Pennsylvania nonprofit agricultural product promotion and marketing organizations shall submit grant applications to the Department. An application shall include a detailed work plan and project budget.

(b) *Project commencement and completion dates.* An application shall designate July 1, 2020, or a later date, as the project start date and June 30, 2021, or earlier, as the project completion date. Program grant funds will not be awarded or paid for project activities that occur before the stated project start date or beyond the stated project completion date.

(c) *Electronic applications only.* Interested applicants must submit a complete electronic project proposal and grant application using the Department's Electronic Single Application web site at <https://www.esa.dced.state.pa.us/login.aspx?var=5>.

(d) *Application window.* Applications shall be submitted by 4:59 p.m. on Friday, March 5, 2021.

(e) *Additional documentation.* The Secretary may require that an applicant submit additional documentation to complete or verify an application. The additional documentation may include a letter, affidavit or other documentation:

(1) Verifying that an applicant is a Pennsylvania non-profit agricultural product promotion and marketing organization.

(2) Verifying the activities and location of offices of an applicant.

(3) Confirming that the applicant for a matching grant has secured funds in an amount at least equal to the matching grant amount sought for the project.

#### 6. *Review of application.*

(a) *Transmittal of application to Bureau.* When the Bureau receives a complete and accurate grant application, it will forward this application, together with supporting documentation submitted therewith, to the Secretary for review. The Bureau may also forward a recommendation as to whether the application should be approved or rejected, whether the grant should be in an amount less than requested and whether special restrictions or limitations should be placed on the grant.

(b) *Factors.* The Secretary will review and evaluate the application and supporting documentation and may consider the following factors, among others, in deciding whether to approve or reject the grant request:

(1) The relevance of the project to the promotion or marketing of agricultural products within this Commonwealth.

(2) The innovativeness of the project described in the application.

(3) The scope of the project and the number of people who will be exposed to or affected by the project described in the application.

(4) The impact which the project will have upon the promotion and sales of the agricultural hemp products within this Commonwealth to which the project is targeted.

(5) The availability of full funding for the project from the applicant or from any source other than the Grant Program.

(6) The apparent ability of the applicant to complete the project as described in the application or, in the case of a grant to fund a National or regional agricultural product promotion or marketing project, the apparent ability of the entity with primary responsibility for the project to complete it.

(7) The overall performance of the project if the project had received funding through any other grant program administered by the Department in a previous fiscal year.

(8) Projects that are joint efforts between two or more Pennsylvania nonprofit agricultural product promotion and marketing organizations may be given preference over projects involving only one organization.

(9) Projects where reference to the Department as a source of funding can practicably be made in promotional materials or broadcasts, and that would make such a reference, may be given preference over projects that would not make such a reference.

(10) Whether the project has been assigned priority for funding in FY 2019-2020, as previously described in paragraph No. 1(c).

(c) *Decisions.* The Secretary may approve a grant in an amount less than that requested in the grant application. In addition, the Secretary may impose restrictions or special conditions upon the issuance of a grant. The Secretary will review all recommendations of the Bureau but will have final authority to accept or reject these recommendations.

#### 7. *Notice of disposition of application.*

The Department will e-mail notice of the acceptance or rejection of a grant application by Friday, March 26, 2021. This notice will be by the e-mail to the address provided by the applicant in the grant application.

#### 8. *Grant agreement.*

After the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant will execute a written or electronic grant agreement which describes the terms and conditions subject to which the grant is made. The grant agreement shall contain and conform to the requirements of this notice and shall also contain special terms and conditions as required by the Secretary.

#### 9. *Verification of project completion.*

(a) *General.* Within 30 days of completion of the subject project, the applicant shall provide the Department with proof of the completion of the project and eligibility to receive reimbursement grant funds from the Department.

(b) *Required documentation.* The proof described in subsection (a) shall consist of:

(1) Copies of invoices for goods or services directly related to the project, confirming that the total billed amount is at least twice the amount of the grant, along with the written certification of the president or treasurer of the applicant that the goods or services that are the subject of the invoices have been delivered or provided to the applicant.

(2) A certificate of completion, signed by its president or treasurer, verifying completion of the subject project and stating that the grant funds will reimburse the applicant for a portion of the costs incurred by the applicant in completing the subject project.

10. *Delivery of grant funds by the Department.* The Department will pay the grant amount to the applicant in a single payment within 45 days of receiving the proof of completion previously described in paragraph No. 9.

11. *Questions and additional information.* Questions on this Program, including the online application process, may be directed to Morgan Sheffield, Bureau of Market Development, Department of Agriculture, 2301 North Cameron Street, Room 310, Harrisburg, PA 17110-9408, (717) 787-3568.

RUSSELL C. REDDING,  
*Secretary*

[Pa.B. Doc. No. 21-226. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending February 2, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

#### BANKING INSTITUTIONS

##### Branch Applications

###### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
02-01-2021	1st Summit Bank Johnstown Cambria County	4510 William Penn Highway Murrysville Westmoreland County	Opened

###### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
01-29-2021	Sharon Bank Springfield Delaware County	<i>To:</i> 901 Main Street Darby Delaware County  <i>From:</i> 9 Chester Pike Darby Delaware County	Filed

###### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-31-2020	Mid Penn Bank Millersburg Dauphin County	2 West Liberty Boulevard Malvern Chester County	Closed
12-31-2020	Mid Penn Bank Millersburg Dauphin County	193 Market Street Pillow Dauphin County	Closed
12-31-2020	Mid Penn Bank Millersburg Dauphin County	704 Main Street Vanderbilt Fayette County	Closed
01-29-2021	Riverview Bank Marysville Perry County	3556 Gettysburg Road Camp Hill Cumberland County	Closed
01-29-2021	Riverview Bank Marysville Perry County	920 East Wiconisco Avenue Tower City Schuylkill County	Closed
01-29-2021	Univest Bank and Trust Co. Souderton Montgomery County	415 Main Street Schwenksville Montgomery County	Closed
01-29-2021	Univest Bank and Trust Co. Souderton Montgomery County	1 Fitzwatertown Road Willow Grove Montgomery County	Closed

#### CREDIT UNIONS

##### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
01-31-2021	Riverset Credit Union Pittsburgh Allegheny County	Effective

Merger of Riverset Credit Union, Pittsburgh, with and into Allegent Community Federal Credit Union, Pittsburgh.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 21-227. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of March 2021

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of March 2021, is 4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which such individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 1.51 to which was added 2.50 percentage points for a total of 4.01 that by law is rounded off to the nearest quarter at 4%.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 21-228. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

## THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section*            *Category*

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP’s website to obtain additional information as previously discussed.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

### **I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0113805	Joint DEP/PFBC Pesticides Permit	Amendment	Whippoorwill Lane HOA 12304 Captain Smith Court Potomac, MD 20854-6211	Hamiltonban Township Adams County	SCRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0113822	Joint DEP/PFBC Pesticides Permit	Renewal	Barry Towers 893 Stone Jug Road Biglerville, PA 17307-9790	Butler Township Adams County	SCRO
0113826	Joint DEP/PFBC Pesticides Permit	Renewal	Cumberland Village HOA 103 Bittern Drive Gettysburg, PA 17325-8689	Cumberland Township Adams County	SCRO
0121801	Joint DEP/PFBC Pesticides Permit	Amendment	Lake Heritage POA 1000 Heritage Drive Gettysburg, PA 17325	Mount Joy Township Adams County	SCRO
0616801	Joint DEP/PFBC Pesticides Permit	Amendment	Jesse Landis 8 Conestoga Boulevard Lancaster, PA 17602-3810	Upper Tulpehocken Township Berks County	SCRO
0618803	Joint DEP/PFBC Pesticides Permit	Renewal	Lea Gretchen 138 S Grims Mill Road Boyertown, PA 19512-8549	Colebrookdale Township Berks County	SCRO
0813802	Joint DEP/PFBC Pesticides Permit	Amendment	Laurel Lake Association 83 Hideaway Lane Columbia Cross Roads, PA 16914-7921	Springfield Township Bradford County	NCRO
1413801	Joint DEP/PFBC Pesticides Permit	Amendment	Mountain View Country Club 310 Elks Club Road Boalsburg, PA 16827-1609	Harris Township Centre County	NCRO
1418801	Joint DEP/PFBC Pesticides Permit	Amendment	Mt Nittany Vineyard & Winery 300 Houser Road Centre Hall, PA 16828-8002	Harris Township Centre County	NCRO
1516804	Joint DEP/PFBC Pesticides Permit	Renewal	Schuylkill Township Chester County 101 Valley Park Road Phoenixville, PA 19460-5766	Schuylkill Township Chester County	SERO
1521804	Joint DEP/PFBC Pesticides Permit	New	New London Township 902 State Road P.O. Box 1002 New London, PA 19360	New London Township Chester County	SERO
2113804	Joint DEP/PFBC Pesticides Permit	Renewal	Roy Weidner P.O. Box 109 Lemoyne, PA 17043-0109	Silver Spring Township Cumberland County	SCRO
2113811	Joint DEP/PFBC Pesticides Permit	Renewal	Enola Sportsmen Assoc P.O. Box 739 Enola, PA 17025-0739	East Pennsboro Township Cumberland County	SCRO
2213805	Joint DEP/PFBC Pesticides Permit	Renewal	Lakeside Marine Inc. 21 Thornwood Road Harrisburg, PA 17112-2956	Lower Paxton Township Dauphin County	SCRO
2213806	Joint DEP/PFBC Pesticides Permit	Renewal	Greenwood Hills HOA P.O. Box 622 Lemoyne, PA 17043-0622	Lower Swatara Township Dauphin County	SCRO
2216801	Joint DEP/PFBC Pesticides Permit	Renewal	Susquehanna Township Dauphin County 1900 Linglestown Road Harrisburg, PA 17110-3302	Susquehanna Township Dauphin County	SCRO
3317802	Joint DEP/PFBC Pesticides Permit	Renewal	Barr Shriver 344 Woodland Drive Brookville, PA 15825	Rose Township Jefferson County	NWRO
3613812	Joint DEP/PFBC Pesticides Permit	Renewal	Robert Florschutz 1799 N Market Street Elizabethtown, PA 17022-1130	Mount Joy Township Lancaster County	SCRO
3613819	Joint DEP/PFBC Pesticides Permit	Renewal	Herr W Frantz Jr 746 Hershey Mill Road Mountville, PA 17554-1705	Manor Township Lancaster County	SCRO

## NOTICES

791

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3613821	Joint DEP/PFBC Pesticides Permit	Renewal	Steve Jones 1086 Central Manor Road Lancaster, PA 17603-9484	Manor Township Lancaster County	SCRO
3613839	Joint DEP/PFBC Pesticides Permit	Renewal	High Assoc Ltd 1853 William Penn Way Lancaster, PA 17605	East Lampeter Township Lancaster County	SCRO
3616803	Joint DEP/PFBC Pesticides Permit	Renewal	Wetherburn Commons Community 1525 Oregon Pike Suite 702 Lancaster, PA 17601-4374	Manheim Township Lancaster County	SCRO
3617805	Joint DEP/PFBC Pesticides Permit	Amendment	Doug Weidman 1032 Buchanan Avenue Lancaster, PA 17603-3103	Elizabeth Township Lancaster County	SCRO
3618802	Joint DEP/PFBC Pesticides Permit	Renewal	Larry Hufford P.O. Box 4174 Harrisburg, PA 17111	East Cocalico Township Lancaster County	SCRO
3618832	Joint DEP/PFBC Pesticides Permit	Renewal	Ty Espenshade 858 Hossler Road Manheim, PA 17545-9200	Rapho Township Lancaster County	SCRO
3619802	Joint DEP/PFBC Pesticides Permit	Amendment	Kissell Hill Commons 616 Paxton Place Lititz, PA 17543-8274	Manheim Township Lancaster County	SCRO
3619804	Joint DEP/PFBC Pesticides Permit	Amendment	Deb Werner 1864 Schwanger Road Mount Joy, PA 17552-8744	Mount Joy Township Lancaster County	SCRO
3619806	Joint DEP/PFBC Pesticides Permit	Amendment	Florin Hill Neighborhood Association P.O. Box 3330 Lancaster, PA 17601	Mount Joy Borough Lancaster County	SCRO
3813802	Joint DEP/PFBC Pesticides Permit	Renewal	Mary Hoover 4 N Willow Street Myerstown, PA 17067-1145	Jackson Township Lebanon County	SCRO
3813803	Joint DEP/PFBC Pesticides Permit	Renewal	Leon E Houser 625 S 14th Avenue Lebanon, PA 17042-8805	Heidelberg Township Lebanon County	SCRO
3813805	Joint DEP/PFBC Pesticides Permit	Renewal	Charles Henry 266 Butler Road Lebanon, PA 17042-8939	West Cornwall Township Lebanon County	SCRO
3813814	Joint DEP/PFBC Pesticides Permit	Renewal	Gretna Glen Camp 87 Old Mine Road Lebanon, PA 17042-9238	West Cornwall Township Lebanon County	SCRO
3813815	Joint DEP/PFBC Pesticides Permit	Renewal	Gretna Glen Camp 87 Old Mine Road Lebanon, PA 17042-9238	West Cornwall Township Lebanon County	SCRO
3815801	Joint DEP/PFBC Pesticides Permit	Amendment	Lebanon Co. Historical Society 924 Cumberland Street Lebanon, PA 17042-5139	North Lebanon Township Lebanon County	SCRO
3817803	Joint DEP/PFBC Pesticides Permit	Renewal	John Wengert 630 Old Mount Gretna Road Lebanon, PA 17042-4853	South Annville Township Lebanon County	SCRO
5919801	Joint DEP/PFBC Pesticides Permit	Amendment	Russell H Hastings 4071 Gurnee Road Westfield, PA 16950-9674	Clymer Township Tioga County	NCRO
6713807	Joint DEP/PFBC Pesticides Permit	Renewal	Glatfelter Ins Group 183 Leaders Heights Road York, PA 17402-4714	York City York County	SCRO
6713811	Joint DEP/PFBC Pesticides Permit	Renewal	Larry Hatter P.O. Box 1218 Mechanicsburg, PA 17055-1218	Warrington Township York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0621401	Manure Storage Facilities Individual WQM Permit	New	Jeffrey S & Tracy A Rohrer 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Upper Bern Township Berks County	SCRO
NNOEXSC78	No Exposure Certification	Renewal	Te Connectivity Corp P.O. Box 3608 MS 018-011 Harrisburg, PA 17105-3608	Swatara Township Dauphin County	SCRO
NOEXSC353	No Exposure Certification	New	National Exp LLC 2601 Navistar Drive Lisle, IL 60532-3679	West Manchester Township York County	SCRO
PAG033645	PAG-03 NPDES General Permit for Industrial Stormwater	New	Gvm Inc. 374 Heidlersburg Road Biglerville, PA 17307-9256	Butler Township Adams County	SCRO
PAG033646	PAG-03 NPDES General Permit for Industrial Stormwater	New	Pratt Carlisle Corrugating LLC 200 Goodman Drive Carlisle, PA 17013-7902	Carlisle Borough Cumberland County	SCRO
PAG034874	PAG-03 NPDES General Permit for Industrial Stormwater	New	Centre County Recycling & Refuse Authority 253 Transfer Road Bellefonte, PA 16823-9505	College Township Centre County	NCRO
PAG120011	PAG-12 NPDES General Permit for CAFOs	Renewal	Masons Chrome View Ltd 86 Chrome Road Nottingham, PA 19362	East Nottingham Township Chester County	SCRO
PAG123539	PAG-12 NPDES General Permit for CAFOs	Renewal	Eldwin Martin 12950 Forge Road Mercersburg, PA 17236-9415	Warren Township Franklin County	SCRO
PAG123569	PAG-12 NPDES General Permit for CAFOs	Renewal	John Huber 2701 Fruitville Pike Lancaster, PA 17601-2919	Northeast Madison Township Perry County	SCRO
PAG123585	PAG-12 NPDES General Permit for CAFOs	Renewal	Larry Breneman 774 Bunker Hill Road Strasburg, PA 17579-9764	Strasburg Township Lancaster County	SCRO
PAG123604	PAG-12 NPDES General Permit for CAFOs	Renewal	Scott Gochenaur 3057 Harvest Road Elizabethtown, PA 17022-8422	Mount Joy Township Lancaster County	SCRO
PAG123733	PAG-12 NPDES General Permit for CAFOs	Renewal	Leshers Poultry Farm Inc. 1153 Swamp Fox Road Chambersburg, PA 17202-8865	Guilford Township Franklin County	SCRO
PAG123736	PAG-12 NPDES General Permit for CAFOs	Renewal	Mervin F King 637 Gault Road Gap, PA 17527-9754	Greenwood Township Perry County	SCRO
PAG123746	PAG-12 NPDES General Permit for CAFOs	Renewal	Arlin L Benner 880 Pinkerton Road Mount Joy, PA 17552-9241	West Fallowfield Township Chester County	SCRO
PAG123780	PAG-12 NPDES General Permit for CAFOs	Renewal	Robert L Brubaker Jr 2871 N Colebrook Road Manheim, PA 17545-8309	Mount Joy Township Lancaster County	SCRO
PAG123792	PAG-12 NPDES General Permit for CAFOs	Renewal	Yippee Farm 880 Pinkerton Road Mount Joy, PA 17552-9241	Rapho Township Lancaster County	SCRO
PAG123798	PAG-12 NPDES General Permit for CAFOs	Renewal	Meadow Lane Dairy 3392 Blue Rock Road Lancaster, PA 17603-9499	Manor Township Lancaster County	SCRO
PAG123800	PAG-12 NPDES General Permit for CAFOs	Renewal	Zachary M Akers 1218 Cherry Lane Clearville, PA 15535-7501	Monroe Township Bedford County	SCRO



## NOTICES

793

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG123841	PAG-12 NPDES General Permit for CAFOs	New	Country View Family Farms LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Monroe Township Bedford County	SCRO
PAG123861	PAG-12 NPDES General Permit for CAFOs	Renewal	Stoners Hijos Hill Inc. 8512 Oellig Road Mercersburg, PA 17236-9551	Peters Township Franklin County	SCRO
PAG123880	PAG-12 NPDES General Permit for CAFOs	Renewal	Wason Farms LLC 2823 Farm House Lane James Creek, PA 16657	Lincoln Township Huntingdon County	SCRO
PAG123901	PAG-12 NPDES General Permit for CAFOs	Renewal	BP Shirey Turkey Farm Inc. CAFO 6359 Boyertown Pike Douglassville, PA 19518-8832	Amity Township Berks County	SCRO
PAG124801	PAG-12 NPDES General Permit for CAFOs	Renewal	Gary A & Sandra L Pflieger 560 Goodman Road Lewisburg, PA 17837-7589	Kelly Township Union County	SCRO
PAG124846	PAG-12 NPDES General Permit for CAFOs	Renewal	Country View Family Farms LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Sullivan Township Tioga County	SCRO
PAG124849	PAG-12 NPDES General Permit for CAFOs	Renewal	Van Blarcom Farms 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Columbia Township Bradford County	SCRO
1021401	Sewage Treatment Facilities Individual WQM Permit	New	Julia Grady 155 Stucky Road Renfrew, PA 16053-9001	Statewide	NWRO
2020402	Sewage Treatment Facilities Individual WQM Permit	Transfer	Daniel Delprincipe 15849 Wagner Drive Meadville, PA 16335-9692	Woodcock Township Crawford County	NWRO
2519411	Sewage Treatment Facilities Individual WQM Permit	Transfer	Scott W Kawski 7465 Garfield Avenue Harborcreek, PA 16421-1404	Harborcreek Township Erie County	NWRO
2598403	Sewage Treatment Facilities Individual WQM Permit	Amendment	Erie City Sewer Authority Erie County 68 Port Access Road Erie, PA 16507-2204	Statewide	NWRO
4321402	Sewage Treatment Facilities Individual WQM Permit	New	Joshua Wyant 1020 South Lake Road Mercer, PA 16137	Statewide	NWRO
4321403	Sewage Treatment Facilities Individual WQM Permit	New	Brandon Dages 431 Tieline Road Grove City, PA 16127-6115	Statewide	NWRO
PA0272230	Single Residence STP Individual NPDES Permit	Transfer	Scott W Kawski 7465 Garfield Avenue Harborcreek, PA 16421-1404	Harborcreek Township Erie County	NWRO
PA0288586	Single Residence STP Individual NPDES Permit	Transfer	Daniel Delprincipe 15849 Wagner Drive Meadville, PA 16335-9692	Woodcock Township Crawford County	NWRO
1492101	WQG-01 WQM General Permit	New	Jean Harris 4165 State Route 54 Turbotville, PA 17772-8703	Lewis Township Northumberland County	NCRO
1592101	WQG-01 WQM General Permit	New	Richmond Township Municipal Authority Tioga County 563 Valley Road Mansfield, PA 16933-9300	Richmond Township Tioga County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
WQG02152101	WQG-02 WQM General Permit	New	Willistown Township Chester County 688 Sugartown Road Malvern, PA 19355-3302	Willistown Township Chester County	SERO
WQG02392101	WQG-02 WQM General Permit	New	Laurel Field LLC 5930 Hamilton Boulevard Allentown, PA 18106-9654	Upper Macungie Township Lehigh County	NERO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Northcentral Regional Office*

**PA0112585**, Sewage, SIC Code 6513, **John B. Watkins**, 181 Milan Road, East Smithfield, PA 18817-7710. Facility Name: Wagon Wheel Apartments. This existing facility is located in Ulster Township, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Susquehanna River (WWF), is located in State Water Plan watershed 4-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen				Geo Mean		
Nov 1 - May 31	XXX	XXX	XXX	9.0	XXX	18
Jun 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6

In addition, the permit contains the following major special conditions:

- Other Requirements.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

**PA0112747**, Sewage, SIC Code 4952, **Mahaffey Borough Municipal Authority**, P.O. Box 202, Mahaffey, PA 15757-0202. Facility Name: Mahaffey Borough Municipal Authority Wastewater Treatment Plant. This existing facility is located in Mahaffey Borough, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Susquehanna River (WWF), is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			Report			
			Inst Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	14	23	XXX	25.0	40.0	50
Total Suspended Solids	17	26	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	14	23	XXX	25.0	40.0	50
Total Suspended Solids	17	26	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	Report	Report	XXX	Report	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

**PA0113221**, Sewage, SIC Code 7033, **Youth Challenge Int. Bible Institution**, 155 N. Williamson Road, Blossburg, PA 16912-1215. Facility Name: Youth Challenge International. This existing facility is located in Upper Augusta Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Shamokin Creek (CWF), is located in State Water Plan watershed 6-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.019 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen	XXX	XXX	XXX	Report Semi Avg	XXX	XXX
Total Nitrogen	Report Annl Avg	Report Total Annual	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	Report Annl Avg	Report Total Annual	XXX	Report Annl Avg	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report Annl Avg	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Iron, Total	XXX	XXX	XXX	Report Annl Avg	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	Report Annl Avg	Report Daily Max	XXX
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		

In addition, the permit contains the following major special conditions:

- Other Requirements
- Chesapeake Bay Nutrient Definitions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

**PA0228893**, Sewage, SIC Code 4952, **Liberty Area Municipal Authority**, P.O. Box 73, Liberty, PA 16930-0073. Facility Name: Liberty Area Municipal Authority Wastewater System. This existing facility is located in Liberty Township, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Blockhouse Creek (CWF), is located in State Water Plan watershed 9-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.075 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	15	25	XXX	25	40	50
Nov 1 - May 31						
Jun 1 - Oct 31	12	18	XXX	20	30	40
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	18	28	XXX	30	45	60
Nov 1 - May 31						
Jun 1 - Oct 31	6.0	9.0	XXX	10	15	20
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	11	16	XXX	18	27	36
Nov 1 - May 31						
Jun 1 - Oct 31	3.5	5.5	XXX	6.0	9.0	12

In addition, the permit contains the following major special conditions:

- Standard Part C Conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

**PA0232513**, Sewage, SIC Code 4952, **Kelly Township Municipal Authority Union County**, 405 Winter Farm Lane, Lewisburg, PA 17837-6358. Facility Name: Kelly Crossroads Sanitary Sewer System. This existing facility is located in Kelly Township, **Union County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Buffalo Creek (CWF, MF), is located in State Water Plan watershed 10-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0135 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	InstMin Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	2.8	XXX	XXX	25	XXX	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	3.3	XXX	XXX	30	XXX	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX Report	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Nitrogen (Total Load, lbs) (lbs)	Total Mo XXX Report	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Effluent Net	Total Mo					
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Total Mo Report Report	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Total Mo XXX Report	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus (Total Load, lbs) (lbs)	Total Mo Report Report	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Effluent Net	Total Mo					
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	0	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	0	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

\*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PAI132234**, MS4, **Upper Nazareth Township**, 100 Newport Avenue, Nazareth, PA 18064.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Upper Nazareth Township, **Northampton County**. The receiving streams, Shoeneck Creek (WWF/MF), East Branch Monocacy Creek (HQ-CWF/MF), Tributaries 3394, 3400 & 63912 to East Branch Monocacy Creek (HQ-CWF/MF) and Tributary 4642 to Bushkill Creek (HQ-CWF/MF), are located in State Water Plan watersheds 2-C and 1-F and are classified as previously indicated as well as for aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

**PA0276391**, Stormwater, SIC Code 4151, 4173, **Station of PA Inc.**, 409 Elk Street, Carnegie, PA 15106. Facility Name: Station of PA - Macungie. This proposed facility is located in Macungie Borough, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Swabia Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Stormwater Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX

In addition, the permit contains the following major special conditions:

- Stormwater BMPs

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0064025**, Sewage, SIC Code 4952, **KBM Regional Authority**, 74 South Kennedy Drive, McAdoo, PA 18237. Facility Name: KBM Regional Authority WWTP. This existing facility is located in Banks Township, **Carbon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Stream to Catawissa Creek (CWF, MF), is located in State Water Plan watershed 5-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.46	XXX	1.1
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	146	234	XXX	25.0	40.0	50.0
Total Suspended Solids	175	263	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	2,000
				Geo Mean		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Ammonia-Nitrogen Nov 1 - Apr 30 May 1 - Oct 31 (Total Load, lbs) (lbs)	XXX 54 Report Total Mo	XXX XXX	XXX XXX	Report 9.3 XXX	XXX XXX	XXX 18.6 XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	XXX	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.33	XXX	1.1
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	146	234	XXX	25.0	40.0	50.0
Total Suspended Solids	175	263	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml) Oct 1 - Apr 30 May 1 - Sep 30	XXX XXX	XXX XXX	XXX XXX	2,000 Geo Mean 200 Geo Mean	XXX XXX	10,000 2,000
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Ammonia-Nitrogen Nov 1 - Apr 30 May 1 - Oct 31 (Total Load, lbs) (lbs)	XXX 54 Report Total Mo	XXX XXX	XXX XXX	Report 9.3 XXX	XXX XXX	XXX 18.6 XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Aluminum, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.7 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	Report	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

*Northwest Regional Office*

**PA0020541**, Sewage, SIC Code 4952, **Girard Borough**, 34 Main Street West, Girard, PA 16417-1612. Facility Name: Girard Borough STP. This existing facility is located in Girard Borough, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Elk Creek, is located in State Water Plan watershed 15-A and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.996 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.996 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Copper, Total	0.2	0.31 Daily Max	XXX	0.024	0.037 Daily Max	0.06

The proposed effluent limits for Outfall 001 are based on a design flow of 0.996 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.14	XXX	0.5
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	166	249	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	249	374	XXX	30.0	45.0	60



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	87	XXX	XXX	10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	29	XXX	XXX	3.5	XXX	7
Total Phosphorus	8.3	XXX	XXX	1.0	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Zinc, Total	XXX	Report	XXX	XXX	Report	XXX
		Daily Max			Daily Max	

Sludge use and disposal description and location(s): Sludge will be dewatered onsite and hauled offsite for disposal in a landfill.

In addition, the permit contains the following major special conditions:

- Water Quality-Based Effluent Limitations for Toxic Pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0037991**, Sewage, SIC Code 6515, **Mainlines Manholes & Wastewater Treatment, Inc.**, 9208 Tannery Road, Girard, PA 16417-7846. Facility Name: Imperial Point North MHP. This existing facility is located in Girard Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, an Unnamed Tributary to Lake Erie (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.08 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.030	XXX	0.098
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	12
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2

Sludge use and disposal description and location(s): Sludge is not used, any generated is disposed of at an approved facility.

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288853**, Sewage, SIC Code 8800, **John R. Forbes**, 492 Fairview Road, Titusville, PA 16354-7540. Facility Name: John Forbes SRSTP. This proposed facility is located in Oakland Township, **Venango County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Twomile Run (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

Sludge use and disposal description and location(s): Septage will be pumped and hauled off-site by a septage hauler for land application under a general permit authorized by DEP or disposal at an STP.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0288951**, Sewage, SIC Code 4952, 8800, **Joshua Wyant**, 1020 South Lake Road, Mercer, PA 16137. Facility Name: Joshua Wyant SRSTP. This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Lackawannock Creek, is located in State Water Plan watershed 20-A and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0011169**, Industrial, SIC Code 3351, **Materion Brush Inc.**, 230 Shoemakersville Road, Shoemakersville, PA 19555-9028. Facility Name: Materion Brush Inc. This existing facility is located in Perry Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.16 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	33.4	XXX	XXX	25.0	XXX	50
Total Suspended Solids	40.0	80.0	XXX	30.0	60.0	75
Total Dissolved Solids	Report	16,925	XXX	Report	12,684.0	15,855
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40
Beryllium, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	0.75	1.11	XXX	0.56	0.83	1.4
Nickel, Total	Report	Report	XXX	Report	Report	XXX
PCBs Dry Weather Analysis (pg/l)	XXX	Report	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/l)	XXX	Report	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Beryllium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Beryllium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- chemical additives must be on DEP Approved Chemical Additive list and used at acceptable rates
- Submittal of a PCB Pollutant Minimization Plan and initiation of Plan once approved by DEP

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0081418**, Industrial, SIC Code 2026, **Rutters Dairy Inc.**, 2100 N George Street, York, PA 17404-1815. Facility Name: Rutters Dairy. This existing facility is located in Manchester Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Codorus Creek (WWF), is located in State Water Plan watershed 7-H and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	49.0	XXX	XXX
Jan 1 - 31						
Feb 1 - 29	XXX	XXX	XXX	50.2	XXX	XXX
Mar 1 - 31	XXX	XXX	XXX	68.7	XXX	XXX
Apr 1 - 15	XXX	XXX	XXX	78.1	XXX	XXX
Apr 16 - 30	XXX	XXX	XXX	84.1	XXX	XXX
May 1 - 15	XXX	XXX	XXX	81.7	XXX	XXX
May 16 - 31	XXX	XXX	XXX	101.6	XXX	XXX
Jun 1 - 15	XXX	XXX	XXX	102.4	XXX	XXX
Jun 16 - 30	XXX	XXX	XXX	106.4	XXX	XXX
Jul 1 - 31	XXX	XXX	XXX	96.5	XXX	XXX
Aug 1 - 15	XXX	XXX	XXX	97.5	XXX	XXX
Aug 16 - 31	XXX	XXX	XXX	97.5	XXX	XXX
Sep 1 - 15	XXX	XXX	XXX	92.2	XXX	XXX
Sep 16 - 30	XXX	XXX	XXX	86.2	XXX	XXX
Oct 1 - 15	XXX	XXX	XXX	80.9	XXX	XXX
Oct 16 - 31	XXX	XXX	XXX	74.9	XXX	XXX
Nov 1 - 15	XXX	XXX	XXX	68.5	XXX	XXX
Nov 16 - 30	XXX	XXX	XXX	58.4	XXX	XXX
Dec 1 - 31	XXX	XXX	XXX	50.7	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0080527**, Sewage, SIC Code 4952, **Olivers Upper Lawn Mobile Home Community**, 23 Mockingbird Lane, Palmyra, PA 17078-9159. Facility Name: Olivers Upper Lawn MHC. This existing facility is located in South Londonderry Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Conewago Creek (TSF, MF), is located in State Water Plan watershed 7-G and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.029 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.12	XXX	0.39
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	7.5	XXX	15
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
(Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed effluent limits for Outfall 001 are based on a design flow of .029 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Phosphorus (Total Load, lbs)	XXX	177	XXX	XXX	XXX	XXX
		Total Annual				

Sludge use and disposal description and location(s): Sludge is hauled out periodically to Manheim Wastewater Treatment Plant for further treatment.

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, approval contingencies, solids management and chlorine minimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0248037**, Sewage, SIC Code 4952, **Bethel Township Municipal Authority Berks County**, P.O. Box 274, Bethel, PA 19507. Facility Name: Bethel Village STP. This existing facility is located in Bethel Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Swatara Creek (CWF, MF), is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .205 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Concentrations (mg/L)		Weekly Average	IMAX
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly		
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	26	39	XXX	15	22.5	30
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	51	76	XXX	30	45	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
		Daily Max				
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
				200		
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	Geo Mean	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Ammonia-Nitrogen	25	XXX	XXX	15.0	XXX	30
Nov 1 - Apr 30						
May 1 - Oct 31	8.5	XXX	XXX	5.0	XXX	10
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

Sludge use and disposal description and location(s): Sludge is hauled out periodically by a licensed hauler to either Greater Hazleton Joint Sewer Authority or Exeter Township sewage treatment plant for further treatment.

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, approval contingencies, proper waste/solids management and restriction on receipt of hauled in waste under certain conditions

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0267082**, Sewage, SIC Code 4952, **West Cocalico Township Authority Lancaster County**, 156B West Main Street, Reinholds, PA 17569-0095. Facility Name: West Cocalico Township Authority WWTP. This proposed facility is located in West Cocalico Township, **Lancaster County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), Little Cocalico Creek (TSF, MF), is located in State Water Plan watershed 7-J and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.31 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.28	XXX	0.91
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	64	103	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	77	116	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	27	XXX	XXX	Geo Mean 10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	9.0	XXX	XXX	3.5	XXX	7.0
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
					Daily Max	

<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Monthly Average</i>	<i>Weekly Average</i>	
Ammonia-Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	Report	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.31 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Ultraviolet light transmittance (%)	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	64	103	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	77	116	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	27	XXX	XXX	10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	9.0	XXX	XXX	3.5	XXX	7.0
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX
Lead, Total	XXX	XXX	XXX	Report	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Monthly Average</i>	
Ammonia-Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	XXX	7,306	XXX	XXX	XXX	XXX
Net Total Phosphorus	XXX	974	XXX	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

**PA0267325**, Sewage, SIC Code 1521, **Sunnyside Trail LLC**, 996 Ridge Road, Shippensburg, PA 17257-9782. Facility Name: Sunnyside Trails. This proposed facility is located in Upper Mifflin Township, **Cumberland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary of Whisky Run (TSF, MF), is located in State Water Plan watershed 7-B and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Average Monthly</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	5.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.02
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	10.0	XXX	XXX	20.0
Total Suspended Solids	XXX	XXX	10.0	XXX	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	XXX
				Geo Mean		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PAI130516**, MS4, **New Garden Township**, 299 Starr Road, Landenberg, PA 19350-9208.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in New Garden Township, **Chester County**. The receiving streams, Trout Run (CWF, MF), Broad Run (CWF, MF), East Branch White Clay Creek (CWF, MF), Unnamed Tributary to Bucktoe Creek (TSF, MF), and Unnamed Tributary to West Branch Red Clay Creek (TSF, MF), are located in State Water Plan watershed 3-I and are classified for Cold Water Fishes, Migratory Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910 or by contacting our regional Records Management unit via e-mail at RA-SERRecordsReview@pa.gov.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

**PA0057991**, Sewage, SIC Code 4952, **Rothstein Tract Homeowners Association**, 1355 Pebble Hill Road, Doylestown, PA 18901-3008. Facility Name: Rothstein Subdivision. This existing facility is located in Doylestown Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Neshaminy Creek (TSF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.003 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (GPD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	15	XXX	30
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	12
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- No Stormwater
- Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available
- Chlorine Optimization
- Responsible Operator

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0041301**, Sewage, SIC Code 8211, **Uniontown Area School District**, 205 Wilson Avenue, Uniontown, PA 15401-4208. Facility Name: McMullen Middle School. This existing facility is located in Henry Clay Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Beaver Creek (HQ-CWF), is located in State Water Plan watershed 19-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.



The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.004	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			6.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.09	XXX	0.21
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
			XXX			
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
				200		
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	9.0
Ammonia-Nitrogen	XXX	XXX	XXX	4.5	XXX	9.0
Nov 1 - Apr 30	XXX	XXX	XXX	2.2	XXX	4.4
May 1 - Oct 31	XXX	XXX	XXX	2.2	XXX	4.4

The proposed effluent limits for Outfall 001 are based on a design flow of 0.004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max	XXX
					Report	
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0098345**, Sewage, SIC Code 7011, **CNP Mountain Plaza, LLC**, 3508 Regent Court, Murrysville, PA 15668-8520. Facility Name: CNP Mountain Plaza. This existing facility is located in Saltlick Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Indian Creek (HQ-CWF), is located in State Water Plan watershed 19-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007735 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.007735 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50.0
				XXX		
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
				200		
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0204960**, Sewage, SIC Code 4952, **Oliver Real Estate Holdings, LLC**, P.O. Box 533, Lawrence, PA 15055-0533. Facility Name: Big Jims Roadhouse STP. This existing facility is located in Cecil Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary of Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	0.002	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5 Avg Mo	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	20.0	XXX	40.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0253715**, Sewage, SIC Code 9999, **Pbs Coals Inc.**, P.O. Box 260, Friedens, PA 15541-0260. Facility Name: Cambria Fuel Prep Plant. This existing facility is located in Stonycreek Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schrock Run (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.003 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.003 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.003 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 3.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 25	XXX	50
Ammonia-Nitrogen	XXX	XXX	XXX	25	XXX	50

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0254924**, Sewage, SIC Code 8811, **James A Pennell**, 14026 Belle Avenue, Culpeper, VA 22701-1835. Facility Name: Pennell Properties SRSTP. This existing facility is located in Lincoln Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Youghiogheny River (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	0.0004	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PA0216721**, Sewage, SIC Code 4952, **George & Thomas Meerhoff**, 1118 Old Route 31, Mount Pleasant, PA 15666-8867. Facility Name: Meerhoff SFTF. This existing facility is located in Mount Pleasant Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), unnamed tributary of Jacobs Creek (WWF), is located in State Water Plan watershed 18-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00086 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Maximum	
Flow (MGD)	0.00086	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Avg Qrtly XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	3.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.4	XXX	3.3
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Central Office, Bureau of Clean Water*

**PAI139601, MS4, Pennsylvania Department of Transportation (PennDOT)**, Keystone Building, 400 North Street, Harrisburg, PA 17120, **Dauphin County**.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth throughout Statewide Urbanized Areas. The applicant is classified as a small MS4.

The draft permit proposes the development of three Pollutant Reduction Plans (PRPs) to reduce pollutant loads from the applicant's MS4 within the Chesapeake Bay, Lake Erie, Delaware River, and Ohio River watersheds.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-787-5017.

The EPA waiver is in effect.

**PAI139602, MS4, Pennsylvania Turnpike Commission**, P.O. Box 67676, Harrisburg, PA 17106-7676, **Dauphin County**.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth throughout Statewide Urbanized Areas. The applicant is classified as a small MS4.

The draft permit proposes the development of three Pollutant Reduction Plans (PRPs) to reduce pollutant loads from the applicant's MS4 within the Chesapeake Bay, Delaware River, and Ohio River watersheds.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-787-5017.

The EPA waiver is in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Application Number	Application Type	Applicant Name & Address	Municipality, County	Office
PAD150201	New	John Mathis 850 North Avenue Springfield, PA 19064	North Coventry Chester County	DEP Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAD150206	New	Equus Capital Partners, LTD 3843 West Chester Pike Newtown Square, PA 19073-2304	East Whiteland Chester County	DEP Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD230034 A-1	New	WV-PP Town Center, L.P. 940 Sproul Road Suite 301 Springfield, PA 19064	Middletown Township Delaware County	DEP Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAD510198	New	City of Philadelphia Dept. of Public Property 1515 Arch Street 11th Floor Philadelphia, PA 19102	City of Philadelphia Philadelphia County	DEP Southeast Regional Office 2 East Main Street Norristown, PA 19401 484-250-5900
PAD050010	New	Scott D. Baker 816 Replogle School Road New Enterprise, PA 16664	South Woodbury Township Bedford County	SCRO Waterways & Wetlands Program 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4802
PAD140070	New	BCT Realty, LLC 156 Abington Lane Port Matilda, PA 16870	Patton Township Centre County	NCRO
PAD410014	New	Sean Hartranft 361 Mountain Rd Montoursville, PA 17754	Upper Fairfield Township Lycoming County	NCRO
PAD410015	New	PPL EU Loise Ave and McNett Rd Montgomery, PA 17752	Clinton Township Lycoming County	NCRO
PAD240010	New	Penelec, A FirstEnergy Company 341 White Pond Drive Akron, OH 44320	Ridgway Township Elk County	DEP NWRO Waterways and Wetlands Program 230 Chestnut Street Meadville, PA 16335 814-332-6984
PAD610003	New	Oil City (157) DPP LLC 9010 Overlook Boulevard Brentwood, TN 37027	Pinegrove Township Venango County	DEP NWRO Waterways and Wetlands Program 230 Chestnut Street Meadville, PA 16335 814-332-6984
PAD150199	New	Pennsylvania Turnpike Commission 700 S. Eisenhower Boulevard Middletown, PA 17057	Upper Uwchlan West Pikeland Charlestown East Whiteland Tredyffrin Wallace Townships Chester County	Regional Permit Coordination Office (RPCO) Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONALPERMIT@pa.gov

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within

the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
James Reppert 148 Bachmoll Road Hamburg, PA 19526	Berks County	70.1	88.50	Poultry	N/A	Renewal
S&A Kreider & Sons, Inc. Scott Kreider 761 Spring Valley Road Quarryville, PA 17566	Lancaster County	2,369.3	4,842.05	Diary	HQ	Renewal
Ken Loht 199 Road Apple Dr. McClure, PA 17841	Mifflin County	90	474	Swine	NA	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**SAFE DRINKING WATER**

**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southeast Region: Safe Drinking Water Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 1521501, Public Water Supply.**

Applicant	<b>Pennsylvania American Water Company</b> 4 Wellington Blvd. Reading, PA 19610
Township	West Caln
County	<b>Chester County</b>
Responsible Official	Gerald DeBalko 4 Wellington Blvd. Reading, PA 19610
Type of Facility	PWS
Consulting Engineer	Mott MacDonald 325 Chestnut Street Suite 300 Philadelphia, PA 19106
Application Received Date	February 1, 2021
Description of Action	Addition of a new bulk sodium hypochlorite system, and replacement of existing anthracite filter media with granular activated carbon (GAC).

**WATER ALLOCATIONS**

**Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Northwest Region: Water Supply Management Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WA 10-577B, Water Allocations. Harmony Borough Water Authority, 217 Mercer Street, Harmony, PA 16037-9807, Harmony Borough, Butler County.** Water Allocation Permit application requesting the right to purchase 240,000 gallons per day as a peak daily flow

rate from the Borough of Zelienople and requesting the right to withdraw 216,000 gallons per day as a peak daily flow rate from Little Connoquenessing Creek.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 1

---

### Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

---

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate

Regional Office listed. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**5 Penryn Lane**, Cornwall, PA 17016, Borough of Cornwall, **Lebanon County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Angelica F. Brennan, 5 Penryn Lane, Cornwall, PA 17016, and Robert J. Hamilton, P.O. Box 478, Ephrata, PA 17522, submitted a Notice of Intent to Remediate site soil contaminated with heating oil. Heating oil also entered a surface-water drainage ditch within the adjacent property. The site will be remediated to the Residential Statewide Health Standard. Future use of the site is to be used as residential. The Notice of Intent to Remediate was published in the *Lebanon Daily News* on January 7, 2021.

**Borough of Chambersburg—Utility Service Center**, 80 South Franklin Street, Chambersburg, PA 17201, Borough of Chambersburg, **Franklin County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of the Borough of Chambersburg, 100 South 2nd Street, Chambersburg, PA 17201, submitted a Notice of Intent to Remediate sites soil and groundwater contaminated with MGP Wastes and residual materials, VOCs, SVOCs and metals. The site will be remediated to the site-specific standard. Future use of the site is not known. The Notice of Intent to Remediate was published in the *Public Opinion* on November 13, 2020.

**Former CJ's Auto Repair**, 504 South Main Street, Shrewsbury, PA 17361, Shrewsbury Borough, **York County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Michael Sacilotto, c/o Denise Brusak, 13 Mill Street, Stewartstown, PA 17363, submitted a Notice of Intent to Remediate soil and groundwater contaminated with No. 2 fuel oil. The site will be remediated to the site-specific and residential Statewide health standards. Future use of the site will be for commercial purposes. The Notice of Intent to Remediate was published in the *York Daily Record* on January 15, 2021.

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Lukas Property**, 362 West Lancaster Avenue, Wayne, PA 19087, Radnor Township, **Delaware County**. Gary Drennen, Synergy Environmental, 155 Railroad Plaza, First Floor, Royersford, PA 19468 on behalf of Joseph T. Lukas, 858 Asbury Avenue, 3rd Floor, Ocean City, NJ 08266 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with chlorinated solvents and petroleum. The property is intended for commercial use. The Notice of Intent to Remediate was published in *The Delaware County Times* on January 13, 2021.

### HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

---

**Applications received, withdrawn, denied or returned under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.**

---

*Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

**PA0000453084. Bethlehem Apparatus Company, Inc.**, P.O. Box Y, Hellertown, PA 18055. A permit renewal application for the continued operation of a hazardous waste treatment and storage facility located in the City of Bethlehem, **Northampton County**. The application was received by the Regional Office on December 28, 2020 and was found to be administratively complete on January 27, 2021.

#### **DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS**

**Determination of Applicability for General Permit Issued Under the Solid Waste Management Act of July 7, 1980, P.L. 380, (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. § 4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, Telephone 412-442-4000.*

**General Permit No. WMGM024SW001. PennDOT Engineering District 11-0**, 45 Thoms Run Road, Bridgeville, PA 15017-2853. A Determination of Applicability for coverage under General Permit WMGM024 was issued for the SR 28 Harmar Interchange Infield, Cheswick, PA 15024 in Harmar Township, **Allegheny County**. This general permit is for the processing (i.e., crushing, grinding, screening) and beneficial use of concrete and asphalt waste for use as 1) an aggregate, a sub-grade or a sub-base material for roadway construction; 2) a cold and hot-mix material for roadway and shoulder applications; and 3) blended with other virgin aggregate as a sub-base for roadway construction. This permit was issued by the Regional Office on February 2, 2021.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

### **AIR QUALITY**

#### **PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS**

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan

approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**04-00702C: United States Gypsum Company** (1 Woodlawn Rd., Aliquippa, PA 15001). Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval:



PA-04-00702C to United States Gypsum Company (USG) to allow the construction and initial temporary operation of two (2) 125 MMBtu/hr natural gas-fired kiln burners to replace two (2) existing 94 MMBtu/hr natural gas-fired kiln burners at the Aliquippa Plant located in the City of Aliquippa, **Beaver County**.

Potential to emit from the project is estimated to not exceed 41.0 tons of nitrogen oxides (NO<sub>x</sub>), 97.0 tons of carbon monoxide (CO), 31.0 tons of particulate matter less than 10 microns in diameter (PM<sub>10</sub>), 31.0 tons of particulate matter less than 2.5 microns in diameter (PM<sub>2.5</sub>), 1.0 ton of sulfur dioxide (SO<sub>2</sub>), 31.0 tons of volatile organic compounds (VOC), 7.0 tons of total hazardous air pollutants (HAPs), and 128,300 tons of carbon dioxide equivalents (CO<sub>2</sub>e). Best available technology (BAT) requirements for the proposed kiln burner replacement will include flue gas recirculation (FGR).

The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, 123.31, and 123.41. This Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emissions restrictions, testing, monitoring, recordkeeping, and reporting requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise or submit a Title V Operating Permit application in accordance with 25 Pa. Code Subchapter G.

The Plan Approval Application, the Department's Air Quality Review Memorandum, and the proposed Air Quality Plan Approval for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

A person may oppose the proposed plan approval by filing a written protest with the Department through Melissa Jativa via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to [mjativa@pa.gov](mailto:mjativa@pa.gov); or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-04-00702C) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone or email, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Edward F. Orris, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to [eorris@pa.gov](mailto:eorris@pa.gov).

All comments must be received prior to the close of business 30 days after the date of this publication.

#### OPERATING PERMITS

---

**Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**53-00006: Eastern Gas Transmission and Storage, Inc.** (445 West Main Street, Clarksburg, WV 26301) for renewal of the Title V operating permit for their Ellisburg facility located in Genesee Township, **Potter County**. The facility's sources include eleven (11) natural gas-fired heaters, eight (8) natural gas-fired gas transmission compressor engines, six (6) natural gas-fired line heaters, two (2) natural gas-fired boilers, one (1) diesel-fired emergency generator, one (1) natural gas-fired air compressor and several fugitive volatile organic compound (VOC) emission sources. The facility has the potential to emit 589.66 tons of nitrogen oxides (NO<sub>x</sub>) per year, 992.83 tons of carbon monoxide (CO) per year, 159.50 tons of volatile organic compounds (VOCs) per year, 0.65 ton of sulfur oxides per year (SO<sub>x</sub>), 25.15 tons of particulate matter (PM/PM<sub>10</sub>) per year, 44.72 tons of hazardous air pollutants (HAPs) per year and 127,504 tons of greenhouse gasses (GHGs) per year. No emission or equipment changes are being proposed by this action. The company name is being changed from Dominion Energy Transmission, Inc. to Eastern Gas Transmission and Storage in the renewal. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart ZZZZ of 40 CFR Part 63 and 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**08-00004: Rynone Manufacturing Corporation** (P.O. Box 128, Sayre, PA 18840) a Title V operating permit renewal for the Sayre Plant located in Sayre Borough, **Bradford County**. In accordance with 25 Pa. Code § 127.521, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the previously-mentioned facility. The subject facility has the following potential emissions: 1.65 TPY of CO; 1.98 TPY of NO<sub>x</sub>; 0.06 TPY of SO<sub>x</sub>; 1.13 TPY of PM/PM<sub>10</sub>; 49.70 TPY of VOCs; 51.60 TPY of total HAPs; 26.00 TPY of acetone; and 2,619 TPY of CO<sub>2</sub>e. The facility's sources include four vanity/countertop manufacturing lines for mixing, molding, casting and gel coating; various cleanup operations and miscellaneous combustions sources, which have the potential to emit major quantities of hazardous air pollutants (HAPs) including styrene. The facility has the potential to emit nitrogen oxides (NO<sub>x</sub>) and carbon monoxide (CO), sulfur oxides (SO<sub>x</sub>), particulate matter (PM/PM<sub>10</sub>), and volatile organic compounds (VOCs) emissions below the major emission thresholds. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, 64, 68, 72—76, 96—98 and 25 Pa. Code Article III, Chapters 121—145. All pertinent

documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6328.*

**61-00181: Scrubgrass Generating Company** (2151 Lisbon Rd, Kennerdell, PA 16374-3305). The Department intends to modify the Title V Operating Permit of an electric utility steam generating facility located in Scrubgrass Township, **Venango County**. The modification is pursuant to 25 Pa. Code §§ 127.541 (Significant operating permit modifications) and 127.542 (Revising an operating permit for cause). The modification involves the incorporation of National Emission Standards for Hazardous Air Pollutants (NESHAP): Coal- and Oil-Fired Electric Utility Steam Generating Units (40 CFR 63 Subpart UUUUU) as amended on April 15, 2020 and September 9, 2020. Under the amended Federal rule, the two circulating fluidized bed (CFB) boilers at the facility meet the new subcategory Unit designed for eastern bituminous coal refuse (EBCR), which has its own set of emission limits for filterable particulate matter (PM), alternate total non-mercury hazardous air pollutants (HAPs) and alternate individual HAP metals; hydrogen chloride (HCl) and alternate sulfur dioxide (SO<sub>2</sub>); and mercury (Hg).

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**23-00105: Hanson Aggregates PA, LLC—Glen Mills Asphalt Plant** (533 Forge Road, Glen Mills, PA 19342) for the renewal permit to operate a hot mix asphalt plant at the facility located in Middletown Township, **Delaware County**. The renewal permit is for a non-Title V (State Only) facility. The facility caps criterial pollutants below major source thresholds for the Philadelphia Consolidated Metropolitan Statistical Area; therefore, the facility is a Synthetic Minor. The requirements of 40 CFR Part 60 Subpart I apply to the Hot Mix Asphalt Plant (Source ID 100). The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the header previously listed. Comments on the draft permit (or plan approval) can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

**46-00273: Titanium Finishing Company** (248 Main St., East Greenville, PA 18041) for renewal of a State-Only Operating Permit for a plating, polishing, anodizing and coloring processes plant in East Greenville Borough, **Montgomery County**. This Operating Permit contains all applicable Federal and State regulations applicable to the plant including emission limitations, monitoring and

recordkeeping requirements, work practice standards designed to keep the plant operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the header previously listed. Comments on the draft permit (or plan approval) can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**07-03048: Chimney Rocks Animal Rest, Inc.** (524 Chimney Rocks Road, Hollidaysburg, PA 16648) to issue a State Only Operating Permit renewal for the crematory located in Blair Township, **Blair County**. The potential emissions are estimated at 1.24 tpy of NO<sub>x</sub>, 0.86 tpy of CO, 0.81 tpy of PM<sub>10</sub>, 0.36 tpy of SO<sub>x</sub>, and 0.09 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**28-03045: Eastern Gas Transmission and Storage, Inc.** (925 White Oaks Blvd., Bridgeport, WV 26330), to issue a State Only Operating Permit renewal for the gas turbines and emergency generator at the natural gas transmission facility located in Hamilton Township, **Franklin County**. The actual 2019 emissions were NO<sub>x</sub> 24.14 tons, CO 4.94 tons, SO<sub>x</sub> 1.43, VOC 7.14 tons, HAPs 0.4 ton, and 3.49 tons of PM<sub>10</sub>. The Operating Permit will include emission standards, testing, monitoring, recordkeeping, and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Among other items the conditions include NSPS Subpart GG—Standards of Performance for Stationary Gas Turbines; NSPS Subpart KKKK—Standards of Performance for Stationary Combustion Turbines; NSPS Subpart OOOOa—Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015; and MACT Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**41-00017: Zenith Energy Terminals Pennsylvania Holdings, LLC** (3900 Essex Lane, Suite 700, Houston, TX 77027-5166) to issue a renewal State Only (Synthetic Minor) Operating Permit for their South Williamsport Terminal facility located in Armstrong Township, **Lycoming County**. The facility is currently operating under State Only (Synthetic Minor) Operating Permit 41-00017. The facility's main sources include gasoline storage tanks, diesel storage tank, and gasoline and distillate loading operations. The facility has potential annual emissions of 0.07 ton of carbon monoxide, 0.02 ton of nitrogen oxides, 0.01 ton of sulfur oxides, 0.02 ton of particulate matter (including particulate matter less than 10 microns in size and particulate matter less than 2.5 microns in size), 49.71 tons of volatile organic compounds, 11.08 tons of

hazardous air pollutants, and 72 tons of carbon dioxide equivalent. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, 40 CFR Part 60 Subpart XX, and 40 CFR Part 63 Subpart BBBBBB. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**27-00039: KC Midstream Solutions, LLC, Endeavor Plant** (Queens Pumping Station Road, Endeavor, PA 16321). The Department intends to issue the renewal State-Only Operating Permit of a non-fractionating natural gas stripping facility located in Hickory Township, **Forest County**. Permitted air contamination sources at the facility include an inlet compressor, a refrigerant compressor, an ethylene glycol (EG) dehydrator, an EG heater, and various sources of fugitive emissions. For permitting purposes, the facility is Natural Minor. In this renewal, permit requirements for the inlet compressor and the residue compressor are revised to reflect engine replacements authorized through RFDs. Also authorized through an RFD, the EG heater is added as a permitted source. As sources of fugitive emissions, storage tanks/vessels and venting/blowdown operations are added as permitted sources for emissions inventory purposes. Monthly Audio, Visual & Olfactory inspections are added as permit requirements for equipment and operations that emit fugitive emissions.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.*

The City of Philadelphia, Air Management Services (AMS) intends to issue an initial Natural Minor Operating Permit for the following facility:

**OP20-000040: University of the Arts** (320 S. Broad Street, Philadelphia, PA 19102), for the operation of air emission sources in a private university, in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are three (3) boilers firing natural gas each rated less than 4 MMBtu/hr, six (6) hot water heaters firing natural gas each rated less than 1 MMBtu/hr, and three (3) emergency generators, of which one (1) firing natural gas rated 315 BHP, and two (2) firing diesel fuel rated 114 HP and 435 HP. Additionally, four (4) insignificant fire pumps firing diesel fuel each rated less than 100 HP, five (5) insignificant hot water heaters firing natural gas each rated less than 0.2 MMBtu/hr and two (2) insignificant emergency generators, one (1) firing natural gas and one (1) firing diesel fuel, each rated less than 100 HP, are also included in the Natural Minor Operating Permit for facility-wide emission calculation, and they are required to follow the applicable requirements in the Natural Minor Operating Permit.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to in-

formal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity

permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

#### *Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	
Alkalinity greater than acidity <sup>1</sup>			

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).*

**Permit No. 63141301 and NPDES Permit No. PA0215431. Consol Mining Company LLC**, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to renew the permit and related NPDES permit for Westland Mine in Chartiers and Mount Pleasant Townships, **Washington County**. No additional discharges. The application was considered administratively complete on January 5, 2021. Application received: October 16, 2020.

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, (Contact: Melanie Ford-Wigfield).*

**Permit No. 56090111. PBS Coals, Inc.**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, permit renewal for reclamation only on a bituminous surface mine in Quemahoning and Somerset Townships, **Somerset County**, affecting 233.6 acres. Receiving streams: unnamed tributaries to/and Wells Creek; Stonycreek River classified for the following use: cold water fishes. The first downstream potable water supply intake from the point of discharge is Hooversville Municipal Water Authority. Application Received: January 28, 2021.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, (Contact: Ashley Smith).*

**Permit No. 14080103. RES Coal, LLC**, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920. Permit renewal for reclamation only of a bituminous surface coal mine located in Rush Township, **Centre County** affecting 150.8 acres. Receiving stream(s): Moshannon Creek and Mountain Branch classified for the following use(s): CWF and TSF. There are no potable water supply intakes within 10 miles downstream. Application received: January 19, 2021.

**Permit No. 17000107 and NPDES PA0242951. King Coal Sales, Inc.**, P.O. Box 712, Philipsburg, PA 16866. Permit renewal for continued operation and restoration of a bituminous surface coal mine and major revision to delete 8.8 acres that have not been impacted by mining and to add 8.8 acres adjacent to the south east boundary of the permit located in Woodward and Bigler Townships, **Clearfield County** affecting a total of 167.6 acres. Receiving stream(s): Upper Morgan Run and Goss Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: January 7, 2021.

*New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).*

**Permit No. 03950105 and NPDES No. PA0201421. Allegheny Mineral Corporation**, P.O. Box 1022, Kittanning, PA 16201. Renewal application for continued mining to an existing bituminous surface mine, located in West Franklin Township, **Armstrong County**, affecting 439 acres. Receiving streams: Patterson Creek and unnamed tributary to Buffalo Creek, classified for the following use: HQ-TSF. Renewal application received: January 22, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 40663023R7 and NPDES Permit No. PA0225207. Pagnotti Enterprises, Inc.** (144 Brown Street, Yatesville, PA 18640), renewal of an existing anthracite surface mine, coal refuse reprocessing and preparation plant operation in Hazle Township, **Luzerne County** affecting 640.0 acres. Receiving stream: Hazle Creek, classified for the following uses: HQ—cold water and migratory fishes. Application received: January 5, 2021.

**Permit No. 40663031R7 and NPDES Permit No. PA0225. Jeddo-Highland Coal Company** (144 Brown Street, Yatesville, PA 18640), renewal of an existing anthracite surface mine and coal refuse reprocessing operation in Foster

Township, **Luzerne County** affecting 523.0 acres. Receiving stream: Black Creek, classified for the following use: cold water fishes and Sandy Run Creek, classified for the following use: HQ—cold water fishes. Application received: January 8, 2021.

**Permit No. 40150201R. Newport Aggregate, Inc.** (76 Main Road, Glen Lyon, PA 18617), renewal of an existing anthracite coal refuse reprocessing operation in Newport and Conyngham Townships, **Luzerne County** affecting 78.0 acres. Receiving stream: Susquehanna River, classified for the following use: Warm water fishes. Application received: January 14, 2021.

**Permit No. 49151301R. Clinton M. Wynn Mining** (419 Shingara Lane, Sunbury, PA 17801), renewal of an existing anthracite underground mine operation in Zerbe and West Cameron Townships, **Northumberland County** affecting 3.5 acres. Receiving stream: Zerbe Run to Mahanoy Creek, classified for the following uses: cold water and migratory fishes. Application received: January 14, 2021.

**Permit No. 49151301T. Pete Shingara Mining** (315 Shingara Lane, Sunbury, PA 17801), transfer of an existing anthracite underground mine operation from Clinton M. Wynn Mining in Zerbe and West Cameron Townships, **Northumberland County** affecting 3.5 acres. Receiving stream: Zerbe Run to Mahanoy Creek, classified for the following uses: cold water and migratory fishes. Application received: January 14, 2021.

#### *Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

*Table 2*

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 6276SM2C2 and NPDES Permit No. PA0594512. New Enterprise Stone & Lime Co., Inc.** (3580 Division Highway, East Earl, PA 17519), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in East Earl Township, **Lancaster County** affecting 232 acres. Receiving stream: Conestoga River, classified for the following use: warm water fishes. Application received: December 8, 2020.

**Permit No. 22010302C2 and NPDES Permit No. PA0124061. New Enterprise Stone & Lime Co., Inc.** (3580 Division Highway, East Earl, PA 17519), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Washington and Jackson Townships, **Dauphin County** affecting 155 acres. Receiving streams: Wiconisco & Armstrong Creeks, classified for the following uses: warm water fishes (Wiconisco) and cold-water fishes (Armstrong). Application received: December 29, 2020.

**Permit No. 6276SM4C2 and NPDES Permit No. PA0613142. New Enterprise Stone & Lime Co., Inc.** (3580 Division Highway, East Earl, PA 17519), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Honey Brook and Caernarvon Townships, **Chester and Lancaster Counties** affecting 273 acres. Receiving streams: unnamed tributary to West Branch of Brandywine Creek, classified for the following uses: HQ—trout stock fishery and migratory fishes. Application received: December 29, 2020.

### **MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	
Alkalinity greater than acidity*			

\*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91–96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472.1900.*

**NPDES No. PA0235067 (Mining Permit No. 11000103), T.J. Mining, Inc.**, P.O. Box 370, Carrolltown, PA 15722, renewal of a NPDES permit for a bituminous surface mine in Cresson Township, **Cambria County**, affecting 85.3 acres. Receiving stream(s): Unnamed Tributaries to/and Burgoon Run, classified for the following use(s): cold water fishery. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: November 17, 2020.

The following treated wastewater outfall discharges to an Unnamed Tributary to Burgoon Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (Treatment Facility TF-1)	N

The proposed effluent limits for the previously listed outfall 001 are as follows:

<i>Outfall: 001 (TF-1) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	2.6	5.2	6.5

<i>Outfall: 001 (TF-1)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Manganese (mg/l)	1.8	3.6	4.5
Aluminum (mg/l)	1.3	2.6	3.2
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

The following treated wastewater outfall discharges to Burgoon Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002 (Treatment Facility TF-2)	N

The proposed effluent limits for the previously listed outfall 002 are as follows:

<i>Outfall: 002 (TF-2)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	2.6	5.2	6.5
Manganese (mg/l)	1.8	3.6	4.5
Aluminum (mg/l)	1.3	2.6	3.2
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

The following treated wastewater outfall discharges to an Unnamed Tributary to Burgoon Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003 (Sediment Pond SP-1)	N

The proposed effluent limits for the previously listed outfall 003 are as follows:

<i>Outfall: 003 (SP-1)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	2.6	5.2	6.5
Manganese (mg/l)	1.8	3.6	4.5
Aluminum (mg/l)	1.3	2.6	3.2
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

The following treated wastewater outfall discharges to Burgoon Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004 (Sediment Pond SP-2)	N

The proposed effluent limits for the previously listed outfall 004 are as follows:

<i>Outfall: 004 (SP-2)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/l)	2.6	5.2	6.5
Manganese (mg/l)	1.8	3.6	4.5
Aluminum (mg/l)	1.3	2.6	3.2
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.  
Alkalinity must exceed acidity at all times.

#### *Noncoal NPDES Draft Permits*

*Knox District Mining Office: White Memorial Building, P.O. Box 669, Knox, PA 16232-0669, (814) 797.1191.*

**NPDES No. PA0258008 (Permit No. 33050304). Glen-Gery Corporation** (1166 Spring Street, P.O. Box 7001, Reading, PA 19610), renewal of an NPDES permit for a large industrial minerals surface mine in Oliver Township, **Jefferson County**, affecting 51.5 acres. Receiving stream(s): Unnamed tributaries to Beaver Run and Beaver Run classified for the following use(s): CWF and HQ-CWF. TMDL: Beaver Run. Application received: December 16, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for noncoal mining activities.

The following outfall discharges to an unnamed tributary to Beaver Run (CWF):

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup>	6.0			9.0
(S.U.) Alkalinity greater than acidity <sup>1</sup>				
Iron (mg/l)		1.5	3.0	3.8
Manganese (mg/l)		1.0	2.0	2.5
Total Suspended Solids (mg/l)		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

The following outfalls discharge to an unnamed tributary to Beaver Run (CWF):

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

The following outfall discharges to Beaver Run (HQ-CWF) and requires a non-discharge alternative:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	N

**NPDES No. PA0259217 (Permit No. 61110304). Glenn O. Hawbaker, Inc.** (1952 Waddle Road, Suite 203, State College, PA 16803), revised NPDES permit for a large industrial minerals surface mine in Barkeyville Borough, **Venango County**, affecting 161.0 acres. Receiving stream(s): Unnamed tributary to North Branch Slippery Rock Creek, Slippery Rock Creek, and an unnamed tributary to East Branch Wolf Creek classified for the following use(s): CWF. TMDL: None. Application received: December 9, 2020.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits previously described for noncoal mining activities.

The following outfalls discharge to an unnamed tributary to North Branch Slippery Rock Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
004	N
005	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Iron (mg/l)		1.7	3.4	4.3
Manganese (mg/l)		1.1	2.2	2.8
Aluminum (mg/l)		0.8	1.6	2.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

The following outfall discharges to unnamed tributary to North Branch Slippery Rock Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Iron (mg/l)		1.7	3.4	4.3
Manganese (mg/l)		1.1	2.2	2.8
Aluminum (mg/l)		0.8	1.6	2.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.



The following outfalls discharge to unnamed tributaries to East Branch Wolf Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
006	N
007	N
009	Y

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

The following outfalls discharge to unnamed tributaries to East Branch Wolf Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
002	N
003	N
008	Y

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Alkalinity greater than acidity <sup>1</sup>				
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

<sup>1</sup> The parameter is applicable at all times.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.*

**SMP No. 7976SM1 and NPDES No. PA0118389. Eureka Stone Quarry, Inc.** (P.O. Box 249, Chalfont, PA 18914), renewal of an NPDES for a noncoal mining permit in Warrington Township, **Bucks County** affecting 403.0 acres. Receiving stream: unnamed tributary to Mill Creek, classified for the following use: trout stocking fishes. The first active downstream potable water supply intake from the point of discharge is Aqua PA Main System, Neshaminy Creek intake. The Department has made a tentative determination to impose effluent limitations within the ranges specified in Table 2. Application received: August 9, 2019.

<i>Outfall No.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>		
001	N	Treatment Outfall		
<i>Outfalls: 001 &amp; 003</i>		<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
<i>Parameter</i>	<i>Minimum</i>			
Oil & Grease (mg/L)				Report
pH <sup>1</sup> (S.U.)	6.0			9.0
Flow (MGD)		3.5		10.32
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Suspended Solids (lbs/day)		295.0	590.0	739.0
Total Alkalinity (as CaCO <sub>3</sub> ) (mg/L)				Report
Total Acidity (as CaCO <sub>3</sub> ) (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Aluminum (µg/L)		483.6	754.4	
Mercury (µg/L)		0.05	0.078	

<sup>1</sup>This parameter is applicable at all times.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that

the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant state requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this

notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

#### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, E-mail: ra-epww-sero@pa.gov.*

**Permit No. E4601121-001, Pennsylvania Department of Transportation**, Engineering District 6-0, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Lower Pottsgrove Township, **Montgomery County**, ACOE Philadelphia District.

The Pennsylvania Department of Transportation (PennDOT District 6-0) is proposing to perform the following water obstruction and encroachment activities associated with the US 422 Section MB1 Reconstruction Project:

1. To remove an existing 89.83 foot-long, reinforced twin box concrete culvert carrying Sprogel Run (WWF-MF, Stream 6) and adjacent bridge over Porter Road. In their place, construct and maintain a 96.38 foot-long, 2-span, precast concrete beam bridge resulting in 165 linear feet (6,251 square feet) of permanent watercourse impact (USGS PA Phoenixville Quadrangle—Latitude 40.23980 N, Longitude 75.60916 W).

2. To place fill and relocate an unnamed tributary to Sprogel Run (WWF-MF, Stream 81) associated with SR 422 bridge construction. This activity will result in 53 linear feet (390 square feet) of permanent watercourse impact (USGS PA Phoenixville Quadrangle—Latitude 40.23935 N, Longitude 75.60944 W).

3. To remove a 48-inch RCP stream enclosure carrying an unnamed tributary to Sprogel Run (WWF-MF, Stream 7/83), relocate, place fill, and grade. In its place, to construct and maintain a 48-inch diameter RCP stream enclosure resulting in 236 linear feet (3,500 square feet) and 165 linear feet (2,871 square feet) of permanent watercourse impact. This activity includes grading and

restoration of watercourse (USGS PA Phoenixville Quadrangle—Latitude 40.24007 N, Longitude 75.32416 W).

4. To place fill and grade to facilitate the construction of a stormwater facility resulting in 243 linear feet (2,744 square feet) of permanent watercourse impact (USGS PA Phoenixville Quadrangle—Latitude 40.24125 N, Longitude 75.60027 W).

5. To place fill within an unnamed tributary (WWF-MF, Stream 83) associated with roadway reconstruction resulting in 159 linear feet (675 square feet) of permanent watercourse impact (USGS PA Phoenixville Quadrangle—Latitude 40.24007, Longitude 75.59916 W).

6. To place fill adjacent to a wetland area (PFO, Wetland 4) associated with roadway reconstruction and redirecting roadway drainage. This activity will result in 801 square feet of permanent wetland impact due to loss of hydrology (USGS PA Phoenixville Quadrangle—Latitude 40.24180 N, Longitude 75.59166 W).

7. To remove an existing 329 foot-long, 72.25 foot-wide, 4-span concrete I-Beam bridge and its piers over Sanatoga Creek (WWF-MF, Stream 5). And in its place, construct and maintain a 336.33 foot-long, 95.38 foot-wide, 3-span precast concrete beam bridge resulting in 60 linear feet (7,7985 square feet) of temporary watercourse impact due to two temporary stream crossings (USGS PA Phoenixville Quadrangle—Latitude 40.24298 N, Longitude 75.58555 W).

8. To construct and maintain an 18-inch RCP outfall resulting in 25 linear feet (344 square feet) of permanent watercourse impact. This activity also includes the placement of riprap rock apron (USGS PA Phoenixville Quadrangle—Latitude 40.24247 N, Longitude 75.58166 W).

This project is located on S.R. 422 between Norfolk Southern Railroad and Park Road in Lower Pottsgrove Township, Montgomery County.

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E4802221-002. Bushkill Township**, 1114 Bushkill Center Road, Nazareth, PA 18064-9557, in Bushkill Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Sorber's Run Pedestrian Bridge Project:

1. A stream crossing of Sorber's Run (EV, MF) consisting of an 8-foot wide, 50-foot span pedestrian bridge having steeling framing, wood decking, concrete abutments, a 3.5-foot high hand high railing, and an 8.1-foot underclearance.

2. A fill within the floodway of Sorber's Run consisting of an 8-foot wide walking trail along the eastern streambank. This impact will result in a net fill of 365 ft<sup>3</sup>.

3. A fill within the floodway of Sorber's Run consisting of an 8-foot wide walking trail along the western streambank. This impact will result in a net fill of 365 ft<sup>3</sup>.

The project is located directly east of the Bushkill Township Trail, approximately 0.4 mile east of the intersection of S.R. 512 (East Moorsetown Road) and East Mountain Road (Wind Gap, PA Quadrangle Latitude: 40° 49' 31" Longitude: -75° 18' 47") in Bushkill Township,

Northampton County. (Wind Gap, PA Quadrangle, Latitude: 40° 49' 31"; Longitude: -75° 18' 47").

**E3502220-027. Jermyn Borough**, 440 Jefferson Avenue, Jermyn, PA 18433-1316, in Jermyn Borough, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain an outfall structure in the floodway of the Lackawanna River (HQ-CWF, MF) consisting of a 24-inch HDPE pipe, headwall, rip rap apron, and channel to the Lackawanna River. In addition, a portion of levee that was removed during the construction of the outfall will be restored in kind to match the existing levee height and dimensions at that location. The project is located at the end of Lackawanna Street adjacent to the Lackawanna River. (Carbondale, PA Quadrangle, Latitude: 41° 31' 26"; Longitude: -75° 32' 48").

**E6602221-001. Teri and Michael Butts**, 1586 Heart Lake Road, Jermyn, PA 18433, in Overfield Township, **Wyoming County**, U.S. Army Corps of Engineers, Baltimore District.

To construct a boat dock, concrete retaining wall, and perform dredging on the lakefront of their property located on Lake Winola (CWF, MF). The pile supported slip dock will have a footprint of 42' x 68' and a 4' x 90' pile supported walkway. Also, a 140' concrete block wall will be installed. Finally, hydraulic dredging surrounding the existing and proposed docks will be performed to facilitate the launch of watercraft. The project is located at 168 Point Road in Lake Winola, located in Overfield Township, Wyoming County. Quadrangle Latitude: 41° 31' 02" Longitude: -75° 51' 06". (Factoryville, PA Quadrangle, Latitude: 41° 31' 02"; Longitude: -75° 51' 06").

**E3502220-021. Edwards Family LP**, 204 State Route 435, Elmhurst Township, PA 18444, in Elmhurst Township, **Lackawanna County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a stream enclosure of a UNT to Roaring Brook (HQ-CWF, MF) consisting of a 132-foot long 36-inch diameter pipe, manhole and approximately 75 feet of R-5 rip rap apron. Additionally, approximately 0.641 acre of fill will be placed in the floodway of the watercourse for the purpose of placing fill on the site.

The project is located approximately 0.05 mile southeast of the Route 435 and Memorial Drive intersection. (Moscow, PA Quadrangle, Latitude: 41° 22' 4.43"; Longitude: -75° 32' 21.86").

*Northcentral Region: Waterways & Wetlands Program Manager, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E1804221-001: Andrew J. & Lynn A. Gavlock**, 441 Pennsylvania Ave, Renovo, PA 17764. Gavlock Residence, Chapman Township, **Clinton County**, U.S. Army Corps of Engineers Baltimore District (Renovo East, PA Quadrangle; 41.369783° N, 77.701704° W).

The applicant proposes to demolish an existing residence, and to construct and maintain a new residence in the same location as the existing home. The project is in the floodway of Young Woman's Creek (HQ-CWF, MF) and will result in 0.23 acre of direct floodway impact.

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E0205220-025, 23RR Associates, LLC**, 2645 Railroad Street, Suite 3222, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain approximately 1 foot of fill 44 LF wide by 142 LF long within the floodway of the Allegheny River (WWF).

2. Construct and maintain within this fill area an asphalt driveway, paved pedestrian plaza, landscaped area, stormwater infrastructure, electrical infrastructure, and tree plantings.

For the purpose of constructing a multistory housing development and associated building facilities. The project also proposes to improve access to the Three Rivers Heritage Trail.

Project activities will permanently impact 0.141 acre of the Allegheny River Floodway.

The project site is located at 23rd Street, Pittsburgh, PA 15222 (City of Pittsburgh, PA USGS topographic quadrangle; N: 40°, 27', 15.3"; W: -79°, 59', 0.38"; Sub-basin 19A; USACE Pittsburgh District), in City of Pittsburgh, Allegheny County.

**E2605220-028, Masontown Borough**, 1 East Church Avenue, Masontown, PA 15461, Masontown Borough, **Fayette County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct, operate, and maintain a 15-foot by 40-foot concrete boat launch ramp with riprap scour protection along the Monongahela River (WWF-N);

2. Construct, operate, and maintain a 71-foot by 29-foot floating dock with a kayak launch and four 12-inch diameter composite piles along the Monongahela River;

3. Construct, operate, and maintain a 28-foot by 5-foot aluminum gangway within the floodway of and along the Monongahela River;

4. Construct, operate, and maintain a 17,413 square-foot parking area and concrete sidewalk within the floodway of the Monongahela River;

5. Construct, operate, and maintain a 138-foot by 24-foot rain garden and 49-foot outlet pipe within the floodway of the Monongahela River;

For the purpose of providing recreational access to the Monongahela River. The project site is located on Madison Avenue, below McClellandtown Rd, in Masontown, PA 15461 (Masontown, PA USGS topographic quadrangle; N: 39°, 51', 8.00"; W: -79°, 55', 34.27"; Sub-basin 19G; USACE Pittsburgh District), in Masontown Borough, Fayette County.

**E3005220-025, Dominion Energy Transmission, Inc.**, 120 Tredegar Street, Richmond, VA 23219, Franklin Township, **Greene County**, Pittsburgh ACOE District.

The applicant proposes to:

Construct and maintain two landfill keys and drainage systems along the TL-490 pipeline that will permanently impact two (2) PEM wetlands totaling 0.019 acre, temporarily impact 0.014 acre of an unnamed tributary (UNT) to South Fork Tenmile Creek (WWF), and temporarily impact 0.289 acre of the floodway of the UNT to South Fork Tenmile Creek.

For the purpose of correcting and preventing the causes of a landslide that occurred within a pipeline right-of-way. The project site is located approximately 0.75 mile northwest of the intersection of Strope Rd and Jefferson Rd (Waynesburg, PA USGS topographic quadrangle; N: 39°,

55', 5.83"; W: -80°, 8', 31.19"; Sub-basin 19B; USACE Pittsburgh District), in Franklin Township, Greene County.

**E6505220-031, Ligonier Township Municipal Authority**, 1 Municipal Park Drive, Ligonier, PA 15658, Ligonier Township, **Westmoreland County**; Pittsburgh ACOE District.

The applicant proposes to:

Construct and maintain 8 new utility line stream crossings of Mill Creek (EV), Unnamed Tributaries (UNT) to Mill Creek (EV), and the South Fork of Mill Creek (EV).

The utility line crossings are to be installed via open cut method. Cumulatively, 140 linear feet of permanent watercourse impacts are proposed.

For the purpose of connecting two water supply sources owned and operated by the same public water supply system. The connection of the two water sources will allow the water supplier to transfer water between the two systems during emergency and unforeseen situations.

The project site is located 832 Reservoir Road, Ligonier, PA 15658 (Ligonier, PA USGS topographic quadrangle; N: 40°, 14', 30"; W: -79°, 8', 57"; Sub-basin 18C; USACE Pittsburgh District), in Ligonier Township, Westmoreland County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E0829221-001: Chief Oil and Gas, LLC**, 1720 Sycamore Road, Montoursville, PA 17754, Leroy Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a permanent access road impacting 2,271 square feet of a Palustrine Emergent Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.61833°, Longitude: -76.6920°);

2. a permanent access road impacting 792 square feet of a Palustrine Scrub-Shrub Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.61889°, Longitude: -76.69167°);

3. a permanent access road impacting 513 square feet of a Palustrine Emergent Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.61917°, Longitude: -76.69167°);

4. a permanent access road impacting 11,170 square feet of floodway impacts to an unnamed tributary to Schrader Creek (EV, MF) (Shunk, PA Quadrangle Latitude: 41.62222°, Longitude: -76.68806°);

5. a permanent access road impacting 305 square feet of a Palustrine Emergent Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.62222°, Longitude: -76.68722°);

6. a permanent access road impacting 154 square feet of a Palustrine Emergent Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.62292°, Longitude: -76.68694°);

7. a 48" SL CPP culvert impacting 115 linear feet of an unnamed tributary to Schrader Creek (EV, MF) and 9,326 square feet of its floodway (Shunk, PA Quadrangle Latitude: 41.62306°, Longitude: -76.68681°);

8. a permanent access road impacting 212 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.62389°, Longitude: -76.68639°);

9. a 48" SL CPP culvert impacting 54 linear feet of an unnamed tributary to Schrader Creek (EV, MF) and 7,287 square feet of its floodway, 638 square feet of Palustrine Emergent Wetland (EV) and 57 square feet of Palustrine

Forested Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.62528°, Longitude: -76.68472°);

10. a 30" SL CPP culvert impacting 46 linear feet of an unnamed tributary to Little Schrader Creek (EV, MF) and 3,721 square feet of its floodway, 623 square feet of Palustrine Emergent Wetland (EV) and 81 square feet of Palustrine Forested Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.62639°, Longitude: -76.68361°);

11. a permanent access road impacting 1,443 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.62778°, Longitude: -76.68278°);

12. a 48" SL CPP culvert impacting 74 linear feet of an unnamed tributary to Little Schrader Creek (EV, MF) and 5,819 square feet of its floodway (Shunk, PA Quadrangle Latitude: 41.62944°, Longitude: -76.68139°);

13. a permanent access road impacting 1,919 square feet of a Palustrine Emergent Wetland (EV), 209 square feet of a Palustrine Forested Wetland (EV) and 628 square feet of a Palustrine Scrub-Shrub Wetland (EV) (Shunk, PA Quadrangle Latitude: 41.62972°, Longitude: -76.68083°);

14. a permanent access road impacting 799 square feet of a Palustrine Emergent Wetland (Shunk, PA Quadrangle Latitude: 41.63000°, Longitude: -76.67958°);

The project will result in 289 linear feet of stream impacts, 37,323 square feet (0.85 acre) of floodway impacts, 3,207 square feet (0.07 acre) of temporary PEM wetland impacts, 5,670 square feet (0.13 acre) permanent PEM wetland impacts, 792 square feet (0.02 acre) of permanent PSS wetland impacts, and 975 square feet (0.02 acre) of permanent PFO wetland impacts, all for the purpose of installing a natural gas well pad and permanent access road for Marcellus Shale development in Leroy Township, Bradford County. Off-site mitigation of 0.14 acre of PEM wetland creation and 0.07 acre of PEM wetland enhancement adjacent to Dug Road Creek (CWF, MF) (Laceyville, PA Quadrangle Latitude: 41.708081°, Longitude: -76.139808°).

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, Telephone number: 717-787-3411.*

**D51-001. Lance Butler**, Philadelphia Water Department, Aramark Tower, 1101 Market Street, 4th Floor, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**, USACOE Philadelphia District.

The project proposes to replace the intake of the former canal feeder structure with a new diversion facility in the intake channel of the Manayunk Schuylkill Canal to restore flow through the canal and improve water quality while addressing structural deficiencies along approximately 410 feet of the intake channel wall along the Schuylkill River, an appurtenance to the Flat Rock Dam. The diversion facility will create a new abutment connection for Flat Rock Dam. The existing lock and feeder structure were decommissioned and permanently closed in the 1940s, leading to degraded water quality in the canal.

The project includes reconstruction of the wall's existing overflow spillway with a new concrete spillway structure and a sluiceway for sediment and debris management in the intake channel. A concrete bulkhead wall and flow control structure will be constructed across the Canal Intake Channel. Riprap protection will be placed

along the shoreline on the canal path side of the diversion facility. A structural concrete channel, excavated in uplands, will connect the flow diverted from the Schuylkill River to the Manayunk Schuylkill Canal. A small boulder weir structure will be constructed at the outlet end of the Manayunk Schuylkill Canal at Lock No. 69 to create a permanent plunge pool for migratory fish passage as required by the National Marine Fisheries Service.

The dam is located across the Schuylkill River (WWF, MF) (Germantown, PA Quadrangle; Latitude: 40.0380, Longitude: -75.2447).

**D48-067EA. John Yaswinski**, 172 East Aluta Mill Road, Nazareth, PA 18064, Bushkill Township, **Northampton County**, USACOE Philadelphia District.

Project proposes to remove the East Aluta Road Mill Dam to eliminate a threat to public safety and to restore approximately 400 feet of stream channel to a free-flowing condition. The proposed restoration project includes boulder construction of a j-hook and cross vane to provide habitat and concentrate flow to prevent stream bank erosion. The project is located across Bushkill Creek (HQ-CWF, MF) (Wind Gap, PA Quadrangle, Latitude: 40.7710; Longitude: -75.3138).

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I. is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0275654	Industrial Stormwater Individual NPDES Permit	Issued	Walmart Stores East LP 702 SW 8th Street MS 0505 Bentonville, AR 72716-0505	Coolbaugh Township Monroe County	NERO
0294202	Industrial Waste Individual WQM Permit	Issued	West Penn Power Co. 800 Cabin Hill Drive Greensburg, PA 15601-1650	Frazer Township Allegheny County	SWRO
6319202	Industrial Waste Individual WQM Permit	Issued	FirstEnergy—West Penn Power 800 Cabin Hill Drive Greensburg, PA 15601	Union Township Washington County	SWRO
0921802	Joint DEP/PFBC Pesticides Permit	Issued	Spring View Association 918 Spring View Drive Southampton, PA 18966-4309	Upper Southampton Township Bucks County	SERO
1516804	Joint DEP/PFBC Pesticides Permit	Issued	Schuylkill Township Chester County 101 Valley Park Road Phoenixville, PA 19460-5766	Schuylkill Township Chester County	SERO
1521804	Joint DEP/PFBC Pesticides Permit	Issued	New London Township 902 State Road P.O. Box 1002 New London, PA 19360	New London Township Chester County	SERO
PA0254771	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	Tenaska PA Partners LLC 14302 FNB Parkway Omaha, NE 68154	South Huntingdon Township Westmoreland County	SWRO
PA0020532	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Upper Montgomery Joint Authority 1100 Mensch Dam Road Pennsburg, PA 18073	Upper Hanover Township Montgomery County	SERO
PA0020605	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Union City Borough Municipal Authority Erie County 22 S Main Street Union City, PA 16438-1329	Union Township Erie County	NWRO
PA0021580	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Catasauqua Borough Lehigh County 90 Bridge Street Catasauqua, PA 18032-2563	Catasauqua Borough Lehigh County	NERO
PA0112445	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	P & N Packing Inc. 11627 Route 187 Wyalusing, PA 18853-8147	Terry Township Bradford County	NCRO
PA0205044	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Allied Waste System of PA LLC P.O. Box 47 11 Boggs Road Imperial, PA 15126-0047	Findlay Township Allegheny County	SWRO
PA0024511	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Redbank Valley Municipal Authority 243 Broad Street New Bethlehem, PA 16242-1001	Mahoning Township Armstrong County	NWRO
NOEXNW211	No Exposure Certification	Issued	Cygnus Manufacturing Co. LLC 491 Chantler Drive Saxonburg, PA 16056-9721	Clinton Township Butler County	NWRO

## NOTICES

831

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSE328	No Exposure Certification	Issued	Fiber Line Inc. 3050 Campus Drive Suite 400 Hatfield, PA 19440	Hatfield Township Montgomery County	SERO
NOEXSW039	No Exposure Certification	Issued	The OC Lugo Co. Inc. 150 N 4th Street Connellsville, PA 15425	Connellsville City Fayette County	SWRO
PAG048958	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Elmer & Travis Hostetler 3446 Perry Highway Hadley, PA 16130-2320	Greenwood Township Crawford County	NWRO
PAG123746	PAG-12 NPDES General Permit for CAFOs	Issued	Arlin L Benner 880 Pinkerton Road Mount Joy, PA 17552-9241	West Fallowfield Township Chester County	SCRO
PAG130050	PAG-13 NPDES General Permit for MS4s	Issued	Falls Township Bucks County 188 Lincoln Highway Suite 100 Fairless Hills, PA 19030-1017	Falls Township Bucks County	SERO
PAG132240	PAG-13 NPDES General Permit for MS4s	Issued	North Catasauqua Borough Northampton County P.O. Box 150 1066 4th Street Catasauqua, PA 18032-0150	North Catasauqua Borough Northampton County	NERO
PAG132288	PAG-13 NPDES General Permit for MS4s	Waived	Lowhill Township Lehigh County 7000 Herber Road New Tripoli, PA 18066-2631	Lowhill Township Lehigh County	NERO
0920405	Sewage Treatment Facilities Individual WQM Permit	Issued	David Aichenbaum 135 Valley Park Road Phoenixville, PA 19460	Schuylkill Township Chester County	SERO
1020406	Sewage Treatment Facilities Individual WQM Permit	Issued	Jason & Mallory Haefner 410 Freeport Street Saxonburg, PA 16056-9416	Clinton Township Butler County	NWRO
2004403	Sewage Treatment Facilities Individual WQM Permit	Issued	Elmer & Travis Hostetler 3446 Perry Highway Hadley, PA 16130-2320	Greenwood Township Crawford County	NWRO
2515409	Sewage Treatment Facilities Individual WQM Permit	Issued	Richard E Clark III 12434 Lake Road North East, PA 16428-3545	North East Township Erie County	NWRO
4320411	Sewage Treatment Facilities Individual WQM Permit	Issued	Matthew & Michele Mapes 1265 Slippery Rock Road Slippery Rock, PA 16057-4031	Liberty Township Mercer County	NWRO
5689401	Sewage Treatment Facilities Individual WQM Permit	Issued	Harry M Elder 921 Georgetown Road Sandy Lake, PA 16145	Addison Borough Somerset County	SWRO
PA0210820	Single Residence STP Individual NPDES Permit	Issued	Cheryl L & Michael P Nass 2670 Old State Road Waterford, PA 16441-3928	Waterford Township Erie County	NWRO
PA0245216	Single Residence STP Individual NPDES Permit	Issued	David Aichenbaum 135 Valley Park Road Phoenixville, PA 19460	Schuylkill Township Chester County	SERO
PA0264067	Single Residence STP Individual NPDES Permit	Issued	Richard E Clark III 12434 Lake Road North East, PA 16428-3545	North East Township Erie County	NWRO
PA0288284	Single Residence STP Individual NPDES Permit	Issued	Jason & Mallory Haefner 410 Freeport Street Saxonburg, PA 16056-9416	Clinton Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0288811	Single Residence STP Individual NPDES Permit	Issued	Matthew & Michele Mapes 1265 Slippery Rock Road Slippery Rock, PA 16057-4031	Liberty Township Mercer County	NWRO
PA0203726	Small Flow Treatment Facility Individual NPDES Permit	Issued	Harry M Elder 921 Georgetown Road Sandy Lake, PA 16145	Addison Borough Somerset County	SWRO

## II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230181	General	Issued	Jay Neilon 34 Skyline Drive Glen Mills, PA 19342	Thornbury Township Delaware County	Delaware CCD 1521 North Providence Road Media, PA 19063 610-892-9484
PAC350098	PAG-02 General Permit	Issued	Romar Land Corporation 600 Gillam Road Wilmington, OH. 45177-9089	Jermyn Borough Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC450003 A-1	PAG-02 General Permit	Issued	Dansbury Properties LLC P.O. Box 407 Stroudsburg, PA 18360	East Stroudsburg Borough Monroe County	Monroe County Conservation District 8050 Running Valley Road Stroudsburg, PA 18347 570-629-3060
PAC390117	PAG-02 General Permit	Issued	Paul Hermany 5155 Rosewood Dr. Center Valley, PA 18034	Upper Saucon Township Lehigh County	Lehigh County Conservation District 4184 Dorney Park Rd. Suite 105 Allentown, PA 18104 610-391-9583
PAC350109	PAG-02 General Permit Renewal/Minor Amendment	Issued	Settlers View LLC 4000 4th Street Moosic, PA 18507-1442	Jessup Borough Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC010166	PAG-02 General Permit	Issued	PA Interfaith Community Programs, Inc. 40 East High Street Gettysburg, PA 17325	Cumberland Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAD210011 A-1	Individual NPDES	Issued	SDKM WPT II, LLC— c/o Clarius Partners, LLC 200 West Madison Street Suite 1625 Chicago, IL 60606 and Allen Distribution 1532 Commerce Avenue Carlisle, PA 17015	West Pennsboro Township Cumberland County	SCRO, Waterways & Wetlands Program 909 Elmerton Avenue Harrisburg, PA 17110 717.705.4802



## NOTICES

833

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220260	PAG-02 General Permit	Issued	Pitt-Ohio Express, Inc. 15 27th Street Pittsburgh, PA 15222	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220262	PAG-02 General Permit	Issued	Mountaineer Properties, LLC P.O. Box 921 Camp Hill, PA 17001	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220103 A-1 Major Amendment	PAG-02 General Permit	Issued	The McNaughton Group 4400 Deer Path Road Suite 1 Harrisburg, PA 17110	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220235	PAG-02 General Permit	Issued	Schaedler Yesco Distribution 3982 Paxton Street Harrisburg, PA 17111	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220239	PAG-02 General Permit	Issued	Flight Source Properties, LLC 140 Rutter Road Halifax, PA 17032	Halifax Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220199	PAG-02 General Permit	Issued	Susquehanna Township Authority 1900 Linglestown Road Harrisburg, PA 17110	Susquehanna Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC670091 A-1	PAG-02 General Permit	Issued	BAE Systems, Inc. 1100 Bairs Road York, PA 17408	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670443	PAG-02 General Permit	Issued	York Township Water and Sewer Authority 190 Oak Road Dallastown, PA 17313	York Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC020653	PAG-02 General Permit	Issued	Curtiss-Wright Electro Mechanical Corporation 1000 Wright Way Cheswick, PA 15024	Harmar Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010

## NOTICES

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020601	PAG-02 General Permit	Issued	Community College of Allegheny County (CCAC) Room 419 800 Allegheny Avenue Pittsburgh, PA 15235-1895	City of Pittsburgh Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020630	PAG-02 General Permit	Issued	Bully Max 311 Perrymont Road Pittsburgh, PA 15237	Hampton Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020643	PAG-02 General Permit	Issued	Giant Eagle, Inc. 101 Kappa Drive Pittsburgh, PA 15238	McKees Rocks Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020570	PAG-02 General Permit	Issued	RRGT, LP 6021 Wallace Road Extension Wexford, PA 15090	Marshall Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020417 A-1	PAG-02 General Permit	Issued	Angel's Distributing, Inc. 287 Blue Run Road Cheswick, PA 15024	Indiana Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020550	PAG-02 General Permit	Issued	Wagner Development Company, Inc. 1300 Old Pond Road Bridgeville, PA 15017	North Fayette Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020593	PAG-02 General Permit	Issued	Michael Minnock 1306 Glen Mitchell Road Sewickley, PA 15143	Aleppo Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC020348 A-1	PAG-02 General Permit	Issued	Foltz Development Corporation 1064 Surrey Woods Drive Canonsburg, PA 15317	Moon Township Allegheny County	Allegheny County Conservation District 33 Terminal Way Suite 325B Pittsburgh, PA 15219 (412) 291-8010
PAC040091	PAG-02 General Permit	Issued	Gaicho Solar, LLC Suite 260 909 Lake Carolyn Parkway Irving, TX 75039	Findlay Township Allegheny County Independence Township Beaver County	DEP SWRO Waterways and Wetlands Program 400 Waterfront Drive Pittsburgh, PA 15222 (412) 442-4000
PAC040095	PAG-02 General Permit	Issued	Brighton Township 1300 Brighton Road Beaver, PA 15009	Brighton Township Beaver County	DEP SWRO Waterways and Wetlands Program 400 Waterfront Drive Pittsburgh, PA 15222 (412) 442-4000

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC040096	PAG-02 General Permit	Issued	Center Township Sanitary Authority 224 Center Grange Road Aliquippa, PA 15001	Center Township Beaver County	DEP SWRO Waterways and Wetlands Program 400 Waterfront Drive Pittsburgh, PA 15222 (412) 442-4000
PAC560048	PAG-02 General Permit	Issued	CKT Moore Properties, LLC 763 South Main Street Davidsville, PA 15928	Conemaugh Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 289-4250
PAC630186	PAG-02 General Permit	Issued	Flash Point Partners 1 Cedar Boulevard Pittsburgh, PA 15228	Chartiers Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAC630200	PAG-02 General Permit	Issued	Hardy World, LLC 61 SR2044 Bentleyville, PA 15314	Somerset Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAD020032	Individual NPDES	Issued	3250 Liberty Owner, LLC Suite 225 651 Holiday Drive Pittsburgh, PA 15220	City of Pittsburgh Allegheny County	DEP SWRO Waterways and Wetlands Program 400 Waterfront Drive Pittsburgh, PA 15222 (412) 442-4000
PAC160035	PAG-02 General Permit	Issued	Armstrong County Conservation District 120 S Grant Street Kittanning, PA 16249	Rayburn Township Armstrong County	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813
PAC430055	PAG-02 General Permit	Issued	PADOT District 1-0 255 Elm Street P.O. Box 398 Oil City, PA 16301	Mercer Borough and Lackawannock Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC370052	PAG-02 General Permit	Issued	Staph DeCarbo Associates 2911 Wilmington Road New Castle, PA 16105	Neshannock Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC030034	PAG-02 General Permit	Issued	South Buffalo Township 384 Iron Bridge Road Freeport, PA 16229	South Buffalo Township Armstrong County	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC330025	PAG-02 General Permit	Issued	Glen-Gery Corporation 12637 Harrison Street Summerville, PA 15864	Summerville Borough and Clover Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC250122	PAG-02 General Permit	Issued	Summit Township Sewer Authority 8890 Old French Road Erie, PA 16509	Summit Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC030029	PAG-02 General Permit	Issued	Rosebud Mining Company 301 Market Street Kittanning, PA 16201	Plumcreek Township Armstrong County	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC100211	PAG-02 General Permit	Issued	PA American Water Company 425 Waterworks Road Clarion, PA 16214	Butler Township, Summit Township and Oakland Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania AT&T Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

### NUTRIENT MANAGEMENT PLAN

#### CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Barrick's Dairy LLC 2653 Walnut Bottom Road Carlisle, PA 17015	Cumberland County	1,200	1,616.2	Milking Cows, Dry Cows, 1-2 year old Heifers, Calves, Steers, Nursery Swine	NA	Approved

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northeast Region: Watershed Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**Permit No. 4020516MA**, Public Water Supply.

Applicant	<b>Hazleton City Authority</b> (Mt. Pleasant Well No. 11 Permanent Designation) 400 E. Arthur Gardner Parkway Hazleton, PA 18201
Township	Hazle Township
County	<b>Luzerne County</b>
Type of Facility	PWS
Consulting Engineer	John Synoski, PE Hazleton City Authority 400 E. Arthur Gardner Parkway Hazleton, PA 18201
Permit to Construct Issued	January 6, 2021

*Northcentral Region: Safe Drinking Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

**Operations Permit** issued to: **Pincrest Village MHP, LLC**, 127 Charles Avenue, Havertown, PA 19083, **PWSID No. 4410019**, Eldred Township, **Lycoming County** on January 28, 2021 for the operation of facilities

approved under construction permit # 4120503. This permit approves operation of the following modifications to Pincrest Village MHP water system: Arsenic removal system at Treatment Plant (TP) 301; Two 6,100-gallon tanks, one at TP 301 and one at TP 302; New booster pumps and hydropneumatic tanks at TP 301 and TP 302; and Abandonment of six 1,000-gallon finished water tanks.

**Operations Permit** issued to: **Bimbo Bakeries USA, Inc.**, 3375 Lycoming Creek Road, Williamsport, PA 17701, **PWSID No. 4120501**, Old Lycoming Township, **Lycoming County** on January 28, 2021 for the operation of facilities approved under construction permit # 4120501. This permit authorizes the operation of a new filter system for iron and manganese removal and a new backwashing system at Bimbo Bakeries—Williamsport Plant.

**Operations Permit** issued to: **Eastern Transmission & Storage Inc.**, 925 White Oaks Boulevard, Bridgeport, WV, 26330, **PWSID No. 5910504-T1**, Clymer Township, **Tioga County** on January 26, 2021 for the operation of facilities approved under construction permit # 5910504-T1. This permit approves operation of Well No. 1 that has a source safe yield of 10 gallons per minute (gpm), an 8 gpm well pump, a distribution system, a sodium hypochlorite disinfection system, a barium removal system (consisting of an existing ion exchange softener), and two 120-gallon detention tanks that have been transferred to Eastern Gas Transmission and Storage, Inc.

### SEWAGE FACILITIES ACT PLAN APPROVAL

#### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

*Southcentral Region: Clean Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

##### Plan Location:

Township	Borough Address	County
Alsace	65 Woodside Avenue	Berks
Township	Temple, PA 19560	County

*Plan Description:* Approval is granted for a Minor Act 537 Update Revision to the Official Plan of Alsace Township, Berks County. The project is known as the Alsace Manor North. The plan provides for a public sanitary sewer service area expansion to serve 34 existing properties. Total estimated sewage flows are 8,738 gallons per day, to be treated at Alsace Manor Wastewater Treatment Plant. The project is located along Pricetown Road, Tulip Lane, Alpine Lane, and Dogwood Drive in Alsace Township, Berks County. The submission is consistent with the planning requirements in Chapter 71 of DEP's regulations. The DEP Code Number for this Minor Update Revision is A3-06916-082-3M and the APS ID is 1026453. Permits for the construction and operation of the proposed sewage facilities must be obtained in the name of the municipality.

##### Plan Location:

Township	Township Address	County
Tyrone	152 Burket Road	Blair
Township	Tyrone, PA 16686	County

*Plan Description:* Approval of a revision to the official plan of Tyrone Township, Blair County. The project is known as Shonna Blair Property SFTF. The plan provides for the installation of a small flow treatment facility with

a discharge on the property into Sinking Run, to replace a failing on-lot sewage disposal system for a single-family dwelling on a 1.06-acre lot. The property is located at 209 Yoders Drive off Sickles Corner Road. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-07922-175-3s and the APS Id is 1028428. Any permits must be obtained in the name of the property owner.

*Northcentral Region: Clean Water Program Manager, 208 West Third Street, Williamsport, PA 17701.*

*Plan Location:*

<i>Township</i>	<i>Township Address</i>	<i>County</i>
Sandy Township	1094 Chestnut Avenue DuBois, PA 15801	Clearfield County

*Plan Description:* The approved plan provides for construction of a wastewater collection and conveyance system consisting of approximately 12,000 feet of eight-inch sewer, 35 manholes, 3,800 feet of four-inch forcemain and a pump station to serve 100 existing EDU's including two trailer courts containing 78 trailers. The proposed collection and conveyance system will include capacity to serve 668 additional EDU's of commercial flow from a proposed 350-acre business park, as well as 20 potential future residential EDU's. The proposed pump station and forcemain will convey the sewage to the City of DuBois' sewer system via one of two potential routes. The City of DuBois' recently approved Act 537 Plan, as well as the inter-municipal agreement between Sandy Township and the City of DuBois includes the flow generated by this project. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

**HAZARDOUS SITES CLEAN-UP  
UNDER THE ACT OF  
OCTOBER 18, 1988**

**PUBLIC NOTICE OF PROPOSED CONSENT  
ORDER AND AGREEMENT**

**North Penn Area 7 Superfund Site, Lansdale Borough, North Wales Borough, and Upper Gwynedd Township, Montgomery County.**

The Department of Environmental Protection (Department), under the authority of the Pennsylvania Hazardous Sites Cleanup Act (HSCA), 35 P.S. § 6020.1113, has entered a Consent Order and Agreement with **VVChurch, LLC**, for its purchase of the property located at 1180 Church Road in Lansdale, PA 19446. This Site is located within the larger North Penn Area 7 Superfund Site (the North Penn 7 Site) which consists of approximately 650 acres of impacted properties in Upper Gwynedd, North Wales and Lansdale, **Montgomery County**, PA. Five industrial facilities are the primary sources of groundwater contamination including volatile organic compounds which have affected properties in the North Penn 7 Site. VVChurch, LLC, will develop the Site for commercial uses such as a hotel, light industrial facilities and other ancillary businesses.

Hazardous substances within the meaning of Section 103 of the Hazardous Sites Cleanup Act, 35 P.S. § 6020.103, were released and threatened to be released on the Site. Pursuant to Section 501(a) of HSCA, 35 P.S. § 6020.501(a), the Department has incurred past re-

sponse costs and may incur future response costs associated with remediation of the Site. VVChurch, LLC, has represented to the Department that it did not cause or contribute to the contamination impacting the Site or the larger North Penn 7 Site, and that it is not otherwise responsible for any releases or threatened releases of hazardous substances at these Sites. The Department is not aware of any information to the contrary which would indicate such liability.

VVChurch, LLC, signed a Consent Order and Agreement to resolve its potential liability as an owner of the Site where there has been a release and threatened release of hazardous substances. Pursuant to the Consent Order and Agreement, VVChurch shall pay a de minimus share of liability in the amount of Five Thousand Dollars (\$5,000) and in consideration of this payment, VVChurch will receive contribution protection, as well as a Covenant Not to Sue regarding its prospective purchase of the Site.

This notice is provided under Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that, "settlement shall become final upon the filing of the Department's response to significant written comments." The Consent Order and Agreement is available for public review and comment. An electronic copy of the agreement may be requested by contacting either Karlo Mendez (484) 250-5729 or Gina M. Thomas, Esquire at (484) 250-5930. Mr. Mendez and Ms. Thomas may also be contacted electronically at kamendez@pa.gov and githomas@pa.gov, respectively. A public comment period on the Consent Order and Agreement will extend for 60 days from today's date. Persons may submit written comments regarding the agreement within 60 days from today's date, by submitting them to Mr. Mendez at the previously listed address.

**LAND RECYCLING AND  
ENVIRONMENTAL REMEDIATION**

**UNDER ACT 2, 1995  
PREAMBLE 2**

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes poten-

tial adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program Manager, 2 East Main Street, Norristown, PA 19401.*

**Lukas Property**, 362 West Lancaster Avenue, Wayne, PA 19087, Radnor Township, **Delaware County**. Gary Drennen, Synergy Environmental, 155 Railroad Plaza, First Floor, Royersford, PA 19468 on behalf of Joseph T. Lukas, 858 Asbury Avenue, 3rd Floor, Ocean City, NJ 08266 submitted a Risk Assessment Report/Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of site groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the site-specific standard.

**Columbia Silk Dying**, 1726 North Howard Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. John Pavlik, Advantage Environmental Consultants, 3819 Germantown Pike, Suite B, Collegeville, PA 19426 on behalf of Andrew Zakroff, Urban Conversions, LLC, 1028 North 3rd Street, Philadelphia, PA 19123 submitted a Cleanup Plan/Remedial Investigation Report concerning remediation of site soil contaminated with lead and inorganics. The report is intended to document remediation of the site to meet the site-specific standard.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Rainbow Market Property**, 621 Northern Boulevard, Chinchilla, PA 18410, South Abington Township, **Lackawanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Rainbow Land Company, P.O. Box 716, Waverly, PA 18741, submitted a final report concerning remediation of soil and groundwater contaminated by historic releases of gasoline at a former service station. The report is intended to document remediation of the site to meet Statewide health standards.

**Chestnut Ridge at Rodale (former Rodale Corporate HQ)**, 400 South 10th Street, Emmaus, PA 18049 Emmaus Borough, **Lehigh County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106, on behalf of Phoebe Richland Health Care Center, 1925 Turner Street, Allentown, PA 18104, submitted a revised Final Report concerning remediation of soil contaminated with Arsenic, Beryllium, Cadmium, Lead, and Thallium from a historic iron mine that was later used as the Emmaus Borough dump. The report is intended to document remediation of the site to meet site-specific standards.

**Country Cleaners**, 1245 Chestnut Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**. Resource

Control Consultants, P.O. Box 180, Moorestown, NJ 08057, on behalf of Mannino Brothers Partnership, 1985 Brookside Road, Macungie, PA 18062, submitted a revised Remedial Investigation Report and Cleanup Plan concerning remediation of site soils and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the site-specific standard.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**FR&S # 3 Industrial Waste Site**, Red Lane and Lincoln Road, Birdsboro, PA 19508, Exeter Township, **Berks County**. BAI Group, LLC, 341 10th Avenue, Suite 103, Royersford, PA 19468, on behalf of Wood Nursery Corporation, Exeter Associates Inc., and Buddies Nursery, Inc., P.O. Box 264, Birdsboro, PA 19508, submitted Cleanup Plan and Final Report concerning remediation of site groundwater contaminated with VOCs. The combined Report is intended to document remediation of the site to meet the site-specific standard.

**Titus Combustion Site**, 545 Poplar Neck Road, Birdsboro, PA 19508, Cumru Township, **Berks County**. Groundwater & Environmental Sciences, Inc., 440 Creamery Way, Suite 500, Exton, PA 19508, on behalf of Titus Power, LLC, 315 Riegelsville Road, Millford, NJ 08848, submitted a Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with fuel and lubricating oil. The combined Report is intended to document remediation of the site to meet the site-specific standard.

**Nixon Property**, 5322 Strasburg Road, Kinzers, PA 17535, Salisbury Township, **Lancaster County**. Environmental Alliance, Inc., 5341 Limestone Road, Wilmington, DE 19808, on behalf of Jerome H. Rhoads, Inc., 205 Hazel Street, Lancaster, PA 17603, submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the residential Statewide health standard.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Former Union Switch and Signal**, 1789 Braddock Ave., Pittsburgh, PA 15216, Pittsburgh City, **Allegheny County**. Arcadis U.S. Inc., 10 Friends Lane, Ste. 100, Newtown, PA 18940, on behalf of WABCO Holdings, Inc., 2770 Research Dr., Rochester Hills, MI 48309, has submitted a Remedial Investigation Report concerning the remediation of site soil contaminated with chlorinated solvents, PAH's, and metals. The report is intended to document remediation of the site to meet the site-specific standard.

**Speedway Store # 2919**, 500 Willow Crossing Rd., Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. ATC Group Services LLC, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of Speedway LLC, 500 Speedway Dr., Enon, OH 45233, has submitted a Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with leaded and unleaded gasoline. The report is intended to document remediation of the site to meet the residential and non-residential Statewide health and site-specific standards.

**Former PPG Slurry Lagoon**, Rt. 128, Cadogan, PA 16212, N. Buffalo Township, **Armstrong County**. Woodard & Curran, 300 Penn Center Blvd., Ste. 800, Pitts-

burgh, PA 15235, on behalf of PPG Industries, Inc., 4829 Fairland Rd., Barberton, OH 44203, has submitted a Risk Assessment Report and a Cleanup Plan concerning the remediation of site soil and groundwater contaminated with PAH's, PCB's, inorganics, chlorinated solvents, and lead. The report is intended to document remediation of the site to meet the site-specific standards.

**Former Consol R&D Park Site**, 4000 Brownsville Rd., South Park, 15129, South Park Township, **Allegheny County**. GAI Consultants, Inc., 385 E. Waterfront Dr., Homestead, PA 15120, on behalf of MERO South Park Ventures, LLC, 3895 Stoneridge Lane, Dublin, OH 43017, has submitted a combined Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated with volatiles, semi-volatiles, metals. The report is intended to document remediation of the site to meet the site-specific standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program man-

ager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**1031 Hamilton Street (Only Cleaners)**, 1031 Hamilton Street, Allentown, PA 18101, Allentown City, **Lehigh County**. Comstock Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of Ethan Holding Company, 485 North Oswego Street, Allentown, PA 18109, submitted a combined Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of soil contaminated by historic releases from a dry-cleaning facility. The Report demonstrated attainment of a combination of site-specific and Statewide health standards and was approved by DEP on January 27, 2021.

**Havas-Jacobsen Residence**, 1804 Jennings Street, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. J. Rockwood and Associates, P.O. Box 1006, Easton, PA 18044, on behalf of Karyn Havas and Christie Jacobsen, 1804 Jennings Street, Bethlehem, PA 18017, submitted a final report concerning remediation of soil contaminated by a release of heating oil from an underground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on January 27, 2021.

**Stofanek Custom Cabinetry**, 176 Nazareth Pike, Bethlehem, PA 18020, Lower Nazareth Township, **Northampton County**. Crawford Environmental Services, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Arphil Properties LLC, 176 Nazareth Pike, Bethlehem, PA 18020, submitted a revised Final Report concerning remediation of soil contaminated by heating oil from an underground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on February 1, 2021.

*Southcentral Region: Environmental Cleanup and Brownfields Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Aviva Diesel Release I-81 (MM 92.8)**, Jonestown, PA 17038, Swatara Township, **Lebanon County**. Stantec Consulting Services, Inc., 1060 Andrew Drive, West Chester, PA 19380, on behalf of Aviva Project, 10 Aviva Way, Markham, ON L6G 0G1, and PA Department of Transportation Engineering, 2140 Herr Street, Harrisburg, PA 17103 submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on January 28, 2021.

**3838 & 3848 Penn Avenue**, Sinking Spring, PA 19608, Sinking Spring Borough, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of 3838 Penn Avenue LLC, 136 Mexico Road, Oley, PA 19547, submitted a Cleanup Plan, Remedial, Risk Assessment, and Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated



attainment of the site-specific and residential Statewide health standards and was approved by the Department on January 28, 2021.

*Southwest Region: Environmental Cleanup & Brownfield Development Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Duquesne University College of Osteopathic Medicine**, 1323 Forbes Ave., Pittsburgh, PA 15219, Pittsburgh City, **Allegheny County**. Intertek-PSI, 850 Poplar St., Pittsburgh, PA 15220, on behalf of Duquesne University, 600 Forbes Ave., Pittsburgh, PA 15219, has submitted a combined Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated with metals and PAH's. The report is intended to document remediation of the site to meet the site-specific standards. The combined Remedial Investigation Report, Risk Assessment Report and Cleanup Plan was approved by the Department on December 28, 2020.

**Torrance Post Office Property**, 565 Torrance Rd., Torrance, PA 15779, Derry Township, **Westmoreland County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Rd., Easton, PA 18040, on behalf of American Postal Infrastructure Partners, LLC, 565 Torrance Rd., Torrance, PA 15779, has submitted a Final Report concerning the remediation of site soil contaminated with Fuel Oil No. 2. The Final report demonstrated attainment of the non-residential Statewide health standard and was approved by the Department on December 28, 2020.

**Dwayne O Kemp Property**, 106 Karen Dr., McDonald, PA 15057, Cecil Township, **Washington County**. Moody and Associates, Inc., 11548 Cotton Rd., Ste. 101, Meadville, PA 16335, on behalf of Adams Petroleum Products, Inc., 2060 Big Sewickley Creek Rd., Sewickley, PA 15143, has submitted a Final Report concerning the remediation of site soil contaminated with Fuel Oil No. 2. The Final report demonstrated attainment of the Statewide health standard and was approved by the Department on January 12, 2021.

**The Crossings at Harts Run**, 3462 Harts Run Rd., Glenshaw, PA 15116, Indiana Township, **Allegheny County**. ECS Mid-Atlantic, LLC, 500 Bursca Drive, Bridgeville, PA 15017, on behalf of Fox Chapel II-AL Investors, LLC, 4423 Pheasant Ridge Rd., Roanoke, VA 24014, has submitted a Final Report concerning the remediation of site soil contaminated with benzene, naphthalene, 1,2,4-trimethylbenzene, arsenic, chromium, lead, manganese and vanadium; and site groundwater contaminated with benzene, 1,4-dioxane, benzo(a)pyrene, benzo(b)fluoranthene, indeno(1,2,3-cd)pyrene, antimony, arsenic, cobalt and manganese. The Final report demonstrated attainment of the site-specific standard and was approved by the Department on January 20, 2021.

*Northwest Region: Environmental Cleanup and Brownfields Program Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Former Paint Waste Disposal Pit**, 601 Hansen Avenue, Butler, PA 16001, City of Butler, **Butler County**. Wood Environmental & Infrastructure Solutions, Inc., 4600 J Barry Court, Suite 210, Canonsburg, PA 15317 on behalf of Fahy Associates c/o Honeywell, 115 Tabor Road 4D-4, Morris Plains, NJ 09750 has submitted a combined Remedial Investigation/Risk Assessment Report concerning remediation of site soil contaminated with ethylbenzene, toluene, xylenes, polychlorinated biphenyls and site groundwater contaminated with ethylbenzene, tolu-

ene, xylenes, and 1,1,1-trichloroethane. The combined Remedial Investigation/Risk Assessment Report was disapproved by the Department on January 27, 2021.

*Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.*

**2500-2530 Welsh Road**, 2500-2530 Welsh Road, Philadelphia, PA 19152, City of Philadelphia, **Philadelphia County**. Richard S. Werner, PG, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Peter Clelland, BT Tremont, LP, 200 Dryden Road, Suite 2000, Dresher, PA 19025 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site groundwater contaminated with inorganics and lead. The Report was approved by the Department on January 15, 2021.

**Center Square Golf Club Property**, 2620 Skippack Pike, Norristown, PA 19403, Worcester Township, **Montgomery County**. Terence A. O'Reilly, PG, TriState Environmental Management Services, Inc., 3937A Bristol Pike, Bensalem, PA 19020 on behalf of Thaddeus Craun, Toll Mid-Atlantic LP Company, Inc., 250 Gibraltar Road, Suite 2E, Horsham, PA 19044 submitted a Final Report concerning the remediation of site soil contaminated with pesticides and inorganics. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on January 19, 2021.

**Wyeth Lab**, 611 East Nields Street, West Chester, PA 19382, West Chester Borough, **Chester County**. Daniel P. Sheehan, Arcadis, U.S. Inc., 824 East Market Street, Suite 820, Wilmington, DE 19801 on behalf of Eli Kahn, 611 East Nield Street, LLC, 120 Pennsylvania Avenue, Malvern, PA 19355 submitted a Final Report concerning the remediation of site groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on January 19, 2021.

**Willow Grove Oil Services Company**, 5, 35, 55 Davisville Road and 13 and 15 East Moreland Road, Willow Grove, PA 19090, Upper Moreland Township, **Montgomery County**.

Christopher Zeliznak, PG, EnviroSure, Inc., 319 South High Street, West Chester, PA 19382 on behalf of Andrew Stitzinger, James & Robert Stitzinger Partnership, P.O. Box 1329, Lansdale, PA 19446 submitted a Final Report concerning the remediation of site soil contaminated with inorganics. The Report was reviewed by the Department which issued a technical deficiency letter on January 21, 2021.

**Delaware Generating Station**, 1325 North Beach Street, Philadelphia, PA 19125, City of Philadelphia, **Philadelphia County**. Mark Fortna, Penn E&R, 2755 Bergey Road, Hatfield, PA 19440 on behalf of Tony Bates, L-A Battery QOZ, LLC, 2400 Market Street, Suite 301, Philadelphia, PA 19103 submitted a Cleanup Plan/Risk Assessment Report/Remedial Investigation Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Report was approved by the Department on January 21, 2021.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Hazardous Waste Transporter License, Actions taken under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.*

*Renewal Applications Received*

**Harold Marcus Limited**, 15124 Longwoods Road, Bothwell, ON N0P 1C0. License No. PA-AH 0207. Effective November 1, 2020.

**Dart Trucking Company, Inc.**, P.O. Box 157, North Lima, OH 44452. License No. PA-AH 0219. Effective January 14, 2021.

**Laidlaw Carriers Van GP Inc.**, 1179 Ridgeway Road, Woodstock, ON N4S 0A9. License No. PA-AH 0714. Effective January 7, 2021.

**Environmental Coordination Services and Recycling, Inc.**, 3237 US Highway 19, Cochran, PA 16314. License No. PA-AH 0757. Effective December 26, 2018.

*Transporter Licenses Reissued*

**Harold Marcus Limited**, 15124 Longwoods Road, Bothwell, ON N0P 1C0. License No. PA-AH 0207. Effective November 7, 2020.

**Dart Trucking Company, Inc.**, P.O. Box 157, North Lima, OH 44452. License No. PA-AH 0219. Effective January 14, 2021.

**Laidlaw Carriers Van GP Inc.**, 1179 Ridgeway Road, Woodstock, ON N4S 0A9. License No. PA-AH 0714. Effective January 7, 2021.

**Environmental Coordination Services and Recycling, Inc.**, 3237 US Highway 19, Cochran, PA 16314. License No. PA-AH 0757. Effective December 26, 2018.

*New Applications Received*

**Noble Environmental Specialty Recycling, LLC**, 500 Technology Dr, Canonsburg, PA 15317. License No. PA-AH 0903. Effective December 2, 2020.

*New Transporter Licenses Issued*

**Noble Environmental Specialty Recycling, LLC**, 500 Technology Dr, Canonsburg, PA 15317. License No. PA-AH 0903. Effective December 2, 2020.

*Transporter Licenses Expired*

**Tonawanda Tank Transport Service, Inc.**, 1140 Military Road, Buffalo, NY 14217. License No. PA-AH 0429. Effective September 30, 2020.

**Biomedical Waste Services, Inc.**, 7833 Golden Pine Circle, Severn, MD 21144. License No. PA-AH 0753. Effective October 31, 2020.

**Northridge Group, Inc.**, 254 Reitz Avenue, Winfield, PA 17889. License No. PA-AH 0878. Effective October 31, 2020.

*Transporter Licenses Voluntarily Terminated*

**Allied Environmental Services of NY, LLC**, 19 Ransier Drive, West Seneca, NY 14224. License No. PA-AH 0845. Effective January 6, 2021.

**REGULATED MEDICAL AND  
CHEMOTHERAPEUTIC WASTE TRANSPORTER  
LICENSES**

**Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.**

*Central Office: Bureau of Land Recycling and Waste Management, Division of Hazardous Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.*

*Renewal Applications Received*

**The Pennsylvania State University**, 6 Eisenhower Parking Deck, University Park, PA 16802. License No. PA-HC 0153. Effective January 7, 2021.

*Transporter License Reissued*

**The Pennsylvania State University**, 6 Eisenhower Parking Deck, University Park, PA 16802. License No. PA-HC 0153. Effective January 7, 2021.

**REGISTRATION FOR GENERAL PERMIT—  
RESIDUAL WASTE**

**Registration Approved Under the Solid Waste Management Act (35 P.S. §§ 6018.10—6018.1003); the Residual Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.**

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**General Permit Registration No. WMGR157NW001. Homer City Generation, L.P.**, 1750 Power Plant Road, Homer City, PA 15748, **Indiana County**. Registration to operate under General Permit No. WMGR157 for the beneficial use of synthetic gypsum generated as a result of a flue gas desulfurization process as a soil amendment. The registration was approved by the Northwest Regional Office on January 20, 2021.

Persons interested in reviewing the general permit may contact Christina S. Wilhelm, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6848. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

**OPERATE WASTE PROCESSING OR DISPOSAL  
AREA OR SITE**

**Permit(s) Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 101544, Greater Lebanon Refuse Authority Landfill**, 1610 Russell Road, Lebanon, PA 17046, North Lebanon and North Annville Townships, **Lebanon County**. A major permit modification for the Heilmandale Expansion of the Greater Lebanon Refuse Authority Landfill was issued by the Southcentral Regional Office on January 26, 2021.

*Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 100361. Casella Waste Management of PA, Inc.**, 19 Ness Lane, Kane, PA 16735, Sergeant Township, **McKean County**. The Department issued a renewal of the municipal waste landfill permit to the McKean County Landfill. The permit was approved by the Northwest Regional Office on January 20, 2021.

Persons interested in reviewing the general permit may contact Christina S. Wilhelm, Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6848. TDD users may contact the Department through the Pennsylvania AT&T Relay Service, (800) 654-5984.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**GP3-28-03073: Scott's Hauling & Excavating** (1462 North Franklin Street, Chambersburg, PA 17202) on February 1, 2021, for portable non-metallic mineral processing equipment, under GP3, at the Route 30 Recycling Facility located in Hamilton Township, **Franklin County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**GP14-41-732A: S&S Professional Services, LLC** (5069 Route 220 Highway, Hughesville, PA 17737) on January 25, 2021, received authorization to continue to operate a human crematory unit pursuant to the General Plan Approval and/or General Operating Permit for Human or Animal Crematories (BAQ-PGPA/GP-14) at their Hughesville facility located in Wolf Township, **Lycoming County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**34-05002A: Texas Eastern Transmission, LP** (5400 Westheimer Court, Houston, TX 77056) on January 28, 2021, for an engine project at the Perulack Compressor Station located in Lack Township, **Juniata County**. The Plan Approval will authorize the following items: 1.) Retrofit the existing natural gas-fired Cooper Bessemer GMVA-8 engine (Source 031), as clean burn spark ignition engine (SI RICE), without increasing its rated 1,100 hp, 2.) Install Control ID C031, Oxygen Catalyst on Source 031. The plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**49-00067A: Custom Container Solutions, LLC** (201 North Industrial Road, Milton, PA 17847) on January 27, 2021, to extend the authorization to construct a steel container manufacturing operation at their facility located in Milton Borough, **Northumberland County** to July 26, 2021. The plan approval has been extended.

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**15-00015: Arkema Company, Inc.** (610 Bolmar Street, West Chester, PA 19382), on January 28, 2021, for the renewal of the Title V Operating Permit for the manufacture of acrylate and methacrylate oligomers and polymers for use in inks, coatings, and adhesives at their location in West Chester Borough, **Chester County**.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00302: 401 City Avenue Associates, LP (transfer of ownership from Susquehanna International Group, LLP)** (401 E. City Avenue, Bala Cynwyd, PA 19004), on January 28, 2021, for the operation and maintenance of three emergency generator sets (each with a diesel fuel-fired engine) at a commercial/professional office building, which is located in Lower Merion Township, **Montgomery County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**48-00044: Just Born, Inc.** (1300 Stefko Blvd., Bethlehem, PA 18017). The Department issued, on January 11, 2020, a State-Only Operating Permit for the operation of sources at their facility located in Bethlehem City, **Northampton County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**52-00003: GF Edwards, Inc.** (204 State Route 435, Elmhurst Twp., PA 18444). The Department issued, on January 22, 2020, a State-Only Operating Permit for the operation of sources at their facility located in Greene Township/Borough, **Pike County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**58-00016: Sawmill Valley Hardwoods, Inc.** (7025 State Route 92, South Gibson, PA 18842). The Department issued, on January 27, 2020, a State-Only Operating Permit for the operation of sources at their facility located in Lenox Township, **Susquehanna County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

**54-00077: Northeast Prestressed Products, LLC** (121 River Street, Cressona, PA 17929-1108). The Department issued, on January 29, 2021 a State-Only Operating Permit Renewal for the operation of a precast concrete operation in North Manheim Township, **Schuylkill County**. The sources consist of one (1) concrete forms coating process, one (1) concrete product coating process, and three (3) parts washers. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to ensure compliance with all applicable Federal and State air pollution control requirements.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**19-00016: Milco Industries, Inc.** (550 East Fifth Street, Bloomsburg, PA 17815) on January 28, 2021, was issued a renewal State Only Operating Permit for Milco Industries, Inc.'s facility located in Town of Bloomsburg, **Columbia County**. The official date of issuance of this permit is January 28, 2021. The State Only Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**10-00380: Mountain Gathering LLC Jefferson Compressor Station** (22777 Springwoods Village Pkwy, Spring, TX 77389) on January 27, 2021 the Department issued a State Only Operating Permit renewal for the compression of natural gas located in Jefferson Township, **Butler County**. The subject facility consists of eight natural gas compressor engines (1,775 hp each), three process storage tanks, two TEG dehydrators and equipment component leaks. The reported 2019 Annual Emission Summary (TPY) for the Jefferson Compressor Station is: 2.86 CO, 44.08 NO<sub>x</sub>, 23.84 VOC, 3.04 HAPs, 0.005 PM, 0.16 SO<sub>x</sub>, 29.12 Methane, and 47,121.90 Carbon Dioxide. The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR Part 60 JJJJ, OOOO and Part 63 HH and ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**46-00299: Innovation 411 Fee Owner LLC** (411 Swedeland Road, King of Prussia, PA 19406-2716). On January 26, 2021, in accordance with 25 Pa. Code § 127.450, the permit was amended for a change of ownership for the facility, formerly owned and operated by Merion Innovations I LLC and Merion Innovations III LLC, located at 707 Swedeland Rd. in Upper Merion Township, **Montgomery County**.

The Title V Operating Permit contains monitoring, recordkeeping, reporting and work practice standards to keep the facility operating within all applicable air quality requirements.

The Administrative Amendment of Title V Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

**46-00140: Amatex LLC** (1032 Stanbridge Street, Norristown, PA 19404) on January 26, 2021, for a non-Title V, State Only, Natural Minor Operating Permit in Norristown Borough, **Montgomery County**. This amended operating permit changes the ownership of the facility from Amatex Corporation to Amatex LLC. The Administrative Amendment of Title V Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**59-00020: Carleton Funeral Home, Inc.** (11470 Route 6, Wellsboro, PA 16901) was issued a revised State Only (Natural Minor) operating permit January 26, 2021, to incorporate the terms and conditions specified in Plan Approval 59-00020A for Carleton Funeral Home's human crematory facility located in Charleston Township, **Tioga County**. This State Only Operating Permit became effective on January 26, 2021 and will expire on July 25, 2021.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**25-00891: Corry Fabrication LLC** (21 Maple Ave., Corry, PA 16407-1630). The Department on January 22, 2021 issued an administrative amendment of the State Only Operating Permit for the facility located in Corry City, **Erie County**. The amendment incorporates the change of ownership, tax ID, responsible official, and permit contact.

**33-00085: Symmco Group Inc.** (40 S. Park St., Sykesville, PA 15865-1130). The Department on January 22, 2021 issued an administrative amendment of the State Only Operating Permit for the facility located in Sykesville Borough, **Jefferson County**. The amendment incorporates the change of responsible official, and permit contact.

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**07-05001: Appvion Operations, Inc.** (100 Paper Mill Road, Roaring Spring, PA 16673-1488), **Blair County.** Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for de minimis emissions increases of 0.01 ton of NO<sub>x</sub>, 0.008 ton of VOC, 0.02 ton of CO, 0.005 ton of PM and 0.007 ton of SO<sub>x</sub>. The increases will result from a trial run of a new bark grinder and its associated Tier 4 diesel-fired internal combustion engine to grind bark from the wood chipping operation into small pieces to be burned in the # 3 Power Boiler. This is the first de minimis emissions increase at the facility during the term of the current operating permit.

## ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).**

### *Coal Permits Issued*

*California District Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100, (Contact: Bonnie Herbert).*

**Permit No. 32733708 and NPDES Permit No. PA0215503. Rosebud Mining Company,** 301 Market Street, Kittanning, PA 16201, to renew the permit and related NPDES Permit for Greenwich No. 1 Coal Refuse Disposal Area located in Green Township, **Indiana County** and Susquehanna Township, **Cambria County.** No additional discharges. The application was considered administratively complete on January 23, 2020. Application received: January 9, 2020. Permit issued: December 22, 2020.

**Permit No. 56841328 and NPDES Permit No. PA0033677. Rosebud Mining Company,** 301 Market Street, Kittanning, PA 16201, to revise the permit and related NPDES Permit for Mine 78 located in Paint Township, **Somerset County** and Adams and Richland Townships, **Cambria County** affecting 2,292.1 underground acres and 2,292.1 subsidence control plan acres. No additional discharges. The application was considered administratively complete on April 17, 2018. Application received: November 13, 2017. Permit issued: December 29, 2020.

**Permit No. 63733706. Maple Creek Mining Inc.,** 46226 National Road, St. Clairsville, OH 43950, to revise

the permit to construct a collection channel to convey surface runoff from the site to correct erosion existing adjacent to the current permit boundary for Ginger Hill Refuse Area I located in Nottingham Township, **Washington County** affecting 3.5 coal refuse disposal acres. No discharges. The application was considered administratively complete on February 12, 2020. Application received: February 12, 2020. Permit issued: January 13, 2021.

**Permit No. 32141301 and NPDES Permit No. PA0235890. Consol Mining Company LLC,** 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to renew the permit and related NPDES Permit for O'Donnell No. 4/Manor No. 8 Treatment System located in Washington Township, **Indian County.** No additional discharges. The application was considered administratively complete on January 30, 2020. Application received: December 31, 2019. Permit issued: January 21, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 40930102R5. Glenn O. Hawbaker, Inc.** (1952 Waddle Road, Suite 203, State College, PA 16803), renewal of an existing anthracite surface mine, coal refuse reprocessing, refuse disposal and preparation plant operation in Hazle & Butler Townships, **Luzerne County** affecting 688.0 acres. Receiving stream: Little Nescopeck Creek. Application received: September 12, 2018. Renewal issued: January 28, 2021.

**Permit No. 40930102C3. Glenn O. Hawbaker, Inc.** (1952 Waddle Road, Suite 203, State College, PA 16803), correction to update the post-mining land use of an existing anthracite surface mine, coal refuse reprocessing, refuse disposal and preparation plant operation in Hazle & Butler Townships, **Luzerne County** affecting 688.0 acres. Receiving stream: Little Nescopeck Creek. Application received: September 12, 2018. Renewal issued: January 28, 2021.

**Permit No. PAM111008R2. Glenn O. Hawbaker, Inc.** (1952 Waddle Road, Suite 203, State College, PA 16803), renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 40930102 in Hazle & Butler Townships, **Luzerne County,** receiving stream: Little Nescopeck Creek. Application received: September 12, 2018. Renewal issued: January 28, 2021.

**Permit No. GP12-40930102R2. Blaschak Coal Corp.** (P.O. Box 12, Mahanoy City, PA 17948), renewal of general operating permit to operate a coal preparation plant on Surface Mining Permit No. 40930102 in Hazle & Butler Townships, **Luzerne County.** Application received: September 12, 2018. Permit renewed: January 28, 2021.

### *Noncoal Permits Issued*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, 814-472-1900, (Contact: Melanie Ford-Wigfield).*

**PAM416010-GP104. Glass Bagging Enterprises, Inc.,** P.O. Box 120, Duncansville, PA 16635. Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Noncoal Permit No. 31950301 located in Hopewell Township, **Huntingdon County.** Receiving streams: unnamed tributary to Shy Beaver Creek classified for the following uses: warm water fishes. There are no potable

water supply intakes within 10 miles downstream. Notice of Intent for Coverage received: December 1, 2020. Approved: January 29, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 8073SM5A1C16 and NPDES Permit No. PA0013731. Gill Quarries, Inc.** (P.O. Box 187, Fairview Village, PA 19409), renewal of an NPDES permit for discharge of treated mine drainage from a quarry operation in East Norriton Township, **Montgomery County**. Receiving stream: unnamed tributary to Stony Creek. Application received: February 3, 2020. Renewal issued: January 27, 2021.

**Permit No. 7973SM5C10 and NPDES Permit No. PA0223352. Eureka Stone Quarry, Inc.** (P.O. Box 249, Chalfont, PA 18914), renewal of an NPDES Permit for discharge of treated mine drainage from a quarry operation in Wrightstown Township, **Bucks County**. Receiving stream: Neshaminy Creek. Application received: May 26, 2020. Renewal issued: January 27, 2021.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

##### *Blasting Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).*

**Permit No. 09214101. Rock Work, Inc.** (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Font Hill Court in Richland Township, **Bucks County** with an expiration date of December 31, 2021. Permit issued: January 25, 2021.

**Permit No. 09214102. Rock Work, Inc.** (1257 DeKalb Pike, Blue Bell, PA 19422), construction blasting for Woodside Creek in Richland Township, **Bucks County** with an expiration date of January 30, 2022. Permit issued: January 25, 2021.

**Permit No. 45214102. Holbert Explosives, Inc.** (237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435), construction blasting for Northeast Contracting in Pocono Township, **Monroe County** with an expiration date of January 20, 2022. Permit issued: January 25, 2021.

**Permit No. 36214101. Abel Construction Co., Inc.** (3925 Columbia Avenue, Mountville, PA 17554), construction blasting for Stoner Farm Phase I in Manheim Township, **Lancaster County** with an expiration date of January 14, 2022. Permit issued: January 26, 2021.

**Permit No. 38214101. Keystone Blasting Service** (15 Hopeland Road, Lititz, PA 17543), construction blasting for Nelson Martin chicken house and shop in Jackson Township, **Lebanon County** with an expiration date of December 30, 2021. Permit issued: January 26, 2021.

**Permit No. 46214101. M3 Explo, LLC** (P.O. Box 528, Brownsville, PA 15417), construction blasting for Smoke 3 in Hatfield Township, **Montgomery County** with an expiration date of January 18, 2022. Permit issued: January 26, 2021.

**Permit No. 35124101. Explosive Services, Inc.** (7 Pine Street, Bethany, PA 18431), construction blasting for Valley View Business Park in Jessup Borough, **Lackawanna County** with an expiration date of December 31, 2021. Permit issued: January 28, 2021.

**Permit No. 40214103. Maine Drilling & Blasting, Inc.** (P.O. Box 1140, Gardiner, ME 04345), construction blasting for Centerpoint East IIB Lot 45 in Jenkins Township, **Luzerne County** with an expiration date of January 25, 2022. Permit issued: January 28, 2021.

**Permit No. 48214101. Pact Construction, Inc.** (P.O. Box 74, Rigoes, NJ 08551), construction blasting for Green Pond Road and Church Road Sanitary Sewer Extension in Bethlehem Township, **Northampton County** with an expiration date of January 14, 2022. Permit issued: January 28, 2021.

**Permit No. 36214104. Keystone Blasting Service** (15 Hopeland Road, Lititz, PA 17543), construction blasting for Mahlon Martin Dwelling in West Earl Township, **Lancaster County** with an expiration date of March 30, 2021. Permit issued: January 29, 2021.

**Permit No. 45214103. Explosive Services, Inc.** (7 Pine Street, Bethany, PA 18431), construction blasting for Norm Fish Excavating in Smithfield Township, **Monroe County** with an expiration date of January 19, 2022. Permit issued: January 29, 2021.

#### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot

afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone 484-250-5160, E-mail: ra-epww-sero@pa.gov.*

**Permit No. E1501220-027, Mr. David Aichenbaum and Ms. Hannah Byland, 135 Valley Park Road, Phoenixville, PA 19460, Schuylkill Township, Chester County, ACOE Philadelphia District.**

To construct and maintain a small flow individual sewage treatment plant associated with an outfall structure in and along the assumed 100-year floodway of UNT of Pickering Creek (HQ, TSF, MF).

The site is located at the residence of 135 Valley Park Road (Malvern, PA, USGS Map; Latitude: 40.105867; Longitude: -75.507058) in Schuylkill Township, Chester County. Permit issued January 21, 2021.

**Permit No. E1501220-030, Chester Water Authority, P.O. Box 467, Chester, PA 19106-0467, Kennett Township, Chester County, ACOE Philadelphia District.**

To construct and maintain a temporary access road about 205 feet long in two sections along the wetlands (PEM) and to construct and maintain a 24-inch pipe culvert crossing at a UNT to East Branch Red Clay Creek (TSF) associated with the 42-inch and 48-inch diameter air release valve replacement project. Total temporary wetland impact will be 0.062 acre, and the permanent wetland impact will be 0.002 acre.

The site is located at 560 McFarlan Road (Kennett Square, PA, USGS Quadrangle, Latitude: 39.841316; Longitude: -75.687555) in Kennett Township, Chester County. Permit issued January 25, 2021.

*Southcentral Region: Waterways and Wetlands Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**E6703220-001, Franklin N. Lecrone III, 284 St. Marys Road, Abbottstown, PA 17301. Paradise Township, York County, U.S. Army Corps of Engineers, Baltimore District.**

To expand an existing 0.16-acre pond to a larger 0.67-acre pond, temporarily impacting the existing pond during construction. The project is located along St. Mary Road in Paradise Township, York County (Latitude: 39.9076; Longitude: -76.9737). Wetlands are on site, but no direct wetland impacts are proposed with the project. Permit issued January 19, 2021.

*Southwest Region: Dana Drake, Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**E26052-388, Masontown Municipal Authority, 1 East Church Avenue, Masontown, PA 15461, Masontown Borough, Fayette County; Pittsburgh ACOE District.**

Has been given consent to:

1. Remove 1,125 feet of an existing 36-inch by 48-inch corrugated metal stormwater pipe in an unnamed tributary (UNT) to the Monongahela River (WWF);

2. Remove 402 feet of an existing 15-inch corrugated plastic stormwater pipe from the UNT, which parallels the downstream extent of the aforementioned stormwater pipe;

3. Construct and maintain 1,000 feet of restored open channel with live stake plantings, in place of the aforementioned/removed stormwater pipes, including the excavation of a de minimus PEM wetland (0.02 acre) along this UNT;

4. Construct, operate, and maintain a bottomless aluminum culvert, with a span of 14'-8", a rise of 4'-1", and length of 40'-6", to carry N. Redwood St. over the restored UNT, with wingwalls, the total stream impact will be 58 feet;

5. Construct, operate, and maintain a replacement 36-inch by 48-inch corrugated metal stormwater pipe for 47 feet in the restored UNT, with a 5-foot by 14-foot by 4-foot concrete end wall;

6. Operate and maintain an existing concrete bridge for 40 feet to carry River Ave. over the restored UNT;

7. Construct, operate, and maintain an 18-inch diameter SDR-35 sanitary utility line crossing with a 30-foot Right-of-Way (RoW) across the restored UNT;

8. Construct, operate, and maintain a 6-inch diameter PVC water utility line crossing with a 30-foot RoW across the restored UNT;

9. Construct, operate, and maintain an 8-inch diameter SDR-35 sanitary utility line crossing with a 30-foot RoW across the restored UNT;

10. Construct, operate, and maintain a 10-inch diameter PVC water utility line crossing with a 30-foot RoW across the restored UNT;

11. Construct, operate, and maintain stream bank protection consisting of slope protection with R-5 riprap for 155 feet along both banks of another downstream reach of Watercourse B (UNT to the Monongahela River (WWF));

12. Remove 110 feet of an existing gravel bar along the left descending bank of the UNT. The cumulative impact for stream bank protection and gravel bar removal along the UNT is 155 feet;

13. Construct an open channel outfall into Watercourse B which will permanently impact 40 feet of Watercourse B; and

14. Permanently impact 1.50 acres of floodway due to the aforementioned items.

For the purpose of preventing flooding and preventing the stream banks from eroding. Cumulatively, the project will permanently impact 1,470 feet of the UNT. The project site is located at 218 River Avenue, Masontown, PA 15461 (Masontown, PA USGS topographic quadrangle; N: 39°, 50', 54.5"; W: -79°, 54', 49.5"; Sub-basin 19G; USACE Pittsburgh District), in Masontown Borough, Fayette County.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E4206220-025, US Forest Services, 29 Forest Service Drive, Bradford, Pa 16701. Kinzua Valley Trail Association—Olivedale Bridge, in Laffayette Township, McKean**

**County**, ACOE Pittsburgh District (Lewis Run, PA Quadrangle N: 41°, 45', 46.21"; W: -78°, 44', 9.54").

To construct and maintain an 8-foot wide, 70-foot long bridge across Kinzua Creek utilizing the existing abutments with additional poured concrete reinforcement and to install approximately 150 feet of streambank stabilization along the south bank upstream of the bridge in Kinzua Creek within the Allegheny National Forest just north on Camp Run Road (T469) from the Westline Rd (SR3006) and Camp Run Road (T469) intersection (Lewis Run, PA Quadrangle N: 41°, 45', 46.21"; W: -78°, 44', 9.54") in Laffayette Township, McKean County.

**E1006220-023, Pennsylvania-American Water Company**, 825 Wesley Drive, Mechanicsburg, PA 17055. Butler WTP LT2 and Electrical Improvements, in Butler, Summit, and Oakland Townships, **Butler County**, ACOE Pittsburgh District (East Butler and Mount Chestnut, PA Quadrangle N: 40°, 53.1', 10.9449"; W: 79°, 52', 31.323").

To construct a stormwater outfall to Connoquenessing Creek with 0.068 acre temporary and 0.026-acre permanent impact to the watercourse and permanently impact approximately 0.6 acre of the floodplain for modifications to the existing water treatment plant. The impacts to the floodplain consist of the renovation of an existing wastewater tank, construction of a new wastewater tank, installation of nine valve, metering, waste, and spill containment vaults, construction of two bioretention facilities and construction of an addition to an existing building. There will also be 0.068 acre of temporary impact to the floodplain for stockpiles on the west side of S.R. 38 north of Henricks Road (East Butler and Mount Chestnut, PA Quadrangle N: 40°, 53.1', 10.9449"; W: 79°, 52', 31.323") in Butler, Summit, and Oakland Townships, Butler County.

*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**Permit No. E5829220-028, Cabot Oil and Gas Corporation**, 2000 Park Lane Drive, Suite 300, Pittsburgh, PA 15275-1121, Well Site, Middletown Township, **Susquehanna County**; ACOE, Baltimore District Office.

To construct, operate, and maintain:

1) permanent access road fill impacting 1,321 square feet (0.03 acre) of a palustrine emergent wetland (PEM) (Lawton, PA Quadrangle; Latitude: 41° 51' 09" N, Longitude: 76° 02' 43" W),

2) permanent access road fill impacting 608 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Lawton, PA Quadrangle; Latitude: 41° 51' 01" N, Longitude: 76° 02' 45" W),

3) permanent well site fill impacting 427 square feet (0.01 acre) of a palustrine emergent wetland (PEM) (Lawton, PA Quadrangle; Latitude: 41° 51' 00" N, Longitude: 76° 02' 48" W),

4) permanent well site fill impacting 2,400 square feet (0.06 acre) of a palustrine emergent wetland (PEM) (Lawton, PA Quadrangle; Latitude: 41° 51' 02" N, Longitude: 76° 02' 49" W),

5) permanent well site fill impacting 1,587 square feet (0.04 acre) of a palustrine emergent wetland (PEM) (Lawton, PA Quadrangle; Latitude: 41° 51' 03" N, Longitude: 76° 02' 52" W),

6) permanent well site fill impacting 3,900 square feet (0.09 acre) of a palustrine emergent wetland (PEM) (Lawton, PA Quadrangle; Latitude: 41° 51' 04" N, Longitude: 76° 02' 51" W).

The well site project consists of constructing a well pad and associated supportive appurtenances within Middletown Township, Susquehanna County. The project will result in 10,243 square feet (0.24 acre) of permanent palustrine emergent wetland (PEM) impacts for the siting of Marcellus Shale natural gas development and production.

### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania AT&T Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Southwest District: Oil & Gas Management Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.*

ESCGP-3 # ESG073020009-00

Applicant Name EQM Gathering OPCO LLC

Contact Person Gregg West

Address 2200 Energy Drive

City, State, Zip Canonsburg, PA 15317

County Greene County

Township(s) Franklin & Wayne Twps

Receiving Stream(s) and Classification(s) Smith Creek

(WWF), Calico Run (WWF), Roberts Run (WWF); South

Fork Tenmile Creek (WWF), Dunkard Creek (WWF)

ESCGP-3 # ESX14-007-0021

Applicant Name PennEnergy Resources LLC

Contact Person Mr. Richard Watson

Address 1000 Commerce Drive Park Place One Suite 400

City, State, Zip Pittsburgh, PA 15275

County Beaver County

Township(s) New Sewickley

Receiving Stream(s) and Classification(s) UNT to Brush

Creek, WWF



*Eastern Region: Oil and Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESG294120019-00  
 Applicant Name ARD Operating, LLC  
 Contact Person Stephen Barondeau  
 Address 33 West Third Street, Ste 300  
 City, State, Zip Williamsport, PA 17701  
 County Lycoming County  
 Township(s) Cogan House  
 Receiving Stream(s) and Classification(s) Larrys Creek (HQ-CWF, EV)  
 Secondary: West Branch Susquehanna River (WWF, WWF)

ESCGP-3 # ESG295920007-00  
 Applicant Name Clean Energy Exploration & Production, LLC  
 Contact Person Robert VanBlargan  
 Address 2620 Egypt Road  
 City, State, Zip Norristown, PA 19403  
 County Tioga County  
 Township(s) Delmar  
 Receiving Stream(s) and Classification(s) Campbells Run (HQ-CWF, MF)  
 Secondary: Pine Creek (HQ-TSF, MF, EV)

ESCGP-3 # ESG290820031-00  
 Applicant Name Regency Marcellus Gas Gathering, LLC  
 Contact Person Douglas Speerstra  
 Address 101 West Third Street  
 City, State, Zip Williamsport, PA 17701  
 County Bradford County  
 Township(s) Leroy  
 Receiving Stream(s) and Classification(s)  
 UNT to Wolf Run (EV, MF), UNT to Thomas Run (EV, MF), Wolf Run (EV, MF), Thomas Run (HQ-CWF, MF)  
 Secondary: Schrader Creek (EV, MF)

ESCGP-3 # ESG295820046-00  
 Applicant Name SWN Production Company, LLC  
 Contact Person Afton R. Sterling  
 Address 917 State Route 92 North  
 City, State, Zip Tunkhannock, PA 18657  
 County Susquehanna County  
 Township(s) Liberty  
 Receiving Stream(s) and Classification(s) UNT to Silver Creek (CWF/MF, NRT EV, NRT)  
 Secondary: Snake Creek (CWF/MF)

ESCGP-3 # ESG294120020-00  
 Applicant Name Range Resources Appalachia, LLC  
 Contact Person Karl Matz  
 Address 3000 Town Center Blvd  
 City, State, Zip Canonsburg, PA 15317-5839  
 County Lycoming County  
 Township(s) Lewis  
 Receiving Stream(s) and Classification(s) UNT to Wolf Run (EV), Wolf Run (EV), Breeing Hollow (EV)  
 Secondary: Trout Run (EV), Trout Run (EV), Trout Run (EV)

## CORRECTIVE ACTION UNDER ACT 32, 1989 PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention

Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**7 Eleven 40287**, 15-09239, 1495 Valley Forge Rd., Wayne, PA 19087, Tredyffrin Township, **Chester County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Sunoco (R&M) LLC, 2 Righter Parkway, Suite 200, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide health standards.

**7 Eleven 40286**, 15-09240, PA Tpke Milepost 304.8 Westbound, Elverson, PA 19520, Wallace Township, **Chester County**. Mulry Cresswell Environmental, Inc., 1679 Horseshoe Pike, Glenmoore, PA 19343, on behalf of Sunoco (R&M) LLC, 2 Righter Parkway, Suite 200, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Werley's Gulf Station**, Storage Tank ID # 39-21260, 5204 Tilghman Street, Allentown, PA 18101, Upper Macungie Township, **Lehigh County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA

19468, on behalf of the Daniel Kuhns, 5204 Tilghman Street, Allentown, PA 18101, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Plan is intended to document the remedial actions for meeting the Statewide health standards.

**Rudy's Gulf Mart**, Storage Tank ID # 48-22836, 2900 Easton Avenue, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Community First Fund, 51 South Duke Street, Suite 400, P.O. Box 524, Lancaster, PA 17608, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

**Meshoppen Swift Mart**, Storage Tank ID # 66-23392, 8253 State Route 6, Meshoppen, PA 18630, Meshoppen Borough, **Wyoming County**. Juniata Geosciences, 6872 Willow Brook Road, Alexandria, PA 16611, on behalf of Meshoppen Swift Mart, Inc., P.O. Box 28, Meshoppen, PA 18630, has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Plan is intended to document the remedial actions for meeting site-specific standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

*Contact: Gregory Bowman, Environmental Group Manager.*

**Rutters 96**, Storage Tank Facility ID # 44-38026, 20 Commerce Drive, Armagh Township, **Mifflin County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, Suite C, York, PA 17404 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan is intended to document remediation of the site to meet the Statewide health standard.

**Martin General Store # 207**, Storage Tank Facility ID # 07-29344, 3218 East Pleasant Valley Boulevard, Altoona, **Blair County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Thomas G. Martin, Martin Oil, 528 North 1st Street, Bellwood, PA 16617 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document remediation of the site to meet the site-specific standard.

**Former Sunoco Station # 0003-7324**, Storage Tank Facility ID # 28-34740, 12898 Molly Pitcher Highway, Antrim Township, **Franklin County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Sunoco, LLC c/o Evergreen Resources Group, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standard.

**Suburban Gettysburg**, Storage Tank Facility ID # 01-26387, 1744 York Road, Gettysburg, PA 17325,

Straban Township, **Adams County**. Groundwater Sciences Corporation, 2601 Market Place Street, Suite 310, Harrisburg, PA 17110, on behalf of Suburban Heating Oil Partners, P.O. Box 4833, Syracuse, NY 13221 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standard.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.*

*Contact: Kim Bontrager, Clerk Typist 3.*

**Ellwood City Borough Garage**, Storage Tank Facility ID # 37-90061, 105 Sixth Street, Ellwood City, PA 16117, Ellwood City Borough, **Lawrence County**. Moody and Associates, Inc., 158 Cotton Road, Meadville, PA 16335, on behalf of Ellwood City Borough, 525 Lawrence Street, Ellwood City, PA 16117, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene and methyl tert-butyl ether. The report is intended to document remediation of the site to meet the Statewide health standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

**The Department of Environmental Protection (DEP) Has Taken Action on The Following Plans and Reports Under The Storage Tank And Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program

Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania AT&T Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Iannello Bros**, 51-43010, 2700 S. 15th St., Philadelphia, PA 19145, **City of Philadelphia**. Petrodi LLC, 5 Elmwood Drive, Tabernacle, NJ 08088, on behalf of Iannello Brothers, 2700 S. 15th Street, Philadelphia, PA 19145 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report was not acceptable to meet nonresidential Statewide health standards and was disapproved by DEP on January 29, 2021.

**Cumberland Gulf 160755 L**, 51-09165, 9699 Ashton Rd, Philadelphia, PA 19114, **City of Philadelphia**. Arcadis U.S., Inc., 6041 Wallace Road Ext, Suite 300, Wexford, PA 15090. Geoscience, Inc., 2120 Bellemead Avenue, Suite 14-2, Havertown, PA 19083-2250, on behalf of Durkin Contacting Company, Inc., 3030 Grant Avenue, Philadelphia, PA 19114-2401 submitted a Remedial Action Completion concerning remediation of soil and groundwater contaminated with petroleum products. The report was acceptable to meet nonresidential Statewide health and site-specific standards and was approved by DEP on February 2, 2021.

*Northeast Region: Environmental Cleanup & Brownfields Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Sans Souci Convenience**, Storage Tank ID # 40-23184, 702 Sans Souci Parkway, Hanover Township,

PA 18706, Hanover Township, **Luzerne County**, TTL Associates, 1915 North 12th Street, Toledo, OH 43604, on behalf of Pennsylvania CVS Pharmacy LLC, 1 CVS Drive, Woonsocket, RI 02895, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report was not acceptable to meet a combination of Site Specific and Statewide health standards and was disapproved by DEP on January 28, 2021.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

*Contact: Cynthia Stine, Licensed Professional Geologist.*

**Rutters 96**, Storage Tank Facility ID # 44-38026, 20 Commerce Drive, Armagh Township, **Mifflin County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 Susquehanna Trail, Suite C, York, PA 17404 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on January 29, 2021.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.*

*Contact: Kim Bontrager, Clerk Typist 3.*

**Meadow Brook Dairy**, Storage Tank Facility ID # 25-22253, 2365 Buffalo Road, Erie, PA 16510, City of Erie, **Erie County**. Antea USA, Inc., 565 Allegheny Avenue, Suite 100, Oakmont, PA 15139, on behalf of Dean Foods Company, 2711 Haskell, Suite 3400, Dallas, TX 75204, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, cumene, methyl tertiary butyl ether (MTBE), naphthalene, toluene, 1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on January 27, 2021.

---

## SPECIAL NOTICES

---

### RADIATION PROTECTION

---

#### Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

---

In the months of January 2021, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Allied Inspection Services, Inc.	63 S. 7th Street Emmaus, PA 18049	Testing Firm
Alpha Detection and Control	6 Chestwood Dr. Connellsville, PA 15425	Mitigation Firm
Brian Bacchus	125 Twin Oaks Drive Wexford, PA 15090	Mitigation Individual
Joseph Banister	5420 Harold Dr. Edinboro, PA 16412	Testing Individual

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Michael Bantell	70 Main Street Jenkins Township, PA 18640	Testing Individual
Melissa Brickner	274 Airport Dr. Moncks Corner, SC 29461	Testing Individual
Clerkin Home Inspections, LLC	424 Marion Ave. Lower Gwynedd, PA 19002	Testing Firm
EMSL Analytical Inc.	200 Route 130 North Cinnaminson, NJ 08077	Lab Firm
Joseph Ganguzza	4 Schamp Circle Lebanon, NJ 08833	Testing Individual
Gene Heffner	P.O. Box 952 Pottsville, PA 17901	Testing Individual
Terry Howell	5599 Peachtree Rd. Atlanta, GA 30341	Lab Individual
Daniel Jones	6 Chestwood Dr. Connellsville, PA 15425	Mitigation Individual
Radalink, Inc.	5599 Peachtree Rd. Atlanta, GA 30341	Lab Firm
Randy Knesik	413 Long Meadow Rd. Milford, PA 18337	Mitigation Individual
David Koloskee	2800 W 21St. Erie, PA 16506	Testing Individual
Edward Lampl	462 Biddle Avenue Pittsburgh, PA 15221	Testing Individual
Pro-Tech Home & Business	1015 Green Street Milton, PA 17847	Mitigation Firm
Ray Remsnyder	47 Cook Road Duncannon, PA 17020	Testing Individual
Safe Air Systems Radon	4 Schamp Circle Lebanon, NJ 08833	Testing Firm
Matthew Shaw	P.O. Box 381 Titusville, PA 16354	Testing Individual
William Squitieri	4 Versailles Circle Doylestown, PA 18901	Testing Individual
Gerard Tambasco	P.O. Box 266 Beach Lake, PA 18405	Testing Individual
Thomas Toner	491 Baltimore Pike # 412 Springfield, PA 19342	Testing Individual
TRC Environmental Corporation	21 Griffin Rd. N. Windsor, CT 06095	Lab Firm
Kathleen Williamson	21 Griffin Rd. N. Windsor, CT 06095	Lab Individual
Terry Wilver	1015 Green Street Milton, PA 17847	Mitigation Individual

### **WATER MANAGEMENT FEDERAL WATER POLLUTION CONTROL ACT SECTION 401**

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to ap-

proval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Regional Permit Coordination Office as noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates.

More information regarding the permit applications related to this proposed project may be available online ([dep.pa.gov/pipelines](http://dep.pa.gov/pipelines)) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10<sup>th</sup> Floor, Harrisburg, PA 17101, [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).

Persons with a disability that require an auxiliary aid, service or other accommodation should contact the specified Department office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

---

**Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification under section 401(a) of the FWPCA.**

---

**PUBLIC NOTICE OF APPLICATION AND DRAFT STATE WATER QUALITY CERTIFICATION FOR A FERC REGULATED PIPELINE PROJECT**

---

**Proposed State Water Quality Certification Required by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Perulack Compressor Units Replacement Project.**

---

*Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).*

**WQ3483220-001, Texas Eastern Transmission, LP,** 890 Winter Street, Suite 320, Waltham, MA 02451. Perulack Compressor Units Replacement Project, in Lack Township, **Juniata County**, U.S. Army Corps of Engineers, Baltimore District. The proposed project is located at Perulack Compressor Station situated off Pumping Station Road (Latitude: 40.35583°; Longitude: -77.65389°).

On January 15, 2021, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP21-31-000).

On November 16, 2020, the Applicant requested a state water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes replacement of four existing compressor units and related facilities with two

new gas turbine units and associated facilities to comply with future air emission reduction requirements. The Project also includes the construction of a new compressor building to house the two new compressor units. The existing compressor units are in two separate compressor buildings, one of which will be removed from service but remain in place and the other will be removed. Additional facilities to be updated or installed include a generator building, an electrical control building with battery extension, a service entrance building, and an auxiliary building, as well as the installation of four filter separators. In addition, the project will result in the installation of a new, lined stormwater retention basin. The Project, as proposed, will require approximately 30.6 acres of earth disturbance and impacts to 1.04 acres of floodway.

PADEP, by this notice, is proposing to issue a SWQC to Texas Eastern Transmission, LP for the Perulack Compressor Units Replacement Project. PADEP is proposing to certify that construction, operation and maintenance of the Perulack Compressor Units Replacement Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP is proposing to further certify that the construction, operation and maintenance of the Perulack Compressor Units Replacement Project complies with Pennsylvania water quality standards and will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management) and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. The Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, the Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to the Department of Environmental Protection, Regional Permit Coordination Office, Domenic Rocco, P.E., Director, 400 Market Street, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

10. *Reservation of Rights*—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that the Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of the SWQC shall not be affected thereby.

**EROSION AND SEDIMENT CONTROL**

The following parties have applied for Erosion and Sediment Control Permits for earth disturbance associated with oil and gas exploration, production, processing, or treatment operations or transmission facilities.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department proposes to issue a permit to discharge, subject to certain limitations in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices which restrict the rate and quantity of sediment discharged.

**Applications Received Under Sections 5 and 402 of The Clean Streams Law (35 P.S. §§ 691.5 and 691.402).**

*Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONALPERMIT@pa.gov.*

**ESG833420001-00.** The Department of Environmental Protection (Department) provides notice of receipt of an application for a Chapter 102, Erosion and Sediment Control General Permit for Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. The application is currently under technical review for Perulack Units Replacement Project, which will involve replacement of the existing compressor units and related facilities. The project is located in Lack Township, **Juniata County**.

This authorization is required for earth disturbance activities associated with oil and gas exploration, production, processing or treatment operations or transmission facilities when earth disturbance is five acres or greater. Review of this application is being coordinated among the Department and the associated county conservation districts.

The application under review is as follows:

<i>Permit No.</i>	<i>Applicant Name &amp; Address:</i>	<i>Counties:</i>	<i>DEP Office:</i>
ESG833420001-00	Texas Eastern Transmission, LP 890 Winter Street Suite 320 Waltham, MA 02451	Juniata County	Regional Permit Coordination Office

**PUBLIC COMMENTS FOR STATE WATER QUALITY CERTIFICATION AND EROSION AND SEDIMENT CONTROL**

A person wishing to comment on a proposed permit are invited to submit a statement to the appropriate Department office listed before the application within 30 days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate Department office during the 30-day public comment period.

Following the 30-day comment period, the program manager from the appropriate Department office will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to United States Court of Appeals for the 3rd Circuit, 21400 U.S. Courthouse, 601 Market Street, Philadelphia, PA 19106-1790.

More information regarding the permit applications related to this proposed project may be available online ([dep.pa.gov/pipelines](http://dep.pa.gov/pipelines)) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, [RA-EPREGIONALPERMIT@pa.gov](mailto:RA-EPREGIONALPERMIT@pa.gov).

Persons with a disability that require an auxiliary aid, service or other accommodation to participate during the 30-day public comment period should contact the specified

Department office. TDD users may contact the Department through the Pennsylvania AT&T Relay Service at (800) 654-5984.

**REQUEST FOR COMMENT**

**Proposed Total Maximum Daily Loads (TMDLs) for the Licking Creek Subwatershed in Franklin County.**

*Central Office: Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.*

The Department of Environmental Protection will accept comments on the proposed "TMDLs" developed for a subwatershed of Licking Creek in **Franklin County** under Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included stream segments impaired for aquatic life in the subwatershed. The impairments addressed by this document were caused by excessive siltation due to agriculture.

There currently are no state or Federal in-stream numerical water quality criteria for sediment. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment in the Licking Creek Subwatershed. The "TMDLs" included allocations for nonpoint sources, reserves for existing and future point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land, and streambank source sectors present in the subwatershed. Data used in establishing the TMDL were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loadings within the subwatershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as annual averages) in the Licking Creek Subwatershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Licking Creek	Sediment	8,059,738	5,123,400	36

The following table shows the estimated current sediment loading within the subwatershed, the prescribed "TMDL" values, and % reductions needed under 99th percentile daily loading conditions.

<i>Summary of "TMDL"—Based Load Reductions (expressed as 99th percentile daily loading) in the Licking Creek Subwatershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>TMDL (lbs/d)</i>	<i>% Reduction</i>
Licking Creek	Sediment	235,368	147,166	37

The proposed TMDL document can be viewed at <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/LickingCreekSedimentTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at [michamorri@pa.gov](mailto:michamorri@pa.gov).

Written/typed comments will be accepted at the above email address. Comment submissions must be submitted within 30 days after publication of this notice in the February 13, 2021 issue of the *Pennsylvania Bulletin*. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL to EPA for approval. To ensure timely receipt of comments given the office closure and work from home order, please do not mail hard copies of comments. Rather please submit them by email at [michamorri@pa.gov](mailto:michamorri@pa.gov). If comments cannot be emailed, please call Michael Morris at 717-772-5670 to request another method of comment submission.

[Pa.B. Doc. No. 21-229. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Laboratory Accreditation Advisory Committee Virtual Meeting Schedule for 2021

The Laboratory Accreditation Advisory Committee (Committee) will meet virtually at 9 a.m. on the following days: April 8, 2021; July 15, 2021; and October 7, 2021.

Individuals who wish to join the meetings may do so remotely. Information will be provided on the Committee's webpage. Individuals interested in providing public comments during a meeting must sign up prior to the start of that meeting by contacting Annmarie Beach at [anbeach@pa.gov](mailto:anbeach@pa.gov) or (717) 346-8212.

Information on how to join the meetings, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Lab Accreditation Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions can be directed to Annmarie Beach at [anbeach@pa.gov](mailto:anbeach@pa.gov) or (717) 346-8212.

Persons in need of accommodations, as provided for in the Americans with Disabilities Act of 1990, should contact the Department at (717) 346-8212 or through the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 21-230. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Invitation to Participate in Breast Pump Demonstration Virtual Webinar

The WIC Program is seeking participation from breast pump manufacturers in a virtual conference being held on Tuesday, March 16, 2021, and Wednesday, March 17, 2021. The purpose of this conference is to educate WIC staff in this Commonwealth on the specifications and functionality of their equipment. Note that the State WIC agency does not contract with any breast pump manufacturers and local WIC agencies are responsible for determining the breast pumps purchased for their respective service areas.

Participation in this conference will require an introductory and planning meeting with the State WIC Breastfeeding Coordinator between Monday, March 1, 2021, and Wednesday, March 10, 2021. A fact sheet, including pump specifications, as well as the current year's WIC pricing guide should be provided.

Companies will then be provided a 30-minute time slot between 1 p.m. to 3:30 p.m. on March 16, 2021, and between 9 a.m. to 10:30 a.m. on March 17, 2021. Avail-

ability of all interested parties will be considered and a specific presentation schedule will be provided on Friday, March 12, 2021.

Interested parties should contact Tiffany Myers at [tiffanmyer@pa.gov](mailto:tiffanmyer@pa.gov) no later than end of business Friday, February 26, 2021, to participate.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Tiffany Myers, Department of Health, Bureau of Women, Infants and Children (WIC), 625 Forster Street, Health and Welfare Building, 7th Floor West, Harrisburg, PA 17120, (717) 783-1289. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania AT&T Relay Service at (800) 654-5984 (TT).

ALISON BEAM,  
*Acting Secretary*

[Pa.B. Doc. No. 21-231. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payments to Nonpublic and County Nursing Facilities; Final Rates for State Fiscal Year 2020-2021

This notice announces the Department of Human Services (Department) final annual case-mix per diem payment rates for State Fiscal Year (FY) 2020-2021 for nonpublic and county nursing facilities that participate in the Medical Assistance (MA) Program.

#### *Nonpublic Nursing Facility Per Diem Rates*

As required by the case-mix payment methodology in 55 Pa. Code Chapter 1187, Subchapter G (relating to rate setting), the Department sets an annual MA per diem rate for each nonpublic nursing facility provider. Each facility's annual per diem rate is comprised of four components: resident care; other resident related; administrative; and capital. For each quarter of FY 2020-2021, the Department will adjust the resident care component of each facility's rate by multiplying the resident care component by the facility's MA case-mix index for the appropriate picture date.

The Centers for Medicare & Medicaid Services (CMS) approved State Plan Amendment (SPA) 20-0015 on October 28, 2020, which includes the budget adjustment factor (BAF) formula the Department will use for nonpublic nursing facilities in FY 2020-2021. SPA 20-0015 provides that the BAF will limit the estimated Statewide day-weighted average payment rate for MA nursing facility services for county and nonpublic nursing facilities so that the average payment rate in effect for the fiscal year is limited to the amount permitted by the funds appropriated by the General Appropriations Act for the fiscal year. For FY 2020-2021, the Department will calculate a BAF for nonpublic nursing facilities for each rate quarter. The formula the Department uses to determine the quarterly BAF equals the annual target rate divided by the weighted average quarterly rate at 100%. If the quarterly BAF as calculated is greater than 1.0, the quarterly BAF will equal 1.0. The quarterly BAF for each calendar quarter will be in the rate file that will be posted on the Department's web site.



*County Nursing Facility Per Diem Rates*

As required by the rate methodology in 55 Pa. Code Chapter 1189, Subchapter D (relating to rate setting), the Department sets an annual MA per diem rate for each county nursing facility provider. As stated in 55 Pa. Code § 1189.91(b) (relating to per diem rates for county nursing facilities), for each rate year beginning on or after July 1, 2007, the per diem rate paid to a county nursing facility for a rate year will be the facility's prior rate year per diem multiplied by a BAF.

In addition, as required by 55 Pa. Code § 1189.91(d), the Department used the formula set forth in the Commonwealth's approved State Plan to determine the BAF for county nursing facilities. CMS approved SPA 19-0018 on October 28, 2019, which includes the BAF formula the Department used for county nursing facilities through FY 2021-2022.

SPA 19-0018 provides that for rate setting year 2020-2021, the BAF shall limit the estimated Statewide day-weighted average payment rate for MA nursing facility services for county and nonpublic nursing facilities so that the average payment rate is limited to the amount permitted by the funds appropriated by the General Appropriations Act. The BAF as it applies to county nursing facilities is 1.0.

The final annual per diem rates for FY 2020-2021 rate year are available on the Department's web site at <http://www.dhs.pa.gov/providers/Providers/Pages/Long-Term-Nursing-Facilities.aspx> and at local county assistance offices (CAO) throughout this Commonwealth or by contacting Montrell Fletcher, Department of Human Services, Office of Long-Term Living at RA-PWOLTLNF PUBLICCOM@pa.gov. As they become available, the adjusted quarterly rates will be accessible on the Department's web site, at CAOs or by contacting Montrell Fletcher.

*Public Process*

The Department published the notice Payment for Nursing Facility Services Provided by County and Nonpublic Nursing Facilities; Notice of Change in Methods and Standards of Setting Payment Rates; Budget Adjustment Factor at 50 Pa.B. 3179 (June 27, 2020) announcing the proposed change in the BAF formula for county and nonpublic nursing facilities. The Department also published a second notice, Payments to Nonpublic and County Nursing Facilities; Proposed Rates for State Fiscal Year 2020-2021, at 50 Pa.B. 3181 (June 27, 2020) announcing that the FY 2020-2021 quarterly BAF that will be applied to nonpublic nursing facility rates and the annual BAF that will be applied to county nursing facilities rates are available on the Department's web site. Both notices invited public comments, and the Department received no comments.

*Appeals*

Following publication of this notice, the Department will send rate letters to each MA nursing facility to notify the facilities of their final rates for FY 2020-2021. The rate letter will also advise each facility that it may file an administrative appeal if the facility believes that the Department made any errors or otherwise disagrees with its final rates for FY 2020-2021. A provider's appeal must be in writing and filed with the Department's Bureau of Hearings and Appeals, 2330 Vartan Way, 2nd Floor, Harrisburg, PA 17110-9721, within 33 days of the date of the Department's letter notifying the facility of its final rates. Facilities should refer to 67 Pa.C.S. Chapter 11 (relating to Medical Assistance hearings and appeals),

and to the Department's regulations in 55 Pa. Code Chapter 41 (relating to Medical Assistance provider appeal procedures), for more detail regarding their appeal rights and the requirements related to written appeals.

*Fiscal Impact*

There is no fiscal impact associated with this change.

*Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Montrell Fletcher, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1420. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 21-232. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payments to Nursing Facilities; Health Care-Associated Infection Payments Posted for Cost Reports with Acceptance Letters Mailed on or Before March 2, 2020

This notice announces that the Department of Human Services (Department) made health care-associated infection (HAI) payments to each qualified nursing facility for MA-11 Cost Reports with acceptance letters mailed on or before March 2, 2020.

*Payment Information*

Payment information for the Medical Assistance (MA) portion of the annual HAI surcharge for MA-11 cost reports with acceptance letters mailed by the Department on or before March 2, 2020, is posted on the Department's web site at <https://www.dhs.pa.gov/providers/Providers/Pages/HAI-Payments.aspx>.

*Appeals*

If a facility wishes to appeal, they must file a written request for a hearing with the Department's Bureau of Hearings and Appeals, 2330 Vartan Way, Second Floor, Harrisburg, PA 17110-9721, within 30 days of the date of publication of this notice. A copy should be sent to the Department of Human Services, Office of Long-Term Living, Attention: Bureau of Finance, Division of Rate Setting and Auditing, 555 Walnut Street, Forum Place, 6th Floor, P.O. Box 8025, Harrisburg, PA 17105-8025 and to the Department's Office of General Counsel, Health and Welfare Building, Third Floor West, P.O. Box 2675, Harrisburg, PA 17105-2675.

Appeals of MA providers are governed by 55 Pa. Code Chapter 41 (relating to Medical Assistance provider ap-

peal procedures). Individuals should review these regulations carefully. Among other things, they specify required information to include in a written request for hearing, and how the Bureau of Hearings and Appeals will determine whether a request for hearing was filed on time.

#### Questions or Comments

For questions or comments regarding these payments, contact the Department of Human Services, Office of Long-Term Living, Bureau of Finance, Attention: Diane E. Bamford, (717) 772-2526 or at RA-PWOLTLNFRates@pa.gov.

TERESA D. MILLER,  
Secretary

**Fiscal Note:** 14-NOT-1419. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 21-233. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Peer Groups, Peer Group Medians and Peer Group Prices for Nonpublic Nursing Facilities Including Hospital-Based Nursing Facilities and Special Rehabilitation Facilities for Fiscal Year 2020-2021

The purpose of this notice is to announce the Department of Human Services' (Department) peer groups, peer group medians and peer group prices for nonpublic nursing facilities including hospital-based nursing facilities and special rehabilitation facilities (SRF) codified in 55 Pa. Code Chapter 1187, Appendix B (relating to medians and prices) under 55 Pa. Code § 1187.95(a)(4) (relating to general principles for rate and price setting). The Department used the peer groups, peer group medians and peer group prices to determine case-mix rates for nonpublic nursing facilities for State Fiscal Year (FY) July 1, 2020, through June 30, 2021. The Department calculated the peer groups, peer group medians and peer group prices announced in this notice in accordance with 55 Pa. Code Chapter 1187 (relating to nursing facility services). The data that the Department used to determine the peer group medians and prices is available on the Department's web site at <http://www.dhs.pa.gov/providers/Providers/Pages/Long-Term-Nursing-Facilities.aspx>.

To establish the database for the calculation of peer group medians and prices, the Department used each nursing facility's three most recent audited cost reports that were issued by the Department on or before March 31, 2020, and indexed the costs for each report forward to the common date of December 31, 2020, using the Centers for Medicare & Medicaid Services' Nursing Home Without Capital Market Basket Index. The following is a listing, by group, of the number of nursing facilities with a particular year-end and the inflation factor used to roll the costs of each facility forward to the common date of December 31, 2020.

### Nonpublic Nursing Facilities (other than hospital-based and special rehabilitation facilities)

<i>Facility Year End</i>	<i>Number of Facilities*</i>	<i>Inflation Factor</i>
December 31, 2012	1	1.1965
June 30, 2013	1	1.1832
December 31, 2013	4	1.1808
June 30, 2014	11	1.1655
December 31, 2014	83	1.1563
June 30, 2015	30	1.1438
December 31, 2015	348	1.1350
June 30, 2016	213	1.1197
December 31, 2016	315	1.1060
June 30, 2017	211	1.0885
December 31, 2017	294	1.0764
June 30, 2018	196	1.0579
December 31, 2018	3	1.0456

### Hospital-Based Nursing Facilities

<i>Facility Year End</i>	<i>Number of Facilities*</i>	<i>Inflation Factor</i>
June 30, 2015	1	1.1438
June 30, 2016	12	1.1197
June 30, 2017	12	1.0885
June 30, 2018	11	1.0579

### Special Rehabilitation Facilities

<i>Facility Year End</i>	<i>Number of Facilities*</i>	<i>Inflation Factor</i>
December 31, 2015	2	1.1350
June 30, 2016	6	1.1197
December 31, 2016	2	1.1060
June 30, 2017	6	1.0885
December 31, 2017	3	1.0764
June 30, 2018	6	1.0579

\*As a result of using the three most recent audited cost reports, the "Number of Facilities" column reflects a number in excess of actual enrolled nursing facilities.

After the database was inflated using the inflation values, the Department grouped the facilities in the correct geographic and bed size groupings. In accordance with 55 Pa. Code § 1187.94 (relating to peer grouping for price setting), to establish peer groups, the Department used the Metropolitan Statistical Areas (MSA) group classification published in the Federal Office of Management and Budget Bulletin No. 99-04, regarding revised statistical definitions of Metropolitan Areas and guidance on uses of Metropolitan Area definitions, to classify each nursing facility into one of three MSA groups or one non-MSA group. The Department then used the bed complement of the nursing facility on the final day of the reporting period of the most recent audited MA-11 used in the Nursing Information System database to classify nursing facilities into one of three bed complement groups. These groups are 3—119 beds, 120—269 beds, and 270 beds and over. Peer groups 7 and 10 have been collapsed in accordance with 55 Pa. Code § 1187.94(1)(iv). Peer group 13 is designated for SRFs only and peer group

14 is designated for hospital-based nursing facilities only, regardless of geographic location or bed-size.

After the database was established and the peer groups determined, the Department calculated the medians and prices for each peer group. For peer group 13, the Department arrayed the SRFs classified on or before July 1, 2000, to set the peer group median and prices for those facilities. The Department arrayed any SRFs classified after July 1, 2000, with all other SRFs to set their peer group medians and prices.

To calculate the resident care cost medians, the Department divided the inflated audited allowable resident care costs for each cost report by the total facility case-mix index from the available February 1 picture date closest to the midpoint of the cost report period to obtain case-mix neutral total resident care cost for the cost report year. The Department then divided the case-mix neutral total resident care cost for each cost report by the total audited actual resident days for the cost report year to obtain the case-mix neutral resident care cost per diem for the cost report year. The Department calculated the 3-year arithmetic mean of the case-mix neutral resident care cost per diem for each nursing facility to obtain the average case-mix neutral resident care cost per diem of each facility. The Department arrayed the average case-mix neutral resident care cost per diem for each nursing facility within the respective peer groups and determined a median for each peer group.

To calculate the other resident related cost medians, the Department first divided the inflated audited allowable other resident related costs for each cost report by the total audited actual resident days for the cost report year to obtain the other resident related cost per diem for the cost report year. The Department calculated the 3-year arithmetic mean of the other resident related cost for each nursing facility to obtain the average other resident related cost per diem of each facility. The Department arrayed the average other resident related cost per diem for each nursing facility within the respective peer groups and determined a median for each peer group.

To calculate the administrative cost medians, the Department adjusted, as appropriate, the total audited actual resident days for each cost report to a minimum 90% occupancy in accordance with 55 Pa. Code § 1187.23 (relating to nursing facility incentives and adjustments). The Department then divided the inflated audited allowable administrative cost for each cost report by the total audited actual resident days, adjusted to 90% occupancy, if applicable, to obtain the administrative cost per diem for the cost report year. The Department calculated the 3-year arithmetic mean of the administrative cost for each nursing facility to obtain the average administrative cost per diem of each facility. The Department arrayed the average administrative cost per diem for each nursing facility within the respective peer groups to determine a median for each peer group.

After the medians were determined for each peer group, the Department set prices using the medians. To set peer group prices, the Department multiplied the resident care cost median of each peer group by 1.17 to obtain the resident care cost peer group price; multiplied the other resident related cost median of each peer group by 1.12 to obtain the other resident related peer group price; and multiplied the administrative cost median of each peer group by 1.04 to obtain the administrative cost peer group price.

The peer groups, peer group medians and peer group prices for nonpublic nursing facilities including hospital-based and SRFs are in the list of Medians and Prices for 2020-2021.

A Medical Assistance nursing facility provider may file an administrative appeal if the facility believes that the Department made any errors, or the provider otherwise disagrees with the peer group prices that the Department established for its peer group. A provider's appeal must be in writing and filed with the Department's Bureau of Hearings and Appeals, 2330 Vartan Way, Second Floor, Harrisburg, PA 17110-9721, within 30 days of the date of this notice. If a provider chooses to appeal, the provider will be afforded the opportunity for a de novo hearing before the Bureau of Hearings and Appeals. The peer group prices applied in setting the facility's rates may be changed as a result of the final adjudication of the facility's peer group price appeal. Facilities should refer to 67 Pa.C.S. Chapter 11 (relating to Medical Assistance hearings and appeals), and to the Department's regulations in 55 Pa. Code Chapter 41 (relating to Medical Assistance provider appeal procedures), for more detail regarding their appeal rights and the requirements related to their written appeals.

*Fiscal Impact*

There is no fiscal impact associated with this change in FY 2020-2021.

*Public Comment*

Interested persons are invited to submit written comments regarding these peer groups, peer group medians and peer group prices to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Montrell Fletcher, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania AT&T Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

TERESA D. MILLER,  
*Secretary*

**Fiscal Note:** 14-NOT-1421. No fiscal impact; (8) recommends adoption.

**Appendix B  
MEDIAN AND PRICES FOR 2020-2021**

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
1	ABRAMSON RESIDENCE	06/30/2018	06/30/2017	06/30/2016
1	BRIGHTON REHABILITATION & WELLNESS CTR	12/31/2017	12/31/2016	12/31/2015

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
1	BROOMALL REHAB AND NURSING CENTER	12/31/2017	12/31/2016	12/31/2015
1	CARE PAVILION NURSING AND REHAB CENTER	06/30/2018	12/31/2016	12/31/2015
1	IMMACULATE MARY CTR FOR REHAB & HLTHCARE	06/30/2018	06/30/2017	06/30/2016
1	PARKHOUSE REHABILITATION AND NURSING CTR	12/31/2017	12/31/2016	12/31/2015
1	ST FRANCIS CENTER FOR REHAB & HEALTHCARE	06/30/2018	06/30/2017	06/30/2016
1	ST JOHN SPECIALTY CARE CENTER	06/30/2018	06/30/2017	06/30/2016
1	ST JOSEPH'S MANOR (DBA ENTITY OF HRHS)	06/30/2018	06/30/2017	06/30/2016

<i>PG1 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$134.93	\$56.80	\$24.61

<i>PG1 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$157.87	\$63.62	\$25.59

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
2	ASBURY HEALTH CENTER	12/31/2017	12/31/2016	12/31/2015
2	ATTLEBORO NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
2	AVENTURA AT PEMBROOKE	12/31/2017	12/31/2016	12/31/2015
2	AVENTURA AT PROSPECT	12/31/2017	12/31/2016	12/31/2015
2	BALA NURSING AND RETIREMENT CENTER	06/30/2018	06/30/2017	06/30/2016
2	BALDWIN HEALTH CENTER	06/30/2018	06/30/2017	06/30/2016
2	BAPTIST HOMES OF WESTERN PENNSYLVANIA	06/30/2018	06/30/2017	06/30/2016
2	BEAVER VALLEY HEALTHCARE & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	BRANDYWINE HALL	06/30/2018	06/30/2017	06/30/2016
2	BRIARLEAF NURSING AND CONVAL CENTER	06/30/2018	06/30/2017	06/30/2016
2	BRIDGEVILLE REHAB AND CARE CENTER	06/30/2018	06/30/2017	12/31/2015
2	BROOKSIDE HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
2	BROOMALL MANOR	12/31/2017	12/31/2016	12/31/2015
2	BRYN MAWR EXTENDED CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	BUCKINGHAM VALLEY NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	CARING HEART REHAB AND NURSING CENTER	06/30/2018	06/30/2017	06/30/2016
2	CARING HEIGHTS COMMUNITY CARE & REHAB	12/31/2017	12/31/2016	12/31/2015
2	CATHEDRAL VILLAGE	06/30/2018	06/30/2017	06/30/2016
2	CENTENNIAL HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
2	CHAPEL MANOR	06/30/2018	06/30/2017	06/30/2016
2	CHARLES M. MORRIS NURSING AND REHAB CTR	06/30/2018	06/30/2017	06/30/2016
2	CHELTENHAM NURSING AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
2	CHERRY TREE NURSING CENTER	12/31/2017	12/31/2016	12/31/2015
2	CHESTNUT HILL LODGE HEALTH AND REHAB CTR	12/31/2017	12/31/2016	12/31/2015
2	CHESWICK REHAB & WELLNESS CTR LLC	12/31/2016	12/31/2015	12/31/2014
2	CLIVEDEN NSG & REHAB CTR	06/30/2018	12/31/2016	12/31/2015
2	CONCORDIA AT VILLA ST. JOSEPH	06/30/2017	06/30/2016	06/30/2015
2	CONCORDIA LUTHERAN HEALTH AND HUMAN CARE	06/30/2018	06/30/2017	06/30/2016

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
2	CORNER VIEW NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
2	CRANBERRY PLACE	06/30/2018	06/30/2017	06/30/2016
2	CRESTVIEW CENTER	06/30/2018	06/30/2017	06/30/2016
2	DEER MEADOWS REHABILITATION CENTER	06/30/2018	06/30/2017	06/30/2016
2	ELKINS CREST HEALTH & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	FAIRVIEW NURSING AND REHABILITATION CTR	06/30/2018	06/30/2017	06/30/2016
2	GARDEN SPRING NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	GERMANTOWN HOME	06/30/2018	06/30/2017	06/30/2016
2	GREEN MEADOWS NURSING & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
2	GREENERY CENTER FOR REHAB & NURSING	12/31/2017	12/31/2015	12/31/2014
2	GREENLEAF NURSING HOME AND CONVAL CENTER	06/30/2018	06/30/2017	06/30/2016
2	GREENSBURG CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	GWYNEDD HEALTHCARE & REHABILITATION CTR	12/31/2017	06/30/2016	06/30/2015
2	HARBORVIEW REHAB & C C AT DOYLESTOWN	12/31/2016	12/31/2015	12/31/2014
2	HARBORVIEW REHAB & CARE CTR AT LANSDALE	12/31/2016	12/31/2015	12/31/2014
2	HARMAR VILLAGE CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	HARSTON HALL	06/30/2018	06/30/2017	06/30/2016
2	HEMPFIELD MANOR	12/31/2017	12/31/2016	12/31/2015
2	HIGHLAND PARK CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	HILLCREST CENTER	06/30/2018	06/30/2017	06/30/2016
2	IVY HILL REHAB CENTER	06/30/2016	06/30/2015	06/30/2014
2	LAFAYETTE-REDEEMER (DBA ENTITY OF HRHS)	06/30/2018	06/30/2017	06/30/2016
2	LANGHORNE GARDENS HEALTH & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	LGAR HEALTH AND REHABILITATION CENTER	12/31/2017	12/31/2016	12/31/2015
2	LIFEQUEST NURSING CENTER	06/30/2018	06/30/2017	06/30/2016
2	LITTLE FLOWER MANOR	06/30/2018	06/30/2017	06/30/2016
2	LOYALHANNA CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	LUTHER WOODS NURSING & REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
2	MAJESTIC OAKS REHAB & NURSING CENTER	12/31/2017	12/31/2016	12/31/2015
2	MANATAWNY MANOR INC	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SERVICES-MONTGOMERY	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SERVICES-WALLINGFORD	06/30/2018	06/30/2017	06/30/2016
2	MANORCARE HEALTH SVCS-BETHEL PARK	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-GREEN TREE	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-HUNTINGDON VALLEY	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-KING OF PRUSSIA	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-MONROEVILLE	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-NORTH HILLS	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-OXFORD VALLEY	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-PETERS TOWNSHIP	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-PITTSBURGH	06/30/2018	06/30/2017	06/30/2016
2	MANORCARE HEALTH SVCS-POTTSTOWN	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-SHADYSIDE	06/30/2018	06/30/2017	06/30/2016
2	MANORCARE HEALTH SVCS-WHITEHALL BOROUGH	12/31/2017	12/31/2016	12/31/2015
2	MANORCARE HEALTH SVCS-YEADON	12/31/2017	12/31/2016	12/31/2015
2	MAPLEWOOD NURSING AND REHABILITATION CTR	06/30/2018	12/31/2016	12/31/2015

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
2	MARIAN MANOR CORPORATION	06/30/2018	06/30/2017	06/30/2016
2	MASONIC VILLAGE AT SEWICKLEY	12/31/2017	12/31/2016	12/31/2015
2	MEADOWVIEW REHAB & NURSING CENTER	12/31/2017	12/31/2015	12/31/2014
2	MONROEVILLE REHAB & WELLNESS CENTER	12/31/2016	12/31/2015	12/31/2014
2	MOUNT MACRINA MANOR NURSING HOME	06/30/2018	06/30/2017	06/30/2016
2	MT. LEBANON REHAB AND WELLNESS CENTER	12/31/2016	12/31/2015	12/31/2014
2	MURRYSVILLE REHAB & WELLNESS CENTER	12/31/2016	12/31/2015	12/31/2014
2	OAKWOOD HEALTHCARE & REHABILITATION CTR	06/30/2018	06/30/2017	06/30/2016
2	OXFORD HEALTH CENTER	12/31/2017	12/31/2016	12/31/2015
2	PAPERMILL ROAD NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	PAUL'S RUN	12/31/2017	12/31/2016	12/31/2015
2	PENNSBURG MANOR	06/30/2018	06/30/2017	06/30/2016
2	PENNWOOD NURSING & REHAB CENTER, LLC	06/30/2018	06/30/2017	06/30/2016
2	PHILADELPHIA PROTESTANT HOME	12/31/2017	12/31/2016	12/31/2015
2	PHOEBE RICHLAND HCC	06/30/2018	06/30/2017	06/30/2016
2	POWERBACK REHABILITATION 1526	06/30/2018	06/30/2017	06/30/2016
2	PROVIDENCE CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	PROVIDENCE REHAB & HCC MERCY FITZGERALD	06/30/2017	06/30/2016	06/30/2015
2	QUAKERTOWN CENTER	06/30/2018	06/30/2017	06/30/2016
2	QUALITY LIFE SERVICES-APOLLO	06/30/2018	06/30/2017	06/30/2016
2	REGINA COMMUNITY NURSING CENTER	06/30/2018	06/30/2017	06/30/2016
2	REHAB & NURSING CTR GREATER PITTSBURGH	12/31/2017	12/31/2016	12/31/2015
2	RENAISSANCE HEALTHCARE & REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
2	RESTORE HEALTH AT UNIVERSITY PARK	06/30/2018	06/30/2017	06/30/2016
2	RIVER'S EDGE REHAB & HEALTHCARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	RIVERSIDE CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	ROCHESTER MANOR	12/31/2017	12/31/2016	12/31/2015
2	ROOSEVELT REHAB AND HEALTHCARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	ROSEWOOD GARDENS REHAB AND NURSING CTR	12/31/2017	12/31/2016	12/31/2015
2	SANATOGA CENTER	06/30/2018	06/30/2017	06/30/2016
2	SAUNDERS HOUSE	06/30/2018	06/30/2017	06/30/2016
2	SENECA PLACE	06/30/2018	06/30/2017	06/30/2016
2	SILVER LAKE CENTER	06/30/2018	06/30/2017	06/30/2016
2	SILVER STREAM NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	SIMPSON HOUSE, INC	12/31/2017	12/31/2016	12/31/2015
2	SOMERTON NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
2	SOUTHMONT OF PRESBYTERIAN SENIORCARE	06/30/2017	06/30/2016	06/30/2015
2	SQUIRREL HILL WELLNESS & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
2	ST JOHN NEUMANN CTR FOR REHAB & HLTHCARE	06/30/2018	06/30/2017	06/30/2016
2	ST MARTHA CENTER FOR REHAB & HEALTHCARE	06/30/2018	06/30/2017	06/30/2016
2	ST MARY CENTER FOR REHAB & HEALTHCARE	06/30/2018	06/30/2017	06/30/2016
2	ST MONICA CENTER FOR REHAB & HEALTHCARE	06/30/2018	06/30/2017	06/30/2016
2	ST. ANNE HOME	06/30/2018	06/30/2017	06/30/2016
2	ST. BARNABAS NURSING HOME	12/31/2017	12/31/2016	12/31/2015
2	ST. IGNATIUS NURSING & REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
2	STERLING HEALTH CARE AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
2	SUBURBAN WOODS HEALTH AND REHAB CENTER	06/30/2017	06/30/2016	12/31/2014
2	SUNNYVIEW NURSING AND REHABILITATION CTR	12/31/2017	12/31/2016	12/31/2015
2	TEL HAI RETIREMENT COMMUNITY	06/30/2018	06/30/2017	06/30/2016
2	THE BELVEDERE CENTER, GENESIS HEALTHCARE	06/30/2018	06/30/2017	06/30/2016
2	THE GROVE AT NORTH HUNTINGDON	06/30/2018	12/31/2015	12/31/2014
2	THE PHOENIX CENTER FOR REHAB AND NURSING	12/31/2016	12/31/2015	12/31/2014
2	TOWNE MANOR EAST	12/31/2017	12/31/2016	12/31/2015
2	TRANSITIONS HEALTHCARE NORTH HUNTINGDON	12/31/2017	12/31/2016	12/31/2015
2	TRANSITIONS HEALTHCARE WASHINGTON PA	12/31/2017	12/31/2016	12/31/2015
2	TUCKER HOUSE NSG & REHAB CTR	06/30/2018	12/31/2016	12/31/2015
2	TWIN LAKES REHAB AND HEALTH CENTER	12/31/2017	12/31/2016	12/31/2015
2	TWIN PINES HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	UNIONTOWN HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
2	UPMC HERITAGE PLACE	06/30/2018	06/30/2017	06/30/2016
2	VALLEY MANOR REHAB AND HEALTHCARE CTR	06/30/2017	06/30/2016	06/30/2005
2	VINCENTIAN HOME	06/30/2018	06/30/2017	06/30/2016
2	WESLEY ENHANCED LIVING AT STAPELEY	06/30/2018	06/30/2017	06/30/2016
2	WESLEY ENHANCED LIVING PENNYPACK PARK	12/31/2017	12/31/2016	12/31/2015
2	WEST HILLS HEALTH AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
2	WEXFORD HEALTHCARE CENTER	06/30/2018	06/30/2017	06/30/2016
2	WILLIAM PENN CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	WILLOW TERRACE	12/31/2017	12/31/2016	12/31/2015
2	WILLOWS OF PRESBYTERIAN SENIORCARE, THE	12/31/2018	12/31/2017	12/31/2016
2	WOODHAVEN CARE CENTER	12/31/2017	12/31/2016	12/31/2015
2	YORK NURSING AND REHABILITATION CENTER	06/30/2018	12/31/2016	12/31/2015

<i>PG2 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$140.18	\$47.59	\$26.33

<i>PG2 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$164.01	\$53.30	\$27.38

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
3	AMBLER EXTENDED CARE CENTER	12/31/2017	12/31/2016	12/31/2015
3	ANN'S CHOICE	12/31/2017	12/31/2016	12/31/2015
3	ARTMAN LUTHERAN HOME	06/30/2018	06/30/2017	06/30/2016
3	BARCLAY FRIENDS	12/31/2017	12/31/2016	12/31/2015
3	BEAVER HEALTHCARE AND REHABILITATION CTR	12/31/2017	12/31/2016	12/31/2015
3	BELAIR HEALTHCARE AND REHABILITATION CTR	06/30/2017	06/30/2016	06/30/2015
3	BELLE HAVEN HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
3	BETHLEN HM OF THE HUNGARIAN RFRMD FED	12/31/2017	12/31/2016	12/31/2015
3	BRINTON MANOR NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
3	CANTERBURY PLACE	12/31/2017	12/31/2016	12/31/2015
3	CHANDLER HALL HEALTH SERVICES INC	12/31/2017	12/31/2016	12/31/2015

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
3	CHRIST'S HOME RETIREMENT COMMUNITY	06/30/2018	06/30/2017	06/30/2016
3	CONCORDIA AT THE CEDARS	12/31/2017	12/31/2016	12/31/2015
3	CONTINUING CARE AT MARIS GROVE	12/31/2017	12/31/2016	
3	DOCK TERRACE	06/30/2018	06/30/2017	06/30/2016
3	DRESHER HILL HEALTH & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
3	EDGEHILL NURSING AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
3	ELDERCREST HEALTHCARE & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
3	ELM TERRACE GARDENS	06/30/2018	06/30/2017	06/30/2016
3	FREDERICK LIVING-CEDARWOOD	12/31/2017	12/31/2016	12/31/2015
3	FRIENDSHIP VILLAGE OF SOUTH HILLS	12/31/2017	12/31/2016	12/31/2015
3	HARMON HOUSE CARE CENTER	12/31/2017	12/31/2016	12/31/2015
3	HAVENCREST HEALTHCARE & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
3	HICKORY HOUSE NURSING HOME	12/31/2017	12/31/2016	12/31/2015
3	HOLY FAMILY HOME	12/31/2017	12/31/2016	12/31/2015
3	HOPKINS CENTER	06/30/2018	06/30/2017	06/30/2016
3	HUMANGOOD PENNSYLVANIA	12/31/2017	12/31/2016	12/31/2015
3	JEFFERSON HILLS HEALTHCARE & REHAB CTR	12/31/2017	12/31/2016	12/31/2015
3	JEFFERSON HILLS REHAB AND WELLNESS	12/31/2017	12/31/2016	12/31/2015
3	KADIMA REHAB & NURSING AT POTTSTOWN	06/30/2018	12/31/2015	12/31/2014
3	KEARSLEY REHAB AND NURSING CENTER	12/31/2017	12/31/2016	12/31/2015
3	LAFAYETTE MANOR, INC	12/31/2017	12/31/2016	12/31/2015
3	LAUREL RIDGE CENTER	06/30/2018	06/30/2017	06/30/2016
3	LAUREL SQUARE HEALTHCARE & REHAB CTR	06/30/2018	06/30/2017	06/30/2016
3	LITTLE SISTERS OF THE POOR	12/31/2017	12/31/2016	12/31/2015
3	LUTHERAN COMMUNITY AT TELFORD	06/30/2018	06/30/2017	06/30/2016
3	MANORCARE HEALTH SERVICES-NORTHSIDE	06/30/2018	06/30/2017	06/30/2016
3	MASONIC VILLAGE AT LAFAYETTE HILL	12/31/2017	12/31/2016	12/31/2015
3	MASONIC VILLAGE AT WARMINSTER	12/31/2017	12/31/2016	12/31/2015
3	MCMURRAY HILLS MANOR	06/30/2018	06/30/2017	06/30/2016
3	MEADOWCREST HEALTHCARE AND REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
3	MON VALLEY CARE CENTER	12/31/2017	12/31/2016	12/31/2015
3	NAAMANS CREEK COUNTRY MANOR	06/30/2018	06/30/2017	06/30/2016
3	NORRITON SQUARE NURSING & REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
3	NORTH HILLS HEALTH AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
3	NORTH STRABANE REHAB & WELLNESS CTR LLC	12/31/2016	12/31/2015	12/31/2014
3	OAK HILL HEALTHCARE & REHAB CENTER	06/30/2017	06/30/2016	06/30/2014
3	OAKMONT CENTER FOR NURSING AND REHAB	12/31/2016	12/31/2015	12/31/2013
3	ORCHARDS OF SAXONBURG, LLC	12/31/2017	12/31/2016	12/31/2015
3	PASSAVANT RETIREMENT AND HEALTH CENTER	06/30/2018	06/30/2017	06/30/2016
3	PENNYPACK NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
3	PETER BECKER COMMUNITY	06/30/2018	06/30/2017	06/30/2016
3	PHOEBE WYNCOTE	06/30/2018	06/30/2017	06/30/2016
3	PICKERING MANOR HOME	06/30/2018	06/30/2017	06/30/2016
3	PINE RUN HEALTH CENTER	06/30/2018	06/30/2017	06/30/2016
3	PLATINUM RIDGE CTR FOR REHAB & HEALING	12/31/2017	12/31/2016	12/31/2015
3	POWERBACK REHABILITATION 3485	06/30/2018	06/30/2017	06/30/2016



<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
3	QUALITY LIFE SERVICES-CHICORA	06/30/2018	06/30/2017	06/30/2016
3	QUALITY LIFE SERVICES-HENRY CLAY	06/30/2018	06/30/2017	06/30/2016
3	QUALITY LIFE SERVICES-MARKLEYSBURG	06/30/2018	06/30/2017	06/30/2016
3	QUALITY LIFE SERVICES-SARVER	06/30/2018	06/30/2017	06/30/2016
3	REDSTONE HIGHLANDS HEALTH CARE CENTER	06/30/2018	06/30/2017	06/30/2016
3	REFORMED PRESBYTERIAN HOME	12/31/2017	12/31/2016	12/31/2015
3	RICHBORO REHABILITATION & NURSING CENTER	06/30/2017	06/30/2016	06/30/2015
3	ROSEMONT CENTER	12/31/2016	12/31/2015	12/31/2014
3	SAINT JOSEPH VILLA	06/30/2018	06/30/2017	06/30/2016
3	SCOTTDALE HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
3	SHERWOOD OAKS	06/30/2018	06/30/2017	06/30/2016
3	SOUDERTON MENNONITE HOMES	06/30/2018	06/30/2017	06/30/2016
3	SOUTH HILLS REHAB & WELLNESS CENTER	12/31/2016	12/31/2015	12/31/2014
3	SOUTHWESTERN NURSING CARE CENTER	12/31/2017	12/31/2016	12/31/2015
3	SPRINGS AT THE WATERMARK, THE	12/31/2017	12/31/2015	12/31/2014
3	STATESMAN HEALTH & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
3	THE COMMUNITY AT ROCKHILL	06/30/2018	06/30/2017	06/30/2016
3	THE GROVE AT HARMONY	06/30/2018	12/31/2015	12/31/2014
3	THE GROVE AT LATROBE	12/31/2016	12/31/2015	12/31/2014
3	THE GROVE AT WASHINGTON	06/30/2018	12/31/2015	12/31/2014
3	TOWNE MANOR WEST	12/31/2017	12/31/2016	12/31/2015
3	TOWNVIEW HEALTH AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
3	TRANSITIONS HEALTHCARE AUTUMN GROVE C C	06/30/2018	06/30/2017	06/30/2016
3	WAYNE CENTER	06/30/2018	06/30/2017	06/30/2016
3	WESLEY ENHANCED LIVING MAIN LINE REHAB	12/31/2017	12/31/2016	12/31/2015
3	WESLEY ENHANCED LIVING-DOYLESTOWN	12/31/2017	12/31/2016	12/31/2015
3	WESTGATE HILLS REHAB AND NURSING CENTER	12/31/2016	12/31/2015	12/31/2014
3	WILLOWBROOKE CT SCC AT BRITTANY POINTE	12/31/2017	12/31/2016	12/31/2015
3	WYNDMOOR HILLS REHAB & NURSING CENTER	06/30/2018		

<i>PG3 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rlt</i>	<i>Administrative</i>
	\$152.16	\$52.77	\$29.64

<i>PG3 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$178.03	\$59.10	\$30.83

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
4	CAMBRIA CARE CENTER	12/31/2017	12/31/2016	12/31/2015
4	CEDAR HAVEN HEALTHCARE CENTER	12/31/2017	12/31/2016	12/31/2015
4	COLONIAL MANOR NURSING HOME	12/31/2017	12/31/2016	12/31/2015
4	CONESTOGA VIEW	12/31/2017	12/31/2016	12/31/2015
4	CROSS KEYS VILLAGE-BRETHREN HM COMM, THE	06/30/2018	06/30/2017	06/30/2016
4	LACKAWANNA HEALTH AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
4	MASONIC VILLAGE AT ELIZABETHTOWN	12/31/2017	12/31/2016	12/31/2015

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
4	MOUNTAIN CITY NURSING AND REHAB CENTER	06/30/2017	06/30/2016	12/31/2014
4	MOUNTAIN VIEW, A NURSING AND REHAB CTR	12/31/2017	12/31/2016	12/31/2015
4	PHOEBE ALLENTOWN HEALTH CARE	06/30/2018	06/30/2017	06/30/2016
4	SPRING CREEK REHAB AND NURSING CENTER	12/31/2017	12/31/2016	12/31/2014
4	THE GARDENS AT WEST SHORE	12/31/2016	12/31/2015	12/31/2014

<i>PG4 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$155.38	\$51.60	\$25.90

<i>PG4 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$181.79	\$57.79	\$26.94

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
5	ALLIED SERVICES MEADE STREET SKILLED NSG	12/31/2017	12/31/2016	12/31/2015
5	BERKSHIRE CENTER	06/30/2018	06/30/2017	06/30/2016
5	BERWICK RETIREMENT VILLAGE NRSNG HOME II	06/30/2018	06/30/2017	06/30/2016
5	BIRCHWOOD HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
5	BLOOMSBURG CARE AND REHABILITATION CTR	06/30/2017	06/30/2016	06/30/2015
5	BRETHREN VILLAGE	06/30/2018	06/30/2017	06/30/2016
5	COLONIAL PARK CARE CENTER	12/31/2017	12/31/2016	12/31/2015
5	CORRY MANOR	12/31/2017	12/31/2016	12/31/2015
5	THE GARDENS AT EASTON	06/30/2018	12/31/2015	12/31/2014
5	EDINBORO MANOR	12/31/2017	12/31/2016	12/31/2015
5	EPHRATA MANOR	12/31/2017	12/31/2016	12/31/2015
5	FAIRVIEW MANOR	12/31/2017	12/31/2016	12/31/2015
5	FELLOWSHIP MANOR	06/30/2018	06/30/2017	06/30/2016
5	FREY VILLAGE	12/31/2017	12/31/2016	12/31/2015
5	FAIRLANE GARDENS NSG & REHAB AT READING	12/31/2016	12/31/2015	12/31/2014
5	HANOVER HALL	12/31/2017	12/31/2016	12/31/2015
5	HIGHLAND MANOR REHAB & NURSING CENTER	12/31/2017	12/31/2016	12/31/2015
5	HOLY FAMILY MANOR	12/31/2017	12/31/2016	12/31/2015
5	HOMEWOOD AT PLUM CREEK	12/31/2017	12/31/2016	12/31/2015
5	JEWISH HOME OF EASTERN PENNSYLVANIA	12/31/2017	12/31/2016	12/31/2015
5	JEWISH HOME OF GREATER HARRISBURG	06/30/2018	06/30/2017	06/30/2016
5	KUTZTOWN MANOR	06/30/2018	06/30/2017	06/30/2016
5	LANCASHIRE HALL	12/31/2017	12/31/2016	12/31/2015
5	LAUREL CENTER	06/30/2018	06/30/2017	06/30/2016
5	LECOM AT PRESQUE ISLE, INC.	06/30/2018	06/30/2017	12/31/2015
5	LEHIGH CENTER	06/30/2018	06/30/2017	06/30/2016
5	LUTHERAN HOME AT TOPTON	12/31/2017	12/31/2016	12/31/2015
5	MAHONING VALLEY NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-ALLENTOWN	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-BETHLEHEM (2021)	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-BETHLEHEM (2029)	12/31/2017	12/31/2016	12/31/2015

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
5	MANORCARE HEALTH SVCS-CAMP HILL	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-CARLISLE	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-DALLASTOWN	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-EASTON	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-KINGSTON	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-KINGSTON COURT	06/30/2018	06/30/2017	06/30/2016
5	MANORCARE HEALTH SVCS-LANCASTER	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-LAURELDALE	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-LEBANON	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-SINKING SPRING	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-WEST READING NORTH	12/31/2017	12/31/2016	12/31/2015
5	MANORCARE HEALTH SVCS-YORK NORTH	06/30/2018	06/30/2017	06/30/2016
5	MANORCARE HEALTH SVCS-YORK SOUTH	06/30/2018	06/30/2017	06/30/2016
5	MANORCARE HLTH SVCS & REHAB-WEST ALLEN	06/30/2018	06/30/2017	06/30/2016
5	MEADOWS NURSING AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
5	MENNONITE HOME, THE	06/30/2018	06/30/2017	06/30/2016
5	MESSIAH LIFEWAYS AT MESSIAH VILLAGE	06/30/2018	06/30/2017	06/30/2016
5	MIFFLIN CENTER	06/30/2018	06/30/2017	06/30/2016
5	MILLCREEK MANOR	06/30/2018	06/30/2017	06/30/2016
5	MORAVIAN MANOR	12/31/2017	12/31/2016	12/31/2015
5	MOUNTAIN VIEW CARE AND REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
5	NEWPORT MEADOWS HEALTH AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
5	OLD ORCHARD HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
5	PHOEBE BERKS HEALTH CARE CENTER, INC	06/30/2018	06/30/2017	06/30/2016
5	PLEASANT VIEW RETIREMENT COMMUNITY	12/31/2017	12/31/2016	12/31/2015
5	PREMIER AT PERRY VLG FOR NURSE AND REHAB	12/31/2016	12/31/2015	12/31/2014
5	PREMIER AT SUSQUEHANNA FOR NURSE & REHAB	12/31/2016	12/31/2015	12/31/2014
5	QUARRYVILLE PRESBYTERIAN RETIREMENT COMM	06/30/2018	06/30/2017	06/30/2016
5	REST HAVEN-YORK	06/30/2018	06/30/2017	06/30/2016
5	RIVER RUN HEALTHCARE AND REHAB CENTER	12/31/2016	12/31/2015	12/31/2014
5	RIVERSIDE HEALTHCARE AND REHAB CENTER	12/31/2016	12/31/2015	12/31/2014
5	RIVERSTREET MANOR	06/30/2018	06/30/2017	06/30/2016
5	ROSE CITY NURSING AND REHAB AT LANCASTER	12/31/2016	12/31/2015	12/31/2014
5	SAINT MARY'S EAST	12/31/2017	12/31/2016	12/31/2015
5	SHIPPENSBURG HEALTH CARE CENTER	12/31/2016	12/31/2015	12/31/2014
5	SLATE BELT HEALTH AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
5	SPRUCE MANOR NURSING AND REHAB CENTER	06/30/2017	06/30/2016	06/30/2014
5	STONERIDGE TOWNE CENTRE	12/31/2017	12/31/2016	12/31/2015
5	SUSQUEHANNA VALLEY NURSING AND REHAB CTR	06/30/2018	06/30/2017	06/30/2016
5	THE GARDENS AT EAST MOUNTAIN	12/31/2016	12/31/2015	12/31/2014
5	THE GARDENS AT ORANGEVILLE	06/30/2018	12/31/2015	12/31/2014
5	THE GARDENS AT SCRANTON	12/31/2016	12/31/2015	12/31/2014
5	THE GARDENS AT TUNKHANNOCK	12/31/2016	12/31/2015	12/31/2014
5	THE GARDENS AT WYOMING VALLEY	12/31/2016	12/31/2015	12/31/2014
5	THE PAVILION AT ST LUKE VILLAGE	12/31/2017	12/31/2016	12/31/2015
5	TIMBER RIDGE HEALTH CENTER	12/31/2017	12/31/2017	12/31/2016

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
5	TWINBROOK HEALTHCARE & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
5	WEATHERWOOD HEALTHCARE AND REHAB CTR	12/31/2017	12/31/2016	12/31/2015
5	WESLEY VILLAGE	12/31/2017	12/31/2016	12/31/2015
5	WESTERN RESERVE HEALTHCARE & REHAB CTR	12/31/2017	12/31/2015	12/31/2014

<i>PG5 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$136.96	\$44.55	\$25.40

<i>PG5 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$160.24	\$49.90	\$26.42

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
6	ABINGTON CREST HEALTHCARE & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
6	ABINGTON MANOR	06/30/2018	06/30/2017	06/30/2016
6	ALLIED SERVICES CENTER CITY SKILLED NSG	06/30/2018	06/30/2017	06/30/2016
6	AVENTURA AT CREEKSIDE	12/31/2017	12/31/2016	12/31/2015
6	BALL PAVILION, THE	06/30/2018	06/30/2017	06/30/2016
6	BELLE REVE HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
6	BETHANY VILLAGE RETIREMENT CENTER	12/31/2017	12/31/2016	12/31/2015
6	BONHAM NURSING CENTER	12/31/2017	12/31/2015	12/31/2014
6	CALVARY FELLOWSHIP HOMES, INC	06/30/2018	06/30/2017	06/30/2016
6	CARBONDALE NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
6	CHAPEL POINTE AT CARLISLE	12/31/2017	12/31/2016	12/31/2015
6	CHURCH OF GOD HOME, INC	12/31/2017	12/31/2016	12/31/2015
6	CORNWALL MANOR	12/31/2017	12/31/2016	12/31/2015
6	COUNTRYSIDE CHRISTIAN COMMUNITY	12/31/2017	12/31/2016	12/31/2015
6	COURTYARD GARDENS NURSING AND REHAB CTR	12/31/2017	12/31/2016	12/31/2015
6	CUMBERLAND CROSSINGS RETIREMENT COMM	12/31/2017	12/31/2016	12/31/2015
6	DUNMORE HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
6	ELIZABETH MANOR HEALTHCARE & REHAB CTR	12/31/2017	12/31/2016	12/31/2015
6	ELIZABETHTOWN HEALTHCARE & REHAB CENTER	06/30/2017	06/30/2016	12/31/2014
6	ELMWOOD GARDENS OF PRESBY SENIOR CARE	12/31/2017	12/31/2016	12/31/2015
6	FAIRMOUNT HOMES	06/30/2018	06/30/2017	06/30/2016
6	FOREST PARK HEALTH CENTER	12/31/2017	12/31/2016	12/31/2015
6	FORESTVIEW	12/31/2017	12/31/2016	12/31/2015
6	GARDEN SPOT VILLAGE	06/30/2018	06/30/2017	06/30/2016
6	GREEN RIDGE CARE CENTER	12/31/2017	12/31/2016	12/31/2015
6	GUARDIAN HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
6	HAMILTON ARMS CENTER	06/30/2018	06/30/2017	06/30/2016
6	HAMPTON HOUSE	06/30/2018	06/30/2017	06/30/2016
6	HOMELAND CENTER	06/30/2018	06/30/2017	06/30/2016
6	HOMESTEAD VILLAGE, INC	06/30/2018	06/30/2017	06/30/2016
6	KADIMA REHAB & NURSING AT CAMPBELLTOWN	06/30/2018	12/31/2015	12/31/2014
6	KADIMA REHAB & NURSING AT LUZERNE	06/30/2018	12/31/2015	12/31/2014

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
6	KADIMA REHAB & NURSING AT PALMYRA	06/30/2018	12/31/2015	12/31/2014
6	KADIMA REHAB AND NURSING AT LAKESIDE	06/30/2018	12/31/2015	12/31/2014
6	KADIMA REHAB AND NURSING AT LITITZ	06/30/2018	12/31/2015	12/31/2014
6	KINGSTON HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
6	KINKORA PYTHIAN HOME CORPORATION	06/30/2018	06/30/2017	06/30/2016
6	LANDIS HOMES	06/30/2018	06/30/2017	06/30/2016
6	LEBANON VALLEY BRETHREN HOME	12/31/2017	12/31/2016	12/31/2015
6	LEBANON VALLEY HOME THE	12/31/2017	12/31/2016	12/31/2015
6	LECOM AT VILLAGE SQUARE LLC	12/31/2017	12/31/2016	12/31/2015
6	LINWOOD NURSING AND REHABILITATION CTR	06/30/2018	06/30/2017	06/30/2016
6	LUTHER ACRES MANOR	12/31/2017	12/31/2016	12/31/2015
6	LUTHER CREST NURSING FACILITY	12/31/2017	12/31/2016	12/31/2015
6	MANCHESTER COMMONS OF PRESBY SR. CARE	12/31/2017	12/31/2016	12/31/2015
6	MAPLE FARM	06/30/2018	06/30/2017	06/30/2016
6	MARYWOOD HEIGHTS	12/31/2017	12/31/2016	12/31/2015
6	MERCY CENTER NURSING UNIT, INC	12/31/2017	12/31/2016	12/31/2015
6	MID VALLEY HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
6	MILFORD HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
6	MISERICORDIA NURSING & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
6	MORAVIAN HALL SQ. HLTH AND WELLNESS CTR	06/30/2018	06/30/2017	06/30/2016
6	MOSSER NURSING HOME	06/30/2018	06/30/2017	06/30/2016
6	MOUNT HOPE NAZARENE RETIREMENT COMMUNITY	06/30/2018	06/30/2017	06/30/2016
6	MOUNTAIN TOP HEALTHCARE AND REHAB CTR	12/31/2017	12/31/2016	12/31/2015
6	NEW EASTWOOD HEALTHCARE AND REHAB CENTER	06/30/2018	06/30/2017	06/30/2016
6	NORMANDIE RIDGE	12/31/2017	12/31/2016	12/31/2015
6	SAINT ANNE'S RETIREMENT COMMUNITY	06/30/2018	06/30/2017	06/30/2016
6	SAINT MARY'S AT ASBURY RIDGE	12/31/2017	12/31/2016	12/31/2015
6	SAINT MARY'S VILLA NURSING HOME, INC	12/31/2017	12/31/2016	12/31/2015
6	SARAH A TODD MEMORIAL HOME	12/31/2017	12/31/2016	12/31/2015
6	SARAH REED SENIOR LIVING	06/30/2018	06/30/2017	06/30/2016
6	SCRANTON HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
6	SMITH HEALTH CARE, LTD	06/30/2018	06/30/2017	06/30/2016
6	SPANG CREST MANOR	12/31/2017	12/31/2016	12/31/2015
6	SPIRITRUST LUTHERAN VLG AT SHREWSBURY	12/31/2017	12/31/2016	12/31/2015
6	SPIRITRUST LUTHERAN VLG AT SPRENKLE DRIVE	12/31/2017	12/31/2016	12/31/2015
6	SPIRITRUST LUTHERAN VLG AT UTZ TERRACE	12/31/2017	12/31/2016	12/31/2015
6	STONEBRIDGE HEALTH & REHAB CENTER, LLC	06/30/2017	06/30/2016	12/31/2014
6	STONERIDGE POPLAR RUN	12/31/2017	12/31/2016	12/31/2015
6	SUNSET RIDGE HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2014
6	SWAIM HEALTH CENTER	12/31/2017	12/31/2016	12/31/2015
6	THE GARDENS AT BLUE RIDGE	12/31/2016	12/31/2015	12/31/2014
6	THE GARDENS AT CAMP HILL	12/31/2016	12/31/2015	12/31/2014
6	THE GARDENS AT MILLVILLE	06/30/2018	12/31/2015	12/31/2014
6	THE GARDENS AT STEVENS	06/30/2018	12/31/2015	12/31/2014
6	THE GARDENS FOR MEMORY CARE AT EASTON	06/30/2018	12/31/2015	12/31/2014
6	THE MANOR AT ST LUKE VILLAGE	12/31/2017	12/31/2016	12/31/2015

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
6	THORNWALD HOME	12/31/2017	12/31/2016	12/31/2015
6	UNITED ZION RETIREMENT COMMUNITY	12/31/2017	12/31/2016	12/31/2015
6	WALNUT CREEK HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
6	WESTMINSTER VILLAGE	12/31/2017	12/31/2016	12/31/2015
6	WESTON REHABILITATION AND NURSING CENTER	12/31/2017	12/31/2016	12/31/2015
6	WYOMISSING HEALTH AND REHABILITATION CTR	12/31/2017	06/30/2015	12/31/2013
6	ZERBE SISTERS NURSING CENTER, INC.	06/30/2018	06/30/2017	06/30/2016

<i>PG6 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$155.09	\$51.66	\$29.49

<i>PG6 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$181.46	\$57.86	\$30.67

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
8	ALTOONA CENTER FOR NURSING CARE	12/31/2017	12/31/2016	12/31/2015
8	ARBUTUS PARK MANOR	06/30/2018	06/30/2017	06/30/2016
8	CENTRE CREST	12/31/2017	12/31/2016	12/31/2015
8	GARVEY MANOR	12/31/2017	12/31/2016	12/31/2015
8	HILLVIEW HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
8	HEARTHSIDE REHAB CENTER	12/31/2016	12/31/2015	12/31/2014
8	HOMEWOOD AT MARTINSBURG PA INC	12/31/2017	12/31/2016	12/31/2015
8	LAUREL WOOD CARE CENTER	12/31/2017	12/31/2016	12/31/2015
8	LOYALSOCK REHAB CENTER	06/30/2016	12/31/2013	12/31/2012
8	MANORCARE HEALTH SVCS-JERSEY SHORE	12/31/2017	12/31/2016	12/31/2015
8	MANORCARE HEALTH SVCS-WILLIAMSPORT NORTH	12/31/2017	12/31/2016	12/31/2015
8	MAYBROOK HILLS REHAB & HEALTHCARE CENTER	12/31/2017	12/31/2015	12/31/2014
8	MEADOW VIEW NURSING CENTER	06/30/2018	06/30/2017	06/30/2016
8	MORRISONS COVE HOME	12/31/2017	12/31/2016	12/31/2015
8	ORCHARD MANOR, INC	06/30/2018	06/30/2017	06/30/2016
8	ROSE VIEW NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
8	ST. PAUL HOMES	12/31/2017	12/31/2016	12/31/2015
8	SIEMONS' LAKEVIEW MANOR NSG AND REHAB	12/31/2017	12/31/2016	12/31/2015
8	THE GROVE AT GREENVILLE	06/30/2018	12/31/2015	12/31/2014
8	VALLEY VIEW REHAB AND NURSING CENTER	12/31/2017	12/31/2016	12/31/2015
8	WILLIAMSPORT HOME, THE	12/31/2017	12/31/2016	12/31/2015
8	WINDBER WOODS SENIOR LIVING & REHAB CTR	06/30/2017	06/30/2016	06/30/2015
8	WINDY HILL VILLAGE OF PRESBYTERIAN HOMES	12/31/2017	12/31/2016	12/31/2015

<i>PG8 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$126.56	\$52.57	\$24.82

<i>PG8 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$148.08	\$58.88	\$25.81

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
9	AVALON SPRINGS PLACE	12/31/2017	12/31/2016	12/31/2015
9	CLEPPER MANOR	12/31/2017	12/31/2016	12/31/2015
9	EPWORTH HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
9	GROVE MANOR	06/30/2018	06/30/2017	06/30/2016
9	HAIDA HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
9	HOSPITALITY CARE CENTER OF HERMITAGE INC	12/31/2017	12/31/2016	12/31/2015
9	LAUREL VIEW VILLAGE	06/30/2018	06/30/2017	06/30/2016
9	LUTHERAN HOME AT HOLLIDAYSBURG, THE	12/31/2017	12/31/2016	12/31/2015
9	LUTHERAN HOME AT JOHNSTOWN, THE	12/31/2017	12/31/2016	12/31/2015
9	MANORCARE HEALTH SVCS-WILLIAMSPORT SOUTH	12/31/2017	12/31/2016	12/31/2015
9	MAPLE WINDS HEALTHCARE & REHAB CTR, LLC	12/31/2016	12/31/2015	12/31/2014
9	MEYERSDALE HEALTHCARE AND REHAB CTR	12/31/2017	12/31/2015	12/31/2014
9	NUGENT CONVALESCENT HOME	12/31/2017	12/31/2016	12/31/2015
9	PRESBYTERIAN HOMES-PRESBYTERY-HUNTINGDON	12/31/2017	12/31/2016	12/31/2015
9	QUALITY LIFE SERVICES-GROVE CITY	06/30/2018	06/30/2017	06/30/2016
9	QUALITY LIFE SERVICES-MERCER	06/30/2018	06/30/2017	06/30/2016
9	QUALITY LIFE SERVICES-WESTMONT	06/30/2018	06/30/2017	12/31/2014
9	RICHLAND HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
9	SAINT JOHN XXIII HOME	12/31/2017	12/31/2016	12/31/2015
9	THE PATRIOT, A CHOICE COMMUNITY	12/31/2017	12/31/2016	12/31/2015

<i>PG9 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$121.01	\$45.17	\$24.09

<i>PG9 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$141.58	\$50.59	\$25.05

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
11	BROAD ACRES HEALTH AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
11	BROAD MOUNTAIN HEALTH & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
11	BROOKVIEW HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
11	CHRIST THE KING MANOR	06/30/2018	06/30/2017	06/30/2016
11	CLARVIEW NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
11	DUBOIS NURSING HOME	06/30/2018	06/30/2017	06/30/2016
11	ELK HAVEN NURSING HOME	06/30/2018	06/30/2017	06/30/2016
11	ELLEN MEMORIAL HEALTH CARE CENTER	06/30/2018	06/30/2017	06/30/2016
11	FOREST CITY NURSING AND REHAB CENTER	12/31/2018	12/31/2017	12/31/2016
11	GRANDVIEW NURSING AND REHABILITATION	06/30/2017	06/30/2016	06/30/2015
11	GREEN HOME, INC, THE	06/30/2018	06/30/2017	06/30/2016
11	HIGHLANDS HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
11	HOMETOWN NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
11	JEFFERSON MANOR HEALTH CENTER	06/30/2018	06/30/2017	06/30/2016
11	JULIA POUND CARE CENTER	12/31/2017	12/31/2016	12/31/2015
11	JULIA RIBAUDO EXTENDED CARE CENTER	12/31/2017	12/31/2016	12/31/2015

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
11	KITTANNING CARE CENTER	12/31/2017	12/31/2016	12/31/2015
11	LAUREL LAKES REHAB & WELLNESS CENTER	06/30/2016	06/30/2015	
11	MANORCARE HEALTH SVCS-CHAMBERSBURG	12/31/2017	12/31/2016	12/31/2015
11	MANORCARE HEALTH SVCS-POTTSVILLE	12/31/2017	12/31/2016	12/31/2015
11	MANORCARE HEALTH SVCS-SUNBURY	12/31/2017	12/31/2016	12/31/2015
11	MILTON REHABILITATION AND NURSING CENTER	12/31/2016	12/31/2015	12/31/2014
11	MOUNT CARMEL NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
11	MOUNTAIN LAUREL HEALTHCARE & REHAB CTR	06/30/2017	06/30/2016	06/30/2015
11	NOTTINGHAM VILLAGE	12/31/2017	12/31/2016	12/31/2015
11	OHESSON MANOR	12/31/2017	12/31/2016	12/31/2015
11	ORWIGSBURG NURSING & REHAB CENTER	06/30/2017	06/30/2016	06/30/2015
11	PARK AVENUE REHAB CENTER	12/31/2016	12/31/2015	12/31/2014
11	PENNKNOLL VILLAGE	12/31/2017	12/31/2016	12/31/2015
11	QUALITY LIFE SERVICES-NEW CASTLE	06/30/2018	06/30/2017	06/30/2016
11	QUINCY RETIREMENT COMMUNITY	12/31/2017	12/31/2016	12/31/2015
11	RIDGEVIEW HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
11	RIVERWOODS	12/31/2017	12/31/2016	12/31/2015
11	ROLLING FIELDS, INC	12/31/2017	12/31/2016	12/31/2015
11	ROLLING MEADOWS	06/30/2018	06/30/2017	06/30/2016
11	ROSEWOOD REHABILITATION & NURSING CENTER	06/30/2018	06/30/2017	
11	SCHUYLKILL CENTER	06/30/2018	06/30/2017	06/30/2016
11	SENA-KEAN MANOR	12/31/2017	12/31/2016	12/31/2015
11	SETON MANOR NURSING & REHABILITATION CTR	06/30/2018	06/30/2017	06/30/2016
11	SHENANDOAH MANOR NURSING CENTER	06/30/2018	12/31/2016	12/31/2015
11	SHIPPENVILLE HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
11	SUGAR CREEK STATION SKILLED NSG & REHAB	12/31/2017	12/31/2016	12/31/2015
11	SWEDEN VALLEY MANOR	12/31/2017	12/31/2016	12/31/2015
11	THE GARDENS AT STROUD	12/31/2016	12/31/2015	12/31/2015
11	THE MANOR AT PENN VILLAGE	12/31/2017	12/31/2016	12/31/2015
11	TRANSITIONS HEALTHCARE GETTYSBURG	12/31/2017	12/31/2016	12/31/2015
11	TREMONT HEALTH & REHABILITATION CENTER	06/30/2017	06/30/2016	06/30/2015
11	VALLEY VIEW HAVEN, INC	12/31/2017	12/31/2016	12/31/2015
11	WARREN MANOR	12/31/2017	12/31/2016	12/31/2015
11	WATSONTOWN REHABILITATION AND NRSG CTR	12/31/2016	12/31/2015	12/31/2014
11	WAYNE WOODLANDS MANOR	06/30/2018	06/30/2017	06/30/2016
11	WESBURY UNITED METHODIST COMMUNITY	12/31/2017	12/31/2016	12/31/2015
11	WILLIAM PENN HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
11	WOODLAND PARK REHAB CENTER	06/30/2016	12/31/2014	12/31/2013

<i>PG11 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$126.53	\$43.13	\$23.94

<i>PG11 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$148.04	\$48.31	\$24.90



<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
12	ATHENS HEALTH AND REHABILITATION CENTER	06/30/2018	06/30/2017	06/30/2016
12	AVALON PLACE	06/30/2018	06/30/2017	06/30/2016
12	BEACON RIDGE, A CHOICE COMMUNITY	12/31/2017	12/31/2016	12/31/2015
12	BRADFORD ECUMENICAL HOME, INC	12/31/2017	12/31/2016	12/31/2015
12	BRADFORD MANOR	12/31/2017	12/31/2016	12/31/2015
12	BROOKLINE MANOR AND REHABILITATIVE SRVCS	12/31/2017	12/31/2016	12/31/2015
12	BROOKMONT HEALTHCARE CENTER LLC	12/31/2017	12/31/2016	12/31/2015
12	BUFFALO VALLEY LUTHERAN VILLAGE	12/31/2017	12/31/2016	12/31/2015
12	CARING PLACE, THE	06/30/2018	06/30/2017	06/30/2016
12	CARLETON HEALTHCARE & REHABILITATION CTR	12/31/2017	12/31/2016	12/31/2015
12	CHAMBERS POINTE HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
12	CLARION HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
12	DARWAY HEALTHCARE & REHABILITATION CTR	12/31/2017	12/31/2016	12/31/2015
12	DONAHOE MANOR	06/30/2018	06/30/2017	06/30/2016
12	DR ARTHUR CLIFTON MCKINLEY HEALTH CENTER	06/30/2018	06/30/2017	06/30/2016
12	EDISON MANOR NURSING AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
12	EMMANUEL CENTER FOR NURSING AND REHAB	12/31/2017	12/31/2016	12/31/2015
12	GETTYSBURG CENTER	06/30/2018	06/30/2017	06/30/2016
12	GREEN VALLEY SKILLED NSG & REHAB CENTER	12/31/2017	12/31/2016	06/30/2014
12	GUY AND MARY FELT MANOR, INC	06/30/2018	06/30/2017	06/30/2016
12	HAVEN CONVALESCENT HOME, INC	12/31/2017	12/31/2016	12/31/2015
12	HIGHLAND VIEW HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
12	HILLSDALE PARK REHAB CENTER	12/31/2016	12/31/2015	12/31/2014
12	HUNTINGDON PARK REHAB CENTER	06/30/2016	06/30/2014	06/30/2013
12	JAMESON CARE CENTER	12/31/2017	12/31/2016	12/31/2015
12	KINZUA HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
12	LAKEVIEW HEALTHCARE & REHABILITATION CTR	12/31/2017	12/31/2016	12/31/2015
12	LOCUST GROVE RETIREMENT VILLAGE	12/31/2017	12/31/2016	12/31/2015
12	LUTHERAN HOME AT KANE, THE	12/31/2017	12/31/2016	12/31/2015
12	MEADOW VIEW HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
12	MULBERRY HEALTHCARE & REHAB CTR	12/31/2017	12/31/2016	12/31/2015
12	NURSING & REHABILITATION AT THE MANSION	12/31/2016	12/31/2015	12/31/2014
12	OAKWOOD HEIGHTS OF PRESBY SENIOR CARE	12/31/2017	12/31/2016	12/31/2015
12	OIL CITY HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
12	PARAMOUNT NURSING & REHAB AT FAYETTEVILLE	12/31/2017	12/31/2016	12/31/2015
12	QUALITY LIFE SERVICES-SUGAR CREEK	06/30/2018	06/30/2017	06/30/2016
12	RICHFIELD HEALTHCARE AND REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
12	RIDGEVIEW HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
12	ROLLING HILLS HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
12	SAYRE HEALTH CARE CENTER, LLC	06/30/2018	06/30/2017	06/30/2016
12	SCENERY HILL HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2016	12/31/2015
12	SHENANGO PRESBYTERIAN SENIORCARE	12/31/2017	12/31/2016	12/31/2015
12	SHOOK HOME, THE	12/31/2017	12/31/2016	12/31/2015
12	SNYDER MEMORIAL HEALTH CARE CENTER	12/31/2017	12/31/2016	12/31/2015
12	SPIRITRUST LUTHERAN VLG AT GETTYSBURG	12/31/2017	12/31/2016	12/31/2015
12	THE GARDENS AT GETTYSBURG	12/31/2016	12/31/2015	12/31/2014
12	THE GARDENS AT YORK TERRACE	12/31/2016	12/31/2015	12/31/2014
12	THE GROVE AT NEW CASTLE	06/30/2018	12/31/2015	12/31/2014
12	THE GROVE AT NEW WILMINGTON	06/30/2018	12/31/2015	12/31/2014

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
12	THE PAVILION AT BRMC	06/30/2017	06/30/2016	06/30/2015
12	TITUSVILLE HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
12	WAYNESBURG HEALTHCARE & REHAB CENTER	12/31/2017	12/31/2015	12/31/2014
12	WESTMINSTER WOODS AT HUNTINGDON	12/31/2017	12/31/2016	12/31/2015
12	WHITESTONE CARE CENTER	12/31/2017	12/31/2017	12/31/20106

<i>PG12 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$123.73	\$43.55	\$23.52

<i>PG12 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$144.76	\$48.78	\$24.46

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
13	ARISTACARE AT MEADOW SPRINGS	06/30/2018	06/30/2017	06/30/2016
13	FOX SUBACUTE AT CLARA BURKE	12/31/2017	12/31/2016	12/31/2015
13	FOX SUBACUTE AT MECHANICSBURG	06/30/2018	06/30/2017	06/30/2016
13	FOX SUBACUTE AT SOUTH PHILADELPHIA	12/31/2017		
13	FOX SUBACUTE CENTER	12/31/2017	12/31/2016	12/31/2015
13	GOOD SHEPHERD HOME RAKER CENTER	06/30/2018	06/30/2017	06/30/2016
13	GOOD SHEPHERD HOME-BETHLEHEM	06/30/2018	06/30/2017	06/30/2016
13	INGLIS HOUSE	06/30/2018	06/30/2017	06/30/2016
13	MARGARET E. MOUL HOME	06/30/2018	06/30/2017	06/30/2016

<i>PG13 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$240.82	\$66.67	\$52.32

<i>PG13 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$281.76	\$74.67	\$54.41

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
13	GOOD SHEPHERD HOME RAKER CENTER	06/30/2018	06/30/2017	06/30/2016
13	GOOD SHEPHERD HOME-BETHLEHEM	06/30/2018	06/30/2017	06/30/2016
13	INGLIS HOUSE	06/30/2018	06/30/2017	06/30/2016
13	MARGARET E. MOUL HOME	06/30/2018	06/30/2017	06/30/2016

<i>PG13 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$244.78	\$108.43	\$50.11

<i>PG13 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$286.39	\$121.44	\$52.11

<i>Median Peer Group</i>	<i>Current Provider Name</i>	<i>Most Recent Cost Report End Date</i>	<i>Second Most Recent Cost Report End Date</i>	<i>Third Most Recent Cost Report End Date</i>
14	BARNES-KASSON COUNTY HOSPITAL SNF	06/30/2018	06/30/2017	06/30/2016
14	BERWICK RETIREMENT VILLAGE NRSNG HOME I	06/30/2018	06/30/2017	06/30/2016
14	BUCKTAIL MEDICAL CENTER	06/30/2018	06/30/2017	06/30/2016
14	UPMC COLE SKILLED NURSING & REHAB UNIT	06/30/2018	06/30/2017	06/30/2016
14	FULTON COUNTY MEDICAL CENTER LTCU	06/30/2018	06/30/2017	06/30/2016
14	GUTHRIE TOWANDA MEMORIAL HOSPITAL SNU	06/30/2018	06/30/2017	06/30/2016
14	HAVEN SKILLED REHABILITATION AND NURSING	06/30/2017	06/30/2016	06/30/2015
14	PINECREST MANOR	06/30/2018	06/30/2017	06/30/2016
14	ST LUKE'S REHABILITATION AND NURSING CTR	06/30/2018	06/30/2017	06/30/2016
14	SUMMIT AT BLUE MOUNTAIN NURSING & REHAB	06/30/2018	06/30/2017	06/30/2016
14	MUNCY PLACE	06/30/2018	06/30/2017	06/30/2016
14	WILLOWCREST	06/30/2018	06/30/2017	06/30/2016

<i>PG14 Median</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$194.18	\$67.07	\$32.45

<i>PG14 Price</i>	<i>Resident Care 5.12</i>	<i>Other Resident Rltd</i>	<i>Administrative</i>
	\$227.19	\$75.12	\$33.75

[Pa.B. Doc. No. 21-234. Filed for public inspection February 12, 2021, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Current Prevailing Wage Act Debarments; Correction

This notice replaces the notice published at 50 Pa.B. 6325 (November 7, 2020). The following contractor has been determined to have intentionally violated the Pennsylvania Prevailing Wage Act (act) (43 P.S. §§ 165-1—165-17). This notice is published for the information and convenience of public bodies subject to the act. Under section 11(e) of the act (43 P.S. § 165-11(e)), no contracts for public work shall be awarded to these contractors, or either one of them, or any firms, corporations or partnerships in which either one of these contractors has an interest, for 3 years after the date of original publication in the *Pennsylvania Bulletin*.

<i>Contractor</i>	<i>Address</i>	<i>Date of Debarment</i>
Shipley Bros. Construction, Inc., Frank L. Shipley, individually FEIN No. 20-4047875	8037 Rowan Road Cranberry Township, PA 16066	November 7, 2020

JENNIFER BERRIER,  
*Acting Secretary*

[Pa.B. Doc. No. 21-235. Filed for public inspection February 12, 2021, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Notice to Workers' Compensation Insurance Carriers; Special Schedule "W" Data Call

The Insurance Department (Department) is conducting its annual workers' compensation Special Schedule "W" data call. Authority for this data call can be found in section 655 of The Insurance Company Law of 1921 (40 P.S. § 815).

Insurance companies that write workers' compensation insurance in this Commonwealth are required to complete the data call on or before April 15, 2021.

Consistent with prior Special Schedule "W" data calls, the cover letter, general instructions and instructions for constraints affecting unpaid claims estimates are available on the Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (select "Companies," then "Industry Activity," scroll to "Product and Rate Activity," then "Data Calls").

An e-mail announcing the data call was sent to insurance carriers writing workers' compensation insurance policies in this Commonwealth.

The Pennsylvania Compensation Rating Bureau's (Bureau) Financial Data Reporting Application (FDRA) will again be used to report all Special Schedule "W" information (including Coal Mine experience) instead of submitting directly to the Department. Refer to the Bureau's web site, [www.pcrb.com](http://www.pcrb.com), for further information on reporting workers' compensation experience for Special Schedule "W" using the FDRA.

Questions regarding this data call should be directed to Bojan Zorkic, Actuary, (717) 787-6968, [bzorkic@pa.gov](mailto:bzorkic@pa.gov).

JESSICA K. ALTMAN,  
Insurance Commissioner

[Pa.B. Doc. No. 21-236. Filed for public inspection February 12, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 1, 2021. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by March 1, 2021. In accordance with the Commission's Emergency Order at M-2020-3019262, all parties participating in matters pending before the Commission are required to eFile their submissions by opening an eFiling account and accepting EService. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2021-3023896. Country Road Transportation, LLC** (510 North Park Road, Wyomissing, Berks County, PA 19610) in paratransit service, limited to wheelchair and stretcher van services, from points in Berks County, to points in Pennsylvania, and return.

**A-2021-3023911. Smart Peoples Choice Transportation, LLC** (4637 Penn Street, Philadelphia, PA 19124) in paratransit service, between points in the City and County of Philadelphia.

**Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.**

**A-2021-3023847. All My Sons of Pittsburgh, LLC** (2400 Old Mill Road, Carrollton, Denton County, TX 75007) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

**Application of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.**

**A-2015-2516834. Rubano Moving Company, LLC** (1301 Idaho Street, Farrell, PA 16121) for the discontinuance of service and cancellation of its certificate, to transport, in motor vehicles, as a common carrier, household goods in use between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 21-237. Filed for public inspection February 12, 2021, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due March 1, 2021, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Battaglia, John L. & James A. Cotps, t/a Battaglia Mvg & Stg; Docket No. C-2020-3022993**

#### COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That all authority issued to Battaglia, John L. & James A. Cotps, t/a Battaglia Mvg & Stg, (respondent) is under suspension effective November 05, 2020 for failure to maintain evidence of insurance on file with this Commission.
2. That respondent maintains a principal place of business at 262 Hickory Drive, Beaver Falls, PA 15010.

3. That respondent was issued a Certificate of Public Convenience by this Commission on December 17, 1990, at A-00109472.

4. That respondent has failed to maintain evidence of Liability insurance on file with this Commission. The Bureau of Investigation and Enforcement's proposed civil penalty for this violation is \$500.00 and cancellation of the Certificate of Public Convenience.

5. That respondent, by failing to maintain evidence of insurance on file with this Commission, violated 66 Pa.C.S. § 512, 52 Pa. Code § 32.2(c), and 52 Pa. Code § 32.11(a), § 32.12(a) or § 32.13(a).

Wherefore, unless respondent pays the penalty of \$500.00 or files an answer in compliance with the attached notice and/or causes its insurer to file evidence of insurance with this Commission within twenty (20) days of the date of service of this Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue an Order which (1) cancels the Certificate of Public Convenience held by respondent at A-00109472 for failure to maintain evidence of current insurance on file with the Commission, (2) fines Respondent the sum of five hundred dollars (\$500.00) for the illegal activity described in this Complaint, (3) orders such other remedy as the Commission may deem to be appropriate, which may include the suspension of a vehicle registration and (4) imposes an additional fine on the respondent should cancellation occur.

Respectfully submitted,  
Kimberly M. Johnston, Acting Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

#### VERIFICATION

I, Kimberly M. Johnston, Acting Chief, Motor Carrier Enforcement, Bureau of Investigation and Enforcement, hereby state that the facts above set forth are true and correct to the best of my knowledge, information and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: December 22, 2020

Kimberly M. Johnston, Acting  
Chief  
Motor Carrier Enforcement  
Bureau of Investigation and Enforcement

#### NOTICE

A. You must file an Answer within 20 days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Letter. See 52 Pa. Code § 1.56(a). The Answer must raise all factual and legal arguments that you wish to claim in your defense, include the docket number of this Complaint, and be verified. You may file your Answer by mailing an original to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at [www.puc.pa.gov](http://www.puc.pa.gov). The link to eFiling is located

under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor  
Pennsylvania Public Utility Commission  
Bureau of Investigation and Enforcement  
400 North Street  
Harrisburg, PA 17120

Or, emailed to Mr. Swindler at: [RA-PCCmplntResp@pa.gov](mailto:RA-PCCmplntResp@pa.gov)

B. If you fail to answer this Complaint within 20 days, the Bureau of Investigation and Enforcement will request that the Commission issue an Order imposing the penalty.

C. You may elect not to contest this Complaint by causing your insurer to file proper evidence of current insurance in accordance with the Commission's regulations and by paying the fine proposed in this Complaint by certified check or money order within twenty (20) days of the date of service of this Complaint. Accord certificates of insurance and faxed form Es and Hs are unacceptable as evidence of insurance.

The proof of insurance must be filed with the:

Compliance Office, Bureau of Technical Utility  
Services  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Payment of the fine must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary  
Pennsylvania Public Utility Commission  
400 North Street  
Harrisburg, PA 17120

Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of the evidence of insurance from your insurer, and upon receipt of your payment, the Complaint proceeding shall be closed.

D. If you file an Answer which either admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request the Commission to issue an Order imposing the penalty set forth in this Complaint.

E. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The Judge is not bound by the penalty set forth in the Complaint, and may impose additional and/or alternative penalties as appropriate.

F. If you are a corporation, you must be represented by legal counsel. 52 Pa. Code § 1.21.

Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714. Do not call this number if you have questions as to why you received this complaint. For those questions you may call 717-783-3847.

ROSEMARY CHIAVETTA,  
Secretary

[Pa.B. Doc. No. 21-238. Filed for public inspection February 12, 2021, 9:00 a.m.]





