

PENNSYLVANIA BULLETIN

Volume 52

Number 10

Saturday, March 5, 2022 • Harrisburg, PA

Pages 1355—1442

Agencies in this issue

The Courts

Department of Agriculture

Department of Banking and Securities

Department of Education

Department of Environmental Protection

Department of Health

Department of Human Services

Department of Transportation

Fish and Boat Commission

Independent Regulatory Review Commission

Insurance Department

Patient Safety Authority

Pennsylvania Public Utility Commission

Philadelphia Parking Authority

State Employees' Retirement Board

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 568, March 2022

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pbulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2022 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

SUPREME COURT

Petitions for review challenging the final 2021 Legislative Reapportionment Plan; No. 569 judicial administration docket (2 documents) 1361

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF AGRICULTURE

Notices

Bureau of Ride and Measurement Standards 1362

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications 1363

DEPARTMENT OF EDUCATION

Notices

Proposed grant application by the Department of Education under Part B of the Individuals with Disabilities Education Act for Federal fiscal year 2022 1364

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Agricultural Advisory Board meeting schedule for 2022 1427

Applications, actions and special notices 1365

Federal Consistency under the Coastal Zone Management Act; Philadelphia International Airport West cargo redevelopment 1427

Mining and Reclamation Advisory Board and Aggregate Advisory Board's joint Regulation, Legislation and Technical Committee meeting 1428

Pennsylvania's Agriculture Energy Efficiency Rebate Program extended 1428

DEPARTMENT OF HEALTH

Notices

Home health agencies; requests for exceptions 1429

Long-term care nursing facilities; requests for exception 1429

Newborn Screening and Follow-Up Technical Advisory Board virtual public meeting 1430

DEPARTMENT OF HUMAN SERVICES

Notices

Medical Assistance Program fee schedule addition . . 1430

DEPARTMENT OF TRANSPORTATION

Notices

Pedalcycle and Pedestrian Advisory Committee virtual meeting 1431

FISH AND BOAT COMMISSION

Notices

Proposed special regulation designation 1431

INDEPENDENT REGULATORY REVIEW COMMISSION

Notices

Notice of comments issued 1431

INSURANCE DEPARTMENT

Notices

Alleged violation of insurance laws; Timothy A. Dopson and Main Street Business Center, LLC; doc. No. SC22-02-011 1434

Alleged violation of insurance laws; Kimberly Dschuhan; doc. No. SC22-02-019 1435

Alleged violation of insurance laws; Ryan Norton; doc. No. SC22-02-018 1435

Application and request for a certificate of authority to provide a continuing care retirement community by Shippensburg OpCo, LLC 1435

Medical Care Availability and Reduction of Error Fund; notice 2022-03 1435

Review procedure hearing under the Unfair Insurance Practices Act 1436

PATIENT SAFETY AUTHORITY

Notices

Virtual public meeting 1436

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications 1436

Service of notice of motor carrier formal complaints . . 1437

Transfer by sale 1439

Transfer by sale and water service 1439

PHILADELPHIA PARKING AUTHORITY

Notices

Petition for changes to taxicab tariff; doc. No. 21-004 1440

Service of notice of motor carrier applications in the City of Philadelphia 1440

STATE EMPLOYEES' RETIREMENT BOARD

Notices

Hearing schedule 1441

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the Pennsylvania Bulletin

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2022.

4 Pa. Code (Administration)

Adopted Rules
 1 936
 7 336

Statements of Policy

9 1112, 1276

22 Pa. Code (Education)

Adopted Rules
 741 356
 741a 356

Statements of Policy

238 1009

25 Pa. Code (Environmental Protection)

Proposed Rules
 92a 361
 109 1245
 121 689
 129 689
 261a 235
 271 363
 279 363

28 Pa. Code (Health and Safety)

Adopted Rules
 1141 359
 1151 359
 1161 359
 1171 359
 1181 359
 1191 359
 1211 359
 1230 359

31 Pa. Code (Insurance)

Proposed Rules
 90j 830

34 Pa. Code (Labor and Industry)

Adopted Rules
 401 971
 403 971

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules
 19 444
 37 17
 41 446
 42 448

Proposed Rules

18 985
 42 835

52 Pa. Code (Public Utilities)

Proposed Rules
 59 992

58 Pa. Code (Recreation)

Adopted Rules
 113 983

67 Pa. Code (Transportation)

Adopted Rules
 55 68

204 Pa. Code (Judicial System General Provisions)

Adopted Rules
 29 339
 71 341
 82 964

Proposed Rules

81 942
 83 942, 965
 303 583

207 Pa. Code (Judicial Conduct)

Adopted Rules
 1 680

210 Pa. Code (Appellate Procedure)

Adopted Rules
 19 9

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules
 200 440
 400 10, 682
 1915 826
 Part II 441, 684

234 Pa. Code (Rules of Criminal Procedure)

Proposed Rules
 1 205, 346
 5 205, 346
 6 346
 7 205
 10 205, 346

237 Pa. Code (Juvenile Rules)

Proposed Rules
 5 11

249 Pa. Code (Philadelphia Rules)

Unclassified 230, 827

252 Pa. Code (Allegheny County Rules)

Unclassified 13

255 Pa. Code (Local Court Rules)

Unclassified 14, 15, 16, 231, 232, 233, 353,
 443, 685, 828, 968, 969, 1111

THE COURTS

SUPREME COURT

Petitions for Review Challenging the Final 2021 Legislative Reapportionment Plan; No. 569 Judicial Administration Docket

Order

Per Curiam

And Now, this 17th day of February, 2022, it is *Ordered* that all Petitions for Review, as well as supporting briefs, challenging the final plan issued by the Legislative Reapportionment Commission on February 4, 2022, are to be received by this Court on or before March 7, 2022. See PA.CONST. art. II, § 17(d) (relating to appeals from final plans of the Legislative Reapportionment Commission). Petitioners shall effectuate service electronically on the Legislative Reapportionment Commission.

Any consolidated answer, as well as a consolidated brief, filed by the Legislative Reapportionment Commission, as Respondent, shall be received by this Court on or before 2:00 p.m. on March 11, 2022.

No reply briefs will be permitted, and no requests for extension of time will be entertained.

Absent further Order of this Court, the Petitions for Review will be decided on submitted briefs.

[Pa.B. Doc. No. 22-339. Filed for public inspection March 4, 2022, 9:00 a.m.]

SUPREME COURT

Petitions for Review Challenging the Final 2021 Legislative Reapportionment Plan; No. 569 Judicial Administration Docket

Order

Per Curiam

And Now, this 23rd day of February, 2022, given that the appeal period for challenges relative to the Final 2021 Legislative Reapportionment Plan expires on March 7, 2022, see PA. CONST. art. II, § 17(d) (relating to appeals from final plans of the Legislative Reapportionment Commission), and that the Legislative Reapportionment Commission's consolidated answer and consolidated brief relative to any such appellate challenges is due on or before 2:00 p.m. on March 11, 2022, the General Primary Election calendar relative to elections for seats in the General Assembly is *Temporarily Suspended* pending further order of this Court.

[Pa.B. Doc. No. 22-340. Filed for public inspection March 4, 2022, 9:00 a.m.]

NOTICES

DEPARTMENT OF AGRICULTURE

Bureau of Ride and Measurement Standards

Order

This Order establishes a variance from the requirement that an owner or lessee of “hayride attractions” comply with specific provisions of the Amusement Ride Inspection Act (4 P.S. §§ 401—418) (“Act”) and its attendant regulations (7 Pa. Code Chapter 139).

Background

The Pennsylvania Department of Agriculture (“Department”) has lawful authority to issue a variance with respect to any rule, regulation or standard prescribed by the Act and its attendant regulations. This authority is imparted at Sections 4(4) and 9 of the Act (4 P.S. §§ 404(4) and 409) and referenced in the regulation at 7 Pa. Code § 39.12 (relating to variances).

A variance may be issued: 1) to prevent undue hardship; or 2) where existing conditions prevent practical compliance and the safety of the public can be reasonably assured.

ASTM International, the organization formerly known as the American Society for Testing and Materials, develops and publishes technical standards for a wide variety of industries with the goal of enhancing performance and safety. The Department adopts the standards developed by ASTM International’s committee on amusement rides and devices (“F24 Committee”) as its regulatory standards with respect to amusement rides and attractions that operate in this Commonwealth. On November 1, 2019, the F24 Committee published a new standard for hayrides, designated as F3168-19, Standard Practice for Hayride Attractions (“Practice F3168-19”).

The Department regulates amusement rides and attractions under strict safety standards for design, construction, maintenance, operation and inspection. Prior to the adoption of Practice F3168-19, there were no industry standards that recognized or addressed the safe operation of hayrides as an amusement ride or attraction. The F24 Committee developed the guidelines in Practice F3168-19 to provide a level of conformity to reduce potential hazards to patrons, attendants, actors and spectators. In addition, the standard was specifically designed to be inclusive of hayride attractions used primarily for entertainment, recreation and/or agritourism purposes.

Historically, hayride attractions have been difficult to vet through the Department’s existing registration and approval process because the wagon/trailer and the tow vehicle of a hayride are not designed or built with the specific intent to be used as an amusement ride. The nature of this type of ride—farm equipment being used as a hayride—creates an undue hardship on owners and operators with certain requirements of the Act and its attendant regulations. For example, the regulation at 7 Pa. Code § 139.4 (relating to registration) requires the owner of an amusement ride to provide the Department written verification under seal of a professional engineer that the ride conforms with the applicable design, load and safety requirements of the Act, its attendant regulations, and the ASTM International F24 Committee Standards. The Department recognizes that many of these regulatory requirements are not appropriate or applicable

to owners and operators that use farm equipment, e.g., a wagon/trailer and tow vehicle, for both agriculture purposes and as a hayride attraction.

The Chairman of the ASTM International Hayride Standard Committee has requested this variance on behalf of Pennsylvania hayride owners in accordance with the Act. It is the belief of this office that a limited variance is appropriate with respect to the approval, registration and inspection of hayride attractions, and that the variance will not adversely affect the health or safety of the public.

In summary, the variance will allow an owner to register a hayride attraction without providing written verification from a registered professional engineer that the hayride complies with the requirements of the Act and its attendant regulations. Hayride owners shall comply with all other requirements under 7 Pa. Code § 139.4 and the terms of this variance for registration and approval of the wagon/trailer and tow vehicle.

Variance

For purposes of this Order, the definitions set forth in the Act and its attendant regulations apply. In addition, the following defined terms apply:

Agritourism—the act of conducting an activity for the enjoyment of the public that is related in some way to agriculture.

Hayride Attraction—an experience in which passengers board a wagon or trailer, typically a wagon filled with straw or hay, and are taken on a journey. The term does not include hayride attractions designed specifically for home use, devices or attractions commonly referred to as barrel trains, or animal or human drawn wagons or trailers.

Tow Vehicle—a vehicle used to pull a wagon or trailer that is conveying patrons to, through or from an attraction or over a pathway or trail.

Hayride Attraction Owner/Operator—A person that:

1) Owns or operates a hayride attraction that uses a tow vehicle to pull a wagon or trailer as an element or in combination with another amusement ride or attraction, corn maze, zombie walk, paintball game, tree harvesting farm, seasonal attraction, haunted house, haunted attraction, fair, exposition or agritourism event;

2) Has submitted the hayride attraction for approval and registration in accordance with the regulation at 7 Pa. Code § 139.4 (relating to registration), except as otherwise provided in this variance;

3) Has inspected the hayride attraction prior to it being open to the public and again within 30 days of each period of continued use and has submitted an inspection affidavit to the Department in accordance with the requirements of the regulation at 7 Pa. Code § 139.8 (relating to inspection affidavits);

4) Has complied with the design, operation, maintenance, inspection and testing standards for hayride attractions in accordance with Practice F3168-19 or any successor standard and the Department’s hayride approval checklist form;

5) Has complied with all other requirements in the Act and the regulations at 7 Pa. Code Chapter 139 for owners, lessees and operators of amusement rides and attractions in this Commonwealth; and

6) Has otherwise complied with the terms of this variance.

A variance is hereby issued under authority of the Act. The limited terms of this variance are as follows:

1. Although a hayride attraction is an amusement attraction for the purposes of the Act and its attendant regulations, the owner of a hayride shall be exempt from the requirements specified in 7 Pa. Code § 139.4(d)(7)(ii). The effect of this provision is to remove the requirement to submit written verification from a professional engineer with respect to the registration of a hayride attraction.

2. Prior to operation, the owner of a hayride attraction shall obtain Department approval of the wagon/trailer and tow vehicle by verifying compliance with the design, operation, maintenance, inspection and testing standards in accordance with Practice F3168-19 or any successor standard and the Department's hayride approval checklist form (collectively the "hayride attraction submission"). Each approval will be granted on an annual basis and site specific.

3. The hayride attraction submission shall include the following:

i. a copy of the operator's manual for the submitted attraction that identifies the mechanical, hydraulic, electronic and electrical systems of the attraction, including how the attraction is powered;

ii. a copy of the owner's manual for the submitted attraction (if different than the operator's manual);

iii. a detailed inspection checklist outlining areas and frequency on how the attraction is to be inspected;

iv. photographs fully depicting the attraction, including an overall photo and a clear photo of the manufacturer's ID plate;

v. an owner's registration form;

vi. an amusement ride or attraction registration application form; and

vii. a hayride attraction approval checklist form.

4. The Department will provide the forms referenced in this variance upon request, and make the forms available through the Department's website at www.agriculture.pa.gov.

5. A person or business registering a hayride attraction may e-mail the submission to RA-amusementrides@pa.gov or send by mail to:

Pennsylvania Department of Agriculture
Bureau of Ride & Measurement Standards
2301 North Cameron Street
Harrisburg, PA 17110-9408

6. Except as otherwise provided in this variance, a person or business that owns, operates or leases a hayride attraction is required to comply with all registration, insurance and inspection requirements in the Act and its attendant regulations.

7. Inquiries regarding the registration and approval of hayride attractions may be directed to the Department's Bureau of Ride and Measurement Standards by email or phone at (717) 787-2291.

8. The Department will continuously monitor the efficacy of this variance and may revise or rescind this variance as it deems necessary.

9. This Order shall be effective immediately.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-341. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending February 22, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
02-22-2022	Driver Opportunity Partners I, LP (General Partner—Driver Management Company, LLC) New York New York County, NY	Approved
	Application for approval to solicit revocable proxies from more than 10% of the voting shares of common stock of Republic First Bancorp, Inc., Philadelphia, PA, and thereby indirectly acquire 10% or more of the voting control of Republic First Bank, Philadelphia, PA.	

**Branch Applications
De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
02-17-2022	Citizens & Northern Bank Wellsboro Tioga County	500 Chesterbrook Boulevard Wayne Chester County	Approved
02-17-2022	Bank of Bird-in-Hand Bird-in-Hand Lancaster County		Approved
	Application to establish one mobile branch in Dauphin County to service the following proposed geographic location: Lykens Township Dauphin County		

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
02-07-2022	PeoplesBank, A Codorus Valley Co. York York County	<i>To:</i> 11350 McCormick Road Hunt Valley Baltimore County, MD <i>From:</i> 203 International Circle Hunt Valley Baltimore County, MD	Effective

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-342. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Proposed Grant Application by the Department of Education under Part B of the Individuals with Disabilities Education Act for Federal Fiscal Year 2022

Public comment is invited regarding the Department of Education's (Department) proposed grant application under Part B of the Individuals with Disabilities Education Act (IDEA-B) for Federal Fiscal Year 2022. The annual grant application provides, in part, assurances that the Commonwealth's policies and procedures in effect are consistent with the Federal requirements to ensure that a free appropriate public education is made available to all children with a disability from 3 years of age to 21 years of age, including children who have been suspended or expelled from school.

The public participation requirements relevant to Part B are in 34 CFR 300.165 (relating to public participation) and in section 441(b)(7) of the General Education Provisions Act (20 U.S.C.A. § 1232d(b)(7)). In accordance with these requirements, and prior to submitting a State plan, adopting any policies and procedures needed to comply with Part B, the Commonwealth must ensure reasonable opportunities for participation by local agencies, representatives of the class of individuals affected by this program and other interested institutions, organizations and individuals in the planning for and operation of the IDEA-B

program. Section 76.102 of 34 CFR (relating to state-administered programs) indicates that the IDEA-B grant application is considered a State plan.

Copies of the proposed 2022 IDEA-B grant application are available by viewing the documents at <https://www.education.pa.gov/K-12/Special%20Education/IDEA/Pages/default.aspx>. The current IDEA-B policies and procedures are available for viewing at the previously listed web site. Alternative formats of the documents (for example, Braille, large print, CD) can be made available to members of the public upon request.

The Department will accept written public comment beginning March 10, 2022, until May 10, 2022. The written comments should be directed to Jeanette Alexander, Special Education Adviser, Bureau of Special Education, the Department, 333 Market Street, 7th Floor, Harrisburg, PA 17126-0333, jeaalexand@pa.gov.

Public comment is also welcome in alternative formats such as Braille, recorded comments and telephone comments for individuals with disabilities. Individuals who are disabled and wish to submit comments by telephone should contact Aaron Ioos at (717) 772-3500.

Additionally, the Department will provide individuals wishing to present verbal testimony on the proposed 2022 IDEA-B grant application an opportunity to do so. One written copy of verbal testimony prior to the time of presentation would be appreciated. Presentations should be limited to 15 minutes.

Verbal testimony regarding the proposed 2022 IDEA-B grant application must be provided virtually on March 16, 2022, from 3 p.m. to 6 p.m.

To schedule an opportunity to present verbal testimony, or for persons with a disability who require an accommodation to participate in the proceedings, contact Aaron Ios at (717) 772-3500, aaios@pa.gov no later than March 14, 2022. Individuals will be provided with a link to participate.

Following receipt of all written and verbal comments, the Department will consider all comments and make any necessary modifications to the proposed 2022 IDEA-B

grant application before submission of the 2022 IDEA-B grant application to the Secretary of the United States Department of Education.

NOE ORTEGA,
Secretary

[Pa.B. Doc. No. 22-343. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue

permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2616801	Joint DEP/PFBC Pesticides Permit	Renewal	Seven Springs Mountain Resort 777 Water Wheel Drive Champion, PA 15622-4007	Middlecreek Township Somerset County	SWRO
5613803	Joint DEP/PFBC Pesticides Permit	Amendment	Stony Creek Valley Development Corp P.O. Box 307 Scotland, PA 17254-0307	Stonycreek Township Somerset County	SWRO
6722801	Joint DEP/PFBC Pesticides Permit	New	Ryan Marilyn 259 Ore Bank Road Dillsburg, PA 17019-9319	Carroll Township York County	SCRO
1504404	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	West Bradford Township Chester County 1385 Campus Drive Downingtown, PA 19335-3690	West Bradford Township Chester County	SERO
4914201	Major Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Cherokee Pharmaceuticals, LLC P.O. Box 367 Riverside, PA 17868-0367	Riverside Borough Northumberland County	NCRO

NOTICES

1367

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0232823	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Transfer	Highland Fld Service, LLC 51 Zents Boulevard Brookville, PA 15825-2701	Blossburg Borough Tioga County	NCRO
PA0253197	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Amendment Minor	Rollock Co. 3179 Lincoln Highway Stoystown, PA 15563-7919	Franklin Borough Cambria County	SWRO
1073412	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Jones Estates Woodland Meadows PA, LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-5798	Connoquenessing Township Butler County	NWRO
NOEXSC271	No Exposure Certification	Renewal	Fenner Prec Polymers 102 S Heintzelman Street Manheim, PA 17545-1724	Manheim Borough Lancaster County	SCRO
PAG033663	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Fenner Prec Polymers 311 W Stiegel Street Manheim, PA 17545-1747	Lancaster City Lancaster County	SCRO
PAR212217	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Potters Ind, LLC P.O. Box 841 Valley Forge, PA 19482-0841	Salem Township Luzerne County	NERO
PAG043872	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Coleman Mary & Mell Gary 6196 Lewisberry Road Dover, PA 17315-1800	Conewago Township York County	SCRO
PAG156102	PAG-15 NPDES General Permit for Pesticides	Amendment	Stony Creek Valley Development Corp P.O. Box 307 Scotland, PA 17254-0307	Stonycreek Township Somerset County	SWRO
0622402	Pump Stations Individual WQM Permit	New	Fleetwood Borough Authority Berks County 110 West Arch Street Suite 104 Fleetwood, PA 19522-1321	Richmond Township Berks County	SCRO
0421409	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Hallam Michael E 225 Tate Road Hookstown, PA 15050-1237	Aliquippa City Beaver County	SWRO
0622401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Giannotti Vincenzo 2451 Jefferson Avenue West Lawn, PA 19609-2363	Cumru Township Berks County	SCRO
1022402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Plinta Charles 127 Mohawk Trail Slippery Rock, PA 16057-3621	Slippery Rock Township Butler County	NWRO
1022403	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Marburger Steven 150 Bradman Estates Slippery Rock, PA 16057	Slippery Rock Township Butler County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2822401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Ebersole Arlyn 2494 Clearfield Road Shippensburg, PA 17257-9325	Southampton Township Franklin County	SCRO
4222402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Petruzzi Meghan 1209 Mountain View Drive Olean, NY 14760	Otto Township McKean County	NWRO
WQG01670801	WQG-01 WQM General Permit	Transfer	Coleman Mary & Mell Gary 6196 Lewisberry Road Dover, PA 17315-1800	Conewago Township York County	SCRO
WQG02362102	WQG-02 WQM General Permit	New	Elizabethtown Regional Sewer Authority Lancaster County 600 S Hanover Street Elizabethtown, PA 17022-2522	Elizabethtown Borough Lancaster County	SCRO
PA0043494	Minor Sewage Facility >=0.05 and <1 MGD	Renewal	Loysville Village Municipal Authority P.O. Box 133 Loysville, PA 17047-0133	Tyrone Township Perry County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0209058, Sewage, SIC Code 4952, **Montour Township**, 195 Rupert Drive, Bloomsburg, PA 17815-9627. Facility Name: Montour Township WWTF serving the Village of Rupert. This existing facility is located in Montour Township, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Fishing Creek (WWF), is located in State Water Plan watershed 5C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	20	33	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	25	37	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0228176, Sewage, SIC Code 4952, **Harrison Township**, 205 E Main Street, Harrison Valley, PA 16927-1203. Facility Name: Harrison Township WW Treatment Plant. This existing facility is located in Harrison Township, **Potter County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Cowanesque River (CWF), is located in State Water Plan watershed 4-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .07 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.42	XXX	1.38
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	15	23	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	18	26	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - May 31	11	16	XXX	18	27	36
Jun 1 - Oct 31	4	5	XXX	6	9	12
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Daily Max	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Regional Office

PA0037923, Industrial, SIC Code 4952, **North East Borough**, 31 West Main Street, North East, PA 16428-1135. Facility Name: North East Borough WTP. This existing facility is located in North East Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Sixteenmile Creek, is located in State Water Plan watershed 15-A and is classified for warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.15 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.23	XXX	0.58
Total Suspended Solids	XXX	XXX	XXX	30	60	75
Aluminum, Total	3.8	6.0	XXX	1.0	1.6	2.5
Chromium, Hexavalent	XXX	Report	XXX	XXX	Report	XXX
Copper, Total	XXX	Report	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	2.0	4.0	5
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Zinc, Total	XXX	Report	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0020044, Sewage, SIC Code 4952, **Fredonia Borough**, 45 Water Street, Fredonia, PA 16124-5013. Facility Name: Fredonia WWTP. This existing facility is located at Marstellar Road, Fredonia, PA 16124, located in Fredonia Borough, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mill Run (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min	0.25	XXX	0.38
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	21.0	33.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Wkly Avg	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	25.0	37.0	XXX	30.0	45.0	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
				200		
Total Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	XXX
				Report		
Ammonia-Nitrogen						
Nov 1 - Apr 30	10.0	XXX	XXX	12.0	XXX	24
May 1 - Oct 31	3.3	XXX	XXX	4.0	XXX	8
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
E. Coli	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect

PA0030686, Sewage, SIC Code 4952, 7011, **Cross Creek Resort, Inc.**, 3815 State Route 8, Titusville, PA 16354-7373. Facility Name: Cross Creek Resort. This existing facility is located in Cherrytree Township, **Venango County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Cherrytree Run (CWF), is located in State Water Plan watershed 16-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.027 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Daily Max	XXX	XXX	9.0
			6.0			
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0221856, Sewage, SIC Code 4952, 8800, **Scott E Harrington**, 4919 Follett Run Road, Warren, PA 16365-8559. Facility Name: Scott E Harrington SRSTP. This existing facility is located in Conewango Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is Unnamed tributary to Morse Run, located in State Water Plan watershed 16-B and classified for High Quality Waters—Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0239682, Sewage, SIC Code 4952,6514, 8811, **Philip Nastasi**, 168 Pleasant Valley Road, Portersville, PA 16051-2016. Facility Name: Philip Nastasi SFTF. This existing facility is located in Muddy Creek Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Muddy Creek, is located in State Water Plan watershed 20-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290254, Sewage, SIC Code 8800, **Amber VanCamp**, 1421 Artline Road, Eldred, PA 16731-4217. Facility Name: Amber VanCamp SRSTP. This proposed facility is located in Eldred Township, **McKean County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Allegheny River (CWF), is located in State Water Plan watershed 16-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290271, Sewage, SIC Code 8800, **Luticia & Wayne Lynn**, 14014 Dickson Road, Meadville, PA 16335-8060. Facility Name: Luticia & Wayne Lynn SRSTP. This proposed facility is located in West Mead Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Woodcock Creek (HQ-CWF), is located in State Water Plan watershed 16-A and is classified for High Quality—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290343, Sewage, SIC Code 8800, **Chris Hunt**, 91 East Townhall Road, Waterford, PA 16441-4209. Facility Name: Chris Hunt SRSTP. This proposed facility is located in Summit Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Walnut Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0043494, Sewage, SIC Code 4952, **Loysville Village Municipal Authority, Perry County**, P.O. Box 133, Loysville, PA 17047-0133. Facility Name: Loysville STP. This existing facility is located in Tyrone Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Muddy Run (WWF), is located in State Water Plan watershed 7-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .13 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.7
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	22.0	36.0	XXX	25.0	40.0	50
Total Suspended Solids	27.0	41.0	XXX	30.0	45.0	60
Ammonia-Nitrogen						
Nov 1 - Apr 30	7.5	XXX	XXX	8.5	XXX	17
May 1 - Oct 31	2.5	XXX	XXX	2.5	XXX	5.5
Total Phosphorus	1.8	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31.0	50.0	XXX	25.0	40.0	50
Total Suspended Solids	37.0	56.0	XXX	30.0	45.0	60
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	7.5	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	2.5	XXX	XXX	2.0	XXX	4
Total Phosphorus	2.5	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Copper, Total	Report Semi Avg	XXX	XXX	Report Semi Avg	XXX	XXX
Lead, Total	Report Semi Avg	XXX	XXX	Report Semi Avg	XXX	XXX
Zinc, Total	Report Semi Avg	XXX	XXX	Report Semi Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Report	Report	Daily Min XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0021491, Sewage, SIC Code 4952, **Williamstown Borough Authority, Dauphin County**, 200 S West Street, Williamstown, PA 17098-1553. Facility Name: Williamstown Borough Authority STP. This existing facility is located in Williamstown Borough, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Wiconisco Creek (WWF), is located in State Water Plan watershed 6-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .45 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
CBOD ₅						
Nov 1 - Apr 30	75	113	XXX	20.0	30.0	50
May 1 - Oct 31	56	90	XXX	15.0	24.0	30
BOD ₅	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	113	169	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	45	XXX	XXX	12.0	XXX	24
May 1 - Oct 31	15	XXX	XXX	4.0	XXX	8
(Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Aluminum, Total	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Iron, Total	Report	XXX	XXX	Report	XXX	XXX
Lead, Total	Report	XXX	XXX	Report	XXX	XXX
Manganese, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) Effluent Net	XXX	7,306 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	XXX	974 Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Solids Management, Restriction on receipt of hauled in waste under certain conditions and Site-specific data collection for toxics condition

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0026484, Sewage, SIC Code 4952, **Derry Township Municipal Authority, Dauphin County**, 670 Clearwater Road, Hershey, PA 17033-2453. Facility Name: Derry Township Clearwater STP. This existing facility is located in Derry Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Swatara Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 5.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Report Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	1,046	1,674	XXX	25	40	50
May 1 - Oct 31	837	1340	XXX	20	32	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	1,256	1,884	XXX	30	45	60
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Ammonia-Nitrogen						
Nov 1 - Apr 30	817	XXX	XXX	19.5	XXX	39
May 1 - Oct 31	272	XXX	XXX	6.5	XXX	13
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Phosphorus	83	XXX	XXX	2.0	XXX	4
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Cadmium, Total	Report	XXX	XXX	Report	Report	XXX
					Daily Max	
Copper, Total	Report	XXX	XXX	Report	Report	XXX
					Daily Max	
Zinc, Total	Report	XXX	XXX	Report	Report	XXX
					Daily Max	

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen	XXX	91,668	XXX	XXX	XXX	XXX
(Total Load, lbs)		Total				
Effluent Net		Annual				
Total Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
(Total Load, lbs)		Total				
		Annual				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	12,225 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

- The permittee is authorized to use 8,725 lbs/year as Total Nitrogen (TN) offsets toward compliance with the Annual Net TN mass load limitations (Cap Loads)

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Solids Management, Restriction on receipt of hauled in waste under certain conditions
- Stormwater Requirements
- Pretreatment Program Implementation
- WET testing requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0291510, Sewage, SIC Code 1521, **Vicenzo Giannotti**, 2451 Jefferson Avenue, West Lawn, PA 19609-2363. Facility Name: Giannotti Res. This proposed facility is located in Cumru Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Angelica Creek, is located in State Water Plan watershed 3-C and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	5.0 Annl Avg	9.0 Annl Avg	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0 Annl Avg	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0 Annl Avg	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0024651, Sewage, SIC Code 4952, **Atglen Borough Sewer Authority, Chester County**, 120 West Main Street, Atglen, PA 19310-0250. Facility Name: Atglen Borough Municipal Authority STP. This existing facility is located in Atglen Borough, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Valley Creek (TSF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .155 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	32	52	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	39	58	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	12.9	XXX	XXX	10.0	XXX	20
Ammonia-Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) Effluent Net	XXX	7,306	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	XXX	974	XXX	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0000647, Industrial, SIC Code 3399, **ATI Powder Metals, LLC**, 1000 Six PPG Place, Pittsburgh, PA 15222-5479. Facility Name: ATI Powder Metals Robinson. This existing facility is located in Robinson Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0727 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	Report	XXX	110.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0

The proposed effluent limits for Outfall 001 are based on a design flow of .0727 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Temperature (°F)						
Jan 1 - Feb 28	XXX	XXX	XXX	Report	40.4	XXX
Mar 1 - 31	XXX	XXX	XXX	Report	47.0	XXX
Apr 1 - 15	XXX	XXX	XXX	Report	53.2	XXX
Apr 16 - 30	XXX	XXX	XXX	Report	59.2	XXX
May 1 - 15	XXX	XXX	XXX	Report	64.8	XXX
May 16 - 31	XXX	XXX	XXX	Report	73.3	XXX
Jun 1 - 15	XXX	XXX	XXX	Report	81.0	XXX
Jun 16 - 30	XXX	XXX	XXX	Report	85.0	XXX
Jul 1 - Aug 31	XXX	XXX	XXX	Report	87.5	XXX
Sep 1 - 15	XXX	XXX	XXX	Report	84.4	XXX
Sep 16 - 30	XXX	XXX	XXX	Report	78.4	XXX
Oct 1 - 15	XXX	XXX	XXX	Report	72.4	XXX
Oct 16 - 31	XXX	XXX	XXX	Report	66.4	XXX
Nov 1 - 15	XXX	XXX	XXX	Report	58.4	XXX
Nov 16 - 30	XXX	XXX	XXX	Report	50.3	XXX
Dec 1 - 31	XXX	XXX	XXX	Report	42.3	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of .0053 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	7.5	XXX	XXX	10.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	XXX	XXX	XXX	20.0	XXX	50.0
Oil and Grease	XXX	XXX	XXX	12.0	XXX	30.0
Chromium, Total	XXX	XXX	XXX	0.5	XXX	1.25
Copper, Total	XXX	XXX	XXX	1.0	XXX	2.5
Cyanide, Total	XXX	XXX	XXX	0.12	XXX	0.30
Iron, Total	XXX	XXX	XXX	4.0	XXX	10.0
Lead, Total	XXX	XXX	XXX	0.20	XXX	0.50
Mercury, Total	XXX	XXX	Report	XXX	XXX	Report

The proposed effluent limits for Outfall 201 are based on a design flow of .0611 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

In addition, the permit contains the following major special conditions:

- The temperature effluent limitations will be provided a 36-month Schedule of Compliance that becomes effective upon recommencement of wastewater discharge. The facility is currently idled.
- Outfall 002 will be representative of Outfall 003.
- Following recommencement of wastewater discharge, all outfalls will be sampled for the pollutant lists required in the permit application. Results will be submitted to the Department for modeling of effluent limitations. The permit may be amended at that time.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0218413, Sewage, SIC Code 4952, **Economy Borough Municipal Authority**, 2860 Conway Wallrose Road, Baden, PA 15005-2306. Facility Name: Big Sewickley Creek WWTP. This existing facility is located in Economy Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Big Sewickley Creek (TSF), is located in State Water Plan watershed 20-G and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (ug/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Cyanide, Free (ug/L)	0.063	0.094	XXX	6.0	9.0	14
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (ug/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Cyanide, Free (ug/L)	0.051	0.092	XXX	4.91	8.82	12.3
Zinc, Total (ug/L)	1.59	1.95	XXX	153.0	187.0	187

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	145.0	215.0	XXX	14.0	21.0	28
May 1 - Oct 31	95.0	145.0	XXX	9.5	14.0	19
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	310.0	465.0	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	36.0	XXX	XXX	3.5	XXX	7
May 1 - Oct 31	20.0	XXX	XXX	2.0	XXX	4
Boron, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Copper, Total (ug/L)	0.15	0.19	XXX	14.6	18.3	18.3
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 1.25 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southeast Regional Office

PAI130093, MS4, Upper Oxford Township, Chester County, 1185 Limestone Road, Oxford, PA 19363-1056.

The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Upper Oxford Township, **Chester County**. The receiving stream(s), East Branch Big Elk Creek (HQ-TSE, MF), is located in State Water Plan watershed 7-K and is classified for Mi and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

PA0244881, Storm Water, SIC Code 2499, **Victory Gardens, Inc.**, 357 West Street Road, Warminster, PA 18974. Facility Name: Victory Gardens Quakertown Facility. This existing facility is located in Milford Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary to Unami Creek (HQ-TSE, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and High-Quality Waters, Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	120.0	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	100.0	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	120.0	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	100.0	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and authorized non-stormwater discharges
- Best Management Practices (BMP)
- Routine Inspections
- PPC Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD510215	New	Southeastern Pennsylvania Transportation Authority 1234 Market Street Philadelphia, PA 19107-3727	City of Philadelphia Philadelphia County	SERO
PAD450156	New	CMBK Resort Holdings, LLC 193 Resort Drive Tannersville, PA 18372	Pocono and Jackson Townships Monroe County	NERO
PAD130035	New	Commonwealth of PA Dept of General Services c/o Larry Lutter 1800 Herr Street Harrisburg, PA 17103	Kidder Township Carbon County	NERO
PAD400052	New	Copart of Connecticut, Inc. Mason Laycock 14185 Dallas Parkway Suite 300 Dallas, TX 75254	Duryea Borough Luzerne County	NERO
PAD140005	Individual Permit Renewal	The Pennsylvania State University East Halls Residence Complex University Park, PA 16802	State College Borough Centre County	NCRO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD630063	PAG-02 Individual Permit	MSD—Autumn Ponds, LLC 1 Mele Place Braddock, PA 15104	North Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAD650035	PAG-02 Individual Permit	Frank B. Fuhrer Holdings, Inc. 3100 E. Carson Street Pittsburgh, PA 15203	Salem Township Westmoreland County	Westmoreland Conservation District 218 Donahoe Road Greensburg, PA 15601 (724) 837-5271
PAD200007	New	Conneaut Lake Properties, LLC 10431 Perry Highway Wexford, PA 15090	Sadsbury Township Crawford County	NWRO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Clark Oberholtzer 433 Black Barren Road Peach Bottom, PA 17563	Lancaster	153.1	405.49	Swine	HQ	Renewal
Country View Family Farms, LLC— Willow Hill Farm 12598 Creek Road Fannettsburg, PA 17221	Franklin	0	3,271.5	Swine	NA	Renewal
Oscar Manbeck 10 Fort Henry Road Bethel, PA 19507	Berks	767	917.94	Finishing Hogs	NA	Renewal
Todd Chestnut 50 Eberly Road Newville, PA 17241	Cumberland	631.6	1,109.22	Swine Beef Broilers	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Application No. 4822501, Public Water Supply.

Applicant	Bethlehem Authority Shady Lane Manganese Treatment Project 10 East Church Street Bethlehem, PA 18018
Township	East Allen Township
County	Northampton
Responsible Official	Stephen Repasch Authority Executive Director Bethlehem Authority 10 East Church St. Bethlehem, PA 18018
Type of Facility	Public Water Supply
Consulting Engineer	Daniel S. Hershey, P.E. Hershey Engineering, Inc. 703 Woodcrest Avenue Lititz, PA 17543
Application Received Date	January 28, 2022

Description of Action	Applicant proposes a manganese treatment removal system for Source 001 and well pump replacement at their Shady Lane PWS system.
-----------------------	--

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0222502, Public Water Supply.

Applicant	UPMC Mercy 1400 Locust Street Pittsburgh, PA 15219
Township or Borough	City of Pittsburgh
County	Allegheny
Responsible Official	Marian Gagu Director of Maintenance and Engineering
Type of Facility	Water system
Consulting Engineer	CJL Engineering 1444 Coraopolis Heights Road Suite 4200 Moon Township, PA 15129
Application Received Date	February 16, 2022

Description of Action	Installation of secondary disinfectant (iChlor Monochloramine treatment system) at UPMC Mercy Pavilion.
-----------------------	---

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335.

Application No. 2022501, Public Water Supply.

Applicant	Linesville Municipal Authority 103 West Erie Street Linesville, PA 16424
Municipality	Linesville Borough
County	Crawford
Responsible Official	Kevin McGrath 103 West Erie Street Linesville, PA 16424
Consulting Engineer	Robert Rabell, P.E. Rabell Surveying & Engineering A Division of LSSE 10560 Walnut Street Albion, PA 16401
Application Received Date	February 8, 2022
Description	A new Bunday Water Pump Station and Reservoir with chlorination system and a new Penn Street Water Pump Station and chlorination system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787.

Contact: Charline Bass.

Bridgeport Garage Inc., 17-25 West 4th Street, Bridgeport, PA 19405, Bridgeport Borough, **Montgomery County**. Sean Fullmer, PG, Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454 on behalf of Teresa L. Olivieri, Bridgeport Garage, Inc., 4002 Center Avenue, Lafayette Hill, PA 19444 submitted a Notice of Intent to Remediate. The soil

investigation will target lead/unleaded gasoline compounds. The proposed future use of the property will be residential and nonresidential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *The Times Herald* on December 23, 2021.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17101.

Barley Square Apartments, 125 South 2nd Street, Reading, PA 19602, City of Reading, **Berks County**. Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454, on behalf of Woda Cooper Companies, 500 S. Front Street, Columbus, OH 43215, submitted a Notice of Intent to Remediate site soils and groundwater contaminated with No. 2 heating oil. The site will be remediated to the Statewide Health Standard. Future use of the site is residential. The Notice of Intent to Remediate was published in *The Reading Eagle* on November 18, 2021.

South Freeman Street Property, South Freeman Street, Robeson, PA 19551, Robeson Borough, **Berks County**. Advanced GeoServices Corp, dba Montrose Environmental Solutions, 2209 Quarry Drive, Suite C-35, Reading, PA 19609, on behalf of Grand Land LP, 2213 Quarry Drive, Reading, PA 19609, submitted a Notice of Intent to Remediate soil and groundwater contaminated with metals. The site will be remediated to the Statewide Health Standard. The Notice of Intent to Remediate was published in *The Reading Eagle* on September 26, 2021.

Marietta Holder Site, 200 Cherry Avenue, Marietta, PA 17547, Borough of Marietta, **Lancaster County**. Silar Services, Inc., 1851 French Creek Road, Phoenixville, PA 19460, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517-9039, submitted a Notice of Intent to Remediate soil contaminated with metals and polycyclic aromatic hydrocarbons. The site will be remediated to the Statewide health standard. The Notice of Intent to Remediate was published in *The Lancaster Online, L&P Media Group*, on January 11, 2022.

Starner Residence, 3900 York Road, New Oxford, PA 17350, Mount Pleasant Township, **Adams County**. Weaver Consultants Group, 2225 Sycamore Street, Harrisburg, PA 17111, on behalf of Julie Starner, 465 Montgomery Street, Salinas, CA 93907, submitted a Notice of Intent to Remediate soil contaminated with No. 2 fuel oil. The site will be remediated to the Statewide Health Standard. The Notice of Intent to Remediate was published in *The Gettysburg Times* on December 23, 2021.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) for Determination of Applicability Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

General Permit Application No. WMGR074SE002 (Formerly WMGR074D001). Clean Earth of Southeast PA, LLC, 7 Steel Road East, Morrisville, PA 19067-3613, Falls Township, **Bucks County**. This permit is for

the renewal of the determination of applicability (DOA) under General Permit No. WMGR074SE002 (Formerly WMGR074D001) for the reauthorization to process and beneficially use certain residual wastes in accordance with the DEP's General Permit No. WMGR074 for Clean Earth of Southeast PA, LLC, a residual waste processing facility, located in Falls Township, Bucks County. The renewal application for determination of applicability was received by the Southeast Regional Office on February 2, 2022.

Comments or questions concerning the application should be directed to the Waste Management Program Manager, Department of Environmental Protection, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. TDD users may contact the (DEP) through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

General Permit Application No. WMGR038-NE012. Gabriel Rubber, LLC, 1590 East 8th Street, Brooklyn, NY 11230. An application for determination of applicability for the processing of waste tires for beneficial reuse at a facility located in Bowmanstown Borough, **Carbon County**. The application for determination of applicability was received by the Regional Office on February 9, 2022, revisions were received on February 18, 2022, and the application was deemed administratively complete on February 22, 2022.

Comments concerning the application should be directed to Roger Bellas, Environmental Program Manager, Waste Management Program, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 at 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit Application No. WMGR123SW059. EQT Production Company, LLC, 400 Woodcliff Drive, Canonsburg, PA 15317, Whiteley Township, **Greene County**. An application for coverage under General Permit No. WMGR123 for the processing, transfer and beneficial use of oil and gas liquid waste to develop or hydraulically fracture an oil or gas well at the Polecat Aboveground Storage Tank facility, located at 122 Polecat Hollow Road, Waynesburg, PA 15370 in Whiteley Township, Greene County was accepted as administratively complete by the Southwest Regional Office on February 22, 2022.

Comments or concerns concerning the application should be directed to the Southwest Regional Office Resource Account at RA-EP-EXTUPLSWRO@pa.gov or 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 101729. Five Points Transfer & Recycling, Inc., 2811 Five Points Road, La Jose, PA 15753-7511, Chest Township, **Clearfield County**. Application for a New Municipal Waste Transfer Facility Permit. The application was received by DEP Northcentral Regional Office on February 10, 2022.

Comments concerning the application should be directed to Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit Application No. 100419. Chestnut Valley Landfill, LLC, 1184 McClellandtown Road, McClellandtown, PA 15458, German Township, **Fayette County**. Permittee name change and renewal of municipal waste disposal facility permit for the operation of the Chestnut Valley Landfill located at 1184 McClellandtown Road, McClellandtown, PA 15458 in German Township, Fayette County. The application was deemed administratively complete by the Regional Office on February 15, 2022.

Comments or questions concerning the application should be directed to Sharon Svitek, Program Manager, Waste Management, 400 Waterfront Drive, Pittsburgh, PA 15222-1475, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public re-

view during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001–4015), 25 Pa. Code Chapters 121–145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401–7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

23-0226: 4 Ever in Our Hearts Pet Crematorium, LLC, 1330-2 McDade Blvd, Woodlyn, PA 19094, Ridley Township, **Delaware County**. 4 Ever in Our Hearts Pet Crematorium submitted a Plan Approval application for the installation of a Pet Crematorium at the previously listed location. Estimated yearly emissions of particulate

matter are 1.05 tons per year and carbon monoxide is 1.38 tons per year. The Plan Approval will contain emission limitations, monitoring conditions, recordkeeping conditions, and work practice standards designed to keep the facility operating within all applicable local, State, and Federal air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

15-0027M: Johnson Matthey, Inc., 456 Devon Park Drive, Wayne, PA 19087, for installing a new dust collect (Source ID C140) and re-routing process exhaust from Washcoat Batch Process (Source ID 140) to the new dust collector at their facility in Tredyffrin Township, **Chester County**. This project will have negligible impact on the facility PM emissions and will not trigger applicability to the Federal PSD regulations or PADEP's NSR regulations. The plan approval will include all applicable monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-0037AE: Global Advanced Metals USA, Inc., 650 County Line Road, Boyertown, PA 19512, for the installation a new vacuum belt filter and dust collector for potassium heptafluorotantalate (KTaF) production in Building 23 at its Boyertown facility in Douglass and Colebrookdale Townships, **Montgomery and Berks Counties**. This facility is a Title V facility. The project post-control potential to emit PM is 2.10 tons per year. The total NO_x emissions increase from the proposed project are 2.58 tons per year. The facility will continue to operate under the existing Plantwide Applicability Limit (PAL) for VOC emissions per 25 Pa. Code § 127.218. The Plan Approval contains recordkeeping requirements and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

15-0077B: Hanson Aggregates (Downingtown Quarry), 499 Quarry Road, Downingtown, PA 19335, for the installation of a new primary and secondary sections of the Downingtown Quarry crushing plant which will replace its existing primary and secondary section of the plant in East Caln Township, **Chester County**. The plant is electrically powered. The plan approval includes the installation a wet suppression system (Vertical, multi-stage centrifugal pump F-Series). The pollutant of concern is Particulate Matter (PM). The wet suppression system will help control PM emissions. The Plan Approval will contain monitoring, recordkeeping and operating restrictions designed to minimize emissions and keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional

Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-05063A: York Building Products Co., Inc., Roosevelt Quarry, 950 Smile Way, York, PA 17404, West Manchester Township, **York County**. For the replacement of a secondary and tertiary cone crusher and subsequent increase in sitewide capacity from 600 tph to 800 tph at the limestone quarry in West Manchester Township, York County. The crushers are controlled using water sprays and a baghouse. Potential emissions from the quarry are estimated to be 15.18 tpy CO, 1.73 tpy NO_x, 26.79 tpy PM, 9.50 tpy PM₁₀, 2.74 tpy PM_{2.5}, 5.39 tpy SO_x, and 3.67 tpy VOC. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60 Subpart OOO Standards of Performance for Nonmetallic Mineral Processing Plants. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

03-982A: Bardon Incorporated, South Bend Mine Facility, 6401 Golden Triangle Drive, Suite 400, Greenbelt, MD 20770, South Bend Township, **Armstrong County**. For installation of a lightweight aggregate (LWA) processing operation at the South Bend Mine facility, 2960 State Route 156, Spring Church, PA 15686, in South Bend Township, Armstrong County. This will be a Title V facility.

Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 03-982A to Bardon Inc. for installation of a lightweight aggregate processing operation at their facility in South Bend Township, Armstrong County. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450.

Plan Approval No. 03-982A is for the installation of a lightweight aggregate processing operation, to consist of material handling equipment, a rotary kiln, a grate clinker cooler, a bicarbonate silo, storage piles and facility roadways. Particulate emissions from the proposed rotary kiln will be controlled by a proposed dust collector. Sulfur Oxide emissions from the rotary kiln will be controlled by a proposed dry sorbent injector, Carbon monoxide and

nitrogen oxide emissions will be controlled using good combustion practices. Particulate matter emissions from the proposed grate clinker cooler will be controlled using a proposed baghouse.

Based on the information provided by the applicant and DEP's own analysis, total potential emissions from the subject sources will be 62.7 tons per year (tpy) of nitrogen oxides (NO_x), 163.6 tpy of carbon monoxide (CO), 48.2 tpy of volatile organic compounds, 62.8 tpy of sulfuric oxides (SO_x), and 71.6 tpy of particulate matter less than 10 microns (PM₁₀) [all the previous limits are based on a 12-month rolling total]. The Plan Approval will contain testing, monitoring, reporting, recordkeeping, work practice and additional requirements designed to keep the facility operating within all applicable air quality requirements. Additionally, the Plan Approval will contain applicable provisions of 40 CFR 60 Subpart OOO (Standards of Performance for Nonmetallic Mineral Processing Plants) and Subpart UUU (Standards of Performance for Calciners and Dryers in Mineral Industries). Bardon has opted to install a continuous opacity monitoring system for the stack serving sources 501 and 601. Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval No. 03-982A and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval for replacement of the control device for an existing emission source at the following facility:

IP21-001113: Tony DePaul and Sons (TDPS) Materials, 3870 N 2nd Street, Philadelphia, PA 19140, City of Philadelphia, **Philadelphia County**. For the replacement of the baghouse that controls particulate emissions from an existing hot mix asphalt drum plant at an asphalt and concrete production facility, in the City of Philadelphia, Philadelphia County. The control device that is part of the Plan Approval is a replacement baghouse for the existing hot mix asphalt drum plant

with rated capacity 66,500 ACFM to control particulate matter emission, and the new baghouse will replace the existing baghouse at the facility. The potential Particulate Matter-10 (PM₁₀) emission from the existing hot mix asphalt drum plant controlled by the replacement baghouse is 9.32 tons per year. There is no change in either the potential PM₁₀ emissions or an hourly Particulate Matter (PM) emission limit for the existing hot mix asphalt drum plant due to the replacement of the existing baghouse with the new baghouse. The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3, and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed plan approval must submit the protest, comments, or request for a public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the plan approval or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00038: Delaware County Regional Water Quality Control Authority (Delcora), 100 E. 5th Street, Chester, PA 19016, City of Chester, **Delaware County**. Delcora submitted a significant operating permit modification for the renewal of the NO_x Plantwide Applicability Limit (PAL).

This notice was originally published on February 19, 2022. The notice was revised to correct the information for the Air Quality Resource Account. There are no other changes.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

09-00003: Superpac, Inc., 1220 Industrial Boulevard, Southampton, PA 18966, Upper Southampton Township, **Bucks County**. This action is a renewal of the Title V Operating Permit. The facility is a manufacturing-commercial printing processor, which operates flexographic printing presses, numerous space heaters, and various miscellaneous sources associated with printing and manufacturing. The renewal incorporates all of the

applicable air quality requirements for each source at the existing plant and contains all applicable requirements including monitoring, recordkeeping and reporting.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-05014: York Group Inc. dba York Casket Company, 2880 Black Bridge Road, York, PA 17406-9703, Manchester Township, **York County**. The casket manufacturing facility is a major facility subject to the operating permit requirements of Title V of the Federal Clean Air Act and 25 Pa. Code Chapter 127, Subchapters F (relating to operating permit requirements) and G (relating to Title V operating permit requirements). Pursuant to 25 Pa. Code §§ 127.465 and 127.521, DEP proposes to implement a significant modification of the subject Title V permit. The significant modification will incorporate plan approval 67-05014C, which allowed for the replacement of the VOC control system and will also revise the facility's Compliance Assurance Monitoring plan. In 2020, the facility reported emitting approximately the following amounts of criteria pollutant emissions (tpy): carbon monoxide: 28; nitrogen oxides: 24; PM_{2.5}: 17; sulfur oxides: 1. Also, VOC emissions in 2020 were 110 tons, and in 2021 were 94 tons. The modifications to the Title V permit are not anticipated to increase air emissions from the facility.

06-05100: Ontelaunee Power Operating Company, LLC, 5115 Pottsville Pike, Reading, PA 19605, Ontelaunee Township, **Berks County**. To issue a renewal of the Title V Operating Permit for the electric generating plant. The actual emissions from the facility in 2020 are estimated at 120 tons of CO, 92 tons of NO_x, 12 tons of PM₁₀, 12 tons of PM_{2.5}, 9 tons of SO_x and 15 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from the Cross State Air Pollution Rule (CSAPR), Title IV of the Clean Air Act for acid rain, 40 CFR 63 Subpart ZZZZ, 40 CFR 60 Subpart KKKK and 25 Pa. Code §§ 129.63 and 129.96—129.100.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00063: PA Department of Corrections/SCI-Chester, 500 East 4th St., Chester, PA 19013-4551, for a non-Title V, State Only, Synthetic Minor Operating Permit in the City of Chester, **Delaware County**.

This was published in the *Pennsylvania Bulletin* dated February 5, 2022 and February 19, 2022. This is be-

ing re-posted to correct the information for the Air Quality Resource Account. The correct permit number is 23-00063. There are no other changes.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00128: Verizon Pennsylvania, Inc., 100 Greenwood Avenue, Jenkintown, PA 19046, Jenkintown Borough, **Montgomery County**, for a renewal of State Only Operating Permit (SOOP) No. 46-00128 for its Jenkintown Central Office facility.

This notice was originally published in the *Pennsylvania Bulletin* on February 19, 2022. The notice is re-posted to correct the information for the Air Quality Resource Account. There are no other changes.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-03070: Lower Allen Township Authority, 120 Lime Kiln Road, New Cumberland, PA 17070, Fairview Township, **York County**. To issue a State Only Operating Permit for the operation of the wastewater treatment plant. Potential emissions from the facility are estimated as the following: CO—3.97 tpy, NO_x—17.77 tpy, PM₁₀—0.85 tpy, SO₂—2.19 tpy and VOC—0.92 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR 60 Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

67-03052: Bimax, Inc., 158 Industrial Road, Glen Rock, PA 17327, Springfield Township, **York County**. To issue a State Only Operating Permit for the chemical plant. The potential emissions are estimated at 4.4 tpy of VOC and 2.3 tpy of total HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

67-05084: York Wallcoverings Inc., Loucks Road Plant, 2075 Loucks Road, York, PA 17408, West Manchester Township, **York County**. For a synthetic minor operating permit renewal for wallcovering coatings operation. The primary emissions are VOC. The actual 2020 emissions were 8.98 tons of VOC, 0.37 ton of HAPs, 0.06 ton of PM₁₀, 0.71 ton of CO, and 0.85 ton of NO_x. The Operating Permit will include emission standards

and work practice standards along with monitoring, recordkeeping, and reporting requirements designed to ensure the facility complies with the applicable air quality regulations. Among other items, the permit includes provisions derived from Federal 40 CFR Part 60, Subpart FFF—Standard of Performance for Flexible Vinyl and Urethane Coating and Printing.

28-05022: American Stair & Cabinetry Inc.—Signature Companies, 5171 Innovation Way, Building 7, Chambersburg, PA 17201, Green Township, **Franklin County**. To issue a State Only Operating Permit for the wood furniture manufacturing facility. The actual emissions from the facility in 2020 year are estimated at 20.3 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52 Surface Coating Processes and 25 Pa. Code § 129.77 Control of emissions from the use or application of adhesives, sealants, primers and solvents.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00029: EPP Renewable Energy, LLC, 1605 N. Cedar Crest Blvd., Suite 509, Allentown, PA 18104, to issue a renewal State Only Operating Permit for their landfill gas to energy facility located in West Burlington Township, **Bradford County**. The facility is currently operating under State Only Operating Permit 08-00029. The facility consists of a 1,600-kilowatt landfill gas fired reciprocating internal combustion engine and generator set. The facility has the potential to emit 10.00 tons per year of particulate matter less than 10 microns, 21.50 tons per year of nitrogen oxides, 73.16 tons per year of carbon monoxide, 3.90 tons per year of volatile organic compounds, 6.83 tons per year of hazardous air pollutants and 13.8 tons per year of sulfur oxides. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. The emission restrictions, testing, monitoring, recordkeeping, reporting and work practice conditions of the operating permit have been derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145 and 40 CFR Parts 60 and 63 to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

65-00982: Peoples Natural Gas Company LLC, Rubright Compressor Station, 375 North Shore Drive, Suite 600, Pittsburgh, PA 15212-5866, Bell Township, **Westmoreland County**. For the renewal of the facility State Only Operating Permit (SOOP) for the facility located at 810 Rubright Road, Apollo, PA 15613.

Permitted air contamination sources include a 1,265 bhp natural gas-fired compressor engine, a 1,340 bhp natural gas-fired compressor engine, two (2) TEG Dehydrators rated at 5.0 mmsefd with 0.2 MMBth/hr reboilers, four (4) new oil storage tanks (300 g ea), two (2) waste oil storage tanks (600 g ea), three (3) produced water storage tanks (2,100 g ea), three (3) waste water storage tanks (2,100 g ea) and facility fugitive emissions. This facility is a Natural Minor for permitting purposes. Based on the information provided by the applicant and DEP's own analysis, the combined subject sources will emit approximately 25.0 tons per year (tpy) of carbon monoxide (CO), 25.0 tpy of nitrogen oxides (NO_x), 3.0 tpy of particulate matter (PM₁₀), 22.0 tpy of volatile organic compounds (VOC) and 0.05 tpy of sulfur oxides (SO_x).

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121–145, and the following Federal requirements:

1. 40 CFR Part 63, Subpart HH (National Emission Standards for Hazardous Air Pollutants Oil and Natural Gas Production).

2. 40 CFR Part 63, Subpart ZZZZ (National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines).

3. 40 CFR Part 60, Subpart KKK (Standards of Performance for Equipment Leaks of VOC from Onshore Natural Gas Processing Plants).

4. 40 CFR Part 60, Subpart JJJJ (Standards of Performance for Stationary Spark Ignition Internal Combustion Engines).

The proposed operating permit includes emission restrictions, as well as testing, monitoring, recordkeeping, reporting, work practice and additional requirements, designed to keep the facility operating within all applicable air quality requirements.

Comments or questions on this permit should be directed to Matthew Williams, Facilities Permitting Chief, NWRO Air Quality Program at 814.332.6940.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) intends to issue a Natural Minor Operating Permit Renewal for operation of air pollution sources at the following facility:

OP21-000024: Delta Air Lines, PHL, 8500 Essington Ave., Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. For the operation of airline maintenance. The facility's air emission sources include seven (7) non-stationary non-emergency Reciprocating Internal Combustion Engines (RICE) firing diesel fuel with one (1) rated 335 Horsepower (HP), one (1) rated 600 HP, and five (5) rated between 160 HP—220 HP, and two (2) non-stationary non-emergency RICE firing natural gas each rated 78 HP. The operating permit will contain operating, monitoring, recordkeeping, and reporting requirements to ensure operation within all applicable requirements.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

The City of Philadelphia, Air Management Services (AMS) intends to issue a modification for a Synthetic Minor Operating Permit for the following facility:

OP21-000043: INEOS Composites US, LLC, 2801 Christopher Columbus Blvd., Philadelphia, PA 19148-5103, City of Philadelphia, **Philadelphia County**, which is a modification for the Synthetic Minor Operating Permit (OP17-000001) issued June 21, 2018 and modified (OP19-000023) on November 6, 2020, for the operation of air emission sources in an industrial plant for production of polyester resin and vinyl ester resin in the City of Philadelphia, Philadelphia County. The facility's air emission sources include fugitive emissions, four (4) filling stations, two (2) particulate sources, both controlled by a filter cartridge dust collector, fourteen (14) product storage tanks, twelve (12) raw material storage tanks, five (5) reactors with overhead condensers, three (3) thinning tanks, eleven (11) blending tanks, one (1) mix tank, and one (1) holding tank, one (1) 14 MMBtu/hr fume afterburner firing natural gas or No. 2 oil, one (1) 8.4 MMBtu/hr steam boiler firing natural gas or No. 2 oil, one (1) 8.4 MMBtu/hr temporary portable steam boiler firing No. 2 oil, one (1) 75 HP portable air compressor firing No. 2 oil, one (1) 12.0 MMBtu/hr hot oil heater firing natural gas or No. 2 oil, four (4) groups of carbon drums operating as fume afterburner back-up control device to various sources, and one (1) emergency generator firing No. 2 oil rated 800 kW. Additionally, the facility has various insignificant sources, including eleven (11) storage tanks and an emergency generator, that are included in the Synthetic Minor Operating Permit, and they are required to follow the applicable requirements in the Synthetic Minor Operating Permit.

The changes made as part of the modification includes the following:

- In Section A, updated the email address for the permit contact.
- In Table A1, updated the "Insignificant Activities" Group in Facility Inventory List to add T-141 storage tank, update T-242 storage tank, and move T-252 storage tank from "Sources to Fume Afterburner" Group to "Insignificant Activities" Group.
- In Section D: Source Specific Requirements,
 - o Updated Condition D.1.(e)(5) for Heater 944 so that the language is consistent with the language in the General Permit No. IP17-000015 dated 1/25/2017.
 - o Added Conditions D.1.(g)(1), D.2.(h)(4)-(5), and D.5.(i)(1)(i)—(iv) to add the emission limits, work practice standards, and recordkeeping requirements for Storage Tank T-252.
 - o Updated Condition D.2.(f)(7) to update the limit for the combined No. 2 fuel oil usage by the stationary fuel burning sources for the facility to comply with the Synthetic Minor limit for NO_x.

- o Updated Condition D.2.(h)(1) to include Storage Tank T-242.

- o Updated the monitoring requirements in Section D.4 and recordkeeping requirements in Section D.5.

- o Updated Conditions D.4.(a)(2) and D.5.(a)(2) to specify monitoring and recordkeeping requirements to verify compliance with the HAP emission limits.

- o Updated Conditions D.4.(f)(3) and D.5.(f)(4) for monitoring and recording visual check of the exhaust stack of the fuel burning sources while burning No. 2 oil using Federal Reference Method 22.

- o Added Condition D.5.(f)(11) to specify keeping records of the stack test results for Heater 944 to comply with NO_x and CO emission limits.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426.

Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least 30 days before the hearing.

The City of Philadelphia, Air Management Services (AMS) intends to issue an initial Natural Minor Operating Permit (NMOP) for the following facility:

OP17-000056: Evergreen Resources Group, LLC, 2700 and 3144 W. Passyunk Avenue, Philadelphia, PA 19145, for the operation of a remediation facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include the following:

- One (1) biofilter with 4 biomass treatment beds (Point Breeze);
- One (1) biofilter with 3 cells, biomass treatment beds (Belmont Terminal) and a 5000-gallon holding tank;
- One (1) close vent system consisting with a catalytic oxidizer and 5 settling or holding tanks, each less than 600 gallons.

The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. The initial public notice on the intent to issue the operating permit was published in the *Pennsylvania Bulletin* on November 2, 2019. AMS received numerous requests for a public hearing, but the public hearing was delayed due to the COVID 19 pandemic, and the facility submitted installation permits for new remediation systems. The NMOP was not issued and since the draft NMOP has been modified, it is going to public notice and comment again.

To help mitigate the spread of the novel coronavirus (COVID-19), AMS will offer a virtual formal public hearing. The virtual public hearing is scheduled for April 7, 2022, 6:00 p.m.—8:00 p.m. to provide the public with the opportunity to testimony.

More information about the public meeting, permit draft, and supporting document can be found at <https://www.phila.gov/departments/air-pollution-control-board/air-management-notices/>

Individuals wishing to provide testimony are asked to register 24 hours prior to the hearing date by sending an email to DPHAMS_Service_Requests@Phila.Gov no later than April 6, 2022, 6:00 p.m. In the email, please indicate your name, group (if any), address, email address, phone number, and include in the subject "Public Hearing—Evergreen NMOP." Oral testimony will be limited to 5 minutes. Each organization is asked to designate one presenter per group.

Individuals wishing to provide comments on the operating permit draft, may submit written comment within 30 days of this notice. Those written comments may be submitted electronically to DPHAMS_Service_Requests@Phila.Gov or through the mail to Source Registration, 321 University Avenue, Philadelphia, PA 19104. To assist with mail routing, it is requested that mailed comments contain the following on the envelope: "Comments on Natural Minor Operating Permit for Evergreen."

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, state or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit applica-

tion, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity

permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Coal Applications Received

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Permit No. 30121301 and NPDES No. PA0236195. Consol Pennsylvania Coal Company, LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for development mining in Richhill Township, **Greene County**, affecting 3,744.0 proposed underground acres and 3,744.0 proposed subsidence control plan acres. Application received: December 10, 2021.

Permit No. 30841317 and NPDES No. PA0213527. Consol Pennsylvania Coal Company, LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for development only in Richhill, Morris, and Washington Townships, **Greene County**, affecting 3,088.0 proposed underground acres and 3,088.0 proposed subsidence control plan acres. Application received: December 14, 2021.

Permit No. 30841316 and NPDES No. PA0213535. Consol Pennsylvania Coal Company, LLC, 1000 Consol Energy Drive, Suite 100, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for development in Richhill and Aleppo Townships, **Greene County**, affecting 684.5 proposed underground acres and 684.5 proposed subsidence control plan acres. Application received: December 21, 2021.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Cassandra Stanton).

Mining Permit No. 17990103 and NPDES Permit No. PA0238244. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847. Permit renewal application for a bituminous surface coal mine and associated NPDES permit located in Bigler Township, **Clearfield County**, affecting 228.8 acres. Receiving stream(s): Unnamed Tributaries to Upper Morgan Run and Alexander Run classified for the following use(s): CWF, MF. Application received: February 10, 2022.

Mining Permit No. 14040101 and NPDES Permit No. PA0243833. RES Coal, LLC, 51 Airport Road, Clearfield, PA 16830. Permit renewal application for a bituminous surface coal mine and associated NPDES permit located in Rush Township, **Centre County**, affecting 547.3 acres. Receiving stream(s): Moshannon Creek and unnamed tributaries to Trout Run classified for the following use(s): TSF, CWF. Application received: February 11, 2022.

Mining Permit No. 17010110 and NPDES Permit No. PA0243132. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847. Permit renewal application for a bituminous surface coal mine and associated NPDES permit located in Bigler and Woodward Townships, **Clearfield County**, affecting 25.5 acres. Receiving stream(s): unnamed tributary #6 to Upper Morgan Run classified for the following use(s): CWF, MF. Application received: February 15, 2022.

Noncoal Applications Received

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

Alkalinity must always exceed acidity.
pH must always be greater than 6.0; less than 9.0.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Cassandra Stanton).

NPDES Permit No. PA0257478 (Mining Permit No. 08100307). Insinger Excavating, Inc., 11099 Route 220, Dushore, PA 18614. Renewal of an NPDES permit associated with a large noncoal (industrial minerals) mining site

located in Springfield Township, **Bradford County**, affecting 62.9 acres. Receiving stream(s): UNT 1 to Bentley Creek classified for the following use(s): WWF, MF. Application received: February 15, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES Permit No. PA0613827 (Mining Permit No. 7175SM1). Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, renewal of an NPDES Permit on a quarry operation in South Hanover Township, **Dauphin County**, affecting 280.0 acres. Receiving stream: Swatara Creek, classified for the following use: WWF. Application received: February 11, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Additional criteria

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan, and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Submittal of comments

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit notice within 30-days of this notice. Comments

received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and phone number of the writer and a concise statement to inform the Department of the basis of a comment and the relevant facts upon which it is based.

Requests or petitions for a public hearing on any NPDES permit applications will be accepted as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, phone number and the interest of the party filing the request and state the reasons why a hearing is warranted. The Department may hold a public hearing if the public interest is significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).

NPDES No. PA0257699 (Mining Permit No. 17110107), Bell Resources, Inc., 1340 Hoyt Road, Curwensville, PA 16833, modification of an NPDES permit for discharge of water resulting from coal surface mine in Bloom, Brady and Penn Townships, **Clearfield County**, affecting 76.2 acres. Receiving stream(s): Unnamed Tributary to Bell Run, classified for the following use(s): CWF. Application received: November 30, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Unnamed Tributary to Bell Run:

Outfall No.	New or Existing	Type	Discharge Rate
001	Existing	Treatment Basin 1	Intermittent
002	Existing	Treatment Basin 2	Intermittent
003	Existing	Sedimentation Pond A	Precipitation Induced
004	Existing	Sedimentation Pond B	Precipitation Induced
005	New	Treatment Basin 3	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 001, 002, 005 (All Weather Conditions)	30-Day	Daily	Instant.
Parameter	Average	Maximum	Maximum
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 003, 004 (Dry Weather)	30-Day	Daily	Instant.
Parameter	Average	Maximum	Maximum
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 003, 004 (≤10-yr/24-hr Precip. Event)	30-Day	Daily	Instant.
Parameter	Average	Maximum	Maximum
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 003, 004 (>10-yr/24-hr Precip. Event)
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

This site also contains, or is hydrologically connected to, substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code Chapter 87.102(a) Group A, whichever is least stringent.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES No. PA0594423 (Mining Permit No. 6174SM5), Meckley’s Limestone Products, Inc., 1543 SR 225, Herndon, PA 17830, renewal of an NPDES permit in Lower Mahanoy Township, **Northumberland County**, affecting 166.6 acres. Receiving stream: unnamed tributary to Fiddlers Run, classified for the following use: WWF. Application received: August 28, 2020.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributary to Fiddlers Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	TFO	1.0 MGD
002	Existing	SWO	Precipitation Dependent

The proposed effluent limits are as follows: Outfall: 001

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Discharge Volume (MGD)		1.0		
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Oil & Grease (mg/L)				Report
Total Acidity (mg/L)				Report
Total Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Aluminum (mg/L)		Report	Report	
Total Iron (mg/L)		Report	Report	

The proposed effluent limits are as follows: Outfall: 002, dry weather & less than or equal to 10 yr-24 hr. precipitation event

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Discharge Volume (MGD)				Report
Total Suspended Solids (mg/L)	35.0	70.0	90.0	
Total Acidity (mg/L)				Report
Total Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Aluminum (mg/L)				Report
Total Iron (mg/L)				Report

The proposed effluent limits are as follows: Outfalls: 002, greater than 10 yr-24 hr. precipitation event

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Discharge Volume (MGDO)				Report
Total Settleable Solids (ml/L)				0.5
Total Acidity (mg/L)				Report
Total Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Aluminum (mg/L)				Report
Total Iron (mg/L)				Report

Noncoal NPDES Draft Permits

Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200, (Contact: Cassie Stanton).

NPDES No. PA0257699 (Mining Permit No. 17110107), Bell Resources, Inc., 1340 Hoyt Road, Curwensville, PA 16833, modification of an NPDES permit for discharge of water resulting from coal surface mine in Bloom, Brady and Penn Townships, **Clearfield County**, affecting 76.2 acres. Receiving stream(s): Unnamed Tributary to Bell Run, classified for the following use(s): CWF. Application received: November 30, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Unnamed Tributary to Bell Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Basin 1	Intermittent
002	Existing	Treatment Basin 2	Intermittent
003	Existing	Sedimentation Pond A	Precipitation Induced
004	Existing	Sedimentation Pond B	Precipitation Induced
005	New	Treatment Basin 3	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 002, 005 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 003, 004 (Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 003, 004 (≤10-yr/24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 003, 004 (>10-yr/24-hr Precip. Event)
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

This site also contains, or is hydrologically connected to, substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code Chapter 87.102(a) Group A, whichever is least stringent.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES No. PA0594423 (Mining Permit No. 6174SM5), Meckley's Limestone Products, Inc., 1543 SR 225, Herndon, PA 17830, renewal of an NPDES permit in Lower Mahanoy Township, Northumberland County, affecting 166.6 acres. Receiving stream: unnamed tributary to Fiddlers Run, classified for the following use: WWF. Application received: August 28, 2020.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributary to Fiddlers Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	TFO	1.0 MGD
002	Existing	SWO	Precipitation Dependent

The proposed effluent limits are as follows: Outfall: 001

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Discharge Volume (MGD)		1.0		
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Oil & Grease (mg/L)				Report
Total Acidity (mg/L)				Report
Total Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Aluminum (mg/L)		Report	Report	
Total Iron (mg/L)		Report	Report	

The proposed effluent limits are as follows: Outfall: 002, dry weather & less than or equal to 10 yr-24 hr. precipitation event

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Discharge Volume (MGD)				Report
Total Suspended Solids (mg/L)	35.0	70.0	90.0	
Total Acidity (mg/L)				Report
Total Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Aluminum (mg/L)				Report
Total Iron (mg/L)				Report

The proposed effluent limits are as follows: Outfalls: 002, greater than 10 yr-24 hr. precipitation event

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Discharge Volume (MGD)				Report
Total Settleable Solids (ml/L)				0.5
Total Acidity (mg/L)				Report
Total Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Total Aluminum (mg/L)				Report

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request

are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E0901221-002, Carversville Inn Land, Co., 6581 Saw Mill Road, New Hope, PA 18938, Solebury Township, Bucks County, ACOE Philadelphia District.

To rehabilitate and maintain an existing historic inn along the floodway of the Paunacussing Creek (HQ-CWF-MF) associated with uplifting of the damaged business. The rehabilitation will require an additional 736 square foot area within the FEMA floodway. The site is located at 6205 Fleecy Dale Road (Lumberville, PA

USGS Quadrangle, Latitude: 40.386859; Longitude: -75.062958) in Solebury Township, Bucks County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.

E5202221-003. One-Sky, LLC, 2 Executive Drive, Suite 500, Fort Lee, NJ 07024, in Westfall Township, **Pike County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the installation of a private driveway and residence:

1. To construct and maintain a driveway crossing of Cummins Creek (HQ-CWF, MF) consisting of 37-foot long, 24-foot span, 5-foot rise open bottom concrete box culvert with a concrete headwall, and upstream and downstream wingwalls.

2. To construct and maintain a driveway crossing of a UNT to the Delaware River (HQ-CWF, MF) consisting of a 25-foot long, 24-inch diameter HDPE culvert with a stacked stone headwall. The new culvert crossing will replace a previously installed 15" CMP culvert.

The project is located at the end of Heaters Hill Road (Port Jervis, PA Quadrangle Latitude: 41° 21' 59"; Longitude: -74° 45' 20") in Westfall Township, Pike County.

E3502222-003. Scott Romano, 635 Hoffman Blvd., Spring City, PA 19475, in Clifton Township, **Lackawanna County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 20.0-foot long by 6.0-foot wide dock in Big Bass Lake (EV, MF). The new dock will replace an existing 16.0-foot long by 4.0-foot long dock on the applicants property. The project is located on Lake Drive East off of Big Bass Drive, (Sterling, PA Quadrangle Latitude: 41° 15' 5"; Longitude: -75° 29' 26") in Clifton Township, Lackawanna County.

E3502222-002. Geisinger Health System, 100 N Academy Ave, Danville, PA 187822, in Dickson City Borough, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To fill 0.04 acre of wetlands for the construction of a 55,000 square foot medical facility. The project is located in Dickson City Borough, Lackawanna County. Quadrangle Latitude: 41° 27' 21"; Longitude: -75° 38' 32". (Scranton, PA Quadrangle, Latitude: 41° 27' 21"; Longitude: -75° 38' 32").

E3902222-002. City of Allentown, 3000 Parkway Boulevard, Allentown, PA 18104, in City of Allentown, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the MLK Trail Extension Project:

1. A fill within the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of a 10-foot wide, 5,435-LF, at-grade asphalt trail and an at-grade asphalt parking lot.

2. A fill within the floodplain of Little Lehigh Creek (HQ-CWF, MF) consisting of a 10-foot wide, 753-LF, at-grade asphalt trail.

3. A fill within the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of a 2,500 ft² stormwater infiltration basin.

4. An outfall fill within the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of an 8-inch diameter HDPE pipe and a 5-foot long, 6.5-foot wide R-3 riprap apron.

5. A fill within the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of a 2,500 ft² stormwater infiltration basin.

6. An outfall fill within the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of an 8-inch diameter HDPE pipe and a 5-foot long, 6.5-foot wide R-3 riprap apron.

This project will result in a net cut of 50 ft³ of cut within the floodway and floodplain.

The project is bounded by Lehigh Parkway East to the south and by South 10th Street to the north (Allentown East, PA Quadrangle Latitude: 40° 35' 34"; Longitude: -75° 28' 51") in the City of Allentown, Lehigh County. (Allentown East, PA Quadrangle, Latitude: 40° 35' 34"; Longitude: -75° 28' 51").

Southcentral Region, Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17101.

E2103221-003: Lower Frankford Township, 1205 Easy Road, Carlisle, PA 17015, Lower Frankford Township, **Adams County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a 4-foot wide by 50-foot long steel pedestrian bridge with an underclearance of 11.9 feet over Opossum Creek (TSF, MF) for the purpose of providing a safe pedestrian trail across the stream. The project is located adjacent to Mt Zion Road and Opossum Lake in Lower Frankford Township, Cumberland County (Latitude: 40.2247; Longitude: -77.2744).

Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1904221-002. Bernard Ciampi, 123 Arbor Street, Berwick, PA 18603, Ciampi Cabin in Fishing Creek Township, **Columbia County**, ACOE Baltimore District (Bloomsburg, PA Quadrangle; Latitude: 41° 05' 57"; Longitude -76° 22' 30").

To elevate a private cabin above the floodway on concrete pilings and to construct 120 linear feet of rip-rap scour protection along Fishing Creek (TSF-MF).

The total disturbed area along the watercourses is 0.02 acre. A PNDI search determined no species of concern to be present.

E4104221-020, Veteran's Grove, 1909 West Cottage Avenue, Williamsport, PA 17701, Old Lycoming Township, **Lycoming County** (Cogan Station, PA Quadrangle Latitude: 41.289°N; Longitude: 77.056°W).

This project proposes to repair and maintain a Pavilion, benches, and a 9/11 memorial in the floodway of Lycoming Creek. No significant obstructions are being proposed within the FEMA delineated floodway. The proposed obstructions are also located in the conveyance shadow of a PennDOT bridge up-stream of the site.

Total temporary impacts in the Watercourse is 0 ft² and 100 ft² in the Floodway. Permanent impact in the Watercourse is 0 ft² and 150 ft² of impact in the Floodway. Lycoming Creek is an Exceptional Value Fishery, Migratory Fishery.

E0804122-003. Pennsylvania Department of Transportation, Engineering District 3-0, P.O. Box 218, Montoursville, PA 17754-0218, S.R. 0014 Section 093,

Bridge Replacement Project in South Creek Township, **Bradford County**, Baltimore ACOE (Gillett, PA Quadrangle N: 41° 57' 39"; W: -76° 47' 13").

PA DOT Engineering District 3-0 proposes a bridge replacement project on SR 0014. The project includes replacing a Single Span Concrete Slab Bridge with a Single Cell Precast Concrete Box Culvert. The existing structure has a span of 12.7 Ft., a skew of 90 degrees, an underclearance of 3.6 Ft., and a low chord of 1,168.50 Ft. and a hydraulic opening of 45.7 Ft². The existing structure has streambed paving. The proposed single cell box culvert has a span of 14.0 Ft., a skew of 90 degrees, an underclearance of 4.0 Ft., and a low chord of 1,164.58 Ft. and a hydraulic opening of 56 Ft². The proposed slope is 6.86%. The structure will be depressed 1.5 Ft. and include full width baffles to aid in aquatic passage. The project will utilize R-8 Rip Rap Scour Protection at the inlet and outlet. The project has been designed to create a consistent slope throughout the stream reach. The project will utilize a sandbag diversion and temporary channel to convey the stream during construction. The project will utilize half width to convey traffic during construction. The project will not impact any jurisdictional wetlands. The Unnamed Tributary to South Creek is classified as a Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and listed as a Stocked Trout Stream by PA Fish and Boat Commission.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E4206222-002, Eldred Borough, 3 Bennett Street, P.O. Box 270, Eldred, PA 16731, Eldred Borough Wastewater Treatment Plan Improvement Project, in Eldred Borough and Eldred Township, **McKean County**, ACOE Pittsburgh District (Smethport, PA Quadrangle N: 41.974167°, W: -78.384167°).

The applicant proposes to construct a new wastewater treatment plant along Eldred Portville Road, demolish the existing buildings and treatment facilities at the existing facility. The applicant will also install a new pump station at the former treatment facility. The project will also include the installation of a 10-inch sewer line

and outfall structure. The project construction will permanently impact approximately 0.01 acre of wetlands for the installation of the sewer line and new buildings. There will also be a new outfall constructed in the floodway of the Allegheny River.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA3803222-001: Jackson Township, 60 N. Ramona Road, Myerstown, PA 17067, Jackson Township, **Lebanon County**, U.S. Army Corps of Engineers Philadelphia District.

To conduct a stream restoration project along an unnamed tributary to Tulpehocken Creek (CWF, MF) including removal of an existing structure and 1.) the regrading and maintenance of 1,720 feet of streambank; 2.) the construction and maintenance of a 16.0-foot long by 15.0-foot wide concrete livestock crossing; and 3.) the placement and maintenance of 26 linear feet of R-4 rip rap at an existing bridge, all for the purposes of reducing sediment loading and improving instream habitat. The project is located near West Main Avenue and South Race Street (Latitude: 40.37143°N; Longitude: 76.3166°W) in Jackson Township, Lebanon County. No wetlands will be impacted by this project.

Central Office: Waterways Engineering & Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D20-073 EA. Brenda Costa, Executive Director, French Creek Valley Conservancy, 411 Chestnut Street, Meadville, PA 16335, Meadville Township, **Crawford County**. Nancy Dearolf, Mobile Realty 11 LLC, 1768 Oregon Pike, Lancaster, PA 17601.

Project proposes to remove the Cussewago Dam in entirety to eliminate a threat to public safety and to restore approximately 1,500 feet of stream channel to a free-flowing condition. The project is located across Cussewago Creek (WWF) (Meadville, PA Quadrangle, Latitude: 41.6472; Longitude: -80.1683).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPpublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania HamiltonRelay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0254711	Industrial Stormwater Individual NPDES Permit	Issued	Great Southern Wood, Inc. 115 West Road Fombell, PA 16123-1425	Marion Township Beaver County	SWRO
PA0276502	Industrial Stormwater Individual NPDES Permit	Issued	Flexlink System, Inc. 6580 Snowdrift Road Allentown, PA 18106	Upper Macungie Township Lehigh County	NERO
4015801	Joint DEP/PFBC Pesticides Permit	Issued	Grzenda Joe 129 Camp David Road Wapwallopen, PA 18660-8817	Slocum Township Luzerne County	NERO
4021804	Joint DEP/PFBC Pesticides Permit	Issued	Mount Matthew 1695 S Main Street Wilkes-Barre, PA 18706	Hanover Township Luzerne County	NERO
4021805	Joint DEP/PFBC Pesticides Permit	Issued	Mount Matthew 1695 South Main Street Wilkes-Barre, PA 18706	Hanover Township Luzerne County	NERO
4021806	Joint DEP/PFBC Pesticides Permit	Issued	Mount Matthew 1695 South Main Street Wilkes-Barre, PA 18706	Hanover Township Luzerne County	NERO
4021807	Joint DEP/PFBC Pesticides Permit	Issued	Williams Scott 257 Upper Demunds Road Dallas, PA 18612-8809	Dallas Township Luzerne County	NERO
4021808	Joint DEP/PFBC Pesticides Permit	Issued	Foster Wheeler Energy Corp 53 Frontage Road Hampton, NJ 08827-4031	Wright Township Luzerne County	NERO
4517807	Joint DEP/PFBC Pesticides Permit	Issued	Redeeming Love Christian Center 382 Cranberry Road East Stroudsburg, PA 18301	Stroud Township Monroe County	NERO
4819804 A-1	Joint DEP/PFBC Pesticides Permit	Issued	Society Hill Homeowners Assoc 1150 Glenlivet Drive Suite A-16 Allentown, PA 18106	Lower Saucon Township Northampton County	NERO
5215801	Joint DEP/PFBC Pesticides Permit	Issued	Mountain View Villas 503 Shiny Mountain Court Greentown, PA 18426-9553	Palmyra Township Pike County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5221802	Joint DEP/PFBC Pesticides Permit	Issued	Aly Amal P.O. Box 468 Dingmans Ferry, PA 18328-0468	Delaware Township Pike County	NERO
6421813	Joint DEP/PFBC Pesticides Permit	Issued	Lemon David 137A Brooking Road Pleasant Mount, PA 18453-4612	Mount Pleasant Township Wayne County	NERO
6513814	Joint DEP/PFBC Pesticides Permit	Issued	Rolling Rock Farms P.O. Box 717 Ligonier, PA 15658-0717	Ligonier Township Westmoreland County	SWRO
6519800	Joint DEP/PFBC Pesticides Permit	Issued	Brookside Condo Assoc 3885 Brookside Lane Murrysville, PA 15668-1259	Murrysville Borough Westmoreland County	SWRO
6613802	Joint DEP/PFBC Pesticides Permit	Issued	Costello Robert 1080 SR 4002 Laceyville, PA 18623-6768	Windham Township Wyoming County	NERO
PA0029441	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976-1209	Upper Dublin Township Montgomery County	SERO
PA0021148	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
3521403	Major Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 2699 Stafford Avenue Scranton, PA 18505-3608	Scranton City Lackawanna County	NERO
0463S81	Major Sewage Treatment Facility Individual WQM Permit	Issued	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
PA0012211	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Boyertown Foundry Co. P.O. Box 443 9th and Rothermel Drive New Berlinville, PA 19545-0443	Boyertown Borough Berks County	SCRO
PA0044628	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	York Haven Power Co., LLC P.O. Box 67 York Haven, PA 17370-0067	York Haven Borough York County	SCRO
PA0085863	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	SC Holdings, Inc. 100 Brandywine Boulevard Suite 300 Newtown, PA 18940-4002	Dover Township York County	SCRO
PA0088111	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Fire Chiefs & Fire Fighters Association of York County 330 Emig Road York, PA 17406-9733	Manchester Township York County	SCRO
PA0103250	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Urlick Foundry Co., Inc. 1501 Cherry Street Erie, PA 16502-1732	Erie City Erie County	NWRO

NOTICES

1403

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0267635	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Texas Eastern Trans, LP 890 Winter Street Suite 320 Waltham, MA 02451-1470	Washington Township Berks County	SCRO
PA0029220	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Kettle Creek Ent t/a Snydersville Diner, Inc. 6238 Route 209 Stroudsburg, PA 18360-7159	Hamilton Township Monroe County	NERO
PA0036382	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Camp Morasha, Inc. 274 High Lake Road Lakewood, PA 18439	Buckingham Township Wayne County	NERO
PA0102547	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Oak Springs MHP, Inc. P.O. Box 1922 Cranberry Twp, PA 16066-0922	Cranberry Township Butler County	NWRO
PA0028720	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Berks County Region Airport Authority 2385 Bernville Road Reading, PA 19605-9400	Bern Township Berks County	SCRO
PA0029807	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	New Jersey Federation of YMHA YWHA Camps 21 Plymouth Street Fairfield, NJ 07004-1615	Dingman Township Pike County	NERO
PA0060330	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Hawley Borough Area Authority Wayne County 1010 Hudson Street P.O. Box 145 Hawley, PA 18428-1211	Lackawaxen Township Pike County	NERO
PA0060411	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010	Thornhurst Township Lackawanna County	NERO
PA0083607	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Union Township Lebanon County 3111 State Route 72 Jonestown, PA 17038-8741	Union Township Lebanon County	SCRO
PA0247464	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	E Hanover Township Municipal Authority 8848 Jonestown Road Grantville, PA 17028-8650	East Hanover Township Dauphin County	SCRO
PA0248088	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Franklin Township Adams County	SCRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0260118	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	New Oxford MHC Group, LLC 31200 Northwestern Highway Farmington Hills, MI 48334-5900	Mount Pleasant Township Adams County	SCRO
3016200	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Iron Cumberland, LLC P.O. Box 1020 855 Kirby Road Waynesburg, PA 15370-3020	Monongahela Township Greene County	SWRO
1194401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	West Branch Sewer Authority Cambria County 901 Maple Avenue Suite 2 Northern Cambria, PA 15714-1331	Susquehanna Township Cambria County	SWRO
1690402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Paint Township Clarion County	NWRO
3076405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Iron Cumberland, LLC P.O. Box 1020 855 Kirby Road Waynesburg, PA 15370-3020	Monongahela Township Greene County	SWRO
NOEXSE266	No Exposure Certification	Issued	First Student, Inc. 110 Perimeter Park Road Suite E Knoxville, TN 37922-2200	Wrightstown Township Bucks County	SERO
PAG030060	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mazza Iron & Steel, LLC 60 Solar Drive Fairless Hills, PA 19030	Falls Township Bucks County	SERO
PAR802259	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	McLane PA 43 Valley View Business Park Jessup, PA 18434	Jessup Borough Lackawanna County	NERO
PAR808315	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Bucyrus Railcar Repair, LLC 811 Hopley Avenue Bucyrus, OH 44820-2856	New Castle City Lawrence County	NWRO
PAG123927	PAG-12 NPDES General Permit for CAFOs	Issued	Burkholder David N 540 S Fairmount Road Ephrata, PA 17522-8533	West Earl Township Lancaster County	SCRO
PAG124809	PAG-12 NPDES General Permit for CAFOs	Issued	Hite Brock N 612 Viall Hill Road Towanda, PA 18848	Terry Township Bradford County	SCRO
0221404	Sewer Extensions Individual WQM Permit	Issued	Pittsburgh Water Sewer Authority 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
PA0210081	Single Residence STP Individual NPDES Permit	Issued	Mundy Kevin 16675 Stuart Road Corry, PA 16407-8712	Wayne Township Erie County	NWRO
PA0267651	Single Residence STP Individual NPDES Permit	Issued	Moulton Rosalie A 23053 Tannery Road Shade Gap, PA 17255	Dublin Township Huntingdon County	SCRO

NOTICES

1405

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0272477	Single Residence STP Individual NPDES Permit	Issued	Carrie & Daniel Schmader and David & Ernestine Lawson 1651 Weiler Road Warren, PA 16365	Conewango Township Warren County	NWRO
PA0288161	Single Residence STP Individual NPDES Permit	Issued	Jamie & Kristen Respecki 5470 Zessinger Road McKean, PA 16426-2207	Howe Township Forest County	NWRO
2591412	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Mundy Kevin 16675 Stuart Road Corry, PA 16407-8712	Wayne Township Erie County	NWRO
2720402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jamie & Kristen Respecki 5470 Zessinger Road McKean, PA 16426-2207	Howe Township Forest County	NWRO
3121402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Moulton Rosalie A 23053 Tannery Road Shade Gap, PA 17255	Dublin Township Huntingdon County	SCRO
6219411	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Carrie & Daniel Schmader and David & Ernestine Lawson 1651 Weiler Road Warren, PA 16365	Conewango Township Warren County	NWRO
PA0205729	Small Flow Treatment Facility Individual NPDES Permit	Issued	Jayme S and Shawn H Cunningham 208 Rural Valley Road Claysville, PA 15323-1338	Blaine Township Washington County	SWRO
WQG02232201	WQG-02 WQM General Permit	Issued	Concord Township Delaware County 43 Thornton Road Glen Mills, PA 19342-1325	Concord Township Delaware County	SERO
WQG02262101	WQG-02 WQM General Permit	Issued	North Union Township Municipal Service Authority 90 Romeo Lane Uniontown, PA 15401-2337	Uniontown City Fayette County	SWRO

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670515	102 Individual Permit	Denied	D.R. Horton, Inc. 181 Harry S. Truman Parkway Suite 250 Annapolis, MD 21404	North Codorus Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC500046	PAG-02 General Permit	Issued	Eric Weller P.O. Box 341 Newport, PA 17074	Howe Township Perry County	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717.582.8988, ext. 4

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC010182	PAG-02 General Permit	Issued	The Links at Gettysburg 601 Mason Dixon Road Gettysburg, PA 17325	Mount Joy Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC010084 A-2	PAG-02 General Permit	Issued	Royal Farms 3611 Roland Avenue Baltimore, MD 21211	Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC670534	PAG-02 General Permit	Issued	LPC Locust Point II LP One North Wacker Drive Suite 1925 Chicago, IL 60606-2180	Conewago Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670529	PAG-02 General Permit	Issued	Laughner Patel Developers, LLC 4045 Thicket Lane Harrisburg, PA 17110	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670164 A-1	PAG-02 General Permit	Issued	Fairview Oak Hill Partners, LLC 315 Pennington Drive Mechanicsburg, PA 17055	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC010016 A-3	PAG-02 General Permit	Issued	Cambrian Hills, LP 160 Ram Drive Hanover, PA 17331	Berwick Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC500012 A-1	PAG-02 General Permit	Issued	Fishing Creek Valley Associates, LP 4712 Smith Street Harrisburg, PA 17109	Penn Township Perry County	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717.582.8988, ext. 4
PAC220026	PAG-02 General Permit	Issued	Jared Moore 664 Mountain Road Elizabethville, PA 17023	Mifflin Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100

NOTICES

1407

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220314	PAG-02 General Permit	Issued	Traditional Asset Management 225 Airport Circle P.O. Box 4006 Corona, CA 92880	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220281 A-1	PAG-02 General Permit	Issued	Cider Press Associates 4712 Smith Street Harrisburg, PA 17109	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220305	PAG-02 General Permit	Issued	Emmanuel Wesleyan Church P.O. Box 16 Berrysburg, PA 17005	Lykens Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220261 A-1	PAG-02 General Permit	Issued	Derry Township Municipal Authority 670 Clearwater Road Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220210 A-1	PAG-02 General Permit	Issued	Allentown Boulevard Associates 700 Ayers Avenue Lemoyne, PA 17043	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC380219 A-1	PAG-02 General Permit	Issued	GQM New Ventures II, LLC 1415 Weavertown Road Lebanon, PA 17046	North Lebanon Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380239	PAG-02 General Permit	Issued	Linter Group, LLC and Tylerhunt, LLC 85 Furnace Hill Road Denver, PA 17517	West Lebanon Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC30240	PAG-02 General Permit	Issued	Paul Quanbeck 9 Bachman Lane Fredericksburg, PA 17026	Bethel Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC140134	PAG-02 GP	Issued	Vernon Preston Nittany Terrace Lane State College, PA 16801	College Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823-1400
PAD140080	IP	Issued	DG Aaronsburg, LLC 364 West Aarons Square Aaronsburg, PA 16820	Haines Township Centre County	NCRO
PAC180023	PAG-02 GP	Issued	Lock Haven University 45 West Fourth Street Lock Haven, PA 17745	City of Lock Haven Clinton County	Clinton County Conservation District 45 Cooperation Lane Mill Hall, PA 17751-8978

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC590042	PAG-02 General Permit	Issued	611 Land Development 2227 Scranton Carbondale Hwy Scranton, PA 18508	Richmond Township Tioga County	Tioga County Conservation District 1867 Shumway Hill Road Wellsboro, PA 16901-1766
PAC630026	PAG-02 General Permit	Issued	Greenwood Village, L.P. 375 Golfside Drive Wexford, PA 15090	North Strabane Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301
PAD020044	PAG-02 Individual Permit	Issued	Duquesne University 600 Forbes Avenue Suite 505 Pittsburgh, PA 15282	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219
PAD330008	Individual NPDES	Issued	Love's Travel Stops & Country Stores, Inc. 10601 N. Pennsylvania Avenue Oklahoma City, OK 73120	Pine Creek Township Jefferson County	NWRO
PAD330001A3	Individual NPDES	Issued	Nine Star Capital, LP 80 North Park Place Dubois, PA 15801	Pine Creek Township Jefferson County	NWRO
PAC250144	PAG-02 General Permit	Issued	Millcreek Township 3608 West 26th Street Erie, PA 16506	Millcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC200079	PAG-02 General Permit	Issued	Welcome Solar II, LLC 850 Canal Street Suite 3D Stamford, CT 06902	South Shenango Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC200078	PAG-02 General Permit	Issued	Welcome Solar II, LLC 850 Canal Street Suite 3D Stamford, CT 06902	West Fallowfield Township South Shenango Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC250138	PAG-02 General Permit	Issued	Saiph Development, LLC 400 Penn Center Boulevard Pittsburg, PA 15235	Mill Village Borough Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC320053	PAG-02 General Permit	Issued	White Township Municipal Authority 950 Indian Springs Road Indiana, PA 15701	White Township Indiana County	Indiana County Conservation District 435 Hamill Road Indiana, PA 15701 724-471-4751
PAC320054	PAG-02 General Permit	Issued	Saltsburg (286) DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	Conemaugh Township Indiana County	Indiana County Conservation District 435 Hamill Road Indiana, PA 15701 724-471-4751
PAC430064	PAG-02 General Permit	Issued	Cocca Development, LTD 100 DeBartolo Place Suite 400 Boardman, OH 44512	Sandy Lake Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242

Permit Number	Permit Type	Action Taken	Applicant Name & Address	Municipality, County	Office
PAC370060	PAG-02 General Permit	Issued	Sheetz, Inc. 817 Brookfield Drive Seven Fields, PA 16046	Ellwood City Borough Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC680043	PAG-02 General Permit	Issued	PA DEP BAMR 286 Industrial Park Road Ebensburg, PA 15931	Wells Township Fulton County	PA DEP BAMR 286 Industrial Park Road Ebensburg, PA 15931 814.472.1800

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 5421501MA, Public Water Supply.

Applicant	Municipal Authority of the Township of Blythe 375 Valley Street Philadelphia, PA 17959
Township	Blythe and Cass Township

County	Schuylkill
Type of Facility	PWS
Consulting Engineer	Ms. Karen C. Pollock, P.E. Systems Design Engineering, Inc. 1032 James Drive Leesport, PA 19533
Permit to Construct Issued	February 4, 2022
	Permit No. 3546400 , Operations Permit, Public Water Supply.
Applicant	Eagle Springs, Inc. 88 West Donaldson Street Tremont, PA 17981
Township	Tremont Township
County	Schuylkill
Type of Facility	Finished Bulk Water Hauling
Consulting Engineer	Edward Davis, P.E. Miller Bros. Construction, Inc. 950 East Main Street Schuylkill Haven, PA 17972
Permit to Operate Issued	December 9, 2021
	Permit No. 2450426 , Operations Permit, Public Water Supply.
Applicant	Mr. Darren Lucas, EHS Manager J. A. Reinhardt Company P.O. Box 202 Mountainhome, PA 18342
Township	Barrett Township
County	Monroe
Type of Facility	PWS
Consulting Engineer	Russell Scott, P.E. RKR Hess, A Division of UTRS, Inc. 112 N. Courtland St. East Stroudsburg, PA 18301
Permit to Operate Issued	January 20, 2022
	Permit No. 6421501 , Public Water Supply.
Applicant	Woodland Hills Association, Inc. 7 Pine Tree Court Lakeville, PA 19438

Township	Paupack Township	Permit to Operate	December 14, 2021
County	Wayne	Issued	
Type of Facility	PWS	Permit No. 2359006, Operations Permit	Public Water Supply.
Consulting Engineer	Ms. Sarah Bue-Morris, P.E. Bue-Morris Associates Inc. P.O. Box 201 Newfoundland, PA 18445	Applicant	Pennsylvania American Water Company—Crystal Lake WTP 852 Wesley Dr. Mechanicsburg, PA 17055
Permit to Construct Issued	October 26, 2021	Township	Fell Township
Permit No. 3390076, Operations Permit , Public Water Supply.		County	Lackawanna
Applicant	Lehigh County Authority LCA Upper Milford Central Division 1053 Spruce Street P.O. Box 3348 Allentown, PA 18106-0348	Type of Facility	PWS
Township	Upper Milford Township	Consulting Engineer	Ms. Maureen V. Coleman, P.E. Engineering Project Manager Pennsylvania American Water Company 2699 Stafford Avenue Scranton, PA 18505
County	Lehigh	Permit to Operate Issued	January 14, 2022
Type of Facility	PWS	Permit No. 3130013, Operations Permit , Public Water Supply.	
Consulting Engineer	Edward J. DiMond, P.E. Associate Vice President— Water Resources Buchart Horn Engineers Suite 110 2 Eves Drive Marlton, NJ 08053	Applicant	Summit Hill Water Authority 40 West Amidon Street Suite 2 Summit Hill, PA 18250
Permit to Operate Issued	January 5, 2022	Borough	Summit Hill Borough
Permit No. 3546414, Operations Permit , Public Water Supply.		County	Carbon
Applicant	Mr. Gary Bender Owner Stoney Mountain Springs 111 Kalmia Road Tower City, PA 17960	Type of Facility	PWS
Township	Porter Township	Consulting Engineer	Mr. R. Michael Tirpak II P.E. Project Engineer Carbon Engineering, Inc. 350 North Pine Street Summit Hill, PA 18250
County	Schuylkill	Permit to Operate Issued	January 5, 2022
Type of Facility	Finished Bulk Water Hauling	Permit No. 5219503 , Public Water Supply.	
Consulting Engineer	Edward Davis, P.E. Miller Bros. Construction, Inc. 950 East Main Street Schuylkill Haven, PA 17972	Applicant	Laurel Lane Development Association (Permit Reissuance) P.O. Box 2 Greentown, PA 18426
Permit to Operate Issued	December 14, 2021	Township	Greene and Palmyra Township
Permit No. 3546481, Operations Permit , Public Water Supply.		County	Pike
Applicant	Mr. Matthew Zehring Owner Log Cabin Springs 181 Pine Hill Road Pine Grove, PA 17983	Type of Facility	PWS
Township	Pine Grove Township	Consulting Engineer	Mr. Douglas E. Berg Pe Sr. Project Manager Entech Engineering, Inc. 8 Silk Mill Drive Hawley, PA 18428
County	Schuylkill	Permit to Construct Issued	January 25, 2022
Type of Facility	Finished Bulk Water Hauling	<i>Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.</i>	
Consulting Engineer	Edward Davis, P.E. Miller Bros. Construction, Inc. 950 East Main Street Schuylkill Haven, PA 17972	Operation Permit No. 1719504MA issued to: Irvona Municipal Authority , 230 Hemlock Street, Irvona, PA 16656, PWSID No. 1719504MA, Irvona Borough, Clearfield County , on February 15, 2022 for the operation of facilities approved under construction permit # 1719504MA. This permit authorizes operation of a	

combined filter effluent turbidimeter, a chlorine residual analyzer (monitors the chlorine residual in the first clearwell chamber), and modifications to the SCADA system to comply with alarm and shutdown requirements.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Plan Location:

Township	Township Address	County
Silver Spring Township	8 Flowers Drive Mechanicsburg, PA 17050	Cumberland

Plan Description:

The request for planning exemption for the Calvary Chapel Church Development (DEP Code No. A3-21915-620-2E; APS ID No. 1056448) has been disapproved. The proposed development—to be located at 18 North Locust Point Road in Silver Spring Township, PA—consists of a 1-lot subdivision proposing one new church and school to be served by an on-lot disposal system with total project flows of 1,625 gallons per day. This request for planning exemption has been disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of onlot sewage disposal systems in an area underlain by carbonate geology as per Chapter 71, Section 71.51(b)(1)(ii). In addition, the submission does not qualify as an exemption from the requirement to revise the Official Plan because the subdivision proposes the use of onlot sewage disposal systems in an area within 1/4 mile of water supplies documented to exceed 5 PPM nitrate-nitrogen as per Chapter 71, Section 71.51(b)(1)(ii).

Plan Location:

Township	Township Address	County
West Hempfield Township	3476 Marietta Avenue Lancaster, PA 17601	Lancaster

Plan Description:

The exemption from sewage facilities planning for the 620 Sycamore Drive Subdivision (DEP Code No. A3-36960-320-3E; APS ID No. 1055911) has been disapproved. The proposed development—to be located at 620 Sycamore Drive in Columbia—consists of a subdivision creating 100 single-family dwellings. This exemption request has been disapproved because the subdivision proposes a connection to existing public-sewer facilities using a new pump station and force main, which requires a permit from DEP under the Pennsylvania Clean Streams Law (CSL) as per Chapter 71, Section 71.51(b)(5).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787.

Contact: Charline Bass.

2101 South Swanson Street, 2101 South Swanson Street, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. David Farrington, PG, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of David Newman, NDA Swanson, LLC, 601 Gates Road, Suite 1, Vestal, NY 13850 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with VOCs, SVOCs, alcohols and metals. The report is intended to document remediation of the site to meet the site-specific standard.

1952 East Allegheny Avenue, 1952 East Allegheny Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142 on behalf of Casey O'Donnell, Impact Services Corporation, 1952 East Allegheny Avenue, Philadelphia, PA 19134 submitted a Final Report concerning remediation of site soil contaminated with benzo(a)pyrene, benzo(b)-fluoranthene, (b)fluoranthene and thallium. The report is intended to document remediation of the site to meet the site-specific standard.

Olavage Residence, 412 Parkway Avenue, Langhorne, PA 19047, Middletown Township, **Bucks County**. Joanne

Van Renssealer, Envirosearch Consultants, Inc., 500 Norristown Road, Ambler, PA 19002 on behalf of Mr. & Mrs. Olavage, 412 Parkway Avenue, Langhorne, PA 19047 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

PennDot Doylestown Maintenance Facility, 229 North Broad Street, Doylestown, PA 18901, Doylestown Borough, **Bucks County**. Toby Kessler, Gilmore & Associates, Inc., 65 East Butler Avenue, Suite 100, New Britain, PA 18901 on behalf of Phil Ehlinger, Doylestown Borough, 2052 Lucon Road, Skippack, PA 19474 submitted a Final Report concerning remediation of site soil contaminated with cadmium, chromium, arsenic, beryllium, and benzo(a)pyrene. The report is intended to document remediation of the site to meet the site-specific standard.

White Clay Point Property, 9060 and 9090 Gap Newport Pike (PA Route 41), Chester, PA 19350, New Garden Township, **Chester County**. Terence A. O'Reilly, PG, TriState Environmental Management Services, Inc., 3937A Bristol Pike, Bensalem, PA 19020 on behalf of Joshua G. Schrier, PR New Garden/Chesco Limited Partnership, 2005 Market Street, Philadelphia, PA 19103 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Sunoco Fullerton Terminal # 0358-1501, 2480 Main Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Groundwater & Environmental Services, 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Sunoco Partners Marketing & Terminals, LP, 3807 West Chester Pike, Newtown Square, PA 19073, submitted a Cleanup Plan concerning remediation of site soils contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of site-specific and Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Barley Square Apartments, 125 South 2nd Street, Reading, PA 19602, City of Reading, **Berks County**. Compliance Management International, 1350 Welsh Road, Suite 200, North Wales, PA 19454, on behalf of Woda Cooper Companies, 500 S. Front Street, Columbus, OH 43215, submitted a Final Report concerning remediation of site soils and groundwater contaminated with No. 2 heating oil. The report is intended to document remediation of the site to meet the Statewide health standard.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

SWN Production Company, LLC GU U—Beaumont-Schaunt-Pad, 223 Swisher Lane, LeRaysville, PA 18829, Stevens Township, **Bradford County**. Resource Environmental Management, Inc., 50 Maple Street, Montrose, PA 18891, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, has submitted a Final Report concerning remediation of site

soil contaminated with mineral oil. The report is intended to document remediation of the site to meet the Statewide health standard.

Shamokin Former Manufactured Gas Plant, 501 N. Vine Street, Shamokin, PA 17872, Shamokin City, **Northumberland County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, has submitted a Supplemental Remedial Investigation Report concerning remediation of site soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet the site-specific standard.

Graymont (PA) Inc., Bellefonte Plant, 314 North Thomas Street, Bellefonte, PA 16823, Spring Township, **Centre County**. ARM Group, LLC, 2548 Park Center Boulevard, State College, PA 16801, on behalf of Graymont (PA), Inc., 375 Graymont Road, Bellefonte, PA 16823, has submitted a Final Report concerning remediation of site soil contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide health standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The

Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787.

Contact: Charline Bass.

2500 League Island Boulevard (Philadelphia Navy Yard), 2000 Langley Avenue, Philadelphia, PA 19112, City of Philadelphia, **Philadelphia County**. Michael C. Nines, PE, Leed AP, Manko, Gold, Katcher & Fox, 401 City Avenue, Suite 901, Bala Cynwyd, PA 19004 on behalf of Anne Nevins, Philadelphia Industrial Development Corporation, 1500 Market Street, Suite 3500 West, Philadelphia, PA 19102 submitted a Baseline Environmental Report concerning the remediation of site soil contaminated with petroleum. The Special Industrial Area Report was approved by the Department on February 14, 2022.

ICI Americas, Inc., 310 Turner Lane, West Chester, PA 19380, West Goshen Township, **Chester County**. Daniel P. Sheehan, PE, Arcadis U.S., Inc., 824 East Market Street, Suite 820, Wilmington, DE 19081 on behalf of Brett Whittleton, Azko Nobel, Inc., 535 Marriott Drive, Suite 500, Nashville, TN 37214 submitted a Risk Assessment Report/Final Report concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Report was reviewed by the Department which issued a technical deficiency letter on February 14, 2022.

Ivy Pattison Property LLC, 200 Pattison Avenue, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. David Farrington, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Cynthia A. Rich, Ivy Pattison Property LLC, 102 Chestnut Ridge Road, Suite 204, Montvale, NJ 07645 submitted a Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of site soil contaminated with toluene, ethylbenzene, xylenes, cumene, naphthalene, 1,3,5-trimethylbenzene (TMB), 1,2-dichloroethane, lead, benzene, 1,2,4-TMB and EDB; and site groundwater contaminated with toluene, ethylbenzene, xylenes, cumene, naphthalene, 1,3,5-TMB, 1,2-dichloroethane, 1,2-dibromoethane (EDB), lead, benzene and 1,2,4-TMB. The Final Report demonstrated attainment of the Statewide health standard/site-specific standard and was approved by the Department on February 8, 2022.

1530 South 33rd Street, 1530 South 33rd Street, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Teresa Blauch, Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603 on behalf of Paul Frank, 1450 South 33rd, LLC, 750 South West End Boulevard, Quakertown, PA 18951 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater

contaminated with lead. The Report was reviewed by the Department which issued a technical deficiency letter on February 16, 2022.

Hicinbothem Residence, 328 Crabtree Drive, Levittown, PA 19055, Bristol Township, **Bucks County**. Richard D. Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348 submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on February 2, 2022.

HP Inc.—Avondale Groundwater Remediation Site, 374 Starr Road, Landenberg, PA 19350, New Garden Township, **Chester County**. Thomas Donahue, CDM Smith Inc., 280 Granite Run Drive, Suite 160, Lancaster, PA 17601 on behalf of Christopher Dirscherl, HP Inc., 1501 Page Mill Road, Palo Alto, CA 94304 submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site groundwater and soil contaminated with PAHs and metals. The Report was disapproved by the Department on February 3, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Weatherly Steel Mill, 10 Wilbur Street, Weatherly, PA 18255, Weatherly Borough, **Carbon County**. Quad 3 Group, 37 N. Washington St., Wilkes-Barre, PA 18701, on behalf of Weatherly Borough, 61 West Main Street, Weatherly, PA 18255, submitted a revised, combined Remedial Investigation Report and Cleanup Plan concerning remediation of soil contaminated with metals from historic use as a steel mill and railroad repair shop. The report was approved by DEP on February 17, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Decker Residence, 18 George Street, Douglassville, PA 19518, Union Township, **Berks County**. Mobile Environmental Analytical, Inc., 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Donald A. Decker, 18 George Street, Douglassville, PA 19518 has submitted a Final Report concerning the remediation of site soils contaminated with No. 2 fuel oil. The Final Report was disapproved by the Department on February 9, 2022. The Final Report did not demonstrate attainment of the Statewide health standard and was disapproved by the Department on February 9, 2022.

1036 Manheim Pike, 1036 Manheim Pike, Lancaster, PA 17603, Manheim Township, **Lancaster County**. Liberty Environmental, 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of MTS Group, LLC, 120 North Pointe Boulevard, Suite 201, Lancaster, PA 17601 has submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil contaminated with volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), metals, and polychlorinated biphenyls (PCBs). The Remedial Investigation Report and Cleanup Plan was approved by the Department on February 9, 2022.

Caron Treatment Center, 229 North Galen Hall Road, Wernersville, PA 19565, South Heidelberg Town-

ship, **Berks County**. Element Environmental Solutions, 61 Willow Street, P.O. Box 921, Adamstown, PA 19501, on behalf of Caron Treatment Center, P.O. Box A, Wernersville, PA 19565 has submitted a Final Report concerning the remediation of site soil contaminated with metals. The Final report demonstrated attainment of the State-wide health standard and was approved by the Department on February 7, 2022.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP1-35-012: Dempsey Uniform and Linen Supply, 1200 Mid Valley Drive, Jessup, PA 18434, issued on February 10, 2022 to operate one (1) 16.329 MMBtu/hr natural gas-fired boiler in Jessup Borough, **Lackawanna County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-36-05084A: Wellspan Ephrata Community Hospital, 169 Martin Avenue, P.O. Box 1002, Ephrata, PA 17522-1002, Ephrata Brough, **Lancaster County**. On February 15, 2022, for the continued operation of two existing natural gas/No. 2 oil-fired boilers, each rated at 20.412 MMBtu/hr, under GP1, at the hospital. The general permit authorization was renewed.

GP1-36-05118C: Donnelley Financial, LLC, 391 Steel Way, P.O. Box 3780, Lancaster, PA 17601, Lancaster City, **Lancaster County**. On February 10, 2022, for an existing natural gas/No. 2 oil-fired boiler at the printing facility.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

GP3-49-336D: Contract Crushing/Construction, Inc., 432 Quarry Road, Elysburg, PA 17824. On February 15, 2022, received authorization to construct and operate a Metso model LT105 portable jaw crusher, a Fintec model 640 vibratory portable screen, a Sandvik cone crusher, a McCloskey screener and a Metso model LT1213 impact crusher pursuant to the General Plan Approval and/or General Operating Permit for Portable Nonmetallic Mineral Processing Plants (BAQ-PGPA/GP-3) at their Bear Gap Quarry located in Ralpho Township, **Northumberland County**.

GP9-49-336D: Contract Crushing/Construction, Inc., 432 Quarry Road, Elysburg, PA 17824. On February 15, 2022, received authorization to construct and operate one (1) 300 bhp Caterpillar model C-9 engine, one (1) 425 bhp Caterpillar model C-12 engine, one (1) 440 Duetz model BF6M1015CP engine and two (2) 99 bhp Caterpil-

lar model 3054C engines pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at their Bear Gap Quarry located in Ralpho Township, **Northumberland County**.

AG5-59-00023A: Repsol Oil & Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845. On February 22, 2022, received authorization to continue operation of twelve (12) Caterpillar model G3516B natural gas fired compressor engines with each engine is equipped with a Miratech model ZHS-36x31-14-XH2B1 (or equivalent) oxidation catalyst, three (3) 43 MMscfd NATCO dehydrators, one (1) 200 bbl. Produced Water tank, one (1) 150 bbl. Oil Slop tank, pigging operations, fugitive emissions, two (2) exempt natural gas-fired generator engines, along with the aggregation of emissions from four (4) wells at DCNR 02-002 well pad pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at their Tract 587 Compressor Site located in Ward Township, **Tioga County**.

AG5A-59-00002A: SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657. On February 22, 2022, received authorization to construct and operate new sources and continue operating existing sources consisting of one (1) new 1775 bhp Caterpillar G3606 natural gas-fired compressor engine equipped with a catalytic oxidizer (ENG-001) and one (1) new 400 bbl oily water storage tank (T-003) and these existing sources: four (4) 0.75 MMBtu/hr, natural gas-fired gas production units (GPU-1 through GPU-4), four (4) 1.25 MMBtu/hr, natural gas-fired gas production units (GPU-4 through GPU-8), two (2) 1.5 MMBtu/hr, natural gas-fired gas production units (GPU-9 and GPU-10), two (2) 400 bbl produced water storage tank (T-001, T-002), tanker liquids loading (L-001), site fugitives, blowdowns, pneumatics, and ten unconventional wells, pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at your TI-07 Cupper Wellpad Site located in Liberty Township, **Tioga County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

GP5-30-00247B (aka AG5-30-00008C): CNX Midstream Operating Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, issued authorization on February 17, 2022, for the continued operation of proposed/modified sources which include: Three natural gas-fired 2,500 bhp Caterpillars equipped with oxidation catalysts, five 2,500 bhp natural gas-fired Waukesha equipped with 3-way NSCR catalysts, three 240 MMSCFD Dehydration units equipped with associated reboilers and flash tanks, controlled by three (3) enclosed ground flare rated at 5.0 MMBtu/hr, three Enclosed Ground Flares rated at 5.0 MMBtu/hr, one station flare rated at 7,650 MMBtu/hr, six storage tanks, three methanol tanks, two VDUs rated at 18.42 MMBtu/hr, six Intermittent pneumatics devices each rated at 13.5 scf/hr controlled by a station flare, truck loadout operations controlled by enclosed flare, fugitives, and misc. venting at their Buckland compressor station located in Richhill Township, **Greene County**.

GP5-63-01054A/AG5-63-00016A: CNX Midstream Operating Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, issued authorization on February 17, 2022, for the construction and operation of proposed sources which include: One (1) natural gas fired 1380 bhp G3516B Caterpillar compressor engine, one (1) 8,820-gallon (210-bbl) Produced Water tank, one (1) 500-gallon Methanol tank, two (2) 500-gallon compressor/engine oil tanks, one (1) 300-gallon Antifreeze tank, truck load-out operations, pigging operations, Miscellaneous gas venting, Fugitive emissions from component leaks, and pneumatic devices. All the fugitive emissions are uncontrolled at their MOR-44 compressor station located in West Finley Township, **Washington County**.

GP5A-63-01014A/AG5A-63-00005B: CNX Gas Company LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, issued authorization on February 17, 2022, for the continued operation of their existing and modified sources which include: Ten Horizontal Marcellus Shale gas wells, two LPS heaters, three 400-bbl storage tanks, two 400-bbl produced water tanks, two 400-bbl condensate tank, three 330-gallon methanol tanks, truck loadout for condensate and produced water, one (1) 95 bhp Caterpillar engine, one 18.4 MMBtu/hr VDU-1, one 10.3 MMBtu/hr VDU-2, two 12.8 MMBtu/hr Enclosed Combustors, one 54.2 MMBtu/hr Backup Open Flare, Pneumatic devices, Fugitive emissions components, and Miscellaneous at their existing MOR Well Pad located in East and West Finley Townships, **Washington County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

GP4-25-079D: Berry Global, Inc., 316 West 16th Street, Erie, PA 16502, City of Erie, **Erie County**. On February 9, 2022, to allow the continued operation of a burnoff oven at their West 16th Street facility.

GP5-03-125B (AG5-03-00007B): Peoples Natural Gas Company, LLC, Valley Compressor Station, 375 North Shore Drive, Suite 600, Pittsburgh, PA 15212, Cowanshannock Township, **Armstrong County**. On February 10, 2022, to allow the construction and temporary operation of a natural gas fired emergency generator engine at the Valley Natural Gas Compressor Station.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0243A: Gelest, Inc., 1 Progress Drive, Morrisville, PA 19067. On February 9, 2022, for installation of one 500-gallon glass-lined steel reactor and one 380-gallon Hastelloy Nutsche filter at the existing silicone specialty chemical processing plant located in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

07-05027B: Curry Supply Company, 585 Berwind Road, Hollidaysburg, PA 16648, Frankstown Township, **Blair County**. On January 26, 2022, for the construction of a new coating booth controlled by dry filters at the metal manufacturing and custom motor vehicle up-fitting facility.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

65-00979B PA Ext: Laurel Mountain Midstream, LLC, 2000 Commerce Drive, Park Place Corporation, CTR2, Pittsburgh, PA 15275, plan approval extension issuance effective February 16, 2022 to facilitate the shake-down of emission sources and associated air cleaning devices at their Herminie Compressor Station located in West Newton Borough, **Westmoreland County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0245: Penn Engineer Manufacturing Corp., 5190 Old Easton Highway, Danboro, PA 18916-1000. On February 9, 2022, for a plan approval is for the installation of an automated barrel plating system designated as Source ID 102 (Electrolytic and electroless plating process) and a packed-bed scrubber as Source ID C102 (Packed bed scrubber). The plating system is an acid zinc system and will be used to plate various metal parts and fasteners with zinc and will also allow the facility to apply various trivalent chromium passivates or chromate conversion coatings to the electroplated zinc deposits. Emissions of PM, HNO₃, and HAPs are controlled by the packed bed scrubber (Source ID C102) prior to exhausting to atmosphere in Plumstead Township, **Bucks County**.

23-0038F: Delcora, P.O. Box 999, 100 E. 5th Street, Chester, PA 19016-0999. On February 18, 2022, for the Plan Approval authorizes construction and operation of a new air pollution control system for each of the two multiple hearth incinerators, comprising quench, multi-venturi scrubber, wet electrostatic precipitator and regenerative thermal oxidizer. Modification to each of the incinerators to remove the afterburner function from the incinerators' upper hearth and relocate it downstream at the RTO is approved in Chester City, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05158A: Perdue AgriBusiness, LLC, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster**

County. On February 16, 2022, for the construction and temporary operation of a grain elevator and a soybean oil extraction facility. The plan approval was extended, with a compliance schedule.

36-05158D: Perdue AgriBusiness, LLC, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster County.** On February 16, 2022, for the modification of the vertical seed conditioner (VSC) fan discharge and the ability to combust propane in Grain Dryer No. 2 (Source ID 104) at the soybean processing facility. The plan approval was extended, with a compliance schedule.

36-05158E: Perdue AgriBusiness, LLC, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster County.** On February 16, 2022, for the modification to the 40 CFR Part 64, Continuous Assurance Monitoring (CAM) pressure differential ranges for various particulate matter control devices, and the modification of the mineral oil absorber temperature and flow rate requirements and the mineral oil condenser coolant temperature and flow rate requirements, at the soybean processing facility. The plan approval was extended, with a compliance schedule.

36-05158F: Perdue AgriBusiness, LLC, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster County.** On February 16, 2022, for the modification of the soybean day tanks' (Source ID 211) exhausts and for the installation of a dust reclaim system and a clay addition system at the soybean processing facility. The plan approval was extended, with a compliance schedule.

36-05017G: Conestoga Wood Specialties Corp., 245 Reading Road, East Earl, PA 17519, East Earl Township, **Lancaster County.** On February 15, 2022, for the construction of a new Venjakob conveyerized spray coating line, and associated ovens, at the kitchen cabinet manufacturing facility located. This equipment will replace the existing CEFLA coating line (Source ID # 204). The plan approval was extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

65-00137C: ATI Flat Rolled Products Holdings, LLC, 100 River Road, Brackenridge, PA 15014. On February 17, 2022, for initiation of period of temporary operation at the facility located in Vandergrift Borough, **Westmoreland County.** The new expiration date is May 28, 2022.

65-00990C: Tenaska Pennsylvania Partners, LLC, 14302 FNB Parkway, Omaha, NE 68154. On February 17, 2022, to allow continued temporary operation of the Tenaska Westmoreland Generating Station in South Huntingdon Township, **Westmoreland County.** The new expiration date is August 28, 2022.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00041: Graphic Packaging International, Inc., 1035 Longford Road, Phoenixville, PA 19460. On Febru-

ary 9, 2022, for the renewal of the Title V Operating Permit for their printing presses and engines located in Upper Providence Township, **Montgomery County.**

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

21-05002: Vitro Flat Glass, LLC, 400 Park Drive, Carlisle, PA 17013-9271, North Middleton Township, **Cumberland County.** On February 16, 2022, for the flat glass manufacturing facility. The Title V permit was renewed.

21-05053: EPP Renewable Energy, LLC, 1605 N. Cedar Crest Blvd., Suite 509, Allentown, PA 18104-2355, Hopewell Township, **Cumberland County.** On February 10, 2022, for the landfill gas-to-energy facility associated with the Cumberland County Landfill. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-03170: Sealed Air Corporation US, 450 River-front Drive, Reading, PA 19602-2600, Reading City, **Berks County.** On February 9, 2022, for the paper mill facility. The State-Only permit was renewed.

06-03167: Walbert Funeral Home & Cremation Services, PC, 14390 Kutztown Road, Fleetwood, PA 19522-8761, Richmond Township, **Berks County.** On February 9, 2022, for the human crematory unit at the facility. The State-Only permit was renewed.

06-03049: US Anodize, 153 Wagner Lane, Reading, PA 19601-1158, Bern Township, **Berks County.** On February 8, 2022, for the aluminum anodizing and bright dip facility. The State-Only permit was renewed.

38-03016: PA Precision Cast Parts, Inc., 521 N. 3rd Avenue, P.O. Box 1429, Lebanon, PA 17042-1429, Lebanon City, **Lebanon County.** On February 1, 2022, for the steel investment foundry. The State-Only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00029: Chemcoat, Inc., P.O. Box 188, Montoursville, PA 17754. On February 16, 2022, was issued a renewal State Only "Synthetic Minor" Operating Permit for the operation of their Montoursville Paint Manufacturing Plant located in Loyalsock Township, **Lycoming County.** The facility's primary emissions source is the paint manufacturing process, which is equipped with two dust collectors. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

60-00005: ACPI Wood Products Company, 100 Industrial Park Road, Mifflinburg, PA 17844. On February 18, 2022, was issued a renewal State Only Operating Permit for their facility located in Mifflinburg Borough, **Union County**. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

32-00207: Sprankle Mills Tipple Valier Coal Yard, 91 Coolspring Road, Punxsutawney, PA 15767, North Mahoning Township, **Indiana County**. On February 14, 2022 the Department issued a renewal of the State Only Operating Permit for operating of a coal preparation plant located in North Mahoning Township, Indiana County. The subject facility consists of an enclosed coal crusher, shaker/screen, front end loader, dump trucks and rail cars. Emissions from the facility are based on the coal throughput limit of 195,000 tpy and AP-42 emission factors. The facility has the potential to emit 2.54 tpy PM₁₀. The facility is a natural minor and is subject to State and Federal Regulations (40 CFR Part 60 Subpart Y). The renewal permit includes operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00359: Wabtec US Rail, Inc., 660 Barkeyville Road, Grove City, PA 16127, Pine Township, **Mercer County**. On February 9, 2022, the Department issued a State Only Operating Permit renewal for Wabtec's engine re-build facility located in Pine Township, Mercer County. This facility is a Natural Minor. Potential emissions are as follows: 18.8 tpy VOC; 7.8 tpy NO_x; 9.3 tpy CO; 0.05 tpy SO_x; 1.35 tpy PM₁₀; 2.05 tpy all HAPs combined and 9,324 tpy CO₂e. The sources at the facility include a surface coating booth, a natural gas fueled emergency generator, miscellaneous solvent use for cleaning, sealing, coating, and lubrication of parts, and several natural gas fueled heaters for building heat and process use. The emergency engine is subject to 40 CFR Part 63 Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The conditions from Plan Approval 43-359A are incorporated into the permit. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

09-00235: CP Converters, Inc. dba C-P Flexible Packaging, 181 Rittenhouse Circle, Bristol, PA 19007. On February 9, 2022, for the incorporation of terms and conditions from Plan Approval No. 09-0235A for the installation of a new flexible packaging flexographic printing press (Source ID 240—Press 24) exhausting to the existing regenerative thermal oxidizer (C01—RTO) for

their facility located in Bristol Township, **Bucks County**. Post-control Volatile Organic Compound (VOC) and Hazardous Air Pollutant (HAP) emissions are less than 25 tons per year VOC and any combination HAP and less than 10 tons per year any individual HAP; the facility is classified as a Synthetic Minor Facility. The requirements of 25 Pa. Code § 129.67 apply to the flexible packaging printing press. Administrative Amendment of the State Only Operating Permit is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

46-00298: GlaxoSmithKline, LLC, 709 Swedeland Road, King of Prussia, PA 19406. On February 18, 2022, to address a change in the name of the Responsible Official contact and a correction to testing requirements for the boilers (Source IDs 054—057) operating at the Central Utility Plant for their facility located in Upper Merion Township, **Montgomery County**. The Upper Merion East Campus of GSK is a major source for Nitrogen Oxide (NO_x) emissions and an area source for Volatile Organic Compound (VOC) emissions and Hazardous Air Pollutants (HAP) and currently operates under Title V Operating Permit No. 46-00298. Administrative Amendment of the Title V Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

15-00094: Metallurgical Products Company, LLC, 810 Lincoln Avenue, West Chester, PA 19381. On February 18, 2022, for the incorporation of Plan Approval 15-0094C for the installation and operation of a Kimre Fiber Bed Filter System (C05) at the existing copper alloying facility located in West Goshen Township, **Chesster County**. Metallurgical Products Company LLC is a synthetic minor source for Volatile Organic Compound (VOC) emissions and an area source for Hazardous Air Pollutant (HAP) emissions. Administrative Amendment of the State Only Operating Permit is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The amended permit will include monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

07-05045: Curry Supply Company, P.O. Box 538, Hollidaysburg, PA 16648-0538, Hollidaysburg Borough, **Blair County**. On January 19, 2022, for the miscellaneous metal parts fabrication and heavy-duty truck and vehicle outfitting facility. The State-Only Permit was administratively amended in order to reflect a change of ownership.

07-05027: Curry Rail Service, Inc., 7324 Woodbury Pike, Roaring Spring, PA 16673-2258, Frankstown Town-

ship, **Blair County**. On January 19, 2022, for the railcar reconditioning facility. The State-Only Operating Permit was administratively amended to reflect a change of ownership.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00020: Kawneer Company, Inc., 500 East 12th Street, Bloomsburg, PA 17815. On February 22, 2022, for their Bloomsburg Plant facility in the Town of Bloomsburg, **Columbia County**. The minor Operating Permit modification permits the use of powder coatings that contain HAPs in Source P113 authorized via RFD on December 15, 2021. Minor modification of State Only (Synthetic Minor) Operating Permit 19-00020 is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.462.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

Coal Permits Issued

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).

Mining Permit 56200103 and NPDES No. PA0279757. Wilson Creek Energy, LLC, P.O. Box 260, 1576 Stoystown Road, Friedens, PA 15541, commencement, operation and restoration of a bituminous surface and auger mine in Lincoln Township, **Somerset County**, affecting 75.4 acres. Receiving stream: Unnamed Tributaries to Quemahoning Creek classified for the following use: CWF. Application received: September 8, 2020. Permit issued: February 17, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov (Contact: Cassandra Stanton).

Permit No. 17060113. Black Cat Coal, LLC, 446 WM Cemetery Road, Curwensville, PA 16833. Permit revision to change the current land use from forestland to unmanaged natural habitat of a bituminous surface coal and auger mine located in Brady Township, **Clearfield**

County, affecting 60.9 acres. Receiving stream(s): Unnamed tributaries to Limestone Run and unnamed tributaries to Stump Creek classified for the following use(s): CWF. Application received: October 20, 2021. Permit issued: February 18, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Permit No. 49871601. Calvin V. Lenig Coal Prep & Sales, Inc., 5860 SR 225, Shamokin, PA 17872, renewal of an anthracite coal preparation plant operation in Little Mahanoy Township, **Northumberland County**, affecting 3.2 acres. Receiving stream: Mahanoy Creek. Application received: April 23, 2021. Renewal issued: February 18, 2022.

Permit No. PAM111029. Calvin V. Lenig Coal Prep & Sales, Inc., 5860 SR 225, Shamokin, PA 17872, renewal coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP-GP-104) on Surface Mining Permit No. 49871601 in Little Mahanoy Township, **Northumberland County**, receiving stream: Mahanoy Creek. Application received: April 23, 2021. Coverage issued: February 18, 2022.

Noncoal Permits Issued

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EP NEWSTANTON@pa.gov (Contact: Tracy Norbert).

Permit No. 3378NC17 and NPDES No. PA0592579. Hanson Aggregates Pennsylvania, LLC, 2200 Springfield Pike, Connellsville, PA 15425-9503. NPDES permit renewal for continued mining for an existing noncoal surface mine in Connellsville Township, **Fayette County**, affecting 73.5 acres. Receiving stream: unnamed tributaries to Connell Run to Youghioghney River and Connell Run to Youghioghney River, classified for the following use: WWF. Application received: February 1, 2021. Permit issued: February 18, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Permit No. PAM121016. Dirt Work Solutions, LLC, 3755 Main Street, Slatington, PA 18080, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on Surface Mining Permit No. 39212801 in Washington Township, **Lehigh County**, receiving stream: Trout Creek. Application received: March 29, 2021. Coverage issued: February 18, 2022.

Permit No. PAM121050. Barry M. Abbott, 11150 Laurel Lake Road, Montrose, PA 18801, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on Surface Mining Permit No. 58150812 in Liberty Township, **Susquehanna County**, receiving stream: Snake Creek. Application received: August 30, 2021. Coverage issued: February 18, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov (Contact: Ashley Smith).

Permit No. 14224101. Douglas Explosives, Inc., 2052 Philipsburg Bigler Hwy., Philipsburg, PA 16866. Blasting for commercial development of the Benner Shopping Center 2 located in Benner Township, **Centre County**, with an expiration date of April 15, 2022. Permit issued: February 3, 2022.

Permit No. 18224101. Douglas Explosives, Inc., 2052 Philipsburg Bigler Hwy., Philipsburg, PA 16866. Blasting for Mine/Quarry clean reclamation and the Nicolas Meats Expansion project located in Greene Township, **Clinton County**, with an expiration date of December 30, 2022. Permit issued: February 16, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EP NEWSTANTON@pa.gov (Contact: Tracy Norbert).

Permit No. 02224101. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141-2018. Blasting activity permit for the construction of North Fayette Industrial Park commercial development located in North Fayette Township, **Allegheny County**, with an expiration date of December 31, 2022. Permit issued: February 15, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Permit No. 64224101. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Pahl's house foundation in Dyberry Township, **Wayne County**, with an expiration date of February 1, 2023. Permit issued: February 14, 2022.

Permit No. 64224102. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Grady driveway project and borrow pit in Cherry Ridge Township, **Wayne County**, with an expiration date of February 1, 2024. Permit issued: February 14, 2022.

Permit No. 45224102. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, construction blasting for Great Wolf Lodge in Pocono Township, **Monroe County**, with an expiration date of February 15, 2023. Permit issued: February 17, 2022.

Permit No. 58224102. DW Drilling & Blasting, 2733 East Battlefield Street # 320, Springfield, MO 65804, construction blasting for Guiton Gas Pad in Forest Lake and Middletown Townships, **Susquehanna County**, with an expiration date of February 1, 2023. Permit issued: February 17, 2022.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401. Telephone 484.250.5160. E-mail: ra-epww-sero@pa.gov.

Permit No. E2301221-017, Sunoco Pipeline, LP, 525 Fritztown Road, Sinking Spring, PA 19608, Tincum Township, **Delaware County**, ACOE Philadelphia District.

To construct and maintain the following-listed water obstruction encroachment activities associated with the S.R. 291 Pipeline Relocation Project. The project proposes the relocation of portions of two liquid transfer pipelines, 12" and 8" Sunoco lines, due to the replacement of the PennDOT S.R. 291 bridge. The proposed new location of the pipelines will impact approximately 0.62 acre of exceptional value wetland (0.01 acre of permanent wetland and 0.61 acre of temporary wetland) of an Unnamed Tributary to Delaware River (WWF).

The site is located between S.R. 291 and Scott Way South of I-95 and west of the PHL Airport (Lansdowne, PA USGS Map; Latitude: 39.8752; Longitude: -75.2654) in Tinicum Township, Delaware County. Permit issued February 15, 2022.

Permit No. E5101221-001, L-A Battery QOZ, LLC, 2929 Walnut Street, Suite 1530, Philadelphia, PA 19104, City of Philadelphia, **Philadelphia County,** ACOE Philadelphia District.

To perform the following-listed water obstruction and encroachment activities associated with Waterfront Maintenance Repairs and Site Development at (the former) Delaware Generating Station for L-A Battery QOZ, LLC. The proposed project involves maintenance repairs to the existing waterward structures, upgrade an existing outfall and stormwater system, redesigning of existing impervious surfaces to include roadways, a parking lot, landscaping, and a public accessible waterfront walkway. The work will be conducted in three phases—outlined as follows:

Phase I: Renovation of the former station building into office space, apartments, and event space.

Pier 61 North

- Install a new, approximately 4,300-square-foot reinforced concrete slab on the timber low deck along with approximately twenty-two (22) steel HP14 piles.

- Install a new, approximately 7,300-square-foot reinforced concrete slab on the timber low deck over existing piles.

- Install twenty-seven (27) new 14-inch steel auxiliary pipe piles along the seawall.

- Conduct repairs to concrete seawall face.

Upriver Marginal Wharf

- Install a new, reinforced, approximately 3,560-square-foot concrete slab on the existing timber low deck.

- Replace existing steel sheet pile wall along approximately 115 linear feet of the inshore portion of the marginal wharf.

- Install six (6) new 14-inch steel auxiliary pipe piles along the seawall.

- Install approximately twenty-nine (29) new pile encasements for steel H-piles.

Phase II: Site Improvements of approximately 322 parking spaces, driveway across Palmer Street, walkways, landscaping, stormwater management, and lighting:

The applicant also proposes the following site improvements:

- Construct an approximately two hundred seventy-five (275) space parking lot and provide forty-seven (47) spaces around the renovated station.

- Construct a private extension of Palmer Street.

- Construct nine (9) bioretention basin stormwater management practices (SMP). The basins will treat runoff from the ground-level impervious areas. Each basin will include an outlet control structure engineered to meet PWD's stormwater management requirements.

- Construct a stormwater collection system that will include catch basins, conveyance piping and associated structures, and will discharge to the SMPs.

- Enhance the site with landscaping.

Phase III

- Construct a 935 by 12 linear-foot Public Access River Trail through a 40-foot to 50-foot-wide easement along the waterfront wharf seawall. The trail will connect to the existing Delaware River Waterfront Corporation (DRWC)-managed trail located south of the site in Penn Treaty Park and extend to the northern boundary of the site. The trail will be paved and marked with appropriate signage with shoulders and landscaped areas proposed on either side of the trail.

The site is located at 1325 Beach Street (Camden, Philadelphia, PA, USGS Map; Latitude: 39.966854; Longitude: -75.126362) in the City and the County of Philadelphia. Permit issued February 10, 2022.

Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E4904221-004: Ralpho Township Mun Auth, Northumberland County, 206 South Market Street, Suite 1, Elysburg, PA 17824, West Center Street Sewer.

Replacement & Stream Relocation, Ralpho Township, **Northumberland County,** U.S. Army Corps of Engineers Baltimore District (Shamokin Quadrangle; Latitude 40.763967°; -76.556869°).

The permittee is authorized the replacement and maintenance of an existing sewer line that runs parallel to a UNT to Shamokin Creek (CWF). The project also will minimally relocate the UNT and install bank protection to address historic stream meander and re-establish desired separation between the sewer line and the UNT. The project proposes .03 acre of direct permanent watercourse impact, and .15 acre of direct permanent floodway impact.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake.

E0205221-012, Anthony J. Arnold, 5646 Willow Terrace Drive, Bethel Park, PA 15102, Forward Township, **Allegheny County,** Pittsburgh ACOE District.

Has been given consent to:

Construct and maintain a private boat dock on the right bank of the Monongahela River (WWF-N) at mile marker 33.2. The proposed dock is 8-ft wide and L-shaped, extending 50-ft into the river from the shoreline and extending 120-ft parallel to the shore. The proposed dock's total surface area is 1,360-sq ft.

The project site is located at 93 Boat Club Road (Monongahela, PA USGS topographic quadrangle; N: 40°, 11', 48.83"; W: -79°, 54', 12.39"; Sub-basin 19C; USACE Pittsburgh District), in Forward Township, Allegheny County

E2605220-030, David Lynn, 2153 Pittsburgh Road, Smock, PA 15480, Franklin Township, **Fayette County,** Pittsburgh ACOE District.

Has been given consent to:

Operate and maintain three 30-linear foot, 48-inch culverts on Allen Run (WWF) and associated floodway for

the purpose of constructing an access driveway from Pittsburgh Road (S.R. 51) to a residential home. The project will result in 35 LF of permanent impacts to Allen Run and 0.05 acre of associated floodway and temporary impacts to 35 LF to Allen Run and 0.19 acre of associated floodway. The project site is located at 2142 Pittsburgh Road (SR 51) (Fayette City, PA USGS topographic quadrangle; N: 40°, 0', 4"; W: -79°, 45', 39"; Sub-basin 19C; USACE Pittsburgh District), in Franklin Township, Fayette County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E4206221-007, American Refining Group, Inc., 77 N Kendall Avenue, Bradford, PA 16701. Flare Bridge, in Bradford City, **McKean County**, ACOE Pittsburgh District (Bradford, PA Quadrangle N: 41°, 57', 55.1718"; W: -78°, 37', 59.2142").

Construct and maintain a utility flare bridge with a span of 140 feet and length of 10 feet providing a 3 feet walkway for associated pedestrian traffic over Tunungwant Creek (Bradford, PA Quadrangle N: 41°, 57', 55.1718"; W: -78°, 37', 59.2142") in Bradford City, McKean County.

E1606221-001, Clarion Industries, 143 Fiberboard Road, Shippenville, PA 16254. Clarion Boards Expansion, in Paint Township, **Clarion County**, ACOE Pittsburgh District (Clarion, PA Quadrangle N: 41°, 13', 51"; W: 79°, 25', 4").

Construct and maintain an industrial operation expansion consisting of a laminate plant, a warehouse, a truck parking area, chip storage area, a chip mill and particle board chip preparation area permanently impacting 1,927 linear feet of stream and 3.72 acres of wetland at Clarion Industries located along SR0322 and Fiberboard Road (Clarion, PA Quadrangle N: 41°, 13', 51"; W: 79°, 25', 4") in Paint Township, Clarion County. Mitigation will be done onsite, consisting of a minimum of 2,051 LF of stream enhancement and 4.09 acres of created wetland.

E2506221-002, Millcreek Township, 3608 W 26th Street, Erie, PA 16506. Wilkins Run Stream Restoration, in Millcreek Township, **Erie County**, ACOE Pittsburgh District (Swanville, PA Quadrangle N: 42.079696; W: -80.195033°).

Restore, stabilize, and maintain the stream channel of approximately 1,300 linear feet of Wilkins Run and the stream channel of approximately 662 linear feet of an unnamed tributary to Wilkins Run utilizing natural channel design techniques consisting of: grading and stabilizing steep streambanks; reestablishing and expanding floodplains; restoration and creation of wetland areas; and installation of numerous instream structures such as rock cross vanes, rock step pools, rock and log riffles, and toe wood with live brush layering all at a point approximately 400 feet northwest of the West Lake Road and Woodside Drive intersection (Swanville, PA Quadrangle N: 42.079696; W: -80.195033°) in Millcreek Township, Erie County.

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E4129221-016: EQT ARO, LLC, 33 West Third Street, Suite 300, Williamsport, PA 17701. Mallory Group Pads B & C and Access Road in Plunketts Creek Township, **Lycoming County**, ACOE Baltimore District.

To construct, operate and maintain two (2) 330' x 570' stone natural gas well pads and approximately 9,766 linear foot access road off Cabbage Hollow Road in Plunketts Creek Township—Lycoming County.

The project will result in a total of 254 LF (1,587 SF) of permanent and 238 LF (1,986 SF) of temporary stream impacts, 41,661 SF (0.9564 acre) of permanent and 9,105 SF (0.2090 acre) of temporary floodway impacts and 7,887 SF (0.1811 acre) of permanent and 1,635 SF (0.0375 acre) of temporary wetland impacts all for the purpose of constructing an natural gas pipeline for Marcellus Shale well development.

STREAM IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chap. 93</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill	HQ; EV	None	40	556	30	481	41.451452° 76.808762°
UNT 1A Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill	HQ; EV	None	50	167	54	267	41.451570° 76.808353°
UNT 1A Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill	HQ; EV	None	16	66	35	124	41.451329° 76.808319°
UNT 12 Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill	HQ; EV	None	32	160	52	283	41.455933° 76.804963°
UNT 14 Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill	HQ; EV	None			50	99	41.458478° 76.800854°
UNT 11 Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill	HQ; EV	None	100	1,037	33	333	41.457217° 76.798532°
TOTAL IMPACTS					238	1,986	254	1,587	

WETLAND IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Wetland 1A	Plunketts Crk. Barbours	Access Road Excavation & Fill	PSS; EV	None		212		21	41.451418° 76.808333°
Wetland 2A	Plunketts Crk. Barbours	Access Road Excavation & Fill	PEM; EV	None				222	41.451374° 76.808591°
Wetland 5A	Plunketts Crk. Barbours	Access Road Excavation & Fill	PFO; EV	None				1,443	41.451606° 76.808009°
Wetland 38	Plunketts Crk. Barbours	Access Road Excavation & Fill	PEM; EV	None				1,204	41.455740° 76.804949°
Wetland 39	Plunketts Crk. Barbours	Access Road Excavation & Fill	PEM; EV	None		94		1,402	41.456072° 76.804970°
Wetland 34 North	Plunketts Crk. Barbours	Access Road Excavation & Fill	PEM; EV	None				869	41.458093° 76.800364°
Wetland 34 South	Plunketts Crk. Barbours	Access Road Excavation & Fill	PEM; EV	None				380	41.457666° 76.800079°
Wetland 32 West	Plunketts Crk. Barbours	Access Road Excavation & Fill	PFO; EV	None		320			41.457113° 76.798552°
Wetland 32 East	Plunketts Crk. Barbours	Access Road Excavation & Fill	PFO; EV	None				609	41.457314° 76.797967°
Wetland 33	Plunketts Crk. Barbours	Access Road Excavation & Fill	PEM/ PFO; EV	None		1,009		98	41.457283° 76.798582°
Wetland 31	Plunketts Crk. Barbours	Access Road Excavation & Fill	PEM; EV	None				1,639	41.457622° 76.797006°
TOTAL IMPACTS								1,635	7,887

FLOODWAY IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill		622		6,491	41.451452° 76.808762°
UNT 1A Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill		1,436		6,213	41.451570° 76.808353°
UNT 1A Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill		1,815		7,499	41.451329° 76.808319°
UNT 12 Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill		1,526		3,965	41.455933° 76.804963°
UNT 14 Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill				5,284	41.458478° 76.800854°

Resource Name	Municipality Quadrangle	Activity	Impact Area Temp. (SF)	Impact Length Temp. (LF)	Impact Area Perm. (SF)	Impact Length Perm. (LF)	Lat. Long.
UNT 11 Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill		2,912		6,121	41.457217° 76.798532°
UNT 16 Wolf Run	Plunketts Crk. Barbours	Access Road Excavation & Fill		794		6,088	41.45743° 77.797498°
TOTAL IMPACTS				9,105		41,661	

ENVIRONMENTAL ASSESSMENTS

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

EA0829221-003: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Troy Township, **Bradford County**, ACOE Baltimore District.

The construction of the existing well pad resulted in 566 square feet (0.013 acre) of temporary impacts to a Palustrine Emergent Wetland. The project proposes 566 square feet (0.013 acre) of restoration activities such as soil decompaction and the replanting of native hydrophytic vegetation within the impacted wetland. The project will result in 671 square feet (0.015 acre) of temporary Palustrine Emergent Wetland impacts (East Troy, PA Quadrangle, Latitude: 41.752543°, Longitude: -76.743758°). This project is associated with the Chesapeake Audit and the impacts are the result of removing fill from within the wetland in Troy Township, Bradford County.

EA6629221-001: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567. Dunny Wyo Pad in Windham Township, **Wyoming County**, ACOE Baltimore District.

This Joint Permit Application is being submitted for after-the-fact authorization of permanent wetland impacts at the Dunny Wyo Pad in accordance with the Consent Decree United States, et al. v. Chesapeake Appalachia, LLC, Civil Action No. 4:21-00538-MWB CALLC entered into with the U.S. Environmental Protection Agency and PADEP on May 20, 2021. The project is to construct, operate and maintain 0.100 acre of temporary impact to on-site wetlands. All impacts are associated with the Dunny Wyo Pad construction in 2011.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 4,356 SF (0.100 acre) of temporary wetland impacts.

WETLAND IMPACT TABLE:

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
Construction W-SLH-054-T	Windham Meshoppen	Temporary Workspace	PFO; EV	None		4,356			41.595127° 76.120606°
TOTAL IMPACTS		4,356							

EA0829221-002: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Asylum and Terry Township, **Bradford County**, ACOE Baltimore District.

The construction of the existing well pad resulted in 3,659 square feet (0.08 acre) of temporary impacts and 1,045 square feet (0.02 acre) of permanent impacts to a Palustrine Emergent Wetland. The project proposes the removal of 1,045 square feet of existing well pad fill from and restoration activities within the wetland. The project will result in 9,857 square feet (0.23 acre) of temporary Palustrine Emergent Wetland impacts (Bushkill, PA Quadrangle, Latitude: 41.672274°, Longitude: -76.363586°). This project is associated with the Chesapeake Audit and the impacts are the result of removing fill from within the wetland in Asylum and Terry Township, Bradford County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the

Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222. 412-442-4000.

Contact Dana Drake.

ESCGP-3# ESG050420001-01
Applicant Name Marathon Pipe Line, LLC
Contact Person Laura McKee
Address 539 South Main Street
City, State, Zip Findlay, OH, 45840
County Beaver
Township(s) Midland, Industry, and Beaver
Receiving Stream(s) and Classification(s) Wolf Run (WWF), UNT's to Wolf Run (WWF), Six Mile Run (WWF), UNT's to Six Mile Run (WWF), Four Mile Run (WWF), UNT's to Four Mile Run (WWF), Mudlick Run (WWF), UNT's to Mudlick Run (WWF), UNT's to Ohio River, UNT's to Two Mile Run (WWF)

Northwest Region: Oil & Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481.

ESCGP-3 # ESG082421002-00-Beechwood Phase 1 Pipeline
Applicant Name NFG Midstream Clermont, LLC
Contact Person Duane Wassum
Address 6363 Main Street
City, State, Zip Williamsville, NY 14221
County Cameron & Elk
Township(s) Shippen Twp., Jones Twp., & Saint Marys City
Receiving Stream(s) and Classification(s) Driftwood Branch Sinnemahoning Creek, Windfall Run, Robinson Run & Bobby Run (HQ-CWF, MF)
Secondary; Sinnemahoning Creek (WWF), Clear Creek, Little Clear Creek (EV, MF)
Secondary; Sinnemahoning Creek (WWF), Straight Creek, South Fork Straight Creek (HQ-CWF)
Secondary; East Branch Clarion River (HQ-CWF), Chop Run (HQ-CWF, MF)
Secondary; Clear Creek (EV, MF)

Southwest District: Oil & Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.

ESCGP-3 # ESG076321014-00 Willison To Fulton Pipeline
Applicant Name Markwest Liberty Midstream & Resources, LLC
Contact Person Nathan Wheldon
Address 4600 J Barry Ct Ste 500
City, State, Zip Canonsburg, PA 15317-5854
County Washington
Township(s) Mount Pleasant Township
Receiving Stream(s) and Classification(s) UNT to Chartiers Run (WWF) and UNT to Westland Run (WWF)
Secondary Chartiers Run (WWF) and Westland Run (WWF)

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG294121019-00
Applicant Name EQT ARO, LLC
Contact Person Todd Klaner
Address 33 West Third Street Suite 300
City, State, Zip Williamsport PA 17701
County Lycoming
Township(s) Plunketts Creek
Receiving Stream(s) and Classification(s) Wolf Run (EV), UNT Wolf Run (EV), Noon Branch (EV)
Secondary: Noon Branch (EV), Wolf Run (EV), Plunketts Creek (EV)

ESCGP-3 # ESG290821070-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford
Township(s) Herrick
Receiving Stream(s) and Classification(s) Billings Creek (WWF, MF)
Secondary: Wyalusing Creek (WWF, MF)

ESCGP-3 # ESG294121021-00
Applicant Name EQT ARO, LLC
Contact Person Todd Klaner
Address 33 West Third Street Suite 300
City, State, Zip Williamsport, PA 17701
County Lycoming
Township(s) Plunketts Creek
Receiving Stream(s) and Classification(s) Wolf Run (EV), UNTs Wolf Run (EV), Noon Branch (EV), UNTs Noon Branch (EV)
Secondary: Noon Branch (EV), Wolf Run (EV), Plunketts Creek (EV), Noon Branch (EV)

ESCGP-3 # ESG290821072-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford
Township(s) Leroy
Receiving Stream(s) and Classification(s) DA-1 Trib # 30556 to Towanda Creek (CWF, MF), DA-2 S-ATB-002-PC (INT) (CWF, MF), DA-3 Trib # 30552 to Towanda Creek (CWF, MF), DA-4 S-WRA-002 (INT) & SWRA-003 (INT) (CWF, MF), DA-5 S-ATB-003-PC (INT) (CWF, MF), DA-6 Trib # 30551 to Towanda Creek (CWF, MF)
Secondary: Towanda Creek (TSF, MF)

ESCGP-3 # ESG290821071-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
County Bradford
Township(s) Smithfield
Receiving Stream(s) and Classification(s) West Branch Tomjack Creek (TSF, MF), S-WRA-090 (INT) (TSF, MF), S-WRA-091 (INT) (TSF, MF)
Secondary: Tomjack Creek (TSF, MF)

**STORAGE TANKS
SITE-SPECIFIC INSTALLATION PERMITS**

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
22-39-014	Lehigh-Northampton Airport Authority 3311 Airport Road Allentown, PA 18103 Attn: Ryan Meyer	Lehigh	Hanover Township	1 AST storing Jet-A	50,000 gallons

**CORRECTIVE ACTION UNDER
ACT 32, 1989**

PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Leffler's Service Station, Storage Tank ID # 13-50651, 1103 North Street, Jim Thorpe, PA 18229, Jim Thorpe Borough, **Carbon County**. MEA, 1365

Ackermanville Road, Bangor, PA 18013, on behalf of Subhash Patel, 1103 North Street, Jim Thorpe, PA 18229, has submitted a revised, combined Site Characterization Report, Remedial Action Plan, and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

Aman Convenience, Storage Tank ID # 40-50561, 515 Main Street, Dupont, PA 18641, Dupont Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Aman Convenience Inc., 400 Market Street, Kingston, PA 18704 has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

**CORRECTIVE ACTION UNDER
ACT 32, 1989**

PREAMBLE 3

The Department of Environmental Protection (DEP) Has Taken Action on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the

remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

136 Verma, Storage Tank ID # 48-51086, 136 East Lawn Road, Nazareth, PA 18064, Upper Nazareth Township, **Northampton County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of PALGC UST I LLC, 645 Hamilton Street, Suite 400, Allentown, PA 18101, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was not acceptable to meet Statewide health standards and was disapproved by DEP on February 17, 2021.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

C.S. Garber & Sons, Inc., Storage Tank Facility ID # 06-29176, 7928 Boyertown Pike, Boyertown, PA 19512, Earl Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of C.S. Garber & Sons, Inc. submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the Statewide Health and site-specific standards and was approved by DEP on February 9, 2022.

Contact: Cynthia Stine, Licensed Professional Geologist.

Register Chevrolet, Storage Tank Primary Facility ID # 34-63130, 10-20 East Main Street, Thompsettown, PA 17094, **Juniata County**. Groundwater & Environmental Services, Inc., 301 Commerce Park Drive, Cranberry Township, PA 16066, on behalf of Mr. John Register, Register Chevrolet, Inc., P.O. Box 128, Thompsettown, PA 17094-0128, submitted a Remedial Action Plan/ Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the site-specific standards and was approved by DEP on February 15, 2022.

SPECIAL NOTICES

WATER PROGRAMS

EROSION AND SEDIMENT CONTROL

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONALPERMIT@pa.gov.

ESG831821001. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities. 2022 Leidy Recoat LP-2 Project, Phase 4A/4B, located in Leidy Township, **Clinton County**.

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Office</i>
ESG831821001	Easter Gas Transmission & Storage, LLC 925 White Oaks Boulevard Bridgeport, WV 26330	Clinton	Regional Permit Coordination Office

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth. Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

[Pa.B. Doc. No. 22-344. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Agricultural Advisory Board Meeting Schedule for 2022

The Agricultural Advisory Board (Board) will meet at 9 a.m. in the Susquehanna Conference Room, Department of Environmental Protection, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110 (unless noted otherwise). The meeting dates are as follows:

March 24, 2022

June 23, 2022

August 18, 2022—Room 309, Department of Agriculture, 2301 North Cameron Street, Harrisburg, PA 17110, (joint meeting with Nutrient Management Advisory Board)

October 20, 2022

December 8, 2022

Individuals may attend the meetings in person or remotely. Individuals interested in providing public comments during the meetings must sign up prior to the start of each meeting by contacting Jay Braund at jbraund@pa.gov or (717) 772-5636.

Information on how to join the meetings remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water," then "Agricultural Advisory Board," then "Agendas and Handouts").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions can be directed to Jay Braund at jbraund@pa.gov or (717) 772-5636.

Persons in need of accommodations, as provided for in the Americans with Disabilities Act of 1990, should contact the Department at (717) 772-5636 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-345. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Philadelphia International Airport West Cargo Redevelopment

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA)

(16 U.S.C.A. § 1455(d)(14)), regarding public participation in consistency determinations. The Department of Environmental Protection (Department) Coastal Resources Management Program has received notice that the Philadelphia International Airport (applicant) is proposing the West Cargo Redevelopment Project (Project) for the airport's cargo operations area.

The applicant's proposed Project is part of a multiyear, multiphased redevelopment and improvement program for the Philadelphia International Airport's (Airport) cargo operations area. The purpose of the Project is to accommodate current and forecasted cargo operation demands at the Airport and has been driven by the need for more capacity to reduce delays and enhance performance. The proposed Project includes the reconfiguration and redevelopment of the existing Cargo City area and the expansion of cargo operations into recently acquired properties at the western end of the Airport. Implementation of the Project is planned as a long-term process with five phases to occur in multiple construction periods over a 9-year to 10-year period. The proposed implementation of the full build-out of the Project plan will permanently impact a total of 15.6 acres of regulated wetlands and 11.8 acres of regulated waterways. The first major activity being proposed is the relocation of Tinicum Island Road (TIR) from its current location to enclose the newly expanded West Cargo site. The proposed shifted roadway location will provide access to the future cargo development as it progresses in its anticipated phased buildout. The proposed road will be 5,800 feet long and would consist of two 12-foot-wide travel lanes with 8-foot-wide shoulders, guiderails, associated new storm water drainage facilities, intersection improvements to 4th Avenue and Hog Island Road and the provision of a 10-foot-wide public trail along the western side of the new roadway corridor. Construction of the proposed roadway alignment would result in unavoidable permanent impacts to 2.09 acres of emergent wetlands and 0.19 acre of waters. To mitigate for the impacts, the TIR project plans include an onsite mitigation plan located within the same subwatershed and within the immediate project area to compensate for the impacts to wetlands and waters. A total of 3.61 acres of new forested wetlands would be created and a total of 0.74 acre of existing wetlands would be enhanced. To mitigate for the balance of the anticipated impacts of full, long-term development of the Project, the applicant proposes the construction of a 45-acre tidal and nontidal mitigation complex within Franklin Delano Roosevelt Park in Philadelphia, a location preferred for its similar coastal zone ecological landscape and city ownership. The mitigation project will yield a total of 28.6 acres of restored/reconstructed tidal wetlands, which will include over 6,200 linear feet of new tidal channels within a diverse intertidal zone of submergent, emergent and upper marsh with tidally influenced coastal plain forest. Approximately 15 acres would comprise wetland and upland buffer enhancements, including provisions for new public trails around the wetland complex. The applicant has applied to the United States Army Corps of Engineers for a Federal permit under section 404 of the Clean Water Act (33 U.S.C.A. § 1344).

This Project is subject to Department review for Federal consistency because it is an activity requiring a Federal license or permit and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), the applicant has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review can be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before Monday, March 21, 2022, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-346. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Mining and Reclamation Advisory Board and Aggregate Advisory Board's Joint Regulation, Legislation and Technical Committee Meeting

The Regulation, Legislation and Technical Committees of the Mining and Reclamation Advisory Board and the Aggregate Advisory Board (Board) will hold a joint meeting on Thursday, March 17, 2022, at 1 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Boards' webpages, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining," then "Mining and Reclamation Advisory Board" or "Aggregate Advisory Board," then "2022").

Individuals are encouraged to visit the Boards' webpages to confirm meeting date, time and location prior to each meeting. Questions concerning the March 17, 2022, meeting can be directed to Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Daniel E. Snowden at (717) 783-8846 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-347. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Pennsylvania's Agriculture Energy Efficiency Rebate Program Extended

The Department of Environmental Protection (Department) announces the extension of the deadline for applications to Pennsylvania's Agriculture Energy Efficiency Rebate Program (Program) to June 30, 2022, and the inclusion of additional technologies eligible for a rebate under this Program to assist agricultural producers with the purchase of energy efficient equipment for farming operations.

To qualify for the rebate, the applicant must meet the definition of a normal farming operation under the act of June 10, 1982 (P.L. 454, No. 133), known as the Pennsylvania Right to Farm Law, and the application must be submitted to the Department prior to the installation of the project. Equipment purchase costs are eligible and no installation costs will be funded. The rebate will be offered on a first-come, first-served basis in the order in which they are received.

The Program will provide rebates for up to 50% of the equipment purchase cost or \$2,000 for each equipment category, whichever is less, for the technologies listed as follows. Product specifications are required to be submitted with the application. Rebates include equipment costs only and will not fund installation costs.

Eligible equipment costs under the Program include:

- Energy Efficient Lighting Systems, including LED lighting fixtures, LED bulbs and lighting controls (for example, occupancy and motion sensors).
- Energy Efficient Ventilation Systems, including ventilation fans, motors and controls (for example, variable frequency drives (VFD)).
- Energy Efficient Milk Pumping Systems, including pumps, motors and controls (for example, VFD).

Approved applicants will be issued a voucher, then install eligible equipment and submit a payment request form with required documentation to the Department to receive rebate moneys. Applicants may apply under each equipment category, all on a single application or as separate applications, one per equipment category. Only one rebate will be awarded for each technology category, per applicant. The Department will not issue more than

\$5,000 in rebate vouchers total to any one applicant. The maximum total rebate award under this Program, if an applicant applies under all three technology categories, is \$5,000.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us/Login.aspx. Hardcopy applications will not be accepted. Applications must be received by 4 p.m. on June 30, 2022.

Information on how to apply is available online through the Department's agriculture energy webpage at www.dep.pa.gov/agricultureenergy or by contacting the Department at RA-EPAGEnergyProgram@pa.gov or (570) 327-3783.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-348. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Home Health Agencies; Requests for Exception

The following home health agencies are seeking exceptions to 28 Pa. Code § 601.31 (relating to acceptance of patients, plan of treatment and medical supervision):

Bayada Home Health Care, Inc.
150 East Pennsylvania Avenue
Suite 525
Downingtown, PA 19335
LIC # 05260501

Bayada Home Health Care, Inc.
630 Fitzwatertown Road
Suite B1
Willow Grove, PA 19090
LIC # 03060501

Bayada Home Health Care, Inc.
2490 Boulevard of the Generals
Suite 130
Norristown, PA 19403
LIC # 03430501

Bayada Home Health Care, Inc.
2500 York Road
Suite 150
Jameson, PA 18929
LIC # 06810501

Bayada Home Health Care, Inc.
100 North 20th Street
Suite 201
Philadelphia, PA 19103
LIC # 04940501

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379, fax (717) 787-3188, ra-communityprogramlicensure@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

KEARA KLINEPETER, MSHCPM,
Acting Secretary

[Pa.B. Doc. No. 22-349. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Mountain Top Healthcare and Rehabilitation Center
185 South Mountain Boulevard
Mountain Top, PA 18707
FAC ID # 040802

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

KEARA KLINEPETER, MSHCPM,
Acting Secretary

[Pa.B. Doc. No. 22-350. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Newborn Screening and Follow-Up Technical Advisory Board Virtual Public Meeting

The Newborn Screening and Follow-Up Technical Advisory Board (Board), established under the Newborn Child Testing Act (35 P.S. §§ 621—625), will hold a virtual public meeting on Wednesday, March 30, 2022, from 10 a.m. until 1 p.m. The virtual public meeting will be conducted as a teleconference by means of Microsoft Teams at https://teams.microsoft.com/l/meetup-join/19%3ameeting_ZjBiNzU3ZjMtNjc5ZC00WZjLTk2NWYtNzk5MDdlMjYxZGZl%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%2257f4c8d4-0b5e-4b47-b04d-cf584316ca06%22%7d. Individuals may participate by phone by dialing (267) 332-8737 and entering conference ID 477 823 610#.

The agenda will include: discussions about Board member terms; updates from the Bureau of Family Health (Bureau) and the RUSP workgroup; a discussion on

pyruvate dehydrogenase; and updates from the Ethics, Lysosomal Storage Disorders/X-ALD, Cystic Fibrosis, Hemoglobinopathy and Critical Congenital Heart Defects subcommittees. The Bureau will provide data for each subcommittee update as needed.

For additional information or for persons with a disability who wish to attend the virtual public meeting and require auxiliary aid, service or other accommodation to do so, contact Patricia Alexander, Nursing Services Consultant, Division of Newborn Screening and Genetics, at (717) 783-8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

This virtual public meeting is subject to cancellation without notice.

KEARA KLINEPETER, MSHCPM,
Acting Secretary

[Pa.B. Doc. No. 22-351. Filed for public inspection March 4, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Addition

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of procedure code T1999 to the Medical Assistance (MA) Program Fee Schedule related to United States Food and Drug Administration-authorized over-the-counter SARS-CoV-2 (COVID-19) tests.

Procedure Code Being Added

The Department is adding the following procedure code, procedure code description, provider type, provider specialty, place of service, MA fee, MA unit and limits to the MA Program Fee Schedule, effective with dates of service on and after August 30, 2021:

<i>Procedure Code</i>	<i>Description</i>	<i>Provider Type</i>	<i>Specialty</i>	<i>Place of Service</i>	<i>MA Fee</i>	<i>Prior Auth</i>	<i>MA Units</i>	<i>Limits</i>
T1999	Miscellaneous therapeutic items and supplies, retail purchases, not otherwise classified; identify product in "remarks"	24	ALL	11	\$11.51	No	Per test	8 tests per month

Fiscal Impact

The Department does not anticipate there will be a fiscal impact related to the addition of procedure code T1999 to the MA Program Fee Schedule.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1497. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-352. Filed for public inspection March 4, 2022, 9:00 a.m.]

**DEPARTMENT OF
TRANSPORTATION**

**Pedalcycle and Pedestrian Advisory Committee
Virtual Meeting**

The Pedalcycle and Pedestrian Advisory Committee will hold a virtual meeting on Tuesday, March 8, 2022, at 1 p.m. This meeting will be held by means of Microsoft Teams. For more information, contact the Multimodal Deputate at (717) 787-8197 or BikePedPA@pa.gov. To call into the virtual meeting, dial (267) 332-8737 and enter 830718004# as the meeting code. To view the meeting agenda, visit the Department of Transportation’s web site at www.penn.dot.gov (click on “About PennDOT” then select “Pedalcycle and Pedestrian Advisory Committee” from the list of links under Commissions & Committees).

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-353. Filed for public inspection March 4, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Special Regulation Designation

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under

the Commission’s guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Board of Commissioners.

At the next Commission meeting on April 25 and 26, 2022, the Commission will consider taking the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective upon publication in the *Pennsylvania Bulletin*.

58 Pa. Code § 65.6. Delayed harvest artificial lure only areas

The Commission will consider removing the limits to one stream section managed under the delayed harvest artificial lures only area:

County	Water
Pike	Dingmans Creek, Section 03

At this time, the Commission is soliciting public input concerning the previously listed designation. Persons with comments, objections or suggestions concerning the designation are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-354. Filed for public inspection March 4, 2022, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

Reg. No.	Agency / Title	Close of the Public Comment Period	IRRC Comments Issued
16A-4953	State Board of Medicine Registration of Naturopathic Doctors 51 Pa.B. 7877 (December 18, 2021)	1/18/22	2/17/22

**State Board of Medicine Regulation # 16A-4953
(IRRC # 3324)**

**Registration of Naturopathic Doctors
February 17, 2022**

We submit for your consideration the following comments on the proposed rulemaking published in the

December 18, 2021 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the State Board of Medicine (Board) to respond to all comments received from us or any other source.

1. Compliance with the provisions of the RRA or the regulations of the Commission in promulgating the regulation; Determining whether the regulation is in the public interest; and Clarity and lack of ambiguity.

This proposed rulemaking implements the Naturopathic Doctor Registration Act (NDRA) (63 P.S. §§ 272.101—272.301) by amending the Board's existing Chapter 16 and 18 (relating to State Board of Medicine—general provisions; and State Board of Medicine—practitioners other than medical doctors) by adding a new Subchapter M (relating to the registration of naturopathic doctors) to Chapter 18, including setting the fees for the initial and biennial renewal of registration.

Section 5.2 of the RRA (71 P.S. § 745.5b) directs this Commission to determine whether a regulation is in the public interest. When making this determination, the Commission considers criteria such as economic or fiscal impacts, reasonableness, and need. To make that determination, the Commission must analyze the text of the proposed rulemaking and the reasons for the new or amended language. The Commission also considers the information a promulgating agency is required to provide under Section 745.5(a) in the Regulatory Analysis Form (RAF).

The Board explains in its response to RAF # 26 that it elected to not enact any regulations which address the authorized scope of practice because the legislature did not provide a basic statutory framework to determine what does, and what does not constitute the practice of the profession. Furthermore, a review of the legislative history indicates the intent of the legislature was to enact a “title protection act, and not a true practice act.” Given the Board's explanation, we would note that there are provisions of the proposal that conflict with its approach regarding the scope of practice. For instance:

- Section 18.15a(d) (relating to scope of practice of acupuncturists and practitioners of Oriental medicine) is being added to clarify that “[t]his section does not limit the *scope of practice of a naturopathic doctor* when recommending herbs, minerals and other supplements, or combinations, according to traditions other than Oriental medicine traditions.” (Emphasis added.)

- Section 18.911(c)(8) (relating to Code of ethics), a naturopathic doctor shall “[a]ccurately inform the patient, other health care professionals and the public of the *limitations of the practice of naturopathic medicine.*” (Emphasis added.)

- Section 18.911(d)(3) (relating to Code of ethics) states that a naturopathic doctor may not “engage in a commercial activity which conflicts with the *duties of a naturopathic doctor.*” (Emphasis added.)

- Section 18.911(e) (relating to Code of ethics) reads, “[a] naturopathic doctor may not perform a service or provide a service that the naturopathic doctor is not qualified to perform, or which is *beyond the scope of the naturopathic doctor's education, training, capabilities or experience.*” (Emphasis added.)

The Board should either eliminate any references to the scope of practice, limitations of naturopathic medicine, or duties of a naturopathic doctor in the final version of this rulemaking or explain how these provisions are consistent with the legislature's intent. Should the Board retain these provisions in the final-form regulation, it should describe how it will determine alleged violations of these particular sections. See 63 P.S. § 272.204(6)

2. Clarity and lack of ambiguity.

“Naturopathic medicine” appears in several sections of the statute and regulatory proposal. The Board notes that the NDRA omits any definition for “naturopathic medicine,” but it does not explain why it did not include an interpretation of the term in the proposed regulation. Notwithstanding the Board's discussion and position regarding the scope of practice, we question how the act will be administered and enforced and whether compliance by the regulated community can be attained if there is not a common understanding of what naturopathic medicine is.

Additionally, there are several other “key terms” used throughout the rulemaking for which there are no definitions. They include: “commercial activity,” “naturopathic evaluation,” “naturopathic service,” “naturopath or traditional naturopath,” “naturopathy” “natural substances,” “naturopathic plan of service,” “service regimen,” and “purveyors of merchandise or services.” In order for this Commission to determine whether the regulation is in the public interest, it must have a complete understanding of key terms used in the rulemaking. The Board should define these essential terms in the final version of this regulation, or explain why it is unnecessary to do so and how it is in the public interest.

3. Non-regulatory language.—Clarity and lack of ambiguity; Implementation procedures.

A regulation has the full force and effect of law. We have concerns related to the use of non-regulatory language, which does not establish standards that could be predicted by the regulated community, found throughout the proposed regulation. For example:

- Section 18.911(c)(3) reads, “*Adequately safeguard* confidential patient information, including storage and disposal of records.” (Emphasis added.)

- Section 18.911(c)(8) reads, “*Accurately inform* the patient, other health care professionals and the public of *the limitations of the practice of naturopathic medicine.*” (Emphasis added.)

- Section 18.911(c)(9) reads, “*Adequately assess* the patient to determine if contraindications against naturopathic service exist and refer the patient to an appropriate health care practitioner.” (Emphasis added.)

- Section 18.911(c)(11)(iv) reads, “Cooperate with any lawful investigation conducted by the Board, including all of the following: . . . Providing *meaningful and timely* access to relevant patient records.” (Emphasis added.)

- Section 18.911(d)(1) states, “A naturopathic doctor may not: Misrepresent credentials, qualifications or affiliations, and *shall attempt to correct others* who misrepresent the naturopathic doctor's credentials, qualifications or affiliations.” (Emphasis added.)

These emphasized phrases do not set binding norms and lack clarity. For that reason, consistent implementation of these provisions by the Board and compliance by the regulated community could be difficult. We ask the Board to review the final-form regulation to ensure the use of regulatory language, setting clear compliance standards for the regulated community to meet.

4. Implementation procedures and timetables for compliance by the public and private sectors.

RAF # 29 asks the promulgating agency to include a schedule for review of the regulation including the expected date of delivery of the final-form regulation, the expected effective date of the final-form regulation, and

the expected date by which compliance with the rule-making will be required. In each of these instances, the Board identified “Winter 2021-2022.” The Board should amend its response to RAF # 29 to reflect an updated estimate of the timeline for the final-form regulation.

Chapter 16. State Board of Medicine— General Provisions

Subchapter B. General License, Certification and Registration Provisions

5. Section 16.13. Licensure, certification, examination and registration fees.—Clarity and Economic or fiscal impacts.

The Board proposes to add the Application for initial registration fee of \$100 and a biennial registration renewal fee of \$50 to the fee schedule. In RAF # 17, the Board states that registrants that allow their registration to lapse would be required to pay a *\$100 reactivation fee*. (Emphasis added.) The Board should submit a revised final-form regulation that includes the reactivation fee or explain why it is not needed.

The Board submitted a Fee Report Form for Naturopathic Doctor Initial Registration Application but did not submit Fee Report Forms for the processing of biennial renewal applications or applications for reactivation of naturopathic doctor registration. Fee Report Forms for every fee listed in this section should be included in the final rulemaking package.

Chapter 18. State Board of Medicine— Practitioners Other than Medical Doctors

(New) Subchapter M. Registration of Naturopathic Doctors

6. Section 18.903. Application for naturopathic doctor registration.—Clarity and Implementation procedures.

Section 18.904(b)(2) and (3) and Section 18.905(b)(3) and (4) require a registrant, as a condition of biennial renewal and reactivation of inactive or expired registration, to disclose on the application any authorization to practice as a naturopathic doctor in another, district, territory, possession or country and whether or not there is disciplinary action pending before or taken by the appropriate licensing, registration or certification authority in another jurisdiction since the most recent application for biennial registration, whether or not authorized to practice or advertise in that other jurisdiction. We believe these disclosures are equally relevant to the initial application for naturopathic doctor registration and should be included in Section 18.903 or explain why it is unnecessary to do so.

7. Section 18.905. Inactive status; reactivation of inactive or expired registration.—Clarity and Implementation procedures; and Economic or fiscal impacts.

Subsection (a)

This subsection provides that a naturopathic doctor may request in writing that the Board place the registration on inactive status. It states that confirmation of inactive status will be forwarded to the registrant. We ask the Board to specify when the inactive status request becomes effective.

Under this subsection, a naturopathic doctor may not use the title of “naturopathic doctor” or “doctor of naturopathic medicine” or any other term implying that the individual is currently registered as a naturopathic doctor while on inactive status. The Board should revise this provision to include “or has an expired registration.”

Subsection (b)

Section 18.905(b)(1) requires a registrant, in order to reactivate an inactive or expired registration, in addition to completing an application for reactivation, to pay the *current biennial registration fee* in Section 16.13 (relating to licensure, certification, examination and registration fees) and any applicable late fees required under section 225 of the Bureau of Professional and Occupational Affairs Fee Act (63 P.S. § 1401-225). (Emphasis added.)

As previously noted, the Board writes in RAF # 17 that only practitioners that allow their registration to lapse would be required to pay the \$100 reactivation fee. This section, however, does not address the “reactivation fee.” The Board should clarify its intent regarding the fees that are to be charged to a registrant under this section and make any necessary revisions to the RAF, Preamble, and Annex to the final-form regulation for consistency with the Board’s intent.

8. Section 18.907. Acceptable titles and professional designation by registrants and non-registrants; prohibited titles.—Clarity and lack of ambiguity.

Subsection (b)

Section 201 of the NDRA states: “It shall be unlawful for an individual to use the title of “naturopathic doctor” or “doctor of naturopathic medicine” unless that person is registered as a naturopathic doctor with the Board.” 63 P.S. § 272.201

Several commentators, including the statewide organization representing a group of traditional naturopaths, contend that the General Assembly did not intend to “preclude the use of “N.D.” by unregistered traditional naturopaths. If the General Assembly intended for the Board to regulate the use of the abbreviation “N.D.,” it would have retained the language that expressly prohibits unlicensed individuals from using it. They believe the Board’s proposal not only creates uncertainty among traditional naturopaths regarding the continued use of their degree but also causes public confusion. Additionally, they are concerned that it may impose a significant financial burden upon traditional naturopaths who may be required to revise signage and advertisements.

Senator Doug Mastriano requests that consideration be given for naturopathic doctors who have obtained their degrees and certifications in naturopathy from other schools not included in this proposed rulemaking. He believes that the proposal, if unamended, could be detrimental financially and professionally to the “thousands of naturopathic doctors and traditional naturopathic doctors” who have practiced for many generations. Given there is even a question concerning the intentions of the legislature in passing the NDRA and this section, he asserts, is reason enough to “pause and revisit the issue.” Furthermore, he writes, “[i]t is unconscionable to restrict current naturopathic doctors of their titles and use of the term “Doctor of Naturopathy” which is their livelihood in such a manner and without cause on their part.”

Senator Mastriano and a number of commentators request that the Board amend Section 18.907(b) to provide that “[a]n individual who has not registered with the

Board may claim to be, and hold oneself out as, a naturopath, a traditional naturopath, *DOCTOR OF NATUROPATHY, OR N.D.* and use any similar title implying that the individual practices naturopathy so long as the title does not also imply that the individual is a naturopathic doctor registered with the Board.” (Emphasis added.) The Commission, in its determination of whether this rulemaking is the public interest, will review the Board’s response to commentators’ concerns.

9. Section 18.908. Informed consent and disclosure of financial interests.—Clarity and lack of ambiguity.

Subsection (b) reads that “[a] naturopathic doctor shall disclose to patients and prospective patients if the naturopathic doctor receives any commission, rebate, referral fee or similar financial incentive in connection with the referral of a patient to purveyors of merchandise or services, or for recommending any merchandise to a patient.” § 18.908(b)

Under Section 18.911 (relating to code of ethics) a naturopathic doctor may not “engage in commercial activity which conflicts with the duties of a naturopathic doctor” or “receive remuneration from, or provide remuneration to, or split a fee, for either making or accepting a referral of the patient to or from another health care provider.” §§ 18.911(d)(3) and (8)

We have three concerns. First, Section 18.908(b) requires disclosure to patients and prospective patients for behavior that is clearly prohibited under Section 18.911. Second, as mentioned previously in the discussion related to the Definitions section, the proposal is deficient in defining key terms such as “purveyors of merchandise or services,” and “commercial activity.” Third, the proposal is void of any specificity regarding the “duties of a naturopathic doctor.” Without the benefit of clearly defined terms and professional benchmarks, how will the regulated community comply with these financial disclosure requirements and code of ethics standards? The Board should submit a final rulemaking that makes clear its intent regarding financial disclosure and that is consistent with the code of ethics standards.

10. Section 18.911. Code of Ethics.—Clarity and lack of ambiguity; and Reasonableness of requirement.

Subsection (f)

Under this subsection, “[a] naturopathic doctor may not construe any failure to specify a particular ethical, legal or professional duty in this subchapter as a denial of the existence of other ethical, legal or professional duties or responsibilities that are equally as important and generally recognized in the naturopathic medicine profession.” The Board should delete this provision from the final-form regulation or explain the reasonableness of holding to account practitioners for duties and responsibilities that have not been specified. The Board should also explain how it will be enforced if it is carried over to the final version of this rulemaking.

11. Section 18.913. Grounds for discipline.—Clarity.

Subsection (a)

Section 18.913 (a)(8) authorizes the Board to impose disciplinary or corrective measures on a naturopathic doctor or applicant for registration as a naturopathic doctor for “[o]ffering, undertaking or agreeing to cure or treat a disease by a *secret* method, treatment, product or medicine.” (Emphasis added.) The Board should clarify its

intent and explain the need for this provision in a revised Preamble to the final-form regulation.

Subsection (b)

The NDRA provides that “. . .[a] naturopathic doctor affected under this paragraph shall at *reasonable intervals* be afforded an opportunity to demonstrate that he can resume a competent practice of his profession with reasonable skill and safety to patients. 63 P.S. § 272.204(5)(iv). (Emphasis added.) The Board should provide a detailed description of how it will administer this provision in the final-form regulation.

12. Miscellaneous.—Clarity.

For consistency with the act, should § 18.903(b)(3) read “An applicant who graduated prior to 1986 shall demonstrate a passing score on a state naturopathic *licensure* examination?” (Emphasis added.)

The final-form regulation should be amended to consistently use the terms “initial registration” and “naturopathic service.”

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 22-355. Filed for public inspection March 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Timothy A. Dopson and Main Street Business Center, LLC; Doc. No. SC22-02-011

Notice is hereby given of the Order to Show Cause issued on February 15, 2022, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: section 611-A(1), (4)—(7), (13), (17) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(1), (4)—(7), (13), (17) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-356. Filed for public inspection March 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Kimberly Dschuhan; Doc. No. SC22-02-019

Notice is hereby given of the Order to Show Cause issued on February 15, 2022, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: section 611-A(2), (5), (6), (7), (17) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(2), (5), (6), (7), (17) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-357. Filed for public inspection March 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Ryan Norton; Doc. No. SC22-02-018

Notice is hereby given of the Order to Show Cause issued on February 15, 2022, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: section 611-A(2), (5), (6), (7), (17) and (20) of The Insurance Department Act of 1921 (40 P.S. § 310.11(2), (5), (6), (7), (17) and (20)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Domenica Dean, Agency ADA Coordinator, at (717) 705-4194.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-358. Filed for public inspection March 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Shippensburg OpCo, LLC

Shippensburg OpCo, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Shippensburg Enhanced Living in Shippensburg, PA. The initial filing was received on February 18, 2022, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-359. Filed for public inspection March 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Medical Care Availability and Reduction of Error Fund; Notice 2022-03

The Insurance Department Medical Care Availability and Reduction of Error Fund (MCARE) has announced the relocation of its office effective Monday, March 7, 2022. MCARE requests that visitors, inquiries, correspondence and claim reports be directed to the new address.

Street address:

MCARE Fund
901 North 7th Street
3rd Floor
Harrisburg, PA 17102

The following P.O. Box address remains the same:

MCARE Fund
P.O. Box 12030
Harrisburg, PA 17108-2030

The following telephone and facsimile numbers remain the same:

Telephone: (717) 783-3770

Fax-Claims: (717) 787-0651

Fax-Management: (717) 783-7659

TAWNY K. MUMMAH,
Executive Director

[Pa.B. Doc. No. 22-360. Filed for public inspection March 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearing under the Unfair Insurance Practices Act

The following insurer has requested a hearing as authorized by section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the company's termination of the insured's homeowners policy. The hearing will be held in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126, ra-hearings@pa.gov.

Appeal of USAA Casualty Insurance Company; Michael J. West; File No. 22-118-265076; Doc. No. P22-02-010; April 6, 2022, 9:30 a.m.

Following the Zoom hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the Zoom hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the Zoom hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative Zoom hearing and require an auxiliary aid, service or other accommodation to participate in the Zoom hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-361. Filed for public inspection March 4, 2022, 9:00 a.m.]

PATIENT SAFETY AUTHORITY

Virtual Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303),

announces a virtual public meeting of the Authority's Board to be held by means of the Authority's webinar platform Zoom on Thursday, March 17, 2022, at 1 p.m. and is open to the general public.

There will be Zoom capabilities to attend the virtual public board meeting remotely, so registration is required.

Individuals can register by going to <https://us06web.zoom.us/join/zoom/register/tZEvf-qvrDksHN1GzsPABQTag0COeC3tA7H9>.

After registering, individuals will receive a confirmation e-mail containing information about joining the virtual public meeting.

Individuals who are unable to sign in with the previously listed link may dial-in by using the following information:

Meeting ID: 852 8372 2669

Passcode: 6aW49t

One tap mobile:

+1 646 558 8656, 85283722669# US (New York)

+1 301 715 8592, 85283722669# US (Washington DC)

Dial by individual's location:

+1 646 558 8656 US (New York)

+1 301 715 8592 US (Washington DC)

+1 312 626 6799 US (Chicago)

+1 720 707 2699 US (Denver)

+1 253 215 8782 US (Tacoma)

+1 346 248 7799 US (Houston)

Meeting ID: 852 8372 2669

Find individual's local number: <https://us06web.zoom.us/j/keDCpy3fSH>

Individuals with questions regarding this virtual public meeting, which is open to the public, should contact the Authority at (717) 346-0469.

A closed executive session of the Authority's Board of Directors will be held on March 17, 2022, at 12:30 p.m. by means of Zoom. The purpose of the executive session is for consideration of personnel matters and to engage in nondeliberative informational discussions regarding various actions and matters which have been approved at previous public meetings.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,

Executive Director

[Pa.B. Doc. No. 22-362. Filed for public inspection March 4, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 21, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by March 21, 2022. Individuals can sign up for

a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2021-3029742. Crown Transportation, LLC (32 Cleveland Avenue, Waynesboro, Franklin County, PA 17268) in call or demand service, in the Borough of Gettysburg, Adams County.

A-2022-3030451. Riding with MPK Transport, LLC (188 Hidden Brook Boulevard, Dover, DE 19904) to transport persons, by motor vehicle, in paratransit service, from points in Delaware County and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2022-3030953. EZRide, LLC (17503 Matric Court, Hagerstown, Washington County, MD 21740) for the right to begin to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service, between points in the City and County of Philadelphia.

A-2022-3030956. Aplus NEMT Services, LLC (4411 Stille Road, Suite 207, Pittsburgh, Allegheny County, PA 15227) to transport persons, by motor vehicle, in paratransit service, from points in the Counties of Allegheny, Armstrong, Beaver, Fayette, Greene, Indiana, Washington and Westmoreland, to points in Pennsylvania, and return.

A-2022-3030959. Kelly Duck, t/a Kelly Duck Transportation (119 Chestnut Street, Howard, Centre County, PA 16841) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Centre County to points in Pennsylvania, and return.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2022-3030865. Donald W. Lemon (206 Locust Avenue, P.O. Box 63, Mount Morris, Greene County, PA 15349) for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons, in limousine service, as more thoroughly described in the original ordering paragraphs at A-00110429, F.1, F.1, Am-A.

A-2022-3030982. Donald W. Lemon (206 Locust Avenue, P.O. Box 63, Mount Morris, Greene County, PA 15349) for the discontinuance of service and cancellation of its certificate, as a common carrier, by motor vehicle, authorizing the transportation of persons, in group and

party service, in vehicles seating 11 to 15 passengers, including the driver, as more thoroughly described in the original ordering paragraphs at A-00110429, F.2.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-363. Filed for public inspection March 4, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due March 21, 2022, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. AAA Cab Company, t/a Pottstown Cab Co., t/a Phoenixville Cab Co.; Doc. No. C-2022-3025901

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement Staff hereby represents as follows:

1. That AAA Cab Company, t/a Pottstown Cab Co., t/a Phoenixville Cab Co., Respondent, maintains its principal place of business at 2120 Buchert Road, Pottstown, PA 19464.
2. That Respondent was issued a certificate of public convenience authorizing transportation of passengers by this Commission on April 21, 2004, at Pa. PUC utility code 632401.
3. That on October 7, 2021, Motor Carrier Enforcement Officer Reynaldo Pierluisse contacted AAA Cab Company and arranged a trip from the Philadelphia Premium Outlets in Limerick, Montgomery County, PA to Royersford, Montgomery County, PA. A flat rate of \$25.00 dollars was quoted for the trip. At 12:00 pm the driver, owner Talat Elbahwati arrived at the agreed upon location.
4. That Officer Pierluisse performed an inspection on the vehicle Respondent was operating, a white Nissan

bearing Pennsylvania license No. KTP6878 and Vehicle Identification No. 1N4AL3AP2FN879804, which was registered to Respondent. The following violations were found:

- (a) The inspection sticker had expired September, 2021.
 - (b) The certificate of public convenience number was not displayed on the vehicle.
 - (c) The taxicab number was not displayed on the vehicle.
 - (d) The vehicle was not equipped with a meter.
 - (e) A dome light was not affixed to the vehicle.
 - (f) There was no consumer information complaint decal on the side rear window as required.
 - (g) The driver had no trip sheet.
 - (h) The driver had no fare receipts.
 - (i) The rates of fare were not posted in the vehicle.
5. That Respondent permitted three (3) employees to transport passengers without first obtaining and reviewing a criminal history report.
6. That Respondent permitted three (3) employees to transport passengers without first obtaining and reviewing a driver history report.
7. That Respondent by failing to display a current inspection sticker, violated 52 Pa. Code § 29.405. The penalty for this violation is \$250.00.
8. That Respondent by failing to display the number of the certificate of public convenience, violated 52 Pa. Code § 29.71(a). The penalty for this violation is \$50.00.
9. That Respondent by failing to display the number of the taxicab, violated 52 Pa. Code § 29.71(c). The penalty for this violation is \$50.00.
10. That Respondent, by permitting a vehicle to be operated that was not equipped with a meter violated 52 Pa. Code § 29.314(b)(1). The penalty for this violation is \$1,000.00.
11. That Respondent, by permitting a vehicle to be operated that did not have a dome light affixed to roof, violated 52 Pa. Code § 29.314(d). The penalty for this violation is \$250.00.
12. That Respondent, by failing to post the Commission-issued complaint decal, violated 52 Pa. Code § 29.318. The penalty is \$50.00.
13. That Respondent, by failing to require the driver to maintain a trip sheet, violated 52 Pa. Code § 29.335. The penalty is \$50.00.
14. That Respondent, by failing to maintain fare receipts, violated 52 Pa. Code § 29.313(f). The penalty is \$50.00.
15. That Respondent, by failing to post the rates of fare in the vehicle, violated 52 Pa. Code § 29.316(a)(1)(i). The penalty is \$50.00.
16. That Respondent, by permitting persons to provide transport services before obtaining and reviewing a crimi-

nal history report, violated 52 Pa. Code § 29.505(b)(1). The penalty for this violation is \$250.00 per violation. The total fine is \$750.00.

17. That Respondent, by permitting persons to provide transport services before obtaining and reviewing a driver history report, violated 52 Pa. Code § 29.504(b)(1). The penalty for this violation is \$100.00 per violation. The total fine is \$300.00.

Wherefore, the Bureau of Investigation and Enforcement Staff hereby requests that the Commission fine Respondent, AAA Cab Company, t/a Pottstown Cab Co., t/a Phoenixville Cab Co., the sum of two thousand, eight hundred and fifty dollars (\$2,850.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
 Andrew Turriziani, Chief
 Bureau of Investigation and Enforcement
 Motor Carrier Enforcement Division
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: January 28, 2022

Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Michael L. Swindler, Deputy Chief Prosecutor
 Pennsylvania Public Utility Commission
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

Or, e-mailed to Mr. Swindler at: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceeding shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-364. Filed for public inspection March 4, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer by Sale

A-2022-3030922 and U-2022-3030951. PECO Energy Company. Application of PECO Energy Company for approval of transfer by sale to Charing Cross Condominium Association of street lighting facilities located in Bucks County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 21, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address.

Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

Through and By Counsel for: Jack R. Garfinkle, Associate General Counsel, PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699, (215) 841-4608, Jack.Garfinkle@exeloncorp.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-365. Filed for public inspection March 4, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer by Sale and Water Service

A-2022-3031020. Pennsylvania-American Water Company. Application of Pennsylvania-American Water Company under 66 Pa.C.S. § 1102(a) (relating to enumeration of acts requiring certificate) for approval of: (1) the transfer, by sale, of a portion of Creekside Homeowners Association and Joseph G. Nadu, Jr., properties and rights related to water system to Pennsylvania-American Water Company; and (2) the right of Pennsylvania-American Water Company to begin to offer or furnish water service to the public in portions of Providence Township, Lancaster County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 21, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

Through and By Counsel for: Teresa Harrold, Esquire, 852 Wesley Drive, Mechanicsburg, PA 17055, (717) 550-1562, teresa.harrold@amwater.com; Elizabeth Rose Triscari, Esquire, 852 Wesley Drive, Mechanicsburg, PA 17055, (717) 550-1574, elizabeth.triscari@amwater.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-366. Filed for public inspection March 4, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Petition for Changes to Taxicab Tariff; Doc. No. 21-004

Order

By the Authority:

The Authority is the sole regulator of all taxicab, limousine and transportation network company services in Philadelphia.¹ The Authority is empowered to conduct rate investigations and determine the uniform rate that shall be charged by all taxicabs authorized to provide call or demand service in Philadelphia.²

On March 30, 2021, the Authority authorized the Taxicab and Limousine Division (“TLD”) to reopen a rate investigation to gather information and comment concerning the petition that was filed with the TLD seeking “to allow for up-front pricing or to allow approved PPA smartphone app-based providers and Philadelphia medallion taxicabs to calculate their own fare outside of the taxicab meter but must provide passengers with binding up-front fare quote to offer passengers with the same price certainty as transportation network companies (TNCs).”³

The TLD sought written comments from the taxicab and limousine industry members and the general public. However, no comments were submitted. Upon review of all information received and investigated, the TLD submitted a recommendation to amend the taxicab tariff as outlined below.

Based upon review of all information received and recommendation of TLD staff, *Now, Therefore, Be It Resolved and Ordered* by the Board of the Authority as follows:

Section 1. Rate Review Investigation.

(a) The implementation of a pilot program may commence to allow for an upfront flex fare pricing model, outside of the current taxicab tariff and meter system, for medallion taxicab trips in Philadelphia that are initiated through an Authority approved taxicab smartphone application (i.e. the “Curb app”) and such fares are calculated based upon an algorithm of both live and historical trip data, including metered fares, traffic and wait times.

(b) All other rates as outlined in the current taxicab tariff shall remain unchanged.

¹ See the act of July 16, 2004, (P.L. 758, No. 94), 53 Pa.C.S. §§ 5701 et seq., as amended, (the “Act”).

² See 53 Pa.C.S. §§ 5703 and 5720 (relating to rates, wages).

³ See TLD Docket No. P-21-03-01 Petition for Rate Change, filed by taxicab driver Ronald Blount on March 8, 2021.

Section 2. Action by Taxicab and Limousine Division.

(a) The TLD staff shall broadcast this Order to all members of the taxicab and limousine industry by email as well as posting it on the Authority’s website and within TLD Headquarters along with depositing this Order with the *Pennsylvania Bulletin* for publishing.

(b) The TLD shall continue to investigate and gather information concerning the upfront flex fare pricing and report its findings to the Authority no later than six months from the date of this Order to review the status of this pilot program.

BETH C. GROSSMAN, Esq.,
Chairperson

ALFRED W. TAUBENBERGER,
Vice Chairperson

ORDER ADOPTED: DECEMBER 14, 2021

ORDER ENTERED: DECEMBER 14, 2021

[Pa.B. Doc. No. 22-367. Filed for public inspection March 4, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority’s (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD’s Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than March 21, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-22-02-03. PRB Taxi, LLC (1376 Argyle Way, Bensalem, PA 19020): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-22-02-04. Ousmane D. Trans, Inc. (6129 Wheeler Street, Philadelphia, PA 19142): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-22-02-05. SSSM Drive, LLC (25 Sellers Avenue, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia

phia to points in Pennsylvania, and return. *Attorney for Applicant*: David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 22-368. Filed for public inspection March 4, 2022, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

The following hearing has been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

March 11, 2022	Jane Penman Service Credit Issue	1 p.m.
----------------	-------------------------------------	--------

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code, Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOSEPH A. TORTA,
Secretary

[Pa.B. Doc. No. 22-369. Filed for public inspection March 4, 2022, 9:00 a.m.]
