

NOTICES

DELAWARE RIVER BASIN COMMISSION

Virtual Public Hearing and Public Business Meeting

The Delaware River Basin Commission (Commission) will hold a virtual public hearing on Wednesday, May 11, 2022. A public business meeting will be held the following month on Wednesday, June 8, 2022. Both the virtual public hearing and the public business meeting are open to the public. The virtual public hearing will be conducted remotely. The public business meeting will be held both remotely and in-person at The Chase Center on the Riverfront, 815 Justison Street, Wilmington, DE 19801, in the Center's Dravo Auditorium. Details about the remote platforms for the two events and any COVID protocols for the in-person public business meeting venue will be posted on the Commission's web site at www.drbc.gov, at least

10 days prior to the respective meeting dates.

Public hearing. The Commission will conduct the virtual public hearing remotely on May 11, 2022, beginning at 1:30 p.m. Hearing items will include draft dockets for withdrawals, discharges and other projects that could have a substantial effect on the basin's water resources and resolutions: (a) adopting the Commission's Water Resources Program Fiscal Year (FY) 2023—2025; (b) approving the Commission's FY 2023 Expense Budget; and (c) providing for the signatory parties' contributions for support of the Commission's FY 2023 Expense and Capital Budgets.

A list of the projects scheduled for hearing, including project descriptions, will be posted on the Commission's web site at www.drbc.gov, in a long form of this notice at least 10 days before the hearing date.

Written comments on matters scheduled for hearing on May 11, 2022, will be accepted through 5 p.m. on Monday, May 16, 2022.

The public is advised to check the Commission's web site periodically during the 10 days prior to the hearing date, as items scheduled for hearing may be postponed if additional time is needed to complete the Commission's review. Items also may be added up to 10 days prior to the hearing date. In reviewing docket descriptions, the public is asked to be aware that the details of projects may change during the Commission's review, which is ongoing.

Public meeting. The public business meeting on June 8, 2022, will begin at 10:30 a.m. and will include: adoption of the minutes of the Commission's March 9, 2022, business meeting; announcement of upcoming meetings and events; a report on hydrologic conditions; reports by the Executive Director and the Commission's General Counsel; and consideration of any items for which a hearing has been completed or is not required.

After all scheduled business has been completed and as time allows, the public business meeting will be followed by up to 1 hour of open public comment, an opportunity to address the Commission on any topic concerning management of the Delaware River Basin's water resources outside the context of a duly noticed, on-the-record public hearing.

There will be no opportunity for additional public comment for the record at the June 8, 2022, public

business meeting on items for which a hearing was completed on May 11, 2022, or a previous date. Commission consideration on June 8, 2022, of items for which the virtual public hearing is closed may result in approval of the item (by docket or resolution) as proposed, approval with changes, denial or deferral. When the Commissioners defer an action, they may announce an additional period for written comment on the item, with or without an additional hearing date, or they may take additional time to consider the input they have already received without requesting further public input. Deferred items will be considered for action at a public meeting of the Commission on a future date.

Advance sign-up for oral comment. Individuals who wish to comment on the record during the virtual public hearing on May 11, 2022, or to address the Commissioners informally during the open public comment portion of the public business meeting on June 8, 2022, are asked to sign up in advance through EventBrite. Links to EventBrite for the virtual public hearing and the virtual public business meeting will be posted at www.drbc.gov at least 10 days before each meeting date. For assistance, contact Patricia Hausler at patricia.hausler@drbc.gov.

Addresses for written comment. Written comment on items scheduled for hearing may be made through the Commission's web-based comment system, a link to which is provided at www.drbc.gov. Use of the web-based system ensures that all submissions are captured in a single location and their receipt is acknowledged. Exceptions to the use of this system are available based on need, by writing to the attention of the Commission Secretary, Delaware River Basin Commission, P.O. Box 7360, 25 Cosey Road, West Trenton, NJ 08628-0360. For assistance, contact Patricia Hausler at patricia.hausler@drbc.gov.

Accommodations for special needs. Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the public meeting or virtual public hearing should contact the Commission Secretary directly at (609) 883-9500, Ext. 203 or through the Telecommunications Relay Services at 711, to discuss how the Commission can accommodate their needs.

Additional information and contacts. Additional public records relating to hearing items may be examined at the Commission's offices by appointment by contacting Denise McHugh at (609) 883-9500, Ext. 240. For other questions concerning hearing items, contact David Kovach, Project Review Section Manager, at (609) 883-9500, Ext. 264.

PAMELA M. BUSH,
Secretary

[Pa.B. Doc. No. 22-636. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

General Quarantine Order; Virus Control for Highly Pathogenic Avian Influenza Poultry, Poultry Litter, Conveyances, Feed, Refuse, Containers and Material Standards

Recitals

A. Under the authority established in the Domestic Animal Law (3 Pa.C.S.A. §§ 2301—2389) and specifically

the authority to establish quarantines and general quarantines as set forth at section 2329 of the Domestic Animal Law (3 Pa.C.S.A. §§ 2329(a) and 2329(d)), the Pennsylvania Department of Agriculture (Department) hereby establishes a General Quarantine Order related to Standards, Requirements and Operating Procedures to be followed within the area encompassed by this General Quarantine Order.

B. The Domestic Animal Law allows, at 3 Pa.C.S.A. § 2329(d), for a General Quarantine Order to be established and enforced for any area or locality within this Commonwealth where a dangerous transmissible disease has been reported or exists, or whenever it is deemed advisable to test or treat any domestic animal upon the reasonable suspicion that it has contracted or been exposed to a dangerous transmissible disease or whenever the testing or treatment of a domestic animal indicates that the domestic animal has been exposed to a dangerous transmissible disease. In addition, a General Quarantine Order may apply to goods, products, facilities, containers, vehicles or materials that may carry a dangerous transmissible disease or be contaminated with a hazardous substance.

C. Avian influenza is an infectious disease of poultry.

D. Avian influenza is designated a “dangerous transmissible disease” of animals under the provisions of the Domestic Animal Law (3 Pa.C.S.A. §§ 2301—2389), at 3 Pa.C.S.A. § 2321(a)(6).

E. The Department has broad authority under the Domestic Animal Law to regulate the keeping and handling of domestic animals, conveyances, containers, goods, products and materials, in interstate and intrastate commerce, in order to exclude, contain or eliminate dangerous transmissible diseases, including prohibiting the shipment or movement of such products.

F. Highly Pathogenic Avian influenza H5N1 (HPAI) has been found in Pennsylvania and a Control Zone extending 10 kilometers from the index premises has been established and is made part of this General Quarantine Order.

G. The Control Zone created by this General Quarantine Order may be extended or moved or a new Control Zone created in the future as set forth in this General Quarantine Order.

H. Avian Influenza has caused significant loss in the past to the Pennsylvania poultry industry and the current pathogenic forms of the disease have caused wide-spread loss to the poultry industry in states in which it has been detected and confirmed.

I. Highly Pathogenic Avian Influenza is of particular concern to the entire Pennsylvania poultry industry as it may cause wide-spread loss of poultry, severely limit the market for Pennsylvania product and cause severe economic damage to the poultry industry in Pennsylvania.

J. Avian Influenza, including the current pathogenic strains of HPAI, may be transferred and spread through the movement of poultry, poultry products, poultry litter, and the movement of unwashed or un-sanitized vehicles, conveyances, containers, goods, products and materials onto and off of premises containing poultry that may have been infected with or exposed to HPAI.

K. This General Quarantine Order is established to address all highly pathogenic avian influenza strains.

Order

In consideration of the previous recitals, and with those recitals incorporated into this Order by reference, the Department hereby establishes a General Quarantine under authority of the Domestic Animal Law, at 3 Pa.C.S.A. § 2329(d), and section 1702 of The Administrative Code of 1929 (71 P.S. § 442). The following are the conditions and requirements of this Interstate and General Quarantine Order:

1. *Quarantine Area.* The area covered by this General Quarantine Order is the 10 kilometer area constituting the “Control Zone” surrounding the index premise(s), as set forth and outlined on the map located on the Department’s website at padls.agriculture.pa.gov or direct link at <https://padeptag.maps.arcgis.com/apps/webappviewer/index.html?id=a9066a3d68a443a08043766cb84bf4ae>.

2. *Index Premises.* Any premises on which HPAI has been confirmed to exist after testing at any of the three laboratories that make up the Pennsylvania Department of Agriculture Laboratory System (PADLS).

3. *Zones.* The following three zones, which may overlap, will be established around each Index Premises:

a. *Infected Zone.* The Infected Zone shall extend out 3 kilometers in every direction from each Index Premises.

b. *Control Zone.* The Control Zone shall extend out 10 kilometers in every direction from each Index Premises.

c. *Surveillance Zone.* The Surveillance Zone shall extend out 20 kilometers in every direction from each Index Premises.

4. *Applicability.* The terms of this Order are applicable to the Quarantine Area and all poultry, poultry goods and products, poultry litter, conveyances, vehicles, containers and materials entering onto or leaving a premises within the Quarantine Area on which poultry, conveyances or vehicles, containers or materials or live or unprocessed goods or products of poultry or other domestic animals are present.

5. *Poultry.* For purposes of this Order, poultry shall include, chickens, turkeys, pigeons, doves, pheasants, grouse, partridges, quail, guinea fowl, pea fowl, ducks, geese, swans and all other waterfowl and any other species of bird, including gallinaceous birds and ratites, of any age, that may contract or harbor Avian Influenza virus.

6. *Conveyance or Vehicle.* For purposes of this Order and in accordance with the Domestic Animal Law, shall include an automobile, truck, trailer, wagon or other vehicle used in the transportation of live or dead poultry, poultry waste, poultry containers or materials, live or unprocessed goods or products of poultry or other domestic animals or poultry products or by-products upon the highways of this Commonwealth. The same standards established for poultry conveyances and vehicles shall apply to all other animals on the same premises as poultry.

7. *Containers or Materials.* For purposes of this Order shall include, footwear, or other clothing, including biosecurity clothing, any vessel, cage, crate, coop, trailer, wagon, equipment manure application device or other instrument or object utilized to hold, transport, contain, limit, restrict, restrain, confine or control poultry or apply poultry waste, poultry manure or live or unprocessed goods, poultry feed or products of poultry or any combination thereof and material used for litter or bedding for poultry, as well as all equipment utilized to house, hold or

contain poultry. The same standards established for poultry containers and materials shall apply to all other animals on the same premises as poultry.

8. *Live or Unprocessed Goods or Products of Poultry or Other Domestic Animals.* For purposes of this Order shall include, feed and feed products, eggs, unprocessed dead poultry, including accumulated mortalities from a flock and poultry litter, offal and waste, as well as, and products produced by poultry or utilizing poultry. This shall include unprocessed goods and products from or for other animals existing on the same premises as the poultry, including cattle, swine, equine, cervid, goats, sheep and other domestic animals and the waste, offal and goods and products, including milk and other agricultural products, produced thereby and the feed and feed products for such animals or feed and feed products produced on the farm for export off of the farm.

9. *Permit Required.* No poultry shall move into, within, from or out of the Quarantine Area or off or onto a premises within the Quarantine Area without a Permit issued by the Pennsylvania Department of Agriculture and no conveyance, vehicle, container, materials or live or unprocessed goods or products of poultry or other domestic animals shall move into, within, from or out of the quarantine area or off or onto a premises within the Quarantine Area on which any poultry is present without a Permit issued by the Pennsylvania Department of Agriculture. A prerequisite for the issuance of any Permit is a biosecurity plan approved by the Pennsylvania Department of Agriculture. Permit forms, standards and requirements are established on the Department's website at padls.agriculture.pa.gov or at direct link padls.agriculture.pa.gov/InnerPages/HPAI.html, and are incorporated into this Order by reference, as if fully set forth herein. Any person without access to the internet or the Department's website may call the Department at (717) 772-2852 and request a copy of the Permit requirements. Restricted movements include:

a. Transport poultry, poultry waste, poultry manure, containers or materials or live or unprocessed goods or products of poultry or other domestic animals or any combination of those into, within, from or out of the Quarantine Area, and

b. Deliver or distribute poultry, poultry waste, poultry manure, containers or materials or live or unprocessed goods or products of poultry or other domestic animals or any combination of those into, within, from or out of the Quarantine Area, and

c. Pickup poultry, poultry waste, poultry manure, containers or materials or live or unprocessed goods or products of poultry or other domestic animals or any combination of those into, within, from or out of the Quarantine Area, and

d. Transport, deliver, pickup or distribute poultry, poultry waste, poultry manure, containers or materials or live or unprocessed goods or products of poultry or other domestic animals or any combination of those into, within, from or out of the Quarantine Area, and

e. With regard to poultry waste and poultry manure or the waste or manure of any other domestic animal on the same premises as poultry this Order shall apply to any vehicle, conveyance or container utilized in the movement or application thereof.

f. Feed or feed products or materials shipped onto a premises containing poultry within the Quarantine Area.

10. *Testing.* No poultry shall move into, within, from or out of the Quarantine Area or off or onto a premises

within the Quarantine Area unless they have been properly tested in accordance with the testing standards and requirements established on the Department's website at padls.agriculture.pa.gov or at direct link padls.agriculture.pa.gov/InnerPages/HPAI.html, which are incorporated into this Order by reference, as if fully set forth herein, and found to be negative for Highly Pathogenic Avian Influenza H5/H7. Any person without access to the internet or the Department's website may call the Department at (717) 772-2852 and request a copy of the Testing requirements.

11. *Standards for Conveyances, Vehicles, Containers and Materials.* In addition to the Permit requirement established in Paragraph 9. (relating to permit required) any conveyance, vehicle, container or material shall meet the standards established in the Department's "Interstate and General Quarantine Order; Virus Control for Highly Pathogenic Avian Influenza Vehicle, Container and Material Standards" (45 Pa.B. 4930, Saturday, August 22, 2015).

12. *Prohibition on All Poultry Shows and Exhibitions.* There shall be no poultry shows or exhibitions within the Quarantine Area.

13. Pursuant to the authority at section 2328 of the Domestic Animal Law (3 Pa.C.S.A. § 2328) the Department, "In the performance of its duties required by this chapter. . . may at any time enter any premises or stop and detain any vehicle or conveyance. If entry shall be refused or delayed by any person, the department's employee or agent may. . . declare before a court of competent jurisdiction that the employee or agent has reason to believe that domestic animals or articles. . . on such premises carry a dangerous transmissible disease, [or] have been exposed to a dangerous transmissible disease. . . and shall further declare that permission to enter and to investigate has been refused or delayed to the department. Upon review of such declaration, the court of jurisdiction may issue a search warrant for such premises. . . It shall be unlawful for any person to refuse or delay admission to any premises to any officer, agent or employee of the department provided with a search warrant issued pursuant to this section. The department shall take appropriate biosecurity and safety measures to ensure that it does not allow dangerous transmissible disease. . . to spread as the result of its entry upon any premises or conveyance."

14. As established at section 2329(f) of the Domestic Animal Law (3 Pa.C.S.A. § 2329(f)(1), (2)(7) and (8)), It shall be unlawful for any person to sell, offer for sale, lease, lend, exchange, give away, transfer, remove or allow to be removed any animals or animal products, goods, materials, containers, conveyances or other articles that are the subject of a general or special quarantine order under this section without first obtaining the written permission of the department to do so. It shall be unlawful for any person to allow a domestic animal that is the subject of a general or special quarantine order under this section to stray beyond the quarantined premises, area or locality. It shall be unlawful for any person to impede, hinder or interfere with the department entering upon premises or elsewhere in the performance of duties imposed by this subchapter. It shall be unlawful for any person to violate any provision of a quarantine order issued under this section.

15. Any person violating any provision of this Order shall be subject to such penalties, including criminal and civil penalties and other civil remedies such as injunctive relief, as are allowed under the authority of the Domestic Animal Law.

16. This Order shall not be construed as limiting the Department's authority to establish additional quarantine or testing requirements on imported poultry and/or poultry products.

17. This Order shall be effective upon actual service or constructive notice, such as, publication in a newspaper of common circulation in the areas affected or publication in the *Pennsylvania Bulletin*.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-637. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending April 19, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
04-14-2022	Customers Bank Phoenixville Chester County	Filed
	Amendment to Article I of the institution's Articles of Incorporation provides for the principle place of business of the bank to be relocated from 99 Bridge Street, Phoenixville, Chester County, PA to 40 General Warren Boulevard, Malvern, Chester County, PA.	
	Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-638. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have

submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section Category

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0122804	Joint DEP/PFBC Pesticides Permit	New	Woerner Troy 1130 Herrs Ridge Road Gettysburg, PA 17325-8401	Cumberland Township Adams County	SCRO
0913810	Joint DEP/PFBC Pesticides Permit	Renewal	Yeager Linda 6005 Lower Mountain Road New Hope, PA 18938-9618	Solebury Township Bucks County	SERO
0917804	Joint DEP/PFBC Pesticides Permit	Renewal	McNeill Trevor 6209 Covered Bridge Road Pipersville, PA 18947	Plumstead Township Bucks County	SERO
0919835	Joint DEP/PFBC Pesticides Permit	Amendment	Jesse Keen & Bejoy Phillips 107 Foxcroft Drive Furlong, PA 18925	Doylestown Township Bucks County	SERO
0922802	Joint DEP/PFBC Pesticides Permit	New	McLlwain Rosi 1879 Pleasant View Road Coopersburg, PA 18036	Springfield Township Bucks County	SERO
3522801	Joint DEP/PFBC Pesticides Permit	New	Baylors Lake Assoc 103 Spur Lane P.O. Box 126 Fleetville, PA 18420-0130	Benton Township Lackawanna County	NERO
3722801	Joint DEP/PFBC Pesticides Permit	New	John Barnard 2948 Benjamin Franklin Highway Edinburg, PA 16116-4706	Mahoning Township Lawrence County	NWRO
3722802	Joint DEP/PFBC Pesticides Permit	New	John Miles 4101 Frew Mill Road Portersville, PA 16051-6305	Slippery Rock Township Lawrence County	NWRO
4617807	Joint DEP/PFBC Pesticides Permit	Renewal	Philadelphia CC 1601 Spring Mill Road Gladwyne, PA 19035-1020	Lower Merion Township Montgomery County	SERO
5622800	Joint DEP/PFBC Pesticides Permit	Amendment	Hidden Valley Resort P.O. Box 307 Scotland, PA 17254-0307	Jefferson Township Somerset County	SWRO
6722803	Joint DEP/PFBC Pesticides Permit	New	Warrington Hunting Club 139 Red Fox Road P.O. Box 382 Norwich, NY 13815-3164	Warrington Township York County	SCRO

NOTICES

2603

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4922201	Manure Storage and Wastewater Impoundments Individual WQM Permit	New	PA American Water Co. 105 Sodom Road Milton, PA 17847-9232	Milton Borough Northumberland County	NCRO
PA0070301	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	WHN Management, LLC 2846 Main Street Box 12A Morgantown, PA 19543-9486	Moore Township Northampton County	NERO
NOEXNC172	No Exposure Certification	New	Chance Group, LLC 11616 Landstar Boulevard Orlando, FL 32824-9025	Williamsport City Lycoming County	NCRO
NOEXSW009	No Exposure Certification	Renewal	BWE, LLC 201 Locust Street Youngwood, PA 15697-1662	Youngwood Borough Westmoreland County	SWRO
PAG030067	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Shiple Energy Co. 415 Norway Street York, PA 17403	East Pikeland Township Chester County	SERO
PAG106227	PAG-10 NPDES General Permit for Hydrostatic Test Water	New	Texas Eastern Trans, LP 890 Winter Street Suite 320 Waltham, MA 02451-1470	Richhill Township Greene County	SWRO
PAG138334	PAG-13 NPDES General Permit for MS4s	Renewal	Saxonburg Borough Butler County 420 W Main Street Saxonburg, PA 16056-9517	Saxonburg Borough Butler County	NWRO
3295401	Pump Stations Individual WQM Permit	Amendment	Burrell Township Sewer Authority 203 E Market Street Blairsville, PA 15717-1120	Blairsville Borough Indiana County	NWRO
4521402	Pump Stations Individual WQM Permit	New	Kalahari Resorts, LLC 105 Government Center Way Pocono Pines, PA 18350-7741	Tobyhanna Township Monroe County	NERO
PA0260908	Single Residence STP Individual NPDES Permit	Transfer	Wezesinski Kevin T & Wezesinski Elizabeth S 9499 Brogueville Road Felton, PA 17322-7900	Chanceford Township York County	SCRO
PA0265519	Single Residence STP Individual NPDES Permit	Transfer	Jeremy & Tanya Card 811 Stillwater Road Sugar Grove, PA 16350-4027	Sugar Grove Township Warren County	NWRO
6217415	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Jeremy & Tanya Card 811 Stillwater Road Sugar Grove, PA 16350-4027	Sugar Grove Township Warren County	NWRO
6707408	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Wezesinski Kevin T & Wezesinski Elizabeth S 9499 Brogueville Road Felton, PA 17322-7900	Chanceford Township York County	SCRO
WQG02482203	WQG-02 WQM General Permit	New	Forks Township Northampton County 1606 Sullivan Trail Easton, PA 18040-8332	Forks Township Northampton County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
WQG02632202	WQG-02 WQM General Permit	New	Peters Township Sanitary Authority Washington County 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0233196, Stormwater, SIC Code 5191, **AM Logging, LLC**, 116 Thompson Lane, Millheim, PA 16854-9617. Facility Name: AM Logging Mulch Yard. This existing facility is located in Buffalo Township, **Union County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary to Spruce Run (HQ-CWF, MF), is located in State Water Plan watershed and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed monitoring requirements for Outfall 002 are based on a design flow of 0.0 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0020036, Sewage, SIC Code 4952, **Blossburg Municipal Authority**, 241 Main Street, Blossburg, PA 16912-1125. Facility Name: Blossburg Municipal Authority Wastewater Treatment Plant. This existing facility is located in Blossburg Borough, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tioga River, is located in State Water Plan watershed 4-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.40 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	80	130	XXX	25.0	40.0	50
Total Suspended Solids	100	150	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Report Total Mo	Report XXX	XXX XXX	Report XXX	Report XXX	XXX XXX
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX
Total Phosphorus Total Phosphorus (Total Load, lbs) (lbs)	6.5 Report Total Mo	10 XXX	XXX XXX	2.0 XXX	3.0 XXX	4 XXX
E. Coli (No./100 ml) Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent Total Suspended Solids Raw Sewage Influent	XXX Report Report Report	XXX Report Report	XXX XXX XXX	XXX Report Report	XXX XXX XXX	Report XXX XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.45 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	90	150	XXX	25.0	40.0	50
Total Suspended Solids	110	165	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen Total Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Ammonia-Nitrogen Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Report Total Mo	Report XXX	XXX XXX	Report XXX	Report XXX	XXX XXX
Total Kjeldahl Nitrogen Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX	XXX	Report XXX	XXX	XXX
Total Phosphorus Total Phosphorus (Total Load, lbs) (lbs)	7.5 Report Total Mo	11 XXX	XXX XXX	2.0 XXX	3.0 XXX	4 XXX
E. Coli (No./100 ml) Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent Total Suspended Solids Raw Sewage Influent	XXX Report Report Report	XXX Report Report	XXX XXX XXX	XXX Report Report	XXX XXX	Report XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	7,306 Total Annual	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	974 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0276511, Storm Water, SIC Code 2875, **The Espoma Company**, 6 Espoma Road, Millville, NJ 08332. Facility Name: Espoma Hegins. This proposed facility is located in Frailey Township, **Schuylkill County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of industrial stormwater.

The receiving stream, Gebhard Run (CWF/MF), is located in State Water Plan watershed 7-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semiannual Average</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	Report	9.0
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 mL)	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semiannual Average</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0023558, Sewage, SIC Code 4952, **Ashland Borough, Columbia and Schuylkill Counties**, 401 S 18th Street, Ashland, PA 17921-1748. Facility Name: Ashland Borough WWTP and Collection System (CSOs). This existing facility is located in Ashland Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mahanoy Creek (WWF, MF), is located in State Water Plan watershed 6-B and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.00	XXX	2.00
Ammonia-Nitrogen May 1 - Oct 31	Report	Report	XXX	Report	Report	XXX
4,6-dinitro-o-cresol (ug/L)	Report	Report	XXX	Report	Report	XXX
3,4-Benzofluoranthene (ug/L)	Report	Report	XXX	Report	Report	XXX
Bis (2-Ethylhexyl) Phthalate (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.63
Ammonia-Nitrogen May 1 - Oct 31	Report	Report	XXX	11.30	22.60	22.6
4,6-dinitro-o-cresol (ug/L)	0.14	0.20	XXX	13.0	19.7	31.6
3,4-Benzofluoranthene (ug/L)	0.003	0.0005	XXX	0.030	0.047	0.076
Bis (2-Ethylhexyl) Phthalate (ug/L)	0.11	0.17	XXX	9.7	15.7	24.3

The proposed effluent limits for Outfall 001 are based on a design flow of 1.3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	271	434	XXX	25.0	40.0	50.0
BOD ₅ Minimum % Removal (%)	Report Min Mo Avg	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids Minimum % Removal (%)	325 Report Min Mo Avg	488 XXX	XXX XXX	30.0 XXX	45.0 XXX	60.0 XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Aluminum, Total (ug/L)	8.13	8.13	XXX	750.0	750.0	750.0
Cadmium, Total (ug/L)	Report	Daily Max	XXX	Report	Daily Max	XXX
		Report			Report	
Copper, Total (ug/L)	Report	Daily Max	XXX	Report	Daily Max	XXX
		Report			Report	
Iron, Dissolved (ug/L)	3.25	6.50	XXX	300.0	600.0	750.0
		Daily Max			Daily Max	
Iron, Total (ug/L)	16.3	19.7	XXX	1,500.0	1,819.0	3750.0
		Daily Max			Daily Max	
Lead, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Manganese, Total (ug/L)	10.8	14.4	XXX	1000.0	1,326.0	2500.0
		Daily Max			Daily Max	
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Stormwater Outfall 011 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	100.0
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall/Internal Monitoring Point 101 are based on a design flow of NA MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements; Schedule of Compliance (Ammonia-N; Dissolved Oxygen; Total Residual Chlorine); CSO Conditions; Solids Management; WQBELs for Toxics (4,6-Dinitro-o-cresol; 3,4-Benzofluoranthene; Bis (2-Ethylhexyl) Phthalate); Whole Effluent Toxicity (WET); WQBELs Below Quantitation Limits; Requirements Applicable to Stormwater Outfalls; Stormwater Prohibition (separated sewers); Necessary Property Rights; Residuals Management; Chlorine Minimization; High Flow Management Plan; Changes to Stream/Discharge; Quarterly WET Tests (first year of permit term); and Notification of Responsible Operator.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

PA0027006, Sewage, SIC Code 4952, **Borough of Tamaqua**, 320 East Broad Street, Tamaqua, PA 18252. Facility Name: Borough of Tamaqua WWTP. The existing facilities are located in Tamaqua Borough and Walker Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving streams, Little Schuylkill River (CWF/MF), Wabash Creek (CWF/MF), and Panther Creek (CWF/MF), are located in State Water Plan watershed 3-A and are classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharges are not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.
(From Permit Effective Date to Four Years After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Zinc, Total	Report	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.
(From Permit Effective Date to One Year After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.0	XXX	2.34

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.
(From One Year After Permit Effective Date to Four Years After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.
(From Four Years After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.29	XXX	0.96
Zinc, Total	4.9	XXX	XXX	0.23	0.36	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.
(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Quarterly	Weekly Average		Average Quarterly	Weekly Average	
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Bis (2-Ethylhexyl) Phthalate	Report	XXX	XXX	Report	XXX	XXX
Heptachlor	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.
(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	542	867	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Total Suspended Solids Fecal Coliform (No./100 ml)	650	975	XXX	30.0	45.0	60.0
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	232	XXX	XXX	10.7	XXX	21.5
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Weekly	Instant. Minimum	Average	Weekly	
	Monthly	Average		Monthly	Average	
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 2.6 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)			Minimum	Concentrations (mg/L)		IMAX
	Annual	Weekly	Annual Average		Weekly Average		
	Average	Average					
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX	
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX	
Manganese, Total	XXX	XXX	XXX	Report	XXX	XXX	

In addition, the permit contains the following major special conditions:

- Maximizing Treatment at the Existing POTW
- Combined Sewer Overflows
- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements for Total Residual Chlorine (TRC)
- Requirements Applicable to Stormwater
- Site-Specific Mixing Study
- POTW Pretreatment Program Development and Implementation
- Site-Specific Data Collection Option

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0264962, Sewage, SIC Code 8800, **Marcus Heiser**, 311 Deerfield Lane, Tidioute, PA 16351-6627. Facility Name: Marcus Heiser SRSTP. This existing facility is located in Deerfield Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Allegheny River (WWF), is located in State Water Plan watershed 16-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Annual	Maximum	
	Monthly	Weekly		Average	Average	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290432, Sewage, SIC Code 8800, **Linda Barton**, 134 Mitchell Road, West Middlesex, PA 16159-3314. Facility Name: Linda Barton SRSTP. This proposed facility is located in Pulaski Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Deer Creek (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290530, Sewage, SIC Code 8800, **Greg Campbell**, 232 Ridge Road, Valencia, PA 16059-1626. Facility Name: Greg Campbell SRSTP. This proposed facility is located in Jefferson Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Thorn Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290602, Sewage, SIC Code 8800, **Larry Mahan**, 21843 Mayflower Hill Drive, Venango, PA 16440-2035. Facility Name: Larry Mahan SFTF. This proposed facility is located in Venango Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to French Creek (WWF), is located in State Water Plan watershed 16-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0083771, Industrial, SIC Code 2024, **Turkey Hill, LLC**, 2601 River Road, Conestoga, PA 17516-9630. Facility Name: Turkey Hill Dairy. This existing facility is located in Manor Township, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream Manns Run (WWF, MF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31	63	Inst Min	25	50	62.5
			XXX			
Total Suspended Solids	38	75	XXX	30	60	75
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Oil and Grease	Annl Avg	XXX	XXX	Annl Avg	XXX	30
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	15	XXX	10,000
				2,000		
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	5.6	11.3	XXX	4.5	9.0	11.25
May 1 - Oct 31	1.9	3.8	XXX	1.5	3.0	3.75
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	1.25	2.5	XXX	2.0	4.0	5.0
Cobalt, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Iron, Dissolved	Report	Report	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	Report	Report	XXX
Manganese, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	31	63	Inst Min	25	50	62.5
			XXX			
Total Suspended Solids	38	75	XXX	30	60	75
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Oil and Grease	Annl Avg	XXX	XXX	Annl Avg	XXX	30
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	15	XXX	10,000
				2,000		
				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen						
Nov 1 - Apr 30	5.6	11.3	XXX	4.5	9.0	11.25
May 1 - Oct 31	1.9	3.8	XXX	1.5	3.0	3.75
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	1.25	2.5	XXX	2.0	4.0	5.0
Cobalt, Total	0.028	0.044	XXX	0.022	0.035	0.056
Copper, Total	0.12	0.19	XXX	0.096	0.15	0.24
Iron, Dissolved	0.45	0.7	XXX	0.36	0.56	0.89
Iron, Total	2.25	3.5	XXX	1.79	2.8	4.4
Manganese, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total	0.0004	0.0006	XXX	0.0003	0.0004	0.0007

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 100 are based on a design flow of .0385 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	Report	Report Daily Max	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Annl Avg	XXX	XXX	Annl Avg	XXX	XXX
	Report			Report		
	Annl Avg			Annl Avg		

In addition, the permit contains the following major special conditions:

- I—Other Requirements
- II—Water Quality-Based Effluent Limitations for Toxic Pollutants
- III—Chemical Additives
- IV—Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0291528, Sewage, SIC Code 6514, **Kirk A Re**, 1640 Old Carlisle Road, Aspers, PA 17304-9761. Facility Name: Re Res. This proposed facility is located in Menallen Township, **Adams County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Opossum Creek (TSF, MF), is located in State Water Plan watershed 7-F and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	XXX	5.0	9.0	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	Annl Avg	Annl Avg	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
				Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PAI130530, MS4, **West Whiteland Township**, Chester County, 101 Commerce Drive, Exton, PA 19341-2726. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in West Whiteland Township, **Chester County**. The receiving stream(s), Unnamed Tributary to Ridley Creek (HQ-TSF, MF), Valley Creek (CWF, MF), Broad Run (HQ-CWF, MF), and East Branch Chester Creek (TSF, MF), is located in State Water Plan watershed 3-H and 3-G and is classified for Cold Water Fishes, Migratory Fishes, High Quality—Cold Water, Migratory Fish, Trout Stocking, and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s.

PAI130545, MS4, **Delaware County**, 1521 N. Providence Road, Media, PA 19063. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in **Delaware County**. The receiving stream(s), Darby Creek (TSF, MF), Hermesprota Creek (WWF, MF), Green Creek (CWF, MF), Chester Creek (WWF, MF), Rocky Run (HQ-CWF, MF), Stony Creek (WWF, MF), Unnamed Tributary to Ridley Creek (TSF), Crum Creek (WWF, MF), Little Crum Creek (WWF, MF), Unnamed Tributary to Crum Creek (CWF (existing use)), and West Branch Chester Creek (TSF, MF), is located in State Water Plan watershed 3-G and is classified for Migratory Fishes, Cold Water Fishes, Warm Water Fishes, High Quality—Cold Water, Trout Stocking, and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

PAI130546, MS4, **Chester County**, P.O. Box 2748, West Chester, PA 19380-0991. The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in West Chester Borough, **Chester County**. The receiving stream(s), Stony Run (HQ-TSF, MF), Schuylkill River (WWF, MF), Unnamed Tributary to Schuylkill River, East Branch Brandywine Creek (HQ-TSF, MF), Unnamed Tributary of Chester Creek (TSF, MF), Valley Creek (CWF, MF), Pocopson Creek (TSF, MF), Unnamed Stream, Unnamed Tributary of Brandywine Creek (WWF, MF), and Unnamed Tributary to Pocopson Creek (TSF, MF), is located in State Water Plan watershed 3-H, 3-D, and 3-G and is classified for Migratory Fishes, Cold Water Fishes, Warm Water Fishes, Trout Stocking, and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

PA0030228, Sewage, SIC Code 4952, **East Brandywine Township Municipal Authority**, 1214 Horseshoe Pike, Downingtown, PA 19335-1132. Facility Name: Keats Glen STP. This existing facility is located in East Brandywine Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to Beaver Creek (CWF, MF), is located in State Water Plan watershed 3-H and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0181 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.2 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.4	XXX	0.9
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	2.12	3.0	XXX	14	20	28
May 1 - Oct 31	1.06	1.5	XXX	7.0	10	14
Raw Sewage Influent Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	3.0	4.5	XXX	20	30	40
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	3.77	XXX	XXX	25 Daily Max	50	62.5
Ammonia-Nitrogen						
Nov 1 - Apr 30	0.45	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	0.15	XXX	XXX	1.0	XXX	2
Total Phosphorus	0.30	XXX	XXX	2.0	XXX	4

*Shall not exceed in more than 10% of samples.

The proposed effluent limits for Outfall 001 are based on a design flow of .0181 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Chlorine Optimization
- Operator Notification
- Fecal Coliform Reporting
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect

PA0030571, Sewage, SIC Code 8361, **Louis J Mascaro Foundation, Inc.**, 2650 Audubon Road, Audubon, PA 19403-2400. Facility Name: Mascaro STP. This existing facility is located in Lower Salford Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to East Branch Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0225 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .0225 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	20	XXX	40
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000*
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

*Shall not exceed in more than 10% of samples.

In addition, the permit contains the following major special conditions:

- No Stormwater
- Acquire Necessary Property Rights
- Proper Sludge Disposal
- Abandon STP when Municipal Sewers Available
- Chlorine Optimization
- Small Stream Discharge
- Operator Notification
- Fecal Coliform Reporting
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0245381, Sewage, SIC Code 8800, **Stephen and Caroline Grasso**, 694 W Beidler Road, King of Prussia, PA 19406-1422. Facility Name: 370 Balligomingo Rd SFTF. This proposed facility is located in Upper Merion Township, **Montgomery County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Stony Creek (TSF, MF), is located in State Water Plan watershed 3-F and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255360 A-1, Storm Water, SIC Code 4225, 4491, **Three Rivers Marine & Rail Terminal, LLC**, P.O. Box 100, Dunlevy, PA 15432-0100. Facility Name: Belle Vernon aka Gibsonton River Terminal. This existing facility is located in Rostraver Township, **Westmoreland County**.

Description of Existing Activity: The application is for an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	50.0
Total Dissolved Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fluoride, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	7.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0093203, Sewage, SIC Code 9999, **PA State University**, 139J Physical Plant Building, University Park, PA 15068. Facility Name: New Kensington Campus STP. This existing facility is located in Upper Burrell Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Pucketa Creek (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.011	XXX	0.033

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.015	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 6.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	15.0	XXX	30.0
Total Suspended Solids	XXX	XXX	XXX	25.0	XXX	50.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen				Geo Mean		
Nov 1 - Apr 30	XXX	XXX	XXX	4.71	XXX	9.42
May 1 - Oct 31	XXX	XXX	XXX	1.57	XXX	3.14

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Dry stream discharge
- Schedule of compliance
- Solids management for non-lagoon system
- TRC effluent limitations below quantitation limits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0111201, Sewage, SIC Code 4952, **Carrolltown Borough Municipal Authority, Cambria County**, P.O. Box 307, Carrolltown, PA 15722-0307. Facility Name: Carrolltown Borough, Cambria County. This existing facility is located in East Carroll Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Laurel Lick Run (HQ-CWF) and Unnamed Tributary of Fox Run (CWF), is located in State Water Plan watershed 8-B and is classified for Cold Water Fishes and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	0.083	0.166 Daily Max	XXX	0.05	0.10 Daily Max	0.125

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total (ug/L)	0.017	0.025 Daily Max	XXX	9.9	15.0 Daily Max	15

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	0.20	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.019	XXX	0.063
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41.7	62.5	XXX	25	38	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	50.0	75.0	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	5.5	8.3	XXX	3.3	5.0	6.6
May 1 - Oct 31	3.3	5.0	XXX	2.0	3.0	4
Zinc, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150258	New	Rene Bentley and Corinne Bentley 100 Morningside Drive Elverson, PA 19520	West Brandywine Township Chester County	SERO
PAD480168	New	UGI Utilities, Inc. 1 UGI Drive Denver, PA 17517	City of Bethlehem Northampton County Lehigh County	NERO
PAD520039	New	Bushkill (Milford) DPP, LLC 9010 Overlook Boulevard Brentwood TN, 37027	Lehman Township Pike County	NERO
PAD390233	New	St. Luke's University Health Network 801 Ostrum Street Bethlehem, PA 18015	South Whitehall Township Lehigh County	NERO
PAD350004	Renewal	Scranton Lackawanna Industrial Bldg Co 222 Mulberry Street P.O. Box 431 Scranton, PA 18501-0431	City of Scranton Moosic Borough Lackawanna County	NERO
PAD450032 A-1	Renewal and Major Amendment	Saint Luke's Hospital of Bethlehem 801 Ostrum Street Bethlehem, PA 18015	Stroud Township Monroe County	NERO
PAD380019	New	Mid-Atlantic Interstate Transmission, LLC 2800 Pottsville Pike Reading, PA 19605-2459	South Lebanon Township Jackson Township Myerstown Borough Lebanon County	SCRO
PAD280003 A-1	Amendment	Greens of Greencastle 5703 Industry Lane Frederick, MD 21740-7263	Antrim Township Franklin County	SCRO
PAD180002	New Individual Permit	Renovo Energy Center, LLC 12011 Sunset Hills Road Suite 110 Reston, VA 20190	Renovo Borough Clinton County	NCRO

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Daryl Martin—Layer Farm 204 Farmers Lane Myerstown, PA 17067	Lebanon	18	292.76	Layers	N/A	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5980.

Permit No. 0922508 , Public Water Supply.
Applicant Buckingham Valley Rehab & Nursing Center 820 Durham Road Newtown, PA 18940
Municipality Buckingham Township
County Bucks
Type of Facility PWS
Consulting Engineer Spotts, Stevens and McCoy 1047 N. Park Road Reading, PA 19610-1339

Application Received Date	April 1, 2022
Description of Action	Public water supply permit for the Buckingham VRNC WTP. The addition of orthophosphate for corrosion treatment.
Permit No. 1522504 , Public Water Supply.	
Applicant	Octorara Area School District 228 Highway Road Suite 1 Atglen, PA 19603
Municipality	West Fallowfield Township
County	Chester
Type of Facility	PWS
Consulting Engineer	Entech Engineering, Inc. 201 Penn Street Reading, PA 19603
Application Received Date	April 7, 2022
Description of Action	Corrosion control chemical addition treatment for lead and copper mitigation.
Permit No. 4622503 , Public Water Supply.	
Applicant	New Hanover Child Care Gilbertsville 2797 N. Charlotte Street Gilbertsville, PA 19525-9719
Municipality	New Hanover Township
County	Montgomery
Type of Facility	PWS
Consulting Engineer	Arro Consulting, Inc. 108 West Airport Road Lititz, PA 17543
Application Received Date	March 1, 2022
Description of Action	Proposing to add a nitrate treatment system to the nontransient non community public water supply system.
Permit No. 1522503 , Public Water Supply.	
Applicant	Westtown School 975 Westtown Road West Chester, PA 19382-5700
Municipality	Westtown Township
County	Chester
Type of Facility	PWS

Consulting Engineer Castle Valley Consultants, Inc.
10 Beulah Road
New Britain, PA 18901-5201

Application Received April 7, 2022
Date

Description of Action Treatment modifications to
address water quality.

Permit No. 1521528, Public Water Supply.

Applicant **PA American**
852 Wesley Drive
Mechanicsburg, PA 17055-4436

Municipality East Vincent Township

County **Chester**

Type of Facility PWS

Consulting Engineer Gannett Fleming, Inc.
207 Senate Avenue
Camp Hill, PA 17011-2316

Application Received December 30, 2021
Date

Description of Action New water treatment plant will
be constructed on a green field
site near the existing water
treatment plant. The new WTP
will utilize conventional
treatment (flocculation,
sedimentation, gravity sand
filtration) plus UV treatment.

*Southwest Region: Safe Drinking Water Program,
400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

Permit No. 1122501, Public Water Supply.

Applicant **Summerhill DPP, LLC**
9010 Overlook Boulevard
Brentwood, TN 37027

Municipality Croyle Township

County **Cambria County**

Responsible Official Zach Rogers
Authorized Agent

Type of Facility Water system

Consulting Engineer Moody and Associates, Inc.
11548 Cotton Road
Suite 101
Meadville, PA 16335

Application Received February 4, 2022
Date

Description of Action Development of a site considered
a transient noncommunity water
system.

Permit No. 6522504, Public Water Supply.

Applicant **Powdermill Nature Reserve
Avian Research Center**
1795 Route 381
Rector, PA 15677

Municipality Cook Township

County **Westmoreland County**

Responsible Official Cokie Lindsay

Type of Facility Water system

Consulting Engineer Apex Companies, LLC
165 East Union Street
Suite 100
Somerset, PA 15501

Application Received February 1, 2022
Date

Description of Action Public water supply.

Permit No. 0222513, Public Water Supply.

Applicant **Municipal Authority of
Westmoreland County**
1816 Union Avenue
McKeesport, PA 15132

Municipality McKeesport Borough

County **Westmoreland County**

Responsible Official Michael Kukura
Resident Manager

Type of Facility Water system

Consulting Engineer Municipal Authority of
Westmoreland County
P.O. Box 730
Greensburg, PA 15601

Application Received March 4, 2022
Date

Description of Action Addition of alternative
preoxidant.

Permit No. 5046494, Public Water Supply.

Applicant **Daltons Service
Company, LLC**
1230 Mercer Road
Ellwood City, PA 16117

Municipality Beaver Falls City

County **Beaver County**

Responsible Official James Riggio
General Manager

Type of Facility Water system

Consulting Engineer Environmental Solutions and
Innovations, Inc.
1158 Dutilh Road
Mars, PA 16046

Application Received March 31, 2022
Date

Description of Action Beaver Falls Municipal
Authority Hydrant.

Permit No. 0222513, Public Water Supply.

Applicant **Hampton Shaler
Water Authority**
3101 McCully Road
Allison Park, PA 15101

Municipality Shaler Township

County **Allegheny County**

Responsible Official April Winklmann
Executive Director

Type of Facility Water system

Consulting Engineer Herbert, Rowland and
Grubic, Inc.
200 West Kensing Drive
Suite 400

Cranberry Township, PA 16066

Application Received Date April 8, 2022

Description of Action Anderson Road Booster Station.

Permit No. 0218518-A3, Public Water Supply.

Applicant **Pittsburgh Water and Sewer Authority**
Penn Liberty Plaza 1
1200 Penn Avenue
Pittsburgh, PA 15222-4216

Municipality City of Pittsburgh

County **Allegheny County**

Responsible Official William J. Pickering
Chief Executive Officer

Type of Facility Water system

Consulting Engineer Pittsburgh Water and Sewer Authority
Penn Liberty Plaza 1
1200 Penn Avenue
Pittsburgh, PA 15222-4216

Application Received Date April 11, 2022

Description of Action Application of orthophosphate.

Permit No. 2622502, Public Water Supply.

Applicant **Municipal Authority of Washington Township**
1390 Fayette Avenue
Belle Vernon, PA 15012

Municipality Washington Township

County **Fayette County**

Responsible Official Daniel Reppert
Chairman

Type of Facility Water system

Consulting Engineer Bankson Engineers
267 Blue Run Road
Suite 200
Cheswick, PA 15024

Application Received Date March 30, 2022

Description of Action Lynnwood Tank Repair.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a

site as a special industrial area, must file a NOI to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Noble Biomaterials, 302 Fig Street, Scranton, PA 18505, Scranton City, **Lackawanna County**. AMO Environmental Decisions, 875 North Easton Road, Suite 10, Doylestown, PA 18902, on behalf of Noble Biomaterials, Inc., 300 Palm Street, Scranton, PA 18505, submitted a Notice of Intent to Remediate. Soil was contaminated with lead from historic industrial operations. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Scranton Times* on April 12, 2022.

2300 Hanover Ave, 2300 Hanover Avenue, Allentown, PA 18109, Allentown City, **Lehigh County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106, on behalf of Central Park Realty LLC, 915 West Broad St, Bethlehem, PA 18018, submitted a Notice of Intent to Remediate. Soil was contaminated with petroleum and

asbestos from a former car dealership. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Morning Call* on April 1, 2022.

200-203 East Harford Street, 200-203 East Harford Street, Milford, PA 18337, Milford Borough, **Pike County**. AEI Consultants, 20 Gibson Place, Suite 310, Freehold, NJ 07728, on behalf of Progressive Health of PA, Inc., 110 East Harford Street, Milford, PA 18337, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of gasoline from an underground storage tank. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Pike County Courier* on April 8, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Wawa Store No. 153, 1946 North 11th Street, Reading, PA 19604, Reading City, **Berks County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Wawa, Inc., 260 West Baltimore Pike, Media, PA 19063, submitted a Notice of Intent to Remediate soil media contaminated with lead. The site will be remediated to the Site-Specific Standard. Future use of the site is for nonresidential purposes. The Notice of Intent to Remediate was published in *The Reading Eagle* on February 22, 2022.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

General Permit Application No. WMGM017SE001. Longwood Gardens, Inc., 401 East Street Road, Kennett Square, PA 19348-1839. This application is for the determination of applicability (DOA) General Permit renewal of the Solid Waste Permit No. WMGM017SE001 (formerly WMGM017D004) to continue the On-Farm Composting operation at the Abbondi Composting Facility owned and operated by Longwood Gardens, Inc., located at 351 Longwood Road, Kennett Square, PA 19348, East Marlborough, **Chester County**. The renewal application for determination of applicability was received by the Southeast Regional Office on April 4, 2022.

Questions or comments concerning the application should be directed to the Waste Management Program Manager, Department of Environmental Protection (DEP) Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, 484.250.5960. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation

to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

36-03042D: H & K Group Inc. PA/MD Materials, 303 Quarry Road, Peach Bottom, PA 17563, for the construction of a stone crushing plant at the PA-MD Materials Division located in Fulton Township, **Lancaster County.** The current crushing plant on-site will be removed. The expected facility potential emissions as a result of the changes proposed is: PM 29.3 tpy. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

41-00021A: Buckeye Energy Services, LLC, 6161 Hamilton Boulevard, Allentown, PA 18106, for the installation of a John Zink Company model ZCT-2-6-35-2-2/6 vapor combustion unit (VCU) to control the air contaminant emissions from an existing gasoline and distillate truck loading operation at their Williamsport Terminal located in Armstrong Township, **Lycoming County.** A new John Zink VCU will replace an existing vapor recovery unit while an existing portable VCU will remain in place as a backup emission control system. The facility currently operates with existing annual synthetic minor gasoline (91,100,000 gallons) and distillate (315,360,000 gallons) throughput restrictions. Buckeye Energy Services LLC proposes to keep the same throughput restrictions with the proposed installation of the VCU. The potential annual emission at the facility slightly increased as a result of combustion in VCU and will not exceed the following limits: VOCs/HAPs—3.79 tons; PM₁₀—0.21 ton; CO—4.78 tons; NO_x—3.73 tons; and SO₂—0.09 ton. CO_{2e}—3,199.25. The Department's review of the information contained in the application submitted by Buckeye

Energy Services, LLC indicates that the sources and the air-cleaning devices will comply with all applicable air quality requirements pertaining to air contamination sources and the emission of air contaminants, including the best available technology requirements of 25 Pa. Code §§ 127.1 and 127.12, the fugitive air contaminant emission requirement of 25 Pa. Code § 123.1, the visible emission limitation of 25 Pa. Code § 123.41, the gasoline terminal operation requirements of 25 Pa. Code § 129.59 and 40 CFR 63 Subpart BBBBBB requirements related to national emission standards for hazardous air pollutants for source category: gasoline distribution bulk terminals, bulk plants, and pipeline facilities. Based on this finding, the Department proposes to issue a plan approval for the proposed installation. The following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements:

1) The volatile organic compound (VOC) emission from the John Zink vapor combustion unit (ID C101) associated with Source ID P101 shall not exceed 80 milligrams per liter (0.0668 pound for every 100 gallons of gasoline) of gasoline loaded, at any time.

2) Within 180 days of installation/operation of the VCU, the permittee shall conduct a performance stack test at the exhaust of the VCU to verify compliance with the VOC emissions limit of 80 mg/l. The stack test shall be conducted in accordance with 25 Pa. Code § 139.

3) The gasoline and distillate loading operation shall not be operated without the simultaneous operation of either VCU or PVCU at any time. The PVCU shall only be used for maintenance and upset conditions on the VCU or other emergency use conditions.

4) The permittee shall comply with all applicable monitoring requirements specified in 40 CFR Section 63.11092 for VCU.

5) The VCU shall be installed, operated and maintained per the manufacturer's specification and recommendation.

6) The VCU shall comply with all the applicable requirements of 40 CFR Part 63, Subpart BBBBBB—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Sections 63.11080—63.11100.

7) The permittee shall continue to comply with all the terms and conditions of the State Only Operating Permit SMOP 41-00021.

The facility is a State Only facility. If the Department determines that the VCU is installed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 41-00021A, the requirements established in the plan approval will be incorporated into a State Only Operating Permit via an administrative amendment in accordance with 25 Pa. Code § 127.450 at a later date. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6328.

03-00180: Eastern Gas Transmission & Storage Inc., South Bend Station, 6603 West Broad Street, Richmond, VA 23230, the Department intends to issue a Title V Operating Permit renewal for compression and transfer of natural gas located in South Bend Township, **Armstrong County**. The subject facility consists of six natural gas compressor engines (2,000 hp each), emergency generator (813 hp), a 5.5 MMBtu/hr, natural gas-fired boiler, two 6.4 MMBtu/hr, natural gas-fired heaters, an 8.0 MMBtu/hr, natural gas-fired, salt bath heater, a 10,000-gallon, pipeline fluids tank, a parts washer and fugitive emissions. Each engine is limited to 3.0 grams NO_x/bhp-hr and 1.0 gram VOC/bhp-hr with a 57.9 tpy NO_x limit and 19.3 Tpy VOC limit per engine. The facility reported in 2020 13.96 tpy NO_x, 16.84 tpy CO, 5.89 tpy VOC, 0.03 SO_x, 0.19 tpy PM, 1.12 tpy HAPs, and 5,754.62 tpy CO₂. The facility is subject to State Regulations and Federal Regulations (40 CFR Part 63 DDDDD). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00234: C S Products, Inc., dba Conshohocken Steel, 301 Randolph Avenue, Ambler, PA 19002, for the operation of three spray booths located in Ambler Borough, **Montgomery County**. The permit is for a non-Title V (State Only) facility. The facility's potential to emit criteria pollutants is less than major thresholds; therefore, the facility is a Natural Minor. The actual emissions from the facility will not exceed 25 tpy VOC and 100 tpy PM. Emissions are estimated to be 15 tpy VOC and 12 tpy PM or less. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00220: Carlisle Interconnect Technologies, 206 Jones Boulevard, Pottstown, PA 19464, located in Limerick Township, **Montgomery County**. This action is a renewal of a Synthetic Minor Operating Permit. The renewal also addresses a change of ownership from Micro-Coax, Inc. (Tax ID 23-3011857) to Carlisle Interconnect Technologies (Tax ID 59-3177689), effective May 1, 2021. The permittee operates extruders, degreasers, electroplating equipment, and electric vaporizing ovens for the manufacture of flexible cables and cable assemblies (SIC 3669: Manufacturing—Communications Equipment; SIC 3679: Manufacturing—Electronic Components). The

TCE-vapor degreaser (Source ID 103) has been replaced with a non-HAP vapor degreaser (Source ID 109). The requirements of 25 Pa. Code § 129.63(b) apply to the new batch vapor degreaser. The facility-wide potential to emit Volatile Organic Compounds (VOC) is less than 25 tons per year after restrictions; therefore, the facility is considered a Synthetic Minor for VOC and an area source of Hazardous Air Pollutants (HAP). The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

15-00144: The Vanguard Group, Inc., 100 Vanguard Blvd., Malvern, PA 19355, located in Tredyffrin Township, **Chester County**, for the renewal of a State-Only Operating Permit. This facility is classified as Synthetic Minor facility for oxides of nitrogen (NO_x) emissions. Vanguard operates office buildings which contain equipment in support of operations in the financial services industry. Vanguard currently operates ten existing emergency generators (EGens) at this site to provide power during periods of utility power outages and during electrical infrastructure maintenance. Each EGen is restricted to 500 hours per year of operation. There is no increase in NO_x emissions with this renewal. The Operating Permit will contain monitoring, recordkeeping, reporting and work practice conditions designed to address all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00252: H&K Group, Inc., 394 S. Sanatoga Road, Pottstown, PA 19464, for a Renewal Non-Title V Facility, State-Only Permit in Lower Pottsgrove Township, **Montgomery County**. H&K does rock crushing and screening at this location. No new changes are being made to the permit at this time. The facility is subject to 40 CFR 60 Subpart OOO. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

40-00020: PA DHS/White Haven Center, 827 Oley Valley Rd., White Haven, PA 18661. The Department intends to issue a renewal Operating Permit for their facility located in Foster Township, **Luzerne County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

28-03056: Texas Eastern Transmission, LP, 3551 Molly Pitcher Hwy, Chambersburg, PA 17202, for the operation of a natural gas compressor station in Chambersburg Borough, **Franklin County**. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 48.95 tpy VOC, 4.50 tpy HAPs, and less than 1 tpy of PM, NO_x, CO, and SO₂. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

67-03105: American Colloid Co., 600 Lincoln St., York, PA 17401-3317, to issue a State Only Operating permit for the cat litter and foundry sand manufacturing facility in the City of York, **York County**. The State Only Operating Permit was amended to incorporate a name change which does not affect the EIN number. The operations are controlled by fabric filters. The facility's potential-to-emit estimates are 96.81 tpy PM, 30.05 tpy PM₁₀, 23.16 tpy PM_{2.5}, 1.91 tpy VOC, 0.01 tpy SO_x, 1.04 tpy CO, 1.24 tpy NO_x, and 0.02 tpy HAP. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**COAL & NONCOAL MINING
ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and

Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Mining Permit No. 32841312. NPDES No. PA0037087. Indiana Investments, Inc. c/o Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to revise the permit and related NPDES Permit to add Urling No. 2 Mine (CMAP No. 32841313) to Urling Nos. 1 & 3 Mines, to be known as Urling Nos. 1—3 Mines in Armstrong Township, **Indiana County**, affecting 4.2 proposed surface acres and 309.0 proposed underground acres. Application received: January 24, 2022.

Mining Permit No. 32841312. NPDES No. PA0037087. Indiana Investments, Inc. c/o Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to renew the permit and related NPDES Permit in Armstrong Township, **Indiana County**. Application received: January 24, 2022.

Mining Permit No. 56851303. NPDES No. PA0215350. RoxCoal, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, to renew the permit and related NPDES Permit in Brothersvalley and Stonycreek Townships, **Somerset County**. Application received: January 25, 2022.

Mining Permit No. 33071301. NPDES No. PA0236080. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to revise the permit and related NPDES Permit in Snyder Township, **Jefferson County**, affecting 150.6 proposed underground acres and 150.6 proposed subsidence control plan acres. Application received: January 31, 2022.

Mining Permit No. 56910701. NPDES No. PA0213560. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, to renew the permit and related NPDES Permit in Somerset and Brothersvalley Townships, **Somerset County**. Application received: February 1, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov (Contact: Cayleigh Boniger).

Mining Permit No. 10841302. NPDES No. PA0002780. Pristine Resources Land, LLC, P.O. Box 36, 129 Bethlehem Road, Revloc, PA 15948. Renewal of an existing bituminous underground mine in Clinton Township, **Butler County**, affecting 18.5 acres of surface area and 6,080.0 acres of underground area. This renewal is issued for reclamation only. Receiving streams: Lardintown Run, Ohio Basin, Allegheny River Watershed, classified for the following uses: TSF. Application received: February 21, 2020.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity			
pH must always be greater than 6.0; less than 9.0.			

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

Mining Permit No. 63100401. NPDES No. PA0252034. Neiswonger Construction, Inc., Route 322, Strattanville, PA 16258 renewal of an NPDES permit associated with a large noncoal in Deemston Borough, **Washington County**, affecting 74.2 acres. Receiving stream: Unnamed tributaries to Ten Mile Creek and Ten Mile Creek, classified for the following use: TSF. Application received: April 11, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. 35970801. James T. O'Hara, Inc., 205 Old School House Road, Covington Township, PA 18444, Stage I & II bond release of a quarry operation in Spring Brook Township, **Lackawanna County**, affecting 3.0 acres on quarry owned by James T. O'Hara, Inc. Application received: April 11, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Additional criteria

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan, and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Submittal of comments

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit notice within 30-days of this notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and phone number of the writer and a concise statement to inform the Department of the basis of a comment and the relevant facts upon which it is based.

Requests or petitions for a public hearing on any NPDES permit applications will be accepted as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, phone number and the interest of the party filing the request and state the reasons why a hearing is warranted. The Department may hold a public hearing if the public interest is significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES No. PA0595756. Mining Permit No. 54851332. R S & W Coal Co., 1150 Creek Road, Pitman, PA 17964, renew NPDES permit in the City of Pottsville, **Schuylkill County**, affecting 20.4 acres related to an underground mining permit. Receiving stream: West Branch Schuylkill River, classified for the following uses: CWF, MF. The receiving stream is included in the West Branch Schuylkill River TMDL. Application received: February 19, 2021.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to West Branch Schuylkill River:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	TFO	0.01 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Iron (mg/l)		3.0	6.0	7.0
Aluminum (mg/l)		2.0	4.0	5.0
Manganese (mg/l)		2.0	4.0	5.0

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Suspended Solids (mg/l)		35.0	70.0	90.0
pH (S.U.) Must be between 6.0 and 9.0 at all times.				
Alkalinity must exceed acidity at all times.				

NPDES No. PA0123862. Mining Permit No. 54803203. Rausch Creek Fuel, LLC, 978 Gap Street, Valley View, PA 17983, renewal NPDES permit in Porter Township, **Schuylkill County**, affecting 76.0 acres related to a coal mining activity permit. Receiving stream: East Branch Rausch Creek, classified for the following use: CWF. TMDL. Application received: January 25, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to East Branch Rausch Creek.

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge rate</i>
001	Existing	SWO	Varies with precipitation

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Acidity (mg/L)				Report
Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Arsenic (mg/L)		Report varies	Report	Report
Flow (MGD)				
Oil & Grease (mg/L)				Report

Noncoal NPDES Draft Permits

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

NPDES No. PA0591688. Mining Permit No. 3374SM58. Coolspring Mining, Inc., P.O. Box 1328, Uniontown, PA 15401, renewal of an NPDES permit in North Union Township, **Fayette County**, affecting 148.6 acres. Receiving stream: UNT to Coolspring Run, classified for the following use: WWF. The receiving stream is located within the Redstone Creek TMDL. Application received: April 20, 2020.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Coolspring Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	SWO	Precipitation Dependent
003	Existing	SWO	Precipitation Dependent
004	Existing	SWO	Precipitation Dependent
005	Existing	SWO	Precipitation Dependent
007	Existing	SWO	Precipitation Dependent

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0			9.0
Iron, Total (mg/L)		3.0	6.0	7.0
Manganese, Total (mg/L)		2.0	4.0	5.0
Aluminum, Total (mg/L)		Report	Report	Report
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Alkalinity, Total (as CaCO ₃ , mg/L)				Report
Acidity, Total (as CaCO ₃ , mg/L)				Report
Net Alkalinity (as CaCO ₃ , mg/L)	0.0			
Temperature (°C)				Report
Specific Conductivity (µmhos/cm)				Report
Flow (gpm)				Report

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water

Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable

provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.

E4502221-009. Smithfield Township, 1155 Red Fox Road, East Stroudsburg, PA 18301, in Smithfield Township, Middle Smithfield Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the Marshalls Falls Improvements Project in the floodway/floodplain of Marshalls Creek (HQ-CWF, MF). Work includes a new walkway, concrete landing pads, stairs and placing fill in the approaches to the existing watercourse crossing. The project is located approximately 0.75 mile north west of the Marshalls Creek Road and Resica Road intersection. (East Stroudsburg, PA Quadrangle, Latitude: 40° 03' 3.81"; Longitude: -75° 08' 14.34").

E5402222-003. Northpoint Development, LLC, 4825 NW 41st Street, Suite 500, Riverside, MO 64150, in Butler Township, **Schuylkill County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Highridge Logistics Center:

1. A stormwater outfall along the bank of Rattling Run (CWF, MF) consisting of a 24-inch diameter SLCPP, concrete endwall, and R-6 riprap apron.

2. A fill within 0.08 acre of PEM Wetlands (Other) with work consisting of the construction of a 1,215,200 ft² industrial building (Building # 1).

The applicant with provide for 0.08 acre of wetland mitigation.

The project is located at approximately 0.53-mile north-east of the intersection of Highridge Park Road and I-81 (Minersville, PA Quadrangle Latitude: 40° 44' 35"; Longitude: -76° 18' 29") in Butler Township, Schuylkill County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E6703122-003. PennDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103 in East Manchester Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

To remove existing structure and to install and maintain a 240 foot 4 inch x 37 foot 4.5 inch bridge over Conewago Creek (WWF, MF) for the purpose of improving transportation safety. The project proposes to permanently impact 128 linear feet and temporarily 132 linear feet of stream channel with 244 sq. ft of permanent and 0.16 acre of temporary wetland impacts. The project is located in East Manchester Township, York County (40.1008°; -76.7037°).

E0503221-006. Kevin W. Perrin, 618 Church Road, Everett, PA 15537 in Snake Spring Township, **Bedford County**, U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a single-span, steel beam bridge with steel grate, resting on Redi-Rock concrete wingwall abutments, permanently impacting 20 linear feet (540 square feet) and temporarily impacting 65 linear feet (1,755 square feet) of Snake Spring Valley Run (WWF, MF), for the purpose of providing property owner access to agricultural fields and a single family residential dwelling. The project is located along Lower Snake Spring Road (Latitude: 40.085762, Longitude: -78.381562) in Snake Spring Township, Bedford County. No wetlands will be impacted by this project.

E2203222-001. Susquehanna Township, 1900 Lingsletown Road, Harrisburg, PA 17110 in Susquehanna Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To 1) pave over currently installed dual culverts that are permanently impacting 0.02 acre (1,010 square feet) Paxton Creek (WWF, MF); 2) place and maintain fill in the floodway of Paxton Creek (WWF, MF) permanently impacting 0.2 acre (8,788 square feet); 3) replace and maintain a stormwater outfall in the floodway of Paxton Creek (WWF, MF) permanently impacting 0.006 acre (284 square feet), all for the purpose of improving roadway stability through widening and streambank stabilization. The project is located along Paxton Church Road in Susquehanna Township, Dauphin County (Latitude: 40.306915, Longitude: -76.871326). There are no impacts to wetlands proposed with this project.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000 (Contact: Dana Drake).

E0205221-031. Coraopolis Water and Sewer Authority, 1301 4th Avenue, Suite 1, Coraopolis, PA 15108, Coraopolis Borough, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

1. Construct and maintain a stream restoration project, along approximately 918 linear feet of McCabe Run (WWF), by re-grading the streambanks to reconnect the stream with its floodplain, and establishing a 35-foot riparian buffer along the 918 feet of stream;

2. Construct and maintain two J-hook rock vanes within McCabe Run.

For the purpose of providing sediment load reduction toward Coraopolis Water and Sewer Authority's MS4 requirements of their NPDES permit. Cumulatively, the project will permanently impact 918 feet of stream and 1.45 acres of floodway and will temporarily impact 930 feet of stream and 0.1 acre of floodway. The project site is located approximately 500 feet south of the intersection of Brook Street and Louis Brizzoli Way (Ambridge, PA USGS topographic quadrangle; N: 40°, 30', 34.92"; W: -80°, 9', 33.1194"; Sub-basin 20G; USACE Pittsburgh District), in Coraopolis Borough, Allegheny County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA2203222-001: Derry Township Municipal Authority, 670 Clearwater Road, Hershey, PA 17033, in Derry Township, **Dauphin County**, U.S. Army Corps of Engineers Baltimore District.

To conduct a stream restoration project along Deer Run (WWF, MF) including 1.) the relocation and maintenance of 3,150 feet of stream; 2.) the regrading and maintenance of 1,060 feet of streambank; 3.) the installation and maintenance of 3,280 feet of livestock bank stabilization; 4.) the installation and maintenance of 2,150 feet of brush mattress bank stabilization; 5.) the construction and maintenance of four stream riffles totaling 160 feet in length; 6.) the construction and maintenance of four rock cross vanes; 7.) the construction and maintenance of five rock vanes; 8.) the installation and maintenance of 2,035 feet of coir logs; 9.) the excavation and maintenance of a 36.0-foot by 30.0-foot scour hole; and 10.) the installation and maintenance of four double cross rock vanes, all for

the purpose of reducing sediment loading to the stream. The project is located near the intersection of Deer Run Drive and Southpoint Drive (Latitude: 40.245679° N; Longitude: 76.716067° W) in Derry Township, Dauphin County. No wetlands will be impacted by this project.

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

D26-135EA. Curtis Fontaine, Municipal Authority of Westmoreland County, 1067 Philadelphia Street, Indiana, PA 15701; Bullskin Township, **Fayette County**; U.S. Army Corps of Engineers, Philadelphia District.

Applicant proposes to completely remove the Greenlick Lower Dam to eliminate a threat to public safety and to restore approximately 400 feet of stream channel to a free-flowing condition. The project is located across Greenlick Run (EV) (Connellsville, PA Quadrangle, Latitude: 40.1063, Longitude: -79.5060).

D26-136EA. Curtis Fontaine, Municipal Authority of Westmoreland County, 1067 Philadelphia Street, Indiana, PA 15701; Bullskin Township, **Fayette County**; U.S. Army Corps of Engineers, Philadelphia District.

Applicant proposes to completely remove the Greenlick Upper Dam to eliminate a threat to public safety and to restore approximately 300 feet of stream channel to a free-flowing condition. The project is located across Greenlick Run (EV) (Connellsville, PA Quadrangle, Latitude: 40.1053, Longitude: -79.5010).

D40-023EA. Bilal Baqai, Pennsylvania Department of Conservation and Natural Resources, Facility Design and Construction, 2808 Three Mile Run Road, Perkasio, PA 18944, Plains Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

Applicant proposes to remove the Laurel Run No. 2 Dam to eliminate a threat to public safety and to restore approximately 1,200 feet of stream channel to a free-flowing condition. The defunct masonry/concrete water supply dam is 39 feet high and 275 feet long. The proposed restoration project includes complete dam and sediment removal. The project is located across Laurel Run (CWF, MF) (Wilkes-Barre East, PA Quadrangle, Latitude: 41.2481, Longitude: -75.8179).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dept of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dept of Env'tl Prot.*, 903 F.3d 65 (3d Cir. 2018), *cert. denied*, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dept. of Env'tl Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dept of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020053	Chapter 102 Individual NPDES Permit	Issued	Pittsburgh Urban Redevelopment Authority Allegheny County 412 Boulevard of The Allies Suite 901 Pittsburgh, PA 15219	Pittsburgh City Allegheny County	SWRO
PAD090082	Chapter 102 Individual NPDES Permit	Issued	NP Falls Township Ind, LLC 4805 Montgomery Road Suite 310 Cincinnati, OH 45212-2198	Falls Township Bucks County	SERO
PAD330007	Chapter 102 Individual NPDES Permit	Issued	Falls Creek (830) DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027-5242	Falls Creek Borough Jefferson County	NWRO
PAD450156	Chapter 102 Individual NPDES Permit	Issued	CMBK Resort Holdings, LLC 193 Resort Drive Tannersville, PA 18372-7993	Pocono Township Monroe County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0913810	Joint DEP/PFBC Pesticides Permit	Issued	Yeager Linda 6005 Lower Mountain Road New Hope, PA 18938-9618	Solebury Township Bucks County	SERO
0917804	Joint DEP/PFBC Pesticides Permit	Issued	McNeill Trevor 6209 Covered Bridge Road Pipersville, PA 18947	Plumstead Township Bucks County	SERO
0919835	Joint DEP/PFBC Pesticides Permit	Issued	Jesse Keen and Bejoy Phillips 107 Foxcroft Drive Furlong, PA 18925	Doylestown Township Bucks County	SERO
0922802	Joint DEP/PFBC Pesticides Permit	Issued	McLlwain Rosi 1879 Pleasant View Road Coopersburg, PA 18036	Springfield Township Bucks County	SERO
2616801	Joint DEP/PFBC Pesticides Permit	Issued	Seven Springs Mountain Resort 777 Water Wheel Drive Champion, PA 15622-4007	Middlecreek Township Somerset County	SWRO
4617807	Joint DEP/PFBC Pesticides Permit	Issued	Philadelphia CC 1601 Spring Mill Road Gladwyne, PA 19035-1020	Lower Merion Township Montgomery County	SERO
5613803	Joint DEP/PFBC Pesticides Permit	Issued	Stony Creek Valley Development Corp P.O. Box 307 Scotland, PA 17254-0307	Stonycreek Township Somerset County	SWRO
6017801	Joint DEP/PFBC Pesticides Permit	Issued	Millward Estates Condominium Association 904 Lakeside Drive Lewisburg, PA 17837-9382	Kelly Township Union County	NCRO
1593413	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Upper Uwchlan Township Municipal Authority 140 Pottstown Pike Chester Springs, PA 19425-9516	Upper Uwchlan Township Chester County	SERO
PAI132235	MS4 Individual NPDES Permit	Issued	Harveys Lake Borough Municipal Authority Luzerne County 4875 Memorial Highway Suite 101 Harveys Lake, PA 18640	Harveys Lake Borough Luzerne County	NERO
PA0027057	Major Sewage Facility with CSOs Individual NPDES Permit	Issued	Williamsport City Sanitary Authority Lycoming County 253 W 4th Street Williamsport, PA 17701-6113	Williamsport City Lycoming County	NCRO
0686404	Major Sewage Treatment Facility Individual WQM Permit	Issued	Reading City Berks County 503 N 6th Street Reading, PA 19601-3085	Reading City Berks County	SCRO
PA0037923	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	North East Borough Erie County 31 W Main Street North East, PA 16428-1135	North East Township Erie County	NWRO
PA0104078	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Martha and Nathan Palm 134 N Maysville Road Greenville, PA 16125-8632	West Salem Township Mercer County	NWRO
PA0024651	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Atglen Borough Sewer Authority Chester County 120 West Main Street P.O. Box 250 Atglen, PA 19310-0250	Atglen Borough Chester County	SERO

NOTICES

2635

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1600403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Mark Wineman 8630 Miola Road Lucinda, PA 16235-3920	Highland Township Clarion County	NWRO
5906402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Denied	Lawrenceville Borough Tioga County 6 Mechanic Street Lawrenceville, PA 16929-9768	Lawrenceville Borough Tioga County	NCRO
NNOEXNC21	No Exposure Certification	Issued	Truck Lite Co., LLC 310 E Elmwood Avenue Falconer, NY 14733-1421	Wayne Township Clinton County	NCRO
NNOEXNC22	No Exposure Certification	Issued	Truck Lite Co., LLC 310 E Elmwood Avenue Falconer, NY 14733-1421	Coudersport Borough Potter County	NCRO
NNOEXNC23	No Exposure Certification	Issued	Truck Lite Co., LLC 310 E Elmwood Avenue Falconer, NY 14733-1421	Charleston Township Tioga County	NCRO
PAR800068	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	UPS Inc. 700 Blair Mill Road Horsham, PA 19044-2222	Horsham Township Montgomery County	SERO
PAR900003	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Constellation Energy Generation, LLC # 1 Industrial Highway Eddystone, PA 19022	Bristol Township Bucks County	SERO
PAG130176	PAG-13 NPDES General Permit for MS4s	Issued	Bethel Township Delaware County 1092 Bethel Road Garnet Valley, PA 19060-1707	Bethel Township Delaware County	SERO
PAG132261	PAG-13 NPDES General Permit for MS4s	Issued	Nazareth Borough Northampton County 134 S Main Street Nazareth, PA 18064	Nazareth Borough Northampton County	NERO
PAG156102	PAG-15 NPDES General Permit for Pesticides	Issued	Stony Creek Valley Development Corp P.O. Box 307 Scotland, PA 17254-0307	Stonycreek Township Somerset County	SWRO
PA0264032	Single Residence STP Individual NPDES Permit	Issued	Marshall Mark 3813 Williams Road Erie, PA 16510-6101	Harborcreek Township Erie County	NWRO
PA0265519	Single Residence STP Individual NPDES Permit	Issued	Jeremy and Tanya Card 811 Stillwater Road Sugar Grove, PA 16350-4027	Sugar Grove Township Warren County	NWRO
PA0290238	Single Residence STP Individual NPDES Permit	Issued	Meredith and Shane Johnson 9735 Sherman Road Albion, PA 16401-8705	Springfield Township Erie County	NWRO
PA0290271	Single Residence STP Individual NPDES Permit	Issued	Luticia and Wayne Lynn 14014 Dickson Road Meadville, PA 16335-8060	West Mead Township Crawford County	NWRO
PA0291510	Single Residence STP Individual NPDES Permit	Issued	Giannotti Vincenzo 2451 Jefferson Avenue West Lawn, PA 19609-2363	Cumru Township Berks County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0622401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Giannotti Vicenzio 2451 Jefferson Avenue West Lawn, PA 19609-2363	Cumru Township Berks County	SCRO
2021421	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Luticia and Wayne Lynn 14014 Dickson Road Meadville, PA 16335-8060	West Mead Township Crawford County	NWRO
2521438	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Meredith and Shane Johnson 9735 Sherman Road Albion, PA 16401-8705	Springfield Township Erie County	NWRO
6217415	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jeremy and Tanya Card 811 Stillwater Road Sugar Grove, PA 16350-4027	Sugar Grove Township Warren County	NWRO

II. Final Actions on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC510204	PAG-02 General Permits	Issued	SAFStor Real Estate Co, LLC 355 Oneta Street Suite D100 Athens, GA 30601-1844	City of Philadelphia Philadelphia County	DEP, SERO Waterways & Wetlands 2 East Main Street Norristown, PA 19401 RA-EPWW-SERO@pa.gov
PAC510241	PAG-02 General Permits	Issued	L-A Battery QOZ, LLC 2400 Market Street Suite 301 Philadelphia, PA 19103-3033	City of Philadelphia Philadelphia County	DEP, SERO Waterways & Wetlands 2 East Main Street Norristown, PA 19401 RA-EPWW-SERO@pa.gov
PAC090514	PAG-02 General Permit	Issued	Conwell-Egan Catholic High School 611 Wistar Road Fairless Hills, PA 19030-4105	Bristol Township Bucks County	DEP, SERO Waterways & Wetlands 2 East Main Street Norristown, PA 19401 RA-EPWW-SERO@pa.gov
PAC510250	PAG-02 General Permit	Issued	B9 Milnor Owner, LLC 602 West Office Center Drive No. 2 Fort Washington, PA 19034	City of Philadelphia Philadelphia County	DEP, SERO Waterways & Wetlands 2 East Main Street Norristown, PA 19401 RA-EPWW-SERO@pa.gov
PAC230200	PAG-02 General Permit	Issued	Upper Darby School District 4611 Bond Avenue Drexel Hill, PA 19026	Upper Darby Township Delaware County	DEP, SERO Waterways & Wetlands 2 East Main Street Norristown, PA 19401 RA-EPWW-SERO@pa.gov

NOTICES

2637

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090375	PAG-02 General Permit	Issued	Northampton Township 55 Township Road Richboro, PA 18954-1592	Northampton Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550
PAC660031	PAG-02 General Permit	Issued	Trehab Associates, Inc. P.O. Box 366 Montrose, PA 18801	Nicholson Borough Wyoming County	Wyoming County Conservation District 1 Hollowcrest Complex Tunkhannock, PA 18657 570-836-2589
PAC400017	PAG-02 General Permit	Issued	Tri-Mountain Realty I, LLC Neal A. DeAngelo 8 W. Broad Street Suite 1000 Hazle Township, PA 18201	Hazle Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400109A-1	PAG-02 General Permit	Issued	400 Stewart Road, LLC Stephen Maakestad 100 Baltimore Drive Wilkes-Barre, PA 18702	Hanover Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC540116	PAG-02 General Permit	Issued	James L. Miller JLM Real Estate Investments P.O. Box 472 950 East Main Street Schuylkill Haven, PA 17972	Wayne Township Schuylkill County	Schuylkill Conservation District 1206 Ag Center Drive Pottsville PA 17901-8732 570-622-3742
PAC010195	PAG-02 General Permit	Issued	Joseph Myers 160 Ram Drive Hanover, PA 17331	Union Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC670518	PAG-02 General Permit	Issued	Good Hope Ventures WR, LC 4250 Crums Mill Road Harrisburg, PA 17112	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670477	PAG-02 General Permit	Issued	ALDI, Inc. 8751 Gas House Pike Frederick, MD 21701	Windsor Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670543	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 1600 Colony Road York, PA 17408	Manchester and Conewago Townships York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670401 A-1	PAG-02 General Permit	Issued	Franklin N. Lecrone 284 St. Mary's Road Abbottstown, PA 17301	Paradise Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670061	PAG-02 General Permit	Issued	KV Springettsbury Partners LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC360725	PAG-02 General Permit	Issued	Samuel Stoltzfus 143 Rothsville Station Road Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360679	PAG-02 General Permit	Issued	Lancaster Mennonite School 2176 Lincoln Highway East Lancaster, PA 17602	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAD210046 A-1	102 Individual Permit	Issued	Woods of Barnitz I, LLC 9 Beverly Court Carlisle, PA 17015-7937	Dickinson Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC080065	PAG-02 GP	Issued	Michael Wilson Wilson Property Holdings, LLC 1003 Golden Mile Road Towanda, PA 18848	Wysox Township Bradford County	Bradford County Conservation District 200 Lake Road Suite E Towanda, PA 18848
PAC410029 A-2	PAG-02 GP	Issued	Blaise Alexander Subaru Proposed Auto Dealership 10 Alexander Drive Muncy, PA 17756-8148	Fairfield Township Lycoming County	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754-9209
PAC590045	PAG-02 GP	Issued	Brad Brinker 325 Snay Road Sabinville, PA 16943	Clymer Township Tioga County	Tioga County Conservation District 1867 Shumway Hill Road Wellsboro, PA 16901-1766
PAC600085	PAG-02 GP	Issued	Daryl Beiler 7249 Furnace Rd Mifflinburg, PA 17844	Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837-8822

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC600086	PAG-02 GP	Issued	Bucknell University Corner of Monroe and Stein Lewisburg, PA 17837	E. Buffalo Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAC600087	PAG-02 GP	Issued	PNK P2, LLC (Alex Rozengaus) Enterprise Blvd Allenwood, PA 17810	Gregg Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAC560063	PAG-02 General Permit	Issued	McWilliams Farm 288 Sechler Road Somerset, PA 15501	Somerset Borough Somerset County	Somerset County Conservation District Somerset County AG Center 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

NUTRIENT MANAGEMENT PLAN

CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Springfield Manor Farm, LLC 3241 Blue Rock Road Lancaster, PA 17603	Lancaster	104.4	325.97	Layer/ Swine	NA	Approved
Meadow Vista Dairy, LLC 166 Risser Road Bainbridge, PA 17502	Lancaster	715.9	1232.5	Dairy	NA	Approved
Country View Family Farms, LLC Willow Hill Farm 12598 Creek Road Fannettsburg, PA 17221	Franklin	121	3271.5	Swine	N/A	Approved
Richard W. Rutt 375 Nissley Road Mount Joy, PA 17552	Lancaster	84.1	465.44	Swine	HQ	Renewal

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.

Permit No. 4822501, Public Water Supply.

Applicant	Bethlehem Authority Shady Lane Project 10 East Church Street Bethlehem, PA 18018-6005
Municipality	East Allen Township
County	Northampton
Type of Facility	PWS
Consulting Engineer	Mr. Daniel Shawn Hershey, P.E. President Hershey Engineering, Inc. 703 Woodcrest Avenue Lititz, PA 17543
Permit to Construct Issued	April 4, 2022

Permit No. 3396420, Operations Permit, Public Water Supply.

Applicant	BlueTriton Brands, Inc. Tanker Update Permit 405 Nestle Way Breinigsville, PA 18031
-----------	---

Municipality	Upper Macungie Township
County	Lehigh
Type of Facility	Bottled Water Facility
Consulting Engineer	Edward E. Davis, P.E. Miller Brothers Construction, Inc. P.O. Box 472 Schuylkill Haven, PA 17972
Permit to Operate Issued	March 22, 2022

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 5619508, Public Water Supply.

Applicant	Addison Area Water Authority P.O. Box 13 Addison, PA 15411
Municipality	Addison Borough and Addison Township
County	Somerset County
Type of Facility	Water system upgrades including an RTU
Consulting Engineer	Buchart Horn, Inc. 2200 Liberty Avenue Suite 300 Pittsburgh, PA 15222-4502
Permit Issued	April 14, 2022

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Plan Location:

Municipality	Municipality Address	County
Robeson Township	8 Boonetown Road Birdsboro, PA 19508	Berks

Plan Description:

The planning exemption for the **High Point Baptist Chapel Subdivision**, DEP Code No. A3-06954-261-2E, APS ID 1060463, consisting of one new single-family residential lot using an individual on-lot sewage disposal system, is disapproved. The proposed development is located on Furnace Road. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the subdivision proposes the use of on-lot sewage disposal systems in an area within 1/4 mile of water supplies documented to exceed 5 PPM nitrate-nitrogen as per Chapter 71, Section 71.51(b)(1)(ii), and because the subdivision proposes the use of on-lot sewage disposal systems in an area within a high quality or exceptional value watershed as per Chapter 71, Section 71.51(b)(1)(iii).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Rutkowski Pad, 3846 Glenwood Road, Hop Bottom, PA 18824, Lenox Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy Inc, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by a release of diesel from a heater. The report is intended to document remediation of the site to meet Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Maloy's Amoco, Primary Facility ID # 65-01916, 101 Altman Road, Jeannette, PA 15644, Jeannette City, **Westmoreland County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101 (on behalf of Richard Maloy, 331 Kemerer Drive, Greensburg, PA 15601) has submitted a Remedial Action Completion Report concerning remediation of site groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide Health or Background Standard.

Pit Stop Express, Primary Facility ID # 576400, 4501 Ohio River Boulevard, Bellevue, PA 15202, Bellevue Borough, **Allegheny County**. KU Resources, Inc., 22 S. Linden Street, Duquesne, PA 15110 (on behalf of Pit Stop Express, 4501 Ohio River Boulevard, Bellevue, PA 15202) has submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel. The report is intended to document remediation of the site to meet the Statewide Health or Background Standard and the site specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential

public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Warner's Central Garage, 8-10 Hudsonale Street, Weatherly, PA 18255, Weatherly Borough, **Carbon County**. Barry Isett & Associates, 1170 Highway 315, Wilkes-Barre, PA 18702, on behalf of Mauch Chunk Trust Company, 1111 North Street, P.O. Box 289, Jim Thorpe, PA 18229, submitted a Final Report concerning soil contaminated with lead and hydrocarbons from historic fill. The Final Report demonstrated attainment of a combination of Site Specific and Statewide health standards and was approved by DEP on April 15, 2022.

Energy Transfer Pipeline, 1122 Clamtown Road, Tamaqua, PA 18252, Walker Township, **Schuylkill County**. Groundwater & Environmental Services, 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Energy Transfer, 100 Green Street, Marcus Hook, PA 19601, submitted a Final Report concerning remediation of soil contaminated by a release of gasoline from a pipeline. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on April 19, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Electric Company Glass Plant Former Manufacturing Area, Primary Facility ID # 844033, 540 Mayer Street, Bridgeville, PA 15017, Collier Township, **Allegheny County**. General Electric Company, 540 Mayer Street, Bridgeville, PA 15107 has submitted a Final Report concerning the remediation of site soils contaminated with lead, arsenic, and vanadium. Relief of Liability was not requested for groundwater. Antimony, arsenic, vanadium, and manganese were all detected above respective MSC's at the site, however groundwater is managed through Activity Use and Limitations which will be recorded in an Environmental Covenant. The Final Report demonstrated attainment of the site-specific standards and was approved by the Department on March 29, 2022.

Pudgie Wudgie Site, Primary Facility ID # 844924, 2200 Hulton Road, Verona, PA 15147, Plum Borough, **Allegheny County**. American Geosciences, Inc., 3925 Reed Blvd., Ste. 400, Murrysville, PA 15668, on behalf of the Fownes Foundation, 315 Old Mill Rd, Pittsburgh, PA 15238-1913, has submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated

with volatile organic compounds (VOCs) and arsenic. The Remedial Investigation Report and Cleanup Plan was approved by the Department on March 03, 2022.

Former Matthews International Property, Primary Facility ID # 845030, 6515 Penn Avenue, Pittsburgh, PA 15206, City of Pittsburgh, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668, on behalf of Walnut Capital Management, Inc., 5500 Walnut Street, Suite 300, Pittsburgh, PA 15232 and LORE PPA BKSQ4 6519 PENN LLC, 1123 Yale Street, Houston, TX 77008, has submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated with volatile organic compounds (VOCs), polynuclear aromatic hydrocarbons (PAHs), heavy metals, and polychlorinated biphenyls (PCBs). The Remedial Investigation Report and Cleanup Plan was approved by the Department on March 29, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Magill Storage Yard, Primary Facility ID # 853482, 776 Prospect Road, Evans City, PA 16033, Connoquenessing Township, **Butler County**. Moody & Associates, Inc., 11548 Cotton Road, Suite 101, Meadville, PA 16335 on behalf of PennEnergy Resources, LLC, 1000 Commerce Drive, Park Place One, Suite 400, Pittsburgh, PA 15275 has submitted a Final Report concerning the remediation of site soil contaminated with chloride, aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final report demonstrated attainment of the Statewide Health and Background Standards and was approved by the Department on April 15, 2022.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2531.

GP3-54-012: Rausch Creek Aggregates, LLC, 978 Gap Street, Valley View, PA 17983, was issued on April 13, 2022 for the installation and operation of one (1) 500 TPH KPI/JCI FT2650 jaw crusher, one (1) 460 TPH KPI/JCI FT300DF cone crusher, one (1) 600 TPH KPI/JCI AMS GT205S screener, and one (1) 400 TPH Barford TR8036 conveyor with water sprays at the site located in Porter Township, **Schuylkill County**.

GP9-54-012: Rausch Creek Aggregates, LLC, 978 Gap Street, Valley View, PA 17983, was issued on April 13, 2022 for the installation and operation of one (1) 300 BHP Caterpillar C9.3 engine, one (1) 450 BHP Cummins QSX15 engine, and one (1) 129 BHP Perkins C4.4 engine with exhaust gas recirculation, diesel particulate filters, selective catalytic reduction, and oxidation catalysts associated with the GP3 authorized portable nonmetallic mineral processing plant equipment at the site located in Porter Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP11-21-05042C: Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, on April 13, 2022, for a nonroad engine, under GP11, at limestone processing and asphalt production at the facility in Silver Spring Township, **Cumberland County**.

GP11-21-05049E: Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, on April 13, 2022, for a nonroad engine, under GP11, at the asphalt and portable crusher facility at the Penn Township Quarry, located in Penn Township, **Cumberland County**.

GP11-36-05099: Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, on April 13, 2022, for a nonroad engine, under GP11, at the hot mix asphalt plant located in East Hempfield Township, **Lancaster County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

GP5A-63-01026A/AG5A-63-00016B: Loan Asset Issuer LLC, Series 2021 NG-1, 510 Madison Avenue, New York, NY 10022, on April 7, 2022, authorizing the transfer of ownership from HG Energy II Appalachia, LLC to Loan Asset Issuer LLC, Series 2021 NG-1 for the WFN-1 Well Pad located in West Finely Township, **Washington County**.

GP5A-63-01030A/AG5A-63-00015B: Loan Asset Issuer LLC, Series 2021 NG-1, 510 Madison Avenue, New York, NY 10022, on April 11, 2022, authorizing the transfer of ownership from HG Energy II Appalachia, LLC to Loan Asset Issuer LLC, Series 2021 NG-1 for the WFN-4 Well Pad located in West Finely Township, **Washington County**.

GP5A-63-01029A/AG5A-63-00014B: Loan Asset Issuer LLC, Series 2021 NG-1, 510 Madison Avenue, New York, NY 10022, on April 12, 2022, authorizing the transfer of ownership from HG Energy II Appalachia, LLC to Loan Asset Issuer LLC, Series 2021 NG-1 for the WFN-5 Well Pad located in West Finely Township, **Washington County**.

GP5A-63-01028A/AG5A-63-00013B: Loan Asset Issuer LLC, Series 2021 NG-1, 510 Madison Avenue, New York, NY 10022, on April 12, 2022, authorizing the transfer of ownership from HG Energy II Appalachia, LLC to Loan Asset Issuer LLC, Series 2021 NG-1 for the WFN-6 Well Pad located in West Finely Township, **Washington County**.

GP5A-63-01025A/AG5A-63-00011B: Loan Asset Issuer LLC, Series 2021 NG-1, 510 Madison Avenue, New York, NY 10022, on April 12, 2022, authorizing the transfer of ownership from HG Energy II Appalachia, LLC to Loan Asset Issuer LLC, Series 2021 NG-1 for the WFN-10 Well Pad located in West Finely Township, **Washington County**.

GP5-30-00803/AG5-30-00025A: CNX Gas Company, LLC, 1000 Consol Drive, Canonsburg PA-15317-6506, on April 15, 2022, to allow the operation of: a natural gas-fired Caterpillar G3408C LE compressor rated at 425 bhp, an engine oil tank rated at 2,100-gallon, fugitive

emissions, pneumatic devices, and miscellaneous venting including pigging, engine's startup/shutdown, and blowdowns operations at their Iams Compressor Station located in Morris Township, **Greene County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

15-0160: International Paper Company, 4581 Lower Valley Road, Atglen, PA 19310-1766. On April 12, 2022, for the issuance of a plan approval at a minor facility for the manufacture of boxes at their location in West Sadsbury Township, **Chester County**.

46-0037AE: Global Advanced Metals USA Inc., County Line Road, Boyertown, PA 19512-6608. On April 12, 2022, for the issuance of a plan approval at a major facility for the installation of a new vacuum belt filter and dust collector in Building 23 at their location in Douglass Township, **Montgomery County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

56-00257C: Pennsylvania Department of Corrections, 1920 Technology Parkway, Mechanicsburg, PA 17050, in accordance with Pa. Code 25 §§ 127.44—127.46, the Department of Environmental Protection (DEP) is providing notice that on April 18, 2022, DEP issued a Plan Approval to Pennsylvania Department of Corrections to increase the maximum sum of the hours of operation of two existing, 2,233-bhp, LFG-fired, SI, reciprocating generator engines (Source IDs 110 and 111) from 8,400 to 13,800, at a boiler house at a prison, known as the SCI-Laurel Highlands, located in Somerset Township, **Somerset County**. An existing 44.4 MMBtu/hr heat input, LFG-fired turbine generator engine (Source ID 109) at the facility, was permanently removed from service at the same time. This Plan Approval will become inactive later on its day of issue when TVOP-56-00257 is renewed, with the ongoing requirements of PA-56-00257C incorporated.

The facility is a landfill gas (LFG) and natural gas-fired, electrical power and steam generating plant. LFG is pumped to the boiler house from an off-site, commercial landfill. The main sources at this facility are two (2), 2,233-bhp, SI, Caterpillar, LFG-fueled, generator engines and one (1), 20.3 MMBtu/hr, dual-fuel (LFG & NG) boiler.

The LFG-fired engines are subject to 40 CFR Part 60, Subpart A—General Provisions, 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and Pa. Code, Title 25, Chapters 121—145. No equipment changes are being approved by this action. The permit includes emission limitations and operational, monitoring, testing, recordkeeping, workpractice, and reporting requirements for the facility. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions

of the Plan Approval have been derived from the applicable requirements of 40 CFR Parts 60 and 70 and 25 Pa. Code Article III, Chapters 121—145.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on April 13, 2022 for a Plan Approval for replacement of the control device for an existing emission source at the following facility:

IP21-001113: Tony DePaul and Sons (TDPS) Materials, 3870 N 2nd Street, Philadelphia, PA 19140, on April 13, 2022, was issued a Plan Approval for the replacement of the baghouse that controls particulate emissions from an existing hot mix asphalt drum plant at an asphalt and concrete production facility, in the City of Philadelphia, **Philadelphia County**. The control device that is part of the Plan Approval is a replacement baghouse for the existing hot mix asphalt drum plant with rated capacity 66,500 ACFM to control particulate matter emission, and the new baghouse will replace the existing baghouse at the facility. The potential Particulate Matter-10 (PM₁₀) emission from the existing hot mix asphalt drum plant controlled by the replacement baghouse is 9.32 tons per year. There is no change in either the potential PM₁₀ emissions or an hourly Particulate Matter (PM) emission limit for the existing hot mix asphalt drum plant due to the replacement of the existing baghouse with the new baghouse. The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05033A: Texas Eastern Transmission/Bernville, 306 Station Road, Robesonia, PA 19551, on April 13, 2022, for the construction of two (2) new natural gas-fired simple cycle turbines at the Bernville Compressor Station located in North Heidelberg Township, **Berks County**. These new turbines will replace two (2) GE turbines. The turbines will be built with SoLoNO_x dry low NO_x (DLN) technology for the control of NO_x and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current 445 bhp emergency generator (Source ID 033) with a Waukesha VGF48GL 1,175 bhp, natural gas, emergency generator. The project also includes the installation of two (2) fuel gas heaters, each rated at 1.47 MMBtu/hr heat input, and five (5) 33-gallon separator vessels used to collect pipeline liquids. The plan approval was extended.

22-05010A: Texas Eastern Transmission, LP, 429 Station Road, Grantville, PA 17028, on April 13, 2022, for the construction of two (2) new natural gas-fired simple cycle turbines at the Grantville Compressor Station lo-

cated in East Hanover Township, **Dauphin County**. These new turbines will replace four (4) turbines. The turbines will be built with SoLoNO_x dry low NO_x (DLN) technology for the control of NO_x and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current 445 bhp emergency generator (Source ID 035) with a Waukesha VGF24GL 585 bhp, natural gas, emergency generator. The project also includes the installation of two (2) fuel gas heaters, each rated at 1.154 MMBtu/hr heat input, one space heater rated at 0.200 MMBtu/hr, three (3) separator vessels each rated less than 500 gallons used to collect pipeline liquids, one (1) 2,260 gallon pipeline liquids tank, two (2) 3,550 gallon oil tanks and one (1) 10,000 gallon oily water tank. The plan approval was extended.

28-03041B: Spectrum Industrial Coatings, Inc., 9226 Mt. Brook Road, St. Thomas, PA 17252-9778, on April 13, 2022, for a miscellaneous metal parts spray booth at the surface coating facility in St. Thomas Township, **Franklin County**. The spray booth is controlled by panel filters. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

18-00021B: Avery Dennison Performance Polymers, 171 Draketown Road, Mill Hall, PA 17751, on April 12, 2022, to extend the authorization to operate their R-100 emulsion reactor at their facility located in Mill Hall, **Clinton County**, on a temporary basis until October 11, 2022. The plan approval has been extended.

18-00011K: Croda, Inc., 8 Croda Way, Mill Hall, PA 17751, on April 18, 2022, to extend the authorization to operate the sources pursuant to the plan approval from April 29, 2022 to October 26, 2022, at their Mill Hall Facility located in Bald Eagle Township, **Clinton County**. The plan approval has been extended.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

65-01040: Elliott Company, 901 North Fourth Street, Jeanette, PA 15644, on April 13, 2022 to extend the temporary operation period for the Product Testing Facility located in the City of Jeanette, **Westmoreland County**. The new expiration date is October 28, 2022.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00040: Laurel Pipe Line Company, LLC, 3398 Garnet Mine Road, Boothwyn, PA 19060-1720. On April 18, 2022, for the renewal of the Title V Operating Permit for their tank farm for storage of petroleum distillates and gasoline located in Bethel Township, **Delaware County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

56-00257: Pennsylvania Department of Corrections, 1920 Technology Parkway, Mechanicsburg, PA 17050. In accordance with 25 Pa. Code §§ 127.441, 127.425, and 127.521, the Department of Environmental Protection (DEP) is providing notice that on April 18, 2022, DEP issued a renewed Title V Operating Permit to Pennsylvania Department of Corrections for the continued operation of a boiler house at a prison, known as the SCI-Laurel Highlands, located in Somerset Township, **Somerset County**.

The facility is a landfill gas (LFG) and natural gas-fired, electrical power and steam generating plant. LFG is pumped to the boiler house from an off-site, commercial landfill. The main sources at this facility are two (2), 2,233-bhp, SI, Caterpillar, LFG-fueled, generator engines and one (1), 20.3 MMBtu/hr, dual-fuel (LFG & NG) boiler. Supporting equipment at this site includes one (1), purge gas, siloxane removal system with an enclosed flare, two (2), 9.85 MMBtu/hr, Miura, NG-fired boilers, one (1), 27.7 MMBtu/hr, natural gas-fired, trailer mounted boiler, and three (3), 2,235-bhp, 2,235-bhp, and 268-bhp, emergency, diesel, generator engines.

Sources at the facility are subject to 40 CFR Part 60, Subpart A—General Provisions, 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units, 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Part 63, Subpart A—General Provisions, 40 CFR, Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, and 25 Pa. Code Chapters 121—145. No equipment or emission changes are being approved by this action. The permit includes emission limitations and operational, monitoring, testing, recordkeeping, workpractice, and reporting requirements for the facility. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60 and 70 and 25 Pa. Code Article III, Chapters 121—145.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00063: PA Department of Corrections—Chester State Correctional Institution, 500 East 4th Street, Chester, PA 19013-4551. On April 12, 2022, for the renewal of a Synthetic Minor Operating Permit for the operation of boilers, emergency generators, and an emergency fire pump at their location in Chester City, **Delaware County**.

09-00222: Kymera International/dba Telex Metals, 105 Phyllis Avenue, Croyden, PA 19021-7509. On April 14, 2022, for the renewal of a Natural Minor Operating Permit for their metal refining lines and emergency generator located in Bristol Township, **Bucks County**.

09-00141: Lower Bucks County Joint Municipal Authority, 7811 New Falls Road, Levittown, PA 19058-0460. On April 18, 2022, for the renewal of a Natural Minor Operating Permit for their sewage pumping station and emergency generator at their location in Bristol Township, **Bucks County**. This action also included a Minor Modification to replace an existing Scrubber Unit with a Photoionization Unit.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-03062: Theo C. Auman, Inc., 247 Penn Street, Reading, PA 19601-4047, on April 12, 2022, for the human crematory unit at the facility located in Reading City, **Berks County**. The State-Only permit was renewed.

67-03070: Lower Allen Township Authority, 120 Limekiln Road, New Cumberland, PA 17070-2428, on April 12, 2022, for the Lower Allen Township Wastewater Treatment Plant located in Fairview Township, **York County**. The State-Only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

56-00241: Rockwood Area School District, 439 Somerset Avenue, Rockwood, PA 15557-1030. On April 14, 2022, the Department issued a renewal Synthetic Minor Operating Permit for operation of the Rockwood Junior/Senior High School located in Milford Township and Rockwood Borough, **Somerset County**.

Equipment at this facility includes two (2) 4.3 MMBtu/hr tri-fuel boilers which burn primarily coal, a 150 kW diesel-fired emergency electric generator engine, a 20 kW propane-fired emergency electric generator engine, two (2) hot water boilers rated at 0.6 MMBtu/hr and 0.299 MMBtu/hr, six (6) radiant space heaters rated with a total heat input rating of 0.7 MMBtu/hr, and a heating furnace rated at 0.08 MMBtu/hr. Potential annual emissions from the facility are based on a limit of burning 2,070 tons of coal per consecutive 12-month period and are estimated to be 9.8 tons NO_x, 1.3 tons VOCs, 11.4 tons CO, 4.7 tons particulate matter, 77.0 tons SO_x, 1.24 tons HCl, 0.16 ton HF, 1.40 tons total HAPs, and 6,469 tons GHG.

The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The final Operating Permit contains applicable emission limitations, monitoring, recordkeeping, reporting, and work practice standards requirements.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

20-00135: Clear Lake Lumber, Inc., 409 Main Street, Spartansburg, PA 16434, on April 12, 2022, the Depart-

ment issued the renewal State-Only Operating Permit of a kiln-drying lumber facility located in Spartansburg Borough, **Crawford County**. Permitted air contamination sources at the facility include a wood-fired boiler, wood-drying kilns, woodworking operations, and silos for waste wood materials. The wood-fired boiler is subject to 40 CFR 63 Subpart JJJJJJ. In this renewal, the wood-drying kilns, which emit VOCs, are added as a permitted source. No longer in operation, the planer shed is removed as a permitted source. For permitting purposes, the facility is Natural Minor.

Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543.

Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.

The City of Philadelphia, Air Management Services (AMS) issued on April 13, 2022 a modification for a Synthetic Minor (State Only) Operating Permit for the following facility:

OP21-000043: INEOS Composites US, LLC, 2801 Christopher Columbus Blvd., Philadelphia, PA 19148-5103, on April 13, 2022, was issued a 2nd modification Synthetic Minor (State Only) Operating Permit, which is a modification for the Synthetic Minor Operating Permit (OP17-000001) issued June 21, 2018 and 1st modified (OP19-000023) on November 6, 2020, for the operation of air emission sources in an industrial plant for production of polyester resin and vinyl ester resin in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources include fugitive emissions, four (4) filling stations, two (2) particulate sources, both controlled by a filter cartridge dust collector, fourteen (14) product storage tanks, twelve (12) raw material storage tanks, five (5) reactors with overhead condensers, three (3) thinning tanks, eleven (11) blending tanks, one (1) mix tank, and one (1) holding tank, one (1) 14 MMBtu/hr fume afterburner firing natural gas or No. 2 oil, one (1) 8.4 MMBtu/hr steam boiler firing natural gas or No. 2 oil, one (1) 8.4 MMBtu/hr temporary portable steam boiler firing No. 2 oil, one (1) 75 HP portable air compressor firing No. 2 oil, one (1) 12.0 MMBtu/hr hot oil heater firing natural gas or No. 2 oil, four (4) groups of carbon drums operating as fume afterburner back-up control device to various sources, and one (1) emergency generator firing No. 2 oil rated 800 kW. Additionally, the facility has various insignificant sources, including eleven (11) storage tanks and an emergency generator, that are included in the Synthetic Minor Operating Permit, and they are required to follow the applicable requirements in the Synthetic Minor Operating Permit.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-03022: New Enterprise Stone & Lime Co., Inc., 169 Quarry Road, Chambersburg, PA 17201, on April 18,

2022, for the Mt. Cydonia Sand Plant 1, located in Guilford Township, **Franklin County**. The State-Only permit was administratively amended to incorporate the provisions of Plan Approval No 28-03022C.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

47-00015: EM Resources, LLC, 10701 S River Front Pkwy, Suite 300, South Jordan, UT 84095, on April 13, 2022, was issued an amended State Only Operating Permit to indicate a change in ownership of the fly ash processing operation at the Montour Plant, previously owned and operated by Boral Resources, LLC, which is located in Derry Township, **Montour County**. The facility's main emission source is a Rotary Convection Dryer with a natural gas-fired burner rated at 49.3 MMBtu/hr of heat input. The amended State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

Coal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov, (Contact: Cayleigh Boniger).

Mining Permit No. 16140109. NPDES No. PA0259594. K & A Mining, 119 Atwell Lane, Kennerdell, PA 16374, Renewal of an existing bituminous surface mine and associated NPDES permit in Washington Township, **Clarion County**, affecting 70.0 acres. Receiving streams: Unnamed tributaries to East Sandy Creek classified for the following use: CWF. Application received: August 16, 2021. Permit issued: April 13, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov, (Contact: Ashley Smith).

Mining Permit No. GFCC No. 17-21-01. Excelsior Contracting, LLC, 2339 Red Fox Lane, Tyrone, PA

16686. New GFCC permit to eliminate approximately 870 feet of open highwall, daylighting and reclamation of 7.5 acres of abandoned underground mines and the regrading of approximately 54,000 cubic yards of spoil in order to reclaim approximately 7.5 acres of abandoned mine lands in Woodward Township, **Clearfield County**, affecting approximately 19 acres. Receiving stream(s): Unnamed tributary to Goss Run to Goss Run (Moshannon Creek TMDL). Application received: May 27, 2021. Permit issued: April 15, 2022.

Mining Permit No. 17050108. NPDES No. PA0256277. King Coal Sales, Inc., P.O. Box 712, Philipsburg, PA 16866, permit renewal for reclamation only and for a passive treatment system of a bituminous surface coal mine located in Graham and Morris Townships, **Clearfield County**, affecting 95.2 acres. Receiving stream(s): Moravian Run classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: August 30, 2021. Permit issued: April 15, 2022.

Mining Permit No. 17101601. NPDES No. PA0236055. Victor, LLC, 3056 Washington Avenue, P.O. Box 128, Clearfield, PA 16830. Permit renewal for continued operation of the Victor Tipple coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 and related NPDES permit in Greenwood Township, **Clearfield County**. Surface Acres Proposed 25.56. Receiving Streams: West Branch of Susquehanna River, classified for the following use(s): WWF. Application received: June 18, 2021. Permit issued: April 15, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EP NEWSTANTON@pa.gov, (Contact: Tracy Norbert).

Mining Permit No. 26080104. NPDES Permit No. PA0251453. AEC Services Company, LLC, 525 Plymouth Road, Suite 1320, Plymouth Meeting, PA 19462. Transfer of permit originally issued to Steve Patterson Excavating and renewal of permit for continued operation and reclamation of a bituminous surface mine located in Dunbar Township, **Fayette County**, affecting 88.2 acres. Receiving stream(s): unnamed tributaries "A" and "B" to Gist Run. Application received: September 18, 2020. Permit issued: April 15, 2022.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EP KNOX@pa.gov, (Contact: Cayleigh Boniger).

Mining Permit No. 20211001. Meadville Redi-Mix Concrete, Inc., P.O. Box 418, Meadville, PA 16335. Authorization to extract noncoal (industrial minerals) in Woodcock Township, **Crawford County**, to supply fill material for Lord Corporation Plant Expansion. Receiving streams: Unnamed tributary to French Creek. Application received: November 23, 2021. Authorization approved: April 13, 2022.

Mining Permit No. PAM621009. Meadville Redi-Mix Concrete, Inc., P.O. Box 418, Meadville, PA 16335. Coverage under General NPDES Permit for stormwater discharges (BMP GP-104) associated with mining activi-

ties on GP-103 Permit No. 20211001 in Woodcock Township, **Crawford County**. Receiving streams: Unnamed tributary to French Creek. Application received: November 23, 2021. Authorization approved: April 13, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Cassandra Stanton).

Mining Permit No. 08212504. GP104 PAM222002. Black Knight Quarries, Inc., 293 Beacon Light Road, Towanda, PA 18848, New Application for a GP-105 (industrial minerals) Operation located in Warren Township, **Bradford County**, affecting 5.0 acres. Receiving stream(s): Chaffee Run classified for the following use(s): CWF, MF. Application received: December 20, 2021. Permit Issued: April 15, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Ashley Smith).

Permit No. 14224104. Douglas Explosives, Inc., 2052 Philipsburg Bigler Hwy., Philipsburg, PA 16866. Blasting for residential development located in Benner and Spring Townships, **Centre County**, with an expiration date of April 14, 2023. Permit issued: April 13, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EP NEWSTANTON@pa.gov, (Contact: Tracy Norbert).

Permit No. 02224102. Senex Explosives Inc., 710 Millers Run Road, Cuddy, PA 15031-9742, Blasting Activity Permit issued for construction/demolition of Landfill located in Monroeville Borough, **Allegheny County**, with an expiration date of April 25, 2023. Permit issued: April 14, 2022.

Permit No. 02224103. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141. Blasting Activity Permit issued for construction/demolition of commercial development located in Moon Township, **Allegheny County**, with an expiration date of December 31, 2022. Permit issued: April 18, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).

Permit No. 58224001. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Seinko Illegal Mine Reclamation in Great Bend Township, **Susquehanna County**, with and expiration date of April 7, 2024. Permit issued: April 14, 2022.

Permit No. 64224005. Northeast Blasting, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Brian VanPatten House Foundation in Dyberry Township, **Wayne County**, with an expiration date of April 7, 2023. Permit issued: April 14, 2022.

Permit No. 22224105. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Briar Creek in West Hanover Township, **Dauphin County**, with an expiration date of April 4, 2023. Permit issued: April 14, 2022.

Permit No. 48224105. Schlouch, Inc., P.O. Box 69, Blandon, PA 19510, construction blasting for Century Commerce Center Lots 2 & 3 in Allen Township, **Northampton County**, with an expiration date of April 7, 2023. Permit issued: April 14, 2022.

Permit No. 36224002. Abel Construction Company, Inc., P.O. Box 476, Mountville, PA 17554, construction blasting for Meadows at Strasburg PH 2 & PH 3 in Strasburg Township, **Lancaster County**, with an expiration date of December 1, 2022. Permit issued: April 15, 2022.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603221-013. Berks County, 633 Court Street, 14th Floor, Reading, PA 19601. Exeter Township, **Berks County**, ACOE Philadelphia District.

To remove existing superstructure and to install and maintain a (1) 54.04 foot x 63.5 foot superstructure over Antietam Creek (CWF, MF) and (2) place 0.5 acre of fill within the floodway of Antietam Creek (CWF, MF) and 0.2 acre UNT Antietam Creek (CWF, MF). The project proposed to permanently impact 153 linear feet of stream channel and 0.7 acre of floodway impacts for the purpose of improving transportation safety and roadway standards. The project is located in Exeter Township, Berks County (40.3113°, -75.8482°). The permit was issued on April 19, 2022.

E3603221-006. Ephrata Borough Authority, 124 South State Street, Ephrata, PA 17522-2411 in Ephrata Borough, **Lancaster County**, ACOE Baltimore District.

To remove and replace/enlarge the solids processing building at existing Wastewater Treatment Plant (WWTP) # 1, in order to upgrade the solids processing and handling capabilities of the treatment facility. The proposed project will include 0.15 acre of permanent impact to the FEMA 100-year floodplain of the Cocalico Creek (WWF, MF). The project is located at 405 South Reading Road, Ephrata, PA 17522-1600 (Latitude: (40.1746), Longitude: (-76.1982)). The permit was issued on April 19, 2022.

Southwest Region: Oil & Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

E0407221-006: ETC Northeast Pipeline, LLC, 6051 Wallace Road Extension, Third Floor, Wexford, PA 15090, **Beaver County**, ACOE Pittsburgh District.

This Joint Permit Application is being submitted for various activities associated with the B15 Well Connect Pipeline. These impacts include repairs to slope movements partially located within wetlands at Stations 3+00 and 149+00 and authorization of five (5) after-the-fact aquatic resource crossings that were not identified during the original permitting.

The permanent impacts associated with slope repairs are (0.068 acre total). Compensatory mitigation is accomplished by purchasing 0.08 credits from the Robinson Fork Phase I Mitigation Bank. This application also includes after-the-fact permanent impacts to streams and wetlands associated with aquatic resource crossings that were not identified within the original Chapter 105 permitting of this project. The permanent impacts to wetlands associated with the pipeline construction are a result of the conversion of Palustrine Scrub Shrub (PSS) and Palustrine Forested (PFO) wetlands to Palustrine Emergent (PEM) Wetlands due to the clearing of vegetation along the Right of Way. No loss of wetland acreage was documented. The conversion of PSS wetlands will be mitigated at a 2:1 ratio, while the conversion of PFO wetlands will be mitigated at a 3:1 ratio. The mitigation is being proposed at Reserved Environmental Solution's (RES) Neshannock Creek Restoration Site (NCRS).

WETLAND IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
W_256_JAR	Baden	Fill/ Dewatering/ Timbermat	PEM/ PSS	N/A	769	-	1,249	-	40.63958 -80.18106
W_1153_MRV_A	Baden	Fill/ Dewatering	PEM/ PSS	N/A	206	-	1,694	-	40.66606 -80.181481
W_1158_MRV_B	Baden	Conversion	PSS	N/A	-	-	27	-	40.64111 -80.18306
W_1157_MRV_A	Baden	Conversion	PFO	N/A	-	-	3,599	-	40.65672 -80.19278
S_464_JAR_PIPE_FW	Baden	Floodway Impact	-	TSF	-	170	-	-	40.66194 -80.19167
W_1155_MRV_B	Baden	Conversion	PSS	N/A	-	-	2,213	-	40.67000 -80.18417
W_257_JAR_A	Baden	Conversion	PFO	N/A	-	-	1,417	-	40.67417 -80.18000
TOTAL IMPACTS					975	170	10,199	-	

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829221-027: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567. Brad 84-Lecrone Frac Pond in Towanda Township, **Bradford County**, ACOE Baltimore District.

This Joint Permit Application is being submitted for after-the-fact authorization of temporary & permanent wetland impacts at the Brad 84-Lecrone Frac Pond in accordance with the Consent Decree United States, et al. v. Chesapeake Appalachia, LLC, Civil Action No. 4:21—00538-MWB CALLC entered into with the U.S. Environmental Protection Agency and PADEP on May 20, 2021. The project is to construct, operate and maintain 0.7270 acre of permanent and 0.1980 acre of temporary impacts to on-site wetlands. All impacts are associated with the Brad 84-Lecrone Frac Pond construction in 2011. Finally, 0.1448 acre of on-site wetland restoration is proposed.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 33669 SF (0.727 acre) of permanent and 14,934 SF (0.3495 acre) of temporary wetland impacts.

WETLAND IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Construction W-GJM-028	Towanda Powell	Temporary Workspace	PEM; EV	None	130	1,176			41.736109° 76.503778°
Construction W-GJM-028	Towanda Powell	Fill	PEM; EV	None	136	3,354			41.736131° 76.503686°
Restoration W-GJM-028	Towanda Powell	Restoration	PEM; EV	None	130	2,397			41.736087° 76.503765°
Construction Wetland 1	Towanda Powell	Fill	PEM; EV	None			110	2,178	41.738036° 76.502589°
Construction W-GJM-029	Towanda Powell	Fill	PEM; EV	None	160	4,095	250	29,490	41.737561° 76.501722°
Restoration W-GJM-029	Towanda Powell		PEM; EV	None	150	3,912			41.737593° 76.501466°
TOTAL IMPACTS					706	14,934	360	33,669	

E0829221-024: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Leroy Township, **Bradford County**, ACOE Baltimore District.

This Joint Permit Application is being submitted for after-the-fact authorization of temporary and permanent wetland impacts at the ACW Bra Pad in accordance with the Consent Decree United States, et al. v. Chesapeake Appalachia, LLC, Civil Action No. 4:21—00538-MWB CALLC entered into with the U.S. Environmental Protection Agency and PADEP on May 20, 2021. The project is to construct, operate and maintain 0.168 acre of temporary wetland impact and 0.144 acre of permanent impact to on-site wetlands. All impacts are associated with the ACW Bra Pad construction in 2009. Finally, 0.054 acre of on-site wetland are being restored.

There are no stream or floodway impacts associated with this after-the-fact authorization. The project will result in a total of 6,262 square feet (0.144 acre) of permanent and 7,318 square feet (0.168 acre) of temporary wetland impacts in

Leroy Township, Bradford County. The permittee will provide 0.62 acre of PEM wetland mitigation at Camp Brook Restoration (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006.

WETLAND IMPACT TABLE:

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Area Temp. (SF)	Impact Length Temp. (LF)	Impact Area Perm. (SF)	Impact Length Perm. (LF)	Lat. Long.
W-BJT-289-T	Leroy Leroy	Temporary Workspace	PEM Other	None	3,703				41.671071° -76.701330°
W-BJT-293-T	Leroy Leroy	Temporary Workspace	PEM Other	None	3,223				41.669817° -76.702385°
W-MAB-106-T	Leroy Leroy	Temporary Workspace	PEM Other	None	392				41.669915° -76.700990°
W-MAB-106-P	Leroy Leroy	Fill	PEM Other	None			3,093		41.669946° -76.700427°
W-BJT-293/ W-MAB-106-P	Leroy Leroy	Fill	PEM Other	None			3,169		41.669877° -76.701508°
TOTAL IMPACTS					7,318		6,262		

E0829222-004: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Smithfield Township, Bradford County, ACOE Baltimore District.

To construct, operate and maintain:

1. A permanent access road impacting 3,136 square feet (0.072 acre) of a Palustrine Emergent Wetland and temporary impacting 1,394 square feet (0.032 acre) of a Palustrine Emergent Wetland (East Troy, PA Quadrangle Latitude: 41.834677°, Longitude: -76.648011°);
2. A 300' x 400' well pad permanently impacting 5,184 square feet (0.119 acre) of a Palustrine Emergent Wetland and temporary impacting 3,180 square feet (0.072 acre) of a Palustrine Emergent Wetland (East Troy, PA Quadrangle Latitude: 41.834524°, Longitude: -76.648079°);

This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 8,320 square feet (0.191 acre) of permanent PEM wetland impacts and 4,574 square feet (0.105 acre) of temporary PEM wetland impacts, all for the purpose of installing a natural gas well pad and permanent access road for Marcellus Shale development in Smithfield Township, Bradford County. The permittee will provide 0.105 acre of PEM on-site restoration and 0.43 acre of PEM wetland mitigation at Camp Brook Restoration (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006.

E5729222-001: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Cherry Township, Sullivan County, ACOE Baltimore District.

To construct, operate and maintain:

1. A 260' by 390' well pad impacting 3,703 square feet of an exceptional value palustrine emergent (EV-PEM) wetland impacts. (Colley, PA Quadrangle, Latitude: 41.525763°, Longitude: -76.349172°).
- This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 2,788 square feet (0.064 acre) of permanent PEM wetland impacts and 915 square feet (0.021 acre) of temporary wetland impacts, all for the purpose of establishing a well pad for Marcellus well development in Cherry Township, Sullivan County. The permittee will provide 0.17 acre of wetland credits at the Camp Brook Restoration Site

(Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006.

E5729222-002: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Elkland Township, Sullivan County, ACOE Baltimore District.

To construct, operate and maintain:

1. A 250' by 470' well pad impacting 4,313 square feet of an exceptional value palustrine emergent (EV-PEM) wetland impacts. (Overton, PA Quadrangle, Latitude: 41.559425°, Longitude: -76.571127°).
- This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 1,307 square feet (0.030 acre) of permanent PEM wetland impacts and 3,006 square feet (0.069 acre) of temporary wetland impacts, all for the purpose of establishing a well pad for Marcellus well development in Elkland Township, Sullivan County. The permittee will provide 0.20 acre of wetland credits at the Camp Brook Restoration Site (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101; Email: RA-EPREGIONAL PERMIT@pa.gov.

E6703220-023. York Township Water and Sewer Authority, 190 Oak Road, Dallastown, PA 17313. York Township, York County, U.S. Army Corps of Engineers, Baltimore District.

To authorize the following water obstructions and encroachments associated with the Green Valley Pump Station and Force Main Replacement Project:

- 1) Construction and maintenance of a pump station facility partially within the floodway of an unnamed tributary to East Branch Codorus Creek (CWF, MF),
- 2) Abandonment of 3,000 linear feet of existing sanitary sewer force main beneath UNTs to East Branch Codorus Creek (CWF, MF) and the associated the floodway, and adjacent Palustrine Emergent (PEM) wetlands.

3) Construction and maintenance of 2,927 linear feet an 8.0-inch ductile iron sewer force main involving six (6) stream crossings of UNTs to East Branch Codorus Creek (CWF, MF), impacts to the associated floodway, and two (2) PEM wetland crossings.

Project impacts include a total of 0.01 acre of permanent impacts and 0.03 acre of temporary impacts to UNTs to East Branch Codorus Creek (CWF, MF); 0.12 acre of permanent impacts and 2.17 acres of temporary impacts to floodways; 0.02 acre of permanent impacts and 0.37 acre of temporary impacts to PEM wetlands (Other). Permanent wetland impact is considered de minimis and no compensatory wetland mitigation is required.

The proposed project starts at the existing pump station off Green Valley Road (Latitude: 39.896972°; Longitude -76.689111°) and extends to Allegheny Drive (Latitude: 39.904222°; Longitude -76.689472°) in York Township, York County.

E6703220-026. Ridgeline Property Group, 3715 Northside Parkway, Building 200, Suite 610, Atlanta, GA 30327, Conewago Township, **York County**, U.S. Army Corps of Engineers Baltimore District.

To place fill in 0.10 acre of PEM/PSS/PFO wetlands and approximately 399 linear feet of a UNT to Little Conewago Creek (TSF, MF) for the purpose of constructing a distribution facility and associated amenities.

The permittee is required to provide compensatory mitigation (Permittee Responsible Mitigation) through the enhancement of 400 linear feet of a UNT to Codorus Creek (WWF, MF) and the creation of 0.54 acre of PFO wetlands at the Sinking Springs Restoration Site (Latitude: 40.012220, Longitude: -76.736319) in Manchester Township, York County.

E6383221-070. Pennsylvania Turnpike Commission, 700 S. Eisenhower Blvd, Middletown, PA 17057. Cecil Township and McDonald Borough, **Washington County**, U.S. Army Corps of Engineers, Pittsburgh District.

To construct and maintain the following water obstructions and encroachments associated with a channel improvement/relocation project along an approximately 1,500-foot reach of a Tributary to Robinson Run (WWF) (Stream 1) and an approximately 145-foot reach of a second Tributary to Robinson Run (WWF) (Stream 2) for the purpose of addressing flooding along SR 0980 and adjacent properties.

1. To remove approximately 1,263 feet of existing stream enclosures in a Tributary to Robinson Run (Stream 1).

2. To construct and maintain a 251-foot long stream enclosure of a Tributary to Robinson Run (Stream 1) consisting of a 48-inch diameter culvert connecting with a manhole to the existing stream enclosure at the upstream end, and a concrete headwall and rock-lined energy dissipation pool at the downstream end. (Latitude: 40.365281°; Longitude: -80.235144°)

3. To construct and maintain approximately 579 feet of open channel consisting of a rock-lined trapezoidal channel having a 5-foot bottom width, 1.5:1 side slopes and an approximate 1-foot depth. The channel also includes 12 step pools along its length. (Latitude: 40.365281°; Longitude: -80.235144°)

4. To construct and maintain a 683-foot long stream enclosure of a Tributary to Robinson Run (Stream 1) consisting of a 66-inch diameter culvert, and a concrete headwall and endwall. The outlet of the stream enclosure is located at the confluence with Robinson Run. (Latitude: 40.365281°; Longitude: -80.235144°)

5. To construct and maintain a channel change in a 145-foot reach of a Tributary to Robinson Run (Stream 2) consisting of a vegetated lined trapezoidal channel having a 2-foot bottom width, 2:1 side slopes and an approximate 2-foot depth. (Latitude: 40.362912°; Longitude: -80.232825°)

6. To modify and maintain numerous utility line stream crossings of the proposed stream enclosures and open channel which carry the Tributary to Robinson Run (Stream 1).

7. To construct and maintain numerous stormwater outfalls connecting to the proposed stream enclosure and open channel.

8. To place fill in 0.01 acre of PEM wetlands (Other). (Latitude: 40.363335°; Longitude: -80.233243°)

In total the project will result in 0.09 acre of permanent stream impact, 0.03 acre of temporary stream impact, 0.96 acre of permanent floodway impact, 0.87 acre of temporary floodway impact, and less than 0.01 acre of permanent wetland impact.

The project is located along South McDonald Street (SR 0980) (Canonsburg, PA Quadrangle, Latitude: 40.36440°; Longitude: -80.23488°) in Cecil Township and McDonald Borough, Washington County.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

EA36003221-001. West Earl Township, 157 West Metzler Road, P.O. Box 787, Brownstown, PA 17508-0787 in West Earl Township, **Lancaster County**, USAC Baltimore District.

Stream restoration project along 1,535 feet of an unnamed tributary to the Conestoga River (WWF, MF) including 1.) the placement and maintenance of fill in 1,047 feet of channel; and 2.) the re-grading and maintenance of 488 feet of streambank, all for the purpose of reducing sediment loading to the stream. The project is located approximately 1,000 feet west of the intersection of Snyder Road and Turtle Hill Road (Latitude: 40.1308° N, Longitude 76.1983° W) in West Earl Township, Lancaster County. No wetlands will be impacted by this project. The permit was issued on April 14, 2022.

DAM SAFETY

Central Office: Bureau of Waterways Engineering & Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, 717-787-8568.

D52-015. Pecks Pond Dam, Pennsylvania Department of Conservation and Natural Resources, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8767, Harrisburg, PA 17105-8767. Permit issued to operate and maintain the Peck Pond Dam across Bush Kill Creek (EV, MF) in accordance with all permit conditions. (Milford, PA Quadrangle Lat: 41.2808°N; Long: 75.0869°W) in Porter Township, **Pike County**.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG290822007-00
 Applicant Name Regency Marcellus Gathering LLC
 Contact Person Nicholas J. Bryan
 Address 101 W. Third St 3rd Floor
 City, State, Zip Williamsport, PA 17701-6413
 Municipality Leroy Township
 County Bradford
 Receiving Stream(s) and Classification(s) Little Schrader Creek (EV, MF)
 Secondary: Schrader Creek (EV, MF)

ESCGP-3 # ESG296622003-00
 Applicant Name BKV Operating LLC
 Contact Person Matthew Johnson
 Address 5385 State Route 6
 City, State, Zip Tunkhannock, PA 18657
 Municipality Washington Township
 County Wyoming
 Receiving Stream(s) and Classification(s) White Creek # 1064 (West Branch Meshoppen Creek) (CWF, MF)
 Secondary: Meshoppen Creek # 3550 (CWF, MF)

ESCGP-3 # ESG291822001-00
 Applicant Name Range Resources Appalachia LLC
 Contact Person Karl Matz
 Address 3000 Town Center Rd
 City, State, Zip Canonsburg, PA 15317
 Municipality Gallagher Township
 County Clinton
 Receiving Stream(s) and Classification(s) UNT to Craig Fork (NRT), UNT to East Branch Queens Run (NRT)
 Secondary: Craig Fork (NRT), East Branch Queens Run (NRT)

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The following Storage Tank Site-Specific Installation Permits, under the authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and under 25 Pa. Code Chapter 245, Subchapter C, have been issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

<i>SSIP Permit No.</i>	<i>Applicant Name & Address</i>	<i>County</i>	<i>Municipality</i>	<i>Tank Type</i>	<i>Tank Capacity</i>
22-16-001	Clarion Boards, LLC P.O. Box 340 Shippenville, PA 16254 Attn: Christian Schweitzer	Clarion	Paint Township	1 AST storing hazardous substance	83,866 gallons

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site character-

ization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure

factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Dileos Auto SVC, 46-22320, 2233 W. Main St, Norristown, PA 19403, West Norriton Township, **Montgomery County**. August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of HTAS, Inc., 2233 W. Main St., Norristown, PA 19403, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to demonstrate attainment of the site to meet nonresidential Statewide health and site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former Speedway # 6711, Storage Tank ID # 39-23152, 1518 South Fourth Street, Allentown, PA 18103, Allentown City, **Lehigh County**. EMS Environmental, 4550 Bath Pike, Bethlehem, PA 18017, on behalf of Speedway LLC, 500 Speedway Drive, Enon, OH 45323, submitted a revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Robin L. Yerger, LPG.

Happy Cars, Storage Tank Primary Facility ID # 67-60529, 295 Route 15 South, Dillsburg, PA 17019, Carroll Township, **Cumberland County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Happy Cars, Inc., 295 U.S. Route 15 South, Dillsburg, PA 17019, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standard.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Kwik Fill M376, Storage Tank Facility ID # 25-37588, 10 E. Columbus Avenue, Corry, PA 16407, City of Corry,

Erie County. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323 on behalf of United Refining Company of PA, P.O. Box 688, Warren, PA 16365, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide health standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Express Food Mart, 51-06933, 5201 Oxford Avenue, Philadelphia, PA 19124, **City of Philadelphia**. Synergy Environmental Inc., 155 Railroad Plaza, 1st Floor Royersford, PA 19468, on behalf of 5201 Oxford Ave. Phila. LLC, 645 Hamilton Ave., Allentown, PA 18101, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion

Report demonstrated attainment of the residential Statewide health site-specific standards and was approved by DEP on April 19, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Leffler's Service Station, Storage Tank ID # 13-50651, 1103 North Street, Jim Thorpe, PA 18229, Jim Thorpe Borough, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Subhash Patel, 1103 North Street, Jim Thorpe, PA 18229, submitted a revised, combined Site Characterization Report, Remedial Action Plan, and Remedial Action Completion Report concerning remediation of soil contaminated with gasoline. The report demonstrated attainment of Statewide health standards and was approved by DEP on April 15, 2022.

Aman Convenience, Storage Tank ID # 40-50561, 515 Main Street, Dupont, PA 18641, Dupont Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Aman Convenience Inc., 400 Market Street, Kingston, PA 18704 has submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved by DEP on April 14, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Cynthia Stine, Licensed Professional Geologist.

Greencastle Sunoco, Storage Tank Primary Facility ID # 28-21044, 705 Buchanan Trail East, Antrim Township, **Franklin County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of HET Energy, Inc., 1631 Bridge Street, New Cumberland, PA 17070, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was not acceptable to meet the site-specific standard and was disapproved by DEP on April 11, 2022.

MacTown Pizza Plus, Storage Tank Facility ID # 31-61600, 11249 Raystown Road, Huntingdon, PA 16652-9604, Walker Township, **Huntingdon County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648, on behalf of Mr. Salvatore Scaccia, 11249 Raystown Road, Huntingdon, PA 16652-9604 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Completion Report demonstrated attainment of the site-specific standard and was approved by DEP on April 13, 2022.

Contact: Robin L. Yerger, LPG.

Happy Cars, Storage Tank Primary Facility ID # 67-60529, 295 Route 15 South, Dillsburg, PA 17019, Carroll Township, **Cumberland County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven,

PA 17972, on behalf of Happy Cars, Inc., 295 U.S. Route 15 South, Dillsburg, PA 17019, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on April 13, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Country Fair Store 65, Storage Tank Facility ID # 25-91609, 8080 Peach Street, Erie, PA 16509, Summit Township, **Erie County**. Groundwater & Environmental Services, Inc., 508 Tomson Park Drive, Cranberry Township, PA 16066, on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16501, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on April 13, 2022.

SPECIAL NOTICES

**WATER PROGRAMS
REQUEST FOR COMMENT**

Proposed Total Maximum Daily Loads (TMDLs) for the Little Buffalo Creek Watershed in Union County.

Central Office: Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.

The Department of Environmental Protection will accept comments on the proposed "TMDLs" developed for the Little Buffalo Creek under Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included stream segments listed as impaired for aquatic life in the watershed. The impairments addressed by this document were caused by excessive siltation due to agriculture.

There currently are no state or Federal in-stream numerical water quality criteria for sediment. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment in the Little Buffalo Creek Watershed. The "TMDLs" included allocations for nonpoint sources; allocations for point sources, including a wastewater treatment plant; reserves for future point sources; and margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land and streambank source sectors present in the watershed. Data used in establishing the TMDL were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

Summary of "TMDL" -Based Load Reductions (expressed as annual averages) in the Little Buffalo Creek Watershed				
Watershed	Pollutant	Existing Load (lbs/yr)	"TMDL" (lbs/yr)	% Reduction
Little Buffalo Creek	Sediment	5,166,038	2,786,342	46

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" values, and % reductions needed under 99th percentile daily loading conditions.

<i>Summary of "TMDL" -Based Load Reductions (expressed as 99th percentile daily loading) in the Little Buffalo Creek Watershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>TMDL (lbs/d)</i>	<i>% Reduction</i>
Little Buffalo Creek	Sediment	206,879	79,675	61

The proposed TMDL document can be viewed at: <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/LittleBuffaloCreekTMDL.pdf>

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at michamorri@pa.gov or by telephone at 717-772-5670.

Written/typed comments will be accepted at the above email address. While emailed comments are preferable, written comments may also be sent by mail to:

Michael Morris, Water Program Specialist
Bureau of Clean Water
Pennsylvania Department of Environmental Protection
Rachel Carson State Office Building
400 Market Street
Harrisburg, PA 17105

Comments must be submitted within 30-days after publication of this notice in the April 30, 2022 issue of the *Pennsylvania Bulletin*. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL document to EPA for approval.

[Pa.B. Doc. No. 22-639. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(d) and (e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Stoneridge Towne Center
7 West Park Avenue
Myerstown, PA 17067
FAC ID # 051102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j):

Beaver Healthcare and Rehabilitation Center
616 Golf Course Road
Aliquippa, PA 15001
FAC ID # 070702

Eldercrest Healthcare and Rehabilitation Center
2600 West Run Road
Munhall, PA 15120
FAC ID # 050302

Lakeside at Willow Valley
300 Willow Valley Lakes Drive
Willow Street, PA 17584
FAC ID # 233602

Meadowcrest Healthcare and Rehabilitation Center
1200 Braun Road
Bethel Park, PA 15102
FAC ID # 280302

Uniontown Healthcare and Rehabilitation Center
129 Franklin Avenue
Uniontown, PA 15401
FAC ID # 062802

Waynesburg Healthcare and Rehabilitation Center
300 Center Avenue
Waynesburg, PA 15370
FAC ID # 074602

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.3 (relating to definitions):

Dallastown Nursing Center
623 East Main Street
Dallastown, PA 17313
FAC ID # 190802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.25 (relating to kitchen):

Rehabilitation Center at Brethren Village, LLC
3001 Lititz Pike
Lititz, PA 17543
FAC ID # 24480201

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Baptist Homes of Western Pennsylvania
489 Castle Shannon Boulevard
Pittsburgh, PA 15234
FAC ID # 280102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be

reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone numbers, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-640. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Fee Schedule Rates for Select Services Funded Through the Office of Developmental Programs' Consolidated, Community Living, Person/Family Directed Support and Adult Autism Waivers

The Department of Human Services (Department) is providing final notice of the Fee Schedule Rates for Family Medical Support Assistance services funded through the Consolidated, Community Living and Person/Family Directed Support (P/FDS) Waivers, Remote Community Participation Support/Day Habilitation services funded through the Consolidated, Community Living, P/FDS, and Adult Autism Waivers, and Medically Complex Life Sharing services and Transition to Independent Living payments funded through the Consolidated Waiver.

The Fee Schedule Rates for Family Medical Support Assistance services, Medically Complex Life Sharing services and Transition to Independent Living payments will be effective upon approval by the Centers for Medicare & Medicaid Services (CMS) of amendments to the Consolidated, Community Living and P/FDS Waivers that addresses these services. The Waiver amendments were submitted to CMS on January 3, 2022, with a proposed effective date of May 1, 2022. The Office of Developmental Programs (ODP) will notify stakeholders of the approved effective date of the Waiver amendments and rates through publication of a communication by means of ODP's Listservs.

The Fee Schedule Rates for Remote Community Participation Support/Day Habilitation services will be added to the Fee Schedule and be effective 6 months after the expiration of the Federal novel coronavirus (COVID-19) public health emergency.

Background

The proposed Fee Schedule Rates for Family Medical Support Assistance services, Remote Community Participation Support services, Medically Complex Life Sharing services and Transition to Independent Living payments were published at 51 Pa.B. 6564 (October 16, 2021). The Department received comments from 30 stakeholders regarding the proposed Fee Schedule Rates. A summary of the comments received, and the Department's responses is available at <https://www.dhs.pa.gov/providers/Providers/Documents/ODP/Public%20Notices%20Related%20to%20Rates/Summary%20of%20Rate%20Comments%20for%20Services%20Impacted%20By%202022%20Amendments.pdf>. After reviewing the comments on the proposed rates, the Department determined that no changes were necessary to the Fee Schedule Rates.

The final Fee Schedule Rates represent the maximum rates the Department will pay for each service. The final Fee Schedule Rates are included in the following table and can also be found online at <https://www.dhs.pa.gov/providers/Providers/Pages/ODP-Rates.aspx>.

<i>Service Name</i>	<i>Staffing Level</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>	<i>Enhanced Communication Statewide Fee</i>
Medically Complex Life Sharing Needs Group 4	1-person home	TBD	\$435.94 (day unit)	\$501.33 (day unit)
	2-person home	TBD	\$274 (day unit)	\$315.10 (day unit)
Family Medical Support Assistance	1:1	TBD	\$18.41 (15-minute unit)	\$21.17 (15-minute unit)
Remote Community Participation Support/Day Habilitation	1:1 to 1:5	TBD	\$4.94 (15-minute unit)	\$5.68 (15-minute unit)
	1:6 and above	TBD	\$1.91 (15-minute unit)	\$2.20 (15-minute unit)
Transition to Independent Living Payment	First Payment	TBD	\$15,000 (paid when outcome achieved)	N/A
	Second Payment	TBD	\$15,000 (paid when outcome achieved)	N/A

Copies of this notice may be obtained by contacting the Department of Human Services, Office of Developmental Programs, Division of Provider Assistance and Rate Setting, 4th Floor, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, ra-ratesetting@pa.gov.

Fiscal Impact

It is anticipated that there will be a total net savings to the Commonwealth in Fiscal Year (FY) 2021-2022 of \$0.049 million (\$0.020 million in State funds). The net fiscal impact for FY 2021-2022 to Intellectual Disabilities—Community Waiver Program is a cost of \$0.541 million (\$0.222 million in State funds) and to Medical Assistance—Capitation is a savings of \$0.589 million (\$0.242 million in State funds).

In FY 2022-2023 is anticipated there will be additional net savings to the Commonwealth of \$5.207 million (\$2.494 million in State funds). The net fiscal impact for FY 2022-2023 to Intellectual Disabilities—Community Waiver Program is a savings of \$0.492 million (\$0.244 million in State funds) and to Medical Assistance—Capitation is a savings of \$4.715 million (\$2.250 million in State funds).

In FY 2023-2024 and subsequent years, it is anticipated that there will be additional net savings to the Commonwealth of \$10.224 million (\$4.908 million in State funds). The net fiscal impact for FY 2023-2024 and subsequent years to Intellectual Disability—Community Waiver Program is a savings of \$5.510 million (\$2.645 million in State funds) and to Medical Assistance—Capitation is a savings of \$4.715 million (\$2.263 million in State funds).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1506. (1) General Fund;

(7) Intellectual Disabilities—Community Waiver Program; (2) Implementing Year 2021-22 is \$222,000; (3) 1st Succeeding Year 2022-23 is -\$244,000; 2nd Succeeding Year 2023-24 through 5th Succeeding Year 2026-27 are -\$2,645,000; (4) 2020-21 Program—\$1,622,000,000; 2019-20 Program—\$1,664,000,000; 2018-19 Program—\$1,644,000,000;

(7) Medical Assistance—Capitation; (2) Implementing Year 2021-22 is -\$242,000; (3) 1st Succeeding Year 2022-23 is -\$2,250,000; 2nd Succeeding Year 2023-24 through 5th Succeeding Year 2026-27 are -\$2,263,000; (4) 2020-21 Program—\$3,060,000,000; 2019-20 Program—\$2,508,000,000; 2018-19 Program—\$3,304,000,000;

(8) recommends adoption. Funds have been accounted for in the budget.

[Pa.B. Doc. No. 22-641. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds in fiscal year (FY) 2021-2022 to establish a new class of supplemental payments to qualifying acute care general hospitals that provide a high volume of services to Medical Assistance (MA) eligible and low-income populations in nonrural medically underserved areas according to the Health Resources and Services Administration as of March 8, 2022. These payments will enable the continuation of quality medical services in these areas.

Qualifying Criteria

A hospital is eligible for these supplemental payments if the hospital meets all the following criteria. Unless otherwise stated, the source of the information is the FY 2018-2019 MA-336 Hospital Cost Report, available to the Department on June 22, 2021.

a) The hospital is enrolled in the Commonwealth's MA Program as an acute care general hospital;

b) The hospital submitted a FY 2018-2019 MA-336 Hospital Cost Report to the Department available to the Department on June 22, 2021;

c) The hospital's main campus is located in a county of the third class with a population between 360,000 and 370,000 under the 2010 Federal decennial census (county class for purposes of this payment program as reflected in Classification of Counties, 2010 Census within Section 6 of the *Pennsylvania Manual*, Volume 121);

d) The hospital provided over 10,000 inpatient days of care to Commonwealth MA beneficiaries and offered an array of inpatient services to Commonwealth MA beneficiaries as evidenced by having provided at least 150 acute care days, 150 psychiatric days and 150 rehabilitation (medical and drug and alcohol) days to Commonwealth MA beneficiaries; and,

e) The hospital has less than 300 total available beds.

Payment Methodology

Payments will be divided proportionately among qualified hospitals based on each hospital's fee-for-service (FFS) MA inpatient acute care days of service to MA beneficiaries in the Commonwealth to total FFS MA inpatient acute care days of service to MA beneficiaries in the Commonwealth for all qualifying hospitals.

Fiscal Impact

For FY 2021-2022, the Department will allocate an annualized amount of \$5.283 million in total funds (State and Federal) for these supplemental payments upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. The Department will review and consider comments received within 30 days in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1508. (1) General Fund; (2) Implementing Year 2021-22 is \$1,199,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; (7) MA—FFS; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-642. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Uniform Construction Code Review and Advisory Council Virtual Meetings

The Uniform Construction Code Review and Advisory Council will hold virtual meetings on Thursday, May 12, 2022, and Thursday, July 14, 2022, at 9 a.m. Individuals can join the virtual meetings by means of Zoom at <https://zoom.us/j/3611316502?pwd=U0N1QVdQRfJjVE1YT20wdGZiVDVsQT09>. The virtual meeting ID is 361 131 6502. The passcode is 259161. Individuals may call in to the meeting at (301) 715-8592.

The Americans with Disability Act contact is Kristen Gardner at (717) 346-1497.

Questions concerning these virtual meetings may be directed to Kristen Gardner at (717) 346-1497.

JENNIFER BERRIER,
Secretary

[Pa.B. Doc. No. 22-643. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania THE PRICE IS RIGHT™ Fast Play Game 5160

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania THE PRICE IS RIGHT™ (hereinafter “THE PRICE IS RIGHT™”). The game number is PA-5160.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code:* The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket:* A bearer instrument produced through a Lottery Terminal that is the player’s record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *IT’S IN THE BAG™ NUMBER:* The numbers, letters, symbols or other characters found in the “IT’S IN THE BAG™ NUMBER” area that, when matched against the play symbols in the “YOUR NUMBERS” area, determine whether the player wins the prize shown in the “IT’S IN THE BAG™ NUMBER” area and the prize shown under the matching “YOUR NUMBERS” play symbol.

(e) *Lottery Central Computer System:* The computer gaming system on which all Fast Play plays are recorded.

(f) *Lottery Terminal:* A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(g) *Play:* A chance to participate in a particular Fast Play lottery game.

(h) *Play Area:* The area on a ticket which contains one or more play symbols.

(i) *Play Symbol:* A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *Prize:* A non-monetary item, money, or experience that can be won as specified in section 7 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *SHOWCASE SHOWDOWN™:* The area at the bottom of a THE PRICE IS RIGHT™ ticket containing a “SHOWCASE SHOWDOWN™ BID 1” prize symbol and a “SHOWCASE SHOWDOWN™ BID 2” prize symbol that, when played according to the instructions, determines whether the player wins the prize amount shown in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, or whether the player wins the sum of the 21 prize amounts shown in the “YOUR NUMBERS” area, the “YOUR BID” area, the “ACTUAL RETAIL PRICE” area, the “IT’S IN THE BAG™ NUMBER” area, the “SHOW CASE SHOWDOWN™ BID 1” area, the “SHOWCASE SHOWDOWN™ BID 2” area and the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area.

(l) *WINNING NUMBERS:* The numbers, letters, symbols or other characters found in the play area that, when matched against the play symbols in the “YOUR NUMBERS” area, determine whether a player wins a prize.

(m) *Winning ticket:* A game ticket which has been validated and qualifies for a prize.

(n) *YOUR BID:* The area at the top of a THE PRICE IS RIGHT™ ticket containing a “YOUR BID” prize symbol and an “ACTUAL RETAIL PRICE” prize symbol that, when played according to the instructions, determines whether the player wins the prize amount shown in the “ACTUAL RETAIL PRICE” area.

(o) *YOUR NUMBERS:* The numbers, letters, symbols or other characters found in the play area that, when matched against the play symbols in the “WINNING NUMBERS” area, determine whether a player wins a prize.

3. *Price:* The price of a THE PRICE IS RIGHT™ ticket is \$10.

4. *Description of THE PRICE IS RIGHT™ Fast Play lottery game:*

(a) THE PRICE IS RIGHT™ lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. THE PRICE IS RIGHT™ tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be reprinted by the retailer.

(b) THE PRICE IS RIGHT™ is played by matching any of the play symbols located in the “YOUR NUMBERS” area to any of the play symbols located in the “WINNING NUMBERS” area. A player matching play symbols in this manner will win the prize shown under the matching “YOUR NUMBERS” play symbol. A bet slip is not used to play this game.

(c) THE PRICE IS RIGHT™ tickets contain an “IT’S IN THE BAG™ NUMBER” area. Whenever a player matches the play symbol in the “IT’S IN THE BAG™ NUMBER” area to any of the play symbols in the “YOUR NUMBERS” area, the player wins the prize shown under the “IT’S IN THE BAG™ NUMBER” play symbol and the prize shown under the matching “YOUR NUMBERS” play symbol.

(d) THE PRICE IS RIGHT™ tickets also contain a “YOUR BID” area at the top of the ticket containing a “YOUR BID” prize symbol and an “ACTUAL RETAIL PRICE” prize symbol. Whenever “YOUR BID” is less than or equal to the “ACTUAL RETAIL PRICE,” the player wins the prize amount shown in the “ACTUAL RETAIL PRICE” area.

(e) THE PRICE IS RIGHT™ tickets also contain a “SHOWCASE SHOWDOWN™” area at the bottom of the ticket containing a “SHOWCASE SHOWDOWN™ BID 1” prize symbol, a “SHOWCASE SHOWDOWN™ BID 2” prize symbol and a “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol. Whenever either “SHOWCASE SHOWDOWN™ BID” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE,” the player wins the prize shown for the matching “SHOWCASE SHOWDOWN™ BID.” Whenever both “SHOWCASE SHOWDOWN™ BID” prize symbols match the “SHOWCASE SHOWDOWN™ ACTUAL PRICE,” the player wins the sum of the 21 prize amounts shown in the “YOUR NUMBERS” area, the “YOUR BID” area, the “ACTUAL RETAIL PRICE” area, the “IT’S IN THE BAG™ NUMBER” area, the “SHOWCASE SHOWDOWN™ BID 1” area, the “SHOWCASE SHOWDOWN™ BID 2” area and the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area.

(f) Players can win the prizes identified in section 7 (relating to prizes available to be won and determination of prize winners).

(g) THE PRICE IS RIGHT™ tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(h) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a THE PRICE IS RIGHT™ ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(i) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a THE PRICE IS RIGHT™ ticket and select THE PRICE IS RIGHT™ option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *THE PRICE IS RIGHT™ ticket characteristics:*

(a) THE PRICE IS RIGHT™ tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols:* THE PRICE IS RIGHT™ tickets will contain a “WINNING NUMBERS” area, a “YOUR NUMBERS” area, an “IT’S IN THE BAG™ NUMBER” area, a “YOUR BID” area, an “ACTUAL RETAIL PRICE” area, a “SHOWCASE SHOWDOWN™ BID 1” area, a “SHOWCASE SHOWDOWN™ BID 2” area and a “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area. The play symbols and their captions, located in the “WINNING NUMBERS” area, the “YOUR NUMBERS” area and the “IT’S IN THE BAG™ NUMBER” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT).

(c) *Prize Symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$100,000 (ONEHUNTHO). The prize symbols and their captions, located in the “IT’S IN THE BAG™ NUMBER” area, are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY) and \$100 (ONE HUN). The prize symbols and their captions, located in the “YOUR BID” area, the “ACTUAL RETAIL PRICE” area, the “SHOWCASE SHOWDOWN™ BID 1” area, the “SHOWCASE SHOWDOWN™ BID 2” area and the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” areas, are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN) and \$500 (FIV HUN).

(d) *Prizes:* The prizes that can be won in this game, are: \$10, \$15, \$20, \$30, \$40, \$50, \$100, \$500, \$1,000 and \$100,000. The prizes that can be won in the “IT’S IN THE BAG™ NUMBER” area, are: \$10, \$15, \$20, \$30, \$40, \$50 and \$100. The prizes that can be won in the “YOUR BID” area, are: \$10, \$15, \$20, \$30, \$40, \$50, \$100 and \$500. The prizes that can be won in the “ACTUAL RETAIL PRICE” area, are: \$10, \$15, \$20, \$30, \$40, \$50, \$100 and \$500. The prizes that can be won in the “SHOWCASE SHOWDOWN™ BID 1” area, the “SHOWCASE SHOWDOWN™ BID 2” area and the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” areas, are: \$10, \$15, \$20, \$30, \$40, \$50, \$100 and \$500. A player can win up to 21 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 600,000 tickets will be available for sale for the THE PRICE IS RIGHT™ lottery game.

6. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct a THE PRICE IS RIGHT™ Second-Chance

Drawing for which non-winning THE PRICE IS RIGHT™ lottery game tickets may be eligible as provided for in section 9.

7. Prizes available to be won and determination of prize winners:

(a) All THE PRICE IS RIGHT™ prize payments will be made as one-time, lump-sum cash payments.

(b) Determination of prize winners for holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, are:

(1) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(2) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(3) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(4) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(5) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(6) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(7) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(8) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(9) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(10) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(c) Determination of prize winners for holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” prize symbol, are:

(1) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$500 (FIV HUN) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$500.

(2) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$100 (ONE HUN) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$100.

(3) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$50.

(4) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$40⁰⁰ (FORTY) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$40.

(5) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$30.

(6) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$15.

(8) Holders of tickets upon which the “YOUR BID” prize symbol is less than or equal to the “ACTUAL RETAIL PRICE” amount and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “ACTUAL RETAIL PRICE” area, on a single ticket, shall be entitled to a prize of \$10.

(d) Determination of prize winners for holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER,” are:

(1) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “IT’S IN THE BAG™ NUMBER” play symbol and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(2) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “IT’S IN

THE BAG™ NUMBER” play symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(3) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$50⁰⁰ (FIFTY) appears in the one of the “Prize” areas under one of the matching symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the one of the “Prize” areas under one of the matching symbols, on a single ticket, shall be entitled to a prize of \$90.

(4) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$40⁰⁰ (FORTY) appears in the one of the “Prize” areas under one of the matching symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the one of the “Prize” areas under one of the matching symbols, on a single ticket, shall be entitled to a prize of \$70.

(5) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$30⁰⁰ (THIRTY) appears in the one of the “Prize” areas under one of the matching symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the one of the “Prize” areas under one of the matching symbols, on a single ticket, shall be entitled to a prize of \$50.

(6) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$30⁰⁰ (THIRTY) appears in the one of the “Prize” areas under one of the matching symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the one of the “Prize” areas under one of the matching symbols, on a single ticket, shall be entitled to a prize of \$40.

(7) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “IT’S IN THE BAG™ NUMBER” play symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(8) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$20⁰⁰ (TWENTY) appears in the one of the “Prize” areas under one of the matching symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the one of the “Prize” areas under one of the matching symbols, on a single ticket, shall be entitled to a prize of \$30.

(9) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “Prize” area under the matching “IT’S IN THE BAG™ NUMBER” play symbol and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(10) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “IT’S IN THE BAG™ NUMBER” and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “IT’S IN THE BAG™ NUMBER” play symbol and a prize

symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(e) Determination of prize winners for holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol match the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol, are:

(1) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol and the “SHOWCASE SHOWDOWN™ BID 2” prize symbol match the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$100 (ONE HUN) appears in the “YOUR BID” area, prize symbol of \$50⁰⁰ (FIFTY) appears in the “ACTUAL RETAIL PRICE” area, a prize symbol of \$100 (ONE HUN) appears in the “IT’S IN THE BAG™ NUMBER” area, a prize symbol of \$100 (ONE HUN) appears in the “SHOWCASE SHOWDOWN™ BID 1” area, a prize symbol of \$100 (ONE HUN) appears in the “SHOWCASE SHOWDOWN™ BID 2” area and a prize symbol of \$100 (ONE HUN) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$1,000.

(2) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol and the “SHOWCASE SHOWDOWN™ BID 2” prize symbol match the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$100 (ONE HUN) appears in four of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in six of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in the “YOUR BID” area, a prize symbol of \$40⁰⁰ (FORTY) appears in the “ACTUAL RETAIL PRICE” area, a prize symbol of \$20⁰⁰ (TWENTY) appears in the “IT’S IN THE BAG™ NUMBER” area, a prize symbol of \$30⁰⁰ (THIRTY) appears in the “SHOWCASE SHOWDOWN™ BID 1” area, a prize symbol of \$30⁰⁰ (THIRTY) appears in the “SHOWCASE SHOWDOWN™ BID 2” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$1,000.

(3) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$500 (FIV HUN) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$500.

(4) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol and the “SHOWCASE SHOWDOWN™ BID 2” prize symbol match the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in six of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$40⁰⁰ (FORTY) appears in the “YOUR BID” area, a prize symbol of \$30⁰⁰ (THIRTY) appears in the “ACTUAL RETAIL PRICE” area, a prize

symbol of \$40⁰⁰ (FORTY) appears in the “IT’S IN THE BAG™ NUMBER” area, a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “SHOWCASE SHOWDOWN™ BID 1” area, a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “SHOWCASE SHOWDOWN™ BID 2” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$500.

(5) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol and the “SHOWCASE SHOWDOWN™ BID 2” prize symbol match the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in nine of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in the “YOUR BID” area, a prize symbol of \$20⁰⁰ (TWENTY) appears in the “ACTUAL RETAIL PRICE” area, a prize symbol of \$30⁰⁰ (THIRTY) appears in the “IT’S IN THE BAG™ NUMBER” area, a prize symbol of \$20⁰⁰ (TWENTY) appears in the “SHOWCASE SHOWDOWN™ BID 1” area, a prize symbol of \$20⁰⁰ (TWENTY) appears in the “SHOWCASE SHOWDOWN™ BID 2” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$500.

(6) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol and the “SHOWCASE SHOWDOWN™ BID 2” prize symbol match the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$40⁰⁰ (FORTY) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in five of the “YOUR NUMBERS” “Prize” areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “YOUR BID” area, a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “ACTUAL RETAIL PRICE” area, a prize symbol of \$20⁰⁰ (TWENTY) appears in the “IT’S IN THE BAG™ NUMBER” area, a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “SHOWCASE SHOWDOWN™ BID 1” area, a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “SHOWCASE SHOWDOWN™ BID 2” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$500.

(7) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the

“SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$100 (ONE HUN) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$100.

(8) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$50.

(9) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$40⁰⁰ (FORTY) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$40.

(10) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$30.

(11) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$20.

(12) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$15.

(13) Holders of tickets upon which the “SHOWCASE SHOWDOWN™ BID 1” prize symbol or the “SHOWCASE SHOWDOWN™ BID 2” prize symbol matches the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” prize symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “SHOWCASE SHOWDOWN™ ACTUAL PRICE” area, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate chances of winning:* The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>When Any Of “YOUR NUMBERS” Match Any “WINNING NUMBER,” Win Prize Shown Under The Matching Number. Win With:</i>	<i>YOUR BID AREA:</i>	<i>IT’S IN THE BAG™:</i>	<i>SHOWCASE SHOWDOWN™:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 600,000 Tickets:</i>
			\$10	\$10	33.33	18,000
	\$10 w/ ACTUAL RETAIL PRICE			\$10	33.33	18,000
\$10				\$10	20	30,000

NOTICES

2663

<i>When Any Of "YOUR NUMBERS" Match Any "WINNING NUMBER," Win Prize Shown Under The Matching Number. Win With:</i>	<i>YOUR BID AREA:</i>	<i>IT'S IN THE BAG™.</i>	<i>SHOWCASE SHOWDOWN™.</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 600,000 Tickets:</i>
			\$15	\$15	45.45	13,200
	\$15 w/ ACTUAL RETAIL PRICE			\$15	45.45	13,200
\$15				\$15	62.5	9,600
\$10 × 2				\$20	100	6,000
\$10			\$10	\$20	90.91	6,600
			\$20	\$20	90.91	6,600
		\$10 × 2		\$20	90.91	6,600
	\$20 w/ ACTUAL RETAIL PRICE			\$20	100	6,000
\$20				\$20	142.86	4,200
\$15 × 2				\$30	500	1,200
\$10			\$20	\$30	100	6,000
\$15			\$15	\$30	200	3,000
\$20			\$10	\$30	250	2,400
\$10		\$10 × 2		\$30	250	2,400
\$30				\$30	250	2,400
		\$15 × 2		\$30	200	3,000
	\$30 w/ ACTUAL RETAIL PRICE			\$30	250	2,400
\$30				\$30	500	1,200
\$10 × 4				\$40	1,000	600
\$20 × 2				\$40	1,000	600
	\$10 w/ ACTUAL RETAIL PRICE	\$10 × 2	\$10	\$40	500	1,200
\$10	\$10 w/ ACTUAL RETAIL PRICE	\$10 × 2		\$40	333.33	1,800
\$10	\$10 w/ ACTUAL RETAIL PRICE		\$20	\$40	250	2,400
\$15	\$15 w/ ACTUAL RETAIL PRICE		\$10	\$40	333.33	1,800
\$15 + \$10	\$15 w/ ACTUAL RETAIL PRICE			\$40	1,000	600
\$20 + \$10	\$10 w/ ACTUAL RETAIL PRICE			\$40	333.33	1,800
			\$40	\$40	500	1,200
		\$20 × 2		\$40	500	1,200
	\$40 w/ ACTUAL RETAIL PRICE			\$40	500	1,200

<i>When Any Of "YOUR NUMBERS" Match Any "WINNING NUMBER," Win Prize Shown Under The Matching Number. Win With:</i>	<i>YOUR BID AREA:</i>	<i>IT'S IN THE BAG™:</i>	<i>SHOWCASE SHOWDOWN™:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 600,000 Tickets:</i>
\$40				\$40	1,000	600
\$10 × 5				\$50	6,000	100
		\$30 + \$10	\$10	\$50	1,500	400
\$10	\$10 w/ ACTUAL RETAIL PRICE	\$10 × 2	\$10	\$50	1,500	400
	\$20 w/ ACTUAL RETAIL PRICE	\$20 + \$10		\$50	1,500	400
\$10 × 3		\$10 × 2		\$50	1,500	400
\$10	\$20 w/ ACTUAL RETAIL PRICE		\$20	\$50	1,500	400
\$15 × 2	\$20 w/ ACTUAL RETAIL PRICE			\$50	1,500	400
\$20 × 2	\$10 w/ ACTUAL RETAIL PRICE			\$50	1,500	400
			\$50	\$50	1,500	400
		\$30 + \$20		\$50	1,500	400
	\$50 w/ ACTUAL RETAIL PRICE			\$50	6,000	100
\$50				\$50	6,000	100
\$20 × 5				\$100	6,000	100
\$50 × 2				\$100	6,000	100
		\$40 + \$30	\$30	\$100	4,000	150
	\$50 w/ ACTUAL RETAIL PRICE		\$50	\$100	4,000	150
(\$30 × 2) + (\$10 × 2)		\$10 × 2		\$100	3,000	200
(\$10 × 5) + \$15	\$15 w/ ACTUAL RETAIL PRICE		\$20	\$100	3,000	200
\$30 × 2	\$10 w/ ACTUAL RETAIL PRICE	\$15 × 2		\$100	3,000	200
\$40 + \$30 + \$20	\$10 w/ ACTUAL RETAIL PRICE			\$100	3,000	200
\$50 + \$30	\$20 w/ ACTUAL RETAIL PRICE			\$100	3,000	200
\$10	\$10 w/ ACTUAL RETAIL PRICE	\$20 × 2	\$40	\$100	4,000	150
(\$15 × 2) + (\$10 × 2)	\$10 w/ ACTUAL RETAIL PRICE	\$15 × 2	\$10	\$100	3,000	200

NOTICES

2665

<i>When Any Of "YOUR NUMBERS" Match Any "WINNING NUMBER," Win Prize Shown Under The Matching Number. Win With:</i>	<i>YOUR BID AREA:</i>	<i>IT'S IN THE BAG™:</i>	<i>SHOWCASE SHOWDOWN™:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 600,000 Tickets:</i>
\$20 × 2	\$10 w/ ACTUAL RETAIL PRICE	\$20 × 2	\$10	\$100	3,000	200
			\$100	\$100	4,000	150
		\$50 × 2		\$100	6,000	100
	\$100 w/ ACTUAL RETAIL PRICE			\$100	6,000	100
\$100				\$100	6,000	100
SHOWCASE SHOWDOWN™ WINALL w/ ((\$40 × 5) + (\$30 × 5) + (\$15 × 5))	(\$15 w/ YOUR BID) + (\$10 w/ ACTUAL RETAIL PRICE)	\$20	\$10 × 3	\$500	3,429	175
SHOWCASE SHOWDOWN™ WINALL w/ ((\$50 × 5) + (\$10 × 9) + \$20)	(\$30 w/ YOUR BID) + (\$20 w/ ACTUAL RETAIL PRICE)	\$30	\$20 × 3	\$500	3,429	175
SHOWCASE SHOWDOWN™ WINALL w/ ((\$50 × 4) + (\$20 × 5) + (\$10 × 6))	(\$40 w/ YOUR BID) + (\$30 w/ ACTUAL RETAIL PRICE)	\$40	\$10 × 3	\$500	4,000	150
\$100 × 5				\$500	24,000	25
(\$40 × 6) + (\$30 × 2) + (\$20 × 3)	\$10 w/ ACTUAL RETAIL PRICE	\$50 + \$40	\$40	\$500	24,000	25
(\$50 × 2) + (\$40 × 4)	\$40 w/ ACTUAL RETAIL PRICE	\$50 × 2	\$100	\$500	24,000	25
\$50 × 2	\$100 w/ ACTUAL RETAIL PRICE	\$100 × 2	\$100	\$500	24,000	25
\$100	\$100 w/ ACTUAL RETAIL PRICE	\$100 × 2	\$100	\$500	24,000	25
			\$500	\$500	60,000	10
	\$500 w/ ACTUAL RETAIL PRICE			\$500	60,000	10
\$500				\$500	60,000	10
SHOWCASE SHOWDOWN™ WINALL w/ ((\$100 × 4) + (\$50 × 6) + (\$20 × 5))	(\$50 w/ YOUR BID) + (\$40 w/ ACTUAL RETAIL PRICE)	\$20	\$30 × 3	\$1,000	120,000	5
SHOWCASE SHOWDOWN™ WINALL w/ ((\$50 × 5) + (\$30 × 5) + (\$10 × 5))	(\$100 w/ YOUR BID) + (\$50 w/ ACTUAL RETAIL PRICE)	\$100	\$100 × 3	\$1,000	120,000	5
\$500 × 2				\$1,000	120,000	5
\$1,000				\$1,000	120,000	5
\$100,000				\$100,000	200,000	3

When YOUR BID is less than or equal to the ACTUAL RETAIL PRICE, win the ACTUAL RETAIL PRICE shown!

IT'S IN THE BAG™: When any of YOUR NUMBERS match the IT'S IN THE BAG™ NUMBER, win both prizes shown instantly!

SHOWCASE SHOWDOWN™: When either SHOWCASE BID matches the ACTUAL PRICE, win prize shown for the matching SHOWCASE BID. When both SHOWCASE BIDS match the ACTUAL PRICE, win ALL 21 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Second-Chance Drawing*: The Pennsylvania Lottery's (hereafter, the "Lottery") THE PRICE IS RIGHT™ Second-Chance Drawing for qualifying Fast Play lottery game tickets (hereafter, the "Drawing").

(a) *Qualifying Tickets*: Non-winning PA-5160 THE PRICE IS RIGHT™ (\$10) Fast Play lottery game tickets ("Qualifying Tickets") are eligible for entry in the Drawing.

(b) *Participation and entry*:

(1) Entrants must be members of the Pennsylvania Lottery VIP Players Club to participate in the Drawing. To join the VIP Players Club, visit <https://www.palottery.state.pa.us/vipplayersclub/login.aspx>. Becoming a VIP Players Club member is free.

(2) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Lottery, are not valid and will be disqualified.

(3) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(4) Only one claimant per entry is allowed.

(5) Entrants must be 18 years of age or older.

(6) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(7) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description*:

(1) The Lottery will conduct one THE PRICE IS RIGHT™ Second-Chance Drawing for qualifying Fast Play Lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 4:59:59 a.m. May 3, 2022, through 11:59:59 p.m. June 9, 2022, will be entered into the Drawing to be held between June 10, 2022 and June 24, 2022.

(3) The entry period for the Drawing will be posted to the Lottery's publicly accessible web site at <https://www.palottery.com>.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered and the Entry Multiplier Prize, if applicable. The respective purchase price and corre-

sponding number of entries for the Qualifying Ticket is as follows: PA-5160 THE PRICE IS RIGHT™ (\$10) = ten entries.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning*:

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 9(e) or mentioned anywhere else in these rules.

(2) The Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 9(c)(2).

(i) The first entry selected in the Drawing will be winning a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$50,000, less required income tax withholding.

(ii) The second entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$10,000, less required income tax withholding.

(iii) The third and the fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$5,000.

(iv) The fifth through the eighth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$2,500.

(v) The ninth through the fifty-eighth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as lump-sum cash payments or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their Lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions*:

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet brows-

ers, mobile Lottery application failure or other technical issues. If an entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select another entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), Scientific Games International, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Pennsylvania Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause beyond the control of the Lottery that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Lottery.

(7) The Pennsylvania Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the Drawing will be disqualified and a replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery Terms & Conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 9(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required

to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's Lottery account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

10. *Ticket responsibility:*

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

11. *Ticket validation and requirements:*

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

12. *Procedures for claiming and payment of prizes:*

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized

retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

- (1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;
 - (2) A claim form is properly and fully completed;
 - (3) The identification of the claimant is confirmed; and
 - (4) The winning ticket has not expired, pursuant to this section or section 14 (relating to unclaimed prizes).
- (e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.
- (f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

13. *Funding for prizes:* Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

14. *Unclaimed prizes:* Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

15. *Purchase and prize restrictions:* A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee, contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

16. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary and procedures established by the Secretary for the conduct of the Fast Play THE PRICE IS RIGHT™ lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

17. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

18. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play THE PRICE IS RIGHT™ lottery game tickets.

19. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

20. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote THE PRICE IS RIGHT™ or through normal communications methods.

21. *Applicability:* This notice applies only to THE PRICE IS RIGHT™ lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-644. Filed for public inspection April 29, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Super Dad Fast Play Game 5161

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 803.11 (relating to powers and duties of the Secretary of Revenue), the Secretary of Revenue hereby provides public notice of the rules for the following lottery game:

1. *Name:* The name of the lottery game is Pennsylvania Super Dad (hereinafter "Super Dad"). The game number is PA-5161.

2. *Definitions:*

(a) *Authorized retailer or retailer:* A person who is properly licensed by the Lottery pursuant to 61 Pa. Code §§ 805.1—805.17.

(b) *Bar code*: The symbology on the ticket containing certain encrypted validation and accounting data used for identifying winning and losing tickets.

(c) *Game Ticket*: A bearer instrument produced through a Lottery Terminal that is the player's record of a play for a Fast Play lottery game and sold by an authorized retailer containing the play and validation data as published in this game notice.

(d) *Lottery Central Computer System*: The computer gaming system on which all Fast Play plays are recorded.

(e) *Lottery Terminal*: A device authorized by the Lottery to function in an interactive mode with the Lottery Central Computer System for the purpose of issuing plays, executing Quick Pick selections, and entering, receiving, and processing lottery transactions, including making purchases, validating plays, transmitting reports and performing inventory functions.

(f) *DAD WINALL NUMBER*: The area at the bottom of a Super Dad lottery game ticket containing one play symbol that, when matched against the play symbols in the "WINNING NUMBERS" area according to the instructions, determines whether the player wins all 12 prizes shown in the "YOUR NUMBERS" area.

(g) *Play*: A chance to participate in a particular Fast Play lottery game.

(h) *Play Area*: The area on a ticket which contains one or more play symbols.

(i) *Play Symbol*: A number, letter, symbol, image or other character found in the play area which is used to determine whether a player wins a prize.

(j) *Prize*: A non-monetary item, money, or experience that can be won as specified in section 6 (relating to prizes available to be won and determination of prize winners) of this game notice.

(k) *STAR*: The visual representation of a "STAR" printed around certain play symbols in the "YOUR NUMBERS" area. When a "YOUR NUMBERS" play symbol is printed within a "STAR" and matches any "WINNING NUMBERS" play symbol, the player multiplies the prize won in the "YOUR NUMBERS" area by the multiplier shown in the "SUPER MULTIPLIER" area.

(l) *SUPER MULTIPLIER*: The area at the top of a Super Dad lottery game ticket containing one "SUPER MULTIPLIER" play symbol that, when played according to the instructions, determines whether the player multiplies the prize won in the "YOUR NUMBERS" area by the multiplier shown in the "SUPER MULTIPLIER" area.

(m) *WINNING NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the play symbols in the "YOUR NUMBERS" area, determine whether a player wins a prize.

(n) *Winning ticket*: A game ticket which has been validated and qualifies for a prize.

(o) *YOUR NUMBERS*: The numbers, letters, symbols or other characters found in the play area that, when matched against the play symbols in the "WINNING NUMBERS" area, determine whether a player wins a prize.

3. *Price*: The price of a Super Dad ticket is \$5.

4. *Description of Super Dad Fast Play lottery game*:

(a) Super Dad lottery game is an instant win game printed from a Lottery Terminal. All prizes are predetermined, and the player does not have the ability to select their own play symbols. Super Dad tickets may be purchased from an authorized retailer or at a Lottery self-service terminal that sells terminal-based Lottery game tickets. Tickets purchased from an authorized retailer shall be printed on-demand at the time of purchase and may not be preprinted by the retailer.

(b) Super Dad is played by matching any of the play symbols located in the "YOUR NUMBERS" area to any of the play symbols located in the "WINNING NUMBERS" area. A player matching play symbols in this manner will win the prize shown under the matching "YOUR NUMBERS" play symbol. A bet slip is not used to play this game.

(c) Super Dad tickets contain a "SUPER MULTIPLIER" area. Whenever any of the play symbols located in the "YOUR NUMBERS" area matches any of the play symbols located in the "WINNING NUMBERS" area and the matching "YOUR NUMBERS" play symbol appears on a "STAR," the player multiplies the prize won in the "YOUR NUMBERS" area by the multiplier shown. "DAD WINALL NUMBER" prizes cannot be multiplied.

(d) Super Dad is also played by matching any of the "WINNING NUMBERS" play symbols to the "DAD WINALL NUMBER." Players matching play symbols in this manner will win all 12 prizes shown in the "YOUR NUMBERS" area.

(e) Players can win the prizes identified in section 6 (relating to prizes available to be won and determination of prize winners).

(f) Super Dad tickets cannot be canceled or voided once printed by the Lottery Terminal, even if printed in error.

(g) To purchase a ticket at an authorized retailer, a player must remit the purchase price to the retailer and verbally request a Super Dad ticket. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

(h) To purchase a ticket at a Pennsylvania Lottery self-service terminal, the player must insert into the self-service terminal a dollar amount equal to the total purchase price of a Super Dad ticket and select the Super Dad option on the Lottery self-service terminal. The ticket shall be the only valid proof of the bet placed and the only valid receipt for claiming a prize.

5. *Super Dad ticket characteristics*:

(a) Super Dad tickets shall contain a play area, the cost of the play, the date of sale and a bar code.

(b) *Play Symbols*: Super Dad tickets will contain a "WINNING NUMBERS" area, a "YOUR NUMBERS" area, a "SUPER MULTIPLIER" area and a "DAD WINALL NUMBER" area. The play symbols and their captions, located in the "WINNING NUMBERS" area, the "YOUR NUMBERS" area and the "DAD WINALL NUMBER" area, are: 1 (ONE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17

(SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions, located in the "YOUR NUMBERS" area and printed on a "STAR," are: 1 (ONE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions, located in the "SUPER MULTIPLIER" area, are: 1X (NOMULT) symbol, 2X (2TIMES) symbol, 3X (3TIMES) symbol and a 5X (5TIMES) symbol.

(c) *Prize Symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$1,000 (ONE THO) and \$50,000 (FTY THO).

(d) *Prizes:* The prizes that can be won in this game, are: \$5, \$10, \$15, \$20, \$50, \$100, \$200, \$1,000 and \$50,000. Super Dad contains a feature that can multiply certain prizes. For a complete list of prizes, and how those prizes can be won, see section 7 (relating to number and description of prizes and approximate chances of winning). A player can win up to 12 times on a ticket.

(e) *Approximate number of tickets available for the game:* Approximately 600,000 tickets will be available for sale for the Super Dad lottery game.

6. *Prizes available to be won and determination of prize winners:*

(a) All Super Dad prize payments will be made as one-time, lump-sum cash payments.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50,000 (FTY THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any of the "WINNING NUMBERS" play symbols match the "DAD WINALL NUMBER" play symbol, and a prize symbol of \$100 (ONE HUN) appears in five of the "Prize" areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in six of the "Prize" areas and a prize symbol of \$200 (TWO HUN) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(f) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with the matching "YOUR NUMBERS" play symbol appearing on a "STAR," and a

prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 2X (2TIMES) multiplier symbol appears in the "SUPER MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which any of the "WINNING NUMBERS" play symbols match the "DAD WINALL NUMBER" play symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in six of the "Prize" areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in five of the "Prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which any of the "WINNING NUMBERS" play symbols match the "DAD WINALL NUMBER" play symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the "Prize" areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the "Prize" areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the "Prize" areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with the matching "YOUR NUMBERS" play symbol appearing on a "STAR," and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 3X (3TIMES) multiplier symbol appears in the "SUPER MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$150.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with the matching "YOUR NUMBERS" play symbol appearing on a "STAR," and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 2X (2TIMES) multiplier symbol appears in the "SUPER MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols, with the matching "YOUR NUMBERS" play symbol appearing on a "STAR," and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, and upon which a 5X (5TIMES) multiplier symbol appears in the "SUPER MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which any of the "WINNING NUMBERS" play symbols match the "DAD WINALL NUMBER" play symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the "Prize" areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "Prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(n) Holders of tickets upon which any of the "WINNING NUMBERS" play symbols match the "DAD WINALL NUMBER" play symbol, and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in two of the "Prize" areas, a

prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the “Prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in six of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols match the “DAD WINALL NUMBER” play symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the “Prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols match the “DAD WINALL NUMBER” play symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in six of the “Prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in five of the “Prize” areas and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which any of the “WINNING NUMBERS” play symbols match the “DAD WINALL NUMBER” play symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the “Prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in six of the “Prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 5X (5TIMES) multiplier symbol appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 3X (3TIMES) multiplier symbol appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$45.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 2X (2TIMES) multiplier symbol appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$40.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 2X (2TIMES) multiplier symbol

appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$30.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 5X (5TIMES) multiplier symbol appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$25.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 2X (2TIMES) multiplier symbol appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$20.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 3X (3TIMES) multiplier symbol appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$15.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, with the matching “YOUR NUMBERS” play symbol appearing on a “STAR,” and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 2X (2TIMES) multiplier symbol appears in the “SUPER MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$10.

(dd) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

7. Number and description of prizes and approximate chances of winning: The following table sets forth the approximate number of winners, amounts of prizes and approximate chances of winning:

<i>When Any Of "YOUR NUMBERS" Match Any "WINNING NUMBER," Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 600,000 Tickets:</i>
\$5	\$5	9.17	65,400
\$5 × 2	\$10	100	6,000
\$5 w/ 2X	\$10	20	30,000
\$10	\$10	66.67	9,000
\$5 × 3	\$15	500	1,200
\$10 + \$5	\$15	142.86	4,200
(\$5 w/ 2X) + \$5	\$15	100	6,000
\$5 w/ 3X	\$15	40	15,000
\$15	\$15	200	3,000
\$5 × 4	\$20	125	4,800
\$10 × 2	\$20	2,000	300
(\$5 × 2) + \$10	\$20	2,000	300
(\$5 w/ 2X) + \$10	\$20	250	2,400
(\$5 w/ 3X) + \$5	\$20	125	4,800
(\$5 × 2) w/ 2X	\$20	333.33	1,800
\$10 w/ 2X	\$20	125	4,800
\$20	\$20	1,000	600
\$10 × 5	\$50	12,000	50
\$20 + \$15 + \$10 + \$5	\$50	12,000	50
(\$5 w/ 5X) + \$15 + \$10	\$50	2,400	250
(\$15 + \$10) w/ 2X	\$50	12,000	50
(\$15 w/ 3X) + \$5	\$50	1,200	500
(\$20 + \$5) w/ 2X	\$50	12,000	50
(\$5 × 5) w/ 2X	\$50	12,000	50
\$10 w/ 5X	\$50	1,000	600
\$50	\$50	6,000	100
DAD WINALL MATCH w/ ((\$10 × 5) + (\$5 × 6) + \$20)	\$100	2,400	250
DAD WINALL MATCH w/ ((\$10 × 6) + (\$5 × 5) + \$15)	\$100	2,400	250
DAD WINALL MATCH w/ ((\$10 × 8) + (\$5 × 4))	\$100	2,400	250
DAD WINALL MATCH w/ ((\$15 × 2) + (\$10 × 4) + (\$5 × 6))	\$100	2,400	250
DAD WINALL MATCH w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))	\$100	2,400	250
\$20 w/ 5X	\$100	2,000	300
\$50 w/ 2X	\$100	6,000	100
\$100	\$100	24,000	25
DAD WINALL MATCH w/ ((\$20 × 5) + (\$10 × 4) + (\$5 × 2) + \$50)	\$200	120,000	5
DAD WINALL MATCH w/ ((\$20 × 6) + (\$15 × 5) + \$5)	\$200	120,000	5
(\$20 w/ 5X) + \$100	\$200	120,000	5
(\$50 w/ 3X) + \$50	\$200	120,000	5
\$100 w/ 2X	\$200	120,000	5
\$200	\$200	120,000	5

<i>When Any Of "YOUR NUMBERS" Match Any "WINNING NUMBER," Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 600,000 Tickets:</i>
DAD WINALL MATCH w/ (($\$100 \times 5$) + ($\50×6) + $\$200$)	\$1,000	120,000	5
\$1,000	\$1,000	120,000	5
\$50,000	\$50,000	120,000	5

When any WINNING NUMBER matches the DAD WINALL NUMBER, win all 12 prizes shown!

SUPER MULTIPLIER: When the matching number is on a STAR, multiply the prize won by the multiplier shown in the SUPER MULTIPLIER AREA. DAD WINALL NUMBER prizes cannot be multiplied.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. Ticket responsibility:

(a) A Fast Play lottery game ticket is a bearer document deemed to be owned by the person holding the game ticket, except that if a name is contained on the back of the game ticket, the person named will, for all purposes, be considered the owner of the game ticket.

(b) The holder of a Fast Play lottery game ticket has the sole responsibility for checking the accuracy and condition of the data printed on the game ticket.

(c) The Commonwealth shall not be responsible for a lost or stolen Fast Play lottery game ticket, or for a Fast Play ticket redeemed by a player in error.

9. Ticket validation and requirements:

(a) *Valid Fast Play lottery game tickets.* To be a valid Fast Play lottery game ticket, the presented game ticket must meet the following requirements:

(1) The game ticket's bar code shall be present in its entirety.

(2) The game ticket must be intact.

(3) The game ticket may not be mutilated, altered, reconstituted or tampered with.

(4) The game ticket may not be counterfeit or a duplicate of a winning ticket.

(5) The game ticket must have been validly issued.

(6) The game ticket data shall have been recorded on the Lottery Central Computer System and the game ticket data shall match the computer record in every respect.

(7) The game ticket must not be defectively printed or printed or produced in error such that it cannot be processed or validated by the Lottery.

(8) The game ticket must pass other confidential security checks of the Lottery.

(b) *Invalid or defective game tickets.* A game ticket not passing the validation requirements in subsection (a) will be considered invalid and no payment will be made on account of any play recorded thereon. The determination of the Secretary in this regard is final.

10. Procedures for claiming and payment of prizes:

(a) A prize may be claimed through an authorized retailer or the Lottery, as provided in this section. A prize must be claimed within 1 year of the sale date of the Fast Play lottery game ticket.

(b) An authorized retailer is authorized to pay prizes of \$2,500 or less. The holder of a game ticket evidencing a winning play representing a prize of \$2,500 or less may be paid by a participating authorized retailer if a proper validation pay ticket was issued by the retailer's Lottery Terminal.

(c) The holder of a game ticket evidencing a winning play representing a prize in excess of \$2,500 may present the game ticket to an authorized retailer, Lottery District Office, or Lottery Headquarters.

(d) The holder of a game ticket evidencing a winning play shall present the ticket, in person, to an authorized retailer, Lottery Headquarters or a Lottery District Office. The retailer or the Lottery will issue payment if:

(1) The game ticket is scanned, and the play is validated through the Lottery Terminal or the Lottery Central Computer System;

(2) A claim form is properly and fully completed;

(3) The identification of the claimant is confirmed; and

(4) The winning ticket has not expired, pursuant to this section or section 12 (relating to unclaimed prizes).

(e) The Commonwealth shall not be responsible for a winning play paid in error by an authorized retailer.

(f) In the event a prize described in these rules is not available, the Lottery may either provide a substitute prize, determined by the Secretary to have an equivalent value to the prize won, or make a cash payment to the winner, in an amount determined by the Secretary to have an equivalent value to the prize won.

11. Funding for prizes: Moneys will be drawn from the State Lottery Fund, to the extent necessary, to fund the payment of prizes under this section. If this lottery game is terminated for any cause, prize moneys remaining undistributed will remain in the State Lottery Fund and used for purposes otherwise provided for by law.

12. Unclaimed prizes: Unclaimed prize money on winning Fast Play lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the sale date of the Fast Play lottery game ticket. If no claim is made within 1 year from the sale date of the Fast Play lottery game ticket, the right of a ticket holder to claim the prize represented by that ticket, if any, shall expire.

13. Purchase and prize restrictions: A Fast Play lottery game ticket may not be purchased by, and a prize may not be paid, to an officer or employee of the Lottery, Lottery professional services contractors or subcontractors, or to a spouse, child, brother, sister or parent residing in the same household of an officer, employee,

contractor or subcontractor who is involved in the production, distribution or operation of systems for the validation or accounting of Fast Play games.

14. *Governing law:*

(a) By purchasing a ticket, the purchaser agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), this notice, instructions, conditions and final decisions of the Secretary and procedures established by the Secretary for the conduct of the Fast Play Super Dad lottery game.

(b) Decisions made by the Secretary, including the declaration of prizes and the payment thereof, in interpretation of this notice are final and binding on players and persons making a claim in respect thereof.

15. *Retailer compensation:*

(a) Authorized retailers may be entitled to compensation as determined by the Lottery.

(b) No authorized retailer or employee of an authorized retailer shall request, demand, or accept gratuities or any compensation other than as provided in subsection (a) in exchange for the performance of duties authorized pursuant to the Lottery retailer's license without the Lottery's prior written authorization.

16. *Retailer Incentive Programs:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Fast Play Super Dad lottery game tickets.

17. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania Fast Play lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the Fast Play game ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery Fast Play game ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

18. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Super Dad or through normal communications methods.

19. *Applicability:* This notice applies only to the Super Dad lottery game announced in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-645. Filed for public inspection April 29, 2022, 9:00 a.m.]

PENNSYLVANIA ENERGY DEVELOPMENT AUTHORITY

Board Meeting

The Pennsylvania Energy Development Authority Board (Board) will meet on May 3, 2022, at 2 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Allen Landis at alllandis@pa.gov or (717) 787-7389.

The meeting will begin in Executive Session. The public portion of the meeting will begin when Executive Session ends. Individuals may join the meeting remotely at 2 p.m. and will remain in a virtual waiting room until Executive Session ends. Individuals attending in person will be able to enter Room 105 when Executive Session ends.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Businesses," then "Energy," then "Energy Programs Office," then "Financial Options," then "PEDA").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the May 3, 2022, meeting can be directed to Allen Landis at alllandis@pa.gov or (717) 787-7389.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Allen Landis at alllandis@pa.gov or (717) 787-7389 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 22-646. Filed for public inspection April 29, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2022-3031925. Columbia Gas of Pennsylvania, Inc. Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to one idle commercial premises in York County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 16, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA

17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

Through and By Counsel for: Theodore J. Gallagher, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317, tjgallagher@nisource.com; Amy E. Hirakis, Esquire, 800 North Third Street, Suite 204, Harrisburg, PA 17102, ahirakis@nisource.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-647. Filed for public inspection April 29, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 16, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by May 16, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as *common carriers* by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2022-3031836. McCarthy Flowered Cabs, Inc. (1932 Cedar Avenue, Scranton, Lackawanna County, PA

18506) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons upon call or demand, as more thoroughly described in the original ordering paragraphs at A-00113298, F.1, F.3. *Attorney:* Paul S. Guarneri, Esquire, 2622 Timberglen Drive, Wexford, PA 15090.

A-2022-3031836. McCarthy Flowered Cabs, Inc. (1932 Cedar Avenue, Scranton, Lackawanna County, PA 18506) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the County of Lackawanna, and return as originally docketed at A-2012-2289612. *Attorney:* Paul S. Guarneri, Esquire, 2622 Timberglen Drive, Wexford, PA 15090.

A-2022-3031970. Jeannette EMS, Inc. (225 South 6th Street, Jeannette, Westmoreland County, PA 15644) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in paratransit service, as more thoroughly described in the original ordering paragraphs at A-00113168. *Attorney:* William Stewart, Esquire, 310 Grant Street, Suite 2310, Pittsburgh, PA 15219.

A-2022-3031976. Joseph G. Campbell, t/a J. G. Campbell Driving Service (61 Railway Drive, Kirkwood, Lancaster County, PA 17536) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-6415521, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-648. Filed for public inspection April 29, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than May 16, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. Nos. A-22-04-10 and A-22-04-11. Jamboria Taxi, LLC (5750 Walton Avenue, Philadelphia, PA 19143): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of

Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant*: David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-22-04-12. GB Taxi, LLC (4809 Leiper Street, Philadelphia, PA 19124): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadel-

phia to points in Pennsylvania, and return. *Attorney for Applicant*: David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-649. Filed for public inspection April 29, 2022, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Daniel Z. Martin—Farm 2 591 Hammer Creek Road Lititz, PA 17543	Lancaster County/ Elizabeth Township	109.72	Turkey	New	Approved
Fifth Day Farm, Inc. 178 Lowry Road New Holland, PA 17557	Lancaster County/ Earl Township	22.04	Pullets	Amended	Transfer
Todd Parsons—Parsons Poultry 20790 Parsons Farm Road Blair Mills, PA 17213	Huntingdon County/ Tell Township	0	Turkeys	New	Approved
Emanuel Lapp 322 Hatchery Road Dalmatia, PA 17017	Northumberland County/ Lower Mahanoy Township	11.28	Cattle, Horse, Sheep	New	Approved
Daniel L. Petre—Diehl Farm 12283 Diehl Court New Freedom, PA 17349	York County/ Shrewsbury Township	375.08	Layers	New	Approved
Buckwalter Farms, LLC 350 Rock Point Road Marietta, PA 17547	Lancaster County/ East Donegal Township	369.8	Swine	New	Approved
Crouse Legacy Acres, LLC 259 Greble Road Myerstown, PA 17067	Berks County/ Tulpehocken Township	179.5	Layers/Beef	Amended	Approved

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-650. Filed for public inspection April 29, 2022, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimant's request concerning the indicated account.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

May 4, 2022	Michele Coles Disability Retirement Issue	1 p.m.
June 17, 2022	Gary E. Patterson, Jr. Class AA Membership Issue	1 p.m.

June 21, 2022	Michael P. Flynn Disability Retirement Issue	10 a.m.
July 20, 2022	Suellen M. Wolfe Purchase of Service Issue	10 a.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOSEPH A. TORTA,
Secretary

[Pa.B. Doc. No. 22-651. Filed for public inspection April 29, 2022, 9:00 a.m.]

STATE POLICE

Megan's Law; Registration Sites Report

The following is being published as a notice for State Police-approved Megan's Law registration sites. Chapter 97, Subchapter H of 42 Pa.C.S. (relating to registration of sexual offenders) requires the State Police to publish a list of approved registration sites in the *Pennsylvania Bulletin*. The following are the approved registered sites.

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Adams	Adams County Prison— Central Booking	45 Major Bell Lane, Gettysburg, PA 17325	717-334-7671
Adams	State Police Gettysburg	1750 Granite Station Road, Gettysburg, PA 17325	717-334-8111
Allegheny	Allegheny County ID Section (walk-in Monday, Tuesday, Wednesday and Friday 8:30 a.m.—4:30 p.m.; Thursday, 12 p.m.—8 p.m.)	660 First Avenue Municipal Courts Building, 3rd Floor Pittsburgh, PA 15219	412-350-6700
Allegheny	State Police Pittsburgh	449 McCormick Road, Moon Township, PA 15108	412-299-1607
Armstrong	Armstrong County Adult Probation	500 East Market Street, Kittanning, PA 16201	724-548-3491
Armstrong	State Police Kittanning	130 Parkview Drive Extension, Kittanning, PA 16201	724-543-2011
Beaver	Beaver County Sheriff— Regional Booking Center	6000 Woodlawn Boulevard, Aliquippa, PA 15001	724-512-2391
Beaver	State Police Beaver	3800 Dutch Ridge Road, Beaver, PA 15009	724-773-7400
Bedford	Bedford County Adult Probation	200 South Juliana Street, Bedford, PA 15522	814-623-4830
Bedford	State Police Bedford	171 Arthur L. Hershey Drive, Bedford, PA 15522	814-623-6133
Berks	Berks County Sheriff's Department	633 Court Street, Reading, PA 19601	610-478-6240
Berks	State Police Hamburg	90 Industrial Drive, Hamburg, PA 19526	610-562-6885
Berks	State Police Reading	600 Kenhorst Boulevard, Reading, PA 19611	610-378-4011
Blair	Blair County Prison	419 Market Square Alley, Hollidaysburg, PA 16648	814-693-3155
Blair	State Police Hollidaysburg	1510 North Juniata Street, Hollidaysburg, PA 16648	814-696-6100
Bradford	Bradford County Adult Probation	301 Main Street, Towanda, PA 18848	570-265-1706
Bradford	State Police Towanda	295 Tomahawk Road, Towanda, PA 18848	570-265-2186
Bucks	Bensalem Township Police	2400 Byberry Road, Bensalem, PA 19020	215-633-3700

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Bucks	Bucks County Department of Corrections	1730 South Easton Road, Building L, Doylestown, PA 18901	215-340-8480
Bucks	State Police Dublin	3218 Rickert Road, Perkasie, PA 18944	215-249-9191
Bucks	State Police Trevoese	3501 Neshaminy Boulevard, Bensalem, PA 19020	215-942-3900
Butler	Butler County Prison	202 South Washington Street, Butler, PA 16001	724-284-5256
Butler	Butler County Probation—Parole Office	203 South Washington Street, Butler, PA 16001	724-284-5259
Butler	Cranberry Township Police (Monday—Friday 8 a.m.—3 p.m. (no holidays))	2525 Rochester Road, Suite 500, Cranberry Township, PA 16066	724-776-5180
Butler	State Police Butler	200 Barracks Road, Butler, PA 16001	724-284-8100
Cambria	State Police Ebensburg	100 Casale Court, Ebensburg, PA 15931	814-471-6500
Cameron	State Police Emporium	12921 Route 120, Emporium, PA 15834	814-486-3321
Carbon	Carbon County Correctional Facility	331 Broad Street, Nesquehoning, PA 18240	570-325-2211
Carbon	State Police Lehighton	9170 Interchange Road, Lehighton, PA 18235	610-681-1850
Centre	Centre County Central Booking	700 Rishel Hill Road, Bellefonte, PA 16823	814-548-1186
Centre	State Police Rockview	330 Penn Tech Drive, Bellefonte, PA 16823	814-355-7545
Chester	Chester County Prison	501 South Wawaset Road, West Chester, PA 19382	610-793-1510
Chester	State Police Avondale	2 Moxley Lane, Avondale, PA 19311	610-268-2022
Chester	State Police Embreeville	997 Lieds Road, Coatesville, PA 19320	610-486-6280
Clarion	Clarion County Prison	309 Amsler Avenue, Shippensburg, PA 16254	814-226-9615
Clarion	State Police Clarion	209 Commerce Road, Clarion, PA 16214	814-226-1710
Clearfield	Clearfield County Prison	115 21st Street, Clearfield, PA 16830	814-765-7891
Clearfield	State Police Clearfield	147 Doe Hill Road, Woodland, PA 16881	814-857-3800
Clinton	Clinton County Prison—Central Booking	58 Pine Mountain Road, McElhattan, PA 17748	570-769-7680
Clinton	State Police Lamar	113 Boyd Road, Mill Hall, PA 17751	570-726-6000
Columbia	Bloomsburg Police	301 East 2nd Street, Bloomsburg, PA 17815	570-784-4155
Columbia	State Police Bloomsburg	6850 Hilday Church Road, Bloomsburg, PA 17815	570-387-4701
Crawford	Crawford County Probation	903 Diamond Park, Meadville, PA 16335	814-333-7350
Crawford	State Police Meadville	11025 Murray Road, Meadville, PA 16335	814-332-6911
Cumberland	Cumberland County Prison	1101 Claremont Road, Carlisle, PA 17015	717-245-8787
Cumberland	State Police Carlisle	2 Dunwoody Drive, Carlisle, PA 17015	717-249-2121
Dauphin	Dauphin County Judicial Center	451 Mall Road, Harrisburg, PA 17111	717-547-4000
Dauphin	State Police Harrisburg	8000 Bretz Drive, Harrisburg, PA 17112	717-671-7500
Dauphin	State Police Lykens	301 State Drive, Elizabethville, PA 17023	717-362-8700
Delaware	Delaware County Probation	201 West Front Street, Media, PA 19063	610-891-4590
Delaware	State Police Media	1342 West Baltimore Pike, Media, PA 19063	484-840-1000
Elk	State Police Ridgway	48 Servidea Drive, Ridgway, PA 15853	814-776-6136
Erie	Erie County Sheriff's Department	140 West 6th Street, Room 400, Erie, PA 16501	814-351-6005
Erie	State Police Corry	11088 Route 6 East, Union City, PA 16438	814-663-2043
Erie	State Police Erie	4320 Iroquois Avenue, Erie, PA 16511	814-898-1641
Erie	State Police Girard	5950 Meadville Road, Girard, PA 16417	814-774-9611
Fayette	State Police Uniontown	1070 Eberly Way, Lemont Furnace, PA 15456	724-439-7111
Fayette	Uniontown City Police	45 East Penn Street, Uniontown, PA 15401	724-430-2929
Forest	State Police Marienville	4956 State Route 899, Marienville, PA 16239	814-927-5253
Franklin	Franklin County Sheriff's Department	157 Lincoln Way East, Chambersburg, PA 17201	717-261-3877

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Franklin	State Police Chambersburg	3800 Black Gap Road, Chambersburg, PA 17202	717-264-5161
Fulton	Fulton County Sheriff's Department	207 North 2nd Street, McConnellsburg, PA 17233	717-485-4221
Fulton	State Police McConnellsburg	500 Fulton Drive, McConnellsburg, PA 17233	717-485-3131
Greene	Greene County Courthouse	10 East High Street, Room 103, Waynesburg, PA 15370	724-852-5250
Greene	State Police Waynesburg	255 Elm Drive, Waynesburg, PA 15370	724-627-6151
Huntingdon	Huntingdon County Sheriff's Department	241 Mifflin Street, Suite 1, Huntingdon, PA 16652	814-643-0880
Huntingdon	State Police Huntingdon	10637 Raystown Road, Huntingdon, PA 16652	814-627-3161
Indiana	Indiana County Probation	825 Philadelphia Street, Indiana, PA 15701	724-465-3820
Indiana	State Police Indiana	35 Fenton Road, Indiana, PA 15701	724-357-1960
Jefferson	Jefferson County Prison	578 Service Center Road, Brookville, PA 15825	814-849-1933
Jefferson	State Police DuBois	230 Platt Drive, DuBois, PA 15801	814-371-4652
Jefferson	State Police Punxsutawney	485 North Findley Street, Punxsutawney, PA 15767	814-938-0510
Juniata	Juniata County Probation Office	11 North 3rd Street, Mifflintown, PA 17059	717-436-7716
Juniata	State Police Lewistown	140 Stoney Creek Drive, Mifflintown, PA 17059	717-320-1010
Lackawanna	Lackawanna County Probation	130 North Washington Avenue, Scranton, PA 18503	570-963-6876
Lackawanna	Scranton Police	100 South Washington Avenue, Scranton, PA 18503	570-348-4134
Lackawanna	State Police Dunmore	85 Keystone Industrial Park, Dunmore, PA 18512	570-963-3156
Lancaster	Lancaster City Police	39 West Chestnut Street, Lancaster, PA 17603	717-735-3300
Lancaster	Lancaster County Probation	40 East King Street, Lancaster, PA 17603	717-299-8181
Lancaster	State Police Lancaster	2099 Lincoln Highway East, Lancaster, PA 17602	717-299-7650
Lawrence	State Police New Castle	3539 Wilmington Road, New Castle, PA 16105	724-598-2211
Lebanon	State Police Jonestown	3185 State Route 72, Jonestown, PA 17038	717-865-2194
Lehigh	State Police Bethlehem	2930 Airport Road, Bethlehem, PA 18017	610-861-2026
Lehigh	State Police Fogelsville	8320 Schantz Road, Breinigsville, PA 18031	610-395-1438
Luzerne	State Police Hazleton	250 Dessen Drive, West Hazleton, PA 18202	570-459-3890
Luzerne	State Police Shickshinny	872 Salem Boulevard, Berwick, PA 18603	570-542-7105
Luzerne	State Police Wilkes-Barre	2001 South Valley Parkway, Wilkes-Barre, PA 18706	570-697-2000
Lycoming	Old Lycoming Township Police Department (Monday—Friday, 10 a.m.—2 p.m.)	1951 Green Avenue, Williamsport, PA 17701	570-323-4987
Lycoming	State Police Montoursville	899 Cherry Street, Montoursville, PA 17754	570-368-5700
McKean	McKean County Prison	17013 Route 6, Smethport, PA 16749	814-887-2333
McKean	State Police Lewis Run	130 Airport Road, Lewis Run, PA 16738	814-368-9230
Mercer	State Police Mercer	826 Franklin Road, Mercer, PA 16137	724-662-6162
Mifflin	Mifflin County Prison	103 West Market Street, Lewistown, PA 17044	717-248-1130
Monroe	Monroe County Prison	4250 Manor Drive, Stroudsburg, PA 18360	570-992-3232
Monroe	State Police Fern Ridge	127 Parkside Avenue, Blakeslee, PA 18610	570-646-2271
Monroe	State Police Stroudsburg	2730 Rimrock Drive, Stroudsburg, PA 18360	570-619-6480
Montgomery	Abington Township Police	1166 Old York Road, Abington, PA 19001	267-536-1100
Montgomery	Montgomery County Adult Probation	100 Ross Road, Suite 120, King of Prussia, PA 19406	610-992-7777
Montgomery	State Police Skippack	2047C Bridge Road, Schwenksville, PA 19473	610-410-3835
Northampton	Northampton County Prison	666 Walnut Street, Easton, PA 18042	610-923-4300

<i>County Name</i>	<i>Registration Site</i>	<i>Address</i>	<i>Phone</i>
Northampton	State Police Belfast	654 Bangor Road, Nazareth, PA 18064	610-759-6106
Northumberland	State Police Milton	50 Lawton Lane, Milton, PA 17847	570-524-2662
Northumberland	State Police Stonington	2465 State Route 61, Sunbury, PA 17801	570-286-5601
Northumberland	Sunbury Police	440 Market Street, Sunbury, PA 17801	570-286-4584
Perry	Perry County Courthouse	2 East Main Street, New Bloomfield, PA 17068	717-582-2131
Perry	State Police Newport	155 Red Hill Road, Newport, PA 17074	717-567-3110
Philadelphia	State Police Philadelphia	2201 Belmont Avenue, Philadelphia, PA 19131	215-452-5216
Pike	Pike County Probation	506 Broad Street, Milford, PA 18337	570-296-7412
Pike	State Police Blooming Grove	434 Route 402, Hawley, PA 18428	570-226-5718
Potter	Potter County Adult Probation	1 North Main Street, Coudersport, PA 16915	814-274-8791
Potter	State Police Coudersport	3084 East Second Street, Coudersport, PA 16915	814-274-8690
Schuylkill	Schuylkill County Sheriff's Department	401 North 2nd Street, Pottsville, PA 17901	570-628-1440
Schuylkill	State Police Frackville	31 Eleanor Avenue, Frackville, PA 17931	570-874-5300
Schuylkill	State Police Schuylkill Haven	1070 State Route 183 South, Schuylkill Haven, PA 17972	570-754-4600
Snyder	Snyder County Sheriff's Department	12 South Main Street, Middleburg, PA 17842	570-837-3311
Snyder	State Police Selinsgrove	81 Lorian Drive, Selinsgrove, PA 17870	570-374-8145
Somerset	Somerset Borough Police	340 West Union Street, Somerset, PA 15501	814-445-4596
Somerset	State Police Somerset	142 Sagamore Street, Somerset, PA 15501	814-445-4104
Sullivan	State Police Laporte	5837 Route 220, Laporte, PA 18626	570-946-4610
Susquehanna	State Police Gibson	2856 State Route 848, New Milford, PA 18834	570-465-3154
Susquehanna	Susquehanna County Adult Probation	81 Public Avenue, Montrose, PA 18801	570-278-4600
Tioga	State Police Mansfield	785 Lambs Creek Road, Mansfield, PA 16933	570-662-2151
Tioga	Tioga County Probation Department	118 Main Street, Wellsboro, PA 16901	570-724-9340
Union	Union County Courthouse/Prison	103 South Second Street, Lewisburg, PA 17837	570-524-8716
Venango	State Police Franklin	6724 US 322, Franklin, PA 16323	814-676-6596
Warren	State Police Warren	22001 Route 6, Warren, PA 16365	814-728-3600
Warren	Warren County Prison	407 Market Street, Warren, PA 16365	814-723-2486
Washington	State Police Washington	150 State Route 519, Eighty-Four, PA 15330	724-223-5200
Washington	Washington County Booking Center	29 West Cherry Avenue, Suite 209, Washington, PA 15301	724-229-5931
Wayne	State Police Honesdale	14 Collan Park, Honesdale, PA 18431	570-251-7207
Wayne	Wayne County Courthouse	925 Court Street, Honesdale, PA 18431	570-253-5970
Westmoreland	State Police Belle Vernon	560 Circle Drive, Belle Vernon, PA 15012	724-929-6262
Westmoreland	State Police Greensburg	100 North Westmoreland Avenue, Greensburg, PA 15601	724-832-3288
Westmoreland	State Police Kiski Valley	1325 Learn Road, Avonmore, PA 15618	724-697-5780
Westmoreland	Westmoreland County Probation	2 North Main Street, Suite 303, Greensburg, PA 15601	724-830-3457
Wyoming	State Police Tunkhannock	6039 State Route 6, Tunkhannock, PA 18657	570-836-2141
Wyoming	Wyoming County Adult Probation	1 Courthouse Square, Tunkhannock, PA 18657	570-996-2265
York	State Police York	101 North Main Street, York, PA 17403	717-428-1011
York	York County Probation	45 North George Street, York, PA 17401	717-771-9602

COLONEL ROBERT EVANCHICK,
Commissioner

[Pa.B. Doc. No. 22-652. Filed for public inspection April 29, 2022, 9:00 a.m.]

