

NOTICES

DEPARTMENT OF AGRICULTURE

Controlled Plant and Noxious Weed Committee Virtual Public Meeting

The Department of Agriculture (Department) announces a virtual public meeting of the Controlled Plant and Noxious Weed Committee (Committee), established by 3 Pa.C.S. § 1511 (relating to designation of noxious weeds and controlled plants). The virtual public meeting will be held at 1 p.m. on January 20, 2022, by means of Microsoft Teams. The call in number is (267) 332-8737. The conference ID is 720113888#.

The purpose of the virtual public meeting is to consider the addition of three plants to the noxious weed list. If time permits, these three plants will be considered at this meeting:

- Glossy buckthorn (*Frangula alnus* (Synonym: *Rhamnus frangula*) (Class B)
- Common buckthorn (*Rhamnus cathartica*) (Class B)
- Raveanna grass (*Tripidium ravennae*) (Synonym: *Saccharum ravennae*) (Class A)

Public comment will be accepted either in person at the meeting or in writing prior to the meeting. Written comments may be sent to RA-plant@pa.gov or to the Department of Agriculture, Bureau of Plant Industry Noxious Weed Program, 2301 North Cameron Street, Harrisburg, PA 17110. Written comments must be received by January 19, 2022, to be considered. Written comments will become a part of the record, with the same force as if presented during the virtual public meeting.

The virtual public meeting agenda related to this consideration is as follows: presentation of background information on plants for consideration; public comment period; Committee discussion; and Committee action on plants under consideration.

Individuals with questions regarding this virtual public meeting should contact the Department at (717) 787-4843.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-53. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending December 28, 2021.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-21-2021	Farmers and Merchants Trust Co. of Chambersburg Chambersburg Franklin County	83 West Washington Street Hagerstown Washington County, MD	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-21-2021	S & T Bank Indiana Indiana County	<i>To:</i> 810-814 South Aiken Avenue Pittsburgh Allegheny County <i>From:</i> 820 South Aiken Avenue Pittsburgh Allegheny County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-17-2021	West View Savings Bank Pittsburgh Allegheny County	572 Lincoln Avenue Pittsburgh Allegheny County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-54. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0117806	Joint DEP/PFBC Pesticides Permit	Renewal	Hoffman Homes, Inc. 815 Orphanage Road Littlestown, PA 17340-9329	Mount Joy Township Adams County	SCRO
0614801	Joint DEP/PFBC Pesticides Permit	Renewal	High Point Camp P.O. Box 188 Geigertown, PA 19523-0188	Robeson Township Berks County	SCRO
0814801	Joint DEP/PFBC Pesticides Permit	New	Calumet Enterprises 2205 Old Philadelphia Pike Lancaster, PA 17602-3400	Overton Township Bradford County	NCRO
0821802	Joint DEP/PFBC Pesticides Permit	New	Johnson Kevin A 333 Harrison Road Rome, PA 18837-8111	Stevens Township Bradford County	NCRO
2121805	Joint DEP/PFBC Pesticides Permit	New	Doubling Gap Center, Inc. 1550 Doubling Gap Road Newville, PA 17241-9758	Lower Mifflin Township Cumberland County	SCRO
2217802	Joint DEP/PFBC Pesticides Permit	Renewal	Bouslough Craig 1281 Waltonville Road Hummelstown, PA 17036-8910	Derry Township Dauphin County	SCRO

NOTICES

247

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2217803	Joint DEP/PFBC Pesticides Permit	Renewal	Jones Emelyn 27 Shetland Drive Hummelstown, PA 17036-9238	West Hanover Township Dauphin County	SCRO
2817802	Joint DEP/PFBC Pesticides Permit	Renewal	Fisher Jay 13278 Cumberland Highway Orrstown, PA 17244-9627	Letterkenny Township Franklin County	SCRO
3817802	Joint DEP/PFBC Pesticides Permit	Renewal	Boyer Joe 409 Awol Road Jonestown, PA 17038	Union Township Lebanon County	SCRO
2112404	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Lemoyne Borough Municipal Authority Cumberland County 3 Lowther Street Lemoyne, PA 17043-2029	Lemoyne Borough Cumberland County	SCRO
3521403	Major Sewage Treatment Facility Individual WQM Permit	New	PA American Water Co. 2699 Stafford Avenue Scranton, PA 18505-3608	Scranton City Lackawanna County	NERO
PA0032026	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Family Affair Campground, LLC 1135 Tamarack Road Waterford, PA 16441	North East Township Erie County	NWRO
PA0216666	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Amendment Minor	Iron Cumberland, LLC P.O. Box 1020 855 Kirby Road Waynesburg, PA 15370-3020	Whiteley Township Greene County	SWRO
3016200	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Transfer	Iron Cumberland, LLC P.O. Box 1020 855 Kirby Road Waynesburg, PA 15370-3020	Monongahela Township Greene County	SWRO
2110401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Silver Spring Country Estates 9450 SW Gemini Drive # 65221 Beaverton, OR 97008-7105	Silver Spring Township Cumberland County	SCRO
2595408	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Family Affair Campground, LLC 1135 Tamarack Road Waterford, PA 16441	North East Township Erie County	NWRO
3075402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Iron Cumberland, LLC P.O. Box 1020 855 Kirby Road Waynesburg, PA 15370-3020	Whiteley Township Greene County	SWRO
6613401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Scranton Hospital Co., LLC 746 Jefferson Avenue Scranton, PA 18510-1624	Tunkhannock Township Wyoming County	NERO
NOEXNW218	No Exposure Certification	New	Old Dominion Freight Line, Inc. 500 Old Dominion Way Thomasville, NC 27360-8923	Erie City Erie County	NWRO
NOEXSC295	No Exposure Certification	Renewal	Johnson & Johnson Consumer, Inc. 1838 Colonial Village Lane Lancaster, PA 17601-6700	East Lampeter Township Lancaster County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC365	No Exposure Certification	Transfer	GXO Logistics Supply Chain, Inc. 6111 Grayson Road Harrisburg, PA 17111-3385	Swatara Township Dauphin County	SCRO
NOEXSW006	No Exposure Certification	Renewal	USPS Warrendale 300 Brush Creek Road Warrendale, PA 15086-1002	Marshall Township Allegheny County	SWRO
PAG033540	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Knouse Foods Cooperative, Inc. P.O. Box 807 Biglerville, PA 17307-0807	Tyrone Township Adams County	SCRO
PAR606195	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	AMG Resources Corp 2 Robinson Plaza Pittsburgh, PA 15205-1017	Donegal Township Washington County	SWRO
PAG049593	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Amy & Neal Chase 751 Saxonburg Road Butler, PA 16002-0961	Jefferson Township Butler County	NWRO
0921409	Pump Stations Individual WQM Permit	New	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976-1209	Doylestown Township Bucks County	SERO
6703403	Sewer Extensions Individual WQM Permit	Transfer	The York Water Co. 2412 Baltimore Pike Hanover, PA 17331-9612	West Manheim Township York County	SCRO
6703406	Sewer Extensions Individual WQM Permit	Transfer	The York Water Co. 2412 Baltimore Pike Hanover, PA 17331-9612	West Manheim Township York County	SCRO
6708406	Sewer Extensions Individual WQM Permit	Transfer	The York Water Co. 2412 Baltimore Pike Hanover, PA 17331-9612	West Manheim Township York County	SCRO
6798407	Sewer Extensions Individual WQM Permit	Transfer	The York Water Co. 2412 Baltimore Pike Hanover, PA 17331-9612	West Manheim Township York County	SCRO
6798409	Sewer Extensions Individual WQM Permit	Transfer	The York Water Co. 2412 Baltimore Pike Hanover, PA 17331-9612	West Manheim Township York County	SCRO
PA0062901	Single Residence STP Individual NPDES Permit	Transfer	Felts Derek 7280 Borman Road New Tripoli, PA 18066-4316	Lynn Township Lehigh County	NERO
PA0281760	Single Residence STP Individual NPDES Permit	Transfer	Fuller Patricia Ann 175 Hakes Hollow Road Wrightsville, PA 17368-8907	Lower Windsor Township York County	SCRO
0218400	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Paul And Kaylee Haggerty 108 Almond Way Sewickley, PA 15143	Bell Acres Borough Allegheny County	SWRO
2516411	Single Residence Sewage Treatment Plant Individual WQM Permit	Amendment	John & Paula Patton 4261 Harborgreene Road Erie, PA 16510	Greene Township Erie County	NWRO
2521433	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Blasco Garrett 10721 Old Rte 99 McKean, PA 16426	Washington Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2521436	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Andrew & Heather Zuber 544 Rankine Avenue Erie, PA 16511-2047	Franklin Township Erie County	NWRO
6521406	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Hart Brian 3104 Lillian Avenue Murrysville, PA 15668-1905	Murrysville Borough Westmoreland County	SWRO
6719406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Fuller Patricia Ann 175 Hakes Hollow Road Wrightsville, PA 17368-8907	Lower Windsor Township York County	SCRO
3994403	Small Flow Treatment Facility Individual WQM Permit	Transfer	Felts Derek 7280 Borman Road New Tripoli, PA 18066-4316	Lynn Township Lehigh County	NERO
WQG018761	WQG-01 WQM General Permit	Transfer	Amy & Neal Chase 751 Saxonburg Road Butler, PA 16002-0961	Jefferson Township Butler County	NWRO
0621203	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	New	M & G Realty, Inc. 2100 N. George St. York, PA 17404	Maxatawny Township Berks County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0209368, Sewage, SIC Code 4952, **Benton Foundry, Inc.**, 5297 State Route 487, Benton, PA 17814-7641. Facility Name: Benton Foundry. This existing facility is located in Sugarloaf Township, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Coles Creek (CWF, MF), Unnamed Tributary to Coles Creek (CWF, MF), and Coles Creek (CWF), is located in State Water Plan watershed 5-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

The proposed effluent limits for Outfall 002 and Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total Other Stormwater	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Copper, Total Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total Other Stormwater	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total Other Stormwater	XXX	XXX	XXX	Report Daily Max	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276472, Storm Water, SIC Code 3629, **Myers Emergency Power Systems**, 44 South Commerce Way, Bethlehem, PA 18017-8915. Facility Name: Myers Emergency Power Systems. This proposed facility is located in Hanover Township, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Monocacy Creek (HQ-CWF, MF), is located in State Water Plan watershed and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

PA0026476, Sewage, SIC Code 4952, **Coaldale-Lansford-Summit Hill Sewer Authority**, 124 West Ridge Street, Lansford, PA 18232-1310. Facility Name: Coaldale Lansford Summit Hill Sewer Authority. This existing facility is located in Coaldale Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Panther Creek (CWF), Nesquehoning Creek (CWF, MF), and Unnamed Tributary to Panther Creek (CWF, MF), is located in State Water Plan watershed 3-A and 2-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.65 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0 Inst Min XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	340	550	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	410	620	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.65 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0 Avg Qrtly	XXX	2000
Aluminum, Total (ug/L)	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total (ug/L)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Iron, Total (ug/L)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Lead, Total (ug/L)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Manganese, Total (ug/L)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Silver, Total (ug/L)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.65 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	30.0 Wkly Avg	40

The proposed effluent limits for Outfall 001 are based on a design flow of 1.65 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.11	XXX	0.25
Ammonia-Nitrogen Oct 1 - May 31	XXX	XXX	XXX	9.18	18.36 Wkly Avg	27.54
Jun 1 - Sep 30	XXX	XXX	XXX	3.06	4.6 Wkly Avg	6.12

In addition, the permit contains the following major special conditions:

- Combined Sewer Overflows
- Solids Management
- Whole Effluent Toxicity (WET) Testing

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

PA0035009, Sewage, SIC Code 4952, 8211, **Lake Lehman School District**, P.O. Box 38, 1237 Market Street, Lehman, PA 18627-0038. Facility Name: Lake Lehman High School. This existing facility is located in Lehman Township, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to East Fork Harveys Creek (CWF, MF), is located in State Water Plan watershed 5-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.018 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum Daily	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.1
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	7.5	XXX	15.0
May 1 - Oct 31	XXX	XXX	XXX	2.5	XXX	5.0
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0103250, Industrial, SIC Code 3321, **Urick Foundry Company, Inc.**, 1501 Cherry Street, Erie, PA 16502-1732. Facility Name: Urick Foundry. This existing facility is located in Erie City, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, an Unnamed Tributary to the Presque Isle Bay (WWF), is located in State Water Plan watershed 15-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 102 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 103 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 201 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 202 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0021792, Sewage, SIC Code 4952, **Edinboro Borough Municipal Authority, Erie County**, 124 Meadville Street, Edinboro, PA 16412-2502. Facility Name: Edinboro Borough Municipal Authority STP. This existing facility is located in Edinboro Borough, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Conneauttee Creek (TSF), Darrows Creek (WWF), and Unnamed Tributary to Conneauttee Creek (WWF), is located in State Water Plan watershed 16-A and is classified for Warm Water Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.8 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.24	XXX	0.8

The proposed effluent limits for Outfall 001 are based on a design flow of 1.8 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.090	XXX	0.29

The proposed effluent limits for Outfall 001 are based on a design flow of 1.8 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Wkly Avg XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	4	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	150	225	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD ₅)	Report	Wkly Avg Report	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	450	676	XXX	30	45	60
		Wkly Avg				
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	90	XXX	XXX	6	XXX	12
May 1 - Oct 31	30	XXX	XXX	2	XXX	4
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Cadmium, Total	Report	Report	XXX	Report	Report	XXX
					Daily Max	
Copper, Total	Report	Report	XXX	Report	Report	XXX
					Daily Max	
Iron, Dissolved	Report	Report	XXX	Report	Report	XXX
					Daily Max	
Zinc, Total	Report	Report	XXX	Report	Report	XXX
					Daily Max	

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity (WET) Testing
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

PA0032913, Sewage, SIC Code 6515, **Scenic MHP, LLC**, 24 Bogle Avenue, North Arlington, NJ 07031-4726. Facility Name: Scenic MHP. This existing facility is located at 156 Shenango Park Road, Transfer, PA 16154, located in Pymatuning Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Brush Run (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies

The proposed effluent limits for Outfall 001 are based on a design flow of .02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	XXX	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.21	XXX	0.5
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	6.6	XXX	13.2
May 1 - Oct 31	XXX	XXX	XXX	2.2	XXX	4.4
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Avg Qrtly XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0034959, Sewage, SIC Code 7033, **Pinebloom Corp**, 308 Timberwolf Run, Knox, PA 16232-4072. Facility Name: Wolfs Camping Resort. This existing facility is located in Beaver Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary 49382 to Canoe Creek (HQ-CWF), is located in State Water Plan watershed 17-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)— Interim	XXX	XXX	Daily Min XXX	0.5	XXX	1.6
Total Residual Chlorine (TRC)— Final	XXX	XXX	XXX	0.4	XXX	1.5
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200 Geo Mean	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	25.0	XXX	50
May 1 - Oct 31	XXX	XXX	XXX	8.5	XXX	17
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0102547, Sewage, SIC Code 4952, 6515, **Oak Springs MHP, Inc.**, P.O. Box 1922, Cranberry Twp, PA 16066-0922. Facility Name: Oak Springs MHP. This existing facility is located in Cranberry Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Brush Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .022 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0210081, Sewage, SIC Code 8800, **Kevin Mundy**, 16675 Stuart Road, Corry, PA 16407-8712. Facility Name: Kevin Mundy SRSTP. This existing facility is located in Wayne Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Hubbel Run (HQ-WWF), is located in State Water Plan watershed 16-A and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0238571, Sewage, SIC Code 4952, 6515, **Jones Estates Pinehurst Manor PA, LLC**, P.O. Box 14466, Durham, NC 27709-4466. Facility Name: Pinehurst Manor MHP. This existing facility is located in Center Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage. Ownership is being transferred from Rhett Walls to the Jones Estates Pinehurst Manor PA, LLC.

The receiving stream, an Unnamed Tributary to the Stony Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
				Annl Avg		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0044628, Industrial, SIC Code 4911, **York Haven Power Co., LLC**, P.O. Box 67, York Haven, PA 17370-0067. Facility Name: York Haven Hydroelectric Power Station. This existing facility is located in York Haven Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Susquehanna River (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 101 are based on a design flow of 0.259 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0085812, Industrial, SIC Code 4941, **Altoona Water Authority**, 900 Chestnut Avenue, Altoona, PA 16601-4617. Facility Name: Altoona City Water System. This existing facility is located in Tyrone Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Kettle Creek (CWF, EV, EV (existing use)), is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Aluminum, Total	Report	Report	XXX	Report	XXX	XXX
Copper, Total	Report	Report	XXX	Report	XXX	XXX
Lead, Total	Report	Report	XXX	Report	XXX	XXX
Zinc, Total	Report	Report	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Avg Mo	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	9.0 Daily Max	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of <0.12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	Report	XXX	Report	XXX	XXX
Mercury, Total	Report	Report	XXX	Report	XXX	XXX
Silver, Total	Report	Report	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 101 are based on a design flow of <0.12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Semi-Annual Average</i>	<i>Daily Maximum</i>		<i>Semi-Annual Average</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report Avg Mo	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30 Avg Mo	60	75
Aluminum, Total	1.0 Avg Mo	2.0	XXX	1.0 Avg Mo	2.0	2.5
Iron, Total	2.0 Avg Mo	Report	XXX	2.0 Avg Mo	4.0	5
Manganese, Total	1.0 Avg Mo	Report	XXX	1.0 Avg Mo	2.0	2.5

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0262072, Industrial, SIC Code 2033, **Knouse Foods Cooperative, Inc.**, 800 Peach Glen Idaville Road, Peach Glen, PA 17375-0001. Facility Name: Knouse Foods Peach Glen Fruit Proc Facility. This existing facility is located in Huntington Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Bermudian Creek (WWF, MF), is located in State Water Plan watershed 7-F and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.217 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Color (Pt-Co Units) (Pt-Co Units)	XXX	XXX	XXX	91.0	182.0	228.0
BOD ₅	18.1	36.2	XXX	10.0	20.0	25.0
Total Suspended Solids	18.1	36.2	XXX	10.0	20.0	25.0
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	27.1	XXX	XXX	15.0	XXX	30.0
Ammonia-Nitrogen						
May 1 - Oct 31	3.6	7.2	XXX	2.0	4.0	5.0
Nov 1 - Apr 30	10.9	21.7	XXX	6.0	12.0	15.0
Total Nitrogen	21.7	43.4	XXX	12.0	24.0	30.0
Total Phosphorus	0.9	1.8	XXX	0.5	1.0	1.25
Aluminum, Total	1.053	1.643	XXX	0.582	0.908	1.455
Copper, Total (ug/L)	0.018	0.027	XXX	10.1	14.7	14.7
Iron, Dissolved	0.657	1.024	XXX	0.363	0.566	0.908
Iron, Total	3.285	5.125	XXX	1.815	2.832	4.538
Lead, Total (ug/L)	0.005	0.009	XXX	3.02	4.71	7.54
Manganese, Total	Report	Report	XXX	Report	Report	XXX
Selenium, Total (ug/L)	0.013	0.02	XXX	7.05	11.0	17.6
Zinc, Total	0.166	0.250	XXX	0.092	0.138	0.23

The proposed effluent limits for Outfall 001 are based on a design flow of 0.217 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (°F)	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.217 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Temperature (°F)						
Jan 1 - 31	XXX	XXX	XXX	43.3	XXX	XXX
Feb 1 - 28	XXX	XXX	XXX	42.4	XXX	XXX
Mar 1 - 31	XXX	XXX	XXX	50.8	XXX	XXX
Apr 1 - 15	XXX	XXX	XXX	55.8	XXX	XXX
Apr 16 - 30	XXX	XXX	XXX	56.9	XXX	XXX
May 1 - 15	XXX	XXX	XXX	58.1	XXX	XXX
May 16 - 31	XXX	XXX	XXX	62.1	XXX	XXX
Jun 1 - 15	XXX	XXX	XXX	65.3	XXX	XXX
Jun 16 - 30	XXX	XXX	XXX	69.3	XXX	XXX
Jul 1 - 31	XXX	XXX	XXX	72.7	XXX	XXX
Aug 1 - 15	XXX	XXX	XXX	71.6	XXX	XXX
Aug 16 - 31	XXX	XXX	XXX	71.6	XXX	XXX
Sep 1 - 15	XXX	XXX	XXX	67.5	XXX	XXX
Sep 16 - 30	XXX	XXX	XXX	61.5	XXX	XXX
Oct 1 - 15	XXX	XXX	XXX	56.5	XXX	XXX
Oct 16 - 31	XXX	XXX	XXX	52.5	XXX	XXX
Nov 1 - 15	XXX	XXX	XXX	47.7	XXX	XXX
Nov 16 - 30	XXX	XXX	XXX	43.3	XXX	XXX
Dec 1 - 31	XXX	XXX	XXX	45.0	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	0	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	0	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 2,000	XXX	10,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean Report	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	Report	XXX	XXX
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	25.0	XXX	50.0
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 002.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	0	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	0	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Oxygen	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Oxygen	XXX	XXX	XXX	XXX	Report	XXX
CBOD ₅	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0023108, Sewage, SIC Code 4952, **Elizabethtown Borough, Lancaster County**, 600 S Hanover Street, Elizabethtown, PA 17022. Facility Name: Elizabethtown STP. This existing facility is located in Elizabethtown Borough, **Lancaster County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Susquehanna River (WWF, MF), is located in State Water Plan watershed 7-G and is classified for Warm water fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	938	1,407	XXX	25	37.5	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	1,126	1,689	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)		Daily Max				
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Total Nitrogen	300	XXX	XXX	8.0	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	37.5	XXX	XXX	1.0	XXX	3
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Daily Max Report	XXX	XXX
				Daily Max		

<i>Parameters</i>	<i>Mass Units (lbs)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>	
	<i>Monthly</i>	<i>Annual</i>		<i>Average Monthly</i>	<i>Maximum</i>
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrite-Nitrate as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	XXX	109,500 ⁽¹⁾	XXX	XXX	XXX
Net Total Phosphorus	XXX	13,688 ⁽¹⁾	XXX	XXX	XXX

The loading amounts of 82,191 lbs/year for Total Nitrogen and 10,959 lbs/year for Total Phosphorus shall be used for the purposes of determining eligibility to sell nutrient credits. Loadings less than these values may be sold as part of the nutrient trading process.

The receiving stream, Conoy Creek (TSF, MF), is located in State Water Plan watershed 7-G and is classified for Trout stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 9 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.44	XXX	1.43
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	20	30	40
Total Suspended Solids	XXX	XXX	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	8.0	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	8.0	XXX	16
May 1 - Oct 31	XXX	XXX	XXX	5.0	XXX	10
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	3

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0028720, Sewage, SIC Code 4581, **Berks County Region Airport Authority**, 2385 Bernville Road, Reading, PA 19605-9400. Facility Name: Reading Region Airport. This existing facility is located in Bern Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF), Unnamed Tributary to Schuylkill River (WWF), and Unnamed Tributary of Tulpehocken Creek (WWF, MF), is located in State Water Plan watershed 3-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	87	140	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	105	157	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Dissolved Solids	Report	XXX	XXX	2,605.0	5,210.0 Daily Max	5210
Oil and Grease	52	XXX	XXX	15.0	XXX	30
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	XXX
Ammonia-Nitrogen	70	XXX	XXX	20.0	XXX	40

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report	XXX	XXX
Potassium, Total	XXX	XXX	XXX	Report	XXX	XXX
Ethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Propylene Glycol	XXX	XXX	XXX	Report	XXX	XXX
Diethylene Glycol	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0248088 A-1, Sewage, SIC Code 4952, **PA American Water Co.**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436. Facility Name: Franklin WWTP. This existing facility is located in Franklin Township, **Adams County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Marsh Creek (CWF), is located in State Water Plan watershed 13-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.051	XXX	0.166
BOD ₅	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
CBOD ₅	41.7	66.7	XXX	25.0	40.0	50.0
Total Suspended Solids	50.0	Wkly Avg 75.1	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)		Wkly Avg				
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	4.2	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	12.5	XXX	XXX	7.5	XXX	15.0
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
BOD ₅	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41.7	66.7	XXX	25.0	40.0	50.0
Total Suspended Solids	50.0	Wkly Avg 75.1	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)		Wkly Avg				
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Ammonia-Nitrogen						
May 1 - Oct 31	4.2	XXX	XXX	2.5	XXX	5.0
Nov 1 - Apr 30	12.5	XXX	XXX	7.5	XXX	15.0
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Ammonia-Nitrogen	Report	Report	XXX	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

PA0260118, Sewage, SIC Code 6515, **New Oxford MHC Group, LLC**, 31200 Northwestern Highway, Farmington Hills, MI 48334-5900. Facility Name: New Oxford MHC. This existing facility is located in Mount Pleasant Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), South Branch Conewago Creek (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.062328 MGD.—Limits.

Parameters	Mass (lb/day)		Minimum	Concentration (mg/l)	
	Average Monthly	Daily Maximum		Average Monthly	Instant. Maximum
Flow (MGD)	Report	Report	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX
CBOD ₅	XXX	XXX	XXX	25	50
Total Suspended Solids	XXX	XXX	XXX	30	60
Fecal Coliform (CFU/100 ml)					
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	10,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Report	XXX
UV Intensity (µw/cm ²)	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameters	Mass (lbs)		Minimum	Concentration (mg/l)	
	Monthly	Annual		Monthly Average	Maximum
Ammonia—N	Report	Report	XXX	Report	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX
Net Total Nitrogen	Report	1,339	XXX	XXX	XXX
Net Total Phosphorus	Report	243	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office

PA0254711, Storm Water, SIC Code 2491, **Great Southern Wood, Inc.**, 115 West Road, Fombell, PA 16123-1425. Facility Name: Great Southern Wood, Fombell Facility. This existing facility is located in Marion Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater from a wood treating facility.

The receiving stream(s), Connoquenessing Creek (WWF), is located in State Water Plan watershed and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001—006 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	60.0	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0255602, Industrial, SIC Code 4941, **North Fayette County Municipal Authority**, 1634 University Drive, Dunbar, PA 15431-0368. Facility Name: Porter Hill Water Treatment Plant. This proposed facility is located in Dunbar Township, **Fayette County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of filter backwash water.

The receiving stream, Dunbar Creek (TSF), is located in State Water Plan watershed 19-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.293	XXX	0.686
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75.0
Aluminum, Total	XXX	XXX	XXX	1.0	1.5	2.5
Copper, Total (ug/L)	XXX	XXX	XXX	16.6	25.9	41.4
Iron, Total	XXX	XXX	XXX	2.0	4.0	5.0
Manganese, Total	XXX	XXX	XXX	1.0	2.0	2.5
Silver, Total (ug/L)	XXX	XXX	XXX	3.64	5.68	9.11
Thallium, Total (ug/L)	XXX	XXX	XXX	0.57	0.89	1.42
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions: requirements for chemical additives and sedimentation basin cleaning.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0046426, Sewage, SIC Code 4952, **Franklin Township Sewer Authority**, 570 Rolling Meadows Road, Waynesburg, PA 15370-2510. Facility Name: Franklin Township Sewer Authority STP. This existing facility is located in Franklin Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), South Fork Tenmile Creek and unnamed tributary to South Fork Tenmile Creek, is located in State Water Plan watershed 19-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.74 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Acrolein (ug/L)	Report	Report	XXX	Report	Report	XXX
1,3-Dichloropropylene (ug/L)	Report	Report	XXX	Report	Report	XXX
1,2,4-Trichlorobenzene (ug/L)	Report	Report	XXX	Report	Report	XXX
Benzene (ug/L)	Report	Report	XXX	Report	Report	XXX
Carbon Tetrachloride (ug/L)	Report	Report	XXX	Report	Report	XXX
Chlorodibromomethane	Report	Report	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
1,1,2-Trichloroethane (ug/L)	Report	Report	XXX	Report	Report	XXX
1,1,2,2-Tetrachloroethane (ug/L)	Report	Report	XXX	Report	Report	XXX
Hexachlorobutadiene (ug/L)	Report	Report	XXX	Report	Report	XXX
Trichloroethylene (ug/L)	Report	Report	XXX	Report	Report	XXX
Vinyl Chloride (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.74 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Aluminum, Total	12.7	19.8	XXX	0.87	1.36	2.18
Acrolein (ug/L)	0.051	0.079	XXX	3.49	5.45	8.74
1,3-Dichloropropylene (ug/L)	0.009	0.014	XXX	0.64	0.99	1.59
1,2,4-Trichlorobenzene (ug/L)	0.007	0.007	XXX	0.5	0.5	0.5
Benzene (ug/L)	0.02	0.031	XXX	1.37	2.14	3.42
Carbon Tetrachloride (ug/L)	0.014	0.021	XXX	0.94	1.47	2.36
Chlorodibromomethane (ug/L)	0.027	0.043	XXX	1.89	2.95	4.72
1,1,2-Trichloroethane (ug/L)	0.019	0.029	XXX	1.3	2.02	3.24
1,1,2,2-Tetrachloroethane (ug/L)	0.007	0.011	XXX	0.5	0.74	1.18
Hexachlorobutadiene (ug/L)	0.007	0.007	XXX	0.5	0.5	0.5
Trichloroethylene (ug/L)	0.021	0.032	XXX	1.42	2.21	3.54
Vinyl Chloride (ug/L)	0.007	0.007	XXX	0.5	0.5	0.5

The proposed effluent limits for Outfall 001 are based on a design flow of 1.74 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	159	239	XXX	11.0	16.5	22
Biochemical Oxygen Demand (BOD ₅) Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	435	653	XXX	30.0	45.0	60
Fecal Coliform (CFU/100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen Nov 1 - Apr 30	58	XXX	XXX	4.0	XXX	8
May 1 - Oct 31	36	XXX	XXX	2.5	XXX	5
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report	XXX
Cobalt, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Iron, Dissolved	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Lead, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Zinc, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
1,2-Dichloropropane (ug/L)	Report	Report Avg Mo	XXX	Report	Report Daily Max	XXX
Dichlorobromomethane (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Water Quality-Based Effluent Limits for Toxic Pollutants
- Whole Effluent Toxicity
- WQBELs Below Quantitation Limits
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0098043, Sewage, SIC Code 4952, **ITI Trailers & Truck Bodies**, 8535 Mason Dixon Highway, Meyersdale, PA 15552-7100. Facility Name: Traditions Restaurant & ITI STP. This existing facility is located in Elk Lick Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Casselman Run (CWF), is located in State Water Plan watershed 19-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.002	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	18.0	XXX	36.0
May 1 - Oct 31	XXX	XXX	XXX	6.0	XXX	12.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0205729 A-1, Sewage, SIC Code 8811, **Jayme S & Shawn H Cunningham**, 208 Rural Valley Road, Claysville, PA 15323-1338. Facility Name: Cunningham SFTF. This existing facility is located in Blaine Township, **Washington County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Wolf Run (HQ-WWF), is located in State Water Plan watershed 20-E and is classified for High Quality Waters—Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.1
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Geo Mean						
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0205869, Sewage, SIC Code 4952, **West Branch Sewer Authority**, 901 Maple Avenue, Suite 2, Northern Cambria, PA 15714-1331. Facility Name: W Branch Sewer Authority STP. This existing facility is located in Susquehanna Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Susquehanna River (WWF), is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen	Report	XXX	XXX	Report	Report	XXX
Copper, Total	Report	Report	XXX	Report	Report	XXX
Lead, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	Report	XXX
Upstream Monitoring Temperature (deg C) (°C)	XXX	XXX	XXX	Report	Report	XXX
Upstream Monitoring Temperature (deg C) (°C)	XXX	XXX	XXX	Report	Report	XXX
Hardness, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report	XXX
Hardness, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report	XXX
Upstream Monitoring						

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen						
Nov 1 - Apr 30	32.58	XXX	XXX	4.34	8.68	XXX
May 1 - Oct 31	97.73	XXX	XXX	13.02	26.04	XXX
Copper, Total	0.17	0.27	XXX	0.0229	0.0358	0.0573
Lead, Total	Wkly Avg 0.061	0.095	XXX	0.0081	0.0127	0.0203

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

NOTICES

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.9 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	187.65	281.48	XXX	25.0	37.5	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	225.18	337.77	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)	Total Mo					
Zinc, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	16,438	XXX	XXX	XXX	XXX
Effluent Net						
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	2,192 Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrients requirements
- Solids Management for non-lagoon system
- Notification of designation of responsible operator
- Hauled-in waste restriction
- UV operation report
- Discharge and up-stream data collection

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

PA0256056, Sewage, SIC Code 8800, **Josh Boggs**, 29 Deer Hollow Lane, Tarentum, PA 15084-2800. Facility Name: Boggs Properties SRSTP. This proposed facility is located in West Deer Township, **Allegheny County**.

Description of Existing Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Little Deer Creek (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southeast Regional Office

PA0058211, Storm Water, SIC Code 2911, **Evergreen Resources Management Operations**, 2 Righter Parkway, Suite 120, Wilmington, DE 19803-1528. Facility Name: Read Boyd Farm. This existing facility is located in Upper Chichester Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Marcus Hook Creek (WWF) and Marcus Hook Creek (WWF, MF), is located in State Water Plan watershed 3-G and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	XXX
Iron, Total	XXX	XXX	XXX	5.0	XXX	XXX
Manganese, Total	XXX	XXX	XXX	1.5	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	XXX
Chromium, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	5.0	XXX	XXX
Lead, Total	XXX	XXX	XXX	Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	1.5	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	XXX
Iron, Total	XXX	XXX	XXX	5.0	XXX	XXX
Lead, Total	XXX	XXX	XXX	Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	1.5	XXX	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	XXX
Iron, Total	XXX	XXX	XXX	5.0	XXX	XXX
Lead, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	XXX
Barium, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	5.0	XXX	XXX
Lead, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	XXX
Barium, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	5.0	XXX	XXX
Lead, Total	XXX	XXX	XXX	Report	XXX	XXX
Manganese, Total	XXX	XXX	XXX	1.5	XXX	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	100	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	XXX
Iron, Total	XXX	XXX	XXX	5.0	XXX	XXX

In addition, the permit contains the following major special conditions:

- Non-stormwater discharges
- BMPs
- Routine Inspection
- PPC Plan
- Stormwater monitoring
- Requirement to acquire all other applicable permits

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PAS800001, Storm Water, SIC Code 4213, **Fedex Freight Inc.**, 2200 Forward Drive DC 2219, Harrison, AR 72601. Facility Name: Fedex Freight Inc. Chester Springs Facility. This existing facility is located in Upper Uwchlan Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Marsh Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory Fishes and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a stormwater.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Total	XXX	XXX	XXX	XXX	7.0 Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Requirements
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD150235	New	Traditions of America, L.P. David Biddson 1235 Westlakes Drive Suite 300 Berwyn, PA 19312	West Brandywine Township Chester County	SERO
PAD150240	New	Berwyn Owner, LLC 976 E. Swedesford Road Suite 400 Exton, PA 19341	Easttown Township Chester County	SERO
PAD230061	New	Pulte Homes of PA, LP 150 Allen Road Suite 303 Basking Ridge, NJ 07920	Concord Township Delaware County	SERO
PAD450150	New	Clarius Partners, LLC 200 W Madison Street Suite 1625 Chicago, IL, 60606	Mount Pocono Borough Monroe County	NERO
PAD450149	New	Marcia Jarrett 218 18 109th Ave Queens Village, NY 11429	Chestnuthill Township Monroe County	NERO
PAD640025A-1	Major Amendment	Name Roamingwood Sewer and Water Authority John Lennox P.O. Box 6 Lake Ariel, PA 18436-0006	Salem Township Wayne County	NERO
PAD020004A-3	Major Amendment	Friends of Pittsburgh Professional Soccer 234 Pittsburgh Street Uniontown PA 15401	Coraopolis Borough Moon Township Robinson Township Allegheny County	SWRO
PAD560008	New	Listonburg Solar, LLC 106 Isabella Street Suite 400 Pittsburgh, PA 15212	Addison Township Somerset County	SWRO
PAD150187A-1	Major Amendment	Pennsylvania Turnpike Commission 700 S Eisenhower Blvd. Middletown, PA 17057	West Nantmeal Township Chester County	Regional Permit Coordination Office (RPCO) Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONAL PERMIT@pa.gov
PAD400047	New	Pennsylvania Turnpike Commission James L. Stump 700 South Eisenhower Blvd. Middletown, PA 17057	Bear Creek Township Luzerne County	Regional Permit Coordination Office (RPCO) Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONAL PERMIT@pa.gov
PA630001D	New	Pennsylvania Turnpike Commission P.O. Box 67676 Harrisburg, PA 17106	Cecil Township Washington County	Regional Permit Coordination Office (RPCO) Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONAL PERMIT@pa.gov

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Chiques View Farms Kenton Reiff 1775 Pinkerton Road Mount Joy, PA 17552	Lancaster	336.8	466.02	Beef Ducks	NA	New
Matthew Martin 1830 Kenbrook Road Lebanon, PA 17046	Lebanon	74.1	324.15	Broilers	NA	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Application No. 4521505, Construction, Public Water Supply.

Applicant

**Coppola's Pizza
c/o Ronald C. Strunk
P.O. Box 88
Analomink, PA 18320**

Municipality	Stroud Township
County	Monroe
Type of Facility	Public Water Supply
Consulting Engineer	Harry Garman, P.E. Barry Isett & Associates, Inc. 85 South Route 100 Allentown, PA 18106
Application Received Date	December 2, 2021
Description of Application	Construction of a 4-Log treatment of viruses system.
	<i>Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.</i>
	Permit No. 2621509 , Public Water Supply.
Applicant	Municipal Authority of Westmoreland County 124 Park & Pool Road New Stanton, PA 15672
Township and City	East Huntingdon Township and the City of Greensburg
County	Westmoreland
Responsible Official	Jack Ashton Assistant Manager
Type of Facility	Water system
Consulting Engineer	Gibson Thomas Engineering Co., Inc. 1004 Ligonier Street Box 853 Latrobe, PA 15650
Application Received Date	November 23, 2021
Description of Action	Painting and addition of a mixer/power vent system in the Armburst and Tarrs Tanks.

WATER ALLOCATIONS

Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

WA2-1003A, Water Allocations. City of Duquesne, 12 Second Street, Duquesne, PA 15110, City of Duquesne, **Allegheny County**. Applicant requests the right to purchase 1,000,000 gallons of water per day, peak month, from the Municipal Authority of Westmoreland County.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment

noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787, Charline Bass.

3222 Phoenixville Pike Park, 3222 Phoenixville Pike Park, Malvern, PA 19355, Charlestown Township and East Whiteland Township, **Chester County**. Kenneth J. Pasterak, PG, Atlas Technical, 270 William Pitt Way, Building A3, 3rd Floor, Pittsburgh, PA 15238 on behalf of Linda Kaiser, 3222 Phoenixville Pike Owner, LLC, 2001 Ross Avenue, 31st Floor, Dallas, TX 75201 submitted a Notice of Intent to Remediate. Soil at the site has been found to be contaminated with Light Non-Aqueous Phase Liquid (LNAPL) from a surface release of diesel fuel. The current and planned site use is nonresidential. The proposed cleanup standard for the site is the Statewide

health standard. The Notice of Intent to Remediate was published in *the Daily Local News* on October 9, 2021.

8362-8380 State Road, 8362-8380 State Road, Philadelphia, PA 19136, City of Philadelphia, **Philadelphia County**. David Berry, The Vertex Companies, Inc., 2501 Seaport Drive, Suite 110, Chester, PA 19013 on behalf of Lucie McDonald, JRM Developers, 9525 Frankford Avenue, Philadelphia, PA 19114 submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been found to be contaminated with petroleum. The proposed future use of the site will continue to be a nonresidential, multi-tenant, light-industrial building. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Metro Philadelphia* on November 18, 2021.

Indian Valley Bulk Carriers, Inc., 74 Ridge Road, Tylersport, PA 18971, Salford Township, **Montgomery County**. Matthew Mercuri, PG, RMS Environmental LLC, 2198 Pennsbury Drive, Jamison, PA 18929 on behalf of Walt Kontra, Indian Valley Bulk Carriers, Inc., 74 Ridge Road, Tylersport, PA 18971 submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been found to be contaminated with No. 2 fuel oil, used motor oil and antifreeze. The proposed future use of the property will remain commercial/residential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Reporter* on November 17, 2021.

3421 Aramingo Avenue, 3421 Aramingo Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Jason Hanna, Langan Engineering and Environmental, Services, Inc., 1818 Market Street, Suite 3300, Philadelphia, PA 19103 on behalf of Scott Montgomery, Map Real Estate, LLC c/o Raider Hill Advisors, LLC, 25700 Science Park Drive, Suite 270, Beachwood, OH 44122 submitted a Notice of Intent to Remediate. Based on the findings of a recent investigation, constituents of interest include semivolatile organic compounds (SVOCs) and metals in soil and lead in groundwater. The proposed future use of the property will be nonresidential for commercial use. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *The Philadelphia Inquirer* on December 2, 2021.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

C. Larue Pad 2, 2310 State Route 3010, Springville, PA 18844, Dimock Township, **Susquehanna County**. Folsom Engineering, 117 Roger Hollow Road, Mehoopany, PA 18629 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by natural gas well drilling operations. Future use of the site will be residential. The Notice of Intent to Remediate was published in the *Susquehanna Transcript* on December 22, 2021.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Decker Residence, 18 George Street, Douglassville, PA 19518, Union Township, **Berks County**. MEA, Inc., 1365 Bangor, PA 18013, on behalf of Don Decker, 18 George Street, Douglassville, PA 19518, submitted a Final Report concerning remediation of site soil and

groundwater contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the residential Statewide health standard.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

R&R Lawrence Trucking Project, 743 PA Route 118, Hughesville, PA 17737, Wolf Township, **Lycoming County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of R&R Lawrence, Inc., 19422 Route 414, Monroeton, PA 18832, has submitted a Notice of Intent to Remediate. concerning remediation of site soil contaminated with diesel fuel, used motor oil, and antifreeze. The applicant proposes to remediate the site to meet the nonresidential Statewide health standard. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on December 7, 2021.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

09-0243A: Gelest, Inc., 1 Progress Drive, Morrisville, PA 19067, for installation of one 500-gallon glass-lined steel reactor and one 380-gallon Hastelloy Nutsche filter at the existing silicone specialty chemical processing plant located in Falls Township, **Bucks County**. The project post-control potential to emit PM is 0.33 pound per year, VOC PTE is 1.81 tons per year, HAP PTE is 1.88 tons per year (combination HAP). Facility-wide potential emissions are capped below major source emission thresholds for the Philadelphia Metropolitan Area; therefore, the facility is classified as a Synthetic Minor Facility. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the plan approval can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

Southwest Regional, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

65-00993A: Cintas Corporation, 320 Westec Dr., Mount Pleasant, PA 15666-2762. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Pennsylvania Department of Environmental Protection

(Department) intends to issue Air Quality Plan Approval PA-65-00993A for operation of the industrial laundering facility located in Mount Pleasant Township, **Westmoreland County**.

Potential emissions are 7.0 tons of nitrogen oxides (NO_x), 6.0 tons of carbon monoxide (CO), 10.0 tons of volatile organic compounds (VOC) 2.0 tons of hazardous air pollutants (HAP), and 21.0 tons of particulate matter (PM) per year. This authorization is subject to the Best Available Technology (BAT) requirements of 25 Pa. Code § 127.1. The Department has determined that the proposed project satisfies the Department's BAT requirements. The facility is subject to State regulations including 25 Pa. Code §§ 121.7, 123.1, 123.2, 123.31, 123.41 and 123.43. The Plan Approval has been conditioned to ensure compliance with all applicable rules including emission restrictions, operational restrictions, monitoring, record-keeping, reporting, and work practice requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a State Only Operating Permit application in accordance with 25 Pa. Code Subchapter F.

The Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Plan Approval for this project, a person may contact the Department's Southwest Regional Office File Review Coordinator at 412.442.4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; asandy@pa.gov; or fax 412.442.4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00993A) and a concise statement of the objections to the plan approval and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication. For additional information, you may contact Alexander Sandy at 412.442.4028.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mark R. Gorog, P.E., Regional Program Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to mgorog@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00082: Liberty Electric Power, LLC, 1000 Industrial Highway, Eddystone, PA 19022-1529, for renewal of the Title V Operating Permit (TVOP) for its natural gas-fired electric power generating facility located in Eddystone Borough, **Delaware County**.

The Liberty Electric Power plant has a nominal power generation capacity of 500 MW. The facility is comprised of two combustion turbines with duct burners for boosting the turbines' heat output and a cooling tower. Actual emissions from the facility of the following pollutants averaged over the past two years in tons per year were as follows: nitrogen oxides (NO_x)—165; volatile organic compounds (VOC)—14; carbon monoxide (CO)—64; particulate matter (PM/PM₁₀)—54; sulfur oxides (SO_x)—8; ammonia (NH₃)—15.

The proposed Title V Operating Permit renewal does not authorize any increase in air emissions of regulated pollutants above previously approved levels. The facility is subject to 40 CFR Part 60 Subpart KKKK—Standards of Performance for Stationary Combustion Turbines, 40 CFR Part 60 Subpart UUUUa—Emission Guidelines for Greenhouse Gas Emissions From Existing Electric Utility Generating Units, 40 CFR Part 97—Federal NO_x Budget Trading Program and CAIR NO_x and SO₂ Trading Programs, and Title IV—Acid Rain. Applicable requirements of the Subparts are included in the Operating Permit. The Acid Rain permit issued under separate cover for the term January 1, 2020—December 31, 2024.

The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

23-00016: PQ Corporation, 1201 West Front Street, Chester, PA 19013, for the renewal of the Title V Operating Permit. The initial permit was issued on July 6, 2000, for the operation of two (2) glass melting furnaces at their plant located in the City of Chester, **Delaware County**. Per this permit renewal, the # 2 Potassium Silicate Furnace (Source ID 101) has been decommissioned and will not be put back into service. The facility is a major source for NO_x. Sources include two (2) boilers, the # 4 Sodium Silicate Furnace, a spray drying operation, and a backup generator. The boilers are subject to 40 CFR Part 60, Subpart Dc. The furnace is subject to 25 Pa. Code §§ 129.301—129.310. The backup generator is subject to 40 CFR Part 60, Subpart IIII. Applicable requirements have been incorporated into the Title V Operating Permit renewal. Individual limits apply to the various sources at the facility. There are no emission increases being authorized under the Title V Operating Permit renewal. The following are potential site-wide emissions: NO_x—368 TPY; SO_x—137.05 TPY; PM—57.05 TPY; CO—110.26 TPY; VOC—6.15 TPY; and HAP—

0.69 TPY. The facility is not subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64. The Operating Permit will contain requirements to keep the facility operating within all applicable air quality requirements for this source.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

21-05053: EPP Renewable Energy, LLC, 135 Vaughn Road, Shippensburg, PA 17257, to issue a Title V Operating Permit for the gas to energy plant in Hopewell Township, **Cumberland County**. This is for renewal of the Title V permit. The facility 2020 actual air emissions were 27.99 tons PM₁₀, 27.99 tons PM_{2.5}, 12.35 tons HAP total, 12.30 tons formaldehyde, 41.45 tons NO_x, 12.70 tons SO_x, and 218.49 tons CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR 62 Subpart OOO—Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014, 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills and 40 CFR 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

22-05047: Dura-Bond Pipe, LLC, 2716 South Front Street, Steelton, PA 17113, for operation of the pipe and structural shapes manufacturing facility in Steelton Borough, **Dauphin County**. Actual emissions from the facility in 2020 were estimated at 2.81 tons CO, 3.35 tons NO_x, 0.16 ton PM₁₀, 0.07 ton PM_{2.5}, 0.02 ton SO_x, 30.27 tons VOC, 19.42 tons of a single HAP (xylene), and 27.33 tons of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63, Subpart MMMM—National Emission Standards for Hazardous Air Pollutants: Surface Coating of Miscellaneous Metal Parts and Products and from of 25 Pa. Code § 129.52d—Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

21-05002: Vitro Flat Glass, LLC, 400 Park Drive, Carlisle, PA 17013-9271, to issue a Title V Operating Permit for the glass manufacturing facility in South Middleton Township, **Cumberland County**. The facility 2020 actual air emissions are estimated at 25.65 tons VOC, 227.86 tons PM₁₀, 215.87 tons PM_{2.5}, 0.12 ton HAP total, 2,112.75 tons NO_x, 430.25 tons SO₂, and

25.07 tons CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines and 40 CFR 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

66-00033: Deer Park Lumber Inc., Deer Park Mfg Plant, 3042 SR 6, Tunkhannock, PA 18657-7797. The Department intends to issue a renewal State-Only (Synthetic) Minor Operating Permit for the sawmills and planning mills facility in Tunkhannock Township, **Wyoming County**. The sources consist of a 27.4 MMBtu wood fired boiler. The control devices consist of dual multiclones. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00071: Green Knight Economic Development Corporation/Plainfield, 2147 Pen Argyl Road, Pen Argyl, PA 18702. The Department intends to issue a renewal of the State-Only (Natural) Minor Permit for an electric generating plant in Plainfield Township, **Northampton County**. The sources at this facility consist of are three (3) combustion turbines that are fueled by LFG from the Grand Central Sanitary Landfill, and which produce electricity to a local grid. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00137: Western Intl. Gas & Cylinders/Berwick, 53 River Road, Berwick, PA 18603-6721. The Department intends to issue a State-Only (Natural) Minor Permit for the operation of a gas cylinder distribution facility in Salem Township, **Luzerne County**. The sources at this facility consist of paint booths, paint baking ovens, and gas transfer lines. The control devices consist of fabric filters. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

63-00912: The AMES Co., Inc./Champion Facility, 465 Railroad Ave., Camp Hill, PA 17011-5611. In accord-

ance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a natural minor State-Only Operating Permit for a sawmill operations facility, located in Donegal Township, **Washington County**. The AMES Co. operates a 12.87 MMBtu/HR. wood-fired boiler, an oil-fired boiler, a dimension mill, and wood surface coating operations. The control devices are dust collectors and a multi-clone collector. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements. The boilers are subject to the NESHAPs in 40 CFR 63 Subpart JJJJJJ.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00912) and a concise statement regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-03049: US Anodize, 153 Wagner Lane, Reading, PA 19601, to issue a State Only Operating Permit for the aluminum anodizing and bright dip facility located in Bern Township, **Berks County**. The potential emissions from the facility are estimated at 1.09 tpy of PM, 0.09 tpy of SO_x, 8.66 tpy of NO_x, 1.64 tpy of CO and 0.18 tpy of TOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart WWWW—National Emission Standards for Hazardous Air Pollutants: Area Source Standards for Plating and Polishing Operations and 40 CFR Part 63, Subpart

JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial and Institutional Boilers Area Sources.

06-03170: Sealed Air Corporation, 450 Riverfront Drive, Reading, PA 19602, to issue a State Only Operating Permit for the packing paper manufacturing facility in the City of Reading, **Berks County**. Potential emissions from the facility when combusting natural gas are estimated to be: 11.84 tpy CO, 18.40 tpy NO_x, 2.13 tpy PM₁₀, 2.38 tpy PM_{2.5}, 0.22 tpy SO_x, and 1.52 tpy VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include surface coating provisions derived from 25 Pa. Code § 129.63, 40 CFR 60 Subpart Dc—Standards of Performance for Small Industrial—Commercial-Institutional Steam Generating Units and 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

06-03167: Walbert Funeral Home & Cremation Services, 14390 Kutztown Road, Fleetwood, PA 19522, to issue a State-Only Operating Permit for the operation of a human crematory and emergency generator at the funeral home located in Richmond Township, **Berks County**. Potential emissions from the facility are estimated to be 0.71 tpy CO, 0.95 tpy NO_x, 0.17 tpy of PM₁₀, 0.27 tpy of SO_x, 0.07 tpy VOC and 0.42 tpy HCl. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00032: Benton Area School District, 600 Green Acres Road, Benton, PA 17814-7603, to issue a renewal State Only Natural Minor Operating Permit for their school campus located in Benton Borough, **Columbia County**. The facility is currently operating under State Only Operating Permit 19-00032. The facility's main sources are a biomass fired boiler, four (4) small No. 2 fuel oil fired boilers and two (2) emergency generators. The facility has potential emissions of 18.04 tons per year (tpy) of NO_x, 4.57 tpy of SO_x, 7.74 tpy of PM₁₀, 8.06 tpy of CO, 0.29 tpy of VOCs and 0.40 tpy of total HAPs. There are no emissions increases or equipment changes being proposed by this action. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Part 63 Subparts ZZZZ and JJJJJ. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southwest Regional, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

63-01048: MarkWest Liberty Midstream & Resources, LLC/Post Road Launcher/Receiver Site, 4600 J Barry Ct., Ste. 500, Canonsburg, PA 15317-5854. In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a natural minor State Only Operating Permit for a pipeline maintenance stand-alone facility where pigs are launched or received from the pipelines, located at 186 Post Rd., Avella, PA 15312, Blaine Township, **Washington County**.

MarkWest operates one pig receiver and one portable flare at this site. This facility has the potential to emit 0.38 ton of VOCs, 0.03 ton of HAPs, and 0.57 ton of methane. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements, as well as conditions required by the April 2018 Consent Decree filed between US EPA, the Department, and MarkWest.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-01048) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

63-01049: MarkWest Liberty Midstream & Resources, LLC/Smith T Launcher/Receiver Site (4600 J Barry Ct., Ste. 500, Canonsburg, PA 15317-5854). In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a natural minor State Only Operating Permit for

a pipeline maintenance stand-alone facility where pigs are launched or received from the pipelines, located at 471 Hickory Nut Rd., Avella, PA 15312 in Independence Township, **Washington County**.

MarkWest operates one pig receiver and two pig launchers at this site. Emissions are controlled by a Zero-Emissions Vacuum and Compression (ZEVAC) unit. This facility has the potential to emit 0.16 ton/12-consecutive month period (12-cmp) of VOCs, 0.01 ton/12-cmp of HAPs, and 0.4 ton/12-cmp of methane. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements, as well as conditions required by the April 2018 Consent Decree filed between US EPA, the Department, and MarkWest.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-01049) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

32-00207: Sprankle Mills Tipple Valier Coal Yard, 91 Coolspring Road, Punxsutawney, PA 15767, The Department intends to issue a renewal of the State Only Operating Permit for operating of a coal preparation plant located in North Mahoning Township, **Indiana County**. The subject facility consists of an enclosed coal crusher, shaker/screen, front end loader, dump trucks and rail cars. Emissions from the facility are based on the coal throughput limit of 195,000 tpy and AP-42 emission

factors. The facility has the potential to emit 2.54 tpy PM₁₀. The facility is a natural minor and is subject to State and Federal Regulations (40 CFR Part 60 Subpart Y). The renewal permit includes operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

43-00359: Wabtec US Rail, Incorporated, 660 Barkeyville Road, Grove City, PA 16127. The Department intends to issue a State Only Operating Permit renewal for Wabtec's engine re-build facility located in Pine Township, **Mercer County**. This facility is a Natural Minor. Potential emissions are as follows: 18.8 tpy VOC; 7.8 tpy NO_x; 9.3 tpy CO; 0.05 tpy SO_x; 1.35 tpy PM₁₀; 2.05 tpy all HAPs combined and 9,324 tpy CO_{2e}. The sources at the facility include a surface coating booth, a natural gas fueled emergency generator, miscellaneous solvent use for cleaning, sealing, coating, and lubrication of parts, and several natural gas fueled heaters for building heat and process use. The emergency engine is subject to 40 CFR Part 63 Subpart ZZZZ, National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The conditions from Plan Approval 43-359A are incorporated into the permit. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Ray Kempa.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to **Packaging Corporation of America**, 7451 Centronia Road, Allentown, PA 18106, for their facility located in Upper Macungie Township, **Lehigh County**. This **Plan Approval No. 39-00058B** will be incorporated into a State Only Permit through an administrative amendment at a later date.

Plan Approval No. 39-00058B is for the installation of an additional flexographic printing and converting machine along with the removal of several existing converting equipment at the facility. The VOC emissions from the facility will not equal or exceed 50 TPY, based on a 12-month rolling sum. The NO_x emissions from the facility will not equal or exceed 100 TPY, based on a 12-month rolling sum. The HAPs from the facility must never equal or exceed 10 TPY of any single HAP and must never equal or exceed 25 TPY of all aggregated HAPs, based on a 12-month rolling sum. The facility is subject 25 Pa. Code § 127.12(a)(5) Best Available Technology (BAT) requirements. The visible emission opacity shall not be equal to or greater than 20% at any time. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The Plan Approval and Operating permit will contain additional

recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 39-00058B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). Mining activity permits issued in response to such applications will also address the applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Notices of requests for 401 Water Quality Certifications are included in individual application notices, as noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences).

Written comments or objections related to a mining permit application should contain the name, address and telephone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

Requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must contain the name, address and telephone number of the requestor; the application number; a brief summary of the issues to be raised by the requestor at the conference; and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application was accompanied by an application for an individual NPDES permit. A separate notice will be provided after the draft NPDES permit is prepared.

Coal Applications Received

Effluent Limits—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH ¹		greater than 6.0; less than 9.0	

¹ The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Permit No. 65131301 and NPDES Permit No. PA0236241. LCT Energy LP, 938 Mt. Airy Drive, Suite 200, Johnstown, PA 15904, to revise the permit and related NPDES Permit for Rustic Ridge # 1 in Donegal Township and

Donegal Borough, **Westmoreland County** and Saltlick Township, **Fayette County**, affecting 1,452.0 proposed underground acres and 1,411.5 proposed subsidence control plan acres. No additional discharges. The application was considered administratively complete on December 7, 2021. Application received: October 5, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 49170102. Reading Anthracite Company, P.O. Box 1200, Pottsville, PA 17901, revision to an anthracite surface mine operation to increase the permitted acres from 371.0 acres to 376.6 acres in East Cameron and Mt. Carmel Townships, **Northumberland County**. Receiving stream: Mahanoy Creek, classified for the following use: WWF. Application received: December 7, 2021.

Permit No. 549060101. Mountaintop Coal Mining, Inc., P.O. Box 183, Elysburg, PA 17824, renewal of an anthracite surface mine and coal refuse disposal operation in Barry and Foster Townships, **Schuylkill County**, affecting 255.2 acres. Receiving stream: Hans Yost Creek, classified for the following uses: CWF, MF. Application received: December 21, 2021.

Noncoal Applications Received

Effluent Limits—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, (Contact: Tracy Norbert).

NPDES Permit No. PA0250651 (Mining Permit No. 03052001). M & M Lime Co., Inc., 215 Nichola Road, Worthington, PA 16262, renewal of an NPDES permit associated with a large noncoal surface mine, located in West Franklin and Clearfield Townships, **Armstrong** and **Butler Counties**, affecting 77.4 acres. Receiving stream: unnamed tributary to Buffalo Creek, classified for the following use: HQ-TSF. Renewal application received: December 17, 2021.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, (Contact: Theresa Reilly-Flannery).

NPDES Permit No. PA0226254 (Mining Permit No. 09920302). Delaware Valley Landscape Stone, Inc., P.O. Box 778, New Hope, PA 18938, new NPDES Permit for a large quarry operation in Middletown Township, **Bucks County**. Receiving stream: unnamed tributary to Neshaminy Creek, classified for the following uses: WWF, MF. Application received: December 1, 2021.

NPDES Permit No. PA0225002 (Mining Permit No. 19110301). Hanson Aggregates PA, LLC, 7660 Imperial Way, Allentown, PA 18195, renew NPDES Permit for a large quarry operation in Hemlock and Madison Townships, **Columbia County**. Receiving stream: unnamed tributary to Little Fishing Creek, classified for the following uses: CWF, MF. Application received: December 6, 2021.

Permit No. 58970868. Mahlon A. Winkleblech, Jr., 89 South Booth Road, Montrose, PA 18801, Stage I & I bond release of a quarry operation in Franklin Township, **Susquehanna County**, affecting 1.0 acre on property owned by Mahlon and Marjorie Winkleblech. Application received: December 7, 2021.

Permit No. 58120301. Joseph Zawisky, LLC, 729 Walkers Road, Susquehanna, PA 18847, correction to update the mining area to the east in Jackson and Oakland Townships, **Susquehanna County**, affecting 68.6 acres. Receiving streams: unnamed tributary to Drinker Creek and unnamed tributary to Lewis Creek, classified for the following uses: CWF, MF. Application received: December 16, 2021.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH*		greater than 6.0; less than 9.0	

Alkalinity greater than acidity*

*The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code Chapter 77 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters in this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit within 30-days of this public notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based.

The Department will also accept requests or petitions for a public hearing on NPDES permit applications, as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, telephone number and the interest of the party filing the request and state the reasons why a hearing is warranted. A public hearing may be held if the Department considers the public interest significant. If a hearing is scheduled, a notice of the hearing on the NPDES permit application will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. When a public hearing is held, the Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, California Technology Park, Coal Center, PA 15423, (724) 769-1100.

NPDES No. PA0235571 (Mining Permit No. 17031301) Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a revision to the NPDES and mining activity permit to reactivate the NPDES permit for Cherry Tree Mine in Burnside Township, **Clearfield County**, affecting 49.0 surface acres and 5,382.0 underground acres. Receiving stream(s): West Branch Susquehanna River, classified for the following use: WWF. West Branch Susquehanna River Watershed TMDL. The application was considered administratively complete: May 24, 2021. The application was received: March 9, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

Outfall 001 discharges to: West Branch Susquehanna River

The proposed effluent limits for *Outfall 001* (Lat: 40° 44' 11"; Long: -78° 48' 00") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

Outfall 002 discharges to: West Branch Susquehanna River

The proposed effluent limits for *Outfall 002* (Lat: 40° 44' 18"; Long: -78° 47' 50") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

Outfall 003 discharges to: West Branch Susquehanna River

The proposed effluent limits for *Outfall 003* (Lat: 40° 44' 22"; Long: -78° 47' 53") are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901-2522, (570) 621.3118.

NPDES Permit No. PA0225231 (Mining Permit No. 40663033). Jeddo-Highland Coal Company, 144 Brown Street, Yatesville, PA 18640, renew NPDES Permit on an anthracite surface mine in Butler and Foster Townships, **Luzerne County**, affecting 1,515.0 acres. Receiving streams: Nescopeck Creek, classified for the following uses: HQ-CWF, MF; Little Nescopeck Creek, classified for the following uses: CWF, MF and Pond Creek, classified for the following use: HQ-CWF. This permit has no discharges. (No outfall, no flow). Application received: February 23, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.

E5802121-010: Pa Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Auburn Township, **Susquehanna County**, Army Corps of Engineers, Baltimore District.

To authorize the following water obstructions and encroachments associated with the SR 0367 Section 550 Project:

1. Remove the existing structure and construct and maintain a 44-foot wide box culvert carrying SR 0367 across a tributary to Tuscarora Creek (CWF, MF) having a 19-foot span and a 5-foot underclearance.
2. To construct and maintain a stormwater outfall within the watercourse and floodway of Tuscarora Creek (CWF, MF) consisting of an 8-foot wide vegetated swale,

an 8-foot long, 8-foot wide R-4 riprap apron in the floodway and a 12-foot long R-4 riprap lining in the floodway and watercourse.

The project is located along S.R. 0367 Sec 550 Segment 0030, Offset 3529, approximately 200 feet northeast of the S.R. 0367/3004 intersection (Auburn Center, PA Quadrangle Latitude: 41° 43' 14.05" N; Longitude: -76° 6' 22.05" W).

E3902221-008: Serfass Development & Acquisitions 1, LLC, 3764 Mauch Chunk Road, Allentown, PA 18104, in City of Allentown, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with Basin Street Warehouse Project:

1. A stream crossing of Little Lehigh Creek (HQ-CWF, MF) consisting of a 38.5-ft long, 98-ft span steel girder bridge having an 8-ft underclearance, concrete wingwalls, and R-7 riprap armoring along the abutments.
2. An outfall in the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of a 12-in diameter HDPE stormwater pipe, concrete endwall, and riprap apron.
3. An outfall in the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of a 15-in diameter HDPE stormwater pipe, concrete endwall, and riprap apron.
4. An outfall in the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of a 15-in diameter HDPE stormwater pipe, two (2) concrete inlet boxes, concrete endwall, and riprap apron.
5. A utility line crossing of the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of a 6-in diameter PVC sanitary sewer line and a concrete manhole.
6. A fill in the floodway of Little Lehigh Creek (HQ-CWF, MF) consisting of grading associated with a 13-space tractor trailer parking lot and a 38.5-ft wide, 200-ft long access road adjoining Martin Luther King Boulevard.

The project is located approximately 0.2 mile south of the intersection of Union Street and S. 3rd Street (Allentown East, PA Quadrangle Latitude: 40° 35' 59"; Longitude: -75° 27' 41") in City of Allentown, Lehigh County. (Allentown East, PA Quadrangle, Latitude: 40° 35' 59"; Longitude: -75° 27' 41").

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205221-013: Castle Shannon Borough, 3310 McRoberts Road, Castle Shannon, PA 15234, Castle Shannon Borough, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

Construct and maintain a stream restoration project, along an approximately 255 section of Sawmill Run (WWF), by re-grading the streambank and establishing a minimum 35-foot riparian buffer, with vegetative plantings, for the purpose of reconnecting the watercourse with its floodplain, managing erosive velocities, filtering pollutants from overland runoff and reducing sediment loading. No armoring will be installed, as part of this project.

The project is located east of Canal Street, between Willow Avenue and Library Road (Bridgeville, PA USGS topographic quadrangle; Latitude: 40.3642; Longitude:

-80.0264; Pennsylvania Subbasin 20F; ACOE: Pittsburgh District), in Castle Shannon Borough, Allegheny County.

E0205221-026: Sewickley Borough, 601 Thorn Street, Sewickley, PA 15143, Sewickley Borough, **Allegheny County**; Pittsburgh ACOE District.

The applicant proposes to:

Regrade and maintain approximately 1,040 linear feet of streambanks, cumulatively, along a section of an Unnamed Tributary (UNT) to the Ohio River (WWF) and along another UNT (WWF) to this UNT, and to establish and maintain a 35' wide riparian buffer, with vegetative plantings, along both sides of these watercourses. No armoring will be installed as part of the project. The project purpose is to decrease pollutant and sediment loading to meet municipal MS4 requirements.

The project site is located within War Memorial Park, along Blackburn Road (Ambridge, PA USGS topographic quadrangle; N: 40.5477°; W: -80.1732°; Pennsylvania Subbasin 20G; USACE Pittsburgh District), in Sewickley Borough, Allegheny County.

E6505121-011: PennDOT District 12-0, 1620 N. Galatin Ave. Ext., Uniontown, PA 15401, Rostraver Township, **Westmoreland County**; Pittsburgh ACOE District.

The applicant proposes to:

Remove the existing, dual 6' diameter corrugated metal culverts, and to construct and maintain a replacement, 121" x 77" Reinforced Concrete Elliptical Pipe, with a length of 72 LF, along with scour and streambank protection around the inlet and outlet, having a cumulative and permanent impact of 82 LF, and a temporary impact of 100 LF, to an unnamed tributary (UNT) to Sewickley Creek (HQ-CWF). For the purpose of replacing a deficient structure, carrying SR 2019 over a UNT to Sewickley Creek.

The project is located near the intersection of Bernie Stone Road and Marguerite Road (Latrobe, PA USGS

topographic quadrangle; N: 40°, 15', 59.1054"; W: -79°, 27', 25.1607"; Sub-basin 19D; USACE Pittsburgh District), in Unity Township, Westmoreland County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006221-013: Sampson Morris Group, 2500 Eldo Rd, Suite 1, Monroeville, PA 15146, Ehrman Square, in Cranberry Township, **Butler County**, ACOE Pittsburgh District (Mars, PA Quadrangle N: 40°, 44', 4.612"; W: -80°, 06', 40.1053").

To construct and maintain stormwater management controls and preform landslide repair permanently impacting approximately 0.163 acre of wetland, 0.004 acre of floodway and temporarily impacting 0.354 acre of wetland, 0.012 acre of stream, and 0.21 acre of floodway for the redevelopment of a Ehrman square along the west side of Route 19 and the east side of Old Route 19 in Cranberry Township, Butler County.

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E3007221-006: EQM Gathering OPCO, LLC, 2200 Energy Drive, Canonsburg, PA 15317, Washington Township, **Greene County**, ACOE Pittsburgh District.

To construct, operate and maintain:

1. A permanent access road with a 4' x 10' precast concrete box culvert impacting 83 linear feet of Pettit Run (HQ-WWF) and 8,614 square feet of its channel/floodway (Waynesburg, PA Quadrangle Latitude: 39.946627°, Longitude: -80.244861°);

The project will result in 25 linear feet (0.025 acre) of permanent stream impacts and 8,614 square feet (0.198 acre) of floodway impacts, all for the purpose of installing a pipeline access road for Marcellus Shale development in Washington Township, Greene County.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPpublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0260274	CAFO Individual NPDES Permit	Issued	Hillside Poultry Farm Inc. 1849 Letterkenny Road Chambersburg, PA 17201-8733	Greene Township Franklin County	SCRO
PA0043818	Industrial Stormwater Individual NPDES Permit	Issued	Waste Management Disposal Service of PA, Inc. 1000 New Ford Mill Road Morrisville, PA 19067	Falls Township Bucks County	SERO
PA0276430	Industrial Stormwater Individual NPDES Permit	Issued	Deerfoot Auto Parts, Inc. 6600 Sullivan Trail Wind Gap, PA 18091-9798	Plainfield Township Northampton County	NERO
PA0094510	Industrial Waste Individual NPDES Permit, Major	Issued	US Steel Corp 400 State Street Clairton, PA 15025-1855	Braddock Borough Allegheny County	SWRO
PAI130516	MS4 Individual NPDES Permit	Issued	New Garden Township Chester County 299 Starr Road Landenberg, PA 19350-9208	New Garden Township Chester County	SERO
PA0100200	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Reynolds Disposal, Co. 301 Arlington Drive Greenville, PA 16125-8214	Pymatuning Township Mercer County	NWRO
3504401	Major Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 2699 Stafford Avenue Scranton, PA 18505-3608	Scranton City Lackawanna County	NERO
3521402	Major Sewage Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 2699 Stafford Avenue Scranton, PA 18505-3608	Scranton City Lackawanna County	NERO
PA0244856	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Waste Management of Fairless, LLC 1000 New Ford Mill Road Morrisville, PA 19067-3704	Falls Township Bucks County	SERO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0062553	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PA American Water Co. 171 W Johnson Highway Norristown, PA 19401-3030	Fairview Township Luzerne County	NERO
PA0082457	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Alexandria Borough Water Authority Huntingdon County P.O. Box 336 7561 Bridge Street Suite 3 Alexandria, PA 16611-0336	Porter Township Huntingdon County	SCRO
PA0034070	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Glencrest MHP, LLC 139 Country Club Road Northampton, PA 18067-3028	Washington Township Lehigh County	NERO
PA0035335	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Barton Court MHC, LLC 1199 Lancaster Avenue Suite 100 Berwyn, PA 19312-1341	Pocono Township Monroe County	NERO
PA0053970	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Martins Community, LLC 25 Randy Lane Cochranville, PA 19330-1647	West Nottingham Township Chester County	SERO
PA0096369	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	UMH Properties, Inc. 3499 Us Highway 9 Suite 3C Freehold, NJ 07728-3277	East Huntingdon Township Westmoreland County	SWRO
PA0204498	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Marion Center School District P.O. Box 156 22820 Route 403 Highway N Marion Center, PA 15759-0156	Rayne Township Indiana County	NWRO
PA0223018	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Farmington Township Warren County 596 Fairbanks Road Russell, PA 16345-2712	Farmington Township Warren County	NWRO
PA0239071	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Clarion Vista Lofts, LLC 1768 N Main Street Ext Suite 4 Butler, PA 16001	Paint Township Clarion County	NWRO
PA0024171	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Cambria Township Sewer Authority Cambria County P.O. Box 247 Revloc, PA 15948-0247	Cambria Township Cambria County	SWRO
PA0024961	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Oley Township Municipal Authority Berks County 1 Rose Virginia Road P.O. Box 19 Oley, PA 19547-8605	Oley Township Berks County	SCRO

NOTICES

293

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0025461	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Vernon Township Sanitary Authority Crawford County 16678 McMath Avenue Meadville, PA 16335-6568	Vernon Township Crawford County	NWRO
PA0025739	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Port Allegany Borough Municipal Authority 45 W Maple Street Port Allegany, PA 16743-1318	Port Allegany Borough McKean County	NWRO
PA0029726	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Jamestown Borough Municipal Authority Mercer County P.O. Box 188 406 Jackson Street Jamestown, PA 16134-0188	Jamestown Borough Mercer County	NWRO
PA0208647	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Kratzer Run Sewer Authority P.O. Box 253 Grampian, PA 16838-0253	Penn Township Clearfield County	NCRO
PA0244333	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	East Brandywine Township Municipal Authority Chester County 1214 Horseshoe Pike Downingtown, PA 19335-1132	East Brandywine Township Chester County	SERO
PA0025755	Minor Sewage Facility with CSOs Individual NPDES Permit	Issued	Freeport Borough Armstrong County 414 Market Street Freeport, PA 16229-1122	Freeport Borough Armstrong County	NWRO
3587201A1	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 1799 Jumper Road Wilkes-Barre, PA 18702-8032	Roaring Brook Township Lackawanna County	NERO
4091202	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Jackson Township Luzerne County	NERO
4092202	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Plains Township Luzerne County	NERO
4099201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Dallas Township Luzerne County	NERO
3916402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Glencrest MHP, LLC 139 Country Club Road Northampton, PA 18067-3028	Washington Township Lehigh County	NERO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4569403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Barton Court MHC, LLC 1199 Lancaster Avenue Suite 100 Berwyn, PA 19312-1341	Pocono Township Monroe County	NERO
NOEXSC254	No Exposure Certification	Issued	GXO Logistics Supply Chain Inc. 4408 Industrial Park Road Camp Hill, PA 17011-5736	Hampden Township Cumberland County	SCRO
NOEXSC313	No Exposure Certification	Issued	GX OWhse Co. Inc. 381 Freight Street Camp Hill, PA 17011-5711	Hampden Township Cumberland County	SCRO
NOEXSW046	No Exposure Certification	Issued	148 Olympic, LLC 148 Olympic Lane Johnstown, PA 15904-6825	Adams Township Cambria County	SWRO
NOEXSW215	No Exposure Certification	Issued	GPS Metals Inc. 301 Wide Drive McKeesport, PA 15135-1019	Elizabeth Township Allegheny County	SWRO
PAR116127	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Hitachi Energy USA, Inc. 100 Distribution Circle Mt Pleasant, PA 15666-1044	East Huntingdon Township Westmoreland County	SWRO
PAR210017	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fizzano Bros Concrete Products 1776 Chester Pike Crum Lynne, PA 19022-1223	Ridley Township Delaware County	SERO
PAG046433	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Greenleaf Real Estate Investment LLC 126 Bay Mist Drive Erie, PA 16505-5444	Franklin Township Beaver County	SWRO
PAG096106	PAG-09 General Permit for Beneficial Use of Residential Septage	Issued	Hapchuk Sanitary Co. 430 Fosterville Road Greensburg, PA 15601-6896	Hempfield Township Westmoreland County	SWRO
PAG123523	PAG-12 NPDES General Permit for CAFOs	Issued	Hershey Ag Services 138 Airport Road Marietta, PA 17547-9105	Fayette Township Juniata County	SCRO
PAG123717	PAG-12 NPDES General Permit for CAFOs	Issued	Flintrock Corp 16 E Brubaker Valley Road Lititz, PA 17543-9630	Elizabeth Township Lancaster County	SCRO
PAG123752	PAG-12 NPDES General Permit for CAFOs	Issued	Shelmar Acres LLC 580 Colebrook Road Mount Joy, PA 17552-9777	East Donegal Township Lancaster County	SCRO
PAG123860	PAG-12 NPDES General Permit for CAFOs	Issued	Zugstead Farm Inc. 558 Freed Road Mifflintown, PA 17059-7772	Walker Township Juniata County	SCRO
PAG123889	PAG-12 NPDES General Permit for CAFOs	Issued	Klines Hillside Farm 167 Coble Road Chambersburg, PA 17202-9430	Saint Thomas Township Franklin County	SCRO
PAG124831	PAG-12 NPDES General Permit for CAFOs	Issued	Montour Farms 3899 Mountain Road Beamsville, ON L0R 1B2	Derry Township Montour County	SCRO
PAG124837	PAG-12 NPDES General Permit for CAFOs	Issued	Joe Jurgielewicz & Son Ltd P.O. Box 257 Shartlesville, PA 19554-0257	Rockefeller Township Northumberland County	SCRO
PAG124839	PAG-12 NPDES General Permit for CAFOs	Issued	Martin Robert S 4227 Ridge Road Beaver Springs, PA 17812-9419	West Beaver Township Snyder County	SCRO

NOTICES

295

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG124850	PAG-12 NPDES General Permit for CAFOs	Issued	Garrett & Darren Moyer 1200 Red Bank Road Middleburg, PA 17842-9246	Washington Township Snyder County	SCRO
PAG124856	PAG-12 NPDES General Permit for CAFOs	Issued	Scattered Acres Farms 190 Tyson School Road Catawissa, PA 17820-8212	Locust Township Columbia County	SCRO
PAG124867	PAG-12 NPDES General Permit for CAFOs	Issued	Landis Farm 2607 Klingerstown Road Herndon, PA 17830	Jordan Township Northumberland County	SCRO
PAG126101	PAG-12 NPDES General Permit for CAFOs	Issued	Leydig Keith & Denise 594 Cumberland Highway Berlin, PA 15530-6002	Brothersvalley Township Somerset County	SCRO
PAG126105	PAG-12 NPDES General Permit for CAFOs	Issued	Hillcrest Saylor Dairy Farms LLC 947 Hatch Hollow Road Rockwood, PA 15557-7802	Middlecreek Township Somerset County	SCRO
PAG130121	PAG-13 NPDES General Permit for MS4s	Issued	Prospect Park Borough Delaware County 720 Maryland Avenue Prospect Park, PA 19076-0301	Prospect Park Borough Delaware County	SERO
PA0065412	Pesticides Individual NPDES Permit	Issued	Lakeside Outing Club, Inc. 227 East Shore Drive Susquehanna, PA 18847	New Milford Township Susquehanna County	NERO
4621412	Pump Stations Individual WQM Permit	Issued	Green Lane Borough & Marlborough Township Joint Authority Montgomery County P.O. Box 45 Green Lane, PA 18054-0045	Green Lane Borough Montgomery County	SERO
0921403	Sewage Land Application Individual WQM Permit	Issued	Solebury School 6832 Phillips Mill Road New Hope, PA 18938-9682	Solebury Township Bucks County	SERO
0421405	Sewage Treatment Facilities Individual WQM Permit	Issued	Pitchford Mark 110 Bowers Drive Fombell, PA 16123-2302	Franklin Township Beaver County	SWRO
2021412	Sewage Treatment Facilities Individual WQM Permit	Issued	Susan & Tracy Tome 10171 Krider Road Meadville, PA 16335-6217	Vernon Township Crawford County	NWRO
2021415	Sewage Treatment Facilities Individual WQM Permit	Issued	Belisky Harry 10917 Westview Avenue Meadville, PA 16335-4751	Summerhill Township Crawford County	NWRO
2096407	Sewage Treatment Facilities Individual WQM Permit	Issued	Meadville Area Sewer Authority Crawford County 1320 Park Avenue Meadville, PA 16335-3114	Meadville City Crawford County	NWRO
4200401	Sewage Treatment Facilities Individual WQM Permit	Issued	Port Allegany Borough Municipal Authority 45 W Maple Street Port Allegany, PA 16743-1318	Port Allegany Borough McKean County	NWRO
4287402	Sewage Treatment Facilities Individual WQM Permit	Issued	Port Allegany Borough Municipal Authority 45 W Maple Street Port Allegany, PA 16743-1318	Port Allegany Borough McKean County	NWRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4296403	Sewage Treatment Facilities Individual WQM Permit	Issued	Port Allegany Borough Municipal Authority 45 W Maple Street Port Allegany, PA 16743-1318	Port Allegany Borough McKean County	NWRO
6586418	Sewage Treatment Facilities Individual WQM Permit	Issued	Franklin Township Municipal Sanitary Authority Westmoreland County 3001 Meadowbrook Road Murrysville, PA 15668-1627	Murrysville Borough Westmoreland County	SWRO
PA0054551	Single Residence STP Individual NPDES Permit	Issued	Snyder Jonathan D 4 Fox Run Lane Newtown Square, PA 19073-1004	Willistown Township Chester County	SERO
PA0255238	Single Residence STP Individual NPDES Permit	Issued	Gregory Lawrence 286 McClay Road Washington, PA 15301	Canton Township Washington County	SWRO
PA0255378	Single Residence STP Individual NPDES Permit	Issued	Paul And Kaylee Haggerty 108 Almond Way Sewickley, PA 15143	Bell Acres Borough Allegheny County	SWRO
PA0266792	Single Residence STP Individual NPDES Permit	Issued	Creany Alexandra M 179 Atlas Drive Hollidaysburg, PA 16648	Frankstown Township Blair County	SCRO
PA0289779	Single Residence STP Individual NPDES Permit	Issued	Susan & Tracy Tome 10171 Krider Road Meadville, PA 16335-6217	Vernon Township Crawford County	NWRO
PA0289884	Single Residence STP Individual NPDES Permit	Issued	Belisky Harry 10917 Westview Avenue Meadville, PA 16335-4751	Summerhill Township Crawford County	NWRO
PA0290025	Single Residence STP Individual NPDES Permit	Issued	Laboski Jennifer 9345 Station Road Erie, PA 16510-5625	Greenfield Township Erie County	NWRO
PA0290033	Single Residence STP Individual NPDES Permit	Issued	Julie & Randy White 4200 Neyland Road Edinboro, PA 16412-1182	Washington Township Erie County	NWRO
PA0290050	Single Residence STP Individual NPDES Permit	Issued	Peach Sheena 300 N Broadway Street Lebanon, OH 45036-1717	Eldred Township McKean County	NWRO
0218400	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Paul And Kaylee Haggerty 108 Almond Way Sewickley, PA 15143	Bell Acres Borough Allegheny County	SWRO
0719401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Creany Alexandra M 179 Atlas Drive Hollidaysburg, PA 16648	Frankstown Township Blair County	SCRO
2521428	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Laboski Jennifer 9345 Station Road Erie, PA 16510-5625	Greenfield Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2521429	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Julie & Randy White 4200 Neyland Road Edinboro, PA 16412-1182	Washington Township Erie County	NWRO
4221404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Peach Sheena 300 N Broadway Street Lebanon, OH 45036-1717	Eldred Township McKean County	NWRO
368S043	Small Flow Treatment Facility Individual WQM Permit	Issued	Greenleaf Real Estate Investment LLC 126 Bay Mist Drive Erie, PA 16505-5444	Franklin Township Beaver County	SWRO
2142101	WQG-02 WQM General Permit	Issued	PA DCNR Bald Eagle State Park 149 Main Park Road Howard, PA 16841-3508	Liberty Township Centre County	NCRO
WQG02022103	WQG-02 WQM General Permit	Issued	North Versailles Township Sanitary Authority 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
WQG02022104	WQG-02 WQM General Permit	Issued	North Versailles Township Sanitary Authority 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
WQG02052101	WQG-02 WQM General Permit	Issued	West Providence Township Municipal Authority 83 East Fifth Avenue Everett, PA 15537	West Providence Township Bedford County	SCRO

II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC150280	PAG-02	Issued	Radley Run Country Club, Inc. c/o Kurt Hutter 1100 Country Club Road West Chester, PA 19382	Birmingham Township Chester County	SERO
PAC150288	PAG-02	Issued	Armstrong Lloyd, LLC 576 Rosedale Road Kennett Square, PA 19348	Kennett Township Chester County	SERO
PAC090499	PAG-02 General Permit	Issued	Costa Homes Inc. 665 Amalie Lane Southampton, PA 18966-4904	Bensalem Township Bucks County	SERO
PAC090190 A-1	PAG-02 General Permit	Issued	Pantera Realty, LLC Johanna Farms Road P.O. Box 272 Flemington, NJ 08822-0272	Solebury Township Bucks County	SERO
PAC090479	PAG-02 General Permit	Issued	Britton Realty of Morrisville, LLC 227 Bakers Basin Road Lawrenceville, PA 08648-3307	Falls Township & Morrisville Borough Bucks County	SERO
PAC090427 A-1 Major Amendment	PAG-02 General Permit	Issued	Pennridge School District 1200 North 5th Street Perkasie, PA 18944-1898	East Rockhill Township Bucks County	SERO
PAC090469	PAG-02 General Permit	Issued	StoneMor PA, LLC 3600 Horizon Boulevard Trevose, PA 19053-4965	Lower Makefield Township Bucks County	SERO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090488	PAG-02 General Permit	Issued	East Village Developers, LLC 9 Quinn Circle Holland, PA 18966-2819	Northampton Township Bucks County	SERO
PAC230202	General	Permit Issuance	D'Annunzio Homes 104 Spring Valley Way Aston, PA 19014	Bethel Township Delaware County	SERO
PAD230006	Individual NPDES	Renewal	Ashford Land Company, LP 517 Lisester Road Newtown Square, PA 19073	Newtown Township Delaware County	SERO
PAD390015 A-1	Individual NPDES	Issued	Liberty Property Limited Partnership 400 Boulder Dr. Suite 200 Breinigsville, PA 18031	Lower Macungie Township Lehigh County	NERO
PAD480161	Individual NPDES	Issued	HH Bath View Commercial, LLC c/o Justin Huratiak 416 O.W. Road Bangor PA 18013-9380	Borough of Bath Northampton County	NERO
PAC480102	PAG-02 General Permit	Issued	Brandon Prego PPL Electric Utilities Corporation 2 North Ninth Street Allentown, PA 18101	Allen Township Northampton County	Northampton County Conservation District 14 Gracedale Ave Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAD350023	Individual NPDES	Issued	Jeremy Wentz 2377 Port Royal Road Clarks Summit, PA 18411	Ransom Township Lackawanna County	NERO
PAD480155	Individual NPDES	Issued	Jaindl Land Company c/o Luke Jaindl 3150 Coffeetown Road Orefield, PA 18069-2511	Hanover Township Northampton County	NERO
PAD050011	Individual NPDES	Issued	Merit SI 717 Texas Avenue 12th Floor Houston, TX 77002	Cumberland Valley Township Bedford Township Bedford County	SCRO
PAD050012	Individual NPDES	Issued	SAC, Inc. 4588 Business 220 Bedford, PA 15522	South Woodbury Township Bedford County	SCRO
PAD070015	Individual NPDES	Issued	6 DS Properties 3229 Pleasant Valley Boulevard Altoona, PA 16602	Antis Township Blair County	SCRO
PAD070019	Individual NPDES	Issued	Hopper Commons, LP 500 South Front Street 10th Floor Columbus, OH 43215	Frankstown Township Blair County	SCRO
PAD210070	Individual NPDES	Issued	121 Will Farm, LLC 2325 Paxton Church Road Harrisburg, PA 17110-9688	Middlesex Township Cumberland County	SCRO
PAD210073	Individual NPDES	Issued	Smith Farm Partners, LLC 430 North Front Street Wormleysburg, PA 17043	South Middleton Cumberland County	SCRO
PAC010184	PAG-02 General Permit	Issued	ACNB Bank P.O. Box 3129 Gettysburg, PA 17325	Butler Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC070087 A-1	PAG-02 General Permit	Issued	Penelec, A FirstEnergy Company 341 White Pond Drive Akron, OH 44320	Snyder Township Blair County	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC310024	PAG-02 General Permit	Issued	LM Real Estate Investments, LLC 50 East Main Street P.O. Box 472 Schuylkill, PA 17972	Dublin Township Huntingdon County	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652-9603 814.627.1627
PAC360703	PAG-02 General Permit	Issued	Matthew Feiler 2890 Club House Road Costa Mesa, CA 92626	Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360182 A-1	PAG-02 General Permit	Issued	Property Investing & Management Inc. 341 Clay School Road Ephrata, PA 17522	Ephrata Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360595	PAG-02 General Permit	Issued	KW Cornerstone W-1 LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC380217	PAG-02 General Permit	Issued	Nelson Martin 70 Martin Road Myerstown, PA 17067	Jackson Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380233	PAG-02 General Permit	Issued	North Cornwall Township 320 South 18th Street Lebanon, PA 17042	North Cornwall Township Lebanon City Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC380231	PAG-02 General Permit	Issued	Millfield Heights, LLC 2130 Marietta Avenue P.O. Box 6370 Lancaster, PA 17607	Palmyra Borough Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Lebanon, PA 17042-9788 717.277.5275
PAC670495	PAG-02 General Permit	Issued	Aquaphoenix Scientific 860 Gitts Run Road Hanover, PA 17331	Penn Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670501	PAG-02 General Permit	Issued	Neil B. & Tammy M. Gingerich 170 Beshore School Road Manchester, PA 17345	East Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670218 A-3	PAG-02 General Permit	Issued	Steve Schiding 1660 Crows Nest Lane York, PA 17403	York Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670488	PAG-02 General Permit	Issued	Blue Field Properties, LLC 217 Farefield Court York, PA 17402	York Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC040091A-2	PAG-02 General Permit	Issued	Gaucha Solar, Inc. 905 W. McDermott Drive Allen, TX 75013	Independence Township Beaver County Findlay Township Allegheny County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC040108	PAG-02 General Permit	Issued	Giant Eagle, Inc. 101 Kappa Dr. Pittsburgh, PA 15238	Center Township County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC110082	PAG-02 General Permit	Issued	CPV Rogue's Wind, LLC 50 Braintree Hill Office Park Suite 300 Braintree, MA 02184	Chest Township Westover Borough Clearfield County Chest Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 229 Ebensburg, PA 15931 814-472-2120
PAD300015	PAG-02 Individual Permit	Issued	Peoples Natural Gas Company, LLC 195 Donohoe Road Greensburg, PA 15601 Superior Utility Excavating, Inc. 1149 Beaver Run Road Greensburg, PA 15601	Center Township Franklin Township Jackson Township Greene County	SWRO
PAC630215	PAG-02 General Permit	Issued	Chapman Properties 100 Leetsdale Industrial Drive Leetsdale, PA 15056	South Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC630235	PAG-02 General Permit	Issued	Columbia Gas of PA, Inc. 4000 Energy Drive Bridgeville, PA 15017	Amwell Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD280009	Individual	Issued	Rising Sun Developers, LLC 2341 Falling Spring Road Chambersburg, PA 17202	Guilford Township Franklin County	Regional Permit Coordination Office (RPCO) Rachel Carson State Office Building 400 Market Street Harrisburg, PA 17101 Email: RA-EPREGIONAL PERMIT@pa.gov

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES
PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU’s</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Todd Rabert 380 South Locust Point Road Mechanicsburg, PA 17055	Cumberland	555.42	274.29	Broilers/ Beef	N/A	Approved
Franklin Family Farms Longacre Farm 19625 Path Valley Road Dry Run, PA 17220	Franklin	0	568.87	Swine	N/A	Approved
Franklin Family Farms McClay’s Farm 7597 McClay’s Mill Road Newburg, PA 17240	Franklin	0	691.44	Swine	N/A	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and

2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of

practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

Permit No. 3390047, Operations Permit, Public Water Supply.

Applicant	Lehigh County Authority LCA Heidelberg Heights Division (Heidelberg Tank Rehab.) 1053 Spruce Street P.O. Box 3348 Allentown, PA 18106-0348
Township	Heidelberg Township
County	Lehigh
Type of Facility	PWS
Consulting Engineer	Mr. Jason G. Saylor, P.E. Utility Service Company, Inc. 1230 Peachtree Street NE Suite 1100—Promenade Atlanta, GA 30309
Permit to Operate Issued	November 22, 2021

Permit No. 4821507MA, Public Water Supply.

Applicant	Mr. William G. Ross, Authority Administrator Lower Saucon Authority 3706 Old Philadelphia Pike Bethlehem, PA 18015-5426
Township	Lower Saucon Township
County	Northampton
Type of Facility	PWS
Consulting Engineer	Mr. J. Bradley Youst, P.E. Hanover Engineering Associates, Inc. 252 Brodhead Rd. Suite 100 Bethlehem, PA 18017
Permit to Construct Issued	November 17, 2021

Permit No. 4521503, Construction Permit, Public Water Supply.

Applicant	JARF Enterprises, LLC 1150 Red Fox Court Kresgeville, PA 18333
Municipality	Coolbaugh Township
County	Monroe
Type of Facility	Public Water Supply
Consulting Engineer	Timothy J. Pilcher, P.E. B&B Diversified Enterprises, Inc. 302 Norton Road Stroudsburg, PA 18360
Permit to Construct Issued	December 3, 2021

Description of Action	Installation of pH adjustment and water softening equipment along with UV disinfection.
-----------------------	---

Permit No. 3396420, Operations Permit, Public Water Supply.

Applicant	BlueTriton Brands, Inc. 305 Nestle Way Breinigsville, PA 18031
Township	Upper Macungie Township
County	Lehigh
Type of Facility	Bottled Water Facility
Consulting Engineer	Edward E. Davis, P.E. Miller Brothers Construction, Inc. P.O. Box 472 Schuylkill Haven, PA 17972
Permit to Operate Issued	December 6, 2021

Permit No. 4521501, Public Water Supply.

Applicant	Pennsylvania American Water Company PAWC Pocono District—Pocono Farms East 852 Wesley Dr. Mechanicsburg, PA 17055
Township	Coolbaugh Township
County	Monroe
Type of Facility	PWS
Consulting Engineer	Mr. Peter Keenan, P.E., Sr. Director Technical Services American Water—Engineering 1 Water Street Camden, NJ 08102
Permit to Construct Issued	November 30, 2021

Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4921503, Major Amendment, Public Water Supply.

Applicant	Pennsylvania-American Water Company 852 Wesley Drive Mechanicsburg, PA 17055
Borough or Township	White Deer Township

County **Union County**
 Type of Facility **Public Water Supply**
 Consulting Engineer **Garret J. Hargenrader**
Gwin, Dobson and Foreman, Inc.
3121 Fairway Drive
Altoona, PA 16602

Permit Issued **December 20, 2021**

Contact: *Edie M. Gair, P.G., (570) 327-3779.*

Sunset Ridge Healthcare (Public Water Supply), 3298 Ridge Road, Bloomsburg, PA 17815-7932, Scott Township, **Columbia County**. On December 21, 2021, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for the Sunset Ridge Healthcare community water system. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0221543, Major Amendment, Public Water Supply.

Applicant **Veterans Administration**
Pittsburgh Healthcare
System
 University Drive C
 Pittsburgh, PA 15240

Borough or Township **O'Hara Township**
 County **Allegheny**
 Type of Facility **Water system**
 Consulting Engineer **Civil & Environmental**
Consultants, Inc.
333 Baldwin Road
Pittsburgh, PA 15205

Permit Issued **December 16, 2021**

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Public Notice of Proposed Consent Order and Agreement Under HSCA/CERCLA.

Furlong Manufacturing Company HSCA Site, 760 York Road, Furlong, PA 18925, Doylestown and Buckingham Townships, **Bucks County**

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. Section 6020.101 et seq., has entered into a proposed Consent Order and Agreement (CO&A) with the Beierlein Family Partnership LLC (Partnership) with regard to the Furlong Manufacturing Company HSCA Site (Site) located at 760 York Road, Furlong, PA.

The Furlong Manufacturing Company (FMC) operated a lamp manufacturing facility on the Property between approximately 1969 and 1980. Leon J. Mendelson was the owner and president of FMC. Prior to 1980, FMC used trichloroethylene (TCE) and 1,1,1-trichloroethane (1,1,1-TCA) in its manufacturing operations. As a result of investigations conducted by the Department, the Bucks County Department of Health, and the US Environmental

Protection Agency, the Department determined that there was a release or threat of release of hazardous substances at the Site within the meaning of HSCA. Beginning in 2001, the Department implemented a response action at the Site by excavating and properly disposing of contaminated soils above applicable cleanup standards as the remedy for the Site.

The Partnership is the current owner of the Site Property. However, the Department has no information that the Partnership ever used TCE or 1,1,1-TCA at the Site Property or that it has ever been or is presently affiliated with FMC or Leon J. Mendelson.

Under the terms and conditions of the CO&A, the Partnership will record an Environmental Covenant which places certain activity and use limitations on the Site Property consistent with current or future Site conditions. In addition, the CO&A provides that any future transferee of the Site Property will submit payment to the Department in the amount of \$5,000.00 towards the Department's past response costs at the Site.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that, "settlement shall become final upon the filing of the Department's response to significant written comments". The Department has reserved the right to withdraw its consent to the CO&A if comments submitted during the public comment period disclose facts or considerations which indicate, in the Department's discretion, that the CO&A is inappropriate or not in the public interest. A person adversely affected by the settlement may file an appeal with the Pennsylvania Environmental Hearing Board. A public comment period on the CO&A will extend for a period of 60 days from the date of this notice. Persons may submit written comments regarding the agreement by mail to Wayne Harms, Solid Waste Specialist, Department of Environmental Protection, 2 East Main Street, Norristown, PA 19401 or by email to wharms@pa.gov. Further information or a copy of the Settlement Agreement can be obtained by contacting Mr. Wayne Harms at wharms@pa.gov or 484-250-5730 or Mr. Anderson Lee Hartzell at ahartzell@pa.gov or 484-250-5866. Interested persons may submit written comments regarding the Settlement Agreement to the Department by submitting them to Mr. Harms at the previously listed address.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation

performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787, Charline Bass.

Powel and Auriemma Residences, 445 and 443 Penn Road, Plymouth Meeting, PA 19462, Plymouth Township, **Montgomery County**. Jason Charles, Environmental Maintenance, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of Penny Dunyan, Worcester Heating and Air Conditioning, 2830 West Main Street, Suite 3, Eagleville, PA 19403 submitted a Final Report concerning remediation of site soil contaminated with benzene, ethylbenzene, cumene, MTBE, naphthalene, toluene, 1,2,4-TMB and 1,3,5-TMB. The report is intended to document remediation of the site to meet the Statewide health standard.

Tesno Residence, 2582 Church Lane, Kinshersville, PA 18930, Nockamixon Township, **Bucks County**. Richard Trimpi, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea Gluch, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

545 North Broad Street, 545 North Broad Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. James Manuel, REPSG, Inc., 6901 Kingessing Avenue, Philadelphia, PA 19142 on behalf of Paul Horos, 545NB QOZB, LLC, 702 North 3rd Street, Unit 204, Philadelphia, PA 19123 submitted a Final Report concerning remediation of site soil contaminated with PCBs. The report is intended to document remediation of the site to meet the Statewide health standard.

Darby Town Center, 150 South MacDade Boulevard, Darby, PA 19023, Darby Borough, **Delaware County**. Craig Herr, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of Jeff Nurk, MacDade Darby Development, LP, 5004 State Road, Drexel Hill, PA 19026 submitted a Final Report concerning remediation of site soil contaminated with

lead, petroleum hydrocarbons and VOCs. The report is intended to document remediation of the site to meet the site-specific standard.

Superior Scaffold Services, Inc., 520 East Luzerne Street, Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. Christopher M. Kern, PG, Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601 on behalf of Guy L. Bianchini, Superior Scaffold Services, Inc., 600 Center Avenue, Bensalem, PA 19020 submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of site soil and groundwater contaminated with petroleum hydrocarbons. The report is intended to document remediation of the site to meet the site-specific standard.

3222 Phoenixville Pike Park, 3222 Phoenixville Pike Park, Malvern, PA 19355, Charlestown Township & East Whiteland Township, **Chester County**. Kenneth Pasterak, PG, Atlas Technical, 270 William Pitt Way, Building 3A, Pittsburgh, PA 15238 on behalf of Linda Kaiser, 3222 Phoenixville Pike Owner, LLC, 2001 Ross Avenue, 31st Floor, Dallas, TX 75201 submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide health standard.

NP Falls Township Industrial, LLC—Keystone Trade Center (KTC)—Lot 23, One Ben Fairless Drive, Fairless Hills, PA 19030, Falls Township, **Bucks County**. John Garges, GHD Services Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341 on behalf of Andy Mace, NP Falls Township Industrial, LLC, 2652 Mayfair Lane, York, PA 17408 submitted a Remedial Investigation Report/Risk Assessment Report/Final Report concerning remediation of site soil contaminated with VOCs, SVOCs, metals, PCBs and vanadium. The report is intended to document remediation of the site to meet the site-specific standard.

54 Wentworth Lane, 54 Wentworth Lane, Bryn Mawr, PA 19010, Radnor Township, **Delaware County**. Gilbert J. Marshall, PG, Marshall Geoscience, Inc., 170 1st Avenue, Collegeville, PA 19426 on behalf of Marc Schwarz, 54 Wentworth Lane, Bryn Mawr, PA 19010, submitted a Final Report concerning remediation of site soil contaminated with benzene, ethylbenzene, isopropylbenzene, MTBE, naphthalene, toluene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Westminster Village, 801 North Wahneta Street, Allentown, PA 18109, Allentown City, **Lehigh County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Presbyterian Homes Inc., 1 Trinity Drive, Suite 201, Dillsburg, PA 17019, submitted a Final Report concerning remediation of soil contaminated by a release of diesel from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

Hazleton Generation, 120 Maplewood Road, Hazleton, PA 18202, Hazle Township, **Luzerne County**. Stantec Consulting Services, 400 Davis Drive, Suite 400, Plymouth Meeting, PA 19462, on behalf of Hazleton Generation, LLC, 120 Maplewood Road, Hazleton, PA 18202, submitted a Final Report concerning remediation

of soil contaminated by releases of No. 2 fuel oil. The report is intended to document remediation of the site to meet Statewide health standards.

C. Larue Pad 2, 2310 State Route 3010, Springville, PA 18844, Dimock Township, **Susquehanna County**. Folsom Engineering, 117 Roger Hollow Road, Mehoopany, PA 18629 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by natural gas well drilling operations. The report is intended to document remediation of the site to meet a combination of Background and Statewide health standards.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

Covington 5H on the Covington BRA Pad, 984 E. Warner Hill Road, Ulster, PA 18850, Sheshequin Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Final Report concerning remediation of site soil contaminated with production fluid. The report is intended to document remediation of the site to meet the residential Statewide health standard.

R&R Lawrence Trucking Project, 743 PA Route 118, Hughesville, PA 17737, Wolf Township, **Lycoming County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 177889, on behalf of R&R Lawrence, Inc., 19422 Route 414, Monroeton, PA 18832, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, used motor oil, and antifreeze. The report is intended to document remediation of the site to meet the nonresidential Statewide health standard.

Highland & York Property Heating Oil Release Cleanup, 240 North Third Street, Lewisburg, PA 17837, Lewisburg Borough, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Highland & York, LLC, 660 Sixth Street, Northumberland, PA 17857, has submitted a Final Report concerning remediation of site soil contaminated with No. 2 heating oil. The report is intended to document remediation of the site to meet the Statewide health standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101–6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which dem-

onstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Synthetic Thread, 825 12th Avenue, Bethlehem, PA 18018, Bethlehem City, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Francesca Associates LLC, 903 Chestnut Street, Emmaus, PA 18049, submitted a Final Report concerning remediation contaminated by a release of No. 4 heating oil from an underground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on December 17, 2021.

2329 Santee Mill Road, 2329 Santee Mill Road, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Susan Cumings, P.O. Box 399, Springtown, PA 18081, submitted a Final Report concerning remediation of soil contaminated by heating oil from an underground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on December 21, 2021.

Henry's Service Station, 4024 Mountain View Drive, Danielsville, PA 18038, Lehigh Township, **Northampton County**. JMT Industrial & Environmental Contracting Services, 710 Uhler Road, Easton, PA 18040, on behalf of Preston Henry, 4024 Mountain View Drive, Danielsville, PA 18038, submitted a second revised Final Report concerning remediation of soil contaminated by gasoline from a tanker truck. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on December 22, 2021.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

York Plant Holding, LLC, 651 Memory Lane, York, PA 17402, Springettsbury Township, **York County**. AECOM, 100 Sterling Parkway, Suite 205, Mechanicsburg, PA 17050, on behalf of Talen Energy, 6561 Memory Lane, York, PA 17402, and Equity Industrial Properties, 145 Rosemary Street, Suite 3, Needham, MA 02494, submitted a Remedial Investigation and Final Report concerning remediation of site soil and groundwater contaminated with kerosene from a subsurface piping release. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on December 14, 2021.

Moser Farm Property, 1320 Montgomery Avenue, Bechtelsville, PA 19505, Colebrookdale Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Hollenbach Swamp Creek Properties, LLC, P.O. Box 507, Boyertown, PA 19512, submitted Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on December 15, 2021.

Berks Park 183 Former Pistol Range, Aviation Road, Reading, PA 19605, Bern Township, **Berks County**. Liberty Environmental, LLC, 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Berks County Industrial Development Authority, 633 Court Street, 14th Floor, Reading, PA 19601, submitted a Final Report concerning remediation of site soil contaminated with lead. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on December 15, 2021.

L.B. Fencing, 305 Good Road, East Earl, PA 17519, Brecknock Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of L.B. Fencing, 305 Good Road, East Earl, PA 17519, submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report did not demonstrate attainment of the residential Statewide health standard and was disapproved by the Department on December 17, 2021.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

Former Myers Property, 2447 State Route 44, Alenwood, PA 17810, Gregg Township, **Union County**. Gary C. Calvert, LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of Myers Property Estate/Trust, 581 Fredrick Drive, Watsontown, PA 17777, has submitted a Final Report concerning remediation of site soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on December 10, 2021.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Community Guidance Center, 304 East Pike Road, Indiana, PA 15701, White Township, **Indiana County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101 on behalf of Community Guidance Center, 793 Old Route 119, Highway North, Indiana, PA 15701 has submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of site soil contaminated

with Arsenic, Iron, Manganese and site groundwater contaminated with Dissolved Manganese. The combined Remedial Investigation Report/Risk Assessment Report/Cleanup Plan was disapproved by the Department on December 22, 2021.

Interstate Chemical Company, 2797 Freedland Road, Hermitage, PA 16148, City of Hermitage, **Mercer County**. Wood Environment & Infrastructure Solutions, Inc., 437 Grant Street, Suite 918, Pittsburgh, PA 15219 on behalf of Interstate Chemical Company, Inc., 2797 Freedland Road, Hermitage, PA 16148 has submitted a Risk Assessment (Revision 3) Report concerning remediation of site soil and groundwater contaminated with 1,1,1-Trichloroethane, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloro-1,2,2-trifluoroethane, 1,1-Dichloroethane, 1,1-Dichloroethene, 1,2-Dichlorobenzene, 1,2-Dichloroethane, 2-Butanone (MEK), 2-Hexanone, 4-Methyl-2-pentanone (MIBK), Acetone, Benzene, Carbon disulfide, Chlorobenzene, Chloroethane, Chloroform, cis-1,2-Dichloroethene, Cyclohexane, Cyclohexanone, Dichlorodifluoromethane, Ethylbenzene, Hexane, Isopropylbenzene, Methyl acetate, Methyl tert-butyl ether, Methylcyclohexane, Methylene Chloride, Styrene, Tetrachloroethene, Tetrahydrofuran, Toluene, trans-1,2-Dichloroethene, trans-1,3-Dichloropropene, Trichloroethene, Vinyl chloride, Xylenes (Total), 1-Propanol, 2-Propanol (Isopropanol), Ethyl acetate, Ethylene glycol, Furfural, Methanol, n-Butyl alcohol, Formaldehyde, Isobutyl alcohol, 1,1'-Biphenyl, 2,4-Dimethylphenol, 2-Methylnaphthalene, 2-Methylphenol, 4-Chloroaniline, Acenaphthene, Acenaphthylene, Acetophenone, Aniline, Anthracene, Benzaldehyde, Benzo[a]anthracene, Benzo[a]pyrene, Benzo[b]fluoranthene, Benzo[g,h,i]perylene, Benzo[k]fluoranthene, Benzoic acid, Bis(2-ethylhexyl) phthalate, Butyl benzyl phthalate, Carbazole, Chrysene, Cresols (Total), Dibenz[a,h]anthracene, Dibenzofuran, Diethyl phthalate, Di-n-butyl phthalate, Di-n-octyl phthalate, Fluoranthene, Fluorene, Hexachlorobenzene, Indeno[1,2,3-cd]pyrene, Isophorone, Methylphenol, 3 & 4, Naphthalene, Nitrobenzene, Phenanthrene, Phenol, Pyrene, PCB-1242, Arsenic, Barium, Cadmium, Chromium, Chromium (VI), Lead, Mercury, Selenium, Silver, and Distilled Ammonia. The Risk Assessment (Revision 3) Report was disapproved by the Department on December 22, 2021.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401 484-250-5787, Charline Bass.

Johnson Matthey Inc.—West Whiteland Facility, 1401 King Road, West Whiteland Township, PA 19380, West Whiteland Township, **Chester County**. William Gilchrist, Roux Associates, Inc., 402 Heron Drive, Logan Township, NJ 08085 on behalf of Dave Campbell, Johnson Matthey Inc., 1401 King Road, West Whiteland Township, PA 19380 submitted a Risk Assessment Report/Final Report concerning the remediation of site soil and groundwater contaminated with VOCs (tetrachloroethylene, trichloroethylene, 1,1,1-trichloroethane, 1,1,2,2-tetrachloroethane). The Report was reviewed by the Department which issued an administrative deficiency letter on December 2, 2021.

105 Bala Avenue Site, 105 Bala Avenue, Bala Cynwyd, PA 19004, Lower Merion Township, **Montgomery County**. Ryan Beebe, Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508 on behalf of Garrett Bergman, P.O. Box 465, Narberth, PA 19072, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with No. 2

fuel oil. The Report was reviewed by the Department which issued a technical deficiency letter on December 2, 2021.

Scholler, Inc., Property, 3320 Collins Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. John C. Lydzinski, PG, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406 on behalf of David Goldstein, Follow Through Capital, 20 Conshohocken State Road, Apt. 312, Bala Cynwyd, PA 19004 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with chlorinated solvents. The Report was disapproved by the Department on November 30, 2021.

Greyhound Lines, 700-735 North Delaware Avenue, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Janine Mueller, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Sean McGovern, Fairmount Street Partners, LP, 359 Springfield Avenue, 2nd Floor, Summit, NJ 07901, submitted a Final Report concerning the remediation of site groundwater contaminated with MTBE. The Final Report demonstrate attainment of the Statewide health standard and was approved by the Department on December 2, 2021.

209 Main Street, 209 Main Street, Red Hill, PA 18076, Upper Hanover Township, **Montgomery County**. Richard Doran, HETI, P.O. Box 8028, Pelham, NY 10803 on behalf of Charles Dampman, C.R. Dampman Fuels, Inc., P.O. Box 63, East Greenville, PA 18041, submitted a Final Report concerning the remediation of site soil contaminated with benzene, toluene, ethylbenzene, MTBE, naphthalene, cumene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Final Report demonstrate attainment of the Statewide health standard and was approved by the Department on December 2, 2021.

3111 Grays Ferry Avenue, 3111 Grays Ferry Avenue, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Heather Shoemaker, GZA, 1515 Market Street, Suite 945, Philadelphia, PA 19102, on behalf of Richard S. Oller, GOS Grays Ferry, LLC, 107 South 2nd Street, Suite 500, Philadelphia, PA 19106, submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site groundwater contaminated with VOCs, SVOCs and metals. The Report was disapproved by the Department on December 2, 2021.

3 Sumner Lane, 3 Sumner Lane, West Grove, PA 19390, Penn Township, **Chester County**. Stephen Huxta, PG, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Mr. & Mrs. Thomas Strode, 3 Sumner Lane, West Grove, PA 19390 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrate attainment of the Statewide health standard and was approved by the Department on December 1, 2021.

Grease Monkey Facility, 819 North Easton Road, Doylestown, PA 18902, Plumstead Township, **Bucks County**. Heath A. Brown, Environmental Standards, Inc., 1140 Valley Forge Road, Valley Forge, PA 19482, on behalf of Kenneth Lowther, Doylestown Properties, LP, 14000 Horizon Way, Suite 100, Mount Laurel, NJ 08054 submitted a Remedial Investigation Report/Cleanup Plan/

Final Report concerning the remediation of site groundwater contaminated with petroleum. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on November 30, 2021.

580 East Lancaster Avenue, 580 East Lancaster Avenue, Berwyn, PA 19312, Easttown Township, **Chester County**. Michael S. Welsh, PE, Welsh Environmental, Inc., 131 Clearview Drive, Downingtown, PA 19335, on behalf of David Della Porta, Berwyn Owner, LLC, 775 Lancaster Avenue, Suite 210, Villanova, PA 19075, submitted a Final Report concerning the remediation of site groundwater contaminated with benzene, chlorobenzene and MTBE. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on November 30, 2021.

Langford Square, 0 Langford Road, Broomall, 19008, Marple Township, **Delaware County**. Paul White PG, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of Vincent Antonini, G Antonini Real Estate Inc., 3605 Winding Way, Newtown Square, PA 19073, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with VOCs, SVOCs and metals. The Report was reviewed by the Department which issued an administrative deficiency letter on December 3, 2021.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License Received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

McCutcheon Enterprises, Inc., 250 Park Road, Apollo, PA 15613. License No. **PA-AH 0130**. Effective November 10, 2021.

Berner Trucking, Inc., P.O. Box 660, Dover, OH 44622. License No. **PA-AH 0382**. Effective December 10, 2021.

U.S. Bulk Transport, Inc., 205 Pennbriar Drive, Erie, PA 16509. License No. **PA-AH 0408**. Effective December 22, 2021.

JMT Environmental Technologies, Inc., P.O. Box 22044, Lehigh Valley, PA 18002. License No. **PA-AH 0648**. Effective November 29, 2021.

Best Dedicated, LLC, 829 Graves Street, Kernersville, NC 27284. License No. **PA-AH 0886**. Effective December 9, 2021.

J and D Trucking, Inc., 3526 NW Boulevard, Vineland, NJ 08360. License No. **PA-AH 0652**. Effective November 10, 2021.

AERC Acquisitions Corp., dba AERC Recycling Solution, A Clean Earth Company, 2591 Mitchell Avenue, Allentown, PA 18103. License No. **PA-AH 0687**. Effective November 24, 2021.

AEG Environmental Products & Services, Inc., P.O. Box 286, Westminster, MD 21158. License No. **PA-AH 0701**. Effective December 21, 2021.

Environmental Services, Inc., 90 Brookfield Street, South Windsor, CT 06074. License No. **PA-AH 0725**. Effective November 24, 2021.

Providence Environmental Concepts and Services LLC, 312 Sharpe Road, Columbia, SC 29203. License No. **PA-AH 0739**. Effective December 21, 2021.

Goulet Trucking, Inc., P.O. Box 259, South Deerfield, MA 01373. License No. **PA-AH 0768**. Effective December 10, 2021.

Three Rivers Trucking, Inc., 3250 County Road 427, Waterloo, IN 46793. License No. **PA-AH 0769**. Effective November 10, 2021.

WM Curbside, LLC, 301 Stanhope Street, Pittsburgh, PA 15204. License No. **PA-AH 0793**. Effective December 10, 2021.

KAG Specialty Products Group, LLC, 4366 MT Pleasant St. NW, North Canton, OH 44720. License No. **PA-AH 0895**. Effective November 17, 2021.

Transporter Licenses Reissued

McCutcheon Enterprises, Inc., 250 Park Rd, Apollo, PA 15613. License No. **PA-AH 0130**. Effective November 10, 2021.

Berner Trucking, Inc., P.O. Box 660, Dover, OH 44622. License No. **PA-AH 0382**. Effective December 10, 2021.

U.S. Bulk Transport, Inc., 205 Pennbriar Drive, Erie, PA 16509. License No. **PA-AH 0408**. Effective December 22, 2021.

JMT Environmental Technologies, Inc., P.O. Box 22044, Lehigh Valley, PA 18002. License No. **PA-AH 0648**. Effective November 29, 2021.

J and D Trucking, Inc., 3526 NW Boulevard, Vineland, NJ 08360. License No. **PA-AH 0652**. Effective November 10, 2021.

New Applications Received

ERG Environmental Services, 13040 Merriman Rd, Livonia, MI 48150. License No. **PA-AH 0914**. Effective July 29, 2021.

Island Pump & Tank Corp., 40 Doyle Ct., East Northport, NY 11731. License No. **PA-AH 0915**. Effective July 29, 2021.

D&A Contracting LLC, 322 Route 46 West, Parsippany, NJ 07054. License No. **PA-AH 0917**. Effective September 17, 2021.

Hazel's Hot Shot, Inc., d/b/a Hazel's Expedited Freight, P.O. Box 810239, Dallas, TX 75381. License No. **PA-AH 0918**. Effective October 12, 2021.

New Transporter Licenses Issued

ERG Environmental Services, 13040 Merriman Rd, Livonia, MI 48150. License No. **PA-AH 0914**. Effective December 9, 2021.

Island Pump & Tank Corp., 40 Doyle Ct., East Northport, NY 11731. License No. **PA-AH 0915**. Effective November 18, 2021.

D&A Contracting, LLC, 322 Route 46 West, Parsippany, NJ 07054. License No. **PA-AH 0917**. Effective November 17, 2021.

Hazel's Hot Shot, Inc., dba Hazel's Expedited Freight, P.O. Box 810239, Dallas, TX 75381. License No. **PA-AH 0918**. Effective November 17, 2021.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on applications for Regulated Medical and Chemotherapeutic Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and regulations to transport regulated medical and chemotherapeutic waste.

Central Office: Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

R. Mor Enterprises, Inc., d/b/a NJ Medical Waste, P.O. Box 6595, East Brunswick, NJ 08816. License No. **PA-HC 0246**. Effective December 21, 2021.

MDB BioMed, LLC, 116 Level Road, Collegeville, PA 19426. License No. **PA-HC 0269**. Effective November 24, 2021.

Transporter License Reissued

R. Mor Enterprises, Inc., dba NJ Medical Waste, P.O. Box 6595, East Brunswick, NJ 08816. License No. **PA-HC 0246**. Effective December 21, 2021.

MDB BioMed, LLC, 116 Level Road, Collegeville, PA 19426. License No. **PA-HC 0269**. Effective November 24, 2021.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Permits issued under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401.

PAD085690592. Republic Environmental System PA, LLC, 2869 Sandstone Driver, Hatfield, PA 19440-1912. This Class 1 permit modification under Solid Waste permit No. PAD085690592 is for the replacement of the liner system in the Containment Building Unit and to update the inspection frequency of the leachate collection and leak detection systems at Republic Environmental Systems of Pennsylvania, LLC (RESPA) facility, a commercial hazardous and residual waste storage and treatment facility, located at 2869 in Hatfield Township, **Montgomery County**. The Class 1 permit modification was issued by the Southeast Regional Office on December 21, 2021.

Persons interested in reviewing the Class 1 permit modification for the facility may contact the Pennsylvania Department of Environmental Protection ("DEP") Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania Hamilton Relay service, (800) 654.5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Determination of Applicability for General Permit Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other Than Coal Ash.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

General Permit No. WMGR123SW046. Platinum Fluid Solutions, LLC, P.O. Box 265, Mt Morris, PA 15349. A Determination of Applicability for operation under General Permit WMGR123 for the processing and beneficial use of oil and gas liquid waste at the Kirby Produced Fluid Storage Facility, 1680 Kirby Road, Whiteley Township, PA 15370, **Greene County**, was issued by the Regional Office on December 22, 2021.

Persons interested in reviewing the general permit or the application may contact the Department of Environmental Protection, Regional Files, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Permit Renewal Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Permit No. 400658. Hatfield Township Municipal Authority, 3200 Advance Lane, Colmar, PA 18915-9766. This ten-year renewal permit under the Solid Waste Permit No. 400658 is to continue operation of the Hatfield Township Municipal Authority Sewage Sludge Incinerator facility, an existing sewage sludge incinerator located in Hatfield Township, **Montgomery County**. The permit was issued by the Southeast Regional Office on December 16, 2021.

Persons interested in reviewing the permit for the facility may contact the Pennsylvania Department of Environmental Protection (“DEP”) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at 484.250.5960. TDD users may contact the DEP through the Pennsylvania Hamilton Relay Service, (800) 654.5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP3-46-0169: Harleysville Materials, LLC, 460 Indian Creek Rd., Harleysville, PA 19438. On December 14, 2021 for a Crushing Plant and two crushers located in Lower Salford Township, **Montgomery County**.

GP3-09-0164: Allied Recycling Company, 1752 Limekiln Pike, Dresher, PA 19025. On December 16, 2021 for a portable nonmetallic mineral processing plant consisting of (1) JCI FT 4240 Crusher, (1) JCI 4X12 DBL Vibratory Screen and (4) JCI Conveyors to be operated at the Hanson Aggregates Wrightstown Township, **Bucks County**.

GP11-09-0067: Allied Recycling Company, 1752 Limekiln Pike, Dresher, PA 19025. On December 16, 2021 for operation of a nonroad engine model Cummins QS19 rated at 340 BHP and associated with the operation of a portable nonmetallic mineral processing plant at the Hanson Aggregates Wrightstown Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP9-45-010: Lehigh Valley Health Network Pocono, 206 East Brown Street, East Stroudsburg, PA 18301-3094, issued on December 16, 2021, for the operation of one 619 BHP diesel-fired emergency engine, and one 1,483 BHP diesel-fired emergency engine at the facility located in East Stroudsburg Borough, **Monroe County**.

GP11-58-010A: Williams Field Services Co, LLC, 310 SR 92 North, Tunkhannock, PA 18657, on October 29, 2021 to operate one (1) Diesel I/C engines at the Teel Compressor Station in Springville Township, **Susquehanna County**.

AG5A-58-00036A: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, on November 17, 2021 to operate one (1) IC Engine, one (1) heater, one (1) generator, and one (1) condensate tank at the Nickolyn SUS well pad site in Auburn Township, **Susquehanna County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-06-05090A: Toppan InterAmerica, Inc., 378 Thousand Oaks Blvd., Morgantown, PA 19543, on December 21, 2021, for an existing natural gas-fired boiler, 29,291 MMBtu, under GP1, at the printing facility located in Caernarvon Township, **Berks County**. The general permit authorization was renewed.

GP1-22-03088: Harrisburg School District, 1601 State Street, Harrisburg, PA 17103, on December 14,

2021, for two (2) existing natural gas-fired boilers, each rated at 10 MMBtu, under GP1, at the John Harris High School located in the City of Harrisburg, **Dauphin County**. The general permit authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-59-00015B: NFG Midstream Covington, LLC, 1100 State Street, Erie, PA 16501, on December 16, 2021, to authorize the construction and operation of a new 100 MMscfd dehydration unit, two storage tanks, one line heater, and an emergency generator as well as continuing to operate other existing equipment at the site pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at their Krause Compressor Station located in Sullivan Township, **Tioga County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

48-00089D: Spray Tek, LLC, 3010 Avenue B, Bethlehem, PA 18017, on November 16, 2021 for the installation and operation of one (1) new natural gas heated spray dryer using one (1) wet scrubber to control particulate matter (PM) emissions at their facility in the City of Bethlehem, **Northampton County**.

54-00093A: The Espoma Company, 6 Espoma Road, Millville, NJ 08332, on December 16, 2021 for the installation and operation of a fertilizer granulation process consisting of two (2) propane/landfill gas fired dryers (one (1) rotary dryer and one (1) fluidized bed dryer), two (2) hammermills using two (2) baghouse filters and four (4) cyclone separators to control particulate matter (PM) emissions at their facility in Frailey Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05083G: Calpine Mid-Merit, LLC, 717 Texas Street, Suite 1000, Houston, TX 77002-2743, on December 14, 2021, for the modification of the York Energy Center Block 2 Electricity Generation Project's turbine BACT emission limits. These limits are imposed on each combined cycle (CC) combustion turbine (CT) associated with the project. The existing facility is located in Peach Bottom Township, **York County**. The modification con-

sists of the following changes to the requirements of P.A. No. 67-05083F (issued on August 1, 2016): 1.) Remove provisional status of any emission limits previously so specified except CO, 2.) Remove requirement for second stack test related to provisional emission limits, and 3) Revise the CO BACT emission limit for the CTs firing ULSD without duct burners from 3.5 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs) to a bifurcated limit as follows: Load \geq 90% = 2.0 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs); Load $<$ 90% = 3.5 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs).

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0003AC: Monroe Energy, LLC, 4101 Post Road, Trainer, PA 19061. On December 16, 2021 for the installation of an Ultra-Low Sulfur Gasoline (ULSG) unit and for a crude rate throughput increase at their location in Trainer Borough, **Delaware County**.

15-0110B: Pepperidge Farm, Inc., 421 Boot Road, Downingtown, PA 19335. On December 17, 2021 for the installation and operation of two (2) 25-ton capacity use bins for deliveries of flour to Pepperidge Farm, Inc. Each use bin has bin-vent filters to prevent loss of flour to the atmosphere at their facility located in Downingtown Borough, **Chester County**.

15-0141A: Tin Technologies & Refining LLC, 905 Fern Hill Road, West Chester, PA 19380. On December 14, 2021, for the installation of an additional recovery furnace and two (2) new melting pots at their location in West Goshen Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-03105A: Minerals Technologies, Inc., 600 Lincoln Street, York, PA 17401-3317, on December 14, 2021, for the ownership change and modification of venting existing, controlled, sources outside of the building at the facility in **York City, York County**. The plan approval was extended.

28-05002J: Letterkenny Army Depot—US Department of Defense, One Overcash Avenue, Chambersburg, PA 17201, on December 14, 2021, for a new AP Rocket Motor Destruction (ARMD) Facility within the Letterkenny Munitions Center ammunition storage area, at the Letterkenny Army Depot in Greene/Letterkenny Townships, **Franklin County**. Air emissions from the ARMD will be controlled by a wet scrubber system, followed by an ADIOX packed bed scrubber tower absorption system. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

14-00002T: Graymont (PA) Inc., 375 Graymont Rd., Bellefonte, PA 16823, on December 14, 2021, to extend the plan approval expiration date to June 21, 2022 to authorize continued operation of several sources for the production of quicklime and hydrated lime at the Pleasant Gap facility in Spring Township, **Centre County**.

Southwest Regional, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, New Source Review Chief, 412.442.4168.

65-00767B: Westmoreland Sanitary Landfill, LLC, 111 Conner Ln., Bell Vernon, PA 15012-4569. On December 21, 2021, to allow continued temporary operation of the 2,128 bhp natural gas-fired generator engine at the Westmoreland Sanitary Landfill located in Rostraver Township, **Westmoreland County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00038: Exelon Generation Company/Limerick Generation Station, Evergreen and Sanatoga Roads, Sanatoga, PA 19464. On December 16, 2021, for the operation of boilers, emergency generators, cooling towers, and an emergency spray pond for their facility located in Limerick Township, **Montgomery County**.

23-00044: Sunoco Partners Marketing and Terminals, LP—Marcus Hook (No. 2) Tank Farm, 7 Commerce Road, Aston, PA 19014. On December 22, 2021 for the renewal of the Title V Operating Permit for 15 storage tanks, a water separator, and diesel-fired emergency generators at their location in Upper Chichester Township, **Delaware County**.

46-00198: Blommer Chocolate Company, 1101 Blommer Drive, East Greenville, PA 18041, is a Title V facility located in Upper Hanover Township, **Montgomery County**. This action is a significant modification of the Title V Operating Permit in accordance with 25 Pa. Code § 127.541, to incorporate Plan Approval No. 46-0198P and the applicable requirements under 40 CFR PART 64—Compliance Assurance Monitoring (CAM) for Source ID 113A and associated control devices. The proposed Title V Operating Permit contains all applicable requirements including monitoring, record-keeping, reporting, and work practices. It does not authorize any increase in air emissions of regulated pollutants.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05013: Lancaster County Solid Waste Management Auth., 1911 River Road, Bainbridge, PA 17502-

9360, on December 13, 2021, for the Lancaster County Resource Recovery facility located in Conoy Township, **Lancaster County**. The Title V permit was renewed.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

20-00145: Vitro Meadville Flat Glass, 5123 Victory Boulevard, Cochranon, PA 16314-3969. On December 6, 2021 the Department issued an administrative amendment to the Title V Operating Permit for the facility located in Greenwood Township, **Crawford County**. The amendment incorporates the requirements of Plan Approval 20-145C.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00134: Harsco Corporation, 905 Steel Road South, Fairless Hills, PA 1903. On December 16, 2021 issued the renewal of a Natural Minor State Only Operating Permit, for operation of a slag roofing granules plant in Falls Township, **Bucks County**.

09-00110: Riverside Construction Materials, Inc., 7900 North Radcliffe Street, Bristol, PA 19007. On December 16, 2021 issued the Natural Minor Operating Permit Renewal for the operation of their cement and bulk material handling processes located in Bristol Township, **Bucks County**.

46-00049: Intellus, 431 Yerkes Rd, King of Prussia, PA 19406. On December 16, 2021, for the renewal Synthetic Minor Operating Permit for their marketing material printing and envelope manufacturing facility located in Upper Merion Township, **Montgomery County**.

46-00291: Precision Polymer Products, Inc., 815 South St., Pottstown, PA 19464. On December 17, 2021 for a non-Title V, State Only, Synthetic Minor Operating Permit for the usage of isopropyl alcohol in their manufacturing processes in Pottstown Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

01-05019: Acme Composites, 262 Church Street, Hanover, PA 17331-8991, on December 14, 2021, for the fiberglass automotive aftermarket accessories manufacturing facility located in Conewago Township, **Adams County**. The State-Only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00067: Glenn O. Hawbaker, Inc., 711 East College Avenue, Bellefonte, PA 16823, on December 13, 2021, for their Montoursville Plant # 15 facility located in

Loyalsock Township, **Lycoming County**. The State Only (Synthetic Minor) Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

17-00050: GKN Sinter Metals, LLC, One Tom Mix Drive, DuBois, PA 15801, was issued on December 13, 2021, a State Only Operating Permit for their Natural Minor facility in DuBois City, **Clearfield County**. All applicable Federal and State regulatory requirements derived from 25 Pa. Code Chapters 121—145, including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the Operating Permit for the previously listed Natural Minor facility.

Southwest Regional, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.

OP-11-00280: Northern Cambria School District, 601 Joseph St., Northern Cambria, PA 15714-1232. On December 21, 2021, the Department issued a renewal Synthetic Minor Operating Permit for operation of the Northern Cambria High School located in Northern Cambria Borough, **Cambria County**.

Equipment at this facility includes a CNB tri-fuel boiler rated at 6.4 MMBtu/hr equipped to burn either coal or fuel oil, an H.B. Smith fuel oil-fired boiler rated at 5.2 MMBtu/hr, and an Onan emergency generator engine rated at 60 kW fired on propane. The facility is subject to the applicable requirements of Pa. Code Title 25 Chapters 121—145. The final Operating Permit contains applicable emission limitations, monitoring, recordkeeping, work practice standards, and reporting requirements for the facility.

63-01047: MarkWest Liberty Midstream & Resources, LLC/Wilhelm Launcher/Receiver Site, 4600 JBarry Ct., Ste. 500, Canonsburg, PA 15317-5854. On December 21, 2021, the Department issued a natural minor State Only Operating Permit for a pipeline maintenance stand-alone facility where pigs are launched or received from the pipelines. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at their facility located in Donegal Township, **Washington County**.

65-00732: Excelsa Health, 1 Mellon Way, Latrobe, PA 15650-1197. On December 21, 2021, the Department issued a natural minor renewal State Only Operating Permit to authorize the operation of the Latrobe Hospital located in the city of Latrobe, **Westmoreland County**. Equipment at this facility includes two (2) 35.7 MMBtu/hr natural gas-fired boilers with No. 2 fuel oil as back-up and four (4) No. 2 fuel oil-fired emergency generator engines. The facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The final Operating Permit includes conditions containing applicable emission limits, as well as testing, monitoring, recordkeeping, reporting and work practice standards requirements.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

Permit No. 23-00040: Laurel Pipeline Co. LP, 5002 Buckeye Rd., Emmaus, PA 18049. On December 16, 2021, 2021. Minor modification of TVOP No. 23-00040 is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.62 for its Boothwyn Break-out Station facility located in Bethel Twp., **Delaware County**. The minor modification is for the replacement of a sample well for an above-ground petroleum storage tank (Tank 9), equipped with an external floating roof, with a new slotted guidepole. The modified TVOP incorporates the applicable requirements of 40 CFR 60, Subpart Kb for the modified tank. The modified TVOP includes monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

54-00084: Richard E Pierson Const Co., Inc. (P.O. Box 704, Bridgeport, NJ 08014) on December 22, 2021, in Walker Township, **Schuylkill County** for an amendment to incorporate process modification. The conditions from Plan Approval 54-00084B were copied into the State Only Operating Permit. Administrative Amendment of State Only Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00010: Global Tungsten & Powders Corp., 1 Hawes Street, Towanda, PA 18848 on December 9, 2021, was issued a revised State Only (synthetic minor) Operating Permit for their facility located in North Towanda Township, **Bradford County**. The Operating Permit revision was issued in order to incorporate the terms and conditions of Plan Approval 08-000100. The revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

55-00014: Bingaman & Son Lumber, Inc., 1195 Creek Mountain Road, Kreamer, PA 17833 on December 13, 2021, was issued a revised State Only Operating Permit for their facility located in Middlecreek Township, **Snyder County**. The Operating Permit revision was issued in order to incorporate the terms and conditions of Plan Approval 55-00014B. The revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

10-00374: Three Rivers Aggregates, LLC, Black Run Mine, 321 Currie Road, Slippery Rock, PA 16057-4503, on December 21, 2021 the Department issued an administrative amendment to the State Only Natural

Minor Operating Permit for the facility located in Worth Township, **Butler County**. The amendment incorporates the change in responsible official.

37-00280: Three Rivers Aggregates, LLC, McCandless Plant, 321 Currie Road, Slippery Rock, PA 16057-4503, on December 21, 2021 the Department issued an administrative amendment to the State Only Natural Minor Operating Permit for the facility located in Plain Grove Township, **Lawrence County**. The amendment incorporates the change in responsible official.

37-00319: Three Rivers Aggregates, LLC, Wampum Plant, 321 Currie Road, Slippery Rock, PA 16057-4503, on December 21, 2021 the Department issued an administrative amendment to the State Only Natural Minor Operating Permit for the facility located in North Beaver Township, **Lawrence County**. The amendment incorporates the change in responsible official.

43-00354: Reclaimed Rubber & Plastics Incorporated, 15921 South Mosiertown Road, Meadville, PA 16335-7867, on December 9, 2021 the Department issued an administrative amendment to the State Only Natural Minor Operating Permit for the facility located in Jackson Township, **Mercer County**. The amendment incorporates the requirements of Plan Approval 43-354B.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

21-03111: World Energy HBG, LLC, 2850 Appleton Street, Suite E, Camp Hill, PA 17011, pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for the following de minimis emission increase resulting from the proposed installation of a catalyst mix tank and storage tank at the biofuel production facility located in Lower Allen Township, **Cumberland County**: 0.34 tpy of VOCs. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

28-03045: Eastern Gas Transmission & Storage, Inc.—Chambersburg Compressor Station, 6603 West Broad Street, Richmond, VA 23230). Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for a de minimis emissions increase of 0.08 tpy of particulate matter resulting from the installation of three new electric chillers and associated system to cool the inlet air to three gas turbines, Source IDs 103—104, and 105. The use of an inlet air chiller system during the warmer summer months, is to prevent a loss of gas turbine horsepower, which leads to a reduction in gas transmission capacity, around the ambient temperature above 90 degrees Fahrenheit. Addition of chillers will reduce the efficiency loss of the gas turbines at the Chambersburg Compressor Station located in Hamilton Township, **Franklin County**. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

ACTIONS ON COAL AND NONCOAL MINING ACTIVITY APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

Coal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

Permit No. 49850701. Reading Anthracite Company, P.O. Box 1200, Pottsville, PA 17901, renewal of an anthracite coal refuse disposal operation in Coal Township, **Northumberland County**, affecting 35.4 acres. Receiving stream: Carbon Run. Application received: November 23, 2020. Renewal issued: December 15, 2021.

Permit No. PAM111059. Reading Anthracite Company, P.O. Box 1200, Pottsville, PA 17901, renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104) on Surface Mining Permit No. 49850701 in Coal Township, **Northumberland County**, receiving stream: Carbon Run. Application received: November 23, 2020. Renewal issued: December 15, 2021.

Permit No. PAM114018. Stoudt's Ferry Preparation Co., Inc., 68 Mush Dahl Road, New Ringgold, PA 17960, modification of coverage under the General NPDES Permit for Stormwater Discharges associated with Mining Activities on Contract No. G91-18-101-1 in West Brunswick Township, **Schuylkill County**. Receiving stream: Schuylkill River. Application received: April 16, 2021. Correction issued: December 16, 2021.

Noncoal Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118, (Contact: Theresa Reilly-Flannery).

NPDES Permit No. PA0121592 (Mining Permit No. 7475SM4). Lehigh Cement Co., LLC, 7660 Imperial Way, Allentown, PA 18195, modification to the NPDES permit to increase the Average Monthly Discharge from Outfall 001 for a quarry operation in Upper and Lower Nazareth Townships, **Northampton County**. Receiving stream: unnamed tributary to East Branch Monocacy Creek. Application received: October 19, 2020. Correction issued: December 15, 2021.

Permit No. 58122502. Robert A Coleman, P.O. Box 3, Susquehanna, PA 18847, commencement, operation and restoration of a GP-105 (Bluestone) quarry operation in Oakland Township, **Susquehanna County**, affecting 10.0 acres. Receiving stream: Lewis Creek. Application received: January 25, 2021. Permit issued: December 17, 2021.

Permit No. PAM121006. Robert A Coleman, P.O. Box 3, Susquehanna, PA 18847, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on GP-105 Permit No. 58212502 in Oakland Township, **Susquehanna County**, receiving stream: Lewis Creek. Application received: January 25, 2021. Permit issued: December 17, 2021.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.

E4002220-029. Earth Conservancy, 101 South Main Street, Ashley, PA 18706, Hanover Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain and the following water obstructions and encroachments associated with the Espy Run Stream Restoration Project:

1. A channel change within a 3,000-LF section of Espy Run (CWF, MF) consisting of an 11-foot wide trapezoidal channel having a 3-foot wide streambed consisting of erosion matting, topsoil, geotextile, sand, and an impervious liner. The channel will have 2:1 side slopes, boulder cluster placement, thalweg rock and step pools, rock cross vanes, longitudinal slopes ranging from 1.00% to 12.15%, and a 100-foot riparian buffer planting area. The purpose of this channel is to connect the discharge from the Hanover Reservoir and re-establish the historic Espy Run stream channel that was removed as a result of past mining practices. This is partially an after-the-fact authorization, as portions of the existing concrete block walls, splash pools, riprap apron, and ajax structures will be removed and a thalweg step pool transition low flow channel will be constructed.

2. A stream enclosure of Espy Run (CWF, MF) consisting of a 120-ft long, 19-ft span, 7-ft high open-bottom steel plate arch culvert, R-5 riprap, ajax structures, and concrete wingwalls. This is partially an after-the-fact authorization, as portions of the riprap installed within the stream channel will be removed.

3. A stormwater outfall into Espy Run (CWF, MF) consisting of a 15-inch HDPE diameter culvert and a 15-ft long, 12-ft wide R-4 riprap apron.

The project is located approximately 0.4 mile south of the intersection of Middle Road and South Prospect Street (Wilkes-Barre West, PA Quadrangle Latitude: 41° 10' 57.55"; Longitude: -75° 59' 35.27") in Hanover Township, Luzerne County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E3603221-005. West Hempfield Township, 3476 Marietta Avenue, Lancaster, PA 17601. West Hempfield Township, **Lancaster County**, ACOE Baltimore District.

To conduct a streambank stabilization project along approximately 1,600 feet of an unnamed tributary to Chiques Creek (WWF, MF) including 1.) the installation and maintenance of 14 cross rock vanes; 2.) the construction and maintenance of 162 linear feet of boulder wall; 3.) the installation and maintenance of one boulder deflector; 4.) the construction and maintenance of two agricultural crossings; and 5.) the construction and maintenance of an online stilling basin impacting 244 of an unnamed tributary to Chiques Creek (WWF, MF), all for the purpose of improving water quality and instream habitat. The project is located immediately west of Farmdale Road (Latitude: 40° 4' 13" N, Longitude: 76° 28' 17" W) in West Hempfield Township, Lancaster County. No wetlands will be impacted by this project. Permit issued December 20, 2021.

F6703221-001. Hallam Borough, 250 West Beaver Street, Hallam, PA 17406, Hallam Borough, **York County**, U.S. Army Corps of Engineers Baltimore.

To remove structures from the floodplain at the locations listed. The projects propose to temporarily affect approximately 1.69 acres of floodplains. The issuance of

this permit will not constitute approval of Water Quality Certification under Section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341).

Address	Waterway	Chapter 93 Designation	USGS Quadrangle	Latitude	Longitude
Michael D. & Samantha A. Grim 295 Frysville Road Hallam, PA 17406	UNT Kreutz Creek	Warm Water Fishes (WWF)	Red Lion	39.99643	-76.61432
Hallam Borough 295 Frysville Road Hallam, PA 17406	UNT Kreutz Creek	Warm Water Fishes (WWF)	Red Lion	39.99647	-76.61399
Deanna E. Fogelman 295 Frysville Road Hallam, PA 17406	UNT Kreutz Creek	Warm Water Fishes (WWF)	Red Lion	39.99676	-76.61371

Permit Issued December 13, 2021.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205220-029, Kossman Development Co., LLC, 11 Parkway Center, Suite 300, Pittsburgh, PA 15220, Moon Township, **Allegheny County**; ACOE Pittsburgh District.

Has been given consent to:

Place and maintain fill within 2.28 acres of 13 PEM wetlands, for the purpose of constructing a senior living facility and residential apartment-commercial complex. The project will consist of a 200,000 SF senior care facility, 642,273 SF (596 units) apartment complex, 41,720 SF commercial space, 25,823 SF gym, including new roadways, sidewalks, utilities, athletic field, athletic courts, pool, parking facilities as well as associated appurtenant structures and stormwater management facilities. The project will permanently impact 2.28 acres of 13 PEM wetlands. To mitigate for the wetland impacts, the permittee will contribute One Hundred Sixty-One Thousand, Eight Hundred and Fifty-Six Dollars (\$161,856) into the Pennsylvania Wetland Replacement Project.

The project site is located at Marketplace Blvd., Coraopolis, PA 15108 (Oakdale, PA USGS topographic quadrangle; N: 40°, 27', 40"; W: -80°, 11', 18"; Sub-basin 20G; USACE Pittsburgh District), in Moon Township, Allegheny County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E2506220-026, North East Township Supervisors, 10300 West Main Road, North East, PA 16428. Sixteen Mile Creek Dredging, in North East Township, **Erie County**, ACOE Pittsburgh District (North East, PA Quadrangle N: 42°, 14', 33.7106"; W: -79°, 49', 56.7872").

Performing maintenance dredging to remove accumulated gravel, sediment, and debris as needed, in order to reduce flooding at the mouth of Sixteenmile Creek at Lake Erie (North East, PA Quadrangle N: 42°, 14', 33.7106"; W: -79°, 49', 56.7872") in North East Township, Erie County.

E2506220-027, North East Township Supervisors, 10300 West Main Road, North East, PA 16428. Twentynine Creek Dredging, in North East Township,

Erie County, ACOE Pittsburgh District (North East, PA Quadrangle N: 42°, 15', 46.6841"; W: -79°, 47', 4.3075").

Performing maintenance dredging to remove accumulated gravel, sediment, and debris as needed, in order to reduce flooding at the mouth of Twentymile Creek at Lake Erie in North East Township, Erie County. (North East, PA Quadrangle N: 42°, 15', 46.6841"; W: -79°, 47', 4.3075").

E1606221-002, James Kapp, 8100 Ohio River Boulevard, Pittsburgh, PA 15202. Kapp Boat Ramps, in Madison Township, **Clarion County**, ACOE Pittsburgh District (Rimersburg, PA Quadrangle N: 41°, 00', 25.1"; W: -79°, 36', 07.8").

Operating and maintaining five boat ramps to provide access to the Allegheny River from the northern side of the Rails to Trails' "Armstrong Trail" on James Kapp's property impacting approximately 0.46 acre of floodway to the river (Rimersburg, PA Quadrangle N: 41°, 00', 25.1"; W: -79°, 36', 07.8") in Madison Township, Clarion County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways Engineering & Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, telephone number: 717-787-3411.

D24-005 EA. James Reinsburrow, Chairman, Johnsonburg Municipal Authority, 601 Market Street, Johnsonburg, PA 15845, Johnsonburg Borough, **Elk County**. USACOE Pittsburgh District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to remove the Powers Run Dam to eliminate a threat to public safety and to restore approximately 500 feet of stream channel to a free-flowing condition. The project is located across Powers Run (CWF) (Ridgway, PA Quadrangle, Latitude: 41.4828; Longitude: -78.6606). Approved on December 15, 2021.

DAM SAFETY

Central Office: Waterways Engineering & Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, 717-787-8568

D63-127. Glencannon Homes Association, P.O. Box 831, McMurray, PA 15317. Permit issued to modify, operate, and maintain Glencannon Pond Dam across a tributary to Chartiers Creek (HQ-WWF) for the purpose of raising the top of the dam to comply with Department Regulations, North Strabane Township, **Washington County**.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Southwest District: Oil & Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222, (412) 442-4281.

ESCGP-3 # ESG073021012-00
Applicant Name Greylock Midstream, LLC
Contact Person Travis Wendel
Address 500 Corporate Landing
City, State, Zip Charleston, WV 23511
County Greene
Township(s) Jefferson, Greene, and Cumberland
Receiving Stream(s) and Classification(s) Muddy Creek and UNTs to Muddy Creek (WWF), UNTs to Frosty Run (TSF); Monongahlea River (WWF)

ESCGP-3 # ESG076521010-00
Applicant Name Hyperion Midstream, LLC
Contact Person Brian Dillemath
Address 501 Technology Drive Suite 1200
City, State, Zip Canonsburg, PA 15317
County Westmoreland
Township(s) Upper Burrell
Receiving Stream(s) and Classification(s) UNTs to/and # 27254 Little Pucketa Creek (TSF), UNTs to 16362 Pine Run (WWF); 26465 Allegheny River (WWF), 16356 Kiskiminetas River (WWF)

ESCGP-3 # ESG076521011-00
Applicant Name Hyperion Midstream, LLC
Contact Person Brian Dillemath
Address 501 Technology Drive Suite 1200
City, State, Zip Canonsburg, PA 15317
County Westmoreland
Township(s) Penn
Receiving Stream(s) and Classification(s) Tributary 37297 to Bushy Run (TSF), UNT 3 to Tributary 37299 to Bushy Run (TSF); Bushy Run (TSF)

ESCGP-3 # ESG076521007-00
Applicant Name CNX Gas Co, LLC
Contact Person Sarah Weigand
Address 1000 Consol Energy Drive
City, State, Zip Canonsburg, PA 15317
County Westmoreland
Township(s) Bell
Receiving Stream(s) and Classification(s) Tributary 42945 to Beaver Run (TSF, Wild Trout Stream, Siltation-Imapired), UNTs to Tributary 42945 to Beaver Run (TSF, Wild Trout Stream, Siltation-Imapired), UNTs to Tributary 42946 to Beaver Run (TSF, Wild Trout Stream, Siltation-Imapired), Beaver Run (HQ-TSF, Wild Trout Stream), EV Wetlands (7B, 7D, 8A, 8B, 8C, 12); Secondary Receiving Water—Beaver Run (HQ-TSF, Wild Trout Stream), Kiskiminetas River (WWF)

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295821034-00
Applicant Name Williams Field Services Co, LLC
Contact Person Barry Mahar
Address 30351 Route 6
City, State, Zip Wysox PA 18854
County Susquehanna
Township(s) Springville
Receiving Stream(s) and Classification(s) Horton Creek (CWF, MF), Monroe Creek (CWF, MF)
Secondary: Tunkhannock Creek (TSF, MF)

ESCGP-3 # ESG290821068-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre PA 18840
County Bradford
Township(s) Leroy
Receiving Stream(s) and Classification(s) UNT to Towanda Creek (CWF, MF)
Secondary: Towanda Creeek (TSF, MF)

ESCGP-3 # ESG295821013-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre PA 18840
County Susquehanna
Township(s) Auburn
Receiving Stream(s) and Classification(s) UNT Transue Creek (CWF)
Secondary: Transue Creek (CWF)

ESCGP-3 # ESG290821057-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre PA 18840
County Bradford
Township(s) Albany
Receiving Stream(s) and Classification(s) UNT South Branch Towanda Creek DA-1 and DA-2 (CWF, MF), UNT Lick Creek DA-3 (CWF, MF), South Branch Towanda Creek DA-4 through DA-9 (CWF, MF)
Secondary: South Branch Towanda Creek (CWF, MF), Lick Creek (CWF, MF), Towanda Creek (WWF, MF)

ESCGP-3 # ESG290821065-00
 Applicant Name Chesapeake Appalachia, LLC
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre PA 18840
 County Bradford
 Township(s) Wysox
 Receiving Stream(s) and Classification(s) UNT to Johnson
 Creek (CWF, MF)
 Secondary: Johnson Creek (CWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Uni Mart Blakeslee, Storage Tank ID # 45-00752, 5663 State Route 115, Blaeslee, PA 18610, Tobyhanna Township, **Monroe County**, MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Theme Family LP, 10742 Wilson Avenue, P.O. Box 500, Alta Loma, CA 91737, submitted a revised Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet site-specific standards.

136 Verma, Storage Tank ID # 48-51086, 136 East Lawn Road, Nazareth, PA 18064, Upper Nazareth Town-

ship, **Northampton County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of PALGC UST I LLC, 645 Hamilton Street, Suite 400, Allentown, PA 18101, has submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Regional: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Mount Union Terminal, Storage Tank Facility ID # 31-60835, Route 522, Mount Union, PA 17066, Mount Union, **Huntingdon County**. EnviroTrac Environmental Services, LTD, 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Evergreen Resources Management, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document remediation of the site to meet the Statewide health standards.

Northwest Regional: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

CORRECTED—Alleghany Pit Stop, Storage Tank Facility ID # 62-36970, 306 South Main Street, Sheffield, PA 16347-2010, Sheffield Township, **Warren County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Alleghany Pit Stop, 306 South Main Street, Sheffield, PA 16347, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with methyl tertiary butyl ether (MTBE). The plan is intended to document the remedial actions for meeting the nonresidential Statewide health standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The Department of Environmental Protection (DEP) Has Taken Action on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require DEP to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern,

documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

DEP has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Leffler's Service Station, Storage Tank ID # 13-50651, 1103 North Street, Jim Thorpe, PA 18229, Jim Thorpe Borough, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Subhash Patel, 1103 North Street, Jim Thorpe, PA 18229, has submitted a revised, combined Site Characterization Report & Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report was not acceptable to meet a combination of Site-Specific and Statewide health standards and was disapproved by DEP on December 17, 2021.

Misericordia University—former Frontier Communications Building, Storage Tank ID # 40-50097, 100 Lake Street, Dallas, PA 18612, Dallas Borough, **Luzerne County**, August Mack Environmental, 941 Wheatland Avenue, Suite 401, Lancaster, PA 17603, on behalf of Misericordia University, 301 Lake Street, Dallas, PA 18612, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved by DEP on December 23, 2021.

Henry's Service Station, Storage Tank ID # 48-03706, 4024 Mountain View Drive, Danielsville PA 18038, Lehigh Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Preston Henry, 4024 Mountain View Drive, Danielsville, PA 18038, submitted a combined Site Characterization and Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report was acceptable to meet a combination of Site Specific and Statewide health standards and was approved by DEP on December 22, 2021.

Turkey Hill 229, Storage Tank ID # 54-36538, 1565 Bunting Street, Pottsville, PA 17901, Norwegian Township, **Schuylkill County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of

Cumberland Farms, 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved by DEP on December 21, 2021.

Meshoppen Swift Mart, Storage Tank ID # 66-23392, 8253 State Route 6, Meshoppen, PA 18630, Meshoppen Borough, **Wyoming County**. Juniata Geosciences, 6872 Willow Brook Road, Alexandria, PA 16611, on behalf of Meshoppen Swift Mart, Inc., P.O. Box 28, Meshoppen, PA 18630, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of a combination of Site-Specific and Statewide health standards and was approved by DEP on December 23, 2021.

Northcentral Regional: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.

Contact: Randy Farmerie, Environmental Program Manager.

Williamsport West Terminal, Storage Tank Facility ID # 41-70544, 1606 Sylvan Dell Road, South Williamsport, PA 17702, Armstrong Township, **Lycoming County**. Piedmont Geologic, 6003 Chapel Hill Rd., Raleigh, NC 27607, on behalf of Lucknow-Highspire Terminals, LLC, 900 S. Eisenhower Blvd, Middletown, PA 17057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on December 20, 2021.

Whitmer Fuels, Inc. Facility, Storage Tank Facility ID # 49-00691, Intersection of Sixth and Church Streets, Sunbury, PA 17801, Sunbury City, **Northumberland County**. Geosyntec Consultants, Inc., 5313 Campbells Run Road, Pittsburgh, PA 15205, on behalf of Norfolk Southern Railway Company, 650 West Peachtree Street NW, Atlanta, GA 30308, submitted a Remedial Action Completion Report concerning remediation of groundwater and soil contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on December 10, 2021.

Northwest Regional: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Hanks Pennzoil, Storage Tank Facility ID # 20-20054, 3 Erie Street, Linesville, PA 16424, Linesville Borough, **Crawford County**. AECOM, 681 Andersen Drive, Pittsburgh, PA 15220, on behalf of Pennzoil Quaker State Company, 20945 S. Wilmington Avenue, Carson, CA 90810, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline and diesel fuel. The Remedial Action Plan was not acceptable to meet the nonresidential Statewide Health and site-specific standards and was disapproved by DEP on December 22, 2021.

PA0326 Reynoldsville, Storage Tank Facility ID # 33-31100, 501 E. Main Street, Reynoldsville, PA 15851-1334, Reynoldsville Borough, **Jefferson County**. Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of PALG UST V, LLC, 645 Hamilton Street, Suite 400, Allentown, PA 18101, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with methyl tertiary butyl ether (MTBE). The Remedial Action Plan was acceptable to meet the residential Statewide health standard and was approved by DEP on December 22, 2021.

SPECIAL NOTICES

WASTE MANAGEMENT

NOTICE OF REQUEST FOR PROPOSALS FOR MUNICIPAL SOLID WASTE CAPACITY

Request for Proposals for Municipal Solid Waste Disposal Capacity, Somerset County Planning and Zoning Department on behalf of the Somerset County Board of Commissioners, Somerset, PA.

Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.

The following notice(s) is placed through the Department of Environmental Protection as required by Section 502(d) of Act 101 of 1988: The Municipal Waste Planning, Recycling and Waste Reduction Act.

The **Somerset County Planning and Zoning Department** is hereby soliciting proposals for disposal or processing capacity for municipal solid waste (MSW), including construction/demolition (C/D) waste and sewage sludge generated within the County for a period covering the years from 2022 through 2031. The Request for Proposals (RFP) is being issued in accordance with Pennsylvania Code Title 25, Environmental Protection, Chapter 272.225 Municipal Waste Planning Recycling and Waste Reduction (as amended December 22, 2000).

The Request for Proposals (RFP) will be available electronically from Michele Nestor, michele@nestorresources.com, Nestor Resources, Inc., consultant to Somerset County, on or after Monday, January 3, 2022. Include the words Somerset RFP Capacity in the header of the request.

The Somerset County Planning and Zoning Department will receive sealed proposals until 4 p.m., prevailing Time on Friday, February 18, 2022. All proposals must be made on the Proposal Forms and be in accordance with the Requirements for Submitting Proposals contained in the Request for Proposals. The Proposer is required to submit two (2) original printed copies of the Proposal and one (1) separate electronic media, (Flash Drive) each with a copy of the proposal in MS Word or pdf format. Envelopes containing the proposals must be sealed and clearly labeled to show the name and address of the Proposer,

the statement "Proposal Disposal Capacity" and be addressed to: Somerset County Planning and Zoning Department, 300 North Center Avenue, Ste 540, Somerset, PA 15501, attention: Mr. Brad Zearfoss, Director. Proposers may withdraw their proposal at any time prior to the scheduled closing time for receipt of proposals.

The Somerset County Board of Commissioners reserves the right to reject any or all proposals, to waive any irregularities and/or information in any proposal and to make an award in any manner, consistent with applicable laws, which is deemed to be in the best interest of the County.

Notice of Plan Revision Approval Under the Municipal Waste Planning and Waste Reduction Act Of 1988, Act 101.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Roger Bellas, Program Manager.

The Department of Environmental Protection (DEP) approved a revision to the **Northampton County Municipal Waste Management Plan** on December 18, 2021.

Any Person aggrieved by this action may appeal, pursuant to Section 4 of the Environmental Hearing Board Act 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, 800-654-5984. Appeals must be filed with the Environmental Hearing Board within 30 days of receipt of written notice of this action unless the appropriate statute provides a different time period. Copies of this appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the board within 30-days. You do not need a lawyer to file an appeal with the board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the secretary to the board (717-787-3483) for more information.

The Plan Revision is a public document and may be viewed at the DEP Regional Office previously noted.

Questions concerning this approval should be directed to Roger Bellas, Waste Management Program Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

WATER PROGRAMS

EROSION AND SEDIMENT CONTROL

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

ESG833621001-00. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities.

The Silver Spring Groundbed Project proposes to install an approximately 4.19-mile long linear anode groundbed and an approximately 4.22-mile long linear anode groundbed, with approximately 50.77 disturbed acres, in Drumore Township, **Lancaster County**.

Permit No.	Applicant Name & Address	Counties	DEP Office
ESG833621001-00	Transcontinental Gas Pipe Line Company, LLC Park Place Corporate Center Two 2000 Commerce Drive Pittsburgh, PA 15275	Lancaster	Regional Permit Coordination Office

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

ESG001514002-02. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to amendment of coverage under Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities for the Rock Springs Expansion Compressor Station No. 200 Modifications.

This major amendment authorizes approximately 15.62 acres of earth disturbance for a contractor yard gravel area with associated stormwater controls adjacent to the Station 200 Compressor Facility in East Whiteland Township.

Permit No.	Applicant Name & Address	Counties	DEP Office
ESG001514002-02	Transcontinental Gas Pipe Line Company 2000 Commerce Drive Pittsburgh, PA 15275	Chester County	Regional Permit Coordination Office

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

ESG830021003-00. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities.

Line 1485 Replacement Project, North Fayette Township, **Allegheny County** & Armwell Township, **Washington County**. The project is proposing to replace approximately 1.75 miles of 20-inch diameter natural gas steel pipe.

Permit No.	Applicant Name & Address	Counties	DEP Office
ESG830021003-00	Columbia Gas Transmission, LLC 1700 MacCorkle Avenue Charleston, WV 25325	Allegheny & Washington Counties	Regional Permit Coordination Office

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

Proposed State Water Quality Certification Required by Section 401 of the Clean Water Act for the US Department of Veterans Affairs Indiantown Gap National Cemetery Project.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

DEP File No.: WQ3803221-001, U.S. Department of Veterans Affairs (Applicant), 425 Eye Street, NW, STE6W.417C, Washington, D.C. 20001-4343. Indiantown Gap National Cemetery, Union and East Hanover Townships, **Lebanon County** (Indiantown Gap, PA Quadrangle, Lat: 40° 25' 17"; Long: -76° 33' 27"),

On September 29, 2021, the Applicant requested a state water quality certification from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Indiantown Gap National Cemetery Project will protect water quality in Pennsylvania through compliance with State water quality standards and associated State law requirements, which are consistent with the requirements of the Clean Water Act.

The proposed project consists of the installation of a 49.97-foot long, 84.0-inch diameter corrugated steel pipe arch culvert in an unnamed tributary to Aires Run (WWF, MF) and palustrine emergent wetlands, impacting 0.03 acre of wetland at the Indiantown Gap National Cemetery.

PADEP anticipates issuing a state water quality certification to the applicant for the Indiantown Gap National Cemetery Project that will require compliance with the following State water quality permitting programs, criteria and conditions established pursuant to State law to ensure that the Indiantown Gap National Cemetery Project does not violate applicable State water quality standards set forth in 25 Pa. Code Chapter 93:

1. *Erosion and Sediment Control Permit*—Applicant shall comply with PADEP's Chapter 102 Erosion and Sediment Control requirements pursuant to Pennsylvania's Clean Streams Law and Storm Water Management Act (32 P.S. §§ 680.1—680.17), and all applicable implementing regulations (25 Pa. Code Chapter 102).

2. *Erosion and Sediment Control Plan*—Applicant shall develop an Erosion and Sediment Control Plan that is consistent with the requirements identified in 25 Pa. Code Chapter 102. Applicant shall implement best management practices (BMPs) to minimize the potential for accelerated erosion and sedimentation from the project and to protect, maintain, reclaim and restore water quality and the existing and designated uses of waters of the Commonwealth and comply with all applicable implementing regulations (25 Pa. Code Chapter 102) pursuant to Pennsylvania's Clean Streams Law.

3. *Water Obstruction and Encroachment*—Applicant shall comply with the requirements of 25 Pa. Code Chapter 105, for the construction, operation and maintenance of all water obstructions and encroachments associated with the Indiantown Gap National Cemetery Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 673.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601).

4. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that the receiving water quality is not adversely impacted by any operational and construction process that may be employed by Applicant.

5. *Inspection*—The Indiantown Gap National Cemetery Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP to determine compliance with this State Water Quality Certification, including all required State water quality permits and State water quality standards. A copy of this certification shall be available for inspection by the PADEP, or an authorized representative thereof, during such inspections of the Indiantown Gap National Cemetery Project.

6. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Indiantown Gap National Cemetery Project which is affected by this State Water Quality Certification, Applicant shall serve a copy of this certification upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the PADEP Regional Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owner containing a specific date for transfer of certification responsibility, coverage, and liability between them.

7. *Correspondence*—All correspondence with and submittals to PADEP concerning this State Water Quality Certification shall be addressed to: Department of Environmental Protection, Southcentral Regional Office, Program Manager, Waterways and Wetlands, 909 Elmerton Avenue, Harrisburg, PA 17110.

8. *Reservation of Rights*—PADEP may suspend or revoke this State Water Quality Certification if it determines that Applicant has not complied with the terms and conditions of this certification. PADEP may require additional measures to achieve compliance with applicable law, subject to Applicant's applicable procedural and substantive rights.

9. *Other Laws*—Nothing in this State Water Quality Certification shall be construed to preclude the institution of any legal action or relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable Federal or state law or regulation.

10. *Severability*—The provisions of this State Water Quality Certification are severable and should any provision of this certification be declared invalid or unenforceable, the remainder of the certification shall not be affected thereby.

Prior to issuance of the final State water quality certification, PADEP will consider all relevant and timely comments, suggestions or objections submitted to PADEP within 30 days of this notice. Written comments should be submitted to PADEP by e-mail to EP,WW-SCRO@pa.gov or by mail to the previously listed address or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) and should be directed to Program Manager, Waterways and Wetlands Program. Comments must be submitted in writing and contain the name, address and telephone number of the person commenting and a concise statement of comments, objections, or suggestions on this proposal. No comments submitted by facsimile will be accepted.

[Pa.B. Doc. No. 22-55. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.dep.greenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final TGD: New Guidance

DEP ID: 310-2137-001. **Title:** Pennsylvania Function-Based Aquatic Resource Compensation Protocol. **Description:** This guidance provides standard guidelines for evaluating aquatic resource compensatory mitigation for the purpose of meeting applicable regulatory requirements contained in 25 Pa. Code Chapter 105 (relating to dam safety and waterway management). The guidance outlines how evaluations should be conducted using this methodology and the factors to consider when doing so. It also establishes a system for quantifying compensatory mitigation requirements and proposals intended to meet the 25 Pa. Code Chapter 105 regulations.

Compared with the draft TGD published at 44 Pa.B. 1396 (March 8, 2014), this final TGD has been revised based on meetings with other Federal and Commonwealth agencies, consultation with the Department's Water Resources Advisory Committee, Department regional staff workshops and public comments received on the draft TGD. During the public comment period on the draft TGD, comments were received from 17 organizations. The comment and response document accompanies the final TGD and is available on the Department's eLibrary web site.

The revisions made to this TGD from draft to final include:

- Inserting sections to provide additional regulatory overview and background information on the guidance and the conditions for general use of the guidance.
- The reorganization of the riverine function groups, removal of the recreation function groups and revisions to the project effect value section.
- The addition of reference resources.

The Department will provide updated application forms, instructions and training through webinars and regional settings prior to the effective date of this TGD.

Contact: Questions regarding this TGD can be directed to David Goerman at dgoerman@pa.gov or (717) 772-5971.

Effective Date: March 1, 2022

Rescission of TGD

DEP ID: 381-5511-113. **Title:** Handbook for PENNVEST Wastewater Projects. **Description:** The purpose of this document was to establish a rationale and reasonable basis for staff decisions that promoted quality, timely and consistent service to the public and regulated community. However, this document, last revised August 15, 2003, had not been updated to reflect more recent changes in law, regulation and policy; the development of Department standard operating procedures; and general program efficiency improvements associated with rapid technology changes. The Pennsylvania Infrastructure Investment Authority's (PENNVEST) funding agreements with borrowers and grant recipients reflect current requirements. The Department's project management guidance is now a standard operating procedure (SOP) with supporting public guidance available at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance.

Contact: Questions regarding this TGD can be directed to Richard Wright at riwright@pa.gov or (717) 772-4059.

Effective Date: January 8, 2022

Rescission of TGD

DEP ID: 383-5500-113. **Title:** Handbook for PENNVEST Drinking Water Projects. **Description:** The purpose of this document was to establish a rationale and reasonable basis for staff decisions that promoted quality, timely and consistent service to the public and regulated community. However, this document, last revised June 20, 2003, had not been updated to reflect more recent changes in law, regulation and policy; the development of Department standard operating procedures; and general program efficiency improvements associated with rapid technology changes. The PENNVEST's funding agreements with borrowers and grant recipients reflect current requirements. The Department's project management guidance is now an SOP with supporting public guidance available at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance.

Contact: Questions regarding this TGD can be directed to Richard Wright, PE at riwright@pa.gov or (717) 772-4059.

Effective Date: January 8, 2022

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-56. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Research Advisory Committee Virtual Public Meeting

The Department of Health's Health Research Advisory Committee (Committee), established by section 903(b) of

the Tobacco Settlement Act (35 P.S. § 5701.903(b)), will hold a virtual public meeting on Monday, January 10, 2022, from 2:30 p.m. to 4 p.m. The virtual public meeting will be held virtually by means of Microsoft Teams at (267) 332-8737 with Conference ID: 994 021 882#.

The purpose of the virtual public meeting is to review the work of the Committee, confirm the 2021 priorities and to plan for future health research priorities.

For additional information or persons with disabilities who wish to attend the virtual public meeting and require an auxiliary aid, service or other accommodation, contact Will Cramer, Director, Health Research Office, or Pamela Brown, Management Technician, Health Research Office, ra-healthresearch@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Check the Department of Health, Health Research Office CURE Health Research Advisory Committee web site at <https://www.health.pa.gov/topics/Research/CURE/Pages/Committee.aspx> for any changes to this virtual public meeting.

This virtual public meeting is subject to cancellation without notice.

KEARA KLINEPETER, MSHCPM,
Acting Secretary

[Pa.B. Doc. No. 22-57. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Medical Marijuana Advisory Board Virtual Meetings

The Medical Marijuana Advisory Board (Board), established under section 1201 of the Medical Marijuana Act (35 P.S. § 10231.1201), hereby gives notice that the Board will hold virtual meetings on the following days from 10 am to 12 p.m.: Thursday, January 27, 2022; Tuesday, March 22, 2022; Thursday, May 26, 2022; Thursday, July 28, 2022; Tuesday, September 27, 2022; and Tuesday, November 22, 2022.

At these virtual meetings, the Board will discuss Medical Marijuana Program updates.

These virtual meetings will be broadcasted live for the public through Commonwealth Media Services. Check www.medicalmarijuana.pa.gov and click on the Medical Marijuana Advisory Board tab for live streaming information the day of the virtual meeting.

For additional information, including an alternative format of this notice (for example, large print, audiotope, Braille) or for persons with a disability who wish to attend the virtual meetings who require an auxiliary aid, service or other accommodation to do so, contact Holli Senior, Special Assistant, Office of Medical Marijuana, 625 Forster Street, Room 628, Health and Welfare Building, Harrisburg, PA 17120, (717) 547-3047, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

These virtual meetings are subject to cancellation without notice.

KEARA KLINEPETER, MSHCPM,
Acting Secretary

[Pa.B. Doc. No. 22-58. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Pharmaceutical Benefits Program Advisory Council Public Teleconference Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resource Emergency Act of 1990 (42 U.S.C.A. § 300ff-26), will hold a public teleconference meeting on Thursday, January 27, 2022, from 10 a.m. to 12 p.m. To participate dial in by location at (412) 648-8888 or (866) 588-4789. The meeting ID is 487 872 318#. The public teleconference meeting will begin promptly at 10 a.m. and participants are urged to call in by 9:50 a.m.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information, contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419.

Persons with a disability who wish to attend the public teleconference meeting and require an auxiliary aid, service or other accommodation to do so should contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419, or for speech or hearing impaired persons contact V/TT (717) 783-0572 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

This public teleconference meeting is subject to cancellation without prior notice.

KEARA KLINEPETER, MSHCPM,
Acting Secretary

[Pa.B. Doc. No. 22-59. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by County Nursing Facilities; County Nursing Facility Supplementation Payment for Fiscal Year 2021-2022

This announcement provides advance notice that the Department of Human Services (Department) intends to

continue to make an additional payment to certain county nursing facilities in Fiscal Year (FY) 2021-2022.

Proposed Payment

The Department intends to make a county nursing facility supplementation payment to each qualified county nursing facility. To qualify, a county nursing facility must be located in a home rule county that was formerly a county of the second class A, have more than 725 beds and a Medicaid acuity of 0.79 as of August 1, 2015. The number of beds will be the number of licensed beds as of August 1, 2015, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2015, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the qualifying county nursing facility's supplementation payment for FY 2021-2022 by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$4.864 million (\$2.000 million in State funds) for FY 2021-2022.

Public Comment

Interested persons are invited to submit written comments regarding the county nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1475. (1) General Fund; (2) Implementing Year 2021-22 is \$2,000,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; 20178-19 Program—\$850,149,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-60. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic and County Nursing Facilities; Supplemental Ventilator Care and Tracheostomy Care Add-on Payment for Fiscal Year 2021-2022

This announcement provides advance notice that the Department of Human Services (Department) intends to make an additional payment in Fiscal Year (FY) 2021-2022 to nonpublic and county nursing facilities that qualified for supplemental ventilator care and tracheostomy care payments in FY 2014-2015.

Proposed Payment

The Department intends to make an additional supplemental ventilator care and tracheostomy care payment to qualified nonpublic and county nursing facilities. This additional payment will be made to nonpublic and county nursing facilities that qualified for supplemental ventilator care and tracheostomy care payments in FY 2014-2015 with a percentage of Medical Assistance (MA) residents who required medically necessary ventilator care or tracheostomy care greater than 90%.

The Department will calculate the FY 2021-2022 add-on payment to qualified nonpublic and county nursing facilities by dividing the total funds for the supplemental ventilator care and tracheostomy care payment by the number of qualified nonpublic and county nursing facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$1.824 million (\$0.750 million in State funds) for FY 2021-2022.

Public Comment

Interested persons are invited to submit written comments regarding this supplemental ventilator care and tracheostomy care add-on payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1476. (1) General Fund; (2) Implementing Year 2021-22 is \$750,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; 2018-19 Program—\$850,149,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-61. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities Located in a County of the First Class; Nonpublic Nursing Facility Supplementation Payment for Fiscal Year 2021-2022

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain nonpublic nursing facilities in a county of the first class in Fiscal Year (FY) 2021-2022 to ensure access to necessary nursing care in that county.

Proposed Payment

The Department intends to make a nonpublic nursing facility supplementation payment to each qualified nonpublic nursing facility. To qualify, a nonpublic nursing facility must be located in a county of the first class, have more than 395 beds and a Medicaid acuity of 1.18 as of August 1, 2020. The number of beds will be the number of licensed beds as of August 1, 2020, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2020, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the payment to qualifying facilities by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$2.432 million (\$1.000 million in State funds) for FY 2021-2022.

Public Comment

Interested persons are invited to submit written comments regarding the nonpublic nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1477. (1) General Fund; (2) Implementing Year 2021-22 is \$1,000,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27

are \$0; (4) 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; 2018-19 Program—\$850,149,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-62. Filed for public inspection January 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities Located in a County of the Eighth Class; Nonpublic Nursing Facility Supplementation Payment for Fiscal Year 2021-2022

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain nonpublic nursing facilities in a county of the eighth class in Fiscal Year (FY) 2021-2022 to ensure access to necessary nursing home care in that county.

Proposed Payment

The Department intends to make a nonpublic nursing facility supplementation payment to each qualified nonpublic nursing facility. To qualify, a nonpublic nursing facility must be located in a county of the eighth class, have more than 119 beds and a Medicaid acuity of 1.04 as of August 1, 2020. The number of beds will be the number of licensed beds as of August 1, 2020, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2020, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the qualifying nonpublic nursing facility's supplementation payment for FY 2021-2022 by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$12.159 million (\$5.000 million in State funds) for FY 2021-2022.

Public Comment

Interested persons are invited to submit written comments regarding the nonpublic nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov.

Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1478. (1) General Fund; (2) Implementing Year 2021-22 is \$5,000,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; 2018-19 Program—\$850,149,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-63. Filed for public inspection January 7, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Continental General Insurance Company (SERFF # GLTC-132995871); Rate Increase Filing for Several Individual LTC Forms; Rate Filing

Continental General Insurance Company is requesting approval to increase the premium 132% on 85 policyholders of forms 1LTCIP0001(PA) and 1LTCIP0002(PA).

Unless formal administrative action is taken prior to March 10, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-64. Filed for public inspection January 7, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Antonia Fritz; Order to Show Cause; Doc. No. SC21-11-013

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing videoconference initiated by this office is scheduled for January 19, 2022, at 9:30 a.m. The parties shall join the Zoom prehearing conference through the link supplied in the accompanying transmittal invitation and shall be in the waiting room for the conference prior

to that time. A date for a hearing shall be determined, if necessary, at the prehearing videoconference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before January 14, 2022, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office shall be ra-hearings@pa.gov. Answer to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before January 26, 2022.

Persons with a disability who wish to attend the previously-referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-65. Filed for public inspection January 7, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held virtually by means of Zoom. Failure by the appellant to appear at the scheduled video hearing may result in dismissal with prejudice.

The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126, ra-hearings@pa.gov.

Appeal of Paul Sweeney; Progressive Specialty Insurance Company; File No. 21-114-262904; Doc. No. P21-11-023; January 26, 2022, 9:30 a.m.

Following the video hearing and receipt of the stenographic transcript, the Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the video hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative video hearing and require an auxiliary aid, service or other accommodation to participate in the video hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-66. Filed for public inspection January 7, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Transamerica Life Insurance Company (SERFF # AEGB-133092985); Rate Increase Filing for Individual LTC Form ICC10 TLC-3; Rate Filing

Transamerica Life Insurance Company is requesting approval to increase the premium 52.7% on 259 policyholders of form ICC10 TLC-3.

Unless formal administrative action is taken prior to March 10, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,
Insurance Commissioner

[Pa.B. Doc. No. 22-67. Filed for public inspection January 7, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 24, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 24, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons* as described under each application.

A-2021-3029529. Family Care For You, LLC, t/a Family Care For You (28 Gooseneck Road, Levittown, Bucks County, PA 19057) to transport persons, by motor vehicle, in paratransit service, from points in Berks, Bucks, Delaware, Lancaster, Lehigh and Montgomery Counties, and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2021-3030054. Reading Metro, LLC, t/a Infina Health (615 Elm Street, # 1, Reading, Berks County, PA 19601) persons in paratransit service, from points in Chester, Lancaster, Lebanon, Lehigh and Montgomery Counties, to points in Pennsylvania, and return.

A-2021-3030093. Mt. Nebo Center, LLC (561 Martic Heights Drive, Holtwood, Lancaster County, PA 17532) to transport persons in paratransit service whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

A-2021-3030099. Medical Transportation Providers, LLC (314 South Henderson Road, Suite G-195, King of Prussia, PA 19406) to transport persons, by motor vehicle, in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2021-3030109. Tala Medical Trans Care, LLC (2102 Hoffnagle Street, # 1, Philadelphia, PA 19152) persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2021-3030150. Tass Trans, LLC (6453 Eastwood Street, Philadelphia, Philadelphia County, PA 19149) persons in paratransit service, from points in the Counties of Bucks and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

Applications of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2021-3029988. John K. Kane, t/a Hercules Movers (P.O. Box 601, Berwyn, Chester County, PA 19312) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, household goods in use, as more thoroughly described in the original ordering paragraphs at A-00109368.

A-2021-3030036. The Rose Limousine Service, Inc. (676 Main Road, Hanover Township, PA 18706) discontinuance of service and cancellation of its certificate—for the right to begin to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, between points in the County of Luzerne, and from points in said county, to points in Pennsylvania, and return.

A-2021-3030051. Vandoren C. Boone, t/a B Line Van Services (5017 North Marvine Street, Philadelphia, Philadelphia County, PA 19141) for the discontinuance and cancellation of its right and privilege to transport in paratransit service, limited to transportation to correc-

tional facilities and amusement parks, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2021-3030066. Queen Transportation & Consulting, LLC (982 Rawlinsville Road, Willow Street, Lancaster County, PA 17584) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in Lancaster County, as originally docketed at A-2019-3011957.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-68. Filed for public inspection January 7, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Customers

A-2021-3030113 and A-2021-3030114. Protel Advantage, Inc. and Legent Comm, LLC, d/b/a Long Distance Services, d/b/a Long Distance America. Joint application of Protel Advantage, Inc. and Legent Comm, LLC, d/b/a Long Distance Services, d/b/a Long Distance America for approval of a transfer of customers from Protel to Legent.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 24, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: Protel Advantage, Inc.; Legent Comm, LLC, d/b/a Long Distance Services, d/b/a Long Distance America

Through and By: Sharon Thomas, Inteserra Consulting Group, 151 Southhall Lane, Suite 450, Maitland, FL 32751, (407) 740-3031, fax (407) 740-0613, stomas@inteserra.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-69. Filed for public inspection January 7, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than January 24, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-21-12-05. Shiba Trans, LLC (2 Violet Lane, Glen Mills, PA 19342): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Charles Milstein, Esq., 7102 Frankford Avenue, Philadelphia, PA 19135.

Doc. No. A-21-12-06. Nahar, Inc. (121 South Chestnut Street, Lansdale, PA 19446): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-21-12-07. Najma, Inc. (3432 Primrose Road, Philadelphia, PA 19114): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-21-12-08. J. Sandhu, LLC (2 Violet Lane, Glen Mills, PA 19342): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 2301 Church Street, Philadelphia, PA 19124.

SCOTT PETRI,
Executive Director

[Pa.B. Doc. No. 22-70. Filed for public inspection January 7, 2022, 9:00 a.m.]