

NOTICES

BOARD OF COAL MINE SAFETY

Meeting Rescheduled

The Board of Coal Mine Safety (Board) meeting originally scheduled for Thursday, June 9, 2022, has been rescheduled to Wednesday, June 15, 2022. The meeting will begin at 10 a.m. in Conference Rooms 1A and 1B, Department of Environmental Protection, Cambria Office, 286 Industrial Park Road, Ebensburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining," then "Board of Coal Mine Safety," then "2022").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the June 15, 2022, meeting can be directed to Peggy Scheloske at mscheloske@pa.gov or (724) 404-3143.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Peggy Scheloske at (724) 404-3143 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Chairperson

[Pa.B. Doc. No. 22-685. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Agricultural Research Grant Applications

The Department of Agriculture (Department) is soliciting applications to conduct agricultural research on one or more of the following research topic areas, with the research to be conducted from July 1, 2022, to June 30, 2023, with the possibility, but not the assurance, of extending that research into subsequent years. Funding is contingent upon 2022-2023 budget appropriations. This notice establishes the procedures by which grant applications will be solicited and reviewed, and by which grants will be awarded. Notice of grants under the program was previously published at 52 Pa.B. 2130 (April 9, 2022). This notice is being republished to reflect: an extension of the application window through Friday, June 3, 2022.

1. *Grant Solicitation.* The Department will accept grant applications for the purposes, in the form and according to the schedule set forth as follows. Following publication, additional publication and dissemination of this notice shall be made to applicants who have previously submitted grant applications to or received grants from the Department, as well as any individuals or entities who have requested notification from the Department of grant availability.

2. *Research Topic Areas.* Though not exclusive of original research topics, the Department is particularly interested in funding project in the following areas:

a. *Ongoing multiyear research projects.* The Department has, in previous years, provided funding for various multiyear research projects that might be continued or extended to complete research the Department identifies as addressing continued priorities of the agricultural industry, such as:

- Examining the economic impact of pest infestations like Phorid Flies and Spotted Lanternflies and identifying mitigating measures.
- Measuring the impacts on the Chesapeake Bay of farm management practices that have not received Federal or State government cost-sharing assistance.
- Implementing Chapter 5 of the Pennsylvania Pollinator Protection Plan (see <https://ento.psu.edu/pollinators/pollin-spotlight-items/the-pennsylvania-pollinator-protection-plan-p4>).

b. *Natural resource conservation, climate and the quality of our soil, water and air.* The Department is seeking new proposals that address agriculture's role in stewarding natural resources and innovations in combatting and adapting to climate change. Specifically, the Department requests applications for projects that:

- Provide ongoing water quality monitoring in high-priority streams identified in version 3 of the Chesapeake Bay Watershed Implementation Plan.
- Provide ongoing air quality monitoring around high-priority production areas, particularly mushroom facilities in Chester and Berks Counties.
- Quantify the benefits to soil health and climate change resiliency from best management practices in conservation.
- Quantify reductions in carbon emissions through on-farm energy efficiency measures.
- Identify opportunities in agricultural production practices that could be conducted concurrently with solar energy production.
- Integrate silvopasture and other agro-forestry revenue streams into dairy, livestock or poultry farms.
- Identify soil testing and remediation strategies for urban agriculture.
- Assess the adoption and implementation of best management practices by farmers that are part of conservation plans to ensure compliance and appropriate credit is received.
- Identify and determine the applicability and effectiveness of nutrient management technologies to assist the Commonwealth in assessing the utility of various approaches.
- Assess relationships among reclaimed land, biosolid applications and water quality.
- Identify strategies for invasive species management.

c. *Human resources in agriculture.* The Department is interested in further scientific study in areas such as:

- The impact of stress and mental health challenges on farmers' long-term success.
- Strategies for recruiting and retaining agriculture's future workforce.
- Assessing the quantity and quality of available on-farm and off-farm housing for agricultural workers, including farm owners.

d. *Economics in agriculture.* The Department would like to evaluate the economic impact and long-term effectiveness of:

- Federal Milk Marketing Orders operating in this Commonwealth compared to alternative arrangements, such as a single state Federal milk marketing order in use in California.

- The Dairy Investment Program
- The Farmers Market Nutrition Program
- The Resource Enhancement and Protection Program
- The Conservation Excellence Grant Program
- The Farm Vitality Grant Program
- The Urban Agriculture Grant Program
- The Farm to School Grant Program
- The Agriculture and Youth Grant Program
- The Small Meat Processors Grant Program
- The Commonwealth Specialty Crop Grant Program

e. *Information and data science in agriculture.* The Department seeks applications that propose methods of integrating data in ways that provide farmers in this Commonwealth with actionable information on enhancing their farm operations and seizing market opportunities.

f. *Consumer-focused research.* The Department seeks applications that study consumer interest in:

- Biodegradable packaging and other environmental factors in selecting food and beverage products.
- Pharmaceutical or industrial uses for milk proteins or other milk components.

g. *Animals and agriculture.* The Department seeks applications that address animal health concerns, such as:

- *One Health*—Proposals that promote humans, the environment, animals, living together harmoniously.
- *Animal Health*—Proposals that improve or seek to understand aspects of animal health important to agriculture in this Commonwealth.
- *Diagnosis of Animal Diseases*—Proposals that promote the diagnosis of animal diseases that are important to Commonwealth animal agriculture.
- *Animal Productivity*—Proposals that seek to improve the productivity of agricultural animals in this Commonwealth.
- *Animal Welfare*—Proposals that seek to improve the welfare of agricultural animals in this Commonwealth.

3. *Grant Agreement.* The terms and conditions of the grant will be governed by a grant agreement between the

Department and the applicant which shall be tendered to the applicant for execution, returnable in no more than 30 days. The Department may require that the grant agreement be submitted and executed electronically.

4. *Application Delivery and Deadline.* Interested applicants must submit a complete electronic research project proposal and grant application using the Department of Community and Economic Development's Electronic Single Application web site at <https://www.esa.dced.state.pa.us/Login.aspx> by Friday, June 3, 2022, at 4 p.m. Questions regarding this online application process may be directed to Morgan Sheffield, Grants Coordinator for the Department of Agriculture, at (717) 787-3568.

5. *Scoring of Applications.* The Department will evaluate each complete and timely-filed project proposal and grant application it receives, using a 100-point scale assessing:

- Up to 15 points for the research project needs statement.
- Up to 15 points for the impact of research outcomes, including enhancement of diversity, equity and inclusion.
- Up to 30 points for the research methodology.
- Up to 10 points for project evaluation and replicability.
- Up to 20 points for support and participation from industry.
- Up to 10 points for diversity of the research team.

6. *Scores.* Upon completion of evaluations, the Department will prepare a record identifying each complete and timely-filed project proposal and grant application received and the numerical score assigned to each. The Department shall award grants based upon its evaluation and scoring.

7. *Multiyear Projects or Extensions.* The Department may award grant funding for multiyear projects or provide an extension of time to complete an ongoing project, if the Department identifies that a multiyear term or an extension advances the Department's objectives and the grant's likelihood of achieving its stated goals. Requests for extensions of ongoing projects shall be made, evaluated and processed in accordance with all the requirements of this notice.

8. *Notice of Award.* Applicants shall be notified by mail of the decision on their grant applications by the Department. Best efforts will be made to do so within 15 days of the application deadline.

9. *Grant Agreement.* With the mailed grant award notice, the Department will provide applicants with a grant agreement for execution and return within 30 days or instructions as to finalizing the grant agreement electronically. The Department will obtain the required Commonwealth signatures on the grant agreements and return a copy of the fully-executed grant agreement to the applicant. The grant agreement is not effective, and work should not begin until all required signatures have been applied to the grant agreement. Among the terms of the grant agreement shall be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit such information as the Department may require.

10. *Nonmatching Cost-Reimbursable Grant.* Grants made hereunder do not require the applicant secure or devote a matching sum to the project. Payment of grant funds will occur on a reimbursement basis, with the

possibility upon the written submission of justification and subsequent approval of the Department of an advance payment option.

11. *Allowable Indirect Cost Reimbursement.* Grants made hereunder are subject to an indirect cost cap of 15% of total direct project costs. For the purpose of this research grant funding solicitation, indirect costs shall include administrative salaries and benefits, office supplies and equipment, facility related cost including maintenance and repairs, telephones, memberships/dues, freight/postage cost and any consultant related costs associated with the administration of this research grant.

12. *Reporting Requirements.* Upon completion of research projects funded through this program, grant recipients will submit to the Department within 60 days a final report detailing the nature of the questions under study, an explanation of the research design and methods, findings of the research and recommendations for future study.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-686. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 3, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

Branch Applications

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-01-2022	Hidden River Credit Union Pottsville Schuylkill County	538 Altamont Boulevard Frackville Schuylkill County	Closed

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-687. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of June 2022

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of June 2022, is 5 1/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 2.85 to which was added 2.50 percentage points for a total of 5.35 that by law is rounded off to the nearest quarter at 5 1/4%.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-688. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Availability of Applications for the Emergency Solutions Grant Program

The Department of Community and Economic Development (Department), Center for Community Development Operations, is anticipating receiving funding through the United States Department of Housing and Urban Development for the Emergency Solutions Grant. The Homeless Emergency Assistance and Rapid Transition to Housing Act of 2009 (Pub.L. No. 111-22) provides funding for Emergency Solutions for the Commonwealth to address the needs of homeless people through services in rapid rehousing, street outreach, homelessness prevention and emergency shelters. The focus is to help individuals and families to quickly regain stability in permanent housing after experiencing a housing crisis or homelessness, or both.

The Department will accept applications from any general purpose units of local government, including cities, boroughs, townships, towns, counties, home rule municipalities and communities that wish to apply on behalf of other municipalities. Priority will be given to nonentitled jurisdictions; however, the Department will consider funding applications received from all eligible government jurisdictions previously listed. Nonprofits are eligible applicants or grantees to the extent the project will address a demonstrated regional need.

The guideline review is open from May 9, 2022, through June 10, 2022. A fully executed application with all applicable attachments must be submitted to the Department through the Electronic Single Application (ESA) only and during the designated time the ESA is open. Applications received during this window of time will be considered for funding. Hard copies will not be accepted.

A copy of the guidelines and application may be obtained by download from the Department's web site at <https://dced.pa.gov/programs/emergency-solutions-grant-esg/>. A hard copy may be requested by persons with a disability who wish to submit an application in accordance with the provisions stated who require assistance with that application. Persons who require copies of this notice in an alternate format (large type, Braille, and the like) should contact Megan Snyder, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120, (717) 787-7404, TDD (717) 346-0308 to discuss how the Department may best accommodate those needs. Copies of the application may also be viewed at any of the Department's regional offices. The following is the listing of the Department's regional offices and the counties they serve:

Regional Offices

Southeast

Bucks, Chester, Delaware, Montgomery and Philadelphia Counties

Department of Community and Economic Development
200 South Broad Street, 11th Floor
Philadelphia, PA 19102
(215) 560-5822

Northeast

Bradford, Carbon, Clinton, Columbia, Lackawanna, Luzerne, Lycoming, Montour, Pike, Schuylkill, Sullivan, Susquehanna, Tioga, Wayne and Wyoming Counties

Department of Community and Economic Development
2 North Main Street
Pittston, PA 18640
(570) 963-4571

Lehigh Valley

Berks, Lebanon, Lehigh, Monroe, Northampton, Snyder and Union Counties

Department of Community and Economic Development
400 North Street, 4th Floor
Harrisburg, PA 17120
(717) 877-8481

Central

Adams, Cumberland, Dauphin, Franklin, Fulton, Huntingdon, Juniata, Mifflin, Perry and York Counties

Department of Community and Economic Development
Commonwealth Keystone Building
400 North Street, 4th Floor
Harrisburg, PA 17120
(717) 720-7386

Southwest

Allegheny, Armstrong, Beaver, Bedford, Blair, Butler, Cambria, Fayette, Greene, Indiana, Somerset, Washington and Westmoreland Counties

Department of Community and Economic Development
301 5th Avenue, Suite 250
Pittsburgh, PA 15222
(412) 565-5002

Northwest

Cameron, Centre, Clarion, Clearfield, Crawford, Elk, Erie, Forest, Jefferson, Lawrence, McKean, Mercer, Potter, Venango and Warren Counties

Department of Community and Economic Development
100 State Street, Suite 205
Erie, PA 16507
(814) 871-4241

Main Office

Center for Community and Housing Development
Commonwealth Keystone Building
400 North Street, 4th Floor
Harrisburg, PA 17120
(717) 787-5327

NEIL WEAVER,
Acting Secretary

[Pa.B. Doc. No. 22-689. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Manufactured Housing Installation Program; Approval Training Curriculum for Construction Code Officials

Under 12 Pa. Code § 149.5(d) (relating to building code official training), the Department of Community and

Economic Development (Department) publishes the list of approved training curriculum for those code officials who inspect the installation of manufactured homes. Persons that have successfully completed the training curriculum listed will have satisfied the requirement in 12 Pa. Code § 149.5(e).

Courses approved by the Department, Housing Standards Division:

Manufactured and Industrialized Housing and Buildings 2022

In addition to the approved training program previously listed, the Department may provide a workshop for code officials who request training. A fee of \$20 per credit hour shall be payable to the Department for workshops

where continuing education units are provided. Code Officials may contact the Department to request more information on scheduling a workshop.

Program inquiries should be directed to Michael Moglia, Director, Housing Standards Division, Department of Community and Economic Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 720-7416, mmoglia@pa.gov.

NEIL WEAVER,
Acting Secretary

[Pa.B. Doc. No. 22-690. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section	Category
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used

to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE. Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0122805	Joint DEP/PFBC Pesticides Permit	New	Granite Hill Cpgrd, Inc. 1398 Herrs Ridge Road Gettysburg, PA 17325-8403	Highland Township Adams County	SCRO
0122806	Joint DEP/PFBC Pesticides Permit	New	Cyndie & Richard Winkelmann 1398 Herrs Ridge Road Gettysburg, PA 17325-8403	Cumberland Township Adams County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0922803	Joint DEP/PFBC Pesticides Permit	New	Norton Baiba 108 Barndt Road Sellersville, PA 18960-3004	West Rockhill Township Bucks County	SERO
2122801	Joint DEP/PFBC Pesticides Permit	New	McCarver Brian 365 S Middlesex Road Carlisle, PA 17015-8502	Silver Spring Township Cumberland County	SCRO
2222801	Joint DEP/PFBC Pesticides Permit	New	Drayer Luke 1301 Waltonville Road Hummelstown, PA 17036-8868	Derry Township Dauphin County	SCRO
2822801	Joint DEP/PFBC Pesticides Permit	New	Crider Jacob Michael 978 Ridge Road Shippensburg, PA 17257-9722	Lurgan Township Franklin County	SCRO
4022802	Joint DEP/PFBC Pesticides Permit	New	Glen Summit Land Co. P.O. Box 34 Mountain Top, PA 18707-0034	Fairview Township Luzerne County	NERO
4522802	Joint DEP/PFBC Pesticides Permit	New	Sellersville Hunting Club 141 Remington Court East Stroudsburg, PA 18302-9651	Middle Smithfield Township Monroe County	NERO
4522803	Joint DEP/PFBC Pesticides Permit	New	Kuiken Rich 11 Schoolhouse Road East Stroudsburg, PA 18302-8875	Price Township Monroe County	NERO
6415801	Joint DEP/PFBC Pesticides Permit	Renewal	Lake Waynewood 164 Waynewood Road Lake Ariel, PA 18436-4285	Salem Township Wayne County	NERO
6722805	Joint DEP/PFBC Pesticides Permit	New	Outdoor CC of York 1157 Detwiler Drive York, PA 17404-1105	Manchester Township York County	SCRO
0581401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	ETS Properties, LLC 2114 14th Avenue Altoona, PA 16601	Bedford Township Bedford County	SCRO
NOEXSC381	No Exposure Certification	New	Cronimet Specialty Metals USA, Inc. 172 Friendship Village Road Suite 103 Bedford, PA 15522-6621	Bedford Township Bedford County	SCRO
PAR502209	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Blythe Recycling and Demolition Site Holdings, Inc. 1786 Salcman Road Waterloo, NY 13165-9444	Blythe Township Schuylkill County	NERO
PAR803624	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Pitt Ohio Express, LLC 15 27th Street Pittsburgh, PA 15222-4729	Swatara Township Dauphin County	SCRO
PAR803727	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Adusa District, LLC 4875 N Susquehanna Trail York, PA 17406-8498	Conewago Township York County	SCRO
PAG103582	PAG-10 NPDES General Permit for Hydrostatic Test Water	Renewal	Texas Eastern Trans, LP 890 Winter Street Suite 320 Waltham, MA 02451-1470	Carroll Township Perry County	SCRO
PAG103583	PAG-10 NPDES General Permit for Hydrostatic Test Water	Renewal	Texas Eastern Trans, LP 890 Winter Street Waltham, MA 02451-1470	North Heidelberg Township Berks County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG103584	PAG-10 NPDES General Permit for Hydrostatic Test Water	Renewal	Texas Eastern Trans, LP 890 Winter Street Suite 320 Waltham, MA 02451-1470	East Hanover Township Dauphin County	SCRO
PAG106226	PAG-10 NPDES General Permit for Hydrostatic Test Water	Renewal	Texas Eastern Trans, LP 890 Winter Street Suite 320 Waltham, MA 02451-1470	Cresson Township Cambria County	SWRO
1016406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Hughes Gerald 312 Steiner Bridge Road Valencia, PA 16059-2934	Middlesex Township Butler County	NWRO
2022404	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Thompson Sherri 10020 Springboro Road Springboro, PA 16435-2448	Spring Township Crawford County	NWRO
2516414	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Cook Kimberly 1518 Old State Road Waterford, PA 16441-3906	Waterford Township Erie County	NWRO
4210401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	McGarvey Tina 4486 Hayes Road Ravenna, OH 44266-3710	Corydon Township McKean County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0233242, Sewage, SIC Code 4952, **Shelia E Caldwell**, 12416 Wallis Run Road, Trout Run, PA 17771-8555. Facility Name: Shelia E Caldwell. This proposed facility is located in Plunketts Creek Township, **Lycoming County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), King Run (EV (existing use)), is located in State Water Plan watershed 10-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PAI132207, MS4, **Freemansburg Borough**, 600 Monroe Street, Freemansburg, PA 18017.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Freemansburg Borough, **Northampton County**. The receiving streams, Nancy Run (HQ-CWF/MF) and the Lehigh River (WWF/MF), are located in State Water Plan watershed 2-C and are classified as indicated previously as well as for aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

PA0062766, Sewage, SIC Code 4952, **Travers Schmidt**, 6335 Saddle Road, New Tripoli, PA 18066-2125. Facility Name: Travers Schmidt SRSTP. This existing facility is located in Heidelberg Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Jordan Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes, Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0003 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
				Avg Mo		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0253324 A-1, Sewage, SIC Code 8059, **Guardian LTC Management, Inc.**, 680 Lions Health Camp Road, Indiana, PA 15701-8781. Facility Name: Scenery Hill Manor Pch STP. This existing facility is located in Armstrong Township, **Indiana County**.

Description of Existing Activity: The application is for a NPDES permit amendment for an existing discharge of treated sewage. The purpose of this amendment is to relax the monitoring frequency of dissolved oxygen, total residual chlorine and pH.

The receiving stream(s), Cheese Run, is located in State Water Plan watershed 17-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0044 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.15	XXX	0.30
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	10.0	XXX	20.0
May 1 - Oct 31	XXX	XXX	XXX	3.5	XXX	7.0
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290203, Sewage, SIC Code 4952, 8800, **Andrew & Heather Zuber**, 544 Rankine Avenue, Erie, PA 16511-2047. Facility Name: Andrew & Heather Zuber SRSTP. This proposed facility is located in Franklin Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is Porter Run, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	Inst Min	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0080748, Sewage, SIC Code 4952, **Northern Lebanon County Authority**, P.O. Box 434, Jonestown, PA 17038-0434. Facility Name: Jonestown STP. This existing facility is located in Union Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Swatara Creek (WWF, MF), is located in State Water Plan watershed 7-D and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .75 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
CBOD ₅	156	250	5.0	25.0	40.0	50
BOD ₅	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	188	281	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
				200		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs)	Total Mo					
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs)	Total Mo					
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	84	XXX	XXX	13.5	XXX	27
Ammonia-Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
(Total Load, lbs)	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Kjeldahl Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	12.5 Report Total Mo	XXX	XXX	2.0 XXX	XXX	4 XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) Effluent Net	XXX	7,397 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	XXX	989 Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

- The permittee is authorized to use 1,650 lbs/year as Total Nitrogen (TN) offsets toward compliance with the Annual Net TN mass load limitations (Cap Loads)

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition, Approval Contingencies, Solids Management, Restriction on receipt of hauled in waste under certain conditions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0050989, Sewage, SIC Code 4952, **Frederick Mennonite Comm**, P.O. Box 498, Frederick, PA 19435-0498. Facility Name: Frederick Mennonite Comm. This existing facility is located in Upper Frederick Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Swamp Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0499 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Dissolved Oxygen	XXX	XXX	6.0 Daily Min	XXX	XXX	XXX
CBOD ₅						
Nov 1 - Apr 30	XXX	XXX	XXX	15	XXX	30
May 1 - Oct 31	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	15	XXX	30
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2

In addition, the permit contains the following major special conditions:

- Notification of Responsible Operator
- Abandon STP when Public Sewer Available
- Remedial Measures when Discharge Creates Public Nuisance
- No Storm Water
- Acquire all necessary Property Rights
- Small Stream Discharge
- Change in Ownership
- Proper Sludge Disposal
- Applicable Water Shed TMDL/WLA
- Operator Certification
- UV Disinfection System
- 12, I-Max Definition
- 2/Month Monitoring Requirements
- Operations and Maintenance Plan
- Laboratory Certification
- DRBC Fecal Requirements
- eDMR Submission Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0055158, Sewage, SIC Code 4952, **Meadows Investments, LLC**, P.O. Box 187, Ottsville, PA 18942. Facility Name: Meadows Investments SFSTP. This existing facility is located in Nockamixon Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Haycock Creek, is located in State Water Plan watershed 2-D and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	1,000.0
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	6

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX

In addition, the permit contains the following major special conditions:

- No stormwater into sewage
- Proper sludge disposal
- TRC minimization in effluent

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0094617, Sewage, SIC Code 6515, **Jones Estates Walnut Manor PA, LLC**, 2310 S Miami Boulevard, Suite 238, Durham, NC 27703-4900. Facility Name: Walnut Manor MHP. This existing facility is located in Georges Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of York Run (WWF), is located in State Water Plan watershed 19-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.01	XXX	0.03

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.03	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0 Avg Mo	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
Total Suspended Solids	XXX	XXX	XXX	25	XXX	50
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	3.0	XXX	6.0
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0097047, Sewage, SIC Code 6512, **Westmoreland County Housing Authority**, 167 S Greengate Road, Greensburg, PA 15601. Facility Name: Nike Site 37 Shaner Hts STP. This existing facility is located in Sewickley Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Little Sewickley Creek (TSF), is located in State Water Plan watershed 19-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .008 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Maximum	
Flow (MGD)	0.008	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.4	XXX	1.4
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	40.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	45.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	21.0	XXX	42.0
Ammonia-Nitrogen						
May 1 - Oct 31	XXX	XXX	XXX	7.0	XXX	14.0
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0218600, Sewage, SIC Code 6514, **Arthur J Leonard**, 310 Spang Road, Baden, PA 15005-2540. Facility Name: Leonard Sr STP. This existing facility is located in Middlecreek Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Laurel Hill Creek (HQ-CWF), is located in State Water Plan watershed 19-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Annual Average</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Average 1.5	XXX	3.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0253499, Sewage, SIC Code 4952, **Janice Polito**, 256 Park Lane, Darlington, PA 16115-3118. Facility Name: Polito SRSTP. This existing facility is located in Big Beaver Borough, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Clarks Run (HQ-CWF), is located in State Water Plan watershed 20-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	0.0005	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	5.0	XXX	10.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0111279, Industrial, SIC Code 4941, **Hooversville Borough, Somerset County**, P.O. Box 176, Hooversville, PA 15936-0176. Facility Name: Hooversville Borough WTP. This existing facility is located in Quemahoning Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Stonycreek River (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0083 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	1.5	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0083 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Sedimentation Basin Cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Central Office

PA0270741, Pesticides, SIC Code 7342, **PA DEP Vector Management**, P.O. Box 1467, Harrisburg, PA 17105-1467.

Description of Existing Activity: The application is for a renewal of an NPDES permit for a discharge associated with the application of pesticides Statewide and within counties identified as participating in DEP's Black Fly Suppression Program.

The receiving streams include waterways located throughout the Commonwealth in multiple State Water Plan watersheds and spanning all classifications for aquatic life, water supply, and recreation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150250	New	RB Ashley Custom Homes, LLC 1011 Ridge Road Pottstown, PA 19465	South Coventry Township Chester County	SERO
PAD510218	New	2201 E Allegheny Avenue, LLC 9310 Keystone Street Philadelphia, PA 19114	City of Philadelphia Philadelphia County	SERO
PAD150245	New	United Sports Training Center Ted VanBeuren 1426 Marshallton Thorndale Road Downingtown, PA 19335	West Bradford Township Chester County	SERO
PAD450046 A-5	Major Amendment	CMBK Resort Holdings, LLC 193 Resort Drive Tannersville, PA 18372	Jackson and Pocono Townships Monroe County	NERO
PAD350028	New	Lackawanna County 1 Bald Mtn Road Scranton, PA 18504-9789	Dunmore, Roaring Brook & Elmhurst Lackawanna County	NERO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD450157	New	Vincent & Charlie Trapasso 3329 Mountainview Drive Tannersville, PA 18372	Pocono Township Monroe County	NERO
PAD400037A-3	Major Amendment	Mericle 112 Armstrong, LLC Stephen Maakestad 100 Baltimore Drive Wilkes-Barre, PA 18702	Pittston Township Luzerne County	NERO
PAD450024	Renewal	FedEX Freight, Inc. 2200 Forward Avenue Harrison, AK 72601	Tobyhanna Township Monroe County	NERO
PAD670068	New	Rodney L. Krebs Family Limited Partnership 290 Seaks Run Road Glen Rock, PA 17327-9594	North Hopewell Township York County	SCRO
PAD140085	New Individual Permit	Salvation Baptist Church 3645 West College Avenue State College, PA 16803	Ferguson Township Centre County	NCRO
PAD140090	New Individual Permit	Walker Township Water Association Along Hecla Road Nittany Valley Drive Hublersburg Road and Snydertown Road Bellefonte, PA 16823	Walker Township Centre County	NCRO
PAD530007 A-1	Amendment Individual Permit	PA DCNR Cherry Springs State Park 1639 Cherry Springs Road Coudersport, PA 16915	West Branch Township Potter County	NCRO
PAD530010	New Individual Permit	Primax Properties, LLC Coudersport Tractor Supply 1100 East Morehead St Charlotte, NC 28204	Coudersport Borough Potter County	NCRO
PAD250017	New	Amerco Real Estate Company 1505 Pittsburgh Avenue Erie, PA 16505	Erie City Erie County	NWRO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Country View Family Farms, LLC New Hope Farm 23177 Back Road Concord, PA 17217	Franklin	0	3,001.95	Swine	NA	Renewal
Hershey Springs Farm, LLC 2024 Donegal Springs Road Mount Joy, PA 17552	Lancaster	390.2	592.57	Pullets/ Steers/ Swine	HQ	Renewal
Rohrer Dairy Farm, LLC 124 Charlestown Road Washington Boro, PA 17582	Lancaster	1,165.3	2,972.5	Dairy	NA	Renewal
Jairus L. Musser 95 Ferebees Road Pine Grove, PA 17963	Schuylkill	28.7	393.86	Poultry— Broilers	NA	Renewal
Willow Behrer Farms 3288 Behrer Lane Spruce Creek, PA 16683	Huntingdon	1,300	2,017.76	Dairy	HQ	Renewal
Perry Meadows 2713 Fowlers Hollow Road Blain, PA 17006	Perry	10	1,490.65	Swine	HQ	Renewal
Beaver Ridge Farm, Inc. 1400 Fowlers Hollow Road Blain, PA 17006	Perry	226.83	428.97	Swine	HQ	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office

listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Application No. 2222506, Public Water Supply.

Applicant	PA American Water Company 852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Steelton Borough
County	Dauphin
Responsible Official	Bruce Aiton Vice President—Engineering 852 Wesley Park Drive Mechanicsburg, PA 17055
Consulting Engineer	Peter J. Keenan, P.E. American Water Works Service Company Inc. 1025 Laurel Oak Road Voorhees, NJ 08043
Application Received	April 5, 2022
Description	Addition of a zinc orthophosphate for corrosion control.

Application No. 2222507, Public Water Supply.

Applicant **PA American Water Company**
852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Steelton Borough

County **Dauphin**

Responsible Official Bruce Aiton
Vice President—Engineering
852 Wesley Park Drive
Mechanicsburg, PA 17055

Consulting Engineer Peter J. Keenan, P.E.
American Water Works
Service Company Inc.
1025 Laurel Oak Road
Voorhees, NJ 08043

Application Received April 5, 2022

Description Full scale pilot study utilizing
PACL and a polymer.

Application No. 2222511 MA, Minor Amendment,
Public Water Supply.

Applicant **SUEZ Water PA**
6310 Allentown Boulevard
Harrisburg, PA 17112

Municipality Lower Swatara Township

County **Dauphin**

Responsible Official John D. Hollenbach
General Manager
6310 Allentown Boulevard
Suite 104
Harrisburg, PA 17112

Consulting Engineer Peng Chen, P.E.
SUEZ Water Pennsylvania, Inc.
6310 Allentown Boulevard
Suite 104
Harrisburg, PA 17112

Application Received April 22, 2022

Description Repainting of the Airport
Storage Tank.

Application No. 0622501, Public Water Supply.

Applicant **Blue Marsh Properties, LLC**
5027 Bernville Road
Bernville, PA 19506

Municipality Penn Township

County **Berks**

Responsible Official Gioacchino Bileci
Owner
5027 Bernville Road
Bernville, PA 19506

Consulting Engineer Dan Hopkins, P.E.
Entech Engineering
201 Penn Street
Reading, PA 19603

Application Received January 26, 2022

Description Installation of new UV
disinfection unit for 4-log virus
inactivation.

Application No. 2822510, Public Water Supply.

Applicant **Heritage Hills
Retirement Community**
2256 Shanks Church Road
Greencastle, PA 17225

Municipality Antrim Township

County **Franklin**

Responsible Official Becky Hissong
Owner
2256 Shanks Church Road
Greencastle, PA 17225

Consulting Engineer Lance S. Kegerreis, P.E.
Dennis E. Black
Engineering Inc.
2400 Philadelphia Avenue
Chambersburg, PA 17201

Application Received March 16, 2022

Description New well (Well No. 3) and
improvements to the existing
water system which include a
new greensand filtration, water
softener, cartridge filters, sodium
hypochlorite disinfection,
pressure tanks, storage tanks,
booster pumps, and distribution
expansion.

*Southwest Region: Safe Drinking Water Program,
400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

Application No. 0222514, Public Water Supply.

Applicant **Hampton Shaler
Water Authority**

Municipality Shaler Township

County **Allegheny**

Responsible Official April Winklmann
Executive Director

Type of Facility Water system

Consulting Engineer Herbert, Rowland & Grubic, Inc.
200 West Kensing Drive
Suite 400
Cranberry Township, PA 16066

Application Received April 8, 2022

Description of Action Installation of booster station
and interior tank rehabilitation.

*Northwest Region: Safe Drinking Water Program,
230 Chestnut Street, Meadville, PA 16335-3481.*

Application No. 2022503, Public Water Supply.

Applicant **Elderberry Properties, LLC**

Address 11714 Oakridge Road
Conneaut Lake, PA 16316

Municipality Vernon Township

County **Crawford**

Responsible Official Vicki Berry
11714 Oakridge Road
Conneaut Lake, PA 16316

Consulting Engineer Steven R. Halmi, P.E.
Deiss & Halmi Engineering, Inc.
105 Meadville Street
Edinboro, PA 16412

Application Received Date	April 29, 2022
Description	A new 4-log treatment contact segment to replace existing contact tanks, an 86-gallon bladder tank, 16 gpm flow from Well No. 2, and disconnection of existing unused Well No. 3.

WATER ALLOCATIONS

Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

WA 33-1000A, Water Allocations, Sykesville Borough, 21 East Main Street, Sykesville, PA 15865, Borough of Sykesville, **Jefferson County**. Water Allocation Permit application requesting the right to purchase 300,000 gallons per day from the City of DuBois.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as

a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Marbaker Well Pad, 830 Retta Road, Montrose, PA 18801, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. Soil was contaminated by release of production fluid (brine). Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on April 27, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Gift Oil—Tanker Spill, 6867 Boyertown Pike and 1827 Old Swede Road, Douglassville, PA 19518, Amity Township, **Berks County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of William Gift Oil Company, 2314 Farmington Avenue, Boyertown, PA 19512, Chuck's Auto Salvage, 6867 Boyertown Pike, Douglassville, PA 19518, and Mr. Mike Yarnall, owner of residence and farm, 1827 Old Swede Road, Douglassville, PA 19518 submitted a Notice of Intent to Remediate site soil and groundwater contaminated with diesel fuel. The site will be remediated to the Statewide health standard. Future use of the site is for both residential and nonresidential purposes. The Notice of Intent to Remediate was published in *The Reading Eagle* on February 19, 2022.

Olde Liberty Square Plaza, 4807 Jonestown Road, Harrisburg, PA 17109, Lower Paxton Township, **Dauphin County**. ARM Group LLC, 1129 West Governor Road, Hershey, PA 17033, on behalf of Room One Corporation, P.O. Box 4456, Harrisburg, PA 17111-0456, and Empire Liberty Square, LLC, 134 Route 59, Suite 201, Suffern, NY 10901, submitted a Notice of Intent to Remediate site soil and groundwater contaminated with lead and/or unleaded gasoline components. The site will be remedi-

ated to the Statewide health and site-specific standards. Future use of the site is for nonresidential purposes. The Notice of Intent to Remediate was published in *The Patriot News* on March 1, 2022.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

General Scrap, Inc. Project, Interstate 80 at MM219W, Danville, PA 17821, Liberty Township, **Montour County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of General Scrap, Inc., 108 Garden Drive, Hunlock Creek, PA 18621, has submitted a Notice of Intent to Remediate concerning site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the nonresidential Statewide health standard. A summary of the Notice of Intent to Remediate was published in *The Daily Item* on April 5, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Summerset at Frick Park, Primary Facility ID # 624451, 4664 Browns Hill Road, Pittsburgh, PA 15217, Pittsburgh City, **Allegheny County**. Civil & Environmental Consultants, Inc., 700 Cherrington Parkway, Moon Township, PA 15108, on behalf of Urban Redevelopment Authority of Pittsburgh, 412 Boulevard of the Allies, Suite 901, Pittsburgh, PA 15219, has submitted a Notice of Intent to Remediate. The Site has been impacted by historic use as a slag disposal site. The environmental investigations conducted to date identified the presence of metals (e.g., arsenic, iron, manganese, vanadium) in soils or groundwater at concentrations greater than nonresidential Medium-Specific Concentrations (MSCs). The Remediator's intended use of the Site is as a solar panel farm (nonresidential use) and park space (recreational use).

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Applications For Regulated Medical and Chemotherapeutic Waste Transporter License Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) And Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Central Office: Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Orchard Hill Memorial Park, LLC, 1280 North Ave, Plainfield, NJ 07062. License No. **PA-HC 0163**. Effective April 18, 2022.

Environmental Waste Minimization, Inc., 14 Brick Kiln Court, Northampton, PA 18067. License No. **PA-HC 0219**. Effective April 19, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Applications for Hazardous Waste Transporter License Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Transport Hazardous Waste.

Central Office: Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

S & C Transport, Inc., P.O. Box 2459, Belleville, MI 48112. License No. **PA-AH 0446**. Effective April 28, 2022.

Coal City Cob Company, Inc., 4300 North I-35 East, Waxahachie, TX 75165. License No. **PA-AH 0589**. Effective April 12, 2022.

Action Resources, LLC, 204 20th St. North, Birmingham, AL 35203. License No. **PA-AH 0650**. Effective April 13, 2022.

EAP Industries, Inc., P.O. Box 275, Atlasburg, PA 15004. License No. **PA-AH 0660**. Effective April 6, 2022.

Earth Technology II, LLC, 85 Laura Street, New Haven, CT 06512. License No. **PA-AH 0691**. Effective April 12, 2022.

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. **PA-AH 0742**. Effective April 6, 2022.

Waste Management of West Virginia, Inc., 1488 Dawson Drive, Bridgeport, WV 26330. License No. **PA-AH 0795**. Effective April 19, 2022.

IWT Transport, Inc., 5 Fir Court, Oakland, NJ 07346. License No. **PA-AH 0798**. Effective April 28, 2022.

Grid Logistics LLC, 78 John Miller Way, Kearny, NJ 07032. License No. **PA-AH 0843**. Effective April 6, 2022.

Florida Transformer, LLC, dba Emerald Transformer, 7850 Collin McKinney Parkway, McKinney, TX 75070. License No. **PA-AH 0868**. Effective April 12, 2022.

AWT Environmental Services, Inc., P.O. Box 128, Sayreville, NJ 08871. License No. **PA-AH 0871**. Effective April 12, 2022.

Broadview Waste Solutions, Inc., 7609 Energy Parkway, Baltimore, MD 21226. License No. **PA-AH 0900**. Effective April 19, 2022.

Aqua-Tex Transport, Inc., P.O. Box 1204, Hamonton, NJ 08037. License No. **PA-AH S179**. Effective April 28, 2022

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

General Permit Application No. WMGM015NC001. Clinton County Solid Waste Authority—Wayne Township Landfill, 264 Landfill Lane, P.O. Box 209, McElhattan, PA 17748, Wayne Township, **Clinton County**. Renewal municipal waste general permit application for the Wayne Township Landfill wood processing and mulching facility. The application was received on March 21, 2022.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701

or by telephone at 570-327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Application(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

General Permit Application No. WMGR096SE013. NorthPoint Falls Township Industrial, LLC, 4805 Montgomery Road, Suite 310, Cincinnati, OH 45212-2198. This application is an expansion to the current general permit WMGR096SE013 to cover the Redevelopment at U.S. Steel, KIPC—Phase 2 that requires the approval for determination of applicability (DOA) under General Permit No. WMGR096 for the beneficial use of regulated fill material, as defined in Department of Environmental Protection, Document No. 258-2182-2773 (Management of Fill), as construction material at the NorthPoint-Redevelopment at U.S. Steel KIPC—Phase 2 Demolition Site, located in Falls Township, **Bucks County**. The application for determination of applicability was accepted as administratively complete on April 21, 2022.

Comments or questions concerning the application should be directed to the Southeast Regional Office, Waste Management Program Manager, 2 East Main Street, Norristown, PA 19401-4915 or by telephone at 484.250.5960. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**OPERATE WASTE PROCESSING OR
DISPOSAL AREA OR SITE**

Application(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Regional Solid Waste Manager, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Permit Application No. 100020. Bethlehem Landfill Company, 2335 Applebutter Road, Bethlehem, PA 18015, Lower Saucon Township, **Northampton County**. An application for permit renewal for the continued operation of a municipal waste landfill. The application was received on April 25, 2022 and deemed administratively complete on April 28, 2022.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Pro-

gram Manager, Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA 18701-1915 or by telephone at 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

Permit Application No. 101559. Lancaster Landfill, LLC, 2487 Cloverleaf Road, Elizabethtown, PA 17022, Mount Joy Township, **Lancaster County**. This permit application is requesting approval for disposal of residual waste and its use as Alternate Daily Cover. The applicant later withdrew the proposed use as Alternate Daily Cover portion of the application. The application was determined to be administratively complete on April 29, 2022.

Comments or questions concerning the application should be directed to John Oren, Permits Chief, Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110 or by telephone at 717-705-4706. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

Permit Application No. 100904. Centre County Recycling and Refuse Authority, 253 Transfer Road, Bellefonte, PA 16823, College Township, **Centre County**. Renewal application for the operation of the Dale Summit Municipal Waste Transfer Station and Recycling Center. The application was received by the Northcentral Regional Office on March 30, 2022.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701 or by telephone at 570-327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Regional Solid Waste Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit Application No. 100590. Mon Valley Sanitary Landfill. BFI Waste Systems of North America, LLC, 334 Walley Run Road, Leeper, PA 16233, Fallowfield Township, **Washington County**. An application for modification of the closure plan of the closed Mon Valley Landfill located at 30 Fox Stop Road, Charleroi, PA 15022-3626 was received on September 11, 2020.

Comments or questions concerning the application should be directed to William Mura, P.E., Engineering Manager, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000 or by telephone at 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Permit Application No. 301381. Specialized Professional Services, Inc., 300 Commercial Drive, Washington, PA 15301. An application for a permit for a residual waste transfer facility at 300 Commercial Drive, Washington, PA 15301, Canton Township, **Washington County**, was accepted on April 22, 2022.

Comments or questions concerning the application should be directed to William Mura, P.E., Engineering Manager, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Permit Application No. 301387. Penneco Environmental Solutions, LLC, 6608 Rt. 22, Delmont, PA 15626. An application for a new residual waste transfer station permit for the storage and transfer of Oil and Gas wastewaters prior to disposal at approved UIC wells at the Sedat UIC Facility located at 1815 Old Leechburg Road, New Kensington, PA 15068, Plum Borough, **Allegheny County**, was received on April 15, 2022.

Comments or questions concerning the application should be directed to William Mura, P.E., Engineering Manager, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an “integrated” plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department’s analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department’s Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed

Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

23-0003AF: Monroe Energy, LLC, 4104 Post Road, Trainer, PA 19061, Trainer Borough, **Delaware County**, submitted a plan approval application to replace the reactor of the existing Fluid Catalytic Cracking Unit. Monroe Energy is an existing major source of all criteria and hazardous air pollutants. The proposed replacement of the reactor is a minor source modification. The company will comply with all required monitoring, record-keeping, reporting, testing and work practice requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQUBCOM@pa.gov.

46-0005BB: Merck, Sharp & Dohme, Corp., 770 Sunnyside Pike, West Point, PA 19486-0004, for the following at an existing permitted Title V facility in

Upper Gwynedd Township, **Montgomery County**: (1) Construction a new dual fuel-fired boiler, to be designated Boiler 11, rated at 190.0 MMBtu/hr for natural gas and 182.77 MMBtu/hr for No. 2 fuel oil; (2) Decommissioning of Boiler 3 (Source ID 033); (3) Construction of a 175-kW natural gas-fired emergency generator; and, (4) Construction of a new 2-MW natural gas-fired peak shaving generator. Boiler 11 will be installed in the "Power House". Emissions of NO_x from Boiler 11 will be reduced by Low NO_x Burner, Flue Gas Recirculation (FGR) with oxygen trim system, and Selective Catalytic Reduction (SCR). Boiler 11 will be subject to 40 CFR Part 60 (Subpart Db) and 40 CFR Part 63 (Subpart JJJJJ). Applicable requirements have been incorporated into the Plan Approval. The 175-kW natural gas-fired emergency generator will be installed in a new building designated "Building 32." The 2-MW natural gas-fired peak shaving generator will be installed at "Building 78." Both units will be subject to 40 CFR Part 60, Subpart JJJJ. Applicable requirements have been incorporated into the Plan Approval. Potential emissions from this Plan Approval are as follows: NO_x—12.51 TPY; CO—41.96 TPY; VOC—5.85 TPY; SO_x—0.983 TPY; PM—9.68 TPY; and HAP—1.964 TPY. All sources will be operated in accordance with manufacturer's specifications and good air pollution control practices. This project does not trigger applicability toward NSR or PSD regulations. The plan approval will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief, (412) 442-4168.

11-00542: Military Resource Enhancement Specialist, Inc., 3179 Lincoln Highway, Stoystown, PA 15563. In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-11-00542) to Military Resource Enhancement Specialist, Inc. ("MRES") to authorize the construction and operation of a slag processing and handling facility located at Latitude: 40° 21' 26" and Longitude: -78° 51' 26" on 1319 Main Street, Johnstown, in Conemaugh Township, **Cambria County**. The MRES Slag Operation possesses a valid Mining Permit No. 11110301; License No. 25828. Scrap recovered at site will be shipped to metal processing plants.

The plant equipment will be run by diesel engines. The emissions from the processing plant will be controlled by water sprays located at appropriate locations prior to and after crushers and screens. A water truck equipped with pressurized spray bar and cannon shall be used to spray water on haul roads. The steel slag throughput shall not 500,000 tons on a 12-month rolling period. The potential emissions from the facility after all controls are: PM₃₀ = 11.0 tpy; PM₁₀ = 5.0 tpy; and HAPs = 0.2 tpy.

This authorization is subject to the best available technology (BAT) and the State regulations including 25 Pa. Code Chapters 123 and 127. Plan approval conditions include material throughput limits, operational re-

strictions, monitoring requirements, work practice standards, associated recordkeeping, reporting requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to submit a State Only Operating Permit (SOOP) application in accordance with 25 Pa. Code Subchapter F. Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at jparihar@pa.gov or 412.442.4030.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to jparihar@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-11-00542) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00001: JBS Souderton Inc., 741 Souder Road, Souderton, PA 18964, Franconia Township, **Montgomery County**. This action is a renewal of the Title V Operating Permit. The facility is a meat-packing and rendering plant, which emits major levels of Nitrogen Oxides (NO_x) from the boilers on site. The renewal contains all applicable requirements including monitoring, recordkeeping and reporting. The sources at this facility are not subject to Compliance Assurance Monitoring (CAM) pursuant to 40 CFR Part 64 because the existing control devices are not used to reduce emissions for which the facility is major (NO_x). The requirements of 40 CFR Part 63 Subpart JJJJJJ apply to the York Shipley Boiler (Source ID 031), and the Keeler Boilers (Source ID 033 and 034).

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

67-05016: RH Sheppard Co. Inc., 101 Philadelphia Street, Hanover, PA 17331, to issue a Title V Operating Permit renewal for the gray and ductile iron foundry, and motor vehicle parts and accessories manufacturing facility located in Hanover Borough, **York County**. The actual emissions from the facility in 2020 year are estimated at 61.00 tons of CO, 11.48 tons of VOC, 7.50 tons each of PM₁₀/PM_{2.5}, 4.85 tons of NO_x, 2.64 tons of HAP, and 1.63 tons of SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from § 129.52—Surface Coating Processes, § 129.52d—Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings, § 129.63—Degreasing Operations, § 129.63a—Control of VOC Emissions From Industrial Cleaning Solvents, § 129.77—Control of emissions from the use or application of adhesives, sealants, primers and solvents, § 129.91—Control of major sources of NO_x and VOCs, 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Part 63, Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Iron and Steel Foundries Area Sources, 40 CFR Part 64—Compliance Assurance Monitoring for major stationary sources, and 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00004: Oliver Healthcare Packaging, 905 Pennsylvania Boulevard, Feasterville, PA 19053. The renewal State Only Operating Permit will be issued to the Oliver Healthcare Packaging facility located in Lower Southampton Township, **Bucks County**, in accordance with the Air Pollution Control Act and 25 Pa. Code Chapter 127, Subchapter F. The facility consists of rotogravure, flexographic and letter printing presses. Auxiliary operations include cold solvent degreasers, diesel and natural gas-fired internal combustion engines, solvent baths and small combustion units. The facility is a synthetic minor source of volatile organic compound (VOC) emissions. The facility will have an emission restriction of 24.9 tons of VOC on a 12-month rolling basis. The operating permit contains work practice standards, monitoring and recordkeeping requirements designed to keep the facility operating within all applicable

air quality requirements. A 30-day comment period, from the date of publication of this notice, will exist for the submission of comments.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00303: PA Department of Corrections/Phoenix SCI, 1200 Mokyche Drive, Collegeville, PA 19426, located in Skippack Township, **Montgomery County**. This action is a new Synthetic Minor Operating Permit. The facility currently has three (3) 2,923 BHP, diesel-fired emergency generators (Source ID 102) and one (1) 237 BHP, diesel-fired fire pump (Source ID 103) that are permitted under GP9-46-0108. All requirements of GP9-46-0108 will be incorporated in the new operating permit. The facility also has various miscellaneous sources consuming natural gas, including two boilers with rated heat input of 0.75 MMBtu/hr. boiler and 6.25 MMBtu/hr. The facility has elected to limit facility wide NO_x emission to below 25 tons per year, thereby operating as a Synectic Minor for a criteria pollutant. The facility is an area source of Hazardous Air Pollutant (HAP) emissions. In addition to applicable State requirements the facility is subject to the 40 CFR Part 60 Subpart IIII and 40 CFR Part 63 Subpart ZZZZ. The operating permit will include emissions limits, monitoring, recordkeeping, reporting and work practice standards requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

23-00048: WestRock, CP, LLC, 100 McDonald Blvd, Aston, PA 19014, located in Chester Township, **Delaware County**. This action is the renewal of a facility-wide Operating Permit. The facility's emission points include two large boilers, an emergency generator, an emergency fire pump, a corrugator, a cyclone, two rotary die cutters with flexo, and three Evol flexo folder gluers. The facility is a Synthetic Minor for NO_x emissions. There is one new source at the facility. One of the flexo folder gluers replaced a rotary die cutter. The requirements of 40 CFR 63, Subpart ZZZZ apply to the one emergency generator (Source ID 104) and one emergency fire pump (Source ID 105), in accordance with 40 CFR 63.6590(a)(1)(iii). The facility complies with the recordkeeping requirement (40 CFR 63.829(d)) of 40 CFR Part 63 Subpart KK—National Emission Standards for Hazardous Air Pollutants in the Printing and Publishing Industry because the facility elects to remain an area source for HAP emissions, pursuant to 40 CFR 63.820(a)(3). The permit is for a non-Title V (State Only) facility. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

35-00029: Regional Hospital of Scranton, 746 Jefferson Ave., Scranton, PA 18510. The Department intends to issue a renewal Operating Permit for their facility located in Scranton City, **Lackawanna County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00032: Precision Roll Grinders/Allentown Plant, 6536 Chapmans Rd., Allentown, PA 18106. The Department intends to issue a renewal Operating Permit for their facility located in Upper Macungie Township, **Lehigh County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00003: General Dynamics OTS/Scranton, 156 Cedar Ave., Scranton, PA 18505. The Department intends to issue a renewal Operating Permit for their facility located in Scranton City, **Lackawanna County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00084: L&M Fabrication & Machine Inc./East Allen, 6814 Chrisphalt Drive, P.O. Box 124, Bath, PA 18014. The Department intends to issue a renewal Operating Permit for their facility located in East Allen Township, **Northampton County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00003: The Hershey Company/Hazleton Plant, 6 Scotch Pine Drive, Hazle Township, PA 18202. The Department intends to issue a renewal Operating Permit for their facility located in Hazle Township, **Luzerne County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-05023: Bimbo Bakeries USA, Inc., 640 Park Avenue, Reading, PA 19611, to issue a State Only Operating Permit for their bakery located in Reading City, **Berks County**. The potential emissions from the facility are estimated at 11.9 tpy of NO_x, 9.9 tpy of CO, 5.8 tpy of PM₁₀, 0.4 tpy of SO_x and 19.7 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items,

the conditions include provisions derived from 40 CFR 63 Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

38-05038: Grosfillex, Inc., 230 Old West Penn Avenue, Robeson, PA 19551, to issue a renewal of the State-Only Operating Permit for the spray coating and manufacturing operations in North Lebanon Township, **Lebanon County**. The facility's emissions as reported in 2020 consist of 13.1 tons of VOCs and 1.34 tons of PM₁₀. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52d—Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

67-03078: Snyders-Lance, Inc., 1350 York Street, Hanover, PA 17331, to issue a State Only Operating Permit for the pretzel and chips production facility located in Penn Township, **York County**. The primary emissions are VOC from fermenting, NO_x from natural gas burners, and particulate matter from frying. The PM and filterable VOC emissions will be controlled by mist eliminators. The facility's 2021 actual air emissions are estimated at VOCs 25.24 tons, NO_x 19.22 tons, CO 16.15 tons, PM 1.6 tons, and SO_x 0.12 ton. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

06-05067: Berks County North Campus, 1238 County Welfare Road, Leesport, PA 19533, to issue a State Only Operating Permit for the Berks County North Campus located in Bern Township, **Berks County**. The actual emissions from the facility in 2020 are estimated at 10.1 tons of CO, 12.6 tons of NO_x, 0.7 ton of PM₁₀ and 0.7 ton of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart Dc.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, (412) 442-4336.

65-00627: Seton Hill University, 1 Seton Hill Drive, Greensburg, PA 15601. In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it intends to issue a renewal natural minor State Only Operating Permit (SOOP) for the operation of Seton Hill University in Greensburg, **Westmoreland County**.

Equipment at this facility includes a CNB Tri-Fuel Model # T-600P boiler rated at 25.1 MMBtu/hr which fires on natural gas with No. 2 fuel oil as backup (the unit no longer has the capability to burn coal), two (2) Burnham boilers rated at 12.6 MMBtu/hr which fire on natural gas with No. 2 fuel oil as backup, a Lattner boiler rated at 1.17 MMBtu/hr which fires on natural gas, an Onan Model # 200DFBD diesel-fired emergency generator engine, Miscellaneous Natural Gas Usage which includes a number of small gas-fired furnaces, hot water heaters, and emergency engines each rated between 40,000 btu/hr

and 2.75 MMBtu/hr, and Miscellaneous Diesel Fired Equipment which includes a number of small diesel-fired emergency engines. Potential emissions from this facility are estimated to be 29.74 tons per year (tpy) NO_x, 13.03 tpy CO, 1.84 tpy PM₁₀, 0.23 tpy SO₂, 0.87 tpy VOC, and 30,547 tpy CO_{2e}.

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The proposed operating permit includes emissions limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 65-00627) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00370: MarkWest Liberty Bluestone, Trillith Compressor Station, 4600 J Barry Court, Suite 500, Canonsburg, PA 15317. The Department is providing notice that they intend to issue a new State Only Natural Minor Operating Permit for the compressor station and dehydration facility located in Lancaster Township, **Butler County**. The facility's primary emission sources include three (3) 2,370-bhp lean-burn natural gas-fired compressor engines, one (1) 3,550-bhp lean-burn natural gas compressor engine, and one (1) 2,675-bhp lean-burn natural gas compressor engine, each equipped with an oxidation catalyst, a 120 mmscf/day glycol dehydration unit (controlled by a 7.0 mmBtu/hr enclosed flare) and its associated 2.00 mmBtu/hr reboiler, condensate and produced water tanks controlled by two (2) vapor recovery units, pigging operations, pneumatic devices, venting/blowdowns, and fugitive VOC emissions. The potential emissions of the primary pollutants from the facility are as follows: 55.68 TPY (tons per year) NO_x, 32.33 TPY CO, 48.10 TPY VOC, 11.25 TPY total HAPs, 6.48 TPY formal-

dehyde, 4.46 TPY PM₁₀ and PM_{2.5}, and 0.26 TPY SO_x; thus, the facility is a natural minor. The facility was originally permitted under General Permit GP5-10-00367F, which includes emission restrictions on the engines for NO_x, NMNEHC, CO, and formaldehyde. All five compressor engines are subject to 40 CFR 63 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The dehydrator is subject to 40 CFR 63 Subpart HH, NESHAP From Oil and Natural Gas Production Facilities. Four of the compressors (including the rod packing) are subject to 40 CFR 60 Subpart OOOO, Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011, and on or before September 18, 2015. One compressor and the collection of fugitive emission components are subject to 40 CFR 60 Subpart OOOOa, Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

37-00268: Commercial Asphalt & Supply/Slippery Rock, P.O. Box 672, Valencia, PA 16059-0672. The Department is providing notice that they intend to renew a State Only Natural Minor Operating Permit for operation of the hot mix asphalt (HMA) facility located in Scott Township, **Lawrence County**. The facility's primary emission sources include the counterflow drum HMA process controlled by a knockout box and baghouse, the hot oil heater (5.0 mmBtu/hr total), a 605 HP emergency generator engine, and a portable crusher driven by a 250 HP engine. The potential emissions of the primary pollutants from the facility are as follows: 16.34 TPY (tons per year) NO_x, 50.17 TPY CO, 12.54 TPY VOC, 2.53 TPY total HAP, 25.23 TPY PM₁₀ and PM_{2.5}, and 1.71 TPY SO_x; thus, the facility is a natural minor. The HMA process is subject to 40 CFR 60 Subpart I, Standards of Performance for Hot Mix Asphalt Facilities, as well as plan approval limits on throughput for the plant to 750,000 tons per year produced during any 12 consecutive month period as well as emission restrictions on the primary pollutants. The portable crusher plant is subject to 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. The engines are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and

Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objec-

tions; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Mining Permit No. 32841312. NPDES No. PA0037087. Indiana Investments, Inc. c/o Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, a corrected repost to revise the permit and related NPDES Permit to add Urling No. 2 Mine (CMAP No. 32841313) to Urling Nos. 1 & 3 Mines, to be known as Urling Nos. 1, 2, & 3 Mines in Armstrong Township, **Indiana County**, affecting the proposed deletion of 5.2 surface acres and addition of 309.0 proposed underground acres. Application received: January 24, 2022.

Mining Permit No. 32061303. NPDES No. PA0235725. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to revise the permit and related NPDES Permit for installation of a degas borehole and a rock dust borehole into the Brookville Mine workings in Pine and Cherryhill Townships, **Indiana County**, affecting 6.4 proposed surface acres. Application received: March 1, 2022.

Mining Permit No. 03851601. NPDES No. PA0214540. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, to renew the permit and related NPDES Permit in Plumcreek Township, **Armstrong County**. Application received: February 1, 2022.

Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for installation of degas boreholes in Morris, Washington and Richhill Townships, **Greene County**, affecting 26.5 proposed surface acres. Application received: February 24, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov (Contact: Cayleigh Boniger).

Mining Permit No. 24090102. Tamburlin Brothers Coal Company, Inc., P.O. Box 128, Clearfield, PA 16830, Renewal of an existing bituminous surface mine in Fox Township, **Elk County**, affecting 131.0 acres. This renewal is issued for reclamation only. Receiving streams: Unnamed tributaries to Toby Creek, Limestone Run, unnamed tributaries to Sawmill Run, classified for the following uses: CWF. Application received: February 24, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).

Mining Permit No. 17070114. NPDES Permit No. PA0256480. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, transfer of an existing surface coal mining permit located in Girard Township, **Clearfield County**, affecting 54.5 acres. Transfer of permit from RES Coal LLC. The transfer application includes a proposed wetland encroachment to allow for direct impacts to 0.13 acre of emergent wetlands. That is in addition to the 0.20 acre of

wetlands that were already approved to be affected on this permit. The wetlands are proposed to be replaced on site. Receiving stream(s): Bald Hill Run and UNT to Bald Hill Run to West Branch Susquehanna River classified for the following use(s): WWF, CWF. Application received: April 21, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. 40100201. Susquehanna Haul & Drilling, LLC, 249 Harland Street, Exeter, PA 18643, renewal for reclamation activities only of an anthracite coal refuse reprocessing operation in Salem Township and Shickshinny Borough, **Luzerne County**, affecting 25.0 acres. Receiving stream: Paddy Run, classified for the following uses: CWF, MF. Application received: April 14, 2022.

Mining Permit No. 54970204. Jeddo-Highland Coal Company, 144 Brown Street, Yatesville, PA 18640, renewal of an anthracite coal refuse reprocessing operation in Frailey and Reilly Townships, **Schuylkill County**, affecting 280.0 acres. Receiving stream: Coal Run, classified for the following uses: CWF, MF. Application received: April 20, 2022.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).

Mining Permit No. 4975SM5. NPDES No. PA0612430, Glen-Gery Corp., 1166 Spring Street, Wyomissing, PA 19610, renewal of NPDES permit, Oxford Township, **Adams County**. Receiving stream: unnamed tributary to South Branch Conewago Creek classified for the following use: WWF. Application received: April 27, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov (Contact: Cayleigh Boniger).

Mining Permit No. 37200304. NPDES No. PA0280798. Amerikohl Aggregates, Inc., 202 Sunset Drive, Butler, PA 16001, for commencement, operation and restoration of a large noncoal surface mine located in Wayne Township, **Lawrence County**, affecting 100.0 acres. Receiving streams: Duck Run, Squaw Run, classified for the following uses: WWF. Application received: April 19, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. 48870301. NPDES No. PA0593893. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, renewal of an NPDES permit on a quarry operation in Lower Mount Bethel Township, **Northampton County**, affecting 252.75 acres. Receiving stream: Mud Run to Delaware River, classified for the following uses: CWF and WWF. Application received: April 11, 2022.

Mining Permit No. 7773SM1. NPDES No. PA0595322. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, renewal of an NPDES permit on a quarry operation in Douglass Township, **Berks County**, affecting 177.37 acres. Receiving stream: unnamed tributary to Schuylkill River, classified for the following use: WWF. Application received: April 11, 2022.

Mining Permit No. 52060301. NPDES No. PA0224511. Springbrook Enterprises, Inc., 504 Well Road, Lords Valley, PA 18428, correction to a quarry operation and NPDES permit to increase the permitted acres from 29.6 to 35.5 acres in Blooming Grove Township, **Pike County**. Receiving stream: Billings Creek, classified for the following use: HQ-CWF. Application received: April 22, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Additional criteria

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan, and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Submittal of comments

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit notice within 30-days of this notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and phone number of the writer and a concise statement to inform the Department of the basis of a comment and the relevant facts upon which it is based.

Requests or petitions for a public hearing on any NPDES permit applications will be accepted as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, phone number and the interest of the party filing the request and state the reasons why a hearing is warranted. The Department may hold a public hearing if the public interest is significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

NPDES No. PA0001317. Mining Permit No. 11841301. Pristine Resources Land, LLC, P.O. Box 36, 129 Bethlehem Road, Revloc, PA 15948, a revision to the NPDES permit in Cambria, Allegheny, and Munster Townships, **Cambria County**, affecting 82.8 surface acres and 20,282.0 underground acres related to a coal mining activity permit. Receiving streams: Little Conemaugh River, classified for the following use: WWF. Kiskiminetas-Conemaugh River Watershed TMDL. Application received: February 2, 2021.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for *Outfall 009* discharging to Little Conemaugh River are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report
Bromide	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).

NPDES No. PA0269778. Mining Permit No. 17160104. RES Coal LLC, 51 Airport Road, Clearfield, PA 16830, revision of an NPDES permit for discharge of water resulting from coal surface mining in Decatur Township, **Clearfield County**, affecting 90.6 acres. Receiving stream(s): Unnamed tributaries to Shimel Run to Shimel Run to Moshannon Creek, classified for the following use(s): CWF, MF. These receiving streams are included in the Moshannon Creek TMDL. Application received: March 28, 2022.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Unnamed Tributaries to Shimel Run:

The following outfalls require a non-discharge alternative:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Pond 1	No Discharge
002	Existing	Treatment Pond 2	No Discharge

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of infiltration galleries. Instantaneous maximum BAT limits will be applied to the outfall effluent entering the infiltration galleries for the protection of the groundwater.

The following outfalls discharge to Unnamed Tributaries to Shimel Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
004	Existing	Sedimentation Pond A	Precipitation Induced
005	Existing	Sedimentation Pond B	Precipitation Induced
006	Existing	Sedimentation Pond C	Precipitation Induced
007	Existing	Sedimentation Pond D	Precipitation Induced
008	New	Sedimentation Pond E	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 004—008 (Dry Weather)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

<i>Outfalls: 004—008 (≤10-yr/24-hr Precip. Event)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5

<i>Outfalls: 004—008 (≤10-yr/24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

Outfalls: 004—008 (>10-yr/24-hr Precip. Event)
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code Chapter 87.102(a) Group A, whichever is least stringent.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).

NPDES No. PA0612430. Mining Permit No. 4975SM5. Glen-Gery Corporation, P.O. Box 7001, Wyomissing, PA 196106, renewal of an NPDES permit in Oxford Township, **Adams County**, affecting 110.3 acres. Receiving stream: Unnamed Tributary to South Branch Conewago Creek, classified for the following use: WWF. Application received: April 27, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to [stream]:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge rate</i>
001	existing	Sediment Pond	Intermittent

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (mg/l)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

NPDES No. PA0591963. Mining Permit No. 3372SM25A. Hanson Aggregates Pennsylvania LLC, 2200 Springfield Pike, Connellsville, PA 15425, NPDES permit renewal at a surface noncoal mine in Bullsken Township, **Fayette County**, affecting 451.8 acres. Receiving stream(s): UNTs to Breakneck Run and Breakneck Run, classified for the following use(s): WWF. The first downstream potable water supply intake from the point of discharge is Municipal Authority of Westmoreland County—McKeesport (PWS 5020025) on the Youghiogheny River. The Department has made a tentative determination to impose effluent limitations, within the ranges specified. Application received: March 13, 2020.

The following stormwater outfalls discharge to UNTs to Breakneck Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
001	N	Stormwater Outfall
002	N	Stormwater Outfall
003	N	Stormwater Outfall
004	N	Stormwater Outfall
005	N	Stormwater Outfall
006	N	Stormwater Outfall
010	N	Stormwater Outfall
012	N	Stormwater Outfall

The proposed effluent limits for the previously listed outfalls are as follows:

<i>(Dry Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	3.0	6.0	7.0
Total Manganese (mg/L)	2.0	4.0	5.0
Total Aluminum (mg/L)	2.0	4.0	5.0
Total Suspended Solids (mg/L)	35	70	90
Specific Conductance (umhos/cm)		Monitor and Report	
Sulfate (mg/L)		Monitor and Report	

<i>(<10-yr /24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	-	-	7.0
Total Manganese (mg/L)	-	-	5.0
Total Aluminum (mg/L)	-	-	5.0
Total Settleable Solids (ml/L)	-	-	0.5

Specific Conductance (umhos/cm) Monitor and Report
Sulfate (mg/L) Monitor and Report

Alkalinity must be greater than acidity at all times.
pH must be between 6.0 and 9.0 S.U. at all times.

The following stormwater outfalls discharge to Breakneck Run:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
007	N	Stormwater Outfall
008	N	Stormwater Outfall
009	N	Stormwater Outfall

The proposed effluent limits for Outfall 007 for all weather conditions are as follows:

<i>(All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	3.0	6.0	7.0
Total Manganese (mg/L)	2.0	4.0	5.0
Total Aluminum (mg/L)	1.25	2.50	3.13
Total Suspended Solids (mg/L)	35	70	90

Specific Conductance (umhos/cm) Monitor and Report
Sulfate (mg/L) Monitor and Report

Alkalinity must be greater than acidity at all times.
pH must be between 6.0 and 9.0 at all times.

The proposed effluent limits for Outfall 008 for all weather conditions are as follows:

<i>(All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	3.0	6.0	7.0
Total Manganese (mg/L)	2.0	4.0	5.0
Total Aluminum (mg/L)	1.90	3.80	4.75
Total Suspended Solids (mg/L)	35	70	90

Specific Conductance (umhos/cm) Monitor and Report
Sulfate (mg/L) Monitor and Report

Alkalinity must be greater than acidity at all times.
pH must be between 6.0 and 9.0 at all times.

The proposed effluent limits for Outfall 009 for all weather conditions are as follows:

<i>(All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Iron (mg/L)	3.0	6.0	7.0
Total Manganese (mg/L)	2.0	4.0	5.0
Total Aluminum (mg/L)	1.31	2.62	3.28
Total Suspended Solids (mg/L)	35	70	90

Specific Conductance (umhos/cm) Monitor and Report
Sulfate (mg/L) Monitor and Report

Alkalinity must be greater than acidity at all times.
pH must be between 6.0 and 9.0 at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES No. PA0594679. Mining Permit No. 7775SM3. Lehigh Cement Co., LLC, 7660 Imperial Way, Allentown, PA 18195, renewal of an NPDES permit in Richmond and Maxatawny Townships, **Berks County**, affecting 647 acres. Receiving stream: unnamed tributary to Moselem Creek, classified for the following use: HQ-CWF. Application received: December 9, 2021.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfall discharges to unnamed tributary to Moselem Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge rate (MGD)</i>
001	Existing	TFO	0.748

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U)	6.0			9.0
Acidity (mg/L)				Report
Alkalinity (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Turbidity (NTU)		40		
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Dissolved Solids (mg/L)				Report

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401, Telephone: 484.250.5160, E-mail: ra-epww-sero@pa.gov.

EA1501222-002/WL1501222-006, Caln Township, 253 Municipal Drive, Thorndale, PA 19312, Caln Township, Chester County, ACOE Philadelphia District.

Caln Township is proposing to remove an abandoned bridge and its abutments carrying East Fisherville Road over Beaver Creek (CWF-MF) and in its place, stabilize

and restore both banks of Beaver Creek. This activity will result in 450 square feet of temporary watercourse impact due to temporary coffer dam for abutment removal, and 2,225 square feet of permanent floodway impact with 3,210 square feet of permanent floodplain impact due to the removal of bridge approach roadway and fill. Areas with the limit of disturbance will be stabilized and restored.

This project is located at the intersection of East Fisherville and Bondsville Roads in Caln Township, Chester County (USGS PA Wagontown Quadrangle—Latitude: 40.015233 N, Longitude: 75.753509 W).

E2301222-004, PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Radnor Township, Delaware County, ACOE Philadelphia District.

To construct and maintain approximately 900 linear feet (LF) of new two-inch diameter steel gas main via HDD within Willows Park between Darby-Paoli Road and the Willows Park Preserve Building partially along and across Little Darby Creek and its UNT (CWF-MF) associated with the new gas main for the residential community. The project is located within the Rose Garland building resource parcel, as mapped by the State Historic Preservation Office (SHPO).

The site is located within Willows Park between Darby-Paoli Road and the Willows Park Preserve Building (Norristown, PA USGS Quadrangle, Latitude: 40.019690; Longitude: -75.393581) in Radnor Township, Delaware County.

Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

F4904222-001: Northumberland County Commissioners on behalf of William Derk, 399 Stadium Drive, Sunbury, PA 17801. Floodplain encroachment raising of one (1) structure in Point Township, **Northumberland County**. U.S. Army Corps of Engineers Baltimore District. Northumberland County Commissioners on behalf of William Derk are seeking authorization to raise one dwelling onto cribbing, remove existing foundation and disposing of, construct concrete footer, jack up dwelling/porches so first floor elevation is 2' above the base flood elevation, install new foundation walls with flood vents, and reset dwelling onto new foundation.

463 Redman Acres Road, Point Township, PA—Riverside, PA 17868 Quadrangle, (Latitude: 40° 55' 1.01" N; Longitude: 76° 43' 47.57" W).

F1904222-001: Town of Bloomsburg, 301 East Second Street, Bloomsburg, PA 17815. FMA-03-PA-2019-004—Floodplain encroachment raising of two (2) structures in Bloomsburg, **Columbia County**. U.S. Army Corps of Engineers Baltimore District. The Town of Bloomsburg is seeking authorization to raise two dwell-

ings onto cribbing, remove existing foundation and disposing of, construct concrete footer, jack up dwelling/porches so first floor elevation is 4' above the base flood elevation.

334 East Second Street, Bloomsburg, PA—Bloomsburg, PA Quadrangle, (Latitude: 40.99863° N; Longitude: -76.44457° W) 122 East 12th Street, Bloomsburg, PA 17815—Bloomsburg, PA Quadrangle, (Latitude: 40.99407° N; Longitude: -76.44701° W).

E1404222-001: Fisher Eli S, 615 Manor Road, Centre Hall, PA 13828. Fisher Brdg Construction, Gregg Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (Spring Mills, PA Quadrangle; 40.84273° N; 77.60053° W).

The applicant proposes to construct and maintain a new full span private bridge across Sinking Creek (CWF, MF) to provide landowner access. The project proposes .01 acre of permanent indirect watercourse impacts, and .06 acre of permanent direct floodway impacts.

E1404222-0023. Tri-County Rural Electric Cooperative, Inc., 22 North Main Street, Mansfield, PA 16933. Electric service in McHenry Township, **Lycoming County**, ACOE Baltimore District (Muncy, PA Quadrangle; 41.428708 -77.495222).

The applicant proposes to permit and maintain an electric service across Pine Creek to replace a previously existing failed electric service. Construction activities include three new wooden monopoles, a support pole, and two overhead electric lines, resulting in 0.002 acre of stream impact and 0.001 acre of wetland impact. Mitigation achieved through avoidance and minimization of impacts.

E1404122-005. Pennsylvania Department of Transportation, Engineering District 3-0, P.O. Box 218, Montoursville, PA 17754-0218, SR 0220 Section 181, Roadway Safety Improvement Project Shrewsbury Township, **Lycoming County**, Baltimore ACOE (Picture Rocks, PA Quadrangle; N: 41° 18' 32"; W: -76° 40' 18").

PA DOT Engineering District 3-0 proposes a roadway safety improvement project on SR 0220.

The project includes roadway superelevation correction, shoulder widening, rumble strips and guide rail upgrades. The project will require 69 cubic yards of temporary fill and 494 cubic yards of permanent fill in the floodplain of Muncy Creek. PA DOT has certified the fill in the floodplain will not increase flooding or threat to life and property. In addition, the project will include 0.14 acre of temporary and 0.06 acre of permanent wetland impact. The wetland impact will be debited from the Vargo Wetland Mitigation Bank. The project is located within the floodplain of Muncy Creek. The project will not impact the floodway of Muncy Creek. Muncy Creek is classified as an Exceptional Value Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and listed as a Stocked Trout Stream by PA Fish and Boat Commission.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake.

E6305222-004, T&R Properties Inc., 3895 Stoneridge Lane, Dublin, OH 43017, Cecil Township, **Washington County**; Pittsburgh ACOE District.

To construct, operate, and maintain:

1. Fill within 51 linear feet (LF) of R012 an Unnamed Tributary (UNT) to Chartiers Creek (WWF).

2. A 151 LF, 15" diameter, Enclosure of R009 a UNT to Chartiers Creek (WWF). Impact is to 175 LF of stream.

3. A 15" diameter outfall for a stormwater management facility along R009 a UNT to Chartiers Creek. Impact is to 10 LF of stream.

4. An 18" diameter outfall for a stormwater management facility along R015 a UNT to Chartiers Creek (WWF). Impact is to 10 LF of stream.

5. Fill within 29 LF of R004 a UNT to Chartiers Creek (WWF) with a drainage area less than 100 acres.

6. An 18" diameter outfall for a stormwater management facility along R007 a UNT to Chartiers Creek (WWF). Impact is to 10 linear feet of stream.

7. The removal of an existing 41 LF 8' wide 5' high box culvert, and to construct and maintain a replacement, 8-foot wide by 6.5' high by 62 LF box culvert along R022 a UNT to Chartiers Creek (WWF). The installation includes 20 LF of temporary impact.

8. The relocation of 135 LF of R022 a UNT to Chartiers Creek to a newly constructed 110 LF channel.

9. The relocation of 405 LF of another section of R022 a UNT to Chartiers Creek to a newly constructed 385 LF channel.

10. The relocation of 186 LF of another section of R022 a UNT to Chartiers Creek to a newly constructed 160 LF channel.

11. The relocation of 63 LF of R025 a UNT to Chartiers Creek (WWF) to a newly constructed 83 LF channel.

12. The removal of an existing road culvert, and to construct and maintain a replacement road culvert at a different location, which will result in a loss of 8 LF of R025B a UNT to Chartiers Creek (WWF).

13. Fill within 1,418 SF of wetland W001 (PEM/PSS).

14. The relocation of 178 LF of R024 a UNT to Chartiers Creek (WWF) to a newly constructed 129 LF channel.

15. The removal of an existing 62 LF culvert, and to construct and maintain a replacement 79 LF, installed in a new location, along R024 a UNT to Chartiers Creek.

16. The removal of an existing 80 LF culvert, and to construct and maintain a replacement 186 LF enclosure of R019 a UNT to Chartiers Creek (WWF). The impact is to 190 LF of stream.

17. The relocation of 10 LF upstream and 16 LF downstream of the previously referenced enclosure. Impact is to 26 LF of stream channel.

18. Fill within 852 SF of wetland W004.

19. The removal of an existing 65 LF 24" culvert, and to construct and maintain a replacement 96 LF 42" culvert along R023 a UNT to Chartiers Creek (WWF), which will also impact 43 SF of W002.

20. The relocation of 22 LF upstream and 37 LF downstream of the previously referenced culvert replacement. Impact is to 59 LF of stream channel.

For the purpose of constructing a new, mixed-use (commercial and residential) development that includes a hospital, office, warehouse, shopping centers, and road improvements on a 203-acre site.

Cumulatively, the project will permanently impact 1,645 linear feet of intermittent and perennial streams, including the loss of 551 LF of stream channel. Stream impacts will be mitigated through a combination of the

purchase of credits from an approved stream mitigation bank, and the construction of new stream channels in association with the channel relocations. Cumulative, permanent impacts to wetlands will total 2,313 SF (0.053 acre). The resulting loss of wetlands will be mitigated through purchasing credits from an approved mitigation bank.

The project is located near 63 Lewicki Road, Canonsburg, PA 15317 (Canonsburg, PA USGS topographic quadrangle; Latitude: 40° 17' 22"; Longitude: -80° 9' 47"; Sub-basin 20F; ACOE: Pittsburgh District), in Cecil Township, Washington County.

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829222-006: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567, Smithfield Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain the Lambs Farm Bra Pad Project, which consisted of permanent direct impacts to 7,187 square feet of Palustrine Emergent (PEM) Wetlands via the placement of fill (Ulster, PA Quadrangle, Latitude: N 41° 50' 49.12", Longitude W 76° 33' 26.05").

The applicant is proposing off-site mitigation for these impacts.

This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 7,187 square feet (0.165 acre) of permanent direct PEM wetland impacts, all for the purpose of Marcellus well development in Smithfield Township, Bradford County.

E0829222-013: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567, Litchfield Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain the Fausto Bra Pad Project, which consisted of the following impacts:

1. 43,124 square feet of permanent direct impacts to Palustrine Emergent (PEM) Wetlands via the placement of fill (Litchfield, PA Quadrangle, Latitude: N 41° 56' 40.61", Longitude: W 76° 24' 33.92").

2. 3,964 square feet of temporary direct impacts to Palustrine Emergent (PEM) Wetlands for a temporary workspace (Litchfield, PA Quadrangle, Latitude: N 41° 56' 40.23", Longitude: W 76° 24' 34.46").

This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 43,124 square feet (0.990 acre) of permanent direct PEM wetland impacts, and 3,964 square feet (0.091 acre) of temporary direct PEM wetland impacts, all for the purpose of Marcellus well development in Litchfield Township, Bradford County.

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101; Email: RA-EPREGIONAL PERMIT@pa.gov.

E3683222-005. Transcontinental Gas Pipe Line Company, LLC, 2000 Commerce Drive, Park Place Corporate Center Two, Pittsburgh, PA 15275, Drumore Township, **Lancaster County**, U.S. Army Corps of Engineers, Baltimore District.

To place nylon grout-filled bags and nylon grout-filled mattresses within the Susquehanna River (WWF, MF) for the purpose of remediating five (5) segments of pipeline exposures along Transcontinental's existing A South and C pipelines that cross under the Susquehanna River. The project will involve 321 linear feet of permanent impact to the Susquehanna River.

The project is located within the Susquehanna River, south of the Muddy Run Power Reservoir and west of Susquehannock State Park (Holtwood, PA Quadrangle, Latitude: 39.804697°; Longitude: -76.294275°) in Drumore Township, Lancaster County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering & Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

EA02-009CO. Nick Saraniecki, SunCap Property Group, LLC, 6101 Carnegie Boulevard, Suite 180, Charlotte, NC 28209. South Fayette Township, **Allegheny County**, U.S. Army Corps of Engineers Pittsburgh District.

Applicant proposes to breach the non-jurisdictional, off-stream Biehl Dam. The existing pond is spring fed via diversion pipe and is not located on a stream. A permanent bypass pipe will be installed as part of the project to convey the water from the existing spring that currently feeds the pond to a tributary to Chartiers Creek. The project is located adjacent to a tributary to Chartiers Creek (WWF) (Bridgeville, PA Quadrangle, Latitude: 40.3141, Longitude: -80.1222).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), *cert. denied*, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD070020	Chapter 102 Individual NPDES Permit	Issued	Claysburg Kimmel School District 531 Bedford Street Claysburg, PA 16625-7701	Greenfield Township Blair County	SCRO
PAD420001	Chapter 102 Individual NPDES Permit	Issued	National Fuel Gas District Corp 6363 Main Street Williamsville, NY 14221-5855	Lafayette Township McKean County	NWRO
PAD420009	Chapter 102 Individual NPDES Permit	Issued	Columbia Gas of PA Inc. 4000 Energy Drive Bridgeville, PA 15017	Bradford Township McKean County	NWRO

NOTICES

2883

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD500016	Chapter 102 Individual NPDES Permit	Issued	Merrimart Farms LLC 19 Martin Lane Loysville, PA 17047-9146	Southwest Madison Township Perry County	SCRO
PAD640025	Chapter 102 Individual NPDES Permit	Issued	Roamingwood Joint Client P.O. Box 6 Lake Ariel, PA 18436-0006	Salem Township Wayne County	NERO
PA0265942	Industrial Stormwater Individual NPDES Permit	Issued	Schreiber Foods Inc. 208 East Dykeman Road Shippensburg, PA 17257-8700	Shippensburg Borough Cumberland County	SCRO
5683203	Industrial Waste Individual WQM Permit	Issued	Southern Alleghenies Landfill, Inc. 843 Miller Picking Road Davidsville, PA 15928-8917	Conemaugh Township Somerset County	SWRO
0922803	Joint DEP/PFBC Pesticides Permit	Issued	Norton Baiba 108 Barndt Road Sellersville, PA 18960-3004	West Rockhill Township Bucks County	SERO
1513926	Joint DEP/PFBC Pesticides Permit	Issued	Tcholakian-Chalian Talar 1461 Art School Road Chester Springs, PA 19425-1003	West Pikeland Township Chester County	SERO
3922801	Joint DEP/PFBC Pesticides Permit	Issued	Bartakovits Barry 1940 Stonestrow Road Bethlehem, PA 18015-8938	Upper Saucon Township Lehigh County	NERO
3922802	Joint DEP/PFBC Pesticides Permit	Issued	Smith Mike 7200 Suter Road Coopersburg, PA 18036-1249	Upper Saucon Township Lehigh County	NERO
4622806	Joint DEP/PFBC Pesticides Permit	Issued	Satterthwaite David 144 Hopwood Road Collegeville, PA 19426-2844	Upper Providence Township Montgomery County	SERO
4622807	Joint DEP/PFBC Pesticides Permit	Issued	Updegrove Brad 2607 Faust Road Gilbertsville, PA 19525-9745	New Hanover Township Montgomery County	SERO
4622808	Joint DEP/PFBC Pesticides Permit	Issued	Kellogg Jay 878 Bleim Road Pottstown, PA 19464-2006	Lower Pottsgrove Township Montgomery County	SERO
4817801	Joint DEP/PFBC Pesticides Permit	Issued	Hellertown Borough Northampton County 685 Main Street Hellertown, PA 18055	Hellertown Borough Northampton County	NERO
5216803	Joint DEP/PFBC Pesticides Permit	Issued	Lake Paupac HOA 1206 Killington Circle West Chester, PA 19380-3900	Greene Township Pike County	NERO
6522800	Joint DEP/PFBC Pesticides Permit	Issued	Lombardo Louis 1550 Menk Road New Kensington, PA 15068-7217	Upper Burrell Township Westmoreland County	SWRO
1599417	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Kendal Crosslands Communities P.O. Box 100 Kennett Square, PA 19348-0100	Kennett Township Chester County	SERO
PAI130093	MS4 Individual NPDES Permit	Issued	Upper Oxford Township Chester County 1185 Limestone Road Oxford, PA 19363-1056	Upper Oxford Township Chester County	SERO
PA0008303	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	Cleveland Cliffs Steelton, LLC 215 S Front Street Steelton, PA 17113-2538	Steelton Borough Dauphin County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0021172	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976-1209	Doylestown Borough Bucks County	SERO
PA0026484	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Derry Township Municipal Authority Dauphin County 670 Clearwater Road Hershey, PA 17033-2453	Derry Township Dauphin County	SCRO
4818402	Major Sewage Treatment Facility Individual WQM Permit	Issued	Bethlehem City Northampton County 10 East Church Street Bethlehem, PA 18018	Bethlehem City Northampton County	NERO
1503202	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Glenville Farms 880 Pinkerton Road Mount Joy, PA 17552-9241	West Fallowfield Township Chester County	SERO
PA0093866	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Southern Alleghenies Landfill, Inc. 843 Miller Picking Road Davidsville, PA 15928-8917	Conemaugh Township Somerset County	SWRO
PA0208779	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Clearfield Leather, Inc. 120 Cooper Road Curwensville, PA 16833-1542	Curwensville Borough Clearfield County	NCRO
PA0233625	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Warner Tractor & Equip, Inc. 9848 Route 6 Troy, PA 16947-9273	Troy Township Bradford County	NCRO
PA0032913	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Scenic MHP, LLC 24 Bogle Avenue North Arlington, NJ 07031-4726	Pymatuning Township Mercer County	NWRO
PA0040541	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Boyertown Area School District 911 Montgomery Avenue Boyertown, PA 19512-9699	Earl Township Berks County	SCRO
PA0084247	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Nexans Inc. dba, Berk Tek, Inc. 132 White Oak Road New Holland, PA 17557-8303	Earl Township Lancaster County	SCRO
PA0084506	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Starlite Camping Resort 1500 Furnace Hill Road Stevens, PA 17578-9675	Clay Township Lancaster County	SCRO
PA0110442	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	ETS Properties, LLC 2114 14th Avenue Altoona, PA 16601	Bedford Township Bedford County	SCRO

NOTICES

2885

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0110931	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Yoder Daniel & Yoder Diane P.O. Box 333 Manns Choice, PA 15550-0333	Napier Township Bedford County	SCRO
PA0113221	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Bishop Michael I 460 N Front Street Sunbury, PA 17801-1814	Upper Augusta Township Northumberland County	NCRO
PA0247642	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Clay Manor Homeowners Assoc 111 East Manor Drive Lititz, PA 17543	Elizabeth Township Lancaster County	SCRO
PA0024082	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Westmoreland County Municipal Authority P.O. Box 730 Greensburg, PA 15601-0730	Avonmore Borough Westmoreland County	SWRO
PA0043494	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Loysville Village Municipal Authority Perry County P.O. Box 133 Loysville, PA 17047-0133	Tyrone Township Perry County	SCRO
PA0081868	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Fairview Township York County	SCRO
2269203	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Cleveland Cliffs Steelton, LLC 215 S Front Street Steelton, PA 17113-2538	Steelton Borough Dauphin County	SCRO
2276206	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Cleveland Cliffs Steelton, LLC 215 S Front Street Steelton, PA 17113-2538	Steelton Borough Dauphin County	SCRO
2295201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Cleveland Cliffs Steelton, LLC 215 S Front Street Steelton, PA 17113-2538	Steelton Borough Dauphin County	SCRO
0571402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Yoder Daniel & Yoder Diane P.O. Box 333 Manns Choice, PA 15550-0333	Napier Township Bedford County	SCRO
0581401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	ETS Properties, LLC 2114 14th Avenue Altoona, PA 16601	Bedford Township Bedford County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2322403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Village of Vallebrook, HOA P.O. Box 394 Chester Heights, PA 19017-0394	Chester Heights Borough Delaware County	SERO
3885409	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Lebanon Valley MHP, LLC 687 Integrity Drive Lititz, PA 17543-5003	Bethel Township Lebanon County	SCRO
4495402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Union Township Municipal Authority Mifflin County P.O. Box 5625 Belleville, PA 17004-5625	Union Township Mifflin County	SCRO
4986408	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Bishop Michael I 460 N Front Street Sunbury, PA 17801-1814	Upper Augusta Township Northumberland County	NCRO
NOEXNW137	No Exposure Certification	Issued	PHB, Inc. 8150 W Ridge Road Fairview, PA 16415-1805	Fairview Township Erie County	NWRO
NOEXSE075	No Exposure Certification	Issued	Fenzi Agt USA, LLC 498 Acorn Lane Downingtown, PA 19335-3075	Downingtown Borough Chester County	SERO
NOEXSW008	No Exposure Certification	Issued	Valvoline, LLC 491 Railroad Street Rochester, PA 15074-1905	Rochester Borough Beaver County	SWRO
PAR502209	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Blythe Recycling and Demolition Site Holdings Inc. 1786 Salcman Road Waterloo, NY 13165-9444	Blythe Township Schuylkill County	NERO
PAR708305	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Road Riders, LLC 1314 West 18th Street Erie, PA 16502	Erie City Erie County	NWRO
PAG106227	PAG-10 NPDES General Permit for Hydrostatic Test Water	Issued	Texas Eastern Trans LP 890 Winter Street Suite 320 Waltham, MA 02451-1470	Richhill Township Greene County	SWRO
PAG123773	PAG-12 NPDES General Permit for CAFOs	Issued	Burk Lea Farms 3099 Grand Point Road Chambersburg, PA 17202-8185	Greene Township Franklin County	SCRO
PAG124869	PAG-12 NPDES General Permit for CAFOs	Issued	Oak Spring Farms 272 Middle Road Centre Hall, PA 16828-8105	Harris Township Centre County	SCRO
PAG133584	PAG-13 NPDES General Permit for MS4s	Issued	Lancaster Township Lancaster County 1240 Maple Avenue Lancaster, PA 17603-4856	Lancaster Township Lancaster County	SCRO
PA0270750	Pesticides Individual NPDES Permit	Issued	PA DCNR State Parks Bureau P.O. Box 8551 Harrisburg, PA 17105-8551	Statewide Statewide	CO
1808401	Pump Stations Individual WQM Permit	Issued	Woodward Township Municipal Authority 21 Oriole Road Lock Haven, PA 17745-1620	Woodward Township Clinton County	NCRO

NOTICES

2887

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0621404	Sewer Extensions and Pump Stations Individual WQM Permit	Issued	Upper Tulpehocken Township Berks County 6501 Old Route 22 Bernville, PA 19506	Strausstown Borough Berks County	SCRO
PA0221856	Single Residence STP Individual NPDES Permit	Issued	Harrington Scott E 4919 Follett Run Road Warren, PA 16365-8559	Conewango Township Warren County	NWRO
PA0254886	Single Residence STP Individual NPDES Permit	Issued	Barbara & Thomas Mannion 1986 Aleppo Road Wind Ridge, PA 15380-1324	Aleppo Township Greene County	SWRO
PA0264296	Single Residence STP Individual NPDES Permit	Issued	Brezinksi Adam 656 Ekastown Road Sarver, PA 16055-9612	Buffalo Township Butler County	NWRO
PA0264491	Single Residence STP Individual NPDES Permit	Issued	Ricciardi Ralph 2068 Lake Road Sharpsville, PA 16150-3226	Jefferson Township Mercer County	NWRO
PA0272931	Single Residence STP Individual NPDES Permit	Issued	Kashmer Steven 330 Main Street Imperial, PA 15126-1108	Howe Township Forest County	NWRO
PA0289540	Single Residence STP Individual NPDES Permit	Issued	Meeder Sarah 136 Cherry Valley Road Saxonburg, PA 16056-9126	Clinton Township Butler County	NWRO
PA0290009	Single Residence STP Individual NPDES Permit	Issued	McMillen Larry 1175 Lanning Hill Road Sugar Grove, PA 16350-6101	Farmington Township Warren County	NWRO
PA0290319	Single Residence STP Individual NPDES Permit	Issued	Check Whitney 76 Mossy Oak Lane Warren, PA 16365-7451	Pleasant Township Warren County	NWRO
PA0290360	Single Residence STP Individual NPDES Permit	Issued	Sorvelli Daniel 1185 Fox Hill Road Rusell, PA 16345	Pine Grove Township Warren County	NWRO
PA0290678	Single Residence STP Individual NPDES Permit	Issued	Katherine & Matthew Riley 10491 Route 98 Edinboro, PA 16412-9743	Franklin Township Erie County	NWRO
1021410	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Meeder Sarah 136 Cherry Valley Road Saxonburg, PA 16056-9126	Clinton Township Butler County	NWRO
2522403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Katherine & Matthew Riley 10491 Route 98 Edinboro, PA 16412-9743	Franklin Township Erie County	NWRO
6221413	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	McMillen Larry 1175 Lanning Hill Road Sugar Grove, PA 16350-6101	Farmington Township Warren County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6222401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Check Whitney 76 Mossy Oak Lane Warren, PA 16365-7451	Pleasant Township Warren County	NWRO
6222402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Sorvelli Daniel 1185 Fox Hill Road Russell, PA 16345	Pine Grove Township Warren County	NWRO
PA0051454	Small Flow Treatment Facility Individual NPDES Permit	Issued	Alfonse John 7002 Carls Hill Road Zionsville, PA 18092	East Norriton Township Montgomery County	SERO
WQG02672103	WQG-02 WQM General Permit	Issued	West Manheim Township York County 2412 Baltimore Pike Hanover, PA 17331-9612	West Manheim Township York County	SCRO

II. Final Actions on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230220	PAG-02 General Permit	Issued	Haverford College 370 Lancaster Avenue Haverford, PA 19041	Haverford Township Delaware County	Delaware CCD Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484
PAC230116-A1	PAG-02 General Permit	Issued	Darhun Construction 919 8th Avenue Prospect Park, PA 19076	Upper Providence Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484
PAC150299	PAG-02	Issued	Ian Lindvig 45 Bragg Hill Road West Chester, PA 19382	Pocopson Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC150307	PAG-02	Issued	MAZ Construction— Greenhill, LLC P.O. Box 1843 West Chester, PA 19380	Tredyffrin Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC090531	PAG-02 General Permit	Issued	The Dow Chemical Company 200 Route 200 Bristol, PA 19007-3632	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550
PAC540117	PAG-02 General Permit	Issued	Frackville Area Municipal Authority 42 South Center Street Frackville, PA 17931	West Mahanoy Township Schuylkill Township	Schuylkill Conservation District 1206 AG Center Drive Pottsville PA 17901-9733 570-622-3742

NOTICES

2889

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC480072	PAG-02 General Permit	Renewal	Proposed Caliber Collision (JGP Proposed Commercial Development) Joseph Correia Chestnut Avenue Associates V, LP 171 State Rte. 173 Ste. 201 Asbury, NJ 08802	Lower Nazareth Township Northampton County	Northampton County Conservation District 14 Gracedale Ave Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAC070009 A-1	PAG-02 General Permit	Issued	Trustees of the Leamersville Brethren Church 14 Brethren Lane Duncansville, PA 16635	Freedom Township Blair County	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC360639 A-1	PAG-02 General Permit	Issued	PennDOT Multimodal 400 North Street 8th Floor Harrisburg, PA 17105	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360714	PAG-02 General Permit	Issued	Brad Myers & Anna Bustamante 159 Long Lane Lancaster, PA 17603	Pequea Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360595 A-1	PAG-02 General Permit	Issued	KW Cornerstone W-1, LLC 6259 Reynolds Mill Road Seven Valleys, PA 17360	Rapho Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC440015 A-3	PAG-02 General Permit	Issued	AJM Real Estate Holdings, LLC 685 Skywagon Drive Reedsville, PA 17084	Brown Township Mifflin County	Mifflin County Conservation District 20 Windmill Hill Suite 4 Burnham, PA 17009-1837 717.248.4695
PAC670050	PAG-02 General Permit	Issued	Sunrise Holdings, LP 950 Smile Way York PA 17405	York Township York County	York County Conservation District 2401 Pleasant Valley Rd Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670525	PAG-02 General Permit	Issued	DPIF 3 PA 6 Boundary Ave, LLC c/o Dermody Properties 1776 On the Green 67 East Park Place Suite 540 Morristown NJ 07960	Spring Garden Township City of York York County	York County Conservation District 2401 Pleasant Valley Rd Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC410071	PAG-02 GP	Issued	Clinton Township Park 2106 SR 54 Hwy Montgomery, PA 17752	Clinton Township Lycoming County	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754-9209
PAC550059	PAG-02 GP	Issued	Lightsource BP, LLC 400 Montgomery St San Francisco, CA 94104	Penn Township Snyder County	Snyder County Conservation District 10541 Route 522 Middleburg, PA 17842-7840
PAC600082	PAG-02 GP	Issued	Bucknell University (Jeremy Berry-Propst) SE Corner of SR 15 and Moore Lewisburg, PA 17837	E. Buffalo Township Union County	Union CCD 155 N 15th Street Lewisburg, PA 17837-8822
PAD040111	NPDES Individual Permit	Issued	Pennsylvania Department of Conservation and Natural Resources P.O. Box 8551 Harrisburg, PA 17105	Hanover Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC040081A-1	PAG-02 General Permit	Issued	Lew Villoti 250 Insurance Street Beaver, PA 15009	Big Beaver Borough Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC560062	PAG-02 General Permit	Issued	Twin Lakes Center, Inc 224 Twin Lakes Road Somerset. PA 15501	Somerset Township Somerset County	Somerset County Conservation District Somerset County AG Center 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652
PAC630134A-1	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Chartiers Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC630170A-1	PAG-02 General Permit	Issued	Mineral Beach Residential Land Development 10891 Route 993 North Huntingdon, PA 15642	Union Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC650007	PAG-02 General Permit	Issued	Pennsylvania Department of Transportation District 12-0 825 N. Gallatin Avenue Extension Uniontown, PA 15401	South Huntingdon Township Westmoreland County	Westmoreland Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271
PAC650202A-1	PAG-02 General Permit	Issued	Smail Auto Group 5110 Route 30 Greensburg, PA 15601	Hempfield Township Westmoreland County	Westmoreland Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC650309	PAG-02 General Permit	Issued	Murry Corporate Partners, LLC 429 Fourth Avenue Pittsburgh, PA 15219	Municipality of Murrysville Westmoreland County	Westmoreland Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271
PAC240026	PAG-02 General Permit	Issued	Penn Highlands Dubois 100 Hospital Avenue Dubois, PA 15801	Ridgway Borough Elk County	Elk County Conservation District 850 Washington Street St Marys, PA 15857 814-776-5373
PAC100250	PAG-02 General Permit	Issued	Mars Area School District 545 Route 228 Mars, PA 16046	Adams Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100257	PAG-02 General Permit	Issued	Sienna Village 2, LLC 10431 Perry Highway Wexford, PA 15090	Middlesex Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Oscar Manbeck 10 Fort Henry Road Bethel, PA 19507	Berks	767	917.94	Swine	NA	Approved
Edward Horst 251 Bunker Hill Road Womelsdorf, PA 19567	Berks	152.95	353.75	Swine and Dairy	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401.

Permit No. 4621512, Public Water Supply.
 Applicant **Thomas Jefferson University Landsdale Hospital, Inc.**
 111 S. 11th Street
 Philadelphia, PA 19107
 Township Hatfield
 County **Montgomery**
 Type of Facility PWS
 Consulting Engineer Klenzoid, Inc.
 912 Spring Mill Avenue
 Conshohocken, PA 19428
 Permit to Construct Issued April 4, 2022

Permit No. 1521527, Public Water Supply.
 Applicant **Aqua Pennsylvania, Inc.**
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010
 Township Schuylkill
 County **Chester**
 Type of Facility PWS

Consulting Engineer Installation of a chlorine dioxide generator and two (2) 4, 900-gallon 25% sodium storage tank (inside of an existing 12' x 30' building with containment) to serve both Pickering East and Pickering West Water Treatment Plants.
 Permit to Construct Issued March 7, 2022
Permit No. 1522502, Public Water Supply.
 Applicant **Imperial MHP**
 GSP Management Company
 P.O. Box 677
 Morgantown, PA 19543
 Township West Caln
 County **Chester**
 Type of Facility PWS
 Consulting Engineer Amendment for modification to the distribution ph.
 Permit to Construct Issued April 13, 2022

Northeast Region: Safe Drinking Water, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.

Permit No. 4521502MA, Construction Permit, Public Water Supply.
 Applicant **Pennsylvania American Water Company**
 852 Wesley Drive
 Mechanicsburg, PA 17055
 Municipality Middle Smithfield Township
 County **Monroe**
 Type of Facility Public Water Supply
 Consulting Engineer Doug Berg, P.E.
 Entech Engineering, Inc.
 201 Penn Street
 P.O. Box 32
 Reading, PA 19603
 Permit to Construct Issued November 2, 2021
 Description of Action Mid Monroe 300,000-gallon glass fused to steel storage tank

Permit No. 3921511MA, Construction Permit, Public Water Supply.
 Applicant **KidsPeace Corporation**
 4085 Independence Drive
 Schnecksville, PA 18078
 Municipality North Whitehall Township
 County **Lehigh**
 Type of Facility Public Water Supply
 Consulting Engineer Chelsea Pearce, P.E.
 Herbert, Rowland & Grubic, Inc.
 501 Allendale Road
 Suite 203
 King of Prussia, PA 19406
 Permit to Construct Issued March 7, 2022

Description of Action Installation of 4-Log treatment of virus's disinfection system.

Permit No. 3921508, Construction Permit, Public Water Supply.

Applicant **Lehigh Valley Hospital, Inc.**
Lehigh Valley Health Network
Executive Suite
9th Floor
One City Center
707 E. Hamilton Street
Allentown, PA 18101

Municipality Salisbury Township

County **Lehigh**

Type of Facility Public Water Supply

Consulting Engineer Wayne F. Jacobs, P.E.
Jacobs Engineering Associates
1914 Mt. Royal Boulevard
Glenshaw, PA 15116

Permit to Construct Issued November 16, 2021

Description of Action Installation of iChlor[®] monochloramine treatment systems as secondary disinfection of the water system serving the Lehigh Valley Hospital—Cedar Crest facility.

Permit No. 4821503, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
1 Aqua Way
White Haven, PA 18661

Municipality Moore Township

County **Northampton**

Type of Facility Public Water Supply

Consulting Engineer David R. Knapton, P.E.
GHD, Inc.
4068 Mt. Royal Boulevard
Gamma Building
Suite 201
Allison Park, PA 15101

Permit to Construct Issued December 14, 2021

Description of Action Well station filter addition at the Evanwood Water System located at 2493 Evanwood Road in Moore Township.

Permit No. 4821504, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
1 Aqua Way
White Haven, PA 18661

Municipality Moore Township

County **Northampton**

Type of Facility Public Water Supply

Consulting Engineer David R. Knapton, P.E.
GHD, Inc.
4068 Mt. Royal Boulevard
Gamma Building
Suite 201
Allison Park, PA 15101

Permit to Construct Issued December 14, 2021

Description of Action Well station filter addition at the Christian Springs Water System.

Permit No. 4021506, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
1 Aqua Way
White Haven, PA 18661

Municipality Hazle Township

County **Luzerne**

Type of Facility Public Water Supply

Consulting Engineer David R. Knapton, P.E.
GHD, Inc.
4068 Mt. Royal Boulevard
Gamma Building
Suite 201
Allison Park, PA 15101

Permit to Construct Issued January 25, 2022

Description of Action Construction of a new recirculation pump station in the Eagle Rock Resort development located at the intersection of Stony Mountain Drive and Adler/Swope Mountain Lane.

Permit No. 1321506, Construction, Public Water Supply.

Applicant **Exeter Industrial Drive Route 940 Land, LLC**
101 West Elm Street
Suite 600
Conshohocken, PA 19428

Municipality Kidder Township

County **Carbon**

Type of Facility Public Water Supply

Consulting Engineer Christopher P. McDermott, P.E.
Reilly Associates
411 Main Street
Stroudsburg, PA 18360

Permit to Construct Issued April 22, 2022

Description of Action New well and water treatment system to serve a proposed 921,250 SF warehouse building located on Blue Ridge Real Estate Lot # 1 on the south side of SR 0940.

Permit No. 2400082, Operation Permit, Public Water Supply.

Applicant **SUEZ Water Pennsylvania, Inc.**
6310 Allentown Road
Harrisburg, PA 17112

Municipality Dallas Township

County **Luzerne**

Type of Facility Public Water Supply

Consultant Peng Chen, P.E.
SUEZ Water Pennsylvania, Inc.
6310 Allentown Blvd
Harrisburg, PA 17112

Permit Issued March 24, 2022
Permit No. 2450027, Operations Permit, Public Water Supply.

Applicant **Les Deubler
d/b/a/Gilbert Mobile Home Park**
P.O. Box 379
Gilbert, PA 18331

Municipality Polk Township

County **Monroe**

Type of Facility PWS

Consulting Engineer Sarah Bue-Morris, P.E.
Bue-Morris Associates Inc.
275 S. Sterling Rd.
P.O. Box 201
Newfoundland, PA 18445

Permit to Operate Issued January 13, 2022

Permit No. 3396420, Operations Permit, Public Water Supply.

Applicant **BlueTriton Brands, Inc.**
(New Out-of-State Source Addition)
305 & 405 Nestle Way
Breinigsville, PA 18031

Municipality Upper Macungie Township

County **Lehigh**

Type of Facility Bottled Water Facility

Consulting Engineer Edward E. Davis, P.E.
Miller Brothers Construction, Inc.
P.O. Box 472
Schuylkill Haven, PA 17972

Permit to Operate Issued March 25, 2022

Permit No. 4822503MA, Public Water Supply.

Applicant **Pennsylvania American Water Company**
(Alum and Pre-Soda Ash Chemical Feed Pump Improvement Project)
852 Wesley Dr.
Mechanicsburg, PA 17055

Municipality Hamilton Township

County **Monroe**

Type of Facility PWS

Consulting Engineer Maureen Coleman, PE
Pennsylvania American Water Company
2699 Stafford Avenue
Scranton, PA 18505

Permit to Construct Issued April 26, 2022

Permit No. 5422504MA, Public Water Supply.

Applicant **Schuylkill County Municipal Authority**
(Potassium Permanganate Upgrade Project)
221 South Centre Street
Pottsville, PA 17901

Municipality Branch Township

County **Schuylkill**

Type of Facility PWS

Consulting Engineer Trisha Graves, P.E.
Gannett Fleming, Inc.
207 Senate Avenue
Camp Hill, PA 17011

Permit to Construct Issued April 25, 2022

Permit No. 2450034, Operation Permit, Public Water Supply.

Applicant **Brodhead Creek Regional Authority**
410 Mill Creek Road
East Stroudsburg, PA 18301

Municipality East Stroudsburg Borough

County **Monroe**

Type of Facility Public Water Supply

Consulting Engineer Russell D. Scott, IV, P.E.
RKR Hess, a Division of UTRS, Inc.
112 North Courtland Street
East Stroudsburg, PA 18301

Permit Issued May 3, 2022

Description of Action Operation Permit for Eagle Valley Booster Pump Station.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Construction Permit No. 4422501, Public Water Supply.

Applicant **JLM Real Estate Investments, LLC**
950 E Main Street
Schuylkill Haven, PA 17972

Municipality Granville Township

County **Mifflin**

Consulting Engineer Robert H. Schemmerling, P.E.
RHS Engineering, Inc.
2909 Conococheague Lane
Greencastle, PA 17225

Permit Issued May 3, 2022

Description Newly proposed system and treatment for Dollar General Lewistown 23038. The proposed system and treatment includes a well, water softener, cartridge filtration, and 4-log treatment for viruses.

Construction Permit No. 0121513, Public Water Supply.

Applicant **Living Faith Evangelical Church**
1490 Federick Pike
Littlestown, PA 17340

Municipality Germany Township

County **Adams**

Consulting Engineer Charles A. Kehew II, P.E.
James R. Holley &
Associates, Inc.
18 South George Street
York, PA 17401

Permit Issued 4/20/2022

Description Installation of a sediment filter,
and UV light and the
replacement of the existing
nitrate treatment unit.

*Southcentral Region: Safe Drinking Water Program,
909 Elmerton Avenue, Harrisburg, PA 17110.*

Comprehensive Operation Permit No. 7010930 issued to: **C&D Bar & Grill (PWS ID No. 7010930)**, 6465 York Road, New Oxford, PA 17350-8416, Berwick Township, **Adams County**, on April 13, for the operation of facilities approved under Construction Permit No. 0120505. Installation of Well No. 2 and modifications to the existing treatment system.

Operation Permit No. 0121511 issued to: **Possum Valley Municipal Authority (PWS ID No. 7010034)**, 609 Clearview Rd, Aspers, PA 17304, Menallen Township, **Adams County**, on April 13, 2022 for facilities approved under Construction Permit No. 0121511. Partial permit for the Train No. 1 membrane module replacement.

Comprehensive Operation Permit No. 7380449 issued to: **Bell & Evans (PWS ID No. 7380449)**, 154 West Main Street, P.O. Box 39, Fredericksburg, PA 17026, Bethel Township, **Lebanon County**, on April 21, 2022 for the operation of facilities at Bell & Evans—Plant 3 approved under Construction Permit No. 3821503. Installation of three (3) wells and the construction of a water system for Plant 3.

Operation Permit No. 2922502 MA issued to: **McConnellsburg Borough Municipal Authority (PWS ID No. 4290005)**, P.O. Box 218, McConnellsburg, PA 17233, Todd Township, **Fulton County**, on April 21, 2022 for facilities submitted under Application No. 2922502 MA. Replacement of the existing Rosemount Solu Comp II pH/chlorine analyzers on the plant effluent and membrane cleaning solution neutralization skid with new Rosemount Model 1056 units.

Transferred Comprehensive Operation Permit No. 7381023 issued to: **Wellspan Philhaven (PWS ID No. 7381023)**, 1001 South George Street, York, PA 17403, West Cornwall Township, **Lebanon County**, on March 18, 2022. Action is for a Change in Ownership for the operation of facilities previously issued to Philhaven Hospital.

Comprehensive Operation Permit No. 7010353 issued to: **Bermudian School District (PWS ID No. 7010353)**, 7335 Carlisle Pike, York Springs, PA 17372, Huntingdon Township, **Adams County**, on March 25, 2022 for the operation of facilities submitted under Application No. 0121514 MA. Replacement of the Well 2 pump.

Operation Permit No. 3821508 MA issued to: **City of Lebanon Authority (PWS ID No. 7380010)**, 2311 Ridgeview Rd, Lebanon, PA 17042, Swatara Township, **Lebanon County**, on March 29, 2022 for facilities submitted under Application No. 3821508 MA. CFE Turbidimeter.

Operation Permit No. 3821509 MA issued to: **City of Lebanon Authority (PWS ID No. 7380010)**, 2311 Ridgeview Rd, Lebanon, PA 17042, Swatara Town-

ship, **Lebanon County**, on March 31, 2022 for facilities approved under Construction Permit No. 3821509 MA. Bulk Loading Station.

Operation Permit No. 2222502 MA issued to: **Borough of Middletown (PWS ID No. 7220038)**, 60 West Emaus, Middletown, PA 17057, Middletown Borough, **Dauphin County**, on April 14, 2022 for facilities approved under Construction Permit No. 2222502 MA. Well No. 6 chemical feed pump and meter replacement.

Operation Permit No. 2222501 MA issued to: **Borough of Middletown (PWS ID No. 7220038)**, 60 West Emaus St, Middletown, PA 17057, Middletown Borough, **Dauphin County**, on 4/14/2022 for facilities approved under Construction Permit No. 2222501 MA. Well No. 5 chemical feed pump and meter replacement.

Comprehensive Operation Permit No. 7011025 issued to: **M& G Realty, Inc. (PWS ID No. 7011025)**, 2100 North George St, York, PA 17404, Tyrone Township, **Adams County**, on April 19, 2022 for the operation of facilities at Rutter's Farm Store No. 36 approved under Construction Permit No. 0122503 MA. Well No. 1 pump replacement.

Operation Permit No. 6722503 MA issued to: **ATG Properties, LLC (PWS ID No. 7670098)**, P.O. Box 677, Morgantown, PA 19543, Hellam Township, **York County**, on April 21, 2022 for facilities at Brookhaven Mobile Home Park approved under Construction Permit No. 6722503 MA. Replacement of Well No. 2 pump and two chlorine contact tanks.

Comprehensive Operation Permit No. 4050036 issued to: **St. Clairsville Area Water Company (PWS ID No. 4050036)**, P.O. Box 284, Osterberg, PA 16667, East St. Clair Township, **Bedford County**, on April 21, 2022 for the operation of facilities approved under Construction Permit No. 0521503 MA. Installation of Turbidity Meters, Actuated Ball Valve, Alarm System, and Secondary Containment.

Comprehensive Operation Permit No. 7010359 issued to: **John B. Peters, Inc. (PWS ID No. 7010359)**, 10540 Carlisle Pike, Gardners, PA 17324, Germany Township, **Adams County**, on April 21, 2022 for the operation of facilities at Pape Camp submitted under Application No. 0122502 MA. Replacement of the Well No. 1 well pump.

*Northcentral Region: Safe Drinking Water Program,
208 West Third Street, Williamsport, PA 17701.*

Operation Permit No. GWR issued to: **Hidden Valley Camping Resort**, 162 Hidden Valley Lane, Mifflinburg, PA 17844. **PWSID No. 4600834**, West Buffalo Township, **Union County**, on April 28, 2022, for the operation of facilities approved under construction permit # GWR. This permit authorizes modifications of the existing water treatment system at Hidden Valley Camping Resort (HVCR) to achieve 4-Log inactivation of viruses and comply with Groundwater Rule requirements.

HVCR is authorized to operate Wells 1, 3 and 4 interconnected sources, feed line from Wells 3 and 4 to water treatment building, raw water sample tap, Entry Point (EP) 101 & 102 sample tap, all required valves and fittings, and distribution system. The permittee is also authorized to operate: (1) Well 1 with simple chlorination to achieve 20 minutes of chlorine contact time, EP 100 sample tap for treated water from Well 1, and distribution system and (2) Well 5 with simple chlorination to achieve 20 minutes of chlorine contact time, EP 103 sample tap for treated water from Well 5, and distribution system.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA 31-50B, Water Allocations. **Borough of Huntingdon, PWS ID No. # 4310012**, 530 Washington St, P.O. Box 592, Huntingdon, PA 16652, **Huntingdon County**. The right to withdraw a maximum of 4.0 million gallons per day (mgd) from an existing intake on Standing Stone Creek in the Borough of Huntingdon, Huntingdon County, PA. Permittee Contact: John C. Stevens, Borough Manager, Borough of Huntingdon, 530 Washington St, P.O. Box 592, Huntingdon, PA 16652. Consulting Engineer: Kevin J. Nester, P.E., GHD, Inc., 321 Washington Street, Huntingdon, PA 16652. Permit Issued: April 7, 2022.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Central Transport, 6955 Chrisphalt Drive, Bath, PA 18014, East Allen Township, **Northampton County**. Liberty Environmental, 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of Crown Enterprises LLC, P.O. Box 869, Warren, MI 48090, submitted a revised Final Report concerning remediation of soil contaminated by runoff of petroleum compounds from the facility's parking lot areas. The report is intended to document remediation of the site to meet Statewide health standards.

Marbaker Well Pad, 830 Retta Road, Montrose, PA 18801, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated by release of production fluid (brine). The report is intended to document remediation of the site to meet Statewide health standards.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

General Scrap, Inc., Project, Interstate 80 at MM219W, Danville, PA 17821, Liberty Township, **Montour County**. EnviroServe, Inc. 254 Reitz Avenue, Winfield, PA 17889, on behalf of General Scrap, Inc., 108 Garden Drive, Hunlock Creek, PA 18621, has submitted a Final Report concerning site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the nonresidential Statewide health standard.

Northwest Region: Environmental Cleanup and Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Parker Hannifin Corporation (201 Titusville Road), 201 Titusville Road, Union City, PA 16438, Borough of Union City, **Erie County**. AECOM Technical Services, Inc., 5438 Wade Park Boulevard, Suite 200, Raleigh, NC 27607, on behalf of Parker-Hannifin Corporation, 5035 Parkland Boulevard, Cleveland, OH 44124, submitted a Cleanup Plan concerning the remediation of site groundwater contaminated with 1,1-DCE, cis-1,2-DCE, methylene chloride, TCE and VC. The report is intended to document remediation of the site to meet the site-specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document

cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Clare Property, 76 Prospect Street, East Stroudsburg, PA 18301, East Stroudsburg Borough, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Robert Clare, 76 Prospect Street, East Stroudsburg, PA 18301, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an aboveground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on April 27, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Stumpf Field Property, 1350 Fruitville Pike, Lancaster, PA 17601, Manheim Township, **Lancaster County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603 on behalf of MAC Land Company, LLC, 1350 Fruitville Pike, Lancaster, PA 17601, submitted a Remedial Investigation Report and

Cleanup Plan concerning the remediation of site soils contaminated with lead. The Remedial Investigation Report and Cleanup Plan was disapproved by the Department on April 20, 2022.

1501 North George Street, 1501 North George Street, York, PA 17404, Manchester Township, **York County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of George Street Investors LLC, P.O. Box 429, Conshohocken, PA 19428, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with leaded and unleaded gasoline compounds. The Final Report did not demonstrate attainment of the site-specific standard and was disapproved by the Department on April 21, 2022.

Former Alcoa Lebanon Works, 3000 State Drive, Lebanon, PA 17042, South Lebanon Township, **Lebanon County**. Liberty Environmental, Inc., 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of DHL, 1210 South Pine Island Road, Suite 400, Plantation, FL 33324, submitted a Final Report concerning the remediation of site soil and groundwater contaminated with VOCs, SVOCs, and metals. The Final Report demonstrated attainment of the site-specific standard and was approved by the Department on April 22, 2022.

Foundry Lofts, 145 North Hartley Street and 475 West Philadelphia Street, York, PA 17401, City of York, **York County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Magellan Investments, Inc., 1041 Silver Maple Circle, Seven Valleys, PA 17360 submitted a Combined Remedial Investigation Report, Risk Assessment Report and Cleanup Plan concerning the remediation of site soil and groundwater contaminated with arsenic and chromium. The Report was disapproved due to technical deficiencies by the Department on April 27, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on Applications for Hazardous Waste Transporter License Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Transport Hazardous Waste.

Central Office: Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Transporter Licenses Reissued

S & C Transport, Inc., P.O. Box 2459, Belleville, MI 48112. License No. **PA-AH 0446**. Effective April 28, 2022.

Coal City Cob Company, Inc., 4300 North I-35 East, Waxahachie, TX 75165. License No. **PA-AH 0589**. Effective April 12, 2022.

Action Resources, LLC, 204 20th St. North, Birmingham, AL 35203. License No. **PA-AH 0650**. Effective April 13, 2022.

EAP Industries, Inc., P.O. Box 275, Atlasburg, PA 15004. License No. **PA-AH 0660**. Effective April 6, 2022.

Earth Technology II, LLC, 85 Laura Street, New Haven, CT 06512. License No. **PA-AH 0691**. Effective April 12, 2022.

Covanta Environmental Solutions Carriers II, LLC, 5300 N 33rd St., Milwaukee, WI 53209. License No. **PA-AH 0742**. Effective April 6, 2022.

Waste Management of West Virginia, Inc., 1488 Dawson Drive, Bridgeport, WV 26330. License No. **PA-AH 0795**. Effective April 19, 2022.

IWT Transport, Inc., 5 Fir Court, Oakland, NJ 07346. License No. **PA-AH 0798**. Effective April 28, 2022.

Grid Logistics LLC, 78 John Miller Way, Kearny, NJ 07032. License No. **PA-AH 0843**. Effective April 06, 2022.

Florida Transformer, LLC d/b/a Emerald Transformer, 7850 Collin McKinney Parkway, McKinney, TX 75070. License No. **PA-AH 0868**. Effective April 12, 2022.

AWT Environmental Services, Inc., P.O. Box 128, Sayreville, NJ 08871. License No. **PA-AH 0871**. Effective April 12, 2022.

Broadview Waste Solutions, Inc., 7609 Energy Parkway, Baltimore, MD 21226. License No. **PA-AH 0900**. Effective April 19, 2022.

Aqua-Tex Transport, Inc., P.O. Box 1204, Hamonton, NJ 08037. License No. **PA-AH S179**. Effective April 28, 2022.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSES

Actions on Applications For Regulated Medical and Chemotherapeutic Waste Transporter License Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) And Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Central Office: Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Transporter License Reissued

Orchard Hill Memorial Park, LLC, 1280 North Ave, Plainfield, NJ 07062. License No. **PA-HC 0163**. Effective April 18, 2022.

Environmental Waste Minimization, Inc., 14 Brick Kiln Court, Northampton, PA 18067. License No. **PA-HC 0219**. Effective April 19, 2022.

Transporter License Voluntarily Terminated

Alpha Bio/Med Services, LLC, P.O. Box 118, Paradise, PA 17562. License No. **PA-HC 0234**. Effective April 1, 2022.

RESIDUAL WASTE GENERAL PERMITS

Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

General Permit No. WMGR123NC036. Repsol Oil & Gas, LLC, Harer 713 Facility, 957 Bogar Run Road, Roaring Branch, PA 17765, Liberty Township, **Tioga County**. Transfer of ownership from Rockdale Marcellus, LLC to Repsol Oil & Gas LLC. The permit was issued by Northcentral Regional Office on April 12, 2022.

Persons interested in reviewing the general permit may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3752.

TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP1-46-0111: GlaxoSmithKline (GSK) Upper Merion East Campus, 709 Swedeland Road, King of Prussia, PA 19406, for authorization to install and operate one (1) small gas and No. 2 oil-fired boiler (Source ID 031—Rental Boiler) at the existing Title V facility located in Upper Merion Township, **Montgomery County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP4-40-003D: Modineer-Pulverman, LLC, 1170 Lower Demunds Road, Dallas, PA 18612, on April 28, 2022, for the operation of two (2) Jackson Burn Off Ovens controlled by after burner at the facility located in Dallas Township, **Luzerne County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

54-00019B: Versum Materials US, LLC, 357 Marian Avenue, Tamaqua, PA 18252, issued on May 3, 2022 to install a new process line for the manufacturing of tungsten hexafluoride (WF6) with a scrubber as an air cleaning devices at the existing facility located in Rush Township, **Schuylkill County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

PA-30-00077E: Texas Eastern Transmission, LP, 258 Bristoria Road, Wind Ridge, PA 15380, on April 28, 2022, to authorize installation and temporary operation of two (2) Solar, 10,744 HP, Taurus 070 natural gas-fired compressor turbines, one (1) Waukesha VGF24GL 585 hp natural gas-fired emergency generator, two (2) 0.769 MMBtu/hr fuel gas heaters, three (3) separator vessels each rated less than 450 gallons, and one (1) 2,940 gallon pipeline liquids tank at the Holbrook Compressor Station located in Richhill Township, **Greene County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

15-0009E: AGC Chemical America, Inc., 225 South Bailey Road, Downingtown, PA 19335-2003. On April 27, 2022, an extension for temporary operation of a fluid bed dryer with a cyclone, a baghouse, and a scrubber with an increase in the volatile organic compound emissions limit from 0.42 lbs/hr to 0.63 lbs/hr and a revision of a testing condition for the fluid bed dryer at their facility located in Caln Township, **Chester County**.

09-0027I: Fres-Co Systems USA Inc., 3005 State Road, Telford, PA 18969-1021. On April 26, 2022, for the installation and operation of a three (3) station laminator at their location in West Rockhill Township, **Bucks County**.

46-0037AD: Global Advanced Metals USA Inc., P.O. Box 1608, County Line Road, Boyertown, PA 19512-6608. On April 27, 2022, for modifications to a TA Acid Leaching/Drying Process with scrubbers, wet collectors, and a vapor recovery unit at their location in Douglass Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

31-05022B: AC Products, Inc.—Mt. Union Plant, 11823 Lenape Drive, Mount Union, PA 17066, on April 26, 2022, for the wood cabinet manufacturing facility in Shirley Township, **Huntingdon County**. The plan approval was extended.

36-05014L: Arconic Lancaster Corporation, 1480 Manheim Pike, Lancaster, PA 17601-3152, on April 27, 2022, for the replacement of two motors in the Hunter Cold Mill (Source ID 161) at the secondary aluminum production facility in Manheim Township, **Lancaster County**. Specifically, the project is for the replacement of the two existing 875 hP motors in the Hunter Cold Mill (Source ID 161) with two 1,000 hP motors. The replacement is estimated to increase the source's production by 9%. Furthermore, due to the increased production capacity on the cold mill, Arconic estimates that the actual production of downstream sources (annealing furnaces & coating line) will increase by 5%. There are no physical changes occurring to the downstream sources as they have enough capacity to handle the increased production. The plan approval was extended.

44-03025A: Spectra Wood, Inc., 50 Industrial Park Road, Lewistown, PA 17044-9312, on April 28, 2022, for the construction of five new wood furniture spray booths at the new Lewistown Facility in Lewistown Borough, **Mifflin County**. The plan approval was extended.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

20-00194F: Lord Corporation Saegertown, 601 South Street, Saegertown, PA 16433-5050, on April 29, 2022, effective April 29, 2022, has issued a plan approval extension to allow for completion of project construction and shakedown activities in Saegertown Borough, **Crawford County**. This is a Title V facility. This will expire on January 31, 2023.

20-00318A: Crawford Advanced Materials, Adamsville Road, Atlantic, PA 16111, on April 28, 2022, effective April 28, 2022, has issued a construction-related plan approval extension to allow for more time to complete construction in Greenwood Township, **Crawford County**. This is a State Only facility. This will expire on October 31, 2023.

24-00131V: SGL Carbon, LLC, 900 Theresia Street, Saint Marys, PA 15857, on April 28, 2022, effective April 28, 2022, has issued a construction-related plan approval extension to allow for more time to complete construction in the City of Saint Marys, **Elk County**. This is a State Only facility. This will expire on April 30, 2023.

43-00270L: CCL Container Hermitage, 1 Llodio Drive, Hermitage, PA 16148, on April 28, 2022, effective April 28, 2022, has issued a plan approval extension to allow for stack testing of the new Regenerative Thermal Oxidizer control device in the City of Hermitage, **Mercer County**. This is a State Only facility. This will expire on April 30, 2023.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00038: DELCORA Western Regional Wastewater Treatment Plant, 100 East 5th Street, Chester, PA 19016-0999. On May 2, 2022, for a significant modification to the Title V Operating Permit for the renewal of a Plantwide Applicability Limit (PAL) for the nitrogen oxide emissions from affected sources (sewage sludge incinerators and boilers) at their location in the City of Chester, **Delaware County**. The PAL became effective on May 2, 2022 and expires on May 1, 2032.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

63-00550: USA South Hills Landfill, Inc., 3100 Hill Road, South Park Township, PA 15129, on April 19, 2022 a Title V Operating Permit renewal to USA South Hills Landfill, Inc. for their facility located in Union Township, Washington County and South Park Township, **Allegheny County**.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

03-00027: Keystone-Conemaugh Project, LLC, Keystone Station, 303 Keystone Drive, Sheloceta, PA

15774. On May 12, 2022, in accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection issued a significant modification to the Title V Operating Permit for the Keystone Station owned by Keystone-Conemaugh Project, LLC, in Plumcreek Township, **Armstrong County**. The permit modification incorporates the provisions and requirements contained in the RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 and 2008 National Ambient Air Quality Standard (NAAQS) for ozone. The relevant RACT II requirements are being submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's SIP and will remain in effect until replaced, pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department's presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

32-00055: Homer City Generation LP Generating Station, 1750 Power Plant Road, Homer City, PA, 15748. On May 12, 2022, in accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection issued a significant modification to the Title V Operating Permit for the Homer City Generating Station owned by Homer City Generation L.P. in Center Township, **Indiana County**. The permit modification incorporates the provisions and requirements contained in the RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 and 2008 National Ambient Air Quality Standard (NAAQS) for ozone. The relevant RACT II requirements are being submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's SIP and will remain in effect until replaced, pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; these include the provisions of the Department's presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

32-00059: Keystone-Conemaugh Project, LLC, Conemaugh Station, 1442 Power Plant Road, New Florence, PA 15944. On May 12, 2022, in accordance with 25 Pa. Code §§ 129.96—129.100, the Pennsylvania Department of Environmental Protection issued a significant modification to the Title V Operating Permit for the Conemaugh Station owned by Keystone-Conemaugh Project, LLC, in West Wheatfield Township, **Indiana County**. The permit modification incorporates the provisions and requirements contained in the RACT II approval for the facility, which are intended to satisfy the requirements for the 1997 and 2008 National Ambient Air Quality Standard (NAAQS) for ozone. The relevant RACT II requirements are being submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's SIP and will remain in effect until replaced, pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT II determination will be excluded from the SIP submittal; this includes the provisions of the Department's presumptive RACT II requirements in accordance with 25 Pa. Code § 129.97, as they apply to existing sources at this facility.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

39-00024: GEO Specialty Chemicals, 2409 N Cedar Crest Blvd., Allentown, PA 18104. The Department issued, on April 28, 2022, a State-Only Operating Permit for operation of sources at their facility located in South Whitehall Township, **Lehigh County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00052: New Enterprise Stone & Lime Co. Inc./Plains, 215 E Saylor Ave., Wilkes-Barre, PA 18702. The Department issued, on April 21, 2022, a State-Only Operating Permit for operation of sources at their facility located in Jenkins Township, **Luzerne County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00039: Fabri-Kal, LLC, 150 Lions Drive, Valmont Industrial Park, Hazle Township, PA 18201. The Department issued, on April 5, 2022, a State-Only Operating Permit for operation of sources at their facility located in Hazle Township, **Luzerne County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05084: York Wallcoverings, Inc., 2075 Loucks Road, York, PA 17408-9704, on April 26, 2022, for the wallcovering manufacturing facility located in West Manchester Township, **York County**. The State-Only permit was renewed.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

56-00156: Windber Medical Center dba Shan Soon-Shiong Medical Center at Windber, 600 Somerset Avenue, Windber, PA 15963, natural minor Operating Permit on May 3, 2022, the Department of Environmental Protection issued a renewed natural minor State-Only Operating Permit for a medical center located in Windber Borough, **Somerset County**. This facility is subject to the applicable requirements of 40 CFR Part 60 Subpart III, 40 CFR Part 63 Subpart JJJJJ, and 25 Pa. Code Chapters 121—145. The natural minor State-Only Operating Permit includes emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

65-00042: Huntsman Advanced Materials Americas, LLC (formerly Gabriel Performance Products, LLC), 408 Manor-Harrison City Road, Harrison City, PA

15636-1102, on April 27, 2022, the Department of Environmental Protection issued a synthetic minor State-Only Operating Permit renewal for the manufacturing of resin and paints located in Manor Borough, **Westmoreland County**. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145. The synthetic minor State-Only Operating Permit includes emission restrictions, monitoring, recordkeeping, testing, reporting, and work practice standards requirements for the site.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

37-00234 Praxair, Inc./Praxair Surface Technologies, Inc., New Castle Plant, 3225 Honeybee Lane, New Castle, PA 16510-6502, on May 3, 2022, the Department issued a State Only Operating Permit for metal coating operation located in Wilmington Township, **Lawrence County**. The facility has thermal and laser spray booths, grit blasting booths, finishing and machining operations, laser welding, and laser finishing. Each of these sources is controlled by a dust collector. The facility has an emergency diesel fire pump engine (64HP). The potential emissions from the facility are: 5.6 TPY NO_x, 2.3 TPY CO, 6.3 TPY PM₁₀, 0.6 TPY SO_x, 0.3 TPY VOC, and 0.14 TPY combined HAPs (cobalt, chrome, manganese, and nickel). The facility is a natural minor and is subject to State Regulations and Federal Regulations (40 CFR Part 60 IIII and Part 63 WWWW). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.

56-00262: Mostoller Landfill, Inc., 7095 Glades Pike, Somerset, PA 15501, on April 19, 2022 a Significant Modification to Title V Operating Permit renewal to Mostoller Landfill, Inc. for the operation of a solid waste Landfill facility located in Brothers valley and Somerset Townships, **Somerset County**.

Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00047: Warminster Fiberglass Company, 725 County Line Road, Southampton, PA 18966, located in Upper Southampton Township, **Bucks County**. The Department of Environmental Protection has revoked the Air Quality Operating Permit because of the permanent

shutdown and removal of significant air emission sources, including paint spray stations and the resin mixing room, at the facility.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

Coal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EP CAMBRIA@pa.gov, (Contact: Melanie Ford-Wigfield).

Mining Permit No. 2916010. NPDES No. PA0279285. J&J Svonavec Excavating, Inc., 110 Windermere Lane, Somerset, PA 15501, renewal of a NPDES permit for a bituminous surface mine in Wells and Broad Top Townships, **Fulton and Bedford Counties**, affecting 66.0 acres. Receiving stream: Great Trough Creek classified for the following use: TSF. Application received: February 1, 2022. Permit issued: April 25, 2022.

Mining Permit No. 05160101. NPDES No. PA0279447. J&J Svonavec Excavating, Inc., 110 Windermere Lane, Somerset, PA 15501, renewal of a NPDES permit for a bituminous surface mine in Broad Top, Wood, and Wells Townships, **Bedford, Huntingdon and Fulton Counties**, affecting 95.0 acres. Receiving stream: Great Trough Creek classified for the following use: TSF. Application received: February 1, 2022. Permit issued: April 25, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EP KNOX@pa.gov, (Contact: Cayleigh Boniger).

Mining Permit No. 33110104. P. & N. Coal Company, Inc., 680 Old Route 119 Highway North, Indiana, PA 15701, Renewal of an existing bituminous surface mine in Union Township, **Jefferson County**, affecting 73.2 acres. This renewal is issued for reclamation only. Receiving streams: Little Mill Creek to Mill Creek to Clarion River, classified for the following uses: CWF, WWF. Application received: November 1, 2021. Permit issued: April 26, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Ashley Smith).

Mining Permit No. 17100104. NPDES No. PA0257320. RES Coal LLC, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920. Permit renewal for continued operation and restoration of a bituminous surface

coal mine located in Chest Township, **Clearfield County**, affecting 125.0 acres. Receiving stream(s): Unnamed Tributaries to Chest Creek and Chest Creek classified for the following use(s): CWF. Application received: July 21, 2021. Permit issued: April 27, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EP NEWSTANTON@pa.gov, (Contact: Tracy Norbert).

Mining Permit No. 65140102. Amerikohl Mining, Inc., 1384 State Route 711, Stahlstown, PA 15687, permit renewal for reclamation only and a land use change for 5.4 acres located in East Huntingdon Township, **Westmoreland County**, affecting 131.6 acres. Receiving streams: unnamed tributaries to Stauffer Run and Stauffer Run classified for the following use: WWF. Application received: March 3, 2021. Permit issued: April 28, 2022.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EP CAMBRIA@pa.gov, (Contact: Melanie Ford-Wigfield).

Mining Permit No. 21140301. NPDES No. PA0594296, Hempt Brothers, Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, renewal of NPDES permit, Silver Spring Township, **Cumberland County**. Receiving stream: unnamed tributary to Hogestown Run classified for the following use: CWF. Application received: January 25, 2022. Permit issued: April 27, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EP KNOX@pa.gov, (Contact: Cayleigh Boniger).

Mining Permit No. 25030302. Fiesler Sand & Gravel, LLC, 3853 Knoyle Road, Erie, PA 16510, revision to an existing large industrial minerals surface mine to add 2.5 acres to bring the total acreage to 53.1 acres in Greene Township, **Erie County**, affecting 53.1 acres. Receiving stream: Fourmile Creek, classified for the following use: WWF, MF. Application received: January 18, 2022. Permit issued: April 28, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Cassandra Stanton).

Mining Permit No. 14210801. Ducken Tree Farm, LLC, 2901 Stewart Drive, Suite 103, State College, PA 16801, new permit application for a small noncoal (industrial minerals) operation located in Huston Township, **Centre County**, affecting 3.45 acres. Receiving stream(s): Bald Eagle Creek classified for the following use(s): CWF, MF. Application received: August 31, 2021. Permit issued: April 27, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. PAM121049. Darwin R. Greene, 668 Bethel Hill Road, Susquehanna, PA 18847, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on GP105 Permit No. 58212510 in Harmony Township, **Susquehanna County**, receiving stream: unnamed tributary to Wildcat Run. Application received: August 20, 2021. Coverage issued: April 29, 2022.

Mining Permit No. PAM121031. Baltazar Loja, 456 High Hill Road, Great Bend, PA 18821, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-

104) on Small Noncoal Permit No. 58210803 in Liberty Township, **Susquehanna County**, receiving stream: Rhiney Creek. Application received: June 14, 2021. Coverage issued: April 29, 2022.

Mining Permit No. PAM121036. Marin Stone Quarry, LLC, 534 Willow Street, Scranton, PA 18505, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on Small Noncoal Permit No. 58210805 in Lenox Township, **Susquehanna County**, receiving stream: unnamed tributary to East Branch Tunkhannock Creek. Application received: July 12, 2021. Coverage issued: April 29, 2022.

Mining Permit No. 66100302. NPDES Permit No. PA0224839. Meshoppen Stone, Inc., P.O. Box 127, Meshoppen, PA 18630, renew NPDES permit on a quarry operation in Meshoppen Township, **Susquehanna County**. Receiving streams: unnamed tributary to Little Meshoppen Creek and Little Meshoppen Creek. Application received: August 12, 2021. Renewal issued: May 2, 2022.

Mining Permit No. 4874SM1. NPDES Permit No. PA0119628. County Line Quarry, Inc., 409 Stenton Avenue, Flourtown, PA 19031, renew NPDES permit on a quarry operation in Hellam Township and Wrightsville Borough, **York County**. Receiving stream: Kreutz Creek. Application received: October 15, 2021. Renewal issued: May 2, 2022.

Mining Permit No. 8074SM2. NPDES Permit No. PA0012904. Highway Materials, Inc., 409 Stenton Avenue, Flourtown, PA 19031, renew NPDES Permit on a quarry operation in Whitemarsh Township, **Montgomery County**. Receiving streams: Plymouth Creek and unnamed tributary to Wissahickon Creek. Application received: October 29, 2021. Renewal issued: May 2, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Ashley Smith).

Permit No. 59224101. DW Drilling & Blasting LLC, 2733 E Battlefield St # 320, Springfield, MO 65804. Blasting for construction of gas water pond located in Union Township, **Tioga County**, with an expiration date of April 26, 2023. Permit issued: April 28, 2022.

Permit No. 14224105. Douglas Explosives, Inc., 2052 Philipsburg Bigler Hwy., Philipsburg, PA 16866. Blasting for construction of a single dwelling home located in Potter Township, **Centre County**, with an expiration date of December 30, 2022. Permit issued: May 2, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).

Permit No. 09224103. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for I-476 Turnpike Reconstruction in Bedminster

and Abington Townships, **Bucks** and **Montgomery Counties**, with an expiration date of April 4, 2023. Permit issued: May 2, 2022.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on Applications for the Following Activities Filed Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401. Telephone: 484.250.5160. E-mail: ra-epuw-sero@pa.gov.

Permit No. E1501221-008, Audubon Land Development Corporation, 2620 Egypt Road, Norristown, PA 19403-2302, Uwchlan Township, **Chester County**, ACOE Philadelphia District.

To construct and maintain development of the Turnpike Interchange Site. Water obstruction and encroachment activities are as follows:

1. To replace and maintain culvert, and to fill and perform grading within wetland area (Wetland C PEM) for road construction resulting in 6 linear feet (42 sq ft, 0.001 acre) of permanent wetland impact and 8 linear feet (80 sq ft, 0.002 acre) of temporary wetland impact.

2. To fill and perform grading within wetland area (Wetland I PFO) for road enhancements resulting in 180 linear feet (10,890 sq ft, 0.25 acre) of permanent wetland impact.

3. To replace and maintain culvert, and to fill and perform grading within the watercourse and floodway of an unnamed tributary to Shamona Creek (Stream 7, INT, HQ-TSF) for main site entrance road construction resulting in 192 sq ft, 0.004 acre of permanent floodway impact and 120 sq ft, 0.003 acre of temporary floodway impact with 102 linear feet (714 sq ft, 0.016 acre) permanent watercourse impact and 20 linear feet (140 sq ft, 0.003 acre) of temporary watercourse impact.

4. To replace and maintain culvert, and to fill and perform grading within the watercourse and floodway of an unnamed tributary to Shamona Creek (Stream 8, INT, HQ-TSF) for main site entrance road construction resulting in 128 sq ft, 0.003 acre of permanent floodway impact and 72 sq ft, 0.002 acre of temporary floodway impact with 69 linear feet (483 sq ft, 0.011 acre) permanent watercourse impact and 10 linear feet (70 sq ft, 0.002 acre) of temporary watercourse impact.

5. To excavate, fill, and perform grading of northern bank of Shamona Creek (Stream 9, PER, HQ-TSF) to provide a more cohesive floodplain and hydrologic connection between the mitigation site and Stream 9 resulting in 73 linear feet (219 sq ft, 0.005 acre) permanent watercourse impact.

6. To replace and maintain two stormwater outfalls in the floodway of Shamona Creek (Stream 9, HQ-TSF) resulting in a total permanent floodway impact of 40 linear feet (256 sq ft, 0.006 acre).

This project is located at 1130 Pottstown Pike, Uwchlan Township, Chester County, (USGS PA Downingtown Quadrangle—Latitude 40.061903 N, Longitude -75.664396 W). Permit issued April 28, 2022.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.

E4002221-015. Bluecup Ventures Hazleton, LLC, 20 Cedar Woods Lane, Fairfield, CT 06825, Hazle Township, **Luzerne County**, Kline Township, **Schuylkill County**, and Banks Township, **Carbon County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Hazleton Beltway Center Project:

1. A stream enclosure of a UNT to Catawissa Creek (CWF, MF) consisting of a 1,404-ft long, 60-in diameter reinforced concrete culvert, a 66-ft long, 72-in diameter reinforced concrete pipe, concrete wingwalls on the upstream and downstream ends of the enclosure, and five (5) concrete manholes.

2. A utility line crossing of an enclosed portion of a UNT to Catawissa Creek (CWF, MF) consisting of an 18-in diameter HDPE stormwater pipe.

3. A utility line crossing of an enclosed portion of a UNT to Catawissa Creek (CWF, MF) consisting of a 15-in diameter HDPE stormwater pipe.

4. To place fill within the normal pool elevation of a 0.47-acre open body of water for the purpose of constructing a parking lot.

5. To place fill within the normal pool elevation of a 0.24-acre open body of water for the purpose of constructing an access road.

6. To place fill within the normal pool elevation of a 0.17-acre open body of water for the purpose of constructing an industrial building.

7. To place fill within the normal pool elevation of a 1.54-acres open body of water for the purpose of constructing an industrial building and parking lot.

8. To place fill within the normal pool elevation of a 0.16-acre open body of water for the purpose of grading associated with the construction of an access road.

9. To place fill within a 0.02-acre PEM Wetland (Other) for the purpose of constructing a parking lot.

10. To place fill within a 75-LF segment of a UNT to Catawissa Creek (CWF, MF) for the purpose of grading associated with the construction of a parking lot.

11. To place fill within the normal pool elevation of a 0.18-acre open body of water for the purpose of constructing and parking lot.

12. To place fill within the normal pool elevation of a 0.14-acre open body of water for the purpose of grading associated with the construction of a parking lot.

13. To place fill within a 0.45-acre PEM Wetland (Other) for the purpose of constructing a parking lot and access road.

14. To place fill within the normal pool elevation of a 0.57-acre open body of water for the purpose of constructing a parking lot.

15. To place fill within a 0.49-acre PEM Wetland (Other) for the purpose of constructing a parking lot.

16. To place fill within a 0.02-acre PEM Wetland (Other) for the purpose of constructing a parking lot.

17. To place fill within the normal pool elevation of a 2.74-acres open body of water for the purpose of constructing a parking lot.

The project is located directly west of the intersection of SR 309 and Church Street (Conyngham & Hazleton, PA Quadrangle Latitude: 40° 41' 12", Longitude: -75° 21' 23") in Hazle Township, Luzerne County, Kline Township, Schuylkill County, and Banks Township, Carbon County.

E4802221-007. LVTC III Owner, LLC, 300 Conshohocken State Road, Suite 250, West Conshohocken, PA 19428, Bethlehem Township, **Northampton County**, U.S. Army Corps of Engineers, Philadelphia District.

To fill and maintain a 0.002-acre PFO Wetland (Other) and a 0.05-acre PEM Wetland (Other) for the purpose of constructing a 299,830 ft² industrial warehouse building. The permittee is required to provide 0.118 acre of replacement wetlands. The project is located approximately 0.6 mile southwest of the intersection of Georgetown Road and Hanoverville Road (Nazareth, PA Quadrangle Latitude: 40° 41' 12", Longitude: -75° 21' 23") in Bethlehem Township, Northampton County.

E3502221-004. NLMS, LLC, 1170 Winola Road, Clarks Summit, PA 18411. Waverly Township, **Lackawanna County**, Army Corps of Engineers Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Waverly Site Development project proposing single family homes and a senior center:

1. To relocate approximately 690 linear feet of a UNT to Ackerly Creek (CWF, MF). The work consists of creating approximately 954 linear feet of a new water-course channel.

2. A 2-inch diameter sewer force main crossing 1 linear foot of a UNT to Ackerly Creek (CWF, MF) and 156 linear feet of floodway.

3. To construct and maintain a roadway crossing of a UNT to Ackerly Creek (CWF, MF) consisting of a 55-foot long, 34" x 22" RCP culvert depressed 6-inches below the existing streambed elevation with upstream and downstream wingwalls.

4. To construct and maintain a roadway crossing of a UNT to Ackerly Creek (CWF, MF) consisting of a 82-foot long, 30" x 19" RCP culvert depressed 6-inches below the existing streambed elevation with upstream and downstream wingwalls.

The project is located to the left of PA-407 while traveling north approximately 0.8 mile after the intersection with Fairview Road (PA-4028) (Scranton, PA Quadrangle Latitude: 41° 30' 37", Longitude: -75° 42' 11") in Waverly Township, Northampton County.

E3902220-023, Upper Saucon Township, 5500 Camp Meeting Road, Center Valley, PA 18034, Upper Saucon Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Limeport Pike Culvert Replacement and Stream Restoration Project:

1. To remove an existing structure and to construct and maintain a stream crossing of a UNT to Saucon Creek (CWF, MF) consisting of a 45-LF, 7-foot wide, 4.5-ft high concrete box culvert having concrete wingwalls, fish baffles, and an invert depressed 1-foot below natural streambed elevation. This culvert will convey a UNT to Saucon Creek (CWF, MF) below Limeport Pike (S.R. 2029). The purpose of this impact is to replace an undersized crossing.

2. A utility line crossing of a UNT to Saucon Creek (CWF, MF) consisting of a 12-inch diameter, concrete-encased ductile iron sanitary sewer line. The purpose of this impact is to service "Saucon Country Estates," a future planned residential subdivision.

3. A utility line within the floodway of a UNT to Saucon Creek (CWF, MF) consisting of a 12-inch diameter, PVC sanitary sewer line and two (2) concrete manholes. The purpose of this impact is to service "Saucon Country Estates," a future planned residential subdivision.

4. A channel change of a 446-LF segment of a UNT to Saucon Creek (CWF, MF) consisting of a 4-foot wide trapezoidal channel having 2:1 side slopes, a 1.14% longitudinal slope, and a 2-foot wide low flow channel lined with a 9-inch thick layer of river rock and underlain with erosion control matting. The purpose of this impact is to eliminate several abrupt bends in the channel and create a more gradual stream alignment, decrease scour/erosion along the eastern shoulder of Limeport Road, and increase positive drainage for properties adjoining the stream.

5. A channel change of a 220-LF segment of a UNT to Saucon Creek (CWF, MF) consisting of a 6-foot wide trapezoidal channel having 2:1 side slopes, a 1.25% longitudinal slope, and lined with erosion control matting. The purpose of this impact is to align the stream channel with the culvert carrying a UNT to Saucon Creek (CWF, MF) below Limeport Pike (SR 2029), which has been re-located approximately 15-feet northward.

The project is located at the intersection of Limeport Pike (SR 2029) and Ackermans Lane (T-850) (Allentown East, PA Quadrangle Latitude: 41° 31' 15.54", Longitude: -75° 26' 57.79") in Upper Saucon Township, Lehigh County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0603221-011. Bethel, PA SWC Klahr & Schubert LLC, 1400 Sixteenth Street, Suite 300, Oak Brook, IL 60523, Bethel Township, **Berks County**, ACOE Baltimore District.

To place and maintain fill from grading, resulting in 1,088 square feet (0.025 acre) of permanent and 256 square feet (0.006 acre) of temporary impacts to an emergent wetland, all for the purpose of constructing a Burger King restaurant along with a parking lot, utilities, sidewalk, and roadway improvements. The project is located in the southeast corner at the intersection of Lancaster Ave and Schubert Road (Latitude: 40.478253, Longitude: -76.294922) in Bethel Township, Berks County. Permanent wetland loss is less than 0.05 acre and replacement is not required. The project is located within the Little Swatara Creek watershed (CWF, MF). No stream impacts are proposed. Permit Issued May 2, 2022.

Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E4104221-020, Veteran's Grove, 1909 West Cottage Avenue, Williamsport, PA 17701, Old Lycoming Township, **Lycoming County**, ACOE District (Cogan Station, PA Quadrangle 41.289°N; Longitude: 77.056°W).

This project proposes to repair and maintain a Pavilion, benches, and a 9/11 memorial in the floodway of Lycoming Creek. No significant obstructions are being proposed within the FEMA delineated floodway. The proposed obstructions are also located in the conveyance shadow of a PennDOT bridge up-stream of the site.

Total temporary impacts in the Watercourse is 0 ft² and 100 ft² in the Floodway. Permanent impact in the Watercourse is 0 ft² and 150 ft² of impact in the Floodway. Lycoming Creek is an Exceptional Value Fishery, Migratory Fishery.

This permit was issued under Section 105.13(e) "Small Projects." This permit also includes 401 Water Quality Certification.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E3206221-003, Norfolk Southern Railway, 1200 Peachtree Street, Atlanta, GA 30309. Bridge SG-288.70 Maintenance Repairs, in West Wheatfield Township, **Indiana County**, ACOE Pittsburgh District (USGS, PA Quadrangle N: 40°, 23', 26.4"; W: 79°, 05', 0.16").

Installing a 102-foot long, 11-foot wide by 10-foot tall steel liner within an existing 12-foot wide by 10-foot tall and 48-foot long stone arch bridge across an unnamed tributary (CWF) to Conemaugh River on the existing Norfolk Southern Railroad line at milepost 288.70 near

New Florence (New Florence, PA Quadrangle N: 40°, 23', 26.4"; W: 79°, 05', 0.16") in West Wheatfield Township, Indiana County.

E1006221-014, Jim and Bridget Kreider, 213 Salt Works Road, Harmony, PA 16037. Kreider Joint Permit, in Lancaster Township, **Butler County**, ACOE Pittsburgh District (Evans City; Zelenople, PA Quadrangle N: 40°, 49', 43"; W: -80°, 7', 36.1779").

Construct and maintain a 40 foot, 20 feet wide by 4 feet high concrete box culvert in Scholars Run and 0.029 acre of adjacent wetlands for a driveway and to install and maintain four utility line crossings of Scholars Run and adjacent wetlands as part of the construction of a single family home located along the west side of Route 19 (Evans City; Zelenople, PA Quadrangle N: 40°, 49', 43"; W: -80°, 7', 36.1779") in Lancaster Township, Butler County.

Eastern Region: Oil & Gas Management Program Manager, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829221-023, Regency Marcellus Gas Gathering, LLC, 101 West Third Street, Williamsport, PA 17701, Leroy Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 12-inch steel gas line and a temporary timber mat bridge impacting 102 linear feet of Little Schrader Creek (EV, MF), 3,455 square feet of its channel/floodway and impacting 117 square feet of an adjacent Palustrine Emergent Wetland (EV) (Leroy, PA Quadrangle, Latitude: 41.62954°, Longitude: -76.73158°);

The project will result in 102 linear feet of temporary stream impacts, 1,893 square feet (0.043 acre) of floodway impacts and 117 square feet (0.003 acre) of temporary PEM impacts all for the purpose of installing a natural gas pipeline with associated access roadways for Marcellus shale development in Leroy Township, Bradford County.

E0829221-030, Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Wilmot Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. a 16-inch diameter temporary waterline and a timber mat bridge impacting 4,280 square feet of Susquehanna River floodway (WWF, MF) (Laceyville, PA Quadrangle, Latitude: 41.669675°, Longitude: -76.210344°);

2. a 16-inch diameter temporary waterline impacting 2 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.667394°, Longitude: -76.209460°);

3. a 16-inch diameter temporary waterline impacting 170 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.663768°, Longitude: -76.208865°);

4. a 16-inch diameter temporary waterline impacting 148 square feet of an unnamed tributary to Susquehanna River floodway (WWF, MF) (Laceyville, PA Quadrangle, Latitude: 41.663441°, Longitude: -76.208433°);

5. a 16-inch diameter temporary waterline impacting 10 linear feet (17 square feet) of an unnamed tributary to Susquehanna River (WWF, MF) (Laceyville, PA Quadrangle, Latitude: 41.662646°, Longitude: -76.207616°);

6. a 16-inch diameter temporary waterline and a timber mat bridge impacting 1,920 square feet of a

Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.657101°, Longitude: -76.207050°);

7. a 16-inch diameter temporary waterline and a timber mat bridge impacting 740 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.655980°, Longitude: -76.206938°);

8. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (40 square feet) of an unnamed tributary to Susquehanna River (WWF, MF) (Laceyville, PA Quadrangle, Latitude: 41.652893°, Longitude: -76.209088°);

9. a 16-inch diameter temporary waterline and a timber mat bridge impacting 244 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.645155°, Longitude: -76.211058°);

10. a 16-inch diameter temporary waterline and a timber mat bridge impacting 632 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.644856°, Longitude: -76.211106°);

11. a 16-inch diameter temporary waterline and a timber mat bridge impacting 580 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.644829°, Longitude: -76.211245°);

12. a 16-inch diameter temporary waterline and a timber mat bridge impacting 20 linear feet (395 square feet) of an unnamed tributary to Susquehanna River (CWF, MF) (Laceyville, PA Quadrangle, Latitude: 41.644658°, Longitude: -76.211752°);

13. a 16-inch diameter temporary waterline and a timber mat bridge impacting 441 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.643914°, Longitude: -76.214347°);

14. a 16-inch diameter temporary waterline and a timber mat bridge impacting 5,050 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.640088°, Longitude: -76.218307°);

15. a 16-inch diameter temporary waterline and a timber mat bridge impacting 793 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.639810°, Longitude: -76.218307°);

16. a 16-inch diameter temporary waterline and a timber mat bridge impacting 4,963 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.638349°, Longitude: -76.218647°);

17. a 16-inch diameter temporary waterline and a timber mat bridge impacting 3,392 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.638142°, Longitude: -76.219431°);

18. a 16-inch diameter temporary waterline and a timber mat bridge impacting 2,313 square feet of a Palustrine Emergent Wetland (Laceyville, PA Quadrangle, Latitude: 41.637458°, Longitude: -76.219385°);

The project will result in 50 linear feet and 452 square feet of temporary stream impacts, and 21,240 square feet (0.488 acre) of temporary PEM wetland impacts, all for the purpose of establishing a temporary water supply for Marcellus well development in Wilmot Township, Bradford County.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under sec-

tion 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil & Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481.

ESCGP-3 # ESG083222001-00-South Bend Gathering to Anegada Row Project
Applicant Name INR OPR LLC
Contact Person Ian
Address 2605 Cranberry Square
City, State, Zip Morgantown, WV 26508-9201
Municipality South Bend Township & Armstrong Township
County Armstong and Indiana
Receiving Stream(s) and Classification(s) Gobblers Run (WWF),
Secondary; Crooked Creek (WWF)

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG294121018-00
Applicant Name Inflection Energy (PA), LLC
Contact Person Gregg Saunders
Address 101 West Third Street, Floor 5
City, State, Zip Williamsport, PA 17701
County Lycoming
Township(s) Gamble & Eldred
Receiving Stream(s) and Classification(s) Caleb's Run (EV, TSF, MF)
Secondary: Mill Creek—West Side of Loyalsock Creek (TSF, MF)

ESCGP-3 # ESG295822004-00
Applicant Name SWN Production Co, LLC
Contact Person David R. Bert
Address 917 State Route 92 North
City, State, Zip Tunkhannock, PA 18657
County Susquehanna
Township(s) Oakland
Receiving Stream(s) and Classification(s) Susquehanna River (WWF, MF), UNT to Susquehanna Creek (WWF, MF), Hilborn Creek (CWF, MF)
Secondary: Susquehanna River (WWF, MF)

ESCGP-3 # ESG295922005-00
 Applicant Name NFG Midstream Covington LLC
 Contact Person Michael P. Kasprzak
 Address 6363 Main Street
 City, State, Zip Williamsville, NY 14221
 County Tioga
 Township(s) Middlebury
 Receiving Stream(s) and Classification(s) UNT to Crooked
 Creek (WWF), UNT to Losey Creek (WWF)
 Secondary: Crooked Creek (WWF), Losey Creek (WWF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Roosevelt Blvd Exxon, 51-41481, 9042 Roosevelt Blvd., Philadelphia, PA 19115, **City of Philadelphia**. Synergy Environmental, Inc., 155 Rail Road Plaza, First Floor, Royersford, PA 19468, on behalf of 9042 Roosevelt Blvd., Philadelphia, LLC, 645 Hamilton Street, Suite 400, Allentown, PA 181001, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The

report is intended to document remediation of the site to meet residential site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Pereira Enterprises, Storage Tank ID # 13-50082, 117 Delaware Avenue, Palmerton, PA 18071, Palmerton Borough, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pereira Enterprises Inc., 117 Delaware Avenue, Palmerton, PA 18071, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet a combination of Site-Specific and Statewide health standards.

Plociniak Oil, Storage Tank ID # 35-08046, 113-115 Main Street, Moscow, PA 18444, Moscow Borough, **Lackawanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Moscow Real Estate LLC, 921 Drinker Turnpike, Moscow, PA 18444, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of site-specific and Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Robin L. Yerger, LPG.

Long Level Marina, Storage Tank Facility ID # 67-63491, 1809 Long Level Road, Wrightsville, PA 17368, Lower Windsor Township, **York County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Long Level Marina, 1809 Long Level Road, Wrightsville, PA 17368, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the Statewide health standard.

Contact: Gregory Bowman, Environmental Group Manager.

Hi Way Mobil Service, Storage Tank Facility ID # 50-62357, 322 Tuscarora Path, Ickesburg, PA 17037-9533, Saville Township, **Perry County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Hi Way Mobil Service, 322 Tuscarora Path, Ickesburg, PA 17037-9533 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document the remedial actions for meeting the Statewide health standard.

Getty 69428, Storage Tank Facility ID # 36-22497, 3568 East Newport Road, Intercourse, PA 17529, Leacock Township, **Lancaster County**. Antea Group, 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of Getty Properties Corporation, Two Jericho Plaza, Suite 110, Wing C, Jericho, NY 11753, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document remediation of the site to meet the site-specific standard.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.

Contact: Randy Farmerie, Environmental Program Manager.

Former Sheetz Store 165, Storage Tank Facility ID # 53-06321, 208 South Main Street, Coudersport, PA 16915, Coudersport Borough, **Potter County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 16365, on behalf of Sheetz Incorporated, 351 Sheetz Way, Claysburg, PA 16625, submitted a Site Characterization Report and Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting the Statewide health standard.

Fuel On 2, Storage Tank Facility ID # 19-00603, 711 Market Street, Bloomsburg, PA 17815, Bloomsburg Township, **Columbia County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Fuel On 2, 711 Market Street, Bloomsburg, PA 17815, submitted a Site Characterization Report and Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting the Statewide health standard.

CMP Houtzdale, Storage Tank Facility ID # 17-04537, 708 McAteer Street, Houtzdale, PA 16698, Houtzdale Borough, **Clearfield County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of EDPO, LLC d/b/a CMP-Energy, P.O. Box 669, Philipsburg, PA 17044, submitted a Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting the Statewide health standard.

Sunoco 0003-2037, Storage Tank Facility ID # 49-70098, 5th & Market Street, Mount Carmel, PA 17851, Mount Carmel Borough, **Northumberland County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Risk Assessment/Revised Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the site-specific standard.

Kwik Fill M0086, Storage Tank Facility ID # 17-14823, 978 N. Front Street, Philipsburg, PA 16866, Decatur Township, **Clearfield County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company of PA, 814 Lexington Avenue, P.O. Box 688, Warren, PA 16365, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the Statewide health standard.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

New Castle Sunoco, Storage Tank Facility ID # 37-24166, 719 East Washington Street, New Castle, PA 15205, New Castle City, **Lawrence County**. Core Environmental Services, Inc., 3960 William Flinn Highway,

Suite 100, Allison Park, PA 15101-3603, on behalf of SGII Group, LLC, 290 Bilmar Avenue, Pittsburgh, PA 16205, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded gasoline. The report is intended to document remediation of the site to meet the residential Statewide health standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has Taken Action on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Sunoco 0004 8868, 51-32025, 801 S. Broad St., Philadelphia, PA 19147, **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Ac-

tion Completion Report demonstrated attainment of the nonresidential, Statewide health standards and was approved on April 28, 2022.

Avon Grove Citgo, 15-42312, 525 Gap Newport Pike, Avondale, PA 19311, London Grove Township, **Chester County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Mark Properties, LLC, 525 Gap Newport Pike, Avondale, PA 19311, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet nonresidential Statewide health and site-specific standards and was approved on April 28, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

A1 Gas Mini Mart, Storage Tank ID # 39-40896, 1247 West Turner Street, Allentown, PA 18102, Allentown City, **Lehigh County**. Center Point Tank Services, 536 East Benjamin Franklin Highway, Douglassville, PA 19518, on behalf of Moobi and Qasim Corporation, 1247 West Turner Street, Allentown, PA 18102, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with gasoline. The Remedial Action Completion Report demonstrated attainment of site-specific standards and was approved on May 3, 2022.

North Memorial Highway Retail Associates, Storage Tank ID # 40-18179, 155 North Memorial Highway, Shavertown, PA 18708, Kingston Township, **Luzerne County**, MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of North Memorial Highway Retail Associates LLC, 155 North Memorial Highway, Shavertown, PA 18708, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The Remedial Action Completion Report demonstrated attainment of Statewide health standards and was approved on April 28, 2022.

Countryside Quik Mart, Storage Tank ID # 40-51992, 48 Hunlock-Harveyville Road, Hunlock Creek, PA 18621, Union Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Kuber Property LLC, 24 Doe Drive, Dallas, PA 18612, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was acceptable to meet Statewide health standards and was approved on April 27, 2022.

Effort Texaco, Storage Tank ID # 45-50054, 2604 Route 115, Effort, PA 18330, Chestnuthill Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Arya & Patel LLC, P.O. Box 381, Effort, PA 18330, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was not acceptable to meet Statewide health standards and was disapproved on April 29, 2022.

Capital Trailways, Storage Tank ID # 54-22101, 2650 Woodglen Road, Pottsville, PA 17901, Pottsville City, **Schuylkill County**, United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of JAM Woodglen LLC, P.O. Box 472, Schuylkill Haven, PA 17972, submitted a combined Site Characterization Report and Remedial Action Plan concerning remediation of

soil and groundwater contaminated with diesel. The report was acceptable to meet Statewide health standards and was approved on April 28, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Robin L. Yerger, LPG.

Long Level Marina, Storage Tank Facility ID # 67-63491, 1809 Long Level Road, Wrightsville, PA, 17368, Lower Windsor Township, **York County**. Crawford Environmental, Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Long Level Marina, 1809 Long Level Road, Wrightsville, PA 17368, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved on April 26, 2022.

Contact: Michael Stefanic, P.G., Project Officer.

Travel Centers of America, Storage Tank Facility ID # 22-12100, 7848 Linglestown Road, Harrisburg, PA 17112, West Hanover Township, **Dauphin County**. Hydro-Terra Group, 7420 Derry Street, Harrisburg, PA 17111, on behalf of Travel Centers of America, 7848 Linglestown Road, Harrisburg, PA 17112, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with diesel fuel constituents. The Remedial Action Completion Report demonstrated attainment of the nonresidential Statewide health standard and was approved on April 28, 2022.

Speedway 6763, Storage Tank Facility ID # 22-22668, 6821 Paxton Street, Harrisburg, PA 17111-3377, Swatara Township, **Dauphin County**. EMS Environmental, Inc., 4550 Bath Pike, Bethlehem, PA 18017, on behalf of Speedway, LLC, 500 Speedway Drive, Enon, OH 45323-1056 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with petroleum constituents. The Remedial Action Completion Report demonstrated attainment of the site-specific standard and was approved on April 28, 2022.

Contact: Cherie Campbell, Soil Scientist.

Hi Way Mobil SVC, Storage Tank Facility ID # 50-62357, 322 Tuscarora Path, Ickesburg, PA 17037-9533, Saville Township, **Perry County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Hi Way Mobil Service, 322 Tuscarora Path, Ickesburg, PA 17037-9533 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Statewide health standards and was approved on May 3, 2022.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.

Contact: Randy Farmerie, Environmental Program Manager.

CMP Houtzdale, Storage Tank Facility ID # 17-04537, 708 McAteer Street, Houtzdale, PA 16698, Houtzdale Borough, **Clearfield County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of EDPO, LLC d/b/a CMP-Energy, P.O. Box 669, Philipsburg, PA 17044, submitted a Site Characterization Report and Remedial Action Plan concerning remediation of soil and

groundwater contaminated with petroleum. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved on April 7, 2022.

Sunoco 0003-2037, Storage Tank Facility ID # 49-70098, 5th & Market Street, Mount Carmel, PA 17851, Mount Carmel Borough, **Northumberland County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Risk Assessment/Revised Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of the site-specific standard and was approved on April 22, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerk Typist 3.

Uni-Mart 04077, Storage Tank Facility ID # 33-15325, 512 E. Mahoning Street, Punxsutawney, PA 15767-2127, Borough of Punxsutawney, **Jefferson County**. Professional Service Industries, Inc., 1748 33rd Street, Orlando, FL 32839, on behalf of Uni-Mart 04077, 512 E. Mahoning Street, Punxsutawney, PA 15767-2127, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with benzene. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved on April 29, 2022.

SPECIAL NOTICES

ACTIVE AND ABANDONED MINE OPERATIONS

ACT 181 NOTIFICATION

New Stanton District Mining Office, P.O. Box 133, New Stanton, PA 15672, 724-925-35500, RA-EPNEWSTANTON@pa.gov.

William J Bane & James Rumble, PBF 26840110.3, Luzerne Township, Mine, (aka, Rumble and Bane Mine), Passive Treatment System Construction Project; Luzerne Township, **Fayette County**.

The Luzerne Township, Mine, is a reclaimed mine site, but AMD remains. The site is located on private property in Luzerne Township, Fayette County. The project is to construct a passive treatment system that will include, but not limited to, construct a Drainable Limestone Bed (DLB), new pond outlet, HDPE culvert and chain link fence. The DEP has executed a Consent to Right of Entry with all impacted landowners to allow access to the property to complete reclamation work.

This project issues on June 30, 2022, and bids will be opened on June 15, 2022. A mandatory pre-bid meeting will be conducted at the site on June 7, 2022; please call for time and directions. Bid documents will be available after May 26, 2022 and at the pre-bid meeting. Bidders must obtain an active Mining License in order to qualify for the final award as per 25 Chapter 86.189. Bid proposals shall be submitted to Attn: Jeffrey Parr DEP, 131 Broadview Road, P.O. Box 133, New Stanton, PA 15672. For more information, contact Jeffrey Parr by email jeparr@pa.gov or by telephone at 724.925.5542.

WASTE, AIR, RADIATION AND REMEDIATION

HAZARDOUS SITES CLEANUP UNDER THE ACT OF OCTOBER 18, 1988

NOTICE OF PROMPT-INTERIM RESPONSE

Benner Township PFAS Investigation; Benner Township, **Centre County**.

The Department of Environmental Protection (DEP), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) has initiated a Prompt-Interim Response for the Benner Township PFAS Investigation. This response has been initiated pursuant to Section 501(a) and 505(b) of HSCA (35 P.S. §§ 6020.501(a) and 6020.505(b)). The site is located in Benner Township, Centre County, PA.

The Benner Township PFAS Investigation is located in the area surrounding the University Park Airport. The investigation includes a commercial/industrial area to the north of the airport, and mixed residential/agricultural areas primarily to the east and south of the airport.

The Benner Township PFAS Investigation was initiated after PFAS compounds were detected in the public water supply at the State-of-the-Art company located on High Tech Road in Benner Township. Following confirmation of the groundwater contamination in this water supply well, Northcentral Regional Office personnel conducted testing at two additional active water supply wells at companies along High Tech Road.

The HSCA-funded investigation is focused on defining the extent of the plume, identifying any receptors, and determining the source(s) of the contamination. PFAS consists of a number of man-made compounds manufactured for industrial as well as household uses. These compounds are present in a wide variety of products and ubiquitous in the environment. Several PFAS compounds are known to cause potential damage to human health.

When DEP became aware that residential water supply wells were impacted with PFAS compounds above the EPA lifetime Health Advisory Level (HAL) of 70 part per trillion, the focus of the investigation became concentrated on sampling private water supply wells in the areas of known contamination to identify any residents who were being exposed to PFAS at levels above the EPA HAL. As sample results were received, any property owner whose well contained PFAS above the EPA HAL, and who did not have an existing home treatment system that effectively filtered out PFAS, was provided with bottled water for consumptive use as a temporary Prompt Interim Response. This Prompt Interim Response was initiated due to the exposure of residents ingesting a harmful chemical.

Because the provision of bottled water is a temporary alternate drinking water source, and it does not provide protection from other potential routes of exposure such as inhalation, DEP is including plans to install home water treatment systems to those residents with drinking water containing PFAS above the EPA HAL as part of this Prompt Interim Response in order more completely address exposure pathways. Further alternatives will be evaluated for a permanent alternate water supply, such as installation of and hook-up to a public water line extension, and the permanent operation of the home treatment systems. An analysis of the alternatives will be conducted prior to determining the final remedy.

This notice is being provided pursuant to Section 506(b) of HSCA. The Administrative Record, which contains the information that forms the basis and documents the selection of this response action is available for public review and comment. The Administrative Record is available electronically on DEP's project specific website at www.dep.pa.gov/BennerHSCA. The Administrative Record is also located at the Benner Township Municipal Building, 1224 Buffalo Run Rd, Bellefonte, PA 16823 and is available for review from 8:00 a.m. to 4:00 p.m., Monday through Friday and on Benner Township's website at http://www.bennertownship.org/?page_id=1701.

The Administrative Record will be open for comment from May 28, 2022 until August 26, 2022. Any person may submit written comments into the record during this time only, by sending them to Cheryl Sinclair at PA Department of Environmental Protection, 208 W. Third Street, Suite 101, Williamsport, PA 17701 or by e-mail at csinclair@pa.gov, or by delivering them to this office in person.

In addition, any person may present oral comments, for inclusion in the Administrative Record, at a public hearing. DEP has scheduled the hearing on Tuesday, June 28, 2022 promptly at 6:30 p.m. at the Benner Township Municipal Building located at 1224 Buffalo Run Rd, Bellefonte, PA 16823. Any person wishing to present comments must register with Megan Lehman before 4:00 pm on June 27, 2022 by telephone at 570-327-3659 or in writing via e-mail at meglehman@pa.gov or USPS at PA Department of Environmental Protection, 208 W. Third Street, Suite 101, Williamsport, PA 17701.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service, or other accommodations to participate in the proceedings, should call through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how DEP may accommodate their needs.

WATER PROGRAMS

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and

to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

Actions on Applications for the Following Activities Filed Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

PUBLIC NOTICE OF FINAL STATE WATER QUALITY CERTIFICATION FOR FERC REGULATED PIPELINE PROJECT

State Water Quality Certification Issued by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Holbrook Compressor Units Replacement Project

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

WQ3083221-001, Texas Eastern Transmission, LP (Applicant), 890 Winter Street, Suite 320, Waltham, MA 02451-1470. Holbrook Compressor Units Replacement Project (Project), in Richhill Township, **Greene County**, Pittsburgh District. The proposed project is located at the existing Holbrook Compressor Station (Latitude: 39.891389°; Longitude: -80.453611°).

On June 17, 2021, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP21-463-000). Documentation and/or submissions to date may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP21-463-000).

On June 29, 2021, Applicant requested a state water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project involves the abandonment of twelve existing compressor units and related facilities, and their replacement with two new compressor units, which will be housed in a new compressor building. In addition, a temporary construction yard will be utilized for the staging of materials and equipment for the project, and permanent post-construction stormwater management facilities will be installed. The Project will require approximately 38.57 acres of earth disturbance and impacts to 0.03 acre of North Fork Dunkard Fork (TSF) floodway.

PADEP published notice of its proposed SWQC in the *Pennsylvania Bulletin* on October 23, 2021 (51 Pa.B. 6624) and received no comments from the public.

PADEP certifies that the construction, operation and maintenance of the Project complies with the applicable provisions of sections 301—303, 306 and 307 of the

Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP further certifies that the construction, operation and maintenance of the Project complies with Pennsylvania water quality standards and that the construction, operation and maintenance of the Project will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management), and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and

intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to the Department of Environmental Protection, Regional Permit Coordination Office, Domenic Rocco, PE, Director, 400 Market Street, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

10. *Reservation of Rights*—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of the SWQC shall not be affected thereby.

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and

to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

Applicant: Texas Eastern Transmission, LP, 890 Winter Street, Suite 320, Waltham, MA 02451-1470, Holbrook Compressor Units Replacement Project.

Applicant is proposing to upgrade the existing compressor station and appurtenant facilities to meet new air quality standards, in addition, a stormwater retention basin and associated outfall will be constructed to control stormwater runoff. The project is located in Richhill Township, Greene County. The project consists of one (1) Chapter 105 Water Obstruction and Encroachment Permit and one (1) Chapter 102 Erosion and Sediment Control Permit. The following is the Chapter 105 permit application being reviewed by the Department.

GP043083221-001. The **Greene County**, portion of the project is located in Richhill Township, U.S. Army Corps of Engineers, Pittsburgh District. The proposed

project is located at the existing Holbrook Compressor Station (Latitude: 39.891389°; Longitude: -80.453611°).

The proposed project impacts in Greene County include a total of 0.03 acre of permanent impacts to North Fork Dunkard Fork (TSF) floodway. Compensatory mitigation is not required for this project.

EROSION AND SEDIMENT CONTROL

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

ESP833021001. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities.

The Holbrook Compressor Units Replacement Project, as proposed, includes approximately 38.57 acres of earth disturbance for upgrade of the existing compressor station to remain in compliance with air quality standards. Upgrade includes the installation of a managed release concept for post-construction stormwater. One off-site support area is included in the project for construction.

The approved application is as follows:

<i>Permit No.</i>	<i>Applicant Name & Address</i>	<i>Counties</i>	<i>DEP Office</i>
ESP833021001	Enbridge/Texas Eastern Transmission, LP 890 Winter Street Suite 320 Waltham, MA 02451	Greene County	Regional Permit Coordination Office

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

Actions on Applications for the Following Activities Filed Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

E6383221-012. Columbia Gas Transmission, LLC, 1700 MacCorkle Ave SE, Charleston, WV 25314. North Strabane Township & South Strabane Township, **Washington County**, U.S. Army Corps of Engineers, Pittsburgh District.

To repair, stabilize and maintain two soil slips along the right-of-way of an existing natural gas transmission pipeline. The proposed work is associated with the Line 1570 Phase 2 Slips Repair Project. The first soil slip repair impacts the floodway of a UNT to Chartiers Creek (WWF). The second soil slip repair impacts wetlands within the Little Chartiers Creek Watershed (HQ-WWF). Work involves excavation, placement of structural fill, and the installation of vegetated channels, french drains, riprap apron outfalls, and other appurtenant facilities.

The proposed project impacts include a total of 102 feet of temporary impacts and 10 feet of permanent impacts to UNT to Chartiers Creek (WWF); 0.31 acre of temporary impacts and 0.01 acre of permanent impacts to the floodway; 0.03 acre of temporary impacts to PEM wetlands and 0.14 acre of permanent impacts to PEM wetlands.

To compensate for the proposed permanent project impacts, Applicant is proposing to purchase 0.14 mitigation credits at the Enlow Fork Mitigation Bank from the First Pennsylvania Resource, LLC.

The project is located 0.32 miles southwest of Hill Church Houston Road (Latitude: 40.239342°; Longitude: -80.199975°) in North Strabane Township, and 0.2 mile east of Quarry Road (Latitude: 40.173472°; Longitude: -80.189772°) in South Strabane Township, Washington County.

[Pa.B. Doc. No. 22-691. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Air Quality Technical Advisory Committee Meeting Cancellation

The June 2, 2022, Air Quality Technical Advisory Committee (Committee) meeting is cancelled. The next Committee meeting is scheduled for Thursday, August 18, 2022, at 9:15 a.m. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting ra-epAQTAC@pa.gov or Kirit Dalal at (717) 772-3436.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Air," then "Air Quality Technical Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the August 18, 2022, meeting can be directed to ra-epAQTAC@pa.gov or Kirit Dalal at (717) 772-3436.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Kirit Dalal at (717) 772-3436 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-692. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Application Period for Municipal Recycling Program Performance Grant Applications under Act 101, Section 904 of the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988; Calendar Year 2021

The Department of Environmental Protection (Department) announces a request for applications from municipalities for recycling performance grant assistance for recycling programs under section 904 of the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988 (Act 101) (53 P.S. § 4000.904). Municipalities include counties, cities, boroughs, incorporated towns, townships, home rule municipalities, their authorities, councils of governments, consortiums or similar entities established by two or more municipalities under 53 Pa.C.S. Chapter 23, Subchapter A (relating to intergovernmental cooperation). This application period is for eligible materials recycled and marketed in calendar year 2021.

Municipal Recycling Program Performance Grant (Performance Grant) funds will be awarded to municipalities based upon the weight of source-separated recyclable materials identified in section 1501(c)(1)(i) of Act 101 (53 P.S. § 4000.1501(c)(1)(i)) recovered by municipal recycling programs and the population of the municipality as determined by the most recent decennial census. Due to funding available for the Recycling Performance Grant program for calendar year 2021, the funding formula will remain the same as last year.

For residential tonnage, municipalities that market some or all of their own material are not subject to the 20% residue deduction for those materials. Marketed means that the materials were sold to a manufacturer for the purposes of converting the recyclables into new product. Compensation/rebates from a collector or processor do not count as the marketing of materials.

Materials that go to a second-hand processor are subject to the 20% residue deduction—weight receipts from that entity cannot be considered as market receipts for the municipality (the processor cannot prorate marketed materials to one or more municipalities).

For commercial tonnage, materials that go directly from the generator to a market can be exempt from the 20% rate. Documentation must include a statement from the

commercial entity or home office of the commercial entity that the materials are directly marketed without further processing. Commercial materials that are sorted/processed after leaving the generator are subject to the 20% residue rate.

If an application is claiming an overall residue rate of less than 20%, it must describe why and supply supporting documentation to justify the claim.

Multi-municipal applications under the Act 101, Section 904 Recycling Performance Grant Program will only be accepted by the Department from the following:

A. Council of governments, consortiums or other similar entities established by two or more municipalities under 53 Pa.C.S. Chapter 23, Subchapter A.

B. Two or more municipalities where the collection of recyclables has been accomplished either through a joint bid for services or a joint municipally-operated collection system (curbside or drop-off) accompanied by a joint recycling education program.

An application submitted jointly to the Department by two or more municipalities that does not meet one of the previously listed criteria will be held until the participating municipalities supply individual applications. Submittals from county governments are not considered multi-municipal applications and are therefore not subject to these criteria.

Applicants who have failed to comply with the conditions set forth in previously awarded grants, the recycling program performance requirements contained in the act of November 9, 2006 (P.L. 1347, No. 140), the grant requirements of Act 101 or the regulations of Act 101 may not be awarded funds under this grant program. Applicants must ensure that they are in compliance with 25 Pa. Code § 272.314(b)(2) (relating to limits on Department's authority to award grants).

Eligible materials include post-consumer: clear glass; colored glass; aluminum cans; steel and bimetallic cans; high-grade office paper; newsprint; corrugated paper; other marketable grades of paper; and plastics. Grants will be awarded only for properly documented, eligible materials that were actually marketed on or after January 1, 2021, to and including December 31, 2021. Applicants should only claim those tonnages for which they have documentation at the time they complete their application. Residues, materials not listed as eligible or materials that cannot be documented as being generated within the municipality or marketed or recycled into new products or uses are not eligible for consideration toward the grant. In particular, recovered glass that is being stockpiled or used as daily cover at a landfill will not be considered as recycled. Applicants must be able to document the amount of residue attributable to their recycling program.

Documentation to support all claims that eligible recyclable materials were generated within the municipality and marketed must be made available for auditing by the Department, the Office of the Auditor General, the Office of the Treasurer or agents of those offices for 4 years. The Department will not require applicants to retain hauler customer lists; however, the lists may be required to be examined in the event of an audit. It will be the applicant's responsibility to arrange for hauler customer lists to be provided, or for haulers to be present with their customer lists, during a grant audit.

Supporting documentation is not required to be submitted with the application. Tonnages not properly documented at the time of an audit will not be credited

towards the applicant's Performance Grant award. Additional/supplemental documentation will not be accepted after the audit is completed. Failure to submit a complete and accurate application may result in a denial of the application.

Grant applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at www.esa.dced.state.pa.us. Applications must be received by 3 p.m. on December 30, 2022, to be eligible for funding. Applications will not be accepted after the deadline. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of moneys in the Recycling Fund.

Inquiries concerning this notice can be directed to Mark Vottero, Bureau of Waste Management, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472 or mvottero@pa.gov.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-693. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

California Air Resources Board Executive Officer's Certification of an Enhanced Conventional Nozzle by a Second Manufacturer

The Department of Environmental Protection (Department) announces that effective Saturday, May 14, 2022, it finds that a second manufacturer received certification from the Executive Officer of the California Air Resources Board (CARB) for an enhanced conventional gasoline nozzle. Under 25 Pa. Code § 129.61a(k)(2)(i) (relating to vapor leak monitoring procedures and other requirements for small gasoline storage tank emission control) as established in the regulatory amendments to 25 Pa. Code Chapter 129 published at 52 Pa.B. 1875 (March 26, 2022), the Department is required to establish a date for when enhanced conventional gasoline nozzles must be installed at gasoline dispensing facilities subject to § 129.61a. Section 129.61a(k)(2)(i) provides that, "[t]he owner or operator shall replace each conventional nozzle with an enhanced conventional nozzle within 2 years after the Department publishes notice in the *Pennsylvania Bulletin* of the CARB Executive Officer having issued an Executive Order of Certification to a second manufacturer for an enhanced conventional nozzle." On October 9, 2019, the Executive Officer of the CARB issued an Executive Order to a second manufacturer for an enhanced conventional gasoline nozzle. See <https://ww2.arb.ca.gov/our-work/programs/vapor-recovery/vapor-recovery-executive-orders>. Consistent with § 129.61a(k)(2)(i), the owners and operators of gasoline dispensing facilities subject to § 129.61a will be required to install enhanced conventional gasoline nozzles before May 14, 2024, the date that is no later than 2 years after this publication.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-694. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of National Pollutant Discharge Elimination System General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (PAG-06)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is, by this notice, extending for 6 months the availability of the current National Pollutant Discharge Elimination System General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems (PAG-06).

The existing PAG-06 General Permit in effect at this time will expire May 31, 2022. Persons that are operating under the PAG-06 General Permit may continue to operate until November 30, 2022. The Department is extending the availability of this permit to adequately complete preparation of the renewal of the PAG-06 General Permit. During the period of administrative extension, no new coverage under the PAG-06 General Permit may be authorized by the Department.

To access the General Permit and related documents, visit www.depgreenport.state.pa.us/elibrary/ (select “Permit and Authorization Packages,” then “Clean Water,” then “PAG-06 General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems 3800-PM-BCW0076 (MAY NOT BE USED FOR NEW COVERAGE)”).

Questions regarding the PAG-06 General Permit should be directed to Maria Schumack, PE, at maschumack@pa.gov or (717) 705-0486.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-695. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Public Notice of Draft National Pollutant Discharge Elimination System General Permit for Wet Weather Discharges from Combined Sewer Systems (PAG-06)

The Department of Environmental Protection (Department) is announcing the availability of a draft National Pollutant Discharge Elimination System (NPDES) General Permit for Wet Weather Discharges from Combined Sewer Systems (PAG-06). The draft General Permit and related documents are available online at <http://www.depgreenport.state.pa.us/elibrary/> (select “Permit and Authorization Packages,” then “Clean Water,” then “Draft—PAG-06 for Wet Weather Discharges from Combined Sewer Systems”).

The PAG-06 General Permit is intended to provide NPDES permit coverage to combined sewer overflow (CSO) discharges from satellite combined sewer systems (CSS) that serve populations less than 75,000. A CSS is a sewer system that has been designed to collect and convey both sewage and stormwater and may discharge to surface waters through CSOs prior to reaching a publicly owned treatment works (POTW) or wastewater treatment plant. A satellite CSS is a CSS that is owned or operated by a person different from the owner or operator of the POTW or wastewater treatment plant into which the CSS directly flows.

The following significant changes are proposed in the draft PAG-06 General Permit in comparison to the PAG-06 General Permit that is currently in effect, which expires November 30, 2022:

- The Notice of Intent (NOI) fee would increase from \$500, paid in annual NOI installment fees of \$100 per year, to \$2,500, paid in annual NOI installment fees of \$500 per year.
- New procedures are introduced to clarify the requirements for a permittee’s submission of a revised Long-Term Control Plan (LTCP). New permit language is proposed to clarify public participation requirements for changes to a facility’s LTCP.
- Coverage under PAG-06 would expire on the date of the master General Permit. The Annual CSO Status Report will no longer be utilized as an NOI to renew coverage each year. In addition, an expiration date of general permit coverage will be identified on the approval of coverage page of the general permit.

Written Comments

Interested persons are invited to submit written comments regarding the draft PAG-06 General Permit and associated documents through Monday, June 13, 2022. Commentators are encouraged to submit comments using the Department’s online eComment system at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Comments, including comments submitted by e-mail, must include the commentator’s name and address. Comments submitted by facsimile will not be accepted.

Written comments submitted during the 30-day comment period will be retained by the Department and considered in finalizing the General Permit. The Department will provide an opportunity for any interested person or group of persons, any affected state, any affected interstate agency, the United States Environmental Protection Agency or any interested agency to request or petition for a public hearing with respect to the proposed General Permit. The request or petition for public hearing, which must be filed within the 30-day period allowed for filing of written comments, must indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be held if there is significant public interest.

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-696. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Recommended Strategies for the Reduction of Oxides of Nitrogen Emission from Municipal Waste Combustors under Consideration by the Ozone Transport Commission; Public Comment Period

The Department of Environmental Protection (Department) is seeking comments on control measures under consideration by the Ozone Transport Commission (Commission) for regional and National recommendations to reduce oxides of nitrogen (NO_x) emissions from municipal waste combustors (MWC). This public comment period is consistent with section 7.4 of the Air Pollution Control Act (APCA) (35 P.S. § 4007.4), which requires an opportunity for public review and comment on recommendations for additional control measures prior to final action by the Commission.

As a multistate organization created by Congress under sections 176A and 184 of the Clean Air Act (42 U.S.C.A. §§ 7506a and 7511c), the Commission is authorized to develop recommendations for additional control measures to mitigate the transport of ozone and its precursors (NO_x and Volatile Organic Compounds) in the Ozone Transport Region (OTR) established by operation of law. In addition to the Commonwealth, the OTR is comprised of the States of Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Rhode Island, Vermont, northern Virginia and the District of Columbia.

The Commission issued a charge to the Stationary and Area Source Committee to identify sectors that are significant sources of NO_x emissions in the OTR. Municipal waste combustors were identified, investigated and found to have cost effective additional control technologies. The Commission has undertaken a stakeholder participation process to obtain input and comment from interested parties in developing recommendations on measures for MWC to reduce NO_x emissions. Upon completion of the stakeholder participation process, the Commission drafted a Memorandum of Understanding (MOU) containing the recommendations on MWC NO_x emission reduction measures for consideration by the Commission membership. The Commission is scheduled to consider final action on the draft MOU during its annual meetings on June 1 and June 2, 2022. The adoption of an MOU, resolution or other action commits a signatory state to pursue the adoption and implementation of control measures, which include:

- NO_x emission limits in parts per million by volume, dry basis.
- NO_x emission limit averaging times.
- Updated presumptive Reasonably Available Control Technology (RACT) standards for MWC.
- Updating facility-specific RACT standards for MWC.

The Commission held stakeholder meetings on December 14, 2021, January 19, 2022, and March 8, 2022, to accept comments on specific measures which were presented in a report titled Municipal Waste Combustor Workgroup Report available on the Commission web site at https://otcair.org/upload/Documents/Reports/MWC%20Report_revised%2020220425.pdf. The response to comment document can be found on the Commission web site at <https://otcair.org/>

[upload/Documents/Meeting%20Materials/Stakeholder%20comments%20on%20MWC%20report%20and%20OTC%20responses%203_7_22.pdf](https://otcair.org/document.asp?fview=meeting#20220308MWC). The Department has reviewed stakeholder comments submitted to the Commission on the proposed measures. Meeting materials describing the potential control measures can be found on the Commission web site. Other meeting materials are available online at <https://otcair.org/document.asp?fview=meeting#20220308MWC>.

Interested persons can submit written comments through Sunday, May 29, 2022. Commentators are encouraged to submit comments using the Department's online eComment system at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Comments, including comments submitted by e-mail, must include the commentator's name and address. Comments submitted by facsimile will not be accepted. The Department will consider and retain all comments but will not prepare a comment and response document.

Under section 7.4(b) of the APCA, a final action by the Commission and the Commonwealth's representatives to adopt any measures to control NO_x from MWCs commits a signatory state to pursuing legislative, regulatory or administrative action to implement the control strategies. Control measure rulemakings proposed for promulgation in this Commonwealth under the APCA would be subject to the Commonwealth's notice and comment rulemaking process under the act of July 31, 1968 (P.L. 769, No. 240) (45 P.S. §§ 1102—1208), referred to as the Commonwealth Documents Law, the Regulatory Review Act (71 P.S. §§ 745.1—745.14) and the Commonwealth Attorneys Act (71 P.S. §§ 732-101—732-506).

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-697. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Rescission of Technical Guidance

The Department of Environmental Protection (Department) announces the rescission of the Technical Guidance Documents (TGD) listed as follows. TGDs are available on the Department's web site at www.depgreenport.state.pa.us/elibrary/ (select "Technical Guidance Draft Documents" or "Technical Guidance Final Documents" to view a menu of various Department bureaus where TGDs are listed).

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Final TGD: Rescission

DEP ID: 251-2200-502. *Title:* Policy and Procedure for the Administration of the Household Hazardous Waste Collection Programs. *Description:* This document establishes policies and procedures for the administration of

the requirements of section 1512 of the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988 (Act 101) (53 P.S. § 4000.1512), pertaining to the development and conduct of household hazardous waste collection programs authorized by section 1512 of Act 101, and the regulations promulgated pursuant thereto at 25 Pa. Code Chapter 272, Subchapter F (relating to household hazardous waste collection, transportation and management). Section 1512 of Act 101 and 25 Pa. Code Chapter 272, Subchapter F, were made obsolete when the Small Business and Household Pollution Prevention Program Act of 1996 (35 P.S. §§ 6029.201—6029.209) (Act 190) was enacted and section 1512 of Act 101 was subsequently repealed (repealed December 19, 1996, P.L. 1478, No. 190). Therefore, this guidance is no longer needed.

Contact: Questions regarding the rescission of this guidance can be directed to Marc Moran at marcmoran@pa.gov or (717) 772-5711.

Effective Date: May 14, 2022

Final TGD: Rescission

DEP ID: 251-2200-515. *Title:* Minimum Standards for the Establishment of Recycling and Household Hazardous Waste Programs Required by Act 101 of 1988. *Description:* This guidance was developed to set minimum standards for the establishment of recycling and household hazardous waste programs required by Act 101 for resource recovery facilities and made obsolete when Act 190 in 1996 was enacted, which repealed applicable sections of Act 101 (repealed December 19, 1996, P.L. 1478, No. 190). Therefore, this guidance is no longer needed.

Contact: Questions regarding the rescission of this guidance can be directed to Marc Moran at marcmoran@pa.gov or (717) 772-5711.

Effective Date: May 14, 2022

Interim Final TGD: Rescission

DEP ID: 254-2412-002. *Title:* Act 90 Waste Transportation Safety Program Placarded Authorizations. *Description:* This guidance established procedures for owners of

demonstrator vehicles, vehicles under rental/short-term leases or utilized for temporary storage and intermodal transportation vehicles to obtain an authorization from the Department to haul municipal or residual waste. Public comments were not received on this interim final guidance and the Department has no record of ever needing to issue placard authorizations to demonstrator vehicles. Since the Department has an established procedure for issuing stickers to all waste transportation vehicles, including leased and demonstrator vehicles, this guidance is no longer necessary.

Contact: Questions regarding the rescission of this guidance can be directed to Christine Hall at chall@pa.gov or (717) 783-9258.

Effective Date: May 14, 2022

Final TGD: Rescission

DEP ID: 255-5800-001. *Title:* Guidance for Commonwealth-Funded Water Supply Response Actions. *Description:* This guidance was designed to assist Department personnel in implementing Commonwealth-funded water supply response actions as authorized by the Hazardous Sites Cleanup Act (35 P.S. §§ 6020.101—6020.1305) and the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104). This guidance is an outdated version of the Department's Document No. 262-5800-001 of the same name, which is maintained by the Bureau of Environmental Cleanup and Brownfields and was updated in 2013 and 2015. This outdated version of the guidance is no longer necessary.

Contact: Questions regarding the rescission of this guidance can be directed to Derek Bartram at dbartram@pa.gov or (717) 787-2693.

Effective Date: May 14, 2022

PATRICK McDONNELL,
Secretary

[Pa.B. Doc. No. 22-698. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Allegheny Reproductive Health Center	28 Pa. Code § 29.33(6) and (7) (relating to requirements for abortion)
Ambulatory Surgery Center of Bala Cynwyd	28 Pa. Code § 569.35(7) (relating to general safety precautions)
Cardiovascular Experts, LLC	28 Pa. Code § 551.21(d)(1) and (3) (relating to criteria for ambulatory surgery)
Crozer-Keystone Surgery Center at Haverford (a Department of)	28 Pa. Code § 555.1 (relating to principle)
	28 Pa. Code § 555.2 (relating to medical staff membership)
	28 Pa. Code § 555.3(a)—(f) (relating to requirements for membership and privileges)
Geisinger Wyoming Valley Outpatient Surgery Centerpoint	28 Pa. Code § 555.1
	28 Pa. Code § 555.2

<i>Facility Name</i>	<i>Regulation and relating to</i>
	28 Pa. Code § 555.3(a)—(f)
	28 Pa. Code § 555.4(a)—(c) (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners)
Regional Hospital Surgery Center	28 Pa. Code § 555.32(a) (relating to administration of anesthesia)
The Surgery Center of Chester County	28 Pa. Code § 551.21(d)(3)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-699. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from April 1, 2022, through April 30, 2022. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Allegheny Health Network Monroeville Surgery Center	§ 567.53(1) (relating to sterilization control)	04/13/2022	Granted w/Conditions
Allegheny Surgery Center, LLC	§ 555.31(a) (relating to principle)	04/07/2022	Granted w/Conditions
Children's Dental Surgery	§ 571.1 (relating to minimum standards) 2.1-3.2.3.2(1)(a) space requirements	04/07/2022	Granted w/Conditions
Geisinger Wyoming Valley Outpatient Surgery Centerpoint	§ 551.21(d)(2) (relating to criteria for ambulatory surgery)	04/07/2022	Granted w/Conditions
	§ 553.1 (relating to principle)	04/07/2022	Granted w/Conditions
	§ 555.1 (relating to principle)	04/07/2022	Granted w/Conditions
	§ 555.2 (relating to medical staff membership)	04/07/2022	Granted w/Conditions
	§ 555.3(a)—(f) (relating to requirements for membership and privileges)	04/07/2022	Granted w/Conditions
	§ 555.4(a)—(c) (relating to clinical activities and duties of physician assistants and certified registered nurse practitioners)	04/07/2022	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
	§ 557.2(a)—(d) (relating to plan)	04/07/2022	Granted w/Conditions
	§ 557.3(a)—(f) (relating to Quality Assurance and Improvement Program)	04/07/2022	Granted w/Conditions
	§ 563.1 (relating to principle)	04/07/2022	Granted w/Conditions
	§ 563.2(a) and (b) (relating to organization and staffing)	04/07/2022	Granted w/Conditions
	§ 569.35(7) (relating to general safety precautions)	04/07/2022	Granted w/Conditions
Muve—Chadds Ford Ambulatory Surgical Center, LLC	§ 569.35(7)	04/07/2022	Granted w/Conditions
UPMC Surgery Center	§ 551.21(d)(2)	04/07/2022	Granted w/Conditions
Wellspan Dr. Roy A. Himelfarb Surgery Center	§ 551.21(d)(3)	04/07/2022	Granted w/Conditions

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
The Bryn Mawr Hospital	§ 153.1(a) (relating to minimum standards) 2.1-7.2.2.10(1) handrails	04/07/2022	Granted
The Chambersburg Hospital	§ 153.1(a) 2.1-8.5.2.3(4)(a) technology distribution room (TDR)	04/07/2022	Granted
Geisinger Jersey Shore Hospital	§ 103.31 (relating to the chief executive officer)	04/07/2022	Granted w/Conditions
Geisinger Medical Center Muncy	§ 103.31	04/07/2022	Granted w/Conditions
Geisinger Wyoming Valley Medical Center	§ 153.1(a) 2.2-3.4.10.2(2)(a) patient toilet rooms	04/07/2022	Granted w/Conditions
Jefferson Health—Northeast	§ 153.1(a) 2.2-3.5.3.4(1) support areas for radiosurgery rooms	04/07/2022	Granted
	§ 153.1(a) 2.2-3.5.3.4(3) support areas for radiosurgery rooms	04/07/2022	Granted
	§ 153.1(a) 2.2-3.5.3.4(7) support areas for radiosurgery rooms	04/07/2022	Granted
	§ 153.1(a) 2.2-3.5.3.5(1) additional support areas for the radiosurgery device	04/07/2022	Granted
Lehigh Valley Hospital—Dickson City	§ 107.61 (relating to written orders)	04/07/2022	Granted w/Conditions
	§ 107.62(a) and (b) (relating to oral orders)	04/07/2022	Granted w/Conditions
The Milton S. Hershey Medical Center	§ 107.26(b)(1) (relating to additional committees)	04/07/2022	Granted w/Conditions
Penn State Health Hampden Medical Center	§ 107.26(b)(1)	04/07/2022	Granted w/Conditions
Penn State Health Holy Spirit Medical Center	§ 107.26(b)(1)	04/07/2022	Granted w/Conditions
Penn State Health Lancaster Medical Center	§ 107.26(b)(1)	04/07/2022	Granted w/Conditions
Penn State Health Saint Joseph	§ 107.26(b)(1)	04/07/2022	Granted w/Conditions
Saint Luke's Hospital of Bethlehem, Pennsylvania	§ 153.1(a) 2.5-2.2.2.7 patient bathing facilities	04/07/2022	Granted
UPMC Jameson	§ 153.1(a) 2.1-7.2.2.2 ceiling height	04/07/2022	Granted
UPMC Pinnacle Hospitals	§ 153.1(a) 2.1-7.2.2.3(2)(a)(i) doors and door hardware	04/07/2022	Granted
Washington Health System Greene	§ 153.1(a) 2.1-3.10.2.2 patient toilet room(s)	04/12/2022	Granted

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Promedica Skilled Nursing and Rehabilitation (Huntingdon Valley)	§ 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB))	04/11/2022	Granted
Quality Life Services—Grove City	§ 201.22(j)	04/11/2022	Granted
Quality Life Services—New Castle	§ 201.22(j)	04/18/2022	Granted
Weatherwood Healthcare and Rehabilitation Center	§ 201.22(e) and (j)	04/04/2022	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-700. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Health Research Advisory Committee Virtual Public Meeting—Priority Vote

The Department of Health's Health Research Advisory Committee (Committee), established by section 903(b) of the Tobacco Settlement Act (35 P.S. § 5701.903(b)), will hold a virtual public meeting on Wednesday, May 18, 2022, to hold the formal vote on upcoming priorities. The public may join the virtual public meeting using the Microsoft Teams conference call information included as follows:

Wednesday, May 18, 2022	Dial (267) 332-8737 Conference ID: 480 780 294#
-------------------------	--

For additional information or for persons with disabilities who wish to attend the virtual public meeting and require an auxiliary aid, service or other accommodation,

contact Will Cramer, Director, Health Research Office, or Pamela Brown, Management Technician, Health Research Office, at ra-healthresearch@pa.gov. For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Check the Department of Health, Health Research Office CURE Health Research Advisory Committee web site at <https://www.health.pa.gov/topics/Research/CURE/Pages/Committee.aspx> for any changes to this virtual public meeting.

This virtual public meeting is subject to cancellation without notice.

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-701. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Delaware County Memorial Hospital	28 Pa. Code § 107.25(a) and (b)(1)—(9) (relating to medical staff executive committee)
	28 Pa. Code § 107.26(a), (b)(1)—(8) and (c) (relating to additional committees)
Lehigh Valley Hospital—Dickson City	28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards)
Mercy Fitzgerald Hospital	28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations)
	28 Pa. Code § 138.18(a) and (b) (relating to EPS studies)
Moses Taylor Hospital	28 Pa. Code § 117.14(c) (relating to required minimal services)
Penn Highlands Brookville	28 Pa. Code § 101.31(5) (relating to hospital requirements)

<i>Facility Name</i>	<i>Regulation and relating to</i>
Penn Highlands Elk	28 Pa. Code § 103.31 (relating to the chief executive officer)
	28 Pa. Code § 103.33(b)(1)—(11) (relating to responsibilities)
Saint Luke's Hospital of Bethlehem, Pennsylvania	28 Pa. Code § 105.1 (relating to principle)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Albert Einstein Medical Center	2.2-3.2.9.2 staff toilet room	18
Butler Memorial Hospital	2.2-3.3.3.2(1)(b)(i)—(iii) space requirements	18
	2.2-3.4.1.3(1)(d) radiation protection	18
Jefferson Health—Northeast	2.2-3.5.3.4(1) support areas for radiosurgery rooms	18
	2.2-3.5.3.4(3) support areas for radiosurgery rooms	18
	2.2-3.5.3.4(7) support areas for radiosurgery rooms	18
	2.2-3.5.3.5(1) additional support areas for the radiosurgery device	18
Lehigh Valley Hospital	2.2-3.3.3.2(2)(b) space requirements	18
Moses Taylor Hospital	2.2-2.2.8.11 clean workroom or clean supply room	18
	2.2-2.2.8.12 soiled workroom or soiled holding room	18
	2.2-2.2.8.13 equipment and supply storage	18
	2.2-2.2.8.14 environmental services room	18
	2.2-2.2.10.1 family and visitor lounge	18
	2.7-1.2.3 shared services	18-O
Penn Highlands Connellsville	2.1-3.8.11.3 clean supply room	18-O
	2.1-8.4.3.2(2) hand-washing station sinks	18-O
Penn Highlands Huntingdon	2.1-3.2.2.1(1) space requirements	18
	2.1-3.2.2.1(2)(a) space requirements	18
	2.1-3.8.8.2(1)(a)(iii) work areas for preparing, dispensing, and administering medications	18-O
	2.1-4.2.2.1(1) dispensing facilities	18
	2.2-3.2.2 patient care stations (electrical outlets)	18
	2.2-3.2.2 patient care stations (medical gasses)	18
	2.2-3.2.2 patient care stations (nurse call)	18
	2.2-3.4.2.5(1)(a) system component room	18
	2.8-3.2.1 holding area	18
	2.8-3.2.2 recovery area	18
Penn Presbyterian Medical Center	2.2-3.2.8.1(1) support areas for the observation unit	18
Saint Luke's Hospital—Anderson Campus	2.1-2.10.1.1(2) size	18
	2.2-2.6.1.2(3) location	18
	2.2-2.6.2.2(3)(a) and (b) space requirements	18
Temple University Hospital, Inc.	2.2-3.12.2.2(1)(c) space requirements	18
UPMC Hanover	2.2-2.2.10.1 family and visitor lounge	18
	2.2-2.11.8.1 general	18
	2.2-2.11.8.5 multipurpose activity room	18
	2.2-2.11.8.9 infant feeding facilities	18
UPMC Presbyterian Shadyside	2.2-2.2.8.15(2) examination room	18
The Washington Hospital	2.1-3.4.1.4(1) number of patient care stations	18

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-702. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold a public meeting at the Best Western Premier Central Hotel and Conference Center, 800 East Park Drive, Harrisburg, PA on Wednesday, May 25, 2022, and Thursday, May 26, 2022, from 9 a.m. to 4:30 p.m.

Participants can also access the meetings virtually through the following options:

To join the Microsoft Teams meetings, individuals will need to connect by phone; this can be done by dialing the following number and entering the meeting ID listed as follows:

Day 1: Main Meeting

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 648 279 923#

Day 1: Evaluation Subcommittee

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 356 452 203#

Day 1: Assessment Subcommittee

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 479 335 919#

Day 2: Main Meeting

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 131 069 315#

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention Integrated HIV Surveillance and Prevention Programs for Health Departments grant. Additionally, the Ryan White HIV/AIDS Treatment Extension Act

of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend these meetings who require an auxiliary aid, service or other accommodation to do so should contact Kyle Fait, Planning Coordinator, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Health and Welfare Building, Harrisburg, PA 17120, (717) 260-8929, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel these public meetings without prior notice.

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-703. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(d), (e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Stoneridge Poplar Run
450 East Lincoln Avenue
Myerstown, PA 17067
FAC ID # 055702

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j):

Meadowood
3205 Skippack Pike
Lansdale, PA 19446
FAC ID # 392602

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.25(a) and (b) (relating to kitchen):

Rehabilitation Center at Brethren Village
 3001 Lititz Pike
 Lancaster, PA 17606
 FAC ID # 244802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Mulberry Healthcare and Rehabilitation Center
 411 1/2 West Mahoning Street
 Punxsutawney, PA 15767
 FAC ID # 021802

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-704. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Addition of Monoclonal Antibody Product Bebtelovimab to the Medical Assistance Program Fee Schedule

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following Current Procedural Terminology (CPT) codes to the Medical Assistance (MA) Program Fee Schedule for the administration of the SARS-CoV-2 monoclonal antibody product Bebtelovimab for the treatment of SARS-CoV-2. The effective date and MA Fee for each code is indicated as follows.

<i>Procedure Code</i>	<i>Description</i>	<i>Effective Date</i>	<i>MA Fee</i>
M0222	Intravenous injection, Bebtelovimab, includes injection and post administration monitoring	2/11/22	\$280.40
M0223	Intravenous injection, Bebtelovimab, includes injection and post administration monitoring in the home or residence; this includes a beneficiary's home that has been made provider-based to the hospital during the COVID-19 public health emergency	2/11/22	\$440.40

The MA Program Fee Schedule has been updated with the new CPT codes previously noted to allow for payment of the administration of SARS-CoV-2 monoclonal antibody products to an MA beneficiary for treatment of SARS-CoV-2.

The Department issued an MA Bulletin to inform providers enrolled in the MA Program of the addition of the CPT codes previously noted for the administration of the SARS-CoV-2 monoclonal antibody product Bebtelovimab to an MA beneficiary for the treatment of SARS-CoV-2.

Fiscal Impact

There is no fiscal impact associated with the addition of these codes.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1513. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-705. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Hospital Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2021-2022 for several classes of inpatient disproportionate share hospital and supplemental payments to Medical Assistance (MA) enrolled and qualifying inpatient acute care general hospitals. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 51 Pa.B. 7951 (December 18, 2021). The Department increased the funding allocation for one payment that was announced in its notice of intent. Supplemental payments to acute care general hospitals that provide a substantial portion of their inpatient services to MA beneficiaries were increased to an allocation of \$2.665 million in total funds, and this revised funding allocation did appear on the State Plan page submitted to the Centers for Medicare & Medicaid Services and approved on March 15, 2022.

The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent and as previously noted.

Fiscal Impact

The FY 2021-2022 impact, as a result of the funding allocation for these payments, is \$235.935 million in total funds.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1510. (1) General Fund;

(7) MA—Fee-for-Service; (2) Implementing Year 2021-22 is \$53,871,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000;

(7) MA—Critical Access Hospitals; (2) Implementing Year 2021-22 is \$13,057,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$9,777,000; 2019-20 Program—\$8,850,000; 2018-19 Program—\$10,400,000;

(7) MA—Hospital-Based Burn Centers; (2) Implementing Year 2021-22 is \$4,437,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$3,862,000; 2019-20 Program—\$3,792,000; 2018-19 Program—\$3,782,000;

(7) MA—Obstetric and Neonatal Services; (2) Implementing Year 2021-22 is \$3,681,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$2,814,000; 2019-20 Program—\$2,709,000; 2018-19 Program—\$3,681,000;

(7) MA—Academic Medical Centers; (2) Implementing Year 2021-22 is \$17,831,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$21,479,000; 2019-20 Program—\$21,092,000; 2018-19 Program—\$24,681,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2021-22 is \$2,000,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4)

2020-21 Program—\$9,618,000; 2019-20 Program—\$7,502,000; 2018-19 Program—\$10,071,000;

(7) Autism Intervention; (2) Implementing Year 2021-22 is \$450,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$27,262,000; 2019-20 Program—\$27,052,000; 2018-19 Program—\$30,842,000;

(7) MA—Trauma Centers; (2) Implementing Year 2021-22 is \$8,656,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$7,534,000; 2019-20 Program—\$7,397,000; 2018-19 Program—\$8,656,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-706. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Hospital Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2021-2022 for a class of inpatient disproportionate share hospital payments and a class of inpatient supplemental payments to Medical Assistance enrolled, qualifying inpatient acute care general hospitals. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 51 Pa.B. 7571 (December 4, 2021). The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent.

Fiscal Impact

The FY 2021-2022 impact, as a result of the funding allocation for these payments, is \$195.124 million in total funds.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1511. (1) General Fund; (2) Implementing Year 2021-22 is \$70,974,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; (7) Medical Assistance—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-707. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Find \$50 Instant Lottery Game 1589

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of

instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Find \$50 (hereafter "Find \$50"). The game number is PA-1589.

2. *Price:* The price of a Find \$50 instant lottery game ticket is \$2.

3. *Play symbols:* Each Find \$50 instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions, located in the "WINNING NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR) and 25 (TWYFIV). The play symbols and their captions, located in the "YOUR NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), \$50 (WIN50) symbol and a Magnifying Glass (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$2^{.00} (TWO DOL), \$4^{.00} (FOR DOL), \$5^{.00} (FIV DOL), \$10^{.00} (TEN DOL), \$20^{.00} (TWENTY), \$50^{.00} (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$1,000 (ONE THO) and \$20,000 (TWY THO).

5. *Prizes:* The prizes that can be won in this game, are: \$2, \$4, \$5, \$10, \$20, \$50, \$100, \$200, \$1,000 and \$20,000. A player can win up to eight times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Find \$50 instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20,000 (TWY THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20,000.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$200 (TWO HUN) appears in four of the "Prize" areas and a prize symbol of \$50^{.00} (FIFTY) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$200 (TWO HUN) appears in two of the "Prize" areas and a prize symbol of \$100 (ONE HUN) appears in six of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(f) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$50^{.00} (FIFTY) appears in three of the "Prize" areas and a prize symbol of \$10^{.00} (TEN DOL) appears in five of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$50^{.00} (FIFTY) appears in two of the "Prize" areas, a prize symbol of \$20^{.00} (TWENTY) appears in four of the "Prize" areas and a prize symbol of \$10^{.00} (TEN DOL) appears in two of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$20^{.00} (TWENTY) appears in three of the "Prize" areas, a prize symbol of \$10^{.00} (TEN DOL) appears in three of the "Prize" areas and a prize symbol of \$5^{.00} (FIV DOL) appears in two of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$20^{.00} (TWENTY) appears in two of the "Prize" areas and a prize symbol of \$10^{.00} (TEN DOL) appears in six of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$50^{.00} (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets upon which a \$50 (WIN50) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50^{.00} (FIFTY) appears in the "Prize" area under that \$50 (WIN50) symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$5^{.00} (FIV DOL) appears in two of the "Prize" areas, a prize symbol of \$4^{.00} (FOR DOL) appears in five of the "Prize" areas and a prize symbol of \$20^{.00} (TWENTY) appears in one of the "Prize" areas on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$10^{.00} (TEN DOL) appears in two of the "Prize" areas and a prize symbol of \$5^{.00} (FIV DOL) appears in six of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20^{.00} (TWENTY) appears in the "Prize" area under the match-

ing “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(p) Holders of tickets upon which a Magnifying Glass (WINALL) symbol appears in the play area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in two of the “Prize” areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in six of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the match-

ing “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$2	\$2	9.38	896,000
\$2 × 2	\$4	37.5	224,000
\$4	\$4	42.86	196,000
\$5	\$5	30	280,000
\$2 × 5	\$10	187.5	44,800
\$5 × 2	\$10	187.5	44,800
(\$4 × 2) + \$2	\$10	187.5	44,800
\$10	\$10	166.67	50,400
MAGNIFYING GLASS w/ ((\$4 × 2) + (\$2 × 6))	\$20	150	56,000
\$5 × 4	\$20	1,500	5,600
\$10 × 2	\$20	1,500	5,600
(\$5 × 2) + \$10	\$20	1,500	5,600
\$20	\$20	1,500	5,600
MAGNIFYING GLASS w/ ((\$10 × 2) + (\$5 × 6))	\$50	6,000	1,400
MAGNIFYING GLASS w/ ((\$5 × 2) + (\$4 × 5) + \$20)	\$50	6,000	1,400
\$10 × 5	\$50	12,000	700
\$50 w/ \$50 SYMBOL	\$50	240	35,000
\$50	\$50	2,400	3,500
MAGNIFYING GLASS w/ ((\$20 × 2) + (\$10 × 6))	\$100	24,000	350
MAGNIFYING GLASS w/ ((\$20 × 3) + (\$10 × 3) + (\$5 × 2))	\$100	24,000	350
\$50 × 2	\$100	120,000	70
(\$50 w/ \$50 SYMBOL) + \$50	\$100	8,000	1,050
(\$50 w/ \$50 SYMBOL) × 2	\$100	8,000	1,050
\$100	\$100	120,000	70
MAGNIFYING GLASS w/ ((\$50 × 2) + (\$20 × 4) + (\$10 × 2))	\$200	40,000	210
MAGNIFYING GLASS w/ ((\$50 × 3) + (\$10 × 5))	\$200	40,000	210

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$50 × 4	\$200	40,000	210
(\$50 w/ \$50 SYMBOL) × 4	\$200	40,000	210
\$200	\$200	120,000	70
MAGNIFYING GLASS w/ ((\$200 × 2) + (\$100 × 6))	\$1,000	840,000	10
MAGNIFYING GLASS w/ ((\$200 × 4) + (\$50 × 4))	\$1,000	840,000	10
(((\$50 w/ \$50 SYMBOL) × 4) + (\$200 × 4))	\$1,000	840,000	10
\$1,000	\$1,000	840,000	10
\$20,000	\$20,000	840,000	10

Reveal a “\$50” (WIN50) symbol, win \$50 instantly.

Reveal a “Magnifying Glass” (WINALL) symbol, win ALL 8 PRIZES shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Find \$50 instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Find \$50, prize money from winning Find \$50 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Find \$50 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Find \$50 or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-708. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania The Instant Lottery Instant Lottery Game 1586

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania The Instant Lottery (hereinafter “The Instant Lottery”). The game number is PA-1586.

2. *Price:* The price of a The Instant Lottery instant lottery game ticket is \$10.

3. *Play symbols:* Each The Instant Lottery instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BONUS” area. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1

(ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Stack of Cash (CASH) symbol, INSTANT (WIN100) symbol and a LOTTERY (WINALL) symbol. The play symbols and their captions, located in the “BONUS” area, are: Bow Tie (NOMULT) symbol, Jacket (NOMULT) symbol, Gem (NOMULT) symbol, Check (NOMULT) symbol, Gold Bar (NOMULT) symbol, Briefcase (NOMULT) symbol, Keys (NOMULT) symbol, Diamond (NOMULT) symbol, Star (NOMULT) symbol, Hourglass (NOMULT) symbol and a 10X (10TIMES) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and \$500,000 (FIVHUNTHO).

5. *Prizes:* The prizes that can be won in this game, are: \$10, \$15, \$20, \$30, \$50, \$100, \$200, \$400, \$500, \$1,000, \$10,000 and \$500,000. The Instant Lottery contains a feature that can multiply the prize won. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 15 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 14,400,000 tickets will be printed for the The Instant Lottery instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500,000 (FIVHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 10X (10TIMES) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1,000 (ONE THO) appears in eight of the “prize” areas, a prize symbol of \$500 (FIV HUN) appears in two of the “prize” areas and a prize symbol of \$200 (TWO HUN) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 10X (10TIMES) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in two of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in four of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in five of the “prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 10X (10TIMES) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in three of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(n) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in eight of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in three of the “prize” areas and a

prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(p) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$400.

(q) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the “prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “prize” areas on a single ticket, shall be entitled to a prize of \$400.

(r) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in five of the “prize” areas and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(t) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$200.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 10X (10TIMES) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$200.

(v) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in two of the “prize” areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in two of the “prize” areas and a prize symbol of 10⁰⁰ (TEN DOL) appears in 11 of the “prize” areas on a single ticket, shall be entitled to a prize of \$200.

(w) Holders of tickets upon which a LOTTERY (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the

matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(y) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets upon which an INSTANT (WIN100) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that INSTANT (WIN100) symbol, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, and upon which a 10X (10TIMES) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$100.

(bb) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$50.

(dd) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(ee) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$30.

(ff) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(gg) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$20.

(hh) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$15.

(ii) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$15.

(jj) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(kk) Holders of tickets upon which a Stack of Cash (CASH) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the

“prize” area under that Stack of Cash (CASH) symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
\$10 w/ STACK OF CASH	\$10	30	480,000
\$10	\$10	15	960,000
\$15 w/ STACK OF CASH	\$15	30	480,000
\$15	\$15	30	480,000
\$10 × 2	\$20	300	48,000
(\$10 w/ STACK OF CASH) + \$10	\$20	42.86	336,000
\$20 w/ STACK OF CASH	\$20	42.86	336,000
\$20	\$20	600	24,000
\$10 × 3	\$30	300	48,000
(((\$10 w/ STACK OF CASH) × 2) + \$10	\$30	300	48,000
(\$20 w/ STACK OF CASH) + (\$10 w/ STACK OF CASH)	\$30	200	72,000
\$30 w/ STACK OF CASH	\$30	300	48,000
\$30	\$30	300	48,000
\$10 × 5	\$50	600	24,000
(\$30 w/ STACK OF CASH) + (\$20 w/ STACK OF CASH)	\$50	600	24,000
(\$10 w/ STACK OF CASH) × 5	\$50	150	96,000
\$50 w/ STACK OF CASH	\$50	150	96,000
\$50	\$50	600	24,000
\$10 × 10	\$100	600	24,000
(((\$20 w/ STACK OF CASH) × 3) + ((\$10 w/ STACK OF CASH) × 2) + (\$10 × 2)	\$100	600	24,000
(\$10 w/ STACK OF CASH) × 10	\$100	600	24,000
\$10 w/ 10X	\$100	300	48,000
\$100 w/ INSTANT	\$100	300	48,000
\$100 w/ STACK OF CASH	\$100	600	24,000
\$100	\$100	600	24,000
LOTTERY w/ ((\$20 × 5) + (\$10 × 10))	\$200	1,412	10,200
LOTTERY w/ ((\$30 × 2) + (\$15 × 2) + (\$10 × 11))	\$200	1,412	10,200
\$100 × 2	\$200	24,000	600
(\$100 w/ INSTANT) + (\$50 w/ STACK OF CASH) + (\$10 × 5)	\$200	12,000	1,200
(\$100 w/ INSTANT) × 2	\$200	12,000	1,200
\$20 w/ 10X	\$200	6,000	2,400
\$200 w/ STACK OF CASH	\$200	24,000	600
\$200	\$200	12,000	1,200
LOTTERY w/ ((\$50 × 5) + (\$15 × 10))	\$400	3,429	4,200

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 14,400,000 Tickets:</i>
LOTTERY w/ (($\$100 \times 2$) + ($\10×10) + $\$50$ + $\$30$ + $\$20$)	\$400	3,429	4,200
$\$100 \times 4$	\$400	24,000	600
($\$20 \times 2$) w/ 10X	\$400	24,000	600
($\$100$ w/ INSTANT) $\times 4$	\$400	24,000	600
($\$200$ w/ STACK OF CASH) $\times 2$	\$400	24,000	600
$\$400$ w/ STACK OF CASH	\$400	24,000	600
$\$400$	\$400	24,000	600
LOTTERY w/ (($\$50 \times 8$) + ($\20×3) + ($\$10 \times 4$))	\$500	12,000	1,200
LOTTERY w/ (($\$100 \times 3$) + ($\50×2) + ($\$10 \times 10$))	\$500	12,000	1,200
$\$50 \times 10$	\$500	120,000	120
($\$100$ w/ INSTANT) $\times 5$	\$500	120,000	120
$\$50$ w/ 10X	\$500	120,000	120
$\$500$ w/ STACK OF CASH	\$500	120,000	120
$\$500$	\$500	120,000	120
LOTTERY w/ (($\$100 \times 5$) + ($\50×10))	\$1,000	24,000	600
LOTTERY w/ (($\$200 \times 2$) + ($\100×4) + ($\$50 \times 2$) + ($\10×5) + $\$30$ + $\$20$)	\$1,000	24,000	600
$\$500 \times 2$	\$1,000	120,000	120
(($\$100$ w/ INSTANT) $\times 5$) + (($\$100$ w/ STACK OF CASH) $\times 5$)	\$1,000	120,000	120
($\$100$ w/ INSTANT) $\times 10$	\$1,000	120,000	120
$\$100$ w/ 10X	\$1,000	120,000	120
$\$1,000$ w/ STACK OF CASH	\$1,000	120,000	120
$\$1,000$	\$1,000	120,000	120
LOTTERY w/ (($\$1,000 \times 8$) + ($\500×2) + ($\$200 \times 5$))	\$10,000	1,440,000	10
$\$1,000$ w/ 10X	\$10,000	1,440,000	10
$\$10,000$	\$10,000	1,440,000	10
$\$500,000$	\$500,000	1,440,000	10

Reveal a "Stack of Cash" (CASH) symbol, win prize shown under that symbol automatically.

Reveal an "INSTANT" (WIN100) symbol, win \$100 instantly!

Reveal a "LOTTERY" (WINALL) symbol, win all 15 prizes shown!

BONUS: Reveal a "10X" (10TIMES) symbol, multiply any prize won in the play area below!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell The Instant Lottery instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000

shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will

not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of The Instant Lottery, prize money from winning The Instant Lottery instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the The Instant Lottery instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote The Instant Lottery or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-709. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Lucky x5 Instant Lottery Game 1590

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Lucky x5 (hereafter “Lucky x5”). The game number is PA-1590.

2. *Price:* The price of a Lucky x5 instant lottery game ticket is \$1.

3. *Play symbols:* Each Lucky x5 instant lottery game ticket will contain one play area. The play symbols and their captions, located in the play area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), LUCKY (LUCKY) symbol and a X5 (5TIMES) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the play area, are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game, are: Free \$1 Ticket, \$1, \$2, \$5, \$10, \$20, \$50, \$100, \$500, \$1,000 and \$5,000. Lucky x5 contains a feature that can multiply certain prizes. For a complete list of prizes that can be won in this game, including multiplied prizes, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to five times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Lucky x5 instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$5,000 (FIV THO) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which a X5 (5TIMES) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under that X5 (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which a X5 (5TIMES) symbol appears in the play area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under that X5 (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$250.

(f) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which a X5 (5TIMES) symbol appears in the play area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under that X5 (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which a X5 (5TIMES) symbol appears in the play area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under that X5 (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(j) Holders of tickets upon which a X5 (5TIMES) symbol appears in the play area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under that X5 (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$25.

(k) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$10.

(m) Holders of tickets upon which a X5 (5TIMES) symbol appears in the play area and a prize symbol of

\$2.⁰⁰ (TWO DOL) appears in the “Prize” area under that X5 (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$5.

(o) Holders of tickets upon which a X5 (5TIMES) symbol appears in the play area and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the “Prize” area under that X5 (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$2.

(q) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of \$1.

(r) Holders of tickets upon which a LUCKY (LUCKY) symbol appears in the play area and a prize symbol of FREE (TICKET) appears in the “Prize” area under that LUCKY (LUCKY) symbol, on a single ticket, shall be entitled to a prize of one Lucky x5 instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Reveal A “LUCKY” (LUCKY) Symbol, Win PRIZE Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	9.52	882,000
\$1 × 2	\$2	33.33	252,000
\$2	\$2	33.33	252,000
\$1 × 5	\$5	1,000	8,400
\$1 w/ X5	\$5	32.26	260,400
\$5	\$5	333.33	25,200
\$5 × 2	\$10	1,000	8,400
(\$1 w/ X5) + \$5	\$10	1,000	8,400
(\$1 w/ X5) × 2	\$10	333.33	25,200
\$2 w/ X5	\$10	250	33,600
\$10	\$10	1,000	8,400
\$5 × 4	\$20	4,800	1,750
\$10 × 2	\$20	4,800	1,750
(\$2 w/ X5) + (\$1 w/ X5) + \$5	\$20	1,200	7,000
(\$1 w/ X5) × 4	\$20	1,200	7,000
(\$2 w/ X5) × 2	\$20	1,200	7,000
\$20	\$20	4,800	1,750
\$10 × 5	\$50	24,000	350
(\$2 w/ X5) × 5	\$50	12,000	700
(\$5 w/ X5) × 2	\$50	12,000	700
\$10 w/ X5	\$50	2,400	3,500
\$50	\$50	24,000	350
\$20 × 5	\$100	120,000	70
\$50 × 2	\$100	120,000	70
(((\$5 w/ X5) × 2) + (\$20 × 2) + \$10	\$100	60,000	140
(\$5 w/ X5) × 4	\$100	12,000	700
(\$10 w/ X5) × 2	\$100	12,000	700
\$20 w/ X5	\$100	12,000	700
\$100	\$100	120,000	70
\$100 × 5	\$500	120,000	70

<i>Reveal A "LUCKY" (LUCKY) Symbol, Win PRIZE Shown Under That Symbol. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
(\$50 w/ X5) × 2	\$500	120,000	70
\$100 w/ X5	\$500	120,000	70
\$500	\$500	120,000	70
\$500 × 2	\$1,000	840,000	10
(((\$50 w/ X5) × 2) + \$500	\$1,000	840,000	10
\$1,000	\$1,000	840,000	10
\$5,000	\$5,000	840,000	10

Reveal an "X5" (5TIMES) symbol, win 5 TIMES the PRIZE shown under that symbol!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Lucky x5 instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Lucky x5, prize money from winning Lucky x5 instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Lucky x5 instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Lucky x5 or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-710. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Red Hot Blowout Instant Lottery Game 1588

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Red Hot Blowout (hereafter "Red Hot Blowout"). The game number is PA-1588.

2. *Price:* The price of a Red Hot Blowout instant lottery game ticket is \$5.

3. *Play symbols:* Each Red Hot Blowout instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area and a "YOUR NUMBERS" area. The play symbols and their captions, located in the "WINNING NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions, located in the "YOUR NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), HOT (PLUS20) symbol and a BLOWOUT (WINALL) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$50⁰⁰

(FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$200,000 (TWOHUNTHO).

5. *Prizes:* The prizes that can be won in this game, are: \$5, \$10, \$20, \$50, \$100, \$200, \$500, \$1,000, \$5,000 and \$200,000. Red Hot Blowout contains a feature that can add \$20 to certain prizes. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 12,000,000 tickets will be printed for the Red Hot Blowout instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200,000 (TWOHUNTHO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in three of the "Prize" areas, a prize symbol of \$500 (FIV HUN) appears in two of the "Prize" areas, a prize symbol of \$200 (TWO HUN) appears in three of the "Prize" areas and a prize symbol of \$100 (ONE HUN) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in eight of the "Prize" areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a HOT (PLUS20) symbol and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under that HOT (PLUS20) symbol, on a single ticket, shall be entitled to a prize of \$520.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in four of the "Prize" areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the "Prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in six of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in two of the "Prize" areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the "Prize" areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in four of the "Prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(k) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the "Prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20⁰⁰ (TWENTY) appears in eight of the "Prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a HOT (PLUS20) symbol and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under that HOT (PLUS20) symbol, on a single ticket, shall be entitled to a prize of \$120.

(n) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(o) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the "Prize" areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "Prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a BLOWOUT (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the "Prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a HOT (PLUS20) symbol and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under that HOT (PLUS20) symbol, on a single ticket, shall be entitled to a prize of \$70.

(r) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(s) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a HOT (PLUS20) symbol and a prize symbol of \$20⁰⁰ (TWENTY) appears

in the "Prize" area under that HOT (PLUS20) symbol, on a single ticket, shall be entitled to a prize of \$40.

(t) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a HOT (PLUS20) symbol and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area under that HOT (PLUS20) symbol, on a single ticket, shall be entitled to a prize of \$30.

(u) Holders of tickets upon which any one of the "YOUR NUMBERS" play symbols is a HOT (PLUS20) and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "Prize" area under that HOT (PLUS20) symbol, on a single ticket, shall be entitled to a prize of \$25.

(v) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(w) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$10.

(x) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets:</i>
\$5	\$5	8.57	1,400,000
\$5 × 2	\$10	30	400,000
\$10	\$10	42.86	280,000
\$5 × 4	\$20	150	80,000
\$10 × 2	\$20	200	60,000
(\$5 × 2) + \$10	\$20	600	20,000
\$20	\$20	60	200,000
\$5 × 10	\$50	600	20,000
(\$10 w/ HOT SYMBOL) + \$20	\$50	200	60,000
(\$20 w/ HOT SYMBOL) + \$10	\$50	300	40,000
(\$5 w/ HOT SYMBOL) × 2	\$50	100	120,000
\$50	\$50	600	20,000
BLOWOUT w/ ((\$10 × 8) + (\$5 × 4))	\$100	1,200	10,000
BLOWOUT w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))	\$100	1,200	10,000
\$20 × 5	\$100	24,000	500
(\$10 w/ HOT SYMBOL) + \$50 + \$20	\$100	1,600	7,500
((\$20 w/ HOT SYMBOL) × 2) + (\$10 × 2)	\$100	1,600	7,500
(\$50 w/ HOT SYMBOL) + (\$10 w/ HOT SYMBOL)	\$100	1,600	7,500
\$100	\$100	24,000	500
BLOWOUT w/ ((\$20 × 8) + (\$10 × 4))	\$200	6,000	2,000
BLOWOUT w/ ((\$50 × 2) + (\$10 × 10))	\$200	6,000	2,000
\$50 × 4	\$200	120,000	100
((\$10 w/ HOT SYMBOL) × 4) + (\$10 × 8)	\$200	12,000	1,000
(\$100 w/ HOT SYMBOL) + (\$50 w/ HOT SYMBOL) + \$10	\$200	12,000	1,000
\$200	\$200	120,000	100
BLOWOUT w/ ((\$100 × 2) + (\$50 × 4) + (\$20 × 4) + (\$10 × 2))	\$500	24,000	500
BLOWOUT w/ ((\$100 × 4) + (\$20 × 2) + (\$10 × 6))	\$500	24,000	500
\$100 × 5	\$500	120,000	100

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 12,000,000 Tickets:</i>
$((\$100 \text{ w/ HOT SYMBOL}) \times 2) + ((\$50 \text{ w/ HOT SYMBOL}) \times 2) + (\$20 \times 4) + (\$10 \times 4)$	\$500	30,000	400
$((\$50 \text{ w/ HOT SYMBOL}) \times 5) + ((\$10 \text{ w/ HOT SYMBOL}) \times 5)$	\$500	30,000	400
\$500	\$500	120,000	100
BLOWOUT w/ $((\$100 \times 8) + (\$50 \times 4))$	\$1,000	1,200,000	10
$(\$100 \times 5) + \500	\$1,000	1,200,000	10
$(\$500 \text{ w/ HOT SYMBOL}) + ((\$100 \text{ w/ HOT SYMBOL}) \times 3) + ((\$10 \text{ w/ HOT SYMBOL}) \times 4)$	\$1,000	1,200,000	10
\$1,000	\$1,000	1,200,000	10
BLOWOUT w/ $((\$1,000 \times 3) + (\$500 \times 2) + (\$200 \times 3) + (\$100 \times 4))$	\$5,000	1,200,000	10
\$5,000	\$5,000	1,200,000	10
\$200,000	\$200,000	1,200,000	10

Reveal a "HOT" (PLUS20) symbol, add \$20 to the PRIZE shown under that symbol and win that amount.

Reveal a "BLOWOUT" (WINALL) symbol, win ALL 12 PRIZES shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Red Hot Blowout instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Red Hot Blowout, prize money from winning Red Hot Blowout instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Red Hot Blowout instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Red Hot Blowout or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-711. Filed for public inspection May 13, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Commission Virtual Meeting

The State Transportation Commission (Commission) will hold a virtual meeting on Wednesday, May 18, 2022, from 10 a.m. to 12 p.m. This virtual meeting will be held by means of Microsoft Teams. Meeting information, including log-in, participation information for computer, mobile app and telephone participation, and the agenda is available at <https://bit.ly/3MAV3cD>.

For more information, contact the Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-712. Filed for public inspection May 13, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Proposed Additions; July 2022

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on July 25 and 26, 2022, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Allegheny	Fern Hollow Run	Headwaters to Mouth	Little Sewickley Creek	40.571373 80.159920
Armstrong	Roaring Run	Headwaters to Mouth	Kiskiminetas River	40.551111 79.536667
Cambria	California Run	Headwaters to powerline crossing at RM 0.43	Elk Creek	40.553820 78.816007
Cameron	UNT to Lick Island Run (RM 2.11)	Headwaters to Mouth	Lick Island Run	41.386857 78.076850
Carbon	Lime Hollow Run	Headwaters to Mouth	Francis E. Walter Reservoir	41.117779 75.707222
Centre	UNT (RM 1.38) to UNT to Cedar Run (Mackey Run)	Headwaters to Mouth	UNT to Cedar Run (Mackey Run)	40.807908 77.742075
Centre	UNT to Penns Creek (RM 58.82)	Headwaters to Mouth	Penns Creek	40.856415 77.558167
Clearfield	Saltlick Run	Headwaters to Mouth	West Branch Susquehanna River	41.126271 78.079545
Clearfield	UNT to Saltlick Run (RM 0.80)	Headwaters to Mouth	Saltlick Run	41.134300 78.087700
Elk	UNT to Rocky Run (RM 2.35)	Headwaters to Mouth	Rocky Run	41.612970 78.645520
Elk	UNT to Rocky Run (RM 3.29)	Headwaters to Mouth	Rocky Run	41.619730 78.631964
Elk	UNT to Rocky Run (RM 3.40)	Headwaters to Mouth	Rocky Run	41.620858 78.630746
Fayette	Sugarcamp Hollow Run	Headwaters to Mouth	Buck Run	39.968879 79.398265
Luzerne	Spring Run	Headwaters to Mouth	Lehigh River	41.133694 75.666552
Luzerne	Stony Run	Headwaters to Mouth	Lehigh River	41.131389 75.692500
Potter	Ainsworth Brook	Pennsylvania and New York state line to Mouth	Mundy Brook	41.995410 77.816670
Schuylkill	Wolf Creek	Headwaters to UNT to Wolf Creek (RM 1.34)	Mill Creek	40.739632 76.200142
Venango	UNT to Twomile Run (RM 8.28)	Headwaters to Mouth	Twomile Run	41.499377 79.754220
Westmoreland	UNT to Hannas Run (RM 1.43)	Headwaters to Mouth	Hannas Run	40.274278 79.201202

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-713. Filed for public inspection May 13, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Changes to List of Class A Wild Trout Waters; July 2022

The Fish and Boat Commission (Commission) is considering changes to its list of Class A Wild Trout Streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed Wild Brook and Rainbow Trout Fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed Wild Brown and Rainbow Trout Fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A Wild Trout Streams at its meeting on July 25 and 26, 2022.

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>	<i>Brook Trout (kg/ha)</i>	<i>Brown Trout (kg/ha)</i>	<i>Rainbow Trout (kg/ha)</i>	<i>Length (miles)</i>	<i>Survey Year</i>
Centre	UNT (RM 1.38) to UNT to Cedar Run (Mackey Run)	1	Headwaters to Mouth	UNT to Cedar Run (Mackey Run)	40.807908 77.742075	—	45.98	—	0.85	2021
Clinton	Walters Run	1	Headwaters to Mouth	Kettle Creek	41.414822 77.924316	30.22	0.57	—	2.37	2021
Lycoming	Bark Cabin Run	1	Headwaters to Mouth	Otter Run	41.427776 77.361664	38.50	—	—	2.66	2021
Lycoming	Silver Branch	1	Headwaters to Mouth	Otter Run	41.433056 77.362503	36.85	—	—	2.17	2021
Potter	East Darian Run	1	Headwaters to Mouth	First Fork Sinnema- homing Creek	41.575890 78.048676	33.91	—	—	2.92	2021
Potter	Indian Run	1	Headwaters to Mouth	West Branch Pine Creek	41.695278 77.749725	50.80	0.55	—	2.53	2021
Potter	Schoolhouse Hollow Run	1	Headwaters to Mouth	West Branch Pine Creek	41.681767 77.775047	37.67	3.31	—	1.71	2021
Venango	UNT to Twomile Run (RM 8.28)	1	Headwaters to Mouth	Twomile Run	41.499377 79.754220	39.27	—	—	0.65	2021
Westmoreland	UNT to Hannas Run (RM 1.43)	1	Headwaters to Mouth	Hannas Run	40.274278 79.201202	—	49.35	—	2.34	2021

Persons with comments, objections or suggestions concerning the additions are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working

days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-714. Filed for public inspection May 13, 2022, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

Reg. No.	Agency/Title	Close of the Public Comment Period	IRRC Comments Issued
7-568	Environmental Quality Board VOC RACT Requirements for Shipbuilding and Ship Repair Surface Coatings, Large Petroleum Dry Cleaning Facilities and Synthetic Organic Chemical Manufacturing Industry Processes for the 2015 Ozone NAAQS 52 Pa.B. 689 (January 29, 2022)	4/4/22	5/4/22

Environmental Quality Board Regulation # 7-568 (IRRC # 3329)

VOC RACT Requirements for Shipbuilding and Ship Repair Surface Coatings, Large Petroleum Dry Cleaning Facilities and Synthetic Organic Chemical Manufacturing Industry Processes for the 2015 Ozone NAAQS

May 4, 2022

We submit for your consideration the following comments on the proposed rulemaking published in the January 29, 2022 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Environmental Quality Board (Board) to respond to all comments received from us or any other source.

1. Section 121.1. Definitions.—Clarity.

“Nuclear specialty coating”

Subparagraph (B) requires a protective coating used to seal porous surfaces to: “. . .Be relatively easy to decontaminate.” Federal regulations include a reference to “ASTM 4256-89 or 94” for this particular requirement. See 40 CFR § 63.782. For consistency, we ask the Board to include the reference to “ASTM 4256-89 or 94” in the final rulemaking or to explain why it is not needed.

“Thinning ratio”

“Thinning ratio” is defined as “[t]he volumetric ratio of thinner to coating, *as supplied*.” (Emphasis added.) Federal regulations provide a definition for the term “[a]s supplied” to mean “the condition of a coating before any

thinning, as sold and delivered by the coating manufacturer to the user.” See 40 CFR § 63.782. In order to provide greater clarity to the regulated community, we recommend the Board include the definition of “as supplied” in the final-form regulation or explain why it is not necessary.

2. Miscellaneous.—Clarity.

We ask the Board to review the commentator’s suggestion regarding a typographical error related to footnote “b” associated with proposed revisions to Table I Emission Limits of VOCs in Surface Coatings by Process Category Weight of VOC per Volume of Coating Solids and to make the necessary correction, if appropriate.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 22-715. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Johnstown PA Opco, LLC

Johnstown PA Opco, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Palm Gardens of Johnstown in Johnstown, PA. The initial filing was received on April 11, 2022, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-716. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The hearing will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in the Insurance Department's Administrative Hearings Office in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Tiffany A. Perfilio and Thomas J. Walter; Nationwide Property and Casualty Insurance Company; File No. 22-178-268268; Doc. No. P22-04-028; June 8, 2022, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Acting Insurance Commissioner (Acting Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Acting Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Acting Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-717. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

RiverSource Life Insurance Company; Rate Increase Filing for Individual LTC Form 30160A-PA with Endorsement 32100-PA Issued Prior to September 16, 2002 (SERFF # AERS-133072642); Rate Filing

RiverSource Life Insurance Company is requesting approval to increase the premium an aggregate 33.2% on 1,248 policyholders with individual LTC form 30160A-PA with endorsement 32100-PA issued prior to September 16, 2002.

Unless formal administrative action is taken prior to July 29, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to Valerie Romig, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, vromig@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-718. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

RiverSource Life Insurance Company; Rate Increase Filing for Several Policy Forms (AERS-133072639); Rate Filing

RiverSource Life Insurance Company is requesting approval to increase the premium an aggregate 49.6% on 2,178 policyholders with LTC forms 30225-PA, 30225-PA1 and 30225A-PA1.

Unless formal administrative action is taken prior to July 29, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to Lorraine Badarzynski, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, lbadarzys@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-719. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

RiverSource Life Insurance Company (SERFF # AERS-133072636); Rate Increase Filing for One LTC Form; Rate Filing

RiverSource Life Insurance Company is requesting approval to increase the premium an aggregate 6.9% on 397 policyholders with individual LTC form 30240-PA.

Unless formal administrative action is taken prior to July 29, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to Michael Hibbert, Actuarial Associate, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, mhibbert@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-720. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

RiverSource Life Insurance Company (SERFF # AERS-133072645); Rate Increase Filing for LTC Form 30160A-PA with Endorsement 32100-PA Issued After September 15, 2002; Rate Filing

RiverSource Life Insurance Company is requesting approval to increase the premium an aggregate 87% on 221 policyholders with the following individual LTC policy form number 30160A-PA if sold with endorsement 32100-PA and issued after September 15, 2002.

Unless formal administrative action is taken prior to July 29, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to Sean Carmody, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, scarmody@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-722. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

RiverSource Life Insurance Company (SERFF # AERS-133072641); Rate Increase Filing for One LTC Form; Rate Filing

RiverSource Life Insurance Company is requesting approval to increase the premium an aggregate 46.9% on 1,317 policyholders with individual LTC form 30160A-PA without endorsement 32100-PA.

Unless formal administrative action is taken prior to July 29, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to Michael Hibbert, Actuarial Associate, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, mhibbert@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-721. Filed for public inspection May 13, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Unum Life Insurance Company of America; Rate Increase Filing for Individual LTC Forms LTC5192, LTC5392, LTC5592, LTC99, LTC99Q and LTC99FQ (SERFF # UNUM-133212337); Rate Filing

Unum Life Insurance Company of America is requesting approval to increase the premium an aggregate 32% on 5,577 policyholders with individual LTC forms LTC5192, LTC5392, LTC5592, LTC99, LTC99Q and LTC99FQ.

Unless formal administrative action is taken prior to July 14, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to Valerie Romig, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, vromig@pa.gov within 15 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-723. Filed for public inspection May 13, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction

A-2022-3032183 and A-2022-3032184. Fusion Connect, Inc., Fusion, LLC, d/b/a Fusion Connect, LLC, Fusion Cloud Services, LLC and the North Haven Entities. Joint application of Fusion Connect, Inc., Fusion, LLC, d/b/a Fusion Connect, LLC, Fusion Cloud Services, LLC and the North Haven Entities for approval of a general rule transaction that will result in a change to the ownership and control of Fusion, LLC, d/b/a Fusion Connect, LLC and Fusion Cloud Services, LLC.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 31, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's web site at www.puc.pa.gov and at the applicant's business address.

Joint Applicants: Fusion Connect, Inc.; Fusion, LLC, d/b/a Fusion Connect, LLC; Fusion Cloud Services, LLC; North Haven Entities

Through and By: Michael A. Gruin, Esquire, Stevens & Lee, 17 North 2nd Street, 16th Floor, Harrisburg, PA 17101, (717) 255-7365, fax (610) 988-0852, mag@stevenslee.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-724. Filed for public inspection May 13, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before May 31, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by May 31, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at

www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2022-3031896. Moving U & Junk U, LLC (207 Carter Drive, Unit E, West Chester, Chester County, PA 19382) for the right to begin to transport, as a common carrier, household goods in use, between points in Pennsylvania.

Application of the following for the approval of the transfer of stock as described under the application.

A-2022-3032037. Exclusive Services, LLC, t/a Don Farr, t/a Don Farr Moving & Storage (4920 Buttermilk Hollow Road, West Mifflin, Allegheny County, PA 15122) for the approval of the transfer of all shares of issued stock from Dolores Fix to David Fix. *Attorney:* Julian Allatt, 1317 North Atherton Street, State College, PA 16803.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2022-3032161. H. V. Camberg Services, Inc. (11368 Tyrone Pike, Irvona, Clearfield County, PA 16656) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, an individual with special needs in paratransit service from their home at 1228 Grassflat Avenue, Grassflat, Clearfield County, PA 16839, to Skills of Central Pennsylvania, Inc., 2437 Commercial Boulevard, Suite 3, State College, Centre County, PA 16801, and return, as originally docketed at A-2017-2620046.

A-2022-3032166. Duda Transportation, LLC (26581 Capp Road, Edinboro, Crawford County, PA 16412) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-6422697, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Crawford, Erie and Mercer, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-725. Filed for public inspection May 13, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2022-3032216. Yukon-Waltz Telephone Company, Inc. and Teleport Communications America, LLC. Joint petition of Yukon-Waltz Telephone Company, Inc. and Teleport Communications America, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Yukon-Waltz Telephone Company, Inc. and Teleport Communications America, LLC, by their counsel, filed on April 28, 2022, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Yukon-Waltz Telephone Company, Inc. and Teleport Communications America, LLC, joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-726. Filed for public inspection May 13, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia

have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than May 31, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-22-04-15. Kalabe & Aaron, Inc. (114 North Pennock Avenue, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-22-04-16. Philalimoservice, LLC (514 Alexander Avenue, Drexel Hill, PA 19026): An application for a limousine CPC to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David Temple, Esq., 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-727. Filed for public inspection May 13, 2022, 9:00 a.m.]
