

NOTICES

DEPARTMENT OF AGRICULTURE

Controlled Plant and Noxious Weed Committee Public Meeting

The Department of Agriculture (Department) announces a public meeting of the Controlled Plant and Noxious Weed Committee (Committee), established by 3 Pa.C.S. § 1511 (relating to designation of noxious weeds and controlled plants). The meeting will be held at 1 p.m. on July 21, 2022, by means of Microsoft Teams. The call in number is (267) 332-8737. The conference ID is 869154361#.

The purpose of the meeting is to consider the addition of three plants to the noxious weed list. If time permits, these three plants will be considered at this meeting:

- Wild Chervil (*Anthriscus sylvestris*) Class A consideration
- Chocolate Vine (*Akebia quinata*) Class A consideration
- Lesser Celadine (*Ficaria verna*) Class B consideration

Public comment will be accepted either in person at the meeting or in writing prior to the meeting. Written comments may be sent to RA-plant@pa.gov or to the Department of Agriculture, Bureau of Plant Industry Noxious Weed Program, 2301 North Cameron Street, Harrisburg, PA 17110. Written comments must be received by July 20, 2022, to be considered. Written comments will become a part of the record, with the same force as if presented during the public meeting.

The public meeting agenda related to this consideration is as follows: presentation of background information on plants for consideration; public comment period; Committee discussion; and Committee action on plants under consideration.

Individuals with questions regarding this public meeting should contact the Department at (717) 787-4843.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-1009. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending June 28, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-21-2022	Truist Bank Charlotte Mecklenburg County, NC	3600 Lancaster Avenue Philadelphia Philadelphia County, PA	Filed
06-22-2022	First Citizens Community Bank Mansfield Tioga County	3840 Kennett Pike Greenville New Castle County, DE	Approved
06-22-2022	Truist Bank Charlotte Mecklenburg County, NC	821 Lancaster Avenue Wayne Chester County, PA	Approved
06-24-2022	CNB Bank Clearfield Clearfield County	160 Apron Road Hardy Franklin County, VA	Approved
06-27-2022	Mid Penn Bank Millersburg Dauphin County	3900 Hamilton Boulevard Allentown Lehigh County	Approved
06-27-2022	Mid Penn Bank Millersburg Dauphin County	480 Norristown Road Blue Bell Montgomery County	Approved

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-27-2022	First Keystone Community Bank Berwick Columbia County	1503 Linden Street Bethlehem Northampton County	Filed

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-27-2022	Peoples Security Bank and Trust Co. Scranton Lackawanna County	<i>To:</i> 300 Warrendale Drive Warrendale Allegheny County <i>From:</i> 802B Warrendale Village Drive Warrendale Allegheny County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-25-2022	Penn Community Bank Doylestown Bucks County	200 Manor Avenue Langhorne Bucks County (Limited Service Facility)	Closed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
06-22-2022	MCS Bank Lewistown Mifflin County	Effective

Amendment to Article II of the institution's Articles of Incorporation provides for the principal place of business of the bank to be relocated from 19 North Brown Street, Lewistown, Mifflin County, PA, to 100 Commerce Drive, Milroy, Mifflin County, PA.

Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1010. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

DHD II, LLC and DHD III, LLC v. Commonwealth of Pennsylvania, Department of Community and Economic Development, Doc. No. DCED-2022- 0001

On February 3, 2022, Petitioner DHD II, LLC and DHD III, LLC filed an appeal of a denial of an application for benefits under the Keystone Opportunity Zone, Keystone Opportunity Expansion Zone and Keystone Opportunity Improvement Zone Act (73 P.S. §§ 820.101—820.1310).

Notice

A hearing will be conducted before the Department of State Chief Hearing Examiner Debra A. Rand, Esquire, at 9:30 a.m. on July 14, 2022, at 2601 North Third Street, Harrisburg, PA 17110. The filing of petitions and notices to intervene in the previously-captioned matters must be submitted in writing to ra-de-chief-counsel@pa.gov by July 13, 2022. The hearing will be conducted in accord-

ance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure).

NEIL WEAVER,
Acting Secretary

[Pa.B. Doc. No. 22-1011. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Revisions to Schedule of Prices for State Parks**A. Summary and Background**

Under section 314 of the Conservation and Natural Resources Act (71 P.S. § 1340.314) and 17 Pa. Code § 11.224 (relating to prices), the Department of Conservation and Natural Resources, Bureau of State Parks, will revise its price schedule for State Park activities, uses and privileges effective July 17, 2022. The updated schedule, which is in section D as follows, increases the

fee ranges for Presque Isle Marina fees, the Statewide marina transfer and waitlist fees, whitewater launch fees at Ohiopyle State Park, amenity fees for a new “Great Gathering Friends and Family” 2 unit full hookup site type and swimming pool splash pad entrance only fees when the main pool cannot be opened.

The updated price schedule is needed to adjust existing rates to the market. The resulting fees are comparable to those of state parks in neighboring states and will narrow the gap between State Parks in this Commonwealth and private facilities, resulting in a more favorable competitive climate for the private sector.

For comparison purposes, the current price schedule can be found at the State Parks web site at [http://www.dcnr.pa.gov/StateParks/StateParkPrices/Pages/](http://www.dcnr.pa.gov/StateParks/StateParkPrices/Pages/default.aspx)

default.aspx. It can also be obtained by calling State Parks Reservations and Information at (888) PA-PARKS. When the updated price schedule becomes effective, it will be posted on the State Parks web site.

B. Contact Person

Questions may be directed to Ryan Dysinger, Assistant Director, Bureau of State Parks, Rachel Carson State Office Building, P.O. Box 8551, Harrisburg, PA 17105-8551, (717) 787-6640, rdysinger@pa.gov. Persons with a disability may use the Pennsylvania Hamilton Relay Service by calling (800) 654-5984 (TDD users).

C. Effective Date

The effective date of the updated price schedule is July 17, 2022.

D. Price Schedule

	<i>Unit or Timeframe</i>	<i>Resident</i>	<i>Non-Resident</i>
<i>Presque Isle Marina</i>			
Cost Per Foot of Stall	Per Season	\$41.50—\$50	\$83—\$100
Cost Per Foot of Stall with Utilities	Per Season	\$46.25—\$56	\$92.50—\$111
Bascomb Holder—18’ Slip	Per Season	\$404.25—\$485	\$808.50—\$970
Cradle Summer Storage	Per Season	\$44—\$53	\$89.50—\$107
Travel Lift	Per Lift Per Foot	\$5.25—\$6.50	\$9.50—\$11.50
Winter Boat Storage Includes Lift In and Out	Per Foot Per Season	\$18—\$22	\$35.75—\$43
Daily Transient	Per Day Per Foot	\$1—\$1.25	\$1.75—\$2.25
Daily Transient with Utilities	Per Day Per Foot	\$1.25—\$1.50	\$2—\$2.50
<i>Other Boating</i>			
Statewide Marina Transfer/Wait List Entry	Per Application per List	\$15—\$25	\$15—\$25
Ohiopyle State Park Whitewater Launch (Soft and Hard Boat Launch)	Per Person	\$10—\$15	\$10—\$15
Ohiopyle State Park Whitewater Season Pass	Per Person	\$40—\$90	\$40—\$90
<i>Camping—Campsite Amenities</i>			
Great Gathering Friends and Family: 2 Unit Modern Fee	Per Site Per Night	\$26—\$36	\$26—\$36
Great Gathering Friends and Family: 2 Unit Sewage/Water Fee	Per Site Per Night	\$26—\$36	\$26—\$36
Great Gathering Friends and Family: 2 Unit Electric Fee	Per Night Per Site	\$14—\$24	\$14—\$24
Great Gathering Friends and Family: Multi-Campsite Fee	Per Night Per Site	\$36—\$46	\$36—\$52
Great Gathering Friends and Family: 2 Unit Pet Fee	Per Night Per Site	\$4—\$14	\$4—\$14
Great Gathering Friends and Family: 2 Unit Premium—Friday, Saturday, Holiday, Events Fee	Per Night Per Site	\$12—\$22	\$12—\$22
<i>Swimming Pools</i>			
Splash Pad Entrance Only—State Park Operated Pools (when main pools are closed)	Per Person	\$3—\$7	\$3—\$7

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 22-1012. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAS802217	Industrial Stormwater Individual NPDES Permit	Transfer	TForce Freight, Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	Bethlehem City Northampton County	NERO
0586401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Hopewell Borough Bedford County P.O. Box 160 Hopewell, PA 16650-0160	Hopewell Borough Bedford County	SCRO
0613801	Joint DEP/PFBC Pesticides Permit	Renewal	Boyertown Borough 100 S Washington Street Boyertown, PA 19512-1521	Earl Township Berks County	SCRO
1513893	Joint DEP/PFBC Pesticides Permit	Renewal	Hershey's Mill Landscape Co. 1000 Mill Road West Chester, PA 19380-6950	East Goshen Township Chester County	SERO
3504401	Major Sewage Treatment Facility Individual WQM Permit	Amendment	PA American Water Co. 2699 Stafford Avenue Scranton, PA 18505-3608	Scranton City Lackawanna County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0098345	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	DP134, LLC 333 N Bedford Road Suite 145 Mount Kisco, NY 10549-1158	Saltlick Township Fayette County	SWRO
0466S24	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	DP134, LLC 333 N Bedford Road Suite 145 Mount Kisco, NY 10549-1158	Saltlick Township Fayette County	SWRO
PAR800045	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	TForce Freight, Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	West Pottsgrove Township Montgomery County	SERO
PAR800046	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	TForce Freight, Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	Bensalem Township Bucks County	SERO
PAR802219	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	TForce Freight, Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	Old Forge Borough Lackawanna County	NERO
PAG041166	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Anthony Lore & Catisha Christy Lore 2751 Scranton Hollow Road Warren, PA 16365-8824	Farmington Township Warren County	NWRO
PAG103586	PAG-10 NPDES General Permit for Hydrostatic Test Water	New	Texas Eastern Trans LP 5400 Westheimer Court Houston, TX 77056-5353	North Heidelberg Township Berks County	SCRO
PAG133599	PAG-13 NPDES General Permit for MS4s	Renewal	Swatara Township Lebanon County 68 Supervisor Drive Jonestown, PA 17038	Swatara Township Lebanon County	SCRO
PAG136113	PAG-13 NPDES General Permit for MS4s	Renewal	Pennsbury Village Borough Allegheny County 1043 Pennsbury Boulevard Pittsburgh, PA 15205-1643	Pennsbury Village Borough Allegheny County	SWRO
2322404	Pump Stations Individual WQM Permit	New	Delcora 100 East Fifth Street City of Chester, PA 19016-0999	Chester City Delaware County	SERO
PA0290246	Single Residence STP Individual NPDES Permit	Transfer	Decaprio Anthony 3028 Frampton Road Hermitage, PA 16148-6204	Hermitage City Mercer County	NWRO
0222401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Midler Chase 1502 Fox Chapel Road Pittsburgh, PA 15238-1203	Indiana Township Allegheny County	SWRO
4321414	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Decaprio Anthony 3028 Frampton Road Hermitage, PA 16148-6204	Hermitage City Mercer County	NWRO
6122402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Vargason Matthew 138 Turkey Farm Road Titusville, PA 16354	Cherrytree Township Venango County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6216402	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Marino Linda 354 Stilson Hill Road Pittsfield, PA 16340-7210	Sugar Grove Township Warren County	NWRO
6222407	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Foust Roy E 778 Egypt Hollow Road Warren, PA 16365-8121	Glade Township Warren County	NWRO
6322402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Riggle Brandon 1349 Smith Township State Road Burgettstown, PA 15021-2830	Smith Township Washington County	SWRO
0281441	Small Flow Treatment Facility Individual WQM Permit	Transfer	Rocksauce Operations, LLC 1851 North Road McDonald, PA 15057	North Fayette Township Allegheny County	SWRO
WQG01621403	WQG-01 WQM General Permit	Transfer	Anthony Lore & Catisha Christy Lore 2751 Scranton Hollow Road Warren, PA 16365-8824	Farmington Township Warren County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0032492, Sewage, SIC Code 4952, **PA DCNR Bald Eagle State Park**, 149 Main Park Road, Howard, PA 16841-3508. Facility Name: Bald Eagle State Park. This existing facility is located in Liberty Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Bald Eagle Creek (WWF), is located in State Water Plan watershed 9-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .45 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	94	150	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Total Suspended Solids Raw Sewage Influent	113 Report	169 Report Daily Max	XXX XXX	30.0 Report	45.0 XXX	60 XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Nitrate-Nitrite as N Nitrate-Nitrite as N (Total Load, lbs) (lbs)	XXX Report Total Mo	XXX XXX	XXX XXX	Report XXX	XXX XXX	XXX XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs) Total Kjeldahl Nitrogen	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs) Total Phosphorus	Report Total Mo	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	8,219 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	Report Total Annual	XXX	XXX	XXX	XXX
	XXX	1,096 Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

PA0233218, Sewage, SIC Code 4952, **Deryk R. Spicher**, 25 Spruce Street, Force, PA 15841-1015. Facility Name: Spicher SRSTP. This proposed facility is located in Huston Township, **Clearfield County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Mountain Run, is located in State Water Plan watershed 8-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 500 GPD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Annl Avg	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

PA0234044, Sewage, SIC Code 4952, **Nathan Singer**, 2210 Balsam Road, Wellsboro, PA 16901-7438. Facility Name: Singer SRSTP. This existing facility is located in Delmar Township, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Wilson Creek, is located in State Water Plan watershed 9-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 400 GPD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	XXX	Report
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Regional Office

PA0290548, Storm Water, SIC Code 2411, 2421, **Renewable Natural Products, Inc.**, 350 Main Street, Kersey, PA 15846-9126. Facility Name: Former D&F Lumber Location. This proposed facility is located in Henderson Township, **Jefferson County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Stump Creek, is located in State Water Plan watershed 17-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PAI138304, MS4, **Buffalo Township**, 109 Bear Creek Road, Sarver, PA 16055-9227.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Buffalo Township, **Butler County**. The receiving stream(s), Unnamed Tributary to Little Bull Creek (TSF), Unnamed Tributary to Sarver Run (HQ-TSF), Little Buffalo Creek (HQ-TSF), Buffalo Creek (TSF), Unnamed Tributary to Buffalo Creek (TSF), Sarver Run (HQ-TSF), and Unnamed Tributary to Little Buffalo Creek (HQ-TSF), is located in State Water Plan watershed, 18-F and 18-A and is classified for Trout Stocking and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA waiver is in effect.

PA0254851, Industrial, SIC Code 4941, **Ford City Borough**, 1000 4th Avenue, Ford City, PA 16226-1214. Facility Name: Ford City Borough WTP. This existing facility is located in Ford City Borough, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Allegheny River (WWF), is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0648 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	Report
Aluminum, Total	XXX	XXX	XXX	4.0	XXX	8.0
Iron, Total	XXX	XXX	XXX	2.0	XXX	4.0
Manganese, Total	XXX	XXX	XXX	1.0	XXX	2.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0023124, Sewage, SIC Code 4952, **Albion Borough**, 53B East State Street, Albion, PA 16401-1110. Facility Name: Albion Borough WWTP. This existing facility is located in Conneaut Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving streams, the Conneaut Creek (WWF, MF) and the East Branch Conneaut Creek (CWF, MF) are located in State Water Plan watershed 15-A and are classified for Warm Water Fishes, Migratory Fishes, and Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.4 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	4.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.62
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	292.0	467.0	XXX	25.0	40.0	50
May 1 - Oct 31	198.0	292.0	XXX	17.0	25.0	34
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids	350.0	525.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	187.0	XXX	XXX	16.0	XXX	32
May 1 - Oct 31	64.0	XXX	XXX	5.5	XXX	11
Total Phosphorus	12.0	XXX	XXX	1.0	XXX	XXX
Arsenic, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX
Interim	551.1	1,102.2	XXX	47.2	94.4	118
Final		Daily Max			Daily Max	
Copper, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX
Cyanide, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 1.4 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min XXX	0.2	XXX	0.62
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Nov 1 - Apr 30	292.0	467.0	XXX	25.0	40.0	50
May 1 - Oct 31	198.0	292.0	XXX	17.0	25.0	34
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	350.0	525.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	187.0	XXX	XXX	16.0	XXX	32
May 1 - Oct 31	64.0	XXX	XXX	5.5	XXX	11
Total Phosphorus	12.0	XXX	XXX	1.0	XXX	XXX
Arsenic, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX
Interim	551.1	1,102.2	XXX	47.2	94.4	118
Final		Daily Max			Daily Max	
Copper, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX
Cyanide, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total (ug/L)	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Water Quality-Based Effluent Limitations for Toxic Pollutants
- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

PA0026832, Sewage, SIC Code 4952, **Ellwood City**, 525 Lawrence Avenue, Ellwood City, PA 16117-8528. Facility Name: Ellwood City WWTP. This existing facility is located in Ellwood City Borough, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Connoquenessing Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 3.3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	688.0	1,100.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	825.0	1,238.0	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	440.0	XXX	XXX	16.0	XXX	32
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total (ug/L)	1,359.5	2,719.1	XXX	49.4	98.8	123.5
Zinc, Total (ug/L)	XXX	Daily Max XXX	XXX	Report Avg Qrtly	Daily Max XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Requirements Applicable to Stormwater Outfalls
- Whole Effluent Toxicity (WET)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

PA0222348, Sewage, SIC Code 4952, 8800, **Thomas L Holden**, 40 Spicer Road, Sheffield, PA 16347. Facility Name: Thomas L Holden SRSTP. This existing facility is located in Sheffield Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an unnamed tributary to South Branch Tionesta Creek, located in State Water Plan watershed 16-F and classified for High Quality Waters—Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0264385, Sewage, SIC Code 4952, 8800, **Scott Crossley**, 9870 Donation Road, Waterford, PA 16441-4240. Facility Name: Scott Crossley SRSTP. This existing facility is located in Summit Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an Unnamed Tributary to LeBoeuf Creek, located in State Water Plan watershed 16-A and classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0264822, Sewage, SIC Code 4952, 8800, **Melissa & Ryan Nuhfer**, 1124 E 5th Avenue, Warren, PA 16365-8404. Facility Name: Melissa & Ryan Nuhfer SRSTP. This existing facility is located in Glade Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is Indian Hollow, is located in State Water Plan watershed 16-B and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0264857, Sewage, SIC Code 8800, **William J. Isenerg**, 105 Arberg Lane, Slippery Rock, PA 16057-1801. Facility Name: William J Isenberg SRSTP. This existing facility is located in Mercer Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Wolf Creek, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290645, Sewage, SIC Code 8800, **Jacob Milliron**, 68 Apple Tree Lane, Coudersport, PA 16915-8477. Facility Name: Jacob Milliron SRSTP. This proposed facility is located in Limestone Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Allegheny River, is located in State Water Plan watershed 16-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290653, Sewage, SIC Code 8800, **Edward & Susan Davies**, 5027 Union Street, Finleyville, PA 15332-1131. Facility Name: Edward & Susan Davies SRSTP. This proposed facility is located in Wayne Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Lake Creek, is located in State Water Plan watershed 16-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290823, Sewage, SIC Code 8800, **Roy E. Foust**, 778 Egypt Hollow Road, Warren, PA 16365-8121. Facility Name: Roy E. Foust SRSTP. This proposed facility is located in Glade Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Hatch Run, is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0281875, Concentrated Animal Feeding Operation (CAFO), Chad Peifer (Chad Peifer Poultry Farm CAFO), 235 Academy Road, Kirkwood, PA 17536-9649.

Chad Peifer has submitted an application for an Individual NPDES permit for a new CAFO known as Chad Peifer Poultry Farm CAFO, located in Colerain Township, **Lancaster County**.

The CAFO is situated near Gables Run (HQ-CWF, MF) in Watershed 7-K, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO will be designed to maintain an animal population of approximately 85.00 animal equivalent units (AEUs) consisting of 19,000 Duck Starters and 19,000 Duck Finishers. Manure will be stored in a proposed concrete circular manure storage. Prior to operation of the manure storage facilities, the design engineer will be required to submit certification that the facilities were constructed in accordance with appropriate PA Technical Guide Standards. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0020214, Sewage, SIC Code 4952, **Mount Union Municipal Authority, Huntingdon County**, 9 West Market Street, Mount Union, PA 17066. Facility Name: Mt Union STP. This existing facility is located in Mount Union Borough, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Juniata River (WWF, MF), is located in State Water Plan watershed 12-C and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	225.0	365.0 Wkly Avg	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	275.0	410.0 Wkly Avg	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml) May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen	Report	20,091	XXX	XXX	XXX	XXX
Net Total Phosphorus	Report	2,679	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Stormwater prohibition
- Notification of designation of responsible operator
- WETT requirement
- Hauled-in waste restriction

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0082589, Sewage, SIC Code 4952, **PA American Water Co.**, 852 Wesley Drive, Mechanicsburg, PA 17055. Facility Name: PA American Water Fairview Township South STP. This existing facility is located in Fairview Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Fishing Creek (CWF (existing use)), is located in State Water Plan watershed 7-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.20	XXX	0.64
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	104	167	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	125	187	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	Report Total Mo	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	21	XXX	XXX	5.1	XXX	10
May 1 - Oct 31	7.0	XXX	XXX	1.7	XXX	3.4
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	8.3	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total	0.042	0.064 Daily Max	XXX	0.01	0.015 Daily Max	XXX
Zinc, Total	0.49	0.54 Daily Max	XXX	0.118	0.131 Daily Max	XXX
Ultraviolet light dosage (mWsec/cm ²)	XXX	XXX	Report	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

PA0087661, Sewage, SIC Code 4952, **Chestnut Ridge Area Joint Authority**, 320 Lane Metal Road, New Paris, PA 15554-9238. Facility Name: Chestnut Ridge Area Joint Authority STP. This existing facility is located in East Saint Clair Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Dunning Creek (WWF), is located in State Water Plan watershed 11-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .915 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	147	235	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	176	264	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31	50	XXX	XXX	8.5	XXX	17
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Total Mo	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .915 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .915 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX
	Semi Avg			Semi Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0052647, Industrial, SIC Code 4941, **Pottstown Borough Authority**, 100 East High Street, Pottstown, PA 19464. Facility Name: Pottstown Borough Water Treatment Plant. This existing facility is located in Pottstown Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Schuylkill River (WWF, MF), and UNT to Schuylkill River (WWF, MF), are located in State Water Plan watershed 3-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	50.0	100.0	XXX	30.0	60.0	75
Aluminum, Total	6.67	13.34	XXX	4.0	8.0	10
Iron, Total	3.34	6.67	XXX	2.0	4.0	5
Manganese, Total	1.67	3.34	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfall 002 are based on a design flow of .0098 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0

In addition, the permit contains the following major special conditions:

- Dry stream discharge
- Development and implementation of an O&M Plan
- Sedimentation Basin cleaning

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0058467, Industrial, SIC Code 4952, **The American College**, 630 Allendale Road, King of Prussia, PA 19406-1695. Facility Name: The American College, 630 Allendale Rd. This existing facility is located in Upper Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Trout Creek (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0019 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

- I. Other Requirements
 - A. Property Rights
 - B. Sludge Removal
 - C. BAT/BCT Requirements
 - D. Discharge to Small Stream
- II. Chemical Additives
 - A. Approved Chemical Additives List
 - B. New Chemical Additives, Not on Approved Chemical Additives List
 - C. Chemical Additives Usage Reporting Requirements
 - D. DEP Amendment
 - E. Usage Rate

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0054704, Sewage, SIC Code 8099, **Qtown Properties, LLC**, 1620 Wrightstown Road, Newtown, PA 18940-2814. Facility Name: Success Rehabilitation Clinic WWTP. This existing facility is located in East Rockhill Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Tohickon Creek (TSF, MF), is located in State Water Plan watershed 2-D and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0077 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.12
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1.6	XXX	XXX	25.0	XXX	50
Total Suspended Solids	2.0	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	0.38	XXX	XXX	6.0	XXX	12
May 1 - Oct 31	0.12	XXX	XXX	2.0	XXX	4
Total Phosphorus	0.0321	XXX	XXX	0.5	XXX	1

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0077 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- No stormwater into sewage
- Proper disposal of collected screenings, slurries, sludges and other solids
- Optimize chlorine dosages used for disinfection to minimize TRC in effluent
- Notification of the designation of responsible operator
- Development of operations and maintenance (O&M) plan
- Seasonal fecal coliform limitations

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255998, Storm Water, SIC Code 3273, **Daniels Concrete, Inc.**, 1463 State Route 819, Greensburg, PA 15601. Facility Name: Daniels Concrete Batch Plant. This proposed facility is located in Salem Township, **Westmoreland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of Stormwater Associated with Industrial Activity from concrete batch plant.

The receiving stream(s), Unnamed Tributary to Beaver Run (HQ-CWF), is located in State Water Plan watershed 18-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0215872, Sewage, SIC Code 4952, **Jonathan R Luciana**, 1989 Drennen Road, New Kensington, PA 15068-1804. Facility Name: Luciana SRSTP. This existing facility is located in Plum Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Pucketa Creek (TSF), is located in State Water Plan watershed 18-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	Report
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	1,000.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0216925, Sewage, SIC Code 1222, **Monongalia County Coal Resources, Inc.**, 46226 National Road, Saint Clairsville, OH 43950-8742. Facility Name: Blacksville # 2 Kuhntown Portal. This existing facility is located in Wayne Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Hoovers Run (WWF), is located in State Water Plan watershed 19-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	0.014	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.02	XXX	0.063

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	3.5	XXX	7.0
May 1 - Oct 31	XXX	XXX	XXX	1.58	XXX	3.16

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Solids management for non-lagoon system
- Resuming operation of the treatment plant

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD230065	New	Ryan Development Group LLC 3283 Dune Drive Avalon, NJ 08202	Lower Chichester Township Upper Chichester Township Delaware County	SERO
PAD480137 A-1	Major Amendment	NP Forks Township Industrial LLC c/o Dan Zuk 12977 N. Outer 40 Rd. Suite 203 St. Louis, MO 63141	Forks Township Northampton County	NERO
PAD350030	Renewal	Pennsylvania Turnpike Commission 700 S Eisenhower Blvd Middletown, PA 17057	South Abington Township Lackawanna County	NERO
PAD180027 A-1	Individual Amendment	Horses of Hope, Inc. Dutch Hollow Road Woolrich, PA 17779	Pine Creek Township Clinton County	NCRO
PAD410022	New Individual Permit	UGI Utilities, Inc. 1 UGI Drive Denver, PA 17517	Porter Township Lycoming County	NCRO
PAD100019	New	Summit Township Authority 502 Bonniebrook Road Butler, PA 16002	Summit Township Butler County	NWRO

STATE CONSERVATION COMMISSION PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Shady Rill Farm, LLC Neil & Jay Paul Hoover 252 Tharp Road Mt. Pleasant Mills, PA 17853	Snyder	686.7	1,033.58	Swine	NA	Renewal
Jake Kahler 2375 Line Mountain Road Dornsife, PA 17823	Northumberland	4.95	266.05	Poultry— Layers	NA	New
Barry Farms 221 Michters Road Schaefferstown, PA 17088	Lebanon	654.7	1,034.61	Beef, Swine	NA	Renewal
Mahosky Farms, LLC 210 Back Road Canton, PA 17724	Tioga	88.4	685.68	Swine	HQ	Renewal
Spring Valley Dairy, LLC 1577 Auction Road Manheim, PA 17545	Lancaster	203.6	485.74	Dairy, Pullets	NA	Renewal
Keith Martin 1111 Forest Hill Road Stevens, PA 17578	Lancaster	43	275.89	Broilers	NA	Renewal
Melvin Huber 457 Cold Spring Road Elizabethtown, PA 17022	Lancaster	53.3	394.51	Layers, Beef	NA	Renewal
Scattered Acres Farms 190 Tyson School Road Catawissa, PA 17820	Columbia	2,746.79	852.03	Finishing, Swine, Broilers	HQ-CWF	Renewal
Clifford Zimmerman 2993 Mill Road Elizabethtown, PA 17022	Dauphin	0	397.58	Poultry (Layer)	NA	Renewal
Lamar High Farm 920 West Matteredtown Road Millersburg, PA 17601	Dauphin	23.6	314.64	Poultry (Layer)	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it

is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER

Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

Application No. 5422505, Public Water Supply.

Applicant	Summit Station Fire Company No. 1 266 West Deer View Dr. Auburn, PA 17922
Municipality	Wayne Township
County	Schuylkill
Type of Facility	Public Water Supply
Consulting Engineer	Charles A. Kehew, II, P.E. James R. Holley & Associates, Inc. 18 South George St. Suite 300 York, PA 17401
Application Received Date	April 6, 2022
Description of Action	Summit Station Fire Company No. 1 proposes the addition of a sodium hypochlorite disinfection system, along with well casing modifications to their existing source.

Application No. 3922501, Public Water Supply.

Applicant	Pennsylvania American Water Company 852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Roaring Brook Township
County	Lackawanna
Type of Facility	Public Water Supply
Consulting Engineer	Joseph Durkin Reilly Associates 49 South Main St. Suite 200 Pittston, PA 18640
Application Received Date	February 22, 2022
Description of Action	Pennsylvania American Water Company proposes modifications to the Lake Scranton Water Treatment Plant including Alum Chemical Feed Improvements, Sodium Permanganate Conversion, and Chemical Feed Pump Conversion.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Application No. 3622520, Public Water Supply.

Applicant	Charles Farms, Inc. dba Pine View Dairy 2927 Charlestown Road Lancaster, PA 17603
Municipality	Pequea Township
County	Lancaster
Responsible Official	Clifford L. Charles President 2927 Charlestown Road Lancaster, PA 17603
Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
Application Received Date	May 31, 2022
Description	Installation of nitrate treatment, an acid neutralizer, softener, and UV light.

Application No. 3622516, Public Water Supply.

Applicant	Safe Harbor Village 1903 Lititz Pike Lancaster, PA 17601
Municipality	Conestoga Township
County	Lancaster
Responsible Official	William Stull President 1706 Lititz Pike Lancaster, PA 17601
Consulting Engineer	Jamie Lorah, P.E. Spotts Stevens & McCoy 1047 North Park Road Reading, PA 19610
Application Received Date	April 14, 2022
Description	The application is for a proposed corrosion control treatment project via orthophosphate and caustic soda addition.

Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.

Permit No. 4922504, Major, Public Water Supply.

Applicant	Aqua PA Roaring Creek Division 204 East Sunbury Street Shamokin, PA 17872
Municipality	Coal Township
County	Northumberland
Responsible Official	Joseph G. Thurwanger
Type of Facility	Public Water Supply
Consulting Engineer	Charlie Liu, P.E. BCM Engineers/ Atlas Technical Consultants 920 Germantown Pike Suite 200 Plymouth Meeting, PA 19462

Application Received Date June 24, 2022
 Description of Action Roaring Creek Water Treatment Plant (WTP) Chlorine Dioxide System, to install a chlorine dioxide system at the WTP to apply chlorine dioxide to raw water.
Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0221535, Major Construction, Public Water Supply.

Applicant **Lighthouse Pointe at Chapel Harbor—Seneca Place**
 3600 Forbes Avenue
 Suite 10072
 Pittsburgh, PA 15213
 Municipality O'Hara Township
 County **Allegheny**
 Responsible Official Roger Davis
 Chief Operating Officer
 Type of Facility Senior Living Community
 Consulting Engineer Allen Shariff
 22412 Perry Highway
 Suite 412C
 Zelienople, PA 16063

Application Received Date June 2, 2022
 Description of Action Installation of a liquid chlorine (sodium hypochlorite) secondary disinfection treatment unit at the UPMC Senior Living Community Facility, Lighthouse Pointe at Chapel Harbor.

Permit No. 2622504, Public Water Supply—Application.

Applicant **Pennsylvania American Water Company**
 852 Wesley Drive
 Mechanicsburg, PA 17055
 Municipality West Brownsville
 County **Washington**
 Responsible Official Bruce Aiton
 Vice President
 Type of Facility Pump Station
 Application Received Date June 8, 2022
 Description of Action Replacement of four pumps at the SR-88 pump station.

Permit No. 5622504, Public Water Supply—Application.

Applicant **Somerset Township Municipal Authority**
 P.O. Box 247
 Somerset, PA 15501
 Municipality Somerset Township
 County **Somerset**
 Responsible Official Carolyn Zambanini
 Manager

Type of Facility Interconnect
 Consulting Engineer Somerset Engineering, LLC
 Application Received Date June 9, 2022
 Description of Action Friedens Water System Interconnect
Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Application No. 2522501, Public Water Supply.

Applicant & Address **Erie City Water Authority**
 240 W 12th Street
 Erie, PA 16501
 Municipality City of Erie
 County **Erie**
 Responsible Official Craig H. Palmer P.E.
 240 W 12th St.
 Erie, PA 16501
 Consulting Engineer Jason G. Saylor P.E.
 Utility Services Co., Inc
 1230 Peachtree St. NE
 Suite 1100
 Atlanta, GA 30309
 Application Received Date May 2, 2022
 Description Renovation and Mixer installation at five (5) finished water storage tanks

WATER ALLOCATIONS

Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Safe Drinking Water Program Manager, 400 Waterfront Drive, Pittsburgh, PA.

WA04-1018A, Water Allocations. Beaver Borough Municipal Authority, 469 Third Street, Beaver, PA 15009, Beaver County. The applicant is requesting the right to withdraw 3,600,000 gallons of water per day, peak day, from their wells located along the Ohio River.

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.

WA3-1005A, Water Allocations. Worthington-West Franklin Joint Municipal Authority, 102 West Main Street, Worthington, PA 16262, Worthington Township and West Franklin Township, Armstrong County. Water Allocation permit renewal for the purchase of 100,000 gallons per day from the Kittanning Suburban Joint Water Authority. The interconnection is for emergency use only and the primary source of water is five ground water wells in the Worthington—West Franklin Joint Municipal Authority public water system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
 PREAMBLE 1**

Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(e)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401.

Contact: Charline Bass, 484-250-5787.

Valley Brook Apartments, 5001 Pennell Road, Aston, PA 19007, Aston Township, **Delaware County**. Richard S. Werner, PG, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of James Logue, Esquire, The Ecological Rainbow Living Trust, 1500 Bay Road, # 1538S,

Miami Beach, FL 33139 submitted a Notice of Intent to Remediate. Soil has been contaminated with benzene, ethylbenzene, isopropylbenzene, MTBE; naphthalene, toluene, 1,2,4-trimethylbenzene; 1,3,5-trimethylbenzene and xylenes. The property will continue to be an apartment complex. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Times* on June 3, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Dorsch Unit Unconventional Well Site, Primary Facility ID # **858926**, 201 Arden Drive, Harmony, PA 16037, Lancaster Township, **Butler County**. Moody & Associates, Inc., 11548 Cotton Road, Suite 101, Meadville, PA 16335 on behalf of PennEnergy Resources, LLC, 1000 Commerce Drive, Park Place One, Suite 400, Pittsburgh, PA 15275 has submitted a Notice of Intent to Remediate. There was an unknown quantity of production fluids released impacting site soil and site groundwater. Future use of the site will be for oil and gas development. The Notice of Intent to Remediate was published in *The Butler Eagle* on June 12, 2022.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Regulated Medical and Chemotherapeutic Waste Transporter License, Applications Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Central Office: Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

New Applications Received

Aftermath Services, LLC, 75 Executive Drive, Aurora, IL 60504. License No. **PA-HC 0290**. Effective December 22, 2021.

Renewal Applications Received

Advant-Edge Solutions of Middle Atlantic, Inc., 17 Shea Way, Newark, DE 19713. License No. **PA-HC 0220**. Effective June 23, 2022.

Chesapeake Waste Solutions LLC, 190 Shellyland Road, Manheim, PA 17545. License No. **PA-HC 0283**. Effective May 10, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Hazardous Waste Transporter License, Applications Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Transport Hazardous Waste.

Renewal Applications Received

Page E.T.C., Inc., 2758 Trombley Road, Weedsport, NY 13166. License No. **PA-AH 0338**. Effective June 23, 2022.

West Central Environmental Corp., P.O. Box 83, Rensselaer, NY 12144. License No. **PA-AH 0422**. Effective June 24, 2022.

National Waste Clean, Inc., 304 Pulaski Street, South Plainfield, NJ 07080. License No. **PA-AH 0528**. Effective May 26, 2022.

U.S. Industrial Technologies, Inc., 12000 Globe Street, Livonia, MI 48150. License No. **PA-AH 0747**. Effective May 5, 2022.

South Park Motor Lines, Inc. DBA CAST Transportation, 9850 Havana Street, Henderson, CO 80640. License No. **PA-AH 0755**. Effective May 26, 2022.

Clean Earth Specialty Waste Solutions, Inc., 2337 North Penn Road, Hatfield, PA 19440. License No. **PA-AH 0770**. Effective May 16, 2022.

McVac Environmental Services, Inc., 481 Grand Avenue, New Haven, CT 06513. License No. **PA-AH 0801**. Effective June 24, 2022.

Tri-County Industries, Inc., 159 TCI Park Drive, Grove City, PA 16127. License No. **PA-AH 0820**. Effective May 10, 2022.

Midwest Sanitary Service, Inc., P.O. Box 83, Wood River, IL 62095. License No. **PA-AH 0872**. Effective May 26, 2022.

Westmoreland Sanitary Landfill, LLC, 111 Conner Lane, Belle Vernon, PA 15012. License No. **PA-AH 0874**. Effective June 23, 2022.

Subsurface Technologies Inc., 1130 Business Parkway S, Westminster, MD 21157. License No. **PA-AH 0877**. Effective June 24, 2022.

Noble Environmental Specialty Recycling, LLC, 500 Technology Drive, Canonsburg, PA 15317. License No. **PA-AH 0903**. Effective June 23, 2022.

Flaw Inc. dba Recycle Oil Company, 1600 S 25th Street, Easton, PA 18042. License No. **PA-AH 0904**. Effective May 26, 2022.

Radiac Research Corp., 261 Kent Avenue, Brooklyn, NY 11249. License No. **PA-AH S007**. Effective May 26, 2022.

Ken's Marine Service, Inc., P.O. Box 4001, Bayonne, NJ 07002. License No. **PA-AH S154**. Effective June 14, 2022.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

46-0027I: Janssen Research & Development, LLC, 1400 McKean Road, Spring House, PA 19477, to permit three existing and two temporary (rental) emergency generator sets at its existing pharmaceutical research and development facility located in Lower Gwynedd Township, **Montgomery County**. The emergency generator sets were previously exempted from Plan Approval requirements under the following Requests for Determination (RFDs) with the respective Source ID in the current Title V Operating Permit (TVOP) No. 46-00027, but are now proposed to be permitted under Plan Approval to remove their exempt status:

- RFD No. 790 (approved April 7, 2009): 1,000-ekW emergency generator set equipped with a diesel fuel/No. 2 fuel oil-fired engine (Source ID 113).

- RFD No. 3783 (approved July 15, 2013): 750-ekW emergency generator set equipped with a diesel fuel/No. 2 fuel oil-fired engine (Source ID 119).

- RFD No. 6354 (approved June 1, 2017): 1,000-ekW emergency generator set equipped with a natural gas-fired engine (Source ID 122).

- RFD No. 8716 (approved September 25, 2020): two temporary (rental) 2,000-ekW emergency generator sets, each equipped with a diesel fuel/No. 2 fuel oil-fired engine.

Currently, the engines of the emergency generator sets, as well as two existing fire pumps (Source ID 121), are subject to combined nitrogen oxides (NO_x) emission rate restrictions of 100 lbs/hr, 1,000 lbs/day, 2.75 tons/ozone season, and 6.6 tons/yr, calculated monthly as a 12-month rolling sum. Under the Plan Approval, the engines of the emergency generator sets will be subject to the following NO_x emission rate restrictions based on total operating times of 500 hrs/yr for the existing units and 150 hrs/yr for the temporary (rental) units:

- Source ID 113: 12.91 lbs/hr and 3.23 tons/yr, calculated monthly as a 12-month rolling sum.

- Source ID 119: 9.65 lbs/hr and 2.41 tons/yr, calculated monthly as a 12-month rolling sum.

- Source ID 122: 6.47 lbs/hr and 1.62 tons/yr, calculated monthly as a 12-month rolling sum.

- Temporary (rental) units: 41.987/83.974 lbs/hr (each/total) and 3.149/6.298 tons/yr, calculated monthly as a 12-month rolling sum (each/total).

Since the engines of the existing emergency generator sets are currently subject to total operating time restrictions of 500 hrs/yr each, DEP does not consider them to have undergone a modification, as defined in 25 Pa. Code § 121.1 (i.e., “a change in the method of operation of a source which would increase the amount of an air contaminant emitted by the source.”) However, since the temporary emergency generator sets are no longer onsite, will only be brought onsite only if an existing cogeneration unit (Source ID 118 in TVOP No. 46-00027) is down for maintenance or otherwise not operational, and may not be the same units as previously onsite, DEP will permit the temporary emergency generator sets as new sources. (The fire pumps are not included in the Plan Approval.)

Based on the NO_x and volatile organic compounds (VOCs) from the engines of the temporary emergency generator sets, as well as the other historical emissions increases and decreases of NO_x and VOCs at the facility, including the aforementioned combined (exempt) annual NO_x emission rate restriction, the project is not subject to New Source Review (NSR) requirements.

Each of the engines of the emergency generator sets is/will be EPA-certified and rated at greater than 1,000 bhp power output. Therefore, the engine is subject to the Standards of Performance for New Stationary Sources (NSPS) for Stationary Compression or Spark Ignition Internal Combustion Engines [40 CFR Part 60, Subparts IIII and JJJJ, respectively], as applicable, and the additional NO_x requirements specified in 25 Pa. Code §§ 129.203 and 129.204.

The Plan Approval will include monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

28-05002T: Letterkenny Army Depot, One Overcash Ave., Chambersburg, PA 17201, to approve Alternate Opacity Limitations and Compliance Assurance Monitoring for the Ammonium Perchlorate Rocket Motor Destruction (ARMD) Facility at the facility located in Letterkenny/Greene Townships, **Franklin County**. The approval of Alternate Opacity Limitations and Compliance Assurance Monitoring will not affect the allowable emissions from the facility. The Department proposes to issue a plan approval to approve Alternate Opacity Limitations and Compliance Assurance Monitoring for the ARMD facility. If, after the project has been implemented, the Department determines that the sources are operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-05085: New Morgan Landfill Company, Inc., 420 Quarry Road, Morgantown, PA 19543, to issue a Title V Operating Permit for their municipal waste landfill in New Morgan Borough, **Berks County**. Actual emissions from the facility in 2021 were reported to be 5.89 tons CO, 5.09 tons NO_x, 38.02 tons PM₁₀, 5.25 tons PM_{2.5}, 6.78 tons SO_x, 26.48 tons VOC, 1.99 tons of a single HAP (toluene), and 6.86 tons of combined HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 62, Subpart OOO—Federal Plan Requirements for Municipal Solid Waste Landfills That Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014, 40 CFR 63 Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills, 40 CFR 60, Subpart IIII—Standards of Perfor-

mance for Stationary Compression Ignition Internal Combustion Engines, and 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

31-05011: US Silica Co., Mapleton Depot Plant, 12942 Oriskany Road, Mapleton Depot, PA 17052, for the industrial sand processing facility permit, located in Brady Township, **Huntingdon County.** The primary emissions from the facility's crushing and screening operations is particulate matter. The facility's 2021 actual emissions were 14.12 tons PM₁₀ and 10.43 tons PM_{2.5}. The Operating Permit will include emission limits and work practice standards along with monitoring, record-keeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements, certain sources at the facility are subject to the requirements of 40 CFR 60 Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants Standard for Particulate Matter Emissions, 40 CFR 60 Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines, Compliance Assurance Monitoring requirements derived from 40 CFR Part 64, and 25 Pa. Code § 129.63 requirements of degreasing operations.

67-05005: Brunner Island, LLC, P.O. Box 221, York Haven, PA 17370, for the modification of the facility's Title V operating permit, including the removal of a system-wide NO_x averaging plan, and inclusion of a site-wide NO_x averaging plan as the Reasonably Available Control Technology 2 (RACT 2) approach for Sources 031A, 032, and 033A (tangentially fired boilers), and the addition of provisions derived from Consent Decree # 1:18-CV-01042-CCC dated May 17, 2018, at the electric generation station located in East Manchester Township, **York County.**

Air emissions reported by the facility in calendar year 2021 were, in tons per year:

NO _x	3,297.5
SO _x	3,644.1
CO	275.9
PM ₁₀	46.2
PM _{2.5}	40.9
VOC	5.4
HCl	2.1
HF	3.5
Lead	0.1
Mercury	0.0
POM	0.0
Total HAPs	5.8
Ammonia	11.4
CO ₂	2,501,680.2
Methane	51.7
N ₂ O	37.0
PM (con)	171.6
H ₂ SO ₄	25.2

In accordance with 25 Pa. Code §§ 129.91—129.100, the Department of Environmental Protection has made a preliminary determination to approve the RACT 2 site-

wide NO_x emission averaging plan to be submitted as part of the PA State Implementation Plan (SIP) for the Brunner Island facility.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT 2 approval, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed RACT 2 plan, if approved by DEP, will be issued as a modification of the facility's Title V operating permit (67-05005). The relevant RACT 2 requirements will also be submitted to the U.S. Environmental Protection Agency (EPA) for approval and incorporation into Pennsylvania's State Implementation Plan. Requirements that are not part of the RACT 2 approval will be excluded from the SIP submittal.

The proposed RACT 2 requirements for this facility that are proposed to be submitted to the EPA as part of the SIP, are found in Group 012 of the draft permit, and require that Sources 031A, 032, and 033A shall comply with the facility-wide averaging plan requirements of 25 Pa. Code § 129.98 in order to comply with presumptive RACT requirements of 25 Pa. Code § 129.97. Facility-specific details will be included in the condition to ensure compliance with the RACT 2 requirements.

Additionally, the permit modification will incorporate the following requirements:

All terms in this condition are as defined in Consent Decree # 1:18-CV-01042-CCC dated May 17, 2018.

1. By the end of the Ozone Season of 2022, the permittee shall cease combustion of coal at Brunner Island during the Ozone Season (May 1 through September 30 of any calendar year), except that such combustion shall be allowed during each Ozone Season in the interim period from January 1, 2023 to December 31, 2028 (Interim Period), as long as the following conditions are met:

a. The 30-Day Rolling Average NO_x Emission Rate (for Brunner Island Units 1—3) is at or below 0.12 lb/MMBtu, calculated at the end of each operating day during each Interim Period Ozone Season when coal has been burned, with the first compliance demonstration made at the end of the 30th operating day in each Ozone Season during which coal has been burned. The permittee shall notify DEP of each operating day when coal was burned during the Ozone Season, within thirty (30) days after the end of any Ozone Season during which coal was burned.

b. Brunner Island shall emit less than 6,800,000 tons of carbon dioxide ("CO₂") from Brunner Island Units 1—3 per calendar year during which coal has been burned during the Ozone Season during the Interim Period.

2. By December 31, 2028, the permittee shall cease combustion of coal at Brunner Island, other than during periods of time (including time required for startup and shutdown) when PJM has declared an Emergency Action as defined in PJM Manual 13 (Emergency Operations) or an equivalent standard, and when gas is not available or the supply of gas to Brunner Island is interrupted.

3. The 30-Day Rolling Average NO_x Emission Rate (for Brunner Island Units 1—3) during the Ozone Season shall be determined using the methodology found in 25 Pa. Code § 129.100(a)(1)(i)—(iii) (for units measuring emissions with continuous emissions monitors (CEMs)), with total NO_x emissions and total heat input from

Brunner Island Units 1—3 used in the calculation. Furthermore, an operating day shall be defined as one with emissions reported from any one of the three units. For the purposes of this permit condition, Day shall mean, unless otherwise specified, calendar day.

Public Comment Details: Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Thomas Bianca, P.E., West Permit Section Chief, Air Quality Program, at tbianca@pa.gov, or at DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. A 30-day comment period from the date of publication of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed permit.

Public Hearing: A public hearing to accept oral comments on the proposed permit action and the proposed SIP revision will be held on Wednesday, August 24, 2022 at 10:00 a.m. at DEP's Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. Individuals who wish to observe or present testimony must contact John Repetz at 717-705-4904 or jrepetz@pa.gov a minimum of 24 hours in advance of the hearing to reserve a time to present testimony. Verbal comments are limited to 5 minutes for each presenter. Organizations are limited to designating one individual to present verbal comments on their behalf. Video demonstrations will not be permitted. Any persons presenting verbal comments are requested to submit a written copy of their verbal testimony by e-mail to Tom Bianca, P.E., at tbianca@pa.gov, by no later than September 3, 2022.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Tom Bianca, P.E., at tbianca@pa.gov or make accommodations through the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD).

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review, upon request to Tom Bianca, P.E., Environmental Engineering Manager, at tbianca@pa.gov, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00002: DuPont Specialty Products USA, LLC, 192 Patterson Blvd., Towanda, PA 18848, for renewal of the Title V operating permit for their Towanda Plant located in North Towanda Township, **Bradford County**. The facility's sources include four (3) No. 2 fuel oil/natural gas-fired boilers, five (5) surface coating operations, two (2) emergency engines, one (1) thermal fluid heater and one (1) parts washer. The facility has the potential to emit 96.82 tons of nitrogen oxides (NO_x) per year, 32.28 tons of carbon monoxide (CO) per year, 115.94 tons of volatile organic compounds (VOCs) per year, 1.79 tons of sulfur oxides per year (SO_x), 26.02 tons of particulate matter (PM/PM₁₀) per year, 69.69 tons of hazardous air pollutants (HAPs) per year and

105,169 tons of greenhouse gases (GHGs) per year. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart Dc of 40 CFR Part 60, Subparts JJJJ and ZZZZ of 40 CFR Part 63 and 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

46-00247: Universal Concrete Products Corporation, 400 Old Reading Pike, Stowe, PA 19464, located in West Pottsgrove Township, **Montgomery County**. This action is a renewal of a Natural Minor Operating Permit. This facility manufactures pre-cast concrete panels. Resins used in the facility's Mold Coating Process (Source ID No. 111) has the potential to emit VOC and HAPS. The facility operates one (1) blast machine (Source ID No. 103) that has the potential to emit PM. Water is used to control PM emissions resulting from hydroblasting operations. The facility also operates the following miscellaneous sources: One (1) cement batch plant with four (4) outdoor silos, each equipped with bin vents, that vents indoors; Twenty-two (22) kerosene heaters and one (1) Kemco natural gas hot water heater. Potential emissions at the facility are as follows: 11.86 tons per year of particulate matter; less than 3 tons per year of NO_x, less than 2 tons per year of CO; and less than 1 ton per year each of SO_x, VOC and HAPs. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00228: PR Plymouth Meeting, L.P., 500 Germantown Pike, Suite 150, Plymouth Meeting, PA 19462 located in Plymouth Township, **Montgomery County**. This is for the renewal of a non-Title V (State only, Natural Minor) operating permit of a retail shopping mall. Sources of air emissions are two (2) gas-fired boilers and two (2) emergency generators, with potential-to-emit below the thresholds. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be

submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

15-00053: Penn Medicine Chester County Hospital, 701 E. Marshall St., West Chester, PA 19380, for a renewal of a State Only, Synthetic Minor Operating Permit in West Chester Borough, **Chester County**. The facility operates several combustion sources consisting of three (3) boilers, four (4) emergency electric generators, and one (1) emergency fire pump. The facility shall continue to maintain a synthetic minor operating status by limiting total nitrogen oxide (NO_x) emissions to 24.9 tons per year. The operating permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

48-00067: New Enterprise Stone and Lime, Nazareth Quarry, 382 Tatamy Road, Nazareth, PA 18064. The Department intends to issue an administrative amendment to the State-Only (Synthetic Minor) Permit for the crushed and broken granite facility in Lower Nazareth Township, **Northampton County**. The proposed administrative amendment is for the update in capacity/throughput at sources. The sources at this facility consist of crushers, conveyors, and screens. The control devices consist of water sprays. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed administrative amendment contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

21-03021: Amsted Rail Company Inc., 3420 Simpson Ferry Road, Camp Hill, PA 17011-3690, for the railcar equipment manufacturing facility in Lower Allen Township, **Cumberland County**. This is for a significant modification of the existing State-Only Permit, which will add the following condition at Section E, Group 02, Condition # 002: "To comply with the VOC emission limits in 25 Pa. Code § 129.52d, the permittee may use the following emissions calculation to demonstrate equivalency pursuant to §§ 129.51(a) and 129.52d(d)(3):

(1) Total actual VOC emissions from averaging together usage of all coatings subject to VOC emissions limits under 25 Pa. Code § 129.52d shall not result in an increase in emissions when compared to the total VOC emissions using a compliant coatings approach as specified in Table I of 25 Pa. Code § 129.52d. This equivalency shall be calculated as follows:

(2) Allowable emissions (AE) shall be calculated as follows on a monthly basis:

(i) determine the gallons of each coating used

(ii) determine lb allowable VOC emissions for each coating used by multiplying the gallons of solids by the relevant emission limit in Table I of 25 Pa. Code § 129.52d. [see end of Section E, Group 02, condition # 002]

(iii) add the allowable VOC emissions for each affected coating to get a monthly total (AE) for all affected coatings

(3) Total actual emissions (TE) shall be calculated as follows on a monthly basis:

(i) determine the lb VOC per gallon of each coating used (LB/GAL)

(ii) determine the number of gallons of each coating used (# GAL)

(iii) determine the actual emissions by multiplying LB/GAL by # GAL

(4) TE shall be less than or equal to AE.

(5) The permittee shall keep the following records:

(i) Monthly records of the following data:

(A) name of material;

(B) product number;

(C) material density;

(D) volume of each material used;

(E) VOC content in pounds per gallon for each material;

(F) VOC content in percent by weight for each material; and

(G) the regulatory VOC content limit in pounds of VOC per gallon of each material.

(ii) Monthly calculations of AE (Allowable Emissions) and TE (Total Actual Emissions) used to verify that TE is less than or equal to AE. These records shall be retained for a minimum of 5 years and shall be made available to DEP upon request.

(6) The permittee shall submit annual reports of the calculations of AE and TE verifying that TE is less than or equal to AE. The annual reports shall be submitted to DEP no later than March 1 for the previous calendar year.

The proposed permit language adds equivalency provisions pursuant to 25 Pa. Code § 129.51(a) to comply with requirements of 25 Pa. Code § 129.52d.

21-05044: Dairy Farmers of America, Inc., 4825 Old Gettysburg Road, Mechanicsburg, PA 17055, for a natural minor operating permit renewal for Mechanicsburg plant located in Lower Allen Township, **Cumberland County**. The 2021 AIMS emissions are: NO_x 6.88 tons, CO 11.57 tons, PM₁₀ of 1.05 tons, SO_x 0.08 ton, VOC 0.76 ton including HAPs of 0.24 ton. The Operating Permit will include emission standards and work practice standards along with monitoring, recordkeeping, and reporting requirements designed to ensure the facility complies with the applicable air quality regulations. Among other item, the boilers are subject to 40 CFR 60, Subpart Dc—Standards of Performance For Small Industrial-Commercial-Institutional Steam Generating Units.

29-03007: Mellott Wood Preserving Co. Inc., 1398 Sawmill Road, P.O. Box 209, Needmore, PA 17238,

for a natural minor operating permit renewal for the wood pressure treatment facility located in Belfast Township, **Fulton County**. The PTE of the facility were calculated to be 8.22 tpy VOC, 38.62 tpy PM_{10/2.5}, 1.75 tpy HAP, 20.40 tpy NO_x, 2.34 tpy SO_x, and 55.35 tpy CO. The Operating Permit will include emission standards and work practice standards along with monitoring, recordkeeping, and reporting requirements designed to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63 Subpart JJJJJ-NESHAP for Industrial, Commercial, and Institutional Boilers as well as 40 CFR Part 60 Subpart Dc NSPS for small Industrial-Commercial-Institutional Steam Generating Units.

31-03036: Sunoco Pipeline LP, U.S. 522 South Croghan Pike, Mt. Union, PA 17066 to issue a State Only Operating Permit for the natural gas liquid (ethane, propane, butane or a mixture of these) Mount Union pumping station located in Shirley Township, **Huntingdon County**. The potential emissions from the facility are estimated to be less than 1 ton for each of the following pollutants: NO_x, CO, SO_x, PM and HAPs, less than 2 tons of VOCs and 137 tons of GHGs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

36-03121: Intellicor, LLC, 3575 Hempland Road, Lancaster, PA 17601, to issue a State Only Operating Permit for the printing operation at their facility located in West Hempfield Township, **Lancaster County**. The potential emissions from the facility are estimated at 5.53 tpy of NO_x, 4.65 tpy of CO, 0.42 tpy of PM₁₀, 0.03 tpy of SO_x and 38.08 tpy of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 25 Pa. Code § 129.67b Control of VOC emissions from offset lithographic printing presses and letterpress printing presses.

36-03197: Sunoco Pipeline, LP, State Route 1057, Reinholds, PA 17569, to issue a State Only Operating Permit for the natural gas liquid (ethane, propane, butane or a mixture of these) Blainsport pumping station located in West Cocalico Township, **Lancaster County**. The potential emissions from the facility are estimated to be less than 1 ton for each of the following pollutants: NO_x, CO, SO_x, PM, VOCs and HAPs and 108 tons of GHGs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

24-00160: North Star Aggregates, Inc., P.O. Box 51, Penfield, PA 15849. The Department intends to issue a renewal of the State Only Operating Permit for the Oyster Run Mine located in Horton Township, **Elk County**. The facility is a Natural Minor. Estimated

annual emissions are as follows: 3.5 tpy PM₁₀; 12.02 tpy NMHC+NO_x; 2.26 tpy CO; & 0.49 tpy SO_x. The primary sources at the facility are sandstone processing plants, sandstone stockpiles, and associated diesel engines to power the processing plants. The facility is subject to the following Federal regulations: 40 CFR Part 60 Subpart OOO, NSPS for Non-metallic Mineral Processing Plants; 40 CFR Part 63 Subpart ZZZZ, NESHAP for Stationary RICE; and Part 60 Subpart IIII, NSPS for Stationary CI ICE. The permit includes requirements from the previously issued plan approvals and operating permits and contains emission restrictions, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

37-00274: Kasgro Rail Corporation, 121 Rundle Road, New Castle, PA 16102. The Department intends to issue a renewal operating permit for the facility located in Taylor Township, **Lawrence County**. The facility manufactures and surface coats rail cars. The significant sources at the facility are the M/U air furnace, a paint booth, a blast booth, and welding/fabricating operations. The VOC emissions from the facility are limited to less than 2.7 TPY on a 12-month rolling total. The conditions of the previous plan approvals and operating permit were incorporated into the renewal permit.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient

detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for installation of three (3) degas boreholes in Richhill Township, **Greene County** and Morris Township, **Washington County**, affecting 10.0 proposed surface acres. Application received: April 7, 2022.

Mining Permit No. 56090701. NPDES No. PA0235938. PBS Coals, Inc., 1576 Stoystown Road, Friedens, PA 15541, to renew the permit and related NPDES Permit in Stonycreek Township, **Somerset County**. Application received: April 8, 2022.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).

Mining Permit No. 56120102. Rosebud Mining Co., 301 Market Street, Kittanning, PA 16201, permit renewal for reclamation only of a bituminous surface and auger mine in Jenner Township, **Somerset County**, affecting 114.7 acres. Receiving streams: unnamed tributaries to Coal Run and unnamed tributaries to Pickings Run classified for the following uses: CWF and HQ-CWF. Application received: June 22, 2022.

Mining Permit No. 56110105. NPDES No. PA0263257. Fieg Brothers, 3070 Stoystown Road, Stoystown, PA 15563, renewal of a NPDES permit for a bituminous surface mine in Southampton Township, **Somerset County**, affecting 318.4 acres. Receiving streams: unnamed tributaries to the North Branch of Jennings Run; unnamed tributary to Rush Run, classified for the following uses: CWF & HQ-CWF. Application received: June 22, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).

Mining Permit No. 17980104. NPDES No. PA0237922. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, modification of an NPDES permit for a coal surface mining site located in Lawrence Township, **Clearfield County**, affecting 84 acres. Modification requesting maximum pH level of NPDES Point 011 be increased. Receiving stream(s): Moose Creek classified for the following use(s): CWF, MF. Application received: June 21, 2022.

Mining Permit No. 17990102. RES Coal, LLC, 51 Airport Road, Clearfield, PA 16830, application for a Change of Post-Mining Land Use from forestland to unmanaged natural habitat on an existing bituminous surface coal and auger mine located in Decatur Township, **Clearfield County**, affecting 344.2 acres. Receiving stream(s): Unnamed Tributary to Little Laurel Run and Little Laurel Run classified for the following use(s): CWF. Application received: June 21, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

Mining Permit No. 65020101. NPDES No. PA0250082. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, renewal of an existing bituminous surface mine in Unity Township, **Westmoreland County**, affecting 68.0 acres. Receiving streams: unnamed tributary to Nine Mile Run, classified for the following uses: WWF. Application received: June 14, 2022.

Mining Permit No. 26060106. NPDES No. PA0250988. Charles L. Swenglish & Sons Coal Company, Inc., 2 Swenglish Lane, Smithfield, PA 15478, renewal of an existing bituminous surface mine in Georges and Springhill Townships, **Fayette County**, affecting 529.9 acres. Receiving streams: unnamed tributaries to Rubles Run and unnamed tributaries to Mountain Creek, classified for the following uses: CWF. Application received: June 15, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. 49950202. Gilberton Coal Company, 10 Gilberton Road, Gilberton, PA 17934, renewal of an anthracite coal refuse reprocessing operation in Mt. Carmel Township, **Northumberland County**, affecting 142.0 acres. Receiving stream: Shamokin Creek, classified for the following uses: WWF, MF. Application received: June 2, 2022.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. 45020301. NPDES Permit No. PA0224235. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, correction to increase the discharge rate of an NPDES Permit on a quarry operation in Smithfield Township, **Monroe County**, affecting 61.6 acres. Receiving stream: Marshalls Creek, classified for the following uses: EV—CWF, MF. Application received: May 25, 2022.

Mining Permit No. 64112502. NPDES Permit No. PA0225061. Johnston & Rhodes Bluestone Company, P.O. Box 130, East Branch, NY 13756, renewal of an NPDES Permit on a quarry operation in Manchester Township, **Wayne County**, affecting 12.0 acres. Receiving stream: Weston Brook, classified for the following uses: CWF, MF. Application received: June 6, 2022.

Mining Permit No. 64162801. GP105 No. 64222501. NPDES Permit No. PA0225428. Leo's 848 Products, LLC, P.O. Box 277, Lake Como, PA 18437, transfer of an NPDES Permit from Joshua Smith in Scott Township, **Wayne County**, affecting 10.0 acres. Receiving stream: Balls Creek classified for the following uses: HQ-CWF, MF. Application received: June 8, 2022.

Mining Permit No. 22220301. National Quarries, LLC, P.O. Box 562, Villanova, PA 19085, commencement, operation and restoration of a quarry operation in West Hanover Township, **Dauphin County**, affecting 68.2 acres. Receiving stream: Fishing Creek classified for the following uses: WWF, MF. Application received: June 8, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

Mining Permit No. 63920301. NPDES No. PA0203424. Langeloth Metallurgical Company, LLC, 10 Langeloth Plant Drive, Langeloth, PA 15054-0608, renewal of an NPDES permit associated with a large noncoal permit in Smith Township, **Washington County**, affecting 13 acres. Receiving stream: Burgetts Fork, classified for the following use: WWF. No changes are proposed. Application received: June 16, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse

disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Additional criteria

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan, and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Submittal of comments

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit notice within 30-days of this notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and phone number of the writer and a concise statement to inform the Department of the basis of a comment and the relevant facts upon which it is based.

Requests or petitions for a public hearing on any NPDES permit applications will be accepted as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, phone number and the interest of the party filing the request and state the reasons why a hearing is warranted. The Department may hold a public hearing if the public interest is significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).

NPDES No. PA0243132. Mining Permit No. 17010110. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, renewal of an NPDES permit for discharge of water resulting from bituminous coal surface mining in Bigler & Woodward Township, **Clearfield County**, affecting 25.5 acres. Receiving stream: Upper Morgan Run, classified for the following use: CWF. This receiving stream is included in the North Branch Upper Morgan Run Watershed TMDL. Application received: February 15, 2022.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharges to Unnamed Tributary No. 6 to Upper Morgan Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
016	Existing	Treated Subchapter F Discharge 15E	Continuous (7.6 gpm average)

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 016 (All Weather Conditions)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Net Acid Load (lbs/day)	—	—	0.476
Iron Load (lbs/day)	—	—	0.202
Manganese Load (lbs/day)	—	—	0.135
Aluminum Load (lbs/day)	—	—	0.0461
Total Suspended Solids (mg/L)	Report		

<i>Outfalls: 016 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code Chapter 87.102(a) Group A, whichever is least stringent.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

NPDES No. PA0201618. Mining Permit No. 65960107. Amerikohl Mining, Inc., 1384 State Route 711, Stahls-town, PA 15687, renewal of an NPDES permit in Mount Pleasant Township, **Westmoreland County**, for treatment of a post-mining discharge related to a coal mining activity permit. Receiving stream: Laurel Run, classified for the following use: CWF. Application received: April 26, 2021.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to Laurel Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate [MGD]</i>
001 (PW)	Existing	TFO	0.022

The proposed effluent limits for the previously listed outfall is as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)		3.0	6.0	7.0
Total Manganese (mg/L)		2.0	4.0	5.0
Total Aluminum (mg/L)		2.0	4.0	5.0
Total Suspended Solids (mg/L)		35	70	90
pH (S.U.)	6.0			9.0
Total Alkalinity (mg/L)				Report
Total Acidity (mg/L)				Report
Total Net Alkalinity (mg/L)	0.0			
Flow (gpm)				Report
Sulfate (mg/L)				Report
Specific Conductivity (µmhos/cm)				Report
Temperature (°C)				Report

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).

NPDES No. PA0613169. Mining Permit No. 50820303. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17104, renewal of a NPDES permit in Oliver Township, **Perry County**, affecting 69.84 acres. Receiving stream: Little Buffalo Creek, classified for the following use: CWF. Application received: February 2, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Little Buffalo Creek:

<i>Outfall number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001 Little Buffalo Creek	Existing	Sediment Trap	0.02 MGD
002 Little Buffalo Creek	Existing	Sediment Trap	0.03 MGD

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Dissolved Solids (mg/L)	-	35.0	70.0	90.0
pH (S.U.)	6.0	-	-	9.0

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).

NPDES Permit No. PA0257478. Mining Permit No. 08100307. Insinger Excavating, Inc., (3046 Dushore-Overton Road, Dushore, PA 18614), renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals in Springfield Township, **Bradford County**, affecting 62.9 acres. Receiving stream(s): UNT to Bentley Creek, classified for the following use(s): WWF, MF. Application received: February 15, 2022.

The following outfall discharges to UNT to Bentley Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Pond	Precipitation

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (Dry Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/L)	35	70	90
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units.			
<i>Outfalls: 001 (≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
<i>Outfalls: 001 (>10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES No. PA0226246. (GP-105 No. 58212513). Gary Morrison, 478 Mountain View Estates, Montrose, PA 18801, new NPDES permit in Liberty Township, **Susquehanna County**, affecting 11.5 acres. Receiving stream: unnamed tributary to Silver Creek/Snake Creek Watershed classified for the following uses: Designated Use—CWF, MF; Existing Stream Use—EV Application received: November 2, 2021.

Non-Discharging BMPs will be in effect.

NPDES No. PA0612880. Mining Permit No. 7874SM2. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, renewal of an NPDES permit in North Whitehall Township, **Lehigh County**, affecting 272 acres. Receiving stream: Coplay Creek, classified for the following use: CWF. Application received: January 10, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Coplay Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate MGD</i>
001	Existing	TFO	1.4
002	Existing	TFO	1.4

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
Flow (MGD)		1.4		
pH (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Acidity, Total (mg/L)				Report
Alkalinity, Total (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Oil & Grease (mg/L)				Report

NPDES No. PA0595543. Mining Permit No. 38870301. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, renewal of an NPDES permit in N. & S. Annville, Annville & N. Londonderry Townships, **Lebanon County**, affecting 1,039.90 acres. Receiving streams: Killinger & Quittapahilla Creeks, classified for the following use: TSF. TMDL: Quittapahilla Creek. Application received: January 21, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Killinger Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate [MGD]</i>
001	Existing	TFO	8.72
002	Existing	TFO	20.44
003	Existing	TFO	3.00

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant</i> <i>Maximum</i>
001 Flow (MGD)		8.72	8.72	

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
002 Flow (MGD)		20.44	24	
003 Flow (MGD)		3.00	21	
pH (S.U.)	6.0			9.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Turbidity (mg/l)				40.0
Total Acidity (mg/l)				Report
Net Alkalinity (mg/l)	0.0			
Total Alkalinity (mg/l)				Report
Oil & Grease (mg/l)				Report

The following treated wastewater outfall discharge to Quittapahilla Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
004	Existing	SWO	Emergency Only

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0			9.0
Total Acidity (mg/l)				Report
Net Alkalinity (mg/l)	0.0			
Total Alkalinity (mg/l)				Report

The following treated wastewater outfalls discharge to Killinger Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate [MGD]</i>
005	Existing	SWO	Emergency Only
006	Existing	SWO	Emergency Only
007	Existing	SWO	Emergency Only

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0			9.0
Total Acidity (mg/l)				Report
Net Alkalinity (mg/l)	0.0			
Total Alkalinity (mg/l)				Report

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the state to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant state requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data perti-

nent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epww-sero@pa.gov.

Permit No. E0901222-002, Bucks County, 1260 Alms-house Road, Doylestown, PA 18901, Doylestown and Warwick Townships, **Bucks County**, Army Corps of Engineers Philadelphia District.

Bucks County is proposing to construct and maintain a 10-foot-wide paved multi-use path associated with the

Dark Hollow Trail Project within the floodway and floodplain of the Neshaminy Creek (TSF-MF). This activity includes:

1. Construct and maintain paved areas within the floodway and floodplain resulting in 23,886 square feet of permanent floodway impact and 6,785 square feet of permanent floodplain impact.

2. To excavate and grade within the floodway and floodplain resulting in 967 square feet of permanent floodway impact and 4,538 square feet of permanent floodplain impact. This activity involves the removal of fill from the floodway and floodplain.

3. To place riprap stabilization with the floodway and floodplain resulting in 606 square feet of permanent floodway impact and 3,064 square feet of permanent floodplain impact.

4. To temporarily store a soil stockpile and place a filter sock concrete washout within the 100-year floodplain resulting in 1,503 square feet of temporary floodplain impact.

This project will provide a strategic connection in the Neshaminy Creek Trail System and include two end segments at Almshouse Road in Doylestown Township and Valley Road in Warwick Township, Bucks County (USGS PA Buckingham; Doylestown Quadrangle, Latitude 40.276382 N, Longitude -75.097635).

Permit No. E0901222-003, 213 Industrial, LLC, c/o Foxfield Industrial, LLC, 265 Franklin Street, Suite 1001, Boston, MA 02110, Middletown Township, **Bucks County**, Army Corps of Engineers Philadelphia District.

To perform the following listed water obstruction and encroachment activities associated with the East Old Lincoln Highway Industrial Facility—South Site. The project proposes the construction of a 451,000 SF warehouse with associated parking and stormwater facilities, impacting 0.071 acre of coastal wetlands associated with Mill Creek (WWF). There will be no stream, floodway, or floodplain impacts.

The site is approximately located at 1700 East Old Lincoln Highway (Perkiomenville, PA Lat. 40.175431; Long -74.894689) in Middletown Township, Bucks County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

E4802122-004: PA Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Williams Township, **Northampton County**, Army Corps of Engineers, Philadelphia District.

The following impacts are associated with the SR 0611-05B project:

- To maintain a 145-foot wide 42-inch diameter RCP stream enclosure, with a 1/2-inch thick cementitious liner in the final 95-feet of the structure. The structure carries SR 0611 across a tributary to the Delaware River (TSF, MF) and carries the tributary to the Delaware River under the Delaware Canal (TSF, MF) and Delaware Canal Trail. Grouted R-6 riprap will be placed at the culvert inlet and upstream streambanks

- To repair an erosion hole in the watercourse and floodway of the Delaware Canal. Flowable fill and approximately 50' of clay liner along the streambank will be used to repair the area to match existing conditions.

The project is located along SR 0611 Sec 05B, Segment 0070 Offset 2561, approximately 150 feet south of the SR 0611/Brown Drive intersection (Easton, PA Quadrangle, Latitude: 40° 38' 48.90" N, Longitude: -75° 12' 8.03" W).

E3902222-001. Upper Saucon Township, 5500 Camp Meeting Road, Center Valley, PA 18034, in Upper Saucon Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Kozy Korner Road Storm Sewer Project:

- To construct and maintain a stormwater outfall in the floodway of Saucon Creek (HQ-CWF, MF) consisting of two (2) 19-inch by 30-inch HERCP pipes with a concrete headwall and rip rap apron.

- To replace an existing 24" culvert pipe crossing of a UNT to Saucon Creek (HQ-CWF, MF) with an 18" RCP culvert and concrete headwall.

- To fill an area of EV wetlands equal to approximately 0.03 acre associated with the stormwater improvements.

The project is located along Kozy Korner Road (T-440) and Limeport Pike (SR 2029) (Allentown East, PA Quadrangle, Latitude: 40° 31' 31"; Longitude: -75° 27' 3") in Upper Saucon Township, Lehigh County.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake.

E0205222-004, Millvale Sportsmen's Club, Inc., 170 Sunny Hill Road, Wexford, PA 15090, Marshall Township, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

1. Excavate and remove lead contaminated soil from 210 linear feet of Stream-01, an unnamed tributary to the East Branch of Big Sewickley Creek (TSF), and 0.48 acre of the associated floodway, and 0.34 acre of wetlands -01A and -01B, both palustrine emergent wetlands (PEM);

2. Place and maintain the reclaimed soil, along with additional fill, permanently, within these regulated waters of the Commonwealth, as components of a lead reclamation project;

3. Construct and maintain a stilling basin within the Stream-01, at the downstream end of the reclamation area.

For the purpose of addressing existing and future lead contamination.

Mitigation will be provided by the purchase of 210 linear feet of stream credits and 0.34 acre of wetland credits from the Robinson Fork Mitigation bank.

The project site is located at 170 Sunny Hill Road, Wexford, PA 15090 (Emsworth, PA USGS topographic quadrangle; 40.621960°, -80.102681°; Sub-basin 20G; USACE Pittsburgh District), in Marshall Township, Allegheny County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006222-002, Wee Five Development, LLC, 1272 Mars Evans City Road, Suite 102, Evans City, PA 16033,

Londonderry Ridge, in Jackson Township, **Butler County**, Army Corps of Engineers Pittsburgh District (Evans City, PA Quadrangle, N: 40°, 46', 19.586"; W: -80°, 5', 39.199").

The applicant is proposing to construct a development in Jackson Township, Butler County directly north of Evans City Reservoir, along Lindsay Road, consisting of

85 townhome units and 100 single-family homes with all associated infrastructure impacting approximately 9,754.5 sf (0.2239 acre) of watercourse, 22,050 sf (0.5062 acre) of floodways and approximately 881.2 sf PEM wetlands, 3,484.8 sf PSS wetlands, and 6,534 sf PFO wetlands (totaling approximately 0.25 acre wetland). The applicant is planning mitigation through bank credit purchase.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0246948	CAFO Individual NPDES Permit	Issued	Eckman Brian D and Eckman Donald M 357 Black Barren Road Peach Bottom, PA 17563-9798	Fulton Township Lancaster County	SCRO
PA420001D	Chapter 102 Individual NPDES Permit	Issued	Highland Fld Service, LLC 5800 Corporate Drive Suite 300 Pittsburgh, PA 15237-7098	Sergeant Township McKean County	NWRO
PAD090016	Chapter 102 Individual NPDES Permit	Issued	Bensalem Redevelopment, LP 1285 Drummers Lane Suite 100 Wayne, PA 19087-1572	Bensalem Township Bucks County	SERO
PAD100016	Chapter 102 Individual NPDES Permit	Issued	Karns City Area School District 1146 Kittaning Pike Karns City, PA 16041	Chicora Borough Butler County	NWRO
PAD210064	Chapter 102 Individual NPDES Permit	Issued	Diakon Lutheran Social Ministries 960 Century Drive Mechanicsburg, PA 17055-4530	South Middleton Township Cumberland County	SCRO
PAD260020	Chapter 102 Individual NPDES Permit	Issued	PA DCNR 500 Market Street Harrisburg, PA 17101	Stewart Township Fayette County	SWRO
PAD280001	Chapter 102 Individual NPDES Permit	Issued	Grove US, LLC P.O. Box 21 Shady Grove, PA 17256-0021	Antrim Township Franklin County	SCRO
PAD630054	Chapter 102 Individual NPDES Permit	Issued	P2 Developers, LLC 211 Mitchell Road Eighty Four, PA 15330	Somerset Township Washington County	SWRO
PAD670058	Chapter 102 Individual NPDES Permit	Issued	Brady Scott A 250 Zion Church Road Red Lion, PA 17356-8406	Windsor Township York County	SCRO
PA0204811	Industrial Stormwater Individual NPDES Permit	Issued	Vision Profile Extrusions USA, Ltd 1 Contact Place Delmont, PA 15626-1402	Salem Township Westmoreland County	SWRO
0913933	Joint DEP/PFBC Pesticides Permit	Issued	Dutchess Farm Estates Association 975 Easton Road Suite 102 Warrington, PA 18976-1858	Upper Makefield Township Bucks County	SERO
0922809	Joint DEP/PFBC Pesticides Permit	Issued	Emerson Scott 407 E Lancaster Avenue Wayne, PA 19087-4202	Milford Township Bucks County	SERO
1513893	Joint DEP/PFBC Pesticides Permit	Issued	Hershey's Mill Landscape Co. 1000 Mill Road West Chester, PA 19380-6950	East Goshen Township Chester County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2522804	Joint DEP/PFBC Pesticides Permit	Issued	Lakeview CC 8351 Rte 89 Northeast, PA 16428	North East Township Erie County	NWRO
5922801	Joint DEP/PFBC Pesticides Permit	Issued	Pine Hill, Inc. P.O. Box 62 Blossburg, PA 16912-0062	Ward Township Tioga County	NCRO
6122801	Joint DEP/PFBC Pesticides Permit	Issued	Timothy Stephens 174 Carolyn Lane Cranberry, PA 16319	Cranberry Township Venango County	NWRO
6319802	Joint DEP/PFBC Pesticides Permit	Issued	Dustin Darnley and Carrie Torre 160 Eberle Road Hickory, PA 15340-1407	Mount Pleasant Township Washington County	SWRO
1522402	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Wallace Township Municipal Authority Chester County P.O. Box 96 1250 Creek Road Glenmoore, PA 19343	Wallace Township Chester County	SERO
PA0051616	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	East Vincent Township Chester County	SERO
PA0111279	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Hooversville Borough Municipal Authority Somerset County P.O. Box 176 50 Main Street Hooversville, PA 15936-0176	Quemahoning Township Somerset County	SWRO
PA0222771	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	International Waxes, Inc. 1007 E Spring Street Titusville, PA 16354-7826	Titusville City Crawford County	NWRO
PA0261769	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Adhesives Research, Inc. 400 Seaks Run Road Glen Rock, PA 17327-9500	Springfield Township York County	SCRO
PA0039551	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Lebanon Valley MHP, LLC P.O. Box 173 East Petersburg, PA 17520-0173	Bethel Township Lebanon County	SCRO
PA0040843	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Lutheran Camp Assoc, Inc. P.O. Box 245 Jennerstown, PA 15547-0245	Jenner Township Somerset County	SWRO
PA0080748	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Northern Lebanon County Authority P.O. Box 434 Jonestown, PA 17038-0434	Union Township Lebanon County	SCRO
PA0114472	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Cherry Township Sullivan County 11961 Route 87 Dushore, PA 18614-7440	Cherry Township Sullivan County	NCRO

NOTICES

3881

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0986456	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Dublin Borough Authority Bucks County 119 Maple Avenue Dublin, PA 18917-2403	Bedminster Township Bucks County	SERO
3801403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Mount Gretna Borough Authority Lebanon County P.O. Box 61 101 Chautauqua Drive Mount Gretna, PA 17064-0061	Mount Gretna Borough Lebanon County	SCRO
3885409	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Lebanon Valley MHP, LLC P.O. Box 173 East Petersburg, PA 17520-0173	Bethel Township Lebanon County	SCRO
NOEXNW214	No Exposure Certification	Issued	Deist Ind, LLC 3547 Perry Highway Hadley, PA 16130-2325	Saegertown Borough Crawford County	NWRO
NOEXSC378	No Exposure Certification	Issued	Wipro Enterprises, Inc. 1101 Sheffler Drive P.O. Box 371 Chambersburg, PA 17201-4844	Chambersburg Borough Franklin County	SCRO
NOEXSW003	No Exposure Certification	Issued	Extrude Hone Corp 235 Industry Boulevard Irwin, PA 15642-1000	North Huntingdon Township Westmoreland County	SWRO
PAR403503	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Envirite of PA, Inc. 730 Vogelsong Road York, PA 17404-6707	York City York County	SCRO
PAR803624	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pitt Ohio Express, LLC 15 27th Street Pittsburgh, PA 15222-4729	Swatara Township Dauphin County	SCRO
PAR804872	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	PDF, Inc. d/b/a Berman Truck Group 1844 Rich Highway DuBois, PA 15801-3970	Sandy Township Clearfield County	NCRO
PAG132285	PAG-13 NPDES General Permit for MS4s	Waived	McAdoo Borough Schuylkill County 23 N Hancock Street McAdoo, PA 18237-1517	McAdoo Borough Schuylkill County	NERO
PA0270741	Pesticides Individual NPDES Permit	Issued	PA DEP Vector Management P.O. Box 1467 Harrisburg, PA 17105-1467	Statewide Statewide	CO
0313400	Pump Stations Individual WQM Permit	Issued	Manor Township Joint Municipal Authority Armstrong County P.O. Box 993 300 S McKean Street Kittanning, PA 16201-0993	Kittanning Borough Armstrong County	NWRO
0320402	Pump Stations Individual WQM Permit	Issued	Manor Township Joint Municipal Authority Armstrong County P.O. Box 66 Ford City, PA 16226-0066	Ford City Borough Armstrong County	NWRO
0320403	Pump Stations Individual WQM Permit	Issued	Manor Township Joint Municipal Authority Armstrong County P.O. Box 66 Ford City, PA 16226-0066	Ford City Borough Armstrong County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0375401	Pump Stations Individual WQM Permit	Issued	Manor Township Joint Municipal Authority Armstrong County P.O. Box 66 Ford City, PA 16226-0066	Ford City Borough Armstrong County	NWRO
6722403	Sewer Extensions Individual WQM Permit	Issued	Spring Grove Borough York County 1 Campus Avenue Spring Grove, PA 17362-1412	Spring Grove Borough York County	SCRO
PA0055158	Single Residence STP Individual NPDES Permit	Issued	Meadows Investments, LLC P.O. Box 187 Ottsville, PA 18942	Nockamixon Township Bucks County	SERO
PA0233226	Single Residence STP Individual NPDES Permit	Issued	Frederick R Cleaver Jr and Christine R Cleaver 2244 Egypt Road Woodland, PA 16881-8815	Bradford Township Clearfield County	NCRO
PA0240231	Single Residence STP Individual NPDES Permit	Issued	Turnbull Erick 510 Pittsville Road Kennerdell, PA 16374-4708	Rockland Township Venango County	NWRO
PA0263737	Single Residence STP Individual NPDES Permit	Issued	Cathy and Craig Mullen 18 Hinkle Street Warren, PA 16365-2712	Cherry Grove Township Warren County	NWRO
PA0263770	Single Residence STP Individual NPDES Permit	Issued	Dena M and Trent H A Nagy 17973 Townville Road Centerville, PA 16404-2421	Athens Township Crawford County	NWRO
PA0264466	Single Residence STP Individual NPDES Permit	Issued	Frugoli Joseph 145 New Road Churchville, PA 18966-1445	Eldred Township McKean County	NWRO
PA0264741	Single Residence STP Individual NPDES Permit	Issued	Turner Ralph 264 Horn Siding Lane Spring Creek, PA 16436-3810	Spring Creek Township Warren County	NWRO
PA0265241	Single Residence STP Individual NPDES Permit	Issued	Preston Benjamin 155 Miller Hill Road Warren, PA 16365-8655	Conewango Township Warren County	NWRO
PA0271730	Single Residence STP Individual NPDES Permit	Issued	Reinard Douglas 285 Rosewae Avenue Cortland, OH 44410-1237	Harmony Township Forest County	NWRO
PA0288748	Single Residence STP Individual NPDES Permit	Issued	David and Joyce Mahan 1070 Stone Springhouse Road Titusville, PA 16354-7072	Cherrytree Township Venango County	NWRO
PA0290262	Single Residence STP Individual NPDES Permit	Issued	Vogus Daniel 916 State Rte 428 Oil City, PA 16301	Oakland Township Venango County	NWRO
PA0290441	Single Residence STP Individual NPDES Permit	Issued	Sandra and William Thornton 262 Red Mills Road Pine Bush, NY 12566-6218	Conneaut Township Erie County	NWRO
PA0290505	Single Residence STP Individual NPDES Permit	Issued	Pollock Nadine 5909 Route 666 Sheffield, PA 16347-2131	Sheffield Township Warren County	NWRO

NOTICES

3883

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0290564	Single Residence STP Individual NPDES Permit	Issued	Simmers Sandra 159 Ball Park Road Sharpsville, PA 16150-3005	Jefferson Township Mercer County	NWRO
PA0290572	Single Residence STP Individual NPDES Permit	Issued	Andersen Stephen 10564 Route 19 N Waterford, PA 16441-9117	Waterford Township Erie County	NWRO
PA0290629	Single Residence STP Individual NPDES Permit	Issued	Thompson Sherri 10020 Springboro Road Springboro, PA 16435-2448	Spring Township Crawford County	NWRO
1722402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Frederick R Cleaver Jr and Christine R Cleaver 2244 Egypt Road Woodland, PA 16881-8815	Bradford Township Clearfield County	NCRO
2022404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Thompson Sherri 10020 Springboro Road Springboro, PA 16435-2448	Spring Township Crawford County	NWRO
2522405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Sandra and William Thornton 262 Red Mills Road Pine Bush, NY 12566-6218	Conneaut Township Erie County	NWRO
2522408	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Andersen Stephen 10564 Route 19 N Waterford, PA 16441-9117	Waterford Township Erie County	NWRO
2718401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Reinard Douglas 285 Rosewae Avenue Cortland, OH 44410-1237	Harmony Township Forest County	NWRO
4322402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Simmers Sandra 159 Ball Park Road Sharpsville, PA 16150-3005	Jefferson Township Mercer County	NWRO
4622403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Stephen And Caroline Grasso 694 W Beidler Road King of Prussia, PA 19406-1422	Upper Merion Township Montgomery County	SERO
5622401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Indian Lake Borough Somerset County 7785 Lincoln Highway Central City, PA 15926-7500	Indian Lake Borough Somerset County	SWRO
6108401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Turnbull Erick 510 Pittsville Road Kennerdell, PA 16374-4708	Rockland Township Venango County	NWRO
6120403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	David and Joyce Mahan 1070 Stone Springhouse Road Titusville, PA 16354-7072	Cherrytree Township Venango County	NWRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6121405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Vogus Daniel 916 State Rte 428 Oil City, PA 16301	Oakland Township Venango County	NWRO
6210401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Cathy and Craig Mullen 18 Hinkle Street Warren, PA 16365-2712	Cherry Grove Township Warren County	NWRO
6216406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Turner Ralph 264 Horn Siding Lane Spring Creek, PA 16436-3810	Spring Creek Township Warren County	NWRO
6217410	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Preston Benjamin 155 Miller Hill Road Warren, PA 16365-8655	Conewango Township Warren County	NWRO
6222404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Pollock Nadine 5909 Route 666 Sheffield, PA 16347-2131	Sheffield Township Warren County	NWRO
PA0266426	Small Flow Treatment Facility Individual NPDES Permit	Issued	Stroup Donna M 1123 Shippen Dam Road Millersburg, PA 17061-8883	Upper Paxton Township Dauphin County	SCRO
WQG02091101	WQG-02 WQM General Permit	Issued	Warminster Municipal Authority Bucks County 415 Gibson Avenue P.O. Box 2279 Warminster, PA 18974-4163	Warminster Township Bucks County	SERO
WQG02462205	WQG-02 WQM General Permit	Issued	Lower Salford Township Authority Montgomery County 57 Main Street Harleysville, PA 19438-2515	Lower Salford Township Montgomery County	SERO
WQG02482203	WQG-02 WQM General Permit	Issued	Forks Township Northampton County 1606 Sullivan Trail Easton, PA 18040-8332	Forks Township Northampton County	NERO
WQG02672202	WQG-02 WQM General Permit	Issued	Newberry Township York County 1915 Old Trail Road Etters, PA 17319-9130	Newberry Township York County	SCRO

II. Final Actions on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230035	PAG-02 General Permit	Issued	The Henderson Group 112 Chesley Drive Suite 200 Media, PA 19063	Chadds Ford Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484

NOTICES

3885

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230099 A-1	PAG-02 General Permit	Issued	Stephen B. Conrad 61 Smithbridge Road Glen Mills, PA 19342-1463	Concord Township Chester Heights Borough	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484
PAC510227	PAG-02 General Permit	Issued	SBWF Homes, LLC 1845 Walnut Street Suite 910 Philadelphia, PA 19103	City of Philadelphia Philadelphia Count	DEP, SERO 2 East Main Street Norristown, PA 19401-4915 RA-EPNPDES_SERO@ pa.gov
PAC150026	PAG-02 General Permit	Issued	Main Street Phase II, LP 120 W Germantown Pike Suite 120 Plymouth Meeting, PA 19462	West Whiteland Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC150308	PAG-02 General Permit	Issued	Church Farm School 1001 East Lincoln Highway Exton, PA 19341	West Whiteland Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC150274	PAG-02 General Permit	Issued	Roller Derby Skate Corp P.O. Box 249 Litchfield, IL 62056	West Sadsbury Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC150313	PAG-02 General Permit	Issued	Thorndale Real Estates, LLC 230 North Dupont Highway New Castle, DE 19720	Caln Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC090085	PAG-02 General Permit	Issued	Sea World Parks and Entertainment LLC d/b/a Sesame Place 100 Sesame Road Langhorne, PA 19047	Middletown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550
PAC540118	PAG-02 General Permit	Issued	Sisters Early Learning Center LLC Ms. Holly Bindie 510 West Arch Street Frackville, PA 17931-1602	Frackville Borough Schuylkill County	Schuylkill Conservation District 1206 AG Center Drive Pottsville PA 17901-9733 570-622-3742
PAC540119	PAG-02 General Permit	Issued	Shenandoah Municipal Sewer Authority Mr. Andrew Szczyrak 15 West Washington Street Shenandoah, PA 17976-1708	West Mahanoy Township Schuylkill County	Schuylkill Conservation District 1206 AG Center Drive Pottsville PA 17901-9733 570-622-3742
PAC350126	PAG-02 General Permit	Issued	Riverfront Athletics, LLC 5 West Olive Plaza Scranton, PA 18508-2531	City of Scranton Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC580029	PAG-02 General Permit	Issued	Paul Travis 2308 Tripp Lake Road Brackney, PA 18812	Silver Lake Township Susquehanna County	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105
PAC390180	PAG-02 General Permit	Issued	DeSales University 2755 Station Avenue Center Valley, PA 18034	Upper Saucon Township Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18104 610-391-9583
PAC480134	PAG-02 General Permit	Issued	Lower Saucon Township 3700 Old Philadelphia Pike Bethlehem, PA 18015	Lower Saucon Township Northampton County	Northampton County Conservation District 14 Gracedale Avenue Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAC360462 A-1	PAG-02 General Permit	Issued	Fox Clearing LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601	Penn Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360725 A-1	PAG-02 General Permit	Issued	Samuel Stoltzfus 143 Rothsville Station Road Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360657 A-1	PAG-02 General Permit	Issued	Mennonite Home 1520 Harrisburg Pike Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360729	PAG-02 General Permit	Issued	Lancaster Mennonite School 2176 Lincoln Highway East Lancaster PA 17602	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC010138 A-1	PAG-02 General Permit	Issued	Hillandale Gettysburg, LP 3910 Oxford Road Gettysburg, PA 17325	Tyrone Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC080050 A-1	PAG-02 General Permit	Issued	William Frandsen Frandsen Real Estate, LLC 19 Orchard Street Spencer, NY 14883	South Waverly Borough Bradford County	Bradford County Conservation District 200 Lake Road Suite E Towanda, PA 18848

NOTICES

3887

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC140139	PAG-02 General Permit	Issued	Jeff Long 1916 Hileman Road Tyrone, PA 16866	Rush Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte PA 16823-1400
PAC140144	PAG-02 General Permit	Issued	Chick-fil-A 1938 North Atherton Street State College, PA 16803	Patton Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte PA 16823-1400
PAC410068 A-1	PAG-02 General Permit	Issued	Loyalsock Township School District 1605 Four Mile Drive Williamsport, PA 17701	Loyalsock Township Lycoming County	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754-9209
PAD530009	Individual Permit	Issued	Galeton Borough 539 Galeton 6 E Galeton, PA 16922	Galeton Borough Pike Township Potter County	NCRO 208 W 3rd St Ste 101 Williamsport, PA 17701
PAC600092	PAG-02 General Permit	Issued	Country View Family Farms, LLC Old Route 15 & I-80 New Columbia, PA 17856	White Deer Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAC600097	PAG-02 General Permit	Issued	PNK P2, LLC Alex Rozengaus Enterprise Blvd Allenwood, PA 17810	Gregg Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PA600002C	PAG-02 General Permit	Issued	PPL EU Corp Nelson Klitzka Beagle Road Lewisburg, PA 17837	Lewisburg Borough Kelly Township Buffalo Township E. Buffalo Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAC600091	PAG-02 General Permit	Issued	Family Trust of Stylianios Nikoloas and Georgeanne Xagorarakis 157 Buffalo Creek Road Mifflinburg, PA 17844	Buffalo Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAC040113	PAG-02 General Permit	Issued	Center Township Sanitary Authority 224 Center Garage Road Aliquippa, PA 15001	Center Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
PAC560064	PAG-02 General Permit	Issued	Richard Schoedel 4411 Run Road New Tripoli, PA 18066	Allegheny Township Somerset County	Somerset County Conservation District Somerset County AG Center 6024 Glades Pike Suite 103 Somerset, PA 15501 (814) 445-4652

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC63247	PAG-02 General Permit	Issued	Trinity Area School District 231 Park Avenue Washington, PA 15301	North Franklin Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAC250154	PAG-02 General Permit	Issued	Primax Properties, LLC 1100 East Morehead Street Charlotte, NC 28204	Harborcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC420022	PAG-02 General Permit	Denied	PA American Water Company 203 Sycamore Street Punxsutawney, PA 15767	Wetmore Township Kane Borough McKean County	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PAC430068	PAG-02 General Permit	Issued	SP Hermitage Rd Hermitage PA, LLC 8801 River Crossing Blvd Suite 300 Indianapolis, IN 46240	Hermitage City Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC690010	PAG-02 General Permit	Issued	PADEP—Bureau of Abandoned Mine Reclamation South Grassflat 4 AML Site Peale Road Grassflat, PA 16839	Cooper Township Clearfield County	Bureau of Abandoned Mine Reclamation 400 Market Street 13th Floor P.O. Box 69205 Harrisburg, PA 17106-9205
PAC040034A-1	PAG-02 General Permit	Issued	Pennsylvania Turnpike Commission P.O. Box 67676 Harrisburg, PA 170106-7676	Big Beaver Borough Homewood Borough North Sewickley Township Beaver County	DEP, RPCO 400 Market Street Harrisburg, PA 17101 RA-EPREGIONAL PERMIT@pa.gov

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

Permit No. 2400024, Operations Permit, Public Water Supply.

Applicant

Bonnieville, Inc.
(Bonham's Nursing &
Rehabilitation Center)
477 Bonnieville Road
Stillwater, PA 17878

Municipality Huntington Township
 County **Luzerne**
 Type of Facility PWS
 Consulting Engineer Mr. N. Peter Fleszar, P.E.
 Project Engineer Glace
 Associates, Inc.
 3705 Trindle Road
 Camp Hill, PA 17011
 Permit to Operate May 9, 2022
 Issued

Permit No. 2400068, Operation Permit, Public Water Supply.

Applicant **Paul J. Goettner, Owner**
 Hyland Mobile Home Park
 239 Main Street
 Suite 203
 East Greenville, PA 18041

Municipality Foster Township
 County **Luzerne**
 Type of Facility Public Water Supply
 Consultant Eugene Ruddy
 Operator Utility
 Management Services
 121 Sandwedge Drive
 Mountain Top, PA 18707

Permit Issued May 11, 2022
 Description of Action Issuance of an Operation Permit for Designation of Optimal Water Quality Parameters for the Hyland Mobile Home Park water system.

Permit No. 4022504, Construction Permit, Public Water Supply.

Applicant **CAN DO, Inc.**
 1 South Church Street
 Hazleton, PA 18201
 Municipality Hazle Township
 County **Luzerne**
 Type of Facility Public Water Supply
 Consultant Robert Horvat, P.E.
 Entech Engineering, Inc.
 400 Industry Drive
 Suite 200
 Pittsburgh, PA 15275

Description of Action Iron and Manganese treatment systems at Humboldt Industrial Park Well Nos. 1, 3, 7, 8 and 9.

Application Received Date April 15, 2022

Permit Issued June 27, 2022

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Construction Permit No. 0621544, Public Water Supply.

Applicant **St. Paul's United**
 Methodist Church
 P.O. Box 6
 Geigertown, PA 19523

Municipality Union Township

County **Berks**
 Consulting Engineer Charles A. Kehew II, P.E.
 James R. Holley &
 Associates, Inc.
 18 South George Street
 York, PA 17401
 Permit Issued June 15, 2022
 Description New sodium hypochlorite disinfection system and contact tanks to provide 4-log virus inactivation.

Construction Permit No. 2122502, Public Water Supply.

Applicant **Calvary Chapel Harrisburg**
 702 Lisburn Road
 Camp Hill, PA 17011

Municipality Mechanicsburg Borough

County **Cumberland**

Permit Issued June 22, 2022

Description Construction permit for Calvary Chapel Harrisburg for a new system (well and treatment) for the church and school.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 0222502, Major. Public Water Supply.

Applicant **University of**
 Pittsburgh Medical Center
 UPMC Mercy Pavilion
 1400 Locust Street
 Pittsburgh, PA 15219

Borough or Township City of Pittsburgh

County **Allegheny**

Type of Facility Medical Center

Consulting Engineer CJL Engineering
 1555 Coraopolis Heights Road
 Suite 4200
 Moon Township, PA 15108

Permit Issued June 22, 2022

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Operation Permit No. 4422501 issued to: **JLM Real Estate Investments, LLC**, 950 E Main Street, Schuylkill Haven, PA 17972, **PWSID # 4440371**, Granville Township, **Mifflin County**, on June 24, 2022 for facilities at Dollar General Lewistown 23038 approved under Construction Permit No. 4422501. Operation of system and treatment for Dollar General Lewistown 23038. The system and treatment includes a well, water softener, cartridge filtration, and 4-log treatment for viruses.

Transferred Comprehensive Operation Permit No. 7500879 issued to: **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, **PWSID # 7500879**, Penn Township, **Perry County**, on June 22, 2022. Action is for a Change in Ownership for Business Campus One, Perry County for the operation of facilities previously issued to Suez Water Pennsylvania, Inc.. Transfer to Veolia Water Pennsylvania, Inc.

Transferred Comprehensive Operation Permit No. 7210028 issued to: **Veolia Water Pennsylvania, Inc.**,

6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, **PWSID # 7210028**, Upper Allen Township, **Cumberland County**, on June 22, 2022. Action is for a Change in Ownership for Mechanicsburg System, Cumberland County for the operation of facilities previously issued to Suez Water Pennsylvania, Inc. Transfer to Veolia Water Pennsylvania, Inc.

Transferred Comprehensive Operation Permit No. 7670061 issued to: **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, **PWSID # 7670061**, Newberry Township, **York County**, on June 22, 2022. Action is for a Newberry System, for the operation of facilities previously issued to Suez Water Pennsylvania, Inc. Transfer to Veolia Water Pennsylvania, Inc.

Rescission of Operation Permit No. 7670861 issued to: **Sensenig Meats**, 6999 Cannery Road, Hanover, PA 17331, **PWSID # 7670861**, Heidelberg Township, **York County**, on June 23, 2022. Action is for the Entire rescission of facilities approved under Operation Permit No. 7670861. All Public Water System permits and approvals related to Sensenig Meats, PWS ID No. 7670861, are hereby rescinded.

Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.

Operation Permit No. 0820502 issued to: **Dollar General # 21642 Burlington**, 950 East Main St., Suite 107, Schuylkill Haven, PA 17972, **PWSID # 2080884**, Burlington Borough, **Bradford County**, on June 23, 2022, for the operation of facilities approved under construction permit # 0820502. This permit authorizes the operation of an Up-Flow Filter, UV disinfection system, Reverse Osmosis System and Water Softener for the treatment of well-drawn groundwater from Well No. 1. This approval includes Well No. 1 as a source of supply, ATS Up-flow Water Filter Model UF1252D, ATS LT-AE7300 Series Water Softener Model ATS LT-AE7300, ATS ASV-13.5C Ultraviolet disinfection system, Solenoid valve, a HM Digital TDS DM-2 monitor, REO-Pure RO Filter Model LP3-WMS-750 Reverse Osmosis Unit and its components, Watts Series LF007 Double Check Valve Assembly that will be placed to prevent a cross connection with the waste system, sampling ports, pressure tank, isolation valve and the distribution system. Note that the entire water system is now approved by a public water supply construction permit under 25 Pa. Code § 109.503 and no longer qualifies for noncommunity approval under § 109.505.

Operation Permit No. 0821501-T1, 0818503MA-T2, 0807502-T2, 0890501-T2, 0889502-T2, issued to: **Gillett MHC, LLC**, 1602 West Allen Street, Allentown, PA 18102, **PWSID # 2080025**, Ridgebury Township, **Bradford County**, on June 23, 2022, for the operation of facilities approved under construction permit # 0821501, 0818503MA, 0807502, 0890501, 0889502.

The transfer of permits:

- Permit No. 0821501-T1, permit authorizes the installation of the following water treatment plant capabilities in accordance with 25 Pa. Code § 109.602(g)—(i):

1. Continuous monitoring of each individual filter effluent (IFE) for turbidity.

2. Continuous monitoring of entry point free chlorine residual.

3. Alarm/shutdown measures to prevent exceedance of operational conditions of IFE turbidity, CFE turbidity, free chlorine residual and storage tank water elevation.

- Permit No. 0818503MA-T2, permit approves operation of the SUEZ, Flotrex GF-C, model FGF012EHS-C, for the final filter.

- Permit No. 0807502-T2, permit approves operation of replacement Well Nos. 1 and 2 pumps and booster pumps, two 5,000-gallon finished water storage tanks, and a cartridge filtration plant.

- Permit No. 0890501-T2, permit approves operation of general corrosion control treatment system, including chemical (AQUA MAG) feed pump and day tank.

- Permit No. 0889502-T2, permit approves operation of Well Nos. 1 and 2, a baffled 1,000-gallon contact tank, two hydropneumatic tanks, disinfection system, including chemical (sodium hypochlorite) feed pump and day tank, and distribution system.

Operation Permit No. 1897502-A2 issued to: **Crawford Township Authority**, P.O. Box 273, 2552 Rauchtown Road, Jersey Shore, PA 17740, **PWSID # 4180062**, Crawford Township, **Clinton County**, on June 27, 2022 for the operation of facilities approved under construction permit # 1897502. This permit authorizes the water system to install three Toshiba 3-inch Mag meters, Model LF654HM1FPCAAF, one on each raw water supply line and one on the raw water storage tank overflow line.

Operation Permit No. 4920512MA issued to: **Aqua Pennsylvania, Inc.**, East Cameron Township, 762 West Lancaster Avenue, Bryn Mawr, PA 19010, **PWSID # 4490011**, East Cameron Township, **Northumberland County**, on June 22, 2022, for the operation of facilities approved under construction permit # 4920512MA. This permit authorizes Aqua Pennsylvania, Inc.—East Cameron Township to operate a 102,800-gallon welded steel water storage tank, having 27.0 ft. diameter and 24.0 ft. to overflow elevation.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, **PWSID # 5020038**, City of Pittsburgh, **Allegheny County**, on June 16, 2022 for the operation of facilities approved under construction permit 0210521. Operation permit number 0210521-A1 permits the operation of 18 high-rate dual media filters at a peak filter flow rate of up to 4.0 gallons per minute per square foot (gpm/sf).

Emergency Permit issued to: **Pittsburgh Water & Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, **PWSID # 5020038**, City of Pittsburgh, **Allegheny County**, on June 14, 2022 for the construction/operation of facilities approved under emergency permit 0222522-E for the emergency use of sodium permanganate (NaMnO₄) as a temporary replacement for the current pre-oxidant, potassium permanganate (KMnO₄) at the Aspinwall water treatment plant.

WATER ALLOCATIONS

Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

WA67-62C, Water Allocations. **The York Water Company**, 130 East Market Street, York, PA 17401, **PWSID**

7670100, City of York, **York County**. The permittee is seeking to extend the temporary allocation withdrawal from Lake Redman. Permittee Contact: Mark S. Snyder, Engineering Manager, The York Water Company, 130 East Market Street, P.O. Box 15089, York, PA 17405-7089. Consulting Engineer: Steven Metzler, P.E., The York Water Company, 130 East Market Street, York, PA 17401. Permit Issued: June 22, 2022.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222.

WA03-957A, Water Allocations. **Gilpin Township Municipal Authority**, 874 State Route 66, Leechburg, PA 15656, Gilpin Township, **Armstrong County**. The right to purchase 288,000 gallons of water per day (as a 30-day average) from the Municipal Authority of Westmoreland County.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Plan Location:

Municipality	Municipality Address	County
East Hanover Township	8848 Jonestown Road Grantville, PA 17028	Dauphin

Plan Description:

Approval of a Minor Update Revision to the official plan of East Hanover Township, **Dauphin County**, has been issued. This action is a result of the review of the East Hanover Township Special Study (DEP Code No. D1-22913-ACT; APS ID No. 501635). The Special Study proposes to pursue Alternative 11 for the Manada Creek Drainage Basin as presented in the Township's Act 537 Plan—continuing to use on-lot systems in the area and implementing the on-lot Sewage Management Program with possible enhancements. The Department's review of the Special Study has not identified any significant impacts resulting from this proposal.

Southwest Region: Clean Water Program, 400 Water-front Drive, Pittsburgh, PA 15222-4745.

Plan Location:

Municipality	Municipality Address	County
Pocono Township	112 Township Drive Tannersville, PA 18372	Monroe

Plan Description:

The approved plan provides for the extension of sanitary sewer lines to four (4) special study areas and two (2) minor expansions areas within Pocono Township, **Monroe County**. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

Plan Location:

Municipality	Municipality Address	County
Jefferson Township	670 Cedar Grove Road Burgettstown, PA 15021	Washington

Plan Description:

The approved plan provides for the installation of a Single Residence Sewage Treatment Plant at 999 Eldersville Road, Jefferson Township, **Washington County**, to remedy an existing malfunction. The proposed discharge is to an unnamed tributary of North Fork Cross Creek—Cross Creek, a 25 Pa. Code Chapter 93—designated Warm Water Fishery. This approval was granted in part based on the Department's Water Quality Antidegradation Implementation Guidance policy. The approved sewage facility plan evaluated all non-discharge alternatives and determined no environmentally sound and cost effective non-discharge alternative is available under subsection (b)(1)(i)(A.). The Department's review of the sewage facilities update revision has not identified any significant environmental impacts resulting from this proposal. Any required NPDES Permits or WQM Permits must be obtained in the name of the municipality or authority as appropriate.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Plan Location:

Municipality	Municipality Address	County
Derry Township	73 Reserve Lane Lewistown PA 17044	Mifflin

Plan Description:

The request for planning exception for the Goss Subdivision (DEP Code No. A3-44907-201-1; APS ID No. 1065477) has been disapproved. The proposed development—located on Vira Road in Derry Township, **Mifflin County**, PA—consists of sewage planning for two new residential lots utilizing an on-lot disposal systems with total project flows of 800 gallons per day. The submission does not qualify as an Exception to the Requirement to revise the Official Plan because the subdivision is in an area of the municipality where the Official Plan requires preliminary hydrogeologic studies.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation

performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401.

Contact: Charline Bass, 484-250-5787.

920 North 9th Street, 920 North 9th Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Stephan D. Brower, PG, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of Elise Halter, Post Quaker Property Owner, LLC, 1021 North Hancock Street, Suite 1, Philadelphia, PA 19123 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

Edlon, Inc., 150 Pomeroy Avenue, Avondale, PA 19331, Avondale Borough, **Chester County**. Sean Fullmer, PG, Compliance Management International, Inc., 1350 Welsh Road, Suite 200, North Wales, PA 19454 on behalf of Gabriel Skidd, Edlon, Inc., 150 Pomeroy Avenue, Avondale, PA 19311 submitted a Final Report concerning remediation of site soil contaminated with naphthalene and tetrahydrofuran. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Lattimer Breaker, 10 Louis Schiavo Drive, Hazleton, PA 18202, Hazle Township, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Blaschak Anthracite, P.O. Box 12, Mahanoy City, PA 17948, submitted a Final Report concerning remediation of soil contaminated with releases of petroleum from aboveground storage tanks, drums, and totes. The report is intended to document remediation of the site to meet Statewide health standards.

Valmont Plaza Shopping Center Former Poly Clean Dry Cleaners, 276 Susquehanna Boulevard, West Hazleton, PA 18202, Hazle Township, **Luzerne County**. Penn Environmental & Remediation, 400 Old Dublin Pike, Doylestown, PA 18901, on behalf of One Trinity Real Estate Investment, LLC, 908 Monaghan Court, Luther-ville, MD 21093, submitted a combined Remedial Investigation Report, Cleanup Plan, and Final Report concerning remediation of site soil and groundwater contaminated with Tetrachloroethene (PCE) from a dry cleaning operation. The report is intended to document remediation of the site to meet a combination of site-specific and Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

2901/3005 Grand Ave, 2901/3005 Grand Avenue, Pittsburgh, PA 15225, **Primary Facility ID # 843273**, Neville Township, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of Jarco Services, LLC, 2445 East Southlake Boulevard, Southlake, TX 76092, has submitted a combined Risk Assessment Report, Remedial Investigation Report, and Cleanup Plan concerning remediation of site soils contaminated with arsenic, chromium, and lead, and groundwater contaminated with benzene, ethylbenzene, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, benzo(a)-anthracene, benzo(a)pyrene, benzo(b)fluoranthene, chrysene, naphthalene, arsenic, and cadmium. The reports and plan are intended to document remediation of the site to meet the site-specific standard.

CNX GH 84 Well Pad, Pettit Road, Sycamore, PA 15364, **Primary Facility ID # 858996**, Washington Township, **Greene County**. Penn Environmental & Remediation, 111 Ryan Court, Pittsburgh, PA 15205, on behalf of CNX Gas Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, has submitted a Final Report concerning remediation of site soil contaminated with brine. The report is intended to document remediation of the site to meet the Background Standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a

remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Central Transport, 6955 Chrisphalt Drive, Bath, PA 18014, East Allen Township, **Northampton County**. Liberty Environmental, 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of Crown Enterprises LLC, P.O. Box 869, Warren, MI 48090, submitted a revised Final Report concerning remediation of soil contaminated by runoff of petroleum compounds from the facility's parking lot areas. The Final Report demonstrated attainment of Statewide Health Standards and was approved by DEP on June 27, 2022.

Former Concrete Batch Plant, 3311 Farmersville Road, Bethlehem, PA 18020, Bethlehem Township, **Northampton County**. Whitestone Associates, 1600 Manor Drive, Suite 220, Chalfont, PA 18914, on behalf of Tristate Ventures, LP, 992 Old Eagle School Road, Suite 915, Wayne, PA 19087, submitted a Final Report concerning remediation of soil contaminated with heating oil from storage tanks. The Final Report demonstrated attainment of Statewide Health Standards and was approved by DEP on June 21, 2022.

Range Unit 75 SGL-A Well Pad, 866 Darrow Road, New Milford, PA 18834, Great Bend Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company LLC, 917 State Route 92 North, Tunkhannock, PA 18657, submitted a Final Report concerning remediation of soil contaminated by release of production fluid (brine). The Final Report demonstrated attainment of a combination of Background and Statewide Health Standards and was approved by DEP on June 27, 2022.

Southeast Region: Environmental Cleanup Program Manager, 2 East Main Street, Norristown, PA 19401.

Contact: Charline Bass, 484-250-5787.

Broad and Washington, 1001-29 South Broad Street, Philadelphia, PA 19147, City of Philadelphia, **Philadelphia County**. Stephen D. Brower, PG, Environmental Standards, Inc., 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of Sarina Rose, Broad & Washington Property Owner, LLC, 1021 Hancock Street, Suite 1, Philadelphia, PA 19123 submitted a Final Report concerning the remediation of site soil contaminated with PAHs and PCBs. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on June 14, 2022.

Former Baum Farm, 491 Forty Foot Road, Hatfield, PA 19440, Hatfield Township, **Montgomery County**. Michael D. Lattanze, Penn Environmental & Remediation, Inc., 400 Old Dublin Pike, Doylestown, PA 18901 on behalf of Bob Hermley, Pulte Group, 1210 Northbrook Drive, Suite 260, Trevese, PA 19053 submitted a Final Report concerning the remediation of site soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on June 15, 2022.

1530 South 33rd Street, 1530 South 33rd Street, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Teresa Blauch, PG, Liberty Environmental Inc., 315 West James Street, Suite 205, Lancaster, PA 17603 on behalf of Paul Frank, 1450 South 33rd, LLC, 750 South West End Boulevard, Quakertown, PA 18951 submitted a Remedial Investigation Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with lead. The Report was approved by the Department on June 15, 2022.

Actions on application for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. § 6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Transporter Licenses Reissued

Page E.T.C., Inc., 2758 Trombley Rd, Weedsport, NY 13166. License No. **PA-AH 0338**. Effective June 23, 2022.

West Central Environmental Corp., P.O. Box 83, Rensselaer, NY 12144. License No. **PA-AH 0422**. Effective June 24, 2022.

National Waste Clean, Inc., 304 Pulaski Street, South Plainfield, NJ 07080. License No. **PA-AH 0528**. Effective May 26, 2022.

U.S. Industrial Technologies, Inc., 12000 Globe Street, Livonia, MI 48150. License No. **PA-AH 0747**. Effective May 5, 2022.

South Park Motor Lines, Inc. DBA CAST Transportation, 9850 Havana Street, Henderson, CO 80640. License No. **PA-AH 0755**. Effective May 26, 2022.

Clean Earth Specialty Waste Solutions, Inc., 2337 North Penn Road, Hatfield, PA 19440. License No. **PA-AH 0770**. Effective May 16, 2022.

McVac Environmental Services, Inc., 481 Grand Avenue, New Haven, CT 06513. License No. **PA-AH 0801**. Effective June 24, 2022.

Tri-County Industries, Inc., 159 TCI Park Drive, Grove City, PA 16127. License No. **PA-AH 0820**. Effective May 10, 2022.

Midwest Sanitary Service, Inc., P.O. Box 83, Wood River, IL 62095. License No. **PA-AH 0872**. Effective May 26, 2022.

Westmoreland Sanitary Landfill, LLC, 111 Conner Lane, Belle Vernon, PA 15012. License No. **PA-AH 0874**. Effective June 23, 2022.

Subsurface Technologies Inc., 1130 Business Parkway S, Westminster, MD 21157. License No. **PA-AH 0877**. Effective June 24, 2022.

Noble Environmental Specialty Recycling, LLC, 500 Technology Dr, Canonsburg, PA 15317. License No. **PA-AH 0903**. Effective June 23, 2022.

Flaw Inc. d/b/a Recycle Oil Company, 1600 S 25th St, Easton, PA 18042. License No. **PA-AH 0904**. Effective May 26, 2022.

Radiac Research Corp., 261 Kent Avenue, Brooklyn, NY 11249. License No. **PA-AH S007**. Effective May 26, 2022.

Ken's Marine Service, Inc., P.O. Box 4001, Bayonne, NJ 07002. License No. **PA-AH S154**. Effective June 14, 2022.

Transporter Licenses Expired

Fortress Trucking Limited, 7079 Wellington Road 124, Guelph, ON N1H6J3. License No. **PA-AH 0512**. Effective March 1, 2022.

**REGULATED MEDICAL AND
CHEMOTHERAPEUTIC WASTE TRANSPORTER
LICENSE**

Regulated Medical and Chemotherapeutic Waste Transporter License, Actions Taken Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Central Office: Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Transporter License Issued

Aftermath Services, LLC, 75 Executive Drive, Aurora, IL 60504. License No. **PA-HC 0290**. Effective May 4, 2022.

Transporter License Reissued

Advant-Edge Solutions of Middle Atlantic, Inc., 17 Shea Way, Newark, DE 19713. License No. **PA-HC 0220**. Effective June 23, 2022.

Chesapeake Waste Solutions LLC, 190 Shellyland Road, Manheim, PA 17545. License No. **PA-HC 0283**. Effective May 10, 2022.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP2-23-0236: MIPC, LLC, 920 Cherry Tree Road, Aston, PA 19014. On June 23, 2022, for a storage tank containing volatile organic liquids in Upper Chichester Township, **Delaware County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

AG5-58-00033A: Williams Field Services Company, LLC, 310 State Route 29 North, Tunkhannock, PA 18657-6817, was issued on June 14, 2022, to construct and operate three (3) Compressor Engines, and to continue operation of the existing three (3) Compressor Engines, one (1) Generator Engine, two (2) Dehydrators, two (2) Reboilers, and three (3) Produced Water Storage Tanks at the Northeast FRP Natural Gas Compressor Station site in Liberty Township, **Susquehanna County**.

GP3-48-016: Chrin Brothers, Inc., 1225 Industrial Drive, Easton, PA 18042, on April 7, 2022 to construct and operate a Portable Crushing Operation with water sprays at the Chrin Commerce Center in Tatamy Boro/Upper Nazareth/Palmer Township, **Northampton County**.

GP9-48-016: Chrin Brothers, Inc., 1225 Industrial Drive, Easton, PA 18042, on April 7, 2022 to install and operate one (1) Diesel I/C engines at the Chrin Commerce Center in Tatamy Boro/Upper Nazareth/Palmer Township, **Northampton County**.

GP3-54-013: Pierson Middleport, LLC, 730 Mountain Road, Middleport, PA 17953, on May 11, 2022 to construct and operate a Portable Crushing Operation with water sprays in Walker Township, **Schuylkill County**.

GP4-40-005: PF Nonwovens, LLC, 101 Green Mountain Road, Hazleton, PA 18202, on May 11, 2022 to operate one (1) burn off oven at their facility located in Hazle Township, **Luzerne County**.

AG5-58-00021B: SWN Production Company, LLC, 917 SR 92 North, Tunkhannock, PA 18657, on May 31, 2022 to operate two (2) IC Engines, one (1) emergency generator, one (1) dehydrator with reboiler, and three (3) condensate tanks at the Valentine CPF # 1 Compressor Station in Clifford Township, **Susquehanna County**.

AG5A-58-00044A: Coterra Energy Inc., 2000 Park Ln, Pittsburgh, PA 15275, on June 13, 2022 to operate one (1) IC Engine, at the Squier, R. Pad 1 well pad site in Brooklyn Township, **Susquehanna County**.

GP14-45-002A: Paradise Valley Crematory Inc., 6148 Paradise Valley Road, Cresco, PA 18326, on June 17, 2022 to install and operate one (1) human remains crematory at their facility in Paradise Township, **Monroe County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-01-03003B: Mott's, LLP, 45 Aspers North Road, Aspers, PA 17304, on June 22, 2022, for two existing natural gas-fired boilers, each with heat input of

30.4 MMBtu/hr, under GP1, in Menallen Township, **Adams County**. The GP1 authorization was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

AG5A-59-00004A: NFG Midstream Covington, LLC, 6363 Main Street, Williamsville, NY 14221, on June 10, 2022, for the construction and operation of one 100 MMSCFD TEG dehydration unit equipped with a 0.75 MMBtu/hr reboiler and 10 MMBtu/hr enclosed flare, one 330 bhp Kohler KG200 emergency generator engine equipped with a 3-way catalyst, one 330 kW Flex Energy microturbine, one 8.04 MMBtu/hr line heater, and one 16,800 gallon waste fluids tank, and for the continued operation of two catalytic heaters, one 295 gallon TEG storage tank, various pneumatic devices, gas venting, blowdowns, fugitive emissions and pigging operations. All combustion sources are natural gas fired. These sources will be constructed and operated pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at the Crutenden 846 Well Pad located in Middlebury Township, **Tioga County**.

AG5-41-00020A: ETC Northeast Pipeline, LLC, 101 West Third Street, Third Floor, Williamsport, PA 17701, on June 10, 2022, for authorization to continue to operate three 1,380 bhp Caterpillar G3516B four stroke, lean burn, natural gas-fired compressor engines, each equipped with oxidation catalysts, one 25 MMscf/day and one 40 MMscf/day dehydration units, each equipped with a reboiler, condenser and enclosed flare, various storage tanks ranging in size from 330 gallons to 10,000 gallons, and other associated equipment pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5) at their Red Bend Compressor Station located in Cogan House Township, **Lycoming County**.

AG5-41-00021A: ETC Northeast Pipeline, LLC, 101 West Third Street, 3rd Floor, Williamsport, PA 17701, on June 10, 2022, for authorization to continue operation of two 1,380 bhp Caterpillar model G3516ULB 4SLB natural-gas fired compressor engines equipped with oxidation catalysts; three 2,370 bhp Caterpillar model G3608LE 4SLB natural-gas fired compressor engines equipped with oxidation catalysts; three 2,370 bhp Caterpillar model G3608LE 4SLB natural-gas fired compressor engines equipped with oxidation catalysts; one 25 MMscf/day dehydrator & 0.75 MMBtu/hr heater controlled by one 8.5 MMBtu/hr thermal oxidizer; one 125 MMscf/day dehydrator & 2.0 MMBtu/hr heater controlled by the same 8.5 MMBtu/hr thermal oxidizer with a 3 MMBtu/hr burner; seven 300-gal oil tanks; one 8.5 MMBtu/hr thermal oxidizer with a 3 MMBtu/hr burner to control emissions from the flash tanks and reboilers of both dehyds; three 8,820-gallon produced water tanks; one 21,000-gallon produced water tank; eight 300-gallon compressor oil tanks; one 4,000-gallon compressor oil tank; one 4,000-gallon engine oil tank; six 230-gallon methanol tanks; one 130-gallon methanol tank; two 520-gallon oily waste water tanks; one 2,900-gallon triethylene glycol tank; five 520-gallon triethylene glycol tanks; pigging operations; truck load-out operations; pneumatic devices; various fugitive emissions; and one 0.95 MMBtu/hr odorant flare pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Pro-

cessing Plants and Transmission Stations (BAQ-GPA/GP-5) at the Barto Compressor Station located in Penn Township, **Lycoming County**.

AG5-17-00006A: Seneca Resources Corporation, LLC, 2000 Westinghouse Dr., Ste 400, Cranberry, PA 16066-5238, was issued on June 23, 2022, a re-authorization without modification to allow the use of GP-5 for continued operation of the PHC (Punxsy Hunt Club) compressor station and associated air emission sources pursuant to the PA DEP Air Quality Bureau's General Plan Approval and General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5 revised 6/2018). The facility is located in Lawrence Township, **Clearfield County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

GP5-63-01006A/AG5-63-00019A: UGI Gibraltar Gathering, LLC, 835 Knitting Mills Way, Wyomissing, PA 19610, on June 24, 2022, to authorized for continued operations for five (5) years. The equipment include: Two (2) Caterpillar G3616 natural gas-fired spark ignition compressor engines, each rated at up to 5,000-bhp, three (3) storage tanks 1,260-gallon each, one (1) natural gas fired Waukesha engine rated at 585 bhp, pigging operations, and fugitives at their existing Gibraltar Compressor Station located in Donegal Township, **Washington County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

09-0152F: Gelest, Inc., 11 E. Steel Road, Morrisville, PA 19067, on June 16, 2022, for installation of a 1,000-gallon, glass-lined, steel, high-pressure reactor at their facility in Falls Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

48-00084A: L & M Fabrication and Machine, Inc., 7230 Beth-Bath Pike, Bath, PA 18014, on June 2, 2022 for the installation and operation of one (1) 8,800 CFM baghouse to control dust from one (1) shot blast booth at their facility in East Allen Township, **Northampton County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05030G: CP Converters Inc., 15 Grumbacher Road, York, PA 17406, on June 15, 2022, for the use of a VOC additive in the adhesive coating used in Extruders

1 and # 2 for the lamination process at the Manchester facility located in Manchester Township, **York County**.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

15-0081C: Johnson Matthey, Inc., 1401 King Road, West Chester, PA 19380-1467. On June 21, 2022, an extension to allow modification to the existing Metal Room (Source ID 101) and the installation of wet and dry scrubbers (chlorine scrubbers) in West Whiteland Township, **Chester County**.

09-0240: Mazza Iron & Steel, LLC, 60 Solar Drive, Fairless Hills, PA 19030. On June 16, 2022, an addition of a portable electric low speed pre-shredder (Stallion 2500) to the equipment and configuration of the non-ferrous metals processing line at this location in Falls Township, **Bucks County**.

46-0200E: John Middleton Co., 418 W. Church Rd., King of Prussia, PA 19406-3134. Minor modification of the Plan Approval No. 46-0200E for the machine-made cigar, pipe tobacco and pipe tobacco products manufacturing facility in Upper Merion Township, **Montgomery County**. The modified plan approval allows an increase in the tobacco throughput, the decrease the throughput of casing material and the revision the emission factor used to calculate volatile organic compounds (VOC) for finished tobacco storage.

23-0003Z: Monroe Energy, LLC, 4101 Post Rd., Trainer, PA 19061. On June 24, 2022, an extension for the construction of 3 new cooling towers at the Trainer Refinery in Trainer Borough, **Delaware County**.

09-0210B: Waste Management of Fairless, LLC, 1000 New Ford Mill Rd, Morrisville, PA 19067. On June 3, 2022 for a Plan Approval to install three (3) ultra-low emissions flares at Fairless Landfill in Falls Township, **Bucks County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

05-03022A: Cronimet Specialty Metals USA, Inc., 172 Friendship Village Road, Bedford, PA 15522, on June 23, 2022, for the construction of four burnoff ovens and two tungsten carbide cleaning lines at the metals recovery and recycling facility located in Bedford Township, **Bedford County**. The plan approval was extended.

06-05069AA: East Penn Manufacturing Co., Inc., P.O. Box 147, Lyon Station, PA 19536, on June 23, 2022, for proposed changes to operations in the Industrial Battery Manufacturing Facility. The Industrial Battery Manufacturing Facility is located at the Lyon Station Plant in Richmond Township, **Berks County**. The plan approval was extended.

21-05028C: Fry Communications, Inc., Building 3, 800 W. Church Rd., Mechanicsburg, PA 17055, on June 17, 2022, for the installation of a new 75" Manroland

Lithoman IV 4-80 745 lithographic printing press at the Building 3 printing facility located in Mechanicsburg Borough, **Cumberland County**. The printing press includes an integral dryer and afterburner for the control of VOC emissions. The plan approval was extended.

28-03013A: Grove Bowersox Funeral Home, Inc., 50 South Broad Street, Waynesboro, PA 17268-1611, on June 23, 2022, for a new crematory unit at the funeral home facility located in Waynesboro Borough, **Franklin County**. The plan approval was extended.

28-05002J: Letterkenny Army Depot—US Department of Defense, One Overcash Avenue, Chambersburg, PA 17201, on June 22, 2022, for a new AP Rocket Motor Destruction (ARMD) Facility within the Letterkenny Munitions Center ammunition storage area, at the Letterkenny Army Depot in Greene/Letterkenny Townships, **Franklin County**. Air emissions from the ARMD will be controlled by a wet scrubber system, followed by an ADIOX packed bed scrubber tower absorption system. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

14-00002T: Graymont (PA) Inc., 375 Graymont Rd., Bellefonte, PA 16823, on June 20, 2022, to extend the plan approval expiration date to December 18, 2022 to authorize continued operation of several sources for the production of quicklime and hydrated lime at the Pleasant Gap facility in Spring Township, **Centre County**.

60-00026A: GAF Keystone, LLC, 2093 Old Route 15, New Columbia, PA 17856, on June 23, 2022, to extend the plan approval expiration date to January 12, 2023 to allow continued operation of the ISO Foam Board Facility located in White Deer Township, **Union County**.

17-00071B: Continental Carbonic Products, Inc., 40 Technology Drive, Clearfield, PA 16830, was issued a plan approval extension revision to allow for completion of the modification and commencement of operation (shakedown) by no later than January 17, 2023, following completion of the expansion project to their CO₂ Recovery Plant. The previous facility is in Clearfield Borough, **Clearfield County**. The plan approval has been extended.

18-00005E: Eastern Gas Transmission & Storage, Inc., 6603 West Broad Street, Richmond, VA 23230, on June 23, 2022, was issued a plan approval extension for the temporary operation of the source authorized under the plan approval while the source awaits confirmation of compliance demonstration. The plan approval for the source located in Leidy Township, **Clinton County**, has been extended to December 25, 2022.

41-00084C: Hamilton Patriot, LLC, 50 Patriot Lane, Montgomery, PA 17752, on June 21, 2022, was issued a plan approval extension for the temporary operation of the source authorized under the plan approval while the source awaits confirmation of compliance demonstration. The plan approval for the source at the company's Hamilton Patriot Generation Plant located in Clinton Township, **Lycoming County**, has been extended to December 21, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

11-00542: Military Resource Enhancement Specialists, Inc., 3179 Lincoln Highway, Stoystown, PA 15563-7919. Plan Approval Modification issuance date effective June 23, 2022, expiration November 28, 2022, to allow time for shutdown of sources and air cleaning devices at their MRES Slag Operation facility located in Conemaugh Township, **Cambria County**.

65-00378: Buckeye Terminals, LLC, 134 BP Tank Lane, Greensburg, PA 15601, plan approval extension and minor modification effective June 28, 2022, to modify stack testing of the Vapor Recovery Unit (VRU) and extend the temporary operation period of one aboveground storage tank (Tank 1232—Source ID 109), gasoline or lower vapor pressure product storage, 2.2 MMgal capacity, controlled by internal floating roof (“IFR”) at the Greensburg Terminal located in Hempfield Township, **Westmoreland County**. The new expiration date is December 28, 2022.

63-00916B: Perryman Company, 213 Vandale Drive, Houston, PA 15342. On June 24, 2022, for modification to PA-63-00916B increase the PM₁₀ and hydrofluoric acid limits from the scrubbers for the new chem mill process line at the Titanium Conversion Facility located in North Strabane Township, **Washington County**.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00001: JBS Souderton Inc., 741 Souder Road, Souderton, PA 18964. On June 15, 2022, a renewal of the Title V Operating Permit for a meat packing and rendering plant was issued, located in Franconia Township, **Montgomery County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

36-05142: Mars Wrigley US, LLC, 295 South Brown Street, Elizabethtown, PA 17022-2127, on June 22, 2022, for the candy manufacturing facility located in Elizabethtown Borough, **Lancaster County**. The Title V permit was renewed.

36-05146: EPP Renewable Energy, LLC, 1605 N. Cedar Crest Blvd., Suite 509, Allentown, PA 18104-2355, on June 23, 2022, for the landfill gas-to-energy facility associated with the Frey Farm Landfill located in Manor Township, **Lancaster County**. The Title V permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

47-00001: Montour, LLC, PO Box 128, Washingtonville, PA 17884. On May 25, 2022, was issued a revised Title V operating permit for their Montour Steam Electric Station located in Derry Township, **Montour County**, to incorporate applicable requirements pursuant to a Case-by-Case RACT II determination for NO_x emissions from the facility's two utility boilers. The revised Title V

operating permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

55-00023: Kerrico Corporation, 2254 Route 522, Selinsgrove, PA 17870, on June 24, 2022, was issued a renewal Title V Operating Permit for Kerrico Corporation's facility located in Penn Township, **Snyder County**. The official date of issuance of this permit is June 24, 2022, and it will expire on June 23, 2027. The Title V Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00252: H&K Group, Inc., 394 S. Sanatoga Road, Pottstown, PA 19464. On June 22, 2022 a Renewal for a Non-Title V Facility, State-Only Permit. Rock crushing and screening are done at this location. The facility is subject to 40 CFR 60 Subpart OOO. Monitoring, recordkeeping and reporting requirements have been added to the permit to address applicable limitations. Located in Lower Pottsgrove Township, **Montgomery County**.

23-00048: WestRock, CP, LLC, 100 McDonald Blvd, Aston, PA 19014. On June 23, 2022, a renewal of a facility-wide Operating Permit. The facility's emission points include two large boilers, an emergency generator, an emergency fire pump, a corrugator, a cyclone, two rotary die cutters with flexo, and three Evol flexo folder gluers. There is one new source at the facility. One of the flexo folder gluers replaced a rotary die cutter. Located in Chester Township, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05023: Bimbo Bakeries USA, Inc., 640 Park Avenue, Reading, PA 19611-1926, on June 14, 2022, for the commercial bakery located in Reading City, **Berks County**. The State-Only permit was renewed.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

30-00183: EQM Gathering OPCO, LLC, 2200 Energy Drive, Canonsburg, PA 15317, on June 24, 2022, for their Jupiter Compressor Station facility located in Morgan Township, **Greene County**. The State Only Operating Permit contains requirements including monitoring, recordkeeping, and reporting conditions to ensure compliance with applicable Federal and State regulations.

17-00042: Clearfield Leather, Inc. d/b/a Wicket & Craig of America, 120 Cooper Road, Curwensville, PA 16833, was issued on June 27, 2022, a State Only Natural Minor Operating Permit for authorization to continue to operate the source operations at their leather tannery in Curwensville Borough, **Clearfield County**. All applicable

Federal and State regulatory requirements derived from 25 Pa. Code Chapters 121—145, including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included within the permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

37-00268: Commercial Asphalt & Supply/Slippery Rock, P.O. Box 672, Valencia, PA 16059-0672. On June 22, 2022, the Department issued the renewal State Only Natural Minor Operating Permit for operation of the hot mix asphalt (HMA) facility located in Scott Township, **Lawrence County**. The facility's primary emission sources include the counterflow drum HMA process controlled by a knockout box and baghouse, two hot oil boilers (2.0 and 5.0 mmBtu/hr), a 605 HP emergency generator engine, and a portable crusher driven by a 250 HP engine. The potential emissions of the primary pollutants from the facility are as follows: 19.38 TPY (tons per year) NO_x, 52.71 TPY CO, 12.71 TPY VOC, 2.58 TPY total HAP, 20.58 TPY PM₁₀ and PM_{2.5}, and 1.73 TPY SO_x; thus, the facility is a natural minor. The HMA process is subject to 40 CFR 60 Subpart I, Standards of Performance for Hot Mix Asphalt Facilities, as well as plan approval limits on throughput for the plant to 750,000 tons per year produced during any 12 consecutive month period as well as emission restrictions on the primary pollutants. The portable crusher plant is subject to 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. The engines are subject to 40 CFR 63 Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

46-00049: Tension International, 431 Yerkes Rd, King of Prussia, PA 19406. On June 8, 2022 Administrative Amendment of the State-Only Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 for change of ownership from Logan Marketing Group, DBA Intellus for the facility located in Upper Merion Township, **Montgomery County**.

09-00115: TOG, LLC, 1803 N 5th Street, Perkasie, PA 18944. On June 6, 2022 Administrative Amendment of the State-Only Operating Permit under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450 for change of ownership from Draper DBS, Inc. to TOG LLC (The Orville Group) and incorporation of Plan Approval 09-0115B. The incorporation of the plan approval changes the status of the facility from a Synthetic Minor to a Natural Minor facility. The facility is located in East Rockhill Township, **Bucks County**.

15-00085: Lincoln University, 1570 Baltimore Pike, Lincoln University, PA 19352. On June 22, 2022, an amendment was issued to incorporate the requirements of Plan Approval 15-0085C which was issued to address operation for existing boilers, heaters, and generators at the university in Lower Oxford Township and Upper Oxford Township, **Chester County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05112: WBLF Acquisition Co., LLC/Western Berks Landfill, 455 Poplar Neck Road, Birdsboro, PA 19508, on June 21, 2022, for the municipal waste landfill in Cumru Township, **Berks County**. The Title V Operating Permit underwent a significant modification to revise Section E, Group SG01, Condition 037, to allow the interim use of a candlestick flare to control landfill gas (LFG) while WBLF works to develop an LFG beneficial use project.

67-05013: PA American Water Co., 400 Hanover St., Birdsboro, PA 19508-9181, on June 23, 2022, for the waste water treatment plant operation located in Manchester Township, **York County**. The State-Only permit was administratively amended to reflect a change of ownership.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

67-05001: Magnesita Refractories Company, 425 S. Salem Church Road, York, PA 17408. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for a de minimis emissions increase of 0.03 tpy PM₁₀, 0.08 tpy PM_{2.5}, 0.08 tpy SO_x, 0.17 tpy CO, 0.58 tpy NO_x, and 0.08 tpy VOC, resulting from the ongoing use of a 40 tph portable crusher to process approximately 1,200 tpy of spent refractory brick at the refractories products manufacturing facility located in West Manchester Township, **York County**. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

65-00378: Buckeye Terminals, LLC, 134 BP Tank Lane, Greensburg, PA 15601. On June 24, 2022, received approval for a de minimis emissions increase of 0.94 ton of VOCs and 0.02 ton of HAPs, per year, pursuant to 25 Pa. Code § 127.449 resulting from changes to floating roof fittings and tank cleaning activities of Tank 1232 (Source ID 109) at its Greensburg Terminal located in Hempfield Township, **Westmoreland County**. The list of de minimis increases for this facility includes only this project.

GP5-30-00247B: CNXM Midstream Operating Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317-6506. On June 24, 2022, this Notice is published per 25 Pa. Code Section 127.449(i), for the following de minimis emission increase at its Buckland Compressor Station, located in Richhill Township, **Greene County**:

Project is to increase the capacity of each of the three (3)-tri-ethylene glycol dehydration units from 240 MMscfd to 300 MMscfd. The remaining dehydrator parameters (e.g., pump rate, methanol information) remain unchanged. Emissions from the dehydrators will continue to be controlled by the enclosed flares as represented in the GP-5 application. No change in liquid throughput or blowdowns at the station will occur as submitted in the previous GP-5 application. There will be no other operational changes associated with the project. CNXM will continue to comply with all the applicable terms and conditions of GP-5.

The estimated facility-wide VOC emission increase from this project will be 0.10 ton. The annual potential VOC emissions increase of VOCs are less than 1.0 tpy from a single source during the term of the permit and less than 5 tons of VOCs at the facility during the term of the permit, i.e. below the de minimis threshold per 25 Pa. Code § 127.449(d)(5).

This is the first de minimis emission increase which has occurred since their current GP5-30-00247B was issued on February 17, 2022.

The list of de minimis increases for this facility includes only this project.

GP5A-63-01055A (AG5A-63-00028A): Range Resources Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, on June 14, 2022, received approval for a de minimis emissions increase pursuant to 25 Pa. Code § 127.449 of 0.16 ton of VOC (including Clean Air Act Section 112 HAPs), per year, resulting from the installation and operation one (1) 10 MMscfd vapor separator, two (2) continuous bleed natural gas-driven pneumatic devices, two (2) intermittent bleed natural gas-driven pneumatic devices, and associated fugitive emissions components at its MCC Partners West 11891 in Jefferson Township, **Washington County**. No other de minimis emissions increases have occurred at the facility during the term of its GP-5A authorization.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

Noncoal Permits

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EP NEWSTANTON@pa.gov, (Contact: Tracy Norbert).

Mining Permit No. 3374SM58. NPDES Permit No. PA0591688. Coolspring Mining, Inc., P.O. Box 1328, Uniontown, PA 15401. Renewal of an NPDES permit associated with a noncoal mining site in North Union Township, **Westmoreland County**, affecting 148.6 acres. Receiving stream: unnamed tributary to Coolspring Run and Coolspring Run, classified for the following use: WWF. Application received: March 2, 2022. Permit issued: June 22, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).

Mining Permit No. 7474SM2. NPDES Permit No. PA0124303. Lehigh Cement Co., LLC, 7660 Imperial Way, Allentown, PA 18194, renewal of an NPDES permit on a quarry operation in Upper and Lower Nazareth Townships, **Northampton County**. Receiving stream: unnamed tributary to Monocacy Creek. Application received: February 11, 2021. Renewal issued: June 13, 2022.

Mining Permit No. 6278301. NPDES Permit No. PA0225657. PA Granite Corp., 375 Trythall Road, Elverson, PA 19520, renewal of an NPDES Permit on a quarry operation in Warwick Township, **Chester County**. Receiving stream: French Creek. Application received: March 14, 2022. Renewal issued: June 14, 2022.

Mining Permit No. 58212505. GP104 Permit No. PAM121025. 4D's Ventures, Inc., 7295 Kingsley Road, Kingsley, PA 18826, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on a quarry operation in Lanesboro Borough, **Susquehanna County**. Receiving stream: Unnamed tributary to the Susquehanna River. Application received: May 18, 2021. Coverage issued: June 23, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Cassandra Stanton).

Mining Permit No. 14090301. NPDES No. PA0257087. Hanson Aggregates Pennsylvania, LLC, 7660 Imperial Way, Allentown, PA 18195, renewal of an NPDES permit for a large noncoal mining site located in Marion and Spring Townships, **Centre County**, affecting 60.4 acres. Receiving stream(s): Nittany Creek classified for the following use(s): CWF, MF. Application received: September 28, 2021. Permit Issued: June 15, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Ashley Smith).

Permit No. 08224102. M & J Explosives LLC, 104 E Main St., Carlisle, PA 17015. Blasting for a well pad

located in Leroy Township, **Bradford County**, with an expiration date of June 20, 2023. Permit issued: June 21, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).

Permit No. 36224118. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, construction blasting for Wyndale Development in Clay Township, **Lancaster County**, with an expiration date of May 31, 2023. Permit issued: June 14, 2022.

Permit No. 36224119. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Lancaster Airport in Manheim Township, **Lancaster County**, with an expiration date of June 10, 2023. Permit issued: June 14, 2022.

Permit No. 45224103. Hayduk Enterprises, Inc., 257 Riverside Drive, Factoryville, PA 18419, construction blasting for Andrew Gerheart Dwelling in Pocono Township, **Monroe County**, with an expiration date of November 30, 2022. Permit issued: June 14, 2022.

Permit No. 36224120. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Bishop Woods in West Donegal Township, **Lancaster County**, with an expiration date of June 23, 2023. Permit issued: June 15, 2022.

Permit No. 46224103. Rock Work, Inc., 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Ironwood in Limerick Township, **Montgomery County**, with an expiration date of June 30, 2023. Permit issued: June 15, 2022.

Permit No. 67224106. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Project Matsuyama Sanitary Line in Jackson Township, **York County**, with an expiration date of June 8, 2023. Permit issued: June 15, 2022.

Permit No. 36224121. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for 456 Golden Street in Lititz Borough, **Lancaster County**. Application received: June 15, 2022. Permit issued: June 17, 2022. Permit Expires: June 15, 2023.

Permit No. 36224122. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for The Settlements in Manheim Township, **Lancaster County**. Application received: June 15, 2022. Permit issued: June 17, 2022. Permit Expires: June 14, 2023.

Permit No. 36224123. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Peregrine Development in West Hempfield Township, **Lancaster County**. Application received: June 15, 2022. Permit issued: June 17, 2022. Permit Expires: June 14, 2023.

Permit No. 06224108. M & J Explosives, LLC, 104 East Main Street, Carlisle, PA 17015, construction blasting for Sheds Unlimited in Caernarvon Township, **Berks County**. Application received: June 17, 2022. Permit issued: June 21, 2022. Permit Expires: June 20, 2023.

Permit No. 15224001. Demtech, LLC, 5733 Westwood Drive, Weldon Springs, MO 63304, demolition of a single smoke stack at Embreeville in Newlin Township, **Chester County**. Application received: June 16, 2022. Permit issued: June 21, 2022. Permit Expires: June 30, 2023.

Permit No. 23224001. Demtech, LLC, 5733 Westwood Drive, Weldon Springs, MO 63304, demolition of a single smoke stack at Marcus Hook in Lower Chichester Township, **Delaware County**. Application received: June 16, 2022. Permit issued: June 21, 2022. Permit Expires: June 30, 2023.

Permit No. 09224104. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for I-476 Turnpike Reconstruction Milford, West Rockhill and Salford Townships, **Bucks and Montgomery Counties**. Application received: June 17, 2022. Permit issued: June 22, 2022. Permit Expires: June 17, 2023.

Permit No. 46224104. Rock Work, Inc., 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Reserve at Franconia in Franconia Township, **Montgomery County**. Application received: June 16, 2022. Permit issued: June 22, 2022. Permit Expires: July 1, 2023.

Permit No. 46224105. Rock Work, Inc., 1257 DeKalb Pike, Blue Bell, PA 19422, construction blasting for Liberty Ridge in Horsham Township, **Montgomery County**. Application received: June 17, 2022. Permit issued: June 22, 2022. Permit Expires: July 1, 2023.

Permit No. 40224107. Explosive Services, Inc., 7 Pine Street, Bethany, PA 18431, construction blasting for Leeward Bluerock Lot 25C in Hazle Township, **Luzerne County**. Application received: June 17, 2022. Permit issued: June 23, 2022. Permit Expires: June 17, 2023.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov, (Contact: Tracy Norbert).

Permit No. 65224102. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141-2018. Blasting Activity Permit for the construction of the Trumbull Lady Bug commercial development located in Hempfield Township and New Stanton Borough, **Westmoreland County**, with an expiration date of December 31, 2023. Permit issued: June 13, 2022.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period.

Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone 484.250.5160. E-mail: ra-epww-sero@pa.gov.

Permit No. E15-892, PA Turnpike Commission (PTC), 700 South Eisenhower Boulevard, Middleton, PA 17057, Charlestown, Upper Uwchlan, Uwchlan, and West Pikeland Townships, Chester County, Army Corps of Engineers Philadelphia District.

To construct and maintain the following water obstruction and encroachment activities associated with the PA Turnpike (I-76) MP 312-316 Total Reconstruction and Widening Project:

1. To place fill within the floodway of an intermittent stream Waterway 7 (R7) that is an unnamed tributary to Pickering Creek (HQ-TSF, MF) associated with roadway reconstruction and widening resulting in 1,681 square feet of permanent floodway impact and 14,419 square feet of temporary floodway impact. The impacts are located at Sta. 110+00LT (Downingtown, PA Quadrangle; Latitude: 40° 04' 16.19", Longitude: -75° 40' 46.64").

2. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the perennial stream Waterway 4 (R4) that is an unnamed tributary to Pickering Creek (HQ-TSF, MF). The impacts are located both north and south of the PA Turnpike, at Sta. 170+00 (Downingtown, PA Quadrangle; Latitude: 40° 03' 58.68", Longitude: -75° 39' 34.29"). This activity will result in 48 linear feet (122 square feet) of temporary watercourse impact, 2,268 square feet of temporary floodway impact, and 8,861 square feet of permanent floodway impact.

3. To fill the intermittent stream Waterway 2 (R2) within the proposed construction limits that drains to an unnamed tributary to Pickering Creek (HQ-TSF, MF). The impacts are located on the south side of the PA Turnpike, adjacent to the eastbound lanes from approximately Sta. 169+50 RT to Sta. 170+00 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 58.1688", Longitude: -75° 39' 35.5212"). This activity will result in 131 linear feet (390 square feet) of permanent watercourse impact and 9,202 square feet of permanent floodway impact.

4. To fill the intermittent stream Waterway 3B (R3B) within the proposed construction limits that drains to an unnamed tributary to Pickering Creek (HQ-TSF, MF). The impacts are located on the south side of the PA Turnpike, adjacent to the eastbound lanes from approximately Sta. 170+00 RT to Sta. 170+50 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 57.69", Longitude: -75° 39' 34.29"). This activity will result in 104 linear feet (312 square feet) of permanent watercourse impact and 5,333 square feet of permanent floodway impact.

5. To fill the intermittent stream and for temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the intermittent stream Waterway 3A (R3A) that is an unnamed tributary to Pickering Creek (HQ-TSF, MF). The impacts are located on the south side of the PA Turnpike, adjacent to the eastbound lanes at approximately Sta. 170+50 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 57.69", Longitude: -75° 39' 34.29"). This activity will result in 40 linear feet (125 square feet) of permanent watercourse impact and 38 linear feet (135 square feet) of temporary watercourse impact.

6. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for construction of a stormwater basin discharge structure in the intermittent stream Waterway 12 (R12) that is an unnamed tributary to Pickering Creek (HQ-TSF, MF). The impacts are located on the north side of the PA Turnpike, offset by 50 feet from Sta. 177+00 (Downingtown, PA Quadrangle; Latitude: 40° 3' 58.1688", Longitude: -75° 39' 25.9338"). This activity will result in 25 linear feet (78 square feet) of temporary watercourse impact and 5,771 square feet of temporary floodway impact.

7. To place fill for the construction of the additional highway lanes in the emergent wetland WC-PEM that drains to an unnamed tributary to Pine Creek. The impacts are located on the south side of the PA Turnpike, adjacent to the eastbound lanes from Sta. 195+00 RT to 197+00 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 52.3974", Longitude: -75° 39' 1.8786"). This activity will result in 1,437 square feet (0.03 acre) of permanent emergent wetland (WC-PEM) impact and 952 square feet (0.02 acre) of temporary impact to emergent wetland (WC-PEM).

8. To place fill for the construction of the additional highway lanes and a stormwater basin in the emergent wetland WC1-PEM that drains to an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the south side of the PA Turnpike, adjacent to the eastbound lanes from Sta. 199+00 RT to 200+25 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 52.3974", Longitude: -75° 39' 1.8786"). This activity will result in of 2,265 square feet (0.05 acre) of permanent emergent wetland (WC1-PEM) impact.

9. To remove and replace one 158 feet long, 30-inch diameter stream enclosure that carries perennial stream Waterway 5 (R5), an unnamed tributary to Pine Creek (HQ-TSF, MF), under the PA Turnpike. The existing channel will be placed into a new pipe that will be 196 feet in length and include a rock apron and new headwall/wingwalls at the downstream side. On the upstream side, the stream channel will be graded to match the required inlet elevation. The permanent impacts are located on both sides of the PA Turnpike from approximately Sta. 200+00 to Sta. 201+00 (Downingtown, PA Quadrangle; Latitude: 40° 03' 53.66", Longitude: -75° 38' 35.88"). This activity will result in 71 linear feet (204

square feet) of permanent watercourse impact, 72 linear feet (227 square feet) of temporary watercourse impact, 12,061 square feet of permanent floodway impact and 8,378 square feet of temporary floodway impact.

10. To extend one 144 feet long, 66-inch diameter stream enclosure that carries Waterway 5 (R5), a perennial stream that is an unnamed tributary to Pine Creek (HQ-TSF, MF), beneath the PA Turnpike at Sta. 216+43 RT/LT. Impacts are on both the north side and south side of the PA Turnpike, adjacent to both the eastbound and westbound lanes. Permanent impact of 61 linear feet of perennial stream channel (north side of WB Turnpike); and 56 linear feet (south side of EB Turnpike) (Downingtown, PA Quadrangle; Latitude: 40° 03' 57.4596", Longitude: -75° 38' 22.5846"). The existing channel will be placed into two culvert extensions, one north of and one south of the PA Turnpike, for a permanent impact of 95 linear feet of new culvert. This activity will result in 95 linear feet (648 square feet) of permanent watercourse impact and 18,004 square feet of permanent floodway impact, which includes 86 linear feet of permanent loss of perennial stream channel (R5) with 138 linear feet (1,197 square feet) of temporary watercourse impact and 11,813 square feet of temporary floodway impact related to construction of the culvert extensions. A portion of the existing channel that will be filled will be relocated into a new channel 56 feet in length.

11. To fill and relocate the intermittent stream Waterway 15 (R15) within the proposed construction limits that drains to an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the north side of the PA Turnpike, adjacent to the westbound lanes from Sta. 215+25 LT to Sta. 216+50 LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 57.4596", Longitude: -75° 38' 22.5846"). This activity will result in 80 linear feet (260 square feet) of permanent watercourse impact and 1,995 square feet of permanent floodway impact. The existing channel will be filled and relocated into a new channel 80 feet in length.

12. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the perennial stream Waterway 8 (R8) that is an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on both sides of the PA Turnpike, at Sta. 232+00 (Downingtown, PA Quadrangle; Latitude: 40° 03' 55.35", Longitude: -75° 38' 15.7"). This activity will result in 10,184 square feet of permanent floodway impact, 71 linear feet (976 square feet) of temporary watercourse impact and 3,769 square feet of temporary floodway impact.

13. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the perennial stream Waterway 9 (R9) that is an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the north side of the PA Turnpike at Sta. 232+00 LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 56.14", Longitude: -75° 38' 14.65"). This activity will result in 127 linear (938 square feet) of temporary watercourse impact, 817 square feet of temporary floodway impact, and 4,380 square feet of permanent floodway impact.

14. Temporary dewatering for the construction of the additional highway lanes in the emergent/scrub-shrub/forested wetland WO-PEM/PSS/PFO that drains to an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the north side of the PA Turnpike,

adjacent to the westbound lanes from Sta. 230+50 LT to 232+00 LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 57.15", Longitude: -75° 38' 17.56"). This activity will result in 2,705 square feet (0.06 acre) of temporary wetland impact.

15. Temporary impacts related to the placement of a sandbag cofferdam within the forested wetland WH-PFO. Impacts on the south side of the PA Turnpike adjacent to the eastbound lanes at Sta. 242+50 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 51.5844", Longitude: -75° 38' 6.0102"). This activity will result in 349 square feet (less than 0.01 acre) of temporary wetland impact.

16. Permanent impacts related to placement of riprap within the perennial stream Waterway 10 (R10) that is known as Pine Creek (HQ-TSF, MF). The impacts are on the north and south sides of the PA Turnpike adjacent to both the eastbound and westbound lanes at Sta. 243+00 RT and LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 51.5844", Longitude: -75° 38' 6.0102"). The riprap is to support hydraulic changes following headwall reconstruction that is necessary for maintaining foundation support beneath the proposed Retaining Wall in this location. There are also temporary in-stream impacts from a sandbag cofferdam needed for dewatering the area during work on the headwall. This activity will result in 19 linear feet (377 square feet) of permanent watercourse impact and 25,682 square feet of permanent floodway impact with 83 linear feet (1,298 square feet) of temporary watercourse impact and 12,607 square feet of temporary floodway impact.

17. To place fill within the floodway of an intermittent stream Waterway 24 (R24) that is an unnamed tributary to Pine Creek (HQ-TSF, MF) associated with roadway reconstruction and widening resulting in 347 square feet of permanent floodway impact and 1,770 square feet of temporary floodway impact. The impacts are located at Sta. 243+00LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 52.88", Longitude: -75° 38' 01.87").

18. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the intermittent stream Waterway 26 (R26) that is an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the north side of the PA Turnpike, adjacent to the westbound lanes at Sta. 243+00 LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 52.48", Longitude: -75° 38' 1.13"). This activity will result in 23 linear feet (124 square feet) of temporary watercourse impact.

19. Temporary vegetation clearing, and earth disturbance for the construction of the additional highway lanes and temporary impacts related to the replacement of existing ROW fencing within the forested wetland WI-PFO. Impacts on the south side of the PA Turnpike adjacent to the eastbound lanes at Sta. 243+97 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 50.6412", Longitude: -75° 38' 2.998"). This activity will result in 686 square feet (0.02 acre) temporary wetland impact.

20. To place fill (grading) for construction of a stormwater management basin in the emergent wetland WZ-PEM that drains to Pine Creek (HQ-TSF, MF). The impacts are located on the north side of the PA Turnpike, offset from the westbound lanes and Davis Road, from Sta. 260+00 LT to 264+00 LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 45.48", Longitude: -75° 37' 40.17"). The permanent impacts to the wetland will be minimal relative to its overall size therefore, no functions

within the wetland will be lost. This activity will result in 701 square feet (0.02 acre) of permanent emergent wetland (WZ-PEM) impact, and 1,719 square feet (0.04 acre) of temporary impact to emergent wetland (WZ-PEM).

21. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the perennial stream Waterway 18 (R18) that is an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located both north and south of the PA Turnpike, at Sta. 266+00 (Downingtown, PA Quadrangle; Latitude: 40° 03' 41.8", Longitude: -75° 37' 38.64"). This activity will result in 61 linear feet (1,203 square feet) of temporary watercourse impact, 7,335 square feet of temporary floodway impact, and 6,142 square feet of permanent floodway impact.

22. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the intermittent stream Waterway 19 (R19) that is an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located north of the PA Turnpike, adjacent to the westbound lanes from Sta. 265+00 to Sta. 266+00 (Downingtown, PA Quadrangle; Latitude: 40° 03' 54.01", Longitude: -75° 36' 27.87"). This activity will result in 66 linear feet (203 square feet) of temporary watercourse impact, 667 square feet of temporary floodway impact, and 3,596 square feet of permanent floodway impact.

23. Temporary vegetation clearing, earth disturbance, and streambank/streambed disturbance for the construction of the additional highway lanes in the perennial stream Waterway 21 (R21) that is an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the both sides of the PA Turnpike, from Sta. 325+00 to Sta. 325+50 (Downingtown, PA Quadrangle; Latitude: 40° 03' 52.61", Longitude: -75° 36' 26.14"). This activity will result in 24 linear feet (405 square feet) of temporary watercourse impact, 4,653 square feet of temporary floodway impact, and 8,745 square feet of permanent floodway impact.

24. To place fill within the floodway of an intermittent stream Waterway 22 (R22) that is an unnamed tributary to Pine Creek (HQ-TSF, MF) associated with roadway reconstruction and widening resulting in 9,971 square feet of permanent floodway impact and 8,370 square feet of temporary floodway impact. The impacts are located at Sta. 325+00LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 52.52", Longitude: -75° 35' 57.62").

25. To place fill within the floodway of an intermittent stream Waterway 23 (R23) that is an unnamed tributary to Pine Creek (HQ-TSF, MF) associated with roadway reconstruction and widening resulting in 3,327 square feet of permanent floodway impact. The impacts are located at Sta. 325+00RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 53.11", Longitude: -75° 36' 01.18").

26. To extend one 154 feet long, 42-inch diameter stream enclosure that carries Waterway 25 (R25), a perennial stream that is an unnamed tributary to Pine Creek (HQ-TSF, MF), beneath the PA Turnpike at Sta. 346+23 RT/LT. Impacts are on both the north side and south side of the PA Turnpike, adjacent to both the eastbound and westbound lanes. Permanent impact of 36 linear feet of perennial stream channel (north side of WB Turnpike); and 20 linear feet of perennial stream channel (south side of EB Turnpike). Temporary impact of 12 linear feet of perennial stream channel (north side of WB Turnpike) and 33 linear feet of perennial stream

channel (south side of EB Turnpike) (Downingtown, PA Quadrangle; Latitude: 40° 03' 55.7634", Longitude: -75° 38' 17.8542"). The existing channel will be placed into two reinforced concrete culvert extensions, one north of and one south of the PA Turnpike; additional permanent impacts from placement of riprap on the downstream side (north side of WB Turnpike). This activity will result in a total 56 linear feet (379 square feet) of permanent watercourse impact which includes 30 linear feet of permanent loss of perennial stream channel, 11,010 square feet of permanent floodway impact, 45 linear feet (185 square feet) of temporary watercourse impact, and 1,424 square feet of temporary floodway impact.

27. To place fill for the construction of the additional highway lanes in the forested wetland WW-PFO that drains to an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the south side of the PA Turnpike, adjacent to the eastbound lanes from Sta. 345+25 RT to 350+25 RT (Downingtown, PA Quadrangle; Latitude: 40° 03' 51.534", Longitude: -75° 35' 58.1424"). This activity will result in 9,486 square feet (0.22 acre) of permanent forested wetland (WW-PFO) impact, and an additional 4,367 square feet (0.10 acre) of temporary impact to forested wetland (WW-PFO).

28. Temporary vegetation clearing, and earth disturbance for the construction of the additional highway lanes and for extension of a 42-inch diameter pipe in the forested wetland WU1-PFO that drains to an unnamed tributary to Pine Creek (HQ-TSF, MF). The impacts are located on the north side of the PA Turnpike, adjacent to the westbound lanes from Sta. 345+25 LT to 346+00 LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 55.8886", Longitude: -75° 36' 1.9548"). This activity will result in 214 square feet (less than 0.01 acre) of temporary forested wetland (WU1-PFO) impact.

29. To place fill in intermittent stream Waterway 27 (R27), an intermittent tributary to Pigeon Run (HQ-TSF, MF), for a new headwall and rock rip rap apron north of the PTC Maintenance Access Drive. Impacts are on the north side of the PTC Maintenance Access Drive at Sta. 380+00 LT (Downingtown, PA Quadrangle; Latitude: 40° 03' 55.2342", Longitude: -75° 35' 18.0384"). This activity will result in 31 linear feet (246 square feet) of permanent watercourse impact (north side of PTC Maintenance Access Drive), 462 square feet of permanent floodway impact with an additional 34 linear feet (375 square feet) of temporary watercourse impact, and 2,985 square feet of temporary floodway associated with the north side of PTC Maintenance Access.

To compensate for permanent watercourse and wetland impacts, PTC received a mitigation credit commitment letter dated March 8, 2022, from First Pennsylvania Resource, LLC (RES). PTC has acquired 0.532 wetland credits and 359 stream credits from the Quaker Mitigation Bank for the compensatory mitigation for the project. PTC is also replacing in kind of approx. 136 linear feet of stream along waterway R2 and R15.

The project will traverse Upper Uwchlan, Uwchlan, West Pikeland, and Charlestown Townships in Chester County. Work will commence at Milepost 311.60, located 0.43 mile west of the Downingtown Interchange with SR 100 (Downingtown, PA USGS Quadrangle; Latitude: 40.069835 N, Longitude: 75.674797 W) in Uwchlan Township, and terminates at Milepost 316.19, located 0.33 mile east of Bodine Road (Downingtown, PA USGS Quadrangle; Latitude: 40.064973 N, Longitude: 75.592675 W) in Charlestown Township. Permit issued June 24, 2022.

Permit No. E2301222-002, Chester Township, 1150 Engle Street, Chester, PA 19013, Chester Township, **Delaware County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a new walking path, upgraded concrete access stairway, rehabilitation of a tennis court, installation of new playground equipment, and construction and maintenance of a new skate park at one of the existing tennis courts within the 100-year floodplain of Chester Creek (TSF-MF). These activities will result in 0.73 acre of permanent floodplain impact.

This project is located in Worrirow Park, Brookhaven—Chester Township, Delaware County (USGS PA Marcus Hook Quadrangle, Latitude: 39.856103 N, Longitude: -75.395270 W). Permit issued June 23, 2022.

Permit No. E4601222-001, PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Upper Merion and Schuylkill Townships, **Montgomery and Chester Counties**, Army Corps of Engineers Philadelphia District.

To construct and maintain approximately 161 LF of 16-inch diameter pipe within a 20-inch diameter steel casing via jack and bore and approximately 25 LF of 16-inch steel pipe across the Valley Creek (EV-MF) associated with the replacement of a 12-inch diameter gas main for the residential community improvements. The existing 12-inch gas main will be abandoned in-place.

The site is located along Valley Forge Road (Valley Forge, PA, USGS Quadrangle, Latitude: 40.100026; Longitude: -75.462546) in Upper Merion Township, Montgomery County and Schuylkill Township, Chester County. Permit issued June 23, 2022.

Permit No. WL1501222-005/EA1501222-002, Caln Township, 253 Municipal Drive, Thorndale, PA 19312, Caln Township, **Chester County**, Army Corps of Engineers Philadelphia District.

Caln Township is proposing to remove an abandoned bridge and its abutments carrying East Fisherville Road over Beaver Creek (CWF-MF) and in its place, stabilize and restore both banks of Beaver Creek. This activity will result in 450 square feet of temporary watercourse impact due to temporary coffer dam for abutment removal, 2,225 square feet of permanent floodway impact with 3,210 square feet of permanent floodplain impact due to the removal of bridge approach roadway and fill. Areas with the limit of disturbance will be stabilized and restored.

This project is located at the intersection of East Fisherville and Bondsville Roads in Caln Township, Chester County (USGS PA Wagontown Quadrangle—Latitude 40.015233 N, Longitude 75.753509 W). Permit issued June 22, 2022.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

E4802122-004: PA Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Williams Township, **Northampton County**, Army Corps of Engineers, Philadelphia District.

The following impacts are associated with the SR 0611-05B project:

To maintain a 145-foot wide 42-inch diameter RCP stream enclosure, with a 1/2-inch thick cementitious liner in the final 95-feet of the structure. The structure

carries SR 0611 across a tributary to the Delaware River (TSF, MF) and carries the tributary to the Delaware River under the Delaware Canal (TSF, MF) and Delaware Canal Trail. Grouted R-6 riprap will be placed at the culvert inlet and upstream streambanks

- To repair an erosion hole in the watercourse and floodway of the Delaware Canal. Flowable fill and approximately 50' of clay liner along the streambank will be used to repair the area to match existing conditions.

The project is located along SR 0611 Sec 05B, Segment 0070 Offset 2561, approximately 150 feet south of the SR 0611/Brown Drive intersection (Easton, PA Quadrangle Latitude: 40° 38' 48.90" N, Longitude: -75° 12' 8.03" W).

E390222-001. Upper Saucon Township, 5500 Camp Meeting Road, Center Valley, PA 18034, in Upper Saucon Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the Kozy Korner Road Storm Sewer Project:

- To construct and maintain a stormwater outfall in the floodway of Saucon Creek (HQ-CWF, MF) consisting of two (2) 19-inch by 30-inch HERCP pipes with a concrete headwall and rip rap apron.

- To replace an existing 24" culvert pipe crossing of a UNT to Saucon Creek (HQ-CWF, MF) with an 18" RCP culvert and concrete headwall.

- To fill an area of EV wetlands equal to approximately 0.03 acre associated with the stormwater improvements.

The project is located along Kozy Korner Road (T-440) and Limeport Pike (SR 2029) (Allentown East, PA Quadrangle Latitude: 40° 31' 31", Longitude: -75° 27' 3") in Upper Saucon Township, Lehigh County.

Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1404222-001: Fisher Eli S, 615 Manor Road, Centre Hall, PA 13828. Fisher Brdg Construction, Gregg Township, **Centre County**, U.S. Army Corps of Engineers Baltimore District (Spring Mills, PA Quadrangle; 40.84273° N; 77.60053° W).

The applicant is authorized to construct and maintain a new full span private bridge across Sinking Creek (HQ-CWF) to provide landowner access. The project proposes .01 acre of permanent indirect watercourse impacts, and .06 acre of permanent direct floodway impacts.

E4904221-002. Patton Warehousing, LLC, 55 Patton Drive, Milton, PA 17847. South Warehouse Project at 60 Belford Boulevard in Milton Borough, **Northumberland County**, Army Corps of Engineers Baltimore District (Northumberland, PA Quadrangle, Latitude: 40° 58' 30.3" N; Longitude: 76° 50' 53.4" W).

The project consists of construction of a 150,000 square foot warehouse/distribution facility, paving and expansion of an existing parking area, utility connections, construction of stormwater management facilities, and creation of a wetland mitigation area. The development will permanently impact 0.653 acre of palustrine emergent wetland (non-EV) and 60 square feet of an unnamed tributary to Chillisquaque Creek (WWF, MF). Compensatory wetland mitigation will be completed onsite by constructing a new 0.653-acre mixed habitat wetland complex. The new wetland will be protected in perpetuity by a deed restriction. Coordination and clearance of impacts to the endan-

gered Eastern Spadefoot Toad was completed by the Pennsylvania Fish and Boat Commission. An NPDES permit application for the earth disturbance was reviewed and approved by the County Conservation District.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake.

E02052-1825, Village at Marketplace, LLC, 2000 Georgetown Drive, Suite 100, Sewickley, PA 15143, Moon Township, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to:

1. Place and maintain fill within 331 LF of an unnamed tributary (UNT) to Montour Run (TSF) (Stream R001), with a drainage area of less than 100 acres,

2. Place and maintain fill within 1,164 LF of a UNT to Montour Run (TSF) (Stream R003C), with a drainage area of less than 100 acres,

3. Place and maintain fill within 650 LF of a UNT to Montour Run (TSF) (Stream R003C-1), with a drainage area of less than 100 acres,

4. Place and maintain fill within another 926 LF section of a UNT to Montour Run (TSF) (Stream R001), with a drainage area of less than 100 acres,

5. Place and maintain fill within 31 LF of an ephemeral stream (Stream R003C-1) with a drainage area of less than 100 acres, and

6. Place and maintain fill within 121 LF of an ephemeral stream (Stream R003C-2) with a drainage area of less than 100 acres,

For the purpose of constructing a mixed residential subdivision. Mitigation will be provided with a combination of on-site and off-site (Pine Creek and UNT to Pine Creek) restoration, including floodplain reconnection, bank stabilization, in-stream structures, and riparian buffer plantings.

The project site is located on Marketplace Boulevard. (Oakdale, PA USGS topographic quadrangle; N: 40°, 27', 46"; W: -80°, 11', 13"; Sub-basin 20G; USACE Pittsburgh District), in Moon Township, Allegheny County.

E0205221-018, Town of McCandless, 9955 Grubbs Road, McCandless Township, 15090, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to:

1. Construct, operate, and maintain a new 6-foot-wide by 75-foot-long single span steel pedestrian bridge over Pine Creek (CWF).

2. Construct, operate, and maintain approach asphalt sidewalks impacting 0.02 acre to Pine Creek's associated floodway.

3. Construct, operate, and maintain asphalt sidewalks impacting 0.041 acre to Pine Creek's associated floodplain.

For the purpose of giving pedestrians a safe and dedicated route to cross Pine Creek for access to the town building, ballfields, and Devin Park.

The project site is located adjacent to the intersection of Aufman Lane and Grubbs Road, (Emsworth, PA USGS topographic quadrangle; N: -40°, 35', 29"; W: -80°, 01', 4.00"; Sub-basin 18A; USACE Pittsburgh District), in McCandless Township, Allegheny County.

E0205221-021, Borough of Fox Chapel, 401 Fox Chapel Road, Pittsburgh, PA 15238, Borough of Fox Chapel, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to:

Regrade and maintain 300 linear feet of streambank along Stony Camp Run (HQ-WWF) and 1,760 linear feet of streambank along Squaw Run (HQ-WWF) and to establish and maintain a riparian buffer through native plantings to an extent of 35 feet perpendicular to the streams' edge on both sides. The total amount of soil to be removed for the stream improvements is approximately 41 cubic yards for Stony Camp Run and 210 cubic yards for Squaw Run, for the purpose of decreasing pollutant and sediment loading to meet municipal MS4 requirements. Two temporary stream crossings will be installed to allow work on both sides of the stream.

The project will cumulatively and permanently impact 2,060 linear feet of streambanks; temporarily impact 319 linear feet of Stony Camp Run and 1,284 linear feet of Squaw Run streambanks; permanently impact 0.48 acre of the floodway of Stony Camp Run and 2.83 acres of the floodway of Squaw Run; temporarily impact 0.09 acre of the floodway of Stony Camp Run and 1.46 acres of the floodway of Squaw Run; permanently impact 0.15 acre of the floodplain of Squaw Run; and temporarily impact 0.15 acre of the floodplain of Squaw Run. No wetland or streambed impacts are proposed.

The project site is located along the west side of Hemlock Hollow Road, approximately 0.3 mile southeast of the intersection Hemlock Hollow Road and Riding Meadow Road (Glenshaw PA USGS topographic quadrangle; N: -40°, 31', 0.53"; W: -79°, 53', 39.124"; Sub-basin 18A; USACE Pittsburgh District), and near the confluence of Stony Camp Run and Squaw Run. The project extends from this location southeast along Squaw Run to an area of the stream just west of the intersection of Hemlock Hollow Road and Hunt Road (Glenshaw PA USGS topographic quadrangle; N: 40°, 30', 41.86"; W: -79°, 53', 34.08"; Sub-basin 18A; USACE Pittsburgh District), in the Borough of Fox Chapel, Allegheny County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E1006221-004, Jackson Township, 140 Magill Road, Zelenople, PA 16163. Reservoir Park Pedestrian Bridge, in Jackson Township, **Butler County**, Army Corps of Engineers Pittsburgh District (Zelenople and Evans City, PA Quadrangle N: 40.804952°; W: -80.133915°).

Constructing and maintain an approximately 8 feet wide by 40 feet long pedestrian bridge over Scholars Run (WWF), construct and maintain an elevated boardwalk over a delineated wetland to connect walking trails, and construction and maintenance of a spillway and other basin features of a non-jurisdictional dam near the confluence of Scholars Run and Connoquenessing Creek within Reservoir Park (Zelenople & Evans City, PA Quadrangle N: 40.804952°; W: -80.133915°) in Jackson Township, Butler County.

E4306222-002, Wagler, LLC, 4572 Greenville-Sandy Lake Road, Stoneboro, PA 16153. Rails to Cattails, in Sandy Lake Borough, **Mercer County**, Army Corps of Engineers Pittsburgh District (Sandy Lake, PA Quadrangle N: 41°, 20', 36"; W: 80°, 06', 27").

Maintain 0.43 acre of permanent wetland impact conducted without a permit associated with a residential

subdivision, utility lines and associated roadways located approximately 500 feet north of the intersection of Lake Street and East Cottage Road (Sandy Lake, PA Quadrangle N: 41.3432187°; W: -80.1074685°) in Sandy Lake Borough, Mercer County. The project includes creation of 0.96 acre of replacement wetland adjacent to an existing wetland complex along a former railroad bed approximately 0.4 mile east of Franklin Street (Sandy Lake, PA Quadrangle N: 41.344599°; W: -80.097249°) in Sandy Lake Borough, Mercer County.

E4206222-001, Highland Field Services, LLC, 51 Zents Blvd, Brookville, PA 15825. Hexion Expansion, in Sergeant Township, **McKean County**, Army Corps of Engineers Pittsburgh District (Hazel Hurst and Mount Jewett, PA Quadrangle N: 41.682881; W: -78.629507).

Permanently impact 0.88 acre of PEM wetlands for construction of a mineral storage area and associated stormwater management facilities approximately 0.4 mile east of the intersection of Allegany Drive and Temple Drive (Hazel Hurst and Mount Jewett, PA Quadrangle N: 41.682881; W: -78.629507) in Sergeant Township, McKean County. Project includes creation of a minimum of 0.88 acre of replacement wetlands on site.

Northwest Region: Oil & Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481.

E2408221-003, National Fuel Gas Midstream Clermont, LLC, 6363 Main Street, Williamsville, NY 14221. Beechwood Phase I, in St. Marys Township, Jones Township, **Elk County**, Army Corps of Engineers Pittsburgh District & Baltimore District, Rich Valley, Wildwood Fire Tower PA Quadrangle N: 41°, 31', 42.49"; W: 78°, 19', 24.97".

The proposed project is for the installation of steel natural gas pipelines and a waterline to connect proposed and existing natural gas well pads to an existing compressor station along Shawmut Grade Road. The total proposed alignment is approximately 14 miles long. Roughly half of the route is in Elk County and half is in Cameron County. The proposed project impacts in Elk County include a total of 100 linear feet of permanent impacts, and 612 linear feet of temporary impacts to Clear Creek (EV, MF), UNT's to Little Clear Creek (EV, MF), Little Clear Creek (EV, MF) and UNT's to Straight Creek (EV). Eight floodways will be impacted having 0.05 acre of permanent impacts and 1.08 acres of temporary impacts. 0.04 acre of permanent impacts and 0.89 acre of temporary impacts to Palustrine Emergent wetland(s) are also proposed.

E1208221-001, National Fuel Gas Midstream Clermont, LLC, 6363 Main Street, Williamsville, NY 14221. Beechwood Phase I, in Shippen Township, **Cameron County**, Army Corps of Engineers Pittsburgh District & Baltimore District, Rich Valley, Wildwood Fire Tower PA Quadrangle N: 41°, 31', 42.49"; W: 78°, 19', 24.97".

The proposed project is for the installation of steel natural gas pipelines and a waterline to connect proposed and existing natural gas well pads to an existing compressor station along Shawmut Grade Road. The total proposed alignment is approximately 14 miles long. Roughly half of the route is in Elk County and half is in Cameron County. The proposed project impacts in Cameron County include a total of 60 linear feet of permanent impacts, and 443 linear feet of temporary impacts to Clear Creek (EV, MF), UNT's Clear Creek (EV, MF), and UNT's to Bobby Run (EV, MF). Eight floodways will be impacted having 0.03 acre of permanent impacts and

0.90 acre of temporary impacts. 0.03 acre of permanent impacts and 0.01 acre of temporary impacts to Palustrine Emergent wetland(s) and 0.05 acre of permanent impacts to Palustrine Forested wetland(s) are also proposed. Mitigation for project impact will be located adjacent to the pipeline right of way with 0.21 acre of wetland being created.

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829222-010: Chief Oil and Gas, LLC, 1720 Sycamore Road, Montoursville, PA 17754, Leroy Township, **Bradford County**, Army Corps of Engineers Baltimore District.

To construct, operate and maintain:

1. a 12-inch diameter temporary waterline impacting 3 linear feet of an unnamed tributary to Schrader Creek (EV, MF) and 107 square feet of floodway impacts (Shunk, PA Quadrangle 41.62306°, -76.68681°);

2. a 12-inch diameter temporary waterline impacting 4 linear feet of an unnamed tributary to Schrader Creek (EV, MF) and 137 square feet of floodway impacts (Leroy, PA Quadrangle 41.62528°, -76.68472°);

3. a 12-inch diameter temporary waterline impacting 1 linear feet of an unnamed tributary to Little Schrader Creek (EV, MF) and 104 square feet of floodway impacts (Leroy, PA Quadrangle 41.62639°, -76.68361°);

4. a 12-inch diameter temporary waterline impacting 1 linear feet of an unnamed tributary to Little Schrader Creek (EV, MF) and 113 square feet of floodway impacts (Leroy, PA Quadrangle 41.62944°, -76.68139°);

The project will result in 9 linear feet of stream impacts, 461 square feet (0.01 acre) of floodway impacts, all for the purpose of installing a temporary waterline for Marcellus Shale gas development in Leroy Township, Bradford County.

E5929221-006: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Osceola Township, **Tioga County**, Army Corps of Engineers Baltimore District.

To construct, operate and maintain:

1. 54.15 acres of PFO, PSS and PEM wetland creation/enhancement and 3,300 linear feet of stream creation/enhancement will temporarily impact 23.61 acres of PEM, PSS and PFO wetlands and 2,593 linear feet of temporary stream impacts. (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°);

This project is the mitigation site for the Chesapeake Audit and Consent Decree United States, et al. v. Chesapeake Appalachia, LLC, Civil Action No. 4:21-00538-MWB, all for the purpose of establishing a mitigation site for permanent wetland and stream impacts that occurred during well pad construction for Marcellus well development.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

D26-135EA. Curtis Fontaine, Municipal Authority of Westmoreland County, 1067 Philadelphia Street, Indiana, PA 15701; Bullskin Township, **Fayette County**; U.S. Army Corps of Engineers Philadelphia District.

The Department of Environmental Protection, Division of Dam Safety has reviewed and approved the restoration plan to remove the Greenlick Lower Dam to eliminate a threat to public safety and to restore approximately 400 feet of stream channel to a free-flowing condition. The project is located across Greenlick Run (EV) (Connellsville, PA Quadrangle, Latitude: 40.1063, Longitude: -79.5060). Project was approved on June 21, 2022.

D26-136EA. Curtis Fontaine, Municipal Authority of Westmoreland County, 1067 Philadelphia Street, Indiana, PA 15701; Bullsken Township, **Fayette County**; U.S. Army Corps of Engineers Philadelphia District.

The Department of Environmental Protection, Division of Dam Safety has reviewed and approved the restoration plan to remove the Greenlick Upper Dam to eliminate a threat to public safety and to restore approximately 300 feet of stream channel to a free-flowing condition. The project is located across Greenlick Run (EV) (Connellsville, PA Quadrangle, Latitude: 40.1053, Longitude: -79.5010). Project was approved on June 21, 2022.

D35-059EA. Kurt Staller, Project Manager-PA American Water Co., 852 Wesley Drive, Mechanicsburg, PA 17055, South Abington Township, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District

The Department of Environmental Protection, Division of Dam Safety has reviewed and approved the restoration plan to remove the High Service Dam to eliminate a threat to public safety and to restore approximately 550 feet of stream channel to a free-flowing condition. The project is located across Leggett's Creek (TSF, MF) (Scranton, PA Quadrangle, Latitude: 41.4695; Longitude: -75.6733). Project was approved on June 27, 2022.

D40-023EA. Bilal Baqai, Pennsylvania Department of Conservation and Natural Resources, Facility Design and Construction, 2808 Three Mile Run Road, Perkasio, PA 18944, Plains Township, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

The Department of Environmental Protection, Division of Dam Safety has reviewed and approved the restoration plan to remove the Laurel Run No. 2 Dam to eliminate a threat to public safety and to restore approximately 1,200 feet of stream channel to a free-flowing condition. The defunct masonry/concrete water supply dam is

39 feet high and 275 feet long. The proposed restoration project includes complete dam and sediment removal. The project is located across Laurel Run (CWF, MF) (Wilkes-Barre East, PA Quadrangle, Latitude: 41.2481; Longitude: -75.8179). Project was approved on June 27, 2022.

EA02-009CO. Nick Saraniecki, SunCap Property Group, LLC, 6101 Carnegie Boulevard, Suite 180, Charlotte, NC 28209. South Fayette Township, **Allegheny County**, U.S. Army Corps of Engineers Pittsburgh District.

The Division of Wetlands, Encroachments, and Training has approved the restoration plan to breach the non-jurisdictional, off-stream Behling Dam. The existing pond is spring fed via diversion pipe and is not located on a stream. A permanent bypass pipe will be installed as part of the project to convey the water from the existing spring that currently feeds the pond to a tributary to Chartiers Creek. The project is located adjacent to Chartiers Creek (WWF) (Bridgeville, PA Quadrangle, Latitude: 40.3141, Longitude: -80.1222). The project was approved on June 21, 2022.

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

EA0829222-001: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567. Sarah Bra Pad in Athens and Smithfield Township, **Bradford County**, Army Corps of Engineers Baltimore District.

This project seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. As previously referenced, Environmental Assessment for Waived Activities, (EAR) Application EA0829222-001 Chesapeake Appalachia, LLC (Chesapeake) has applied for an Environmental Assessment waiver 16—restoration to construct, operate and maintain 0.081 acre of temporary impacts to on-site wetlands. All impacts are associated with the Sarah Bra Pad construction in 2011.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 3,528 SF (0.081 acre) of temporary wetland impacts.

WETLAND IMPACT TABLE:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
W-WRA-016-T	Athens Sayre	Temporary Workspace	PFO; EV	None	75	3,528			41.912196° 76.553484°
TOTAL IMPACTS					75	3,528			

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market

Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape

from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Northwest Region: Oil & Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481.

ESCGP-3 # ESG082421004-00-D10-D
Applicant Name Seneca Resources Co, LLC
Contact Person Douglas
Address 51 Zents Blvd.
City, State, Zip Brookville, PA 15825-2701
Municipality Jones Township
County Elk

Receiving Stream(s) and Classification(s) UNT to South Fork Straight Creek (HQ-CWF),
Secondary; East Branch Clarion River (HQ-CWF), Windfall Run (HQ-CWF, MF)
Secondary; Driftwood Branch Sinnemahoning Creek (HQ-CWF, MF), UNT to North Fork West Creek (HQ-CWF, MF),
Secondary; Driftwood Branch Sinnemahoning Creek (HQ-CWF, MF), Robinson Run (HQ-CWF, MF).
Secondary; Driftwood Branch Sinnemahoning Creek (HQ-CWF, MF).

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295722001-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
Municipality Elkland Township
County Sullivan

Receiving Stream(s) and Classification(s) Trib 20125 of Elk Creek (EV), Trib 20124 of Elk Creek (EV)

ESCGP-3 # ESG290822005-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
Municipality Litchfield Township
County Bradford
Receiving Stream(s) and Classification(s) Satterlee Creek (CWF, MF), UNT to Satterlee Creek (CWF, MF)
Secondary: Susquehanna River (WWF, MF), Satterlee Creek (CWF, MF)

ESCGP-3 # ESG295922006-00
Applicant Name Seneca Resources Co, LLC
Contact Person Doug Kepler
Address 51 Zents Boulevard
City, State, Zip Brookville, PA 15825-270
1 Municipality Delmar Township
County Tioga
Receiving Stream(s) and Classification(s) Marsh Creek (WWF, MF), Horse Thief Run (CWF, MF)

ESCGP-3 # ESG291221004-01
Applicant Name Seneca Resources Co, LLC
Contact Person Douglas Kepler
Address 2000 Westinghouse Drive, Suite 400
City, State, Zip Cranberry Township, PA 16066
Municipality Shippen Township
County Cameron

Receiving Stream(s) and Classification(s) Cooks Run (EV, MF), Big Run (EV, MF), Driftwood Branch Sinnemahoning Creek (EV, MF), Chadwick Draft (EV, MF), High Dry Hollow (EV, MF), Trib 25414 to Cooks Run (EV, MF), Trib 25436 to Big Run (EV, MF), Trib 25437 to Big Run (EV, MF), Trib 25438 to Big Run (EV, MF), Trib 25439 to Big Run (EV, MF), Trib 25434 to Driftwood Branch Sinnemahoning Creek (EV, MF), Trib 25246 to Driftwood Branch Sinnemahoning Creek (EV, MF)
Secondary: Driftwood Branch Sinnemahoning Creek (EV, MF), Sinnemahoning Creek (WWF, MF), Cooks Run (EV, MF), Big Run (EV, MF)

ESCGP-3 # ESG290822016-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
Municipality Smithfield Township
County Bradford

Receiving Stream(s) and Classification(s) UNT to Browns Creek (CWF, MF), UNT to Wallace Run (WWF, MF)

ESCGP-3 # ESG291422002-00
Applicant Name EQT ARO LLC
Contact Person Todd Klaner
Address 33 West Third St, Suite 300
City, State, Zip Williamsport, PA 17701
Municipality Boggs Township
County Centre
Receiving Stream(s) and Classification(s) UNT Council Run (HQ-CWF)

ESCGP-3 # ESG290822014-00
Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
Municipality Leroy Township
County Bradford
Receiving Stream(s) and Classification(s) UNT Towanda Creek (CWF, MF)

STORAGE TANKS

VAULTED AST SENSOR VARIANCE

The following variance from automatic dispensing shutoff requirements under the authority of the Storage Tank Spill Prevention Act (35 P.S. § 6021.301) and under 25 Pa. Code Chapter 245, Subchapter F, has been issued by the Bureau of Environmental Cleanup and Brownfields, P.O. Box 8762, Harrisburg, PA 17105-8762.

Variance No. A-21-0001
Applicant Name Hospital of the University of Pennsylvania
Municipality City of Philadelphia
County Philadelphia
Tank Type(s) Diesel Emergency Generators
Tank Capacity <21,000 gallons

The variance request asks that three aboveground storage tanks (ASTs) at the facility (Tanks 006A, 007A, and 008A) be excluded from a requirement for ASTs within underground vaults located in 25 Pa. Code

§ 245.523(7). Specifically, the variance requests that the facility be allowed to utilize continuous monitoring of each vault's liquid and vapor leak detection systems using a building automation panel, in lieu of a leak detection system that automatically shuts down the dispensing system in the event liquid or vapors are detected in a vault. Documentation provided to the Department of Environmental Protection (DEP) described a potential for the pumping units supplying fuel to the emergency generators to be disabled during a power outage, which would present an unsafe condition and a threat to human health. A variance was granted upon conditions that the facility continuously monitor the liquid and vapor leak detection systems in the vaults and immediately respond to any alarms triggered by the leak detection systems.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Amoco STA, 09-02720, 2375 Street Road, Bensalem, PA 19020, Bensalem Township, **Bucks County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of BP Products North America, Inc.

201 Helios Way, Floor 6, Houston, TX 77079, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health standards.

7 Eleven 40235, 46-30696, 1 E. City Avenue, Bala Cynwyd, PA 19004, Lower Merion Township, **Montgomery County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health and site-specific standards.

PMG 2508, 09-14447, 403 N. Main Street, Telford, PA 18969, Telford Borough, **Bucks County**. WSP USA, 500 Summit Lake Drive, Suite 450, Valhalla, New York 10595, on behalf of Cumberland Farms, Inc., 165 Flanders Road, Westborough, MA 01581, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Onvo Express White Haven, Storage Tank ID # **13-25464**, 4700 State Route 534, White Haven, PA 18661, Kidder Township, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Truck Stop 39, Inc., 2227 Scranton-Carbondale Highway, Scranton, PA 18508, submitted a combined Site Characterization Report and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide Health Standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Contact: Kim Bontrager, Clerical Assistant 3.

CORRECTION—previously published on June 25, 2022.

Country Fair 98, Storage Tank Facility ID # **25-90121**, 7650 Old Perry Highway, Erie, PA 16509, Summit Township, **Erie County**. Atlas Technical Consultants, 270 William Pitt Way, Pittsburgh, PA 15238, on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16510, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of surface water contaminated with diesel fuel. The report is intended to document remediation of the site to meet the Statewide Health Standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Lukoil 69701, 15-42589, 845 Paoli Pike, West Chester, PA 19380, West Goshen Township, **Chester County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A-2&3, Ambler, PA 19002 on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet residential Statewide health standards. The report demonstrated attainment of nonresidential Statewide health standard and site-specific standard and was approved by the DEP on June 10, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Fogelsville Shell, Storage Tank ID # **39-07046**, 241 North Route 100, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. Reliance Environmental, 235 N. Duke Street, Lancaster, PA 17602, on behalf of Eastern Star, Inc., 241 North Route 100, Allentown, PA 18106, has submitted a revised, combined Site Characterization Report and Remedial Action Plan

concerning remediation of soil and groundwater contaminated with petroleum. The report was acceptable to meet site-specific standards and was approved by DEP on June 27, 2022.

SPECIAL NOTICES

ACTIVE AND ABANDONED MINE OPERATIONS

California District Mining Office, 25 Technology Drive, Coal Center, PA 15423.

Notice of Public Meeting.

Notice is hereby given the Pennsylvania Department of Environmental Protection (Department) District Mining Operations, has received a major modification application from **Rosebud Mining Company for Brush Valley Mine, Permit No. 32041301**, to expand the existing Coal Mining Activities Permit (CMAP) underground mining acreage and the subsidence control plan area by 2,664.3 acres to the Lower Kittanning seam and to add the Upper Kittanning seam. The proposed mine expansion is located in Center Township in **Indiana County**.

The Department will hold an Informal Public Conference at the Brush Valley Volunteer Fire Department, 5540 Route 259 Highway South, Homer City, PA 15748 on Wednesday, July 20, 2022, from 1 p.m. until 3 p.m.

A Department representative will be available to receive both written and oral testimony regarding the application. Testimony will be placed into public record for the application and considered by the Department staff in the application review process. Department staff will be available to answer general questions on the permit application.

The California District Mining Office will accept additional written comments from participants of the informal public conference two weeks after the date of the proceeding until August 3, 2022.

If you are a person with a disability wishing to attend this IPC and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Bonnie Herbert at bherbert@pa.gov to discuss how we may accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling 1.800.654.5984 (TDD Users) or 1.800.654.5988 (Voice users) and request that your call be relayed to Bonnie Herbert at 724.769.1100.

Copies of the application are on file for public review at the Department of Environmental Protection, District Mining Operations, California District Office, 25 Technology Drive, California Technology Park, Coal Center, PA 15423 and Indiana County Recorder of Deeds Office, Indiana Court House, 825 Philadelphia Street, Indiana, PA 15701-3979.

Notice of Public Meeting.

Notice is hereby given the Pennsylvania Department of Environmental Protection (Department), District Mining Operations, has received a major modification from **Rosebud Mining Company for the Barrett Mine, Permit No. 32051301**, to expand the existing Coal Mining Activity Permit (CMAP) underground mining acreage and the subsidence control plan area by 1,158.2 acres to the Lower Kittanning seam. The proposed revision is located in Buffington Township, **Indiana County**.

The Department will hold an Informal Public Conference at the Brush Valley Volunteer Fire Department,

5540 Route 259 Highway South, Homer City, PA 15748 on Wednesday, July 20, 2022, from 1 p.m. until 3 p.m.

A Department representative will be available to receive both written and oral testimony regarding the application. Testimony will be placed into public record for the application and considered by the Department staff in the application review process. Department staff will be available to answer general questions on the permit application.

The California District Mining Office will accept additional written comments from participants of the informal public conference two weeks after the date of the proceeding until August 3, 2022.

If you are a person with a disability wishing to attend this IPC and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Bonnie Herbert at bherbert@pa.gov to discuss how we may accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling 1.800.654.5984 (TDD Users) or 1.800.654.5988 (Voice users) and request that your call be relayed to Bonnie Herbert at 724.769.1100.

Copies of the application are on file for public review at the Department of Environmental Protection, District Mining Operations, California District Office, 25 Technology Drive, California Technology Park, Coal Center, PA 15423 and Indiana County Recorder of Deeds Office, Indiana Court House, 825 Philadelphia Street, Indiana, PA 15701-3979.

[Pa.B. Doc. No. 22-1013. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 26(0149)103.1, Abandoned Mine Reclamation Project, Glowacki Subsidence—Drilling and Grouting, Upper Tyrone Township, Fayette County. The principal items of work and approximate quantities include: mobilization and demobilization, 1 lump sum; 6" air rotary drilling, 1,160 linear feet; confirmation drilling: overburden drilling, 75 linear feet; P-series wire line drilling and core sampling, 145 linear feet; furnishing and installing overburden casing, 480 linear feet; supply, delivery, mixing and injection of grout: cement, 332 tons; fly ash (type F), 530 tons; mineral CSA, 0 ton; sand (type A), 75 tons; gravel (AASHTO No. 8), 0 ton; sodium bentonite powder, 50 pound bag, 400 each; diutan gum powder, 50 pound bag, 7 each; super plasticizer, 55-gallon drum, 12 each; preparation, disassembly and relocation of injection system, 55 each; monitoring well installation: 2" diameter monitoring well, installed 100 linear feet; monitoring well manhole and surface restoration, 4 each; sealing boreholes, 1 each; and site restoration job.

This bid issues on July 1, 2022, and bids will be opened on July 28, 2022, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by

the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. § 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1014. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Oil and Gas Technical Advisory Board Meeting Rescheduled

The Oil and Gas Technical Advisory Board (Board) will meet on Monday, July 25, 2022, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. This meeting was previously scheduled for July 18, 2022, at the same meeting location in Harrisburg. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Todd Wallace at twallace@pa.gov or (717) 783-6395.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Oil and Gas," then "Oil and Gas Technical Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the July 25, 2022, meeting can be directed to Todd Wallace at twallace@pa.gov or (717) 783-6395.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-6395, or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1015. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Technical Advisory Committee on Diesel-Powered Equipment Meeting Cancellation

The July 13, 2022, meeting of the Technical Advisory Committee (Committee) on Diesel-Powered Equipment is cancelled. The next meeting is scheduled for Wednesday, October 12, 2022, at 10 a.m. in the Westmoreland Room,

131 Broadview Road, New Stanton, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining" then "Technical Advisory Committee on Diesel-Powered Equipment," then "2022").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the October 12,

2022, meeting can be directed to Peggy Scheloske at mscheloske@pa.gov or (724) 404-3143.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Peggy Scheloske at (724) 404-3143 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1016. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Asplundh Surgical Center	28 Pa. Code § 569.35(7) (relating to general safety precautions)
Crozer-Keystone Surgery Center at Brinton Lake	28 Pa. Code § 567.53(1) and (2) (relating to sterilization control)
Wellspring Chambersburg Endoscopy Center, LLC	28 Pa. Code § 555.31(a) (relating to principle)
Western PA Surgery Center—Beaver County Branch	28 Pa. Code § 551.21(d)(1) (relating to criteria for ambulatory surgery)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1017. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from June 1, 2022, through June 30, 2022. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities

shall be addressed to Garrison E. Gladfelder, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
BMMSA Heart and Vascular Center of the Main Line	§ 569.35(7) (relating to general safety precautions)	06/14/2022	Granted w/Conditions
The Eye Surgery Center	§ 571.1 (relating to minimum standards) 2.7-7.2.3 surfaces	06/16/2022	Granted w/Conditions
Physician's Care Surgery Center	§ 551.21(d)(1) (relating to criteria for ambulatory surgery)	06/14/2022	Granted Probationary w/Conditions
Surgery Center of Allentown, LLC	§ 551.21(d)(1)	06/21/2022	Granted Probationary w/Conditions
Wyomissing Surgical Services, Inc.	§ 571.1 A2.1-3.2.3.2 space requirements	06/23/2022	Granted w/Conditions
	§ 571.1 A2.1-3.2.3.2(2)(c) space requirements	06/23/2022	Granted w/Conditions

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Bradford Regional Medical Center	§ 103.31 (relating to the chief executive officer)	06/16/2022	Granted w/Conditions
Conemaugh Miners Medical Center	§ 153.1(a) (relating to minimum standards) 2.1-3.2.2.1(1) space requirements	06/14/2022	Granted
Helen M. Simpson Rehabilitation Hospital	§ 101.31(5) (relating to hospital requirements)	06/14/2022	Granted w/Conditions
Hospital of the Fox Chase Cancer Center	§ 107.2 (relating to medical staff membership)	06/14/2022	Granted w/Conditions
Jefferson Hospital	§ 51.23 (relating to positron emission tomography)	06/14/2022	Granted w/Conditions
Lehigh Valley Hospital—Dickson City	§ 107.2	06/14/2022	Granted w/Conditions
Mercy Fitzgerald Hospital	§ 138.15 (relating to high-risk cardiac catheterizations)	06/14/2022	Granted Probationary w/Conditions
	§ 138.18(a) and (b) (relating to EPS studies)	06/14/2022	Granted w/Conditions
Nazareth Hospital	§ 103.31	06/16/2022	Granted w/Conditions
Penn Highlands Dubois	§ 153.1(a) 2.1-3.8.7.1 location	06/14/2022	Granted
	§ 153.1(a) 2.1-6.2.4.1 public toilet room	06/14/2022	Granted
	§ 153.1(a) 2.5-2.2.8.18 space for group therapy	06/14/2022	Granted
Saint Mary Medical Center	§ 103.31	06/16/2022	Granted w/Conditions
UPMC Carlisle	§ 153.1(a) general conditions—windows-natural light	06/14/2022	Granted
Wellspan York Hospital	§ 153.1(a) 2.2-3.4.2.2(2)(a) space requirements	06/14/2022	Granted

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Forestview	§ 201.3 (relating to definitions)	06/04/2022	Granted
Meadowood	§ 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB))	05/14/2022	Granted
Mulberry Healthcare and Rehabilitation Center	§ 211.9(g) (relating to pharmacy services)	05/14/2022	Granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Provident Transitional Care at Mercy Fitzgerald	§ 201.17 (relating to location)	05/28/2022	Granted
	§ 205.1 (relating to location or site)	05/28/2022	Granted
	§ 205.6(a) (relating to function of building)	05/28/2022	Granted
	§ 205.19 (relating to windows and windowsills)	05/28/2022	Granted
	§ 205.26 (relating to laundry)	05/28/2022	Granted
	§ 205.38 (relating to toilet facilities)	05/28/2022	Granted
Silvercare Subacute Care Facility	§ 201.17	06/29/2022	Granted
	§ 205.26	06/29/2022	Granted
Stoneridge Poplar Run	§ 201.22(d)	05/14/2022	Granted
Stoneridge Towne Center	§ 201.22(j)	06/04/2022	Granted
Willowbrooke Court Skilled Care at Brittany Estates	§ 201.22(d) and (e)	05/21/2022	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1018. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Correction

This notice corrects a notice previously published at 52 Pa.B. 2921 (May 14, 2022) for the hospital Penn Highlands Huntingdon.

The FGI Guidelines Sections and relating to entry was originally published for 153.1(a) minimum standards 2.1-4.2.2.1(1) dispensing facilities as taken from the 2018 Hospital *Guidelines*.

The correct Sections and relating to entry should read: 153.1(a) minimum standards 2.1-4.1.2.2(1)(b) laboratory workstation(s) as taken from the 2018 Outpatient *Guidelines*.

The previously listed request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163,

ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1019. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
The Chambersburg Hospital	28 Pa. Code § 113.5(a) (relating to pharmacy and therapeutics committee)
	28 Pa. Code § 133.21 (relating to facilities)

<i>Facility Name</i>	<i>Regulation and relating to</i>
	28 Pa. Code § 133.31(a) (relating to policies and procedures)
Crozer-Chester Medical Center	28 Pa. Code § 103.31 (relating to the chief executive officer)
Delaware County Memorial Hospital	28 Pa. Code § 103.31
Geisinger Jersey Shore Hospital	28 Pa. Code § 107.5(b)(1)—(5) (relating to membership appointment and reappointment)
	28 Pa. Code § 107.26(a) and (b)(1)—(8) (relating to additional committees)
Geisinger Medical Center Muncy	28 Pa. Code § 107.5(b)(1)—(5)
	28 Pa. Code § 107.26(a) and (b)(1)—(8)
Geisinger Wyoming Valley Medical Center	28 Pa. Code § 107.5(b)(1)—(5)
	28 Pa. Code § 107.26(a) and (b)(1)—(8)
Geisinger—Lewistown Hospital	28 Pa. Code § 107.5(b)(1)—(5)
	28 Pa. Code § 107.26(a) and (b)(1)—(8)
Penn Highlands Elk	28 Pa. Code § 103.33(b)(1)—(11) (relating to responsibilities)
Penn State Health Lancaster Medical Center	28 Pa. Code § 107.2 (relating to medical staff membership)
	28 Pa. Code § 107.61 (relating to written orders)
	28 Pa. Code § 107.62(a) and (b) (relating to oral orders)
	28 Pa. Code § 123.25(2) (relating to regulations for control of anesthetic explosion hazards)
	28 Pa. Code § 127.32 (relating to written orders)
	28 Pa. Code § 138.15 (relating to high-risk cardiac catheterizations)
Waynesboro Hospital	28 Pa. Code § 113.5(a)
Wellspan Ephrata Community Hospital	28 Pa. Code § 113.5(a)
Wellspan Gettysburg Hospital	28 Pa. Code § 113.5(a)
Wellspan Good Samaritan Hospital	28 Pa. Code § 113.5(a)
Wellspan York Hospital	28 Pa. Code § 113.5(a)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
The Bryn Mawr Hospital	2.6-3.1.2.1(1) area	18-O
	2.6-3.1.2.2(1)(b) clearances	18-O
	2.6-3.8.2.1 nurse station	18-O
	2.6-3.8.9.1 nourishment area	18-O
	2.6-3.8.9.2 nourishment area	18-O
	2.6-3.8.11 clean workroom or clean supply room	18-O
	2.6-3.8.12 soiled workroom or soiled holding room	18-O
	2.6-5.3 environmental services room	18-O
Excelsa Health Westmoreland Hospital	2.1-2.8.6.1 hand scrub facilities	18
	2.2-3.4.1.3(1)(d) radiation protection	18
Paoli Hospital	2.2-3.1.3.6(6)(a)—(c) treatment room or area	18
Penn Highlands Connellsville	2.1-3.8.8.2(1)(a)(i)—(v) work areas for preparing, dispensing and administering medications	18-O
	2.1-6.2.4.1 public toilet room	18-O
Penn Highlands Dubois	2.1-4.2.3.2(2) IV preparation area	18
UPMC Children's Hospital of Pittsburgh	2.1-7.2.2.1(1) corridor width	18-O

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
	2.14-3.2.2.1 area	18-O
	2.14-3.2.2.2(1) and (2) clearances	18-O
UPMC McKeesport	2.2-3.4.2.2(2)(a) space requirements	18
The Washington Hospital	2.2-2.12.1.3 safety and security	18
Wellspan Gettysburg Hospital	2.2-3.4.2.2(2)(a) space requirements	18

¹2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1020. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Brookmont Healthcare Center, LLC
510 Brookmont Drive
Effort, PA 18330
FAC ID # 023002

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or

hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1021. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final public notice to allocate funds for Fiscal Year (FY) 2021-2022 to disproportionate share hospital (DSH) payments to qualifying acute care general hospitals that serve the indigent population of cities in this Commonwealth with an average per capita income significantly below the Statewide average. These payments are intended to provide additional financial support to hospitals that serve an inordinate amount of low-income individuals and Medical Assistance (MA) beneficiaries in impoverished areas of this Commonwealth.

The Department published notice of its intent to allocate funding for these payments at 52 Pa.B. 1073 (February 12, 2022). The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent.

Fiscal Impact

For FY 2021-2022, the Department will allocate \$14.732 million in total (State and Federal) funds for these DSH payments.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1522. (1) General Fund; (2) Implementing Year 2021-22 is \$6,058,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1022. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final public notice to establish a new class of supplemental payments beginning Fiscal Year (FY) 2021-2022 to qualifying acute care general hospitals located in a county with an estimated general population count of less than 1 million that serve a high percent of Medical Assistance (MA) patients. These payments will enable the continuation of quality medical services in these areas.

The Department published notice of its intent to allocate funding for these payments at 52 Pa.B. 1192 (February 19, 2022). The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent.

Fiscal Impact

For FY 2021-2022, the Department will allocate \$4.828 million in total (State and Federal) funds for these supplemental payments.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1521. (1) General Fund;

(7) MA—Fee-for-Service; (2) Implementing Year 2021-22 is \$682,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2021-22 is \$1,303,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$9,618,000; 2019-20 Program—\$7,502,000; 2018-19 Program—\$10,071,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1023. Filed for public inspection July 8, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Public-Private Partnerships Board Meeting

The Public-Private Partnerships Board will hold a meeting on Thursday, July 21, 2022, from 9 a.m. to 11 a.m. in the Forest Room, Plaza Level, Keystone Building, Harrisburg, PA. For more information, contact Maddie Vergos, (717) 787-3154, mvergos@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1024. Filed for public inspection July 8, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policies. The hearings will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearings will be held as follows. Failure by the appellants to appear at the scheduled hearings may result in dismissal with prejudice.

The hearings will be held in Room 2026, Piatt Building, 301 5th Avenue, Pittsburgh, PA 15222.

Appeal of Erin R. Yucha; Progressive Advanced Insurance Company; File No. 22-115-268000; Doc. No. P22-05-004; August 23, 2022, 9:30 a.m.

Appeal of Charley J. and Autumn Krisfalusi; Erie Insurance Exchange; File No. 22-118-269564; Doc. No. P22-05-021; August 23, 2022, 1 p.m.

Following the hearings and receipt of the stenographic transcript, the Acting Insurance Commissioner (Acting Commissioner) will issue a written order resolving the factual issues presented at the hearings and stating what remedial action, if any, is required. The Acting Commissioner's Order will be sent to those persons participating in the hearings or their designated representatives. The Order of the Acting Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearings and require an auxiliary aid, service or other accommodation to participate in the hearings should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1025. Filed for public inspection July 8, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

United Security Assurance Company of Pennsylvania; Rate Increase Filing for Several Individual LTC Forms (SERFF # USPA-133305032); Rate Filing

United Security Assurance Company of Pennsylvania is requesting approval to increase the premium 26.87% on 371 policyholders of United Security Assurance Company of Pennsylvania individual LTC forms F-701, F-733, F-734, F-771, F-775 and F-778.

Unless formal administrative action is taken prior to September 23, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1026. Filed for public inspection July 8, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 25, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 25, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2022-3032357. Rehoboth Paratransit, LLC (508 West Arch Street, Pottsville, PA 17901) for the right to

begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the County of Schuylkill, to points in Pennsylvania, and return. *Attorney:* Cory A. Leshner, Law Offices of Cory A. Leshner, LLC, 415 Market Street, Suite 204, Harrisburg, PA 17101.

A-2022-3032495. Three Wayz Transportation, LLC (135 Beach 19th Street, Far Rockaway, NY 11691) for the right to begin to transport, as a common carrier, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in the County of Luzerne, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2022-3032673. Doe Un Dot, LLC (26 Valleybrook Drive, Lancaster, PA 17601) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

A-2022-3032721. We Care Trans, LLC (910 Longacre Boulevard, Yeadon, Delaware County, PA 19050) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Delaware County and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2022-3033009. Special Delivery Mobility, LLC (249 Bridge Street, Phoenixville, Chester County, PA 19460) to transport persons, as a common carrier, by motor vehicle, in nonambulance, nonemergency and non-medical paratransit service in a stretcher van, from points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2022-3033055. Zip to Zip Moving, Inc. (41 Ellsworth Drive, Princeton Junction, NJ 08550) household goods in use between points in Pennsylvania.

Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2022-3033056. Durst Trucking Co. (3223 Poplar Street, Erie, Erie County, PA 16508) partial discontinuance of the rights, authorized at A-00106895, F.1. Carrier is discontinuing the right to transport as a common carrier, by motor vehicle, household goods in use between points in the City of Erie, Erie County, and within 25 miles by the usually travelled highways of the limits of said city. After the partial discontinuance of household goods rights, carrier's rights will read as such: To transport, as a common carrier, by motor vehicle, property; excluding household goods in use, between points in Pennsylvania.

A-2022-3033068. Gish Logging, Inc. (4980 Path Valley Road, Fort Loudon, Franklin County, PA 17224) partial discontinuance of the rights, authorized at A-00108692. Carrier is discontinuing rights No. 9 of the original ordering paragraph which states: to transport as a common carrier, by motor vehicle, household goods, in

use, from farms within 12 miles, by the usually traveled highways, of the intersection of Pennsylvania State Legislative Routes 3009 and 3022, located in the Village of Lemasters, Peters Township, Franklin County, to points in Franklin County, and vice versa; and right No. 10 of the original ordering paragraph which states: to transport as a common carrier, by motor vehicle, household goods, in use, between points within 8 miles, by the usually traveled highways, of the intersection of Pennsylvania State Legislative Routes 3009 and 3022, located in the Village of Lemasters, Peters Township, Franklin County, and from points in said area to points in Pennsylvania, and vice versa. After the partial discontinuance of household goods rights, carrier's rights will read as such: to transport, as a common carrier, by motor vehicle, property; excluding household goods in use, between points in Pennsylvania.

A-2022-3033076. LV Company, Inc. (Route 329, P.O. Box 7, Northampton, Northampton County, PA 18067) discontinuance of service and cancellation of its certificate, to transport as a common carrier, by motor vehicle, household goods in use.

A-2022-3033099. Joseph Rabelo-Rivera, t/a Movenon Moving Company (202 Carley Lane, Malvern, Chester County, PA 19355) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-8923526, household goods in use, between points in Pennsylvania.

A-2022-3033220. Violet Phillips (108 Lilly Road, Honeybrook, Chester County, PA 19344) discontinuance of service and cancellation of its certificate, to transport as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Chester and Lancaster Counties to points in Pennsylvania, and return.

A-2012-2294437. David F. Weaver (23 North Farmersville Road, Ephrata, Lancaster County, PA 17522) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-6414437, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Lancaster, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1027. Filed for public inspection July 8, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer of Sale

A-2022-3033167. PPL Electric Utilities Corporation. Application of PPL Electric Utilities Corporation for approval of the transfer by sale of facilities located at 5137 Lower Mud Run Road, Easton, Northampton County to H & K Group, Inc./Easton Quarry.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 25, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility

Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: PPL Electric Utilities Corporation, Two North Ninth Street, Allentown, PA 18101

Through and By Counsel for: Kimberly A. Klock, Michael J. Shafer, PPL Services Corporation, Office of General Counsel, Two North Ninth Street, Allentown, PA 18101, (610) 774-5696, (610) 774-2599, fax (610) 774-4102, kklock@DDLweb.com, mishafer@DDLweb.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1028. Filed for public inspection July 8, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Petition for Changes to Taxicab Tariff; Doc. No. 22-001

Order

By the Authority:

The Authority is the sole regulator of all taxicab, limousine and transportation network company services in Philadelphia.¹ The Authority is empowered to conduct rate investigations and determine the rates that shall be charged by all taxicabs authorized to provide call or demand service in Philadelphia.²

Additionally, Authority regulations require that a request for flexible pricing model must include a proposed framework for consumer protections that involve upfront disclosure of the fare in a way that is not contingent upon consumer request and the flexible pricing model will be computed to not violate the Price Gouging Act (73 P.S. §§ 232.1—232.5). See 52 Pa. Code § 1030.2 (relating to taxicab rates and tariffs).

On March 30, 2021, the Authority authorized the Taxicab and Limousine Division ("TLD") to reopen a rate investigation to gather information and comment concerning the petition that was filed with the TLD seeking "to allow for up-front pricing or to allow approved PPA smartphone app-based providers and Philadelphia medalion taxicabs to calculate their own fare outside of the taxicab meter but must provide passengers with binding

¹ See the act of July 16, 2004, (P.L. 758, No. 94), 53 Pa.C.S. §§ 5701 et seq., as amended, (the "act")

² See 53 Pa.C.S. §§ 5703 and 5720 (relating to rates, wages).

up-front fare quote to offer passengers with the same price certainty as transportation network companies (TNCs).³ Specifically, the petition sought to allow an upfront pricing model to be offered to all customers using the Curb smartphone application⁴ to be accepted by any available medallion taxicab operating through the approved meter system.⁵

The TLD sought written comments from the industry members and the general public. However, no comments were submitted. The TLD began its investigation of the upfront pricing model that was being tested with only a limited number of Curb app users. Based upon the TLD's recommendation from its investigative findings, on December 14, 2021, the Authority authorized the implementation of a pilot program to allow for the upfront pricing model to be available for testing to all Curb users to be accepted by any available medallion taxicab operating through the approved meter system. The TLD was directed by the Authority to continue to investigate and gather information concerning the pilot program and report its findings to the Authority within six months.⁶

Based upon review of all information received and recommendation of TLD staff, *Now, Therefore, Be It Resolved and Ordered* by the Board of the Authority as follows:

Section 1. Upfront Pricing.

(a) Effective July 1, 2022, the taxicab tariff is to be amended to allow for an upfront flex fare pricing model, outside of the current taxicab tariff and meter system, for medallion taxicab trips in Philadelphia that are initiated through the Authority approved taxicab Curb smartphone application, and such fares are calculated based upon an algorithm of both live and historical trip data, including metered fares, traffic and wait times;

(b) All other rates as outlined in the current taxicab tariff shall remain unchanged.

Section 2. Action by Taxicab and Limousine Division.

(a) The TLD staff shall broadcast this Order to all members of the taxicab industry by email as well as posting it on the Authority's website and within TLD Headquarters along with depositing this Order with the *Pennsylvania Bulletin* for publishing.

BETH C. GROSSMAN, Esq.,
Chairperson

ALFRED W. TAUBENBERGER,
Vice Chairperson

ORDER ADOPTED: JUNE 28, 2022

ORDER ENTERED: JUNE 28, 2022

[Pa.B. Doc. No. 22-1029. Filed for public inspection July 8, 2022, 9:00 a.m.]

³ See TLD Docket No. P-21-03-01 Petition for Rate Change, filed by taxicab driver Ronald Blount on March 8, 2021.

⁴ Curb is a current taxicab meter system vendor that provides taxicab meter equipment and associated software to medallion taxicabs associated with the certified dispatchers operating in Philadelphia. Curb also currently provides an application for smart devices to e-hail and/or e-pay for a Philadelphia taxicab trip.

⁵ See Authority Order No. 21-003 Petition for Changes to Taxicab Tariff, March 30, 2021.

⁶ See Authority Order No. 21-004 Petition for Changes to Taxicab Tariff, December 14, 2021.

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than July 25, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-22-06-01. A Sandhu Trans, LLC (2 Violet Lane, Glen Mills, PA 19342): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Charles Milstein, Esq., 7102 Frankford Avenue, Philadelphia, PA 19135.

Doc. No. A-22-06-02. Edlawit Taxi, LLC (6550 Belmar Street, Philadelphia, PA 19142): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-1030. Filed for public inspection July 8, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Taxicab Rate Review; Request for Public Comment; Doc. No. P-21-03-01

On June 28, 2022, the Philadelphia Parking Authority (Authority) approved, through oral resolution, the recommendation of the Taxicab and Limousine Division (TLD) to amend the current rate review investigation under the amended Petition for Rate Change (Petition) that was filed with the TLD on May 12, 2022. The Amended Petition may be obtained on the Authority's web site at www.philapark.org/tld.

Now, based upon the Amended Petition and the TLD's recommendation to the Authority, the TLD seeks written comment from the public at large and the industry concerning the current rate review, as it pertains to the following requests:

(1) A proposed increase in the taxicab flat rate from the Center City Zone to the Philadelphia International Airport and vice versa from \$28.50 to \$32.

(2) A proposed increase in the taxicab minimum fare from the Philadelphia International Airport from \$11 to \$20.

Interested parties are invited to submit written comments no later than August 10, 2022, to the attention of Christine A. Kirlin, Esq., Director, Taxicab and Limousine Division, at ckirlin@philapark.org or by mail to Christine Kirlin, Philadelphia Parking Authority, Taxicab and Limousine Division, 2415 South Swanson Street, Philadelphia, PA 19148-4113.

During this comment period, the TLD will also begin to conduct its own investigation concerning the aforementioned items of this rate review.

The TLD appreciates input concerning this matter.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-1031. Filed for public inspection July 8, 2022, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

October 5, 2022	Account of Diane Sadler (Purchase of Out-of-State Service)	10 a.m.
-----------------	---------------------------------------------------------------	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 22-1032. Filed for public inspection July 8, 2022, 9:00 a.m.]

STATE BOARD OF COSMETOLOGY

Bureau of Professional and Occupational Affairs v. Timeless Glow, LLC; Case No. 22-45-007179

On May 16, 2022, Timeless Glow, LLC, license No. CB135199, last known of Bellwood, Blair County, was suspended for failing to pay a previously imposed civil penalty.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final State Board of Cosmetology (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

TAMMY Y. O'NEILL,
Chairperson

[Pa.B. Doc. No. 22-1033. Filed for public inspection July 8, 2022, 9:00 a.m.]

STATE REAL ESTATE COMMISSION

Bureau of Professional and Occupational Affairs v. Jeremy Pratt, Jr.; Case No. 19-56-008896

On May 6, 2022, Jeremy Pratt, Jr., cemetery salesperson license No. LS215248, last known of Indiana, Indiana County, had his license revoked, based on pleading guilty to felonies and misdemeanors related to the practice of the profession.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final State Real Estate Commission (Commission) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Commission with a copy of their petition for review.

ARMAND FERRARA, Jr.,
Chairperson

[Pa.B. Doc. No. 22-1034. Filed for public inspection July 8, 2022, 9:00 a.m.]

THADDEUS STEVENS COLLEGE OF TECHNOLOGY

Request for Bids

Thaddeus Stevens College of Technology is soliciting bids for lumber, windows, doors and other various construction material for their annual student housing project. Bid documents can be obtained from Carrie

Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, (717) 299-7787, harmon@stevenscollege.edu.

PEDRO A. RIVERA,
President

[Pa.B. Doc. No. 22-1035. Filed for public inspection July 8, 2022, 9:00 a.m.]
