

NOTICES

CAPITOL PRESERVATION COMMITTEE

Request for Proposals

CPC 21.184: Restoration and Refinishing of the Senate Chamber Desks. A brief description of the project is as follows: Offsite studio restoration and refinishing of 50 historic chamber desks. The work is divided into 10 groups of 5 desks each. Each group is to be completed and returned in sequence. The work includes secure transportation to and from the Capitol and the retrieval, setup and return of temporary desks from the Committee's offsite storage facility.

The issue date of the request for proposals will be on July 25, 2022. A mandatory preproposal conference and walk through will be held on August 2, 2022, at 10 a.m. in Room 630 of the Main Capitol. A \$25 deposit will be required for issuance of project documents. The deposit is fully refundable with the return of the USB flash drive. The proposal receipt date is August 25, 2022, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,
Executive Director

[Pa.B. Doc. No. 22-1046. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Bureau of Ride and Measurement Standards; Temporary Enforcement Guidance

The Department of Agriculture (Department), through the Bureau of Ride and Measurement Standards, administers and enforces the Consolidated Weights and Measures Act (act) (3 Pa.C.S. §§ 4101—4194) and its attendant regulations. This guidance document establishes a temporary enforcement policy regarding half-gallon pricing at certain retail fuel pumps and applies to all regulated retail motor fuel dispensers currently in use in this Commonwealth. The policies and procedures outlined herein are not an adjudication or a regulation, and nothing in this temporary guidance shall affect regulatory requirements. Rather, this document establishes the framework within which the Department will exercise its administrative discretion under the circumstances described as follows.

Background

Under the act, the Department adopts the National Institute of Standard and Technology (NIST) Handbook 44 as its regulatory standards for weighing and measuring equipment and transactions within this Commonwealth. NIST prescribes measurement standards for, among other things, motor fuel dispensers and requires a motor fuel dispenser to display and compute the total price-per-gallon or price-per-liter.

Most retail motor fuel dispensers (for example, gas pumps) in use within this Commonwealth can display per-gallon prices more than \$6, as well as calculate and display total prices based on that per-gallon price. However, some mechanical retail motor fuel dispensers (typi-

cally, older dispensers) have restraints on unit price displays and computing of the total price, such that they will not compute prices exceeding \$5.999 per gallon.

Given the recent and rapid increase in motor fuel prices across this Commonwealth, the Department has elected to implement—on a temporary basis—an enforcement policy that will allow for the sale of gasoline in half-gallon units, under the limited circumstances described as follows. This temporary policy shall only apply to retail motor fuel dispensers that cannot compute prices exceeding \$5.999 per gallon.

Temporary Enforcement Policy

The Department, and its weights and measures enforcement personnel, shall temporarily allow the operation of a retail motor fuel dispenser that computes prices by the half-gallon only if all of the following conditions are met at the dispensing facility:

1. The motor fuel dispenser involved cannot display and compute unit prices of \$6 per gallon or higher.
2. The person selling motor fuel from the dispenser intends to charge \$6 per gallon or more for the fuel being sold.
3. The signage on the motor fuel dispenser is altered such that the “total sale” indication on the face of the dispenser is replaced with the statement “one-half total sale” or “1/2 total sale.”
4. The signage on the motor fuel dispenser is such that the “price per gallon” is displayed on the dispenser that is readily visible to the customer.
5. Motor fuel dispensers at the facility that cannot display and compute unit prices of \$6 per gallon or higher are in complete compliance with these requirements.
6. Street price posting and other forms of advertising setting forth the sale price of motor fuel shall display the unit price-per-gallon or the unit price-per-liter, as appropriate.
7. The dispensing facility has ordered an upgrade kit which will permit the motor fuel dispenser to display and compute unit prices of \$6 per gallon and higher and the dispensing facility retains proof of that order and makes it available for inspection upon request of any inspector employed by this Department.
8. The dispensing facility provides this Department (in the verification form described as follows) a reasonable date by which the upgrade kit will be installed, and notifies this Department, in writing, if installation cannot ultimately occur by that date.
9. The dispensing facility has delivered to this Department by hand-delivery, mail, fax or other electronic means a verification form confirming compliance with the requirements outlined herein and retains a copy of that verification form at the dispensing facility, and makes it available for inspection upon request of any inspector employed by this Department. This form can be requested from the Department by telephone at (717) 787-9089 or by e-mail at ra-wgths&measures@pa.gov.

This temporary enforcement policy shall remain in effect until further notice.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-1047. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 5, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
07-05-2022	Robert Dong H. Lee Alpine Bergen County, NJ Kum H. Lee Alpine Bergen County, NJ Chang H. Lee Palisades Park Bergen County, NJ Application for approval to purchase or otherwise acquire voting control of shares that will result in control of 5% or more of the shares of common stock of Noah Bank, Elkins Park, PA.	Withdrawn

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-01-2022	Univest Bank and Trust Co. Souderton Montgomery County	51 Dutilh Road Cranberry Township Butler County	Filed
07-01-2022	Univest Bank and Trust Co. Souderton Montgomery County	10801 Tony Drive Lutherville-Timonium Baltimore County, MD	Filed
07-01-2022	Farmers and Merchants Trust Co. of Chambersburg Chambersburg Franklin County	83 West Washington Street Hagerstown Washington County, MD	Opened

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-25-2022	Penn Community Bank Doylestown Bucks County	200 Manor Avenue Langhorne Bucks County (Limited Service Facility)	Closed

CREDIT UNIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
07-01-2022	Belco Community Credit Union Harrisburg Dauphin County Merger of Wilmac Employees Credit Union, York, with and into Belco Community Credit Union, Harrisburg.	Effective

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of August 2022

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of August 2022, is 5 3/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 3.29 to which was added 2.50 percentage points for a total of 5.79 that by law is rounded off to the nearest quarter at 5 3/4%.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1049. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Draft 2021 Action Plan for the Recovery Housing Program; Public Hearing

On October 24, 2018, the Substance Use-Disorder Prevention that Promotes Opioid Recovery and Treatment for Patients and Communities Act or SUPPORT Act (Pub.L. No. 115-271) was signed into law to respond to the growing effects of the opioid public health crisis. The United States Department of Housing and Urban Development (HUD) awarded \$1,068,182 of Recovery Housing Program (Program) funds to the Commonwealth, which will be administered by the Department of Community and Economic Development (Department). The Commonwealth is required to notify and provide its citizens an opportunity to comment and provide input on the draft Action Plan or any substantial amendment to the Action Plan, or both.

The purpose of the Program is to help grantees to provide stable, temporary housing to individuals in recovery from a substance disorder. More specifically, the Program would provide funds to develop housing or maintain housing for individuals.

Public Review and Comment Period

The draft Action Plan will be available for a 15-day public comment period, in accordance with the *Federal Register* notice. The Action Plan may be viewed on the Department's web site at <https://dced.pa.gov/library/?wpdmc2=action-plans-2019-2023>. The Action Plan will be available for public comment from July 16, 2022, through August 1, 2022.

A public hearing will be held on July 26, 2022, at 1 p.m. through Microsoft Teams. Individuals who wish to attend the hearing can join by phone at (267) 332-8737. The conference ID is 978 727 358#.

The hearing will be shortened if there is no one to testify or there is minimal response.

Persons with a disability or limited English proficiency who wish to participate in the public hearing should contact Megan L. Sieber at (717) 787-5327 or TDD at (717) 346-0308 to discuss how the Department can accommodate their requests.

Comments on the Program Action Plan may be electronically submitted to the Department at RA-DCEDcdbhhomequestions@pa.gov. Comments will also be accepted by telephone by calling (717) 787-5327. Written comments may be submitted to Megan L. Sieber, Center for Community and Housing Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Comments must be received by 4 p.m. on August 1, 2022, to be included as testimony in the Program Action Plan that will be submitted to HUD.

NEIL WEAVER,
Acting Secretary

[Pa.B. Doc. No. 22-1050. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Application by Sussex County Community College to Operate a Location in this Commonwealth

Notice of Opportunity for Hearing and Invitation to Protest

Under 24 Pa.C.S. § 6503(e) (relating to certification of institutions), the Department of Education (Department) will consider the application for approval for Sussex County Community College to open a location in Milford, PA. Sussex County Community College has applied to open a location at Delaware Valley High School in Milford, PA for the purpose of offering dual enrollment courses.

In accordance with 24 Pa.C.S. § 6503(e), the Department will act upon the application without a hearing, unless within 30 days after the publication of this notice in the *Pennsylvania Bulletin* a written request for public hearing is filed with the Department, along with a notice of intervention, a petition to intervene or protest in accordance with 1 Pa. Code §§ 35.23 and 35.24 (relating to protests) or 1 Pa. Code §§ 35.27—35.32 (relating to intervention).

Petitions to intervene, protest and request for hearing shall be filed with the Division of Higher Education, Access and Equity, 333 Market Street, 12th Floor, Harris-

burg, PA 17126-0333 on or before the due date prescribed by this notice. Persons wishing to review the application should phone (717) 783-6786 or write to the previously listed address to schedule a time for a review.

Persons with a disability who wish to attend the hearing, if held, and require an auxiliary aid, service or other accommodations to participate, should contact the

Division of Higher Education, Access and Equity at (717) 783-6786 to discuss accommodations.

ERIC HAGARTY,
Acting Secretary

[Pa.B. Doc. No. 22-1051. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue

permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD450109	Chapter 102 Individual NPDES Permit	Transfer	Black Buffalo 3D Corp P.O. Box 407 Stroudsburg, PA 18360-0407	Smithfield Township Monroe County	NERO
2722801	Joint DEP/PFBC Pesticides Permit	New	Mary Caratelli 2663 Highland Drive Tionesta, PA 16353-7606	Tionesta Township Forest County	NWRO
4622809	Joint DEP/PFBC Pesticides Permit	New	Hill At Whitemarsh 4000 Foxhound Drive Lafayette Hill, PA 19444-1014	Whitemarsh Township Montgomery County	SERO
0688445	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Robesonia Wernersville Municipal Authority Berks County P.O. Box 202 41 Furnace Road Wernersville, PA 19565-0202	Robesonia Borough Berks County	SCRO

NOTICES

3991

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0916401	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Lower Bucks County Joint Municipal Authority 7811 New Falls Road Levittown, PA 19055-1014	Bristol Township Bucks County	SERO
PA0205664	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Jones Estates Forest Brook PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	New Sewickley Township Beaver County	SWRO
1985201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Transfer	BNNB Holdings LLC 4435 Red Rock Road Benton, PA 17814-7972	Benton Township Columbia County	NCRO
0492405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Jones Estates Forest Brook PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	New Sewickley Township Beaver County	SWRO
NOEXNC175	No Exposure Certification	New	West Pharmaceuticals Service 347 Oliver Street Jersey Shore, PA 17740-1923	Jersey Shore Borough Lycoming County	NCRO
NOEXSE072	No Exposure Certification	Renewal	Stericycle Inc. 1120 Industrial Boulevard Southampton, PA 18966	Upper Southampton Township Bucks County	SERO
NOEXSE085	No Exposure Certification	Renewal	Penn Panel and Box Co. P.O. Box 1458 Collingdale, PA 19023-8458	Collingdale Borough Delaware County	SERO
NOEXSE282	No Exposure Certification	Transfer	Curtiss Wright Flow Control Service LLC dba Engineered Arresting System 400 Interpace Parkway Parsippany, NJ 07054-1120	Upper Chichester Township Delaware County	SERO
NOEXSW220	No Exposure Certification	New	Siemens Large Drives LLC 500 Hunt Valley Road New Kensington, PA 15068-7060	Upper Burrell Township Westmoreland County	SWRO
PAG106229	PAG-10 NPDES General Permit for Hydrostatic Test Water	New	EQM Gathering Opco LLC 2200 Energy Drive Canonsburg, PA 15317	Wayne Township Greene County	SWRO
PAG133502	PAG-13 NPDES General Permit for MS4s	Renewal	Bally Borough Berks County 425 Chestnut Street P.O. Box 217 Bally, PA 19503-9614	Bally Borough Berks County	SCRO
367S045	Pump Stations Individual WQM Permit	Amendment	PA DCNR 225 Pleasant Valley Road Portersville, PA 16051-2031	Muddycreek Township Butler County	NWRO
4606407	Pump Stations Individual WQM Permit	Transfer	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Upper Pottsgrove Township Montgomery County	SERO
4609402	Pump Stations Individual WQM Permit	Transfer	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Upper Pottsgrove Township Montgomery County	SERO
463S103	Pump Stations Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0465S11	Pump Stations Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
4694427	Pump Stations Individual WQM Permit	Transfer	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Upper Pottsgrove Township Montgomery County	SERO
6506401	Pump Stations Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6578421	Pump Stations Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
2116409	Sewer Extensions Individual WQM Permit	Amendment	Hampden Township Sewer Authority Cumberland County 209 S. Sporting Hill Road Mechanicsburg, PA 17050-3060	Hampden Township Cumberland County	SCRO
3922401	Sewer Extensions Individual WQM Permit	New	Lower Macungie Township Lehigh County 3400 Brookside Road Macungie, PA 18062-1427	Lower Macungie Township Lehigh County	NERO
5370	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6517403	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6522402	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6573433	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6578423	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6578437	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6578439	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
6836	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
08405-S	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO

NOTICES

3993

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
08762-S	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
08810-S	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
09439-S	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
09535-S	Sewer Extensions Individual WQM Permit	Transfer	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
PA0265471	Single Residence STP Individual NPDES Permit	Transfer	Kerle Daniel 3238 Waterson Road Strattanville, PA 16258	Clarion Township Clarion County	NWRO
1617406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Kerle Daniel 3238 Waterson Road Strattanville, PA 16258	Clarion Township Clarion County	NWRO
2522418	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Shearer Diane 8451 Route 89 North East, PA 16428-5235	North East Township Erie County	NWRO
2522419	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Kathy & Thomas Waskiewicz 7100 Old Meadville Road Union City, PA 16438-5844	Le Boeuf Township Erie County	NWRO
4322405	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Smith Melissa 225 Golf Road Mercer, PA 16137	Jefferson Township Mercer County	NWRO
5012404	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Gerlach Amy 790 Oliver Street Newport, PA 17074-8901	Oliver Township Perry County	SCRO
6322403	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Waltl Teresa L 999 Eldersville Road Burggettstown, PA 15021-2531	Jefferson Township Washington County	SWRO
PA0052787	Small Flow Treatment Facility Individual NPDES Permit	Transfer	Flatland Church 180 West Thatcher Road Quakertown, PA 18951	Richland Township Bucks County	SERO
WQG02022202	WQG-02 WQM General Permit	New	Deer Creek Drainage Basin Authority P.O. Box 158 2400 Freeport Road Cheswick, PA 15024-0158	Harmar Township Allegheny County	SWRO
WQG02062201	WQG-02 WQM General Permit	New	Reitnouer Real Estate LP (for Ontelaunee Twp) 5 East Point Drive Birdsboro, PA 19508	Ontelaunee Township Berks County	SCRO
WQG02362202	WQG-02 WQM General Permit	New	Lancaster Area Sewer Authority Lancaster County 130 Centerville Road Lancaster, PA 17603-4007	Manor Township Lancaster County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
WQG02462107	WQG-02 WQM General Permit	Transfer	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055	Upper Pottsgrove Township Montgomery County	SERO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northwest Regional Office

PA0239437, Sewage, SIC Code 4952, 8361, **Human Service Center**, 130 W North Street, New Castle, PA 16101-3906. Facility Name: Edgewood Group Home. This existing facility is located in Pulaski Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Shenango River, located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0022 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min	0.5	XXX	1.6
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
May 1 - Sep 30				200		
Total Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	XXX
				Report		
Final: Ammonia-Nitrogen	XXX	XXX	XXX	5.0	XXX	10.0
Nov 1 - Apr 30	XXX	XXX	XXX	18.0	XXX	36.0
May 1 - Oct 31						
Interim: Ammonia-Nitrogen	XXX	XXX	XXX	6.0	XXX	12.0
Nov 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Oct 31						
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

PA0290700, Sewage, SIC Code 8800, **Robert Stelter**, 1319 Willowbrook Road, New Castle, PA 16101-5415. Facility Name: Robert Stelter SFTF. This proposed facility is located in Oakland Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Bonnie Brook, is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0038733, Sewage, SIC Code 4952, **East Providence Township Municipal Authority, Bedford County**, P.O. Box 83, Breezewood, PA 15533-0083. Facility Name: East Providence Township STP. This existing facility is located in East Providence Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Tub Mill Run (WWF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .38 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .38 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	79	127	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	95	145	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	14	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	4.5	XXX	XXX	1.5	XXX	3
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	6.3	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Lead, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office

PA0098400, Sewage, SIC Code 8211, **Albert Gallatin Area School District**, 2625 Morgantown Road, Uniontown, PA 15401-6703. Facility Name: Albert Gallatin Jr High School South. This existing facility is located in Springhill Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Georges Creek (WWF), is located in State Water Plan watershed 19-G and is classified for Cold Water Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0143 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
Flow (MGD)	Report Wkly Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	40.0	50
Total Suspended Solids	XXX	XXX	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	40.0
Nov 1 - Apr 30	XXX	XXX	XXX			
May 1 - Oct 31	XXX	XXX	XXX			

The proposed effluent limits for Outfall 001 are based on a design flow of .0143 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max Report	XXX	XXX
				Daily Max		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0254321, Sewage, SIC Code 4952, **German Township Sewer Authority**, 247 Edenborn Road, P.O. Box 308, McClellandtown, PA 15458. Facility Name: German Township Sewer Authority STP. This existing facility is located in German Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.18 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	37.0	56.0	XXX	25.0	37.5	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids	45.0	65.0	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

PA0284912, Sewage, SIC Code 8811, **Chase Midler**, 1502 Fox Chapel Road, Pittsburgh, PA 15238-1203. Facility Name: Midler Properties SRSTP. This proposed facility is located in Indiana Township, **Allegheny County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Rawlins Run (CWF), is located in State Water Plan watershed 18-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southeast Regional Office

PA0012467, Industrial, SIC Code 4613, **Laurel Pipe Line Co. LP**, 3398 Garnet Mine Road, Boothwyn, PA 19060-1720. Facility Name: Booth Station IWTP. This existing facility is located in Bethel Township, **Delaware County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, UNT to Green Creek (CWF, MF), is located in State Water Plan watershed 3-G and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on an average stormwater flow—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	15.0	XXX	30.0

The proposed effluent limits for Outfall 201 are based on a design flow of 0.043 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	75.0
Oil and Grease	XXX	XXX	XXX	15	XXX	30
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0
Benzene	XXX	XXX	XXX	0.001	XXX	0.0025
BTEX, Total	XXX	XXX	XXX	0.1	XXX	0.25
MTBE	XXX	XXX	XXX	Report	XXX	Report

In addition, the permit contains the following major special conditions:

1. Acquire Necessary Property Rights
2. Proper Sludge Disposal
3. WQM Permit Requirement
4. BAT/BCT
5. Stormwater Requirements
6. Petroleum Transportation Facility Requirements
7. Groundwater Cleanup

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

PA0262013, Concentrated Animal Feeding Operation (CAFO), Kerwin King (Kerwin King Duck Operation), 375 Forest Manor Road, Cochranville, PA 19330-1648.

Kerwin King has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Kerwin King Duck Operation, located in Upper Oxford Township, **Chester County**.

The CAFO is situated near Unnamed Tributary to East Branch Big Elk Creek (HQ-TSF, MF) in Watershed 7-K, which is classified for High Quality Waters, Trout Stocked Fishes, and Migratory Fishes. The CAFO is designed to maintain an animal population of approximately 91.34 animal equivalent units (AEUs) consisting of 19,000 Duck Starters, 19,000 Duck Finishers, and 15 Holstein Heifers. Liquid Duck Manure is stored onsite in a covered HDPE-Lined Lagoon not exposed to rainfall. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

PA0245356, Stormwater, SIC Code 2653, International Paper Co., 6283 Tri-Ridge Boulevard, Loveland, OH 45241. Facility Name: International Paper Atglen Facility. This proposed facility is located in West Sadsbury Township, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Valley Creek (TSF, MF), is located in State Water Plan watershed 7-K and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001, 002 and 003 are based on stormwater.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Dissolved Oxygen	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX
Ethylbenzene	XXX	XXX	XXX	XXX	Report	XXX
Chloroform	XXX	XXX	XXX	XXX	Report	XXX
Toluene	XXX	XXX	XXX	XXX	Report	XXX
Xylenes, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- I. SW Outfalls and Authorized Non-Stormwater Discharges
- II. Best Management (BMPs)
- III. Routine Inspections
- IV. Preparedness, Prevention and Contingency (PPC) Plan
- V. Stormwater Monitoring Requirements
- VI. Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD150255	New	East Coventry Township 855 Ellis Woods Road Pottstown, PA 19465	East Coventry Township Chester County	SERO
PAD510010 A-6	Amendment	City of Philadelphia Division of Aviation (DOA) Planning & Environmental Services PHL Terminal D 3rd Floor Philadelphia, PA 19153	City of Philadelphia Philadelphia County	SERO
PAD230057 A-1	Amendment	Delaware County Regional Water Quality Control Authority (Delcora) 100 East Fifth Street P.O. Box 999 Chester, PA 19016-0999	City of Chester Delaware County	SERO
PAD150257	New	Robert Miller and Shirley Miller 100 Moran Lane Honey Brook, PA 19344-9082	West Caln Township Chester County	SERO
PAD400008	Renewal	Presidential Land Company, LTD Frank Pedriani P.O. Box 157 Mountaintop, PA 18707	Rice Township Luzerne County	NERO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD060064	New	Brendon and Celine Field 836 Memorial Highway Oley, PA 19547-9202	Oley Township Berks County	SCRO
PAD060058	New	Kevin Lauver 234 Gunhart Road Mohnton, PA 19540	Robeson Township Berks County	SCRO
PAD060026 A-3	Major Amendment	Berks County Industrial Development Authority Aviation Road Reading, PA 19605-1173	Bern Township Berks County	SCRO
PAD210055	Issued	Donald & Randy Diehl 4 E. High St. Carlisle, PA 17013	South Middleton Township Cumberland County	SCRO
PAD360087	New	Jacob K. Stoltzfus 251 Maple Ave Bird In Hand, PA 17505-9705	Salisbury Township Lancaster County	SCRO
PAD360085	New	Matthew Zook 934 Hillcrest Dr. Kinzers, PA 17535-9620	Salisbury Township Lancaster County	SCRO
PAD280014	New	Brim LLC 95 Brim Blvd Chambersburg, PA 17201-7955	Guilford Township Franklin County	SCRO
PAD210005	Issued	Re Invest Tire & Wheel Renewal LLC 113 Mount Laurel Rd Hainesport, NJ 08036-2713	Carlisle Borough Cumberland County	SCRO
PAD670069	New	Calvary Chapel of Delta, Inc 5911 Delta Road Delta, PA 17314	Peach Bottom York County	SCRO
PAD360094	New	Washington Place Equities FBO College Avenue Property Holdings Inc. 701 Cathedral Street # 10 Baltimore, MD 21201	Lancaster City Lancaster County	SCRO
PAD060068	New	Lyons Solar 1414 Raleigh Road Chapel Hill, NC 27517-8834	Richmond Township Berks County	SCRO
PAD210006	Renewal	Carlisle Auto Industries 1000 Bryn Mawr Road Carlisle, PA 17013	Carlisle Borough Cumberland County	SCRO
PAD180002	Renewal Individual Permit	Renovo Energy Center LLC 12011 Sunset Hills Road Suite 110 Reston, VA 20190	Renovo Borough Clinton County	NCRO
PAD470003	New Individual Permit	PennDOT Engineering District 3-0 715 Jordan Avenue Montoursville, PA 17754	Liberty Township Valley Township Montour County	NCRO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at

the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Walt Moore Walmoore Holsteins 2196 Gap Newport Road Cochranville, PA 19330	Chester	1,650	2,011.5	Dairy	EV, HQ	New
Hemlock Lane Farm, LP 121 Hemlock Lane Williamsburg, PA 16693	Blair	593.7	759.78	Swine Beef	NA	Renewal
Kulp Family Dairy, LLC 1691 Millerstown Road Martinsburg, PA 16662	Blair	2,645	4,775.7	Dairy Beef	HQ	Renewal
Dale Stoltzfus 160 Farm View Road Schuylkill Haven, PA 17972	Schuylkill	346.5	274.43	Ducks	NA	Renewal
Reifsnider Farm 2596 New Bridgeville Road Felton, PA 17322	York	27	383.04	Broilers	NA	Renewal
We Kings Farm 6028 Guitner Road Greencastle, PA 17225	Franklin	212.3	441.68	Poultry— Turkeys	NA	Renewal
Robert Brubaker Jr. 2205 Camp Road Manheim, PA 17545	Lancaster	9.5	314.54	Broilers	NA	Renewal
Brian Doutrich 750 Whitman Road Lebanon, PA 17042	Lebanon	81.4	636.69	Poultry	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

SAFE DRINKING WATER**Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5980.

Permit No. 1522512, Public Water Supply.

Applicant	Loch Nairn Golf Club 514 McCue Road Avondale, PA 19311
Municipality	New Garden Township
County	Chester
Type of Facility	PWS
Consulting Engineer	CSC Technology, Inc. 170 Netherwood Drive West Brandywine, PA 19320
Application Received Date	June 22, 2022
Description of Action	Secondary disinfection to cold water for internal water safety goals and maintenance of disinfectant residual.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

Application No. 4022508MA, Public Water Supply.

Applicant	CAN DO, Inc., Corporate Center 1 South Church St. Hazleton, PA 18201
Municipality	Butler Township
County	Luzerne
Type of Facility	Public Water Supply
Consulting Engineer	Jason G. Saylor Utility Service Co., Inc. 1230 Peachtree St. NE Suite 1100 11th Floor Atlanta, GA 30309
Application Received Date	May 9, 2022
Description of Action	CAN DO, Inc., Corporate Center water system proposes the installation of a PAX Water Technologies Active Tank Mixing system in the 500KG Standpipe, Corporate Center Tank. The purpose of installing a mixer inside of the water storage tank is to uniformly distribute disinfectants and to prevent conditions favorable to nitrification.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Permit No. 6522508, Public Water Supply.

Applicant	Municipal Authority of the City of New Kensington 920 Barnes Street New Kensington, PA 15068
Municipality	City of New Kensington
County	Westmoreland
Responsible Official	James Matta, General Manager
Type of Facility	Water System
Consulting Engineer	Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street P.O. Box 853 Latrobe, PA 15650
Application Received Date	June 17, 2022
Description of Action	Filter renovations at the H. Burns Smith Water Treatment Plant.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION**UNDER ACT 2, 1995
PREAMBLE 1****Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site.

For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787.

Contact: Charline Bass.

Giant Supermarket, 1403 and 1451 South Christopher Columbus Boulevard, Philadelphia, PA 19147, City of Philadelphia, **Philadelphia County**. Marc Chartier, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Tina Roberts, Giant Columbus, LLC, 1520 Locust Street, Suite 300, Philadelphia, PA 19102 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with SVOCs, naphthalene and metals. The property will continue to be a Giant Supermarket site. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in the *Metro Philadelphia* on June 20, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Lehman Park Caretaker's House, 168 Lehman Park Road, Bushkill, PA 18324, Lehman Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lehman Township, 193 Municipal Drive, Bushkill, PA 18324, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an aboveground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in the *Pocono Record* on May 12, 2022.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

Ryder Truck Rental, Inc. Accident Cleanup, Interstate 80 at MM 191E, Loganton, PA 17747, Greene Township, **Clinton County**. Enviroserve, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Ryder Truck Rental, Inc., 11690 NW 105 Street, Miami, FL 33178, has submitted a Notice of Intent to Remediate concerning site soil contaminated with diesel fuel. The site will remain a stone and soils area located adjacent to the Interstate roadway. The applicant proposes to remediate the site to meet the nonresidential Statewide health standard. A

summary of the Notice of Intent to Remediate was published in *The Daily Item* on June 6, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Applications for Hazardous Waste Transporter License Received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Renewal Applications Received

Eastern Environmental Industries, LLC, 560 Myrtle St., Reynoldsville, PA 15851. License No. **PA-AH 0835**. Effective June 29, 2022.

Citiwaste, LLC, 893 Shepherd Avenue, Brooklyn, NY 11208. License No. **PA-AH 0870**. Effective June 29, 2022.

Reliable Hauling LLC, 4321 State Rt 7, New Waterford, OH 44445. License No. **PA-AH 0906**. Effective June 29, 2022.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

General Permit Application No. WMGM036NC006. Denali Water Solutions, LLC, 3308 Bernice Avenue, Russellville, AR 72802-8465. Determination of Applicability received for the portable processing of sewage sludge into Class A and/or Class B biosolids at the Reading Anthracite Company West Spring Mine site. The application for determination of applicability was received by the Northcentral Regional Office on June 29, 2022.

Persons interested in obtaining more information about the general permit application may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

PLAN APPROVALS

Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Dave Balog, New Source Review Chief, (814) 332-6328.

62-00181B: Ellwood National Forge—Warren Division, 1045 Fourth Avenue, Warren, PA 16365, for the proposed construction of a surface coating operation and abrasive blasting operation in Warren City, **Warren County**. This is a State Only facility.

Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

28-05001B: Martins Famous Pastry Shoppe, Inc., 1000 Potato Roll Lane, Chambersburg, PA 17202, for the installation of a new oven line, catalytic oxidizer, and re-routing of an existing oven line's exhaust to the existing control device at the facility located in Guilford Township, **Franklin County**. This project is expected to lower facility-wide VOC emissions and increase emissions from other pollutants. Post-project facility PTE is expected to be: 23.71 tpy CO; 27.81 tpy NO_x; 1.99 tpy PM₁₀; 29.83 tpy VOC; and less than 1 tpy of SO₂ and HAPs. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants, and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, DEP proposes to issue a plan approval for the proposed installation. The facility is a State-Only facility. If DEP determines that the sources are constructed and operated in compliance with the plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

37-00377A: U.S. Rolloffs, Inc., 409 Smalls Ferry Road, New Castle, PA 16102. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—46 and 127.424 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval PA-37-00377A to U.S. Rolloffs, Incorporated to authorize the installation and temporary operation of their scrap cutting facility located on Gardner Avenue in the city of New Castle, **Lawrence County**.

The proposed activities at the scrap steel facility include: rail and truck delivery, unloading, and loading (shipping) of scrap; drop ball scrap sizing; stockpiling; and torch cutting operations. The scrap torch cutting operation proposes the use three (3) oxygen/natural gas (propane), low emission, cutting torches and one (1) custom, partially enclosed cutting area/hood equipped with a 42,000 acfm cartridge type fabric filtration control system.

The annual potential to emit from the facility is estimated to be 11.89 tons of particulate matter (PM), 9.67 tons of particulate matter less than 10 microns (PM₁₀), and 8.22 tons of particulate matter less than 2.5 microns (PM_{2.5}), 0.31 ton of nitrogen oxides (NO_x), and 0.26 ton of carbon monoxide (CO), 0.02 ton of volatile organic compounds (VOC), 0.00 ton of sulfur oxides (SO_x). Best available technology (BAT) for the control of emissions from the sources is the use of low emitting torches, a capture hood and fabric filtration system with installation, operation and maintenance in accordance with manufacturer's specifications where available or with good air pollution control and operating practices. These measures are consistent with BAT determinations at other scrap cutting facilities.

The authorization is subject to State regulations including 25 Pa. Code §§ 121.7, 123.1, 123.2, 123.13, 123.21, 123.31, 123.41, 127.1, 127.11, 127.12b, and 129.14. The Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes testing, work practice, monitoring, recordkeeping, and reporting conditions. Once compliance with the Plan Approval is demonstrated, the applicant will subsequently apply for a State Only Operating Permit in accordance with 25 Pa. Code Subchapter F.

Copies of the application, the Department's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following address. To make an appointment, contact Records Management at 814-332-6340.

Anyone wishing to provide the Department with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval No. PA-37-00377A and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

OPERATING PERMITS

Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6328.

37-00264: Ellwood Quality Steels Company, 700 Moravia Street, New Castle, PA 16101, the Department intends to issue a renewal Title V Operating Permit for

the specialty steel mill facility located New Castle City, **Lawrence County**. EQS is a small specialty steel mill. The facility's major emission sources include an electric arc furnace (EAF), two ladle refining furnaces, a vacuum degasser, two ingot teeming aisles, an internal scrap yard, six natural gas fired annealing furnaces, preheaters for the ladles and the EAF, miscellaneous steel cutting/grinding, four process steam boilers, miscellaneous heaters less than 2.5 MMBtu/hr each, a lime silo, three emergency generators and vehicle travel. The facility is a major facility due to its potential emissions of Carbon Monoxide (CO) greater than 100 TPY. The actual emissions of CO, Oxides of Nitrogen (NO_x), particulate matter less than 10 microns (PM₁₀), Sulfur Dioxide Compounds (SO_x), Volatile Organic Compounds (VOC) and Carbon Dioxides (CO₂) reported for 2021, 241.85 TPY, 22.03 TPY, 21.09, 8.47, 16.99 TPY, and 41,520.04 TPY, respectively. The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G, the applicable requirements of 40 CFR 60 AAa and JJJJ and Part 63 Subpart ZZZZ, YYYYY, and CCCCC.

Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

40-00047: Geisinger Health System/Wilkes-Barre, 1000 East Mountain Blvd., Wilkes-Barre, PA 18711. The Department intends to issue a renewal Operating Permit for their facility located in Plains Township, **Luzerne County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00105: Reeb Millwork Corp/Bethlehem City, 600 Brighton St., Fountain Hill, PA 18015. The Department intends to issue a renewal Operating Permit for their facility located in Bethlehem City, **Northampton County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00007: PA Dept of Corr/Frackville SCI, 1111 Altamont Blvd., Frackville, PA 17931. The Department intends to issue a renewal Operating Permit for their facility located in Ryan Township, **Schuylkill County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00038: Luxfer Magtech, Inc., 1415 East Broad St., Tamaqua, PA 18252. The Department intends to issue a renewal Operating Permit for their facility located in Tamaqua Borough, **Schuylkill County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

58-00013: Roundtop Energy/Auburn, 358 North Shore Drive, Ste 201, Pittsburgh, PA 15212. The Depart-

ment intends to issue a renewal Operating Permit for their facility located in Auburn Township, **Susquehanna County**. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.

06-03164: Sunoco Pipeline LP, State Rt 3024, Alleghenyville Road, Mohnton, PA 19540, to issue a State Only Operating Permit for the natural gas liquid (ethane, propane, butane or a mixture of these) Beckersville pumping station located in Brecknock Township, **Berks County**. The potential emissions from the facility are estimated to be less than 1 ton for each of the following pollutants: NO_x, CO, SO_x, PM, and HAPs, less than 2 tons of VOCs and 138 tons of GHGs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

06-05108: Bally Ribbon Mills, 23 North 7th Street, Bally, PA 19503, to issue a State Only Operating Permit for the ribbons and strap manufacturing plant in Bally Borough, **Berks County**. The potential emissions from the facility are estimated at 12.4 tpy of VOCs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 123.52 and Subpart Dc—Standards of Performance for Small Industrial—Commercial-Institutional Steam Generating Units, and Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

22-03017: Hoover Funeral Homes & Crematory, Inc., 6011 Linglestown Road, Harrisburg, PA 17112, to issue a State-Only Operating Permit renewal for a human cremation unit controlled by an afterburner in Lower Paxton Township, **Dauphin County**. The facility's potential-to-emit estimates are 1.30 tpy of CO, 1.55 tpy NO_x, 0.31 tpy PM₁₀, 0.48 tpy SO_x, and 0.11 tpy VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

22-05045: Capital Region Water, 212 Locust Street, Suite 500, Harrisburg, PA 17101, to issue a State Only Operating Permit for the waste water treatment plant in Swatara Township, **Dauphin County**. The subject facility has the potential to emit 98.1 tpy of NO_x, 50.5 tpy of CO, 20.8 tpy of SO_x, 7.1 tpy of VOCs, and 1.9 tpy of PM₁₀. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.11(a)(1) and 123.22(b)(1) and (b)(2).

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00045: RPS Machinery Sales, Inc., P.O. Box 507, Jersey Shore, PA 17740, to issue a renewal State Only "Natural Minor" Operating Permit for their Jersey Shore Plant located in Piatt Township, **Lycoming County**. The facility is currently operating under State Only Operating Permit 41-00045. The significant emissions sources at the facility are a Wheel Blast Machine and Surface Coating Operations. The facility has potential emissions of 1.2 tons per year of carbon monoxide, 1.5 tons per year of nitrogen oxides, 0.1 ton per year of sulfur oxides, 8.7 tons per year of particulate matter, 10.1 tons per year of volatile organic compounds, 10.1 tons per year of total Hazardous Air Pollutants, and 1,122 tons per year of carbon dioxide equivalents (greenhouse gases). No emissions or equipment changes are being proposed by this renewal. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

17-00008: Triangle Suspension System, Inc., P.O. Box 425, DuBois, PA 15801, for the State Only Operating Permit renewal authorization for their automotive spring and suspension products manufacturing facility in Sandy Township, **Clearfield County**. The sources associated with the above are comprised of the following: Source IDs 031 including 36 natural gas-fired infrared space heaters; P032 including 31 natural gas-fired space heaters; P101 including amber and black dip-coating operations; P201 fitter draw furnace 1063; P202 unit draw furnace 1062; P301 including manual form furnace 2051 & associated quench unit; P400 including rapid heaters 10030, 10061, 14037, 14064, 14201, 00933, and 00902 as well as SRP Wrap, PG-6, and SRP Eye; P500 including slot furnaces; P601 including walking beam furnace 1057 & associated quench unit; P602 including walking beam furnace 1058 & associated quench unit; P603 including walking beam furnace 1080 & associated quench units; P604 including SRP draw and fitter furnaces; P605 tempering oven (p1000); P606 shotpeen process; and P701 including the two remote reservoir cold cleaning machines. The type and quantity of pollutants emitted on a facility-wide potential emissions basis are provided, as follows: 1.67 tpy of PM₁₀ (and PM_{2.5}); 0.10 tpy of SO_x; 21.75 tpy of NO_x; 18.27 tpy of CO; 22.4 tpy of VOC; and 0.42 tpy of HAP. There is one new source addition to the renewal permit, including Source ID P606 noted previously. Additionally, a change in the coating formulation for Source ID P101 was approved in accordance with the existing permit conditions that will continue to be in effect. The permit incorporates all applicable requirements to the source at facility, including the appropriate testing, monitoring, recordkeeping, reporting, work practice and any other conditions necessary to verify compliance. The conditions are established pursuant to the applicable air quality regulatory provisions under 25 Pa. Code Article

III, Chapters 121 and 145, relating to Air Resources. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, (412) 442-4336.

11-00436: Penn Cambria School District, 201 6th Street, Cresson, PA 16630, synthetic minor State-Only Operating Permit for the continued operation of two boilers and one emergency generator at a secondary school located in Cresson Borough, **Cambria County**. Air contamination sources at this facility consist of one (1) 7.741 MMBtu/hr CNB T-185L tri-fuel boiler, one (1) 6.21 MMBtu/hr Burnham 3W-150 No. 2 oil-fired boiler, one (1) 1.8 MMBtu/hr No. 2 oil-fired hot water heater, and one (1) No. 2 oil-fired emergency generator rated at 100-kW (134.1-HP). Potential emissions from this site are estimated to be 52.0 TPY SO_x, 14.7 TPY NO_x, 8.3 TPY CO, 4.3 TPY PM_{10/2.5}, and less than 1.0 TPY for all other criteria pollutants, VOCs, total HAPs and for any single HAP. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Part 63 Subpart JJJJJJ. The proposed operating permit includes facility-wide throughput limitations of 1,077 TPY coal and 738,146 gallons per year of No. 2 fuel oil in addition to emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permitting Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (11-00436) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

10-00346: Scrap Salvage & Surplus Butler Plant, 690 Glenwood Way, Butler, PA 16001-8422, intent to issue the renewal State Only Operating Permit for the scrap and waste material facility located in Center Township, **Butler County**. The facility is a Natural Minor. The primary sources at the facility include scrap cutting under a metal hood exhausted to a control device, a diesel generator, a portable torch cutting enclosure controlled by a baghouse, scrap cutting in the yard, and fugitive emissions from the roadways. The diesel generator is subject to the requirements of 40 CFR 60 Subpart IIII. The renewal permit also contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

PLAN APPROVALS

Receipt of Plan Approval Applications and Intent to Issue Plan Approvals, and Intent to Issue Amended Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These actions may include the administrative amendments of an associated operating permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.

54-00084C: Pierson Middleport, LLC, P.O. Box 704, Bridgeport, NJ 08014, for installation and operation of an electrically powered crushing plant with water sprays at their Middleport Quarry in Walker Township, **Schuylkill County**.

In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Pierson Middleport LLC (P.O. Box 704, Bridgeport, NJ 08014) for their facility located in Walker Township, Schuylkill County. This Plan Approval No. 54-00084C will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date.

Plan Approval No. 54-00084C is for the installation and operation of an electrically powered crushing plant with water sprays at their Middleport Quarry. The crushing operation is subject to NSPS Subpart OOO requirements. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711.

Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding para-

graph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 54-00084C and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated

above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

Mining Permit No. 63091301. NPDES No. PA0236004. Tunnel Ridge, LLC, 184 Schoolhouse Lane, Valley Grove, WV 26060, to revise the permit and related NPDES Permit for development only in Donegal, West Finley, and East Finley Townships, **Washington County**, affecting 1451.25 proposed underground acres and 1451.25 proposed subsidence control plan acres. Application received: April 6, 2022.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).

Mining Permit No. 56020101. NPDES No. PA0249122. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, permit renewal for reclamation only with post-mining water treatment and renewal of NPDES permit of a bituminous surface mine in Jenner Township, **Somerset County**, affecting 57.3 acres. Receiving streams: unnamed tributaries to/and Roaring Run, classified for the following use: CWF. Application received: June 20, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).

Mining Permit No. 17070103. NPDES Permit No. PA0256498. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201. Permit renewal application for a bituminous surface coal mine and associated NPDES permit located in Girard Township, **Clearfield County**, affecting 326.1 acres. Remaining mining activities consist only of operation and maintenance of a post-mining mine drainage water treatment system. Receiving stream(s): Tributary 25990 Deer Creek, Clearfield Creek Watershed classified for the following use(s): CWF. Application received: June 27, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

Mining Permit No. 03900112. Keystone Land Resources, Inc., 46226 National Road, Saint Clairsville, OH 43950. Renewal of an existing bituminous surface mine in Kiskiminetas Township, **Armstrong County**, affecting 81.2 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributary to Long Run, classified for the following use: WWF. Application received: June 28, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. 54860206. Rausch Creek Generation, LLC, 978 Gap Street, Valley View, PA 17983, correction to an anthracite coal refuse reprocessing and coal refuse disposal operation to include surface mining and blasting to the permit in Frailey and Porter Townships, **Schuylkill County**, affecting 367.4 acres. Receiving stream: Lower Rausch Creek, classified for the following uses: CWF, MF. Application received: June 17, 2022.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).

Mining Permit 32030301. NPDES No. PA0249408. Britt Energies, Inc., P.O. Box 515, Indiana, PA 15701. Renewal of NPDES permit, located in Center Township, **Indiana County**. Receiving streams: unnamed tributary to Yellow Creek and Tearing Run classified for the following use: CWF. Application received: June 29, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

Mining Permit No. 66222501. NPDES Permit No. PA0226301. Gary D. & Gary R. Goble, 133 Patton Road, Monroe Township, PA 18636, new NPDES Permit on a small noncoal quarry operation in Monroe Township, **Wyoming County**, affecting 10.8 acres. Receiving stream: South Run, classified for the following uses: HQ-CWF, MF. Application received: June 6, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Additional criteria

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan, and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

Submittal of comments

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit notice within 30-days of this notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and phone number of the writer and a concise statement to inform the Department of the basis of a comment and the relevant facts upon which it is based.

Requests or petitions for a public hearing on any NPDES permit applications will be accepted as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, phone number and the interest of the party filing the request and state the reasons why a hearing is warranted. The Department may hold a public hearing if the public interest is significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will consider comments from the public hearing in the final determination on the NPDES permit application.

Coal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES No. PA0595187. Mining Permit No. 35910101. Pioneer Aggregates, Inc., 220 South River Street, Plains, PA 18705, renewal of an NPDES permit in Fell Township, **Lackawanna County**, affecting 425.0 acres. Receiving streams: Wilson Creek, classified for the following use: CWF, Wilson Creek TMDL. Application received: June 24, 2021.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to Wilson Creek:

<i>Outfall number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate:</i>
OMP2	Existing	Stormwater	0.23 MGD
OMP7	Not yet constructed	Stormwater	Unspecified at this time
OMP8	Not yet constructed	Stormwater	Unspecified at this time

The proposed effluent limits for the previously listed outfalls are as follows:

The following limits apply to dry weather discharges from the following stormwater outfalls: OMP2

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0

The following alternate discharge limitations apply to discharges from the following stormwater outfalls resulting from precipitation events less than or equal to the 10-year/24-hour precipitation event: OMP7, OMP8

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Settleable Solids (ml/L)				0.5

ⁱThis Parameter is applicable at all times

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).

NPDES No. PA0593893. Mining Permit No. 48870301. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474-0196, renewal of NPDES permit in Lower Mount Bethel Township, **Northampton County**, affecting 285.12 acres. Receiving stream: Mud Run, classified for the following use: CWF. Application received: April 11, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Mud Run:

<i>Outfall Number</i>	<i>New or existing</i>	<i>Type</i>	<i>Discharge Rate:</i>
ABE-001	No	Stormwater	Unspecify at this time
ABE-002	No	Stormwater	Unspecify at this time
ABE-003	No	Pitwater/Stormwater	0.75
ABE-004	No	Stormwater	Unspecify at this time

The proposed effluent limits for the previously listed outfalls are as follows:

The following limits apply to dry weather discharges from the following Mine Drainage Treatment outfalls: ABE-003

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Discharge (MGD)		0.75	0.75	
Oil and Grease (mg/L)			Monitor And Report	

The following limits apply to dry weather discharges from the following stormwater outfalls: ABE-001, ABE-002, ABE-004

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Oil and Grease (mg/L)			Monitor And Report	

The following alternate discharge limitations apply to discharges from the following stormwater outfalls resulting from precipitation events less than or equal to the 10-year/24-hour precipitation event:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Settleable Solids (ml/L)				0.5

ⁱThis Parameter is applicable at all times

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Southeast Region: Waterways & Wetlands Program Manager, 2 East Main Street, Norristown, PA 19401. Telephone: 484.250.5160. E-mail: ra-epww-sero@pa.gov.

Permit No. E4601222-013, Montgomery County, One Montgomery Plaza, P.O. Box 311, Norristown, PA 19404, Whitmarsh Township, **Montgomery County,** Army Corps of Engineers Philadelphia District.

To construct and maintain about 2.25 miles long, 12-foot-wide multi-use trail through Erdenheim Farm from Joshua Road to Wissahickon Avenue partially within the floodway/floodplain of the Wissahickon Creek (TSF-MF). The trail will also include to construct and maintain about 185 feet long and 12 feet wide single span steel arch bridge, associated with the cross-county connector trails.

The site is located north of Stenton Avenue between Valley Green and West Mill Roads (Germantown, PA, USGS Quadrangle Latitude: 40.101920; Longitude: -75.230143) in Whitmarsh Township, Montgomery County.

Permit No. E4601222-014, Montgomery County Planning Commission, One Montgomery Plaza, P.O.

Box 311, Norristown, PA 19404, Pottstown Borough and Lower Pottsgrove Township, **Montgomery County,** Army Corps of Engineers Philadelphia District.

To construct and maintain about a 0.9 mile long and 14 feet wide multi-use trail from Industrial Highway to the Armand Hammer Interchange within the floodway/floodplain of the Schuylkill River (WWF-MF) associated with the new multi-use trail to create a continuous connection with the existing trail. The project will include five wetland and two stream crossings. Total wetland impacts will be: temporary 0.026 acre, and permanent 0.047 acre (PEM, PSS, PFO).

The site is located north of Armand Hammer Boulevard and SR 422 (Phoenixville; Pottstown, PA, USGS Quadrangle Latitude: 40.232229; Longitude: -75.621100) in Pottstown Borough and Lower Pottsgrove Township, Montgomery County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

E5402222-004. UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517-5168, in Foster Township, Butler Township, and Gordon Borough, **Schuylkill County,** U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the construction of the Broad Mountain to Gordon Pipeline Project, a 7.5-mile long natural gas transmission line:

1) A utility line crossing of UNT to Swatara Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

2) A utility line crossing of UNT to Swatara Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

3) A utility line crossing of UNT to West Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

4) A utility line crossing of UNT to West Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

5) A utility line crossing of UNT to West Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

6) A utility line crossing of UNT to West Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

7) A utility line crossing of PFO Wetlands (EV) consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

8) A utility line crossing of UNT to West Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via directional drilling.

9) A utility line crossing of UNT to West Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via directional drilling.

10) A utility line crossing of PEM Wetlands (Other) consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

11) A utility line crossing of PEM Wetlands (Other) consisting of an 8-inch diameter steel natural gas pipe installed via directional drilling.

12) A utility line crossing of PFO Wetlands (EV) consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

13) A utility line crossing of UNT to Little Mahanoy Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

14) A utility line crossing of UNT to Little Mahanoy Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

15) A utility line crossing of UNT to Mahanoy Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

16) A utility line crossing of UNT to Mahanoy Creek (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

17) A utility line crossing of PFO Wetlands (Other) consisting of an 8-inch diameter steel natural gas pipe installed via open cut.

18) A utility line crossing of Rattling Run (CWF, MF) and the floodway consisting of an 8-inch diameter steel natural gas pipe installed via directional drilling.

The project begins at the Broad Mountain Landfill and terminates in Gordon Borough (Ashland, Minersville, Mount Carmel, and Tremont, PA Quadrangle Latitude: 40° 45' 11"; Longitude: -76° 19' 57") in Foster Township, Butler Township, and Gordon Borough, Schuylkill County. Application Received Date: June 16, 2022

E400222-005. AutoZone Development, LLC, 123 South Front Street, Memphis, TN 38103, in Wyoming Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a new AutoZone building, parking lot and stormwater management system impacting 3,740 ft² (0.086 acre) of the FEMA delineated floodway of Abrahams Creek (CWF, MF). The project is located on the right of Wyoming Avenue in the Midway Shopping Center approximately 2.2 miles after taking the exit to Forty Fort from State Route 309 (Pittston, PA Quadrangle Latitude: 41° 18' 6"; Longitude: -75° 51' 9") in Wyoming Borough, Luzerne County. Application Received date: June 2, 2022.

Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

F1904222-002: Town of Bloomsburg, 301 East Second Street, Bloomsburg, PA 17815. Floodplain encroachment in Bloomsburg, **Columbia County**. U.S. Army Corps of Engineers Baltimore District. The Town of Bloomsburg is seeking authorization to construct a rain garden, a berm and outlet structure to improve the existing swale behind Town Parke Village Facility within the floodplain of WB Susquehanna River, 1300 Ferry Street, Bloomsburg, PA Quadrangle, (Latitude: 40.995612° N; Longitude: -76.442974° W)

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake.

E0205222-001, O'Hara Township, 325 Fox Chapel Road, Pittsburgh, PA 15238, O'Hara Township, **Allegheny County**, Army Corps of Engineers Pittsburgh District.

The applicant proposes to: Construct, operate, and maintain approximately 310 linear feet of streambank restoration, along a UNT to Little Pine Creek (TSF), including grading the stream bank to aid in reconnecting the stream to its floodplain, 310 linear feet of vegetative slope stabilization, using landscape fabric and riparian buffer plantings along both banks of the UNT to Little Pine Creek, for the purpose of restoring the streambanks that are experiencing severe erosion due to the velocity causing siltation in the stream channel.

The project site is located at the end of Calmwood Road, which is located off Saxonburg Boulevard (Glenshaw, PA USGS topographic quadrangle; N: 40°, 31', 24"; W: -79°, 55', 23"; Sub-basin 18A; USACE Pittsburgh District) in O'Hara Township, Allegheny County.

E0205222-012, Baldwin Borough, 3344 Churchview Avenue, Pittsburgh, PA 15227, Baldwin Borough, **Allegheny County**; Army Corps of Engineers Pittsburgh District. The applicant proposes to:

Regrade and maintain 924 total linear feet of streambank along Glass Run (WWF) and a UNT to Glass Run (WWF), of which 699 linear feet of work is proposed along Glass Run and 225 linear feet of work is proposed along the UNT to Glass Run, and to establish and maintain a riparian buffer through native plantings to an extent of 35 feet perpendicular to the streams' edge on both sides, for the purpose of decreasing pollutant and sediment loading to meet municipal MS4 requirements.

The project will cumulatively and permanently impact 924 linear feet of streambanks; temporarily impact 924 linear feet of streambanks; permanently impact 1.48 acres of the floodway; and temporarily impact 0.78 acre of the floodway. No wetland or streambed impacts are proposed.

The project center is located approximately 420 feet west-south-west of the intersection of Joseph Street and the entrance drive to St. Josaphat Catholic Cemetery. (Pittsburgh East PA USGS topographic quadrangle; N: 40°, 23', 21"; W: -79°, 58', 2"; Sub-basin 19A; USACE Pittsburgh District) in the Borough of Baldwin, Allegheny County.

1. Abandon in place an existing 200 LF 30-inch diameter cement enclosure of a UNT to the Allegheny River and construct a replacement 173 LF 30-inch HDPE culvert adjacent to the existing enclosure to be abandoned;

2. Construct, operate, and maintain a new 23 LF stone-lined channel and inlet conveying the UNT to the aforementioned replacement 30-inch stream enclosure;

3. Construct, operate, and maintain a new 165.3 LF watercourse to connect the new enclosure to unaffected portions of the unnamed tributary;

4. Construct, operate and maintain 149 LF of bank stabilization on an existing water course, below the aforementioned existing enclosure to be abandoned in place, consisting of gabion baskets and reno mattresses; and

5. Repair a sink hole that formed under the existing aforementioned stream enclosure with 25 cubic yards of fill.

For the purpose of constructing and maintaining this other phase of the environmental remediation project. This additional phase will result in 173 LF of permanent stream impacts and 0.08 acre of associated floodway impacts, and 0.01 acre of temporary floodway impacts.

The project site is located west of the Ford City Veterans Bridge and south of SR-128 (Kittanning, PA USGS topographic quadrangle; N: 40°, 45', 29"; W: -79°, 33', 14"; Sub-basin 17E; USACE Pittsburgh District), in North Buffalo Twp., Armstrong County.

E6505222-001, Rostraver Township, 201 Municipal Drive, Rostraver Township, 15012, Westmoreland County, Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

Construct, operate, and maintain approximately 465 linear feet of streambank restoration along the UNT to Speers Run (WWF) and associated floodway, consisting of re-establishing and stabilizing both eroded streambanks via vegetative slope stabilization, landscape fabric and 35 foot riparian buffer plantings, for the purpose of restoring the streambanks that are experiencing severe erosion causing siltation within the steam channel.

The project site is located near the intersection of Broad Avenue and Elk's Place. (Donora, PA USGS topographic quadrangle N: 40°, 8', 2"; W: -79°, 51', 5"; Sub-basin 19C; USACE Pittsburgh District), in Rostraver Township, Westmoreland County.

E6505122-006, PennDOT District 12-0, 825 North Gallatin Ave Ext, Uniontown, PA 15401, Sewickley Township, Westmoreland County; Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

Amend Permit No. E65051-997, which authorized the Pennsylvania Department of Transportation to permanently impact 7,148 linear feet (1.1 acres/45,998 square feet) of waterways, and 640,241 square feet (14.7 acres) of floodway, and 151,826 square feet (3.49 acres) of wetlands, in association with the reconstruction of 2.6 miles of SR 0070, Section L10, including the reconfiguration of two full interchanges—Exit 53/Yukon Interchange, and Exit/Madison interchange, and for the purpose of reconstructing and widening 1.1 miles of SR 0070, Section L20 from the eastern limit of Section L10, to the SR 0070 structure over SR 3014.

This amendment proposes:

1. To construct and maintain 15 linear feet of energy dissipation (rip-rap) at the downstream end of an existing, 175-foot long, 30-inch stream enclosure, located at SR 0070, Station 623+21.7, and to construct and maintain 40 LF of channel grading at the upstream end of this existing structure, having a permanent impact of 55 LF, and a temporary impact of 15 LF, to an unnamed tributary to Lick Run (WWF) (Waterway S-MRK-007).

2. To construct and maintain 55 linear feet of energy dissipation (rip-rap) at the downstream end of an existing, 192-foot long, 36-inch stream enclosure, located at SR 0070, Station 642+47.9, and to construct and maintain 14 LF of channel grading at the upstream end of this

existing structure, having a permanent impact of 69 LF, and a temporary impact of 34 LF, to an unnamed tributary to Lick Run (WWF) (Waterway S-MRK-008).

3. To construct and maintain 16 linear feet of streambank protection (rip-rap) downstream of an existing stormwater basin (Basin E-1) outfall (ER), located at SR 0070, Station 732+53.9 RT, which flows into to a unnamed tributary to Sewickley Creek (WWF) (Waterway S-MRK-026), resulting in permanent impacts of 16 linear feet.

4. To construct and maintain 5 linear feet of energy dissipation at the downstream end of an existing, 247-foot long, 36-inch stream enclosure and outfall apron, located at SR 0070, Station 749+65.7, and to construct and maintain 17 linear feet of channel grading at the downstream end and 24 LF of channel grading at the upstream end of this existing structure, having a permanent impact of 46 LF, to an unnamed tributary to Sewickley Creek (WWF) (Waterway S-MRK-032).

5. To place and maintain an additional 9 linear feet of fill to an existing 18 linear feet of fill in a waterway located at SR 0070, Station 756+99.7 RT, resulting in a permanent impact of 9 linear feet to unnamed tributary to Sewickley Creek (WWF) (Waterway S-MRK-050).

For the purpose of making minor improvements to the recently reconstructed 2.6 miles of SR 0070, Section L10, and the recently reconstructed and widened 1.1 miles of SR 0070, Section L20.

The project is located along SR 0070, Sections L10 and L20, between the end of the current Section K10 construction project in South Huntingdon Township and the SR 3014 crossing in Hempfield Township, Westmoreland County, (USGS PA Smithton Quadrangle—Latitude 40.209865° N, Longitude 79.66488° W, Sub-basin 19D; USACE Pittsburgh District), in South Huntingdon Township, Westmoreland County.

Southwest District: Oil & Gas Manager, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, (412) 442-4281.

E0207222-005: Olympus Energy, LLC, 501 Technology Drive, Canonsburg, PA 15317, Elizabeth Township, Allegheny County; US Army Corps of Engineers Pittsburgh District.

This Joint Permit Application is being submitted for stream and floodway impacts due to the construction of a 3,730-foot-long, 24-foot-wide, permanent paved access road that will provide access to the Heracles Well Pad from SR-51. The proposed access road will cross an intermittent stream at two locations and will require the construction of two stream enclosures. A temporary access road, including one existing stream crossing and one proposed stream crossing, is proposed for use during construction of the permanent access road.

The project is located in the Donora 7.5-minute quadrangle.

Resource Name	Aquatic Resource Type	Activity	Chapter 93 Designation	Impact Length Temp. (LF)	Impact Length Perm. (LF)	Impact Area Temp. (Ac)	Impact Area Perm. (Ac)	Lat. Long.
UNT 2 to Trib 39542 to Fallen Timber Run	Intermittent	Access Road Stream Crossing 1	WWF	43	76	0.007	0.012	40.246585 -79.873603

NOTICES

4015

<i>Resource Name</i>	<i>Aquatic Resource Type</i>	<i>Activity</i>	<i>Chapter 93 Designation</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Temp. (Ac)</i>	<i>Impact Area Perm. (Ac)</i>	<i>Lat. Long.</i>
UNT 2 to Trib 39542 -79.873603 to Fallen Timber Run Floodway	Floodway	Access Road Stream Crossing 1	WWF	31	104	0.010	0.007	40.246585 -79.873603
UNT 2 to Trib 39542 to Fallen Timber Run	Intermittent	Access Road Stream Crossing 2	WWF	24	196	0.004	0.031	40.246879 -79.872518
UNT 2 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Access Road Stream Crossing 2	WWF	80	173	0.007	0.016	40.246879 -79.872518
UNT 1 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Access Road Stream Crossing 2	WWF	0	45	0	0.044	40.246879 -79.872518
UNT 1 to Trib 39542 to Fallen Timber Run	Intermittent	Temporary Road Crossing 1	WWF	86	0	0.008	0	40.247200 -79.872463
UNT 1 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Temporary Road Crossing 1	WWF	180	0	0.145	0	40.247200 -79.872463
UNT 2 to Trib 39542 to Fallen Timber Run	Intermittent	Temporary Road Crossing 2	WWF	49	0	0.008	0	40.247569 -79.871686
UNT 2 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Temporary Road Crossing 2	WWF	58	0	0.075	0	40.247569 -79.871686
UNT 2 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Permanent Floodway Impact 1	WWF	198	15	0.064	0.014	40.247449 -79.871671
UNT 2 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Permanent Floodway Impact 2	WWF	291	126	0.107	0.078	40.247449 -79.871671
UNT 2 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Temporary Road Crossing 3	WWF	96	0	0.011	0	40.248111 -79.870349
UNT 3 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Permanent Floodway Impact 3	WWF	37	30	0.021	0.002	40.249968 -79.867836
UNT 5 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Permanent Floodway Impact 3	WWF	128	73	0.059	0.007	40.249968 -79.867836
UNT 4 to Trib 39542 to Fallen Timber Run Floodway	Floodway	Temporary Road Crossing 4	WWF	85	0	0.025	0	40.249967 -79.867526
Totals	Stream			202	272	0.027	0.043	
	Floodway			1,184	566	0.524	0.168	

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Contact: Robert Marquez, Senior Project Manager, Telephone Number: 570-327-3636.

Permit No. E0829222-024, Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567, Unconventional Gas Well Site and associated infrastructure. State Route 3020, Ulster Township, **Bradford County**; Army Corps of Engineers Baltimore Office.

To construct, operate, and maintain:

1. a temporary wetland impact from construction activities impacting 2,134 square feet (0.05 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.886319°, Longitude: -76.529630°),

2. a temporary wetland impact from construction activities impacting 436 square feet (0.01 acre) of Palustrine Forested Wetlands (PFO) (Sayre, PA Quadrangle; Latitude: 41.888494°, Longitude: -76.533042°),

3. a temporary wetland impact from construction activities impacting 1,133 square feet (0.03 acre) of Palustrine Forested Wetlands (PFO) (Sayre, PA Quadrangle; Latitude: 41.887970°, Longitude: -76.532785°),

4. a temporary wetland impact from construction activities impacting 6,534 square feet (0.15 acre) of Palustrine Scrub-Shrub Wetlands (PSS) (Sayre, PA Quadrangle; Latitude: 41.886319°, Longitude: -76.529630°),

5. a permanent wetland fill impact from construction activities impacting 3,528 square feet (0.08 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.886274°, Longitude: -76.529725°),

6. a permanent wetland fill impact from construction activities impacting 12,327 square feet (0.28 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.888767°, Longitude: -76.532992°),

7. a permanent wetland fill impact from construction activities impacting 5,009 square feet (0.11 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.888026°, Longitude: -76.532671°),

8. a permanent wetland fill impact from construction activities impacting 436 square feet (0.01 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.886382°, Longitude: -76.530276°),

9. a permanent wetland fill impact from construction activities impacting 1,742 square feet (0.04 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.886422°, Longitude: -76.530529°),

10. a permanent wetland fill impact from construction activities impacting 2,178 square feet (0.05 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.887437°, Longitude: -76.532057°),

11. a temporary wetland restoration impact from mitigation activities impacting 2,134 square feet (0.05 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.886319°, Longitude: -76.529635°),

12. a temporary wetland impact from mitigation activities impacting 1,829 square feet (0.04 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.886362°, Longitude: -76.529713°),

13. a temporary wetland impact from mitigation activities impacting 2,396 square feet (0.06 acre) of Palustrine Emergent Wetlands (PEM) (Sayre, PA Quadrangle; Latitude: 41.886319°, Longitude: -76.529630°).

The Goll Bra Pad, located in Ulster Township, Bradford County, seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC

entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. Prior unauthorized impacts resulted in 2,134 square feet (0.05 acre) of temporary Palustrine Emergent Wetlands (PEM) impacts, 6,534 square feet (0.15 acre) of temporary Palustrine Scrub-Shrub Wetlands (PSS) impacts, 1,569 square feet (0.04 acre) of temporary Palustrine Forested Wetlands (PFO) impacts, and 25,220 square feet (0.58 acre) of permanent Palustrine Emergent Wetlands (PEM) impacts. Wetland restoration activities will result in 6,359 square feet (0.15 acre) of on-site mitigation and 1.40 acres of off-site wetland mitigation to restore and mitigate for unauthorized activities at the unconventional gas well site and associated infrastructure.

ENVIRONMENTAL ASSESSMENTS

Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, Floor 2, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

D64-239EA. Janet Helms, 232 Ridge Lake Drive, Honesdale, PA 18431. South Caanan Township, **Wayne County**, U.S. Army Corps of Engineers Philadelphia District.

Applicant proposes to remove the Ridge Lake Dam to eliminate a threat to public safety and to restore approximately 3,700 feet of stream channel to a free-flowing condition and to restore inundated wetlands. The project is located across Pond Brook (HQ-CWF, MF) (Honesdale, PA Quadrangle, Latitude: 41.5326; Longitude: -75.3362).

WQ5815122-001. Phil Cwiek, U.S. Army Corps of Engineers, Flood Risk Management Branch, 2 Hopkins Plaza, Baltimore, MD 21201; Clifford Township, **Susquehanna County**; U.S. Army Corps of Engineers, Baltimore District.

The Baltimore District, U.S. Army Corps of Engineers proposes to conduct work at the Corps-owned Stillwater Lake in Susquehanna County to repair/replace the control gate and an intake pipe within the intake tower. The work will include a temporary sandbag diversion and pump-around to access the Stillwater Dam tunnel for the gate replacement and repairs. The project is located across the Lackawanna River in Clifford Township, Susquehanna County; (Forest City, PA Quadrangle, (Lat: 41.6970, Long: -75.4835).

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

EA0829222-004: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567, Alexander Bra Pad in Terry & Wilmot Townships, **Bradford County**, ACOE Baltimore District.

This project seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. As previously referenced, Environmental Assessment for Waived Activities, (EAR) Application EA0829222-004 Chesapeake Appalachia, LLC (Chesapeake) has applied for an Environmental Assessment waiver 16—restoration to construct, operate and maintain 0.079 acre of temporary impacts to on-site wetlands. All impacts are associated with the Alexander Bra Pad construction in 2011.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 3,441 SF (0.079 acre) of temporary wetland impacts.

Wetland Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
W-JLK-110-T1	Terry Colley	Conversion/Workspace	PFO	Wild	97	2,570			41.611130° 76.317869°
W-JLK-110-T2	Terry Colley	Temporary Workspace	PEM	Wild	39	871			41.611196° 76.317614°
TOTAL IMPACTS					136	3,441			

ACTIONS**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT****FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020048	Chapter 102 Individual NPDES Permit	Issued	UPMC Presb Shadyside 200 Lothrop Street Pittsburgh, PA 15213-2536	Pittsburgh City Allegheny County	SWRO
PAD150240	Chapter 102 Individual NPDES Permit	Issued	Berwyn Owner LLC 976 E Swedesford Road Suite 400 Exton, PA 19341-2307	Easttown Township Chester County	SERO
PAD150242	Chapter 102 Individual NPDES Permit	Issued	Myers Brock 397 N Limerick Road Schwenksville, PA 19473-1643	Philadelphia City Philadelphia County	SERO
PAD390229	Chapter 102 Individual NPDES Permit	Issued	City Center Inv Corp 645 W Hamilton Street Suite 600 Allentown, PA 18101	Allentown City Lehigh County	NERO
PAD390233	Chapter 102 Individual NPDES Permit	Issued	St Lukes Health Network, Inc. 801 Ostrum Street Bethlehem, PA 18015	Allentown City Lehigh County	NERO
PAD450109	Chapter 102 Individual NPDES Permit	Issued	Black Buffalo 3DCorp P.O. Box 407 Stroudsburg, PA 18360-0407	Smithfield Township Monroe County	NERO
PAD480016	Chapter 102 Individual NPDES Permit	Issued	Lafayette College 1001 Bushkill Drive Easton, PA 18042-1450	Easton City Northampton County	NERO
PAD610005	Chapter 102 Individual NPDES Permit	Issued	Titusville Solar, LLC 3402 Pico Boulevard Santa Monica, CA 90405-2025	Cherrytree Township Venango County	NWRO
PAD650036	Chapter 102 Individual NPDES Permit	Issued	Export Fuel Co. Inc. 1050 Mechling Road Greensburg, PA 15601-6275	Salem Township Westmoreland County	SWRO
PA0284840	Industrial Stormwater Individual NPDES Permit	Issued	US Gypsum Co. 1 Woodlawn Road Aliquippa, PA 15001-5413	Aliquippa City Beaver County	SWRO
2722801	Joint DEP/PFBC Pesticides Permit	Issued	Mary Caratelli 2663 Highland Drive Tionesta, PA 16353-7606	Tionesta Township Forest County	NWRO
4622809	Joint DEP/PFBC Pesticides Permit	Issued	Hill at Whitemarsh 4000 Foxhound Drive Lafayette Hill, PA 19444-1014	Whitemarsh Township Montgomery County	SERO
1504407	Land Application and Reuse of Sewage Individual WQM Permit	Issued	East Brandywine Township Municipal Authority Chester County 1214 Horseshoe Pike Downington, PA 19335	East Brandywine Township Chester County	SERO

NOTICES

4019

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1505420	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Bucks County Water & Sewer Authority 1275 Almshouse Road Warrington, PA 18976-1209	West Vincent Township Chester County	SERO
PA0026051	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Chambersburg Borough Franklin County 100 S 2nd Street Chambersburg, PA 17201-2515	Chambersburg Borough Franklin County	SCRO
2112404	Major Sewage Treatment Facility Individual WQM Permit	Issued	Lemoyne Borough Municipal Authority Cumberland County 3 Lowther Street Lemoyne, PA 17043-2029	Lemoyne Borough Cumberland County	SCRO
PA0035092	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Tyson Poultry Inc. 403 S Custer Avenue New Holland, PA 17557-9221	New Holland Borough Lancaster County	SCRO
PA0000272	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PA American Water Co. 60 Elrama Avenue Elrama, PA 15038-1008	Union Township Washington County	SWRO
PA0010961	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	SPS Tech LLC 301 Highland Avenue Jenkintown, PA 19046-2630	Abington Township Montgomery County	SERO
PA0029831	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Sullivan County School District P.O. Box 240 Laporte, PA 18626-0240	Laporte Borough Sullivan County	NCRO
PA0050989	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Frederick Mennonite Comm P.O. Box 498 Frederick, PA 19435-0498	Upper Frederick Township Montgomery County	SERO
PA0087955	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Cassville Water & Sewer Authority Huntingdon County P.O. Box 48 Cassville, PA 16623-0048	Cass Township Huntingdon County	SCRO
PA0097047	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Westmoreland County Housing Authority 167 S Greengate Road Greensburg, PA 15601	Sewickley Township Westmoreland County	SWRO
PA0098434	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	PA DOT Bureau of Project Delivery 400 North Street 6th Flr Harrisburg, PA 17120	Whiteley Township Greene County	SWRO
PA0253961	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Mahadevji LLC P.O. Box 287 Donegal, PA 15628-0287	Donegal Township Westmoreland County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0020338	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Kulpmont & Marion Heights Borough Joint Municipal Authority Northumberland County 9590 State Route 61 Coal Township, PA 17866-4110	Coal Township Northumberland County	NCRO
PA0026441	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Lemoyne Borough Municipal Authority Cumberland County 3 Lowther Street Lemoyne, PA 17043-2029	Lemoyne Borough Cumberland County	SCRO
PA0084778	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Granville Township Municipal Authority Mifflin County 100 Helen Street Lewistown, PA 17044-2437	Granville Township Mifflin County	SCRO
PA0218391	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Georges Creek Municipal Authority 14 Water Street Smithfield, PA 15478	Georges Township Fayette County	SWRO
PAR600120	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	710 Trainer St LLC 710 Trainer Street Trainer, PA 19013	Trainer Borough Delaware County	SERO
PAR803680	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	LKQ Corp 500 W Madison Street Suite 2800 Chicago, IL 60661-4544	Hamilton Township Franklin County	SCRO
PAG046350	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Johnson Robert D 4158 State Gamelands Road Wexford, PA 15090-7560	Marshall Township Allegheny County	SWRO
2116409	Sewer Extensions Individual WQM Permit	Issued	Hampden Township Sewer Authority Cumberland County 209 S Sporting Hill Road Mechanicsburg, PA 17050-3060	Hampden Township Cumberland County	SCRO
3622405	Sewer Extensions Individual WQM Permit	Issued	Lancaster City Lancaster County 120 N Duke Street Lancaster, PA 17608	Lancaster City Lancaster County	SCRO
PA0264911	Single Residence STP Individual NPDES Permit	Issued	Hasbrouck Cathy 595 Plank Road Corry, PA 16407-5307	Columbus Township Warren County	NWRO
PA0284777	Single Residence STP Individual NPDES Permit	Issued	Hallam Michael E 225 Tate Road Hookstown, PA 15050-1237	Aliquippa City Beaver County	SWRO
PA0290203	Single Residence STP Individual NPDES Permit	Issued	Andrew & Heather Zuber 386 Brickyard Road North East, PA 16428	Franklin Township Erie County	NWRO
PA0290467	Single Residence STP Individual NPDES Permit	Issued	Snyder Daniel P 5655 Newhouse Road East Amherst, NY 14051-1923	North East Township Erie County	NWRO
PA0290491	Single Residence STP Individual NPDES Permit	Issued	Wilt Rod E 262 Leech Road Greenville, PA 16125-9428	Highland Township Clarion County	NWRO
PA0290661	Single Residence STP Individual NPDES Permit	Issued	Christopher and Jacqueline Wassel 8139 Station Road Erie, PA 16510-5705	Harborcreek Township Erie County	NWRO

NOTICES

4021

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0208403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Johnson Robert D 4158 State Gamelands Road Wexford, PA 15090-7560	Marshall Township Allegheny County	SWRO
1622401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Wilt Rod E 262 Leech Road Greenville, PA 16125-9428	Highland Township Clarion County	NWRO
2521436	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Andrew and Heather Zuber 386 Brickyard Road North East, PA 16428	Franklin Township Erie County	NWRO
2522406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Snyder Daniel P 5655 Newhouse Road East Amherst, NY 14051-1923	North East Township Erie County	NWRO
2522412	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Christopher and Jacqueline Wassel 8139 Station Road Erie, PA 16510-5705	Harborcreek Township Erie County	NWRO
3122402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Holmes Robert 4684 Cold Springs Road Huntingdon, PA 16652-3108	Oneida Township Huntingdon County	SCRO
WQG016146	WQG-01 WQM General Permit	Issued	Johnson Robert D 4158 State Gamelands Road Wexford, PA 15090-7560	Marshall Township Allegheny County	SWRO

II. Final Actions on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090553	PAG-02 General Permit	Issued	Alliance Two Geoffrey Drive LLC 40 Morris Avenue Suite 230 Bryn Mawr, PA 19010	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550
PAC510047	PAG-02 General Permit	Issued	PennDOT District 6-0 7000 Geerdes Boulevard King of Prussia, PA 19406-1525	City of Philadelphia Philadelphia Count	DEP, SERO 2 East Main Street Norristown, PA 19401-4915 RA-EPNPDES_SERO@ pa.gov
PAC480135	PAG-02 General Permit	Issued	Jim Edwards 1934 White Acre Drive Bethlehem, PA 18015-5045	Lower Saucon Township Northampton County	Northampton County Conservation District 14 Gracedale Avenue Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAC480132	PAG-02 General Permit	Issued	PD 185 South Third Street, LLC 60 W. Broad Street Bethlehem, PA 18018	City of Easton Northampton County	Northampton County Conservation District 14 Gracedale Avenue Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAC010163 A-1	PAG-02 General Permit	Issued	New Oxford (Brush Run) DPP, LLC 9010 Overlook Boulevard Brentwood, TN 37027	Mt. Pleasant Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360736	PAG-02 General Permit	Issued	Kore Fisher 410 Weaver Road Strasburg, PA 17579	Strasburg Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360704	PAG-02 General Permit	Issued	Intercourse Hotel, LLC 7080 Division Highway Narvon, PA 17555	Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360715	PAG-02 General Permit	Issued	Sindall Leasing Inc. 461 Diller Avenue New Holland, PA 17557	Earl Township New Holland Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360721	PAG-02 General Permit	Issued	Murry Development Corp 1899 Lititz Pike Lancaster, PA 17601	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC360739	PAG-02 General Permit	Issued	Ethan Martin 307 Reidenbach Road New Holland, PA 17557	Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC070103	PAG-02 General Permit	Issued	Penn-Mont Academy 131 Holliday Hills Drive Hollidaysburg, PA 16648	Hollidaysburg Borough Blair County	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814.696.0877, ext. 5
PAC210004 A-3	PAG-02 General Permit	Issued	Charter Homes at Highpoint Inc 322 North Arch Street Lancaster, PA 17603	Lower Allen Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAC670379 A-1	PAG-02 General Permit	Issued	Queen Street Convenience LLC Lisa Bornt-Davis 2498 East Market Street York, PA 17402	Shrewsbury Borough York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC670545	PAG-02 General Permit	Issued	Christopher Aldous 2615 Course Road York, PA 17402	York Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717.840.7430
PAC360693	PAG-02 General Permit	Issued	B-Tech Builders LLC 2939 Welsh Rd Mohnton, PA 19540	Brecknock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5

NOTICES

4023

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360726	PAG-02 General Permit	Issued	Bausman Place Apartment Assoc. LP 941 Wheatland Ave Suite 204 Lancaster, PA 17603	Lancaster Township Lancaster City Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717.299.5361, ext. 5
PAC010209	PAG-02 General Permit	Issued	The Brethren Home Community 2290 Carlisle Pike New Oxford, PA 17350	Oxford Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC050056	PAG-02 General Permit	Issued	New Enterprise Stone & Lime Co., Inc P.O. Box 77 New Enterprise, PA 16664	Juniata Township Bedford County	Bedford County Conservation District 702 West Pitt Street Suite 4 Bedford, PA 15522 814.623.7900, ext. 4
PAC220322	PAG-02 General Permit	Issued	UGI Utilities, Inc. 1 UGI Drive Denver, PA 17517	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220300 A-1	PAG-02 General Permit	Issued	Benjamin Evenson 809 Butler Drive Middletown, PA 17057	West Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220174 A-1	PAG-02 General Permit	Issued	Eastern Development and Planning, Inc. 7300 Derry Street Harrisburg, PA 17111	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220323	PAG-02 General Permit	Issued	Manada Golf Club 609 Golf Lane Grantville, PA 17028	East Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220321	PAG-02 General Permit	Issued	Derry Township Municipal Authority 670 Clearwater Road Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220319	PAG-02 General Permit	Issued	Veterans Outreach of Pennsylvania P.O. Box 6127 Harrisburg, PA 17112	City of Harrisburg Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC210273	PAG-02 General Permit	Issued	Tri-State Barn Builders 1651 Mountain Road Newburg PA 17240	Three Square Hollow Run Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717.240.7812
PAD140088	Individual Permit	Issued	Patton Township 100 Patton Plaza State College, PA 16803	Patton Township Centre County	DEP, NCRO 208 W 3rd Street Suite 101 Williamsport, PA 17701

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC630253	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Chartiers Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAC630254	PAG-02 General Permit	Issued	Trinity Area School District 231 Park Avenue Washington, PA, 15301	North Franklin Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAC650327	PAG-02 General Permit	Issued	Peoples Natural Gas, LLC	Hempfield Township Westmoreland County	Westmoreland Conservation District 218 Donahoe Road Greensburg, PA 15601 (724) 837-5271
PAC650305	PAG-02 General Permit	Issued	Westmoreland County Bureau of Parks & Recreation 194 Donohoe Road Greensburg, PA 15601	Allegheny Township Westmoreland County	Westmoreland Conservation District 218 Donahoe Road Greensburg, PA 15601 (724) 837-5271
PAC330035	PAG-02 General Permit	Issued	Henderson Township Municipal Authority 121 4th Street Stump Creek, PA 15863	Henderson Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC330034	PAG-02 General Permit	Issued	Russell Real Estate LLC 2640 Greenville Pike Grampian, PA 16383	Washington Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC160042	PAG-02 General Permit	Issued	Gardenscape, Inc. P.O. Box 184 Eau Claire, PA 16030	Salem Township Clarion County	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This

paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

SAFE DRINKING WATER

Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401.

Permit No. 4622503, Public Water Supply.

Applicant

**New Hanover Child Care
Gilbertsville**
2797 N. Charlotte Street
Gilbertsville, PA 19525-9719

Municipality New Hanover Township
 County **Montgomery**
 Type of Facility PWS
 Consulting Engineer ARRO Consulting, Inc.
 108 West Airport Road
 Lititz, PA 17543

Permit to Construct June 21, 2022
 Issued

Permit No. 1521524, Public Water Supply.

Applicant **Downingtown Municipal
 Water Authority**
 100 Water Plant Way
 Downingtown, PA 19335

Municipality Downingtown Borough
 County **Chester**
 Type of Facility PWS
 Consulting Engineer Installation of groundwater
 chemical dosing equipment

Permit to Construct June 22, 2022
 Issued

*Northeast Region: Safe Drinking Water Program, 2
 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-
 2511.*

*Contact: Gillian Pehala, Clerical Assistant 2, 570-830-
 3077.*

Permit No. 3922509MA, Construction Permit, Public
 Water Supply.

Applicant **Lehigh County Authority**
 1053 Spruce Road
 Allentown, PA 18106

Municipality South Whitehall Township
 County **Lehigh**

Type of Facility PWS
 Consulting Ms Lori L Kappen P.E.
 Gannett Fleming Inc
 P.O. Box 67100
 Harrisburg, PA 17106-7100

Application Received May 17, 2022
 Date

Permit Issued Date June 16, 2022

Description of Action Construction of Applewood
 Emergency Interconnection
 Project.

Permit No. 1321503, Construction Permit, Public
 Water Supply.

Applicant **Mahoning Manor Estates
 Homeowner's Association**
 125 Manor Lane
 Lehigh, PA 18235

Municipality Mahoning Township

County **Carbon**

Type of Facility PWS

Consultant Mr. Anthony J. Coval, P.E.,
 Senior Engineer
 Nittany Engineering
 A Division of Century
 Engineering
 2836 Earlstown Road
 Suite 1
 Centre Hall, PA 16828

Application Received June 8, 2021
 Date

Permit Issued Date May 31, 2022

Description of Action Mahoning Manor Estates—
 Revised 4-Log Treatment for
 Viruses, EP-101, (Well Nos. 1
 and 5)

Permit No. 4022505, Construction Permit, Public
 Water Supply.

Applicant **Hazleton City Authority**
 400 East Arthur Gardner
 Parkway
 Hazleton, PA 18201

Municipality Hazle Township

County **Luzerne**

Type of Facility PWS

Consultant Mr. Lawrence J. Lennon, Jr.,
 P.E./LSSE, Inc.
 846 4th Avenue
 Coraopolis, PA 15108

Application Received March 31, 2022
 Date

Permit Issued Date May 26, 2022

Description of Action Construction of Oneida Junction
 Booster Pumping Station Project.

*Southwest Region: Safe Drinking Water Program, 400
 Waterfront Drive, Pittsburgh, PA 15222-4745.*

Permit No. 0422504, Public Water Supply.

Applicant **Ray Nixon DBA—RTEN
 One Stop Shopper**
 232 2nd Street
 Darlington, PA 16115

Municipality Darlington Borough

County **Beaver**

Type of Facility Water System

Consulting Engineer Lennon, Smith, Souleret
 Engineering, Inc.
 846 Fourth Avenue
 Coraopolis, PA 15108

Permit Issued June 22, 2022

*Northcentral Region: Safe Drinking Water Program, 208
 West Third Street, Williamsport, PA 17701.*

**Operation Permit No. MA-GWR-T1 & 5989508-T2 &
 5911501-T1** issued to: **Country View Family Farms,
 LLC**, 1301 Fulling Mill Road, Middletown, PA 17057,
 PWSID No. 2590017, Putnam Township, **Tioga County**,
 on July 5, 2022, for the operation of facilities approved
 under construction permit # MA-GWR & 5989508 &
 5911501. The following permits are hereby transferred:
 Permit No. MA-GWR-T1: This permit approves operation
 of the treatment facilities for 4-log inactivation of viruses.
 Permit No. 5989508-T2: This permit approves operation

of Well No. 1, with transmission line, distribution system, and sodium hypochlorite disinfection system. Permit No. 5911501-T1: This permit approves operation of a 1,625-gallon pretreatment tank; Sentry I open air methane removal system (baffled tank, vent, pump, and calcium hypochlorite pellet feeder); Kinetic 4060F dual activated carbon/Macrolite filtration system; 50/5 micron nominal dual-gradient density cartridge filtration system; Freshpoint UF filtration system; sodium hypochlorite feed system; two 1,625-gallon detention/finished water tanks; and raw and finished water booster pump and hydro-pneumatic tank systems.

Operation Permit No. 4121503 issued to: **Montgomery Water Authority**, 35 South Main Street, Montgomery, PA 17752. PWSID No. **4410161**, Brady Township, **Lycoming County**, on June 1, 2022, for the operation of facilities approved under construction permit # 4121503. This permit approves operation of the Timber Run Water Service Project, including repurposing of the Lycoming County Resource Management Services existing 450,000-gallon finished-water storage tank and new booster chlorination (sodium hypochlorite) chemical feed systems at the tank site and at the existing Montgomery Booster Pump Station. In addition, the tank and transmission line are hereby transferred from Southern Lycoming County Water to Montgomery Water Authority.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Operations Permit issued to: **Pittsburgh Water and Sewer Authority**, Penn Liberty Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, PWSID No. **5020038**, City of Pittsburgh, **Allegheny County**, on June 23, 2022 for the operation of facilities approved under construction permit # 0218518. Operation Permit amendment No. 0218518-A3 was issued for the modification of the dose of orthophosphate (75% Phosphoric Acid) from 1.7 mg/L up to 1.9 mg/L at seven corrosion control system application points.

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, PWSID No. **5020039**, Union Township, **Washington County**, on June 22, 2022 for the operation of facilities approved under permit # 0222507MA for the correction of the carbon size for Aldrich Purification Unit No. 1.

Operations Permit issued to: **Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, PWSID No. **5020039**, Union Township, **Washington County**, on June 22, 2022 for the operation of facilities approved under permit # 0222509MA for the correction of the carbon size for Aldrich Purification Unit No. 8.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Plan Location:

Municipality	Municipality Address	County
Albany Township	P.O. Box 197 Kempton, PA 19529	Berks

Plan Description:

The exemption from the requirement to revise the Official Plan for the **David Schwingen Subdivision**, DEP Code No. A3-06915-085-2E, APS ID 1066458, is disapproved. The proposed subdivision consists of one new single-family dwelling on an existing lot with an individual on-lot sewage disposal system. The proposed subdivision is located on Trout Lake Road in Albany Township. This plan is disapproved because it does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the subdivision proposes the use of on-lot sewage disposal systems in an area within a high-quality or exceptional-value watershed as per Chapter 71, Section 71.51(b)(1)(iii). It also does not qualify because the subdivision proposes the use of on-lot sewage disposal systems and each lot of the subdivision does not have separate sites available for both a permissible primary soil absorption area or spray field and a replacement soil absorption area or spray field as per Chapter 71, Section 71.51(b)(1)(v).

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

PUBLIC NOTICE OF PROPOSED CONSENT ORDER AND AGREEMENT UNDER HSCA/CERCLA

Intercourse TCE Site, Leacock Township, **Lancaster County**.

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. §§ 6020.101 et seq., has entered into a proposed Consent Order and Agreement (CO&A) with Karma Investments Intercourse, LLC (Purchaser) with regard to the Intercourse TCE Site (Site) located in Leacock Township, Lancaster County, PA.

In 2004, the Department began investigating groundwater within the Site. Trichloroethylene (TCE) was detected in wells on approximately 150 residential properties within the Site area in excess of the five parts per billion (ppb) Federal Maximum Contamination Level for public water supplies as incorporated by Pennsylvania Safe Drinking Water Act and the five ppb Statewide health standard for groundwater cleanups under the Pennsylvania Land Recycling and Remediation Standards Act. The past and present conditions at the Site constitute a "release" and "threatened release" of hazardous substances as defined in HSCA. In 2007, the Department selected point of use water treatment systems and bottled water delivery, based on level of contamination, as an interim response. In 2009, the Department selected construction of a new municipal water supply system as a remedial response. Construction of the water supply system was completed in 2020. The Department supervised operation of the water supply system until it was transferred to Leacock Township in September 2021. Currently, the Department has not identified the source(s) of the TCE contamination.

The Purchaser intends to purchase real property comprising a continuous area drawn from existing Lancaster Tax Parcel Nos. being part of 3506949500000 (aka, 3452 Old Philadelphia Pike, Intercourse, PA 17534); the entirety of 3502484600000 (aka, 3466 Old Philadelphia Pike, Intercourse, PA 17534); the entirety of 3502824900000 (aka 3470 Old Philadelphia Pike, Intercourse, PA 17534); the entirety of 3503447100000 (aka

3474 Old Philadelphia Pike, Intercourse, PA 175340; and part of 3507183900000 (aka Old Philadelphia Pike) (hereinafter “the Property”). The Property is currently owned by CBH Limited Partnership. CBH Limited Partnership will file a declaration of condominium that will subdivide the real property into two condominium units and common elements. Purchaser will be transferred title to condominium unit one.

The Purchaser represents that it has no involvement with the Property other than as a prospective purchaser performing due diligence at the Property. The Department has no information that the Purchaser ever used TCE at the Site or has ever been or is presently affiliated with the current owner.

Under the terms and conditions of the CO&A, the Department and the Purchaser covenant not to sue the other for response costs arising from the release or threatened release of hazardous substances at the Site. In addition, the CO&A provides that the Purchaser will submit payment to the Department in the amount of \$3,000 towards the Department’s past response costs at the Site.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that, “settlement shall become final upon the filing of the Department’s response to significant written comments.” The Department has reserved the right to withdraw its consent to the CO&A if comments submitted during the public comment period disclose facts or considerations which indicate, in the Department’s discretion, that the CO&A is inappropriate or not in the public interest. A person adversely affected by the settlement may file an appeal with the Pennsylvania Environmental Hearing Board. A public comment period on the CO&A will extend for a period of 60 days from the date of this notice. Persons may submit written comments regarding the agreement by mail to Cain Stone, Environmental Protection Specialist, Department of Environmental Protection, 909 Elmerton Avenue, Harrisburg, PA 17110 or by email to caistone@pa.gov. Further information or a copy of the CO&A can be obtained by contacting Mr. Cain Stone at caistone@pa.gov or 717-705-4843 or Mr. Dennis Yuen at dyuen@pa.gov or 717-783-0367.

**HAZARDOUS SITES CLEAN-UP
UNDER THE ACT OF
OCTOBER 18, 1988**

**PUBLIC NOTICE OF PROPOSED
CONSENT ORDER AND AGREEMENT
UNDER HSCA/CERCLA**

Intercourse TCE Site, Leacock Township, Lancaster County.

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. §§ 6020.101 et seq., has entered into a proposed Consent Order and Agreement (CO&A) with PM Intercourse, LLC (Purchaser) with regard to the Intercourse TCE Site (Site) located in Leacock Township, Lancaster County, PA.

In 2004, the Department began investigating groundwater within the Site. Trichloroethylene (TCE) was detected in wells on approximately 150 residential properties within the Site area in excess of the five parts per billion (ppb) Federal Maximum Contamination Level for public water supplies as incorporated by Pennsylvania Safe Drinking Water Act and the five ppb Statewide

health standard for groundwater cleanups under the Pennsylvania Land Recycling and Remediation Standards Act. The past and present conditions at the Site constitute a “release” and “threatened release” of hazardous substances as defined in HSCA. In 2007, the Department selected point of use water treatment systems and bottled water delivery, based on level of contamination, as an interim response. In 2009, the Department selected construction of a new municipal water supply system as a remedial response. Construction of the water supply system was completed in 2020. The Department supervised operation of the water supply system until it was transferred to Leacock Township in September 2021. Currently, the Department has not identified the source(s) of the TCE contamination.

The Purchaser intends to purchase real property comprising a continuous area drawn from existing Lancaster Tax Parcel Nos. being part of 3506949500000 (aka 3452 Old Philadelphia Pike, Intercourse, PA 17534); the entirety of 3502484600000 (aka 3466 Old Philadelphia Pike, Intercourse, PA 17534); the entirety of 3502824900000 (aka 3470 Old Philadelphia Pike, Intercourse, PA 17534); the entirety of 3503447100000 (aka 3474 Old Philadelphia Pike, Intercourse, PA 175340; and part of 3507183900000 (aka Old Philadelphia Pike) (hereinafter “the Property”). The Property is currently owned by CBH Limited Partnership. CBH Limited Partnership will file a declaration of condominium that will subdivide the real property into two condominium units and common elements. Purchaser will be transferred title to condominium unit two.

The Purchaser represents that it has no involvement with the Property other than as a prospective purchaser performing due diligence at the Property. The Department has no information that the Purchaser ever used TCE at the Site or has ever been or is presently affiliated with the current owner.

Under the terms and conditions of the CO&A, the Department and the Purchaser covenant not to sue the other for response costs arising from the release or threatened release of hazardous substances at the Site. In addition, the CO&A provides that the Purchaser will submit payment to the Department in the amount of \$3,000 towards the Department’s past response costs at the Site.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that, “settlement shall become final upon the filing of the Department’s response to significant written comments.” The Department has reserved the right to withdraw its consent to the CO&A if comments submitted during the public comment period disclose facts or considerations which indicate, in the Department’s discretion, that the CO&A is inappropriate or not in the public interest. A person adversely affected by the settlement may file an appeal with the Pennsylvania Environmental Hearing Board. A public comment period on the CO&A will extend for a period of 60 days from the date of this notice. Persons may submit written comments regarding the agreement by mail to Cain Stone, Environmental Protection Specialist, Department of Environmental Protection, 909 Elmerton Avenue, Harrisburg, PA 17110 or by email to caistone@pa.gov. Further information or a copy of the CO&A can be obtained by contacting Mr. Cain Stone at caistone@pa.gov or 717-705-4843 or Mr. Dennis Yuen at dyuen@pa.gov or 717-783-0367.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787, Charline Bass.

Valley Brook Apartments, 5001 Pennell Road, Aston, PA 19007, Aston Township, **Delaware County**. Richard S. Werner, PG, Environmental Consultants, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of James Logue, Esquire, The Ecological Rainbow Living Trust, 1500 Bay Road, # 1538S, Miami Beach, FL 33139 submitted a Final Report concerning remediation of site soil contaminated with No. 2 fuel oil and leaded gasoline. The report is intended to document remediation of the site to meet the Statewide health standard.

Tunnel Road Property, 1225 Tunnel Road, Perkasio, PA 18944, Perkasio Borough, **Bucks County**. Philip Schiebel, Barry Isett & Associates, 85 South Route 100,

Allentown, PA 18106 on behalf of Carmen Carosella, Jupiter Property Management, LLC, 11401 Roosevelt Boulevard, Philadelphia, PA 19154 submitted a Final Report concerning remediation of site soil contaminated with mercury. The report is intended to document remediation of the site to meet the Statewide health standard.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Lehman Park Caretaker's House, 168 Lehman Park Road, Bushkill, PA 18324, Lehman Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lehman Township, 193 Municipal Drive, Bushkill, PA 18324, submitted a Final Report concerning remediation of soil contaminated by a release of heating oil from an aboveground storage tank. The report is intended to document remediation of the site to meet Statewide health standards.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

Ryder Truck Rental, Inc. Accident Cleanup, Interstate 80 at MM 191E, Loganton, PA 17747, Greene Township, **Clinton County**. Enviroserve, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Ryder Truck Rental, Inc., 11690 NW 105 Street, Miami, FL 33178, has submitted a Final Report concerning site soil contaminated with diesel fuel. The report is intended to document remediation of the site to meet the nonresidential Statewide health standard.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Standard Bent Glass, Primary Facility ID # 845471, 136 Lincoln Avenue, East Butler, PA 16209, Borough of East Butler, **Butler County**. Tetra Tech, 661 Andersen Drive, Pittsburgh, PA 15220 on behalf of SBG Holdings, Inc., 295A Delwood Road, Butler, PA 16001 has submitted a Final Report concerning remediation of site soil contaminated with Antimony, Arsenic, Lead, Manganese, Trichloroethene, Hexachloroethane and site groundwater contaminated with Arsenic, Cobalt, Manganese, Thallium, Vanadium, 112TCA, Benzene, cis 12 DCE, TCE, and Vinyl Chloride. The report is intended to document remediation of the site to meet the site-specific standard.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environ-

mental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, Charline Bass, 484-250-5787.

Keystone Trade Center—Lot 27, River Road, Fairless Hills, PA 19067, Falls Township, **Bucks County**. Jeffrey A. Smith, PG, Langan Engineering and Environmental Services, Inc., 1818 Market Street, Suite 330, Philadelphia, PA 19103 on behalf of Andy Mace, NP Falls Township Industrial, LLC, 4825 NW 1st Street, Suite 500, Riverside, MO 64150 submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan/Final Report concerning the remediation of site soil contaminated with VOCs, SVOCs; herbicides; polychlorinated biphenyls; metals; and cyanide in soils. The Final Report demonstrated attainment of the Statewide health standard/site-specific standard and was approved by the Department on June 21, 2022

Navy Yard Chapel Block, 1200 & 1260 Normandy Place, 1225 Constitution Avenue, Philadelphia, PA 19112, City of Philadelphia, **Philadelphia County**. Michael C. Nines, PE, Manko, Gold, Katcher & Fox, 401 City Avenue, Suite 901, Bala Cynwyd, PA 19004 on behalf of Jewelle Kennedy, Ensemble Investments, LLC, 444 Ocean Boulevard, Suite 650, Long Beach, CA 90828 submitted a Baseline Remedial Investigation Work Plan concerning the remediation of site soil and groundwater contami-

nated with PCBs, pesticides and lead. The Special Industrial Area work plan was approved by the Department on June 21, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

109 Evergreen Estates Drive, 109 Evergreen Estates Drive, Sweet Valley, PA, 18656, Lake Township, **Luzerne County**. Barry Isett & Associates, 1170 Highway 315, Suite 3, Wilkes-Barre, PA 18702, on behalf of Evergreen MHC, LLC, P.O. Box 275, Lake Hiawatha, NJ, 07034, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil from aboveground storage tank. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on June 29, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

406 Weaver Road, 406 Weaver Road, Strasburg, PA 17579, Strasburg Township, **Lancaster County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Dixie Land Energy LLC, 281 East Main Street, Rising Sun, MD 21911, submitted a Final Report concerning the remediation of site soil contaminated with No. 2 heating oil & used motor oil short list compounds. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on June 28, 2022.

3800 East Prospect Road, 3800 East Prospect Road, York, PA 17402, Windsor Township, **Berks County**. Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Mr. Adam Gladfelter, 3800 East Prospect Road, York, PA 17402, submitted a Final Report concerning the remediation of site soil contaminated with heating oil. The Final Report did not demonstrate attainment of the residential Statewide health standard and was disapproved by the Department on June 29, 2022.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.

SWN Production Company, LLC Greenzweig Large Impoundment, 329 E. Cole Road, Wyalusing, PA 18853, Herrick Township, **Bradford County**. Resource Environmental, 50 Maple Street, Montrose, PA 18801, on behalf of SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, has submitted a Final Report concerning site soil contaminated with produced water. The report demonstrated attainment of the residential Background and Statewide health standards and was approved by the Department on June 22, 2022.

Windstream Communications, 441 Science Park Road, State College, PA 16803, Ferguson Township, **Centre County**. Letterle & Associates, 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Windstream Communications, 441 Science Park Road, State College, PA 16803, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The report demonstrated attainment of the residential Statewide health standard and was approved by the Department on June 21, 2022.

Inline Express Project, Interstate 80 at Milemarker 185E, Loganton, PA 17747, Greene Township, **Clinton**

County. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Inline Express, 6100 Linsdale Street, Detroit, MI 48204, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel and motor oil. The report demonstrated attainment of the nonresidential Statewide health standard and was approved by the Department on June 21, 2022.

Ahsas Trucklines, Inc. Cleanup Project, US Route 15S at Exit 148 off-ramp, Williamsport, PA 17701, Lewis Township, **Lycoming County.** EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Ahsas Trucklines, Inc., 450 Dougall Avenue, Caledon, ON L7C4A6, has submitted a Final Report concerning site soil contaminated with diesel fuel and used motor oil. The report demonstrated attainment of the nonresidential Statewide health standard and was approved by the Department on June 28, 2022.

General Scrap, Inc. Project, Interstate 80 at MM 219W, Danville, PA 17821, Liberty Township, **Montour County.** EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of General Scrap, Inc., 108 Garden Drive, Hunlock Creek, PA 18621, has submitted a Final Report concerning site soil contaminated with diesel fuel. The report demonstrated attainment of the nonresidential Statewide health standard and was approved by the Department on June 21, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

EQT Prentice Well Pad, Primary Facility ID # 858641, 1322 Lytle Road, Monogahela, PA 15063, Forward Township, **Allegheny County.** Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301 on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222 has submitted a Final Report concerning remediation of site soils contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final report demonstrated attainment of the Statewide health standard and was approved by the Department on June 27, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Rape Well Pad, Primary Facility ID # 856580, 959 Brownsdale Road, Evans City, PA 16033, Forward Township, **Butler County.** Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16335 on behalf of Penn Energy Resources, LLC, 1000 Commerce Park Drive, Park Place One, Suite 400, Pittsburgh, PA 15275 has submitted a Final Report concerning the remediation of site soil contaminated with 1,1-Biphenyl, Fluorene, 2-Methylnaphthalene, m&p-Xylene, Total Xylenes, 1,3,5-Trimethylbenzene, Naphthalene, n-Butylbenzene, p-Isopropyltoluene Bromobenzene, o-Xylene, and 1,2,4-Trimethylbenzene. The Final report demonstrated attainment of the Statewide health standard and was approved by the Department on July 1, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Actions on applications for Hazardous Waste Transporter License received under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and regulations to transport hazardous waste.

Central Office: Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.

Transporter Licenses Reissued

Eastern Environmental Industries, LLC, 560 Myrtle St., Reynoldsville, PA 15851. License No. **PA-AH 0835.** Effective June 29, 2022.

Citiwaste, LLC, 893 Shepherd Avenue, Brooklyn, NY 11208. License No. **PA-AH 0870.** Effective June 29, 2022.

Reliable Hauling, LLC, 4321 State Rt 7, New Waterford, OH 44445. License No. **PA-AH 0906.** Effective June 29, 2022.

Transporter Licenses Expired

Laidlaw Carriers Bulk GP Inc., 1179 Ridgeway Rd, Woodstock, ON N4S 0A9. License No. **PA-AH 0703.** Effective December 1, 2021.

Ecology Services, Inc., 9135 Guilford Road, Columbia, MD 21046. License No. **PA-AH 0789.** Effective April 1, 2022.

M.R. Dirt Inc., 21186 Rte 187, Towanda, PA 18848. License No. **PA-AH 0899.** Effective May 1, 2022.

Five Star Trucking Inc., 4380 Glenbrook Rd, Wiloughby, OH 44094. License No. **PA-AH 0901.** Effective May 1, 2022.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.

WMGR123NC042. Beech Resources, LLC, 343 Pine Street, Suite 1, Williamsport, PA 17701, Lycoming Township, **Lycoming County.** Determination of Application for storage of oil and gas liquid waste to be used as a water supply to develop or hydraulically fracture an oil or gas well at the Premier Facility. The Department issued with the determination of applicability on June 30, 2022.

Persons interested in reviewing the general permit may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. 570-327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

Northwest Region: Regional Solid Waste Manager, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: Christina S. Wilhelm.

WMGR123NW017. PennEnergy Resources, LLC, W76 Well Pad, 756 Ekastown Road, Sarver, PA 16055. This general permit allows for the processing and beneficial use of oil and gas liquid waste for use as liquid to develop or hydraulically fracture an oil or gas well. The Department issued general permit WMGR123NW017 with the determination of applicability on June 24, 2022.

Persons interested in reviewing the general permit may contact Christina S. Wilhelm, Region Program Manager, Northwest Regional Office, 230 Chestnut Street, Meadville, PA 16335, (814) 332-6848. TDD users may

contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

AIR QUALITY

General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP3-09-0165: Agri Sales USA, Inc., 262 Quarry Road, Ottsville, PA 18942. On July 1, 2022, for the operation of a temporary portable non-metallic processing plant consisting of two crushers, and two vibratory screens at the Hanson Aggregates Ottsville Quarry located in Nockamixon Township, **Bucks County**.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP3-54-014: Blythe Recycling and Demolition Site Holdings, Inc., 3 Waterway Square Place, Suite 110, The Woodlands, TX 77380, on July 5, 2022, for the operation of a portable stone crushing plant at the facility located in Blythe Township, **Schuylkill County**.

GP9-54-014: Blythe Recycling and Demolition Site Holdings, Inc., 3 Waterway Square Place, Suite 110, The Woodlands, TX 77380, on July 5, 2022, for the operation of IC Engine at the facility located in Blythe Township, **Schuylkill County**.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

GP1-36-05144B: Lancaster Leaf Tobacco Co. of PA, Inc., 207 Pitney Road, Lancaster, PA 17601, on June 28, 2022, for the existing boilers, under GP1, at the tobacco processing facility located in Lancaster City, **Lancaster County**.

GP3-22-03108: National Quarries, LLC, P.O. Box 562, Villanova, PA 19085, on July 5, 2022, for portable nonmetallic mineral processing equipment under GP3 at the Harrisburg Mine, in West Hanover Township, **Dauphin County**.

GP11-22-03108: National Quarries, LLC, P.O. Box 562, Villanova, PA 19085, on July 5, 2022, for 3 nonroad engine under GP11, to power portable nonmetallic mineral processing equipment at the Harrisburg Mine, in West Hanover Township, **Dauphin County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

AG5A-59-00005A: NFG Midstream Covington, LLC, 6363 Main Street, Williamsville, NY 14221, on June 29, 2022, received authorization to construct and operate one (1) 600 brake-horsepower, Caterpillar model G137-12,

4-stroke, rich-burn, natural gas-fired compressor engine and one (1) 16,800-gallon waste fluid storage tank, and to continue operating one (1) 25 million cubic foot per day triethylene glycol dehydrator, one (1) 40,000 Btu per hour, natural gas fired catalytic heater, two (2) 15,000 Btu per hour, natural gas-fired catalytic heaters, one (1) 295 gallon triethylene tank pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Piggings Stations (BAQ-GPA/GP-5A) at their Gee 848W Well Pad located in Middlebury Township, **Tioga County**.

AG5A-59-00006A: NFG Midstream Covington, LLC, 6363 Main Street, Williamsville, NY 14221, on June 29, 2022, received authorization to construct and operate one (1) 840 bhp Waukesha model F3524GSI, 4-stroke, rich burn, natural gas-fired, engine equipped with a Miratech model IQ-26, non-selective catalytic reduction system; a 25 MMscfd triethylene glycol dehy unit; a NATCO model SB16-10 reboiler rated at 0.5 MMBtu/hr; a liquid loading operation and a waste fluid tank and for the continued operation of one TEG tank; various fugitive emissions; three catalytic heaters; pneumatic controllers; a pneumatic pump; and venting/blowdowns pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Piggings Stations (BAQ-GPA/GP-5A) at their Fuller 826N Well Pad located in Middlebury Township, **Tioga County**.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.

GP5-63-01009B/AG5-63-00021A: MarkWest Liberty Midstream and Resources, LLC, 1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202, issued authorization on June 30, 2022, for the continued operation of sources which include: Three (3) 2,370 bhp Caterpillar G3608LE, with air/fuel ratio controllers, and controlled by Miratech or equivalent oxidation catalysts; two (2) 3,550 bhp Caterpillar G3612LE, with air/fuel ratio controllers, controlled by Miratech or equivalent oxidation catalysts; one (1) 4,000 bhp Caterpillar G3612 LE, with air/fuel ratio controller, controlled by a Miratech or equivalent oxidation catalyst; one (1) 2.5 MMBtu/hr reboiler; two (2) 400-bbl produced water tanks, two (2) 400-bbl condensate tanks, and one (1) 500-bbl Gunbarrel tank controlled by two (2) vapor recovery units (VRUs); one (1) Methanol Tank; 520-gallon capacity; one (1) Superior Fabrication Dehydration Unit, rated at 120 MMscfd, with associated reboiler rated at 2.5 MMBtu/hr and a flash separator, controlled by an enclosed flare "Flare Industries or equivalent" rated at 7.0 MMBtu/hr; condensate and produced water truck loading are controlled by an Air Defender, (C501) Carbon bed type; two (2) enclosed combustors at the facility; and Fugitive Emissions Components; and piggings operations at their Down Homes Comp. Station located in Robinson Township, **Washington County**.

GP5-63-01011B (AG5-63-00011A): MarkWest Liberty Midstream & Resources, LLC, 1515 Arapahoe St., Tower 1, Suite 1600, Denver, CO 80202-217, on June 29, 2022, received authorization under GP-5 for modification including: One (1) 230 mmscfd Cryogenic Processing; One (1) De-Ethanization Fractionation Plant; Cryo Plant 1 11.84 MMBtu/hr Regen Heater; Cryo Plant 1 48.15 MMBtu/hr De-Ethanizer HMO Heater; Cryo Plant 2 48.15 MMBtu/hr De-Ethanizer HMO Heater; 11.99

MMBtu/hr Stabilization HMO Heater; Process Flare: 8,134 MMBtu/hr (126.52 MMscf/yr); Fugitives Emissions; Four (4) Pig Launchers controlled by the plant flare; One (1) Pig Receiver controlled by the plant flare; Seven (7) electric driven reciprocating compressors ranging from 75-5,000 hp at its Harmon Creek gas plant located in Smith Township, **Washington County**.

Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05061B: Cambridge-Lee Industries, LLC, 86 Tube Drive, Reading, PA 19605-9274, on June 28, 2022, to re-activate an existing natural-gas fired vertical shaft copper melting furnace and associated induction furnace at the secondary copper smelting and copper tube rolling mill in Ontelaunee Township, **Berks County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

41-00021A: Buckeye Energy Services, LLC, 6161 Hamilton Boulevard, Allentown, PA 18106, on June 29, 2022, was issued a plan approval for the installation of a John Zink Company model ZCT-2-6-35-2-2/6 vapor combustion unit (VCU) to control the air contaminant emissions from an existing gasoline truck loading operation at their Williamsport Terminal located in Armstrong Township, **Lycoming County**. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 41-00021A, the applicant will subsequently submit an amendment application to incorporate the terms and conditions of the plan approval into State Only Operating Permit 41-00021 in accordance with 25 Pa. Code Subchapter F.

Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0003AC: Monroe Energy, LLC, 4101 Post Road, Trainer, PA 19061. On June 28, 2022, an extension for the operation of an Ultra-Low Sulfur Gasoline Production facility at their location in Trainer Borough, **Delaware County**.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05159A: DAK Americas, LLC, 4030 Pottsville Pike, Reading, PA 19605, on June 28, 2022, for the installation of four (4) Caterpillar, 2,069 HP, natural gas-fired engines for their combined heat and power system and three (3) natural gas-fired, 7.877 MMBtu/hr, Miura boilers at the pcrPET bottles and container recycle plant located in Muhlenberg Township, **Berks County**. The plan approval was extended.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

59-00035A: Empire Pipeline, Inc., 6363 Main Street, Williamsville, NY 14221, on June 28, 2022, received authorization for extension of the plan approval to December 28, 2022, for the temporary operation of compressor turbines located at the Jackson Station located in Jackson Township, **Tioga County**, pending Department evaluation of compliance testing. The plan approval has been extended.

18-00030C: First Quality Tissue, LLC, 904 Woods Avenue, Lock Haven, PA 17745, on June 29, 2022, received authorization for extension of the plan approval to December 30, 2022, for the temporary operation of a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County**. The plan approval has been extended.

18-00030D: First Quality Tissue, LLC, 904 Woods Avenue, Lock Haven, PA 17745, on June 29, 2022, received authorization for extension of the plan approval to December 30, 2022, for the temporary operation of a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County**. The plan approval has been extended.

19-00007B: Transcontinental Gas Pipe Line Company, LLC, P.O. Box 1396, Houston, TX 77251-1396, on June 29, 2022, to extend the authorization to operate the sources pursuant to the plan approval an additional 180 days from July 11, 2022 to January 7, 2023, at their Compressor Station 517 located in Jackson Township, **Columbia County**. The plan approval has been extended.

14-00002R: Graymont (PA), Inc., 375 Graymont Rd., Bellefonte, PA 16823, was issued on July 1, 2022, an extension to authorize continued operation of the lime processing equipment operations associated with Source ID P313, pending issuance of an Operating Permit for the new sources that have been constructed and are located at their Pleasant Gap plant in Spring Township, **Centre County**. The plan approval has been extended for 180 days.

Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

28-05011: Waste Management Disposal Services of PA, Inc., 9446 Letzberg Road, Greencastle, PA 17225-9317, on June 29, 2022, for the Mountain View Reclamation Landfill located in Antrim Township, **Franklin County**. The Title V permit was renewed.

Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.

Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.

39-00032: Precision Roll Grinders/Allentown Plant, 6356 Chapmans Rd, Allentown, PA 18106. The Department issued, on June 17, 2022, a State-Only Operating Permit for operation of sources at their facility located in Upper Macungie Township, **Lehigh County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

35-00064: FXI, Inc/Archbald, 103 Power Blvd, Archbald, PA 18403. The Department issued, on June 8, 2022, a State-Only Operating Permit Minor Modification for operation of sources at their facility located in Archbald Borough, **Lackawanna County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00095: American Atelier Inc./Allentown, 2132 Downyflake Ln., Allentown, PA 18103. The Department issued, on June 14, 2022, a State-Only Operating Permit for operation of sources at their facility located in Allentown City, **Lehigh County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00020: PA DPW/White Haven Ctr, 827 Oley Valley Rd., White Haven, PA 18661. The Department issued, on June 7, 2022, a State-Only Operating Permit for operation of sources at their facility located in Foster Township, **Luzerne County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00096: DMS Shredding Inc./Hanover, 9 Fellows Ave, Hanover Township, PA 18706-5231. On May 18, 2022, the Department issued a State-Only (Natural) Minor Permit for the operation of a metals service center and offices facility in Hanover Township, **Luzerne County**. The sources at this facility consist of a light iron metal shredder with attached cyclone. The control device consists of a venturi scrubber. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00052: New Enterprise Stone & Lime Co., Ormrod Plant, 3724 Crescent Ct W, Ste 200, Whitehall, PA 18052-3446. On June 14, 2022, the Department issued a State-Only (Synthetic) Minor Permit for the asphalt paving mixtures and blocks facility in North Whitehall Township, **Lehigh County**. The sources at this facility consist of an asphalt plant, screens, crushers, conveyors, and two (2) IC engines. The control devices consist of a baghouse and a water spray system. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.

Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.

06-05067: County of Berks, 1238 County Welfare Road, Suite 140, Leesport, PA 19553-9709, on June 28, 2022, for the boilers and generators at the Berks County Complex in Bern Township, **Berks County**. The State-Only permit was renewed.

21-05050: Naval Inventory Control Point, 5450 Carlisle Pike, Mechanicsburg, PA 17050-2411, on June 29, 2022, for the Naval support facility located in Hampden Township, **Cumberland County**. The State-Only permit was renewed.

67-03078: Snyder's—Lance, Inc., 1350 York Street, Hanover, PA 17331-7949, on June 27, 2022, for the snack food manufacturing facility located in Penn Township, **York County**. The State-Only permit was renewed.

67-03178: White Metal Recycling, Inc., 150 South Orchard Street, Yoe, PA 17313-1010, on June 29, 2022, for the aluminum recycling facility located in York Township, **York County**.

Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

60-00002: Gold Bond Building Products, LLC, 2586 Old Route 15, New Columbia, PA 17856, on June 29, 2022, was issued a renewal State Only "Synthetic Minor" Operating Permit for the operation of their Milton Paper Plant located in White Deer Township, **Union County**. The facility's primary emissions sources are two natural gas-fired boilers one of which also utilizes No. 2 fuel oil as a backup fuel. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

49-00018: Arcos Industries, LLC, 394 Acros Drive, Mount Carmel, PA 17851-2612, on June 30, 2022, was issued a renewal State Only "Natural Minor" Operating Permit for the operation of their facility located in Mount Carmel Township, **Northumberland County**. The facility's primary emissions sources are one boiler, five (5) space heaters, a burn off oven and a cold cleaning machine. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions.

Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.

Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.

46-00294: Crazy Aaron Enterprises, Inc., 700 E Main St., Norristown, PA 19401, on June 27, 2022, in accordance with 25 Pa. Code § 127.450, an amendment to incorporate the new planetary mixer from Plan Approval 46-0294A and conditions from the plan approval to the facilities Operating Permit in Norristown Borough, **Montgomery County**.

46-00038: Constellation Energy Generation, LLC, 3146 Sanatoga Rd, Pottstown, PA 19464, on June 28, 2022, in accordance with 25 Pa. Code §§ 127.450 and 127.464, the permit has been amended for the transfer of

ownership from Exelon Generation Co, LLC to Constellation Energy Generation, LLC in Limerick Township, **Montgomery County**.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

42-00028: Ardagh Glass Incorporated—Port Allegany, One Glass Place, Port Allegany, PA 16743, for its facility located in Port Allegany Borough, **McKean County**. The de minimis emission increase is for the proposed increase in firing rate on forehearth associated with Source 105B. In addition, this source is exempt from plan approval as it complies with 25 Pa. Code § 127.14(a)(8). The Department hereby approves the De minimis emission increase. The following table is a list of the De minimis emission increases as required by 25 Pa. Code 127.449(i). This list includes the de minimis emission increases since the Operating Permit issuance on November 27, 2019.

Date	Source	PM ₁₀ (tons)	SO _x (tons)	NO _x (tons)	VOC (tons)	CO (tons)
6-29-22	Increase in firing rate for forehearth (Source 105B)	0.13	0.01	0.86	0.09	1.44
Total Reported Increases		0.13	0.01	0.86	0.09	1.44
Allowable		0.6 ton/source 3 tons/facility	1.6 tons/source 8 tons/facility	1 ton/source 5 tons/facility	1 ton/source 5 tons/facility	4 tons/source 20 tons/facility

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

Coal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@a.gov, (Contact: Melanie Ford-Wigfield).

Mining Permit No. 11120101. NPDES No. PA0268917. E.P. Bender Coal Company, Inc., P.O. Box

594, Carrolltown, PA 15722, permit renewal for the continued operation and restoration of a bituminous surface and auger mine in White Township, **Cambria County**, affecting 92 acres. Receiving streams: unnamed tributaries to/and Dutch Run classified for the following use: CWF. Application received: March 28, 2022. Permit issued: June 29, 2022.

Mining Permit No. 56130107. NPDES No. PA0269484. Coal Loaders, Inc., 210 East Main Street, Ligonier, PA 15658, permit renewal of a bituminous surface & auger mine in Jenner Township, **Somerset County**, affecting 312.1 acres. Receiving streams: unnamed tributaries to/and Two Mile Run classified for the following use: CWF. Application received: June 22, 2021. Permit issued: June 29, 2022.

Mining Permit No. 05110101. NPDES No. PA0263231. Robindale Energy Services, Inc., 224 Grange Hall Road, Armagh, PA 15920, renewal for reclamation only of a bituminous surface and auger mine in Broad Top Township, **Bedford County**, affecting 216 acres. Receiving streams: Shreves Run and Longs Run classified for the following use: WWF. Application received: April 19, 2022. Permit issued: June 29, 2022.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov, (Contact: Melanie Ford-Wigfield).

Mining Permit 11110301. NPDES No. PA0263222. Military Resource Enhancement Specialist, 3179 Lincoln Highway, Stoystown, PA 15563. Renewal of NPDES permit, located in Conemaugh Township, **Cambria County**. Receiving streams: Little Conemaugh River classified for the following use: CWF. Application received: October 28, 2021. Permit issued: June 29, 2022

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.

Blasting Permits Issued

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).

Permit No. 45224104. Schlouch, Inc., P.O. Box 69, Blandon, PA 19510, construction blasting for PMCC South in Coolbaugh Township, **Monroe County**. Permit Issued: June 28, 2022. Permit Expires: June 21, 2023.

Permit No. 58224110. DW Drilling & Blasting, 2733 East Battlefield Street, # 320, Springfield, MO 65804 construction blasting for Tomkins J 1 Pad in Gibson Township, **Susquehanna County**. Permit Issued: June 28, 2022. Permit Expires: June 26, 2023.

Permit No. 06224109. Valley Rock Solutions, LLC, P.O. Box 246, Macungie, PA 18062, construction blasting for Green Hills Estates in Robeson Township, **Berks County**. Permit issued: June 29, 2022. Permit Expires: December 31, 2022.

Permit No. 36224124. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, construction blasting for Bellaride at Crossgates Phase II in Adams-town Borough, **Lancaster County**. Permit Issued: June 29, 2022. Permit Expires: June 16, 2023.

Permit No. 06224107. Schlouch, Inc., P.O. Box 69, Blandon, PA 19510, construction blasting for Reitnour Facility in Ontelaunee Township, **Berks County**. Permit Issued: June 30, 2022. Permit Expires: June 17, 2023.

Permit No. 38224106. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, construction blasting for Stone Hill Village in Annville Township, **Lebanon County**. Permit issued: June 30, 2022. Permit Expires: June 30, 2023.

Permit No. 38224107. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, construction blasting for Keystone Air Power in Jackson Township, **Lebanon County**. Permit issued: July 1, 2022. Permit Expires: December 30, 2022.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the con-

struction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

E0503221-004. Bedford Township Municipal Authority, 1007 Shed Road, Bedford, PA 15522. Bedford Township, **Bedford County**, Army Corp of Engineers Baltimore District.

Install and maintain a 10-inch DIP water main line and right-of-way permanently impacting 0.074 acre of an exceptional value emergent and scrub-shrub wetland (39.960718, -78.557669); 2) Install and maintain an 8-inch PVC gravity sewer line and right-of-way permanently impacting 0.018 acre of an exceptional value emergent wetland (39.958569, -78.561970); 3) Install and maintain an 8-inch PVC gravity sewer line and right-of-way permanently impacting 0.003 acre of an exceptional value emergent wetland (39.958305 -78.562211); 4) Install and maintain an 8-inch PVC gravity sewer line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 15 linear feet (525 square feet) and temporarily impacting 5 linear feet (175 square feet) (39.991667, -78.518889); 5) Install and maintain an 8-inch PVC gravity sewer line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 15 linear feet (675 square feet) and temporarily impacting 5 linear feet

(75 square feet) (39.987845, -78.524299); 6) Install and maintain an 8-inch PVC gravity sewer line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 25 linear feet (675 square feet) and temporarily impacting 5 linear feet (115 square feet) (39.987500, -78.524722); 7) Install and maintain a 10-inch DIP water main line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 28 linear feet (504 square feet) and temporarily impacting 5 linear feet (150 square feet) (39.959167, -78.553333); 8) Install and maintain a 10-inch DIP water main line and right-of-way in and along Shober's Run (HQ-CWF, MF), permanently impacting 32 linear feet (672 square feet) and temporarily impacting 5 linear feet (170 square feet) (39.954550, -78.549405); 9) Install and maintain a 10-inch DIP water main line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 30 linear feet (150 square feet) and temporarily impacting 10 linear feet (50 square feet) (39.960556, -78.557778); 10) Install and maintain a 10-inch DIP water main line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 34.5 linear feet (966 square feet) and temporarily impacting 80 linear feet (400 square feet) (39.960000, -78.558333); 11) Install and maintain a 10-inch DIP water main line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 12.56 linear feet (490 square feet) (39.960834, -78.556265); 12) Install and maintain an 8-inch PVC gravity sewer line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 20 linear feet (100 square feet) and temporarily impacting 18 linear feet (90 square feet) (39.957313, -78.563106); 13) Install and maintain a 10-inch DIP water main line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 19.4 linear feet (388 square feet) and temporarily impacting 52 linear feet (260 square feet) (39.956810, -78.563223); 14) Install and maintain an 8-inch DIP water main line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 8 linear feet (40 square feet) (39.957587, -78.563653); 15) Install and maintain an 8-inch PVC gravity sewer line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 20 linear feet (500 square feet) and temporarily impacting 5 linear feet (250 square feet) (39.958355, -78.565516); 16) Install and maintain an 8-inch PVC gravity sewer line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 20 linear feet (200 square feet) and temporarily impacting 5 linear feet (100 square feet) (39.959371, -78.567157); 17) Install and maintain an 8-inch waterline and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 20 linear feet (100 square feet) (39.964516, -78.560545); 18) Install and maintain an 8-inch PVC gravity sewer line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 18 linear feet (270 square feet) and temporarily impacting 5 linear feet (120 square feet) (39.967614, -78.558899); 19) Install and maintain an 8-inch DIP water main line and right-of-way in and along an Unnamed Tributary to Shober's Run (HQ-CWF, MF), permanently impacting 14 linear feet (84 square feet) and temporarily impacting 5 linear feet (25 square feet) (39.967646, -78.559013); 20) Install and maintain an underground electric utility line and right-of-way in and along an Unnamed Tributary to

Shober's Run (HQ-CWF, MF), permanently impacting 10 linear feet (70 square feet) (39.960648, -78.556225), all for the purpose of extending sanitary sewer and water services to additional communities within the Bedford Township Municipal Authority service area. The project will result in a total of 35,680 square feet of permanent impact and 11,550 square feet of temporary impact to the floodways of Unnamed Tributaries to Shober's Run (HQ-CWF, MF) and 1,360 square feet of permanent and 385 square feet of temporary impacts to the floodway of Shober's Run (HQ-CWF, MF). Latitude 39.960524, Longitude -78.555201). Permit Issued June 28, 2022.

Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.

E1804222-002: Mas Wayne RNG, LLC, 3340 Peachtree Road, Suite 170, Atlanta, GA 30326, WTL to UGI Connection, Pine Creek and Wayne Townships, Clinton County, Army Corps of Engineers Baltimore (Jersey Shore, PA Quadrangle N: 41° 10' 8.91"; W: -77° 20' 24.82").

The Department of Environmental Protection has issued a Chapter 105 water obstruction and encroachment permit for the proposed WTL to UGI Connection project for the installation of one four-inch pipeline that will transfer gas from the Wayne Township Landfill (WTL) to a new UGI tap location along SR 150. The gas will be produced and collected by the WTL and ultimately will connect into the existing UGI system servicing the area. The proposed pipeline will be bored under two wetlands and two streams, including the West Branch Susquehanna River and a tributary, as well as US Route 220. No changes in channel dimensions or floodplain elevations will result. Area disturbed during construction will be restored seeded, mulched, and allowed to return to original conditions. West Branch Susquehanna River is listed in the 25 Pa. Code Chapter 93 designation as a Warm Water Fishery (WWF).

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

E0829222-009: Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Overton Township, Bradford County, Army Corps of Engineers Baltimore District.

To construct, operate and maintain:

1. an 18" HDPE culvert impacting 40 linear feet of an unnamed tributary to Lick Creek (EV, MF) (Overton, PA Quadrangle Latitude: 41.603649°, Longitude: -76.573311°);

This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 40 linear feet of stream impacts, 4,029 square feet (0.092 acre) of permanent floodway impacts and 1,716 square feet (0.039 acre) of temporary floodway impacts, all for the purpose of installing a natural gas well pad and permanent access road for Marcellus Shale development in Overton Township, Bradford County. The permittee will provide 80 linear feet of stream mitigation at Camp Brook Restoration (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006.

E5929222-001: Repsol Oil and Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, Liberty Township, Tioga County, Army Corps of Engineers Baltimore District.

A permanent access road, 12-inch diameter culvert and 12-inch diameter above ground waterline impacting 640 square feet of exceptional value palustrine emergent (EV-PEM) wetland (Blossburg, PA Quadrangle, 41.638434° N, -77.074011 W). The project will result in 640 square feet (0.015 acre) of permanent wetland impacts for the purpose of installing an access road and temporary waterline to a pipeline riser structure in Liberty Township, Tioga County.

ENVIRONMENTAL ASSESSMENTS

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

Contact: Robert Marquez, Senior Project Manager, Telephone Number: 570-327-3636.

Permit No. EA0829222-002 (Formerly noted as: E0829222-007), Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA, 18840-1567, Unconventional Gas Well Site and associated infrastructure. State Route 3020, Towanda Township, Bradford County; Army Corps of Engineers, Baltimore Office

To construct, operate, and maintain:

1) a temporary wetland impact from construction activities impacting 3,659 square feet (0.08 acre) of Palustrine Forested Wetlands (PFO) (Towanda, PA Quadrangle; Latitude: 41° 45' 41", Longitude: -76° 29' 51").

The Miller Bra Pad, located in Towanda Township, Bradford County, seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. Prior unauthorized impacts resulted in 3,659 square feet (0.08 acre) of temporary Palustrine Forested Wetlands (PFO) impacts. Wetland restoration activities will result in the replanting of 3,659 square feet (0.08 acre) of impacted PFO wetland with a variety of 20–30 trees and 5–8 shrubs to restore and mitigate for prior activities adjacent to the unconventional gas well site and associated infrastructure.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501–508 and 701–704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.

ESCGP-3 # ESG295822010-00

Applicant Name Coterra Energy, Inc
Contact Person Kenneth L. Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275
Municipality Brooklyn and Dimock
County Susquehanna

Receiving Stream(s) and Classification(s) Tributary 28933 of Horton Creek (CWF, MF)

Secondary: Horton Creek (CWF, MF)

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).

Provisions of 25 Pa. Code Chapter 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Iannello Bros., 51-43010, 2700 S. 15th St., Philadelphia, PA 19145, **City of Philadelphia**. Petrodi, LLC, 5 Elmwood Drive, Tabernacle, NJ 08088, on behalf of Iannello Brothers, 2700 S. 15th Street, Philadelphia, PA 19145 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

Amar Energy, 09-20649, 188 State Rd., Bensalem, PA 19020, Bensalem Township, **Bucks County**. August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of Tioga Fuels, 188 State Rd., Bensalem, PA 19020 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Big Boulder Ski Area, Storage Tank ID # **13-51315**, 357 Big Boulder Drive, Lake Harmony, PA 18624, Kidder Township, **Carbon County**. Groundwater Sciences Corporation, 2601 Market Place, Suite 310, Harrisburg, PA 17110, on behalf of JFBB Ski Areas Inc., P.O. Box 211, Lake Harmony, PA 18624, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

7 Eleven 23322, Storage Tank ID # **39-24557**, 11 East Susquehanna Street, Allentown, PA 18103, Allentown City, **Lehigh County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221-0711, has submitted a revised, combined Site Characterization and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet a combination of Site Specific and Statewide health standards.

Don's Auto Sales & Service, Storage Tank ID # **54-06153**, 640 Port Carbon-Saint Clair Highway, Pottsville, PA 17901, East Norwegian Township, **Schuylkill County**. Mountain Research, 825 25th Street, Altoona, PA 16601, on behalf of Donald Wall, 640 Port Carbon-Saint Clair Highway, Pottsville, PA 17901 has submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Gregory Bowman, Environmental Group Manager.

Coen Mkt 1214 (Cogos # 30), Storage Tank Facility ID # **05-37770**, 6371 Lincoln Highway, Suite 2, Bedford, PA 15522-6772, Bedford Township, **Bedford County**. Letterle & Associates, 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Robert Grimes, 1000 Philadelphia Street, Canonsburg, PA 15317 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum constituents. The

plan is intended to document the remedial actions for meeting the Statewide health standard.

Suburban Temple, Storage Tank Facility ID # **06-26252**, 5365 Allentown Pike, Temple, PA 19560, Muhlenberg Township, **Berks County**. Groundwater Sciences Corporation, 2601 Market Street, Suite 310, Harrisburg, PA 17110, on behalf of Suburban Propane, 240 Route 10 West, Whippany, NY 07981, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document remediation of the site to meet the site-specific standard.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.

Contact: Richard Staron, Professional Geologist Manager.

Phila G Street Term, 51-33516, 4210 G St., Philadelphia, PA 19124, City of Philadelphia, **Philadelphia County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton PA 19341 on behalf

of MIPC, LLC, a subsidiary of Monroe Energy, 920 Cherry Tree Road, Aston, PA 19014, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with ethanol. The report demonstrated attainment of nonresidential site-specific standards and was approved by DEP on June 27, 2022.

Exxon RS 2 5092, 09-06930, 300 S. West End Blvd, Quakertown, 18951, Quakertown Borough, **Bucks County**. Arcadis U.S., Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA 15090, on behalf of ExxonMobil Environmental and Property Solutions Company, 875 West Poplar Avenue, Suite 23, # 353, Collierville, TN 38017, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report did not meet non-residential Statewide health and site-specific standards and was disapproved by DEP on June 24, 2022.

LK Burket & Bros, 23-29858, 147 Pennsylvania Ave., Wayne, PA 19087, Radnor Township, **Delaware County**. REPSG, Inc., 6901 Kingsessing Ave., Suite 201, Philadelphia, PA 19142, on behalf of Smyth Family Realty, 147 Pennsylvania Ave., Wayne, PA 19087, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded/unleaded gasoline and diesel fuel. The report did not demonstrate nonresidential site-specific standards and was disapproved by DEP on June 23, 2022.

USA Gas, 15-43350, 999 E. Lincoln Hwy., Coatesville, PA 19320, City of Coatesville, **Chester County**. Marshall Geoscience, Inc., 170 E. First Avenue, Collegeville, PA 19426, on behalf of Gordon Mano Gulf, 999 E. Lincoln Hwy., Coatesville, PA 19320, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is acceptable to document remediation of the site to meet nonresidential Statewide health and site-specific standards and was approved by DEP on June 29, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Sunoco # 0363-9416, Storage Tank ID # **40-24238**, 101 South Wyoming Avenue, Kingston, PA 18704, Kingston Borough, **Luzerne County**. Aquaterra Technologies, P.O. Box 744, West Chester, PA 19381 on behalf of Evergreen Resources Group, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of a combination of Site Specific and Statewide health standards and was approved by DEP on June 29, 2022.

Rudy's Gulf Mart, Storage Tank ID # **48-22836**, 2900 Easton Avenue, Bethlehem, PA 18017, Bethlehem City, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Community First Fund, 51 South Duke Street, Suite 400, P.O. Box 524, Lancaster, PA 17608, has submitted a revised, combined Site Characterization Report and Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report was acceptable to meet Statewide health standards and was approved by DEP on June 30, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.

Contact: Cynthia Stine, Licensed Professional Geologist.

Sandy's Warm Spring Self-Serve, Storage Tank Primary Facility ID # **28-60906**, 1080 Lincoln Way West, Chambersburg, PA 17201, Hamilton Township, **Franklin County**. August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of Mr. Pritesh Patel, Janmangal Property, LLC, 114 Charter Court, Trevoise, PA 19053-7955, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by the Department on June 28, 2022.

Contact: Michael Stefanic, P.G., Project Officer.

Airgas—Reading, Storage Tank Facility ID # **06-24057**, 2500 North 11th Street, Reading, PA 19605-2704, Muhlenberg Township, **Berks County**. Center Point Tank Services, Inc., 536 Benjamin Franklin Highway East, Douglassville, PA 19518, on behalf of Joseph Ely, P.O. Box 13577, Reading, PA 19612, submitted a Site Characterization Report under chapter 245.310(b) concerning remediation of soil contaminated with Diesel Fuel Constituents. The Remedial Action Completion Report demonstrated attainment of the Statewide health standards and was approved by DEP on June 29, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.

Former Sunoco Station # 0002-1576, Storage Tank Facility ID # **65-32308**, 106 North Center Avenue, New Stanton, PA 15672, New Stanton Borough, **Westmoreland County**. EnviroTract, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086 (on behalf of Sunoco, Inc., 2 Righter Parkway, Suite 120, Wilmington, DE 19803) submitted a Remedial Action Completion Report (RACR) concerning remediation of site soils contaminated with toluene, ethylbenzene xylenes, naphthalene, and cumene in soil and site groundwater contaminated with toluene, ethylbenzene xylenes, methyl tert-butyl ether (MTBE), naphthalene, and cumene. The RACR demonstrated attainment of the Statewide Health and site-specific standards and was approved by the DEP on July 5, 2022.

Dixonville Food N Gas, Storage Tank Facility ID # **32-81438**, 17659 Route 403 Highway North, Dixonville, PA 15734, Green Township, **Indiana County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Mr. Naveed Chowdhry, 17659 State Route 403 Highway N, Dixonville, PA 15734, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, methyl tert-butyl ether, cumene, naphthalene, 1,2,4-trimethylbenzene, and 1,3,5-trimethylbenzene. The Remedial Action Completion Report demonstrated attainment of the residential Statewide health standard and was approved by DEP on July 1, 2022.

Ukish Tire, Storage Tank Facility ID # **32-80564**, 197 Coaltown Road, Saltsburg, PA 15681-8133, Saltsburg Borough, **Indiana County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823, on behalf of Ukish Tire, 197 Coaltown Road, Saltsburg, PA 15681-8133, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Ac-

tion Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on July 1, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.

Sunrise Sunoco 5, Primary Facility ID # **65-02279**, PA Turnpike Hempfield Service Plaza, New Stanton, PA 15672, New Stanton Borough, **Westmoreland County**. GAI Consultants, Inc., 385 East Waterfront Drive, Homestead, PA 15120 (on behalf of Pennsylvania Turnpike Commission, PA Turnpike, P.O. Box 67676, Harrisburg, PA 17106) has submitted a Remedial Action Completion Report (RACR) concerning remediation of site soil and groundwater contaminated with unleaded gasoline. The RACR did not demonstrate attainment of the residential Statewide health standards and was disapproved by the DEP on July 5, 2022.

SPECIAL NOTICES

WATER PROGRAMS

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. *See Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

PUBLIC NOTICE OF FINAL STATE WATER QUALITY CERTIFICATION FOR FERC REGULATED PIPELINE PROJECT

State Water Quality Certification Issued by the Commonwealth of Pennsylvania, Department of Environmental Protection Pursuant to Section 401 of the Clean Water Act for the Ohio Valley Connector Expansion Project

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

WQ3083222-001, Equitrans, LP (Applicant), 2200 Energy Drive, Canonsburg, PA 15317-1001. Ohio Valley Connector Expansion Project (Project), in Center, Gilmore, Jackson, and Washington Townships, **Greene County**, Pittsburgh Corps District. The proposed project starts at the existing Cygrymus Compressor Station (Latitude: 39.740302°; Longitude: -80.394457°) and ends near the existing Shough Creek Valve Yard (Latitude: 39.745630°; Longitude: -80.391388°).

On January 28, 2022, Applicant filed an application with the Federal Energy Regulatory Commission (FERC) under Section 7 of the Natural Gas Act (15 U.S.C.A. § 717f) seeking a certificate of public convenience and necessity to construct and operate its Project (FERC Docket No. CP22-44-000). The FERC Environmental Assessment for the Project was initiated on January 31, 2022, and is currently under development, current information may be viewed on FERC's website at www.ferc.gov (search eLibrary; Docket Search; CP22-44-000).

On January 28, 2022, Applicant requested a state water quality certification (SWQC) from the Pennsylvania Department of Environmental Protection (PADEP), as required by Section 401 of the Clean Water Act (33 U.S.C.A. § 1341), to ensure that the construction, operation and maintenance of the Project will protect water quality in Pennsylvania consistent with the requirements of State law and the Clean Water Act.

The Project, as proposed, includes the construction of approximately 0.5 mile of new 16-inch (H-327) and 12-inch (H-328) diameter natural gas pipeline, a new deep anode grounded rectifier for cathodic protection, and associated ancillary facilities. In addition, the project is proposing the use of new and existing access roads, staging/parking areas, and contractor yards. The Project, as proposed, will require approximately 14.2 acres of earth disturbance, and impacts to 135 linear feet of Garrison Fork (WWF), 0.34 acre of Garrison Fork (WWF) floodway, 0.02 acre of UNT to Garrison Fork (WWF) floodway, 0.04 acre of temporary impacts to Other (O) Palustrine Emergent (PEM) wetlands, 0.004 acre of permanent impacts to O PEM wetlands, and 0.009 acre of permanent impacts to O Palustrine Scrub-Shrub (PSS) wetlands.

PADEP published notice of its proposed SWQC in the *Pennsylvania Bulletin* on April 16, 2022 (52 Pa.B. 2226) and received no comments from the public.

PADEP certifies that the construction, operation and maintenance of the Project complies with the applicable provisions of sections 301—303, 306 and 307 of the Federal Clean Water Act (33 U.S.C.A. §§ 1311—1313, 1316 and 1317). The PADEP further certifies that the

construction, operation and maintenance of the Project complies with Pennsylvania water quality standards and that the construction, operation and maintenance of the Project will maintain and protect applicable Commonwealth water quality standards provided that the construction, operation and maintenance of the project complies with the following PADEP water quality permitting programs, criteria and conditions established pursuant to Pennsylvania law:

1. *Discharge of Hydrostatic Test Water*—Applicant shall obtain and comply with a National Pollutant Discharge Elimination System (NPDES) permit(s) for the discharge of water from the hydrostatic testing of the pipeline associated with the Project pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001), 25 Pa. Code Chapter 92a (relating to NPDES permitting, monitoring and compliance), and all other applicable regulations.

2. *Erosion and Sediment Control and Stormwater Management*—All projects proposing earth disturbance must implement best management practices (BMPs) to protect and maintain water quality pursuant to Pennsylvania's Clean Streams Law (35 P.S. §§ 691.1—691.1001) and Storm Water Management Act (32 P.S. §§ 680.1—680.17), 25 Pa. Code Chapter 102 (relating to erosion and sediment control), and all other applicable regulations. Applicant shall obtain and comply with an Erosion and Sediment Control Permit(s) for earth disturbance associated with the Project as provided in 25 Pa. Code § 102.5.

3. *Water Obstruction and Encroachment Permits*—Applicant shall obtain and comply with a Water Obstruction and Encroachment Permit(s) for the construction, operation and maintenance of all stream and wetland crossings associated with the Project pursuant to Pennsylvania's Clean Streams Law, Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), and Flood Plain Management Act (32 P.S. §§ 679.101—679.601), 25 Pa. Code Chapter 105 (relating to dam safety and waterway management), 25 Pa. Code Chapter 106 (relating to floodplain management), and all other applicable regulations.

4. *Other Water Quality Requirements*—Applicant shall obtain any other permits, authorizations or approvals required to construct, operate, and maintain the Project from any interstate or international agency as required by an interstate compact or international agreement that has established water quality standards applicable to surface waters of this Commonwealth, including wetlands.

5. *Water Quality Monitoring*—PADEP retains the right to specify additional studies or monitoring to ensure that water quality in the receiving waters associated with the Project is not adversely impacted by any operational and construction process that may be employed by Applicant.

6. *Operation*—At all times, Applicant shall properly operate and maintain all Project facilities and systems of treatment and control (and related appurtenances) installed to achieve compliance with the terms and conditions of this SWQC and all required permits, authorizations and approvals. Proper operation and maintenance includes adequate laboratory controls, appropriate quality assurance procedures, and the operation of backup or auxiliary facilities or similar systems installed by Applicant.

7. *Inspection*—The Project, including all relevant records, are subject to inspection at reasonable hours and intervals by an authorized representative of PADEP or the delegated County Conservation District to determine compliance with this SWQC, including all permits, authorizations or approvals issued to ensure the project shall maintain and protect state water quality standards as required by this SWQC. Applicant shall provide a copy of this SWQC to an authorized representative conducting an inspection of the Project.

8. *Transfer of Projects*—If Applicant intends to transfer any legal or equitable interest in the Project or any portion(s) thereof, Applicant shall provide a copy of this SWQC and copies of any permits, authorizations or approvals obtained to comply with the SWQC upon the prospective transferee of the legal and equitable interest at least thirty (30) days prior to the contemplated transfer and shall simultaneously inform the appropriate PADEP Office of such intent. Notice to PADEP shall include a transfer agreement signed by the existing and new owners containing a specific date for transfer of responsibility, coverage, and liability under the SWQC and any permits, authorizations and approvals obtained to comply with the SWQC. The new owner shall submit to PADEP a new application form for the SWQC and any permits, authorizations and approvals required to comply with the SWQC signed by the new owner.

9. *Correspondence*—All correspondence with and submittals to PADEP concerning this SWQC shall be addressed to:

Department of Environmental Protection
Regional Permit Coordination Office
Domenic Rocco, PE, Director
400 Market Street, Harrisburg, PA 17101
RA-EPREGIONALPERMIT@pa.gov

10. *Reservation of Rights*—PADEP may modify, suspend or revoke this SWQC if (i) PADEP becomes aware of new facts about the Project that warrant such action; or (ii) PADEP determines that Applicant has not complied with the terms and conditions of this SWQC. PADEP may require additional measures to achieve compliance with any applicable law or regulation.

11. *Other Laws*—Nothing in this SWQC shall be construed to preclude the institution of any legal action or to relieve Applicant from any responsibilities, liabilities, or penalties established pursuant to any applicable law or regulation.

12. *Severability*—The provisions of this SWQC are severable and should any provision of this SWQC be declared invalid or unenforceable, the remainder of the SWQC shall not be affected thereby.

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v.*

Dep't. of Env'tl Prot., 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

Applicant: Equitrans, LP, 2200 Energy Drive, Canonsburg, PA 15317-1001, Ohio Valley Connector Expansion Project.

The Project, as proposed, includes the construction of approximately 0.5 mile of new 16-inch (H-327) and 12-inch (H-328) diameter natural gas pipeline, a new deep anode groundbed rectifier for cathodic protection, and associated ancillary facilities. In addition, the project is proposing the use of new and existing access roads, staging/parking areas, and contractor yards. The project consists of one (1) Chapter 105 Water Obstruction and Encroachment Permit and one (1) Chapter 102 Erosion and Sediment Control Permit. The following is the Chapter 105 permit application being reviewed by the Department.

GP053083222-002, GP083083222-006. The **Greene County**, portion of the project is located in Center, Gilmore, Jackson, and Washington Townships, U.S. Army

Corps of Engineers, Pittsburgh District. The proposed project starts at the existing Cygrymus Compressor Station (Latitude: 39.740302°; Longitude: -80.394457°) and ends near the existing Shough Creek Valve Yard (Latitude: 39.745630°; Longitude: -80.391388°).

The proposed project impacts in Greene County include impacts to 135 linear feet of Garrison Fork (WWF), 0.34 acre of Garrison Fork (WWF) floodway, 0.02 acre of UNT to Garrison Fork (WWF) floodway, 0.04 acre of temporary impacts to Other (O) Palustrine Emergent (PEM) wetlands, 0.004 acre of permanent impacts to O PEM wetlands, and 0.009 acre of permanent impacts to O Palustrine Scrub-Shrub (PSS) wetlands.

EROSION AND SEDIMENT CONTROL

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.

ESG833022001. The Department of Environmental Protection (Department) provides notice of final action regarding the following Chapter 102, Erosion and Sediment Control Permit Application related to Earth Disturbance Associated with Oil and Gas Exploration, Production, Processing or Treatment Operations or Transmission Facilities.

Ohio Valley Connector Expansion Project proposes the construction of approximately 0.5 mile of new 16-inch (H-137) and 12-inch (H-138) diameter natural gas pipeline, a new deep anode groundbed rectifier for cathodic protection, and associated ancillary facilities in Greene County. The proposed project will require 14.2 acres of earth disturbance

Permit No.	Applicant Name & Address	Counties	DEP Office
ESG833022001	Equitrans, LP 2200 Energy Drive Cannonsburg, PA 15317	Greene	Regional Permit Coordination Office

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

[Pa.B. Doc. No. 22-1052. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of National Pollutant Discharge Elimination System General Permit for Wet Weather Discharges from Combined Sewer Systems (PAG-06)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice, informs the public of the availability of the final National Pollution Discharge Elimination System (NPDES) General Permit for Wet Weather Discharges from Combined Sewer Systems (PAG-06) for a new 5-year term. The PAG-06 General Permit will become effective on October 17, 2022, and will expire on October 16, 2027.

The PAG-06 General Permit is intended to provide NPDES permit coverage for wet weather discharges from combined sewer systems. The PAG-06 General Permit may not be used for discharges to waters designated for special protection under 25 Pa. Code Chapter 93 (relating

to water quality standards) or other discharges that do not meet eligibility requirements of the PAG-06 General Permit.

Notice of the availability of a draft PAG-06 General Permit was published at 52 Pa.B. 2916 (May 14, 2022). A 30-day comment period was provided; the Department did not receive any comments.

Permittees with existing coverage under the PAG-06 General Permit will be required to submit a renewal Notice of Intent (NOI) to maintain continued coverage under the PAG-06 General Permit before the PAG-06 General Permit becomes effective on October 17, 2022. The Department will transmit notification to all existing PAG-06 permittees explaining the changes to the terms and conditions of General Permit coverage and what steps must be taken for continued coverage.

The PAG-06 NOI fee is \$2,500 to be paid in \$500 annual increments. The NOI fee does not apply to entities satisfying the criteria for an exemption under 25 Pa. Code § 92a.26(i) (relating to application fees).

Changes were not made to the final PAG-06 General Permit in comparison to the draft PAG-06 General Permit that was published at 52 Pa.B. 2916.

The General Permit package can be accessed online through the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "PAG-06 NPDES General Permit for Wet Weather Overflow Discharges from Combined Sewer Systems 3800-PM-BCW0076").

In accordance with 25 Pa. Code § 92a.84(c)(3) (relating to public notice of general permits), the Department will publish notice in the *Pennsylvania Bulletin* for every approval of coverage under the PAG-06 General Permit.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1053. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Draft TGD: Substantive Revision

DEP ID: 391-0400-001. *Title:* Pennsylvania's Public Water System Capability Enhancement Strategy. *Description:* This document provides guidance to all community, nontransient noncommunity, and transient noncommunity drinking water systems, as well as Department staff on the guidelines and implementation of the Commonwealth's Public Water System Capability Enhancement Program. The purpose of this document is to establish a rational methodology to implement, track and allocate appropriate resources needed to meet the Federal requirements for a State capacity development strategy for all public water systems. Substantive revisions are proposed to the guidance to facilitate more effective use of grant funds from the United States Environmental Protection Agency by incorporating principles for long-term sustainability.

Written Comments: Interested persons may submit written comments on this draft TGD through Monday, August 15, 2022. Comments, including comments submitted by e-mail must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Kevin Anderson at keanderson@pa.gov or (717) 783-9764.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1054. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Extension of National Pollutant Discharge Elimination System General Permit for Discharges of Stormwater Associated with Industrial Activity (PAG-03)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is, by this notice, extending for 6 months the availability of the current National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges of Stormwater Associated with Industrial Activity (PAG-03).

The existing PAG-03 General Permit in effect at this time will expire on September 23, 2022. Persons who are

operating under the PAG-03 General Permit may continue to operate until March 23, 2023. The Department is extending the availability of this permit to adequately complete preparation of the renewal of the PAG-03 General Permit. During the period of administrative extension, no new coverage under the PAG-03 General Permit may be authorized by the Department.

To access the General Permit and related documents, visit the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "PAG-03 NPDES General Permit for Discharges of Stormwater Associated with Industrial Activity 3850-PM-BCW0083").

Questions regarding the PAG-03 General Permit can be directed to Maria Schumack, PE, at maschumack@pa.gov or (717) 705-0486.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1055. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; CSX Transportation, Inc. Rail Abandonment

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C.A. § 1455(d)(14)), relating to public participation in consistency determinations. The Department of Environmental Protection (Department) Coastal Resources Management Program has received notice that CSX Transportation, Inc. (applicant) is proposing to abandon a section of railroad in Erie County (Project).

The applicant proposes to abandon the approximately 0.5-mile rail line that runs between Val Sta. 1576+25 and Val Sta. 170+35 on its Great Lakes Division, Erie West Subdivision, in Erie County, PA (the Line). The Line runs through the United States Postal zip code 16507. The right-of-way (ROW) width along this ROW is approximately 90 feet wide. The Line begins at 200+ east of Holland Road. It continues in a southwestern direction past Access Road and State Street. It continues west and turns slightly north just before ending slightly past Peach Street.

Abandonment of the Line will result in the removal of the rail, crossties and possibly the upper layer of ballast. The applicant is not proposing to disturb any sub grade or sub grade structures. Trail related structures, such as bridges, trestles, culverts and tunnels will not be salvaged, and the operation and maintenance of the Line will cease.

Upon receiving abandonment authority, removal of material will be accomplished by use of the ROW for access. New access roads are not contemplated. The applicant is not proposing to disturb any of the underlying roadbed or perform any activities that would cause sedimentation or erosion of the soil and does not anticipate any dredging or use of fill in the removal of the track material. The applicant proposes to transport crossties or other debris, or both, away from the Line and will not discard them along the ROW or place or leave them in streams or

wetlands, or along the banks of such waterways. During track removal, the applicant proposes to implement appropriate measures to prevent or control spills from fuels, lubricants or any other pollutant materials from entering any waterways. The applicant is seeking authorization under 49 U.S.C.A. § 10903 from the United States Surface Transportation Board (STB Docket No. AB-55 (Sub-No. 806X)) to abandon this section of rail line.

This Project is subject to Department review for Federal consistency because it is an activity requiring a Federal license or permit and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), the applicant has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review can be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before Monday, August 1, 2022, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1056. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Federal Consistency under the Coastal Zone Management Act; Energy Transfer, Inc. Maintenance Dredging of the Marcus Hook Terminal

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C.A. § 1455(d)(14)), relating to public participation in consistency determinations. The Department of Environmental Protection (Department) Coastal Resources Management Program has received notice that Energy Transfer, Inc. (applicant) is proposing to perform maintenance dredging at the Marcus Hook Terminal in Delaware County (Project).

The applicant is seeking authorization from the United States Army Corps of Engineers (USACE) under section 10 of the Rivers and Harbors Act (33 U.S.C.A. § 403) to conduct maintenance dredging activities at the Marcus

Hook Terminal in Marcus Hook, Delaware County. The Marcus Hook Terminal is located at 100 Green Street at coordinates 39.809106 North and -75.415676 West. Proposed maintenance dredge areas at Marcus Hook Terminal include berths 1A, 1B, 2A, 2B, 3A, 3B, 3C, water intakes RW-5 and RW-7 and a firewater intake area adjacent to RW-5. Berthing areas are to be mechanically dredged to a maximum depth of -42.0' mean lower low-water (MLLW) with an additional 2 feet of allowable over-dredge for a total proposed depth range from -20.0 feet MLLW (-22.21 feet MLLW) to -42.0 feet MLLW (-44.21 feet MLLW).

Based on a March 2022 survey, the current maintenance dredging demand to deepen berth 1A from 40 feet + 2 feet to 42 feet + 2 feet is approximately 35,000 cubic yards of material. Over the past 10 years, approximately 50,000 cubic yards of material has been removed per dredging event, depending on the seasonal sedimentation rates. Following a dredging event, the applicant may request to conduct periodic maintenance dredging events throughout the duration of the permit. Based on the past 10 years of maintenance dredging at Marcus Hook Terminal, the applicant estimates the volume of the dredged sediment recovered in any particular maintenance dredging event to be 50,000 cubic yards. Based on an estimated 10 to 15 dredge events, the applicant estimates a maximum of 750,000 cubic yards of material may be dredged over the proposed 10-year maintenance cycle.

Mechanical dredging is proposed to be conducted utilizing a closed-clamshell environmental bucket. The dredge will be used to control the rate of descent of the bucket to maximize the vertical cut of the clamshell bucket while not penetrating the sediment beyond the vertical dimension of the open bucket. This is proposed to reduce the amount of free water in the dredged material, avoid overfilling the bucket and minimize the number of dredge bucket cycles needed to complete the dredging contract. Dredged material is proposed to be stored and transported in a watertight barge to the intended disposal facility.

Dredged material generated with mechanical dredging would be disposed of at either White's Basin or Biles Island confined disposal facilities. If a disposal area other than at White's Basin or Biles Island is planned, the applicant will request a permit modification from USACE and a State Water Quality Certification under section 401 of the Federal Clean Water Act (33 U.S.C.A. § 1341) from the Department.

In advance of any maintenance dredging event, the dredged material is proposed to be sampled and characterized according to procedures of the approved Sampling and Analysis Plan (by the Department or New Jersey Department of Environmental Protection (NJDEP), or both, depending on disposal facility). Testing results and letters of dredged material acceptance from disposal facilities will be provided to the Department or NJDEP, or both, with copy to USACE prior to the beginning of dredging activities.

This Project is subject to Department review for Federal consistency because it is an activity requiring a Federal license or permit and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for

activities requiring a Federal license or permit), the applicant has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review can be directed to Matthew Walderon, Federal Consistency Coordinator, at RA-Fed_Consistency@pa.gov or (717) 772-2196.

The Department will consider all comments received on or before Monday, August 1, 2022, before issuing a final Federal consistency concurrence or objection. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1057. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Statewide Water Resources Committee; Meetings Rescheduled

The State Water Plan's Statewide Water Resources Committee (Committee) meetings have been rescheduled for the remainder of the year. The Committee will meet at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA on the days listed as follows:

August 17, 2022—rescheduled from July 20

October 19, 2022—rescheduled from September 21

November 16, 2022—rescheduled from November 9

Individuals may attend the meetings in person or remotely. Individuals interested in providing public comments during the meetings are encouraged to sign up in advance of each meeting by contacting James Horton at jahorton@pa.gov or (717) 772-1100.

Information on how to join the meetings remotely, as well as agenda and meeting materials, will be available on the Committee's web site, found on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (search "Statewide Water Resources Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions can be directed to James Horton at jahorton@pa.gov or (717) 772-1100.

Persons in need of accommodations, as provided for in the Americans with Disabilities Act of 1990, should contact James Horton at (717) 772-1100, or through the Pennsylvania Hamilton Relay Service at (800) 654-5984

(TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1058. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Crestview Center
262 Toll Gate Road
Langhorne, PA 19047
FAC ID # 030802

Hillcrest Center
1245 Church Road
Wyncote, PA 19095
FAC ID # 034402

Hopkins Center
8100 Washington Lane
Wyncote, PA 19095
FAC ID # 083202

Laurel Center
125 Holly Road
Hamburg, PA 19526
FAC ID # 123902

Mifflin Center
500 East Philadelphia Avenue
Shillington, PA 19607
FAC ID # 081002

Moravian Hall Square
175 West North Street
Nazareth, PA 18064
FAC ID # 392702

Norriton Square Nursing and Rehabilitation Center
1700 Pine Street
Norristown, PA 19401
FAC ID # 068202

Sanatoga Center
225 Evergreen Road
Pottstown, PA 19464
FAC ID # 233702

Wayne Center
30 West Avenue
Wayne, PA 19087
FAC ID # 750102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1059. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Pharmaceutical Benefits Program Advisory Council Public Teleconference Meeting

The Statewide Special Pharmaceutical Benefits Program (SPBP) Advisory Council, established by the Department of Health (Department) to aid in the carrying out of its Federal grant responsibilities under section 2616 of the Ryan White Comprehensive AIDS Resource Emergency Act of 1990 (42 U.S.C.A. § 300ff-26), will hold a public teleconference meeting on Thursday, July 28, 2022, from 10 a.m. to 12 p.m. To participate, individuals may dial in by location at (412) 648-8888 or (866) 588-4789. The meeting ID is 314 382 869#. The meeting will begin promptly at 10 a.m. and participants are urged to call in by 9:50 a.m.

The SPBP Advisory Council will provide program guidance and recommendations to the Department's SPBP in regard to the following: drug formulary; covered lab services; drug utilization review; clinical programs; eligibility; and program management.

For additional information, contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Sandy Brosius, Bureau of Communicable Diseases, Department of Health, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120, (717) 547-3419, or for speech or hearing-impaired persons contact V/TT (717) 783-0572 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without prior notice.

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1060. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Addition

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following procedure code to the Medical Assistance (MA) Program Fee Schedule for disposable surgical masks, effective with dates of service on and after July 1, 2022.

Procedure Code	Code Description	Fee	Unit Limit	Age Limit
A4928	Surgical Mask, per 20	\$19.96 per box	2 boxes per month	Age 2—120

Background

The Department updated the MA Program Fee Schedule to include Healthcare Common Procedural Coding System code A4928 for the distribution of disposable surgical masks to MA beneficiaries to help prevent the spread of disease.

The Department issued an MA Bulletin to inform providers enrolled in the MA Program of the addition of the previously noted procedure code for the distribution of disposable surgical masks to MA beneficiaries to help prevent the spread of disease.

Fiscal Impact

The estimated cost for Fiscal Year 2022-2023 is \$0.943 million in the Fee-for-Service delivery system. There is no fiscal impact to Managed Care delivery system.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revisions of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1520. (1) General Fund; (2) Implementing Year 2021-22 is \$0; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$420,000; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1061. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$3 Million Diamonds and Gold Instant Lottery Game 1594

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$3 Million Diamonds and Gold (hereinafter “\$3 Million Diamonds and Gold”). The game number is PA-1594.

2. *Price:* The price of a \$3 Million Diamonds and Gold instant lottery game ticket is \$30.

3. *Play symbols:* Each \$3 Million Diamonds and Gold instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and four “QUICK WIN BONUS” spots. The “QUICK WIN BONUS” spots are each played separately. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN),

28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Diamond (DIAMOND) symbol, Gold Coins (WIN\$1K) symbol and a WIN ALL (WINALL) symbol. The play symbols and their captions, located in the four “QUICK WIN BONUS” spots, are: Treasure Chest (TRYAGAIN) symbol, Vault (NOBONUS) symbol, Star (TRYAGAIN) symbol, Horseshoe (NOBONUS) symbol, Crown (TRYAGAIN) symbol, Check (NOBONUS) symbol, Wallet (TRYAGAIN) symbol, \$100 (ONE HUN) symbol, \$200 (TWO HUN) symbol, \$300 (THR HUN) symbol, \$500 (FIV HUN) symbol, \$1K (ONE THO) symbol and a \$5K (FIV THO) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE

HUN), \$200 (TWO HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), \$30,000 (THIRTYTHO), \$300,000 (THRHUNTHO) and \$3MILL (THR MIL).

5. *Prizes:* The prizes that can be won in this game, are: \$30, \$40, \$50, \$100, \$200, \$300, \$500, \$1,000, \$5,000, \$30,000, \$300,000 and \$3,000,000. The prizes that can be won in the four "QUICK WIN BONUS" spots, are: \$100, \$200, \$300, \$500, \$1,000 and \$5,000. A player can win up to 29 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 7,200,000 tickets will be printed for the \$3 Million Diamonds and Gold instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$3MILL (THR MIL) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$3,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$300,000 (THRHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$30,000 (THIRTYTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(d) Holders of tickets upon which a WIN ALL (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$1,000 (ONE THO) appears in 15 of the "prize" areas and a prize symbol of \$500 (FIV HUN) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$20,000.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(f) Holders of tickets upon which a \$5K (FIV THO) symbol appears in any of the "QUICK WIN BONUS" spots, on a single ticket, shall be entitled to a prize of \$5,000.

(g) Holders of tickets upon which a WIN ALL (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$200 (TWO HUN) appears in 15 of the "prize" areas and a prize symbol of \$100 (ONE HUN) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$4,000.

(h) Holders of tickets upon which a WIN ALL (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$1,000 (ONE THO) appears in two of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in three of the "prize" areas, a prize symbol of \$40⁰⁰ (FORTY) appears in ten of the "prize" areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$3,000.

(i) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which a Gold Coins (WIN\$1K) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that Gold Coins (WIN\$1K) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which a \$1K (ONE THO) symbol appears in any of the "QUICK WIN BONUS" spots, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which a WIN ALL (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$40⁰⁰ (FORTY) appears in all 25 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(m) Holders of tickets upon which a WIN ALL (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the "prize" areas, a prize symbol of \$40⁰⁰ (FORTY) appears in seven of the "prize" areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in 14 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$900.

(n) Holders of tickets upon which a WIN ALL (WINALL) symbol appears in the "YOUR NUMBERS" area, and a prize symbol of \$40⁰⁰ (FORTY) appears in five of the "prize" areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in 20 of the "prize" areas, on a single ticket, shall be entitled to a prize of \$800.

(o) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets upon which a Diamond (DIAMOND) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Diamond (DIAMOND) symbol, on a single ticket, shall be entitled to a prize of \$500.

(q) Holders of tickets upon which a \$500 (FIV HUN) symbol appears in any of the "QUICK WIN BONUS" spots, on a single ticket, shall be entitled to a prize of \$500.

(r) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$300 (THR HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$300.

(s) Holders of tickets upon which a Diamond (DIAMOND) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$300 (THR HUN) appears in the "prize" area under that Diamond (DIAMOND) symbol, on a single ticket, shall be entitled to a prize of \$300.

(t) Holders of tickets upon which a \$300 (THR HUN) symbol appears in any of the "QUICK WIN BONUS" spots, on a single ticket, shall be entitled to a prize of \$300.

(u) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING

NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(v) Holders of tickets upon which a Diamond (DIAMOND) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Diamond (DIAMOND) symbol, on a single ticket, shall be entitled to a prize of \$200.

(w) Holders of tickets upon which a \$200 (TWO HUN) symbol appears in any of the “QUICK WIN BONUS” spots, on a single ticket, shall be entitled to a prize of \$200.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(y) Holders of tickets upon which a Diamond (DIAMOND) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Diamond (DIAMOND) symbol, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets upon which a \$100 (ONE HUN) symbol appears in any of the “QUICK WIN BONUS” spots, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets upon which a Diamond (DIAMOND) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Diamond (DIAMOND) symbol, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(dd) Holders of tickets upon which a Diamond (DIAMOND) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under that Diamond (DIAMOND) symbol, on a single ticket, shall be entitled to a prize of \$40.

(ee) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(ff) Holders of tickets upon which a Diamond (DIAMOND) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Diamond (DIAMOND) symbol, on a single ticket, shall be entitled to a prize of \$30.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“QUICK WIN BONUS:”</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 7,200,000 Tickets:</i>
\$30 w/ DIAMOND		\$30	21.43	336,000
\$30		\$30	15	480,000
\$40 w/ DIAMOND		\$40	25	288,000
\$40		\$40	30	240,000
\$50 w/ DIAMOND		\$50	18.75	384,000
\$50		\$50	30	240,000
\$50 × 2		\$100	300	24,000
(\$50 w/ DIAMOND) + \$50		\$100	300	24,000
	\$100	\$100	42.86	168,000
\$100 w/ DIAMOND		\$100	50	144,000
\$100		\$100	300	24,000
\$40 × 5		\$200	2,400	3,000
(((\$50 w/ DIAMOND) × 2) + (\$50 × 2))		\$200	2,400	3,000
\$100 w/ DIAMOND	\$100	\$200	800	9,000
	\$100 × 2	\$200	2,400	3,000
	\$200	\$200	1,200	6,000
\$200 w/ DIAMOND		\$200	600	12,000
\$200		\$200	2,400	3,000

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>"QUICK WIN BONUS."</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 7,200,000 Tickets:</i>
\$30 × 10		\$300	12,000	600
(\$100 w/ DIAMOND) + (\$50 w/ DIAMOND) + \$50	\$100	\$300	1,500	4,800
\$200 w/ DIAMOND	\$100	\$300	1,500	4,800
(\$30 w/ DIAMOND) × 10		\$300	1,500	4,800
	\$100 × 3	\$300	1,500	4,800
	\$300	\$300	800	9,000
\$300 w/ DIAMOND		\$300	6,000	1,200
\$300		\$300	6,000	1,200
\$50 × 10		\$500	24,000	300
\$100 × 5		\$500	24,000	300
\$30 × 10	\$100 × 2	\$500	24,000	300
(((\$30 w/ DIAMOND) × 5) + (\$30 × 5))	\$100 × 2	\$500	6,000	1,200
(((\$50 w/ DIAMOND) × 2) + (\$30 × 5) + \$50)	\$100 × 2	\$500	6,000	1,200
(\$30 w/ DIAMOND) × 10	\$200	\$500	6,000	1,200
(\$100 w/ DIAMOND) × 3	\$100 × 2	\$500	6,000	1,200
\$300 w/ DIAMOND	\$200	\$500	6,000	1,200
	\$300 + \$200	\$500	24,000	300
	\$500	\$500	8,000	900
\$500 w/ DIAMOND		\$500	12,000	600
\$500		\$500	24,000	300
WIN ALL SYMBOL w/ ((\$40 × 5) + (\$30 × 20))	\$200	\$1,000	4,000	1,800
WIN ALL SYMBOL w/ ((\$50 × 4) + (\$40 × 7) + (\$30 × 14))	\$100	\$1,000	4,000	1,800
WIN ALL SYMBOL w/ (\$40 × 25)		\$1,000	4,000	1,800
\$100 × 10		\$1,000	120,000	60
\$500 × 2		\$1,000	24,000	300
\$50 × 10	\$300 + \$200	\$1,000	24,000	300
(\$300 w/ DIAMOND) + (\$30 × 10)	\$100 × 4	\$1,000	24,000	300
\$500 w/ DIAMOND	\$500	\$1,000	24,000	300
(\$100 w/ DIAMOND) × 10		\$1,000	24,000	300
	\$1,000	\$1,000	24,000	300
\$1,000 w/ GOLD COINS		\$1,000	2,182	3,300
\$1,000		\$1,000	120,000	60
WIN ALL SYMBOL w/ ((\$200 × 15) + (\$100 × 10))	(\$100 × 2) + \$500 + \$300	\$5,000	360,000	20
WIN ALL SYMBOL w/ ((\$1,000 × 2) + (\$100 × 3) + (\$40 × 10) + (\$30 × 10))	\$500 × 4	\$5,000	360,000	20
\$1,000 × 5		\$5,000	1,440,000	5
(((\$1,000 w/ GOLD COINS) × 2) + (\$500 × 4))	\$500 × 2	\$5,000	720,000	10
(\$1,000 w/ GOLD COINS) × 4	\$1,000	\$5,000	720,000	10
	\$5,000	\$5,000	720,000	10
\$5,000		\$5,000	1,440,000	5

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“QUICK WIN BONUS:”</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 7,200,000 Tickets:</i>
WIN ALL SYMBOL w/ ((\$1,000 × 15) + (\$500 × 10))	\$5,000 × 2	\$30,000	480,000	15
(((\$1,000 w/ GOLD COINS) × 20) + (\$1,000 × 5))	\$5,000	\$30,000	720,000	10
\$30,000		\$30,000	1,440,000	5
\$30,000 × 10		\$300,000	1,440,000	5
\$300,000		\$300,000	1,440,000	5
\$3,000,000		\$3,000,000	1,440,000	5

Reveal a “Diamond” (DIAMOND) symbol, win prize shown under that symbol automatically.

Reveal a “Gold Coins” (WIN\$1K) symbol, win \$1,000 instantly.

Reveal a “WIN ALL” (WINALL) symbol, win all 25 prizes shown!

QUICK WIN BONUS: Reveal a cash prize amount, win that amount instantly! QUICK WIN BONUS is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$3 Million Diamonds and Gold instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$3 Million Diamonds and Gold, prize money from winning \$3 Million Diamonds and Gold instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$3 Million Diamonds and Gold instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State

Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$3 Million Diamonds and Gold or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1062. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania It's Your Lucky Day Instant Lottery Game 1596

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania It's Your Lucky Day (hereafter “It's Your Lucky Day”). The game number is PA-1596.

2. *Price:* The price of an It's Your Lucky Day instant lottery game ticket is \$5.

3. *Play symbols:* Each It's Your Lucky Day instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN),

28 (TWYEGT), 29 (TWININ) and 30 (THIRT). The play symbols and their captions, located in the "YOUR NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWININ), 30 (THIRT), Unicorn (UNICORN) symbol, Fingers Crossed (WIN50) symbol and a Crystal Ball (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$200,000 (TWOHUNTHO).

5. *Prizes:* The prizes that can be won in this game, are: \$5, \$10, \$20, \$50, \$100, \$200, \$500, \$1,000, \$5,000 and \$200,000. A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 11,400,000 tickets will be printed for the It's Your Lucky Day instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200,000 (TWOHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a Crystal Ball (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in two of the "prize" areas, a prize symbol of \$100 (ONE HUN) appears in two of the "prize" areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in eight of the "prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the match-

ing "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(h) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which a Crystal Ball (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in two of the "prize" areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in four of the "prize" areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in four of the "prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a Crystal Ball (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in six of the "prize" areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the "prize" areas and a prize symbol of \$100 (ONE HUN) appears in one of the "prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(l) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$200.

(m) Holders of tickets upon which a Crystal Ball (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the "prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(n) Holders of tickets upon which a Crystal Ball (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20⁰⁰ (TWENTY) appears in eight of the "prize" areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the "prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(o) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which a Crystal Ball (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the "prize" areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the "prize" areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the "prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which a Crystal Ball (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$50.

(u) Holders of tickets upon which a Fingers Crossed (WIN50) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Fingers Crossed (WIN50) symbol, on a single ticket, shall be entitled to a prize of \$50.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(w) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the “YOUR NUMBERS” area

and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$20.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$10.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(aa) Holders of tickets upon which a Unicorn (UNICORN) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that Unicorn (UNICORN) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 11,400,000 Tickets:</i>
\$5 w/ UNICORN	\$5	16.67	684,000
\$5	\$5	20	570,000
\$5 × 2	\$10	60	190,000
(\$5 w/ UNICORN) + \$5	\$10	60	190,000
(\$5 w/ UNICORN) × 2	\$10	66.67	171,000
\$10 w/ UNICORN	\$10	75	152,000
\$10	\$10	120	95,000
\$5 × 4	\$20	200	57,000
(((\$5 w/ UNICORN) × 2) + (\$5 × 2))	\$20	200	57,000
(\$10 w/ UNICORN) × 2	\$20	120	95,000
\$20 w/ UNICORN	\$20	120	95,000
\$20	\$20	150	76,000
\$5 × 10	\$50	600	19,000
(((\$5 w/ UNICORN) × 5) + (\$5 × 5))	\$50	600	19,000
\$50 w/ FINGERS CROSSED	\$50	85.71	133,000
\$50 w/ UNICORN	\$50	600	19,000
\$50	\$50	600	19,000
CRYSTAL BALL w/ ((\$10 × 8) + (\$5 × 4))	\$100	888.89	12,825
CRYSTAL BALL w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))	\$100	888.89	12,825
\$10 × 10	\$100	12,000	950
(\$50 w/ FINGERS CROSSED) + (((\$5 w/ UNICORN) × 10))	\$100	6,000	1,900

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 11,400,000 Tickets:</i>
(\$50 w/ FINGERS CROSSED) × 2	\$100	3,000	3,800
\$100 w/ UNICORN	\$100	6,000	1,900
\$100	\$100	12,000	950
CRYSTAL BALL w/ ((\$20 × 8) + (\$10 × 4))	\$200	4,800	2,375
CRYSTAL BALL w/ ((\$50 × 2) + (\$10 × 10))	\$200	4,800	2,375
\$50 × 4	\$200	120,000	95
(((\$50 w/ FINGERS CROSSED) × 2) + ((\$10 w/ UNICORN) × 5) + (\$10 × 5))	\$200	24,000	475
(\$50 w/ FINGERS CROSSED) × 4	\$200	24,000	475
\$200 w/ UNICORN	\$200	60,000	190
\$200	\$200	120,000	95
CRYSTAL BALL w/ ((\$50 × 6) + (\$20 × 5) + \$100)	\$500	12,000	950
CRYSTAL BALL w/ ((\$100 × 2) + (\$50 × 4) + (\$20 × 4) + (\$10 × 2))	\$500	12,000	950
\$100 × 5	\$500	120,000	95
(\$50 w/ FINGERS CROSSED) × 10	\$500	24,000	475
\$500 w/ UNICORN	\$500	60,000	190
\$500	\$500	120,000	95
CRYSTAL BALL w/ ((\$200 × 2) + (\$100 × 2) + (\$50 × 8))	\$1,000	228,000	50
\$200 × 5	\$1,000	1,140,000	10
(((\$50 w/ FINGERS CROSSED) × 10) + \$500)	\$1,000	1,140,000	10
\$1,000 w/ UNICORN	\$1,000	570,000	20
\$1,000	\$1,000	1,140,000	10
\$5,000 w/ UNICORN	\$5,000	1,140,000	10
\$5,000	\$5,000	1,140,000	10
\$200,000	\$200,000	1,140,000	10

Reveal a “Unicorn” (UNICORN) symbol, win prize shown under that symbol automatically.

Reveal a “Fingers Crossed” (WIN50) symbol, win \$50 instantly.

Reveal a “Crystal Ball” (WINALL) symbol, win all 12 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell It’s Your Lucky Day instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of

at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of It’s Your Lucky Day, prize money from winning It’s Your Lucky Day instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the It’s Your Lucky Day instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State

Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote It's Your Lucky Day or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1063. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania More Money Instant Lottery Game 1595

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania More Money (hereinafter “More Money”). The game number is PA-1595.

2. *Price:* The price of a More Money instant lottery game ticket is \$10.

3. *Play symbols:* Each More Money instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BONUS” area on the front of the game ticket, and an “EVEN MORE MONEY” play area on the back of the game ticket. The play areas on the front and back of the game ticket are played separately, but winning combinations on the front and back of the game ticket can be combined to win larger prizes as described in section 7 (relating to determination of prize winners). The play symbols and their captions, located in the “WINNING NUMBERS” area on the front of the game ticket, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions, located in the “YOUR NUMBERS” area on the front of the game ticket, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Fistful of Cash (5TIMES) symbol, Money Roll (WINALL) symbol and a \$500K (WIN500K) symbol. The play sym-

bol and their captions, located in the “BONUS” area on the front of the game ticket, are: Bow Tie (NOBONUS) symbol, Jacket (TRYAGAIN) symbol, Necklace (NOBONUS) symbol, Check (TRYAGAIN) symbol, Gold Bar (NOBONUS) symbol, Purse (TRYAGAIN) symbol, Key (NOBONUS) symbol, Diamond (TRYAGAIN) symbol, Star (NOBONUS) symbol, Hourglass (TRYAGAIN) symbol and a MORE (ADD50) symbol. The play symbols and their captions, located in the “EVEN MORE MONEY” area on the back of the game ticket, are: Sun (SUN) symbol, Bank (BANK) symbol, Earrings (EARRNG) symbol, Truck (TRUCK) symbol, Cash (CASH) symbol, Coins (COINS) symbol, Stack of Cash (STACK) symbol and a Money Bag (MNYBAG) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area on the front of the game ticket, are: \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and \$500,000 (FIVHUNTHO).

5. *Prizes:* The prizes that can be won on the front of the game ticket, are: \$10, \$20, \$30, \$50, \$100, \$200, \$500, \$1,000, \$10,000 and \$500,000. The prizes that can be won on the back of the game ticket, are: \$10, \$50, \$100 and \$1,000. More Money contains a feature that can increase the total prize won in the main play area on the ticket front. More Money also contains a feature that can multiply certain prizes in the main play area on the ticket front. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 18 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 13,200,000 tickets will be printed for the More Money instant lottery game.

7. *Determination of prize winners:*

(a) *Determination of prize winners for the front of the game ticket are:*

(1) Holders of tickets upon which a \$500K (WIN500K) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500,000 (FIVHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(2) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(3) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in five of the “prize” areas and a prize symbol of \$500 (FIV HUN) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(4) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in three of the “prize” areas and a prize symbol of \$500 (FIV HUN) appears in 12 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$9,000.

(5) Holders of tickets upon which a Fistful of Cash (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in

the “prize” area under that Fistful of Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(6) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(7) Holders of tickets upon which a Fistful of Cash (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Fistful of Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(8) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(9) Holders of tickets upon which six Fistful of Cash (5TIMES) symbols appear in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under each of the six Fistful of Cash (5TIMES) symbols, and upon which a MORE (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$950.

(10) Holders of tickets upon which any nine of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under each of the nine matching “YOUR NUMBERS” symbols, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$950.

(11) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in two of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in three of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$900.

(12) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in 14 of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in one of the “prize” areas, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$850.

(13) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(14) Holders of tickets upon which a Fistful of Cash (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Fistful of Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(15) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in

eight of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in three of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(16) Holders of tickets upon which eight Fistful of Cash (5TIMES) symbols appear in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under each of the eight Fistful of Cash (5TIMES) symbols, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$450.

(17) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in two of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in three of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$450.

(18) Holders of tickets upon which any seven of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under each of the seven matching “YOUR NUMBERS” symbols, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$400.

(19) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in two of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in seven of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(20) Holders of tickets upon which any three of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under each of the three matching “YOUR NUMBERS” symbols, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$350.

(21) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in all 15 of the “prize” areas, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$350.

(22) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(23) Holders of tickets upon which a Fistful of Cash (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Fistful of Cash (5TIMES) symbol, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$200.

(24) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in five of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN

DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(25) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in all 15 of the “prize” areas, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$200.

(26) Holders of tickets upon which a Money Roll (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in four of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in 11 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$190.

(27) Holders of tickets upon which two Fistful of Cash (5TIMES) symbols appear in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under both of the Fistful of Cash (5TIMES) symbols, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$150.

(28) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(29) Holders of tickets upon which a Fistful of Cash (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Fistful of Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(30) Holders of tickets upon which any five of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” areas under each of the five matching “YOUR NUMBERS” symbols, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$100.

(31) Holders of tickets upon which any two of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” areas under both of the matching “YOUR NUMBERS” symbols, and upon which a “MORE” (ADD50) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$90.

(32) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(33) Holders of tickets upon which a Fistful of Cash (5TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Fistful of Cash (5TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(34) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(35) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols, a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(36) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(b) *Determination of prize winners for the back of the game ticket are:*

(1) Holders of tickets upon which three matching Money Bag (MNYBAG) symbols appear in the “EVEN MORE MONEY” area, on a single ticket, shall be entitled to a prize of \$1,000.

(2) Holders of tickets upon which three matching Stack of Cash (STACK) symbols appear in the “EVEN MORE MONEY” area, on a single ticket, shall be entitled to a prize of \$100.

(3) Holders of tickets upon which three matching Coins (COINS) symbols appear in the “EVEN MORE MONEY” area, on a single ticket, shall be entitled to a prize of \$50.

(4) Holders of tickets upon which three matching Cash (CASH) symbols appear in the “EVEN MORE MONEY” area, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>TICKET FRONT: When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>TICKET BACK: When You Reveal 3 Matching Symbols In The EVEN MORE MONEY Area, Win Corresponding Prize Shown In The PRIZE LEGEND. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 13,200,000 Tickets:</i>
	\$10 w/ 3—CASH SYMBOLS	\$10	13.64	968,000
\$10		\$10	20	660,000

<i>TICKET FRONT: When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>TICKET BACK: When You Reveal 3 Matching Symbols In The EVEN MORE MONEY Area, Win Corresponding Prize Shown In The PRIZE LEGEND. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 13,200,000 Tickets:</i>
\$10 × 2		\$20	60	220,000
\$10	\$10 w/ 3—CASH SYMBOLS	\$20	25	528,000
\$20		\$20	60	220,000
\$10 × 3		\$30	300	44,000
\$20 + \$10		\$30	300	44,000
\$10 × 2	\$10 w/ 3—CASH SYMBOLS	\$30	75	176,000
\$20	\$10 w/ 3—CASH SYMBOLS	\$30	85.71	154,000
\$30		\$30	300	44,000
\$10 × 5		\$50	600	22,000
\$30 + \$20		\$50	600	22,000
(\$10 × 2) + \$20	\$10 w/ 3—CASH SYMBOLS	\$50	600	22,000
\$10 × 4	\$10 w/ 3—CASH SYMBOLS	\$50	600	22,000
\$20 × 2	\$10 w/ 3—CASH SYMBOLS	\$50	600	22,000
	\$50 w/ 3—COINS SYMBOLS	\$50	600	22,000
\$10 w/ FISTFUL OF CASH		\$50	300	44,000
\$50		\$50	600	22,000
\$10 × 10		\$100	600	22,000
\$20 × 2	(\$50 w/ 3—COINS SYMBOLS) + (\$10 w/ 3—CASH SYMBOLS)	\$100	600	22,000
(\$10 × 5) + (\$50 w/ MORE)		\$100	600	22,000
(\$20 × 2) + (\$50 w/ MORE)	\$10 w/ 3—CASH SYMBOLS	\$100	300	44,000
	\$100 w/ 3—STACK OF CASH SYMBOLS	\$100	600	22,000
\$20 w/ FISTFUL OF CASH		\$100	600	22,000
\$100		\$100	600	22,000
(MONEY ROLL w/ (\$10 × 15)) + (\$50 w/ MORE)		\$200	600	22,000
MONEY ROLL w/ ((\$20 × 4) + (\$10 × 11))	\$10 w/ 3—CASH SYMBOLS	\$200	2,400	5,500
MONEY ROLL w/ ((\$20 × 5) + (\$10 × 10))		\$200	2,400	5,500
\$50 × 4		\$200	12,000	1,100
(\$20 × 4) + (\$10 × 6)	(\$50 w/ 3—COINS SYMBOLS) + (\$10 w/ 3—CASH SYMBOLS)	\$200	4,000	3,300
(\$50 × 2) + (\$50 w/ MORE)	\$50 w/ 3—COINS SYMBOLS	\$200	4,000	3,300

<i>TICKET FRONT: When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>TICKET BACK: When You Reveal 3 Matching Symbols In The EVEN MORE MONEY Area, Win Corresponding Prize Shown In The PRIZE LEGEND. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 13,200,000 Tickets:</i>
(((\$10 w/ FISTFUL OF CASH) × 2) + (\$50 w/ MORE))	\$50 w/ 3—COINS SYMBOLS	\$200	4,000	3,300
(\$30 w/ FISTFUL OF CASH) + (\$50 w/ MORE)		\$200	4,000	3,300
\$20 w/ FISTFUL OF CASH	\$100 w/ 3—STACK OF CASH	\$200	4,000	3,300
(\$10 w/ FISTFUL OF CASH) × 4		\$200	4,000	3,300
\$200		\$200	12,000	1,100
(MONEY ROLL w/ (\$20 × 15)) + (\$50 w/ MORE)	(\$100 w/ 3—STACK OF CASH SYMBOLS) + (\$50 w/ 3—COINS SYMBOLS)	\$500	24,000	550
MONEY ROLL w/ ((\$100 × 2) + (\$20 × 7) + (\$10 × 6))	\$100 w/ 3—STACK OF CASH SYMBOLS	\$500	24,000	550
MONEY ROLL w/ ((\$100 × 2) + (\$50 × 3) + (\$10 × 10))	\$50 w/ 3—COINS SYMBOLS	\$500	24,000	550
MONEY ROLL w/ ((\$50 × 8) + (\$20 × 3) + (\$10 × 4))		\$500	120,000	110
\$100 × 5		\$500	120,000	110
(\$100 × 2) + (\$50 × 2) + (\$10 × 5)	(\$100 w/ 3—STACK OF CASH SYMBOLS) + (\$50 w/ 3—COINS SYMBOLS)	\$500	120,000	110
(\$200 × 2) + (\$10 × 4)	(\$50 w/ 3—COINS SYMBOLS) + (\$10 w/ 3—CASH SYMBOLS)	\$500	120,000	110
(\$50 × 7) + (\$50 w/ MORE)	\$100 w/ 3—STACK OF CASH SYMBOLS	\$500	120,000	110
(\$100 × 3) + (\$50 w/ MORE)	(\$100 w/ 3—STACK OF CASH SYMBOLS) + (\$50 w/ 3—COINS SYMBOLS)	\$500	120,000	110
(((\$10 w/ FISTFUL OF CASH) × 8) + (\$50 w/ MORE))	\$50 w/ 3—COINS SYMBOLS	\$500	120,000	110
(\$20 w/ FISTFUL OF CASH) × 4	\$100 w/ 3—STACK OF CASH SYMBOLS	\$500	120,000	110
\$100 w/ FISTFUL OF CASH		\$500	120,000	110
\$500		\$500	120,000	110
(MONEY ROLL w/ ((\$50 × 14) + \$100)) + (\$50 w/ MORE)	(\$100 w/ 3—STACK OF CASH SYMBOLS) + (\$50 w/ 3—COINS SYMBOLS)	\$1,000	24,000	550
MONEY ROLL w/ ((\$200 × 2) + (\$100 × 3) + (\$20 × 10))	\$100 w/ 3—STACK OF CASH SYMBOLS	\$1,000	40,000	330
MONEY ROLL w/ ((\$100 × 5) + (\$50 × 10))		\$1,000	40,000	330
\$500 × 2		\$1,000	120,000	110
(\$100 × 9) + (\$50 w/ MORE)	\$50 w/ 3—COINS SYMBOLS	\$1,000	120,000	110

<i>TICKET FRONT: When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>TICKET BACK: When You Reveal 3 Matching Symbols In The EVEN MORE MONEY Area, Win Corresponding Prize Shown In The PRIZE LEGEND. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 13,200,000 Tickets:</i>
(((\$30 w/ FISTFUL OF CASH) × 6) + (\$50 w/ MORE))	\$50 w/ 3—COINS SYMBOLS	\$1,000	120,000	110
	\$1,000 w/ 3—MONEY BAG SYMBOLS	\$1,000	120,000	110
\$200 w/ FISTFUL OF CASH		\$1,000	120,000	110
\$1,000		\$1,000	120,000	110
MONEY ROLL w/ ((\$1,000 × 3) + (\$500 × 12))	\$1,000 w/ 3—MONEY BAG SYMBOLS	\$10,000	1,320,000	10
MONEY ROLL w/ ((\$1,000 × 5) + (\$500 × 10))		\$10,000	1,320,000	10
(\$1,000 w/ FISTFUL OF CASH) + (\$500 × 8)	\$1,000 w/ 3—MONEY BAG SYMBOLS	\$10,000	1,320,000	10
\$10,000		\$10,000	1,320,000	10
\$500,000 w/ \$500K SYMBOL		\$500,000	1,320,000	10

Ticket Front:

Reveal a “Fistful of Cash” (5TIMES) symbol, win 5 TIMES the prize shown under that symbol.

Reveal a “Money Roll” (WINALL) symbol, win all 15 prizes shown.

Reveal a “\$500K” (WIN500K) symbol, win \$500,000 instantly!

BONUS: Reveal a “MORE” (ADD50) symbol, add \$50 to the TOTAL WON below and win that amount! BONUS cannot be won alone.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell More Money instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter

a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of More Money, prize money from winning More Money instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the More Money instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote More Money or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1064. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Stacks of Cash Instant Lottery Game 1597

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Stacks of Cash (hereafter “Stacks of Cash”). The game number is PA-1597.

2. *Price:* The price of a Stacks of Cash instant lottery game ticket is \$1.

3. *Play symbols:* Each Stacks of Cash instant lottery game ticket will contain one play area featuring a “WINNING NUMBER” area and a “YOUR NUMBERS” area. The play symbols and their captions, located in the “WINNING NUMBER” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a Cash (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game, are: Free \$1 Ticket, \$1, \$2, \$5, \$10, \$20, \$40, \$100, \$500 and \$5,000. A player can win up to five times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Stacks of Cash instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(c) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching

“YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in two of the “prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in all five of the “prize” areas on a single ticket, shall be entitled to a prize of \$100.

(g) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas and a prize symbol of \$40⁰⁰ (FORTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol, and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(i) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in three of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$40.

(j) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$40.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol, and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in one of the “prize” areas and a prize symbol of \$1⁰⁰ (ONE DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol, and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$2⁰⁰ (TWO DOL) appears in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in three of the “prize” areas, a prize symbol of \$5.⁰⁰ (FIV DOL) appears in one of the “prize” areas and a prize symbol of \$2.⁰⁰ (TWO DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10.

(p) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol, and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(q) Holders of tickets upon which a Cash (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in all five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$5.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol, and a prize symbol of \$2.⁰⁰ (TWO

DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol, and a prize symbol of \$1.⁰⁰ (ONE DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match the “WINNING NUMBER” play symbol, and a prize symbol of FREE (TICKET) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one Stacks of Cash instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match The WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	10	840,000
\$1 × 2	\$2	28.57	294,000
\$2	\$2	28.57	294,000
CASH w/ (\$1 × 5)	\$5	40	210,000
\$5	\$5	1,000	8,400
CASH w/ ((\$1 × 3) + \$5 + \$2)	\$10	166.67	50,400
CASH w/ (\$2 × 5)	\$10	142.86	58,800
\$5 × 2	\$10	1,000	8,400
(\$2 × 2) + \$5 + \$1	\$10	1,000	8,400
\$10	\$10	1,000	8,400
CASH w/ ((\$2 × 2) + \$10 + \$5 + \$1)	\$20	600	14,000
\$5 × 4	\$20	1,500	5,600
\$10 × 2	\$20	12,000	700
(\$5 × 2) + \$10	\$20	12,000	700
\$20	\$20	12,000	700
CASH w/ ((\$5 × 4) + \$20)	\$40	6,000	1,400
CASH w/ ((\$10 × 3) + (\$5 × 2))	\$40	6,000	1,400
\$10 × 4	\$40	24,000	350
\$20 × 2	\$40	24,000	350
\$40	\$40	12,000	700
CASH w/ ((\$20 × 2) + (\$10 × 2) + \$40)	\$100	12,000	700
CASH w/ (\$20 × 5)	\$100	6,000	1,400
CASH w/ ((\$40 × 2) + (\$5 × 2) + \$10)	\$100	12,000	700
\$100	\$100	24,000	350
CASH w/ (\$100 × 5)	\$500	168,000	50
\$100 × 5	\$500	840,000	10
\$500	\$500	840,000	10
\$5,000	\$5,000	840,000	10

Reveal a “Cash” (WINALL) symbol, win all 5 prizes shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Stacks of Cash instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Stacks of Cash, prize money from winning Stacks of Cash instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Stacks of Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Stacks of Cash or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1065. Filed for public inspection July 15, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Advisory Committee Meeting

The State Transportation Advisory Committee will hold a meeting on Tuesday, July 19, 2022, from 10 a.m. to 12 p.m. This meeting will be held in the Keystone Building,

8N1, 400 North Street, Harrisburg, PA 17120 and by means of Microsoft Teams. The meeting information including the agenda is available at <https://bit.ly/3tryBLR>.

For more information, contact the Office of the State Transportation Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1066. Filed for public inspection July 15, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Public Hearing

The Fish and Boat Commission (Commission) will hold a public hearing to receive comments on proposed rulemakings 48A-334 and 48A-335, regarding Commission fees, on Monday, July 25, 2022, at 6 p.m. These proposed rulemakings are published at 52 Pa.B. 3982 and 52 Pa.B. 3984 (July 16, 2022). The public hearing will be held at the Fish and Boat Commission, 1601 Elmerton Avenue, Harrisburg, PA 17110.

Comments may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1067. Filed for public inspection July 15, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Pennsylvania 2021 Private Passenger Automobile Data Call

The Insurance Department (Department) is conducting its annual Private Passenger Automobile Data Call (previously referred to as the "Act 6 Data Call"). The purpose of this data call is to monitor the private passenger automobile insurance marketplace in this Commonwealth.

The 2021 data call letter, instructions and templates are available on the Department's web site at www.insurance.pa.gov (select "Companies," then "Industry Activity," then "Data Calls" under "Product and Rate Activity").

Additionally, the Department sent e-mail notification of this data call to all companies licensed to write motor vehicle liability insurance in this Commonwealth.

Insurance companies with Pennsylvania private passenger automobile direct written premium in 2021 are required to complete Parts 1 and 2. Data for more than one insurance company may not be combined into a single submission. This information is to be submitted to the Department no later than October 17, 2022.

Insurance companies with no Pennsylvania private passenger automobile direct written premium in 2021 are

required to submit only Part 2. This is to be submitted to the Department no later than October 17, 2022.

Note: The 20 largest insurance companies in terms of Pennsylvania private passenger automobile direct written premium in 2021 as well as a few other selected insurers that write a high volume of minimum limits policies are also required to complete Parts 3 and 4. These companies are identified in the instructions for Parts 3 and 4. Companies not identified in the instructions for Parts 3 and 4 do not need to complete Parts 3 and 4. Parts 3 and 4 are to be submitted to the Department no later than October 17, 2022.

Consistent with previous data calls, the Department will consider the data submitted as proprietary and handle the data accordingly. See the instructions for additional information regarding the completion of the individual parts.

Completed data call files should be submitted by e-mail to Dennis Sloand at desloand@pa.gov.

The Department appreciates the companies' cooperation with this important study. Individuals who have questions should contact Dennis Sloand, Bureau of Property and Casualty Insurance, (717) 214-1927, desloand@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1068. Filed for public inspection July 15, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Yolanda Pinto; License Denial Appeal; Doc. No. AG22-06-030

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Yolanda Pinto has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for August 1, 2022, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before July 28, 2022.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before July 18, 2022. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any shall be electronically filed on or before July 28, 2022.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1069. Filed for public inspection July 15, 2022, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following document during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-22-008, Dated June 7, 2022. Authorizes the side letters of agreement for UFCW and ISSU.

AMY J. MENDELSON,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 22-1070. Filed for public inspection July 15, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Policy Statement on Public and Private Fire Protection at Doc. No. M-2022-3033054

On June 16, 2022, the Public Utility Commission (Commission) adopted the Motion of Commissioner Ralph V. Yanora (Motion) at the above captioned Docket Number. The Motion directed the Commission's Bureau of Technical Utility Services (TUS), in conjunction with the Law Bureau, to solicit input from Class A water public utility companies (Class A water companies) on the development of a policy statement reflecting a best practices approach to those aspects of fire protection services subject to Commission oversight. The Motion noted that the development of standards under which regulated fire protection services are offered to the public represents a worthwhile investment of effort and resources on the part of jurisdictional water utilities and the Commission.

Fire service assets are expected to provide safe, adequate, and reliable fire protection service. The Commission's role in the provision of this service is to ensure that jurisdictional water utilities take the necessary steps to meet their obligation to furnish and maintain adequate, efficient, safe, and reasonable service and facilities. Specifically, the Commission requires that jurisdictional water utilities make repairs, changes, alterations, substitutions, extensions, and improvements in or to such service and facilities as shall be necessary or proper for the accommodation, convenience and safety of its patrons, employees, and the public.¹ As such, the Commission seeks to enhance the execution of its role by clarifying its policy on the provision of public and private fire protection service.

The Commission recognizes that the Commonwealth's uniform construction code has been amended over time to expand the topic of fire protection to aspects of regulated

¹ See 66 Pa.C.S. § 1501.

water service well beyond the provision of adequate numbers of functional fire hydrants.² Internal fire protection services in the form of sprinkler systems have long been a requirement for commercial and industrial buildings. Municipal building codes and insurance requirements also increasingly mandate the installation of sprinkler systems in various types of residential construction as well. Lives and property depend on these emergency systems to work at a moment's notice. In turn, sophisticated water distribution system design, construction, management, and operations are required to accommodate and serve this type of high-volume instantaneous demand. The Commission should take an affirmative role in the coordination of this aspect of jurisdictional water service for the accommodation, convenience, and safety of the public.

To foster the development of transparent and readily available fire protection guidelines the Commission should coordinate the development of a policy statement reflecting a best practices approach to those aspects of fire protection services subject to Commission oversight. While fire protection services are often provided by Class A water companies, all jurisdictional water utilities will benefit from a clear understanding of up-to-date expectations regarding fire protection service. Further, the coordination and consistent application of safe, adequate, and reliable fire protection service offers a tremendous benefit to public safety, emergency fire protection organizations, and associated personnel. To achieve this goal, the Commission should, as an initial step, implement a policy statement addressing fire protection services provided by Class A water companies.

To best inform such a policy statement, the Commission seeks comment from Class A water companies on two areas of a proposed policy statement: 1) the use of hydraulic distribution system modeling required for fire protection; and 2) fire protection service afforded by current system design requirements. The Commission specifically seeks responses to the directed questions related to these two areas as identified in the attached list.

Class A water companies are invited to submit written comments for inclusion in the record with the Secretary of the Commission within sixty (60) days of the date of this letter. The Commission strongly encourages submission of comments through efilng with the Secretary of the Commission by opening an efilng account through the Commission's web site and accepting eservice at <https://efiling.puc.pa.gov>. Any comments that are not efiled shall be mailed to the address, below, and must reference the Docket Number listed above.

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street
 Harrisburg, PA 17120

The Commission contact persons for this matter are Assistant Counsel Stephanie Wilson, (717) 787-1859, stepwilson@pa.gov, in the Law Bureau and Fixed Utility Valuation Engineer Clinton McKinley, (717) 783-6161, cmckinley@pa.gov in TUS.

Sincerely,
 ROSEMARY CHIAVETTA,
 Secretary

² Pennsylvania Construction Code Act of Nov. 10, 1999 (P.L. 491, No. 45). This Act directed the Pennsylvania Department of Labor and Industry to oversee Statewide application and periodic review of certain international building and mechanical codes known collectively as the Uniform Construction Code, last amended effective February 2022. 52 Pa.B. 971. See also National Fire Protection Association (NFPA) 13, Section 8.2.6.6.4 (2022).

A. Hydraulic Distribution System Modeling Required for Fire Protection

The Commission expects that Class A jurisdictional water utilities operate with a sophisticated level of technical expertise, which includes utilizing modern water industry tools such as computerized hydraulic modeling software. A computerized hydraulic model of a distribution system empowers utility management to understand system operating parameters and components with both accuracy and precision. This includes forecasting system behavior under the operating conditions imposed by the instantaneous demand requirements of fire protection. Further, a computerized hydraulic model can and should be a key component, along with maintenance and other system data, in decision making for capital expenditures to maximize system reliability for fire protection services offered to the public. Regarding the computerized hydraulic modeling useful for that purpose the Commission seeks input on the following questions:

1. What are the most effective methodologies/computerized hydraulic models that are currently utilized by utilities to implement a computerized hydraulic model of water distributions systems? Which are most effective for the modeling of system requirements related to fire protection service?

2. Based upon a concerted effort, what is a reasonable timeframe and the estimated incremental one-time and ongoing expenditures for a utility to identify all the system facilities and water main data required to develop such a computerized hydraulic model?

3. What are the expected ongoing maintenance requirements for existing models? Are these models a one-and-done investment or are they subject to ongoing incremental costs owing to updates?

B. Fire Protection Service Afforded by Current System Design Requirements

While the Commission does not currently have a policy statement specific to the provision of regulated fire protection service, the Pennsylvania Department of Environmental Protection (DEP) has established some system design requirements to serve fire protection service in its Public Water Supply Manual—Part II, Community System Design Standards, effective May 6, 2006 (PWS Manual).

The PWS Manual's Section VIII. Distribution Systems, B.3. Fire Protection, indicates that "[w]hen fire protection is to be provided, system design should be such that fire flows and facilities are in accordance with the requirements of the State Insurance Services Office." The PWS Manual's Section VIII, D. Hydrants, outlines specific guidelines for hydrants including location and spacing, hydrant valves and nozzles, hydrant leads, and hydrant drainage. While the Commission should not replicate the design standards of DEP or the State Insurance Services Office, it should consider whether and how Class A water providers have interpreted and applied these design standards in terms of the actual fire protection services provided to the public. That is, the aspect of fire protection service within the exclusive sphere of Commission jurisdiction rather than that of DEP or the State Insurance Services office. The Commission seeks input on the following questions related to the uniformity of these interpretations and how utility application of these standards has shaped public expectations regarding fire protection service, including:

1. What standards should public water utilities attain for the provision of regulated public fire protection service including, but not limited to flow, pressure, and duration of flow and pressure?

2. What costs and timeframes might the public expect to improve or upgrade facilities not now providing public fire protection service in accordance with DEP or State Insurance Services Office requirements?

3. What procedures should a public fire service provider employ should a fire protection connection not meet minimum requirements? For example, what customer notifications or public/private fire hydrant markings would be effective to denote expected levels of service from any fire protection facility?

4. Whether new policies concerning minimum expectations would be implemented differently for new as compared to existing fire protection facilities, public and/or private fire hydrants, private fire protection connections other than private fire hydrants (i.e., sprinkler systems), etc.

5. What potential adjustments to revenue requirement, cost allocation, and rate design would fire service providers require to accurately and reasonably reflect proposed changes in service conditions and management performance?

[Pa.B. Doc. No. 22-1071. Filed for public inspection July 15, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 1, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by August 1, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2022-3032663. We Care Transportation Services, LLC (7401 Old York Road, Elkins Park, Montgomery County, PA 19027) to transport, by motor vehicle, persons

in paratransit services, from points in the City and County of Philadelphia and the Counties of Berks, Bucks, Chester, Delaware, Lackawanna, Lancaster, Lebanon, Lehigh, Luzerne, Montgomery, Northampton, Schuylkill and York, to points in Pennsylvania, and return.

A-2022-3033143. William Spinapont (153 Craig Road, Airville, York County, PA 17302) to transport persons, by motor vehicle, in paratransit service, whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Lancaster and York, to points in Pennsylvania, and return.

A-2022-3033160. J. Clyde Smith, III, t/a JC Smith Travel (5263 Spring Road, Shermans Dale, Perry County, PA 17090) for the right to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Cumberland and Perry to all airports in Pennsylvania, and vice versa.

A-2022-3033183. Jennifer Lee Kaufman (385 Bottom Road, Blain, Perry County, PA 17006) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the County of Perry, to points in Pennsylvania, and return.

A-2022-3033351. Kenneth Joseph Strauch, t/a The Limo Guy of Northeast Pennsylvania (121 Hemlock Drive, Clarks Summit, Lackawanna County, PA, 18411) persons in limousine service, from points in the Counties of Lackawanna, Luzerne, Monroe, Pike, Susquehanna, Wayne and Wyoming, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2022-3033541. Justin J. Jalbert, t/a Skookie Rides Referral Service (265 Wallace Street, Pottsville Summit, Schuylkill County, PA 17901) persons in paratransit service, from points in Schuylkill County, to points in Pennsylvania, and return.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2022-3033363. Leon L. and Linda J. Fuller (905 Miller Road, Muncy, Lycoming County, PA 17756) for the discontinuance and cancellation of the right to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lewis Township, Northumberland County, to points in Pennsylvania, and return, as originally docketed at A-2016-2563259.

A-2022-3033397. Melvin Cisney (181 Church Avenue, Apartment A, Ephrata, Lancaster County, PA 17522) for the discontinuance and cancellation of the right to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County to points in Pennsylvania, and return, as originally docketed at A-2021-3024036.

A-2022-3033540. Ramtin, Inc. (9007 Ayrdale Crescent, Unit B, Philadelphia, Philadelphia County, PA 19128) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, upon call or demand service, persons and their baggage; and parcels,

packages and property, at the same basic metered rates; in the City and County of Philadelphia and that area bounded by a line beginning on the north of the Delaware River at the Philadelphia County line, thence northwardly, westwardly and southwestwardly along the Philadelphia County line to Philmont Avenue, thence southwestwardly along Philmont Avenue, Welsh Road, Valley Road, Washington Lane, Township Line Road to Glenside Avenue (excluding any portion of the Borough of Jenkintown), Easton Road, Church Road and Paper Mill Road to the Philadelphia County line and Blue Bell to Joshua Road, thence southwestwardly along Joshua Road to Cedar Grove Road, thence southeastwardly along Cedar Grove Road and the Schuylkill River joining the Philadelphia County line and continuing to Port Royal Avenue, thence across the Schuylkill River to Mill Creek Road, Montgomery County, thence southwestwardly along Mill Creek Road, Lancaster Avenue, Ardmore Avenue into Delaware County and continuing along Ardmore Avenue, Ellis Road, Lawrence Road and Darby Creek Road to Darby Creek; thence southwardly along Darby Creek to State Road, thence southwardly along State Road, Springfield Avenue, Saxer Avenue, Baltimore Avenue, Woodland Avenue and Kedron Avenue to MacDade Boulevard, thence northeastwardly along MacDade Boulevard to Winona Avenue continuing in a straight line to the Delaware River and thence northwardly along the Delaware River to the place of beginning and persons upon call or demand in the Boroughs of Norwood, Prospect Park, Ridley Park and Rose Valley, the Townships of Ridley, Tinicum, Nether Providence, the Village of Moylan and including Lester and Essington, all in Delaware County; and said areas to points in Pennsylvania, and from points in Pennsylvania to said areas, if the request for such service is received by call to its radio dispatch; limited to the use of one vehicle, as originally docketed at A-00119191.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1072. Filed for public inspection July 15, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than August 1, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-22-06-03. First Executive Limousine, Inc. (4032 Lasher Road, Drexel Hill, PA 19026): An

application for a limousine certificate of public convenience (CPC) to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David P. Temple, Esq., 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

Doc. No. A-22-06-04. Bolet Taxi, LLC (7032 Reedland Street, Philadelphia, PA 19142): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David P. Temple, Esq., 1600 Market Street, Suite 1320, Philadelphia, PA 19103.

Doc. No. A-22-06-05. Fathema Cab, LLC (40 Richfield Road, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-1073. Filed for public inspection July 15, 2022, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101.

September 14, 2022	Account of Jim Hilburt (Purchase of Out-of-State Service)	10 a.m.
--------------------	--	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501–508 and 701–704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with

1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 22-1074. Filed for public inspection July 15, 2022, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Amy K. Moore, LPN; Case Nos. 19-51-017843 and 20-51-007836

On May 10, 2022, Amy K. Moore, LPN, license No. PN268988, last known of New Castle, Lawrence County, had her license indefinitely suspended, retroactive to March 17, 2021, and was assessed \$657.50 in costs of investigation because she is unable to practice nursing with reasonable skill and safety to patients and for violating a State Board of Nursing (Board) order.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to

the Commonwealth Court must serve the Board with a copy of their petition for review.

LINDA L. KMETZ, PHD, RN,
Chairperson

[Pa.B. Doc. No. 22-1075. Filed for public inspection July 15, 2022, 9:00 a.m.]

STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

Bureau of Professional and Occupational Affairs v. JV Motors, LLC; Case No. 19-60-015297

On May 19, 2022, JV Motors, LLC, unlicensed, of Philadelphia, Philadelphia County, was levied a \$7,000 civil penalty and ordered to cease and desist from unlicensed vehicle sales, based upon selling vehicles without a vehicle dealer license.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

KIRK A. DAVIS,
Chairperson

[Pa.B. Doc. No. 22-1076. Filed for public inspection July 15, 2022, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Meadow Lane Dairy LLC— Farms 1 and 4 Geoffrey Rohrer 3392 Blue Rock Road Lancaster, PA 17603	Lancaster County/ Manor Township	Cattle/ Broiler	0	New	Approved

RAMEZ ZIADEH,
Acting Secretary

[Pa.B. Doc. No. 22-1077. Filed for public inspection July 15, 2022, 9:00 a.m.]

