

# NOTICES

## DEPARTMENT OF AGING

### Pennsylvania Long-Term Care Council—2022 Meetings

Due to the novel coronavirus (COVID-19) pandemic, the Pennsylvania Long-Term Care Council's (Council) meetings will be held as a hybrid meeting by means of WebEx and in-person at the Department of Aging, 555 Walnut Street, 5th Floor, Harrisburg, PA 17101. The Council will maintain this format until the Council can resume normal in-person meetings. The start time is 10 a.m. and the end time will be contingent on the specific agenda for each meeting but for planning purposes, the meetings may typically be scheduled through 12 p.m.

The 2022 meeting dates for the Council are: Thursday, February 10, 2022; Thursday, April 14, 2022; Thursday, June 9, 2022; Thursday, August 11, 2022; Thursday, October 13, 2022; and Thursday, December 8, 2022.

Persons wishing to attend the meetings are asked to contact Glenda Ebersole, Executive Director, RA-AILTCC@pa.gov, (717) 783-1550.

Individuals in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Glenda Ebersole, Executive Director, RA-AILTCC@pa.gov, (717) 783-1550.

ROBERT TORRES,  
Secretary

[Pa.B. Doc. No. 22-81. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Repeal of the Order of Quarantine; Thousand Cankers Disease of Walnut

#### Recitals

A. By this Order, the Department of Agriculture, Bureau of Plant Industry hereby Repeals the Order of Quarantine imposed on the plant pest Thousand Cankers Disease (TCD) which, Order was published in the *Pennsylvania Bulletin*, on Saturday, August 2, 2014 (44 Pa.B. 5216, No. 31) and all addenda thereto.

B. The Department, based on the following information, hereby rescinds the classification of TCD, the fungus *Geosmithia morbida* and the walnut twig beetle, *Pityophthorus juglandis*, as a public nuisance and a plant pest:

1. Native populations of *Juglans nigra* (black walnut) in the eastern United States have been largely unaffected by TCD despite detections of the beetle and/or fungus in nine states (Moore et al., 2019; Seybold et al., 2019).

Moore, M., Juzwik, J., Miller, F., Roberts, L., and Ginzl, M.D. 2019. Detection of *Geosmithia morbida* on numerous insect species in four eastern states. *Plant Health Prog.* 20:133—139.

Seybold, S.J., Klingeman, W.E., III, Hishinuma, S.M., Coleman, T.W., and Graves, A.D. 2019. Status and impact of walnut twig beetle in urban forest, orchard, and native forest ecosystems. *J. For.* 117:152—163.

2. Based on survey results in Tennessee and Virginia, the percentages of black walnut trees with slight, moderate and severe TCD remained the same for 3 years (Griffin, 2015).

Griffin, G.J. Status of thousand cankers disease on eastern black walnut in the eastern United States at two locations over 3 years. *For. Path.* 45 (2015) 203—214.

3. The outbreaks of TCD in Tennessee and Virginia appear to be partially a result of drought stress of the trees in 2011-2012 (Griffin, 2015).

4. High precipitation levels and high soil water potentials in 2013 were associated with extensive new foliage and stem growth and recovery from TCD (Griffin, 2015).

5. It is possible that TCD has been repeatedly introduced into the eastern United States and/or the fungus may be endemic nationwide as suggested by the widespread presence of *Geosmithia* spp. in other parts of the United States (Huang et al., 2019).

Huang, Y.T., Skelton, J., Johnson, A.J., Kolařík M., and Hulcr, J. (2019). *Geosmithia* species in southeastern USA and their affinity to beetle vectors and tree hosts. *Fungal Ecol.* 39, 168—183. doi: 10.1016/j.funeco.2019. 02.005.

6. Castrillo et al. (2017) demonstrated that treatment of logs with the commercially available entomopathogenic fungal pathogens, *Beauveria bassiana* or *Metarhizium brunneum*, provided suitable control of WTB populations. Similarly, Mayfield et al. (2019) tested *Beauveria bassiana* as well as a synthetic pyrethroid against WTB infection of black walnut and found similar results.

Castrillo, L.A., A.E Mayfield III, M.H. Griggs, R. Camp, B. Mudder, A. Taylor, and J.D. Vandenberg. 2017. Mortality and reduced brood production in walnut twig beetles, *Pityophthorus juglandis* (Coleoptera: Curculionidae), following exposure to commercial strains of entomopathogenic fungi *Beauveria bassiana* and *Metarhizium brunneum*. *Biol. Control.* 114: 79—86.

#### Order

Under authority of section 21 of the Plant Pest Act (Act of December 16, P.L. 1228, No. 162, § 21) (3 P.S. § 258.21), and with the Recitals previously listed incorporated into this Order, the Department hereby rescinds the Quarantine Order published at 44 Pa.B. 5216, No. 31, issued Saturday, August 2, 2014, and all addenda thereto and with such repeals the classification of TCD, the fungus *Geosmithia morbida* and the walnut twig beetle, *Pityophthorus juglandis*, as a public nuisance and a plant pest.

RUSSELL C. REDDING,  
Secretary

[Pa.B. Doc. No. 22-82. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending January 4, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-31-2021	Driver Opportunity Partners I, LP (General Partner—Driver Management Company, LLC) New York New York County, NY	Filed
	Application for approval to solicit revocable proxies from more than 10% of the voting shares of common stock of Republic First Bancorp, Inc., Philadelphia, PA, and thereby indirectly acquire 10% or more of the voting control of Republic First Bank, Philadelphia, PA.	
01-05-2022	Driver Opportunity Partners I, LP (General Partner—Driver Management Company, LLC) New York New York County, NY	Approved
	Application for approval to solicit revocable proxies from more than 10% of the voting shares of common stock of Codorus Valley Bancorp, Inc., York, PA.	

#### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
12-20-2021	Peoples Security Bank and Trust Company Scranton Lackawanna County	444 Hoes Lane Suite 301 Piscataway Middlesex County, NJ	Opened
12-22-2021	First Citizens Community Bank Mansfield Tioga County	3630 Rothsville Road Ephrata Lancaster County	Filed
12-22-2021	Bank of Bird-in-Hand Bird-in-Hand Lancaster County		Filed
	Application to establish one mobile branch in Dauphin County to service the following proposed geographic location: Lykens Township Dauphin County		
01-03-2022	Citizens & Northern Bank Wellsboro Tioga County	2098 Spring Valley Road Lancaster Lancaster County	Opened

### CREDIT UNIONS

#### Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
12-22-2021	Wawa Employees Credit Union Wawa Delaware County	Approved
	Application for approval to merge Wawa Employees Credit Union, Wawa, with and into Franklin Mint Federal Credit Union, Chadds Ford.	

**Branch Applications****De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
01-03-2022	Diamond Credit Union Pottstown Montgomery County	Cedar Top Road Township of Cumru Berks County	Filed

**Articles of Amendment**

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
01-01-2022	Franklin Oil-Region Credit Union Franklin Venango County	Effective

Amendment to Article 8 of the institution's Articles of Incorporation provides for a change to the Credit Union's field of membership.

Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 22-83. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of February 2022

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of February 2022, is 4 1/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which such individual owns and which such individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 1.74 to which was added 2.50 percentage points for a total of 4.24 that by law is rounded off to the nearest quarter at 4 1/4%.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 22-84. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a

and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section Category*

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits issued by DEP relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications and NOIs may be reviewed at the DEP office that received the application or NOI. Contact information for each DEP office for Sections I & II is listed as follows. Contact information for Section III is available within the table. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs in Sections I & II and to submit comments for those application and NOIs, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department

determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0117803	Joint DEP/PFBC Pesticides Permit	Renewal	Motts LLP 45 Aspers North Road Aspers, PA 17304-9486	Menallen Township Adams County	SCRO
0117807	Joint DEP/PFBC Pesticides Permit	Renewal	RL Orchard Co. 2760 Carlisle Road Gardners, PA 17324-9684	Menallen Township Adams County	SCRO
0213800	Joint DEP/PFBC Pesticides Permit	Renewal	Pittsburgh Field Club 121 Field Club Road Pittsburgh, PA 15238-2224	Ohara Township Allegheny County	SWRO
0216805	Joint DEP/PFBC Pesticides Permit	Renewal	Higgins Michael S 10580 Grubbs Road Wexford, PA 15090-9424	McCandless Township Allegheny County	SWRO
0621806	Joint DEP/PFBC Pesticides Permit	New	Lausch Solomon 1586 W Leesport Road Leesport, PA 19533-9311	Bern Township Berks County	SCRO
2113816	Joint DEP/PFBC Pesticides Permit	Renewal	Gleim John W Jr 625 Hamilton Street Carlisle, PA 17013-1925	Middlesex Township Cumberland County	SCRO
2117801	Joint DEP/PFBC Pesticides Permit	Renewal	Rich Valley Golf Inc. 227 Rich Valley Road Mechanicsburg, PA 17050-1743	Silver Spring Township Cumberland County	SCRO
2317801	Joint DEP/PFBC Pesticides Permit	Renewal	Springhaven Club 600 S Providence Road Wallingford, PA 19086-6605	Nether Providence Township Delaware County	SERO
2317804	Joint DEP/PFBC Pesticides Permit	Renewal	Aronimink Golf Course 3600 Saint Davids Road Newtown Square, PA 19073-1710	Newtown Township Delaware County	SERO
2321810	Joint DEP/PFBC Pesticides Permit	New	La Maison Apt 219 Sugartown Road Wayne, PA 19087-3070	Radnor Township Delaware County	SERO
3617806	Joint DEP/PFBC Pesticides Permit	Renewal	The Star Barn at Ironstone Ranch 724 Lawn Road Palmyra, PA 17078	West Donegal Township Lancaster County	SCRO
3621807	Joint DEP/PFBC Pesticides Permit	New	Four Seasons at Elm Tree 1392 Emerson Drive Mount Joy, PA 17552-7212	Rapho Township Lancaster County	SCRO
5613806	Joint DEP/PFBC Pesticides Permit	Renewal	Stoughton Lake P.O. Box 262 Jennerstown, PA 15547-0262	Jennerstown Borough Somerset County	SWRO
6513802	Joint DEP/PFBC Pesticides Permit	Renewal	Murrysville Borough Westmoreland County 4100 Sardis Road Murrysville, PA 15668-1120	Murrysville Borough Westmoreland County	SWRO
6721805	Joint DEP/PFBC Pesticides Permit	New	Wildasin David 115 Ruppert Road East Berlin, PA 17316-9181	Washington Township York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0008541	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Transfer	Johnson Controls Navy System LLC 631 S Richland Avenue York, PA 17403-3445	Spring Garden Township York County	SCRO
6377204	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Langeloth Metallurgical Co. LLC P.O. Box 608 Langeloth, PA 15054-0608	Smith Township Washington County	SWRO
PAG030010	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	PCI Fairless Hills, LLC 529 Terminal Avenue New Castle, DE 19720-1426	Falls Township Bucks County	SERO
PAG036240	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	PA Department of Military & Veterans Affairs Air National Guard 171 Air Refueling Wing 300 Tanker Road Coraopolis, PA 15108-4805	Moon Township Allegheny County	SWRO
PAR608350	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Metalico Bradford Inc. 286 High Street Bradford, PA 16701	Bradford City McKean County	NWRO
2117405	Pump Stations Individual WQM Permit	Amendment	Camp Hill Borough Cumberland County 2145 Walnut Street Camp Hill, PA 17011-3830	Camp Hill Borough Cumberland County	SCRO
2521439	Pump Stations Individual WQM Permit	New	North East Township Water & Sewer Authority 31 W Main Street North East, PA 16428-1135	North East Borough Erie County	NWRO
2021420	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Annamarie & Gary Chizmar 4639 Pitts Road Adamsville, PA 16110-1327	South Shenango Township Crawford County	NWRO
2521437	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Rose Douglas 12044 Route 6 Corry, PA 16407-8976	Wayne Township Erie County	NWRO
2521438	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Meredith & Shane Johnson 9735 Sherman Road Albion, PA 16401-8705	Springfield Township Erie County	NWRO
6121404	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Vince Destefano 4033 New Castle Road Pulaski, PA 16143-1207	Victory Township Venango County	NWRO

---

**II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

---

*Northeast Regional Office*

**PA0011517**, Industrial, SIC Code 3241, **Keystone Cement Company**, Route 329, Box A, Bath, PA 18014-0058. Facility Name: Keystone Cement Company. This existing facility is located in East Allen Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Monocacy Creek (HQ-CWF, MF) is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes, and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater, quarry dewatering, and non-contact cooling water (overflow from site impoundment)).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	50.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 3.7 MGD (stormwater and quarry dewatering).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PAI132276, MS4, North Whitehall Township, 3256 Levans Road, Coplay, PA 18037-2118.**

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in North Whitehall Township, Lehigh

County. The receiving streams, the Lehigh River (TSF/MF), Unnamed Tributaries to the Lehigh River (CWF/MF), Coplay Creek (CWF/MF), Unnamed Tributaries to Coplay Creek (CWF/MF), Fells Creek (CWF/MF), Unnamed Tributaries to Fells Creek (CWF/MF), Jordan Creek (TSF/MF), Unnamed Tributaries to Jordan Creek (HQ-CWF/MF), Rockdale Creek (CWF/MF), Spring Creek (CWF/MF), Unnamed Tributaries to Spring Creek (CWF/MF), Unnamed Tributary to Hassen Creek (HQ-CWF/MF), and Unnamed Tributaries to Mill Creek (CWF/MF) are located in State Water Plan watershed 2-C and are classified as previously indicated as well as for aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

**PA0276448**, Storm Water, SIC Code 3231, **Cardinal LG Company**, 42 Archbald Heights Road, Jessup, PA 18434-1156. Facility Name: Cardinal LG Company. This proposed facility is located in Archbald Borough, **Lackawanna County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Grassy Island Creek (HQ-CWF, MF), is located in State Water Plan watershed and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0276502**, Storm Water, SIC Code 3535, **Flexlink System, Inc.**, 6580 Snowdrift Road, Allentown, PA 18106. Facility Name: Flexlink Sys-Allentown. This proposed facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary to Little Cedar Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Daily Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0029807**, Sewage, SIC Code 7032, **New Jersey Federation of YMHA & YWHA**, 21 Plymouth Street, Fairfield, NJ 07004-1615. Facility Name: New Jersey Y Camps WWTF. This existing facility is located in Dingman Township, **Pike County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.



The receiving stream(s), Sawkill Pond (EV, MF), is located in State Water Plan watershed 1-D and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.

(From Permit Effective Date to Three Years After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.10 MGD.

(From Three Years After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.32	XXX	1.0
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.10 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 7.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	Inst Min XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	3.0	XXX	6.0
May 1 - Oct 31	XXX	XXX	XXX	1.0	XXX	2.0
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Annl Avg Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management
- Requirements for Total Residual Chlorine (TRC)
- Discharge Reporting

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0238414**, Sewage, SIC Code 4522, 8800, **Amy L & Roger A Sandak**, 124 Memory Lane, New Castle, PA 16101-8346. Facility Name: Amy L & Roger A Sandak SFTF. This existing facility is located in Scott Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream is an Unnamed Tributary to Big Run, located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0008 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Daily	Daily Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	Avg Mo	10.0	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Annl Avg	200	1,000
				Annl Avg		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0085863**, Industrial, SIC Code 4953, **SC Holdings, Inc.**, 100 Brandywine Boulevard, Suite 300, Newtown, PA 18940-4002. Facility Name: Harmony Grove Landfill. This existing facility is located in Dover Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary of Davidsburg Run (WWF), is located in State Water Plan watershed 7-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.2	XXX	0.6
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Avg Mo	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Avg Mo	3.0	7.5
				Report	6.0	
				Avg Mo	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Daily Maximum	
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Barium, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Toxaphene	XXX	XXX	XXX	Report	Report	XXX
Trichloroethylene	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0088111**, Industrial, SIC Code 9224, **Fire Chiefs & Fire Fighters Association of York County**, 330 Emig Road, York, PA 17406-9733. Facility Name: York County Fire School. This existing facility is located in Manchester Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Codorus Creek (WWF, MF), is located in State Water Plan watershed 7-H and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .01 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	30
Benzene (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Toluene (ug/L)	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0267635**, Industrial (Hydrostatic Testing), SIC Code 4922, **Texas Eastern Transmission, LP (TELTP)**, 890 Winter Street, Waltham, MA 02451-1470. Facility Name: TELTP Bechtelsville Compressor Station. This proposed facility is located in Washington Township, **Berks County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial waste (from hydrostatic testing of new pipeline).

The receiving stream(s), Unnamed Tributary to West Branch Perkiomen Creek (EV, MF), is located in State Water Plan watershed and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPM)	Report	XXX	XXX	XXX	XXX	XXX
Total Flow (Total Volume, Mgal) (M Gal)	Report	XXX	XXX	XXX	XXX	XXX
Duration of Discharge (hours)	XXX	XXX	XXX	Report	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	0.05
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0

In addition, the permit contains the following major special conditions:

- Annual Report requirement
- BMPs (adapted from the PAG-10 NPDES General Permit for Discharges from Hydrostatic Testing of Tanks and Pipelines)
- This discharge may also be subject to effluent limitations and conditions as developed and required by the Delaware River Basin Commission (DRBC). The DRBC limits may be more stringent. Please contact the DRBC for more information at (690) 883-9500.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

**PA0267651**, Sewage, SIC Code 8811, **Rosalie A Moulton**, 23053 Tannery Road, Shade Gap, PA 17255. Facility Name: Moulton Res. This proposed facility is located in Dublin Township, **Huntingdon County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Trout Run (HQ-CWF, MF), is located in State Water Plan watershed 12-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0050148**, Sewage, SIC Code 4952, **Warwick Township Water & Sewer Authority**, 1733 Township Greene, Jamison, PA 18929. Facility Name: Fish Creek STP. This existing facility is located in Warwick Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Neshaminy Creek (TSF, MF), is located in State Water Plan watershed 2-F and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.85 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	177	283	XXX	25	40	50
May 1 - Oct 31	106	163	XXX	15	23	30
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	212	319	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N						
Nov 1 - Jun 30	Report	XXX	XXX	Report	XXX	XXX
Jul 1 - Oct 31	67.4	XXX	XXX	9.5	XXX	19
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	21.2	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	10.6	XXX	XXX	1.5	XXX	3
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus						
Nov 1 - Mar 31	14.2	XXX	XXX	2.0	XXX	4
Apr 1 - Oct 31	8.5	XXX	XXX	1.2	XXX	2.4

The proposed effluent limits for Outfall 001 are based on a design flow of 0.85 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Aluminum, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

In addition, the permit contains the following major special conditions:

- No stormwater in sewage
- Proper disposal of screenings, slurries, sludges and solids
- Notification of the designation of responsible operator
- Development of Operations and Maintenance (O&M) Plan
- Operation of ultraviolet (UV) disinfection system

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Northcentral Regional Office*

**PA0010031**, Industrial, SIC Code 4911, **Shawville Power, LLC**, 250 Power Plant Drive, Shawville, PA 16873. Facility Name: Shawville Generating Station. This existing facility is located in Bradford Township, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and sewage.

The receiving stream(s), West Branch Susquehanna River is located in State Water Plan watershed 8-C and is classified for Migratory Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 005 are based on a design flow of 3.445 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Aluminum, Total (ug/L)	33.6	52.4	XXX	1,170.0	1,825.0	2,924
Iron, Total	19.74	39.48	XXX	1.80	3.60	4.5
Manganese, Total	23.03	46.06	XXX	2.10	4.20	5.3
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total (ug/L)	0.08	0.12	XXX	2.78	4.34	6.96
Zinc, Total	Report	Report	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

The proposed monitoring requirements for IMPs 101, 201 and 102 are:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 205 are based on a design flow of 0.018 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	3.7	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	4.5	XXX	XXX	30.0	XXX	60.0
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Aluminum, Total	Report	Report	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	Report	Report	XXX
Manganese, Total	Report	Report	XXX	Report	Report	XXX
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 405 are based on a design flow of 3.427 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Free Available Chlorine	XXX	XXX	XXX	XXX	XXX	0.00
Total Suspended Solids	325	XXX	XXX	30.0	XXX	50
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Oil and Grease	163	217	XXX	15.0	20.0	30
Aluminum, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Manganese, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Sulfate, Total	Report	Report	XXX	Report	Report	XXX
Thallium, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
Chloride	Report	Report	XXX	Report	Report	XXX
Bromide	Report	Report	XXX	Report	Report	XXX
PCBs, Total (ug/L)	XXX	XXX	XXX	XXX	XXX	1.75
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 605 are based on a design flow of 2.07 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Chromium, Total	3.45	3.45	XXX	0.2	0.2	XXX
Zinc, Total	17.26	17.26	XXX	1.0	1.0	XXX
Priority Pollutants, Total	XXX	Report	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD480164	Renewal	Mike Downs Toll PA, LP 1140 Virginia Drive Fort Washington, PA 19034	East Allen Township Northampton County	NERO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD480163	Renewal	J. G. Petrucci Company, Inc. 171 State Route 173 Suite 201 Asbury, NJ 08802	Hanover Township Northampton County	NERO
PAD600008	New	Mark Byler A.M. Logging, LLC 434 Swartz Road Lewsiburg, PA 17837	Buffalo Township Union County	NCRO
PAD250015	New	PADOT District 1 255 Elm Street Oil City, PA 16301	Erie City Erie County	NWRO

## PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5887.*

*Contact: Kimberleigh Rivers, Clerk Typist 2, 424.250.5887.*

**Permit No., 1521527, Public Water Supply.**

Applicant **Aqua Pennsylvania, Inc.**  
762 West Lancaster Avenue  
Bryn Mawr, PA 19010

---

Township	Schuylkill
County	<b>Chester</b>
Responsible Official	Todd Duerr 762 West Lancaster Avenue Bryn Mawr, PA 19010
Type of Facility	PWS
Consulting Engineer	BCM Engineers 920 Germantown Pike Plymouth Meeting, PA 19462
Application Received Date	December 20, 2021
Description of Action	Installation of a chlorine dioxide generator and two (2) 4, 900-gallon, 25% sodium storage tank (inside of an existing 12' x 30' building with containment) to serve both Picking East and Picking West Water. Treatment plants.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a (NOI) to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation

identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Rag Apple Well Site**, 4990 Ridge Road, Montrose, PA 18801, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by releases of diesel to soil. Future use of the site will be residential. The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on January 5, 2022.

**Estate of Joan Nilsen**, 47 Highland Acres Drive, Honesdale, PA 18431, Berlin Township, **Wayne County**. Bluestone Environmental, 196 Beach Lake Highway, Honesdale, PA 18431, on behalf of Cowley Real Estate, 3350 North Main Avenue, Scranton, PA 18508, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an underground storage tank. Future use of the site will be residential. The Notice of Intent to Remediate was published in the *Tri-County Independent* on December 2, 2021.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**1525 East Lake Road**, 1525 East Lake Road, Erie, PA 16511, City of Erie, **Erie County**. Environmental

Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412 on behalf of 1525 East Lake Road, LLC, 1540 East Lake Road, Erie, PA 16511 has submitted a Notice of Intent to Remediate. Historical use of the property has been for industrial manufacturing. Site soil and site groundwater have been impacted with trichloroethene, tetrachloroethene, and manganese. A combination of site-specific and Statewide health standards has been selected for remediation. Future use of the property will be nonresidential. The Notice of Intent to Remediate was published in *The Erie-Times News* on December 20, 2021.

**Barber Brady Unit 1 Well**, 205 Barber Drive, Franklin, PA 16323, Sugar creek Borough, **Venango County**. Penn Environmental & Remediation, Inc., 111 Ryan Court, Pittsburgh, PA 15205 on behalf of OWS Energy, LLC, 1369 Cochran Road, Carlton, PA 16311 has submitted a Notice of Intent to Remediate. A release of brine was discovered during an inspection of the site. A combination of Statewide health and background standards has been selected for remediation. The intended future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Meadville Tribune* on December 23, 2021.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application Received Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

**Permit Application No. 101470. United States Recycling, Inc.**, 6101 Tacony Street, Philadelphia, PA 19135-2998. This application is for a 10-year permit renewal of the solid waste permit No. 101470 to continue to operate at the United States Recycling Inc., located in the City and **County of Philadelphia**. The application was received by the Southeast Regional Office on June 24, 2021.

Comments concerning the application should be directed to the Waste Management Program Manager, Department of Environmental Protection (DEP) Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the (DEP) through the Pennsylvania Hamilton Relay Service, (800) 654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

#### AIR QUALITY

#### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a



proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

#### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711-0790.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2507.*

**35-00011A: Alliance Sanitary Landfill, Inc.**, 398 South Keyser Avenue, Taylor, PA 18517, to revise CO and SO<sub>x</sub> emission limits and conditions concerning flare operating at the existing municipal solid waste landfill located in Taylor Borough, **Lackawanna County**.

**40-00129C: Caithness Energy, LLC**, 565 Fifth Avenue, Fl 29, New York, NY 10017-2478, for the modification of their turbines at the Moxie Freedom Generation Plant located in Salem Township, **Luzerne County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**67-03083C: Utz Quality Foods, LLC**, 900 High Street, Hanover, PA 17331, for the construction of a new tortilla chip production line at the snack food manufacturing facility located in the Borough of Hanover, **York County**. The expected actual increases in facility emissions as a result of the changes proposed are: 0.79 tpy VOCs, 2.03 tpy PM<sub>10</sub>/PM<sub>2.5</sub>, 0.08 tpy HAPs, 4.18 tpy NO<sub>x</sub>, 0.03 tpy SO<sub>x</sub>, 3.51 tpy CO. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

#### OPERATING PERMITS

**Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**67-05047: Republic Services of PA, LLC**, 4400 Mount Pisgah Rd, York, PA 17406, for the operation of a municipal solid waste landfill located in Lower Windsor Township, **York County**. This is for renewal of the

existing Title V permit. Actual 2020 air emissions are estimated at 54.5 tons PM, 20.4 tons NO<sub>x</sub>, 102.8 tons CO, 13.1 tons VOC, 20.5 tons SO<sub>2</sub>, and 1.7 tons HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for the landfill and engines subject to the following regulations: 40 CFR Part 62: Landfill: Subpart OOO—Federal Plan Requirements for Municipal Solid Waste Landfills that Commenced Construction On or Before July 17, 2014 and Have Not Been Modified or Reconstructed Since July 17, 2014. NSPS 40 CFR Part 60: Engines: Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. MACT 40 CFR Part 63: Landfill: Subpart AAAA—National Emission Standards for Hazardous Air Pollutants for Municipal Solid Waste Landfills. Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**41-00006, High Steel Structures, Inc.**, 1853 William Penn Way, Lancaster, PA 17605-0008, for the Williamsport facility located in Williamsport, **Lycoming County**. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and intends to issue a Title V operating permit for the previously mentioned facility. The facility is currently operating under a Title V operating permit 41-00006. The facility's sources include a surface coating operation, several natural gas-fired heater, welding operation, three (3) diesel-fired emergency generators and two (2) parts washers. The subject facility has the following potential emissions: 15.45 TPY of CO; 12.86 TPY of NO<sub>x</sub>; 0.09 TPY of SO<sub>x</sub>; 4.74 TPY of PM/PM<sub>10</sub>; less than 50 TPY of VOC; 16.28 TPY of toluene; less than 25 TPY of total combined volatile hazardous air pollutants and 14,644 TPY of CO<sub>2e</sub>. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Part 63 Subpart ZZZZ, 40 CFR Part 63 Subpart MMMM, 40 CFR Part 60 Subpart JJJJ and 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief, (570) 826-2409.*

**39-00083: Filmtech Corporation/Allentown**, 2121 31st St. SW, Allentown, PA 18103, for the operation of

sources at their facility located in Allentown City, **Lehigh County**. This is a renewal of a State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**35-00056: P.A. Hutchison Co./Mayfield Plant**, 400 Penn Avenue, Mayfield, PA 18433, for the operation of sources at their facility located in Mayfield Borough, **Lackawanna County**. This is a renewal of a State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**35-00007: PA Department of Human Services/Clarks Summit State Hospital**, 1451 Hillside Drive, Clarks Summit, PA 18411, for the operation of sources at their facility located in Newton Township, **Lackawanna County**. This is a renewal of a State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**48-00051: New Enterprise Stone and Lime Co. Inc./Bath HMA Plant**, P.O. Box 77, New Enterprise, PA 16664, for the operation of sources at their facility located in East Allen Township, **Northampton County**. This is a renewal of a State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

**39-00095: American Atelier, Inc.**, 2132 Downyflake Lane, Allentown, PA 18103, for the operation of sources at their facility located in Allentown City, **Lehigh County**. This is a renewal of a State-Only Operating Permit. The State-Only Operating Permit includes emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirements.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**06-03005: Akzo Nobel Coatings, Inc.**, 150 Columbia Avenue, Reading, PA 19601, to issue a State Only Operating Permit for the powdered coating manufacturing facility located in the City of Reading, **Berks County**. The potential emissions from the facility are estimated at 47.44 tpy of particulate matter. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**41-00029: Chemcoat, Inc.**, P.O. Box 188, Montoursville, PA 17754, to issue a renewal State Only "Synthetic

Minor" Operating Permit for their Montoursville Paint Manufacturing Plant located in Loyalsock Township, **Lycoming County**. The facility is currently operating under State Only Operating Permit 41-00029. The significant emissions source at the facility is the paint manufacturing process, which is equipped with two dust collectors. The facility has potential emissions of 0.9 ton per year of carbon monoxide, 1.4 tons per year of nitrogen oxides, 0.01 ton per year of sulfur oxides, 32.8 tons per year of particulate matter, 49.9 tons per year of volatile organic compounds, 2.4 tons per year of total Hazardous Air Pollutants, and 1,211 tons per year of carbon dioxide equivalents (greenhouse gases). No emissions or equipment changes are being proposed by this renewal. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**53-00012: Patterson Lumber Co., Inc.**, 95 West Street, Galeton, PA 16922, to issue a renewal State Only Operating Permit for their Galeton facility located in West Branch Township, **Potter County**. The facility is currently operating under State Only Operating Permit 53-00012. The facility's main sources include twelve (12) lumber dry kilns, one (1) wood fired boiler, one (1) natural gas fired emergency generator and a mill operation. The facility has potential emissions of 14.24 tons per year of nitrogen oxides, 35.23 tons per year of carbon monoxide, 1.17 tons per year of sulfur oxides, 23.90 tons per year of particulate matter, 3.02 tons per year of volatile organic compounds including total hazardous air pollutants (HAPs). No emission or major equipment changes are being proposed by this action. The wood fired boiler is subject to 40 CFR Part 63, Subpart JJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial and Institutional Boilers Area Sources. The natural gas fired emergency generator is subject to 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Southwest Region, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**65-00838: Mitsubishi Chemical Advanced Materials, Inc./Delmont # 4**, 201 Industrial Dr., Delmont, PA 15626-1016. In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice of intent to issue a natural minor State Only Operating Permit for the operation of a polyethylene plastic molding facility located in Salem Township, **Westmoreland County**.

Mitsubishi manufactures an ultra-high molecular weight polyethylene plastic product by converting raw plastic polyethylene resin powder into solid molded shapes. This facility has a potential to emit 19.3 tons/12-consecutive month period (12-cmp) of NO<sub>x</sub>, 16.3 tons/12-cmp of CO, 0.1 ton/12-cmp of SO<sub>x</sub>, 1.5 tons/cmp of PM<sub>10</sub>, 13.6 tons/12-cmp of VOCs, and 0.4 ton/21-cmp of HAPs. The proposed operating permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements for each unit.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (65-00838) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportu-

nity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

*Coal Applications Received*

*Effluent Limits*—The following range of effluent limits will apply to NPDES permits issued in conjunction with the associated coal mining activity permit and, in some cases, noncoal mining permits:

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH <sup>1</sup>		greater than 6.0; less than 9.0	
Alkalinity greater than acidity <sup>1</sup>			

<sup>1</sup> The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; and mined areas backfilled and revegetated; and drainage (resulting from a precipitation event of less than or equal to a 1-year 24-hour event) from coal refuse disposal piles.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).*

**Permit No. 17140103 and NPDES No. PA0269743. RES Coal, LLC**, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920. Permit renewal application for a bituminous surface coal mine and associated NPDES permit located in Chest and Burnside Townships, **Clearfield County**, affecting 184.5 acres. Receiving stream(s): Spring Run and unnamed tributaries to Spring Run classified for the following use(s): CWF. Application received: December 27, 2021.

*Noncoal Applications Received*

*Effluent Limits*—The following effluent limits will apply to NPDES permits issued in conjunction with a noncoal mining permit:

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity exceeding acidity* pH*		greater than 6.0; less than 9.0	

\* The parameter is applicable at all times.

A settleable solids instantaneous maximum limit of 0.5 ml/l applied to surface runoff resulting from a precipitation event of less than or equal to a 10-year 24-hour event. If coal will be extracted incidental to the extraction of noncoal minerals, at a minimum, the technology-based effluent limitations identified under coal applications will apply to discharges of wastewater to streams.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov (Contact: Cayleigh Boniger).*

**NC SMP/Land Use Revision. 4876SM2. Lakeland Sand & Gravel, Inc.,** 11203 Ellion Road, Conneaut Lake, PA 16316. Revision to an existing large industrial minerals surface mine to change the post-mining land use from Woods & Brushland to Industrial Commercial and Unmanaged Natural Habitat on the Darla J. Adzima and James E. Adzima properties in East Fallowfield Township, **Crawford County**. Receiving streams: Unnamed tributaries to Crooked Creek, classified for the following uses: TSF. Application received: December 6, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0594679 (Mining Permit No. 7775SM3). Lehigh Cement Co., LLC,** 7660 Imperial Way, Allentown, PA 18195, renew NPDES Permit for a large quarry operation in Richmond and Maxatawny Townships, **Berks County**. Receiving stream: unnamed tributary to Moselem Creek, classified for the following use: HQ-CWF. Application received: December 16, 2021.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

#### *Additional criteria*

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan, and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

#### *Submittal of comments*

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit notice within 30-days of this notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and phone number of the writer and a concise statement to inform the Department of the basis of a comment and the relevant facts upon which it is based.

Requests or petitions for a public hearing on any NPDES permit applications will be accepted as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, phone number and the interest of the party filing the request and state the reasons why a hearing is warranted. The Department may hold a public hearing if the public interest is significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov (Contact: Melanie Ford-Wigfield).*

**NPDES No. PA0234231 (Mining Permit No. 56960107), PBS Coals, Inc.**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, renewal of a NPDES permit for a bituminous surface mine in Jenner Township, **Somerset County**, affecting 13 acres. Receiving stream(s): Unnamed Tributary to Quemahoning Creek, classified for the following use(s): CWF. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: August 24, 2021.

The following treated wastewater outfall discharges to an Unnamed Tributary to Quemahoning Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001A (Treatment Ponds # 1 & # 2)	N

The proposed effluent limits for the previously listed outfall 001 are as follows:

<i>Outfall: 001 (Treatment Pond # 1) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/l)	1.5	3.0	3.7
Manganese (mg/l)	1.0	2.0	2.5
Aluminum (mg/l)	0.75	1.5	1.8
Total Suspended Solids (mg/l)	35.0	70.0	90.0

pH (S.U.): Must be between 6.0 and 10.0 standard units at all times.

Alkalinity must exceed acidity at all times.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov (Contact: Cayleigh Boniger).*

**NPDES No. PA0259331 (Permit No. 61120107). Hillside Stone, LLC**, 4080 Sandy Lake Road, Sandy Lake, PA 16145, Transfer of an NPDES permit for a bituminous surface mine in Irwin Township, **Venango County**, affecting 58.5 acres. Receiving streams: Unnamed tributary to Scrubgrass Creek, classified for the following uses: CWF. TMDL: Scrubgrass Creek. Application received: November 3, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls require a non-discharge alternative:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001	N
002	N
003	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>30-Day Minimum</i>	<i>Daily Average</i>	<i>Instant. Maximum</i>	<i>Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)				7.0
Manganese (mg/l)				5.0
Aluminum (mg/l)				5.0
Total Suspended Solids (mg/l)				90.0

Alkalinity greater than acidity<sup>1</sup>

The parameter is applicable at all times.

**NPDES No. PA0212130 (Permit No. 16940105). Neiswonger Construction, Inc.**, 17592 Route 322, Strattanville, PA 16258, Transfer of an NPDES permit for a bituminous surface mine in Perry Township, **Clarion County**, affecting 131.0 acres. Receiving stream(s): Unnamed tributaries to the Allegheny River and the Allegheny River, classified for the following use(s): WWF. TMDL: None. Application received: July 26, 2021.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributaries to the Allegheny River and the Allegheny River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
009	N
010	N
011	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity <sup>1</sup>				

<sup>1</sup> The parameter is applicable at all times.

The following outfalls discharge to an unnamed tributary to the Allegheny River and the Allegheny River:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
003	N
004	N
005	N
006	N

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity <sup>1</sup>				

<sup>1</sup> The parameter is applicable at all times.

#### *Noncoal NPDES Draft Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).*

**NPDES No. PA0269913 (Mining Permit No. 08200301), Anthony Bennett**, 3657 Old Stage Coach Road, Wyalusing, PA 18853, new NPDES application for discharge of water resulting from noncoal (industrial minerals) surface mining in Pike Township, **Bradford County**, affecting 73 acres. Receiving stream(s): Williams Creek, classified for the following use(s): CWF, MF. Application received: October 30, 2020.

The following outfall discharges to Williams Creek, all stormwater and pit water that does not report to the outfall must be contained on site.

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	New	Pit Water Treatment Pond	Intermittent

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (All Weather Conditions)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

**NPDES No. PA0257486 (Mining Permit No. 41100301), Glenn O. Hawbaker, Inc.**, 711 East College Avenue, Bellefonte, PA 16823, renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals in Armstrong Township, **Lycoming County**, affecting 81.5 acres. Receiving stream(s): Hagermans Run, classified for the following use(s): Designated Use CWF (stream segment downstream of the southern boundary of South Williamsport Borough), Existing Use EV (stream segment upstream of the southern boundary of South Williamsport Borough). Application received: August 30, 2021.

The following outfall discharges to Hagermans Run (stream segment downstream of the southern boundary of South Williamsport Borough):

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Basin # 3	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 (Dry Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units.			
<i>Outfalls: 001 (≤10-yr/24-hr Precip. Event)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
<i>Outfalls: 001 (&gt;10-yr/24-hr Precip. Event)</i>			
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			

The following outfall requires a non-discharge alternative:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
002	Existing	Moat Sediment Basin	No Discharge

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of an infiltration gallery.

The following outfall discharges to Hagermans Run (stream segment upstream of the southern boundary of South Williamsport Borough):

<i>Outfall Nos.</i>	<i>New or Existing</i>	<i>Type</i>
002	Existing	Sediment Pond Emergency Spillway

The only potential point source discharges to surface water are the discharges from the emergency spillway of a sediment pond during precipitation that exceeds a 10 yr/24 hr event.

Effluent limits for the emergency spillway are as follows:

<i>Outfalls: 002 Sediment Pond Emergency Spillway</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>(During &gt;10-yr/24-hr Precipitation Event)</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
<i>Parameter</i>			
Total Suspended Solids (mg/L)	N/A	N/A	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).*

**NPDES Permit No. PA0119229 (Mining Permit No. 6575SM2). Eureka Stone Quarry, Inc.,** P.O. Box 249, Chalfont, PA 18914, renewal of NPDES Permit on large quarry operation in Hamilton Township, **Monroe County**, affecting 135.3 acres. Receiving stream: no discharge to unnamed tributary to McMichael Creek Watershed, classified for the following use: HQ—CWF. The Department has made a tentative determination to impose effluent limitations, within the ranges specified in Table 1 in addition to the limits identified in Table 2. Application received: February 17, 2021.

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>	
N/A	N/A	SFO	
<i>Outfalls:</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instantaneous</i>
<i>Parameter</i>	<i>Minimum</i>	<i>Maximum</i>	<i>Maximum</i>
pH <sup>1</sup> (S.U.)	6.0		9.0
Total Alkalinity (as CaCO <sub>3</sub> ) (mg/L)		Monitor And Report	
Total Acidity (as CaCO <sub>3</sub> ) (mg/L)		Monitor And Report	
Net Alkalinity (mg/L)	0.0		
Total Suspended Solids (mg/L)		70.0	90.0
Oil and Grease (mg/L)		Monitor And Report	
Turbidity (NTU) (HQ/EV SFO)		80.0	100.0

<sup>1</sup> This Parameter is applicable at all times.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA)

(33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environ-



mental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

##### **Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, Telephone 484.250.5160, E-mail: ra-epuw-sero@pa.gov.*

**Permit No. E1501221-017, Borough of Phoenixville, 351 Bridge Street, Phoenixville, PA 19460, Phoenixville Borough, Chester County, ACOE Philadelphia District.**

Borough of Phoenixville is proposing to perform the following water obstruction and encroachment activities associated with the Phoenixville Borough Water Treatment Plant Intake Replacement Project within the Schuylkill River (WWF-MF):

1. To construct and maintain a new 18-inch passive intake screen with conical debris deflector within the Schuylkill River (WWF-MF) resulting in 6 linear feet (36 square feet) of permanent watercourse impact. Also included with this activity, is the construction and maintenance of two (2) 1.5-inch stainless steel compressed air lines and a new 24-inch TR Flex DIP raw water main to be trenched within the riverbed resulting in 59 linear feet (354 square feet) of temporary watercourse impact and 186 square feet of temporary floodway impact.

2. In order to facilitate the construction of the new passive intake, a temporary cofferdam within the Schuylkill River (WWF-MF) compressed air pipes and passive intake screens resulting in 138 linear feet (11,592 square feet, 0.27 acre) of temporary watercourse impact. A rock construction access will also be constructed on riverbed within this area to facilitate construction activities, as well as to abandon the existing 24-inch raw intake structure with the construction of a concrete bulkhead and placement of flowable fill resulting in 15 linear feet

(390 square feet) of temporary watercourse impact and 12 square feet of temporary floodway impact.

3. To perform streambank stabilization resulting in 350 square feet of permanent watercourse impact, 150 square feet of permanent floodway impact, 1,032 square feet of temporary watercourse impact, and 390 square feet of temporary floodway impact with an additional 2,484 square feet of temporary floodway impact for construction access.

This project is located near Water Street at the Phoenixville Borough Water Plant in Phoenixville Borough, Chester County (USGS PA Phoenixville Quadrangle—Latitude 40.146551 N, Longitude 75.522503 W).

**Permit No. E2301221-020, Radnor Township, 301 Iven Avenue, Wayne, PA 19087, Radnor Township, Delaware County, ACOE Philadelphia District.**

Radnor Township is proposing to remove historic fill to create a naturalized stormwater detention/slow-release system, as well as the construction of two (2) subsurface stormwater detention/slow-release systems to provide ecological and stormwater restoration which receives approximately 60 acres of runoff. Impacts to regulated resources include two (2) temporary wetland crossings (W001, PFO) resulting in 340 square feet (0.008 acre) of temporary wetland impact due to access to construct the stormwater management facilities, 220 square feet (0.005 acre) of permanent wetland impact due to the construction and maintenance of an outfall structure to facilitate discharge from constructed stormwater facilities, and an additional 504 square feet (0.012 acre) of permanent wetland impact due to grading. This activity also includes the construction and maintenance of a 24-inch outfall to an unnamed tributary of Little Darby Creek (CWF, MF) to facilitate discharge of stormwater from a subsurface basin and is considered a waived activity.

This project is located within West Wayne Preserve and Friends of Radnor Trail Park in Radnor Township, Delaware County (USGS PA Valley Forge Quadrangle—Latitude 40.041549 N, Longitude 75.397514 W).

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.*

**E1302221-001. Richard Henry Construction, 1944 PA-940, Pocono Pines, PA 18350-7742, in Kidder Township, Carbon County, U.S. Army Corps of Engineers, Philadelphia District.**

To construct and maintain the following water obstructions and encroachments associated with the Richard Henry Construction SR 940 Warehouse Project:

1. To construct a culvert extension to an existing crossing of a UNT to Tobyhanna Creek (EV) associated with the road widening of SR 940 and access road construction. The culvert extension will add 8 linear feet of 18" RCP to the existing 61 linear foot crossing.

2. To place fill in 0.10 acre of wetlands (EV) associated with the proposed SR 940 shoulder widening, culvert extension and construction of site access.

3. To place fill in 0.89 acre of wetlands associated with the construction of the warehouse, access road and parking areas.

4. To mitigate in a 2:1 ratio in order to compensate for the total amount of wetlands permanently impacted. A total of 2.04 acres of new wetlands will be constructed onsite.

The project is located on the right side of SR 940 while traveling south approximately 1.8 miles after the intersection with SR 115 (Hickory Run and Blakeslee, PA Quadrangles Latitude: 41° 5' 11.63"; Longitude: -75° 37' 14.71") in Kidder Township, Carbon County. (Hickory Run and Blakeslee, PA Quadrangle, Latitude: 41° 5' 11.63"; Longitude: -75° 37' 14.71").

**F5802221-002. Franklin Township**, 715 Hawk Road, Montrose PA 18801, in Franklin Township, **Susquehanna County**, U.S. Army Corps of Engineers, Baltimore District.

To demolish and remove structures located on the following sites in the floodplain of Snake Creek through the HMGP Acquisition Program. Sites will be restored and stabilized to open space. Sites are located in Franklin Township, Susquehanna County.

1. 115 Forks Hill Road (Franklin Forks, PA Quadrangle Latitude: 41° 55' 5.32"; Longitude: -75° 50' 43.74").

2. 20689 State Route 29 (Franklin Forks, PA Quadrangle Latitude: 41° 55' 2.59"; Longitude: -75° 50' 52.06").

3. 3548 Silver Creek Road (Franklin Forks, PA Quadrangle Latitude: 41° 54' 57.13"; Longitude: -75° 51' 13.97").

4. 3660 Silver Creek Road (Franklin Forks, PA Quadrangle Latitude: 41° 54' 59.01"; Longitude: -75° 51' 7.71").

**F5802221-001. Liberty Township**, 5050 Creamery Road, Montrose PA 18801, in Liberty Township, **Susquehanna County**, U.S. Army Corps of Engineers, Baltimore District.

To demolish and remove structures located on the following sites in the floodplain of Snake Creek through the HMGP Acquisition Program. Sites will be restored and stabilized to open space. Sites are located in Liberty Township, Susquehanna County.

1. 118 Lazy Brook Circle (Franklin Forks, PA Quadrangle Latitude: 41° 56' 58.83"; Longitude: -75° 49' 53.15").

2. 123 DeRose Road (Franklin Forks, PA Quadrangle Latitude: 41° 59' 47.18"; Longitude: -75° 47' 30.19").

3. 214 English Flats Road (Franklin Forks, PA Quadrangle Latitude: 41° 59' 37.17"; Longitude: -75° 47' 41.85").

**E3902221-007. Forge Development Company**, 840 West Hamilton Street, Suite 620, Allentown, PA 18101-2455, in South Whitehall Township, **Lehigh County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with the 1215 Hausman Road Development Project, which will involve the construction of a 90,100 ft<sup>2</sup> industrial building, three (3) parking lots, and an access road adjoining Hausman Road:

1. A wetland fill within 0.015 acre of PFO Wetlands (Other).

2. A wetland fill within 0.159 acre of PFO Wetlands (Other).

3. A wetland fill within 0.002 acre of PFO Wetlands (Other).

4. A wetland fill within 0.011 acre of PFO Wetlands (Other).

5. A wetland fill within 0.009 acre of PFO Wetlands (Other).

6. A wetland fill within 0.0025 acre of PFO Wetlands (Other).

7. A wetland fill within 0.003 acre of PFO Wetlands (EV).

8. A wetland fill within 0.109 acre of PFO Wetlands (Other).

9. A wetland fill within 0.034 acre of PFO Wetlands (EV).

10. A wetland fill within 0.020 acre of PFO Wetlands (Other).

The applicant will provide 0.648 acre of wetland mitigation.

The project is located at 1215 Hausman Road in Allentown, approximately 0.15 mile northwest of the intersection of Hausman Road and Crackersport Road (Allentown West, PA Quadrangle Latitude: 40° 36' 8.94"; Longitude: -75° 33' 54.52") in South Whitehall Township, Lehigh County. (Allentown West, PA Quadrangle, Latitude: 40° 36' 8.94"; Longitude: -75° 33' 54.52").

**E5802121-007: PA Department of Transportation**, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Lanesboro Borough, **Susquehanna County**, Army Corps of Engineers, Baltimore District.

To authorize the following water obstructions and encroachments associated with the SR 1009 Section 572 Project:

1. Remove the existing structure and construct and maintain a 40.4-foot wide bridge carrying SR 1009 across Starrucca Creek (CWF, MF) having a 115.5-foot span and a 7.73'-foot underclearance.

2. Relocate and restore a portion of Starrucca Creek. 458 linear feet of Starrucca Creek will be impacted for watercourse relocation, grading and restoration. Restoration activities include the installation of rock vanes, boulder bank revetments and riffle/pool habitats. 71 linear feet of Pigpen Creek (CWF, MF) will also be impacted to tie into the relocated Starrucca Creek.

3. Impact 0.04 acre of the Starrucca Creek floodway for watercourse relocation and restoration.

4. Impact 33 LF of a Tributary to Starrucca Creek (CWF, MF) and 0.01 acre of Tributary to Starrucca Creek floodway for the construction of a temporary stream crossing. These impacts associated with grading in the watercourse and floodway will be permanent, but the stream crossing will be removed.

The project is located along S.R. 1009 Sec 572 Segment 0170, Offset 0813, approximately 0.60 mile east of the S.R. 1009/1017 intersection (Susquehanna, PA Quadrangle Latitude: 41° 58' 1.18" N Longitude: -75° 34' 24.64" W).

**E3902121-009: PA Department of Transportation**, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Whitehall Township, **Lehigh County** and Northampton Borough, **Northampton County**, Army Corps of Engineers, Philadelphia District.

1. To remove the existing structure and to construct and maintain a 51-foot wide four-span prestressed concrete PA Bulb-tee beam bridge carrying SR 0329 across Lehigh River (TSF, MF). In total, the structure will have a 575-foot normal span and a 15.9-foot minimum underclearance.

The project is located along S.R. 0329 Sec 01B, Segment 0130 Offset 1182, approximately 1 mile east of the

S.R. 0329/SR 0145 intersection (Cementon, PA Quadrangle Latitude: 40° 41' 24.73" N, Longitude: 75° 30' 12.84" W).

**E4002121-019, PA Department of Transportation, Eng District 4-0**, 55 Keystone Industrial Park, Dunmore, PA 18512, Sugarloaf Township, **Luzerne County**, Army Corps of Engineers, Baltimore District.

To remove the existing structure and to construct and maintain a 142-foot wide single span precast concrete box culvert carrying SR 3040 across a tributary to Nescopeck Creek (CWF, MF). The structure will have a 15-foot normal clear span and a 6-foot minimum underclearance.

The project is located along S.R. 3040 Section D51 Segment 0010, Offset 0000, approximately 0.1 mile east of the SR 3040/0093 intersection (Sybertsville, PA Quadrangle, Latitude: 41° 1' 25.43" N; Longitude: -76° 4' 40.71" W) in Sugarloaf Township, Luzerne County.

**E5802221-009. Pennsylvania American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055-4436, in Bridgewater Township, **Susquehanna County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a culvert extension that transfers Snake Creek (CWF, MF) as a part of a Lake Montrose Dam rehabilitation project. The crossing will extend an existing 15-inch diameter steel culvert pipe that outlets to the project area. The culvert extension will consist of a 59.0-foot long 15-inch diameter corrugated HDPE pipe with a concrete endwall and riprap. The project is located on State Route 29 approximately 0.4 mile north of the intersection of State Route 29 and State Route 167 (Montrose East, PA Quadrangle Latitude: 41° 50' 42"; Longitude: -75° 51' 33") in Bridgewater Township, Susquehanna County. (Montrose East, PA Quadrangle, Latitude: 41° 50' 42"; Longitude: -75° 51' 33").

*Northcentral Region: Waterways & Wetlands Program, 208 West Third Street, Williamsport, PA 17701, 570-327-3636.*

**E4904221-004: Ralpho Township Muni Auth Northumberland County**, 206 South Market Street, Suite 1, Elysburg, PA 17824, West Center Street Sewer Replacement & Stream Relocation, Ralpho Township, **Northumberland County**, U.S. Army Corps of Engineers Baltimore District (Shamokin Quadrangle; Latitude: 40.763967°; Longitude: -76.556869°).

The applicant proposes the replacement and maintenance of an existing sewer line that runs parallel to a UNT to Shamokin Creek (CWF). The project also will minimally relocate the UNT and install bank protection to address historic stream meander and re-establish desired separation between the sewer line and the UNT. The project proposes .03 acre of direct permanent watercourse impact, and .15 acre of direct permanent floodway impact.

*Northwest Region: District Oil & Gas, 230 Chestnut Street, Meadville, PA 16335, 814-332-6860.*

**E2408221-003, National Fuel Gas Midstream Clermont, LLC**, 6363 Main Street, Williamsville, NY 14221, Beechwood Phase I, in St. Mary's Township, Jones Township, **Elk County**, ACOE Pittsburgh District & Baltimore District, Rich Valley, Wildwood Fire Tower, PA Quadrangle N: 41°, 31', 42.49"; W: 78°, 19', 24.97".

The proposed project is for the installation of steel natural gas pipelines and a waterline to connect proposed and existing natural gas well pads to an existing compressor station along Shawmut Grade Road. The total proposed alignment is approximately 14 miles long. Roughly half of the route is in Elk County and half is in Cameron County. The proposed project impacts in Elk County include a total of 100 linear feet of permanent impacts, and 612 linear feet of temporary impacts to Clear Creek (EV, MF), UNT's to Little Clear Creek (EV, MF), Little Clear Creek (EV, MF) and UNT's to Straight Creek (EV). Eight floodways will be impacted having 0.05 acre of permanent impacts and 1.08 acres of temporary impacts. 0.03 acre of permanent impacts and 0.90 acre of temporary impacts to Palustrine Emergent wetland(s) are also proposed.

**E1208221-001, National Fuel Gas Midstream Clermont, LLC**, 6363 Main Street, Williamsville, NY 14221, Beechwood Phase I, in Shippen Township, **Cameron County**, ACOE Pittsburgh District & Baltimore District, Rich Valley, Wildwood Fire Tower, PA Quadrangle N: 41°, 31', 42.49"; W: 78°, 19', 24.97".

The proposed project is for the installation of steel natural gas pipelines and a waterline to connect proposed and existing natural gas well pads to an existing compressor station along Shawmut Grade Road. The total proposed alignment is approximately 14 miles long. Roughly half of the route is in Elk County and half is in Cameron County. The proposed project impacts in Elk County include a total of 60 linear feet of permanent impacts, and 457 linear feet of temporary impacts to Clear Creek (EV, MF), UNT's Clear Creek (EV, MF), and UNT's to Bobby Run (EV, MF). Eight floodways will be impacted having 0.03 acre of permanent impacts and 0.90 acre of temporary impacts. 0.06 acre of permanent impacts and 0.02 acre of temporary impacts to Palustrine Emergent wetland(s) and 0.03 acre of permanent impacts to Palustrine Forested wetland(s) are also proposed. Mitigation for project impact will be located adjacent to the pipeline right of way with 0.21 acre of wetland being created.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

**E0829221-027: Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840-1567, Brad 84-Lecrone Frac Pond in Towanda Township, **Bradford County**, ACOE Baltimore District.

This Joint Permit Application is being submitted for after-the-fact authorization of temporary & permanent wetland impacts at the Brad 84-Lecrone Frac Pond in accordance with the Consent Decree United States, et al. v. Chesapeake Appalachia, LLC, Civil Action No. 4:21-00538-MWB CALLC entered into with the U.S. Environmental Protection Agency and PADEP on May 20, 2021. The project is to construct, operate and maintain 0.7270 acre of permanent and 0.1980 acre of temporary impacts to on-site wetlands. All impacts are associated with the Brad 84-Lecrone Frac Pond construction in 2011. Finally, 0.1448 acre of on-site wetland restoration is proposed.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 33,669 SF (0.727 acre) of permanent and 14,934 SF (0.3495 acre) of temporary wetland impacts.

**Wetland Impact Table:**

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Lat. Long.</i>
Construction W-GJM-028	Towanda Powell	Temporary Workspace	PEM; EV	None	130	1,176			41.736109° 76.503778°
Construction W-GJM-028	Towanda Powell	Fill	PEM; EV	None	136	3,354			41.736131° 76.503686°
Restoration W-GJM-028	Towanda Powell	Restoration	PEM; EV	None	130	2,397			41.736087° 76.503765°
Construction Wetland 1	Towanda Powell	Fill	PEM; EV	None			110	2,178	41.738036° 76.502589°
Construction W-GJM-029	Towanda Powell	Fill	PEM; EV	None	160	4,095	250	29,490	41.737561° 76.501722°
Restoration W-GJM-029	Towanda Powell		PEM; EV	None	150	3,912			41.737593° 76.501466°
TOTAL IMPACTS					706	14,934	360	33,669	

**E0829221-026: Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Monroe Township, **Bradford County**, ACOE Baltimore District.

To construct, operate and maintain:

1. A water impoundment impacting 3,049 square feet (0.07 acre) of temporary Palustrine Emergent Wetland impacts and 1,917 square feet (0.044 acre) of permanent Palustrine Emergent Wetland impacts (Monroeton, PA Quadrangle, Latitude: 41.695413°; Longitude: -76.436248°).

This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 4,966 square feet (0.114 acre) of PEM wetland impacts, all for the purpose of building a water impoundment for Marcellus well development in Monroe, Township, Bradford County. The permittee will provide 0.23 acre of PEM wetland mitigation at Camp Brook Restoration (Elkland, PA Quadrangle, Latitude: 41.988385°; Longitude: -77.337152°), permit application number E5929221-006.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a, including links to Individual NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPpublicNotice](http://www.dep.pa.gov/CWPpublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

#### **I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0042102	Industrial Stormwater Individual NPDES Permit	Issued	Huntsman Advanced Materials American, LLC 10003 Woodloch Forest Drive Spring, TX 77380-1913	Manor Borough Westmoreland County	SWRO
PA0232874	Industrial Stormwater Individual NPDES Permit	Issued	American Rock Salt Co., LLC P.O. Box 190 Mount Morris, NY 14510-0190	Sandy Township Clearfield County	NCRO
PA0027715	Industrial Waste Individual NPDES Permit, Major	Issued	Max Environmental Tech, Inc. 651 Holiday Drive Suite 5 Pittsburgh, PA 15220-2740	South Huntingdon Township Westmoreland County	SWRO
PA0037141	Industrial Waste Individual NPDES Permit, Minor	Issued	PA Fish & Boat Comm Fisheries Bureau 1735 Shiloh Road State College, PA 16801-8495	Penn Township Cumberland County	SCRO
0307203	Industrial Waste Individual WQM Permit	Issued	Eastern Gas Trans & Storage, Inc. 5000 Dominion Boulevard Glen Allen, VA 23060-3308	South Bend Township Armstrong County	NWRO
3292202	Industrial Waste Individual WQM Permit	Issued	Keystone Conemaugh Project, LLC 175 Cornell Road Suite 1 Blairsville, PA 15717	West Wheatfield Township Indiana County	NWRO
6200201	Industrial Waste Individual WQM Permit	Issued	United Refinery Co. of PA P.O. Box 780 15 Bradley Street Warren, PA 16365-0780	Warren City Warren County	NWRO
6207201	Industrial Waste Individual WQM Permit	Issued	United Refinery Co. of PA P.O. Box 780 15 Bradley Street Warren, PA 16365-0780	Warren City Warren County	NWRO
0921830	Joint DEP/PFBC Pesticides Permit	Issued	Franlin Joseph 565 Kellers Church Road Ottsville, PA 18947	Bedminster Township Bucks County	SERO
0921831	Joint DEP/PFBC Pesticides Permit	Issued	Reserve at Southampton HOA Inc. 112 Stephenson Way Huntingdon Valley, PA 19006-2229	Upper Southampton Township Bucks County	SERO

## NOTICES

399

<i>Application Number</i>	<i>Permit Type</i>	<i>Action</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0005037	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	NRG Homer City Service, LLC 1750 Power Plant Road Homer City, PA 15748	Center Township Indiana County	NWRO
PA0024431	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Dillsburg Area Authority York County 98 W Church Street Dillsburg, PA 17019-1230	Carroll Township York County	SCRO
PA0011436	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Handy & Harman Tube Co., Inc. 590 Madison Avenue 32nd Floor New York, NY 10022	East Norriton Township Montgomery County	SERO
PA0010251	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Usarmy Carlisle Barracks United States Army Carlisle Barracks 330 Engineer Avenue Carlisle, PA 17013-5020	North Middleton Township Cumberland County	SCRO
PA0083364	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Chambersburg Borough Franklin County 100 S 2nd Street Chambersburg, PA 17201-2515	Greene Township Franklin County	SCRO
PA0100838	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Barkeyville Municipal Authority Venango County 1610 Barkeyville Road Grove City, PA 16127-7904	Barkeyville Borough Venango County	NWRO
PA0252701	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Eastern Gas Trans & Storage, Inc. 925 White Oaks Boulevard Bridgeport, WV 26330-6919	South Bend Township Armstrong County	NWRO
PA0272825	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Slippery Rock Municipal Authority P.O. Box 157 116 Crestview Road Slippery Rock, PA 16057-0157	Slippery Rock Township Butler County	NWRO
PA0031313	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Intermediate Unit 1 1 Intermediate Unit Drive Coal Center, PA 15423-1000	Redstone Township Fayette County	SWRO
PA0031887	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Green Hill MHC, LLC P.O. Box 677 Morgantown, PA 19543-0677	Marlborough Township Montgomery County	SERO
PA0034878	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Buie Stephen T 13669 Ridge Road West Springfield, PA 16443-9447	Spring Township Crawford County	NWRO
PA0085197	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Kampel Enterprises, Inc. 8930 Carlisle Road Wellsville, PA 17365-9735	Warrington Township York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0101702	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Rocky Ridge Village, LLC 156 Maple Grove Circle Franklin, PA 16323-3662	Sandycreek Township Venango County	NWRO
PA0103608	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Heather & Shaun Welsh 11901 Country Acres Trailer Court 2 Guys Mills, PA 16327-4207	East Mead Township Crawford County	NWRO
PA0209201	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	DMP Northern Tier LP 1952 Waddle Road State College, PA 16803-1649	Wyalusing Township Bradford County	NCRO
PA0216666	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Iron Cumberland, LLC P.O. Box 1020 855 Kirby Road Waynesburg, PA 15370-3020	Whiteley Township Greene County	SWRO
PA0239569	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Lezzer Martin LP P.O. Box 217 Curwensville, PA 16833-0217	Connoquenessing Township Butler County	NWRO
PA0253367	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Christian Youth Crusade 293 Rich Road Somerset, PA 15501-9668	Milford Township Somerset County	SWRO
PA0030597	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Franklin County Gen Authority 5540 Coffey Avenue Chambersburg, PA 17201-4113	Letterkenny Township Franklin County	SCRO
PA0041831	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Northwest Crawford County Sewer Authority P.O. Box 56 105 Project Street Springboro, PA 16435-0056	Springboro Borough Crawford County	NWRO
PA0205931	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Menallen Township Fayette County 427 Searights Herbert Road Uniontown, PA 15401-5137	Menallen Township Fayette County	SWRO
1993401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	PA DOT Bureau of Project Delivery Bureau of Maintenance & Operations P.O. Box 3060 Harrisburg, PA 17105-3060	Mifflin Township Columbia County	NCRO
2177403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Mount Holly Springs Borough Authority Cumberland County 200 Harmon Street Mount Holly Springs, PA 17065-1339	Mount Holly Springs Borough Cumberland County	SCRO

## NOTICES

401

<i>Application Number</i>	<i>Permit Type</i>	<i>Action</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3075402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Iron Cumberland, LLC P.O. Box 1020 855 Kirby Road Waynesburg, PA 15370-3020	Whiteley Township Greene County	SWRO
5607403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Christian Youth Crusade 293 Rich Road Somerset, PA 15501-9668	Milford Township Somerset County	SWRO
NOEXSC195	No Exposure Certification	Issued	GXO Logistics Supply Chain, Inc. 1700 Cloister Drive Lancaster, PA 17601-2358	East Hempfield Township Lancaster County	SCRO
NOEXSC365	No Exposure Certification	Issued	GXO Logistics Supply Chain, Inc. 6111 Grayson Road Harrisburg, PA 17111-3385	Swatara Township Dauphin County	SCRO
NOEXSW006	No Exposure Certification	Issued	USPS Warrendale 300 Brush Creek Road Warrendale, PA 15086-1002	Marshall Township Allegheny County	SWRO
PAG041045	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Bethany & Sean Cunningham 5471 Old State Road Edinboro, PA 16412-1061	Washington Township Erie County	NWRO
PAG122215	PAG-12 NPDES General Permit for CAFOs	Issued	Haas Farms, LLC 15 Haas Road Klingerstown, PA 17941-9733	Upper Mahantango Township Schuylkill County	SCRO
PAG123673	PAG-12 NPDES General Permit for CAFOs	Issued	Oscar J Manbeck 10 Fort Henry Road Bethel, PA 19507-9544	Bethel Township Berks County	SCRO
PAG123751	PAG-12 NPDES General Permit for CAFOs	Issued	Skyline Acres, Inc. 477 Skyline Drive Bernville, PA 19506-8740	Upper Bern Township Berks County	SCRO
PAG123874	PAG-12 NPDES General Permit for CAFOs	Issued	Hess Agrimarketing, LLC 218 Rock Point Road Marietta, PA 17547-9205	East Donegal Township Lancaster County	SCRO
PAG124858	PAG-12 NPDES General Permit for CAFOs	Issued	Hummer Brian J 193 Trump Road Danville, PA 17821-9319	Valley Township Montour County	SCRO
6721404	Pump Stations WQM Individual Permit	Issued	Wrightsville Borough Municipal Authority York County 601 Water Street Wrightsville, PA 17368-1646	Wrightsville Borough York County	SCRO
0609402	Sewage Treatment Facilities Individual WQM Permit	Issued	Washington Township Berks County 120 Barto Road Barto, PA 19504-8746	Washington Township Berks County	SCRO
2072402	Sewage Treatment Facilities Individual WQM Permit	Issued	Buie Stephen T 13669 Ridge Road West Springfield, PA 16443-9447	Spring Township Crawford County	NWRO
5012402	Sewage Treatment Facilities Individual WQM Permit	Issued	Jones Barbara A & Jones Larry A 97 Sloop Road Shermans Dale, PA 17090	Carroll Township Perry County	SCRO



## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6721405	Sewage Treatment Facilities Individual WQM Permit	Issued	Major League Properties, LLC 1500 E Market Street York, PA 17403-1255	York Township York County	SCRO
PA0233111	Single Residence STP Individual NPDES Permit	Issued	Fink Ryan M 565 Kimble Hill Road Williamsport, PA 17701-8855	Loyalsock Township Lycoming County	NCRO
PA0245321	Single Residence STP Individual NPDES Permit	Issued	Miller Amanda L 170 Short Road Doylestown, PA 18901-3217	Doylestown Township Bucks County	SERO
PA0261823	Single Residence STP Individual NPDES Permit	Issued	Jones Barbara A & Jones Larry A 97 Sloop Road Shermans Dale, PA 17090	Carroll Township Perry County	SCRO
PA0264601	Single Residence STP Individual NPDES Permit	Issued	Miller Benjamin R 9660 Old Route 99 McKean, PA 16426-1724	McKean Township Erie County	NWRO
PA0266353	Single Residence STP Individual NPDES Permit	Issued	Baughman Chad M 605 Roxbury Road Newville, PA 17241-8617	Upper Mifflin Township Cumberland County	SCRO
PA0267554	Single Residence STP Individual NPDES Permit	Issued	Major League Properties, LLC 1500 E Market Street York, PA 17403-1255	York Township York County	SCRO
PA0273155	Single Residence STP Individual NPDES Permit	Issued	Zaffino Mark 471 Thompson Hill Road Russell, PA 16345-2443	Farmington Township Warren County	NWRO
PA0289906	Single Residence STP Individual NPDES Permit	Issued	Alicia McGill & Kenneth Bluska 8741 Talmadge Road Erie, PA 16509-4359	McKean Township Erie County	NWRO
0921405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Miller Amanda L 170 Short Road Doylestown, PA 18901-3217	Doylestown Township Bucks County	SERO
2516411	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	John & Paula Patton 4261 Harborgreene Road Erie, PA 16510	Greene Township Erie County	NWRO
2521426	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Alicia McGill & Kenneth Bluska 8741 Talmadge Road Erie, PA 16509-4359	McKean Township Erie County	NWRO
4121401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Fink Ryan M 565 Kimble Hill Road Williamsport, PA 17701-8855	Loyalsock Township Lycoming County	NCRO
WQG018810	WQG-01 WQM General Permit	Issued	Bethany & Sean Cunningham 5471 Old State Road Edinboro, PA 16412-1061	Washington Township Erie County	NWRO

**II. Final Actions on PAG-02 General NPDES Permit NOIs and Individual NPDES Permit Applications for Construction Stormwater.**

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC130022	PAG-02 General Permit	Issued	Weatherly Borough Multi—Use Trail c/o Harold Pudliner 61 West Main Street Weatherly, PA 18255	Weatherly Borough Carbon County	Carbon County Conservation District 5664 Interchange Road Lehighon, PA 18235 610-377-4894
PAC540112	PAG-02 General Permit	Issued	Kevin Murphy AutoZone LLC 123 S. Front St Memphis, TN 38103	East Norwegian Township St. Clair Borough Schuylkill County	Conservation District Info Schuylkill Conservation District 1206 Ag Center Drive Pottsville, PA 17901
PAD480085 A-1	Individual NPDES	Issued	City of Bethlehem c/o Matt Dorner 10 East Church Street Bethlehem PA 18018-6028	City of Bethlehem Northampton County	NERO
PAC400224	PAG-02 General Permit	Issued	1852 Wyoming, LLC Brendan Johnson 28 Thorndal Circle 3rd Floor Darien, CT 06820	Wyoming Borough Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAD390218	Individual NPDES	Issued	Good Shepherd Rehabilitation Network 850 S. Fifth Street Allentown, PA 18103	Upper Saucon Township Lehigh County	NERO
PAD450133	Individual NPDES	Issued	Tobyhanna Township 105 Government Center Way Pocono Pines, PA 18350	Tobyhanna Township Monroe County	NERO
PAC600079	PAG-02 GP	Issued	Ed Bakish Lewisburg Dev LLC 190 International Drive Lewisburg, PA 17837	Kelly Township Union County	Union County Conservation District 155 N. 15th Street Lewisburg, PA 17837-8822
PAC600080	PAG-02 GP	Issued	John Moran JM Industrial Realty, LLC 17935 Russell Rd Allenwood, Pa 17810	Gregg Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAC100252	PAG-02 General Permit	Issued	Henry's Meat Market Holdings LLC 201 West Mercer Street Harrisville, PA 16038	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270

**STATE CONSERVATION COMMISSION**
**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals

must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET— ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU's</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Brian Martin Coffee Brook Holstein 684 Church Road Womelsdorf, PA 19567	Berks	116.9	332.48	Dairy	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

**SAFE DRINKING WATER**

**Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**Permit No. 3390055, Operations Permit, Public Water Supply.**

Applicant	<b>Lehigh County Authority (Schnecksville Tank)</b> 1053 Spruce Road P.O. Box 3348 Allentown, PA 18106-0348
Township	North Whitehall Township
County	<b>Lehigh</b>
Type of Facility	PWS
Consulting Engineer	Jason Saylor, PE Utility Service Co., Inc. 1230 Peach Tree NE Suite 1100 Atlanta, GA 30309
Permit to Operate Issued	December 15, 2021

**Permit No. 6620504, Public Water Supply.**

Applicant	<b>Exeter Township Senior Center &amp; Apartment Complex</b> 2690 Sullivan's Trail Road Falls, PA 18615
Township	Exeter Township
County	<b>Wyoming</b>
Type of Facility	PWS
Consulting Engineer	Joseph S. Durkin, PE Reilly Associates 49 S. Main Street Suite 200 Pittston, PA 18640
Permit to Construct Issued	December 20, 2021

**Permit No. 3130029, Operations Permit, Public Water Supply.**

Applicant	<b>WME Management, LLC (Weiner's MHP)</b> 2846 Main Street, Box 12A Morgantown, PA 19543
-----------	--

Township Lower Towamensing Township  
 County **Carbon**  
 Type of Facility PWS  
 Consulting Engineer NA  
 Permit to Operate December 6, 2021  
 Issued

*Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Edie M. Gair, P.G., 570-327-3779.*

**Operations Permit** issued to: **Tioga MHC, LLC**, 35 Calais Road, Randolph, NJ, 07869, PWSID No. 2590053, Lawrence Township, **Tioga County**. On December 8, 2021 for the operation of facilities approved under construction permit Nos.: 5991505-T2, 5999502-T2, MA(1/18/2000)-T2, MA(2/4/2013)-T2 and 5920505-MA-T1. This transfer permit application approved five public water supply permits for operation that have been transferred. Well No. 1 and special conditions for treatment of water from this well were removed from PWS Permit No. 5991505-T1, issued August 25, 2020. PWS Permit No. 5904502-T1 is being cancelled because PWS Permit No. 5920505-MA, issued December 22, 2020, supersedes PWS Permit No. 5904502 regarding iron and manganese treatment and the raw water pressure tank existing in the water treatment system in 2006.

**Monument Water Association (Public Water Supply)**, 2332 Monument-Orviston Rd, Beech Creek, PA 16822-9105, Liberty Township, **Centre County**. On December 28, 2021, the Safe Drinking Water Program approved the Source Water Protection (SWP) plan for the Monument Water Association community water system. The personnel involved with the development of this SWP are to be commended for taking these proactive steps to protect these water sources for their community. Development of the SWP plan was funded by the Department of Environmental Protection.

#### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

#### *Plan Location:*

<i>Township</i>	<i>Township Address</i>	<i>County</i>
Howe Township	22 Cherry Road Liverpool PA 17045	Perry County

#### *Plan Description:*

The request for planning exception for the **Newport Convenience Store Development** (DEP Code No. A3-50909-049-3E; APS ID No. 1053392) has been disapproved. The proposed development—located at 78 Juniata Parkway East in Howe Township, PA—consists of sewage planning to connect one new residential building to the Howe Township Municipal Authority and Newport Borough Municipal Authority public sewer systems. This request for planning exemption has been disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan because permittee of the sewerage facilities has not submitted information under Chapter 94 that documents that the existing collection and conveyance facilities do not have

an existing or a 5-year projected hydraulic overload as per Chapter 71, Section 71.51(b)(2)(ii).

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Rag Apple Well Site**, 4990 Ridge Road, Montrose, PA 18801, Springville Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated by releases of diesel. The report is intended to document remediation of the site to meet a combination of Background and Statewide health standards.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.*

**Estate of Ruth Longer Property**, Intersection of Montour Boulevard and Grovania Drive, Danville, PA 17821, Cooper Township, **Montour County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of IA Construction Corporation, P.O. Box 568, Franklin, PA 16323, has submitted a Revised Remedial Investigation Report and Cleanup Plan concerning remediation of site soil and groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the site-specific standard.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Abbey Owoc, Environmental Group Manager, Storage Tanks Program.*

**Former BP Service Station No. 09131**, Storage Tank Facility ID # 11-14138, 1133 Scalp Avenue, Johnstown, PA 15904, Richland Township, **Cambria County**. Antea Group, 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of BP Products North America, Inc, 201 Helios Way, Floor 6, Houston, TX 77079, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet the Statewide health standard and site-specific standard.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Fmr. Martin's Sunoco**, 18298 Conneaut Lake Road, Meadville, PA 16335, Vernon Township, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412 on behalf of Travaglini Enterprises, Inc., 211 Chestnut Street, Meadville, PA 16335 has submitted a Final Report concerning remediation of site soil and site groundwater contaminated with 1,2 Dibromoethane, Benzene, 1,2 Dichloroethane, Ethylbenzene, Cumene, MTBE, Naphthalene, Toluene, 1,2,4 Trimethylbenzene, 1,3,5-Trimethylbenzene, Xylenes, and Lead. The report is intended to document remediation of the site to meet the Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental

media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Sunoco Fullerton Terminal # 0358-1501**, 2480 Main Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Groundwater & Environmental Services, 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Sunoco Partners Marketing & Terminals, LP, 3807 West Chester Pike, Newtown Square, PA 19073, submitted a revised, combined Remedial Investigation Report and Final Report concerning remediation of site soils contaminated with petroleum. The Remedial Investigation Report was approved, but the Final Report was not acceptable to meet a combination of site-specific and Statewide health standards and was disapproved by DEP on December 27, 2021.

**Pilot Travel Center 298**, 1114 State Route 93, Drums, PA 18222, Sugarloaf Township, **Luzerne County**. Atlas Technical Consultants, 270 William Pitt Way, Pittsburgh 15238, on behalf of Pilot Travel Centers, LLC, 5508 Lonas Drive, Knoxville, TN 37939, submitted a Final Report concerning remediation of soil contaminated by a release of diesel from truck accident. The Final Report demonstrated attainment of Statewide health standards and was approved by DEP on December 27, 2021.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.*

**Satterlee Street Cleanup Project**, 101 Satterlee Street, Athens, PA 18810, Athens Borough, **Bradford County**. Moody and Associates, Inc., 101 North Main Street, Suite 1, Athens, PA 18810, on behalf of Athens Borough, 2 South River Street, Athens, PA 18810, has submitted a Final Report concerning remediation of site soil contaminated with foundry waste material. The Final report demonstrated attainment of the site-specific standard and was approved by the Department on December 29, 2021.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Magill Storage Yard**, 274 Prospect Road, Evans City, PA 16033, Connoquenessing Township, **Butler County**. Moody & Associates, Inc., 11548 Cotton Road, Suite 101, Meadville, PA 16335 on behalf of PennEnergy Resources, LLC, 1000 Commerce Drive, Park Place One, Suite 400, Pittsburgh, PA 15275 has submitted a Final Report concerning the remediation of site soil contaminated with Chloride, Aluminum, Barium, Boron, Iron, Lithium, Manganese, Selenium, Strontium, Vanadium, and Zinc. The Final Report did not demonstrate attainment of the Statewide health standard and was disapproved by the Department on December 27, 2021.

**FMR. Martin's Sunoco**, 18298 Conneaut Lake Road, Meadville, PA 16335, Vernon Township, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412 on behalf of Travaglini Enterprises, Inc., 211 Chestnut Street, Meadville, PA 16335 has submitted a Final Report concerning remediation of site soil and site groundwater contaminated with 1,2 Dibromoethane, Benzene, 1,2 Dichloroethane, Ethylbenzene, Cumene, MTBE, Naphthalene, Toluene, 1,2,4 Trimethylbenzene, 1,3,5-Trimethylbenzene, Xylenes, and Lead. The Final Report did not demonstrate attainment of the Statewide health standard and was disapproved by the Department on December 28, 2021.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Permit Renewal Issued Under the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003), the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904) and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southeast Region: Regional Solid Waste Manager, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

**Permit No. 400658. Hatfield Township Municipal Authority Montgomery County**, 3200 Advance Lane, Colmar, PA 18915-9766. This ten-year renewal permit under the Solid Waste Permit No. 400658 is to continue operation of the Hatfield Township Municipal Authority Wastewater Treatment facility, an existing sewage sludge incinerator located in Hatfield Township, **Montgomery County**. The permit was issued by the Southeast Regional Office on December 16, 2021.

Persons interested in reviewing the permit for the facility may contact the Pennsylvania Department of Environmental Protection (DEP) Waste Management Program Manager, Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by telephone at

484.250.5960. TDD users may contact the DEP through the Pennsylvania Hamilton Relay Service, (800) 654.5984.

*Northcentral Region: Regional Solid Waste Manager, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 101243. Northern Tier Solid Waste Authority**, P.O. Box 10, Burlington, PA 18814-0010, West Burlington Township, **Bradford County**. This permit modification is for the use of Posi-Shell as an Alternative Daily Cover at the Bradford County Landfill. The permit was issued by the Northcentral Regional Office on January 4, 2022.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Environmental Engineer Manager, Williamsport Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. 570-327-3752. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**GP3-35-026: RLE Equipment, Inc.**, 457 N Main Street, Moscow, PA 18444. On January 4, 2022 for the operation of a portable crushing operation with water sprays located at the Drinker Turnpike site in Covington Township, **Lackawanna County**.

**GP9-35-026: RLE Equipment, Inc.**, 457 N Main Street, Moscow, PA 18444. On January 4, 2022 for the operation of a diesel IC engines located at the Drinker Turnpike site in Covington Township, **Lackawanna County**.

*Southwest Region, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**GP5-30-00236B/AG5-30-00022A: EQM Gathering Opco, LLC**, 2200 Energy Dr., Canonsburg, PA 15317-1001, on December 23, 2021, to authorized the construction and operation of eight (8) natural gas fired Caterpillar compressor engines each rated at 2,500 bhp, two (2) TEG Dehydrators including reboilers and Thermal Oxidizers at their Cole Farm Compressor Station located in Wayne Township, **Greene County**.

**GP5-63-00965C/AG5-63-00015B: EQM Gathering Opco, LLC**, 2200 Energy Dr., Canonsburg, PA 15317-1001, authorization issued on December 23, 2021, for continued operation of the previously installed sources that includes: Two Caterpillar rated at 3550 bhp, Two Caterpillar rated at 2370 bhp, two TEG-Dehydrators rated at 61 MMSCFD and 205 MMSCFD, a flare rated at 10.0 MMBtu/hr, pneumatic devices, and miscellaneous storage tanks etc. at Twilight Compressor Station located in West Pike Run Township, **Washington County**.

**GP5-63-01000B/AG5-63-00010B: EQM Gathering Opco, LLC**, 2200 Energy Dr., Canonsburg, PA 15317-1001, on November 18, 2020, reauthorized continued

operation of the previously installed sources which include: Four (4) natural gas-fired G3608 Caterpillar 4SLB compressor engines each 2,370 bhp; one (1) diesel fired Cummins rated at 1,220 bhp; one (1) 225 MMscfd TEG Dehydrator with 2.0 MMBtu/hr reboiler; one (1) EnviroTherm International enclosed flare rated at 7.0 MMBtu/hr; two (2) produced water tanks; one (1) truck loadout; pigging operations, miscellaneous blow-down emissions; and fugitives at their Kryptonite Compressor Station, located in Amwell Township, **Washington County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.*

**GP5-03-979D (AG5-03-00008A): Snyder Brothers, Incorporated—Mushroom Mine Compressor Station**, Millen Hollow Road, Worthington, PA 16262, on December 28, 2021 to allow the continued operation of equipment at the Mushroom Mine Compressor Station (BAQ-GPA/GP5) located in West Franklin Township, **Armstrong County**.

**GP5-16-151E (AG5-16-00005A): Peoples Natural Gas Company, LLC—Limestone Compressor Station**, 606 Limestone Road, Summerville, PA 15864, on December 21, 2021 to allow the continued operation of equipment at the Limestone Compressor Station (BAQ-GPA/GP5) located in Limestone Township, **Clarion County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**35-00014A: Keystone Sanitary Landfill, Inc.**, 249 Dunham Drive, Dunmore, PA 18512, issued on January 3, 2022 for the Phase III landfill expansion with existing control equipment at the facility located in Dunmore and Throop Boroughs, **Lackawanna County**.

**40-00002B: Transcontinental Gas Pipeline Company, LLC (Transco)**, P.O. Box 1396, Houston, TX 77251-1396, issued on December 27, 2021 for the modification to the Compressor Station 515 facility located in Buck Township, **Luzerne County**.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**18-00035A: Mas Wayne RNG**, 3340 Peachtree Hill Road, Suite 170, Atlanta, GA 30326, on December 28, 2021, was issued a plan approval for the construction and temporary operation of a renewable natural gas plant located at the Wayne Township Landfill in Wayne Township, **Clinton County**. The plan approval was issued and became effective on December 28, 2021 and will expire on June 27, 2023. The plan approval contains all applicable requirements including emission limits, monitoring, recordkeeping, testing and reporting conditions to ensure compliance with all State and Federal regulations.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**46-0295A: Amazon**, 2455 Boulevard of the Generals, Norristown, PA 19403-3661. On December 29, 2021, for an extension of the temporary shakedown period for a plan approval authorizing the installation of additional hoods of the system for 16 digital dryers (Source ID Nos. 201—216) at their facility in West Norriton Township, **Montgomery County**.

**09-0240: Mazza Iron & Steel, LLC**, 60 Solar Drive, Fairless Hills, PA 19030. On December 27, 2021, for a modification of the plan approval to address changes in the operating equipment used in the Ferrous Recovery Line and the Non-ferrous Processing Line and extend the plan approval for another 6 months for temporary shakedown at this location in Falls Township, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**28-05002S: Letterkenny Army Depot**, One Overcash Avenue, Chambersburg, PA 17201, on January 3, 2022, for the permanent shutdown and removal of the Regenerative Thermal Oxidizer (RTO), which has functioned as a VOC control device for four coating booths operating inside Building 350, and for the rework of the ventilation system for the coating booths at the Letterkenny Army Depot located in Letterkenny Township, **Franklin County**. The plan approval also revised the facility's existing PAL provisions. The plan approval was extended.

**67-05014C: York Group Inc.**, 2880 Black Bridge Road, York, PA 17406-9703, on January 3, 2022, for the approval of a Reasonably Available Control Technology 2 (RACT 2) plan for the Sources 200, 205, 220, 225, 230, 240, 260, 270, 280, 290, and 295, spray coating booths, at the casket manufacturing facility located in Manchester Township, **York County**. The plan approval authorizes removal of the existing VOC control system and replacement of it with a dual train regenerative thermal oxidizer control system, with each train preceded by a cartridge collector. The new system will control VOC emissions from Sources 220, 225, 230, 240, 260, and 295. The plan approval also addresses modification of the facility's RACT 1 requirements to reflect the modified control arrangements. The plan approval also adds a RACT compliance schedule for the facility, adds a 60.06 tpy emission cap to the sources in Group 003, and makes various minor administrative changes to the existing sources/requirements. The plan approval was extended.

**34-05002A: Texas Eastern Transmission, LP**, 5400 Westheimer Court, Houston, TX 77056, on January 3, 2022, for an engine project at the Perulack Compressor Station located in Lack Township, **Juniata County**. The Plan Approval will authorize the following items: 1.) Retrofit the existing natural gas-fired Cooper Bessemer GMVA-8 engine (Source 031), as clean burn spark ignition

engine (SI RICE), without increasing its rated 1,100 hp, 2.) Install Control ID C031, Oxygen Catalyst on Source 031. The plan approval was extended.

**21-05028C: Fry Communications, Inc., Building 3,** 800 W. Church Road, Mechanicsburg, PA 17055, on December 30, 2021, for the installation of a new 75" Manroland Lithoman IV 4-80 745 lithographic printing press at the Building 3 printing facility located in Mechanicsburg Borough, **Cumberland County**. The printing press includes an integral dryer and afterburner for the control of VOC emissions. The plan approval was extended.

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**41-00084C: Hamilton Patriot, LLC,** 50 Patriot Lane, Montgomery, PA 17752, on December 22, 2021, received authorization for extension of the plan approval to June 24, 2022, for the rotor and upgrade electrical generation capacity for the natural gas-fired combined cycle combustion turbine Source P103 at the Hamilton Patriot Generation Plant facility located in Clinton Township, **Lycoming County**. The plan approval has been extended.

**18-00005E: Eastern Gas Transmission & Storage, Inc.,** 6603 West Broad Street, Richmond, VA 23230, on December 27, 2021, received authorization for extension of the plan approval to June 28, 2022, for the temporary operation of a compressor turbine located at the Finnefrock Station in Leidy Township, **Clinton County**, pending Department evaluation of compliance testing. The plan approval has been extended.

**59-00035A: Empire Pipeline, Inc.,** 6363 Main Street, Williamsville, NY 14221, on December 29, 2021, received authorization for extension of the plan approval to July 1, 2022, for the temporary operation of compressor turbines located at the Jackson Station located in Jackson Township, **Tioga County** pending Department evaluation of compliance testing. The plan approval has been extended.

**18-00030C: First Quality Tissue, LLC,** 904 Woods Avenue, Lock Haven, PA 17745, on December 29, 2021, received authorization for extension of the plan approval to July 3, 2022, for the temporary operation of a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County**. The plan approval has been extended.

**18-00030D: First Quality Tissue, LLC,** 904 Woods Avenue, Lock Haven, PA 17745, on December 29, 2021, received authorization for extension of the plan approval to July 3, 2022, for the temporary operation of a paper towel and tissue manufacturing operation at their facility located in Castanea Township, **Clinton County**. The plan approval has been extended.

**60-00026A: GAF Keystone, LLC,** 2093 Old Route 15, New Columbia, PA 17856, on December 27, 2021, to extend the plan approval expiration date to July 16, 2022 to allow continued operation of the ISO Foam Board Facility located in White Deer Township, **Union County**.

---

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**45-00002: WestRock Converting Co., LLC,** P.O. Box 770, Paper Mill Road, Delaware Water Gap, PA 18327. The Department issued, on December 14, 2021, a Title V Operating Permit Renewal for their facility located in Smithfield Township, **Monroe County**. The Title V Operating Permit includes all applicable emission limits, work practice standards, testing, monitoring, recordkeeping and reporting requirements designed to keep the facility operating within applicable air quality requirement.

---

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**23-00024: Hanson Aggregates, Glen Mills Quarry,** 533 Forge Road, Glen Mills, PA 19342. On December 29, 2021, for a renewal of a Non-Title V Facility, State-Only, Synthetic Minor Permit for the operation of a quarry and rock crushing facility in Thornbury Township, **Delaware County**.

**46-00235: North Penn School District,** 1340 South Valley Forge Road, Lansdale, PA 19446. On December 23, 2021, for a renewal of State Only Operating Permit for North Penn High School in Towamencin Township, **Montgomery County**. This Operating Permit renewal contains a change of status of this permit from Synthetic Minor to Natural Minor.

**15-00145: Vanguard Group/Malvern East Campus,** 100 Vanguard Blvd, Malvern, PA 19087. On December 30, 2021, for a Non-Title V Facility, State-Only, Synthetic Minor Permit for workstations and ancillary systems in support of a range of positions in the financial services industry in Tredyffrin Township, **Chester County**.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Norman Frederick, Facility Permitting Chief—Telephone: 570-826-2409.*

**40-00095: Polyglass USA Inc./Humboldt Plant,** 555 Oak Ridge Road, Hazleton, PA 18202. The Department issued, on December 7, 2021, a State-Only Operating Permit for operation of sources at their facility located in Hazle Township, **Luzerne County**. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**22-03009: Dauphin Precision Tool, LLC,** 200 Front Street, Millersburg, PA 17061-1324, on January 3, 2022, for the machine tool manufacturing facility located in Millersburg Borough, **Dauphin County**. The State-Only permit was renewed.



**36-05071: Valley Proteins Inc.**, 693 Wide Hollow Road, East Earl, PA 17519, on December 30, 2021, for the rendering and boiler operations at the Terre Hill facility located in East Earl Township, **Lancaster County**.

**06-05158: Allan Myers, L.P.**, 638 Lancaster Avenue, Malvern, PA 19355, on December 23, 2021, for the Reading Asphalt Plant located in Ontelaunee Township, **Berks County**.

**06-03094: K&L Woodworking, Inc.**, 440 N. 4th Street, Reading, PA 19601-2847, on December 22, 2021, for the custom cabinet and shelving manufacturing facility located in Reading City, **Berks County**. The State-Only permit was renewed

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**17-00074: Adamson Funeral Chapel & Crematorium, Inc.**, 1312 Chestnut Avnue, DuBois, PA 15801, was issued on January 3, 2022, a State Only Natural Minor Operating Permit for their facility in Sandy Township, **Clearfield County**. All applicable Federal and State regulatory requirements derived from 25 Pa. Code Chapters 121—145, including appropriate testing, monitoring, recordkeeping, reporting, and work practice to verify compliance are included in the permit.

*Southwest Region, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**63-01050: MarkWest Liberty Midstream & Resources, LLC/Huntington Farms Launcher/Receiver Site**, 4600 J. Barry Ct., Ste. 500, Canonsburg, PA 15317-5854. On January 4, 2022, the Department issued a natural minor State Only Operating Permit for a pipeline maintenance stand-alone facility where pigs are launched or received from the pipelines. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at their facility located in Canton Township, **Washington County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**25-00943: EE Austin & Son, Incorporated**, 1919 Reed Street, Erie, PA 16503-2159. On December 22, 2021, the Department issued the renewal State Only Natural Minor Operating Permit for operation of the concrete batch plant located in Erie City, **Erie County**. The facility's primary emission source consists of two diesel/fuel oil-fueled boilers and the concrete mixer and cement silo. The potential emission of PM<sub>10</sub> is 66.05 TPY, and the rest of the pollutants are below major source thresholds; thus, the facility is a natural minor. The boilers are subject to 40 CFR 63 Subpart JJJJJJ, NESHAP for Boiler Area Sources. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**01-05033: Knouse Foods Cooperative, Inc.**, 800 Peach Glen-Idaville Road, Peach Glen, PA 17307. On January 3, 2022, for the Peach Glen fruit processing facility in Tyrone and Huntingdon Townships, **Adams County**. The State-Only permit was administratively amended to incorporate the requirements of Plan Approval No. 01-05033B.

*Southwest Region, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, Facilities Permitting Chief, 412.442.4336.*

**TVOP-26-00495: Gans Energy, LLC**, P.O. Box 166, 198 Butler Street, Springdale, PA 15144-0166. Administrative Amendment, issued on December 21, 2021, to change the name of the Responsible Official, Permit Contact, and correct errors in the permit. The name of the Responsible Official is now Eric Kuper. The name of the Permit Contact is now Jamille Ford. The Gans Power Station is located in Springhill Township, **Fayette County**.

**TVOP-65-00837: Eastern Gas Transmission and Storage, Inc.**, 6603 W. Broad Street, Richmond, VA 23230-1711. Administrative Amendment, issued on December 27, 2021, to change the name of the owner/operator, Responsible Official, and Permit Contact, on the permit. The name of the owner/operator is now Eastern Gas Transmission and Storage, Inc. (EGTS). The name of the responsible Official is now John M. Lamb, Vice President of Eastern Pipeline Operations. The name of the Permit Contact is now Glenn S. Boutillier, Environmental Specialist III. The Oakford Compressor Station is located in Salem Township, **Westmoreland County**.

**63-01046: MarkWest Liberty Midstream & Resources, LLC/Joe Cain Launcher/Receiver Site**, 4600 J. Barry Ct., Ste. 500, Canonsburg, PA 15317-5854. Department-initiated Administrative Amendment, issued on January 4, 2022, to correct typographical errors and incorporate minor changes for consistency with subsequent permits at similar pigging sites. Joe Cain Launcher/Receiver Site is a pipeline maintenance stand-alone facility where pigs are launched or received from the pipelines for operational and maintenance purposes, located in Smith Township, **Washington County**.

---

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

---

*Southwest Region, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, New Source Review Chief, 412.442.4168.*

**SOOP-63-00942: MarkWest Liberty Midstream & Resources, LLC**, 4600 J Barry Ct., Ste. 500, Canons-

burg, PA 15317-5854. Per 25 Pa. Code § 127.449(i), this notice is for the following de minimis emission increase at MarkWest Liberty Midstream & Resources LLC located in Independence Township, **Washington County**: installation and operation of one (1) natural gas fired emergency generator equipped with a catalyst muffler. The de minimis increases for this facility includes only this project and include the following increases: less than or equal to 0.09 tpy of CO; less than or equal to 0.01 tpy of NO<sub>x</sub>; less than 0.01 tpy of SO<sub>2</sub>; less than or equal to 0.01 tpy of PM<sub>10</sub>; less than or equal to 0.02 tpy of VOC.

**Operating Permits Denied, Terminated, Suspended or Revoked under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Northcentral Region: Air Quality Program, 208 West Third Street, Williamsport, PA 17701.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**19-00019: Dillon Floral Corp.**, 933 Columbia Blvd., Bloomsburg, PA 17815, terminated State Only Operating Permit 19-00019 on December 30, 2021 for the Bloomsburg Greenhouse located in the Town of Bloomsburg, **Columbia County**. This termination was due to the permanent shutdown of the facility's boilerhouse. The facility still retains operation of an emergency generator and miscellaneous heating sources.

**49-00042: Catawissa Wood & Components, Inc.**, 1015 W. Valley Ave., Elysburg, PA 17824, terminated State Only Operating Permit 49-00042 on December 30, 2021 for the Paxinos Plant located in Ralpho Township, **Northumberland County**. This termination was due to the shutdown of the facility.

**ACTIONS ON COAL AND NONCOAL APPLICATIONS**

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).**

*Coal Permits Issued*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EPCAMBRIA@pa.gov, (Contact: Melanie Ford-Wigfield).*

**Permit 32000108. River Hill Coal Co., Inc.**, P.O. Box 141, 48 Memorial Street, Kylertown, PA 16847, land use change from forestland to unmanaged natural habitat on a bituminous surface and auger mine in West Wheatfield Township, **Indiana County**, affecting 759.2 acres. Re-

ceiving stream(s): unnamed tributaries to/and Cone-maugh River, Richards Run and Roaring Run, classified for the following use(s): CWF. There are no potable water supply intakes within 10 miles downstream. Application received: October 7, 2021. Permit issued: December 21, 2021.

**Permit 32150101 and NPDES No. PA0279421. Amerikohl Mining, Inc.**, 202 Sunset Drive, Butler, PA 16001, renewal for reclamation only of a bituminous surface mine in West Wheatfield Township, **Indiana County**, affecting 58.4 acres. Receiving streams: unnamed tributary to/and Roaring Run to Cone-maugh River, classified for the following use: CWF. There are no potable water supply intakes within 10 miles downstream. Application received: May 18, 2021. Permit issued: December 22, 2021.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Ashley Smith).*

**Permit No. 4777SM7 and NPDES PA0257648. Warner Company c/o Waste Management**, 10376 Bullock Drive, King George, VA 22485. Permit renewal for continued treatment of acid mine drainage on a bituminous surface coal mine located in Snow Shoe Township, **Centre County**, affecting 155 acres. Receiving stream(s): Unnamed Tributary to Beech Creek classified for the following use(s): CWF, MF. Application received: May 27, 2021. Permit issued: December 23, 2021.

**Permit No. 17090107 and NPDES No. PA0257257. RES Coal, LLC**, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, permit renewal for continued operation and restoration of a bituminous surface coal and auger mine located in Goshen Township, **Clearfield County**, affecting 442.1 acres. Receiving stream(s): Chubb Run, Surveyor Run, Unnamed Tributaries to the West Branch Susquehanna River classified for the following use(s): CWF. Application received: June 9, 2021. Permit issued: December 23, 2021.

*Noncoal Permits Issued*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).*

**Permit No. 5177SM2. Twin Falls Resources, LLC**, 326 Post Hill Road, Falls, PA 18615, transfer of a quarry operation in Exeter Township, **Wyoming County**, affecting 22.4 acres. Receiving stream: Susquehanna River. Application received: July 6, 2021. Transfer issued: December 23, 2021.

**Permit No. PAM121035. Twin Falls Resources, LLC**, 326 Post Hill Road, Falls, PA 18615, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities on Surface Mining Permit No. 5177SM2 in Exeter Township, **Wyoming County**, receiving stream: Susquehanna River. Application received: July 6, 2021. Permit issued: December 23, 2021.

**Permit No. 66880302. Twin Falls Resources, LLC**, 326 Post Hill Road, Falls, PA 18615, transfer of a quarry operation in Falls Township, **Wyoming County**, affecting 24.5 acres. Receiving stream: Buttermilk Creek. Application received: July 6, 2021. Transfer issued: December 23, 2021.

**Permit No. PAM121037. Twin Falls Resources, LLC**, 326 Post Hill Road, Falls, PA 18615, coverage under the General NPDES Stormwater Permit for stormwater

discharges associated with mining activities on Surface Mining Permit No. 66880302 in Falls Township, **Wyoming County**, receiving stream: Buttermilk Creek. Application received: July 6, 2021. Permit issued: December 23, 2021.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

##### *Blasting Permits Issued*

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov, (Contact: Cayleigh Boniger).*

**20214001. Wampum Hardware Company**, 636 Paden Road, New Galilee, PA 16141, Blasting activity permit to blast at the Earnst Farms Borrow Pit located in Union Township, **Crawford County**. This blasting activity permit will expire on July 1, 2022. Permit Issued: December 3, 2021.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).*

**Permit No. 06214118. Schlouch, Inc.**, 132 Excelsior Drive, Blandon, PA 19510, construction blasting for Berks Park 183 in Bern Township, **Berks County** with an expiration date of December 14, 2022. Permit issued: December 22, 2021.

**Permit No. 15214111. M3 Explo, LLC**, P.O. Box 528, Bowmansville, PA 17507, construction blasting for Marsh Creek Phase 2 & 3 in Upper Uwchlan Township, **Chester County** with an expiration date of December 10, 2022. Permit issued: December 22, 2021.

**Permit No. 22214112. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, construction blasting for Woodland Hill Phase 4, 5 & 7 in Middletown Borough, **Dauphin County** with an expiration date of December 13, 2022. Permit issued: December 22, 2021.

**Permit No. 35214112. Explosive Services, Inc.**, 7 Pine Street, Bethany, PA 18431, construction blasting for Montage Mountain in Moosic Borough, **Lackawanna County** with an expiration date of December 12, 2022. Permit issued: December 22, 2021.

**Permit No. 36214152. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, construction blasting Penn Grant Commons West Phase I in Pequea Township, **Lancaster County** with an expiration date of December 30, 2022. Permit issued: December 22, 2021.

**Permit No. 38214114. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, construction blasting for Summer Layne in North Londonderry Township, **Lebanon County** with an expiration date of December 30, 2022. Permit issued: December 22, 2021.

**Permit No. 38214115. Keystone Blasting Service**, 15 Hopeland Road, Lititz, PA 17543, construction blasting for Jeremy Horst chicken house in Millcreek Township, **Lebanon County** with an expiration date of April 30, 2022. Permit issued: December 22, 2021.

**Permit No. 40214125. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, construction blasting for Serta in Hazle Township, **Luzerne County** with an expiration date of December 14, 2022. Permit issued: December 22, 2021.

**Permit No. 45214110. Silver Valley Drilling & Blasting, Inc.**, P.O. Box 506, Saylorburg, PA 18353, construction blasting for Moyer Shop in Hamilton Township, **Monroe County** with an expiration date of December 30, 2022. Permit issued: December 22, 2021.

**Permit No. 48214117. Holbert Explosives, Inc.**, 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, construction blasting for 4961 Floral Lane in the City of Bethlehem, **Northampton County** with an expiration date of December 7, 2022. Permit issued: December 22, 2021.

**Permit No. 48214118. Valley Rock Solutions, LLC**, P.O. Box 246, Macungie, PA 18062, construction blasting for Lafayette Hill in Forks Township, **Northampton County** with an expiration date of December 31, 2022. Permit issued: December 22, 2021.

**Permit No. 67214125. Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, construction blasting for York Avenue Healthcare in York Township, **York County** with an expiration date of December 13, 2022. Permit issued: December 22, 2021.

**Permit No. 36214151. Abel Construction Co., Inc.**, 3925 Columbia Avenue, Mountville, PA 17554, construction blasting for Traditions of American in East Hempfield Township and East Petersburg Borough, **Lancaster County** with an expiration date of December 8, 2022. Permit issued: December 27, 2021.

**Permit No. 67214124. Valley Rock Solutions, LLC**, P.O. Box 246, Macungie, PA 18062, construction blasting for Park 83 Logistics in Conewago Township, **York County** with an expiration date of December 31, 2022. Permit issued: December 27, 2021.

**Permit No. 15214112. M3 Explo, LLC**, P.O. Box 528, Bowmansville, PA 17507, construction blasting for Valley Suburban in Valley Township, **Chester County** with an expiration date of December 16, 2022. Permit issued: December 30, 2021.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay

Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Ostrum, Clerk Typist 2, 570-830-3077.*

**E4002221-002. Yatesville Borough**, 33 Pittston Avenue, Yatesville, PA 18640, Yatesville Borough, **Luzerne County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain the following water obstructions and encroachments associated with the Yatesville Borough Park Flood Control Project:

1. An outfall along the eastern bank of UNT to the Susquehanna River # 1 (CWF, MF) consisting of a 12-inch diameter HDPE stormwater pipe, concrete endwall, and R-6 riprap apron.

2. A streambank retaining device along the western bank of UNT to the Susquehanna River # 1 (CWF, MF) consisting of a 100-ft long, 15-ft wide R-6 riprap apron having 2:1 side slopes.

3. A streambank retaining device along the eastern bank of UNT to the Susquehanna River # 1 (CWF, MF) consisting of a 120-ft long, 10.5-ft high stacked block retaining wall.

4. A streambank retaining device along the western bank of UNT to the Susquehanna River # 1 (CWF, MF) consisting of a 30-ft long, 10-ft wide R-6 riprap apron having 2:1 side slopes.

5. A streambank retaining device along the western bank of UNT to the Susquehanna River # 1 (CWF, MF) consisting of a 40-ft long, 8-ft wide R-7 riprap apron having 2:1 side slopes.

6. A streambank retaining device along the southern bank of UNT to the Susquehanna River # 2 (CWF, MF) consisting of a 90-ft long, 15-ft wide R-7 riprap apron having 2:1 side slopes.

7. An outfall rehabilitation within UNT to the Susquehanna River # 2 (CWF, MF) consisting of a concrete endwall and R-6 riprap apron.

8. A streambank retaining device along the western bank of UNT to the Susquehanna River # 1 (CWF, MF) consisting of a 80-ft long, 30-ft wide R-6 riprap apron having 2:1 side slopes.

9. To remove an existing structure and to construct and maintain a stream enclosure of UNT to the Susquehanna River # 1 (CWF, MF) consisting of a 137-inch high, 87-inch wide, 154-ft long polymer-coated arch pipe, concrete headwalls, concrete wingwalls, an R-6 riprap apron on the upslope end of the enclosure and a grouted R-8 riprap apron on the downstream end of the enclosure.

10. An outfall rehabilitation within UNT to the Susquehanna River # 1 (CWF, MF) consisting of a concrete endwall and a R-6 riprap apron.

The project is located directly east of the intersection of Hale Street and Teasdale Street (Pittston, PA Quadrangle Latitude: 41° 18' 17.6", Longitude: -75° 47' 3.4") in Yatesville Borough, Luzerne County.

**E4502220-024. Tobyhanna Township**, 105 Government Center Way, Pocono Pines, PA 18350. Tobyhanna Township, **Monroe County**, Army Corps of Engineers Philadelphia District.

To construct and maintain several road improvements near the I-380/SR940 interchange for the purpose of improving safety and traffic flow. The road improvements will permanently impact 0.62 acre of EV wetlands. To compensate for the permanent wetland impacts, the applicant will mitigate in a 2:1 ratio, providing 1.31 acres of new wetlands offsite. The wetland mitigation site is located approximately 2.5 miles southwest of the project site along Tamaqua Lake Road. The project is located on the west side of the I-380/SR940 interchange (Pocono Pines, PA Quadrangle Latitude: 41° 6' 27", Longitude: -75° 24' 6") in Tobyhanna Township, Monroe County.

**E5402219-004. Dennis Nolt**, 105 Turkey Farm Road, Pine Grove, PA 17963, Washington Township, **Schuylkill County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain the following water obstructions and encroachments associated with proposed improvements to an existing commercial agricultural operation located on Turkey Farm Road:

1. To remove an existing structure and to construct and maintain a stream crossing of the Upper Little Swatara Creek (CWF, MF) consisting of a 20-foot wide, 16-foot span pre-tensioned concrete bridge having abutments comprised of concrete block retaining walls. This activity will permanently impact 0.038 acre of PFO Wetlands.

2. To construct a wetland crossing consisting of a 30-foot wide gravel access road. This activity will permanently impact 0.057 acre of PEM/PFO Wetlands (Other).

This project will provide 0.1 acre of wetland mitigation.

The project is located 0.3 mile north of the intersection of Turkey Farm Road (T-556) and Sweet Arrow Lake Road (S.R. 3002) (Swatara Hill, PA Quadrangle Latitude: 40° 35' 39", Longitude: -76° 18' 42") in Washington Township, Schuylkill County.

**E3902220-031. West Hills (Hillwood) Partners, LP**, 5050 W. Tilghman Street, Suite 435, Allentown, PA 18104. Weisenberg Township, **Lehigh County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a stream restoration project with dam removal in a 517-foot reach of a UNT to Lyon Creek (HQ-CWF, MF) using natural stream channel design techniques to create a natural stream corridor. Work will include re-grading of the channel, re-grading floodplain, establishment of riparian buffers, and the placement of in-stream structures including random boulder placement, rock cross vanes, live stake plantings and constructed riffles. The project is located on the right of Seipstown Road approximately 0.2 mile after the intersection with Golden Key Road (Topton, PA Quadrangle Latitude: 40° 35' 12", Longitude: -75° 42' 18") in the Weisenberg Township, Lehigh County.

*Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101, Email: RA-EPREGIONAL PERMIT@pa.gov.*

**E0283220-037. Pennsylvania Turnpike Commission**, 700 S. Eisenhower Blvd, Middletown, PA 17057. West Mifflin Borough and the City of Duquesne, **Allegheny County**, U.S. Army Corps of Engineers, Pittsburgh District.

To construct and maintain the following water obstructions and encroachments associated with the Mon/Fayette Expressway PA Rt 51 to I-376, Section 53C2:

1. To excavate 435 square feet of a tributary to Monongahela River (WWF) to construct and maintain a ditch that will flow into a 48" pipe. (MON-1-S31-2, Lat. 40.3835439°, Long. -79.8709109°)

2. To excavate 798 square feet of a tributary to Monongahela River (WWF) for stabilization of the stream channel and extension and replacement of an existing pipe. (MON-1-S31-7, Lat. 40.3826274°, Long. -79.8696278°)

3. To replace and relocate 856 linear feet of an existing 30-inch RCP stream enclosure with a 48-inch stream enclosure and extending the stream enclosure an additional 56 linear feet impacting 3,319 square feet of a tributary to Monongahela River (WWF). (MON-1-S31-8, Lat. 40.3824675°, Long. -79.8677576°)

4. To excavate and fill 1,250 square feet of a tributary to Monongahela River (WWF) for roadway construction. (MON-1-S32-1, Lat. 40.3824949°, Long. -79.8715343°)

5. To excavate and fill 1,245 square feet of a tributary to Monongahela River (WWF) for roadway and basin construction. (MON-1-S32-2, Lat. 40.3823278°, Long. -79.8702612°)

6. To fill 287 square feet of a tributary to Monongahela River (WWF) and to remove 191 linear feet of 18-inch RCP. (MON-1-S32-3, Lat. 40.3822789°, Long. -79.8694621°)

7. To fill 1,785 square feet of a tributary to Monongahela River (WWF) for road construction. (MON-1-S206-1, Lat. 40.3819228°, Long. -79.86852°)

8. To fill 237 square feet of a tributary to Monongahela River (WWF) for road construction. (MON-1-S207-1, Lat. 40.3819228°, Long. -79.86852°)

9. To fill 810 square feet of a tributary to Monongahela River (WWF) for roadway construction. (MON-1-S207-2, Lat. 40.3820767°, Long. -79.8686409°)

10. To excavate 180 square feet of a tributary to Monongahela River (WWF) to relocate and stabilize the channel. (MON-1-S209-2, Lat. 40.3833258°, Long. -79.8661448°)

11. To replace and relocate an existing 280 LF, 24-inch CMP stream enclosure with a 1,622 linear feet of various

size CMP impacting 3,756 square feet of a tributary to Monongahela River (WWF) for roadway construction. (MON-1-S30-3, Lat. 40.3802897°, Long. -79.866293°)

12. To place and maintain a 36-inch pipe for a stormwater basin in a PEM wetland within the Monongahela River water shed (WWF), resulting in 0.012 acre of permanent wetland impact. (MON-1-W300-1, Lat. 40.3820915°, Long. -79.8641017°)

In total the project will result in 442 linear feet (0.04 acre) of temporary and 3,877 linear feet (0.32 acre) permanent stream impact, 1.22 acres of temporary and 2.85 acres of permanent floodway impact, and 0.012 acre of permanent wetland impact.

The permittee is required to provide compensatory stream mitigation through the purchase of 159 stream credits from the Laurel Hill Creek Mitigation Bank (DEP permit No. MB990556-0001) located in Jefferson Township, **Somerset County**. (Lat. 40.024776°, Long. -79.182315°).

The project begins west of the intersection of SR 2044, Greensprings Avenue and Homeville Road and continues until the intersection of SR 2044 and Duquesne Place Drive (Braddock, PA Quadrangle Latitude: 40.379444°; Longitude: -79.853611°) in West Mifflin Borough and the City of Duquesne, **Allegheny County**.

#### ENVIRONMENTAL ASSESSMENTS

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**EA0703221-001. US Fish and Wildlife Service**, 110 Radnor Road, Suite 101, State College, PA 16801-7987, Freedom Township, **Blair County**, U.S. Army Corps of Engineers, Baltimore District.

To construct and maintain a stream restoration project realigning approximately 2,400 linear feet of Frankstown Branch Juniata River. Project includes installation of 9 log vane structures, 270-foot mudd sill cribbing stabilization and channel blocks to restore the stream alignment to historic location and dimension and stabilize channel, (WWF, MF).

The project is located near 120 Standish Lane, approximately 0.4-mile East of intersection with Dunnings Highway. (Hollidaysburg, PA Quadrangle, Latitude: 40.374932; Longitude: -78.426349) in Freedom Township, Blair County.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This

paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

ESCGP-3 # ESG295921006-00  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre PA 18840-1567  
 County Tioga  
 Township(s) Osceola  
 Receiving Stream(s) and Classification(s) Camp Brook (WWF, MF)  
 Secondary: UNT Camp Brook (WWF, MF)

ESCGP-3 # ESG295721008-00  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre PA 18840  
 County Sullivan  
 Township(s) Colley  
 Receiving Stream(s) and Classification(s) UNT 1 North Branch Mehoopany Creek (S-JKL-056) (CWF, MF), UNT 2 North Branch Mehoopany Creek (CWF, MF)  
 Secondary: North Branch Mehoopany Creek (CWF, MF)

ESCGP-3 # ESG290821062-00  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre PA 18840  
 County Bradford  
 Township(s) Ulster  
 Receiving Stream(s) and Classification(s) UNT Cash Creek (WWF, MF), Cash Creek (WWF, MF)  
 Secondary: Susquehanna River (WWF, MF)

ESCGP-3 # ESG290821069-00  
 Applicant Name Chesapeake Appalachia, LLC  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre PA 18840  
 County Bradford  
 Township(s) Wyalusing  
 Receiving Stream(s) and Classification(s) UNT Wyalusing Creek (WWF, MF), UNT Susquehanna River (CWF)  
 Secondary: Wyalusing Creek (WWF, MF), Susquehanna River (CWF)

## **CORRECTIVE ACTION UNDER ACT 32, 1989**

### **PREAMBLE 2**

---

**The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**7 Eleven 40200**, 51-30599, 2601 Penrose Ave., Philadelphia, PA 19145, **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential site-specific standards.

**Bennett Park Gulf Sta**, 51-44941, 11600 Roosevelt Blvd., Philadelphia, PA 19116, **City of Philadelphia**. Environmental Maintenance Company, 1420 E. Mermaid Lane, Glenside, PA 19038, on behalf Bennet Park Gulf Station, 11600 Roosevelt Blvd., Philadelphia, PA 19116 submitted a Remedial Action Completion Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet residential Statewide health standards.

**Sunoco 0004 7522**, 23-30279, 1491 N. Providence Road, Media, PA 19063, Upper Providence Township, **Delaware County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Completion Report concerning remediation of soil

and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Quinn's Café Stop**, Storage Tank ID # 35-20617, 224 Main Street, Archbald, PA 184403, Archbald Borough, **Lackawanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of DK & DK, LLC, 224 Main Street, Archbald, PA 18403, submitted a revised Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document remediation of the site to meet Statewide health standards.

**7-Eleven 21110**, Storage Tank ID # 39-24558, 1146 Chestnut Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**, AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221-0711, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

**Convenient Food Mart**, Storage Tank ID # 40-08918, 340 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Reliance Environmental, 235 N. Duke Street, Lancaster, PA 17602, on behalf of CDG 320 Inc., 304 North Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, submitted a revised, combined Site Characterization Report and Remedial Action Plan concerning remediation of soil contaminated with gasoline. The report is intended to document remediation of the site to meet a combination of site-specific and Statewide health standards.

**Friendly Food Mart**, Storage Tank ID # 48-40201, 4619 West Mountain View Drive, Walnutport, PA 18088, Lehigh Township, **Northampton County**, MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Bharat Shah, 3749 Ranees Street, Easton, PA 18045, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document remediation of the site to meet Statewide health standards.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.*

*Contact: Randy Farmerie, Environmental Program Manager.*

**Dushore Agway Facility**, Storage Tank Facility ID # 57-26264, 112 Headley Avenue, Dushore, PA 18614, Dushore Borough, **Sullivan County**. Gary C. Calvert, LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of Dushore Agway, 112 Headley Avenue, Dushore, PA 18614, submitted an Amended Site Characterization Report & Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting the site-specific standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989 PREAMBLE 3

**The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Granite Run Sunoco**, 23-30269, 1157 W. Baltimore Pike, Media, PA 19063, Middletown Township, **Delaware County**. Aquaterra Technologies, Inc., P.O. Box 744, West Chester, PA 19381, on behalf of Sunoco, LLC, c/o Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and used motor oil. The Remedial Action Completion Report demonstrated attainment of site-specific standards and was approved by DEP on December 15, 2021.

**Greyhound Aramingo Petro**, 51-30272, 2750 Aramingo Avenue, Philadelphia, PA 19134, **City of Philadelphia**. Aquaterra Technologies, Inc., 901 S. Bolmar Street, Suite A, West Chester, PA 19382, on behalf of

Greyhound Aramingo Petroleum, 290 Bilmar Drive, Pittsburgh, PA 15205 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet residential Statewide health standards and was approved by DEP on December 20, 2021.

**Blairs Auto**, 15-42616, 3575 Schuylkill Road, Spring City, PA 19475, East Vincent Township, **Chester County**. Converse Consultants, 2738 West College Ave, State College, PA 16801, on behalf of Stephanie Fanfera, 110 Millstone Court, Royersford, PA 19468, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet residential Statewide health and site-specific standards and was approved by DEP on December 20, 2021.

**Amer Auto Wash**, 51-27103, 7885 Oxford Avenue, Philadelphia, PA 19111, **City of Philadelphia**. Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19046, on behalf of Fox Chase Holdings Company, 7539 Haverford Ave, Philadelphia, PA 19151 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of non-residential Statewide health and site-specific standards and was approved by DEP on December 21, 2021.

**Newtown Square Amoco**, 23-09154, 3608 West Chester Pike, Newtown Square, PA 19057, Newtown Township, **Delaware County**. Alpha Geoscience, 679 Plank Road, Clifton Park, NY 12065, on behalf of 3608 Newtown Square Inc., 4 Troon Court, Moorestown, New Jersey 08057, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The Remedial Action Plan was acceptable to meet residential Statewide health and site-specific standards and was approved by DEP on December 21, 2021.

**7 Eleven 24569**, 51-24574, 4701 Mascher Avenue, Philadelphia, PA 19140, **City of Philadelphia**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428, on behalf of 7-Eleven, Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with Unleaded Gasoline & Waste Oil & Dissolved Lead. The Remedial Action Completion Report demonstrated attainment of non-residential Statewide health standards and was approved by DEP on December 21, 2021.

**USA 41 Fuel Stop**, 15-45034, 1803 Baltimore Pike, Avondale, PA 19311, Avondale Borough, **Chester County**. Geo-Enviro Consulting & Remediation, LLC, 371 Hoes Lane, Suite 200, Piscataway, NJ 08854, on behalf of Maruti 123, LLC, US 41 Fuel Station, 1803 Baltimore Pike, Avondale, PA 19311, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with kerosene. The Remedial Action Completion Report demonstrated attainment of non-residential Statewide health standards and was approved by DEP on January 3, 2022.

**US Capital Investments 6**, 51-55064, 512 W. Montgomery Avenue, Philadelphia, PA 19146, **City of Philadelphia**. Environmental Maintenance Company, 1420 E. Mermaid Lane, Glenside, PA 19038, on behalf of the US Capital Investments, Inc. 2301 Washington Avenue, Suite 111, Philadelphia, PA 19146, submitted a Remedial Action

Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and heating oil. The Remedial Action Completion Report did not demonstrate attainment of non-residential Statewide health standards and was approved by DEP on January 4, 2022.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.*

*Contact: Kim Bontrager, Clerk Typist 3.*

**Vista Metals**, Storage Tank Facility ID # 03-81084, 189 Noltz Drive, Kittanning, PA 16201, East Franklin Township, **Armstrong County**. Cribbs and Associates, Inc., P.O. Box 44, Delmont, PA 15626 on behalf of Vista Metals, Inc., 1024 East Smithfield Street, McKeesport, PA 15135, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with heptane. The combined Remedial Action Plan and Remedial Action Completion Report demonstrated attainment of the site-specific standard and was approved by DEP on December 28, 2021.

**Butler Citgo**, Storage Tank Facility ID #10-90049, 125 Pittsburgh Road, Butler, PA 16001-3259, Butler Township, **Butler County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Marks, Inc., P.O. Box 15575, Pittsburgh, PA 15244, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, naphthalene, cumene, total xylenes, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene and methyl tert-butyl ether. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on January 3, 2022.

[Pa.B. Doc. No. 22-85. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Application for Reimbursement for Certified Host Municipality Inspectors under Act 101 (Section 1102), the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988, and Act 108 (Section 304), the Hazardous Sites Cleanup Act of 1988

The Department of Environmental Protection (Department) announces the submission deadline for 2021 Host Municipality Inspector Program (Program) reimbursement applications. Reimbursements are available to municipalities under the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. §§ 4000.101—4000.1904) and the Hazardous Sites Cleanup Act (Act 108) (35 P.S. §§ 6020.101—6020.1305). Municipalities include cities, boroughs, incorporated towns, townships and home rule municipalities.

Reimbursements are allocated from the Recycling Fund authorized under Act 101 for municipal waste facilities, or from the Hazardous Sites Cleanup Fund under Act 108 for hazardous waste facilities. Reimbursements are available to any municipality that has a municipal waste landfill, resource recovery facility, or commercial hazardous waste storage, treatment and disposal facility located



within its geographic borders. Upon application from any host municipality, the Department shall award reimbursements for authorized costs incurred for the salary and expenses of up to two certified Host Municipality Inspectors. The reimbursement shall not exceed 50% of the approved costs of salaries and expenses. Reimbursement is available only for Host Municipality Inspectors trained and certified by the Department.

The application for reimbursement contains tables for specifying the itemized expenses for certified inspectors and for calculating the total reimbursement request. Complete instructions are included with the application.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us). Applications must be received prior to 11:59 p.m. on Thursday, March 31, 2022. Applications received after the deadline or through another delivery method will not be considered.

Questions regarding the Program should be directed to Allen Bardar, Bureau of Waste Management, at [abardar@pa.gov](mailto:abardar@pa.gov) or (717) 787-2553. Additional information is also available on the Department's web site at [www.dep.pa.gov](http://www.dep.pa.gov) (search term: "Host Municipality Inspector").

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 22-86. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Bid Opportunity

**OOGM 21-1, Cleaning Out and Plugging Seven Orphan Oil and Gas Wells, Mead Township, Warren County.** The principal items of work and approximate quantities include: clean out and plug seven orphan oil and gas wells, estimated to be up to 2,000 feet in depth, to Department of Environmental Protection (Department) specifications; prepare and restore well sites; and mobilize and demobilize plugging equipment.

This bid issues on January 7, 2022, and bids will be opened on February 10, 2022, at 2 p.m. Bid documents may be downloaded for free beginning on the issue date from the Department by going to [www.BidExpress.com](http://www.BidExpress.com). A mandatory prebid conference is scheduled for January 20, 2022, at 9 a.m. at Chapman State Park, 4790 Chapman Dam Road, Clarendon, PA 16313-2830, 5 miles southwest of Clarendon, PA. Parking Lot and/or Pavilion 1 (just past the spillway). Failure to attend the prebid conference will be cause for rejection of the bid. Contact the Construction Contracts Section at (717) 787-7820 or [RA-ConstructionContr@pa.gov](mailto:RA-ConstructionContr@pa.gov) for more information on this bid. Note this is a Small Construction Business Program bid opportunity.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 22-87. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Draft 2022 Integrated Water Quality Monitoring and Assessment Report; Available for Public Comment

The Department of Environmental Protection (Department) is providing for public comment its draft 2022 Integrated Water Quality Monitoring and Assessment Report (Integrated Report). The Integrated Report includes both a narrative description of the Commonwealth's water quality status and management programs (formerly the Federal Clean Water Act section 305(b) Report) and waterbody-specific lists depicting the status of Commonwealth surface waters as required by section 303(d) of the Federal Clean Water Act (33 U.S.C.A. § 1313(d)).

Section 303(d) of the Federal Clean Water Act and 40 CFR Part 130 (relating to water quality planning and management) require states to identify waters which do not meet applicable water quality standards, even after the appropriate pollution control technology has been applied to point sources and required best management practices are in place for nonpoint sources. The Integrated Report establishes five categories for listing waterbodies. Waterbodies that do not meet water quality standards and require a Total Maximum Daily Load (TMDL) are placed on Category 5 of the Integrated Report waterbody list.

In addition to comments of a general nature on the Integrated Report, the Department is seeking comment on the waters listed as high priorities for TMDL development and the waters selected to be restored through alternatives to TMDLs (Category 5alt). The draft 2022 Integrated Report continues the new digital and fully interactive format and will be accessible online through the Department's eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) beginning January 15, 2022.

The Department will accept comments on the draft Integrated Report through Tuesday, March 1, 2022. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can also be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Draft 2022 Integrated Report" as the subject line in written communication.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Water Quality Division at (717) 787-9637 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TTD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 22-88. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Public Notice of Draft Base General Permit for Short Duration Processing and Beneficial Use of Oil and Gas Liquid Waste (WMGR163)

The Department of Environmental Protection (Department) is proposing a new base General Permit No. WMGR163 (WMGR163) under the authority of the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003) and the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904). WMGR163 would authorize the short duration processing, transfer and beneficial use of oil and gas liquid waste to develop or hydraulically fracture an oil or gas well.

The creation of this general permit is a result of legislation (House Bill 336) that became law (Act 70) on July 9, 2021. The language in Act 70 requires the Department, by July 1, 2022, to submit to the Legislative Reference Bureau, for final publication in the *Pennsylvania Bulletin*, a general permit under 25 Pa. Code § 287.643 (relating to registration) for use for the transfer, storage or processing of oil and gas liquid waste at temporary facilities which will be in operation for no more than 180 consecutive days at any one time.

#### Written Comments

Interested persons are invited to submit written comments on this draft general permit through Tuesday, March 15, 2022. Comments submitted by facsimile will not be accepted. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Draft General Permit WMGR163" as the subject line in written communication.

Questions regarding the draft general permit should be directed to Chris Solloway, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170, [csolloway@pa.gov](mailto:csolloway@pa.gov) or (717) 787-7381. Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Chris Solloway at (717) 787-7381 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

PATRICK McDONNELL,  
*Secretary*

[Pa.B. Doc. No. 22-89. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 51 and 551—571 (relating to general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Community Surgery and Laser Center, LLC	28 Pa. Code § 553.31(a) and (b) (relating to administrative responsibilities)
Hazleton Surgery Center, LLC	28 Pa. Code § 551.21(d)(1) (relating to criteria for ambulatory surgery)
West Shore Endoscopy Center, LLC	28 Pa. Code § 553.31(a) and (b)

The following ASFs have filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (*FGI Guidelines*). The following list includes the citation to the section of the *FGI Guidelines* for which the hospital is seeking an exception and the year of publication.

<i>Facility Name</i>	<i>Guidelines Section and Relating to</i>	<i>Yr<sup>1</sup></i>
Hazleton Surgery Center, LLC	A2.1-3.2.3.2 space requirements	18-O
Pain Center of Wyoming Valley, LLC	A2.1-3.2.3.2 space requirements	18-O

<sup>1</sup> 2018 Year FGI Regulations were split into 2 books; *Hospitals*, and *Outpatient Facilities* as indicated by "-O."

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov). Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

KEARA KLINEPETER, MSHCPM,  
Acting Secretary

[Pa.B. Doc. No. 22-90. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV, Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from December 1, 2021, through December 31, 2021. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

#### Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Berks Center for Digestive Health, LP	§ 553.31(a) and (b) (relating to administrative responsibilities)	12/02/2021	Granted w/Conditions
Children's Dental Surgery	§ 571.1 (relating to minimum standards) 2.7-3.5.8.7(1)—(3) clinical sink	12/02/2021	Granted
Muve Chadds Ford Ambulatory Surgical Center	§ 551.21(d)(1) (relating to criteria for ambulatory surgery)	12/07/2021	Granted Probationary w/Conditions
Nemours Children's Hospital, Surgery Center, Bryn Mawr	§ 553.31(a) and (b)	12/03/2021	Granted w/Conditions
Pottstown Ambulatory Center, LLC	§ 553.31(a) and (b)	12/02/2021	Granted w/Conditions

#### Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Clarion Hospital	§ 107.61 (relating to written orders)	12/02/2021	Granted w/Conditions
Geisinger—Lewistown Hospital	§ 107.64 (relating to administration of drugs)	12/02/2021	Granted w/Conditions
Geisinger Medical Center	§ 153.1(a) (relating to minimum standards) 2.2-3.4.7.1(2) general	12/03/2021	Granted
Geisinger Medical Center Muncy	§ 107.26(b)(8) (relating to additional committees)	11/04/2021	Granted w/Conditions
Magee Rehabilitation Hospital	§ 109.2(b) (relating to director of nursing services)	12/03/2021	Granted w/Conditions
Roxborough Memorial Hospital	§ 107.61	12/03/2021	Granted w/Conditions
Saint Luke's Hospital—Anderson Campus	§ 138.18(b) (relating to EPS studies)	12/03/2021	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Saint Luke's Hospital of Bethlehem, Pennsylvania	§ 138.18(b)	12/03/2021	Granted w/Conditions
Saint Luke's Hospital—Carbon Campus	§ 107.2 (relating to medical staff membership)	12/03/2021	Granted w/Conditions
	§ 107.61	12/03/2021	Granted w/Conditions
	§ 107.62(a) and (b) (relating to oral orders)	12/03/2021	Granted w/Conditions
	§ 127.32 (relating to written orders)	12/03/2021	Granted w/Conditions
	§ 138.18(b)	12/03/2021	Granted w/Conditions
Saint Luke's Hospital—Monroe Campus	§ 138.18(b)	12/03/2021	Granted w/Conditions
UPMC Presbyterian Shadyside	§ 153.1(a) 2.1-2.4.3.1(2)(a) general	12/07/2021	Granted
	§ 153.1(a) 2.5-2.2.2.6(1) patient toilet room	12/07/2021	Granted
Wellspan Gettysburg Hospital	§ 143.4 (relating to medical appraisal of a podiatric patient)	12/03/2021	Granted w/Conditions
	§ 143.5 (relating to medical supervision of podiatric patients)	12/03/2021	Granted w/Conditions
	§ 153.1(a) 2.1-3.4.1.4(1) and (2) number of patient care stations	12/03/2021	Granted
	§ 153.1(a) 2.2-3.4.8.15(1)—(3) pre- and post-procedure patient care area	12/03/2021	Granted

#### Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Allied Services Meade Street Skilled Nursing	§ 205.38(b) (relating to toilet facilities)	12/06/2021	Granted
Bloomsburg Care and Rehabilitation Center	§ 205.36(h) (relating to bathing facilities)	12/13/2021	Granted
Landis Homes	§ 201.22(j) (relating to prevention, control and surveillance of tuberculosis (TB))	12/06/2021	Granted
Moravian Manor	§ 205.6(a) (relating to function of building)	12/06/2021	Granted
Rydal Park of Philadelphia Presbytery Homes, Inc.	§ 205.67(j) and (k) (relating to electric requirements for existing and new construction)	12/13/2021	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

KEARA KLINEPETER, MSHCPM,  
Acting Secretary

[Pa.B. Doc. No. 22-91. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Geisinger Jersey Shore Hospital	28 Pa. Code § 109.2(b) (relating to director of nursing services)
Moses Taylor Hospital	28 Pa. Code § 107.12(5) (relating to content of bylaws, rules and regulations)
	28 Pa. Code § 107.61 (relating to written orders)
Penn State Health Holy Spirit Medical Center	28 Pa. Code § 109.2(b)
Wellspring York Hospital	28 Pa. Code § 109.4 (relating to professional nursing staff)
	28 Pa. Code § 113.13 (relating to cabinets)
	28 Pa. Code § 133.6(b)(1) (relating to special care unit nursing service)
	28 Pa. Code § 151.12 (relating to fire warning and safety systems)
	28 Pa. Code § 151.13 (relating to testing fire warning systems)
	28 Pa. Code § 151.45 (relating to electrical safety)
	28 Pa. Code § 151.46(1) (relating to general safety precautions)
	28 Pa. Code § 151.47(1) (relating to safety devices)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr<sup>1</sup></i>
Abington Hospital	2.2-3.4.2.2(a) space requirements	18
ACMH Hospital	2.1-3.2.3.2(c) space requirements	18-O
Albert Einstein Medical Center	2.2-3.1.3.6(2)(a) treatment room or area	18
Lankenau Medical Center	2.1-4.3.2.2 sinks	18
	2.1-4.3.2.3 food preparation surfaces	18
	2.1-4.3.2.4(1)—(3) equipment	18
	2.1-4.3.2.5 hand-washing stations	18
	2.1-4.3.3.1 assembly and distribution facilities	18
	2.1-4.3.3.2) and (3) assembly and distribution facilities	18
	2.1-4.3.4.1 warewashing facilities	18
	2.1-4.3.4.3 pot- and pan-washing facilities	18
	2.1-4.3.4.4 hand-washing station	18
	2.1-4.3.8.4 office	18
	2.1-4.3.8.14(1)—(3) environmental services room	18
	2.1-4.3.8.16 trash storage	18
Mount Nittany Medical Center	2.1-8.2 heating, ventilation, and air-conditioning (HVAC) systems	18
	2.2-3.3.3.5(2) other design requirements	18
	2.2-3.3.7.1 support areas directly accessible to the semi-restricted area	18
	2.2-3.3.7.12(1)(b) soiled workroom or soiled holding room	18
West Penn Hospital	2.1-2.8.7.1 hand-washing station	18
	2.1-3.4.2.5 hand-washing stations	18

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

KEARA KLINEPETER, MSHCPM,  
*Acting Secretary*

[Pa.B. Doc. No. 22-92. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Infant Hearing Screening Advisory Committee Virtual Public Meeting

The Infant Hearing Screening Advisory Committee established under the Infant Hearing, Education, Assessment, Reporting and Referral (IHEARR) Act (11 P.S. §§ 876-1—876-9), will hold a virtual public meeting on Thursday, January 20, 2022. The virtual public meeting will be held by means of Microsoft Teams from 1 p.m. until 3 p.m. The virtual public meeting can be accessed by logging on electronically through Microsoft Teams at the following web address. Individuals may also participate by phone by calling (267) 332-8737 and entering conference ID 657049219#. Additionally, a physical meeting space will also be provided; contact Mark Beall using the following contact information in advance of the meeting if individuals would like to attend in person. Agenda items will include reports by the Cytomegalovirus and Audiology subcommittees, an assessment of audiology training currently in development and a review of upcoming program activities.

For additional information or for persons with a disability who wish to attend the virtual public meeting and require auxiliary aid, service or other accommodation to do so, contact Mark Beall, Program Administrator, Division of Newborn Screening and Genetics, (717) 783-8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

The web address for the Teams Meeting is [https://teams.microsoft.com/l/meetup-join/19:meeting\\_OGJhNWUyMzMtMTk3NC00MjhmLWIwYWYtZGRmODBhZjcyODI5thread.v2/0?context={\"Tid\": \"418e2841-0128-4dd5-9b6c-47fc5a9a1bde\", \"Oid\": \"a1f4fb12-9c8c-4b8e-8331-8d2e9559f28c\"}](https://teams.microsoft.com/l/meetup-join/19:meeting_OGJhNWUyMzMtMTk3NC00MjhmLWIwYWYtZGRmODBhZjcyODI5thread.v2/0?context={\).

This virtual public meeting is subject to cancellation without notice.

KEARA KLINEPETER, MSHCPM,  
*Acting Secretary*

[Pa.B. Doc. No. 22-93. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.17 (relating to location):

Silvercare Subacute Care Facility  
2600 West 9th Street, Unit A  
Chester, PA 19013  
(Pending New Nursing Care Facility)

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

River Run Healthcare and Rehabilitation Center  
615 Wyoming Avenue  
Kingston, PA 18704  
FAC ID # 381402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.6(a) (relating to function of building):

Silvercare Subacute Care Facility  
2600 West 9th Street, Unit A  
Chester, PA 19013  
(Pending New Nursing Care Facility)

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 205.67(j) and (k) (relating to electric requirements for existing and new construction):

Landis Homes  
101 East Oregon Road  
Lititz, PA 17543-9206  
FAC ID # 120602

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address listed.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

KEARA KLINEPETER, MSHCPM,  
*Acting Secretary*

[Pa.B. Doc. No. 22-94. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Pennsylvania Rural Health Redesign Center Authority Board Virtual Meeting

The Pennsylvania Rural Health Redesign Center Authority Board (Board), established under section 302 of the Pennsylvania Rural Health Redesign Center Authority Act (35 P.S. § 449.132), will hold its next virtual meeting on Tuesday, January 18, 2022, from 10 a.m. to 12 p.m. The meeting will be held by means of Microsoft Teams at [bit.ly/RHRCA-Board](https://bit.ly/RHRCA-Board).

The virtual meeting can also be joined using the following call-in information: toll number: (267) 332-8737; conference ID: 117 103 886#.

The Board is charged with administering the Pennsylvania Rural Health Model (Model) which aims to protect the financial viability of rural hospitals in this Commonwealth through transitioning them from a traditional

fee-for-service model to a global budget payment model. The virtual meeting will provide updates on a variety of topics including Model status updates, Federal grant deliverables, global budget methodology and more. It will also discuss current and upcoming activities.

For additional information or for persons with a disability who wish to attend the virtual meeting and require an auxiliary aid, service or other accommodation to do so, contact Denise Williams, (717) 547-3162, [deniswilli@pa.gov](mailto:deniswilli@pa.gov). For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This virtual meeting is subject to cancellation without notice.

KEARA KLINEPETER, MSHCPM,  
*Acting Secretary*

[Pa.B. Doc. No. 22-95. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Administration of Booster Dose of SARS-CoV-2 Vaccines and Third Dose of the Moderna, Inc. SARS-CoV-2 Vaccine

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following procedure codes to the Medical Assistance (MA) Program Fee Schedule for the administration of a booster dose of the novel coronavirus (SARS-CoV-2) vaccines manufactured by Pfizer, Inc., Janssen Biotech, Inc. and Moderna, Inc. The effective dates and MA Fee for the codes are indicated as follows.

<i>Vaccine Manufacturer</i>	<i>Procedure Code</i>	<i>Description</i>	<i>Effective Date</i>	<i>MA Fee</i>
Pfizer, Inc.	0004A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 30 mcg/0.3 mL dosage, diluent reconstituted; booster dose	9/22/21	\$40
Janssen Biotech, Inc.	0034A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, DNA, spike protein, adenovirus type 26 (Ad26) vector, preservative free, 5×10 <sup>10</sup> viral particles/0.5 mL dosage; booster dose	10/20/21	\$40
Moderna, Inc.	0064A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.25 mL dosage, booster dose	10/20/21	\$40

The MA Program Fee Schedule has been updated with the new Current Procedural Terminology (CPT) code to allow for payment of the administration of a booster dose of the SARS-CoV-2 vaccines manufactured by Pfizer, Inc., Janssen Biotech, Inc. and Moderna, Inc.

The Department issued an MA Bulletin to enrolled providers to advise them of the addition of the CPT codes for the administration of a booster dose of the SARS-CoV-2 vaccines manufactured by Pfizer, Inc., Janssen Biotech, Inc. and Moderna, Inc. to the MA Program Fee Schedule.

In addition, this notice corrects a typographical error that appeared in the public notice, "Updates to Medical Assistance Program Fee Schedule for Administration of a Third Dose of SARS-CoV-2 Vaccines Manufactured by Pfizer, Inc. and Moderna Inc.," published at 51 Pa.B. 6226 (September 25, 2021). The procedure code for the third dose of the Moderna, Inc. SARS-CoV-2 vaccine is 0013A, as is reflected in the MA Program Fee Schedule.

#### *Fiscal Impact*

The estimated fiscal impact of the addition of the CPT code for the administration of a booster dose of the SARS-CoV-2 vaccines for Fiscal Year 2021-2022 is \$33.770 million for managed care and \$3.463 million for Fee-for-Service.

*Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1482. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-96. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities; Medical Assistance Day One Incentive Payments to Nonpublic Nursing Facilities for Fiscal Year 2021-2022

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make Medical Assistance Day One Incentive (MDOI) payments to qualified nonpublic nursing facilities for Fiscal Year (FY) 2021-2022. The MDOI payments to nonpublic nursing facilities will provide incentives to nonpublic nursing facilities to provide services to individuals who are Medical Assistance (MA) eligible on the day of admission. The MDOI payments are intended to encourage nonpublic nursing facilities to increase access to care for the poor and indigent citizens of this Commonwealth.

#### *Nonpublic Medical Assistance Day One Incentive Payments*

The Department will use the Total Pennsylvania Medical Assistance (PA MA) days and Total Resident Days as reported by nonpublic nursing facilities under Article VIII-A of the Human Services Code (62 P.S. §§ 801-A—815-A), regarding nursing facility assessments, to determine eligibility and calculate payments.

To qualify for MDOI payments, the nursing facility must be a nonpublic nursing facility for the full Resident Day quarters ended December 31, 2019, and March 31, 2020, and have submitted the required resident day reports for those quarters. In addition, the nonpublic nursing facility shall have an overall occupancy rate of at least 85% and an MA occupancy rate of at least 65% during the applicable Resident Day quarter. A nursing facility's overall occupancy rate for these payments will be determined as follows: Overall occupancy rate = (Total Resident Days ÷ (licensed bed capacity at the end of the quarter × the number of calendar days in the quarter)). A nursing facility's MA occupancy rate for these payments will be determined as follows: MA occupancy rate = Total PA MA days ÷ Total Resident Days.

For qualifying nursing facilities in the southwest Community HealthChoices (CHC) zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2021, for the July 1, 2017—September 30, 2017, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2022, for the October 1, 2017—

December 31, 2017, Resident Day Quarter for the second payment. For qualifying nursing facilities in the southeast CHC zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2021, for the July 1, 2018—September 30, 2018, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2022, for the October 1, 2018—December 31, 2018, Resident Day Quarter for the second payment. For qualifying nursing facilities in the Lehigh/Capital, northwest and northeast CHC zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2021, for the July 1, 2019—September 30, 2019, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2022, for the October 1, 2019—December 31, 2019, Resident Day Quarter for the second payment. The Department will calculate each qualified nonpublic nursing facility's MDOI payments based on the following formula:

(i) A MDOI per diem for each of the two MDOI payments will be 1/2 of the total funds appropriated for the fiscal year divided by the Total PA MA days as reported by all qualifying nursing facilities for the applicable Resident Day Quarter.

(ii) Each MDOI per diem will then be multiplied by each qualified nursing facility's Total PA MA days, as reported, for the applicable Resident Day Quarter to determine its MDOI payment.

(iii) The State funds allocated for FY 2021-2022 are \$16 million.

The Department will not retroactively revise an MDOI payment amount based on a nursing facility's late submission or revision of its report related to the previously listed dates. The Department may recoup payments based on an audit of a nursing facility's report.

The Department will submit a Medicaid State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS), which is a condition for the availability of the payment. If CMS approves the SPA, the Department will have the authority to make MDOI payments to nonpublic nursing facilities for FY 2021-2022.

#### *Fiscal Impact*

The fiscal impact of this change is estimated at \$41.410 million (\$16 million in State funds) for FY 2021-2022.

#### *Public Comment*

Interested persons are invited to submit written comments regarding these payments to the Department of



Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Danielle Cyphert, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1474. (1) General Fund; (2) Implementing Year 2021-22 is \$16,000,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; 2018-19 Program—\$850,149,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-97. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Renewal of Section 1115 Demonstration Project for Medicaid Coverage for Former Foster Care Youth from a Different State and Substance Use Disorder

The Department of Human Services (Department) is making available for public review and comment the proposed renewal application for extension of the Section 1115 Medicaid Demonstration (Demonstration) titled Medicaid Coverage for Former Foster Care Youth from a Different State and SUD Demonstration (Project Number: 11-W-003083/3). The effective dates of the current approved Demonstration are October 1, 2017, through September 30, 2022. The extension requested will be for an additional 5 years through September 30, 2027.

The approval of the Demonstration by the Center for Medicare & Medicaid Services (CMS) authorized the Commonwealth to continue to provide Medicaid State Plan coverage to former foster care youth 26 years of age or younger who were in foster care under the responsibility of another state or tribe from such other state when they “aged out” of foster care at 18 years of age or older (as elected by the state) and were enrolled in Medicaid at that time. CMS approved an amendment to the Demonstration effective July 1, 2018, which authorized the Commonwealth to receive Federal financial participation for substance use disorder (SUD) treatment in residential and inpatient facilities that meet the definition of an Institution for Mental Disease for Medicaid beneficiaries between 21 and 64 years of age and who receive services through Managed Care.

Since the beginning of the Demonstration, there have been an average of 36 individuals at any point in time who were 26 years of age or younger and who “aged out” of foster care in a different state and sought or retained Medicaid coverage in the Commonwealth. The Department continues to be committed to providing Medicaid

coverage to former foster care youth from a different state and to help provide positive health outcomes for these individuals.

Since the beginning of the SUD portion of the Demonstration, there have been an average of 7,000 individuals who received residential services at any point in time that would not have been otherwise Medicaid reimbursable. The objectives of the SUD portion of the Demonstration are to promote the objectives of Medicaid and it is expected to achieve the following results:

- Increased rates of identification, initiation and engagement in treatment.
- Increased adherence to and retention in treatment.
- Reductions in overdose deaths, particularly those due to opioids.
- Reduced utilization of emergency department and inpatient hospital settings for treatment where the utilization is preventable or medically inappropriate through improved access to other continuum of care services.
- Fewer re-admissions to the same or higher level of care where the re-admission is preventable or medically inappropriate.
- Improved access to care for physical health conditions among beneficiaries.

A copy of the Department’s proposed Demonstration renewal application and information related to the proposed Demonstration renewal can be found at <https://www.dhs.pa.gov/Services/Assistance/Pages/Medicaid-Coverage-Former-Foster-Care-Youth-Different-State-Substance-Use-Disorder-Section-1115.aspx>.

In addition, copies of the application are available upon written request to the Director, Bureau of Policy, Planning and Program Development, Office of Mental Health and Substance Abuse Services, 11th Floor, Commonwealth Tower, 303 Walnut Street, Harrisburg, PA 17101.

#### *Public Hearing Schedule*

The Department will conduct two virtual public hearings to receive comments from the public regarding the proposed Demonstration renewal application. These meetings will be held as follows:

February 2, 2022, from 10 a.m. to 11:30 a.m.

To join online use <https://pennsylvaniacmhsbg.webex.com/pennsylvaniacmhsbg/j.php?mtid=mb18cf21e6f8601b570f6ac97deb7f264>.

To join by phone dial (415) 655-0001. The meeting access code is 2630-218-0146.

February 4, 2022, from 10 a.m. to 11:30 a.m.

To join online use <https://pennsylvaniacmhsbg.webex.com/pennsylvaniacmhsbg/j.php?mtid=m8393ab7debae5eef634e2ef04cc793dd>.

To join by phone dial (415) 655-0001. The meeting access code is 2632-249-0306.

The Department will also present updates on the Demonstration renewal application at the Medical Assistance Advisory Committee (MAAC) meeting on January 27, 2022. Individuals can register for the MAAC meeting at <https://attendee.gotowebinar.com/register/1192383395911684111>.

#### *Public Comment*

The 30-day public comment period will begin on January 15, 2022, and end on February 15, 2022. Individuals who wish to speak at one of the public hearings to provide comments on the proposed Demonstration re-

new application should schedule a time by calling (717) 705-8154 or e-mailing [chtshudy@pa.gov](mailto:chtshudy@pa.gov). Individuals may also send a written request to Charles Tshudy, Bureau of Policy, Planning and Program Development, Office of Mental Health and Substance Abuse Services, 11th Floor, Commonwealth Tower, 303 Walnut Street, Harrisburg, PA 17101 during the comment period.

Even if individuals are not planning to speak at the hearing to provide comments, but are attending, e-mail their name, organization, e-mail address and phone number to [chtshudy@pa.gov](mailto:chtshudy@pa.gov) so the Department has the contact information for the Department's records.

Individuals may also submit written comments at any of the public hearings or by e-mail to [chtshudy@pa.gov](mailto:chtshudy@pa.gov) or by mail to Charles Tshudy at the previously mentioned

address. The Department will consider all comments received by February 15, 2022, in developing the final Demonstration renewal application.

Persons with a disability who require auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1486. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-98. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF HUMAN SERVICES

### Updates to Medical Assistance Program Fee Schedule for Administration of the Pediatric SARS-CoV-2 Vaccine Manufactured by Pfizer, Inc.

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following procedure codes to the Medical Assistance (MA) Program Fee Schedule for the administration of the pediatric novel coronavirus (SARS-CoV-2) vaccine manufactured by Pfizer, Inc. The effective date and MA Fee for each code is indicated as follows.

<i>Vaccine Manufacturer</i>	<i>Procedure Code</i>	<i>Description</i>	<i>Effective Date</i>	<i>MA Fee</i>
Pfizer, Inc.	0071A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/ 0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; first dose	10/29/21	\$40
	0072A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 10 mcg/ 0.2 mL dosage, diluent reconstituted, tris-sucrose formulation; second dose	10/29/21	\$40

The MA Program Fee Schedule has been updated with the new Current Procedural Terminology (CPT) codes to allow for payment of the administration of the pediatric SARS-CoV-2 vaccines manufactured by Pfizer, Inc.

The Department issued an MA Bulletin to enrolled providers to advise them of the addition of the CPT codes for the administration of the pediatric SARS-CoV-2 vaccines manufactured by Pfizer, Inc. to the MA Fee Schedule.

#### *Fiscal Impact*

The estimated fiscal impact of the addition of CPT codes for the administration of the pediatric SARS-CoV-2 vaccines manufactured by Pfizer, Inc. for Fiscal Year 2021-2022 is \$2.951 million in total funds.

#### *Public Comment*

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received within 30 days will be reviewed and considered for any subsequent revision to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,  
*Acting Secretary*

**Fiscal Note:** 14-NOT-1483. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-99. Filed for public inspection January 14, 2022, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Highly Automated Vehicle Advisory Committee Teleconference Meeting

The Highly Automated Vehicle Advisory Committee will hold a Microsoft Teams teleconference meeting on Thursday, January 20, 2022, between 1 p.m. and 3 p.m. Attendees from the public should RSVP to the following e-mail address to receive call-in information. For more information or to RSVP, contact Mark C. Kopko, Director, Office of Transformational Technology, (717) 783-1903, markkopko@pa.gov.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 22-100. Filed for public inspection January 14, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Continental General Insurance Company (SERFF # GLTC-133013622); Rate Increase Filing for Sev- eral Individual LTC Forms; Rate Filing

Continental General Insurance Company is requesting approval to increase the premium 11% on 64 policyholders of forms 405, 420 and 432.

Unless formal administrative action is taken prior to April 1, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov) (hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation and Market Enforcement, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

JESSICA K. ALTMAN,  
*Insurance Commissioner*

[Pa.B. Doc. No. 22-101. Filed for public inspection January 14, 2022, 9:00 a.m.]

## INTERGOVERNMENTAL COOPERATION AUTHORITY FOR THE CITY OF HARRISBURG

### Financial Statement

Under section 207 of the Intergovernmental Cooperation Authority Act for Cities of the Third Class (53 P.S. § 42207) the Intergovernmental Cooperation Authority for the City of Harrisburg (Authority) is required to publish a "concise financial statement" annually in the *Pennsylvania Bulletin*. The Authority has issued its annual report for its fiscal year ended June 30, 2021, which includes an audit for this period performed in accordance with generally accepted auditing standards by an independent firm of certified public accountants. The complete annual report of the Authority may be obtained from the Authority's web site at [www.hbgica.org](http://www.hbgica.org) or from the Authority Manager at (717) 645-5431.

JEFFREY M. STONEHILL,  
*Authority Manager*

### INTERGOVERNMENTAL COOPERATION AUTHORITY FOR HARRISBURG CONCISE STATEMENT OF CASH RECEIPTS, CASH DISBURSEMENTS AND CASH BALANCES AS OF AND FOR THE YEAR ENDED JUNE 30, 2021

Total Cash Receipts	\$ 100,020
Total Cash Disbursements	(84,633)
Excess of Cash Receipts over Cash Disbursements	<u>15,387</u>
Cash—Beginning of Year	82,855
Cash—End of Year	<u>\$ 98,242</u>

[Pa.B. Doc. No. 22-102. Filed for public inspection January 14, 2022, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### Governor's Office

Manual No. 210.09—The Commonwealth of Pennsylvania General Records Retention and Disposition Schedule, Amended December 8, 2021.

Administrative Circular No. 21-13—Availability—Commonwealth Telephone Directory, Dated December 1, 2021.

Administrative Circular No. 21-14—Holiday Trees and Decorations in Commonwealth-Owned or Leased Buildings, Dated December 1, 2021.

Administrative Circular No. 21-15—Computation of Interest Penalties, Act 1982-266, Amended December 20, 2021.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 22-103. Filed for public inspection January 14, 2022, 9:00 a.m.]

## PATIENT SAFETY AUTHORITY

### Virtual Public Meeting

The Patient Safety Authority (Authority), established by section 303 of the Medical Care Availability and Reduction of Error (MCARE) Act (40 P.S. § 1303.303), announces a virtual public meeting of the Authority's Board to be held by means of the Authority's webinar platform Zoom on Thursday, January 27, 2022, at 1 p.m. and is open to the general public.

There will be Zoom capabilities to attend the virtual public board meeting remotely, so registration is required.

Individuals can register by going to <https://us06web.zoom.us/join/zoom/register/tZwtd-GgrzwqHta0hww5NwzsdGEhynrUw0U6>.

After registering, individuals will receive a confirmation e-mail containing information about joining the virtual public meeting.

Individuals who are unable to sign in with the previously listed link may dial-in by using the following information:

*Meeting ID:* 880 0881 7042

*Passcode:* 6aW49t

*One tap mobile:*

+16465588656, 88008817042# US (New York)

+13017158592, 88008817042# US (Washington DC)

*Dial by individual's location:*

+1 646 558 8656 US (New York)

+1 301 715 8592 US (Washington DC)

+1 312 626 6799 US (Chicago)

+1 720 707 2699 US (Denver)

+1 253 215 8782 US (Tacoma)

+1 346 248 7799 US (Houston)

*Meeting ID:* 880 0881 7042

*Find individual's local number:* <https://us06web.zoom.us/j/keazf7jwhu>

Individuals with questions regarding this virtual public meeting, which is open to the public, should contact the Authority at (717) 346-0469.

A closed executive session of the Authority's Board of Directors will be held on January 27, 2022, at 12:30 p.m. by means of Zoom. The purpose of the executive session is for consideration of personnel matters and to engage in nondeliberative informational discussions regarding various actions and matters which have been approved at previous public meetings.

REGINA M. HOFFMAN, MBA, BSN, RN, CPPS,  
*Executive Director*

[Pa.B. Doc. No. 22-104. Filed for public inspection January 14, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 31, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 31, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

**Application of the following for approval to begin operating as common carriers for transportation of persons as described under the application.**

**A-2021-3030206. Global Tours Transportation, Inc.** (465 Ridge Avenue, West Hazleton, Luzerne County, PA 18202) in paratransit service, from points in Luzerne County, to points in Pennsylvania, and return.

**Applications of the following for the approval of the right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.**

**A-2021-3030063. 96 Tours, LLC** (3442 Carmela Drive, New Castle, PA 16105) discontinuance of service and cancellation of its certificate—for the right to begin to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, between points in the Counties of Allegheny, Beaver, Butler and Lawrence.

**A-2021-3030065. G. Rebecca Peck, t/a Peck Transportation Service** (566 Springville Road, Apartment 311, New Holland, PA 17557) discontinuance of service and cancellation of its certificate—for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in Lancaster County, to points in Pennsylvania, and return.

**A-2021-3030147. Rodney L. Huber** (251 Willow Valley Drive, Lancaster, Lancaster County, PA 17602) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, at A-6410031, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Lancaster and York and that portion of the County of Chester west of Route 10, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-105. Filed for public inspection January 14, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer of Control

**A-2021-3030201. CCP II Finco, LLC, Hummingbird Circle, LLC and IPC Corp.** Joint application of CCP II Finco, LLC, Hummingbird Circle, LLC and IPC Corp. for the approval of a holding company level transfer of control whereby Hummingbird Circle, LLC will acquire indirect control of IPC Network Services, Inc., a subsidiary of IPC Corp., from CCP II Finco.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 31, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility

Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Joint Applicants:* CCP II Finco, LLC; Hummingbird Circle, LLC; IPC Network Services, Inc., a subsidiary of IPC Corp.

*Through and By:* Deanne M. O'Dell, Esquire, Eckert Seamans Cherin & Mellott, LLC, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 255-3744, fax (717) 237-6019, [dodell@eckertseamans.com](mailto:dodell@eckertseamans.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-106. Filed for public inspection January 14, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Water Service

**A-2022-3030304. Pennsylvania-American Water Company.** Application of Pennsylvania-American Water Company for approval of the right to offer, render, furnish or supply water service to the public in an additional portion of Middle Smithfield Township, Monroe County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 31, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055

*Through and By Counsel for:* Elizabeth Rose Triscari, Esquire, Pennsylvania-American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055, (717) 550-1574, [elizabeth.triscari@amwater.com](mailto:elizabeth.triscari@amwater.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-107. Filed for public inspection January 14, 2022, 9:00 a.m.]

**PUBLIC SCHOOL EMPLOYEES’  
RETIREMENT BOARD**

**Hearing Scheduled**

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees’ Retirement Code), in connection with the Public School Employees’ Retirement System’s (System) denial of claimant’s request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees’ Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

June 8, 2022	Account of Jeanine Esch (Purchase of Out-of-State Service)	10 a.m.
--------------	---	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

GLEN R. GRELL,  
*Executive Director*

[Pa.B. Doc. No. 22-108. Filed for public inspection January 14, 2022, 9:00 a.m.]

**STATE EMPLOYEES’  
RETIREMENT BOARD**

**Hearings Scheduled**

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees’ Retirement Code), in connection with the State Employees’ Retirement System’s denial of claimant’s request concerning the indicated accounts.

The hearings will be held before a hearing examiner at the State Employees’ Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

April 20, 2022	Justin L. Weaver Disability Retirement Issue	1 p.m.
April 27, 2022	Michael L. Miholics (Deceased) Contested Death Benefit Issue	1 p.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOSEPH A. TORTA,  
*Secretary*

[Pa.B. Doc. No. 22-109. Filed for public inspection January 14, 2022, 9:00 a.m.]

