

# NOTICES

## CAPITOL PRESERVATION COMMITTEE

### Request for Proposals

**CPC 21.184: Restoration and Refinishing of the Senate Chamber Desks.** A brief description of the project is as follows: Offsite studio restoration and refinishing of 50 historic chamber desks. The work is divided into 10 groups of 5 desks each. Each group is to be completed and returned in sequence. The work includes secure transportation to and from the Capitol and the retrieval, setup and return of temporary desks from the Committee's offsite storage facility.

The issue date of the request for proposals will be on July 25, 2022. A mandatory preproposal conference and walk through will be held on August 2, 2022, at 10 a.m. in Room 630 of the Main Capitol Building. A \$25 deposit will be required for issuance of project documents. The deposit is fully refundable with the return of the USB flash drive. The proposal receipt date is August 25, 2022, at 2 p.m. Project documents may be obtained in Room 630, Main Capitol Building, Harrisburg, PA or by contacting Tara Pyle at (717) 783-6484.

DAVID L. CRAIG,  
*Executive Director*

[Pa.B. Doc. No. 22-1093. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF AGRICULTURE

### Program Requirements for the Very Small Meat and Poultry Processor Reimbursement Grant Program

The Department of Agriculture (Department) hereby provides notice of the standards and requirements for the Very Small Meat and Poultry Processor Reimbursement Grant Program (Program).

The Program is established under the authority of 3 Pa.C.S. §§ 10101—10106 (relating to Very Small Meat Processor Federal Inspection Reimbursement Grant Program). The Program allows the Department to award reimbursement grants for certain eligible costs incurred by a very small meat or poultry processing operation who meets the Federal definition of a “very small establishment.”

This notice establishes the procedures by which grant applications will be solicited, reviewed and awarded for Fiscal Year (FY) 2022-2023. The amount appropriated for grants in FY 2022-2023 will be no less than \$500,000.

1. *Program Objective.* The Program's objective is to support the development and expansion of current or future very small meat and poultry processing operations in this Commonwealth by offering reimbursement grants to cover the cost associated with obtaining a grant of inspection from United States Department of Agriculture (USDA) Food Safety Inspection Service (FSIS), opening a new very small meat and poultry processing operation, expanding the capacity of a current very small meat and poultry processing operation or a combination of those purposes.

2. *Definitions.* The following words and phrases apply to the Program:

*Applicant.* A person applying for a reimbursement grant.

*Grant cycle.* The period of time from when the Department solicits applications for grants under 3 Pa.C.S. §§ 10101—10106 until final reimbursement.

*Grant of inspection.* An inspection by the USDA FSIS certifying that products at a very small meat and poultry processing operation are produced in accordance with Federal law.

*Person.* An individual, partnership, association, firm, corporation or any other legal entity.

*Secretary.* The Secretary of the Department.

*USDA.* United States Department of Agriculture.

*Very small meat and poultry processing operation.* A person operating under a grant of inspection that meets the definition of “very small establishment” in 9 CFR 381.65(g)(1)(i) (relating to operations and procedures, generally).

3. *Grant program.* Program grants will be reimbursement grants. The following will apply:

a. The amount of reimbursement is based on actual eligible costs submitted by an approved applicant within the grant cycle.

b. Grant reimbursement money shall only be available for eligible costs associated with meeting the requirements to obtain a grant of inspection, opening a new very small meat and poultry processing operation, expanding the capacity of a current very small meat and poultry operation or a combination of those purposes.

c. Grants are limited to no more than \$100,000 per applicant.

d. Grant reimbursement money may not be used to reimburse any portion of an in-kind contribution to an eligible project.

e. Grant money may not be used to pay or reimburse wages or salaries of grant recipient staff.

f. Grant money may not be used to reimburse any portion of the project costs which are being paid or reimbursed under another Federal or State grant program.

g. Grants will only be offered to the extent that funding is made available to the Department. In the event funding is exhausted or otherwise unavailable, the Department will be under no obligation to provide grants. Grant money may be prorated or offered as a percentage of actual costs, as determined by the Department, and set forth in an order by the Secretary, to spread available money to a larger number of eligible applicants.

h. Grant money may only be awarded and distributed to the owner of the eligible very small meat and poultry processing operation. The Department may not assign grant money to a lessee, operator or person other than the owner of the eligible very small meat and poultry processing operation.

4. *Applicant Eligibility.* An applicant may apply to receive reimbursement for eligible costs if the applicant is a very small meat and poultry processing operation and is either:

a. Currently operating under a grant of inspection.

b. Upon completion of the approved project, the applicant will obtain a grant of inspection. An applicant must attest to this eligibility requirement under penalty of law to receive reimbursement.

5. *Application Procedure.*

a. *Online Applications Only.* An applicant for a grant under this Program must submit an application through the Commonwealth's Single Application for Assistance online application system at [www.esa.dced.state.pa.us](http://www.esa.dced.state.pa.us).

b. *Application Window.* Applications must be submitted through the Single Application for Assistance online application system between 8 a.m. on July 25, 2022, and 5 p.m. on September 26, 2022. Applications received outside of that application window will not be considered or reviewed.

c. *Application Requirements.* An application for a grant under the Program must contain the following information:

i. The applicant's name, the organization name, a business address and a telephone number.

ii. A list of corporate officers if the applicant is a corporation.

iii. The applicant's eligibility (describing whether they are currently a USDA inspected operation or will obtain a grant of inspection by the completion of the proposed project).

iv. A detailed plan to include:

(1) The process being undertaken to meet the requirements necessary to obtain a grant of inspection from USDA FSIS, if applicable.

(2) An outline of the overall project and materials being requested.

(3) A line-item proposed budget.

(4) Individual tasks required to complete the project.

(5) A detailed timeline for completion of project tasks.

(6) A detailed description of equipment or supplies required to complete the project, training, consulting, technical support and other services utilized, as applicable.

(7) A detailed list of costs, including training and equipment costs, as applicable.

(8) An attestation signed by the applicant, stating the applicant is in compliance, or will be in compliance with the Federal Meat Inspection Act (Pub.L. No. 59-382, 21 U.S.C.A. §§ 601—695) or Poultry Product Inspection Act (Pub.L. No. 85-172, 21 U.S.C.A. §§ 451—473) upon completion of the approved project to maintain a grant of inspection.

d. *Eligible Costs.* The following costs, incurred during the term of the grant cycle in which the grant is awarded, are eligible for reimbursement:

i. Consulting or other technical support services that directly support the development and maintenance of programs required to operate under a grant of inspection.

ii. Professional employee training and educational services and programs that support the development and maintenance of programs to operate under a grant of inspection. If a professional consultant is utilized, reasonable costs may be reimbursed, as determined by the Department.

iii. Up to 85% of the purchase of meat or poultry slaughter or processing equipment or supplies. This does not include reimbursement of the costs of planning,

erecting, repair or modification of a structure or building or repair of installation of roofing or other physical structure improvements.

iv. The purchase of equipment or supplies directly related to employee safety.

6. *Evaluation of Applications.* The Department will review each application and supporting documentation submitted for completeness and accuracy. If an application is found to be incomplete or inaccurate, the Department may request additional documentation and may discontinue further processing of the application until the requested information is received. The Department will evaluate an application on the basis of:

a. The ability of the applicant to complete the stated project within the stated timeline.

b. The ability of the applicant to provide a detailed description of the project and project costs.

c. The potential of the project to provide slaughter or meat or poultry processing capacity and services to this Commonwealth's livestock and poultry producers.

d. The potential of the project to provide availability of Commonwealth-produced meat or poultry products to consumers.

7. *Agreement Required.* If the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant shall execute a Grant Agreement which describes the terms and conditions subject to which the grant is made.

8. *Final Reimbursement.* Reimbursement will be based on the approved applicant's completion of the project and submission of the final costs related to expenses and materials in the applicant's approved grant project within the grant cycle. The submission must also include:

a. Documentation of actual expenditures for eligible costs approved in the grant application and invoices evidencing payment of the costs. The documentation may include invoices for hours of training or consultation.

b. Documentation of the completion of the approved project. The documentation may include pictures and dates of training and equipment installation.

c. Documentation demonstrating the very small meat and poultry processing operation is operating under a grant of inspection.

d. A written report related to:

i. The completed project.

ii. The expansion of meat or poultry processing capability.

iii. Expanded services to this Commonwealth's livestock and poultry producers.

iv. An increase to the availability of this Commonwealth's meat or poultry products to consumers.

Documents submitted to the Department under this paragraph should be directed to the Department of Agriculture, Attn: Joshua Scheinberg, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

9. *Additional Information.* Additional information may be obtained from the Department by contacting Joshua Scheinberg, (717) 919-0377, [jscheinber@pa.gov](mailto:jscheinber@pa.gov).

RUSSELL C. REDDING,  
*Secretary*

[Pa.B. Doc. No. 22-1094. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 12, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

#### BANKING INSTITUTIONS

##### Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
07-01-2022	Fulton Financial Corporation Lancaster Lancaster County	Effective
	Application for approval to acquire 100% of Prudential Bancorp, Inc., Philadelphia, PA, and thereby indirectly acquire 100% of Prudential Bank, Philadelphia, PA.	

##### Branch Applications

###### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-06-2022	Somerset Trust Company Somerset Somerset County	226 Main Street Irwin Westmoreland County	Filed
07-08-2022	Bank of Bird-in-Hand Bird-in-Hand Lancaster County	118 Doe Run Road Manheim Lancaster County	Filed
07-08-2022	Penn Community Bank Doylestown Bucks County	2285 Schoenersville Road Bethlehem Lehigh County	Filed
07-08-2022	Penn Community Bank Doylestown Bucks County	3100 West Tilghman Street Allentown Lehigh County	Filed
07-11-2022	Somerset Trust Company Somerset Somerset County	100 Maple Avenue East Vienna Fairfax County, VA	Opened
07-12-2022	Kish Bank Belleville Mifflin County	511 East Pine Grove Road State College Centre County	Approved

##### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-25-2022	Penn Community Bank Doylestown Bucks County	200 Manor Avenue Langhorne Bucks County (Limited Service Facility)	Closed
06-15-2022	Customers Bank Malvern Chester County	99 Bridge Street Phoenixville Chester County	Closed
07-12-2022	Citizens & Northern Bank Wellsboro Tioga County	1500 East Lancaster Avenue Paoli Chester County	Closed

## CREDIT UNIONS

No activity.

## BANKING INSTITUTIONS

## Section 112 Acquisitions

Under section 112 of the Banking Code of 1965 (7 P.S. § 112) the following application was filed. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment call (717) 783-8240. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
06-27-2022	George E. Norcross, III Palm Beach Palm Beach County, FL  Gregory Braca Palm Beach Palm Beach County, FL  Philip A. Norcross Palm Beach Palm Beach County, FL  Avery Conner Capital Trust Palm Beach Palm Beach County, FL	Filed

Application for approval to solicit revocable proxies from more than 10% of the holders of the shares of common stock of Republic First Bancorp, Inc., Philadelphia, PA, and thereby acquire 10% or more of the ownership or voting control of Republic Bank, Philadelphia, PA.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 22-1095. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Conservation and Natural Resources Advisory Council Public Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on July 27, 2022, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The public meeting may be attended by means of WebEx through a link found on the Council's web site prior to the public meeting at [www.dcnr.pa.gov/cnrac](http://www.dcnr.pa.gov/cnrac).

Questions concerning this public meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 22-1096. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Grant Funding for ATV or Snowmobile Projects and Programs

The Department of Conservation and Natural Resources (Department), Bureau of Recreation and Conservation (Bureau) announces the fall grant round of the All-Terrain Vehicle (ATV) and Snowmobile Program (Program). The Program awards grants from the ATV and Snowmobile Management Restricted Accounts for projects proposing land acquisition, planning, development, rehabilitation, maintenance, equipment purchase or educational programs for ATV or snowmobile trails and facilities. Eligible applicants include for-profit organizations, nonprofit organizations and municipalities in this Commonwealth.

Grant funding will be awarded through a competitive grant application process. Applicants can apply for this funding starting Monday, August 1, 2022, and ending at 4 p.m. on Friday, September 30, 2022, by means of the Department's online grant application portal.

More information about these grant opportunities and the application process is available at <https://brcgrants.dcnr.pa.gov>. For assistance with the portal, contact the Department's Grants Customer Service Center, (800) 326-7734, [DCNR-Grants@pa.gov](mailto:DCNR-Grants@pa.gov).

Bureau staff are available to assist applicants with developing a competitive application. Staff contact

information can be found on the Bureau's web site at [http://elibrary.dcnr.pa.gov/GetDocument?docId=1753442&DocName=d\\_001184.pdf](http://elibrary.dcnr.pa.gov/GetDocument?docId=1753442&DocName=d_001184.pdf).

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 22-1097. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Wild Resource Conservation Program; Public Hearing

The Department of Conservation and Natural Resources (Department) will hold a public hearing on Friday, September 30, 2022, to comment on the applications submitted to the Wild Resource Conservation Program for

grant funding in Fiscal Years 2022-2023. The hearing will be held at 10 a.m. in the 6th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this hearing can be directed to Jennifer Girton, (717) 787-3212, [jgirton@pa.gov](mailto:jgirton@pa.gov) or Rebecca Bowen, (717) 772-0258, [rebbowen@pa.gov](mailto:rebbowen@pa.gov). Individuals who plan to make comments should contact either Jennifer Girton or Rebecca Bowen.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Rebecca Bowman directly at (717) 772-0258 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 22-1098. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

## APPLICATIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- |     |  |
|-----|--|
| I   | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II  | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOS. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if the Department determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Persons with a disability who require an auxiliary aid, service, including TDD users, or other accommodations to seek additional information should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150071	Chapter 102 Individual NPDES Permit	Transfer	Reserve at Cross Creek, LP 409 Stenton Avenue Flourtown, PA 19031-1327	West Brandywine Township Chester County	SERO
1513877	Joint DEP/PFBC Pesticides Permit	Renewal	Traditions at Longwood 100 Primrose Drive Kennettsquare, PA 19348	Kennett Square Borough Chester County	SERO
2813801	Joint DEP/PFBC Pesticides Permit	Renewal	Rine Curt 18 Darrin Avenue Newburg, PA 17240-9222	Metal Township Franklin County	SCRO
3616806	Joint DEP/PFBC Pesticides Permit	Renewal	BIF III Holtwood, LLC 482 Old Holtwood Road Holtwood, PA 17532-9720	Conestoga Township Lancaster County	SCRO
6722806	Joint DEP/PFBC Pesticides Permit	New	Zeigler Robert 70 S Franklin Street Dallastown, PA 17313-9569	York Township York County	SCRO
PA0263834	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Lake Lucy Sewer Authority 1560 Lake Lucy Road Tionesta, PA 16353-2412	Washington Township Clarion County	NWRO
0102404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010	Mount Joy Township Adams County	SCRO
1076409	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Slippery Rock Campground Association 1150 W Park Road Slippery Rock, PA 16057-4118	Worth Township Butler County	NWRO
1171403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Cambria Township Sewer Authority Cambria County P.O. Box 247 Revloc, PA 15948-0247	Cambria Township Cambria County	SWRO
1679401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Lake Lucy Sewer Authority 1560 Lake Lucy Road Tionesta, PA 16353-2412	Washington Township Clarion County	NWRO
6703405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Stewartstown Borough Authority York County 6 North Main Street Stewartstown, PA 17363-4132	Stewartstown Borough York County	SCRO
NOEXNW057	No Exposure Certification	Renewal	Whirley Ind., Inc. 618 4th Avenue Warren, PA 16365-4923	Warren City Warren County	NWRO
NOEXNW058	No Exposure Certification	Renewal	Whirley Ind., Inc. 618 4th Avenue Warren, PA 16365-4923	Warren City Warren County	NWRO
PAG032246	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Ball Metal Beverage Container Corporation 4 Radnor Corporate Center Suite 105 Radnor, PA 19087	Jenkins Township Luzerne County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAR808362	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	TForce Freight, Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	Millcreek Township Erie County	NWRO
PAG045105	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Klinger Albert L 2513 Mountain Road Catawissa, PA 17820-8123	Locust Township Columbia County	NCRO
PAG134827	PAG-13 NPDES General Permit for MS4s	Renewal	Briar Creek Borough Columbia County 6029 Park Road Berwick, PA 18603-5710	Briar Creek Borough Columbia County	NCRO
4622404	Pump Stations Individual WQM Permit	New	Upper Merion Sanitary and Stormwater Authority 175 W Valley Forge Road King of Prussia, PA 19406-1851	Upper Merion Township Montgomery County	SERO
0422401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Woroszylo Trisha 221 Silver Spring Lane New Brighton, PA 15066-3585	Daugherty Township Beaver County	SWRO
1980403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Klinger Albert L 2513 Mountain Road Catawissa, PA 17820-8123	Locust Township Columbia County	NCRO
3622406	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Monyer Nathan 406 Greenville Road Denver, PA 17517-9591	Drumore Township Lancaster County	SCRO
4122402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Di Eugenio Michael 458 Indian Run Road Glenmoore, PA 19343-1338	Lewis Township Lycoming County	NCRO
PA0034011	Small Flow Treatment Facility Individual NPDES Permit	Transfer	Bedford Tech Products, LLC 7676 Allegheny Road Manns Choice, PA 15550-8967	Napier Township Bedford County	SCRO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### Northcentral Regional Office

**PA0232718**, Sewage, SIC Code 4952, **Hall David A**, 1190 Pleasant Hills Road, Williamsport, PA 17701-8439. Facility Name: David A Hall SRSTP. This existing facility is located in Eldred Township, **Lycoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Millers Run (WWF, MF), is located in State Water Plan watershed 10-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX



In addition, the permit contains the following major special conditions:

- Tank Pumping Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northeast Regional Office*

**PA0029149**, Sewage, SIC Code 7011, **Pocono Manor Investors, PT1 LP**, P.O. Box 38, Pocono Manor, PA 18349-0038. Facility Name: The Inn At Pocono Manor. This existing facility is located in Pocono Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Swiftwater Creek (EV, MF), is located in State Water Plan watershed 1-E and is classified for Exceptional Value and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.

(From Permit Effective Date to 4 Years After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.

(From 4 Years After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Copper, Total	XXX	XXX	XXX	0.057	0.089 Daily Max	0.143

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Lead, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	29	47	XXX	25.0	40.0	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
CBOD <sub>5</sub> Minimum % Removal (%)	XXX	XXX	XXX	85.0 Min Mo Avg	XXX	XXX
Total Suspended Solids	35	53	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	17.5	XXX	XXX	15.0	XXX	30.0
May 1 - Oct 31	5.8	XXX	XXX	5.0	XXX	10.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.14 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Avg Qrtly XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management
- Water Quality-Based Effluent Limitations for Toxic Pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

**PA0060089**, Sewage, SIC Code 4952, **Middle Smithfield Township**, 147 Municipal Drive, East Stroudsburg, PA 18302. Facility Name: Fernwood WWTP. This existing facility is located in Middle Smithfield Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Bush Kill (HQ-TSF/MF), is located in State Water Plan watershed 1-D and is classified for High Quality Waters—Trout Stocking and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	205	330	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	250	375	XXX	30.0	45.0	60.0
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Residual Chlorine	XXX	XXX	XXX	XXX	XXX	1.4
E. Coli (No./100 mL)	XXX	XXX	XXX	XXX	XXX	Report
Fecal Coliform (No./100 mL)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	75	XXX	XXX	9.0	XXX	18.0
Ammonia-Nitrogen						
May 1 - Oct 31	25	XXX	XXX	3.0	XXX	6.0

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	0.023	0.037	0.059
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 1 MGD.

(From Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Free Cyanide	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity (WET)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

**PA0276545**, Storm Water, SIC Code 2087, **Ungerer & Company**, 110 North Commerce Way, Bethlehem, PA 18017-8932. Facility Name: Ungerer & Company. This proposed facility is located in Hanover Township, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Monocacy Creek (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0264512**, Sewage, SIC Code 4952, 8800, **Linda Marino**, 354 Stilson Hill Road, Pittsfield, PA 16340-7210. Facility Name: Linda Marino SRSTP. This existing facility is located in Sugar Grove Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is Mead Run, located in State Water Plan watershed 16-B and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)			Inst Min			
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0264873**, Sewage, SIC Code 4952, 8800, **Kimberly Cook**, 1518 Old State Road, Waterford, PA 16441-3906. Facility Name: Kimberly Cook SRSTP. This existing facility is located in Waterford Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an Unnamed Tributary to French Creek, located in State Water Plan watershed 16-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	Inst Min	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0272639**, Sewage, SIC Code 4952, 8811, **Gayle Marco & Lawrence Scanlon & Madeline Scanlon**, 110 Shadow Lane, Coraopolis, PA 15108-1140. Facility Name: Gayle Marco & Lawrence Scanlon & Madeline Scanlon SRSTP. This existing facility is located in Springfield Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an Unnamed Stream to Lake Erie, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0290718**, Sewage, SIC Code 8800, **Paul Becker**, 237 Callodine Avenue, Buffalo, NY 14226-3129. Facility Name: Paul Becker SRSTP. This proposed facility is located in Farmington Township, **Warren County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Kiantone Creek, is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0007 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0290742**, Sewage, SIC Code 8800, **Walter R. Bender, Jr.**, P.O. Box 9098, Erie, PA 16505. Facility Name: Walter Bender SRSTP. This proposed facility is located in McKean Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Elk Creek, is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0290769**, Sewage, SIC Code 8800, **George W. Boyd**, 5335 McCandless Road, Butler, PA 16001-9638. Facility Name: George Boyd SRSTP. This proposed facility is located in Portersville Borough, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Camp Run, is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0290793**, Sewage, SIC Code 8800, **Gregory Petruska**, 269 State Road, Valencia, PA 16059-2221. Facility Name: Gregory Petruska SRSTP. This proposed facility is located in Middlesex Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Glade Run, is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

**PA0290858**, Sewage, SIC Code 4952, 8800, **Matthew Vargason**, 138 Turkey Farm Road, Titusville, PA 16354. Facility Name: Matthew Vargason SRSTP. This proposed facility is located in Cherrytree Township, **Venango County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Cherrytree Run, located in State Water Plan watershed 16-E and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0291641**, Sewage, SIC Code 6514, **Nathan Monyer**, 406 Greenville Road, Denver, PA 17517-9591. Facility Name: Monyer Res. This proposed facility is located in Drumore Township, **Lancaster County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Cocalico Creek (WWF, MF), is located in State Water Plan watershed 7-J and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .00045 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	5.0 Inst Min XXX	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PA0020303**, Sewage, SIC Code 4952, **Schwenksville Borough Authority**, 298 Main Street, Schwenksville, PA 19473-0458. Facility Name: Schwenksville Borough WWTP. This existing facility is located in Schwenksville Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Perkiomen Creek (WWF, MF), is located in State Water Plan watershed 3-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.3 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Dissolved Solids	2,502	XXX	XXX	1,000.0	2,000.0	2,500
Copper, Total	Avg Qrtly XXX	XXX	XXX	Avg Qrtly Report	Daily Max XXX	Report
Sulfate, Total	XXX	XXX	XXX	Report	XXX	Report
Chloride	XXX	XXX	XXX	Report	XXX	Report
Bromide	XXX	XXX	XXX	Report	XXX	Report
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	63	100	XXX	25	40	50
May 1 - Oct 31	50	75	XXX	20	30	40
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	Report
Raw Sewage Influent		IMAX				
Total Suspended Solids	Report	Report	XXX	Report	XXX	Report
Raw Sewage Influent		IMAX				
Total Suspended Solids	50	75	XXX	20	30	40



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E.coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	Report Daily Max	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	23	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	7.5	XXX	XXX	3.0	XXX	6
Total Phosphorus						
Apr 1 - Oct 31	3.7	XXX	XXX	1.5	XXX	3

In addition, the permit contains the following major special conditions:

I. Other Requirements

A. No Stormwater

B. Property Rights

C. Operator Notification

D. Sludge Removal

E. TRC Minimization

F. Public Nuisance

G. TMDL/WLA Analysis

H. O&M Plan

I. Fecal Coliform 10 % Rule

J. Outfall 001 discharge point

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0050920**, Sewage, SIC Code 4952, 6513, **Home Properties William Henry, LLC**, 1086 West King Road, Malvern, PA 19355-1756. Facility Name: William Henry Apt STP. This existing facility is located in East Whiteland Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Ridley Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-G and is classified for Migratory Fishes and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .069 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .069 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX Daily Max	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Min Mo Avg	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.06	XXX	0.2
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )						
Nov 1 - Apr 30	8.6	XXX	XXX	15	XXX	30
May 1 - Oct 31	5.8	XXX	XXX	10	XXX	20

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	5.8	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	3.1	XXX	XXX	5.4	XXX	10.8
May 1 - Oct 31	1.0	XXX	XXX	1.8	XXX	3.6
Total Phosphorus	0.3	XXX	XXX	0.5	XXX	1

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

Other Requirements

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP When Municipal Sewers Available
- E. Chlorine Minimization
- F. Chlorine for Backup Disinfection
- G. Operator Notification
- H. Remedial Measures if Unsatisfactory Effluent
- I. I-Max Limits
- J. 2/Month Sampling
- K. Maybe Subject to DRBC Limits
- L. Comply with DRCB Docket

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

**PA0244929**, Storm Water, SIC Code 4953, **Waste Management Disposal Services of PA, Inc.**, 1000 New Ford Mill Road, Morrisville, PA 19067. Facility Name: Waste Management of PA—GROWS North Landfill. This existing facility is located in Falls Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary to Delaware River (WWF, MF) and Van Sciver Lake, is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Barium, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Total	XXX	XXX	XXX	Report	Report	XXX
Mercury, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Tritium, Total (pCi/L)	XXX	XXX	XXX	Report	Report	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	Report	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Barium, Total	XXX	XXX	XXX	Report	Report	XXX
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Magnesium, Total	XXX	XXX	XXX	Report	Report	XXX
Mercury, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Silver, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Tritium, Total (pCi/L)	XXX	XXX	XXX	Report	Report	XXX
1,4-Dioxane	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX
Total Organic Carbon	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater outfalls and authorized non-stormwater discharges
- Implementation of BMPs to comply with permit
- Routine inspection of the facility and BMPs
- Development and Implementation of PPC Plan
- Stormwater monitoring and benchmark values
- Control and sampling requirements for leachate impacted stormwater basins

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0218448**, Sewage, SIC Code 4952, **Whitethorn Homeowners Assoc**, 213 Shaw Court, New Alexandria, PA 15670-2614. Facility Name: Whitethorn Subdivision Phase II. This existing facility is located in Salem Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Trib 43304 of Whitethorn Creek (WWF), is located in State Water Plan watershed 18-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .011 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	22.5	XXX	45.0
May 1 - Oct 31	XXX	XXX	XXX	7.5	XXX	15.0

The proposed effluent limits for Outfall 001 are based on a design flow of .011 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	4.5	XXX	9.0
May 1 - Oct 31	XXX	XXX	XXX	13.5	XXX	27.0

The proposed effluent limits for Outfall 001 are based on a design flow of .011 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Flow (MGD)	0.011	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.7
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

**PAI130035, MS4, Telford Borough Bucks & Montgomery County**, 50 Penn Avenue, Telford, PA 18969. The existing facility is located in Telford Borough, **Montgomery County**.

Description of Proposed Activity: The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth.

The receiving stream(s), Unnamed Tributary to Mill Creek (TSF, MF), Unnamed Tributary to Indian Creek (TSF, MF), and Unnamed Tributary of East Branch Perkiomen Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD090032 A-1	Amendment	Pennsylvania Turnpike Commission 700 S. Eisenhower Blvd Middletown, PA 17057-5529	Salford Township Montgomery County West Rockhill Township Milford Township Bucks County	SERO
PAD640033	New	John and Lauren Terwilliger 1979 Scranton Carbondale Highway Blakely, PA 18447	Paupack Township Wayne County	NERO
PAD400055	New	Northeastern Storage, LLC Stephen J. Walko 59 Brown Street Mountain Top, PA 18707	Fairview Township Luzerne County	NERO
PAD450096	Renewal	CMBK Resort Holdings, LLC 193 Resort Drive Tannersville, PA 18372	Pocono Township Monroe County	NERO
PAD390062 A-1	Major Amendment	Paarth Corporation 5650 W. Tilghman Street Allentown, PA 18104	Upper Macungie Township Lehigh County	NERO
PAD390218 A-1	Major Amendment	Good Shepherd Rehabilitation Network 850 S. Fifth Street Allentown, PA 18103	Upper Saucon Township Lehigh County	NERO
PAD440001	Renewal	Glenn O Hawbaker Inc. 1952 Waddle Rd Suite 203 State College, PA 16803	Armagh Township Mifflin County	SCRO
PAD010014	New	293 Blettner Ave, LLC P.O. Box 615 Hanover PA 17331	Conewago Township Adams County	SCRO
PAD010001	Transfer	CCD Rock Creek LLC 1751 A West Diehl Rd Naperville, IL 60563	Straban Township Adams County	SCRO
PAD630068	Renewal	North Franklin Township 620 Franklin Farms Road Washington, PA 15301	North Franklin Township Washington County	SWRO
PAD090042 A-1	Major Amendment	PA Turnpike Commission 700 S. Eisenhower Blvd Middletown, PA 17057	Bristol Township Bensalem Township Bucks County	RPCO

## STATE CONSERVATION COMMISSION

### PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at

the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling (717) 787-8821.

Persons wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Persons with a disability who require an auxiliary aid, service, including TDD users or other accommodations to seek additional information should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Douglass Groff 190 Berkeley Lane New Columbia, PA 17856	Union	56	1,504.12	Swine, Beef, Sheep	NA	Renewal
Steve Wenger Wen-Crest Farms LLC	Lebanon	1,331	1,177.35	Broilers, Steers, Goats	NA	Renewal
Aspen Perry 1027 Oak Hall Road Newport, PA 17074	Perry	95.9	1,764.3	Swine	HQ	Renewal
Barry Good 1695 Rake Road Mohrsville, PA 19541	Berks	269.67	314	Poultry	NA	Renewal
Hillandale Gettysburg LP— Bailey Farms 2820 Daron Drive Spring Grove, PA 17362	York	282.1	4050.32	Poultry Layers	NA	Renewal
Spring Pond Farm 93 Deck Road Womelsdorf, PA 19567	Berks	112.9	407.11	Poultry, Beef	NA	Renewal
Keith Musser 300 Evergreen Road New Bloomfield, PA 17068	Perry	23	409.97	Poultry	NA	Renewal
Scott Wagner 385 King Pen Road Quarryville, PA 17566	Lancaster	167.6	406.79	Turkeys	HQ	Renewal
Penn England Farm 10341 Fox Run Road Williamsburg, PA 16693	Blair Huntingdon	3,552.9	4,410.72	Dairy	Clover Creek, Fox Run, New Creek, Piney Creek— All HQ	Renewal
Casey Carowick 16946 Beavertown Road Todd, PA 16685	Huntingdon	408.7	766.08	Swine, Beef	NA	Renewal
Spring Pond Farm 93 Deck Road Womelsdorf, PA 19567	Berks	112.9	407.11	Poultry, Beef	NA	Renewal

## PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for PWS permits to construct or substantially modify public water systems.

Persons wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30 days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the

name, address and telephone number of the writer and a concise statement to inform the Department of the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, the Department will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Persons with a disability that require an auxiliary aid, service or other accommodations to participate during the 30-day public comment period should contact the office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

### SAFE DRINKING WATER

#### Applications Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5980.*

**Permit No. 0922512**, Public Water Supply.

Applicant	<b>Delaware Valley University</b> 700 East Butler Avenue Doylestown, PA 18901-2607
Municipality	New Britain
County	<b>Bucks</b>
Type of Facility	PWS
Consulting Engineer	Van Cleef Engineering Associates 1685 Valley Center Parkway Suite 100 Bethlehem, PA 18017
Application Received Date	June 29, 2022
Description of Action	Operational conversion of existing emergency interconnection with Doylestown Township Municipality Authority.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Permit No. 0622512**, Public Water Supply.

Applicant	<b>Will-O-Hill Apartments</b> 1904 Van Reed Road Wyomissing, PA 19610
Municipality	Spring Township
County	<b>Berks</b>
Responsible Official	Jay W. Barnett Vice President 615 Chestnut Street Suite 120 Philadelphia, PA 19106

Consulting Engineer	Charles A. Kehew II, P.E. James R. Holley & Associates, Inc. 18 South George Street York, PA 17401
Application Received Date	April 27, 2022
Description	Replacement of the existing 3,000-gallon 4-log virus inactivation contact segment with 24" diameter contact piping.

*Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.*

**Permit No. 5322501**, Major, Public Water Supply.

Applicant and Address	<b>Ulysses Municipal Authority</b> 518 Main Street Ulysses, PA 16948
Municipality	Ulysses Township
County	<b>Potter</b>
Responsible Official	Timothy C. Scott
Type of Facility	Public Water Supply
Consulting Engineer	Kerry D. Tyson, P.E. Century Engineering, LLC 2836 Earlstown Road Suite 1 Centre Hall, PA 16828

Application Received Date	July 8, 2020
---------------------------	--------------

Description of Action	Implementation of Corrosion Control Plan: Installation of corrosion control treatment to allow the water system to meet the MCL requirements of the 1st draw lead and copper sampling.
-----------------------	--

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 3033509**, Public Water Supply.

Applicant	<b>Southwestern Pennsylvania Water Authority</b> 1442 Jefferson Street P.O. Box 187 Jefferson, PA 17055
Municipality	Jefferson Township
County	<b>Greene</b>
Responsible Official	Tim Faddis Manager
Type of Facility	Storage Tank
Consulting Engineer	Bankson Engineers, Inc. 267 Blue Run Road Cheswick, PA 15042

Application Received Date	June 5, 2022
---------------------------	--------------

Description of Action	Rehabilitation and installation of a mixer at the Jefferson Tank.
-----------------------	---

**Permit No. 5622507**, Public Water Supply.

Applicant	<b>Hooversville Borough</b> 50 Main Street P.O. Box 176 Hooversville, PA 15936
Municipality	Hooversville Borough

County	<b>Somerset</b>
Responsible Official	Kenneth Karashowsky Council President
Type of Facility	Water System
Consulting Engineer	The EADS Group, Inc. 450 Aberdeen Drive Somerset, PA 15501
Application Received Date	July 11, 2022
Description of Action	Construction of a pump station and interconnection between Hooversville Borough and the Conemaugh Township Municipal Authority.

*Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Permit No. 3722501**, Public Water Supply.

Applicant and Address	<b>Pennsylvania American Water Co.</b> 852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Neshannock Township
County	<b>Lawrence</b>
Responsible Official	Bruce Aiton V.P. Engineering 852 Wesley Drive Mechanicsburg, PA 17055
Consulting Engineer	Jed A. Ficus P.E. 852 Wesley Drive Mechanicsburg, PA 17055
Application Received Date	July 8, 2022
Description	Pennsylvania-American Water Co. will replace the Neshannock Pump Station due to age and capacity limitations. The booster station is used to fill the Pearson Park Tank, located in the northern portion of the New Castle Service area.

#### WATER ALLOCATIONS

#### Applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

Contact: Gillian Pehala, Clerk Typist 2, 570-830-3077.

**WA39-702B**, Water Allocation, **Hanover Township**, 2202 Grove Street, Allentown, PA 18109, Hanover Township, **Lehigh County**. The applicant is requesting the right to purchase up to 250,000 gallons per day from the City of Allentown on an annual basis.

*Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**WA 25-803B**, Water Allocations, **Summit Township Authority**, 1230 Townhall Road, Suite 200, Erie, PA 16509, Summit Township, **Erie County**. Water Allocation Permit application requesting the right to purchase

1,000,000 gallons per day as a 30-day average flow rate from the Erie City Water Authority via the Erie Water Works Route 19 Take Point and the right to purchase 500,000 gallons per day as a 30-day average flow rate from the Erie City Water Authority via the Erie Water Works Route 97 Take Point.

### LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

#### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notices of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (Department) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent to Remediate. An acknowledgment of the receipt of a Notice of Intent (NOI) to Remediate is used to identify a site where a person proposes to, or has been required to, respond to a release of a regulated substance at a site. Persons intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with the Department. A NOI to Remediate filed with the Department provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. A person who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by the Department. Furthermore, the person shall not be subject to citizen suits or other contribution actions brought by responsible persons not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified person, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning the content of a NOI to Remediate, please contact the Environmental Cleanup Program Manager in the Department of Environmental Protection Regional Office under which the notice appears. If information concerning this acknowledgment is required in an alternative form, contact the Community Relations Coordinator at the appropriate



Regional Office listed. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department of Environmental Protection has received the following Notice(s) of Intent to Remediate:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787.*

*Contact: Charline Bass.*

**Optimum RV Philadelphia**, 1809 West High Street, Pottstown, PA 19464, West Pottstown Township, **Montgomery County**. Craig Herr, Liberty Environmental Inc., 315 West James Street, Lancaster, PA 17603 on behalf of Elizabeth Ivester, 1809 West High Street, LLC, 7400 S US Hwy 441, Ocala, FL 34480 submitted a Notice of Intent to Remediate. The site has been found to be contaminated with unleaded gasoline constituents which have contaminated soil and groundwater. The proposed future use of the property will be nonresidential for an RV dealership. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Pottstown Mercury Newspaper* on June 9, 2022.

**2043-2051 North Front Street**, 2043-2051 North Front Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Suite 201, Philadelphia, PA 19142 on behalf of Max Frankel, 2043-51 North Front Street Property Owner, LLC, 1845 Walnut Street, Suite 2345, Philadelphia, PA 19103 submitted a Notice of Intent to Remediate. Soil and groundwater have been contaminated with leaded gasoline and unleaded gasoline. The site is currently undeveloped, vacant land which is proposed to undergo comprehensive redevelopment for residential use. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in *The Daily News Legals* on May 23, 2022.

#### DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

**Application(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.**

*Southcentral Region: Regional Solid Waste Manager, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**WMGM044SC003. Mifflin County Solid Waste Authority**, 87 Landfill Road, P.O. Box 390, Lewistown, PA 17044, Derry Township, **Mifflin County**. This application is for the renewal of MCSWA's coverage under WMGM044, which authorizes processing by sorting, screening, crushing, grinding, and shredding unpainted and untreated tree stumps, limbs, pallets, skids, saw dust, wooden boxes or containers, wood shavings or slab wood from saw mills, packing crates, dimensional wood scraps, and construction wood scraps from new residential home construction activities, hereinafter referred to as "wood waste," to produce wood chips for wholesale purposes to be utilized off-site as mulch material or for further processing in the production of mulch material.

The determination of applicability was found to be Administratively Complete on July 6, 2022.

Persons interested in obtaining more information about the general permit application may contact John L. Oren, P.E., Permits Chief, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, 717.705.4907. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Hazardous Waste Transporter License, Applications Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Transport Hazardous Waste.**

*Central Office: Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.*

##### *New Applications Received*

**Covanta Environmental Solutions Ontario, Inc.**, 260 Shoemaker St., Kitchener, ON N2E 3E1. License No. **PA-AH 0923**. Effective March 21, 2022.

##### *Renewal Applications Received*

**ACV Environmental Services, Inc.**, 1500 Rahway Ave, Avenel, NJ 07001. License No. **PA-AH 0339**. Effective July 11, 2022.

**Maumee Express, Inc.**, P.O. Box 278, Somerville, NJ 08876. License No. **PA-AH 0420**. Effective July 6, 2022.

**Terra First, LLC**, P.O. Box 1617, Vernon, AL 35592. License No. **PA-AH 0803**. Effective July 11, 2022.

**Basin Transportation LLC**, 130 Express Lane, McAlester, OK 74501. License No. **PA-AH 0848**. Effective July 11, 2022.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department has developed an "integrated" plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for the Department, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The Department received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, the Department's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate Department Regional Office. Appointments for scheduling a review must be made by calling the appropriate Department Regional Office. The address and phone number of the Regional Office is listed before the application notices.

Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the Department's Regional Office. A 30-day comment period from the date of this

publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

A person wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if the Department, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when the Department determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate Department Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact the Regional Office listed before the application. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

### PLAN APPROVALS

**Plan Approval Applications Received under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B that may have special public interest. These applications are in review and no decision on disposition has been reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Raymond Kempa, New Source Review Chief, (570) 826-2531.*

**13-00001C: BEFESA Zinc US Inc.**, 900 Delaware Avenue, Palmerton, PA 18071-2008, is proposing to bring a Rockster R700S Track Mounted Impact Crusher with engine and water sprays to crush Iron Rich Material (IRM) from the Walzing Kilns at the facility located in Palmerton Borough, **Carbon County**.

**Intent to Issue Plan Approvals and Intent to Issue or Amend Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These actions may include the administrative amendments of an associated operating permit.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief, (484) 250-5920.*

**09-0010E: PEL Pharma Inc.**, 650 Cathill Road, Sellersville, PA 18960, for two sources removed from 2019 renewal of Synthetic Operating Permit located in West Rockhill Township, **Bucks County**. The equipment includes a 60" Tablet Coater (source # 117) and the Fluid Bed Processor (source # 122). Both sources emit particulate matter and are controlled with dust collectors and HEPA filters in series. The Plan Approval contains all applicable requirements including monitoring, record-keeping and reporting.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, P.E., New Source Review Chief, (412) 442-4168.*

**65-00767C: Westmoreland Sanitary Landfill, LLC**, 111 Conner Lane, Bell Vernon, PA 15012. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval 65-00767C to allow the construction and initial temporary operation of a Leachate Evaporation System consisting of one (1) Pentair Hydrocarbon Recovery Unit; one (1) Cleaver Brooks, ProFire MYHG 25.2, 25.2 MMBtu/hr natural gas-fired burner; and one (1) 45,000 gallons per day (gpd) Heartland Water Technology, LM-HT Concentrator, Evaporator and Entrainment Separator at the Westmoreland Sanitary Landfill located in Rostraver Township, **Westmoreland County**. The Westmoreland Sanitary Landfill currently operates under Title V permit 65-00767.

Potential to emit from the project is estimated to be 2.0 tons of nitrogen oxides (NO<sub>x</sub>), 1.5 tons of carbon monoxide (CO), 8.0 tons of particulate matter less than 10 microns in diameter (PM<sub>10</sub>), 8.0 tons of particulate matter less than 2.5 microns in diameter (PM<sub>2.5</sub>), 0.2 ton of sulfur dioxide (SO<sub>2</sub>), 1.0 ton of volatile organic compounds (VOC), and 0.5 ton of total hazardous air pollutants (HAPs).

The authorization is subject to State regulations including 25 Pa. Code §§ 123.1, 123.2, 123.13, 123.21, and 123.31. This Plan Approval has been conditioned to ensure compliance with all applicable rules. This includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. Notice of Intent to issue the plan approval (NOI) was previously published in the *Pennsylvania Bulletin* on May 9, 2020. A substantial amount of comments were received from the public. The Department has considered those comments and produced an addendum to the previous review memo. The addendum to the memo summarizes the Department's review after May 9, 2020, and any subsequent updates to the draft plan approval. The updated Plan Approval conditions include emission limitations for Radium-226 and Radium-228 from the leachate evaporation system to not equal or exceed the Nuclear Regulatory Commission's (NRC) air discharge limits of 10 CFR Part 20, Appendix B, Table 2.

The updated plan approval also includes conditions requiring leachate sampling and conditions for testing, monitoring, recordkeeping, reporting, and work practice requirements for radionuclide emissions. The Department has determined that the proposed facility satisfies the Department's Best Available Technology (BAT) requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise or submit a Title V Operating Permit in accordance with 25 Pa. Code Subchapter G.

The Plan Approval application, the Department's Air Quality Review Memorandum, Review Memorandum Addendum, and the proposed Air Quality Plan Approval for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Documents are available for review at the Department's Southwest Regional webpage at [www.dep.pa.gov/southwest](http://www.dep.pa.gov/southwest) and navigating to the Westmoreland Sanitary Landfill LLC project tab. Additionally, to request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum and Air Quality Review Memorandum Addendum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact the Southwest Regional Office File Review Coordinator at 412-442-4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Melissa Jativa via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; or email to [RA-EPSWROAIRPERMNOTE@pa.gov](mailto:RA-EPSWROAIRPERMNOTE@pa.gov). Each protest or set of written comments must contain the name, address, email, and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00767C) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

**Public hearing.** DEP will hold one in-person hearing and one virtual hearing to collect testimony from the public on the draft air quality plan approval. Each hearing will begin at 6:00 PM. The dates and locations are as follows:

- Wednesday, August 31, 2022—Rostraver Central Fire Department, 1100 Fells Church Road, Rostraver Township, PA 15012
- Thursday, September 1, 2022—virtual hearing via Webex.

Testimony will be limited to 3 minutes in order for DEP to receive as many comments as possible. Time may not be relinquished or shared, and organizations are asked to designate one speaker on its behalf. Video demonstrations and screen sharing by testifiers will not be permitted during the virtual hearing. All comments, whether provided orally at a hearing or in writing, carry equal weight and consideration before DEP. In order to accommodate all interested parties, the virtual hearing will be accessible both by internet and phone. Individuals who wish to observe or present testimony at either hearing are asked to register in advance by contacting Lauren Fraley at [lfraley@pa.gov](mailto:lfraley@pa.gov) or 412-442-4203. Those wishing to participate in the virtual hearing will receive the link and instructions for how to join via e-mail. Registration for the hearing will be taken through 4:00 p.m. the day before each hearing.

All presenters should provide at least one copy of their written comments and exhibits for submission to the

DEP either at the in-person hearing or via email to the email account following the virtual hearing. DEP will accept written comments on the draft air quality plan approval through close of business on September 12, 2022. Comments on the applications can be e-mailed or sent via postal mail to the Department of Environmental Protection, Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222, [RA-EPSWROAIRPERMNOTE@pa.gov](mailto:RA-EPSWROAIRPERMNOTE@pa.gov).

The draft air quality plan approval and more information on this site is available on the designated DEP Community Information webpage for Westmoreland Sanitary Landfill, LLC, found at [www.dep.pa.gov/southwest](http://www.dep.pa.gov/southwest).

If you are a person with a disability wishing to attend either hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Lauren Fraley to discuss how DEP may accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (Voice users) and request that your call be relayed to Lauren Fraley at 412-442-4203.

## PLAN APPROVAL

---

### PUBLIC HEARINGS

---

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Edward Orris, P.E., New Source Review Chief—Telephone: 412-442-4168.*

**65-00767C: Westmoreland Sanitary Landfill, LLC (WSL)**, 111 Conner Lane, Belle Vernon, PA 15012, Proposed Plan Approval Authorization, Rostraver Township, Westmoreland County.

In accordance with 25 Pa. Code § 127.48, notice is hereby given that the Pennsylvania Department of Environmental Protection (Department) will hold one in-person hearing and one virtual hearing to collect testimony from the public on the draft air quality plan approval. Each hearing will begin at 6:00 p.m. The dates and locations are as follows:

- Wednesday, August 31, 2022—Rostraver Central Fire Department, 1100 Fells Church Rd, Rostraver Township, PA 15012.
- Thursday, September 1, 2022—virtual hearing via Webex.

Testimony will be limited to 3 minutes in order for DEP to receive as many comments as possible. Time may not be relinquished or shared, and organizations are asked to designate one speaker on its behalf. Video demonstrations and screen sharing by testifiers will not be permitted during the virtual hearing. All comments, whether provided orally at a hearing or in writing, carry equal weight and consideration before DEP. In order to accommodate all interested parties, the virtual hearing will be accessible both by internet and phone. Individuals who wish to observe or present testimony at either hearing are asked to register in advance by contacting Lauren Fraley at [lfraley@pa.gov](mailto:lfraley@pa.gov) or 412-442-4203. Those wishing to participate in the virtual hearing will receive the link and instructions for how to join via e-mail. Registration for the hearing will be taken through 4:00 p.m. the day before each hearing.

All presenters should provide at least one copy of their written comments and exhibits for submission to the DEP either at the in-person hearing or via email to the

email account following the virtual hearing. DEP will accept written comments on the draft air quality plan approval through close of business on September 12, 2022. Comments on the applications can be e-mailed or sent via postal mail to the Department of Environmental Protection, Southwest Regional Office, Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222, RA-EPSWROAIRPERMNOTE@pa.gov.

Each protest or set of written comments must contain the name, address, email, and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-00767C) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

The draft air quality plan approval and more information on this site is available on the designated DEP Community Information webpage for Westmoreland Sanitary Landfill, LLC, found at [www.dep.pa.gov/southwest](http://www.dep.pa.gov/southwest).

If you are a person with a disability wishing to attend either hearing and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Lauren Fraley to discuss how DEP may accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling (800) 654-5984 (TDD Users) or (800) 654-5988 (Voice users) and request that your call be relayed to Lauren Fraley at 412-442-4203.

#### OPERATING PERMITS

##### **Intent to Issue Title V Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**63-00096: Union Electric Steel Corporation USA**, P.O. Box 465, Carnegie, PA 15106-0465. In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department of Environmental Protection (DEP) is providing notice that it intends to issue a renewal Title V Operating Permit (TVOP-63-00096) to Union Electric Steel Corporation USA (UES) to authorize the continued operation of steel manufacturing at their Harmon Creek Plant located in Burgettstown in Smith Township, **Washington County**.

The sources include one (1) electric arc furnace rated at 14.5 tph, one (1) scrap burning furnace rated at 6.0 tph, seventeen (17) annealing furnaces each rated at 10.0 tph, nine (9) forging furnaces each rated at 17 MMBtu/hr, two (2) ladle pre-heat furnaces, one (1) mold furnace, natural gas space heaters, teeming, cooling tower, lime silo, heat pump, emergency generators and several control devices. Potential emissions from the project are based on the combustion limit of natural gas. Fugitive emissions are controlled by bag houses and NO<sub>x</sub> emissions from annealing furnaces, forging furnaces, and pre-heat furnace are controlled by low NO<sub>x</sub> burners. Potential emissions from the facility are estimated to be 22.0 PM<sub>10</sub>, 6.0 tons VOC, 1.5-tons HAP, and 9.0 tons SO<sub>x</sub>. The facility is limited to 91.6 tons CO and 38.0 tons NO<sub>x</sub> facility wide emission limits.

This facility is subject to applicable requirements of 40 CFR Part 60 Subpart AAa, New Emission Standards for Hazardous Air Pollutant area source (NESHAP) re-

quirements of 40 CFR Part 63 Subpart XXXXXX and Subpart YYYYYY, the best available technology (BAT), and 25 Pa. Code Chapters 121—145. The facility has limitation on potential emissions, hours of operation, natural gas usage, as well as LDAR, monitoring, recordkeeping, reporting, and work practice, and performance testing requirements. The emergency generators are subject to the applicable requirements of 40 CFR Part 60 Subpart IIII, 40 CFR Part 63 Subpart ZZZZ and 25 Pa. Code Article III, Chapters 121—145.

A person may oppose the proposed Title V Operating Permit by filing a written protest with the Department through Noor Nahar via mail to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to [nnaharr@pa.gov](mailto:nnaharr@pa.gov); or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Title V Operating Permit (TV-63-00096) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

All comments must be received prior to the close of business 30 days after the date of this publication.

##### **Intent to Issue Operating Permits under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.*

**09-00147: Northtec LLC—Bristol**, 411 Sinclair Road, Bristol, PA 19007, located in Bristol Township, **Bucks County**. This action is a renewal of a State Only Natural Minor Operating Permit. Solvents used in the cleanup operation (Source ID No. 101) has the potential to emit VOC. The facility also has various miscellaneous sources consuming natural gas and one (1) diesel-fired 2,220 HP emergency generator. Potential emissions at the facility are as follows: 15.88 tons per year of NO<sub>x</sub>, 3.02 tons per year of VOC, 8.33 tons per year of CO, and less than 1 ton per year each of SO<sub>x</sub>, PM and HAPs. In addition to applicable State requirements the facility is subject to the 40 CFR Part 60 Subpart IIII and 40 CFR Part 63 Subpart ZZZZ. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at [RA-EPSEROAQPUBCOM@pa.gov](mailto:RA-EPSEROAQPUBCOM@pa.gov).

**09-00220 Donaldson Company, Inc./Feasterville**, 1731 Loretta Ave., Feasterville, PA 19053, located in Lower Southampton Township, **Bucks County**. This ac-

tion is for the renewal Natural Minor Operating Permit. The facility has emissions limits of 1.75 tpy VOC, 0.88 tpy NO<sub>x</sub> and 0.44 tpy CO after controls. The facility manufactures PTFE filter membranes for various industries using an extrusion press. The permit contains all applicable requirements including monitoring, record-keeping and reporting.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

**46-00107: ITW Performance Polymers formerly known as ITW Engineered Polymers**, 130 Commerce Drive, Montgomeryville, PA 18936, for a non-Title V, State Only, Natural Minor Operating Permit in Montgomery Township, **Montgomery County**. The Department intends to renew a permit to allow nine (9) mixers and two (2) filling stations mixing volatile organic compound (VOC) and non-VOC-containing materials for the manufacture of industrial adhesives, grouts and encapsulating epoxies at their facility. Based on the potential emissions of VOC, which are less than major source threshold (i.e., 25.0 tons per year), the facility is a Natural Minor.

This action is a fourth renewal of the State-Only Operating Permit. The permit was initially issued on June 13, 2002 and was subsequently renewed on August 24, 2007, on August 15, 2012, and on August 24, 2017.

The renewal contains all applicable requirements including monitoring, recordkeeping and reporting.

Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, (717) 705-4862, Thomas Bianca, New Source Review Chief, (717) 705-4863, or William Weaver, Regional Air Quality Manager, (717) 705-4702.*

**06-03107: Morgan Corporation Grace Mine Plant**, One Morgan Way, P.O. Box 588, Morgantown, PA 19543, for the flatbed truck bodies, frames and parts plant in New Morgan Borough, **Berks County**. The actual emissions from the facility in 2019 year are estimated at 15.5 tons of VOC, 1.1 tons of NO<sub>x</sub> and 1.97 tons of HAP. The Operating Permit will include emission limits and work practice standards along with monitoring, record-keeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**50-03006: Sunoco Pipeline, LP**, PA 274W, Toboyne, PA 17006, to issue a State Only Operating Permit for the natural gas liquid (ethane, propane, butane or a mixture of these) Doylesburg pumping station located in Toboyne Township, **Perry County**. The potential emissions from the facility are estimated to be less than 1 ton for each of the following pollutants: NO<sub>x</sub>, CO, SO<sub>x</sub>, PM, VOCs and HAPs and 108 tons of GHGs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, (412) 442-4336.*

**56-00304: Somerset Welding & Steel, Inc.**, 10558 Somerset Pike, Somerset, PA 15501. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to Somerset Welding & Steel's J & J Truck Bodies & Trailers (J & J) facility to authorize the continued operation of their Steel and aluminum dump truck bodies and trailers manufacturing facility located in Lincoln Township, **Somerset County**.

J & J manufactures Steel and aluminum dump truck bodies and trailers for the light duty chassis or heavy-duty trailers for rock hauling or demolition and excavation work.

The activities include metal surface preparation, cleaning via shot blast, welding, surface coating and parts cleaning activities. Emissions from this facility are less than 2.19 tons per year of PM, 14.4 tons per year of NO<sub>x</sub>, 12.34 tons per year of VOCs and 2.04 tons per year of HAPs. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via mail nnahar@pa.gov to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (56-00304) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

All comments must be received prior to the close of business 30 days after the date of this publication.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**25-00916: Ridg U Rak, Inc.**, 120 South Lake Street, North East, PA 16428-1232. The Department intends to renew a State Only Natural Minor Operating Permit for the facility located in North East borough, **Erie County**. The primary sources at the facility include natural gas-fueled space heaters, a 3-stage washer, two ovens, and two natural gas-fueled emergency generators. Potential emissions of the primary pollutants are as follows: 19.35 TPY NO<sub>x</sub>, 11.98 TPY CO, 0.09 TPY SO<sub>x</sub>, 1.08 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, 0.49 TPY VOC, and 0.27 TPY total HAP; thus, the facility is a natural minor. The main plant emergency generator is subject to 40 CFR Part 63 Subpart ZZZZ, the National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating

Internal Combustion Engines, and the office building emergency generator is subject to 40 CFR Part 60 Subpart JJJJ, the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The renewal permit will contain emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection. A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on

a mining permit application may be submitted by any person or any officer or head of any Federal, State or local government agency or authority to the Department at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform the Department on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

### Coal Applications

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Office: 25 Technology Drive, Coal Center, PA 15423, (724) 769-1100, (Contact: Bonnie Herbert).

**Mining Permit No. 02733702. NPDES No. PA0023370. Consol Mining Company, LLC**, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, to revise the permit and related NPDES Permit for installation of pipeline and one (1) new NPDES outfall in Plum Borough, **Allegheny County**, affecting 37.0 proposed coal refuse disposal support acres. Receiving stream: Allegheny River, classified for the following use: WWF. Application received: June 30, 2022.

New Stanton District Office: P.O. Box 133, New Stanton, PA 15672, (724) 925-5500, RA-EPNEWSTANTON@pa.gov (Contact: Tracy Norbert).

**Mining Permit No. 03900112. Keystone Land Resources, Inc.**, 46226 National Road, Street, Clairsville, OH 43950, renewal of an existing bituminous surface mine in Kiskiminetas Township, **Armstrong County**, affecting 81.2 acres. This renewal is issued for reclamation only. Receiving streams: unnamed tributary to Long Run, classified for the following use: WWF. Application received: June 28, 2022.

### Noncoal Applications

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EPKNOX@pa.gov (Contact: Cayleigh Boniger).*

**Mining Permit No. 3076SM8. NPDES No. PA0259748. Conneaut Lake Sand & Gravel, Inc.,** P.O. Box 233, West Middlesex, PA 16159, renewal of an NPDES permit associated with a large noncoal permit in Sadsbury Township, **Crawford County**, affecting 32.3 acres. Receiving streams: Two unnamed tributaries to Mud Run, one unnamed tributary to Watson Run, and one unnamed tributary to Conneaut Lake, classified for the following use: WWF, HQ-WWF. No changes proposed. Application received: June 14, 2022.

**Mining Permit No. 61110304. NPDES No. PA0259217. Glenn O. Hawbaker, Inc.,** 1952 Waddle Road, Suite 203, State College, PA 16803, renewal of an NPDES permit associated with a large noncoal permit in Barkeyville Borough, **Venango County**, affecting 104.5 acres. Receiving stream: North Branch Slippery Rock Creek, East Branch Wolf Creek, classified for the following use: CWF. No changes proposed. Application received: June 24, 2022.

**Mining Permit No. 37160303. NPDES No. PA0259713. Amerikohl Aggregates, Inc.,** 202 Sunset Drive, Butler, PA 16001, renewal of an NPDES permit associated with a large noncoal permit in Wayne Township, **Lawrence County**, affecting 229.0 acres. Receiving stream: Connoquenessing Creek, Unnamed tributaries to Beaver River, classified for the following use: WWF. No changes proposed. Application received: June 30, 2022.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).*

**Mining Permit No. 59220801. GP104 PAM219003. Heysham Paving Co., Inc.,** 1815 Barney Hill Rd., Elkland, PA 16920, new permit application for a small noncoal (industrial minerals) operation located in Nelson Township, **Tioga County**, affecting 3.6 acres. Receiving stream(s): Cowanesque River tributary to Tioga River classified for the following use(s): CWF-MF. Application received: February 18, 2022.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EPPottsvilleDMO@pa.gov (Contact: Theresa Reilly-Flannery).*

**Mining Permit No. 66222501. NPDES Permit No. PA0226301. Gary D. & Gary R. Goble,** 133 Patton Road, Monroe Township, PA 18636, new NPDES Permit on a GP-105 quarry operation in Monroe Township, **Wyoming County**, affecting 10.8 acres. Receiving stream: South Run, classified for the following uses: HQ-CWF, MF. Application received: June 6, 2022.

**Mining Permit No. 58040847. Theodore R. Walworth,** P.O. Box 14, Hallstead, PA 18822, Stage I & II bond release of a quarry operation in Jackson Township, **Susquehanna County**, affecting 2.0 acres on quarry owned by Theodore R. Walworth. Application received: June 30, 2022.

**Mining Permit No. 39880302. NPDES Permit No. PA0225665. Coplay Aggregates, Inc.,** 21 East 10th Street, Northampton, PA 18067, renew NPDES Permit on a quarry operation in Whitehall Township, **Lehigh County**, affecting 21.49 acres. Receiving stream: unnamed tributary to Coplay Creek, classified for the following uses: CWF, MF. Application received: July 1, 2022.

**Mining Permit No. 58150301. NPDES Permit No. PA0225584. Pennsy Supply, Inc.,** 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, renew NPDES Permit on a quarry operation in Middletown Township, **Susquehanna County**, affecting 254.5 acres. Receiving stream: unnamed tributary to Middle Branch Wyalusing Creek. Application received: July 8, 2022.

#### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed NPDES permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (Department) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

##### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters the Department may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

#### *Additional criteria*

In addition to BAT or WQBEL limits, coal and noncoal NPDES permits establish effluent limitations in the form of implemented Best Management Practices (BMPs) identified in the associated Erosion and Sedimentation Plan, the Reclamation Plan, and the NPDES permit application. These BMPs restrict the rates and quantities of associated pollutants from being discharged into surface waters of this Commonwealth.

More restrictive effluent limitations, restrictions on discharge volume, or restrictions on the extent of mining that may occur are incorporated into an NPDES permit when necessary for compliance with water quality standards and antidegradation requirements (in accordance with 25 Pa. Code Chapters 91—96).

The procedures for determining the final effluent limits, using a mass-balance equation or model, are found in Technical Guidance Document 563-2112-115, Developing National Pollutant Discharge Elimination System (NPDES) Permits for Mining Activities. Other specific factors to be considered include public comments and Total Maximum Daily Load(s). Additional discharge limitations may apply in the event that unexpected discharges occur.

Discharge rates for surface mining activities are precipitation driven. Discharge rates for proposed discharges associated with underground mining are noted in the permit description.

#### *Submittal of comments*

Persons wishing to comment on an NPDES draft permit should submit a written statement to the Department at the address of the district mining office indicated before each draft permit notice within 30-days of this notice. Comments received within the comment period will be considered in the final determinations regarding the NPDES permit applications. Comments must include the name, address and phone number of the writer and a concise statement to inform the Department of the basis of a comment and the relevant facts upon which it is based.

Requests or petitions for a public hearing on any NPDES permit applications will be accepted as provided in 25 Pa. Code § 92a.82(d). The request or petition for a public hearing shall be filed within 30-days of this public notice and contain the name, address, phone number and the interest of the party filing the request and state the reasons why a hearing is warranted. The Department may hold a public hearing if the public interest is significant. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. The Department will consider comments from the public hearing in the final determination on the NPDES permit application.

#### *Coal NPDES Draft Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).*

**NPDES No. PA0237922. Mining Permit No. 17980104. Swisher Contracting, Inc.,** P.O. Box 1223, Clearfield, PA 16830, modification for increase in the pH limit for outfall 011 on an NPDES permit for discharge of water resulting from post-mining treatment of mine drainage treatment facility in Lawrence Township, **Clearfield County**, affecting 69.2 acres. Receiving stream(s): Moose Creek, classified for the following use(s): CWF, MF. This receiving stream is included in the Moose Creek TMDL. Application received: June 21, 2022.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Moose Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
010	Existing	023031T	Continuous (0.0147 MGD)
011	Existing	075T	Continuous (0.0177 MGD)



The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 010 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.0	2.0	2.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kilogram)	N/A	N/A	50.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 011 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.0	2.0	2.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kilogram)	N/A	N/A	50.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 10.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

#### *Noncoal NPDES Draft Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EPMOSHANNON@pa.gov (Contact: Ashley Smith).*

**NPDES Permit No. PA0608858. Mining Permit No. 4976SM4. DeCristo, Inc.**, 9070 Route 414, Canton, PA 17724, renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals in Middlebury Township, **Tioga County**, affecting 38.1 acres. Receiving stream(s): Norris Brook, classified for the following use(s): TSF, MF (Existing Use: EV). Application received: May 31, 2022.

The following outfall discharges to Norris Brook:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sedimentation Pond 1	Precipitation Induced

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfalls: 001 (Dry Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			

<i>Outfalls: 001 (≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			

*Outfalls: 001 (>10-yr/24-hr Precip. Event)*  
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the

FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Persons objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the

comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 AM and 4:00 PM on each working day at the office noted above the application.

If you are a person with a disability and wish to attend the hearing and you require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact the specified program. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

#### **WATER OBSTRUCTIONS AND ENCROACHMENTS**

##### **Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.*

**E3502222-007. Pennsylvania American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, in Scranton City, **Lackawanna County**, U.S. Army Corps of Engineers, Baltimore District.

To replace and re-align three outfall pipes from three existing combined sewer overflow regulators and combining them into one 48-inch PVC outfall pipe along the Lackawanna River (CWF, MF). (Scranton, PA Quadrangle, Latitude: 41° 26' 4"; Longitude: -75° 38' 44"). Application received date: June 14, 2022.

**E4502222-007. Dale Smucker**, 2346 Hobson Road, Lancaster, PA 17602, in Tobyhanna Township, **Monroe County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a floating wooden recreational dock with 1.5" spud poles encroaching into 120 square feet of Arrowhead Lake (EV, MF). The dock construction is also proposing a 2-foot wide stone access walkway which will permanently impact 70 square feet of wetlands (EV). The project is located at 1039 Arrowhead Drive (Thornhurst, PA Quadrangle Latitude: 41° 9' 4"; Longitude: -75° 34' 20") in Tobyhanna Township, Monroe County. Application received date: June 9, 2022.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake.*

**E0205222-006, Bateman NFIA and Associates, LLC**, 285 Kappa Drive, Pittsburgh, PA 15238, North Fayette Township, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

1. Construct, operate, and maintain 110 LF of a 54-inch HPDE pipe, with associated endwalls, which will extend the total impact to 149 LF, within an Unnamed Tributary (UNT) to the North Branch Robinson Run (WWF) (R001),

2. Place and maintain fill in 18,232 square feet of the floodway of R001,

3. Place and maintain fill in 92 LF of a UNT to North Branch Robinson Run (WWF) (R004) and in 9,200 square feet of its floodway,

4. Place and maintain fill in 101 LF of a UNT to North Branch Robinson Run (WWF) (R005) and in 10,100 square feet of its floodway,

5. Place and maintain 13,610 square feet of fill in PEM Wetland W002,

6. Place and maintain 454 square feet of fill in PEM Wetland W003,

7. Construct, operate, and maintain a sanitary utility line, a storm sewer utility line, a water utility line, a gas utility line, a cable and electric utility lines crossings of the aforementioned UNTs and wetlands,

8. Mitigate for project impacts by restoring, operating, and maintaining 360 LF of a downstream portion of UNT R001 and constructing, operating, and maintaining 15,550 square feet of PEM/PSS wetland along the left descending bank of the same area of R001. Additional mitigation is proposed via the purchase of mitigation banking credits with First Pennsylvania Resources LLC.

For the purposes of developing the second Phase of a business park, known as the North Fayette Business Park, which includes the development of five (5) buildings, the extension of utilities, and the extension of an existing road from its terminus in the first Phase area, known as The Imperial Business Park, through the second Phase area and to Bateman Road, in order to create a second access to a public street through the Phase 2 area access. The project will permanently impact 0.32 acre of wetlands, 342 LF of streams, and 0.86 acre of floodways. The project will temporarily impact 360 LF of UNTs to North Branch Robinson Run, and 0.09 acre of PEM wetland

The project site is located on Bateman Road (SR 978) and International Drive (PA USGS topographic quadrangle: N: 40°, 25', 47.64"; W: -80°, 13', 49.08"; Sub-basin 20F; USACE Pittsburgh District), in North Fayette Township, Allegheny County.

**E0205222-011, Moon Township**, 1000 Beaver Grade Road, Moon Township, PA 15108, Moon Township, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

1. Re-grade and maintain the streambanks along approximately 514 linear feet of an unnamed tributary (UNT) to Flougherty Run (Stream R001; WWF), and 1,620 linear feet of a second UNT to Flougherty Run (Stream R002; WWF), to reconnect the streams with their floodplains;

2. Construct and maintain 64 rock cross vanes with step pools, and establishing a 35-foot riparian buffer in and along the aforementioned reaches of Stream R001 and R002;

3. Excavate and maintain an extended dry detention basin at the confluence of two UNTs to Flougherty Run (Streams R001A and R001; WWF), behind a non-jurisdictional dam, which will include an 88-foot long, 30-inch diameter reinforced concrete pipe (RCP) outlet structure, and 37 linear feet of R-6 riprap outlet protection. The basin will have an area of 0.15 acre and storage capacity of 39,895 cubic feet;

4. Construct and maintain a 45-foot long, 24-inch RCP within Stream R001, which is an extension of an existing 15" RCP which conveys Stream R001, with 7 linear feet of R-4 riprap outlet protection, in association with the extended dry detention basin;

5. Construct and maintain 18 linear feet of outlet erosion control, consisting of R-5 riprap, within Stream R001, which has a drainage area less than 100 acres;

6. Construct and maintain 20 linear feet of outlet erosion control, consisting of R-7 riprap, within Stream R001A, which has a drainage area less than 100 acres;

7. Operate and maintain temporary sandbag dams with bypass pumps within Streams R001, R001A, and R002;

8. Temporarily impact 15 feet of Stream R001 and 15 feet of Stream R002 for two temporary stream crossings.

For the purpose of providing sediment load reduction toward Moon Township's MS4 requirements of their NPDES permit (Permit No. PAG136274). Cumulatively, the project will permanently impact 3,014 feet of stream and 4.3 acres of floodway and will temporarily impact 260 feet of stream and 2.4 acres of floodway. The project site is located within Olson Park, approximately 0.4 mile northwest of the park entrance off of Flaugherty Run Road (Ambridge, PA USGS topographic quadrangle; N: 40°, 31', 55.88"; W: -80°, 15', 2.0"; Sub-basin 20G; USACE Pittsburgh District), in Moon Township, Allegheny County.

**E0205222-012, Baldwin Borough**, 3344 Churchview Avenue, Pittsburgh, PA 15227, Baldwin Borough, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

Regrade and maintain 924 total linear feet of stream-bank along Glass Run (WWF) and a UNT to Glass Run (WWF), of which 699 linear feet of work is proposed along Glass Run and 225 linear feet of work is proposed along the UNT to Glass Run, and to establish and maintain a riparian buffer through native plantings to an extent of 35 feet perpendicular to the streams' edge on both sides for the purpose of decreasing pollutant and sediment loading to meet municipal MS4 requirements.

The project will cumulatively and permanently impact 924 linear feet of streambanks; temporarily impact 924 linear feet of streambanks; permanently impact 1.48 acres of the floodway; and temporarily impact 0.78 acre of the floodway. No wetland or streambed impacts are proposed.

The project center is located approximately 420 feet west-south-west of the intersection of Joseph Street and the entrance drive to St. Josaphat Catholic Cemetery. (Pittsburgh East, PA USGS topographic quadrangle; N: 40°, 23', 21"; W: -79°, 58', 2"; Sub-basin 19A; USACE Pittsburgh District) in the Borough of Baldwin, Allegheny County.

**E0305221-003, PPG Industries, Inc.**, 4829 Fairland Road, Barberton, OH 44203 in North Buffalo Township, **Armstrong County**; Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

1. Abandon in place an existing 200 LF 30-inch diameter cement enclosure of a UNT to the Allegheny River

and construct a replacement 173 LF 30-inch HDPE culvert adjacent to the existing enclosure to be abandoned;

2. Construct, operate, and maintain a new 23 LF stone-lined channel and inlet conveying the UNT to the aforementioned replacement 30-inch stream enclosure;

3. Construct, operate, and maintain a new 165.3 LF watercourse to connect the outlet of the new enclosure to unaffected portions of the unnamed tributary;

4. Construct, operate and maintain 149 LF of bank stabilization on an existing water course, below the aforementioned-existing enclosure to be abandoned in place, consisting of gabion baskets and reno mattresses; and

5. Repair a sink hole that formed under the existing aforementioned stream enclosure with 25 cubic yards of fill.

For the purpose of constructing and maintaining an environmental remediation project which will result in 173 LF of permanent stream impacts and 0.08 acre of associated floodway impacts, and 0.01 acre of temporary floodway impacts.

The project site is located west of the Ford City Veterans Bridge and south of SR-128 (Kittanning, PA USGS topographic quadrangle; N: 40°, 45', 29"; W: -79°, 33', 14"; Sub-basin 17E; USACE Pittsburgh District), in North Buffalo Twp., Armstrong County.

**E2605122-006, PennDOT District 12-0**, 825 North Gallatin Ave Ext, Uniontown, PA 15401, Luzerne Township, **Fayette County**; Army Corps of Engineers Pittsburgh District.

The applicant proposes to:

1. Remove the existing, 9.9' wide, 7.26' high, 37.8' long, concrete slab bridge, and to construct and maintain a replacement, 12' wide, 8' high, 67.08' long Precast Concrete Box Culvert, with alternating baffles and aprons, in Rush Run (WWF),

2. Construct and maintain 33 LF of streambank protection, consisting of R-7 stone choked with R-4 stone, upstream of the proposed culvert,

3. Construct and maintain 41 LF of streambank protection, consisting of R-7 stone choked with R-4 stone, downstream of the proposed culvert,

4. Construct and maintain a temporary stream diversion, consisting of a pump by-pass, during the removal of the existing structure and the proposed culvert installation.

For the purpose of replacing the deteriorating structure carrying SR 4001 over Rush Run (WWF).

Cumulatively, the project will have a permanent impact of 195 LF and a temporary impact of 210 LF on Rush Run.

The project site is located near the intersection of Labelle Road and Rush Run Road (Carmichaels, PA USGS topographic quadrangle; N: 39°, 59', 27.76"; W: -79°, 56', 11.37"; Sub-basin 19C; ACOE Pittsburgh District), in Luzerne Township, Fayette County.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E2406222-002, West Penn Power**, 800 Cabin Hill Drive, Greensburg, PA 15601, Helen Mills Reliability

Project, in Horton Township, **Elk County**, Army Corps of Engineers Pittsburgh District (Brandy Camp, PA Quadrangle N: 41.253629°; W: -78.739207°).

To conduct the following activities within the floodways of County Line Run (CWF) and UNT-2 to County Line Run (CWF), as well as within the 100-year floodplain of Little Toby Creek (CWF):

1. To install a 9-foot by 11-foot concrete pad 4 feet deep for installation of a distribution transformer.
2. To construct and maintain two utility lines, 208 feet long and 74 feet long, within 5-inch conduit pipe from an existing utility line to the transformer.
3. To extend and maintain the existing gravel access from Keystone Road by approximately 420 square feet.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

*Contact: Robert Marquez, Senior Project Manager, Telephone Number: 570-327-3636.*

**EA5829222-001, Williams Field Services Company, LLC**, 310 State Route 29 North, Tunkhannock, PA 18657, Rush Township, **Susquehanna County**; Army Corps of Engineers Baltimore District.

To construct, operate, and maintain:

1. a stream restoration/stabilization project impacting 235 lineal feet of an unnamed tributary of Elk Lake Stream (CWF, MF) with a drainage area of less than 100 acres (Montrose West, PA Quadrangle; Lat. 41° 46' 04", Long. -75° 58' 38").

The PA-10-011 stream stabilization project is located in Rush Township, Susquehanna County. The project will result in 235 lineal feet of stream impacts within an active cattle pasture for the purpose of preventing further stream degradation and as part of operation and maintenance of an existing natural gas gathering line for conveyance to market.

**EA0829222-005: Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Litchfield Township, **Bradford County**; Army Corps of Engineers Baltimore District.

The construction of the existing well pad resulted in 9,394 square feet (0.22 acre) of impacts to a Palustrine Emergent Wetland. The project proposes 9,394 square feet (0.22 acre) of restoration activities such as soil decompaction and the replanting of native hydrophytic vegetation within the impacted wetland. The project will result in 9,394 square feet (0.22 acre) of temporary Palustrine Emergent Wetland impacts (Litchfield, PA Quadrangle, Latitude: 41.947597°, Longitude: -76.45226°).

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, 400 Market Street, 2nd Floor, Harrisburg, PA 17101, (717) 787-3411.*

**D30-020EA. Department of Conservation and Natural Resources**, 400 Market Street, Harrisburg, PA 17105, Richhill Township, **Greene County**, U.S. Army Corps of Engineers Pittsburgh District.

The applicant proposes to restore the North Fork Dunkard Fork, Polly Hollow, and Panther Lick Run (TSF) by removing the Ryerson Station State Park Dam and legacy sediment from within the former reservoir. Portions of the legacy sediment excavated from the former

reservoir will be redistributed within the floodplains of upstream restoration reaches where channel incisions and downcutting have occurred. The length of channel areas being temporarily impacted during construction is approximately 12,200 linear feet and the total area being temporarily impacted during construction is approximately 123 acres. The project proposes to restore integrated natural aquatic resources, including restoration of approximately 34 acres of integrated wetland, stream and floodplain areas. The restoration plan includes constructing an approximately 3 acres open water resource that will include a gravel and pipe water interception structure along Panther Lick Hollow. Additional restoration activities include to realign watercourses during the course of restoration; to place stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, and other erosion controls during restoration activities. Within the limits of disturbance for the dam removal and restoration plan additional water obstructions and encroachments as part of an overall park improvement plan include a bridge and causeway crossing of the former reservoir areas that will serve as the park day use area main entrance, a culvert and causeway crossing of Panther Lick Hollow, stormwater outfall structures, gravel and boardwalk trails, wildlife observation platforms, concrete and stone paddle-craft boat launch areas and associated streambank stabilization. The restoration project is located within Ryerson Station State Park, PA USGS Quadrangle: Wind Ridge and New Freeport, Latitude 39.882899; Longitude -80.449554.

*Eastern Region: Oil & Gas Management Program, 208 West Third Street, Suite 101, Williamsport, PA 17701-6448.*

*Contact: Robert Marquez, Senior Project Manager, Telephone Number: 570-327-3636.*

**EA5829222-001. Williams Field Services Company, LLC**, 310 State Route 29 North, Tunkhannock, PA 18657, Rush Township, **Susquehanna County**; Army Corps of Engineers Baltimore District.

To construct, operate, and maintain:

1. A stream restoration/stabilization project impacting 235 lineal feet of an unnamed tributary of Elk Lake Stream (CWF, MF) with a drainage area of less than 100 acres (Montrose West, PA Quadrangle; Lat. 41° 46' 04", Long. -75° 58' 38").

The PA-10-011 stream stabilization project is located in Rush Township, Susquehanna County. The project will result in 235 lineal feet of stream impacts within an active cattle pasture for the purpose of preventing further stream degradation and as part of operation and maintenance of an existing natural gas gathering line for conveyance to market.

**EA0829222-005. Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Litchfield Township, **Bradford County**; Army Corps of Engineers Baltimore District.

The construction of the existing well pad resulted in 9,394 square feet (0.22 acre) of impacts to a Palustrine Emergent Wetland. The project proposes 9,394 square feet (0.22 acre) of restoration activities such as soil decompaction and the replanting of native hydrophytic vegetation within the impacted wetland. The project will result in 9,394 square feet (0.22 acre) of temporary Palustrine Emergent Wetland impacts (Litchfield, PA Quadrangle, Latitude: 41.947597°; Longitude: -76.45226°).

---

**ACTIONS**

---

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT****FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department has taken the following actions on previously received applications for new, amended, and renewed NPDES and WQM permits, applications for permit waivers, and NOIs for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated county conservation district (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484.250.5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570.826.5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717.705.4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570.327.3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412.442.4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814.332.6340. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717.787.5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should contact a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir.

2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Actions on NPDES and WQM Permit Applications and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD130038	Chapter 102 Individual NPDES Permit	Issued	Jack Frost Mountain Co. P.O. Box 1539 Blakeslee, PA 18610-1539	Kidder Township Carbon County	NERO
PAD130039	Chapter 102 Individual NPDES Permit	Issued	Big Boulder Corp P.O. Box 1539 Blakeslee, PA 18610-1539	Kidder Township Carbon County	NERO
PAD140088	Chapter 102 Individual NPDES Permit	Issued	Patton Township Centre County 100 Patton Plaza State College, PA 16803-2304	Patton Township Centre County	NCRO
PAD150041	Chapter 102 Individual NPDES Permit	Issued	Gateway Realty Holdings Ltd 2329 Nostrand Avenue Suite 500 Brooklyn, NY 11210-3936	West Vincent Township Chester County	SERO
PAD150224	Chapter 102 Individual NPDES Permit	Issued	Pleasant View Ind, LLC 102 Reservoir Road Honey Brook, PA 19344-1341	Honey Brook Township Chester County	SERO
PAD150242	Chapter 102 Individual NPDES Permit	Issued	Myers Brock 397 N Limerick Road Schwenksville, PA 19473-1643	Philadelphia City Philadelphia County	SERO
PAD390219	Chapter 102 Individual NPDES Permit	Issued	Ricky Kulik Real Estate, LLC 225 Elm Street Emmaus, PA 18049-2623	Lower Macungie Township Lehigh County	NERO
PAD450082	Chapter 102 Individual NPDES Permit	Issued	Trap Enterprises, LLC 3329 Mountain View Drive Tannersville, PA 18372-7866	Pocono Township Monroe County	NERO
PAD530010	Chapter 102 Individual NPDES Permit	Issued	Primax Properties, LLC 1100 E Morehead Street Charlotte, NC 28204-2815	Coudersport Borough Potter County	NCRO
2622800	Joint DEP/PFBC Pesticides Permit	Issued	Reskovac Michael M 162 Ruane Road Uniontown, PA 15401-9708	North Union Township Fayette County	SWRO
2622801	Joint DEP/PFBC Pesticides Permit	Issued	Pressman Stacey 533 Elliotsville Road Farmington, PA 15437-1182	Wharton Township Fayette County	SWRO
PAI132203	MS4 Individual NPDES Permit	Issued	Scranton City Lackawanna County 340 N Washington Avenue Scranton, PA 18503-1546	Scranton City Lackawanna County	NERO
PA0042269	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Lancaster Area Sewer Authority Lancaster County 130 Centerville Road Lancaster, PA 17603-4007	Manor Township Lancaster County	SCRO
3186401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Huntingdon Borough Huntingdon County P.O. Box 592 530 Washington Street Huntingdon, PA 16652-0592	Smithfield Township Huntingdon County	SCRO
3279406	Major Sewage Treatment Facility Individual WQM Permit	Issued	Indiana Borough Indiana County 80 N. 8th Street Indiana, PA 15701	Indiana Borough Indiana County	NWRO

## NOTICES

4179

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4010401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Freeland Borough Municipal Authority Luzerne County 711 Birkbeck Street Freeland, PA 18224-1501	Foster Township Luzerne County	NERO
PA0104396	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Kullagruppen USA Holding Co. 568 Tomato Drive Punxsutawney, PA 15767-5627	Ringgold Township Jefferson County	NWRO
PA0217867	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Resources for Human Development Inc. 6383 Tuscarawas Road Midland, PA 15059-2041	Ohioville Borough Beaver County	SWRO
1422201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Haines Aaronsburg Municipal Authority P.O. Box 254 Aaronsburg, PA 16820-0254	Haines Township Centre County	NCRO
NOEXSE166	No Exposure Certification	Issued	Global Pkg Inc. 209 Brower Avenue Oaks, PA 19456	Upper Providence Township Montgomery County	SERO
PAG041078	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Tauber Jason II 11511 Phillippsville Road Wattsburg, PA 16442	Venango Township Erie County	NWRO
PA0270822	Pesticides Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Allentown, PA 18104-9342	Statewide Statewide	CO
2122402	Sewer Extensions Individual WQM Permit	Issued	East Pennsboro Township Cumberland County 98 S Enola Drive Enola, PA 17025-2704	East Pennsboro Township Cumberland County	SCRO
PA0238929	Single Residence STP Individual NPDES Permit	Issued	Douglas E and Michele Gnora Roesch 925 Saint James Street Pittsburgh, PA 15232-2114	North East Township Erie County	NWRO
PA0255246	Single Residence STP Individual NPDES Permit	Issued	Culotta Charles R 6 E Clarke Avenue Milford, DE 19963	Wharton Township Fayette County	SWRO
PA0264903	Single Residence STP Individual NPDES Permit	Issued	Schmelzer Deborah 151 Etna Road Slippery Rock, PA 16057	Slippery Rock Township Butler County	NWRO
PA0265080	Single Residence STP Individual NPDES Permit	Issued	Charlotte and Robert Russo 6480 Lakeside Drive Sharpsville, PA 16150-9670	South Pymatuning Township Mercer County	NWRO
PA0265471	Single Residence STP Individual NPDES Permit	Issued	Kerle Daniel 3238 Waterson Road Strattanville, PA 16258	Clarion Township Clarion County	NWRO
PA0290599	Single Residence STP Individual NPDES Permit	Issued	Margarita and Vlacheslav Yunikov 4512 Shannon Road Erie, PA 16510-4234	Harborcreek Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0290611	Single Residence STP Individual NPDES Permit	Issued	Danielle and Mark Rubeo 6750 Millfair Road Fairview, PA 16415-2710	Fairview Township Erie County	NWRO
PA0290688	Single Residence STP Individual NPDES Permit	Issued	Hinkle Melissa 3207 Reichert Road Erie, PA 16509-4337	McKean Township Erie County	NWRO
PA0290696	Single Residence STP Individual NPDES Permit	Issued	Lama Ciro 89 Charleston Road Mercer, PA 16137-2415	Jefferson Township Mercer County	NWRO
1617406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Kerle Daniel 3238 Waterson Road Strattanville, PA 16258	Clarion Township Clarion County	NWRO
2522409	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Margarita and Vlacheslav Yunikov 4512 Shannon Road Erie, PA 16510-4234	Harborcreek Township Erie County	NWRO
2522410	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Danielle and Mark Rubeo 6750 Millfair Road Fairview, PA 16415-2710	Fairview Township Erie County	NWRO
2522414	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Hinkle Melissa 3207 Reichert Road Erie, PA 16509-4337	McKean Township Erie County	NWRO
4322403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Lama Ciro 89 Charleston Road Mercer, PA 16137-2415	Jefferson Township Mercer County	NWRO
WQG018845	WQG-01 WQM General Permit	Issued	Tauber Jason II 11511 Phillipsville Road Wattsburg, PA 16442	Venango Township Erie County	NWRO

---

**II. Final Actions on PAG-01 and PAG-02 General NPDES Permit NOIs.**


---

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090074	PAG-02 General Permit	Issued	2731 Two Bartram LLC 2731 Bartram Road Bristol, PA 19007-6893	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550
PAC230213	PAG-02 General Permit	Issued	Swarthmore College 500 College Avenue Swarthmore, PA 19081	Swarthmore Borough Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484



## NOTICES

4181

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230203	PAG-02 General Permit	Issued	Rockwell Bethel, LLC 124 E. State Street Media, PA 19063	Bethel Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484
PAC150036 Renewal	PAG-02 General Permit	Issued	Wilkinson Advantage, LP 1020 Broad Run Road Landenberg, PA 19350	Avondale Borough Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC150305	PAG-02 General Permit	Issued	Francis X Taraschi 300 N Buck Road Downingtown, PA 19335	Downingtown Borough Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360
PAC390175	PAG-02 General Permit	Issued	Southern Lehigh School District 5775 Main Street Center Valley, PA 18034	Upper Saucon Township Lehigh County	Lehigh County Conservation District 4184 Dorney Park Road Suite 105 Allentown, PA 18104 610-391-9583
PAC400234	PAG-02 General Permit	Issued	Earth Conservancy Terance Ostrowski 101 South Main Street Ashley, PA 18706	Hanover Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400209	PAG-02 General Permit	Issued	DAMA Thomas Keiper 101 Memorial Highway Shavertown, PA 18708-9603	Lehman Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400241	PAG-02 General Permit	Issued	SAI Sugarloaf Realty, LLC Ashok Patel 1 Buckhorn Road Bloomsburg, PA 17815	Sugarloaf Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400240	PAG-02 General Permit	Issued	CITI MG, LLC and CITI SL, LLC Mendy Gansburg 411 Kingston Avenue Suite 201 Brooklyn, NY 11225	Wilkes-Barre City Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC350124	PAG-02 General Permit	Issued	Three Up Realty, LLC 7 Oakwood Drive Scranton, PA 18504-9503	Archbald Borough Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350127	PAG-02 General Permit	Issued	Scranton Lackawanna Industrial Building Company 222 Mulberry Street Scranton, Pa. 18501-0431	Archbald Borough Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086
PAC010206	PAG-02 General Permit	Issued	Conewago Township 541 Oxford Ave. Hanover, PA 17331	Conewago Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325-3404 717.334.0636
PAC220047	PAG-02 General Permit	Issued	Vanguard Realty Group Inc. 4090 Continental Drive Harrisburg PA 17112	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220316	PAG-02 General Permit	Issued	CPW West Corporation 222 E. 5th Street Tucson, AZ 85705	Lower Paxton Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220191 A-3	PAG-02 General Permit	Issued	Neil and Renee Nasta 6107 Schoolhouse Road Elizabethtown, PA 17022	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220335	PAG-02 General Permit	Issued	The Hershey Company 19 East Chocolate Avenue P.O. Box 805 Hershey, PA 17033	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC220338	PAG-02 General Permit	Issued	M&J Geppart Properties, Inc. 7727 Valley View Avenue Harrisburg, PA 17112	West Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717.921.8100
PAC080066	PAG-02 General Permit	Issued	Daniel J. Rossiter 573 Campbell Road Athens, PA 18810	Litchfield Township Bradford County	Bradford County Conservation District 200 Lake Road Suite E Towanda, PA 18848
PAC080068	PAG-02 General Permit	Issued	Mid-Atlantic Interstate Transmission, LLC 2800 Pottsville Pike Reading, PA 19605	Wysox Township Standing Stone Township Tuscarara Township Wyalusing Township Auburn Township Bradford County	Bradford County Conservation District 200 Lake Road Suite E Towanda, PA 18848
PAC600092	PAG-02 General Permit	Issued	Country View Family Farms, LLC Old Rte 15 and I-80 New Columbia, PA 17856	White Deer Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822

## NOTICES

4183

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC600091	PAG-02 General Permit	Issued	Family Trust of Stylianios Nikolaos and Georgeanne Xagorarakis 157 Buffalo Creek Rd Mifflinburg, PA 17844	Buffalo Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAC600088	PAG-02 General Permit	Issued	PNK P2, LLC (Alex Rozengaus) Enterprise Blvd Allenwood, PA 17810	Gregg Township Union County	Union County Conservation District 155 N 15th Street Lewisburg, PA 17837-8822
PAD140085	Individual Permit	Issued	Salvation Baptist Church 3645 W College Ave State College, PA 16803	Ferguson Township Centre County	DEP, NCRO 208 W 3rd Street Suite 101 Williamsport, PA 17701
PAC040111	PAG-02 General Permit	Issued	Lakeside Village Partners, LP 361 Mars Valencia Road Mars, PA 16046	Economy Borough Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
PAC040122	PAG-02 General Permit	Issued	Ambridge Senior Housing, LP 2450 Shenango Valley Freeway Hermitage, PA 16148	Ambridge Borough Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 (724) 378-1701
PAC110019A-1	PAG-02 General Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15907	City of Johnstown Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
PAC110092	PAG-02 General Permit	Issued	M&G Realty, Inc. 2295 Susquehanna Trail Suite C York, PA 17404	Richland Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 (814) 472-2120
PAC630122A-3	PAG-02 General Permit	Issued	Redevelopment Authority of the County of Washington 100 W. Beau Street Suite 603 Washington, PA 15301	South Franklin Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAC630247	PAG-02 General Permit	Issued	Trinity Area School District 231 Park Avenue Washington, PA 15301	North Franklin Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 (724) 705-7098
PAC200086	PAG-02 General Permit	Issued	Bethesda Foundation for Children, Inc 15487 State Highway 86 Meadville, PA 16335	Woodcock Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC100270	PAG-02 General Permit	Issued	PTV 1251, LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	Worth Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PA420001C	PAG-02 General Permit	Issued	Eldred Borough 3 Bennett Street Eldred, PA 16731	Eldred Borough McKean County	McKean County Conservation District 17137 Route 6 Smethport, PA 16749 814-887-4001
PAC250162	PAG-02 General Permit	Issued	Department of General Services 1800 Herr Street Harrisburg, PA 17103	Springfield Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC250161	PAG-02 General Permit	Issued	Department of General Services 1800 Herr Street Harrisburg, PA 17103	Summit Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC100271	PAG-02 General Permit	Issued	Butler Memorial Hospital One Hospital Way Butler, PA 16001	Butler Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC430070	PAG-02 General Permit	Issued	UPMC Corporate Construction 1211 Wilmington Avenue New Castle, PA 16105	Farrell City Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC240025	PAG-02 General Permit	Issued	Mersen USA 1032 Trout Run Road Saint Marys, PA 15857	Saint Marys City Elk County	Elk County Conservation District 850 Washington Street Saint Marys, PA 15857 814-776-5373
PAC160041	PAG-02 General Permit	Issued	Rimersburg Borough Municipal Authority 27 Main Street Rimersburg, PA 16248	Toby Township Madison Township Clarion County	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813
PAC160043	PAG-02 General Permit	Issued	PA American Water Company 203 Sycamore Street Punxsutawney, PA 15767	Clarion Borough Clarion Township Clarion County	Clarion County Conservation District 217 S 7th Avenue Room 106A Clarion, PA 16214 814-297-7813
PAC430071	PAG-02 General Permit	Issued	Farrell Area School District 1600 Roemer Boulevard Farrell, PA 16121	Farrell City Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC680046	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation Maple Street Houtzdale, PA 16651	Gulich Township Ramey Borough Clearfield County	DEP, Bureau of Abandoned Mine Reclamation Waterways and Wetlands Program 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800

**STATE CONSERVATION COMMISSION**

**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN**

**CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>AEU’s</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Daryl Martin-Layer Farm 204 Farmers Lane Myerstown, PA 17067	Lebanon	18	292.76	Layers	N/A	Approved
Richard W. Rutt 375 Nissley Road Mount Joy, PA 17552	Lancaster	84.1	465.44	Swine	HQ	Approved
Hershey Springs Farm LLC 2024 Donegal Springs Road Mount Joy, PA 17552	Lancaster	390.2	592.57	Pullets Steers Swine	HQ	Approved
Rohrer Dairy Farm LLC 124 Charlestown Road Washington Boro, PA 17582	Lancaster	1,165.3	2,972.5	Dairy	NA	Approved
Meadow Lane Dairy, LLC Geoffrey Rohrer 3392 Blue Rock Road Lancaster, PA 17603	Lancaster	864.2	1,287.71	Dairy Broilers	NA	Approved
Eugene Z Nolt 143 Kurtz Road New Holland, PA 17557	Lancaster	64	661.1	Swine Beef	NA	Approved

## PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

### SAFE DRINKING WATER

#### Actions taken under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401.*

**Permit No., 5122501**, Public Water Supply.  
 Applicant **NG 1500 Market Street, LLC**  
 1500 Market Street  
 Suite LM525  
 Philadelphia, PA 19102  
 Township City of Philadelphia  
 County **Philadelphia**  
 Type of Facility PWS  
 Consulting Engineer Jacobs Engineering Associates  
 1914 Mt Royal Boulevard  
 Glenshaw, PA 15116  
 Permit to Construct June 2, 2022  
 Issued

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18711-0790, 570-826-2511.*

*Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.*

**Permit No. 2660603, Operation Permit**, Public Water Supply.

Applicant **Scranton Hospital Company, LLC**  
 Regional Hospital of Scranton  
 746 Jefferson Avenue  
 Scranton, PA 18510  
 Municipality Tunkhannock Township  
 County **Wyoming**  
 Type of Facility Public Water Supply  
 Consultant Mr. Brent Berger, P.E.  
 President/CEO  
 Quad Three Group, Inc.  
 37 N. Washington Street  
 Wilkes-Barre, PA 18701  
 Permit Issued June 7, 2022  
 Description of Action Operations permit for CCT treatment per the Lead and Copper Rule.  
 Application Received February 9, 2021  
 Date

**Permit No. 3130990, Operation Permit**, Public Water Supply.

Applicant **Wen-Lehigh, LLC**  
 6254 Route 209  
 Stroudsburg, PA 18360  
 Municipality Mahoning Township  
 County **Carbon**  
 Type of Facility Public Water Supply  
 Consultant Mr. Thomas G. Pullar, P.E.  
 Senior Project Manager  
 Earthres Group, Inc.  
 P.O. Box 468  
 Pipersville, PA 18947  
 Permit Issued June 2, 2022  
 Description of Action Operations Permit for softener installation at Wen-Lehigh, LLC's Wendy's Lehigh, LLC's Wendy's Lehigh, LLC's Restaurant Water System.  
 Application Received April 27 and June 2, 2022  
 Date (corrected version)

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Construction Permit No. 2822501**, Public Water Supply.

Applicant **Beck Manufacturing**  
 9170 Molly Pitcher Highway  
 Greencastle, PA 17225  
 Municipality Antrim Township  
 County **Franklin**  
 Consulting Engineer Robert H. Schemmerling, P.E.  
 RHS Engineering, Inc.  
 2909 Conococheague Lane  
 Greencastle, PA 17225  
 Permit Issued July 1, 2022  
 Description Demonstration of 4-log treatment of viruses and installation of reverse osmosis for TDS removal.

**Construction Permit No. 0122506**, Public Water Supply.

Applicant **Panorama MHP LLC**  
P.O. Box 35  
Bowmansville, PA 17507

Municipality Oxford Township

County **Adams**

Consulting Engineer Charles A. Kehew II, P.E.  
James R. Holley &  
Associates, Inc.  
18 South George Street  
York, PA 17401

Permit Issued June 8, 2022

Description GWR 4-log, modification to the  
existing treatment system  
including the installation of  
contact tanks and a continuous  
analyzer.

**Construction Permit No. 3821510 MA, Minor Amendment**, Public Water Supply.

Applicant **Crestwood Equity  
Partners LP**  
P.O. Box 486  
Scheafferstown, PA 17088

Municipality Heidelberg Township

County **Lebanon**

Consulting Engineer Charles A. Kehew II, P.E.  
James R. Holley &  
Associates, Inc.  
18 South George Street  
York, PA 17401

Permit Issued May 19, 2022

Description Installation of a cartridge filter  
and UV light.

**Construction Permit No. 2222505 MA, Minor Amendment**, Public Water Supply.

Applicant **Pennsylvania American  
Water**  
852 Wesley Dr  
Mechanicsburg, PA 17055

Municipality South Hanover Township

County **Dauphin**

Consulting Engineer Scott L. Armbrust, P.E.  
Pennsylvania American Water  
852 Wesley Drive  
Mechanicsburg, PA 17055

Permit Issued June 10, 2022

Description Replacement of a diaphragm  
CCT chemical feed pump with a  
peristaltic pump.

**Construction Permit No. 0122506 MA, Minor Amendment**, Public Water Supply.

Applicant **Red Hill Enterprises**  
P.O. Box 35  
Bowmansville, PA 17507

Municipality Oxford Township

County **Adams**

Consulting Engineer

Charles A. Kehew II, P.E.  
James R. Holley &  
Associates, Inc.  
18 South George Street  
York, PA 17401

Permit Issued

June 8, 2022

Description

New GWR 4-log system with  
contact tanks and chlorine  
analyzer.

**Construction Permit No. 2821524**, Public Water Supply.

Applicant

**Antrim Township**  
10655 Antrim Church Road  
P.O. Box 130  
Greencastle, PA 17225

Municipality

Antrim Township

County

**Franklin**

Consulting Engineer

N Peter Fleszar, P.E.  
Glace Associates, Inc.  
3705 Trindle Road  
Camp Hill, PA 17011

Permit Issued

June 7, 2022

Description

Installation of a sediment filter,  
GAC filter, additional sodium  
hypochlorite feed, chlorine  
contact piping, storage tanks,  
and other modifications.

**Construction Permit No. 2222505 MA, Minor Amendment**, Public Water Supply.

Applicant

**Borough of Middletown**  
60 West Emaus Street  
Middletown, PA 17057

Municipality

Middletown Borough

County

**Dauphin**

Consulting Engineer

Brendan J. West, P.E.  
Suez Water Pennsylvania Inc  
6310 Allentown Blvd  
Harrisburg, PA 17112

Permit Issued

June 10, 2022

Description

Upgrades and repainting of the  
Union Street Tank.

*Northcentral Region: Safe Drinking Water Program,  
208 West Third Street, Williamsport, PA 17701.*

**Construction Permit No. 1421511**, Public Water Supply.

Applicant and Address

**Walker Township  
Water Association**  
250 Nittany Valley Drive  
Bellefonte, PA 16823

Municipality

Walker Township

County

**Centre**

Consulting Engineer

Jeff Garrigan, P.E.  
Herbert, Rowland & Grubic, Inc.  
2568 Park Center Boulevard  
State College, PA 16801

Permit Issued

July 6, 2022

Description This permit authorizes the permittee to construct an above ground booster station to convey potable water from the Snydertown Pressure Zone to the Hecla/Zion Pressure Zone, relocate the Dietrich Road PRV, install booster chlorination treatment and replace approximately 26,000 linear feet of water line. All proposed equipment and facilities shall be NSF 61 certified. Chemicals used for disinfection shall be NSF 60 certified. The flow meter shall be 8" SITRANS FM electromagnetic flow meter MAG 5100 W. The 2 booster pumps shall be Grundfos Model CR 64-2-A-G-A-E-HQQE Vertical, multistage inline centrifugal booster pumps, 24.8 HP, 60 Hz, 300 gpm. Each pump will have a variable frequency drive. The chemical feed pump shall be a Pro Series-M Chem-Pro MC-2 Diaphragm Metering Pump. The chlorine analyzer shall be a HACH CL17 chlorine analyzer. A 55-gallon solution storage tank will be provided to mix a NaOCl solution. Appurtenances include check valves, gate valves, piping, control panel with SCADA communications system, pressure transmitter and pressure gauges.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Permit No. 1122501**, Public Water Supply.

Applicant and Address **Summerhill DPP, LLC**  
9010 Overlook Boulevard  
Brentwood, TN 37027

Municipality Croyle Township

County **Cambria**

Type of Facility Water System

Consulting Engineer Moody and Associates, Inc.  
11548 Cotton Road  
Suite 101  
Meadville, PA 16336

Permit Issued June 2, 2022

**Permit No. 6522506MA, Minor Amendment.** Public Water Supply.

Applicant and Address **Municipal Authority of Westmorland County**  
124 Park and Pool Road  
New Stanton, PA 15672

Municipality Bell Township

County **Westmoreland**

Type of Facility Filtration

Permit Issued July 5, 2022

*Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.*

**Construction Permit No. 4922502MA**, Public Water Supply.

Applicant **Pennsylvania-American Water Company**  
852 Wesley Drive  
Mechanicsburg, PA 17055

Municipality Turbotville Borough

County **Northumberland**

Consulting Engineer Scott M. Thomas, P.E.  
PA American Water Company  
852 Wesley Drive  
Mechanicsburg, PA 17055

Permit Issued July 6, 2022

Description This permit authorizes the water system to rehabilitate the 298,000-gallon Turbotville Tank 2 (North) Aquastore Tank. Please comply with the Special Conditions attached to the permit.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110.*

**Operation Permit No. 5014502** issued to: **Penn Township Municipal Authority**, 102 Municipal Building Road, Duncannon, PA 17020, **PWS ID No. 7500015**, Penn Township, **Perry County**, on June 30, 2022 for facilities approved under Construction Permit No. 5014502. Upgrades for the Sunshine Hill Water Treatment Plant including a new iron and manganese treatment system, a new 110,000 gallon storage tank, a booster pump station and distribution pipe replacements.

**Operation Permit No. 2814505** issued to: **Bear Valley Franklin County Pennsylvania Joint Authority**, 218 School House Road, St. Thomas, PA 17252, **PWS ID No. 7280043**, Peters Township, **Franklin County**, on June 22, 2022 for facilities approved under Construction Permit No. 2814505. Operation of five new water supply wells and 1.0 million gallon per day filter plant which will include, chemical oxidation, chemical coagulation, static mixing, flocculation, sedimentation, membrane filtration, UV light disinfection, sodium hypochlorite disinfection, clearwell, bulk loading station, and distribution infrastructure.

**Comprehensive Operation Permit No. 7010019** issued to: **Gettysburg Municipal Authority**, 601 East Middle Street, Gettysburg, PA 17325, **PWS ID No. 7010019**, Straban Township, **Adams County**, on June 9, 2022 for the operation of facilities approved under Construction Permit No. 0120506 MA. Replacement of the existing Heritage Land 1.0 MG storage tank with a 1.5 MG Elevated Tank.

**Operation Permit No. 2920502 MA** issued to: **Belfast Township Municipal Authority**, P.O. Box 330, Needmore, PA 17238, **PWS ID No. 4290004**, Belfast Township, **Fulton County**, on June 22, 2022 for facilities approved under Construction Permit No. 2920502 MA. Installation of a measuring control weir on the Gordon's Spring overflow.

**Comprehensive Operation Permit No. 4290306** issued to: **Pleasant Ridge Holdings, LLC**, 13408 Pleasant Ridge Road, Harrisonville, PA 17228, **PWS ID No. 4290306**, Todd Township, **Fulton County**, on June



7, 2022 for the operation of facilities at Tower Ridge Inn approved under Construction Permit No. 2921501. Addition of Well No. 2 as a new source of supply and the installation of chlorine oxidation for Fe & Mn removal.

**Operation Permit No. 3821502** issued to: **Yellow Breeches Education Center**, 1920 Horseshow Pike, Annville, PA 17003, **PWS ID No. 7380448**, Annville Township, **Lebanon County**, on June 3, 2022 for facilities approved under Construction Permit No. 3821502. Installation of a new treatment system including disinfection, Fe/Mn removal and nitrate removal.

**Comprehensive Operation Permit No. 7010066** issued to: **The York Water Company**, 130 East Market Street, York, PA 17401, **PWS ID No. 7010066**, Straban Township, **Adams County**, on May 11, 2022 for the operation of facilities at Amblebrook Water System submitted under Application No. 0122505 MA. Installation of a storage tank mixing system.

**Comprehensive Operation Permit No. 7220002** issued to: **GSP Management Co.**, P.O. Box 677, Morgantown, PA 19543, **PWS ID No. 7220002**, Londonderry Township, **Dauphin County**, on June 29, 2022 for the operation of facilities at Cedar Manor MHP submitted under Application No. 2222508 MA. Replacement of the Well No. 3 submersible pump.

**Transferred Comprehensive Operation Permit No. 7010316** issued to: **Vjas Hospitality LLC**, 2585 Biglerville Road, Gettysburg, PA 17325, **PWS ID No. 7010316**, Butler Township, **Adams County**, on May 9, 2022. Action is for a for Blue Sky Motel, Adams County for the operation of facilities previously issued to Vijay Vyas.

**Comprehensive Operation Permit No. 7220377** issued to: **Lower Dauphin School District**, 291 East Main Street, Hummelstown, PA 17036, Conewago Township, **Dauphin County**, on May 5, 2022 for the operation of facilities at Conewago Elementary School submitted under Application No. 7220377. Lead and Copper Rule—Water Quality Parameters.

**Transferred Comprehensive Operation Permit No. 7220930** issued to: **Tolani Enterprises, Inc.**, 514 Wisteria Drive, Moosic, PA 18507, **PWS ID No. 7220930**, Londonderry Township, **Dauphin County**, on May 25, 2022. Action is for a Change in Ownership for Ary's Mart, Dauphin County for the operation of facilities previously issued to Top-Star, Inc. Transfer of Ownership

**Transferred Comprehensive Operation Permit No. 7380428** issued to: **Crestwood Equity Partners LP**, 811 Main Street, Houston, TX 77002, **PWS ID No. 7380428**, Heidelberg Township, **Lebanon County**, on May 19, 2022. Action is for a Change in Ownership for Schaefferstown Terminal, Lebanon County for the operation of facilities previously issued to Plains LPG Services LP. Transfer of Ownership

**Transferred Comprehensive Operation Permit No. 7220015** issued to: **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Blvd, Suite 104, Harrisburg, PA 17112, **PWS ID No. 7220015**, Susquehanna Township, **Dauphin County**, on June 22, 2022. Action is for a Change in Ownership for Harrisburg, Hummelstown and Penn State water systems, Dauphin County for the operation of facilities previously issued to SUEZ Water Pennsylvania. Transfer of Ownership.

**Operation Permit No. 0620507 MA** issued to: **East Penn Manufacturing Company**, P.O. Box 147, Deka Road, Lyon Station, PA 19536, **PWS ID No. 3060681**,

Richmond Township, **Berks County**, on July 1, 2022 for facilities submitted under Application No. 0620507 MA. Operation of cartridge filters and ultraviolet disinfection units.

**Transferred Comprehensive Operation Permit No. 4050004** issued to: **ETS Properties, LLC**, 2114 14th Avenue, Altoona, PA 16601, **PWS ID No. 4050004**, Bedford Township, **Bedford County**, on June 30, 2022. Action is for a Change in Ownership for Brookwood Countryside Mobile Home Park, Bedford County for the operation of facilities previously issued to ETS Properties, LLC. Transfer of PWS permits for PWS ID No. 4050004 to ETS Properties, LLC.

**Transferred Comprehensive Operation Permit No. 7280064** issued to: **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, **PWS ID No. 7280064**, Hamilton Township, **Franklin County**, on June 22, 2022. Action is for a for Kensington System, for the operation of facilities previously issued to.

**Transferred Comprehensive Operation Permit No. 7360083** issued to: **Columbia Water Company**, 220 Locust Street, P.O. Box 350, Columbia, PA 17512, **PWS ID No. 7360083**, East Donegal Township, **Lancaster County**, on June 22, 2022. Action is for a Change in Ownership for East Donegal System, Lancaster County for the operation of facilities previously issued to Columbia Water Company. Transfer of permits for PWS ID No. 7360083 from East Donegal Township Municipal Authority to Columbia Water Company.

**Operation Permit No. 0622515 MA** issued to: **Western Berks Water Authority**, 91 Water Road, Sinking Spring, PA 19608, **PWS ID No. 3060066**, Lower Heidelberg Township, **Berks County**, on June 22, 2022 for facilities approved under Construction Permit No. 0622515 MA. Chlorine analyzer replacement.

*Northcentral Region: Safe Drinking Water Program, 208 West Third Street, Williamsport, PA 17701.*

**Operation Permit No. 4189506-T1** issued to: **Lycoming County Water & Sewer Authority**, 380 Old Cement Road, Montoursville, PA 17754, **PWSID No. 4189506-T1 & MA-GWR-T1**, Fairfield Township, **Lycoming County**, on July 11, 2022 for the operation of facilities approved under construction permit # 4189506 & GWR. Permit No. 4189506-T1—This permit originally approved operation of Twin Hills Well Nos. 1 and 2, transmission mains, four hydropneumatic tanks, a sodium hypochlorite disinfection system, and the distribution system. Only the sources are being transferred to Lycoming County Water & Sewer Authority—Village Water System (LCWSA). The remaining items, including transmission mains, four hydropneumatic tanks, a sodium hypochlorite disinfection system, and the distribution system, are specifically excluded from the transferred permit. Permit No. MA-GWR—This permit approved operation of treatment for 4-log inactivation of viruses, including eight 220-gallon detention tanks connected in series. This permit is not being transferred because the treatment facilities are no longer in operation.

**Operation Permit No. 4189506-T1** issued to: **Lycoming County Water & Sewer Authority**, 380 Old Cement Road, Montoursville, PA 17754, **PWSID No. 4410174**, Fairfield Township, **Lycoming County**, on July 11, 2022, for the operation of facilities approved under construction permit # 4189506. This permit designates Lycoming County Water & Sewer Authority's Twin Hills Well Nos. 1 and 2 as reserve sources.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**Operations Permit 0222523MA** issued to: **Wilkesburg Penn Joint Water Authority**, 2200 Robinson Boulevard, Pittsburgh, PA 15221, PWSID No. **2020056**, Penn Hills Borough, **Allegheny County**, on July 8, 2022 for the operation of facilities approved under construction permit 0222511MA for the rehabilitation of Filter No. 22.

**Operations Permit 0222524MA** issued to: **Wilkesburg Penn Joint Water Authority**, 2200 Robinson Boulevard, Pittsburgh, PA 15221, PWSID No. **2020056**, Penn Hills Borough, **Allegheny County**, on July 8, 2022 for the operation of facilities approved under construction permit 0222511MA for the rehabilitation of Filter No. 21.

**Operations Permit** issued to: **Greater Johnstown Water Authority**, 640 Franklin Street, Johnstown, PA 15901, PWSID No. **4110034**, Stoneycreek Township, **Cambria County**, on July 8, 2022 for the operation of facilities approved under permit # 1116504MA for the approximately 2,900 linear feet of 8-inch diameter waterline and appurtenances (Oakland Tank Waterline Project).

**Operations Permit** issued to: **Beaver Falls Municipal Authority**, 1425 8th Avenue, Beaver Falls, PA 15010, PWSID No. **5040012**, Borough of New Brighton and Big Beaver Borough, **Beaver County**, on July 11, 2011 for the operation of facilities approved under permit # 0422509WMP1 for two bulk water loading stations at the following locations: Sahli Water Treatment Plant (New Brighton Bulk Water Loading Station) and Pendale Road (Pendale Road Bulk Water Loading Station).

**Operations Permit** issued to: **Latrobe Municipal Authority**, 104 Guerrier Road, P.O. Box 88, Latrobe, PA 15650, PWSID No. **5650060**, Derry Township, **Westmoreland County**, on July 5, 2022 for the approval of the Latrobe Municipal Authority Kingston Filtration Plat 1-log Giardia Inactivation Calculations.

#### WATER ALLOCATIONS

**Actions taken on applications received under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) relating to the Acquisition of Rights to Divert Waters of the Commonwealth. Actions Taken on Water Allocation Permits or Orders of Confirmation Issued Under the Act of June 24, 1939 (P.L. 842, No. 365) (32 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.**

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401.*

**WA-23-648A**, Succession to Water Rights. The Department has acknowledged that **Veolia Water Bethel, Inc.**, 2000 First State Blvd, Wilmington, DE 19804, Bethel Township, **Delaware County**, has given notice that it succeeded to all rights and obligations under the permit, issued to the former Suez Water Bethel Inc., Bethel Township, Delaware County, on October 4, 2021.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The following plans and reports were submitted under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5787, Charline Bass.*

**Former Defense Supply Center Philadelphia (DSCP) and Former Passyunk Homes**, 2990 B South 20th Street, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Meredith Braverman, ARCADIS U.S., Inc., 1700 North Orange Street, Suite 411 and 412, Wilmington, DE 19801 on behalf of Bradley Clawson, DLA Installation Management, 8725 John J. Kingman Road, Suite 2639, Fort Belvoir, VA 22060 submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of site groundwater contaminated with petroleum products (leaded gasoline, aviation gasoline and jet fuel). The report is intended to document remediation of the site to meet the site-specific standard.

**Philadelphia Coke Plant**, 4501 Richmond Street, Philadelphia, PA 19137, City of Philadelphia, **Philadelphia County**. Daniel P. Sheehan, PE, Arcadis U.S., Inc., 824 North Market Street, Suite 820, Wilmington, DE 19801 on behalf of Brian M. Stearns, National Grid, 300 Erie Boulevard West, Syracuse, NY 13202 submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning the remediation of site soil and groundwater contaminated with PAHs, metals and VOCs. The report is intended to document remediation of the site to meet the site-specific standard.

**Cornerstone Automotive**, 1301 Chester Pike, Crum Lynne, PA 19022, Ridley Township, **Delaware County**. Paul White, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Brian Hoffman, Cornerstone Automotive, 1301 Chester Pike, Crum Lynne, PA 19022 submitted a Final Report concerning remediation of site soil and groundwater contaminated with No. 2 fuel oil. The report is intended to document remediation of the site to meet the Statewide health standard.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**MCC Partners (West) Pad—Unit 18H**, Primary Facility ID # **859314**, 324 Strobe Road, Burgettstown, PA 15021, Jefferson Township, **Washington County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, has submitted a Final Report concerning remediation of site soils contaminated with Fluorene, Indeno(1,2,3-cd)pyrene, 2-Methylnaphthalene, Phenanthrene, Pyrene, Benzene, sec-Butylbenzene, tert-Butylbenzene, Cyclohexane, Ethylbenzene, Isopropylbenzene (Cumene), Naphthalene, Phenol, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Xylenes, Acenaphthene, Anthracene, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, 1,1-Biphenyl (Diphenyl), Chrysene, Fluoranthene. The report is intended to document remediation of the site to meet the residential Statewide health standard.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department has taken action on the following plans and reports under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting

a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The Department may approve or disapprove plans and reports submitted. This notice provides the Department's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, contact the environmental cleanup program manager in the Department Regional Office under which the notice of the plan or report appears. If information concerning a final report is required in an alternative form, contact the community relations coordinator at the appropriate Regional Office. TDD users may telephone the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 194010.*

*Contact: Charline Bass, 484-250-5787.*

**8362-8380 State Road**, 8362-8380 State Road, Philadelphia, PA 19136, City of Philadelphia, **Philadelphia County**. David Berry, The Vertex Companies, Inc., 2501 Seaport Drive, Suite BH 110, Chester, PA 19013 on behalf of Lucie McDonald, JRM Developers, 9525 Frankford Avenue, Philadelphia, PA 19114 submitted a Final Report concerning the remediation of site soil contaminated with naphthalene. The Report was reviewed by the Department which issued a technical deficiency letter on June 24, 2022.

**2201 Hunter Road (Proposed Lot A and Proposed Lot C)**, 2201 Hunter Road, Bristol, PA 19007, Bristol Borough, **Bucks County**. Richard S. Werner, PG, Environmental Consulting, Inc., 2002 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of Seppi Colloredo-Mansfeld, Cabot Properties, Inc., One Beacon Street, Suite 2800, Boston, MA 02108 submitted a Final Report concerning the remediation of site soil contaminated with benzo(b)fluoranthene. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on June 24, 2022.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110, 717-705-4705.*

**Former T-Mobile Store**, 5411 Carlisle Pike, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. BL Companies, 2601 Market Place, Suite 350, Harrisburg, PA 17110, on behalf of Carlisle Retail, LLC, 1775 Hancock Street, Suite 200, San Diego, CA 92110, submitted a Remedial Investigation Report and Cleanup Plan concerning the remediation of site soil contaminated with leaded/unleaded gasoline. The Remedial Investigation Report and Cleanup Plan was approved by the Department on July 5, 2022.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Williamsport, PA 17701.*

**Hattie N 2H on the Hattie BRA Pad**, 211 Dietz Road, Sugar Run, PA 18846, Wilmot Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373,

Camp Hill, PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The Final report demonstrated attainment of the residential Statewide health standard and was approved by the Department on July 5, 2022.

**Linski BRA Pad**, 214 Edinger Hill Road, Laceyville, PA 18623, Tuscarora Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill PA 17001, on behalf of Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, has submitted a Final Report concerning remediation of site soil contaminated with produced water. The Final report demonstrated attainment of the residential Statewide health standard and was approved by the Department on July 11, 2022.

**Northern Central Bank # 9 Well Pad**, North Camp Road, La Jose, PA 15753, Chest Township, **Clearfield County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Conventional, LLC, 500 Corporate Landing, Charleston, WV 25311, has submitted a Final Report concerning remediation of site soil contaminated with production fluid. The Final Report demonstrated attainment of the Background and Statewide health standards and was approved by the Department on July 8, 2022.

**Dynamic Frac Services Release**, 5413 Route 154, Forksville, PA 18616, Elkland Township, **Sullivan County**. Penn Environmental & Remediation, Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of Dynamic Frac Services, LLC, 301 Kaliste Saloom Road, Suite 401, Lafayette, LA 70508, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel, motor oil, hydraulic fluid and production mud. The Final Report demonstrated attainment of the Statewide health standard and was approved by the Department on July 11, 2022.

**Cowan Systems Diesel Spill Site**, I80 Westbound Mile Run Exit Ramp (Exit 199), Lewisburg, PA 17837, West Buffalo Township, **Union County**. Letterle & Associates, Inc., 2022 Axemann Road, Suite 201, Bellefonte, PA 16823 on behalf of Cowan Systems, LLC, 4555 Hollins Ferry Road, Baltimore, MD 21227, has submitted a Final Report concerning remediation of site soil contaminated with diesel fuel. The Final Report demonstrated attainment of the residential Statewide health standard and was approved by the Department on July 8, 2022.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

**CNX GH 84 Well Pad**, Primary Facility ID # **858996**, Pettit Road, Sycamore, PA 15364, Washington Township, **Greene County**. Penn Environmental & Remediation, 111 Ryan Court, Pittsburgh, PA 15205, on behalf of CNX Gas Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, has submitted a Final Report concerning remediation of site soil contaminated with brine. The Final Report demonstrated attainment of the Background Standard and was approved by the Department on July 8, 2022.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**Parker Hannifin Corporation (201 Titusville Road)**, 201 Titusville Road, Union City, PA 16438, Borough of Union City, **Erie County**. AECOM Technical

Services, Inc., 5438 Wade Park Boulevard, Suite 200, Raleigh, NC 27607, on behalf of Parker-Hannifin Corporation, 5035 Parkland Boulevard, Cleveland, OH 44124, submitted a Cleanup Plan concerning the remediation of site groundwater contaminated with 1,1-DCE, cis-1,2-DCE, methylene chloride, TCE and VC. The Cleanup Plan was approved by the Department on July 7, 2022.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

*Central Office: Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106-9170.*

#### *New Transporter Licenses Issued*

**Covanta Environmental Solutions Ontario, Inc.**, 260 Shoemaker St., Kitchener, ON N2E 3E1. License No. **PA-AH 0923**. Effective July 06, 2022.

#### *Transporter Licenses Reissued*

**ACV Environmental Services, Inc.**, 1500 Rahway Ave, Avenel, NJ 07001. License No. **PA-AH 0339**. Effective July 12, 2022.

**Maumee Express, Inc.**, P.O. Box 278, Somerville, NJ 08876. License No. **PA-AH 0420**. Effective July 6, 2022.

**Terra First, LLC**, P.O. Box 1617, Vernon, AL 35592. License No. **PA-AH 0803**. Effective July 11, 2022.

**Basin Transportation, LLC**, 130 Express Lane, McAlester, OK 74501. License No. **PA-AH 0848**. Effective July 11, 2022.

## AIR QUALITY

**General Plan Approval and Operating Permit Usage Authorized under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.*

**GP1-45-001: Tobyhanna Army Depot**, 11 Hap Arnold Boulevard, Tobyhanna, PA 18466-5002, was issued on July 5, 2022, for the operation of two (2) 15.12 MMBtu/hr natural gas-fired boilers at their facility located in Coolbaugh Township, **Monroe County**.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702*

**GP3-05-05023A: New Enterprise Stone & Lime Co., Inc.**, P.O. Box 77, 3912 Brumbaugh Road, New Enterprise, PA 16664, on July 7, 2022, for portable nonmetallic mineral crushing equipment, under GP3, at the Ashcom quarry located in Snake Spring Township, **Bedford County**.

**GP3-06-03191: The H & K Group, Inc.**, 2052 Lucon Road, P.O. Box 196, Skippack, PA 19474, on July 8, 2022,

for portable nonmetallic mineral crushing equipment, under GP3, at the Alston construction site located in Ontelaunee Township, **Berks County**.

**GP9-06-03191: The H&K Group, Inc.**, 2052 Lucon Road, P.O. Box 2052, Skippack, PA 19747, on July 8, 2022, for one diesel-fired engine, under GP9, to power portable nonmetallic mineral crushing equipment, at the Alston construction site located in Ontelaunee Township, **Berks County**.

**GP11-36-03215C2: Mellott Company**, 100 Mellott Drive, Warfordsburg, PA 17267, on July 12, 2022, for the installation and operation of five nonroad engines, including 4 existing engines and 1 replacement engine, under GP11, to power portable nonmetallic mineral processing equipment, at the Cedar Hill Quarry located in Fulton Township, **Lancaster County**.

**GP14-22-03106: Minnich Family Funeral Homes, Inc.**, 311 Deaven Road, Harrisburg, PA 17111, on July 7, 2022, for a human crematory, under GP14, at the funeral home located in Williams Township, **Dauphin County**.

**Plan Approvals Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations in 25 Pa. Code Chapter 127, Subchapter B relating to construction, modification and reactivation of air contamination sources and associated air cleaning devices.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**23-0003AF: Monroe Energy, LLC**, 4104 Post Road, Trainer, PA 19061, on July 11, 2022, a plan approval was issued to replace the reactor of the existing Fluid Catalytic Cracking Unit. The proposed replacement of the reactor is a minor source modification located in Trainer Borough, **Delaware County**.

**Plan Approval Revisions Issued including Extensions, Minor Modifications and Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**23-0223: LCP Generation Partners, LP**, 1701 N Radnor Chester Road, Ste 101, Radnor, PA 19087-5281. On July 6, 2022, an extension for the installation and temporary operation of a 2 MW combined heat and power (CHP) system in Radnor Township, **Delaware County**.

**15-0110B: Pepperidge Farm, Inc.**, 421 Boot Road, Downingtown, PA 19335. On July 6, 2022, for the installation and operation of two (2) 25-ton capacity use bins for deliveries of flour to Pepperidge Farm, Inc. Each use bin has bin-vent filters to prevent loss of flour to the atmosphere at their facility located in Downingtown Borough, **Chester County**.

**09-0196K: Abington Reldan Metals, LLC**, 550 Old Bordertown Road, Fairless Hills, PA 19030-4510. On July 8, 2022, for the replacement of existing Acid Room NO<sub>x</sub> Scrubber (Source ID C10) with a new NO<sub>x</sub> Scrubber (Source ID C21) in Falls Township, **Bucks County**.

**09-0196N: Abington Reldan Metals, LLC**, 550 Old Bordertown Road, Fairless Hills, PA 19030. On July 8, 2022, for the installation and operation of a new thermal destructor, located in Falls Township, **Bucks County**.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**28-05002S: Letterkenny Army Depot**, One Overcash Avenue, Chambersburg, PA 17201, on July 5, 2022, for the permanent shutdown and removal of the Regenerative Thermal Oxidizer (RTO), which has functioned as a VOC control device for four coating booths operating inside Building 350, and for the rework of the ventilation system for the coating booths at the Letterkenny Army Depot located in Letterkenny Township, **Franklin County**. The plan approval also revised the facility's existing PAL provisions. The plan approval was extended.

**34-05002A: Texas Eastern Transmission, LP**, 5400 Westheimer Court, Houston, TX 77056, on July 8, 2022, for an engine project at the Perulack Compressor Station located in Lack Township, **Juniata County**. The Plan Approval will authorize the following items: 1.) Retrofit the existing natural gas-fired Cooper Bessemer GMVA-8 engine (Source 031), as clean burn spark ignition engine (SI RICE), without increasing its rated 1,100 hp, 2.) Install Control ID C031, Oxygen Catalyst on Source 031. The plan approval was extended.

**36-05015H: Dart Container Corporation of PA**, 60 East Main Street, Leola, PA 17540, on July 12, 2022, for the construction of new extrusion and thermoforming lines and construction of new equipment for the recycling of consumer EPS scrap at the facility located in Upper Leacock Township, **Lancaster County**. The plan approval was extended.

**Title V Operating Permits Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**65-00693: USA Valley Landfill, Inc.**, 6015 Pleasant Valley Road, Irwin, PA 15642, on July 8, 2022 a Title V Operating Permit renewal to USA Valley Landfill, Inc. for their facility located in Penn Township, **Westmoreland County**.

**Operating Permits for Non-Title V Facilities Issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110.*

*Contact: Thomas Hanlon, Facilities Permitting Chief, 717-705-4862, Thomas Bianca, New Source Review Chief, 717-705-4863, or William Weaver, Regional Air Quality Manager, 717-705-4702.*

**36-05093: New Enterprise Stone & Lime Co., Inc.**, 3580 Division Highway, East Earl, PA 17519-9217, on July 5, 2022, for the stone crushing, asphalt and concrete

plants at the Kurtz Quarry located in East Cocalico Township, **Lancaster County**. The State-Only permit was renewed.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief—Telephone: 412-442-4336.*

**04-00751: Valmont Pittsburgh Galvanizing/Valmont Coatings, Inc.**, 9 South 12th St., Midland, PA 15059. On July 11, 2022, the Department issued an initial natural minor State Only Operating Permit for a facility that cleanses iron and steel, then galvanizes a zinc coating onto iron and steel via immersion into a liquid zinc bath. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at the facility located in Midland Borough, **Beaver County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**03-00125: Peoples Gas Company LLC Valley Station**, 375 North Shore Drive, Suite 600, PA 15212. On July 7, 2022 the Department issued a State Only Operating Permit for compression and transfer of natural gas located in Cowanshannock Township, **Armstrong County**. The subject facility consists of two natural gas compressor engines (1—660 hp and 1,1775 hp), 1 emergency generator rated at 276 hp, 1—1.0 MMBtu dehydrator, and fugitive emissions. The 2021 Annual Emission Summary (TPY) for the Valley Station is: 9.31 CO, 19.19 NO<sub>x</sub>, 28.57 VOC, 3.95 HAPs, 0.94 PM, 0.041 SO<sub>x</sub>, 424.45 Methane, and 10,655.7 Carbon Dioxide. The facility is a synthetic minor and is subject to State Regulations and Federal Regulations (40 CFR Part 60 JJJJ, OOOOa and Part 63 ZZZZ). The permit includes additional operation requirements, monitoring requirements, and recordkeeping requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**25-00891: Corry Fabrication, LLC**, 21 Maple Avenue, Corry, PA 16407-1630. On June 14, 2022, the Department issued a renewal of the synthetic minor Operating Permit for the facility located in the City of Corry, **Erie County**. The emitting sources include liquid and powder coating paint booths, ovens, laser cutters, a boiler, and a degreaser unit. With the removal of Source 107 (liquid paint Booths # 1, # 2, and # 4) which were replaced by powder coating booths, the facility has reduced VOC emissions and is no longer a synthetic minor. The application indicates the Potential emissions are: 8.0 TPY PM<sub>10</sub>; 0.6 TPY PM<sub>2.5</sub>; 0.05 TPY SO<sub>x</sub>; 8.4 TPY NO<sub>x</sub>; 46.4 TPY VOC; 7.1 TPY CO; and 0.9 TPY HAPs. The actual 2021 emissions were: 0.78 TPY PM<sub>10</sub>; 0.07 TPY PM<sub>2.5</sub>; 0.38 TPY VOC; 0.01 TPY SO<sub>x</sub>; 0.98 TPY NO<sub>x</sub>; 0.82 TPY CO; and 0.01 TPY HAPs. The facility is subject to applicable VOC content limits, recordkeeping, and work practices of 25 Pa. Code §§ 129.52a and 129.52d for surface coating.

*Philadelphia: Air Management Services, 321 University Avenue, Philadelphia, PA. 19104-4543.*

*Contact: Edward Wiener, Chief, Source Registration at 215-685-9426.*

The City of Philadelphia, Air Management Services (AMS) issued on July 7, 2022 an initial Synthetic Minor (State Only) Operating Permit for the following facility:

**OP20-000059: S.D. Richman Sons, Inc.**, 2435 Wheat-sheaf Lane, Philadelphia, PA 19137, on July 7, 2022, was issued an initial Synthetic Minor (State Only) Operating Permit, for the operation of scrap materials shredding facility in the City of Philadelphia, **Philadelphia County**. The facility's air emission sources are the shredder and the associated units, including an infeed conveyor, an under-mill oscillator, a magnet feed conveyor, two vibratory feeders, a non-ferrous stockpile conveyor, a ferrous conveyor, a sorting conveyor, and a radial conveyor. The shredder and the associated units are operated using electricity. The plant can process up to 70 tons per hour of scrap materials, including ferrous and non-ferrous materials.

---

**Operating Permit Revisions Issued including Administrative Amendments, Minor Modifications or Transfers of Ownership under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: Janine Tulloch-Reid, New Source Review Chief—Telephone: 484-250-5920.*

**46-00101: Sonoco Metal Packaging, LLC**, 431 Privet Road, Horsham, PA 19044-1220. On July 5, 2022, the Operating Permit was amended in accordance with 25 Pa. Code Sections 127.450(a)(4) and 127.464 to change ownership of the permit from Ball Metalpack Aerosol Container LLC to Sonoco Metal Packaging LLC for an aerosol container and metal can manufacturing facility in Horsham Township, **Montgomery County**.

**15-00128: Brandywine Green DBA Pet Memorial Services**, 126 Turner Lane, West Chester, PA 19380. On July 7, 2022, an amendment was issued to incorporate the requirements of Plan Approval No. 15-0128A, which was issued for the installation of three (3) B&L Crematories in West Goshen Township, **Chester County**.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**10-00368: Markwest Liberty Bluestone LLC Bluestone Gas Processing Plant**, 440 Hartmann Road, Evans City, PA 16033-3212. On June 29, 2022, the Department issued an administrative amendment to the Title V Operating Permit to incorporate the conditions from plan approval 10-368G into the permit for the facility located in Jackson Township, **Butler County**.

**16-00035: Commodore Homes of PA Colony Crafted Homes**, 3636 North Central Avenue, Suite 1200, Phoenix, AZ 85012-1927. The Department on June 22, 2022 issued an administrative amendment of the State Only Operating Permit for the facility located in Paint Township, **Clarion County**. The amendment incorporates the change of ownership to Cavco Industries and updates the responsible official and permit contact.

**25-01038: Lord Corporation Erie Plant**, 2455 Robison Road West, Erie, PA 16509-4675. The Department on May 4, 2022 issued an administrative amendment of the State Only Operating Permit for the facility located in Summit Township, **Erie County**. The amendment incorporates the change of responsible official.

**32-00394: Beyond the Sunset Pet Crematory**, 498 Ben Franklin Road South, Indiana, PA 15701-2342. The

Department on April 7, 2022 issued an administrative amendment of the State Operating Permit for the facility located in Erie City, **Erie County**. The amendment incorporates the change of ownership.

**33-00185: Columbia Gas Transmission, LLC Iowa Compressor Station**, 455 Racetrack Road, Washington, PA 15301. The Department on May 5, 2022 issued an administrative amendment of the State Only Operating Permit for the facility located in Pine Creek Township, **Jefferson County**. The amendment incorporates the change of responsible official and permit contact.

**42-00028: Ardagh Glass**, 1 Glass Place, Port Allegany, PA 16743-1154. The Department on April 11, 2022, issued an administrative amendment of the Title V Operating Permit for the facility located in Port Allegany Borough, **McKean County**. The amendment incorporates the change of responsible official and permit contact.

**43-00310: NLMK Pennsylvania, LLC Farrell Plant**, 15 Roemer Boulevard, Farrell, PA 16121-2201. The Department on June 27, 2022 issued an administrative amendment of the Title V Operating Permit for the facility located in Farrell City, **Mercer County**. The amendment incorporates the change of responsible official.

---

### De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**23-00009: The Boeing Company—Boeing Co Phila/Ridley Park Pa Fac**, Intersection of Stewart Ave and Route 291, Ridley Township, PA 19078. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for the De Minimis emissions increase resulting from fugitive emissions from a coating operation not performed in the paint booths at their facility in **Delaware County**. This is first De Minimis emissions increase at the facility during the term of the current Title V Operating Permit issued March 2, 2021. The Department hereby approves the De Minimis emission increase.

The following table is a list of the De Minimis emission increases as required by 25 Pa. Code § 127.449(i). This list includes the De Minimis emission increases since the State Only Operating Permit issuance on March 2, 2021

Date	Source	PM <sub>10</sub> (tons)	SO <sub>x</sub> (tons)	NO <sub>x</sub> (tons)	VOC (tons)	CO (tons)
June 13, 2022	Painting outside Paint Booth	0.006	0	0	0.001	0
Total Reported Increases		0.006	0	0	0.001	0
Allowable		0.6 ton/ source 3 tons/ facility	1.6 ton/ source 8 tons/ facility	1 ton/ source 5 tons/ facility	1 ton/ source 5 tons/ facility	4 tons/ source 20 tons/ facility

---

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

---

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).** The final action on each application also constitutes action on the NPDES permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EP CAMBRIA@pa.gov, (Contact: Melanie Ford-Wigfield).*

**Mining Permit No. 32160101. NPDES No. PA0279498. P&N Coal Co., Inc.**, P.O. Box 332, Punxsutawney, PA 15767, renewal for reclamation only of a bituminous surface mine in Banks and Burnside Townships, **Indiana County** and **Clearfield County**, affecting 82.3 acres. Receiving streams: unnamed tributaries to Cush Creek, classified for the following use: CWF. Application received: April 14, 2022. Permit issued: July 6, 2022.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EP KNOX@pa.gov, (Contact: Cayleigh Boniger).*

**Mining Permit No. 33010107. NPDES Permit No. PA0242012. Waroquier Coal Company**, P.O. Box 128, Clearfield, PA 16830. Revision to an existing bituminous surface mine to change the post-mining land use from Non-Commercial Forestland to Unmanaged Natural Habitat on the David Starr (formally Ivan D. Starr and Ivan D. and Beverly Starr) properties in Snyder Township, **Jefferson County**, affecting 348.0 acres. Receiving streams: Unnamed tributaries to Rattlesnake Creek and Rattlesnake Creek, classified for the following uses: CWF. Application received: March 31, 2022. Permit issued: June 6, 2022.

**Mining Permit No. 61120107. NPDES Permit No. PA0259331. Hillside Stone, LLC**, 4080 Sandy Lake Road, Sandy Lake, PA 16145. Transfer of an existing bituminous surface mine in Irwin Township, **Venango County**, affecting 62.7 acres. Receiving streams: Un-

named tributary to Scrubgrass Creek, classified for the following uses: CWF. Application received: November 2, 2021. Permit issued: June 29, 2022.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).*

**Mining Permit No. 54100201. Kuperavage Enterprises, Inc.**, P.O. Box 99, Middleport, PA 17953, renewal of an anthracite coal refuse reprocessing, coal refuse disposal and preparation plant operation in Blythe Township, **Schuylkill County**, affecting 86.5 acres. Receiving stream: Schuylkill River. Application received: January 10, 2019. Renewal issued: July 11, 2022.

**Mining Permit No. PAM117040. Kuperavage Enterprises, Inc.**, P.O. Box 99, Middleport, PA 17953, coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on Surface Mining Permit No. 54100201 in Blythe Township, **Schuylkill County**, receiving stream: Schuylkill River. Application received: January 10, 2019. Coverage issued: July 11, 2022.

#### *Noncoal Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931, (814) 472-1900, RA-EP CAMBRIA@pa.gov, (Contact: Melanie Ford-Wigfield).*

**Mining Permit No. 21950301. NPDES No. PA0279536. Maurer & Scott Sales, Inc.**, 122 E Thomas St., Coopersburg, PA 18036-2100, renewal of an NPDES permit associated with a large noncoal mine in Southampton Township, **Cumberland County**, affecting 106 acres. Receiving streams: Yellow Breeches Creek, classified for the following use: HQ-CWF. Application received: March 30, 2022. Permit issued: July 6, 2022.

**Mining Permit No. 4975SM5. NPDES No. PA0612430. Glen-Gery Corp.**, 1166 Spring Street, Wyomissing, PA 19610, renewal of NPDES permit, Oxford Township, **Adams County**. Receiving stream: unnamed tributary to South Branch Conewago Creek classified for the following use: WWF. Application received: April 27, 2022. Permit issued: July 7, 2022.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, (814) 797-1191, RA-EP KNOX@pa.gov, (Contact: Cayleigh Boniger).*

**Mining Permit No. 37940305. Slippery Rock Materials, Inc.**, 704 Golf Course Road, Volant, PA 16156, Revision to an existing large industrial mineral surface mine to merge with Surface Mining Permit No. 37060303 and transfer from Troy Sand and Gravel, Inc. in Plain Grove Township, **Lawrence County**, affecting 46.5 acres. Receiving stream: Unnamed tributary to Taylor Run, classified for the following use: CWF. Application received: October 25, 2021. Permit issued: June 15, 2022.

**GP-104 No. PAM621008. Slippery Rock Materials, Inc.**, 704 Golf Course Road, Volant, PA 16156, Coverage under General NPDES Permit for stormwater discharges (MBP GP-104) associated with mining activities on Surface Mining Permit No. 37940305 in Plain Grove Township, **Lawrence County**. Receiving stream: Unnamed tributary to Taylor Run, classified for the following use: CWF. Application received: October 25, 2021. Permit issued: June 15, 2022.

**Mining Permit No. 10000305. NPDES No. PA0241792. Three Rivers Aggregates, LLC**, 321 Currie Road, Slippery Rock, PA 16057, Renewal of an NPDES permit associated with a large noncoal surface mining permit in Worth Township, **Butler County**, affecting

125.0 acres. Receiving stream: Black Run and an unnamed tributary to Black Run, classified for the following use: CWF. Application received: February 25, 2022. Permit issued: July 5, 2022.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, (814) 342-8200, RA-EP MOSHANNON@pa.gov, (Contact: Cassandra Stanton).*

**Mining Permit No. 08212503. GP-104 No. PAM221026. Johnson Quarries, Inc.**, P.O. Box 136, LeRaysville, PA 18829. Commencement, operation, and restoration of a GP-105 (industrial minerals) operation located in Tuscarora Township, **Bradford County**, affecting 5.0 acres. Receiving stream(s): Unnamed tributary to Mill Creek classified for the following use(s): CWF, MF. Application received: October 28, 2021. Permit Issued: July 07, 2022.

**Mining Permit No. 17062802. NPDES No. PA0269956. Cynthia E. Russell**, 2640 Greenville Pike, Grampian, PA 16838. NPDES Permit to provide for storm water discharges from a small noncoal operation in Pike Township, **Clearfield County**, affecting 5.0 acres. Receiving stream(s): Roaring Run, tributary to West Branch Susquehanna classified for the following use(s): HQ-CWF. Application received: October 28, 2021. Permit Issued: July 7, 2022.

**Mining Permit No. 4775SM14. NPDES No. PA0115525. Hanson Aggregates Pennsylvania, LLC**, 7660 Imperial Way, Allentown, PA 18195, renewal of an NPDES permit for a large noncoal mining site located in Lamar Township, **Clinton County**, affecting 163.2 acres. Receiving stream(s): Long Run and Fishing Creek classified for the following use(s): HQ-CWF, MF and CWF. Application received: August 23, 2021. Permit Issued: June 27, 2022.

### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Actions on applications under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting activity performed as part of a coal or noncoal mining activity will be regulated by the mining permit for that coal or noncoal mining activity.**

#### *Blasting Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, (570) 621-3118, RA-EP PottsvilleDMO@pa.gov, (Contact: Theresa Reilly-Flannery).*

**Permit No. 52224001. Northeast Blasting**, 403 Middle Creek Road, Honesdale, PA 18431, construction blasting for Red Cap Holdings House Foundation & Electric Line in Palmyra Township, **Pike County**. Permit issued: July 6, 2022. Permit Expires: June 27, 2023.

### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, the Department has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301–303, 306 and 307 of



the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board (717) 787-3483 for more information.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915.*

*Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.*

**E5402221-007. Rangers Hose Company**, 6 East Ogden Street, P.O. Box 1, Girardville, PA 17935, Girardville Borough, **Schuylkill County**, Army Corps of Engineers Baltimore District.

To maintain a fill area that is approximately 60-feet-long by 67-feet-wide in the floodway of Mahanoy Creek (CWF, MF) for the purpose of public safety. Latitude: 40° 47' 35", Longitude: -76° 17' 43". Application received date: December 22, 2021. Issued date: June 30, 2022.

**E3502222-004. Department of Conservation and Natural Resources**, Rachel Carson State Office Building, P.O. Box 8451, Harrisburg, PA 17105-8451, Thornhurst Township, **Lackawanna County**, Army Corps of Engineers Philadelphia District.

To construct and maintain a 12-foot wide, single-span, modular steel truss, steel deck with asphalt overlay, bridge across Sand Spring Run (EV, MF) having approximately a 68-foot span and a 2.5-foot underclearance. Concrete abutments, concrete wingwalls, and abutment rip rap protection will be utilized and fill will be placed within the floodway for the roadway approaches. Approximately 0.043 acre of PFO wetland will be permanently

impact with the project. The project is located in a State Forest on DCNR property along an existing trail (Thornhurst, PA Quadrangle Latitude: 41° 11' 3.2"; Longitude: -75° 36' 44.2") in Thornhurst Township, Lackawanna County. Application received date: February 10, 2022. Issued date: July 11, 2022.

**E5802121-007: Pa Department of Transportation, Eng District 4-0**, 55 Keystone Industrial Park, Dunmore, PA 18512, Lanesboro Borough, **Susquehanna County**, Army Corps of Engineers, Baltimore District.

To authorize the following water obstructions and encroachments associated with the SR 1009 Section 572 Project:

1. Remove the existing structure and construct and maintain a 40.4-foot wide bridge carrying SR 1009 across Starrucca Creek (CWF, MF) having a 115.5-foot normal clear span and a 7.73'-foot underclearance.

2. Relocate and restore a portion of Starrucca Creek. 458 linear feet of Starrucca Creek will be impacted for watercourse relocation, grading and restoration. Restoration activities include the installation of rock vanes, boulder bank revetments and riffle/pool habitats. 71 linear feet of Pigen Creek (CWF, MF) will also be impacted to tie into the relocated Starrucca Creek.

3. Impact 0.04 acre of the Starrucca Creek floodway for watercourse relocation and restoration.

4. Impact 33 LF of a Tributary to Starrucca Creek (CWF, MF) and 0.01 acre of Tributary to Starrucca Creek floodway for the construction of a temporary stream crossing. These impacts associated with grading in the watercourse and floodway will be permanent, but the stream crossing will be removed.

The project is located along SR 1009 Sec 572 Segment 0170, Offset 0813, approximately 0.60 mile east of the S.R. 1009/1017 intersection (Susquehanna, PA Quadrangle Latitude: 41° 58' 1.18" N, Longitude: -75° 34' 24.64" W).

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake.*

**E0205220-035, Oakmont Borough**, 767 Fifth Street, Oakmont PA 15139, Oakmont Borough, **Allegheny County**; Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to:

Construct, operate and maintain two types of river access: an able-bodied access ramp (90 LF) and ADA compliant switchback access ramp (415 LF) and boat platform (230 SQ FT) along the left descending bank of the Allegheny River (WWF). Permanent impacts will include 5,150 SQ FT within the floodway and along 25 LF of this same water course. For the purpose of facilitating recreational, non-motorized boating access to the Allegheny River. The project site is located 1045 Allegheny Avenue, Oakmont, PA 15139 (New Kensington West, PA USGS topographic quadrangle; N: 40°, 31', 44"; W: -79°, 50', 28"; Sub-basin 18A; USACE Pittsburgh District), in Oakmont Borough, Allegheny County.

**E6505222-002, PA Game Commission**, 2001 Elmerston Avenue, Harrisburg, PA 17110, Saint Clair Township, **Westmoreland County**; Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to:

1. Construct and maintain a 50-foot long by 14-foot wide steel superstructure bridge over Sugar Run (CWF) with an under clearance of 4.5 feet; and

2. Temporarily impact 35 linear feet of watercourse for a temporary bridge stream crossing.

For the purpose of replacing an existing ford crossing along an existing access road for vehicular access. The project will permanently impact 50 linear feet of watercourse and temporarily impact 35 linear feet of watercourse. The project site is located within State Game Lands # 042. (New Florence, PA USGS topographic quadrangle; N: 40°, 23', 9.528"; W: -79°, 00', 59"; Sub-basin 18D; USACE Pittsburgh District), in Saint Clair Township, Westmoreland County.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481.*

**E3706222-001, New Castle Area Transit Authority**, 311 Mahoning Avenue, New Castle, PA 16102, NCATA Bus Storage Building, in New Castle City, **Lawrence County**, Army Corps of Engineers Pittsburgh District (New Castle South, PA Quadrangle N: 40°, 58', 58"; W: -80°, 21', 18").

Construct and maintain an approximately 18,000 square feet bus storage facility including utilities, parking, access drives, and all necessary stormwater controls within the 100-year flood plain of the Shenango River just east of the existing NCATA facility along Mahoning Avenue (New Castle South, PA Quadrangle N: 40.982777°; W: -80.355000°) in New Castle City, Lawrence County.

**E2706220-021, David Pollock**, 8800 Clark Road Extension, Erie, PA 16510, Pollock Floodwall, in Hickory Township, **Forest County**, Army Corps of Engineers Pittsburgh District (Kellettsville & Cobham, PA Quadrangle N: 41°, 37', 31"; W: -79°, 21', 44").

Operate and maintain a concrete floodwall/stream bank retaining wall measuring approximately 74 feet long along the right bank of East Hickory Creek (HQCWF) extending downstream of the Queen Pumping Station Road bridge (Kellettsville and Cobham, PA Quadrangles N: 41°, 37', 31"; W: -79°, 21' 44") in Hickory Township, Forest County.

**E4306222-001, Hermitage City**, 800 N Hermitage Road, Hermitage, PA 16148, Hermitage Elementary School Culvert Extension, in City of Hermitage, **Mercer County**, Army Corps of Engineers Pittsburgh District (Sharon East, PA Quadrangle N: 41°, 14', 20"; W: -80°, 27', 03").

Remove and replace an existing 30-foot long, 36-inch diameter culvert with a 38-foot long 36-inch diameter CMP culvert and maintain an existing 91-foot long, 48-inch diameter RCP culvert as part of the rehabilitation and widening of the existing Artman Elementary/Delahunty Middle School driveway extending west of SR 18 over Pine Hollow Run resulting in permanent impact

to approximately 480 square feet (0.1 acre) of watercourse and 4,700 square feet (0.11 acre) of floodway (Sharon East, PA Quadrangle N: 41.23888°; W: -80.45063°) in Hermitage City, Mercer County.

#### ENVIRONMENTAL ASSESSMENTS

*Central Office: Bureau of Waterways Engineering and Wetlands, Rachel Carson State Office Building, 400 Market Street, 2nd Floor, Harrisburg, PA 17101, 717-787-3411.*

**EA0115221-001. Gettysburg Borough Stormwater Authority**, 59 East High Street, Gettysburg, PA 17325, Gettysburg Borough, **Adams County**, U.S. Army Corps of Engineers Baltimore District.

Approval of restoration plans to remove approximately 3,900 cubic yards of legacy sediment and redistribute the excavated material within floodplain areas along unnamed tributaries to Rock Creek, also known as Culps Run (WWF, MF), for the purpose of restoring approximately 3.62 acres of natural aquatic resources; to realign approximately 2,900 linear feet of stream channels for the purpose of restoring watercourses; to place rock stream and valley grade control structures; to place log sills, woody debris, and other habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, cofferdams, and other erosion controls during restoration activities. The restoration project is located within the floodplain of Culps Run tributaries beginning downstream of the East Confederate Avenue in the Gettysburg National Military Park (USGS Quadrangle: Gettysburg, PA: Latitude: 39.828271°; Longitude: -77.223888°). Approved on June 25, 2022.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Board through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

*Northwest Region: Oil & Gas Management Program,  
230 Chestnut Street, Meadville, PA 16335-3481.*

ESCGP-3 # ESX170650001-01/Winslow Impoundment to  
Winslow TWL

Applicant Name XTO Energy  
Contact Person Melissa Breitenbach  
Address 190 Thorn Hill Road  
City, State, Zip Warrendale, PA 15086  
Municipality Oliver Township and McCalmont Township  
County Jefferson  
Receiving Stream(s) and Classification(s) Little Sandy  
Creek CWF Middle Branch Little Sandy Creek CWF

ESCGP-3 # ESG080322002-00/Callen to Limestone Run  
Pipeline

Applicant Name Snyder Bros, Inc.  
Contact Person Dave Ohara  
Address P.O. Box 1022; One Glad Park East  
City, State, Zip Kittanning, PA 16201  
Municipality East Franklin Township  
County Armstrong  
Receiving Stream(s) and Classification(s) Tributary 47124  
to Allegheny River WWF Tributary 47107 to Limestone  
Run WWF

*Eastern Region: Oil & Gas Management Program,  
208 West Third Street, Suite 101, Williamsport, PA 17701-  
6448.*

ESCGP-3 # ESG290822017-00

Applicant Name Chesapeake Appalachia, LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
Municipality Litchfield Township  
County Bradford  
Receiving Stream(s) and Classification(s) UNT to Bullard  
Creek (CWF, MF)

ESCGP-3 # ESG295920007-01

Applicant Name Clean Energy Exploration & Production,  
LLC  
Contact Person Robert VanBlargan  
Address 2620 Egypt Road  
City, State, Zip Norristown, PA 19403  
Municipality Delmar Township  
County Tioga  
Receiving Stream(s) and Classification(s) Campbells Run  
(HQ-CWF, MF)  
Secondary: Pine Creek (EV)

ESCGP-3 # ESG290822019-00

Applicant Name Blackhill Energy, LLC  
Contact Person Matthew Pitts  
Address 4600 J. Barry Ct., Suite 220  
City, State, Zip Canonsburg, PA 15317  
Municipality Smithfield Township  
County Bradford  
Receiving Stream(s) and Classification(s) West Branch  
Tomjack Creek (TSF, MF), UNT to West Branch  
Tomjack Creek (TSF, MF)

ESCGP-3 # ESG290822015-00

Applicant Name Chesapeake Appalachia, LLC  
Contact Person Eric Haskins  
Address 14 Chesapeake Lane  
City, State, Zip Sayre, PA 18840  
Municipality Tuscarora Township  
County Bradford  
Receiving Stream(s) and Classification(s) Little Tuscarora  
Creek (CWF, MF)

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

**The following plans and reports were submitted under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of receipt of plans or reports appears. If information concerning plans or reports is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The Department has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Iannello Bros**, 51-43010, 2700 S. 15th St., Philadelphia, PA 19145, **City of Philadelphia**. Petrodi LLC, 5 Elmwood Drive, Tabernacle, NJ 08088, on behalf of Iannello Brothers, 2700 S. 15th Street, Philadelphia, PA 19145 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet nonresidential Statewide health standards.

**Amar Energy**, 09-20649, 188 State Rd., Bensalem, PA 19020, Bensalem Township, **Bucks County**. August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of Tioga Fuels, 188 State Rd., Bensalem, PA 19020 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site-specific standards.

**Park Towne Place Apt**, 51-24532, 2200 Benjamin Franklin Pkwy, **City of Philadelphia**. TRC Environmental Corporation, 1801 Market St, Suite 1380, Philadelphia, PA 19130, on behalf of Apartment Income REIT Corp., 4582 South Ulster Parkway, Suite 1700, Denver, CO 80237, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document remediation of the site to meet site-specific standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.*

*Contact: Kim Bontrager, Clerical Assistant 3.*

**Sunoco 0363 9200**, Storage Tank Facility ID # **32-24181**, 1165 Wayne Avenue, Indiana, PA 15701, Indiana Borough, **Indiana County**. Groundwater & Environmental, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of groundwater and soil contaminated with unleaded gasoline. The report is intended to document remediation of the site to meet the site-specific standard.

**Wayne Pumps**, Storage Tank Facility ID # **32-81999**, 1194 Wayne Avenue, Indiana, PA 15701, White Township, **Indiana County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Robert Benkowski, 119 Crane Road, Clearwater, FL 33764, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The plan is intended to document the remedial actions for meeting the site-specific standard.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**The DEP has taken action on the following plans and reports under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

The DEP may approve or disapprove plans and reports submitted. This notice provides the DEP's decision and, if relevant, the basis for disapproval.

For further information concerning the plans and reports, please contact the Environmental Cleanup Program Manager in the DEP Regional Office under which the notice of the plan or report appears. If information concerning a report is required in an alternative form, contact the Community Relations Coordinator at the appropriate Regional Office listed. TDD users may telephone the DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

The DEP has received the following plans and reports:

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5960.*

*Contact: Richard Staron, Professional Geologist Manager.*

**Phila G Street Term**, 51-33516, 4210 G St., Philadelphia, PA 19124, **City of Philadelphia**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341 on behalf of MIPC, LLC, a subsidiary of Monroe Energy, 920 Cherry Tree Road, Aston, PA 19014, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with ethanol. The report demonstrated attainment of nonresidential site-specific standards and was approved by DEP on June 27, 2022.

**Exxon RS 2 5092**, 09-06930, 300 S. West End Blvd, Quakertown, PA 18951, Quakertown Borough, **Bucks County**. Arcadis U.S., Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA 15090, on behalf of ExxonMobil Environmental and Property Solutions Company, 875 West Poplar Avenue, Suite 23, # 353, Collierville, TN 38017, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report did not meet nonresidential Statewide health and site-specific standards and was disapproved by DEP on June 24, 2022.

**LK Burket & Bros**, 23-29858, 147 Pennsylvania Avenue, Wayne, PA 19087, Radnor Township, **Delaware County**. REPSG, Inc., 6901 Kingsessing Avenue, Wayne, PA 19087, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded/unleaded gasoline and diesel fuel. The report did not demonstrate nonresidential site-specific standards and was disapproved by DEP on June 23, 2022.

**USA Gas**, 15-43350, 999 E. Lincoln Hwy., Coatesville, PA 19320, City of Coatesville, **Chester County**. Marshall Geoscience, Inc., 170 E. First Avenue, Collegeville, PA 19426, on behalf of Gordon Mano Gulf, 999 E. Lincoln Hwy., Coatesville, PA 19320, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The report is acceptable to document remediation of the site to meet nonresidential Statewide health and site-specific standards and was approved by DEP on June 29, 2022.

**Dileos Auto SVC**, 46-22320, 2233 W. Main St, Norristown, PA 19403, West Norriton Township, **Montgomery County**. August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of HTAS, Inc., 2233 W. Main St., Norristown, PA 19403, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is acceptable to

document remediation of the site to meet nonresidential Statewide health standards and was approved by DEP on July 8, 2022.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Former Speedway # 6711**, Storage Tank ID # **39-23152**, 1518 South Fourth Street, Allentown, PA 18103, Allentown City, **Lehigh County**. EMS Environmental, 4550 Bath Pike, Bethlehem, PA 18017, on behalf of Speedway LLC, 500 Speedway Drive, Enon, OH 45323, submitted a revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The Remedial Action Completion Report demonstrated attainment of a combination of site specific and Statewide health standards and was approved by DEP on July 12, 2022.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 West Third Street, Suite 101, Williamsport, PA 17701, 570-327-3636.*

*Contact: Randy Farmerie, Environmental Program Manager.*

**Former Sand Hill Terminal # 0050-1700**, Storage Tank Facility ID # **41-31701**, 140 Terminal Road, Montoursville, PA 17754, Loyalsock Township, **Lycoming County**. Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite A, West Chester, PA 19382, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the site-specific standard and was approved by DEP on July 7, 2022.

**Former Sheetz Store 165**, Storage Tank Facility ID # **53-06321**, 208 South Main Street, Coudersport, PA 16915, Coudersport Borough, **Potter County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 16365, on behalf of Sheetz Incorporated, 351 Sheetz Way, Claysburg, PA 16625, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on June 9, 2022.

**Rich Oil Company**, Storage Tank Facility ID # **49-25326**, 1072 Point Township Drive, Northumberland, PA 17857, Northumberland Borough, **Northumberland County**. Quad Three Group, Inc., 37 North Washington Street, Wilkes-Barre, PA 16701, on behalf of Rich Oil Company/Rich Tank Lines, 1072 Point Township Drive, Northumberland, PA 17857, submitted a Revised Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline and diesel fuel. The Remedial Action Completion Report demonstrated attainment of the Statewide health standard and was approved by DEP on July 11, 2022.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6648.*

*Contact: Kim Bontrager, Clerical Assistant 3.*

**Ashland Branded Market 962044**, Storage Tank Facility ID # **10-00829**, 264 Ekastown Road, Sarver, PA 16055, Buffalo Township, **Butler County**. Antea USA, Inc., 535 Route 38, Suite 203, Cherry Hill, NJ 08002, on behalf of Ashland, LLC, 500 Hercules Road, Wilmington,

DE 19808, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The Remedial Action Completion Report demonstrated attainment of the site-specific standard and was approved by DEP on July 12, 2022.

**Leomart**, Storage Tank Facility ID # **43-91566**, 854 Perry Highway, Mercer, PA 16137, East Lackawanna Township, **Mercer County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323 on behalf of Leomart, LLC, 854 Perry Highway, Mercer, PA 16137, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline constituents. The Remedial Action Plan was acceptable to meet the Statewide health standard and was approved by DEP on July 12, 2022.

---

## SPECIAL NOTICES

---

### WASTE, AIR, RADIATION AND REMEDIATION

---

#### Title V Operating Permit Renewal.

---

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401.*

**Permit No. 46-00010: Covanta Plymouth Renewable Energy, LLC (CPRE)**, 1155 Conshohocken Road, Conshohocken, PA 19428, in Plymouth Township, **Montgomery County**. This is a notice of receipt of a Title V Operating Permit renewal application from CPRE. The Pennsylvania Department of Environmental Protection received the application on May 23, 2022.

CPRE operates a waste to energy facility consisting of two municipal waste combustors (MWC) designed to combust 600 tons per day of municipal solid waste. Each MWC is equipped with air pollution control equipment to reduce emissions of hydrogen chloride, mercury, nitrogen oxides, particulate matter, sulfur oxides and volatile organic compounds. The facility has a diesel-fired internal combustion engine for emergency power. CPRE has installed new auxiliary burners on the MWCs and a boiler fire suppression system within the past five years.

The facility reported in 2021 57.43 tpy CO, 0.0034 ton/yr Pb, 80.16 tpy HCl, 591.13 tpy NO<sub>x</sub>, 0.0022 tpy Hg, 1.02 tpy PM<sub>10</sub>, 0.54 tpy PM<sub>2.5</sub>, 82.33 tpy SO<sub>x</sub>, and 2.52 tpy VOC.

The MWCs are subject to Federal requirements under 40 CFR Part 60 Subparts Cb and Eb, and the internal combustion engine is subject to 40 CFR Part 63 Subpart ZZZZ.

The renewal operating permit will contain monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G.

Copies of the application, supplemental review material, and announcements on opportunities for public participation will be posted to the project web page at [www.dep.pa.gov/southeast>communityinformation>Covanta](http://www.dep.pa.gov/southeast>communityinformation>Covanta).

**WATER PROGRAMS**  
**REQUEST FOR COMMENT**

**Proposed Total Maximum Daily Loads (TMDLs) for  
the Shippens Run Watershed in Dauphin County.**

*Central Office: Bureau of Clean Water, P.O. Box 8774,  
Harrisburg, PA 17105-8774.*

The Department of Environmental Protection will accept comments on the proposed "TMDLs" developed for the Shippens Run Watershed under Section 303(d) of the Clean Water Act. The Pennsylvania Integrated Water Quality Monitoring and Assessment Report included stream segments listed as impaired for aquatic life in the watershed. The impairments addressed by this document were caused by excessive siltation due to agriculture.

There currently are no state or Federal in-stream numerical water quality criteria for sediment. Therefore, the Department utilized a reference watershed approach to implement the applicable narrative criteria. The proposed TMDL document sets allowable loading of sediment in the Shippens Run Watershed. The "TMDLs" included allocations for nonpoint sources, reserves for point sources, as well as margin of safety factors. Nonpoint source load allocations were made for cropland, hay/pasture land and streambank source sectors present in the watershed. Data used in establishing the TMDL were primarily generated using a water quality analysis model (Model My Watershed) made available through the Stroud Water Research Center.

The following table shows the estimated current sediment loadings within the watershed, the prescribed "TMDL" values, and % reductions needed under annual average conditions.

<i>Summary of "TMDL" -Based Load Reductions (expressed as annual averages) in the Shippens Run Watershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/yr)</i>	<i>"TMDL" (lbs/yr)</i>	<i>% Reduction</i>
Shippens Run	Sediment	1,026,054	398,533	61

The following table shows the estimated current sediment loading within the watershed, the prescribed "TMDL" values, and % reductions needed under 99th percentile daily loading conditions.

<i>Summary of "TMDL" -Based Load Reductions (expressed as 99th percentile daily loading) in the Shippens Run Watershed</i>				
<i>Watershed</i>	<i>Pollutant</i>	<i>Existing Load (lbs/d)</i>	<i>"TMDL" (lbs/d)</i>	<i>% Reduction</i>
Shippens Run	Sediment	41,884	16,081	62

The proposed TMDL document can be viewed at: <http://www.dep.state.pa.us/dep/deputate/watermgt/wqp/wqstandards/tmdl/ShippensRunSedimentTMDL.pdf>.

Otherwise, copies of the proposed TMDL document or supporting information may be requested by emailing Michael Morris at [michamorri@pa.gov](mailto:michamorri@pa.gov) or calling him at 717-772-5670.

Written/typed comments will be accepted at the previously listed email address. While emailed comments are preferable, written comments may also be sent by mail to:

Michael Morris, Water Program Specialist  
Bureau of Clean Water  
Pennsylvania Department of Environmental Protection  
Rachel Carson State Office Building  
400 Market Street  
Harrisburg, PA 17105

Comments must be submitted within 30-days after publication of this notice in the July 23, 2022 issue of the *Pennsylvania Bulletin*. The Department will consider all written/typed comments submitted within the deadline prior to submitting the final TMDL document to EPA for approval.

**FEDERAL WATER POLLUTION  
CONTROL ACT SECTION 401**

The Department has taken the following actions on previously received permit applications, requests for Environmental Assessment approval and requests for Water Quality Certification under section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The state and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Envtl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Envtl Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Envtl Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Envtl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending). You should promptly consult with a lawyer on the steps to take if you wish to challenge this action and to best protect your interests. Important legal rights are at stake. You should show this document to a lawyer at once.

**Actions on applications for the following activities filed under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and The Clean Streams Law and Notice of Final Action for Certification under section 401 of the FWPCA.**

Permits, Environmental Assessments and 401 Water Quality Certifications Issued:

*Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101; Email: RA-EPREGIONAL PERMIT@pa.gov.*

**E4183222-001. Transcontinental Gas Pipe Line Company, LLC**, Park Place Corporate Center Two, 2000 Commerce Drive, Pittsburgh, PA 15275. Loyalsock Township, **Lycoming County**, U.S. Army Corps of Engineers Baltimore District.

To restore, stabilize and maintain a 455-foot reach of Mill Creek (TSF, MF) with work involving installing two articulated concrete mats, installing grade control structures, installing rip-rap armoring, removing instream accumulated gravels, and bank and floodway grading for the purpose of protecting two 24-inch diameter natural gas transmission pipelines (Leidy Line A and B).

The proposed project impacts include a total of 0.001 acre (23 linear feet) of temporary impacts and 0.24 acre (455 linear feet) of permanent impacts to Mill Creek and its UNT (TSF, MF); 0.51 acre temporary impacts and 0.68 acre of permanent impacts to floodways; and 0.04 acre of temporary impacts to EV PEM wetlands.

The project is located 0.26 mile southwest of the intersection of Walters Rd and Warrensville Road (Montoursville North USGS Quadrangle Map, Latitude: 41.279118°; Longitude: -76.935060°) Loyalsock Township, Lycoming County.

---

**Citizens for Pennsylvania's Future v. Commonwealth of Pennsylvania, Department Of Environmental Protection and Department of Transportation; EHB Docket No. 2021-114-B.**

---

**Notice of Settlement of NPDES Permit Appeal Under 25 Pa. Code § 92A.88.**

*Central Office: Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.*

The previously listed matter involved the appeal of a National Pollutant Discharge Elimination System (NPDES) permit to discharge stormwater from a Small Municipal Separate Storm Sewer System (MS4), Permit No. PAI139601 (MS4 Permit), which was issued to the Pennsylvania Department of Transportation (PennDOT) on October 29, 2021.

The Department of Environmental Protection's (Department's) final action to resolve this appeal was a settlement as reflected by a Stipulation of Settlement filed with the Environmental Hearing Board at Docket No. 2021-114-B. In the MS4 Permit, the Department, *inter alia*, required PennDOT to submit Pollutant Reduction Plans (PRPs) that would reduce discharges of pollutants from PennDOT's MS4 to the Ohio, Delaware and Lake Erie watersheds by a uniform percentage for each watershed. The MS4 Permit further provided PennDOT with the option of combining those watersheds in one PRP and reducing or increasing reductions in each watershed so long as the total overall reduction was equal to the sum of the original uniform percentage reductions (the "Option"). Citizens for Pennsylvania's Future challenged, *inter alia*, the Option provided to PennDOT in the MS4 Permit.

The Stipulation of Settlement entered into by the parties provided that PennDOT will not utilize the Option when developing and submitting its PRPs to the Department for approval; instead it will make the same percentage of reductions in each watershed. The Stipulation of Settlement further provides that when the Department acts to modify the MS4 Permit to incorporate the final,

approved PRP(s), the Department will acknowledge that the challenged Option was unavailable to PennDOT pursuant to the Stipulation of Settlement. The MS4 Permit remains unchanged.

A full copy of the Stipulation of Settlement may be reviewed by accessing the Environmental Hearing Board docket, Docket No. 2021-114-B, at <https://ehb.courtapps.com>. Copies of the Stipulation of Settlement are also in the possession of Christopher L. Ryder, Assistant Counsel, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4270. Copies of the full Stipulation of Settlement may be reviewed by an interested person on request during normal business hours.

---

**Citizens for Pennsylvania's Future v. Commonwealth of Pennsylvania, Department of Environmental Protection and Pennsylvania Turnpike Commission; EHB Docket No. 2021-115-B.**

---

**Notice of Settlement of NPDES Permit Appeal Under 25 Pa. Code § 92A.88.**

*Central Office: Bureau of Clean Water, P.O. Box 8774, Harrisburg, PA 17105-8774.*

The previously listed matter involved the appeal of a National Pollutant Discharge Elimination System (NPDES) permit to discharge stormwater from a Small Municipal Separate Storm Sewer System (MS4), Permit No. PAI139602 (MS4 Permit), which was issued to the Pennsylvania Turnpike Commission (Commission) on October 29, 2021.

The Department of Environmental Protection's (Department's) final action to resolve this appeal was a settlement as reflected by a Stipulation of Settlement filed with the Environmental Hearing Board at Docket No. 2021-115-B. In the MS4 Permit, the Department, *inter alia*, required the Commission to submit Pollutant Reduction Plans (PRPs) that would reduce discharges of pollutants from the Commission's MS4 to the Ohio and Delaware watersheds by a uniform percentage for each watershed. The MS4 Permit further provided the Commission with the option of combining those watersheds in one PRP and reducing or increasing reductions in each watershed so long as the total overall reduction was equal to the sum of the original uniform percentage reductions (the "Option"). Citizens for Pennsylvania's Future challenged, *inter alia*, the Option provided to the Commission in the MS4 Permit.

The Stipulation of Settlement entered into by the parties provided that the Commission will not utilize the Option when developing and submitting its PRPs to the Department for approval; instead it will make the same percentage of reductions in each watershed. The Stipulation of Settlement further provides that when the Department acts to modify the MS4 Permit to incorporate the final, approved PRP(s), the Department will acknowledge that the challenged Option was unavailable to the Commission pursuant to the Stipulation of Settlement. The MS4 Permit remains unchanged.

A full copy of the Stipulation of Settlement may be reviewed by accessing the Environmental Hearing Board docket, Docket No. 2021-115-B, at <https://ehb.courtapps.com>. Copies of the Stipulation of Settlement are also in the possession of Christopher L. Ryder, Assistant Counsel, Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4270. Copies

of the full Stipulation of Settlement may be reviewed by an interested person on request during normal business hours.

[Pa.B. Doc. No. 22-1099. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Cleanup Standards Scientific Advisory Board Meeting Rescheduled

The August 17, 2022, meeting of the Cleanup Standards Scientific Advisory Board (Board) has been rescheduled to Thursday, August 11, 2022. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up prior to the start of the meeting by contacting Michael Maddigan at mmaddigan@pa.gov or (717) 772-3609.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Cleanup and Brownfields," then "Cleanup Standards Scientific Advisory Board," then "Agendas and Handouts").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the August 11, 2022, meeting can be directed to Michael Maddigan at mmaddigan@pa.gov or (717) 772-3609.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-1566 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1100. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Health Policy Board Meeting

The Health Policy Board (Board) of the Department of Health (Department), established by section 401.1 of the Health Care Facilities Act (act) (35 P.S. § 448.401a), will meet on Wednesday, August 10, 2022, at 2 p.m. in Room 812, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120. Individuals may also join the meeting by means of Microsoft Teams by calling (267) 332-8737, conference ID 747 389 117# or by using the following link: [https://teams.microsoft.com/l/meetup-join/19%3ameeting\\_NzI4NjU5NjUtOTU4Yi00ZTg2LTk3M2EtZjdmNzY4ZTBiYTVM%40thread.v2/0?context=%7b%22Tid](https://teams.microsoft.com/l/meetup-join/19%3ameeting_NzI4NjU5NjUtOTU4Yi00ZTg2LTk3M2EtZjdmNzY4ZTBiYTVM%40thread.v2/0?context=%7b%22Tid)

%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%220id%22%3a%2245d9a1e5-e0fe-4592-8346-a2fead3ef6af%22%7d.

The purpose of this meeting is to consult with the Board on the Department's draft final-form long-term care nursing regulations, as required under section 803 of the act (35 P.S. § 448.803) and to discuss other programmatic and Departmental activities.

For further information regarding the meeting, interested persons should contact Faith Haeussler, Director of Intergovernmental Affairs, at (717) 736-9402.

For additional information or for persons with a disability who wish to attend the meeting and require auxiliary aid, service or other accommodation to do so, contact Faith Haeussler, Director of Intergovernmental Affairs at the previously listed number. For speech and/or hearing-impaired persons, call V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

This meeting is subject to cancellation without notice.

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1101. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e), (h) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Meadows Nursing and Rehabilitation Center  
4 East Center Hill Road  
Dallas, PA 18612  
FAC ID # 137302

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j):

Patriot, A Choice Community  
495 West Patriot Street  
Somerset, PA 15501  
FAC ID # 167902

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously



listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1102. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Organ Donation Advisory Committee Meeting

The Organ Donation Advisory Committee established under 20 Pa.C.S. § 8622 (relating to The Governor Robert P. Casey Memorial Organ and Tissue Donation Awareness Trust Fund), will hold a public meeting on Thursday, August 4, 2022, from 10 a.m. to 1:30 p.m. The purpose of the meeting is to review progress in the area of organ and tissue donation in this Commonwealth, recommend education and awareness activities, recommend priorities in expenditures from the Organ and Tissue Donation Awareness Fund (Fund) and advise the Acting Secretary of Health on matters relating to the administration of the Fund. The meeting will be conducted virtually using Microsoft Teams. Participants may join the meeting by dialing (267) 332-8737 and entering conference ID #: 552930708. Contact the Organ Donation Program at (717) 787-5876 or ra-dhorgandonation@pa.gov with any questions regarding connecting to the meeting.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Amy Flaherty, Director, Division of Nutrition and Physical Activity, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 787-5876, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1103. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC Advisory

The WIC Advisory will meet on August 4, 2022, from 2 p.m. to 3 p.m. The purpose of this meeting is to establish the WIC Advisory and set priorities for working with the Commonwealth WIC Program. Connection information is listed as follows.

Individuals can join at [https://teams.microsoft.com/l/meet-up-join/19%3ameeting\\_NTVmNTI0YTQtM2NhNi00YzlmLTJhZTgtNzI2YmIyZmY4N2Ri%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%2245d9a1e5-e0fe-4592-](https://teams.microsoft.com/l/meet-up-join/19%3ameeting_NTVmNTI0YTQtM2NhNi00YzlmLTJhZTgtNzI2YmIyZmY4N2Ri%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%2245d9a1e5-e0fe-4592-8346-a2fead3ef6af%22%7d)

8346-a2fead3ef6af%22%7d, or call (267) 332-8737, United States, Philadelphia, PA. The phone conference ID is 707 359 632#.

The meeting will be recorded so if individuals choose to attend, they are consenting to being recorded. Individuals should not attend the meeting if they do not wish to be recorded.

Questions about the WIC Advisory may be submitted by e-mail to the Department of Health at ra-dhwicadvisory@pa.gov.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The WIC program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

#### USDA Nondiscrimination Statement:

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, the USDA, its agencies, offices and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, sex, disability, age or reprisal or retaliation for prior civil rights activity in any program or activity conducted or funded by the USDA.

Persons with disabilities who require alternative means of communication for program information (for example, Braille, large print, audiotape, American Sign Language), should contact the agency (State or local) where they applied for benefits. Individuals who are deaf, hard of hearing or have speech disabilities may contact the USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program complaint of discrimination, complete the USDA Program Discrimination Complaint Form, (AD-3027) found online at <https://www.usda.gov/oascr/how-to-file-a-program-discrimination-complaint>, and at any USDA office, or write a letter addressed to the USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to the USDA by mail to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax (202) 690-7442, program.intake@usda.gov.

This institution is an equal opportunity provider.

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1104. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board (Board), established under section 1252 of the Federal Traumatic

Brain Injury Act of 1996 (42 U.S.C.A. § 300d-52), will hold a public meeting on Friday, August 5, 2022, from 10 a.m. to 3 p.m. The meeting will be held in person in the Dauphin Conference Room, Pennsylvania Training and Technical Assistance Network, 6340 Flank Drive, Harrisburg, PA 17112.

Meeting materials will be sent out before the meeting and will also be available on the Board's web site at <https://www.health.pa.gov/topics/disease/Pages/Traumatic-Brain-Injury.aspx>, and at the meeting location. Contact Nicole Johnson at [njohnson@pa.gov](mailto:njohnson@pa.gov) with any questions.

The Department of Health's (Department) Head Injury Program (HIP) strives to ensure that eligible individuals who have a traumatic brain injury receive high quality rehabilitative services aimed at reducing functional limitations and improving quality of life. The Board assists the Department in understanding and meeting the needs of persons living with traumatic brain injury and their families. This quarterly meeting will provide updates on a variety of topics including the number of people served by HIP. In addition, meeting participants will discuss budgetary and programmatic issues, community programs relating to traumatic brain injury and available advocacy opportunities.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Nicole Johnson, Division of Community Systems Development and Outreach, (717) 772-2763, or for speech and/or hearing-impaired persons, contact V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1105. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Disposing of Excess Land

Under 67 Pa. Code § 495.4(d) (relating to application procedure), the Department of Transportation is disposing of excess land located at 830 Bridge Street, Philadelphia, PA 19124, Philadelphia County, approximately 1,227 ± square feet/hectares, adjacent to LR 1080 Sections 1RW.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Louis Belmonte, PE, District Executive, Engineering District 6.0, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1525.

Questions regarding this application or the proposed use may be directed to Barbara DiCianno, Right of Way Administrator, 7000 Geerdes Boulevard, King of Prussia, PA 19406, (610) 205-6504.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 22-1106. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Disposing of Excess Land

Under 67 Pa. Code § 495.4(d) (relating to application procedure), the Department of Transportation is disposing of excess land located at 835 Granite Street, Philadelphia, PA 19124, Philadelphia County, approximately 1.172 ± square feet/hectares, adjacent to LR 1080 Section 1RW.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Louis Belmonte, PE, District Executive, Engineering District 6.0, 7000 Geerdes Boulevard, King of Prussia, PA 19406-1525.

Questions regarding this application or the proposed use may be directed to Barbara DiCianno, Right of Way Administrator, 7000 Geerdes Boulevard, King of Prussia, PA 19406, (610) 205-6504.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 22-1107. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Application for Disposing of Excess Land

Under 67 Pa. Code § 495.4(d) (relating to application procedure), the Department of Transportation is disposing of excess land located at 837 Granite Street, Philadelphia, PA 19124, Philadelphia County, approximately 1,037 ± square feet/hectares, adjacent to LR 1080 Section 1RW.

Interested persons are invited to submit, within 30 days from the publication of this notice in the *Pennsylvania Bulletin*, written comments, suggestions or objections regarding the approval of this application to Louis Belmonte, PE, District Executive, Engineering District 6.0, 7000 Geerdes Boulevard, King of Prussia, PA, 19406-1525.

Questions regarding this application or the proposed use may be directed to Barbara DiCianno, Right of Way Administrator, 7000 Geerdes Boulevard, King of Prussia, PA 19406, (610) 205-6504.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 22-1108. Filed for public inspection July 22, 2022, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### State Transportation Innovation Council Business Meeting

The State Transportation Innovation Council will hold its business meeting on Wednesday, July 27, 2022, from

9 a.m. to 12 p.m. at the Pennsylvania Emergency Management Agency Building, 1310 Elmerton Avenue, Harrisburg, PA 17110. For more information, including an agenda and registration, contact Anja Walker, (717) 425-6288, anjwalker@pa.gov.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 22-1109. Filed for public inspection July 22, 2022, 9:00 a.m.]

## ENVIRONMENTAL QUALITY BOARD

### August Meeting Rescheduled

The August 16, 2022, meeting of the Environmental Quality Board (Board) has been rescheduled to Tuesday, August 9, 2022. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Environmental Quality Board," then "2022 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the August 9, 2022, meeting can be directed to Laura Griffin at [laurgriffi@pa.gov](mailto:laurgriffi@pa.gov) or (717) 772.3277.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-3277 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH,  
*Chairperson*

[Pa.B. Doc. No. 22-1110. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission's public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed at the Commission's web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

<i>Final-Form Reg. No.</i>	<i>Agency/Title</i>	<i>Received</i>	<i>Public Meeting</i>
10-219	Department of Health Medical Marijuana	6/13/22	7/21/22
7-565	Environmental Quality Board Coal Refuse Disposal Revisions	6/16/22	7/21/22
7-558	Board of Coal Mine Safety Prohibiting Electronic Liquid-Vaporizing Devices at Underground Bituminous Coal Mines	6/16/22	7/21/22
7-544	Environmental Quality Board Control of VOC Emissions from Unconventional Oil and Natural Gas Sources	6/16/22	7/21/22
16A-4634	State Board of Dentistry Fees	7/7/22	8/18/22
57-332	Pennsylvania Public Utility Commission Diversity Reporting for Major Jurisdictional Utilities; Notice of Proposed Rulemaking	6/16/22	7/21/22

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 22-1111. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Alleged Violation of Insurance Laws; Jennifer Kern; Doc. No. SC22-07-007

Notice is hereby given of the Order to Show Cause issued on July 12, 2022, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: sections 611-A(2), (6), (17)

and (20) and 678-A(b) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(2), (6), (17) and (20) and 310.78(b)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Adminis-

trative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, at jkorman@pa.gov, or at (717) 787-4429.

MICHAEL HUMPHREYS,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 22-1112. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Geisinger Heath Plan (GSHP-133310013); Small Group HMO—Transitional Filing; Rate Filing

Geisinger Health Plan submitted a rate filing to adjust the premium rates for its Small Group HMO Non-Grandfathered Plans. The filing proposes a rate increase of 0% and will affect approximately 1,254 members with policies renewing in November 2022 and December 2022.

Unless formal administrative action is taken prior to September 12, 2022, the subject filing may be deemed approved by operation of law.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Lorraine Badarzynski, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, lbadarzyns@pa.gov within 5 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 22-1113. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Geisinger Quality Options (GSHP-133310023); Small Group PPO—Transitional Filing; Rate Filing

Geisinger Quality Options submitted a rate filing to adjust the premium rates for its Small Group PPO Non-Grandfathered Plans. The filing proposes a rate increase of 0% and will affect approximately 4,616 members with policies renewing in November 2022 and December 2022.

Unless formal administrative action is taken prior to September 12, 2022, the subject filing may be deemed approved by operation of law.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Michael Hibbert, Insurance Department, Insurance Product Regulation, 1311 Strawberry Square, Harrisburg, PA 17120, mhibbert@pa.gov within 5 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 22-1114. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Metropolitan Life Insurance Company; Rate Increase Filing for Several Group LTC Forms (META-133317758); Rate Filing

Metropolitan Life Insurance Company is requesting approval to increase the premium an aggregate 15.52% on 2,091 certificate holders with the following group LTC policy certificate numbers: G.LTC5897R100 and G.LTC5797R100. The certificates were issued under the group master policy G.LTC1697 which is issued in Washington, DC.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices (hover the cursor over the word the "Consumers" tab, then select "Pending Long Term Care Rate Filings").

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 22-1115. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Metropolitan Life Insurance Company; Rate Increase Filing for Several Group LTC Forms (META-133317762); Rate Filing

Metropolitan Life Insurance Company is requesting approval to increase the premium an aggregate 15.52% on 120 certificate holders with the following group LTC policy certificate number GCLTCAARP-04-OP. The certificates were issued under the group master policy G.LTC1697 which is issued in Washington, DC.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view

these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1116. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Metropolitan Life Insurance Company; Rate Increase Filing for Several Group LTC Forms (META-133317789); Rate Filing

Metropolitan Life Insurance Company is requesting approval to increase the premium an aggregate 15.52% on 93 certificate holders with the following group LTC policy certificate number GCLTCAARP-06-FC. The certificates were issued under the group master policy G.LTC1697 which is issued in Washington, DC.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1117. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### The Prudential Insurance Company of America; Rate Increase Filing for Several LTC Forms (PRUD-133315768); Rate Filing

The Prudential Insurance Company of America is requesting approval to increase the premium an aggregate 26.3% on 797 policy holders of LTC policy forms GRP 98720, GRP 98721 and GRP 98722. These forms are known as the ILTC-1 series and were all issued after September 15, 2002.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view

these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1118. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### The Prudential Insurance Company of America; Rate Increase Filing for Several LTC Forms (PRUD-133315769); Rate Filing

The Prudential Insurance Company of America is requesting approval to increase the premium an aggregate 15% on 298 policy holders of LTC policy forms GRP 112687 and GRP 112685. These forms are known as the ILTC-2 series and were all issued after September 15, 2002.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1119. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### The Prudential Insurance Company of America; Rate Increase Filing for Several LTC Forms (PRUD-133315785); Rate Filing

The Prudential Insurance Company of America is requesting approval to increase the premium an aggregate 12.5% on 1,180 policy holders of LTC policy forms GRP 113172 (ED 05/2009), GRP 113172, GRP 113570 and GRP 113570 (ED 2009). These forms are known as the ILTC-3 series and were all issued after September 15, 2002.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view

these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1120. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### The Prudential Insurance Company of America; Rate Increase Filing for Several LTC Forms (PRUD-133315786); Rate Filing

The Prudential Insurance Company of America is requesting approval to increase the premium an aggregate 10.8% on 210 policy holders of LTC policy forms GRP 113570 (ED 05/2009) and GRP 113172 (ED 05/2009). These forms are known as the ILTC-3R series and were all issued after September 15, 2002.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1121. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Union Security Insurance Company; Rate Increase Filing for Several Individual LTC Forms (MULF- 133297681); Rate Filing

Union Security Insurance Company is requesting approval to increase the premium an aggregate 130.5% on 2,967 policyholders with the following individual LTC policy form numbers: 6034-PA, 6035-PA, 6036-PA, 6060-PA, 6062-PA, 6063-PA, 6072-PA, 6073-PA, 7060-PA and 7062-PA. The increase will average 130.0% but individual policyholders can receive increases ranging from 18% to 251%.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1122. Filed for public inspection July 22, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Union Security Insurance Company; Rate Increase Filing for Several Individual LTC Forms (MULF- 133298594); Rate Filing

Union Security Insurance Company is requesting approval to increase the premium an aggregate 82.7% on 85 policyholders with the following individual LTC policy form numbers: 7060-PA and 7062-PA. The increase will average 82.7% but individual policyholders can receive increases ranging from 12.9% to 155.5%.

Unless formal administrative action is taken prior to October 7, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices (hover the cursor over the “Consumers” tab, then select “Pending Long Term Care Rate Filings”).

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1123. Filed for public inspection July 22, 2022, 9:00 a.m.]

## MILK MARKETING BOARD

### Hearing and Presubmission Schedule for All Milk Marketing Areas; Over-Order Premium

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Areas 1—6 on August 30, 2022, at 9 a.m. at a location to be determined. If necessary, the hearing will continue on August 31, 2022, and September 1, 2022, at a location to be determined.

The purpose of the hearing is to receive testimony and exhibits concerning the existence, level and duration of the Class I over-order premium.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 12 p.m. on July 26, 2022, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 12 p.m. on July 26, 2022, notification of their desire to be included as a party. Parties shall indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance should be filed electronically and be directed to [deberly@pa.gov](mailto:deberly@pa.gov).

The parties shall observe the following requirements for advance filing of witness information and exhibits. The Board may exclude witnesses or exhibits of a party that fails to comply with these requirements. Copies of the filings will be available on the Board web site at <http://www.mmb.pa.gov/Public%20Hearings/>. Filing may be done by mail to the Board office or electronically to [deberly@pa.gov](mailto:deberly@pa.gov).

1. By 2 p.m. on July 29, 2022, the petitioner shall file with the Board one original and ensure receipt by all other parties of one copy of:

a. A list of witnesses who will testify for the petitioner, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a written report or written testimony explaining the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on August 12, 2022, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on August 22, 2022, parties shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents, or records in other proceedings before the Board, or wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whenever these rules require production of a document as an exhibit, five copies shall be provided for Board use and one copy shall be provided to each interested party.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing addressed to [chardbarge@pa.gov](mailto:chardbarge@pa.gov) and received in the Board office by 3 p.m. on August 15, 2022.

The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL HARDBARGER,  
Secretary

[Pa.B. Doc. No. 22-1124. Filed for public inspection July 22, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 8, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by August 8, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

#### **Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.***

**A-2022-3033518. Transit-PA, LLC** (314 South Henderson Road, Suite G-195, King of Prussia, Montgomery County, PA 19406) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, for nonemergency medical transportation services, to medical service providers and medical appointments, from points within the City of Philadelphia, and return.

**A-2022-3033558. Hano, LLC** (618 North Terrace Drive, Altoona, Blair County, PA 16602-2966) to transport persons, in motor vehicles, in paratransit service, from points in Adams, Allegheny, Armstrong, Beaver, Berks, Butler, Centre, Clarion, Clearfield, Columbia, Cumberland, Dauphin, Elk, Fayette, Franklin, Fulton, Greene, Indiana, Jefferson, Juniata, Lancaster, Lawrence, Lebanon, Luzerne, Mifflin, Montour, Northumberland, Perry, Schuylkill, Somerset, Snyder, Union, Washington, Westmoreland and York Counties, to points in Pennsylvania, and return.

**A-2022-3033560. Class A Limousine, LLC** (5724 Rising Sun Avenue, Philadelphia, PA 19120) persons in limousine service, between points in Pennsylvania; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

#### **Applications of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.***

**A-2022-3033557. Lausch's Moving Company** (360 East Wyomissing Avenue, Unit J, Mohnnton, Berks County, PA 19526) household goods in use, between points in Pennsylvania. *Attorney:* Russell E. Farbiarz, 64 North 4th Street, Hamburg, PA 19526.

**A-2022-3033588. U-Relax Moving, Co.** (145 Weldon Drive, York, York County, PA 17404) persons in household goods in use service, between points in Pennsylvania. *Attorney:* Andrew J. Horowitz, Esq., 525 William Penn Place, Suite 1710, Pittsburgh, PA 15219.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1125. Filed for public inspection July 22, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer of Customers

**A-2022-3033607 and A-2022-3033608. X2Comm, Inc., d/b/a DC Communications and Legent Comm, LLC, d/b/a Long Distance Services, d/b/a Long Distance America.** Joint application of X2Comm, Inc., d/b/a DC Communications and Legent Comm, LLC, d/b/a Long Distance Services, d/b/a Long Distance America for approval of a transfer of customers and cancellation of X2Comm, Inc., d/b/a DC Communications certificate of public convenience upon completion of transfer of customer transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 8, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Joint Applicants:* X2Comm, Inc., d/b/a DC Communications, Legent Comm, LLC, d/b/a Long Distance Services, d/b/a Long Distance America

*Through and By:* Sharon Thomas, Consultant, Inteserra, Inc., 151 Southhall Lane, Suite 450, Maitland, FL 32751, (407) 740-3031, fax (407) 740-0613, [stthomas@inteserra.com](mailto:stthomas@inteserra.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1126. Filed for public inspection July 22, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer by Sale

**A-2022-3033702 and U-2022-3033709. PECO Energy Company.** Application of PECO Energy Company for approval of transfer by sale to Lower Salford Township of street lighting facilities located in Montgomery County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 8, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA

17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

*Through and By Counsel for:* Caroline S. Choi, Assistant General Counsel, PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699, (770) 910-3006, [Caroline.Choi@exeloncorp.com](mailto:Caroline.Choi@exeloncorp.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1127. Filed for public inspection July 22, 2022, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than August 8, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-22-07-01. Tareq Taxi, LLC** (85 North 46th Street, Philadelphia, PA 19139): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-22-07-02. Regla Taxi, LLC** (711 West Dauphin Street, Philadelphia, PA 19133): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of



Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-22-07-03. Shamim & Jony, LLC** (246 South Carol Boulevard, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

**Doc. No. A-22-07-04. N&V Taxi, LLC** (319 Willow Lane, New Holland, PA 17557): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,  
*Temporary Executive Director*

[Pa.B. Doc. No. 22-1128. Filed for public inspection July 22, 2022, 9:00 a.m.]

**PHILADELPHIA  
PARKING AUTHORITY**

**Taxicab and Limousine Division Fee Schedule for  
the 2023 Fiscal Year Beginning July 1, 2022**

**All Fees are Non-Refundable**

<i>Fee Description</i>	<i>Fee</i>
Limousine Replacement Registration Sticker	\$50
Dispatcher Change in Name or Markings Scheme Application Fee	\$350
Duplicate Driver Certificate Replacement Fee	\$25
New or Renewal of Driver Certificate Fee (per designation: Taxicab or Limousine)**	\$27.25
Driver Training	\$100
Driver Applicant Testing/Training FTA Fee	\$20
Individual Medallion or CPC Ownership/Securities Transfer Fee	\$2,000
New and Annual Renewal Broker Registration Fee	\$1,200
New Dispatcher Certificate of Public Convenience Application Fee	\$7,500
New Limousine Certificate of Public Convenience Application Fee for One Class of Service	\$7,500
Application Fee for Each Additional Classification for Limousine Service for New Applicants for Any Limousine Service	\$1,500
Application Fee for Each Additional Limousine Certificate of Public Convenience for One Class of Service by a Current Limousine Certificate Holder	\$3,000
Transportation Network Company License Application Fee	\$50,000

<i>Fee Description</i>	<i>Fee</i>
Protest Fee	\$5,000
Petition Filing Fee	\$250
New Car and Replacement Vehicle Transfer	\$100
Age or Mileage Compliance Inspection Fee	\$100
PPA Compliance Inspection Fee (Taxicab, Limousine or TNC)	\$25
PA State Inspection Fee (Taxicab, Limousine or TNC)	\$50
Emission Inspection Waiver Fee	\$100
Inspection Rescheduling Fee	\$100
Administrative Hearing Fee (upon determination of liability)	\$75
Check Declined for Payment	\$100
Voluntary Suspension Application (CPC-1) Fee	\$75
Stand-By Vehicle Fleet Owner Application	\$250

\*\*Subject to increase on January 1, 2023, under the percentage annual increase in the gross domestic product price index.

DENNIS WELDON,  
*Temporary Executive Director*

[Pa.B. Doc. No. 22-1129. Filed for public inspection July 22, 2022, 9:00 a.m.]

**PUBLIC SCHOOL EMPLOYEES'  
RETIREMENT BOARD**

**Hearing Scheduled**

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimant's request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

October 11, 2022	Account of Maria L. Gatti (Change Terms of Retirement)	10 a.m.
------------------	---	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,  
*Executive Director*

[Pa.B. Doc. No. 22-1130. Filed for public inspection July 22, 2022, 9:00 a.m.]

## STATE CHARTER SCHOOL APPEAL BOARD

### Schedule of Meetings

The State Charter School Appeal Board will meet as follows:

<i>Date</i>	<i>Time</i>	<i>Location*</i>
Tuesday, September 13, 2022	1 p.m.	Heritage A*
Tuesday, October 18, 2022	1 p.m.	Honors Suite*
Tuesday, December 6, 2022	1 p.m.	Heritage A, B*
Tuesday, January 10, 2023	1 p.m.	Heritage A*
Tuesday, February 21, 2023	1 p.m.	Honors Suite*
Tuesday, April 11, 2023	1 p.m.	Honors Suite*
Tuesday, May 9, 2023	1 p.m.	Honors Suite*
Tuesday, June 13, 2023	1 p.m.	Honors Suite*

\*The location of meetings is subject to change due to the novel coronavirus (COVID-19) pandemic restrictions. Specific Zoom information will be provided for each meeting. Individuals should visit <https://www.education.pa.gov/K-12/Charter%20Schools/Appeals/Pages/CAB-Meeting-Dates.aspx>.

Unless due and timely notice to the contrary is given, these meetings will be held as previously stated. The Department of Education is located at 333 Market Street, Harrisburg, PA. Heritage Suite A, B is located off the lobby immediately past the security gates, and the Honors Suite is located on the 1st Floor (take second bank of elevators to 1st Floor).

Persons with disabilities needing special accommodations to attend the meeting may contact Sara Hockenberry, Counsel to the Board, 9th Floor, 333 Market Street, Harrisburg, PA 17126, (717) 787-5500, or the Pennsylvania Hamilton Relay Service, (800) 654-5984 at least 24 hours in advance so that arrangements can be made.

SARA M. HOCKENBERRY,  
*Board Counsel*

[Pa.B. Doc. No. 22-1131. Filed for public inspection July 22, 2022, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Grandfathering Registration Notice

The Susquehanna River Basin Commission lists the following Grandfathering (GF) Registration for projects under 18 CFR 806, Subpart E (relating to registration of grandfathered projects) from June 1, 2022, through June 30, 2022.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, [joyler@srbc.net](mailto:joyler@srbc.net). Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

### *Supplementary Information*

This notice lists GF Registration for projects, described as follows, under 18 CFR 806, Subpart E for the time period previously specified:

1. Lebanon Valley College, GF Certificate No. GF-202206217, Annville and North Annville Townships, Lebanon County, PA; Football Well, Baseball Well and West (Soccer) Well; Issue Date: June 16, 2022.

2. Beavertown Municipal Authority—Public Water Supply System, GF Certificate No. GF-202206218, Beaver Township, Snyder County, PA; Well 3; Issue Date: June 30, 2022.

3. Cooper Township Municipal Authority—Public Water Supply System, GF Certificate No. GF-202206219, Rush Township, Centre County, PA; Black Bear Run; Issue Date: June 30, 2022.

4. Municipal Authority of the Borough of Shenandoah—Public Water Supply System, GF Certificate No. GF-202206220, Union and West Mahanoy Townships, Schuylkill County, PA; Raven Run Reservoir No. 2; Issue Date: June 30, 2022.

5. Standard Steel, LLC—Standard Steel, GF Certificate No. GF-202206221, Burnham Borough, Mifflin County, PA; Creighton Run, Kishacoquillas Creek, and consumptive use; Issue Date: June 30, 2022.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* July 7, 2022

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 22-1132. Filed for public inspection July 22, 2022, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule by the following list of projects from June 1, 2022, through June 30, 2022.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, [joyler@srbc.net](mailto:joyler@srbc.net). Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

### *Supplementary Information*

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(e) and (f) (relating to standards for consumptive uses of water) for the time period previously specified:

*Water Source Approval—Issued Under 18 CFR 806.22(f):*

1. Chesapeake Appalachia, LLC; Pad ID: Dunham; ABR-20100418.R2; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 6, 2022.

2. Chesapeake Appalachia, LLC; Pad ID: Hayward New; ABR-20100535.R2; Rome Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 6, 2022.

3. Chesapeake Appalachia, LLC; Pad ID: Matt Will Farms; ABR-20100544.R2; Troy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 6, 2022.

4. Seneca Resources Company, LLC; Pad ID: Breon 492; ABR-20100553.R2; Sullivan Township, Tioga County, PA; Consumptive Use of Up to 4.00000 mgd; Approval Date: June 20, 2022.

5. SWN Production Company, LLC; Pad ID: Marcucci Jones Pad; ABR-201205017.R2; Stevens Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 20, 2022.

6. SWN Production Company, LLC; Pad ID: Humbert III Pad (RU-9); ABR-201205018.R2; New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 20, 2022.

7. SWN Production Company, LLC; Pad ID: Scarlet Oaks Pad (RU-38); ABR-201205020.R2; New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 20, 2022.

8. SWN Production Company, LLC; Pad ID: Moore Well Pad; ABR-201205021.R2; New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 20, 2022.

9. SWN Production Company, LLC; Pad ID: Wheeler Well Pad; ABR-201205022.R2; Silver Lake Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 20, 2022.

10. SWN Production Company, LLC; Pad ID: O'Reilly Well Pad; ABR-201205023.R2; Forest Lake Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: June 20, 2022.

11. Repsol Oil & Gas USA, LLC; Pad ID: FERGUSON (01 023) R; ABR-20100453.R2; Granville Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 20, 2022.

12. Coterra Energy, Inc.; Pad ID: WarrinerS P1; ABR-201505003.R1; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 20, 2022.

13. Coterra Energy, Inc.; Pad ID: Petty P1; ABR-20100550.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 20, 2022.

14. EXCO Resources (PA), LLC; Pad ID: Taylor (Pad 33); ABR-20100611.R2; Burnside Township, Centre County, PA; Consumptive Use of Up to 8.0000 mgd; Approval Date: June 20, 2022.

15. Coterra Energy, Inc.; Pad ID: Lauffer P1; ABR-20100608.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 20, 2022.

16. Coterra Energy, Inc.; Pad ID: OakleyJ P1; ABR-20100603.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 20, 2022.

17. Coterra Energy, Inc.; Pad ID: Post P1; ABR-20100605.R2; Brooklyn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 20, 2022.

18. Coterra Energy, Inc.; Pad ID: StockholmK P3; ABR-20100609.R2; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 20, 2022.

19. Seneca Resources Company, LLC; Pad ID: Clark 486; ABR-20100429.R2; Sullivan Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 20, 2022.

20. Seneca Resources Company, LLC; Pad ID: Young 431; ABR-20100561.R2; Shippen Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 20, 2022.

21. Chesapeake Appalachia, LLC; Pad ID: Duane; ABR-20100601.R2; Leroy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 20, 2022.

22. Seneca Resources Company, LLC; Pad ID: Mitchell 456; ABR-20100615.R2; Jackson Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 28, 2022.

23. Seneca Resources Company, LLC; Pad ID: Hege 436; ABR-20100622.R2; Delmar Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 28, 2022.

24. Range Resources—Appalachia, LLC; Pad ID: Mohawk Lodge Unit; ABR-20100619.R2; Gallagher Township, Clinton County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 28, 2022.

25. Chesapeake Appalachia, LLC; Pad ID: Cannella; ABR-20100637.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 28, 2022.

26. Seneca Resources Company, LLC; Pad ID: Valldes Pad C; ABR-20100620.R2; Covington Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 28, 2022.

27. Seneca Resources Company, LLC; Pad ID: Wivell Pad I; ABR-20100607.R2; Covington Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 28, 2022.

28. Seneca Resources Company, LLC.; Pad ID: COP Pad B; ABR-20100645.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 28, 2022.

29. Repsol Oil & Gas USA, LLC; Pad ID: HARNISH (01 032) G; ABR-20100647.R2; Canton Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: June 28, 2022.

30. Coterra Energy, Inc.; Pad ID: FergusonA P1; ABR-201506003.R1; Harford Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: June 28, 2022.

31. Seneca Resources Company, LLC; Pad ID: Erickson 423; ABR-20100618.R2; Delmar Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 29, 2022.

32. Chesapeake Appalachia, LLC; Pad ID: Them; ABR-20100642.R2; Wysox Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 29, 2022.

33. Chesapeake Appalachia, LLC; Pad ID: Linski; ABR-20100662.R2; Tuscarora Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: June 30, 2022.

34. Seneca Resources Company, LLC; Pad ID: Shelman 291; ABR-20100659.R2; Charleston Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 29, 2022.

35. Inflection Energy (PA), LLC; Pad ID: Eichenlaub B Pad; ABR-201206013.R2; Upper Fairfield Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 30, 2022.

36. Campbell Oil & Gas, Inc.; Pad ID: Mid Penn Unit B Well Pad; ABR-201206017.R2; Bigler Township, Clearfield County, PA; Consumptive Use of Up to 2.0000 mgd; Approval Date: June 30, 2022.

37. Range Resources—Appalachia, LLC; Pad ID: Ogontz Fishing Club Unit Nos. 12H—17H; ABR-20100648.R2; Cummings Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: June 30, 2022.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* July 7, 2022

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 22-1133. Filed for public inspection July 22, 2022, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Minor Modifications

The Susquehanna River Basin Commission (Commission) lists the minor modifications approved for a previously approved project from June 1, 2022, through June 30, 2022.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists previously approved projects, receiving approval of minor modifications, described as follows, under 18 CFR 806.18 (relating to approval modifications) or to Commission Resolution Nos. 2013-11 and 2015-06 for the time period previously specified:

1. Helix Ironwood, LLC, Docket No. 19980502-2, South Lebanon Township, Lebanon County, PA; modification approval to change the consumptive use mitigation method; Approval Date: June 29, 2022.

2. Ri-Corp. Development, Inc.—Gilberton Power Company, Docket Nos. 20161220 and 20220622, Gilberton Borough and West Mahanoy Township, Schuylkill County, PA; modification approval to change the consumptive use mitigation method and correction to include registered legal company name; Approval Date: June 30, 2022.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* July 7, 2022

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 22-1134. Filed for public inspection July 22, 2022, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Public Hearing

The Susquehanna River Basin Commission (Commission) will hold a public hearing on August 11, 2022, at 6:30 p.m. The Commission will hold this public hearing in-person and telephonically. Individuals may attend in person at the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA or join by conference call at (888) 387-8686, conference room number (917) 968-6050. At this public hearing, the Commission will hear testimony on the projects listed in the Supplementary Information section of this notice. The Commission will also hear testimony on two proposed policies, SRBC Civil Penalty Matrix and Policy and Guidance Statement for the Settlement of Civil Penalties/Enforcement Actions. The projects and proposals are intended to be scheduled for Commission action at its next business meeting, tentatively scheduled for September 15, 2022, which will be noticed separately. The public should take note that this public hearing will be the only opportunity to offer oral comment to the Commission for the listed projects and proposals. The deadline for the submission of written comments is August 22, 2022.

For further information contact Jason Oyler, General Counsel and Secretary, (717) 238-0423, joyler@srbc.net.

Information concerning the applications for the projects is available at the Commission's Water Application and Approval Viewer at <https://www.srbc.net/waav>. Information concerning the proposals can be found at <https://www.srbc.net/about/meetings-events/>. Additional supporting documents are available to inspect and copy in accordance with the Commission's Access to Records Policy at [www.srbc.net/regulatory/policies-guidance/docs/access-to-records-policy-2009-02.pdf](http://www.srbc.net/regulatory/policies-guidance/docs/access-to-records-policy-2009-02.pdf).

#### *Supplementary Information*

The Commission is proposing a revised SRBC Civil Penalty Matrix. This would replace the current Policy No. 96-01. The Commission is also proposing a revised Policy and Guidance Statement for the Settlement of Civil Penalties/Enforcement Actions. This would replace Policy No. 2000-01. In addition, the public hearing will cover the following projects:

#### *Projects Scheduled for Action:*

1. Project Sponsor: Aqua Pennsylvania, Inc. Project Facility: Monroe Manor System, Monroe Township, Snyder County, PA. Application for groundwater withdrawal of up to 0.482 mgd (30-day average) from Well 8.

2. Project Sponsor: Brunner Island, LLC. Project Facility: Brunner Island Steam Electric Station (Susquehanna River), East Manchester Township, York County, PA. Applications for renewal of surface water withdrawal of up to 835.000 mgd (peak day) and consumptive use of up to 23.100 mgd (peak day) (Docket No. 20070908).

3. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Chemung River), Athens Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 0.999 mgd (peak day) (Docket No. 20170902).

4. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Sugar Creek), Burlington Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 0.499 mgd (peak day) (Docket No. 20170903).

5. Project Sponsor and Facility: Chesapeake Appalachia, LLC (Towanda Creek), Leroy Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 1.500 mgd (peak day) (Docket No. 20170905).

6. Project Sponsor and Facility: Coterra Energy, Inc. (Meshoppen Creek), Springville Township, Susquehanna County, PA. Application for renewal of surface water withdrawal of up to 0.750 mgd (peak day) (Docket No. 20170901).

7. Project Sponsor and Facility: Dover Township, York County, PA. Applications for groundwater withdrawals (30-day averages) of up to 0.360 mgd from Well 8 and up to 0.088 mgd from Well 10 (Docket No. 19911104).

8. Project Sponsor and Facility: Edgewood by Sand Springs, LLC, Butler Township, Luzerne County, PA. Modification to extend the approval term of the surface water withdrawal and consumptive use approval (Docket No. 19980102) by 2 years to allow the project to complete planning and permitting to redevelop the property and cease golf course operations.

9. Project Sponsor: Lancaster County Solid Waste Management Authority. Project Facility: Frey Farm and Creswell Landfills, Manor Township, Lancaster County, PA. Modification to increase consumptive use (peak day) by an additional 0.030 mgd, for a total consumptive use of up to 0.095 mgd, addition of approved sources of water for consumptive use, and General Permit GP-01 Notice of Intent for groundwater remediation (Docket No. 20061208).

10. Project Sponsor: Maplemoor, Inc. Project Facility: Huntsville Golf Club, Lehman Township, Luzerne County, PA. Application for renewal of consumptive use of up to 0.499 mgd (30-day average) (Docket No. 19920909).

11. Project Sponsor and Facility: Pennsylvania Grain Processing, LLC (West Branch Susquehanna River), Clearfield Borough, Clearfield County, PA. Applications for renewal of surface water withdrawal of up to 2.505 mgd (peak day) and for consumptive use of up to 2.000 mgd (peak day) (Docket No. 20070904).

12. Project Sponsor: Pine Grove Borough. Project Facility: Pine Grove Borough Water System, Tremont Township, Schuylkill County, PA. Applications for groundwater withdrawals (30-day averages) of up to 0.499 mgd from Well 16 and up to 0.097 mgd from Well 17.

13. Project Sponsor and Facility: Seneca Resources Company, LLC (Elk Run), Sullivan Township, Tioga County, PA. Application for renewal of surface water withdrawal of up to 0.646 mgd (peak day) (Docket No. 20170909).

14. Project Sponsor and Facility: Shrewsbury Borough, Shrewsbury Township and Shrewsbury Borough, York County, PA. Applications for renewal of groundwater withdrawals (30-day averages) of up to 0.099 mgd from the Meadow Well and 0.180 mgd from the Village Well (Docket Nos. 19890501 and 19900105).

15. Project Sponsor and Facility: South Middleton Township Municipal Authority, Monroe Township, Cumberland County, PA. Application for renewal of groundwater withdrawal with increase from 0.624 mgd to up to 0.936 mgd (30-day averages) from Well 3 (Docket No. 19880404).

16. Project Sponsor and Facility: Susquehanna Gas Field Services, LLC (Meshoppen Creek), Meshoppen Borough, Wyoming County, PA. Application for renewal of surface water withdrawal of up to 0.145 mgd (peak day) (Docket No. 20170908).

17. Project Sponsor and Facility: SWN Production Company, LLC (Wyalusing Creek), Wyalusing Township, Bradford County, PA. Application for renewal of surface water withdrawal of up to 2.000 mgd (peak day) (Docket No. 20170910).

18. Project Sponsor and Facility: Town of Conklin, Broome County, NY. Applications for renewal of groundwater withdrawals (30-day averages) of up to 0.350 mgd from Well 5 and up to 0.350 mgd from Well 6 (Docket Nos. 20070601 and 20031001, respectively).

19. Project Sponsor: Town of Oneonta. Project Facility: Southside Water System, Town of Oneonta, Otsego County, NY. Applications for groundwater withdrawals (30-day averages) of up to 0.720 mgd from Well PW-1 and up to 0.720 mgd from Well PW-2.

20. Project Sponsor and Facility: Village of Horseheads, Town of Horseheads, Chemung County, NY. Application for renewal of groundwater withdrawal of up to 1.440 mgd (30-day average) from Well 5 (Docket No. 19870302).

*Opportunity to Appear and Comment:*

Interested parties may call into the hearing to offer comments to the Commission on any business previously listed required to be the subject of a public hearing. Given the nature of the meeting, the Commission strongly encourages those members of the public wishing to provide oral comments to pre-register with the Commission by e-mailing Jason Oyler at [joyler@srbc.net](mailto:joyler@srbc.net) prior to the hearing date. The presiding officer reserves the right to limit oral statements in the interest of time and to otherwise control the course of the hearing. Access to the hearing by telephone will begin at 6:15 p.m. Guidelines for the public hearing are posted on the Commission's web site, [www.srbc.net](http://www.srbc.net), prior to the hearing for review. The presiding officer reserves the right to modify or supplement the guidelines at the hearing. Written comments on any business previously listed required to be the subject of a public hearing may also be mailed to Jason Oyler, Secretary, Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through <https://www.srbc.net/regulatory/public-comment/>. Comments mailed or electronically submitted must be received by the Commission on or before August 22, 2022, to be considered.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

*Dated:* July 7, 2022

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 22-1135. Filed for public inspection July 22, 2022, 9:00 a.m.]

**THADDEUS STEVENS  
COLLEGE OF TECHNOLOGY**

**Request for Proposals**

Thaddeus Stevens College of Technology is requesting proposals for groundskeeping services as well as snow removal services. Request for Proposal documents can be

obtained from Carrie Harmon, Thaddeus Stevens College, 750 East King Street, Lancaster, PA 17602, harmon@stevenscollege.edu.

PEDRO A. RIVERA,  
*President*

[Pa.B. Doc. No. 22-1136. Filed for public inspection July 22, 2022, 9:00 a.m.]

---