

NOTICES

DEPARTMENT OF AGRICULTURE

Action of Controlled Plant and Noxious Weed Committee; Addition of Noxious Weeds to Controlled Plants and Noxious Weed List

A meeting of the Controlled Plant and Noxious Weed Committee (Committee) was held virtually on July 21, 2022.

A Sunshine Notice regarding the meeting was published at 52 Pa.B. 3839 (July 9, 2022).

The purpose of the meeting was to consider the addition of three plants to the noxious weed list as authorized under 3 Pa.C.S. 1511(b)(3)(ii) (relating to designation of noxious weeds and controlled plants).

A quorum of the Committee was present at the meeting. After a presentation by the Department of Conservation and Natural Resources and the Department of Agriculture (Department), the acknowledgement of written public comments received and a discussion of the

Committee, the Committee voted to approve the following weeds for addition to the noxious weed list.

- Wild Chervil (*Anthriscus sylvestris*) as a Class A noxious weed
- Chocolate Vine (*Akebia quinata*) as a Class A noxious weed
- Lesser Celandine (*Ficaria verna*) as a Class B noxious weed

Under the authority and requirements of 3 Pa.C.S. § 1511(b)(3)(iv), the Department hereby publishes the addition of Wild Chervil, Chocolate Vine and Lesser Celandine to the noxious weed list.

The addition of the previously listed plants to the controlled plants and noxious weeds list will become effective 60 days from publication of this notice.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-1212. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending August 2, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

Date	Name and Location of Applicant	Location of Branch	Action
07-27-2022	Brentwood Bank Bethel Park Allegheny County	1001 Village Run Road Wexford Allegheny County	Filed
08-02-2022	Kish Bank Belleville Mifflin County	55 Parkside Court Mifflintown Juniata County	Filed

CREDIT UNIONS

Consolidations, Mergers and Absorptions

Date	Name and Location of Applicant	Action
07-27-2022	Clearview Federal Credit Union Moon Township Allegheny County	Approved

Application for approval to merge PA Healthcare Credit Union, Sewickley, with and into Clearview Federal Credit Union, Moon Township.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1213. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of September 2022

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of September 2022, is 5 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 3.11 to which was added 2.50 percentage points for a total of 5.61 that by law is rounded off to the nearest quarter at 5 1/2%.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1214. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Prohibitions on Hunting with Firearms at Nockamixon State Park, Bucks County; Marsh Creek State Park, Chester County; Evansburg State Park, Montgomery County; White Clay Creek Preserve, Chester County

A. *Summary and Background*

Section 11.215(2)(ii) of 17 Pa. Code (relating to weapons and hunting) provides that the activities of hunting,

pursuing or intentionally disturbing wildlife are prohibited without the written permission of the Department of Conservation and Natural Resources (Department) unless the activity takes place in an area designated by the Department for hunting. The Department previously designated portions of Nockamixon State Park, Marsh Creek State Park and Evansburg State Park (State Parks) and White Clay Creek Preserve (Preserve) for hunting.

In those areas where hunting is permitted, the Department will place the following restrictions on hunting to enhance visitor safety and minimize recreational user conflict. Specifically, the Department will prohibit the use of all center fire and rim fire rifles and handguns for the purposes of hunting in the State Parks. The use of shotguns, muzzleloaders, and bows and arrows are still permitted during established hunting seasons at the State Parks.

The Department also will prohibit the use of all center fire and rim fire rifles and handguns for the purposes of hunting in the Preserve. The use of muzzleloaders and bows and arrows are still permitted during established deer hunting seasons only in the portion of the Preserve located in London Britain Township. The use of shotguns, muzzleloaders, and bows and arrows are still permitted during established deer hunting seasons only in the portion of the Preserve located in Elk and Franklin Townships.

The Department is responsible for protecting natural resources, maintaining public safety and preventing recreational user conflicts. By restricting the use of center fire and rim fire rifles and handguns for hunting purposes at the State Parks and the Preserve, the Department will be able to provide necessary visitor safety and minimize recreational user conflict.

B. *Contact Person*

Questions may be directed to the Bureau of State Parks, Park Operations and Maintenance Division, P.O. Box 8551, Harrisburg, PA 17105-8551, (717) 787-6640, RA-Park-Operations@pa.gov. Persons with a disability may use the Pennsylvania Hamilton Relay Service by calling (800) 654-5984 (TDD users).

C. *Effective Date*

These changes will go into effect immediately upon publication of this notice in the *Pennsylvania Bulletin* and when posted at the State Parks and Preserve.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 22-1215. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0915807	Joint DEP/PFBC Pesticides Permit	Renewal	Molenari James 624 Swamp Road Doylestown, PA 18901	Doylestown Township Bucks County	SERO
0916829	Joint DEP/PFBC Pesticides Permit	Amendment	Taylor Patricia K 1733 Holicong Road Buckingham, PA 18912	Buckingham Township Bucks County	SERO
1522815	Joint DEP/PFBC Pesticides Permit	New	Hollyview HOA c/o Trident Properties Management P.O. Box 645 Downingtown, PA 19335-0645	West Whiteland Township Chester County	SERO
5422401	Major Sewage Treatment Facility Individual WQM Permit	New	Shenandoah Municipal Sewer Authority Schuylkill County 15 W Washington Street Borough Hall Shenandoah, PA 17976-1708	Shenandoah Borough Schuylkill County	NERO
PA0057673	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Green Lane Borough & Marlborough Township Joint Authority Montgomery County P.O. Box 45 Green Lane, PA 18054	Marlborough Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6103201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Barkeyville Municipal Authority Venango County 1610 Barkeyville Road Grove City, PA 16127-7904	Barkeyville Borough Venango County	NWRO
6479402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Raceway Holdings LLC 1492 Oliver Road New Milford, PA 18834	Sterling Township Wayne County	NERO
NOEX04502	No Exposure Certification	Renewal	CCL Tube 1 Lasley Avenue Hanover Township, PA 18706-1427	Wilkes-Barre City Luzerne County	NERO
NOEXNW012	No Exposure Certification	Renewal	Great Lakes Manufacturing Inc. 1521 Enterprise Road Corry, PA 16407-8575	Corry City Erie County	NWRO
NOEXSC384	No Exposure Certification	New	Hain Celestial Group Inc. 3775 Hempland Road Mountville, PA 17554-1541	Springettsbury Township York County	SCRO
NOEXSE337	No Exposure Certification	New	Harleysville Materials Holding Co. LLC 427 South White Horse Pike P.O. Box 619 Berlin, NJ 08009	Falls Township Bucks County	SERO
PAG036290	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	5 D Field Svcs LLC 3866 Millers Run Road McDonald, PA 15057-2814	Cecil Township Washington County	SWRO
PAR126111	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Darling Ingredients Inc. 275 Alisa Street Somerset, PA 15501-7763	Somerset Township Somerset County	SWRO
PAR803715	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Stuck Enterprises 1115 E High Street Waynesburg, PA 15370-1785	Snake Spring Township Bedford County	SCRO
PAG040133	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Berila Alexander & Natallia 36 Mega Way Rushland, PA 18956-0451	Wrightstown Township Bucks County	SERO
PAG048879	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Gruver Douglas 198 N Goodhope Road Jamestown, PA 16134-9511	Greene Township Mercer County	NWRO
PAG049330	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Noonan Julie 6586 Station Road Erie, PA 16510-4737	Harborcreek Township Erie County	NWRO
PAG132324	PAG-13 NPDES General Permit for MS4s	New	Nuangola Borough Luzerne County 5150 Nuangola Road Mountaintop, PA 18707	Nuangola Borough Luzerne County	NERO
PAG133508	PAG-13 NPDES General Permit for MS4s	Renewal	Saint Lawrence Borough Berks County 3540 Saint Lawrence Avenue Reading, PA 19606-2372	Saint Lawrence Borough Berks County	SCRO

NOTICES

4951

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG133513	PAG-13 NPDES General Permit for MS4s	Renewal	Mount Penn Borough Berks County 200 N 25th Street Reading, PA 19606-2075	Mount Penn Borough Berks County	SCRO
PAG133514	PAG-13 NPDES General Permit for MS4s	Renewal	Marion Township Berks County 420 Water Street Stouchsburg, PA 19567-1636	Marion Township Berks County	SCRO
PAG133606	PAG-13 NPDES General Permit for MS4s	Renewal	Milton S Hershey Medical Center 90 Hope Drive # A330 Hershey, PA 17033-2036	Derry Township Dauphin County	SCRO
PAG133650	PAG-13 NPDES General Permit for MS4s	Renewal	York County 28 E Market Street York, PA 17401-1501	York City York County	SCRO
PAG133718	PAG-13 NPDES General Permit for MS4s	Renewal	Union Township Adams County 255 Pine Grove Road Hanover, PA 17331	Union Township Adams County	SCRO
PAG133719	PAG-13 NPDES General Permit for MS4s	Renewal	Straban Township Adams County 1745 Granite Station Road Gettysburg, PA 17325-8232	Straban Township Adams County	SCRO
PAG133730	PAG-13 NPDES General Permit for MS4s	Renewal	Oxford Township Adams County P.O. Box 86 New Oxford, PA 17350-0086	Oxford Township Adams County	SCRO
4022402	Pump Stations Individual WQM Permit	New	Ecumenical Enterprises Inc. 3135 Memorial Highway Dallas, PA 18612-8312	Dallas Township Luzerne County	NERO
4022401	Sewer Extensions Individual WQM Permit	New	Ecumenical Enterprises Inc. 3135 Memorial Highway Dallas, PA 18612-8312	Dallas Township Luzerne County	NERO
PA0289469	Single Residence STP Individual NPDES Permit	Transfer	Salka Kyle 432 Route 422 E Butler, PA 16002-1086	Summit Township Butler County	NWRO
PA0289582	Single Residence STP Individual NPDES Permit	Transfer	Klobusnik Andrew 9610 Crane Road Cranesville, PA 16410-1514	Elk Creek Township Erie County	NWRO
1021408	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Salka Kyle 432 Route 422 E Butler, PA 16002-1086	Summit Township Butler County	NWRO
1022411	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Snyder Monica 7209 Country Club Road Butler, PA 16001-8576	Franklin Township Butler County	NWRO
2022409	Single Residence Sewage Treatment Plant Individual WQM Permit	New	McClincy Everett 20703 Fisher Road Meadville, PA 16335-5367	Woodcock Township Crawford County	NWRO
2022410	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Mark & Sally Haeck 16542 Rogers Ferry Road Meadville, PA 16335-9500	Vernon Township Crawford County	NWRO
2521416	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Klobusnik Andrew 9610 Crane Road Cranesville, PA 16410-1514	Elk Creek Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3722404	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Frank Jerrold 2027 N Camp Run Road Fombell, PA 16123-3127	Perry Township Lawrence County	NWRO
4303402	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Gruver Douglas 198 N Goodhope Road Jamestown, PA 16134-9511	Greene Township Mercer County	NWRO
4322406	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Santell David 1603 Shadow Court Scott Air Force Base, IL 62225-6302	Greene Township Mercer County	NWRO
6122403	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Deliman Donald 1984 Buxton Road Titusville, PA 16354-7402	Cherrytree Township Venango County	NWRO
6122404	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Fannie Mae 3900 Wisconsin Avenue NW Washington, DC 20016-2806	Cranberry Township Venango County	NWRO
6217403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	McKinney Gregory 88 Grass Flats Boulevard Warren, PA 16365-7915	Conewango Township Warren County	NWRO
6522405	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Hydro SC LLC 1500 Bay Road Apt 514 Miami Beach, FL 33139-3252	Murrysville Borough Westmoreland County	SWRO
PA0097489	Small Flow Treatment Facility Individual NPDES Permit	Transfer	Martin Diesel LLC 7425 Route 422 Highway W Indiana, PA 15701-4343	Armstrong Township Indiana County	NWRO
PA0101117	Small Flow Treatment Facility Individual NPDES Permit	Transfer	Freedom First Rentals LLC P.O. Box 5205 Conneaut Lake, PA 16316-5205	Cussewago Township Crawford County	NWRO
PA0222488	Small Flow Treatment Facility Individual NPDES Permit	Transfer	G&L Wolfe Inc. 120 Winfield Road Sarver, PA 16055-8507	Jefferson Township Butler County	NWRO
1098402	Small Flow Treatment Facility Individual WQM Permit	Transfer	G&L Wolfe Inc. 120 Winfield Road Sarver, PA 16055-8507	Jefferson Township Butler County	NWRO
2073407	Small Flow Treatment Facility Individual WQM Permit	Transfer	Freedom First Rentals LLC P.O. Box 5205 Conneaut Lake, PA 16316-5205	Cussewago Township Crawford County	NWRO
3289401	Small Flow Treatment Facility Individual WQM Permit	Transfer	Martin Diesel LLC 7425 Route 422 Highway W Indiana, PA 15701-4343	Armstrong Township Indiana County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4600407	Small Flow Treatment Facility Individual WQM Permit	Transfer	Green Lane Borough & Marlborough Township Joint Authority Montgomery County P.O. Box 45 Green Lane, PA 18054	Marlborough Township Montgomery County	SERO
WQG018533	WQG-01 WQM General Permit	Transfer	Noonan Julie 6586 Station Road Erie, PA 16510-4737	Harborcreek Township Erie County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0033910, Sewage, SIC Code 8211, **Northeast Bradford School District**, 516 Panther Lane, Rome, PA 18837-7892. Facility Name: School District Treatment Plant. This existing facility is located in Orwell Township, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Johnson Creek (CWF), is located in State Water Plan watershed 4-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.01 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	18.0	XXX	36
Nov 1 - May 31						
Jun 1 - Oct 31	XXX	XXX	XXX	6.0	XXX	12
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0233200, Storm Water, SIC Code 2493, **PA Pellets LLC (A Delaware Corp)**, 958 State Route 49 W, Ulysses, PA 16948-9364. Facility Name: PA Pellets LLC Ulysses Borough Plant. This proposed facility is located in Ulysses Borough, **Potter County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of industrial stormwater.

The receiving stream(s), Unnamed Tributary to Genesee River and Unnamed Tributary of Genesee River, is located in State Water Plan watershed 14-A and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 and 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Pentachlorophenol	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Regional Office

PA022747, Sewage, SIC Code 8800, **John Philip Lantzy**, 140 Seagull Lane, North East, PA 16428-3492. Facility Name: Seagull Cove SFTF. This existing facility is located in North East Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream, an Unnamed Tributary to Lake Erie, is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.002 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Daily Max 0.5 Avg Mo	XXX	1.6

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0263800, Sewage, SIC Code 8811, **Billy L. Morgan**, 392 Palmer Road, Butler, PA 16001-8439. Facility Name: Billy L. Morgan SRSTP. This existing facility is located in Center Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Connoquenessing Creek, is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0290874, Sewage, SIC Code 8800, **Diane Shearer**, 8451 Route 89, North East, PA 16428-5235. Facility Name: Diane Shearer SRSTP. This proposed facility is located in North East Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Sixteenmile Creek, is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0290947, Sewage, SIC Code 4952, 8800, **Jerrold Frank**, 2027 N Camp Run Road, Fombell, PA 16123-3127. Facility Name: Jerrold Frank SRSTP. This proposed facility is located in Perry Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to Camp Run, located in State Water Plan watershed 20-C and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0290963, Sewage, SIC Code 4952, 8800, **Fannie Mae**, 3900 Wisconsin Avenue NW, Washington, DC 20016-2806. Facility Name: Fannie Mae SRSTP. This proposed facility is located in Cranberry Township, **Venango County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Wolf Branch, located in State Water Plan watershed 16-E and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0253588, Industrial, SIC Code 1389, **Diversified Production, LLC**, 101 McQuiston Drive, Jackson Center, PA 16133-1633. Facility Name: Crooked Creek Treatment Facility. This existing facility is located in South Bend Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Crooked Creek, is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	0.15	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Acidity, Total (as CaCO ₃)	XXX	XXX	XXX	Report	Report	XXX
Alkalinity, Total (as CaCO ₃)	XXX	XXX	0.0	XXX	XXX	XXX
Effluent Net						
Barium, Total	Report	Report	XXX	10.0	20.0	25
Iron, Total	Report	Report	XXX	3.5	7.0	9

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Sedimentation Basin Cleaning
- Total Dissolved Solids—Chapter 95.10 Discharge Loadings

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0058599, Sewage, SIC Code 8811, **Piper Real Property, LLC**, 13195 Rettew Drive, Manassas, VA 20112-7813. Facility Name: Piper Real Property SFSTP. This existing facility is located in Bedminster Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Cabin Run (CWF, MF), is located in State Water Plan watershed 2-D and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.001 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Maximum	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	10.0	XXX	20

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Maximum	
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	3.0	XXX	6
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2

The proposed effluent limits for Outfall 001 are based on a design flow of 0.001 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Quarterly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX

In addition, the permit contains the following major special conditions:

- Submission of Annual Maintenance Form (AMR)
- Septic Tank must be pumped once every three years
- No stormwater into sanitary sewers
- Permittee is required to provide proper cleaning to Ultra-Violet (UV) contact surface every month
- Collected screenings, slurries, sludges and other solids shall be disposed of properly

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0284921, Sewage, SIC Code 8800, **Brandon Riggle**, 1349 Smith Township State Road, Burgettstown, PA 15021-2830. Facility Name: Riggle Properties SRSTP. This proposed facility is located in Smith Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Burgetts Fork (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0205656, Industrial, SIC Code 5171, **Watco Transloading, LLC**, 702 Washington Avenue, Dravosburg, PA 15034-1348. Facility Name: WTPS Dravosburg Terminal. This existing facility is located in Dravosburg Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	15.0	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	7.0	XXX

The proposed effluent limits for IMP 101:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (GPM)	Report	XXX	XXX	XXX	XXX	XXX
Total Flow (Total Volume) (gal)	Report	XXX	XXX	XXX	XXX	XXX
Duration of Discharge (hours)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	0.05
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0
Benzene (ug/L)	XXX	XXX	XXX	XXX	XXX	2.5
BTEX, Total	XXX	XXX	XXX	XXX	XXX	0.25
PCBs, Total (ug/L)	XXX	XXX	XXX	Report	XXX	Report

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point (IMP) 101 are based on a design flow of 0.014 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD) IMP	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.) IMP	XXX	XXX	Report	XXX	XXX	Report
Iron, Total IMP	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD320008	New	Indiana University of Pennsylvania 1011 South Drive Indiana, PA 15705	Indiana Borough Indiana County	NWRO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD500018	New	Paradise Streams Enterprises, LLC 693 Paradise Stream Road Loysville, PA 17047	Southwest Madison Township Perry County	SCRO
PAD440018	New	Milroy (322) DPP, LLC 7420 Old US Highway 322 Reedsville, PA 17084	Brown Township Mifflin County	SCRO
PAD150262	New	Trieste Development, LLC Filmore Street and Township Line Road Phoenixville, PA 19460	Phoenixville Borough Chester County	SERO
PAD450109 A-1	Major Amendment	Black Buffalo 3D Corporation 124 Airstrip Road East Stroudsburg, PA 18301	Smithfield Township Monroe County	NERO
PAD400051 A-1	Major Amendment	Hazleton Logistics, LLC 4301 Indian Creek Parkway Overland Park, KS 66207	Hazle Township Luzerne County	NERO
PAD350029	New	Jefferson Township 487 Cortez Road Jefferson Twp, PA 18436-3705	Jefferson Township Lackawanna County	NERO
PAD480179	New	UGI Utilities Inc. 1 UGI Drive Denver, PA 17517	City of Bethlehem Lower Saucon Township Northampton County	NERO
PAD020035	Major Amendment	DRI/CA Pittsburgh, LLC 3500 Forbes Avenue Pittsburgh, PA 15213	City of Pittsburgh Allegheny County	SWRO
PAD460007 A-1	Major Amendment	JPO Land, L.P./Mancill Mill Road Co. 850 Mancill Mill Road King of Prussia, PA 19406-1101	Upper Merion Township Montgomery County	SERO
PAD390032	Renewal	PPL Electric Utilities Corporation 1639 Church Rd. Allentown, PA 18104	Upper Macungie Township Lehigh County	NERO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Jerry Martin Hillcrest Swine Farm 121 Paradise Lane Lewisburg, PA 17837	Union County	49.5	993.92	Swine	NA	Renewal
Amos Newswanger Garreau Farm 158 Miller Road Lewisburg, PA 17837	Union County	2	543.47	Swine Poultry	HQ	Renewal
BP Shirey Turkey Farm Inc. 6359 Boyertown Pike Douglassville, PA 19518	Berks County	75.68	323.66	Poultry	NA	Renewal
Noah Light 568 Shirksville Road Jonestown, PA 17046	Lebanon County	3.6	292.18	Pullets	NA	Renewal
Dan Bollinger Lexington Acres 306 East Lexington Road Lititz, PA 17543	Lancaster County	74.5	404.09	Hog/Pullet/ Beef	NA	Renewal
Dwight and Kathi Zimmerman 80 South Northkill Road Bernville, PA 19506	Berks County	18.2	239.23	Poultry	NA	Renewal
Y Run Farms, LLC 3252 Leona Road Troy, PA 16947	Bradford County	1,628.9	1,944.38	Dairy Cattle	NA	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

Application No. 3922510, Construction/Operation, Public Water Supply.

Applicant Address	South Whitehall Township 4444 Walbert Avenue Allentown, PA 18104
Municipality	South Whitehall Township
County	Lehigh County
Application Received	June 21, 2022
Description	South Whitehall Township proposes the addition of a new booster pump station along with associated piping in order to serve a new multiuse subdivision known as Ridge Farms. This development will consist of 870 housing units, 67,200 SF of commercial area, and a 5,000 SF club house. The booster pump station will serve 388 of the housing units and the 5,000 SF clubhouse.

Application No. 4822506, Construction/Operation, Public Water Supply.

Applicant **Lower Saucon Authority**
 Address 3706 Old Philadelphia Pike
 Bethlehem, PA 18015
 Municipality Lower Saucon Township
 County **Northampton County**
 Application Received June 28, 2022
 Description Application proposes the construction of a finished water booster pumping station.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager; ra-epswsdw@pa.gov.

Application No. 3022508, Construction, Public Water Supply.

Applicant **Southwestern Pennsylvania Water Authority**
 Address P.O. Box 187
 1442 Jefferson Road
 Jefferson, PA 15344
 Municipality Cumberland Township
 County **Greene County**
 Responsible Official Timothy C. Faddis, Manager
 Consulting Engineer Bankson Engineers, Inc.
 267 Blue Run Road
 Suite 200
 Cheswick, PA 15024
 Application Received July 1, 2022
 Description Installation of a SeaQuest chemical feed system to serve as a method of corrosion control treatment.

Application No. 3022510, Construction, Public Water Supply.

Applicant **Southwestern Pennsylvania Water Authority**
 Address P.O. Box 187
 1442 Jefferson Road
 Jefferson, PA 15344
 Municipality Cumberland Township
 County **Greene County**
 Responsible Official Timothy C. Faddis, Manager
 Consulting Engineer Bankson Engineers, Inc.
 267 Blue Run Road
 Suite 200
 Cheswick, PA 15024
 Application Received July 15, 2022
 Description Replacement of a vertical turbine raw water pump at the existing intake facility.

Application No. WA04-1019, Water Allocation, Public Water Supply.

Applicant **New Sewickley Township Municipal Authority**
 Address 233 Miller Road
 Rochester, PA 15074
 Municipality New Sewickley Township
 County **Beaver County**
 Responsible Official Todd Bonzo, Authority Chairman
 Consulting Engineer Lennon Smith
 Souleret Engineering, Inc.
 846 Fourth Avenue
 Coraopolis, PA 15108
 Application Received July 8, 2022
 Description Right to purchase up to 250,000 gallons per day from West View Water Authority.

WATER ALLOCATIONS

Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh C. Rivers, Clerical Assistant, 484-250-5887.

WA-46-1009, Water Allocations. **Aqua Pennsylvania, Inc.**, 762 W. Lancaster Avenue, Bryn Mawr, Pottstown Borough, PA 19010, Pottstown Borough, **Montgomery County**. Subsidiary Water Allocation permit for the right to purchase up to a maximum of 300,000 gpd of water on a 30-day average from Pottstown Water Authority. Application received: July 27, 2022.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a

list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

5115 Park Court Pump Station, Primary Facility ID # 858120, 5115 Park Court, Mount Pocono, PA 18344, Coolbaugh Township, **Monroe County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106 on behalf of Pocono Mountains Industrial Park Authority, 701 Main Street, Suite 407, Stroudsburg, PA 18360, submitted a Notice of Intent to Remediate. Soil was contaminated with petroleum from an underground storage tank. Future use of the site will be nonresidential. The Notice of Intent to Remediate was published in *The Pocono Record* on July 12, 2022. Application received: July 28, 2022.

Horn Property, Primary Facility ID # 847927, 980 Minsi Lake Road, Bangor, PA 18013, Upper Mount Bethel Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Kerry Horn, 980 Minsi Lake Road, Bangor, PA 18013, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an aboveground storage

tank. The Notice of Intent to Remediate was published in *The Morning Call* on June 29, 2022. Application received: August 1, 2022.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Harrison Senior Living Facility, Primary Facility ID # 702399, 300 Strode Avenue, Coatesville, PA 19320, East Fallowfield Township, **Chester County**. Christopher J. Horan, PG, Synergy Environmental Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468 on behalf of Harrison Saunders, 300 Strode Avenue, Coatesville, PA 19320, submitted a Notice of Intent to Remediate. The site was found to be contaminated with No. 2 fuel oil. The proposed future use of the property will continue to be a senior living facility. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Local News* on June 23, 2022. Application received: July 12, 2022.

2200 Somerset Street, Primary Facility ID # 859502, 220 Somerset Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Jennifer Poole, Pennoni, 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Lawrence McKnight, Somerset Street Station, LLC, 3020 Richmond Street, Philadelphia, PA 19134, submitted a Notice of Intent to Remediate. Results of initial investigations at the site indicate the presence of some metals, VOCs, SVOCs and PCBs in soil and metals in groundwater. The site will be developed for a future commercial mixed-use building. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in the *Philadelphia Star* on March 16, 2022. Application received: July 7, 2022.

63 East Main Street, Primary Facility ID # 852979, 63 East Main Street, Norristown, PA 19401, Norristown Borough, **Montgomery County**. Heather Shoemaker, GZA, 1515 Market Street, Suite 945, Philadelphia, PA 19102 on behalf of David Hahn, Montgomery County, 425 Swede Street, Suite 800, Norristown, PA 19404, submitted a Notice of Intent to Remediate. Soil at the site has been contaminated with VOCs and SVOCs. The property is proposed to be redeveloped as mixed use residential and commercial development. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Times Herald* on June 21, 2022. Application received: June 28, 2022.

MaxPower, Inc, Primary Facility ID # 859499, 141 Christopher Lane, Harleysville, PA 19438, Lower Salford Township, **Montgomery County**. Edward Layton, BAI Group, LLC, 341 Tenth Avenue, Suite 103, Royersford, PA 19468 on behalf of Mr. & Mrs. Chua, MaxPower, LLC, 141 Christopher Lane, Harleysville, PA 19438, submitted a Notice of Intent to Remediate. The site soil has been impacted by vanadium. The proposed future use of the property will be nonresidential for commercial use. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *The Reporter* on June 24, 2022. Application received: July 1, 2022.

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa Houser, P.E., Environmental Engineer Manager, 570-327-3752.

WMGM042NC001. Schrack Farms Partnership, LP, 860 West Valley Road, Loganton, PA 17747, Greene Township, Clinton County. Renewal of existing permit to accept residual or municipal waste to be blended with manure for purpose of energy production within an anaerobic digester. Application received: July 26, 2022.

Comments or questions concerning the application should be directed to Lisa Houser, P.E., Environmental Engineer Manager, 570-372-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

101247-A222. Keystone Sanitary Landfill, Inc., 249 Dunham Drive, Dunmore, PA 18512, Dunmore Borough and Throop Borough, Lackawanna County. An application for major modification for improvements to the leachate treatment plant to produce a high-quality effluent for stream discharge of treated effluent to Little Roaring Brook. Application received: February 18, 2022. Supplemental information: July 21, 2022. Deemed administratively complete: July 27, 2022.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

101371. Waste Management of Pennsylvania, Inc., 4816 Timberline Road, Walnutport, PA 18088, Lehigh Township, Northampton County. An application for

permit renewal for the continued operation of a municipal waste transfer station. Application received: July 12, 2022. Deemed administratively complete: July 27, 2022.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

101308. Waste Management of Pennsylvania, Inc., 2710 Golden Key Road, Kutztown, PA 19530, Weisenberg Township, Lehigh County. An application for permit renewal for the continued operation of a municipal waste transfer station. Application received: July 12, 2022. Deemed administratively complete: July 28, 2022.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may

be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief, (814) 332-6940.

16-00149F: Clarion Laminates, Inc., 301 Fiberboard Road, Shippenville, PA 16254, Paint Township, **Clarion County.** Application received: March 15, 2022.

For the proposed installation of leak detection systems and removal of testing requirements (due to low emissions) for Sources 106 & 109. This is a State Only facility that is aggregated with Clarion Boards. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the State Only Operating Permit at a later date.

Plan approval No 16-149F is for the proposed installation of leak detection systems and removal of testing requirements (due to low emissions) for Sources 106 & 109. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Source 106 (Bonding Line # 3) & Source 109 (Profiling Line # 3):

- Emissions shall comply with 25 Pa. Code §§ 123.1, 123.31, & 123.41 for fugitive, odor, and visible emissions respectively.

- No person may permit the emission into the outdoor atmosphere of particulate matter in a manner that the concentration of filterable particulate matter in the effluent gas exceeds 0.0040 grain per dry standard cubic foot.

- Emissions shall not exceed the following:

- PM: 6.01 tpy, calculated as a 12-month rolling total

- PM₁₀: 6.01 tpy, calculated as a 12-month rolling total [Compliance with this limit will be demonstrated by compliance with the PM limit]

- PM_{2.5}: 6.01 tpy, calculated as a 12-month rolling total [Compliance with this limit will be demonstrated by compliance with the PM limit]

- Delete the following condition from Plan Approval 16-149D: In addition to the stack testing required by this condition, the facility shall conduct subsequent performance testing in accordance with the provisions of Chapter 139 (relating to sampling and testing) within six (6) to twelve (12) months prior to operating permit renewal. The stack test shall be performed while the aforementioned source is operating at the maximum but not less than the normal rated capacity as stated in the application. Testing shall be conducted for filterable particulate matter using EPA Method 5 or other methods approved by the Department.

- All recordkeeping shall commence upon startup of the source/control device. All records shall be kept for a period of five (5) years and shall be made available to the Department upon request.

- The permittee shall maintain a record of all preventive maintenance inspections of the control device. These records shall include, at a minimum, the dates of the inspections, the name of the person performing the inspection, any problems or defects identified, any actions taken to correct the problems or defects, and any routine maintenance performed.

- The permittee shall record the following operational data from the baghouse (these records may be done with strip charts recorders, data acquisition systems, or manual log entries):

- Pressure differential—daily defined as once per calendar day

- Visible emission check—daily defined as once per calendar day

- Verification of bag leak detection system is operating

- The permittee shall perform a daily operational inspection of the control device. As part of this operational inspection the facility shall monitor the pressure drop across the baghouse, verify the bag leak detection system is operating, and shall conduct a visible emission (VE) observation of the baghouse stack. The VE observation shall be 60 seconds in length with reading every 15 seconds. If any visible emissions are observed, the facility shall perform one of the following:

- A Method 9 observation using a certified observer (60 minutes in duration) shall be conducted to determine compliance with the opacity limitations. A record of these readings shall be kept on-site for review; or

- If the facility is not capable of conducting a Method 9 observation, or determines that a problem exists in either the process or the control device, the permittee shall immediately commence the shutdown of the source and

control device. The source will be shut down immediately after the observation, or in such a fashion that a safe shutdown can occur. This process shall take no more than 1 hour after the observation. A record of the shutdown shall be kept on-site for review.

- The permittee shall install and operate a bag leak detection system.

- The permittee shall perform a monthly preventive maintenance inspection of the control device.

- A magnehelic gauge or equivalent shall be maintained and operated to monitor the pressure differential across the baghouse. All gauges employed shall have a scale such that the expected normal reading shall be no less than ten percent (10%) of full scale and be accurate within plus or minus two percent (+/- 2%) of full-scale reading.

- The permittee shall adhere to the approved indicator range for the baghouse so that operation within the range shall provide reasonable assurance of compliance. A departure from the specified indicator range over a specified averaging period shall be defined as an excursion. The approved indicator range for the following shall be determined during the initial performance test or any subsequently approved performance tests unless otherwise stated:

- Pressure drop: 1.0 to 7.0 inches water gage or as established during compliant testing

- Opacity less than or equal to 10%

- The permittee, with prior Departmental approval, may conduct additional performance tests to determine a new pressure drop range. Within 24-hours of discovery of a reading outside of the prescribed range the permittee shall perform a maintenance inspection on the control device and take corrective action. Records of all maintenance inspections on the control device, and corrective actions taken, shall be maintained on site for a minimum period of five years. In the event of more than one documented excursion outside the prescribed range in any calendar quarter the permittee shall submit a corrective measure plan to the Department. Corrective measures may include an increase of the frequency of required preventative maintenance inspections of the control device, a modification of the prescribed range, or other appropriate action as approved by the Department. Upon receipt of a corrective measure plan the Department shall determine the appropriate corrective measure on a case-by case basis.

- The permittee shall operate the control device at all times that the source is in operation.

- The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

- All conditions from Plan Approval 16-149D, for this source remain in effect unless modified in this plan approval.

- All conditions from the facility operating permit with an Issue Date of November 18, 2020, for this source remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the

Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan approval [16-00149F] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, 230 Chestnut St., Meadville, PA 16335, Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously listed public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State Only Operating Permits or §§ 127.521 to 127.524 for Title V operating permits.

16-132Q: Clarion Boards, Inc., 143 Fiberboard Road, Shippensburg, PA 16254, Paint Township, **Clarion County**. Application received: February 1, 2022.

For the proposed installation of leak detection systems and removal of testing requirements for Sources 104, 105, 110, 111, 112, 113, & 506. It is also for removal of testing requirements for Source 107 (leak detection system installed), 109 (based on low emissions) & 123 (based on limited operation and low emissions). This is a Title V facility. The public notice is required for sources required to obtain a Plan Approval in accordance with 25 Pa. Code § 127.44. This plan approval will, in accordance with 25 Pa. Code § 127.450 or § 127.505, be incorporated into the facility operating permit at a later date.

Plan approval No 16-132Q is for the proposed installation of leak detection systems and removal of PM testing requirements for Sources 104, 105, 110, 111, 112, 113, and 506. It is also for removal of PM testing requirements for Source 107 (leak detection system installed) & VOC testing requirement for Source 123 (based on limited operation and low VOC emissions). It is also for the removal of VOC testing requirement for Source 109 (based on low VOC emissions); however, this requirement will remain until after completion of testing being conducted in 2022 which was required at operating permit renewal. This Plan Approval will contain emission restriction, testing, recordkeeping, work practice standard and additional requirement conditions, which will satisfy the

requirements of 25 Pa. Code § 127.12b (pertaining to plan approval terms and conditions) and will demonstrate Best Available Technology (BAT) for the source including, but are not limited to, the following:

- Sources 104, 105, 110, 111, 112, 113, & 119:
 - Emissions shall comply with 25 Pa. Code §§ 123.1, 123.31, & 123.41 for fugitive, odor, and visible emissions respectively.
 - No person may permit the emission into the outdoor atmosphere of particulate matter in a manner that the concentration of total particulate matter (both filterable and condensable) in the effluent gas exceeds 0.004 grain per dry standard cubic foot.
- Sources 104, 105, 107, 110, 111, 112, 113, 119, & 506:
 - All recordkeeping shall commence upon startup of the source/control device. All records shall be kept for a period of five (5) years and shall be made available to the Department upon request.
- Sources 109 & 123:
 - Recordkeeping shall commence at the time of the start-up of each source and/or air cleaning device and shall be maintained for at least 5 years.
- Sources 104, 105, 110, 111, 112, 113, 119, & 506:
 - The permittee shall maintain a record of all preventive maintenance inspections of the control device. These records shall include, at a minimum, the dates of the inspections, the name of the person performing the inspection, any problems or defects identified, any actions taken to correct the problems or defects, and any routine maintenance performed.
- Sources 104, 105, 110, 111, 112, 113, 119, & 506:
 - The permittee shall record the following operational data from the baghouse (these records may be done with strip charts recorders, data acquisition systems, or manual log entries):
 - Pressure differential—daily defined as once per calendar day
 - Visible emission check—daily defined as once per calendar day (weekly defined as once per calendar week or monthly defined as once per calendar month)
- Verification of bag leak detection system is operating
- Sources 104, 105, 107, 110, 111, 112, 113, 119, & 506:
 - The permittee shall install and operate a bag leak detection system.
 - The permittee shall perform a monthly preventive maintenance inspection of the control device.
- Sources 104, 111, & 112:
 - Delete the following condition from Plan Approval 16-132M: In addition to the stack testing required by this condition, the facility shall conduct subsequent performance testing in accordance with the provisions of Chapter 139 (relating to sampling and testing) within 6 to 12 months prior to operating permit renewal. The stack test shall be performed while the aforementioned source is operating at the maximum but not less than the normal rated capacity as stated in the application. Failure to test at the maximum but not less than the normal rated capacity may result in production limitations. Testing shall be conducted for total particulate matter (both filterable and condensable) using EPA Methods 5d and 202 or other methods approved by the Department.

- All conditions from Plan Approval 16-132M, for this source remain in effect unless modified in this plan approval.

- Sources 105, 110, & 113:
 - Delete the following condition from Plan Approval 16-132P: In addition to the stack testing required by this condition, the facility shall conduct subsequent performance testing in accordance with the provisions of Chapter 139 (relating to sampling and testing) within 6 to 12 months prior to operating permit renewal. The stack test shall be performed while the aforementioned source is operating at the maximum but not less than the normal rated capacity as stated in the application. Failure to test at the maximum but not less than the normal rated capacity may result in production limitations. Testing shall be conducted for total particulate matter (both filterable and condensable) using EPA Methods 5d and 202 or other methods approved by the Department.
- All conditions from Plan Approval 16-132P, for this source remain in effect unless modified in this plan approval.
 - Sources 104, 107, 109, 110, 111, & 112:
 - Records shall be maintained of the VOC emissions monthly.
 - Records shall be maintained of the number of board feet produced monthly.
 - Sources 104, 105, 110, 111, 112, 113, 119, & 506:
 - A magnehelic gauge or equivalent shall be maintained and operated to monitor the pressure differential across the baghouse. All gauges employed shall have a scale such that the expected normal reading shall be no less than twenty percent (20%) of full scale and be accurate within plus or minus two percent (+/- 2%) of full scale reading.
 - The permittee shall adhere to the approved indicator range for the baghouse so that operation within the range shall provide reasonable assurance of compliance. A departure from the specified indicator range over a specified averaging period shall be defined as an excursion. The approved indicator range for the following shall be determined during the initial performance test or any subsequently approved performance tests unless otherwise stated:
 - Pressure drop: 1.0 to 7.0 inches water gage or as established during compliant testing
 - Opacity less than or equal to 10%
 - The permittee, with prior Departmental approval, may conduct additional performance tests to determine a new pressure drop range. Within 24-hours of discovery of a reading outside of the prescribed range the permittee shall perform a maintenance inspection on the control device and take corrective action. Records of all maintenance inspections on the control device, and corrective actions taken, shall be maintained on site for a minimum period of five years. In the event of more than one documented excursion outside the prescribed range in any calendar quarter the permittee shall submit a corrective measure plan to the Department. Corrective measures may include an increase of the frequency of required preventative maintenance inspections of the control device, a modification of the prescribed range, or other appropriate action as approved by the Department. Upon receipt of a corrective measure plan the Department shall determine the appropriate corrective measure on a case-by case basis.

- The permittee shall operate the control device at all times that the source is in operation.
- The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.
- Sources 104, 107, 110, 111, & 112:
 - For each fabric collector, twenty percent of the total number of bags in the baghouse is required to be on hand for replacement as necessary.
 - Sources 104, 107, 109, 110, 111, 112, 119, 123, & 506:
 - All conditions from the facility operating permit with a Revision Date of October 9, 2019, for this source remain in effect unless modified in this plan approval.
 - Sources 104, 105, 107, 110, 111, 112, 113, & 506:
 - The permittee shall perform a daily operational inspection of the control device. As part of this operational inspection the facility shall monitor the pressure drop across the baghouse, verify the bag leak detection system is operating, and shall conduct a visible emission (VE) observation of the baghouse stack. The VE observation shall be 60 seconds in length with reading every 15 seconds. If any visible emissions are observed, the facility shall perform one of the following:
 - A Method 9 observation using a certified observer (60 minutes in duration) shall be conducted to determine compliance with the opacity limitations—or
 - The facility shall immediately commence shutdown of the source/control device in accordance with the Department approved shutdown procedure.
- Source 104 [Mat Forming System]:
 - Emissions shall not exceed the following:
 - PM: 1.32 lbs./hr. (both filterable and condensable);
 - PM: 5.78 tpy (both filterable and condensable) based on a 12-month rolling total;
 - PM₁₀: 1.32 lbs./hr.;
 - PM₁₀: 5.78 tpy based on a 12-month rolling total;
 - PM_{2.5}: 1.32 lbs./hr.;
 - PM_{2.5}: 5.78 tpy based on a 12-month rolling total;
 - The total volatile organic compound (VOC) emissions shall not exceed the following:
 - System 4 (Mat Forming): 0.80 #/hr or 3.31 tpy based on a consecutive 12-month period
 - The Projected Actual Emissions are the following:
 - VOC: 0.882 tpy based on a 12-month consecutive period
- Source 105 [Mat Cleanup Fans (System 5—Forming Area & Dust Extraction)]:
 - Emissions shall not exceed the following:
 - PM: 1.32 #/hr (both filterable and condensable)
 - PM: 5.78 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 1.32 #/hr
 - PM₁₀: 5.78 tpy based on a 12-month rolling total
 - PM_{2.5}: 1.32 #/hr
 - PM_{2.5}: 5.78 tpy based on a 12-month rolling total
 - The Projected Actual Emissions are the following:
 - VOC: 0.910 tpy based on a 12-month consecutive period
 - Source 107 [System 7, Mat Reject]:
 - The filterable particulate matter emissions in the exhaust of the control device shall not exceed 0.004 grains per dry standard cubic foot of effluent gas.
 - There shall be no visible air contaminant emissions from the exhaust of the control device.
 - The total volatile organic compound (VOC) emissions shall not exceed the following:
 - System 7 (Mat Reject): 0.83 #/hr or 3.44 tpy based on a consecutive 12-month period
 - Delete the following condition from Plan Approval 16-132O: Within 12 to 18 months prior to the expiration of the facility operating permit, a stack test shall be performed in accordance with the provisions of Chapter 139 of the Rules and Regulations of the Department of Environmental Protection and Conditions (a)—(g) from Plan Approval 16-132O.
 - The permittee shall adhere to the control device's approved indicator range so that operation within the range shall provide reasonable assurance of compliance. The indicator ranges must be approved by the Department. The following indicator ranges shall be determined during the initial performance test or any subsequent Department approved performance tests unless otherwise stated:
 - The permittee shall develop an indicator range for airflow, measured as fan amperage or frequency, during their most recent department approved stack testing program.
 - The permittee shall develop a maximum and minimum pressure drop indicator range, as measured across the baghouse filtration media
 - Triboelectric leak detection status/value
 - The permittee may develop a new pressure drop range with a supported request which is reviewed and approved by the Department.
 - The Department, at its discretion, may approve or deny a request to adjust the required indicator ranges.
 - The permittee shall utilize approved QA/QC practices that are adequate to ensure continuing validity of data and proper performance of the control device.
 - The permittee shall maintain detectors or sensors at Department approved locations for obtaining data that is representative of the monitored indicator.
 - The permittee shall maintain verification procedures to confirm that the operational status of the monitoring devices is within the expected range. (Operational status pertains to the accuracy of the measured values.)
 - For QA/QC purposes, the permittee shall calibrate and check the accuracy of the monitoring equipment, according to the manufacturer's recommended procedures.
 - The permittee shall maintain all monitoring equipment and stock spare parts as necessary for routine onsite repairs.
 - The permittee shall ensure that at least 90% of the approved monitoring data has been properly and accurately collected.
 - The permittee shall record the following operational data from the control device (these records may be done with strip charts recorders, data acquisition systems, or manual log entries):

- Pressure drop across the baghouse—daily defined as once per calendar day
- Visible emission check—daily defined as once per calendar day (weekly defined as once per calendar week or monthly defined as once per calendar month)
- Triboelectric leak detection system status—daily defined as once per calendar day
- The baghouse airflow or fan amperage/frequency—daily defined as once per calendar day
 - Manual log entries shall include the following:
 - Time and date of observation
 - Name, title, and signature of the person making the observation
 - Any corrective action taken as result of the observation
 - The permittee shall maintain a quarterly inventory of the number of spare filter cartridges onsite.
 - The permittee shall record all excursions from the specified operational parameters for the control devices, the corrective actions taken in response to an excursion, and the time elapsed until the corrective actions have been taken.
 - The permittee shall maintain records of all monitoring downtime incidents (other than downtime associated with monitoring system checks). The permittee shall also record the dates, times and durations, probable causes and corrective actions taken for the incidents.
 - The permittee shall maintain records of all preventative maintenance, repairs, and inspections performed on the sources, monitoring equipment, and control devices. These records shall contain the following at a minimum:
 - Time and date of the task
 - Name, title, and initials of the person performing the task
 - A detailed description any maintenance/inspection/repair performed
 - Any problems or defects found
 - Any corrective action taken as result of the task
 - The permittee shall report all excursions and corrective actions taken to the Department, including the dates, times, durations and probable causes, every six (6) months.
 - The permittee shall report all monitoring downtime incidents, their dates, times and durations, probable causes and corrective actions taken, every six (6) months.
 - A magnehelic gauge or equivalent shall be maintained and operated to monitor the pressure differential across the baghouse. All gauges employed shall have a scale such that the expected normal reading shall be no less than twenty percent (20%) of full scale and be accurate within plus or minus two percent (+/- 2%) of full scale reading.
 - The permittee shall adhere to the approved indicator range for the baghouse so that operation within the range shall provide reasonable assurance of compliance. A departure from the specified indicator range over a specified averaging period shall be defined as an excursion. The approved indicator range for the following shall be determined during the initial performance test or any subsequently approved performance tests unless otherwise stated:
 - Pressure drop: 1.0 to 7.0 inches water gage or as established during compliant testing
 - Opacity less than or equal to 10%
 - Airflow or fan amperage/frequency: will be finalized by issuance
 - The permittee, with prior Departmental approval, may conduct additional performance tests to determine a new pressure drop range. Within 24-hours of discovery of a reading outside of the prescribed range the permittee shall perform a maintenance inspection on the control device and take corrective action. Records of all maintenance inspections on the control device, and corrective actions taken, shall be maintained on site for a minimum period of five years. In the event of more than one documented excursion outside the prescribed range in any calendar quarter the permittee shall submit a corrective measure plan to the Department. Corrective measures may include an increase of the frequency of required preventative maintenance inspections of the control device, a modification of the prescribed range, or other appropriate action as approved by the Department. Upon receipt of a corrective measure plan the Department shall determine the appropriate corrective measure on a case-by case basis.
 - The permittee shall operate the control device at all times that the source is in operation.
 - The permittee shall maintain and operate the source and control device in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.
 - The permittee shall develop and implement a Quality Improvement Plan (QIP) as expeditiously as practicable within 60 days if any of the following occurs:
 - For properly and accurately collected data, accumulated excursions exceeding two percent (2%) of the data.
 - Six (6) excursions occur in a six (6) month reporting period.
 - The Department determines after review of all reported information that the permittee has not responded acceptably to an excursion.
 - The permittee shall provide a copy of the QIP to the Department once it is developed. The permittee shall notify the Department if the period for completing the improvements contained in the QIP exceeds 180 days from the date on which the need to implement the QIP was determined.
 - The permittee shall record actions taken to implement a QIP during a reporting period and all related actions including, but not limited to inspections, repairs, and maintenance performed on the monitoring equipment.
 - In accordance with 40 CFR 64.8, the QIP shall include procedures for evaluating control performance problems. Based on the results of the evaluation procedures, the permittee shall modify the QIP and provide the Department with a copy, to include procedures for conducting more frequent, or improved, monitoring in conjunction with one or more of the following:
 - Improved preventive maintenance practices
 - Process operation changes
 - Appropriate improvements to the control methods
 - Other steps appropriate to correct performance.

- Following implementation of a QIP, the Department will require reasonable revisions to the QIP if the plan has failed to either:

- Address the cause of the control device performance problem.

- Provide adequate procedures for correcting control device performance problems in as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions.

- Implementation of a QIP, shall not excuse the permittee from compliance with any existing emission limitation or standard or any existing monitoring, testing, reporting or recordkeeping requirements that may apply under any Federal, State, or local laws or any other applicable requirements under the Clean Air Act.

- All conditions from Plan Approval 16-1320, for this source remain in effect unless modified in this plan approval.

- Source 109 [Cooling & Storage Areas with Building Vents]:

- The total volatile organic compound (VOC) emissions shall not exceed the following:

- MDF Press Building Vent (Source 28): 1.14 lb/hr or 4.72 tpy based on a consecutive 12-month period [This condition replaces the previous limit of 0.63 lb/hr VOC or 2.6 tpy VOC]

- MDF Press Building Vent (Source 9): 0.85 lb/hr or 3.52 tpy based on a consecutive 12-month period [This condition replaces the previous limit of 0.97 lb/hr VOC or 4.0 tpy VOC]

- MDF Press Building Vent (Source 8): 0.54 lb/hr or 2.24 tpy based on a consecutive 12-month period [This condition replaces the previous limit of 0.83 lb/hr VOC or 3.4 tpy VOC]

- The particulate emission rate from each of the vents shall not exceed the following:

- MDF Press Building Vent (Source 28): 0.26 lb/hr or 1.1 tpy based on a consecutive 12-month period

- MDF Press Building Vent (Source 9): 0.41 lb/hr or 1.7 tpy based on a consecutive 12-month period

- MDF Press Building Vent (Source 8): 0.41 lb/hr or 1.7 tpy based on a consecutive 12-month period

- The Projected Actual Emissions are the following:

- NO_x: 4.690 tpy based on a 12-month consecutive period

- VOC: 2.767 tpy based on a 12-month consecutive period

- Within 12 to 18 months prior to the expiration of the facility operating permit, a stack test for VOC (NMOC) shall be performed in accordance with the provisions in subparts (a)(1)—(a)(10) from Plan Approval 16-132H. The stack test shall be performed while the aforementioned source is operating at the maximum or normal rated capacity as stated on the application for plan approval. The stack test shall be conducted at the following locations:

- Press In-Feed Vent (S108);

- Press Out-Feed Vent (S109); and

- Board Storage & Building Vent (S128)

- The source shall be maintained and operated in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.

- The facility may elect to submit a plan approval application for the removal of the ongoing testing requirement after completion of testing in 2022 and Department approval of results.

- Source 110 [System 10—Diagonal/Splitter/Cut-off Saws]

- Emissions from C110B shall not exceed the following:

- PM: 1.05 lb/hr (both filterable and condensable)

- PM: 4.60 tpy (both filterable and condensable) based on a 12-month rolling total

- PM₁₀: 1.05 lb/hr

- PM₁₀: 4.60 tpy based on a 12-month rolling total

- PM_{2.5}: 1.05 lb/hr

- PM_{2.5}: 4.60 tpy based on a 12-month rolling total

- The Projected Actual Emissions are the following:

- VOC: 2.078 tpy based on a 12-month consecutive period

- The total volatile organic compound (VOC) emissions shall not exceed the following:

- System 10 (Hogger/Cut Saws): 1.75 #/hr or 7.25 tpy based on a consecutive 12-month period

- Source 111 [Primary Sander System]:

- Emissions from Source 111 & Source 112 shall not exceed the following:

- PM: 3.23 lb/hr (both filterable and condensable)

- PM: 7.07 tpy (both filterable and condensable) based on a 12-month rolling total

- PM₁₀: 3.23 lb/hr

- PM₁₀: 7.07 tpy based on a 12-month rolling total

- PM_{2.5}: 3.23 lb/hr

- PM_{2.5}: 7.07 tpy based on a 12-month rolling total

- The Projected Actual Emissions from Source 111 & Source 112 are the following:

- VOC: 1.229 tpy based on a 12-month consecutive period

- The total volatile organic compound (VOC) emissions shall not exceed the following:

- System 11 (Primary Sander): 0.59 #/hr or 2.44 tpy based on a consecutive 12-month period

- Source 112 [Secondary Sander System]:

- Emissions from Source 112 & Source 111 shall not exceed the following:

- PM: 3.23 lb/hr (both filterable and condensable)

- PM: 7.07 tpy (both filterable and condensable) based on a 12-month rolling total

- PM₁₀: 3.23 lb/hr

- PM₁₀: 7.07 tpy based on a 12-month rolling total

- PM_{2.5}: 3.23 lb/hr

- PM_{2.5}: 7.07 tpy based on a 12-month rolling total

- The Projected Actual Emissions from Source 112 & Source 111 are the following:

- VOC: 1.229 tpy based on a 12-month consecutive period
- The total volatile organic compound (VOC) emissions shall not exceed the following:
 - System 12 (Secondary Sander): 0.53 #/hr or 2.19 tpy based on a consecutive 12-month period
 - Source 113 [System 13—Finishing & Bolster Saws]:
 - Emissions from C113 shall not exceed the following:
 - PM: 0.71 #/hr (both filterable and condensable)
 - PM: 3.11 tpy (both filterable and condensable) based on a 12-month rolling total
 - PM₁₀: 0.71 #/hr
 - PM₁₀: 3.11 tpy based on a 12-month rolling total
 - PM_{2.5}: 0.71 #/hr
 - PM_{2.5}: 3.11 tpy based on a 12-month rolling total
 - The Projected Actual Emissions are the following:
 - VOC: 2.078 tpy based on a 12-month consecutive period.
 - Source 119 [Dry Dust Handling & Fuel Feed System]:
 - Emissions shall not exceed the following:
 - PM: 3.34 tpy based on a 12-month rolling total;
 - PM₁₀: 3.34 tpy based on a 12-month rolling total; and
 - PM_{2.5}: 3.34 tpy based on a 12-month rolling total.
 - The permittee shall perform a daily operational inspection of the control device. As part of this operational inspection the facility shall monitor the pressure drop across the baghouse, verify the bag leak detection system is operating, and shall conduct a visible emission (VE) observation of the baghouse stack. The VE observation shall be 60 seconds in length with reading every 15 seconds and if any visible emissions are observed, a Method 9 observation (30 minutes in duration) shall be conducted to determine compliance with the opacity limitations.
 - All conditions from Plan Approval 16-132K, for this source remain in effect unless modified in this plan approval.
 - Source 123 [Refiner Startup Dump (ID # 23)]:
 - The total volatile organic compound (VOC) emissions shall not exceed the following:
 - Refiner Start-Up Dump: 5.80 lbs/hr or 0.29 tpy based on consecutive 12-month period. [This condition based on the #/hr limit of 16-132H and the RFD approved on 1/6/12 for 100 hrs per year]
 - The particulate emissions from the refiner startup dump cyclone shall not 10.17 lbs/hr and 0.5085 tpy respectively [This condition based on #/hr limit of 16-132H and the RFD approved on 1/6/12 for 100 hrs per year]
 - The Projected Actual Emissions are the following:
 - VOC: 0.029 tpy based on a 12-month consecutive period
 - The refiner startup dump cyclone shall be operated for startup purposes only and shall be limited to 100 hours per year.
 - Delete the following condition from Plan Approval 16-132H: Within 12 to 18 months prior to the expiration of the facility operating permit, a stack test for VOC (NMOC) shall be performed. The stack test shall be

performed while the aforementioned source is operating at the maximum or normal rated capacity as stated on the application for plan approval. The stack test shall be conducted at the following location:

- Refiner Startup Dump Cyclone (C123)
- Records shall be maintained of the VOC emissions monthly.
- Records shall be maintained of the hours of operation monthly.
- Records shall be maintained of the amount of fiber dumped monthly.
- The source shall be maintained and operated in accordance with the manufacturer's specifications and in accordance with good air pollution control practices.
- All conditions from Plan Approval 16-132L, for this source remain in effect unless modified in this plan approval.
 - Source 506 [Surplus Wood Dust Collection System]
 - Emissions shall comply with 25 Pa. Code §§ 123.1, 123.31 and 123.41 for fugitive, odor, and visible emissions respectively.
 - No person may permit the emission into the outdoor atmosphere of particulate matter in a manner that the concentration of total particulate matter (both filterable and condensable) in the effluent gas exceeds 0.005 grain per dry standard cubic foot.
 - Emissions shall not exceed the following:
 - PM: 1.77 tpy based on a 12-month rolling total;
 - PM₁₀: 1.77 tpy based on a 12-month rolling total;
 - PM_{2.5}: 1.77 tpy based on a 12-month rolling total.
 - Delete the following condition from Plan Approval 16-132L: In addition to the initial stack testing, the facility shall conduct subsequent performance testing in accordance with the provisions of Chapter 139 (relating to sampling and testing) within 6 to 12 months prior to operating permit renewal. The stack test shall be performed while the aforementioned source is operating at the maximum but not less than the normal rated capacity as stated in the application. Testing shall be conducted for total particulate matter (both filterable and condensable) using EPA Methods 5d and 202 or other methods approved by the Department.
 - All conditions from the Plan Approval 16-132L, for this source remain in effect unless modified in this plan approval.

In accordance with 25 Pa. Code § 127.44(f)(1), all the pertinent documents regarding this application (applications, review memos, and draft approvals) are also available for review from 8:00 a.m. to 4:00 p.m. at the Meadville Regional DEP office (Air Quality). Appointments for scheduling a review must be made by calling the DEP at (814) 332-6340.

In accordance with 25 Pa. Code § 127.44(f)(2), a 30-day comment period, from the date of publication, will exist for the submission of comments. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut Street, Meadville, PA 16335-3494 and must contain the name, address and telephone number of the person submitting the comments, identification of the proposed plan ap-

proval [16-132Q] and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Regional Air Quality Program Manager, Pennsylvania Department of Environmental Protection, 230 Chestnut St., Meadville, PA 16335, Phone (814) 332-6940.

In accordance with 25 Pa. Code § 127.45, a person may oppose the proposed plan approval by filing a written protest with the Department's Northwest Region Air Quality Program Manager.

If a plan approval has not undergone the previously listed public notice process, the change to an operating permit must be treated as a significant modification. In these situations, the Department should follow the procedures described in §§ 127.421 to 127.431 for State Only Operating Permits or §§ 127.521 to 127.524 for Title V operating permits.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

34-03011A: Champion Home Builders Inc., Liverpool Plant 41, 755 West Big Beaver Road, Suite 1000, Troy, MI 48084, Liverpool Township, **Juniata County**. For the permitting of an existing modular home manufacturing facility, including adhesives and coating operations. This facility-wide PTE is calculated to be: 49.91 tpy VOC, 58.55 tpy PM_{10/2.5}, 2.24 tpy HAPs, 2.79 tpy NO_x, 2.34 tpy CO and less than 1 tpy of SO₂. The Department of Environmental Protection's (DEP's) review of the information submitted by the company indicates that the air contamination sources will comply with all regulatory requirements, including monitoring, recordkeeping, and reporting requirements, and pertaining to air contamination sources and the emission of air contaminants, and the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, DEP proposes to issue a plan approval for the proposed installation. The facility is a State-Only facility. If DEP determines that the sources are constructed and operated in compliance with the plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. Application received: March 22, 2022.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: 570-826-2409.

48-00084, L&M Fabrication & Machine Inc./East Allen, 6814 Chrisphal Dr., Bath, PA 18014-8503, East Allen Township, **Northampton County**. The Department intends to issue a State-Only (Synthetic) Minor

Permit for the operation of a fabricated structural metal facility in East Allen Township, Northampton County. The sources at this facility consist of paint spraying operations and a steel shot blast booth. The control devices consist of filter panel exhaust plenums. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: February 7, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

23-00101, Esschem, Inc, 4000 Columbia Ave, Linwood, PA 19061, Lower Chichester Township, **Delaware County**. Esschem, Inc. is a custom methacrylate-based polymer manufacturing and monomer blending facility. The primary pollutant of concern from this facility is volatile organic compounds (VOC) due to the materials that are used in the chemical processes and blending operations. All VOC emissions are controlled by a packed tower scrubber. Esschem, Inc. is categorized as a natural minor facility based on its potential emissions. The permit includes monitoring, recordkeeping and reporting requirements to address all applicable air quality requirements. Application received: February 3, 2021.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.5—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for

comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

Mining Permit No. 56160101. NPDES No. PA0279510. Berwind Coal Sales Company, 509 15th Street, Windber, PA 15963, Paint Township, **Somerset County**. Permit renewal of a bituminous surface and auger mine, affecting 159.2 acres. Receiving stream: Weaver Run to Seese Run to Paint Creek/Stonycreek Watershed, classified for the following use: CWF. Application received: July 20, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 10150101. NPDES No. PA0259675. Ben Hal Mining, Inc., 389 Irishtown Road, Grove City, PA 16127, Marion Township, **Butler County**. Renewal of an existing bituminous surface mine and associated NPDES permit for reclamation only, affecting 48.0 acres. Receiving stream: Blacks Creek, classified for the following use: CWF. Application received: July 27, 2022.

Mining Permit No. 16190103. Ben Hal Mining, Inc., 389 Irishtown Road, Grove City, PA 16127, Piney Township, **Clarion County**. Revision to an existing bituminous surface mine to add 8.1 acres to the permit boundary, affecting 85.9 acres. Receiving stream: Two unnamed tributaries to Licking Creek, classified for the following use: CWF. Application received: June 7, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40850201. Atlantic Carbon Group, Inc., 100 Hazlebrook Road, Hazleton, PA 18201, Hazle and Kline Townships, **Luzerne County** and **Schuylkill County**. Correction to anthracite coal refuse reprocessing and coal preparation plant operation to add 8.5 acres and delete 2.3 acres for a total of 186.87 acres. Receiving stream: unnamed tributary to Catawissa Creek and Catawissa Creek, classified for the following use: CWF, MF. Application received: July 27, 2022.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

Mining Permit No. 44170801. NPDES No. PA0279463. William Shafranich & Son Excavating, LLC, 8782 Back Mountain Road, Milroy, PA 17063, Armagh Township, **Mifflin County**. NPDES renewal of a small noncoal (industrial minerals) operation, affecting 5.0 acres. Receiving stream: unnamed tributary to Laurel Creek and Honey Creek, classified for the following use: HQ-CWF. Application received: July 20, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

Mining Permit No. 08090305. NPDES No. PA0257214. Johnson Quarries, Inc., P.O. Box 136, LeRaysville, PA 18829, Wilmot Township, **Bradford County**. Modification to expand the NPDES permit area to include the employee access driveway from the permit to Rocky Forest Road, affecting 58 acres. Receiving stream: Rocky Forest Creek & UNT to Susquehanna River, classified for the following use: CWF, MF/CWF, MF. Application received: July 25, 2022. Accepted: July 26, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

NPDES No. PA0238244. Mining Permit No. 17990103. River Hill Coal Company, Inc., P.O. Box 141, Kylertown, PA 16847, Bigler Township, **Clearfield County**, affecting 228.8 acres. Receiving stream: UNT to/and Upper Morgan Run and Alexander Run, classified for the following use: CWF, North Branch Upper Morgan Run Watershed TMDL and the Clearfield Creek Watershed TMDL Application received: February 10, 2022. Accepted: February 14, 2022.

Renewal of an NPDES permit for the discharge of water from a bituminous coal surface mine operation.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Upper Morgan Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Pond 1	Pumped
006	Existing	Sediment Pond SPA	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 & 005 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	1.7	3.4	4.3
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
Osmotic Pressure (milliosmoles/kg) * 001 only		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following outfalls discharge to tributaries to Upper Morgan Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
002	Existing	Treatment Pond 2	Pumped
004	Existing	Treatment Pond 4	Pumped
007	Existing	Sediment Pond SPB	Precipitation Induced
008	Existing	Sediment Pond SPC	Precipitation Induced
009	Existing	Sediment Pond SPD	Precipitation Induced
011	New	Treatment Pond 6	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 002 & 007 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	1.7	3.4	4.3
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
Osmotic Pressure (milliosmoles/kg) *002 only		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 004, 008, 009, & 011 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	2.4	4.8	6.0
Manganese (mg/L)	1.2	2.4	3.0
Aluminum (mg/L)	1.3	2.6	3.3
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
Osmotic Pressure (milliosmoles/kg) *004 & 011 only		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following outfalls discharge to Alexander Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
005	Existing	Treatment Pond 5	Pumped
010	Existing	Sediment Pond SPE	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 005 & 010 (All Weather Conditions)</i> <i>Parameter</i>	<i>30-Day</i> <i>Average</i>	<i>Daily</i> <i>Maximum</i>	<i>Instant.</i> <i>Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	1.0	2.0	2.5
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)	Report		
Flow (gpm)	Report		
Temperature (°C)	Report		
Specific Conductivity (µmhos/cm)	Report		
Osmotic Pressure (milliosmoles/kg) * 005 only	Report		
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRGP@pa.gov.

E0829222-030. Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Tuscarora Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 18, 2022.

This project seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. As previously referenced, Water Obstruction and Encroachment (WOEP) Application E0829222-030 Chesapeake Appalachia, LLC (Chesapeake) has applied for an Individual—Joint Permit to construct, operate and maintain 0.012 acre of permanent and 0.078 acre of temporary impacts to on-site wetlands. All impacts are associated with the Bennett Bra Pad construction in 2010.

There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 522 SF (0.012 acre) of permanent and 3,397 SF (0.078 acre) of temporary wetland impacts.

Wetland Impact Table:

<i>Resource Name</i>	<i>Municipality</i> <i>Quadrangle</i>	<i>Activity</i>	<i>Cow.</i> <i>Class</i>	<i>Listed</i> <i>Trout</i>	<i>Impact</i> <i>Length</i> <i>Temp.</i> <i>(LF)</i>	<i>Impact</i> <i>Area</i> <i>Temp.</i> <i>(SF)</i>	<i>Impact</i> <i>Length</i> <i>Perm.</i> <i>(LF)</i>	<i>Impact</i> <i>Area</i> <i>Perm.</i> <i>(SF)</i>	<i>Lat. Long.</i>
W-MRK-001-T	Tuscarora Laceyville	Temporary Workspace	PEM	None	193	958			41.714659° 76.129356°
W-MRK-010 -T	Tuscarora Laceyville	Fill	PEM	None			255	2,439	41.715050° 76.129602°
W-DJY-007-P	Tuscarora Laceyville	Fill	PEM	None			12	131	41.714096° 76.130300°

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
W-MRK-010-P	Tuscarora Laceyville	Fill	PEM	None			49	392	41.715527° 76.129968°
W-MRK-001-REST1	Tuscarora Laceyville	Restoration	PEM	None	334	1,873			41.714975° 76.129528°
W-MRK-001-REST2	Tuscarora Laceyville	Temporary Workspace	PEM	None	384	1,917			41.714816° 76.129400°
TOTAL IMPACTS					911	4,748	316	2,962	

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945814-332-6984.

Contact: Karl Gross, Permits Chief, 814-332-6138.

E6106222-005. Andrew C Virostek Irrevocable Trust, 3481 Treeline Drive, Murrysville, PA 15668, Scrubgrass Township and Rockland Township, **Venango County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: July 19, 2022.

The applicant proposes to construct a 0.20-acre pond within the floodway of the Allegheny River. The project will have temporary impacts below the OHM of the river. Latitude: 41.270250°, Longitude: -79.826603°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant 2, 717-705-4992.

E2103222-003. Silver Spring Township, 8 Flowers Drive, Mechanicsburg, PA 17055, Silver Spring Township, **Cumberland County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 12, 2022.

1.) To construct a rain garden temporarily impacting 0.35 acre of the floodplain of Conodoguinet Creek (WWF, MF) and permanently impacting 0.54 acre of the floodplain of Conodoguinet Creek (WWF, MF), all for the purpose of providing stormwater management for the surrounding area. The project site is located along Willow Mill Park Road in Silver Spring Township, Cumberland County. There are no wetland, stream, or floodway impacts associated with this project. Latitude: 40.257404, Longitude: -77.041042.

E2203222-005. Hershey Square 2014 LP c/o Heidenberg Properties Group, 234 Closter Dock Road, Closter, NJ 07624, Derry Township, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 13, 2022.

To 1.) install and maintain a 45.0-foot long 18-foot 7.0-inch wide by 5-foot 4.25-inch high open bottom aluminum arch culvert in an unnamed tributary to Swatara Creek (WWF, MF); and 2.) regrade and maintain 265 feet of the left bank of an unnamed tributary to Swatara Creek (WWF, MF); all for the purpose of accommodating a proposed commercial development. The project is located immediately south of the intersection of Mae Street and Hersheypark Drive in Derry Township, Dauphin County. No wetlands will be impacted by this project. Latitude: 40.268314° N; Longitude: 76.688175° W.

E3603222-002. Denver Borough, 501 Main Street, Denver, PA 17517, Denver Borough, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 3, 2022.

To 1.) regrade and maintain 850 feet of the left bank of Cocalico Creek (WWF, MF) for the purpose of streambank stabilization and flood protection; 2.) install and maintain a 31 foot long 8 foot wide wooden footbridge temporarily impacting 682 sq. feet of wetlands and permanently impacting 248 sq. ft. of wetlands; 3.) install and maintain a wooden footbridge over a UNT to Cocalico Creek (WWF, MF). The project site is located at the intersection of Main Street and North 8th Street in Denver Borough, Lancaster County. Wetland impacts are de minimis thus mitigation is not required.

E2103222-001. Middlesex Township, 350 North Middlesex Road, Carlisle, PA 17013, Middlesex Township, **Cumberland County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 10, 2022.

The applicant proposes to enhance 1,072 linear feet of an Unnamed Tributary to Wertz Run (WWF, MF) by use of channel realignment both vertically and horizontally, bank grading, floodplain grading, 3 log-step structures, and 33 rock-step structures. The project is located along Wolfs Bridge Road and West Middlesex Drive in Middlesex Township, Cumberland County. Latitude: 40.2525; Longitude: -77.1675.

E6703222-005. Dunn-Parr Holdings, LLC, 12359 Susquehanna Trail South, Glen Rock, PA 17327, Shrewsbury Township, **York County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 12, 2022.

The applicant proposes to 1) place and maintain fill in Exceptional Value wetlands, temporarily impacting 0.01 acre of emergent wetland and permanently impacting 0.02 acre of emergent wetlands, and 2) construct and maintain an 18.0-inch stormwater outfall pipe to Deer Creek (CWF, MF) covered under General Permit # 4, all for the purpose of a widening of East Forrest Ave (SR 851) to accommodate a redevelopment associated with the Shoppes at Shrewsbury in Shrewsbury Township, York County. The applicant proposes to pay into the Department's in Lieu Fee program for compensatory mitigation for stream and wetland impacts. Latitude: 39.7694; Longitude: -76.6621.)

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Donald Knorr, Aquatic Biologist 3, 484.250.5147.

EA4601222-001/WL4601222-012. Abington Township, 1176 Old York Road, Abington, PA 19001, Abington Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: July 1, 2022.

For the Abington Township Environmental Infrastructure Improvement Project, implemented under the authority of Section 566 of the Water Resources Development Act, Abington Township and the Philadelphia District of the U.S. Army Corps of Engineers have submitted an Environmental Assessment and a restoration plan in support of a request for issuance of a Chapter 105.12(a)(16) waiver to conduct stream restoration and enhancement of Sandy Run (TSF/MF) in Abington Township, Montgomery County at two locations, Roychester Park (Latitude 40.13279 N, Longitude -75.10977 W) and Grove Park (Latitude: 40.12849 N, Longitude: -75.12893 W).

This project is a stream and habitat improvement project adjacent to and along Sandy Run. Specific activities at Roychester Park include:

- Bank stabilization by regrading, stabilizing, and planting of stream banks with native vegetation
- Replacement of two culvert with foot bridges
- Replacement of exposed sanitary sewer lines
- Establishing vegetated riparian buffers along the creek
- Native seed plantings in uplands

Specific activities in Grove Park Include:

- Removal of Gabion baskets and naturalization of the stream and meanders
- Bio-engineered banks where possible
- Removal of concrete stream beds
- Enhancement of riparian buffer
- Restoration of tributary channel

This Project is eligible for a Nationwide Permit 27 (Aquatic Habitat Restoration) and therefore qualifies for the associated 401 Water Quality Certification.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager, 412-442-4000.

E2605221-001. Ron Whipkey, 102 Lower Sandy Road, Greensboro, PA 15338, Saltlick Township, **Fayette County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 8, 2021.

The applicant proposes to construct and maintain a gazebo (14-ft long x 12-ft wide) with grading around the gazebo (34-ft long x 32-ft wide) and a circular koi pond (50-ft in diameter) in the floodway to Indian Creek (HQ-CWF). A water intake will also be constructed and maintained in Indian Creek for the purpose of maintaining water in the koi pond. The project purpose is to create recreational facilities at a residence. The project will permanently affect 0.065 acre of the floodway to Indian Creek. The water intake will permanently impact 1 LF of Indian Creek. The project is located at 707 Nebo Road Ext, Champion, PA 15622 (Seven Springs, PA USGS topographic quadrangle; Latitude: 40° 03' 35"; Longitude: -79° 22' 05"; Subbasin 19E), in Salt Lick Township, Fayette County.

E0205221-032. Pittsburgh Water and Sewer Authority, 1200 Penn Ave, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: December 15, 2021.

The applicant proposes to:

1. Construct and maintain boulder cascades along 70 linear feet of a UNT to Woods Run (aka Stream 106, WWF); and
2. Remove an existing 12" diameter culvert, and construct and maintain a 15" diameter, 40 linear foot long replacement culvert, within Stream 106; and
3. Construct and maintain an 18" diameter outfall to the headwater of Stream 106; and
4. Construct and maintain boulder cascades along 106 linear feet of a UNT to Woods Run (aka Stream 103, WWF); and
5. Remove an existing trail culvert, and construct and maintain a replacement 18' by 4' pedestrian walking bridge, within Stream 103; and
6. Construct and maintain boulder cascades and boulder weirs along 313 linear feet of Watsons Run (aka Stream 107, WWF); and
7. Construct and maintain fencing at four locations across Watsons Run, for the purpose of excluding deer; and
8. Construct and maintain 6 cross vanes and 4 rock rifles along 90 linear feet of Woods Run (aka Stream 100, WWF); and
9. Construct and maintain an 11' by 8' ford crossing of Woods Run; and
10. Construct and maintain a 48" diameter, 6 linear foot length RCP stormwater overflow bypass structure within Woods Run; and
11. Place and maintain fill in 0.004 acre of PEM wetland (Wetland 2A); and
12. Temporarily impact 1,002 linear feet of the previously mentioned watercourses for dewatering; and
13. Temporarily install two stream crossings across Woods Run (Stream 100) and UNT to Woods Run (Stream 103).

For the purpose of reducing flooding onto Mairdale Avenue and adjacent properties. Permanent impacts will be to 660 linear feet of various watercourses, and temporary impacts will be to 1,002 linear feet of various watercourses. Permanent floodway impacts will be to 0.01 acre along the above watercourses, while temporary floodway impacts will total 0.21 acre. This project will permanently impact a de minimus amount of PEM wetland (0.004 acre).

The project site is located on the edges and within Riverview Park, off of Mairdale Ave and Riverview Ave (Pittsburgh West, PA USGS topographic quadrangle; N: 40°, 29', 10.43"; W: -80°, 01', 17.30"; Sub-basin 20G), in the City of Pittsburgh, Allegheny County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 17177831754.

Contact: 717-783-1754.

EA5115222-001. Philadelphia Water Department, 1101 Market Street, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 2, 2022.

The applicant proposes to restore an unnamed tributary to Pennypack Creek, also known as Benton Brook

(TSF), by removing legacy sediment and other historic fills from the floodplain. Portions of the excavated sediment will be redistributed within the floodplain of Benton Brook. The length of channel being temporarily impacted during construction is approximately 1,300 linear feet and the total area being temporarily impacted within the limits of disturbance during construction is approximately 123 acres. The project proposes to restore approximately 34 acres of integrated wetland, stream and floodplain areas. Additional restoration activities proposed include: to realign watercourses during the construction; to place stream and valley grade control structures; to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, and other erosion controls during restoration activities. Block walls also are proposed for slope stability purposes within and adjacent to the floodplain of Benton Brook. The applicant also is requesting acknowledgement of registration to use General Permit 5 & 11 for utility line relocation and modification of existing outfall structures that will be completed concurrent with the restoration project. The restoration project is located between the intersection of Tustin Street and Castor Avenue, PA USGS Quadrangle: Philadelphia, Latitude 40.068331; Longitude -75.046253.

EA5115222-002. Philadelphia Water Department, 1101 Market Street, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 2, 2022.

The applicant proposes to restore Sandy Run (TSF), by removing legacy sediment and other historic fills from the floodplain. Portions of the excavated sediment will be redistributed within the floodplain of Sandy Run. The length of channel being temporarily impacted during construction is approximately 1,300 linear feet and the total area being temporarily impacted during construction and within the limits of disturbance is approximately 7.8 acres. The project proposes to restore approximately 5.2 acres of integrated wetland, stream and floodplain areas. Additional restoration activities proposed include: to realign watercourses during the construction; to place rock stream and valley grade control structures; to place rock slope protection: to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct rock construction entrances, temporary stream crossings, and other erosion controls during restoration activities. Additional features of the overall restoration plan include a paved parking lot and a pedestrian path located within the floodplain of Sandy Run. The applicant also is requesting acknowledgement of registration to use General Permit 5 for utility line construction, and General Permit 11 for modification of existing outfall structures and a pedestrian bridge replacement that will be completed concurrent with the restoration project. The restoration project is located along Sandy Run between the Ryan Avenue bridge and the stream confluence with Pennypack Creek, PA USGS Quadrangle: Philadelphia, Latitude 40.048351°; Longitude -75.041972°. The appli-

cant proposes to restore Sandy Run (TSF), by removing legacy sediment and other historic fills from the floodplain. Portions of the excavated sediment will be redistributed within the floodplain of Sandy Run. The length of channel being temporarily impacted during construction is approximately 1,300 linear feet and the total area being temporarily impacted during construction and within the limits of disturbance is approximately 7.8 acres. The project proposes to restore approximately 5.2 acres of integrated wetland, stream and floodplain areas. Additional restoration activities proposed include: to realign watercourses during the construction; to place rock stream and valley grade control structures; to place rock slope protection: to place log sills, woody debris, and other aquatic habitat structures within the restoration areas; to construct rock construction entrances.

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Individuals wishing to comment on the proposed permit are invited to submit a statement to the appropriate DEP Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality

Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPpublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep’t of Env’tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020018	Chapter 102 Individual NPDES Permit	Issued	Hammock Beach Partners LLC 4276 Green Glade Court Allison Park, PA 15101	Fox Chapel Borough Allegheny County	SWRO
PAD040111	Chapter 102 Individual NPDES Permit	Issued	PA DCNR 3000 PA 18 Hookstown, PA 15050	Hanover Township Beaver County	SWRO
PAD040111	Chapter 102 Individual NPDES Permit	Issued	PA DCNR 3000 PA 18 Hookstown, PA 15050	Hanover Township Beaver County	SWRO
PAD060058	Chapter 102 Individual NPDES Permit	Issued	Lauver Kevin 234 Gunhart Road Mohnton, PA 19540-8204	Robeson Township Berks County	SCRO
PAD090084	Chapter 102 Individual NPDES Permit	Issued	Hiossen Inc. 270 Sylvan Avenue Suite 1130 Englewood Cliffs, NJ 07632-2523	Falls Township Bucks County	SERO
PAD300013	Chapter 102 Individual NPDES Permit	Issued	CNX Gas Co. LLC 1000 Consol Energy Drive Canonsburg, PA 15317-6506	Richhill Township Greene County	SWRO
PAD390241	Chapter 102 Individual NPDES Permit	Issued	RB Grange Rd Assoc LP 810 Seventh Avenue 10th Floor New York, NY 10019-5818	Lower Macungie Township Lehigh County	NERO
PAD390242	Chapter 102 Individual NPDES Permit	Issued	American Craft Brewery LLC 7880 Penn Drive Breinigsville, PA 18031-1508	Upper Macungie Township Lehigh County	NERO
PAD450052	Chapter 102 Individual NPDES Permit	Issued	Kalahari Resorts LLC P.O. Box 590 1305 Kalahari Drive Wisconsin Dells, WI 53965-0590	Tobyhanna and Pocono Township Monroe County	NERO
PAD450159	Chapter 102 Individual NPDES Permit	Issued	Clark Roy 123 Golf Drive Cresco, PA 18326	Barrett Township Monroe County	NERO
PAD460072	Chapter 102 Individual NPDES Permit	Issued	PECO Energy Co. 2301 Market Street N3-3 Philadelphia, PA 19103-1338	Plymouth Township Montgomery County	SERO
PAD640030	Chapter 102 Individual NPDES Permit	Issued	Central Wayne Region Authority Wayne County 574 Bucks Cove Road Honesdale, PA 18431-1143	Honesdale Borough Wayne County	NERO
PAD650030	Chapter 102 Individual NPDES Permit	Issued	Pulmonary Institution at Redstone LLC 12921 Redstone Drive North Huntingdon, PA 15642	North Huntingdon Township Westmoreland County	SWRO
PA0275824	Industrial Stormwater Individual NPDES Permit	Issued	Pennsy Supply Inc. P.O. Box 3331 Harrisburg, PA 17105-3331	Dorrance Township Luzerne County	NERO
PA0275832	Industrial Stormwater Individual NPDES Permit	Issued	First Student Inc. 110 Perimeter Park Road Suite E Knoxville, TN 37922-2200	Allentown City Lehigh County	NERO
PA0276511	Industrial Stormwater Individual NPDES Permit	Issued	The Espoma Company 6 Espoma Road Millville, NJ 08332-1456	Frailey Township Schuylkill County	NERO

NOTICES

4981

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0276570	Industrial Stormwater Individual NPDES Permit	Issued	Cold Ridge Stone 575 Old Kitchen Road Kingsley, PA 18826-6711	Brooklyn Township Susquehanna County	NERO
0922811	Joint DEP/PFBC Pesticides Permit	Issued	Roth Brandon 2455 Bedminster Road Perkasie, PA 18944-4004	Bedminster Township Bucks County	SERO
1522810	Joint DEP/PFBC Pesticides Permit	Issued	Kolar Erik 1272 Street Matthews Road Chester Springs, PA 19425	West Vincent Township Chester County	SERO
4622810	Joint DEP/PFBC Pesticides Permit	Issued	Sacks Sandy 1400 N Gravel Pike Perkiomen, PA 18074	Lower Frederick Township Montgomery County	SERO
0619407	Land Application and Reuse of Sewage Individual WQM Permit	Issued	HRES Hereford LLC 5601 Mariner Street Suite 100 Tampa, FL 33609	Hereford Township Berks County	SCRO
0981420	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Quakerwoods Safari Campgrounds 2225 Rosedale Road Quakertown, PA 18951-4052	Milford Township Bucks County	SERO
PA0010031	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	Shawville Power LLC 250 Power Plant Road Box F Shawville, PA 16873	Bradford Township Clearfield County	NCRO
PA0110591	Major Industrial Waste Facility < 250 MGD Individual NPDES Permit	Issued	North American Hoganas High Alloys LLC 101 Bridge Street Johnstown, PA 15902-2904	Johnstown City Cambria County	SWRO
PA0026794	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Conshohocken Borough Authority Montgomery County 601 E Elm Street Conshohocken, PA 19428-1914	Conshohocken Borough Montgomery County	SERO
PA0042234	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Kittanning Borough Municipal Authority Armstrong County P.O. Box 993 300 S McKean Street Kittanning, PA 16201-0993	Kittanning Borough Armstrong County	NWRO
PA0222763	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	WL Plastics Manufacturing LLC 3575 Lone Star Circle Fort Worth, TX 76177-8904	Titusville City Crawford County	NWRO
PA0010677	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Veeder Root Co. 2709 Route 764 Duncansville, PA 16635-8047	Allegheny Township Blair County	SCRO
PA0220817	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Ta Operations LLC 24601 Center Ridge Road Westlake, OH 44145-5639	Barkeyville Borough Venango County	NWRO
PA0080080	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Conewago Valley MHP Inc. 800 York Road Dover, PA 17315-1605	Newberry Township York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0253324	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	North American Medical Center LLC 680 Lions Health Camp Road Indiana, PA 15701-8781	Armstrong Township Indiana County	NWRO
PA0260967	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Silver Spring Country Estates 9450 SW Gemini Drive # 65221 Beaverton, OR 97008-7105	Silver Spring Township Cumberland County	SCRO
PA0028347	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Martinsburg Borough Municipal Authority Blair County 110 South Walnut Street Martinsburg, PA 16662-1142	Martinsburg Borough Blair County	SCRO
0586401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Hopewell Borough Bedford County P.O. Box 160 Hopewell, PA 16650-0160	Hopewell Borough Bedford County	SCRO
2110401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Silver Spring Country Estates 9450 SW Gemini Drive # 65221 Beaverton, OR 97008-7105	Silver Spring Township Cumberland County	SCRO
3206401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	North American Medical Center LLC 680 Lions Health Camp Road Indiana, PA 15701-8781	Armstrong Township Indiana County	NWRO
NOEXSC297	No Exposure Certification	Issued	Schneider Electric 201 Fulling Mill Road Middletown, PA 17057-2921	Lower Swatara Township Dauphin County	SCRO
NOEXSC298	No Exposure Certification	Issued	Schneider Electric 201 Cumberland Parkway Mechanicsburg, PA 17055-5664	Upper Allen Township Cumberland County	SCRO
NOEXSW220	No Exposure Certification	Issued	Siemens Large Drives LLC 500 Hunt Valley Road New Kensington, PA 15068-7060	Upper Burrell Township Westmoreland County	SWRO
PAG030067	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Shiple Energy Co. 415 Norway Street York, PA 17403	East Pikeland Township Chester County	SERO
PAG032246	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ball Metal Beverage Container Corporation 140 Industrial Drive Pittston, PA 18640-6145	Jenkins Township Luzerne County	NERO
PAG046210	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Yaniszeski Marisa 238 Simpson Road Greensburg, PA 15601-6778	Hempfield Township Westmoreland County	SWRO
PAG103549	PAG-10 NPDES General Permit for Hydrostatic Test Water	Issued	Sunoco Pipeline LP 100 Green Street Marcus Hook, PA 19061-4800	Spring Township Berks County	SCRO

NOTICES

4983

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG109609	PAG-10 NPDES General Permit for Hydrostatic Test Water	Issued	Equitrans LP 2200 Energy Drive Canonsburg, PA 15317	Statewide	CO
PAG123803	PAG-12 NPDES General Permit for CAFOs	Issued	Horst Larry 1450 Hunsicker Road Lancaster, PA 17601-5312	Lykens Township Dauphin County	SCRO
PAG123816	PAG-12 NPDES General Permit for CAFOs	Issued	Horst Larry 1450 Hunsicker Road Lancaster, PA 17601-5312	Lykens Township Dauphin County	SCRO
PAG130125	PAG-13 NPDES General Permit for MS4s	Issued	Brookhaven Borough 2 Cambridge Road Suite 100 Brookhaven, PA 19015-1712	Brookhaven Borough Delaware County	SERO
PAG136113	PAG-13 NPDES General Permit for MS4s	Waived	Pennsbury Village Borough Allegheny County 1043 Pennsbury Boulevard Pittsburgh, PA 15205-1643	Pennsbury Village Borough Allegheny County	SWRO
6722402	Pump Stations Individual WQM Permit	Issued	Dover Township Sewer Authority York County 2480 W Canal Road Dover, PA 17315	Dover Township York County	SCRO
5672403	Sewage Treatment Facilities Individual WQM Permit	Issued	Jenner Area Joint Sewer Authority P.O. Box 202 Jennerstown, PA 15547-0202	Boswell Borough Somerset County	SWRO
6522404	Sewer Extensions Individual WQM Permit	Issued	Franklin Township Municipal Sanitary Authority Westmoreland County 3001 Meadowbrook Road Murrysville, PA 15668-1627	Murrysville Borough Westmoreland County	SWRO
PA0054151	Single Residence STP Individual NPDES Permit	Issued	Osullivan Tami 7 Collegeview Drive Malvern, PA 19355-1968	East Whiteland Township Chester County	SERO
PA0062766	Single Residence STP Individual NPDES Permit	Issued	Schmidt Travers 6335 Saddle Road New Tripoli, PA 18066-2125	Heidelberg Township Lehigh County	NERO
PA0247979	Single Residence STP Individual NPDES Permit	Issued	Cryder Judith L 101 Fleisher Road Marysville, PA 17053-9531	Rye Township Perry County	SCRO
PA0266434	Single Residence STP Individual NPDES Permit	Issued	Prime Home Investments LLC 1525 Oregon Pike Suite 2001 Lancaster, PA 17601	Amity Township Berks County	SCRO
PA0272299	Single Residence STP Individual NPDES Permit	Issued	David and Kylie Beck 5895 Crane Road Edinboro, PA 16412-3925	Franklin Township Erie County	NWRO
PA0284882	Single Residence STP Individual NPDES Permit	Issued	Hendrickson Lori 128 Sunset Drive Beaver Falls, PA 15010-6842	New Sewickley Township Beaver County	SWRO
PA0284891	Single Residence STP Individual NPDES Permit	Issued	Stefanik John 26 Janette Circle Irwin, PA 15642-8922	Penn Township Westmoreland County	SWRO
PA0290246	Single Residence STP Individual NPDES Permit	Issued	Decaprio Anthony 3028 Frampton Road Hermitage, PA 16148-6204	Hermitage City Mercer County	NWRO
PA0290556	Single Residence STP Individual NPDES Permit	Issued	Jessie and Joshua Curtis 7474 New Road Edinboro, PA 16412-3612	Franklin Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0290777	Single Residence STP Individual NPDES Permit	Issued	Erin and Jason Van Gorder 1311 W Sunbury Road West Sunbury, PA 16061-2927	Clay Township Butler County	NWRO
PA0290785	Single Residence STP Individual NPDES Permit	Issued	Knapp Daphne 265 Main Street Duke Center, PA 16729-9715	Otto Township McKean County	NWRO
PA0290807	Single Residence STP Individual NPDES Permit	Issued	Kaitlynn Gross and Zachariah Long 8625 Shreve Road Union City, PA 16438-7709	Union Township Erie County	NWRO
0422400	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Hendrickson Lori 128 Sunset Drive Beaver Falls, PA 15010-6842	New Sewickley Township Beaver County	SWRO
1022409	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Erin and Jason Van Gorder 1311 W Sunbury Road West Sunbury, PA 16061-2927	Clay Township Butler County	NWRO
2519414	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	David and Kylie Beck 5895 Crane Road Edinboro, PA 16412-3925	Franklin Township Erie County	NWRO
2522407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Jessie and Joshua Curtis 7474 New Road Edinboro, PA 16412-3612	Franklin Township Erie County	NWRO
2522416	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Kaitlynn Gross and Zachariah Long 8625 Shreve Road Union City, PA 16438-7709	Union Township Erie County	NWRO
4222404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Knapp Daphne 265 Main Street Duke Center, PA 16729-9715	Otto Township McKean County	NWRO
4321414	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Decaprio Anthony 3028 Frampton Road Hermitage, PA 16148-6204	Hermitage City Mercer County	NWRO
5005401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Cryder Judith L 101 Fleisher Road Marysville, PA 17053-9531	Rye Township Perry County	SCRO
6522401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Stefanik John 26 Janette Circle Irwin, PA 15642-8922	Penn Township Westmoreland County	SWRO
6589418	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Yaniszeski Marisa 238 Simpson Road Greensburg, PA 15601-6778	Hempfield Township Westmoreland County	SWRO
PA0085405	Small Flow Treatment Facility Individual NPDES Permit	Issued	Baladerry Inn LP 40 Hospital Road Gettysburg, PA 17325-7798	Cumberland Township Adams County	SCRO
PA0209392	Small Flow Treatment Facility Individual NPDES Permit	Issued	Richmond Township Municipal Authority Tioga County 563 Valley Road Mansfield, PA 16933-9300	Richmond Township Tioga County	NCRO

NOTICES

4985

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0222020	Small Flow Treatment Facility Individual NPDES Permit	Issued	Deanna Larson d/b/a Kuhl Rd Properties Association 5775 Kuhl Road Erie, PA 16510-4710	Harborcreek Township Erie County	NWRO
0508404	Small Flow Treatment Facility Individual WQM Permit	Issued	Bedford Tech Products LLC 7676 Allegheny Road Manns Choice, PA 15550-8967	Napier Township Bedford County	SCRO
WQG02042101	WQG-02 WQM General Permit	Issued	Economy Borough Municipal Authority Beaver County 2860 Conway Wallrose Road Baden, PA 15005-2306	Economy Borough Beaver County	SWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC040116	PAG-02 General Permit	Issued	Independence Excavating, Inc. 5720 E. Schaaf Road Independence, OH 44131	New Sewickley Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701
PAC110093	PAG-02 General Permit	Issued	Ebensburg Municipal Authority 300 West High Street Ebensburg, PA 15931	Ebensburg Borough Cambria Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120
PAC480137	PAG-02 General Permit	Issued	Faust Family Limited Partnership No. 6 c/o Troy Faust 4570 Steuben Rd. Bethlehem, PA 18020	Lower Nazareth Township Northampton County	Northampton County Conservation District 14 Gracedale Ave Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAC230226	PAG-02 General Permit	Issued	Jon Prichard 646 Michigan Avenue Swarthmore, PA 19081	Ridley Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484
PAC230229	PAG-02 General Permit	Issued	Archdiocese of Philadelphia 222 N. 17th Street Philadelphia, PA 19103	Upper Darby Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484
PA400002C	PAG-02 General Permit	Issued	JLM Real Estate LLC P.O. Box 472 950 E Main St Schuylkill Haven, PA 17972-0472	Plains Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090562	PAG-02 General Permit	Issued	Lower Makefield Township 1100 Edgewood Road Yardley, PA 19067-1689	Lower Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215.345.7577 x110
PAC100273	PAG-02 General Permit	Issued	Charter Homes at Crescent Inc. 322 N Arch Street First Floor Lancaster, PA 17603	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC250040A1	PAG-02 General Permit	Issued	Millcreek Marketplace LLC 2540 Village Commons Drive Erie, PA 16506	Millcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC100253	PAG-02 General Permit	Issued	Rossman Hensley Inc. 1426 Pittsburgh Road Valencia, PA 16059	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100266	PAG-02 General Permit	Issued	PADOT District 10 2550 Oakland Avenue Indiana, PA 15701	Adams Township Middlesex Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAD630064	PAG-02 General Permit	Issued	Rorich Automotive 2020 West Liberty Avenue Pittsburgh, PA 15226	North Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC050057	PAG-02 General Permit	Issued	M&G Realty, Inc./The Rutter's Companies 2295 Susquehanna Trail Suite C York, PA 17404	Bedford Township Bedford County	Bedford County Conservation district 702 West Pitt Street Suite 4 Bedford, PA 15522 814.623.7900, ext. 4
PAC010131A-1	PAG-02 General Permit	Issued	Lexington Land Developers Corp. 336 West King Street Lancaster, PA 17603	Reading Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC670438	PAG-02 General Permit	Issued	West Shore School District 507 Fishing Creek Road P.O. Box 8003 New Cumberland, PA 17070	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670542	PAG-02 General Permit	Issued	Burkentine Real Estate Group 1454 Baltimore Street Suite A Hanover, PA 17331	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670531	PAG-02 General Permit	Issued	East Market Street Developers LLC 430 North Front Street Wormleysburg, PA 17043	Springettsbury Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670548	PAG-02 General Permit	Issued	North York Borough 350 East Sixth Avenue York, PA 17404	North York Borough York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670561	PAG-02 General Permit	Issued	US Self Storage LLC 141 North Cameron Street Harrisburg, PA 17101	Conewago Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670571	PAG-02 General Permit	Issued	Grimmel Farms Inc. 3855 Federal Road Jarrettsville, MD 21084	Peach Bottom Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOS

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Keith Jones, Molly Pitcher Milk, LLC 1317 Ritner Highway Shippensburg, PA 17257	Cumberland County	144.6	1,458.5	Dairy Cattle	NA	Approved
Jairus L. Musser 95 Ferebees Road Pine Grove, PA 17963	Schuylkill County	23.9	393.86	Poultry	NA	Approved
Milton Rotz Dairy 1235 Oak Hill Road Biglerville, PA 17307	Adams County	22.2	406.00	Dairy Cattle	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor II, (570-327-3490).

Construction Permit No. 0822501, Major Amendment, Public Water Supply.

Applicant	Kelley Rentals LLC
Address	P.O. Box 35 Rome, PA 18837
Municipality	Rome Borough
County	Bradford County
Consulting Engineer	Michael Kelley P.O. Box 35 Rome, PA 18837
Application Received	May 13, 2022
Permit Issued	July 26, 2022
Description	This permit authorizes replacement of the existing 80 LF of 8-inch diameter underground detention piping with 80 LF of 8-inch diameter above ground detention piping, provision of two 2,500-gallon Norwesco finished water storage tanks, and installation of a booster pump station to repressurize and transport finished water from the storage tanks to the distribution system.

Construction Permit No. 1921502, Major Amendment, Public Water Supply.

Applicant	Millville Municipal Authority
Address	P.O. Box 30 Millville, PA 17846

Municipality Millville Borough
 County **Columbia County**
 Consulting Engineer Joseph J. Hunt, P.E.
 466 South Main Street
 Montrose, PA 18801

Application Received December 8, 2021
 Permit Issued August 1, 2022
 Description This permit authorizes the authority to add additional modules to the Membrane Filtration Unit, remove and replace the existing particle counter with process laser turbidimeters and the modification of existing treatment processes and appurtenances.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.
Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

Construction/Operation Permit No. 4522502MA, Minor Amendment, Public Water Supply.

Applicant **Brodhead Creek Regional Authority**
 Address 410 Mill Creek Road
 East Stroudsburg, PA 18301
 Municipality Stroud Township
 County **Monroe County**
 Application Received March 2, 2022
 Permit Issued July 25, 2022
 Description Rehabilitation of the Northgate Water Storage Tank, which includes interior and exterior painting.

Construction/Operation Permit No. 3391001, Public Water Supply.

Applicant **Lehigh County Authority**
 Address 1053 Spruce Road
 Allentown, PA 18106
 Municipality Weisenberg Township
 County **Northampton County**
 Application Received January 3, 2022
 Permit Issued July 25, 2022
 Description Approves operation of the newly constructed Arcadia West Storage Tank.

Construction/Operation Permit No. 2409010, Public Water Supply.

Applicant **Pennsylvania American Water Company**
 Address 852 Wesley Drive
 Mechanicsburg, PA 17055
 Municipality Pittston Township
 County **Luzerne County**

Application Received June 21, 2022
 Permit Issued June 30, 2022
 Description Operations permit for KMNO₄ facilities at the PAWC Nesbitt WTP.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Construction Permit No. 2122503, Major Amendment, Public Water Supply.

Applicant **Veolia Water Pennsylvania, Inc.**

Address 6310 Allentown Boulevard
 Suite 104
 Harrisburg, PA 17112

Municipality Upper Allen Township

County **Cumberland County**

Consulting Engineer Peng Chen, P.E.
 6310 Allentown Boulevard
 Suite 104
 Harrisburg, PA 17112

Application Received March 18, 2022

Permit Issued July 29, 2022

Description Construction permit for a new Upper Allen Pressure District, which includes a booster station, elevated storage tank, pressure reducing valves, and abandonment of the existing Lindenwood Booster Station.

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor II, 570-327-3490.

Operation Permit 5520503. Middleburg Municipal Authority, 13 North Main Street, Middleburg, PA 17842, Middleburg Borough, Franklin Township, **Snyder County**, PWSID No. **1397059**. Application received: May 10, 2022. Permit Issued: July 27, 2022. This permit authorizes the Authority to operate a 290,000-gallon concrete contact tank, a new meter building, a 163,000-gallon standpipe tank, Wallace and Tiernan Depolox 400M on-line chlorine analyzer, replace approximately 10,000 feet of water mains, replace 8 water meters with new electromagnetic flow meters, replace 13 turbidimeters, install automatic shutoff for 1-log Giardia, replace the filter media, re-coat the 3 filter units and replace the underlying porous plate underneath the filter media.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.

Construction Permit 1122502MA. Saint Francis University of Pennsylvania, 117 Lakeview Drive, Loretto, PA 15940, Loretto Borough, **Cambria County**, PWSID No. **4110800**. Application received: July 13, 2022. Permit Issued: July 29, 2022. Issued a construction permit for the replacement of media in four manganese greensand filters with GreensandPlus™.

Construction Permit 221546. Pittsburgh Water and Sewer Authority, Penn Liberty, Plaza 1, 1200 Penn Avenue, Pittsburgh, PA 15222, City of Pittsburgh, **Allegheny County**, PWSID No. **5020038**. Application received: November 4, 2021. Permit Issued: July 11, 2022. Demolition of an existing pump station, construction of a new water pump station (Highland Reservoir Pump Station), sodium hypochlorite booster systems, and installation of the Supply Main, Rising Main, and Garfield Rising Main.

Operation Permit 0422512. Municipal Water Authority of Aliquippa, 160 Hopewell Avenue, Aliquippa, PA 15001, City of Aliquippa, **Beaver County**, PWSID No. **5040006**. Application received: July 22, 2022. Permit Issued: July 29, 2022. Operation of pressure reducing valves located in vaults along 21st Street, Division Street, Grant Street, Grand Avenue, Christine Drive, and Huron Street.

Operation Permit 0222527MA. Wilksburg-Penn Joint Water Authority, 2200 Robinson Blvd, Pittsburgh, PA 15221, Penn Hills Township, **Allegheny County**, PWSID No. **5020056**. Application received: July 20, 2022. Permit Issued: July 29, 2022. Operation of the recently rebuilt Filter No. 7 at the water treatment plant.

BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Becky Renner, Biosolids Coordinator, (570-321-6516).

Site Suitability Notice for Land Application Under Approved PAG094844 for Kremser Associates, 1300 Jordan Ave., Montoursville, PA 17754, Muncy Creek Township, **Lycoming County. Kremser's Farm**, 437 Griffith Rd., Muncy, PA 17754. Application received: June 6, 2022. Accepted: July 25, 2022.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

Public Notice of Proposed Consent Order and Agreement Under HSCA/CERCLA Gettysburg Foundry Specialties Company Site, Cumberland Township, Adams County.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Ruth Bishop, 717-705-4833.

The Department of Environmental Protection (Department), under the authority of the Hazardous Sites Cleanup Act (HSCA), 35 P.S. §§ 6020.101 et seq., has entered into a proposed Consent Order and Agreement (CO&A) with the Adams County Industrial Development Authority (ACIDA) with regard to the Gettysburg Foundry Site (Site) located in Cumberland Township, Adams County, PA.

In 1997, the Department undertook a Prompt Interim Response to secure the Site. This included repairing the fence around the facility and moving piles of dross waste stored in the open into a large room in the Foundry Building. In 1998, a second Prompt Interim Response was conducted to remove and dispose of the aboveground wastes at the Site, including drums of draw bench sludge and piles of dross waste stored in the buildings. In April 1998, a site investigation was initiated to determine the extent of contamination at the Site. Under a Remedial Response, the Department excavated two on-site waste pits and disposed of the waste off-site at permitted facilities. An estimated sixty thousand five hundred (60,500) tons of residual waste were excavated and disposed, and forty-four (44) tons of hazardous waste was disposed. Additional remediation is required to achieve a complete and permanent cleanup of the Site.

The ACIDA intends to purchase real property located at 2664 Emmitsburg Road, Cumberland Township, Adams County, Pennsylvania (hereinafter "the Property") that is part of the Site. The Adams County Tax Claim Bureau has listed the Property for repository sale to recoup outstanding property taxes. The ACIDA intends to purchase the Property through the repository sale and redevelop it to return it to productive use. The ACIDA

represents that it has no involvement with the Property other than as a prospective purchaser performing due diligence at the Property. The Department has no information that the ACIDA was involved at the Site or has ever been or is presently affiliated with the current owner.

Under the terms and conditions of the CO&A, the ACIDA shall pay the Department Ten Thousand Dollars (\$10,000) towards the Department's past response costs at the Site. The ACIDA has also agreed to attain and demonstrate compliance with Land Recycling and Environmental Standards Act, 35 P.S. §§ 6026.101—6026.908, cleanup standards with respect to the existing groundwater and soil contamination on the Property no later than (10) years from the CO&A's effective date. The Department and the ACIDA covenant not to sue one another for response costs arising from the release or threatened release of hazardous substances at the Site. It is in the public interest for the Department to resolve its potential claims against the ACIDA.

This notice is provided pursuant to Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that, "settlement shall become final upon the filing of the Department's response to significant written comments." The Department has reserved the right to withdraw its consent to the CO&A if comments submitted during the public comment period disclose facts or considerations which indicate, in the Department's discretion, that the CO&A is inappropriate or not in the public interest. A person adversely affected by the settlement may file an appeal with the Pennsylvania Environmental Hearing Board. A public comment period on the CO&A will extend for a period of 60 days from the date of this notice. Persons may submit written comments regarding the agreement by mail to Ruth Bishop, Department of Environmental Protection, 909 Elmerton Avenue, Harrisburg, PA 17110 or by email to rbishop@pa.gov. Further information or a copy of the CO&A can be obtained by contacting Ms. Ruth Bishop at rbishop@pa.gov or 717-705-4833 or Mr. Dennis Yuen at dyuen@pa.gov or 717-783-0367.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the

remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Roller Roost Sports Arena, Primary Facility ID # **845042**, 94 Westwood Road, Pottsville, PA 17901, Norwegian Township and Pottsville City, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of JAM Roller Roost LLC, 950 East Main Street, Schuylkill Haven, PA 17972, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil. The report is intended to document remediation of the site to meet the Statewide health standards.

5115 Park Court Pump Station, Primary Facility ID # **858120**, 5115 Park Court, Mount Pocono, PA 18344, Coolbaugh Township, **Monroe County**. Barry Isett & Associates, 85 South Route 100, Allentown, PA 18106 on behalf of Pocono Mountains Industrial Park Authority, 701 Main Street, Suite 407, Stroudsburg, PA 18360, submitted a Final Report concerning remediation of soil contaminated with petroleum. The report is intended to document remediation of the site to meet the Statewide health standards.

Yarasavage Well Pad, Primary Facility ID # **762556**, 139 Keiserville Road, Tunkhannock, PA 18657, Washington Township, **Wyoming County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Callon (Marcellus) LLC, 200 West Sam Houston Parkway South, Suite 2000, Houston, TX 77077, submitted a Final Report concerning remediation of soil and groundwater contaminated with frac flowback fluid (brine). The report is intended to document remediation of the site to meet the Statewide health and background standards.

Former Pittston Manufactured Gas Plant, Primary Facility ID # **621258**, US Route 11 and Kennedy Boulevard, Pittston, PA 18640, City of Pittston, **Luzerne County**. GEI Consultants, 18000 Horizon Way, Suite 200, Mount Laurel, NJ 08054 on behalf of UGI Utilities, Inc., 1 UGI Drive, Denver, PA 17517, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with volatile organic compounds, semi-volatile organic compounds, and

metals from historic use as a manufactured gas plant. The report is intended to document remediation of the site to meet the site-specific standards.

Horn Property, Primary Facility ID # **847927**, 980 Minsi Lake Road, Bangor, PA 18013, Upper Mount Bethel Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Kerry Horn, 980 Minsi Lake Road, Bangor, PA 18013, submitted a Final Report concerning remediation of soil contaminated with kerosene. The report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Gray Brothers Farm, Primary Facility ID # **777087**, 1025 Worthington Road, Exton, PA 19341, Uwchlan Township, **Chester County**. Richard Lake, Geo-Technology Associates, Inc., 2405 Johns Fries Highway, Quakertown, PA 18951 on behalf of Thomas G. Kessler, Thomas G. Kessler, Worthington Partners II Inc., 1273 Butler Pike, Blue Bell, PA 19422, submitted a Final Report concerning remediation of groundwater contaminated with chlorinated solvents. The report is intended to document remediation of the site to meet the site-specific standards.

6800 Essington Avenue, Primary Facility ID # **853185**, 6800 Essington Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Julie Baniewicz, Apex Companies, LLC, 100 Arrandale Boulevard, Suite 203, Exton, PA 19153 on behalf of Liam Sullivan, 6800 Essington Partners, LLC, 414 South 16th Street, Suite 100, Philadelphia, PA 19146, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with benzene, ethylbenzene, methylene chloride, MTBE, 1,2,4-TMB, tetrachloroethene, benzo(a)pyrene, arsenic, lead, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(g,h,i)perylene, and benzo(a)pyrene. The report is intended to document remediation of the site to meet the site-specific standards.

510 North Broad Street, Primary Facility ID # **704718**, 1419-1437 Spring Garden Street, 510 North Broad Street, and 559-563 North 15th Street, Philadelphia, PA 19130, **Philadelphia County**. Natalie Griffith, REPSG, Inc., 6901 Kingessing Avenue, Suite 201, Philadelphia, PA 19130 on behalf of Mark Cartella, 510 Broad Partners, LLC, 414 South 16th Street, Suite 100, Philadelphia, PA 19146, submitted a Final Report concerning remediation of soil contaminated with PAHs, mercury and vanadium. The report is intended to document remediation of the site to meet the site-specific standards.

Northeast Building Products Corporation, Primary Facility ID # **813135**, 327 Chew Avenue, Philadelphia, PA 19120, City of Philadelphia, **Philadelphia County**. Justin Lauterbach, RT Environmental Services, Inc, 215 West Church Road, King of Prussia, PA 19604 on behalf of FASAL, Inc., c/o Philip L. Hinerman, Fox Rothschild, LLP, 200 Market Street, 20th Floor, Philadelphia, PA 19103, submitted a Final Report concerning remediation of groundwater contaminated with TCE. The report is intended to document remediation of the site to meet the background standards.

Existing Keystone Auto & Tire Center/Jeffrey's Auto World, LLC, Primary Facility ID # **841666**, 1538 & 1546 Easton Road, Abington, PA 19001, Abington Township, **Montgomery County**. Jeffrey T. Bauer, PG,

Whitestone Associates, Inc., 1600 Manor Drive, Suite 220, Chalfont, PA 18914 on behalf of Michael F. Russo, Jr., JSF Management, LLC, 86 Summit Avenue, Suite 201, Summit, NJ 07901, submitted a Final Report concerning remediation of soil contaminated with PCE and TCE. The report is intended to document remediation of the site to meet the special industrial area provision of act 2.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Roberts Property, Primary Facility ID # **840310**, 1427 Main Street, Bethlehem, PA 18018, City of Bethlehem, **Northampton County**. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Norman Roberts, 1427 Main Street, Bethlehem, PA 18018, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning remediation of soil contaminated with heating oil. The Report demonstrated attainment of the site-specific standards. Approved: July 27, 2022.

Sunoco Fullerton Terminal #0358-1501, Primary Facility ID # **621157**, 2580 Main Street, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Groundwater & Environmental Services, 440 Creamery Way, Suite 500, Exton, PA 19341 on behalf of Sunoco Partners Marketing & Terminals, LP, 3807 West Chester Pike, Newtown Square, PA 19073, submitted a Final Report concerning remediation of soil contaminated with petroleum. The Report demonstrated attainment of the Statewide health and site-specific standards. Approved: July 26, 2022.

Roller Roost Sports Arena, Primary Facility ID # **845042**, 94 Westwood Road, Pottsville, PA 17901, Norwegian Township and Pottsville City, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of JAM Roller Roost LLC, 950 East Main Street, Schuylkill Haven, PA 17972, submitted a Final Report concerning remediation of groundwater contaminated with heating oil. The Report demonstrated attainment of the Statewide health standards. Approved: August 2, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Foundry Lofts, Primary Facility ID # **855949**, 145 N. Hartley Street & 475 W. Philadelphia Street, York, PA 17401, City of York, **York County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406 on behalf of Magellan Investments, Inc., 1041 Silver Maple Circle, Seven Valleys, PA 17360, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Arsenic & Chromium. The Report demonstrated attainment of the site-specific standards. Approved: July 20, 2022.

MTS Bethel Properties/Berman Truck Group, Primary Facility ID # **848790**, 175 Legion Drive, Bethel, PA 19507, Bethel Township, **Berks County**. Compliance Pls Services, Inc., 240 Gibraltar Road, Suite 100, Horsham, PA 19044 on behalf of Berman Truck Group, 83 Ashley Way, Leesport, PA 19533, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Report did not demonstrate attainment of the Statewide health standards. Disapproved: July 28, 2022.

SAC, Inc., Primary Facility ID # **818584**, 4588 Business Route 220, Bedford, PA 15522, Bedford Township, **Bedford County**. DMS Environmental Services, LLC,

103 South Spring Street, Bellefonte, PA 16803 on behalf of SAC, Inc., 4588 Business Route 220, Bedford, PA 15522, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 Fuel Oil. The Report demonstrated attainment of the Statewide health standards. Approved: July 29, 2022.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2531.

GP11-13-001: Befesa Zinc US Inc., 900 Delaware Ave, Palmerton, PA 18071-2008, Palmerton Borough, **Carbon County**, for the operation of one (1) 220 BHP diesel-fired Volvo D6 nonroad engine at their facility located in Palmerton Borough, Carbon County. Application received: June 23, 2022. Issued: July 27, 2022.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

GP2-61-185A: Heath Oil Company, 5609 State Route 8, Harrisville, PA 16038, Barkeyville Borough, **Venango County**, for the post construction approval of 4 above ground storage tanks for volatile organic liquids (gasoline and Transmix) located at their facility. Application received: June 21, 2022. Issued: July 19, 2022.

GP4-37-320C: Veolia ES Alaron, LLC, d/b/a Alaron Nuclear Services, 2138 State Route 18, Wampum, PA 16157, New Beaver Borough, **Lawrence County**, for the continued operation of an existing natural gas fired burnoff oven. Application received: June 8, 2022. Renewed: July 15, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP9-46-0117: East Coast Crushing, LLC, 1001 Sterigere Street, Norristown, PA 19401, West Norriton Township, **Montgomery County**, for a Diesel or No. 2 Fuel-fired Internal Combustion Engine (Caterpillar C9.3 engine—350BHP). Application received: July 1, 2022. Issued: July 28, 2022.

GP3-46-0172: East Coast Crushing, LLC, 1001 Sterigere Street, Norristown, PA 19401, West Norriton Township, **Montgomery County**, for a portable nonmetallic mineral processing plant (1 crushers with 1 attached conveyor). Application received: July 1, 2022. Issued: July 28, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Edward Orris, PE, New Source Review Chief (412-442-4168).

GP1-63-01045B: 5-D Field Services LLC, 141 Monks Road, Saxonburg, PA 16056, Cecil Township, **Washington County**. For the authorization to install and operate one

(1) Cleaver Brooks, Model No. CBI-200-300-150, 12.75 MMBtu/hr; pursuant to the General Plan Approval and/or General Operating Permit for Small Gas and No. 2 Oil-Fired Combustion Units (BAQGPA/GP-1) at the Pittsburgh Service Center. Application received: June 17, 2022. GP coverage issued: July 28, 2022.

GP5-63-01064/AG5-63-00022A: MarkWest Liberty Midstream and Resources LLC, 1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202, Buffalo Township, **Washington County**. Issued authorization for a 5-yr. term for the construction and operation of following sources: Three (3) 4,000 bhp Caterpillar G3612A4, with air/fuel ratio controllers, and controlled by oxidation catalysts; three (3) 5,000 hp electric driven compressors; one (1) 2.75 MMBtu/hr reboiler; seven storage vessels i.e. two (2) 400-bbl produced water tanks, four (4) 400-bbl condensate tanks, and one (1) 500-bbl Gunbarrel tank controlled by two (2) vapor recovery units (VRUs); one (1) Methanol Tank; 1,000-gallon capacity; one (1) Superior Fabrication Dehydration Unit, rated at 185 MMscfd, with associated reboiler rated at 2.75 MMBtu/hr controlled by an enclosed flare "Flare Industries or equivalent" rated at 7.0 MMBtu/hr; condensate and produced water truck loading are controlled by an Air Defender, (C501) Carbon bed type; two (2) enclosed combustors at the facility; and Fugitive Emissions Components; and pigging operations at their Timberlake Comp. Station. Application received: June 27, 2022. GP coverage issued: July 30, 2022.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0005BB: Merck, Sharp & Dohme, Corp., 770 Sunnyside Pike, West Point, PA 19486-0004, Upper Gwynedd Township, **Montgomery County**. (1) Construction a new dual fuel-fired boiler, to be designated Boiler 11, rated at 190.0 MMBtu/hr for natural gas and 182.77 MMBtu/hr for No. 2 fuel oil; (2) Decommissioning of Boiler 3 (Source ID 033); (3) Construction of a 175-kw natural gas-fired emergency generator; and, (4) Construction of a new 2-MW natural gas-fired peak shaving generator. Application received: October 19, 2021. Issued: July 28, 2022.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.

24-00083W: MERSEN USA Saint Marys—PA Corporation, 1032 Trout Run Road, Saint Marys, PA 15857, City of Saint Marys, **Elk County**, has issued a plan approval extension to allow for a stack testing retest, due to initial test failure. This is a Title V facility. This will expire on January 31, 2023. Application received: June 8, 2022. Issued: July 25, 2022.

24-00083AA: MERSEN USA Saint Marys—PA Corporation, 1032 Trout Run Road, Saint Marys, PA 15857, City of Saint Marys, **Elk County**, has issued a plan approval extension to allow for stack test report review. This is a Title V facility. This will expire on January 31, 2023. Application received: June 8, 2022. Issued: July 25, 2022.

03-00179A: Leading Technologies Incorporated, 1153 Industrial Park Road, Leechburg, PA 15353, Parks Township, **Armstrong County**, has issued a plan approval extension to allow for stack test report review for construction of two replacement scrubber control devices. This is a State Only facility. This will expire on January 31, 2023. Application received: June 15, 2022. Issued: July 27, 2022.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05107B: Crown Cork & Seal USA, Inc., 1650 Broadway, Hanover, PA 17331, Penn Township, **York County**. For the installation of a new two-piece food can line and RTO control device at the food can manufacturing plant. The food can line includes a wash line/dryer and two-piece LSM/bake oven and is controlled by a regenerative thermal oxidizer and baghouse. The plan approval was extended. Application received: July 12, 2022. Issued: July 26, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

46-0026K: Global Pkg Inc., 209 Brower Avenue, Oaks, PA 19456, Upper Providence Township, **Montgomery County**. To install and operate a solvent based 8-station flexographic printing press (manufactured by W&H, model Novoflex IIL8) and having natural gas dryers. The air emissions will be captured by a permanent total enclosure around the press and will be routed to two existing RTOs (CO3 and CO4) for destruction. Application received: July 1, 2022. Issued: July 26, 2022.

09-0248: Shelly Funeral Home, 1460 Easton Road, Warrington, PA 18976, Warrington Township, **Bucks County**. For installation of a Matthews International Cremation Unit, rated at 150 lb/hr, at an existing funeral home. Application received: June 30, 2022. Issued: July 26, 2022.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

56-00181: Southern Alleghenies Landfill, Inc., 843 Miller Picking Road, Davidsville, PA 15928, Conemaugh Township, **Somerset County**. Significant Modification to Title V Operating Permit (TVOP-56-000181) renewal to Southern Alleghenies Landfill, Inc. for the operation of a municipal solid waste landfill Application received: April 25, 2022. Permit modification issued: July 27, 2022.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00043: University Area Joint Authority, 1576 Spring Valley Road, State College, PA 16801, College Township and Benner Township, **Centre County**. On August 1, 2022 was issued a State Only Operating Permit for their Spring Creek Pollution Control Facility located in Benner and College Townships, Centre County. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: May 5, 2022. Issued: August 1, 2022.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

43-00390: Sherman Funeral Home and Crematory, Incorporated, 2201 Highland Road, Hermitage, PA 16148-2822, Sharpsville Borough, **Mercer County**. The Department issued the new State Only Natural Minor Operating Permit for operation of the human crematory. The facility's primary emission source consists of a human crematory. The potential emissions of the primary pollutants from the facility are as follows: 1.169 TPY (tons per year) NO_x, 0.969 TPY CO, 0.098 TPY VOC, 0.799 TPY filterable PM, and 0.713 TPY SO_x; thus, the facility is a natural minor. The crematory is subject to Plan Approval 43-390A which includes opacity and emission restrictions. The new permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: September 8, 2021. Renewal issued: July 26, 2022.

10-00370: MarkWest Liberty Bluestone, Trillith Compressor Station, 4600 J Barry Court, Suite 500, Canonsburg, PA 15317, Lancaster Township, **Butler County**. The Department issued the new State Only Natural Minor Operating Permit for the compressor station and dehydration facility. The facility's primary emission sources include three (3) 2,370-bhp lean-burn natural gas-fired compressor engines, one (1) 3,550-bhp lean-burn natural gas compressor engine, and one (1) 2,675-bhp lean-burn natural gas compressor engine, each equipped with an oxidation catalyst, a 120 mmscf/day glycol dehydration unit (controlled by a 7.0 mmBtu/hr enclosed flare) and its associated 2.00 mmBtu/hr reboiler, condensate and produced water tanks controlled by two (2) vapor recovery units, pigging operations, pneumatic devices, venting/blowdowns, and fugitive VOC emissions. The potential emissions of the primary pollutants from the facility are as follows: 55.68 TPY (tons per year) NO_x, 32.33 TPY CO, 48.10 TPY VOC, 11.25 TPY total HAPs, 6.48 TPY formaldehyde, 4.46 TPY PM₁₀ and PM_{2.5}, and 0.26 TPY SO_x; thus, the facility is a natural minor. The facility was originally permitted under General Permit GP5-10-00367F, which includes emission restrictions on the engines for NO_x, NMNEHC, CO, and formaldehyde. All five compressor engines are subject to 40 CFR 63 Subpart JJJJ, Standards of Performance for Stationary

Spark Ignition Internal Combustion Engines. The dehydrator is subject to 40 CFR 63 Subpart HH, NESHAP From Oil and Natural Gas Production Facilities. Four of the compressors (including the rod packing) are subject to 40 CFR 60 Subpart OOOO, Standards of Performance for Crude Oil and Natural Gas Production, Transmission and Distribution for which Construction, Modification or Reconstruction Commenced After August 23, 2011, and on or before September 18, 2015. One compressor and the collection of fugitive emission components are subject to 40 CFR 60 Subpart OOOOa, Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015. The new permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: July 15, 2021. Renewal issued: July 21, 2022.

61-00185: Heath Oil Company, P.O. Box 1128, Oil City, PA 16301-0628, Barkeyville Borough, **Venango County**. The Department issued the renewal State Only Natural Minor Operating Permit for the bulk gasoline terminal. The facility's primary emission sources include the internal floating roof tanks, small fixed roof tanks, facility fugitives, two distillation columns, a petroleum recovery system, a CNG public access fueling system, and a tank wagon loading rack. The potential emissions of the primary pollutants from the facility are as follows: 4.38 TPY (tons per year) NO_x, 3.68 TPY CO, 49.90 TPY VOC, 0.33 TPY PM₁₀ and PM_{2.5}, and 0.03 TPY SO_x; thus, the facility is a natural minor. The facility is subject to 40 CFR 63 Subpart BBBB, NESHAP for Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities. The storage vessels are subject to 40 CFR 60 Subpart Kb, Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced after July 23, 1984. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: April 1, 2021. Renewed: August 1, 2022.

25-01000: Advanced Mold Technologies, Inc., 2011 East 30th Street, Erie, PA 16510-2547, City of Erie, **Erie County**. The Department issued the renewal State Only Natural Minor Operating Permit for the electroplating, plating, and polishing facility. The facility's primary emission sources include the chrome electroplating tank, nickel electroplating tanks, the copper electroplating tank, the copper cyanide electroplating tank, a natural gas-fired boiler, media blasting and machine grinding surface preparation, and final surface preparation. The potential emissions of the primary pollutants from the facility are as follows: 3.64 TPY total HAP, 0.0083 TPY Chromium, 3.548 TPY Nickel, 0.062 TPY Copper, 0.070 TPY copper cyanide, and 7.88 TPY PM₁₀; thus, the facility is a natural minor. The chrome electroplating tank is subject to 40 CFR 63 Subpart N, NESHAP for Chromium Emissions from Hard and Decorative Electroplating and Chromium Anodizing Tanks. The nickel electroplating tanks are subject to 40 CFR 63 Subpart WWWWWW, NESHAP for Plating and Polishing Operations Area Sources. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: September 20, 2021. Renewed: August 2, 2022.

Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-03011: Landis Solutions, LLC, 360 S. Church Street, Waynesboro, PA 17268-2610, Waynesboro Borough, **Franklin County**. For the machine tool manufacturing facility. The State-Only permit was renewed. Application received: March 22, 2022. Issued: July 26, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-05038: Grosfillex, Inc., 230 Old West Penn Ave., Robesonia, PA 19551-8904, North Lebanon Township, **Lebanon County**. For the plastic products manufacturing facility. The State-Only permit was renewed. Application received: November 23, 2021. Issued: July 22, 2022.

38-03062: Sunoco Pipeline LP, 525 Fritztown Road, Sinking Spring, PA 19608, West Cornwall Township, **Lebanon County**. For the natural gas liquid (ethane, propane, butane or a mixture of these) pumping station. The State-Only permit was renewed. Application received: January 11, 2022. Issued: July 26, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

11-00434: New Enterprise Stone & Lime Company, Inc., 1317 Chickaree Hill Road, Johnstown, PA 15909, Jackson Township, **Cambria County**. Issuance of an initial natural minor State Only Operating Permit for the operation of a sandstone plant. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements. Application received: April 21, 2022. Permit issued: July 29, 2022.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

26-00413: Texas Eastern Transmission LP, 5400 Westheimer Court, Houston, TX 77056, North Union Township, **Fayette County**. Issuance of an administrative amendment of the State Only Operating Permit for the Uniontown Compressor Station. The amendment incorporates the change of responsible official. Application received: December 31, 2021. Issued: August 2, 2022.

30-00094: Texas Eastern Transmission LP, 5400 Westheimer Court, Houston, TX 77056, Franklin Township, **Greene County**. Issuance of an administrative amendment of the State Only Operating Permit for the Waynesburg Compressor Station. The amendment incorporates the change of responsible official. Application received: December 10, 2021. Issued: August 2, 2022.

65-00207: OMNOVA Solutions, LLC, 1001 Chambers Avenue, Jeannette, PA 15644, City of Jeannette, **Westmoreland County**. Administrative Amendment issued to update the Responsible Official and Permit Contact in the Title V Operating Permit. Application received: July 18, 2022. Issued: July 28, 2022.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Edward Orris, PE, New Source Review Chief (412-442-4168).

GP5A-63-01036B/AG5A-63-00019B: EQT Production Company, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222, East Finley Township, **Washington County**. Received approval on June 28, 2022 for a de minimis emissions increase pursuant to GP-5A Section A Condition 15(a)(i—iii) and 25 Pa. Code § 127.449 of 0.1 ton of CO and 0.1 ton of NO_x, per year, resulting from the installation and operation of one (1) Qnergy 5650 PowerGen 5.65kW natural gas-fired thermal electric generator unit with maximum heat input of approximately 0.2 MMBtu/hr at its Ealy Well Pad. Prior de minimis increases at the facility during the term of its current GP-5A authorization include: 0.64 tons of VOC (including negligible tons of Clean Air Act Section 112 HAPs), per year, resulting from the installation and operation of 69 intermittent bleed natural gas-actuated pneumatic controllers; and 0.49 ton of NO_x, 0.59 ton of CO, 0.58 ton of VOC (including approximately 0.19 ton of Clean Air Act Section 112 HAPs), and 0.16 ton of PM₁₀, per year, resulting from the installation and operation of one (1) 203-bhp Caterpillar G3306 rich-burn natural gas-fired spark ignition compressor engine equipped with an automatic air-fuel ratio controller and three-way catalyst.

GP5A-63-01042A/AG5A-63-00025A: EQT Production Company, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222, East Finley Township, **Washington County**. Received approval on June 28, 2022 for a de minimis emissions increase of 0.2 ton of CO and 0.2 ton of NO_x, per year, pursuant to GP-5A Section A Condition 15(a)(i—iii) and 25 Pa. Code § 127.449 resulting from the installation and operation of one (1) Qnergy 5650 PowerGen 5.65kW natural gas-fired thermal electric generator unit, with maximum heat input of approximately 0.2 MMBtu/hr, and one (1) additional 400-bbl condensate tank at its Kuhn Well Pad. One (1) prior de minimis emissions increase of 0.38 ton of VOC (including negligible Clean Air Act Section 112 HAPs), per year, was approved at the facility during the term of its current GP-5A authorization resulting from the installation and operation 34 intermittent-bleed natural gas-actuated pneumatic controllers.

GP5A-63-01038A/AG5A-63-00021A: EQT Production Company, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222, East Finley Township, **Washington County**. Received approval on June 28, 2022 for a de minimis emissions increase of 0.2 ton of CO and 0.2 ton of NO_x, per year, pursuant to GP-5A Section A Condition 15(a)(i—iii) and 25 Pa. Code § 127.449 resulting from the installation and operation of two (2) Qnergy 5650 PowerGen 5.65kW natural gas-fired thermal electric generator units

each with maximum heat input of approximately 0.2 MMBtu/hr at its JT Farm Well Pad. One (1) prior de minimis increase of 0.40 ton of VOC (including negligible Clean Air Act Section 112 HAPs), per year, was approved at the facility during the term of its current GP-5A authorization resulting from the installation and operation of one (1) additional 400-bbl condensate storage tank, one (1) additional 400-bbl produced water storage tank, and 38 intermittent-bleed natural gas-actuated pneumatic controllers.

GP5A-63-01044A/AG5A-63-00027A: EQT Production Company, 625 Liberty Avenue, Suite 1700, Pittsburgh, PA 15222, East Finley Township, **Washington County**. Received approval on June 28, 2022 for a de minimis emissions increase of 0.1 ton of CO and 0.1 ton of NO_x, per year, pursuant to GP-5A Section A Condition 15(a)(i—iii) and 25 Pa. Code § 127.449 resulting from the installation and operation of one (1) Qnergy 5650 PowerGen 5.65kW natural gas-fired thermal electric generator unit with maximum heat input of approximately 0.2 MMBtu/hr at its Stout Well Pad. Prior de minimis increases of 0.42 ton of NO_x, 0.35 ton of CO, 0.6 ton of VOC (including negligible Clean Air Act Section 112 HAPs), <0.01 ton of SO_x, and <0.1 ton of PM₁₀, per year, were approved at the facility during the term of its current GP-5A authorization resulting from the installation and operation of 54 intermittent bleed natural gas-actuated pneumatic controllers and one (1) 1.00 MMBtu/hr natural gas-fired low-pressure separator line heater.

GP5A-63-01055A/AG5A-63-00028A: Range Resources Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Jefferson Township, **Washington County**. Received approval on June 28, 2022 for a de minimis emissions increase pursuant to GP-5A Section A Condition 15(a)(i—iii) and 25 Pa. Code § 127.449 of 0.16 ton of VOC (including approximately 0.09 ton of Clean Air Act Section 112 HAPs), per year, resulting from the installation and operation one (1) 10 MMscfd vapor separator, two (2) continuous bleed natural gas-driven pneumatic devices, two (2) intermittent bleed natural gas-driven pneumatic devices, and associated fugitive emissions components at its MCC Partners West 11891 well pad. No prior de minimis emissions increases have occurred at the facility during the term of its GP-5A authorization.

GP5A-63-01055A/AG5A-63-00028A: Range Resources Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Jefferson Township, **Washington County**. Received approval on June 28, 2022 for a de minimis emissions increase pursuant to GP-5A Section A Condition 15(a)(i—iii) and 25 Pa. Code § 127.449 of 0.04 ton of VOC (including negligible Clean Air Act Section 112 HAPs), per year, resulting from the installation and operation two (2) plunger lift units and associated intermittent bleed natural gas-driven pneumatic devices and fugitive emissions components at its MCC Partners West 11891 well pad. One (1) prior de minimis emissions increase of 0.16 ton of VOC (including approximately 0.09 ton of Clean Air Act Section 112 HAPs), per year, was approved at the facility during the term of its current GP-5A authorization resulting from the installation and operation of one (1) 10 MMscfd vapor separator and associated intermittent bleed natural gas-driven pneumatic devices and fugitive emissions components.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3, 724.769.1100.

Mining Permit No. 17031301. NPDES No. PA0235571. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Burnside Township, Montgomery Township, and Cherry Tree Borough, **Clearfield County**. To reactivate the existing underground Coal Mining Activity Permit and related NPDES Permit, affecting 49.0 surface acres and 5,382.0 underground acres. Receiving stream: West Branch Susquehanna River, classified for the following use: WWF. Application received: March 9, 2021. Issued: May 5, 2022.

Mining Permit No. 56140702. NPDES No. PA0236306. Laurel Prep Plant, LLC, 1501 Ligonier Street, Latrobe, PA 15650, Shade Township, **Somerset County**. To transfer the permit and related NPDES Permit from LCT Energy, LP. Application received: April 27, 2021. Issued: May 17, 2022.

Mining Permit No. 63723707. NPDES No. PA0215520. Maple Creek Mining, Inc., 46226 National Road, St. Clairsville, OH 43950, Nottingham Township and Carroll Township, **Washington County**. To renew the permit and related NPDES Permit. Application received: March 4, 2016. Issued: June 6, 2022.

Mining Permit No. 63723707. NPDES No. PA0215520. Washington County Land Resources, Inc., 46226 National Road, St. Clairsville, OH 43950, Nottingham Township and Carroll Township, **Washington County**. To transfer the permit and related NPDES Permit from Maple Creek Mining, Inc. Application received: November 30, 2020. Issued: June 6, 2022.

Mining Permit No. 56773708. Miller Springs Remediation Management, Inc., 5 Greenway Plaza, Suite 110, Houston, TX 77046, Conemaugh Township, **Somerset County**. To renew the permit for reclamation only. Application received: June 7, 2021. Issued: June 10, 2022.

Mining Permit No. 56743705. NPDES No. PA0235695. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Paint Township and Adams Township, **Somerset County and Cambria County**. To renew the permit and related NPDES Permit. Application received: June 29, 2020. Issued: June 14, 2022.

Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township and Aleppo Township, **Greene County**. To revise the permit and related NPDES permit for the installation of degas boreholes, affecting 16.3 surface acres. Application received: December 7, 2021. Issued: June 17, 2022.

Mining Permit No. 30121301. NPDES No. PA0236195. Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. To renew the permit and related NPDES permit. Application received: June 20, 2019. Issued: June 17, 2022.

Mining Permit No. 56140701. NPDES No. PA0119954. Coal Innovations, LLC, 1134 Stoystown Road, Friedens, PA 15541, Quemahoning Township and Stonycreek Township, **Somerset County**. To revise the permit and related NPDES permit to add Module 27 to the approved Coal Mining Activity Permit to allow biosolids to be utilized during reclamation. Application received: March 16, 2022. Issued: June 22, 2022.

Mining Permit No. 17051601. NPDES No. PA0235733. Junior Coal Contracting, Inc., 2330 Six Mile Road, Phillipsburg, PA 16866, Decatur Township, **Clearfield County**. To revise the permit and related NPDES permit to include erosion and sedimentation control structures and water sources to add authorization to wash coal, affecting 10.1 surface acres. Application received: July 31, 2019. Issued: June 23, 2022.

Mining Permit No. 32140701. NPDES No. PA0001767. Pennzoil Quaker State Company, d/b/a SOPUS Products, P.O. Box 4548, Houston, TX 77210, Center Township and Blacklick Township, **Indiana County**. To revise the permit and related NPDES permit to redirect clean perennial stream flow and surface stormwater runoff. Application received: January 7, 2021. Issued: June 27, 2022.

Mining Permit No. 56021301. NPDES No. PA0235547. Elk Lick Energy, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, Lincoln Township, **Somerset County**. To renew the permit and related NPDES permit. Application received: September 28, 2018. Issued: June 27, 2022.

Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township and Morris Township, **Greene County**. To revise the permit and related NPDES permit for installation of an overhead electric powerline, affecting 24.0 surface acres. Application received: December 15, 2020. Issued: July 1, 2022.

Mining Permit No. 30121301. NPDES No. PA0236195. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township and Morris Township, and Center Township, **Greene County**. To revise the permit and related NPDES permit for development mining, affecting 3,297.0 underground acres and 3,297.0 subsidence control plan acres. Application received: November 8, 2019. Issued: July 1, 2022.

Mining Permit No. 30031301. NPDES No. PA0235610. Dana Mining Company of Pennsylvania, LLC, 966 Crafts Run Road, Madsville, WV 26541, Dunkard Township and Perry Township, and Whiteley Township, **Greene County**. To revise the permit and related NPDES permit for a post-mining land use change from existing forestland and unmanaged natural habitat to industrial/commercial. Application received: March 12, 2021. Issued: July 12, 2022.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, rapcambria@pa.gov.

Mining Permit No. 56860104. NPDES No. PA0597601. Heritage Coal & Natural Resources LLC, 550 Beagle Road, Rockwood, PA 15557, Summit Township and Brothersvalley Township, **Somerset County**. Renewal to the NPDES permit of a bituminous surface mine, affecting 507.0. Receiving stream: unnamed tributaries to/and Blue Lick Creek, classified for the following use: CWF. Application received: November 2, 2021. Permit Issued: July 27, 2022.

Mining Permit No. 56130107. NPDES No. PA0269484. Coal Loaders, Inc., 210 East Main Street, Ligonier, PA 15658, Jenner Township, **Somerset County**. Permit revision for both the erosion and sediment control plan and the NPDES permit of a bituminous surface & auger mine, affecting 312.1. Receiving stream: unnamed tributaries to/and Two Mile Run, classified for the following use: CWF. Application received: November 23, 2021. Permit Issued: July 28, 2022.

Mining Permit No. 56010104. Wilson Creek Energy, LLC, 1576 Stoystown Road, P.O. Box 260, Stoystown, PA 15541, Jenner and Lincoln Townships, **Somerset County**. Renewal for reclamation only of a bituminous surface mine, affecting 124.0. Receiving stream: unnamed tributaries to/and Quemahoning Creek, classified for the following use: CWF. Application received: May 23, 2022. Permit Issued: July 28, 2022.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 24090102. Tamburlin Brothers Coal Company, Inc., P.O. Box 1419, Clearfield, PA 16830, Fox Township, **Elk County**. Renewal of an existing bituminous surface mine for reclamation only, affecting 145.0 acres. Receiving stream: Unnamed tributary to Little Toby Creek and Limestone Run, classified for the following use: CWF. Application received: February 24, 2022. Permit issued: July 28, 2022.

Mining Permit No. 33850118. NPDES No. PA0106682. P. and N. Coal Co., Inc., 680 Old Route 119 Highway North, Indiana, PA 15701, Winslow Township, **Jefferson County**. Renewal of an existing bituminous surface mine for reclamation only, affecting 190.1 acres. Receiving stream: Unnamed tributary to Soldier Run, classified for the following use: CWF. Application received: April 15, 2022. Permit issued: August 1, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54861601. Schuylkill Coal Processing, Inc., P.O. Box 134, Ashland, PA 17921, Butler Township, **Schuylkill County**. Renewal of an anthracite

coal preparation plant operation, affecting 18.3 acres. Receiving stream: Mahanoy Creek. Application received: March 18, 2022. Renewal issued: July 27, 2022.

Noncoal Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 64212502. PA0226157. Rock Lake, Inc., 3230 Creamton Drive, Lake Como, PA 18437, Manchester Township, **Wayne County**. NPDES Permit on a quarry operation, affecting 10.0 acres. Receiving stream: Equinunk Creek. Application received: February 23, 2021. Permit issued: July 26, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 45224105. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Pocono Township, **Monroe County**. Construction blasting for Desaki Restaurant Application received: July 15, 2022. Permit issued: July 25, 2022. Expiration date: July 14, 2023.

Permit No. 52224103. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Lackawaxen Township, **Pike County**. Construction blasting for Mast Hope Rapids Application received: July 18, 2022. Permit issued: July 25, 2022. Expiration date: July 18, 2023.

Permit No. 36224130. Douglas Explosives, Inc., 2052 Philipsburg Bigler Highway, Philipsburg, PA 16866, Strasburg Township, **Lancaster County**. Construction blasting for Meadows at Strasburg Phase 2 and 3 Application received: July 19, 2022. Permit issued: July 26, 2022. Expiration date: December 30, 2022.

Permit No. 36224131. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, East Lampeter Township, **Lancaster County**. Construction blasting for Walnut Street Extension Application received: July 22, 2022. Permit issued: July 26, 2022. Expiration date: July 20, 2023.

Permit No. 39224106. American Rock Mechanics, LLC, 7531 Chestnut Street, Zionsville, PA 18092, Catasauqua Borough, **Lehigh County**. Construction blasting for Catasauqua Townhomes Application received: July 27, 2022. Renewal issued: July 28, 2022. Expiration date: July 25, 2023.

Permit No. 38224109. M3 Explo, LLC, P.O. Box 615, Bowmansville, PA 17507, South Annville Township, **Lebanon County**. Construction blasting for Wynfield Development Application received: July 20, 2022. Permit issued: July 29, 2022. Expiration date: July 23, 2023.

Permit No. 64224106. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435,

Texas Township, **Wayne County**. Construction blasting at 32 Ledgefield Road Application received: July 27, 2022. Permit issued: August 1, 2022. Expiration date: July 27, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

E5829222-002. Williams Field Services Company, LLC, 30351 Route 6, Wysox, PA 18854, Bridgewater

Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: March 18, 2022. Issued: July 28, 2022.

To construct, operate, and maintain:

1. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 4,410 square feet (0.10 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 50' 17", Long. -75° 48' 48");

2. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 3,151 square feet (0.07 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 50' 11", Long. -75° 48' 47");

3. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 766 square feet (0.02 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 50' 05", Long. -75° 48' 48");

4. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 1,060 square feet (0.02 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 50' 01", Long. -75° 48' 47");

5. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 2,426 square feet (0.06 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 58", Long. -75° 48' 46");

6. a temporary timber mat pad impacting 649 square feet (0.01 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 57", Long. -75° 48' 46");

7. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 2,175 square feet (0.05 acre) of palustrine emergent wetland (PEM) and 156 square feet (0.01 acre) of palustrine forested wetland (PFO) (Montrose East, PA Quadrangle; Lat. 41° 49' 56", Long. -75° 48' 47");

8. a temporary timber mat pad impacting 2,071 square feet (0.05 acre) of floodway only impacts to an unnamed tributary to Hop Bottom Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 52", Long. -75° 48' 48");

9. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 112 lineal feet of an unnamed tributary to Hop Bottom Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 51", Long. -75° 48' 57");

10. a temporary timber mat pad impacting 17 lineal feet of stream impacts and 1,794 square feet (0.04 acre) of floodway only impacts to an unnamed tributary to Hop Bottom Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 51", Long. -75° 49' 00");

11. a temporary timber mat pad impacting 123 square feet (0.01 acre) of floodway only impacts to an unnamed tributary to Hop Bottom Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 51", Long. -75° 48' 56");

12. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 22,837 square feet (0.52 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 51", Long. -75° 48' 59");

13. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 3,380

square feet (0.09 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 49", Long. -75° 49' 10");

14. a temporary timber mat pad impacting 271 square feet (0.01 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 50", Long. -75° 49' 25");

15. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 6,424 square feet (0.15 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 50", Long. -75° 49' 23");

16. a temporary timber mat pad impacting 1,901 square feet (0.04 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 50", Long. -75° 49' 22");

17. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 54,062 square feet (1.24 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 44", Long. -75° 49' 37");

18. a temporary timber mat pad impacting 3,467 square feet (0.08 acre) of floodway only impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 42", Long. -75° 49' 39");

19. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 156 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 41", Long. -75° 49' 39");

20. a 16-inch diameter natural gas gathering pipeline and temporary timber mat pad impacting 109 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 36", Long. -75° 49' 39");

21. a temporary timber mat pad impacting 16,341 square feet (0.38 acre) of floodway only impacts to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 33", Long. -75° 49' 39");

22. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 107 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 33", Long. -75° 49' 39");

23. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 107 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 31", Long. -75° 49' 40");

24. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 105 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 33", Long. -75° 49' 39");

25. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 50,706 square feet (1.16 acre) of palustrine emergent wetland (PEM) and 2,140 square feet (0.05 acre) of palustrine forested wetland (PFO) (Montrose East, PA Quadrangle; Lat. 41° 49' 33", Long. -75° 49' 40");

26. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 41,045

square feet (0.94 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 49' 28", Long. -75° 49' 42");

27. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 2 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 24", Long. -75° 49' 44");

28. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 101 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 23", Long. -75° 49' 44");

29. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 36,175 square feet (0.83 acre) of palustrine emergent wetland (PEM) and 2,663 square feet (0.06 acre) of palustrine forested wetland (PFO) (Montrose East, PA Quadrangle; Lat. 41° 49' 16", Long. -75° 49' 46");

30. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 104 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 49' 00", Long. -75° 49' 40");

31. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 114 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 48' 58", Long. -75° 49' 40");

32. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 22,913 square feet (0.53 acre) of palustrine emergent wetland (PEM) and 79 square feet (0.01 acre) of palustrine forested wetland (PFO) (Montrose East, PA Quadrangle; Lat. 41° 48' 56", Long. -75° 49' 40");

33. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 75 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 48' 56", Long. -75° 49' 40");

34. a 16-inch diameter natural gas gathering pipeline and temporary mat/bridge crossing impacting 115 lineal feet of impacts to an unnamed tributary to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 48' 46", Long. -75° 49' 39");

35. a temporary timber mat pad impacting 16,875 square feet (0.39 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 48' 42", Long. -75° 49' 38");

36. a temporary timber mat pad impacting 4,715 square feet (0.11 acre) of palustrine emergent wetland (PEM) (Montrose East, PA Quadrangle; Lat. 41° 48' 42", Long. -75° 49' 38");

37. a temporary timber mat pad impacting 5,656 square feet (0.13 acre) of floodway only impacts to Meshoppen Creek (CWF-MF) (Montrose East, PA Quadrangle; Lat. 41° 48' 40", Long. -75° 49' 37").

The approximate 14,595 lineal feet Tiffany Loop Pipeline natural gas gathering line project will convey natural gas from the Horseshoe Pipeline to the Diamond Loop Pipeline located in Bridgewater Township, Susquehanna County. The project will result in 1,207 lineal feet of stream impacts, 2.37 acres (103,452 square feet) of floodway impacts, 6.35 acres (276,441 square feet) of PEM wetland impacts, and 0.12 acre (5,038 square feet) of PFO

wetland impacts all for the purpose of constructing, operating, and maintaining a natural gas gathering line for conveyance to market.

E0829222-014. Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840, Litchfield Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District. Application received: March 22, 2022. Issued: August 2, 2022.

To construct, operate, and maintain:

1. a temporary construction workspace activities that impacted 1,307 square feet (0.03 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 24", Long. -76° 23' 44");

2. a temporary construction workspace activities that impacted 1,307 square feet (0.03 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 22", Long. -76° 23' 39");

3. a temporary construction workspace activities that impacted 436 square feet (0.01 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 24", Long. -76° 23' 37");

4. a permanent fill that impacted 5,663 square feet (0.13 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 25", Long. -76° 23' 43");

5. a permanent fill that impacted 14,810 square feet (0.34 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 24", Long. -76° 23' 38");

6. a temporary on-site restoration activity impacting 1,220 square feet (0.03 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 24", Long. -76° 23' 44");

7. a temporary workspace activity impacting 1,699 square feet (0.04 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 24", Long. -76° 23' 43");

8. a temporary on-site restoration activity impacting 1,263 square feet (0.03 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 22", Long. -76° 23' 39");

9. a temporary workspace activity impacting 1,220 square feet (0.03 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 22", Long. -76° 23' 39");

10. a temporary on-site restoration activity impacting 610 square feet (0.01 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 37", Long. -76° 23' 37");

11. a temporary workspace activity impacting 1,525 square feet (0.04 acre) of palustrine emergent wetland (PEM) (Litchfield, PA Quadrangle; Lat. 41° 56' 23", Long. -76° 23' 38").

The Feusner Bra Pad, located in Litchfield Township, Bradford County, seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. Prior unauthorized impacts resulted in 3,050 square feet (0.07 acre) of temporary PEM wetland impacts and 20,473 square feet (0.47 acre) of permanent PEM wetland impacts. Wetland restoration activities will result in 7,537 square feet (0.17

acre) of temporary PEM wetland impacts to restore and mitigate for prior activities adjacent to the Freshwater Impoundment and supporting infrastructure.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945/814-332-6984.

Contact: Karl Gross, Permits Chief, 814-332-6138.

E2506222-002. Pennsylvania Department of General Services, 1800 Herr Street, Harrisburg, PA 17103, Summit Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: March 1, 2022. Issued: July 26, 2022.

Permanently impact 1.24 acres of Palustrine Emergent wetland for the construction of a new State Police barracks and associated facilities located on Oliver Road approximately 1 mile west of SR 19, Erie South, PA in Summit Township, Erie County. Project includes payment to the DEP PIECES In-Lieu Fee Fund as compensation for project impacts. Latitude: 42.036012°, Longitude: -80.088953°.

E2406222-001. Mersen USA GS Corp, 1032 Trout Run Road, St. Marys, PA 15857, City of Saint Marys, **Elk County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: February 28, 2022. Issued: July 26, 2022.

Permanently impact to 0.11 acre of PEM and PSS wetlands located at the southeast corner of the site for construction of a 12,800 square foot building expansion at an existing production facility located along Trout Run Road, St. Marys, PA in City of Saint Marys, Elk County. Compensation for permanent wetland impact is through credit purchase from First Pennsylvania Resource, LLC (DEP File No. MB9915-0001) from an approved compensation site(s) Robinson Fork Mitigation Bank (DEP File No. MB990563-003) in Service Area 17. Latitude: 41.424372°, Longitude: -78.529229°.

E2006222-003. Conneaut Township Supervisors, 6007 Carpenter Road, Conneautville, PA 16406, Conneaut Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 4, 2022. Issued: August 1, 2022.

Replace an existing bridge with a single span steel beam bridge with a laminated timber deck with a clear span of 63 feet and an average underclearance of 9.5 feet on West Road crossing Linesville Creek (WWF) in Conneaut Township, Crawford County (Conneaut Township, PA). Latitude: 41.676425°, Longitude: -80.425705°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant, 717-705-4992.

E5003219-001. Alvin R. Peachy & Rosa L. Peachy, 396 Ash Drive, Millerstown, PA 17062, Saville Township, **Perry County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 7, 2019. Approved: July 28, 2022.

Project Description: to construct and maintain a 14-foot wide single span bridge having a normal span of 14-feet and an underclearance of 1.97-feet permanently impacting 653 square feet of Racoon Creek (CWF-MF) and its floodway and 0.03 acre or 1,394 square feet of Exceptional Value wetlands, (2) maintain a 158-foot long, 24-inch culvert depressed 6 inches below the natural stream bed permanently impacting 1,825 square feet of UNT to Racoon Creek (CWF-MF), (3) maintain fill within 0.01

acre or 267.65 square feet of Exceptional Value wetlands, (4) maintain fill within 0.01 acre or 454.1 square feet of Exceptional Value wetlands, (5) maintain fill and a 15-inch culvert impacting 1,700 square feet of Exceptional Value Wetlands, and (6) construct and maintain a 36-inch, 49-foot long culvert depressed 6-inches below the natural stream bed of a UNT to Racoon Creek (CWF-MF). All for the purpose of constructing a residential subdivision. The project is located along Racoon Valley Road south of the intersection with Ash Drive, Ickesburg, PA in Saville Township, Perry County. The permittee is required to provide 0.25 acre or 10,890 square feet of wetland compensation on site.

E0503221-006. Kevin Perrin, 618 Church Road, Everett, PA 15537, Snake Spring Township, **Bedford County**. U.S. Army Corps of Engineers Baltimore District. Application received: November 4, 2021. Approved: August 1, 2022.

Project Description: Construct and maintain a single-span, steel beam bridge with steel grate, resting on Redi-Rock concrete wingwall abutment, permanently impacting 20 linear feet (540 square feet) and temporarily impacting 65 linear feet (1,755 square feet) of Snake Spring Valley Run (WWF, MF), for the purpose of providing property owner access to agricultural fields and a single family residential dwelling. The project is located along lower Snake Spring Road, in Snake Spring Township, Bedford County. No wetlands will be impacted by this project. Latitude: 40.085762°, Longitude: -78.381562°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601221-016. Pottstown Sustainable Energy Park, 120 Howard Street, Charleroi, PA 15022, Pottstown Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 12, 2021. Issued: July 26, 2022.

To construct and maintain the following listed water obstruction and encroachment activates associated with the Pottstown Sustainable Energy Plant, a cellulose-based solid waste gasification plant in and along the 100-year floodway of the Schuylkill River (WWF-MF). The proposed work will include the construction of a large feedstock preparation and fuel conversion building, an office building, parking lot, storage silos, truck loading stations, stormwater BMPs, and other associated facilities. The project proposes approximately 4,400 SF of permanent floodway impact. The site is located near the intersection of College Drive and Keystone Boulevard in Pottstown, PA. Latitude: 40.246817°, Longitude: -75.670800°.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager, 412-442-4000.

E02052-1823. Meli Properties, LLC, 3150 Leechburg Road, Pittsburgh, PA 15239, Plum Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to:

1. Remove an existing 24-inch diameter by 87-foot long pipe in an unnamed tributary (UNT) to Plum Creek (WWF);

2. Construct, operate, and maintain a replacement 42-inch diameter by 87-foot long corrugated plastic pipe with riprap outlet protection in the aforementioned UNT;

3. Operate and maintain a 105-foot long, relocated segment of the aforementioned UNT;

4. Operate and maintain a streambank stabilization consisting of 6 stacked concrete blocks along 6 feet of the same UNT;

For the purpose of reducing the flooding to a nearby residential structure. The project site is located at 896 Center Road, Pittsburgh, PA 15239 (Braddock, PA USGS topographic quadrangle; N: 40°, 28', 33.96"; W: -79°, 45', 33.91"; Sub-basin 18A), in the Borough of Plum, Allegheny County.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 1-717-787-3411.

Contact: 1-717-787-3411.

D64-239EA. Janet Helms, 232 Ridge Lake Drive, Honesdale, PA 18431, South Canaan Township, **Wayne County**. U.S. Army Corps of Engineers Philadelphia District. The plan was approved on July 25, 2022. Application received: July 25, 2022. Approved: July 25, 2022.

The Department of Environmental Protection, Division of Dam Safety (Department) has reviewed and approved the restoration plan to remove the Ridge Lake Dam to eliminate a threat to public safety and to restore approximately 3,700 feet of stream channel to a free-flowing condition and to restore inundated wetlands. The project is located across Pond Brook (HQ-CWF, MF), Honesdale, PA. Latitude: 41.5326°, Longitude: 75.3362°.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Karl Gross, Permits Chief, 814-332-6138.

EA2506222-002. Erie County Conservation District, 1927 Wager Road, Erie, PA 16509, North East Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 5, 2022. Issued: July 27, 2022.

Conduct 450 linear feet of stream restoration activities on Twelve Mile Creek. The project will consist of stream bank stabilization, installation of rock weirs, J-Hooks, muddills, and rock toe. There will be approximately 0.25 acre of temporary impacts to the stream for construction activities. The project is located on Sidehill road approximately 540 feet west of Brickyard Road. Latitude: 42.170399°, Longitude: -79.885952°.

EA2006222-001. Dixie Richmond, 8979 Dicksonburg Road, Linesville, PA 16424, Summerhill Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 16, 2022. Issued: July 27, 2022.

Conduct stream restoration on a Unnamed Tributary to Conneaut Creek to reduce accelerated erosion, channel instability and restore floodplain connectivity. The project will include installing rock cross vanes, muddills, bank protection, and abandonment of a side erosional channel. The project will impact approximately 804 linear feet of

The UNT to Conneaut Creek. The stream has an approximate drainage area of 36 acres. Latitude: 41.704612°, Longitude: -80.356830°.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPR@pa.gov.

ESCGP # 3 ESG294122004-00
Applicant Name EQT ARO LLC
Contact Person Todd Klaner
Address 2462 Lycoming Creek Road
City, State, Zip Williamsport, PA 17701
Township(s) Cogan House Township
County Lycoming County
Receiving Stream(s) and Classification(s) UNT1 Steam Valley Run (HQ), UNT2 Steam Valley Run (HQ), UNT Larrys Creek (HQ), Larrys Creek (HQ)
Application received: June 8, 2022
Issued: July 27, 2022

ESCGP # 3 ESG290822021-00
Applicant Name Repsol Oil & Gas USA LLC
Contact Person Jonathan Fronk
Address 337 Daniel Zenker Drive
City, State, Zip Horseheads, NY 14845-1008
Township(s) Columbia Township
County Bradford County
Receiving Stream(s) and Classification(s) UNT to North Branch Sugar Creek (TSF)
Application received: June 16, 2022
Issued: July 28, 2022

ESCGP # 3 ESG295822008-00
 Applicant Name Coterra Energy Inc.
 Contact Person Kenneth Marcum
 Address 2000 Park Lane, Suite 300
 City, State, Zip Pittsburgh, PA 15275-1121
 Township(s) Springville Township
 County Susquehanna County
 Receiving Stream(s) and Classification(s) Thomas Creek
 (CWF)
 Application received: April 20, 2022
 Issued: July 28, 2022

ESCGP # 3 ESG295822009-00
 Applicant Name Coterra Energy Inc.
 Contact Person Kenneth Marcum
 Address 2000 Park Lane, Suite 300
 City, State, Zip Pittsburgh, PA 15275-1121
 Township(s) Springville Township
 County Susquehanna County
 Receiving Stream(s) and Classification(s) Monroe Creek
 (CWF)
 Application received: May 2, 2022
 Issued: August 2, 2022

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter, 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Bull Run Sunoco, Storage Tank Facility ID # **40-01951**, 437 East Main Street, Plymouth, PA 18651, Plymouth Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Ghanshyam Real Estate LLC, 437 East Main Street, Plymouth, PA 18651 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting site-specific standards.

Mirabito 127 (Former Hilltop Xtra Mart), Storage Tank Facility ID # **52-01476**, Route 6 and Interstate 84, Milford, PA 18337, Milford Township, **Pike County**. Groundwater & Environmental Services, 440 Creamery Way, Suite 500, Exton, PA 19341 on behalf of Mirabito Holdings, 49 Court Street, P.O. Box 5306, The MetroCenter, Binghamton, NY 13902 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health and site-specific standards.

Market Convenience, Storage Tank Facility ID # **40-23187**, 581 Market Street, Kingston, PA 18704, Kingston Borough, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of ANS Real Estate, Inc., 581 Market Street, Kingston, PA 18704 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Marcus Hook Term, Storage Tank Facility ID # **23-14224**, 100 Green St., Marcus Hook, PA 19061, Marcus Hook Borough, **Delaware County**. Stantec Consulting Services Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380 on behalf of Evergreen Resources Management Operations, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Aldan Sunoco, Storage Tank Facility ID # **23-30691**, 424 E. Providence Rd., Aldan, PA 19018, Aldan Borough, **Delaware County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341 on behalf of Evergreen Resources Management Operations Attention, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Save N Go, Storage Tank Facility ID # **02-81607**, 5610 William Flynn Highway, Gibsonia, PA 15044, Richland Township, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101 on behalf of Jasbir Bhargal, 5610 William Flynn Highway, Gibsonia, PA 15044 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health and background standards.

Billy Oil Co, Storage Tank Facility ID # **11-80071**, 2226 Bedford Street, Johnstown, PA 15904, City of Johnstown, **Cambria County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Billy Oil Company, 716 Clearfield Road, Fenelton, PA 16034 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential and nonresidential site-specific standards.

Squeeze N Go Gas, Storage Tank Facility ID # **26-86253**, 495 Gun Club Road, Uniontown, PA 15401, North Union Township, **Fayette County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626 on behalf of MO Common Properties LLC—Squeeze N Go, 495 Gun Club Road, Uniontown, PA 15401 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health and background standards.

Happy Mart, Storage Tank Facility ID # **02-06684**, 1100 Penn Avenue, Wilkesburg, PA 15221, City of Pittsburgh, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101 on behalf of S&D Oil, Inc., 1100 Penn Avenue, Wilkesburg, PA 15221 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and background standards.

GetGo # 3051, Storage Tank Facility ID # **65-80084**, 4285 State Route 51, Belle Vernon, PA 15012, Rostraver Township, **Westmoreland County**. BJAAM Environmental, Inc., P.O. Box 523, Canal Fulton, OH 44614, on behalf of Giant Eagle, Inc., 101 Kappa Drive, Pittsburgh, PA 15238 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with unleaded gasoline and diesel fuel. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

421 Rodi, Storage Tank Facility ID # **02-29678**, 421 Rodi Road, Pittsburgh, PA 15235, Penn Hills Township, **Allegheny County**. Synergy Environmental, 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of Energy Realty OP II LP, 645 West Hamilton Street, Suite 400, Allentown, PA 18101 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter, 245 Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Former Tolino's Speedbreak # 35, Storage Tank Facility ID # **48-35164**, 1035 Blue Valley Drive, Pen Argyl, PA 18072, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Tolino Fuel Service, 225 Flicksville Road, Flicksville, PA 18050 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with gasoline. The plan was acceptable to meet the site-specific standards and was approved by DEP on July 28, 2022.

Plociniak Oil, Storage Tank Facility ID # **35-08045**, 115 North Main Street, Moscow, PA 18444, Moscow Borough, **Lackawanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512 on behalf of Moscow Real Estate LLC, 921 Drinker Turnpike, Moscow, PA 18444 submitted a Remedial Action Completion Report concerning remediation of soil and groundwa-

ter contaminated with petroleum. The report demonstrated attainment of the site-specific standards and was approved by DEP on July 28, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cynthia Stine, Licensed Professional Geologist (717-705-4705).

Suburban Temple, Storage Tank Facility ID # **06-26252**, 5365 Allentown Pike, Temple, PA 19560, Muhlenberg Township, **Berks County**. Groundwater Sciences Corporation, 2601 Market Street, Suite 310, Harrisburg, PA 17110 on behalf of Suburban Propane, 240 Route 10 West, Whippany, NY 07981 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report nonresidential was acceptable to meet the site-specific standards and was approved by DEP on August 1, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

GetGo # 3105, Storage Tank Facility ID # **02-33961**, 998 Hayden Boulevard, Elizabeth, PA 15037, Forward Township, **Allegheny County**. PVE, LLC, 2000 Georgetown Drive, Suite 101, Sewickley, PA 15143 on behalf of Giant Eagle, Inc., 101 Kappa Drive, Pittsburgh, PA 15238 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on July 27, 2022.

SPECIAL NOTICES

ACTIVE AND ABANDONED MINE OPERATIONS

Notice of Public Meeting

California District Mining Office: California District Mining Office, 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant III, 724.769.1100.

Notice is hereby given the Pennsylvania Department of Environmental Protection (DEP) District Mining Operations, has received a major modification application from **Consol Pennsylvania Coal Company, LLC** for Harvey Mine, permit **No. 30121301** to amend the existing permit. The application is to expand the existing Coal Mining Activities Permit (CMAP) underground mining acreage and the subsidence control plan area by 3,744.0 acres for development only mining. The proposed mine expansion is located within Franklin, Morris, and Center Townships in **Greene County**. The existing mine is located within Richhill Township, in Greene County.

California District Mining office has received a request for an informal public conference (IPC) concerning this major modification application. While the majority of COVID-19 restrictions have been lifted, many still feel unsafe gathering in person and in large groups indoors. In an effort to make this proceeding available to as many interested stakeholders as possible, this IPC is being held virtually on Thursday, September 8, that will commence at 6:00 p.m. and end at 8:00 p.m.

Individuals who wish to participate and ask questions during the IPC must contact community relations coordinator Lauren Fraley at lfraley@pa.gov (412.442.4203) a minimum of 24 hours in advance of the event to reserve a time to present testimony. Individuals who register for the event will receive an email containing the link and instructions on how to join the virtual IPC. Video demonstrations and screen sharing will not be permitted. DEP staff will be available to answer general questions on the permit application.

The California District Mining Office will accept additional written comments from participants of the IPC two (2) weeks after the date of the proceeding until September 22, 2022.

If you are a person with a disability wishing to attend this IPC and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Bonnie Herbert at bherbert@pa.gov to discuss how we may accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling 1.800.654.5984 (TDD Users) or 1.800.654.5988 (Voice users) and request that your call be relayed to Bonnie Herbert at 724.769.1100.

Copies of the application are on file for public review at the Department of Environmental Protection, District Mining Operations, California District Office, 25 Technology Drive, California Technology Park, Coal Center, PA 15423. Please call or email Bonnie Herbert to inquire about electronic application review options.

Notice of Public Meeting

California District Mining Office: California District Mining Office, 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant III, 724.769.1100.

Notice is hereby given the Pennsylvania Department of Environmental Protection (DEP) District Mining Operations, has received a major modification application from **Consol Pennsylvania Coal Company LLC**, for Enlow Fork Mine, permit **No. 30841317** to amend the existing permit. The application is to expand the existing Coal Mining Activities Permit (CMAP) underground mining acreage and the subsidence control plan area by 3,088.0 acres for development only mining. The proposed mine expansion is located within Morris, and Washington Townships in **Greene County**. The existing mine is located within Richhill Township, in Greene County.

California District Mining office has received a request for an informal public conference (IPC) concerning this major modification application. While the majority of COVID-19 restrictions have been lifted, many still feel unsafe gathering in person and in large groups indoors. In an effort to make this proceeding available to as many interested stakeholders as possible, this IPC is being held virtually on Wednesday, September 7, and will commence at 6:00 p.m. and end at 8:00 p.m.

Individuals who wish to participate and ask questions during the IPC must contact Community Relations Coordinator Lauren Fraley at lfraley@pa.gov (412.442.4203) a minimum of 24 hours in advance of the event to reserve a time to present testimony. Individuals who register for the event will receive an email containing the link and instructions on how to join the virtual IPC. Video demon-

strations and screen sharing will not be permitted. DEP staff will be available to answer general questions on the permit application.

The California District Mining Office will accept additional written comments from participants of the IPC two (2) weeks after the date of the proceeding until September 21, 2022.

If you are a person with a disability wishing to attend this IPC and require an auxiliary aid, service or other accommodation to participate in the proceedings, please contact Bonnie Herbert at bherbert@pa.gov to discuss how we may accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling 1.800.654.5984 (TDD Users) or 1.800.654.5988 (Voice users) and request that your call be relayed to Bonnie Herbert at 724.769.1100.

Copies of the application are on file for public review at the Department of Environmental Protection, District Mining Operations, California District Office, 25 Technology Drive, California Technology Park, Coal Center, PA 15423. Please call or email Bonnie Herbert to inquire about electronic application review options.

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: Michelle Foster 717-787-2480.

In the month of July 2022, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed below to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Erik Funkhouser	145 Dehaven Rd Beaver Falls, PA 15010	Testing Individual
Alexander Micco	121 Cottonwood Dr Aliquippa, PA 15001	Test Individual
Daniel Keogh	590 Sandra Ln Phoenixville, PA 19460	Testing Individual
Kimberly Baker	1564 Dry Hollow Rd Warriors Mark, PA 16877	Testing Individual
David Grammer	27 Ironia Rd Unit 2 Flanders, NJ 07836	Mitigation Individual
RAdata, LLC	27 Ironia Rd Unit 2 AA2 Flanders, NJ 07836	Mitigation Firm
Daniel Kohlhepp	133 E Washington Ave Dubois, PA 15801	Testing Individual
RJH Radon Mitigation Inc	P.O. Box 91 Akron, PA 17501	Mitigation Firm
Waqas Anwar	1619 Charles St Allentown PA 18104	Mitigation Individual
Matthew Muehling	106 Canvasback Lane Elizabethtown, PA 17022	Testing Individual
Daniel Lauria	130 W Caracas Ave Hershey, PA 17033	Testing Individual Suspended
Robert Hewlett	P.O. Box 1942 Cranberry Township, PA 16066	Mitigation Individual
David Murdick	127 S Woodlawn Rd Butler, PA 16001	Testing Individual
Michael Stoehr	333 Rouser Rd Ste 301 Moon Township, PA 15108	Testing Individual
Ronald Laporta Jr	623 N Pottstown Pike Exton, PA 19341	Testing Individual
Adam Ulery	615 Aspen Ln Duncansville, PA 16635	Testing Individual
Joseph Pisarcik II	893 Bedford Rd Masury, OH 44438	Testing Individual
Paul Fletcher	2501 Mayes Rd Ste 100 Carrollton, TX 75006	Laboratory Individual

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Alpha Energy Laboratories, Inc	2501 Mayes Rd Ste 100 Carrollton, TX 75006	Laboratory Firm
John Fleenor	312 Gist St Pittsburgh, PA 15219	Testing Individual
Dennis Skladanowski	5140 Amherst Rd Erie, PA 16506	Testing Individual
Don Cessna	407 W Sample St Ebensburg, PA 15931	Testing Individual
A-1 Realty Services, Inc	P.O. Box 179 Kutztown, PA 19530	Testing Firm
Travis Hoverter	452 Allen Dr Chambersburg, PA 17202	Testing Individual
Ryan Reichert	23 Hallton Hill Rd Pine Grove, PA 17963	Testing Individual
Tony McDonald	7681 Tim Avenue NW North Canton, OH 44720	Testing Individual
Tony McDonald	7681 Tim Avenue NW North Canton, OH 44720	Mitigation Individual
BPG Inspection, LLC	4300 Alexander Dr Ste 200 Alphratta, GA 30022	Testing Firm
Daniel Lauria	130 W Caracas Ave Hershey, PA 17033	Testing Individual Suspended
Joseph Liotta	1589 Chalk Ave Blue Bell, PA 19422	Mitigation Individual Suspended
Chris Fisher	426 Federal St Philadelphia, PA 19147	Mitigation Individual Suspended
Joseph Ganguzza	4 Schamp Cir Lebanon, NJ 08833	Mitigation Individual Reinstated

[Pa.B. Doc. No. 22-1216. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Nutrient Credit Trading Program; Release of the Chesapeake Bay Nutrient Tracking Tool and Mass Certification of Significant Sewage Point Sources

The Department of Environmental Protection (Department) provides notice under the Nutrient Credit Trading Program (Trading Program) that the Chesapeake Bay Nutrient Tracking Tool (CBNTT) is supported by the United States Environmental Protection Agency, has been approved for use by the Department and is available for use for calculation of nonpoint source nutrient credits. This notice also fulfills the Department's obligation to provide notice of certification under 25 Pa. Code § 96.8(e) (relating to use of offsets and tradable credits from pollution reduction activities in the Chesapeake Bay Watershed). The CBNTT utilizes the Chesapeake Bay Model Phase 6 delivery ratios; these ratios will also be used to certify credits generated by all credit generators.

Nonpoint source credit generators will now use CBNTT to create a certification request. Before CBNTT can be used, nonpoint source credit generators must enter certain information into CBNTT. The instructions for completing this step are found on the "Credit Trading Process" page of the Department's Trading Program webpage at www.dep.pa.gov/nutrient_trading.

The Department is also providing notice of its intention under the Trading Program to approve a mass certification of pollutant reduction activities to generate credits by significant sewage point source discharges located in the Commonwealth portion of the Chesapeake Bay watershed that have annual mass load effluent limitations (cap loads) in their National Pollutant Discharge Elimination System (NPDES) permits.

A list of these significant sewage point sources can be found in Table 5 of the Phase 3 Watershed Implementation Plan (WIP) Wastewater Supplement, available at www.dep.pa.gov/npdes-bay or www.dep.pa.gov/nutrient_trading (scroll down to "Delivery Ratio: Credits vs Pounds" then "Point Source Credit Generators Table"). See 25 Pa. Code § 96.8.

Credit Certification—Significant Sewage Point Sources

Effective October 1, 2021, to be eligible to generate credits for sale, significant sewage point source discharges with an assigned cap load (see Table 5 of the Phase 3 WIP Wastewater Supplement) must demonstrate compliance with cap loads and achieve net effluent concentrations below 6.0 mg/L total nitrogen and 0.8 mg/L total phosphorus (baseline concentrations) during the compliance year using the procedures described in the Phase 3 WIP Nutrient Trading Supplement Draft, which is available at www.dep.pa.gov/nutrient_trading (scroll down to the "Trading Program Overview" section). In addition:

- to generate credits, facilities must demonstrate they are in compliance with their NPDES permit;

- the total amount of credits the facility is certified to generate cannot exceed its permitted cap load;
- the calculation of credits will be made using formulas described in the Phase 3 WIP Nutrient Trading Supplement Draft; and
- this point source certification will expire September 30, 2027.

To ensure that verification is complete in time for credit availability to be posted on the Department's web site, facilities are encouraged to provide the Department with their verification requests by October 28th of each year. Verification requests must include a complete Annual Chesapeake Bay Spreadsheet for the compliance year in which the credits were generated (that is, October 1 through September 30). The Annual Chesapeake Bay Spreadsheet is available at www.dep.pa.gov/nutrient_trading (scroll down to the "Have credits to sell?" section). Verification forms and instructions are found on the "Credit Trading Process" page at www.dep.pa.gov/nutrient_trading.

Credit Certification—Nonpoint Sources

Effective October 1, 2021, to be eligible to generate credits for sale, all nonpoint source discharges must meet regulatory baseline requirements, which include the Chesapeake Bay Total Maximum Daily Load (TMDL), once baseline requirements have been met, any reduction below baseline may be eligible to generate credits. The procedures to certify and verify credits for nonpoint source generators is described in the Phase 3 WIP Nutrient Trading Supplement Draft, which is available at www.dep.pa.gov/nutrient_trading (scroll down to the "Trading Program Overview" section). In addition:

- to generate credits through CBNTT, compliance requirements must be established in CBNTT before the tool will allow users to enter other data;
- baseline requirements, including TMDLs, must be met before credits can be generated through the tool;
- the total amount of verified credits generated cannot exceed the certified generated credits;
- the calculation of credits will be made through CBNTT as described in the Phase 3 WIP Nutrient Trading Supplement Draft; and

- nonpoint source certifications can be approved for up to 5 years.

To ensure that verification is complete in time for credit availability to be posted on the Department web site, nonpoint source credit generators are encouraged to provide the Department with their verification requests by October 28th each year. Verification requests must include a downloaded copy of the PDF generated from the calculations in CBNTT and a completed copy of the Nutrient Credit Nonpoint Source Verification Request form (3830-FM-BCW0506a) for the compliance year in which the credits were generated (that is, October 1 through September 30). The Nutrient Credit Nonpoint Source Verification Request form is linked in the "Credit Verification" section of the "Credit Trading Process" page at www.dep.pa.gov/nutrient_trading.

Written Comments

The Department will accept written comments on the mass credit certification portion of this notice through Monday, September 12, 2022. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Nutrient Credit Trading Program—Mass Certification" as the subject line in written communication.

For further information about this action or the Trading Program, contact the Division of Data Management, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, RA-EPPANutrientTrad@pa.gov, (717) 787-6744, or visit the Department's Trading Program webpage at www.dep.pa.gov/nutrient_trading.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1217. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code, Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation and relating to</i>
King of Prussia Surgery Center, LLC	28 Pa. Code § 555.32(a)—(c) (relating to administration of anesthesia)
Pittsburgh North Surgical Center	28 Pa. Code § 551.3 (relating to definitions)
	28 Pa. Code § 569.35(7) (relating to general safety precautions)
Planned Parenthood Southeastern Pennsylvania	28 Pa. Code § 29.33(6) (relating to requirements for abortion)
PPSP Far Northeast Health Center	28 Pa. Code § 29.33(6)
PPSP Surgical Locust Street Health Center	28 Pa. Code § 29.33(6)
PPSP West Chester Health Center	28 Pa. Code § 29.33(6)
Regional Hospital Surgery Center	28 Pa. Code § 555.32(a)

<i>Facility Name</i>	<i>Regulation and relating to</i>
Zitelli & Brodland, PC (ASF Central)	28 Pa. Code § 553.31(a) and (b) (relating to administrative responsibilities)
Zitelli & Brodland, PC (ASF South)	28 Pa. Code § 553.31(a) and (b)

The following ASF has filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (*FGI Guidelines*). The following list includes the citation to the section of the *FGI Guidelines* for which the hospital is seeking an exception and the year of publication.

<i>Facility Name</i>	<i>Guidelines Section and relating to</i>	<i>Yr¹</i>
Susquehanna Surgery Center, Inc.	A2.1-3.2.3.2 space requirements	18-O

¹ 2018 Year *FGI Regulations* were split into 2 books; *Hospitals*, and *Outpatient Facilities* as indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1218. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Change to the Cystic Fibrosis Screening Algorithm

The Division of Newborn Screening and Genetics (DNSG), with support of the Newborn Screening and Follow-up Technical Advisory Board and its cystic fibrosis (CF) subcommittee, is modifying the current CF screening algorithm and incorporating Next Generation Sequencing (NGS) effective October 1, 2022. This algorithm change will reduce the number of client referrals for follow-up sweat testing and evaluation through the DNSG's contracted CF treatment centers.

Under the new algorithm, the addition of NGS will allow the DNSG and the contracted newborn screening laboratory, PerkinElmer Genetics, to confidently report cases with elevated Immunoreactive Trypsinogen, but zero or one mutation discovered on NGS, as no longer requiring a referral to a CF treatment center for sweat testing and follow-up with a specialist. The parents or legal guardians of babies determined to have a single CF mutation by means of NGS will be contacted by their local CF treatment center by letter and receive educa-

tional materials on what it means to be diagnosed as a CF carrier. Families will also be provided contact numbers for their local CF treatment centers should they wish to pursue genetic counseling or familial screening.

CF is currently a condition listed on the supplemental conditions panel mandated for screening by submitters in this Commonwealth. The addition of NGS to the CF algorithm will increase the cost of the supplemental mandated panel from \$39.80 to \$41.72 per newborn and will be invoiced to submitters by PerkinElmer Genetics.

For additional information, contact Jordan Shover, Public Health Program Manager, Division of Newborn Screening and Genetics, at (717) 783-8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1219. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from July 1, 2022, through July 31, 2022. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Asplundh Surgical Center	§ 569.35(7) (relating to general safety precautions)	07/13/2022	Granted w/Conditions
Crozer-Keystone Surgery Center at Brinton Lake (A Department)	§ 567.53(1) and (2) (relating to sterilization control)	07/13/2022	Granted Temporary
The Eye Surgery Center	§ 571.1 (relating to minimum standards) 2.7-8.2 heating, ventilation, and air-conditioning (HVAC) systems	07/13/2022	Granted w/Conditions
Wellspan Chambersburg Endoscopy Center, LLC	§ 555.31(a) (relating to principle)	07/17/2022	Granted Probationary w/Conditions

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
The Bryn Mawr Hospital	§ 153.1(a) (relating to minimum standards) 2.6-3.1.2.1(1) area	07/18/2022	Granted
	§ 153.1(a) 2.6-3.1.2.2(1)(b) clearances	07/18/2022	Granted
	§ 153.1(a) 2.6-3.8.9.1 nourishment area	07/18/2022	Granted
	§ 153.1(a) 2.6-3.8.9.2 nourishment area	07/18/2022	Granted
	§ 153.1(a) 2.6-3.8.11 clean workroom or clean supply room	07/18/2022	Granted
	§ 153.1(a) 2.6-3.8.12 soiled workroom or soiled holding room	07/18/2022	Granted
	§ 153.1(a) 2.6-5.3 environmental services room	07/18/2022	Granted
The Chambersburg Hospital	§ 113.5(a) (relating to pharmacy and therapeutics committee)	07/17/2022	Granted w/Conditions
	§ 133.21 (relating to facilities)	07/20/2022	Granted w/Conditions
	§ 133.31(a) (relating to policies and procedures)	07/20/2022	Granted w/Conditions
Crozer-Chester Medical Center	§ 103.31 (relating to the chief executive officer)	07/13/2022	Granted w/Conditions
Delaware County Memorial Hospital	§ 103.31	07/13/2022	Granted w/Conditions
Geisinger Jersey Shore Hospital	§ 107.5(b)(1)—(5) (relating to membership appointment and reappointment)	07/13/2022	Granted w/Conditions
	§ 107.26(a) and (b)(1)—(8) (relating to additional committees)	07/13/2022	Granted w/Conditions
Geisinger Medical Center Muncy	§ 107.5(b)(1)—(5)	07/13/2022	Granted w/Conditions
	§ 107.26(a) and (b)(1)—(8)	07/13/2022	Granted w/Conditions
Geisinger Wyoming Valley Medical Center	§ 107.5(b)(1)—(5)	07/13/2022	Granted w/Conditions
	§ 107.26(a) and (b)(1)—(8)	07/13/2022	Granted w/Conditions
Geisinger—Lewistown Hospital	§ 107.5(b)(1)—(5)	07/13/2022	Granted w/Conditions
	§ 107.26(a) and (b)(1)—(8)	07/13/2022	Granted w/Conditions
Paoli Hospital	§ 153.1(a) 2.2-3.1.3.6(6)(a)—(c) treatment room or area	07/13/2022	Granted
Penn Highlands Connellsville	§ 153.1(a) 2.1-3.8.8.2(1)(a)(i)—(v) work areas for preparing, dispensing, and administering medications	07/13/2022	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
	§ 153.1(a) 2.1-6.2.4.1 public toilet room	07/13/2022	Granted
Penn Highlands Dubois	§ 153.1(a) 2.1-4.2.3.2(2) IV preparation area	07/13/2022	Granted
Penn State Health Lancaster Medical Center	§ 107.2 (relating to medical staff membership)	07/17/2022	Granted w/Conditions
	§ 107.61 (relating to written orders)	07/17/2022	Granted w/Conditions
	§ 107.62(a) and (b) (relating to oral orders)	07/17/2022	Granted w/Conditions
	§ 123.25(2) (relating to regulations for control of anesthetic explosion hazards)	07/17/2022	Granted w/Conditions
	§ 127.32 (relating to written orders)	07/17/2022	Granted w/Conditions
	§ 138.15 (relating to high-risk cardiac catheterizations)	07/17/2022	Granted Probationary w/Conditions
UPMC Children's Hospital of Pittsburgh	§ 153.1(a) 2.1-7.2.2.1(1) corridor width	07/17/2022	Granted w/Conditions
	§ 153.1(a) 2.14-3.2.2.1 area	07/17/2022	Granted w/Conditions
	§ 153.1(a) 2.14-3.2.2.2(1) and (2) clearances	07/17/2022	Granted w/Conditions
UPMC Mckeesport	§ 153.1(a) 2.2-3.4.2.2(2)(a) space requirements	07/17/2022	Granted
Waynesboro Hospital	§ 113.5(a)	07/17/2022	Granted w/Conditions
Wellspan Ephrata Community Hospital	§ 113.5(a)	07/17/2022	Granted w/Conditions
Wellspan Gettysburg Hospital	§ 113.5(a)	07/17/2022	Granted w/Conditions
	§ 153.1(a) 2.2-3.4.2.2(2)(a) space requirements	07/17/2022	Granted
Wellspan Good Samaritan Hospital	§ 113.5(a)	07/17/2022	Granted w/Conditions
Wellspan York Hospital	§ 113.5(a)	07/17/2022	Granted w/Conditions

Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Brookmont Healthcare Center, LLC	§ 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB))	07/25/2022	Granted
Crestview Center	§ 201.22(e) and (j)	08/01/2022	Granted
Grandview Nursing and Rehabilitation	§ 201.22(e) and (j)	08/01/2022	Granted
Hillcrest Center	§ 201.22(e) and (j)	08/01/2022	Granted
Hopkins Center	§ 201.22(e) and (j)	08/01/2022	Granted
Laurel Center	§ 201.22(e) and (j)	08/01/2022	Granted
Mifflin Center	§ 201.22(e) and (j)	08/01/2022	Granted
Moravian Hall Square	§ 201.22(e) and (j)	08/01/2022	Granted
Norriton Square Nursing and Rehabilitation Center	§ 201.22(e) and (j)	08/01/2022	Granted
Rehabilitation Center at Brethren Village	§ 205.25(a) (relating to kitchen)	05/16/2022	Granted
Sanatoga Center	§ 201.22(e) and (j)	08/01/2022	Granted
Scottdale Healthcare and Rehabilitation Center	§ 201.22(j)	07/18/2022	Granted
Stoneridge Towne Center	§ 201.22(d) and (e)	05/16/2022	Granted
Valley View Haven, Inc.	§ 201.22(e)	06/13/2022	Granted
Wayne Center	§ 201.22(e) and (j)	08/01/2022	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1220. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relates to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Delaware County Memorial Hospital	28 Pa. Code § 109.2(b) (relating to director of nursing services)
Geisinger—Bloomsburg Hospital	28 Pa. Code § 107.5(b)(1)—(5) (relating to membership appointment and reappointment)
	28 Pa. Code § 107.26(a) and (b)(1)—(8) (relating to additional committees)
Penn State Health Saint Joseph	28 Pa. Code § 107.64 (relating to administration of drugs)
Troy Community Hospital, Inc.	28 Pa. Code § 127.32 (relating to written orders)
UPMC Williamsport	28 Pa. Code § 103.31 (relating to the chief executive officer)
Wellspan Gettysburg Hospital	28 Pa. Code § 137.21(b)(9) (relating to policies and procedures)
Wellspan Surgery and Rehabilitation Hospital	28 Pa. Code § 113.5(b)(2) (relating to pharmacy and therapeutics committee)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals and Outpatient Facilities—2014 Edition*, or *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Excelsa Health Latrobe Hospital	2.1-2.7.1.1(3)(b) clearances	18-O
	2.1-3.10.2.1 patient toilet room(s)	18-O
	2.2-3.10.2.1 patient toilet room	18-O
Geisinger Medical Center	153.1(a) minimum standards clear floor—single family room, multi-patient room (pages 72—75)	P
Jefferson Health—Northeast	2.2-3.4.2.2(2)(a) space requirements	18
Lower Bucks Hospital	2.2-3.3.7.13(2) clean equipment and supply storage	18
	2.2-3.4.2.5(1)(a) system component room	18
The Milton S. Hershey Medical Center	2.1-2.2.6.1 general	18
	2.1-2.4.2.2(4) and (5) all room requirements	18
	2.2-2.2.2.6 patient toilet room	18
	2.2-2.2.2.7(1)(a) and (b) patient bathing facilities	18
	2.2-2.5.2.6 patient toilet room	18
	2.2-2.5.2.7 patient bathing facilities	18

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr¹</i>
Penn Highlands Connellsville	2.1-3.8.11.3 clean supply room	18-O
	2.1-8.3.6 electrical receptacles	18-O
	2.1-8.4.3.2(2) hand-washing station sinks	18-O
Penn Highlands Dubois	2.1-2.3.10.2(2) door openings	18
	2.1-4.2.2.1(1) dispensing facilities	18
	2.2-3.1.3.6(4)(e) treatment room or area	18
	2.2-3.1.3.6(8)(a)(ii) treatment room or area	18
Penn Highlands Elk	2.1-8.4.3.2(5) hand-washing station sinks	18-O
UPMC Hamot	2.1-3.4.1.2 location	18
	2.2-3.3.3.5(2) other design requirements	18
	2.2-3.3.4.1 application	18
	2.2-3.3.6.1 general	18
	2.2-3.3.6.2(1)—(3) nurse or control station(s)	18
	2.2-3.3.6.14(2) environmental services room	18
	2.2-3.4.2.1(3) general	18
Wellspan York Hospital	2.1-2.4.3.9(1)(b) special design elements	18

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.” 2018 Year Perinatal Guidelines 8th Edition are indicated by “P.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1221. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

WillowBrooke Court Skilled Care Center at
Fort Washington Estates
735 Susquehanna Road
Fort Washington, PA 19034
FAC ID # 150102

This request is on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so, should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1222. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Revisions; 2022 Healthcare Common Procedure Coding System Updates; Prior Authorization Requirements

The Department of Human Services (Department) announces changes to the Medical Assistance (MA) Program Fee Schedule. These changes are effective for dates of service on and after August 29, 2022.

The Department is adding and end-dating procedure codes as a result of implementing the 2022 updates published by the Centers for Medicare & Medicaid Services (CMS) to the Healthcare Common Procedure Coding System (HCPCS). The Department is also adding other procedure codes and making changes to procedure codes currently on the MA Program Fee Schedule, to include setting limitations. As follows, some of the procedure codes being added to the MA Program Fee Schedule will require prior authorization.

Procedure Codes Being Added or End-dated

The Department is adding the following procedure codes, and procedure code and modifier combinations to the MA Program Fee Schedule as a result of the 2022 HCPCS updates. These procedure codes may include the modifiers 80 (assistant surgeon), SG (ASC/SPU facility support component), RT (right), LT (left), 50 (bilateral) or 26 (professional component).

<i>Procedure Codes and Modifiers</i>				
01937	01938	01939	01940	01941
01942	63052	63052 (80)	63053	63053 (80)
66989 (SG)	66989 (RT)	66989 (LT)	66989 (50)	66991 (SG)
66991 (RT)	66991 (LT)	66991 (50)	68841 (SG)	68841 (RT)
68841 (LT)	68841 (50)	69716	69716 (SG)	69719
69719 (SG)	69726	69726 (SG)	69727	69727 (SG)
82653	83521	86015	86036	86037
86051	86052	86053	86231	86362
86363	86596	90626	90627	90671
90677	90759	93319	93593 (SG)	93593 (26)
93594 (SG)	93594 (26)	93595 (SG)	93595 (26)	93596 (SG)
93596 (26)	93597 (SG)	93597 (26)	93598 (26)	99424
99426	D3921	D3921 (SG)	D9947	D9948
D9949	G1028			

The Department is adding the following procedure codes, and procedure code and modifier combinations to the MA Program Fee Schedule based upon clinical review or provider request. These procedure codes may include modifiers SG, 26, TC (technical component) or NU (purchase).

<i>Procedure Codes and Modifiers</i>				
52441	52441 (SG)	52442	81415	81417
90587	93325	93325 (TC)	93325 (26)	95800
95800 (TC)	95800 (26)	0014M	B4105	D4346
D4346 (SG)	L8619 (NU)	L8692 (NU)	L8694	Q4186

The Department is end-dating the following procedure codes from the MA Program Fee Schedule as a result of the 2022 HCPCS updates:

<i>Procedure Codes</i>				
01935	01936	21310	33470	33722
43850	43855	59135	63194	63195
63196	63198	63199	69715	69718
76101	76102	92561	92564	93530
93531	93532	93533	93561	93562
G2064	G2065			

Prior Authorization Requirements

The following procedure codes being added to the MA Program Fee Schedule require prior authorization, under section 443.6(b)(7) of the Human Services Code (code) (62 P.S. § 443.6(b)(7)) regarding reimbursement for certain medical assistance items and services:

<i>Procedure Codes</i>			
81415	81417	B4105	Q4186

The following dental procedure codes being added to the MA Program Fee Schedule require prior authorization, under section 443.6(b)(5) of the code:

<i>Procedure Codes</i>	
D3921	D9947

The following prosthetic procedure code and modifier combinations being added to the MA Program Fee schedule require prior authorization, under section 443.6(b)(1) of the code:

<i>Procedure Codes and Modifiers</i>		
L8619 (NU)	L8692 (NU)	L8694

Additional Procedure Code for Take-Home Supplies of Naloxone

The Department is adding G1028 as an additional add-on procedure code to the MA Program Fee Schedule to track the dispensing of take-home supplies of Naloxone by a provider.

The Department is opening Provider Type (PT)/Specialty (Spec)/Place of Service (POS) combination 08 (Clinic)/110 (Psychiatric Outpatient Clinic)/49 (Independent Clinic) for procedure code G1028.

The Department is opening PT/Spec/POS combination 08 (Clinic)/184 (Outpatient Drug and Alcohol)/57 (Non-Residential Substance Abuse Treatment Facility) for procedure code G1028.

The Department is also updating the procedure code description for procedure code G2215 as the National code description was changed with the annual update to include dosage units.

<i>Procedure Code</i>	<i>Old Procedure Code Description</i>	<i>New Procedure Code Description</i>
G2215	Take home supply of nasal naloxone (provision of the services by a Medicare enrolled opioid treatment program); list separately in addition to code for primary procedure	Take home supply of nasal naloxone; 2-pack of 4 mg per 0.1 ml nasal spray (provision of the services by a Medicare-enrolled Opioid Treatment Program); list separately in addition to code for primary procedure

Updates to Procedure Codes Currently on the MA Program Fee Schedule

Physicians' Services

The Department is adding the RT, LT or 50 modifiers, or both, with or without the 80 modifier, for PT/Spec/POS combination 31 (Physician)/All/21 (Inpatient Hospital) for the following procedure codes as the procedures may be performed unilaterally or bilaterally, with or without an assistant surgeon:

<i>Procedure Codes and Modifiers</i>				
27078 (RT)	27078 (LT)	27078 (50)	27078 (80) (RT)	27078 (80) (LT)
27078 (80) (50)	27140 (RT)	27140 (LT)	27140 (50)	27140 (80) (RT)
27140 (80) (LT)	27140 (80) (50)	27147 (RT)	27147 (LT)	27147 (50)
27147 (80) (RT)	27147 (80) (LT)	27147 (80) (50)	27151 (RT)	27151 (LT)
27151 (50)	27151 (80) (RT)	27151 (80) (LT)	27151 (80) (50)	27226 (RT)
27226 (LT)	27226 (50)	27226 (80) (RT)	27226 (80) (LT)	27226 (80) (50)
27227 (RT)	27227 (LT)	27227 (50)	27227 (80) (RT)	27227 (80) (LT)
27227 (80) (50)	27228 (RT)	27228 (LT)	27228 (50)	27228 (80) (RT)
27228 (80) (LT)	27228 (80) (50)	27245 (RT)	27245 (LT)	27245 (50)
27245 (80) (RT)	27245 (80) (LT)	27245 (80) (50)	27405 (RT)	27405 (LT)
27405 (50)	27405 (80) (RT)	27405 (80) (LT)	27405 (80) (50)	27407 (RT)
27407 (LT)	27407 (50)	27407 (80) (RT)	27407 (80) (LT)	27407 (80) (50)
27507 (RT)	27507 (LT)	27507 (50)	27507 (80) (RT)	27507 (80) (LT)
27507 (80) (50)	27514 (RT)	27514 (LT)	27514 (50)	27514 (80) (RT)
27514 (80) (LT)	27514 (80) (50)	29826 (RT)	29826 (LT)	29826 (80) (RT)
29826 (80) (LT)	49491 (RT)	49491 (LT)	49491 (50)	49491 (80) (RT)
49491 (80) (LT)	49491 (80) (50)	49492 (RT)	49492 (LT)	49492 (50)

<i>Procedure Codes and Modifiers</i>				
49492 (80) (RT)	49492 (80) (LT)	49492 (80) (50)	69535 (RT)	69535 (LT)
69535 (50)				

The Department is removing the 50 modifier for PT/Spec/POS combination 31/All/21 for surgical procedure code 32442 as clinical review has determined this procedure may not be performed bilaterally.

The Department is updating units or service limitations, or both, to the following surgical procedure codes as a result of clinical review:

<i>Procedure Codes</i>	<i>Present Unit Limit</i>	<i>New Unit Limit</i>	<i>Present Limit</i>	<i>New Limit</i>
29826	1:2	1:1	Twice per day	Once per day
49491	1:1	1:2	Once per day	Once per right side and once per left side, per day
49492	1:1	1:2	Once per day	Once per right side and once per left side, per day

The Department is making limit changes to the following surgical procedure codes as a result of clinical review:

<i>Procedure Code</i>	<i>Present Limit</i>	<i>New Limit</i>
30160	None	Once per lifetime
32442	2 per lifetime	Once per lifetime
44157	None	Once per lifetime
44158	None	Once per lifetime
45121	None	Once per lifetime
49250	None	Once per lifetime
51925	None	Once per lifetime
52649	None	Once per lifetime
55801	None	Once per lifetime
55821	2 per lifetime	Once per lifetime
69535	None	Once per right side and once per left side, per lifetime

The Department is adding POS 12 (Home) for PT/Spec 09 (Certified Registered Nurse Practitioner)/All and 31/All for procedure code 99188. Additionally, the Department is changing the maximum age for this procedure code from 4 years of age to 20 years of age.

The Department is end-dating PT/Spec/POS combinations 01 (Inpatient Facility)/All/23 (Emergency Room) and 01/183 (Hospital Based Medical Clinic)/22 (Outpatient Hospital) for the following procedure codes as a result of clinical review and the Department's determination that this setting is not appropriate for the performance of these services:

Procedure Codes		
27405	27407	27514
29826	30160	49492

The Department is end-dating POS 11 (Office), 23 (Emergency Room) or 99 (Special Treatment Room), or both, for PT/Spec 31/All for the following procedure codes as a result of clinical review and the Department's determination that this setting is not appropriate for the performance of these services:

Procedure Codes	End-Dated POS
27405	23, 99
27407	23, 99
27514	23, 99
29826	23, 99
30160	11, 23, 99

The Department is end-dating PT/Spec 27 (Dentist)/All for POS 11, 21, 22, 24 (Ambulatory Surgical Center (ASC)) and 49 for surgical procedure code 30160 and opening PT/Spec 27/272 (oral/maxillofacial surgeon) in POS 21 and 24 with and without modifier 80 as a result of clinical review.

The Department is removing modifier 80 for procedure code 69535 as a result of clinical review and the Department's determination that this procedure is not appropriate for an assistant surgeon.

Ambulatory Surgical Center/Short Procedure Unit (SPU) Services

The Department is opening PT/Spec combination 01/021 (SPU) in POS 24 for the procedure codes identified as follows with the SG modifier as clinical review determined these procedure codes can be performed safely in a SPU depending on the procedure and will be paid the facility support component fee of \$776:

Procedure Codes and Modifiers				
27078 (SG)	27140 (SG)	27147 (SG)	27151 (SG)	27226 (SG)
27227 (SG)	27228 (SG)	27245 (SG)	27507 (SG)	49492 (SG)

The Department is adding POS 24 for PT/Spec 31/All for the following procedure codes as a result of clinical review.

Procedure Codes				
27078	27140	27147	27151	27226
27227	27228	27245	27507	

The Department is adding the RT, LT or 50 modifiers, or both, with or without the 80 modifier, for PT/Spec/POS combination 31/All/24 for these procedure codes as these procedures may be performed unilaterally or bilaterally with or without an assistant surgeon.

Procedure Codes and Modifiers				
27078 (RT)	27078 (LT)	27078 (50)	27078 (80) (RT)	27078 (80) (LT)
27078 (80) (50)	27140 (RT)	27140 (LT)	27140 (50)	27140 (80) (RT)
27140 (80) (LT)	27140 (80) (50)	27147 (RT)	27147 (LT)	27147 (50)
27147 (80) (RT)	27147 (80) (LT)	27147 (80) (50)	27151 (RT)	27151 (LT)

Procedure Codes and Modifiers				
27151 (50)	27151 (80) (RT)	27151 (80) (LT)	27151 (80) (50)	27226 (RT)
27226 (LT)	27226 (50)	27226 (80) (RT)	27226 (80) (LT)	27226 (80) (50)
27227 (RT)	27227 (LT)	27227 (50)	27227 (80) (RT)	27227 (80) (LT)
27227 (80) (50)	27228 (RT)	27228 (LT)	27228 (50)	27228 (80) (RT)
27228 (80) (LT)	27228 (80) (50)	27245 (RT)	27245 (LT)	27245 (50)
27245 (80) (RT)	27245 (80) (LT)	27245 (80) (50)	27405 (RT)	27405 (LT)
27405 (50)	27405 (80) (RT)	27405 (80) (LT)	27405 (80) (50)	27407 (RT)
27407 (LT)	27407 (50)	27407 (80) (RT)	27407 (80) (LT)	27407 (80) (50)
27507 (RT)	27507 (LT)	27507 (50)	27507 (80) (RT)	27507 (80) (LT)
27507 (80) (50)	27514 (RT)	27514 (LT)	27514 (50)	27514 (80) (RT)
27514 (80) (LT)	27514 (80) (50)	29826 (RT)	29826 (LT)	29826 (80) (RT)
29826 (80) (LT)	49491 (RT)	49491 (LT)	49491 (50)	49491 (80) (RT)
49491 (80) (LT)	49491 (80) (50)	49492 (RT)	49492 (LT)	49492 (50)
49492 (80) (RT)	49492 (80) (LT)	49492 (80) (50)		

The Department is end-dating PT/Spec/POS combinations 01/021/24 or 02 (ASC)/020(ASC)/24, or both, for procedure code 29826 with the SG modifier as these settings were determined to be clinically inappropriate for this service.

Clinic Services

The Department is end-dating PT/Spec/POS combination 08/All/49 for the following procedure codes as a result of clinical review and the Department's determination that this setting is not appropriate for the performance of these services.

Procedure Codes		
27405	27407	27514
29286	30160	49492

Laboratory Services

The Department is adding the QW (Clinical Laboratory Improvement Amendments (CLIA) waived test) informational modifier to laboratory procedure code 87801, which CMS identifies as a CLIA waived test.

Procedure Code	PT/Spec/POS	Modifier
87801	01/16 (Emergency Room Arrangement 1)/23	QW
	01/17 (Emergency Room Arrangement 2)/23	QW
	01/183/22	QW

<i>Procedure Code</i>	<i>PT/Spec/POS</i>	<i>Modifier</i>
	28 (Laboratory)/280 (Independent Laboratory)/81 (Independent Laboratory)	QW

The Department is adding the following PT/Spec/POS combinations and modifiers, as indicated as follows, to laboratory procedure code 87801 on the MA Program Fee Schedule as a result of the latest tests listed by CMS as CLIA waived tests:

<i>Procedure Code</i>	<i>PT/Spec/POS</i>	<i>Modifiers</i>
87801	08/082 (Independent Medical/Surgical Clinic)/49	No modifier and QW
	09/All/11	No modifier and QW
	10/100/11	No modifier and QW
	31/All/11	No modifier and QW
	33 (Certified Nurse Midwife)/335(Certified Nurse Midwife)/11	No modifier and QW

Fiscal Impact

The estimated cost for Fiscal Year 2022-2023 is \$6.137 million in total funds. The estimated annualized cost is \$9.205 million in total funds.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, Room 515, Health and Welfare Building, Harrisburg, PA 17120. Comments received will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1523. (1) General Fund; (2) Implementing Year 2022-23 is \$2,946,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$4,324,000; (4) 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1223. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania 10X[®] the Money Instant Lottery Game 1601

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of

instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania 10X[®] the Money (hereafter “10X[®] the Money”). The game number is PA-1601.

2. *Price:* The price of a 10X[®] the Money instant lottery game ticket is \$2.

3. *Play symbols:* Each 10X[®] the Money instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR) and 25 (TWYFIV). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), Money (MONEY) symbol and a 10X (10TIMES) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the play area, are: \$2^{.00} (TWO DOL), \$4^{.00} (FOR DOL), \$5^{.00} (FIV DOL), \$10^{.00} (TEN DOL), \$20^{.00} (TWENTY), \$40^{.00} (FORTY), \$50^{.00} (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$1,000 (ONE THO) and \$20,000 (TWY THO).

5. *Prizes:* The prizes that can be won in this game, are: \$2, \$4, \$5, \$10, \$20, \$40, \$50, \$100, \$200, \$1,000 and \$20,000. 10X[®] the Money contains a feature that can multiply certain prizes. For a complete list of prizes that can be won in this game, including multiplied prizes, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to ten times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the 10X[®] the Money instant lottery game.

7. Determination of prize winners:

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$20,000 (TWY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a 10X (10TIMES) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(f) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$200.

(g) Holders of tickets upon which a 10X (10TIMES) symbol appears in the play area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(i) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$100.

(j) Holders of tickets upon which a 10X (10TIMES) symbol appears in the play area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(l) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$50.

(m) Holders of tickets upon which a 10X (10TIMES) symbol appears in the play area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(o) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$40⁰⁰ (FORTY) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$40.

(p) Holders of tickets upon which a 10X (10TIMES) symbol appears in the play area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$40.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$20.

(s) Holders of tickets upon which a 10X (10TIMES) symbol appears in the play area and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$20.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(u) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$10.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(w) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$5.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(y) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of \$4⁰⁰ (FOR DOL) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$4.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(aa) Holders of tickets upon which a Money (MONEY) symbol appears in the play area and a prize symbol of

\$2⁰⁰ (TWO DOL) appears in the “prize” area under that Money (MONEY) symbol, on a single ticket, shall be entitled to a prize of \$2.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$2 w/ MONEY	\$2	15	560,000
\$2	\$2	37.5	224,000
\$2 × 2	\$4	83.33	100,800
(\$2 w/ MONEY) + \$2	\$4	75	112,000
\$4 w/ MONEY	\$4	75	112,000
\$4	\$4	88.24	95,200
\$5 w/ MONEY	\$5	44.12	190,400
\$5	\$5	44.12	190,400
\$5 × 2	\$10	375	22,400
(\$5 w/ MONEY) + \$5	\$10	150	56,000
\$10 w/ MONEY	\$10	150	56,000
\$10	\$10	375	22,400
\$2 × 10	\$20	1,500	5,600
(((\$2 w/ MONEY) × 5) + (\$5 × 2))	\$20	750	11,200
\$2 w/ 10X	\$20	100	84,000
\$20 w/ MONEY	\$20	1,500	5,600
\$20	\$20	1,500	5,600
\$4 × 10	\$40	12,000	700
(\$2 w/ 10X) + (((\$2 w/ MONEY) × 5) + (\$5 × 2))	\$40	3,000	2,800
(\$2 w/ 10X) × 2	\$40	2,000	4,200
\$4 w/ 10X	\$40	1,200	7,000
\$40 w/ MONEY	\$40	6,000	1,400
\$40	\$40	12,000	700
\$10 × 5	\$50	12,000	700
(\$4 w/ 10X) + (((\$2 w/ MONEY) × 5))	\$50	1,714	4,900
\$5 w/ 10X	\$50	1,714	4,900
\$50 w/ MONEY	\$50	12,000	700
\$50	\$50	12,000	700
\$10 × 10	\$100	60,000	140
(\$5 w/ 10X) + (\$2 w/ 10X) + (((\$4 w/ MONEY) × 5) + (\$4 × 2) + \$2)	\$100	8,000	1,050
(\$2 w/ 10X) × 5	\$100	8,000	1,050
(\$5 w/ 10X) × 2	\$100	6,000	1,400
\$10 w/ 10X	\$100	8,000	1,050
\$100 w/ MONEY	\$100	60,000	140
\$100	\$100	60,000	140
\$20 × 10	\$200	60,000	140

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$20 w/ 10X	\$200	24,000	350
\$200 w/ MONEY	\$200	60,000	140
\$200	\$200	60,000	140
\$100 w/ 10X	\$1,000	1,680,000	5
\$1,000 w/ MONEY	\$1,000	1,680,000	5
\$1,000	\$1,000	1,680,000	5
\$20,000	\$20,000	840,000	10

Reveal a "Money" (MONEY) symbol, win prize shown under that symbol automatically.

Reveal a "10X" (10TIMES) symbol, win 10 TIMES the prize shown under that symbol.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell 10X® the Money instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of 10X® the Money, prize money from winning 10X® the Money instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the 10X® the Money instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote 10X® the Money or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1224. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$250,000 Bingo Night Instant Lottery Game 1587

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$250,000 Bingo Night (hereafter "\$250,000 Bingo Night"). The game number is PA-1587.

2. *Price:* The price of a \$250,000 Bingo Night instant lottery game ticket is \$5.

3. *Play symbols:*

(a) Each \$250,000 Bingo Night instant lottery game ticket will contain eight BINGO CARD play areas designated as "CARD 1," "CARD 2," "CARD 3," "CARD 4," "CARD 5," "CARD 6," "CARD 7" and "CARD 8." A player may win more than one time on a ticket, however a player may only win one prize on each "CARD." Each "CARD" will consist of 25 spaces on a 5 x 5 grid. The 78 play symbols that may be located in the eight BINGO CARD play areas, are: the numbers 1 through 75, a Green Dauber Dot symbol, an Orange Dauber Dot symbol and a "FREE" symbol. The Green Dauber Dot symbol, the Orange Dauber Dot symbol and the "FREE" symbol are each free spaces. When the Green Dauber Dot symbol appears in any winning pattern, the player wins 5 times the prize shown for that winning pattern. When the Orange Dauber Dot symbol appears in any winning pattern, the player wins 10 times the prize shown for that winning pattern.

(b) Each ticket will contain a “CALLER’S CARD” area. The “CALLER’S CARD” area will consist of 30 spaces on a 3 x 10 grid. The play symbols that may be located in each space on the grid, are: the letter B with a number 1 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60 and the letter O with a number 61 through 75.


(c) Each \$250,000 Bingo Night ticket will also contain a separate “BONUS NUMBERS” area containing five play symbols. The play symbols and their captions, located in the “BONUS NUMBERS” area, are: the letter B with a number 1 through 15; the letter I with a number 16 through 30; the letter N with a number 31 through 45; the letter G with a number 46 through 60 and the letter O with a number 61 through 75 and a “NIGHT” (WIN50) symbol.

4. *Prizes:* The prizes that can be won in this game, are: \$5, \$10, \$15, \$25, \$50, \$100, \$250, \$500, \$1,000, \$2,500, \$5,000, \$10,000 and \$250,000. \$250,000 Bingo Night contains a feature that can multiply certain prizes. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to eight times on a ticket.


5. *Approximate number of tickets printed for the game:* Approximately 16,800,000 tickets will be printed for the \$250,000 Bingo Night instant lottery game.

6. *Winning Patterns:* The patterns described below, when matched on any “CARD,” shall determine whether a player wins a prize as further detailed in section 7.

(i) *LINE:* Match the “CALLER’S CARD” numbers in a four-space diagonal line through the “FREE” space, or a five-space horizontal or vertical line. Diagonal LINE matches are exactly as follows:



Examples of horizontal and vertical LINE matches include, but are not limited to:



(ii) *4 CORNERS:* Match the “CALLER’S CARD” numbers in each of the four corners of any “CARD,” exactly as follows:



(iii) *DIAMOND:* Match four of the “CALLER’S CARD” numbers to form a diamond which includes the space appearing in the top horizontal row in the “N” column; the spaces appearing in the third horizontal row from the

top in the “B” and “O” columns; and the space appearing in the fifth horizontal row from the top in the “N” column on any “CARD,” exactly as follows:



(iv) *X:* Match eight of the “CALLER’S CARD” numbers to form an X pattern extending through the “FREE” space and through to each of the four corner spaces, on any “CARD,” exactly as follows:



7. *Determination of prize winners:*

(a) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in an X pattern on “CARD 8,” on a single ticket, shall be entitled to a prize of \$250,000.

(b) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in a DIAMOND pattern on “CARD 8,” on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in an X pattern on “CARD 7,” on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in a DIAMOND pattern on “CARD 7,” on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in an X pattern on “CARD 6,” on a single ticket, shall be entitled to a prize of \$5,000.

(f) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in a LINE pattern on “CARD 8,” on which the winning pattern contains an Orange Dauber Dot, on a single ticket, shall be entitled to a prize of \$5,000.

(g) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in a LINE pattern on “CARD 8,” on which the winning pattern contains a Green Dauber Dot, on a single ticket, shall be entitled to a prize of \$2,500.

(h) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in a 4 CORNERS pattern on “CARD 8,” on a single ticket, shall be entitled to a prize of \$1,000.

(i) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in a LINE pattern on “CARD 8,” on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets matching either the “CALLER’S CARD” or the “BONUS NUMBERS” play symbols in a 4 CORNERS pattern on “CARD 7,” on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a DIAMOND pattern on "CARD 6," on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in an X pattern on "CARD 5," on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 7," on which the winning pattern contains an Orange Dauber Dot, on a single ticket, shall be entitled to a prize of \$500.

(n) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a 4 CORNERS pattern on "CARD 6," on a single ticket, shall be entitled to a prize of \$250.

(o) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a DIAMOND pattern on "CARD 5," on a single ticket, shall be entitled to a prize of \$250.

(p) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in an X pattern on "CARD 4," on a single ticket, shall be entitled to a prize of \$250.

(q) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 7," on which the winning pattern contains a Green Dauber Dot, on a single ticket, shall be entitled to a prize of \$250.

(r) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a 4 CORNERS pattern on "CARD 5," on a single ticket, shall be entitled to a prize of \$100.

(s) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a DIAMOND pattern on "CARD 4," on a single ticket, shall be entitled to a prize of \$100.

(t) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in an X pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$100.

(u) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 5" or "CARD 6," on which the winning pattern contains an Orange Dauber Dot, on a single ticket, shall be entitled to a prize of \$100.

(v) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 7," on a single ticket, shall be entitled to a prize of \$50.

(w) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a 4 CORNERS pattern on "CARD 4," on a single ticket, shall be entitled to a prize of \$50.

(x) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a DIAMOND pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$50.

(y) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in an X pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$50.

(z) Holders of tickets upon which a NIGHT (WIN50) symbol appears in the "BINGO NUMBERS" area, on a single ticket, shall be entitled to a prize of \$50.

(aa) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 5" or "CARD 6," on which the winning pattern contains a Green Dauber Dot, on a single ticket, shall be entitled to a prize of \$50.

(bb) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 1," "CARD 2," "CARD 3" or "CARD 4," on which the winning pattern contains an Orange Dauber Dot, on a single ticket, shall be entitled to a prize of \$50.

(cc) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a 4 CORNERS pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$25.

(dd) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a DIAMOND pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$25.

(ee) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in an X pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$25.

(ff) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 1," "CARD 2," "CARD 3" or "CARD 4," on which the winning pattern contains a Green Dauber Dot, on a single ticket, shall be entitled to a prize of \$25.

(gg) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a 4 CORNERS pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$15.

(hh) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a DIAMOND pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$15.

(ii) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 6," on a single ticket, shall be entitled to a prize of \$10.

(jj) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 5," on a single ticket, shall be entitled to a prize of \$10.

(kk) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a 4 CORNERS pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$10.

(ll) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 4," on a single ticket, shall be entitled to a prize of \$5.

(mm) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$5.

(nn) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$5.

(oo) Holders of tickets matching either the "CALLER'S CARD" or the "BONUS NUMBERS" play symbols in a LINE pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Scratch The CALLER'S CARD And The BONUS NUMBERS Area. Then Scratch Only The Numbers On BINGO CARDS 1—8 That Match Those Revealed In The CALLER'S CARD And The BONUS NUMBERS Area. The Center Spot On Each BINGO CARD Is A FREE Space. When Each Matched Number On A BINGO CARD Is Scratched, The Square Will Turn White. When All Numbers Are Completely Matched In A Horizontal, Vertical Or Diagonal Line, 4 Corners, Diamond Or An X Pattern On Any Individual BINGO CARD, Win Prize Shown For The Matched Pattern In The Appropriate Legend Next To That BINGO CARD. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 16,800,000 Tickets:</i>
LINE CARD 1	\$5	60	280,000
LINE CARD 2	\$5	30	560,000
LINE CARD 3	\$5	30	560,000
LINE CARD 4	\$5	30	560,000
(LINE CARD 2) + (LINE CARD 1)	\$10	60	280,000
(LINE CARD 4) + (LINE CARD 3)	\$10	60	280,000
4 CORNERS CARD 1	\$10	60	280,000
LINE CARD 5	\$10	60	280,000
LINE CARD 6	\$10	60	280,000
(LINE CARD 3) + (LINE CARD 2) + (LINE CARD 1)	\$15	600	28,000
(LINE CARD 4) + (4 CORNERS CARD 1)	\$15	600	28,000
(LINE CARD 5) + (LINE CARD 3)	\$15	600	28,000
DIAMOND CARD 1	\$15	600	28,000
4 CORNERS CARD 2	\$15	600	28,000
(LINE CARD 4, LINE CARD 3, LINE CARD 2 OR LINE CARD 1) w/ GREEN DAUBER DOT	\$25	120	140,000
(LINE CARD 6) + (DIAMOND CARD 1)	\$25	600	28,000
X CARD 1	\$25	600	28,000
DIAMOND CARD 2	\$25	600	28,000
4 CORNERS CARD 3	\$25	600	28,000
(LINE CARD 4, LINE CARD 3, LINE CARD 2 OR LINE CARD 1) w/ ORANGE DAUBER DOT	\$50	300	56,000
(LINE CARD 6 OR LINE CARD 5) w/ GREEN DAUBER DOT	\$50	600	28,000
(LINE CARD 6) + (LINE CARD 5) + (4 CORNERS CARD 2) + (DIAMOND CARD 1)	\$50	600	28,000
\$50 w/ NIGHT SYMBOL	\$50	600	28,000
X CARD 2	\$50	600	28,000

<i>Scratch The CALLER'S CARD And The BONUS NUMBERS Area. Then Scratch Only The Numbers On BINGO CARDS 1—8 That Match Those Revealed In The CALLER'S CARD And The BONUS NUMBERS Area. The Center Spot On Each BINGO CARD Is A FREE Space. When Each Matched Number On A BINGO CARD Is Scratched, The Square Will Turn White. When All Numbers Are Completely Matched In A Horizontal, Vertical Or Diagonal Line, 4 Corners, Diamond Or An X Pattern On Any Individual BINGO CARD, Win Prize Shown For The Matched Pattern In The Appropriate Legend Next To That BINGO CARD. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 16,800,000 Tickets:</i>
DIAMOND CARD 3	\$50	600	28,000
4 CORNERS CARD 4	\$50	600	28,000
LINE CARD 7	\$50	600	28,000
(DIAMOND CARD 3) + (DIAMOND CARD 2) + (X CARD 1)	\$100	6,000	2,800
(DIAMOND CARD 3) + (X CARD 2)	\$100	6,000	2,800
(LINE CARD 6 OR LINE CARD 5) w/ ORANGE DAUBER DOT	\$100	1,200	14,000
(LINE CARD 6) + (LINE CARD 5) + (LINE CARD 4) + (4 CORNERS CARD 3) + (DIAMOND CARD 2) + (X CARD 1)	\$100	6,000	2,800
(\$50 w/ NIGHT) × 2	\$100	1,500	11,200
X CARD 3	\$100	6,000	2,800
DIAMOND CARD 4	\$100	6,000	2,800
4 CORNERS CARD 5	\$100	6,000	2,800
(4 CORNERS CARD 5) + (DIAMOND CARD 4) + (DIAMOND CARD 2) + (X CARD 1)	\$250	12,000	1,400
(4 CORNERS CARD 5) + (DIAMOND CARD 4) + (X CARD 2)	\$250	12,000	1,400
(4 CORNERS CARD 5) + (DIAMOND CARD 4) + (DIAMOND CARD 3)	\$250	12,000	1,400
(\$50 w/ NIGHT) × 5	\$250	4,800	3,500
LINE CARD 7 w/ GREEN DAUBER DOT	\$250	3,000	5,600
X CARD 4	\$250	12,000	1,400
DIAMOND CARD 5	\$250	12,000	1,400
4 CORNERS CARD 6	\$250	12,000	1,400
(X CARD 4) + ((\$50 w/ NIGHT SYMBOL) × 5)	\$500	30,000	560
(DIAMOND CARD 5) + ((\$50 w/ NIGHT SYMBOL) × 5)	\$500	30,000	560
(DIAMOND CARD 5) + (X CARD 4)	\$500	15,000	1,120
(4 CORNERS CARD 6) + ((\$50 w/ NIGHT SYMBOL) × 5)	\$500	15,000	1,120
(4 CORNERS CARD 6) + (X CARD 4)	\$500	24,000	700
LINE CARD 7 w/ ORANGE DAUBER DOT	\$500	12,000	1,400

<i>Scratch The CALLER'S CARD And The BONUS NUMBERS Area. Then Scratch Only The Numbers On BINGO CARDS 1—8 That Match Those Revealed In The CALLER'S CARD And The BONUS NUMBERS Area. The Center Spot On Each BINGO CARD Is A FREE Space. When Each Matched Number On A BINGO CARD Is Scratched, The Square Will Turn White. When All Numbers Are Completely Matched In A Horizontal, Vertical Or Diagonal Line, 4 Corners, Diamond Or An X Pattern On Any Individual BINGO CARD, Win Prize Shown For The Matched Pattern In The Appropriate Legend Next To That BINGO CARD. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 16,800,000 Tickets:</i>
X CARD 5	\$500	60,000	280
DIAMOND CARD 6	\$500	60,000	280
4 CORNERS CARD 7	\$500	60,000	280
LINE CARD 8	\$500	60,000	280
(4 CORNERS CARD 6) + (DIAMOND CARD 5) + (X CARD 4) + ((\$50 w/ NIGHT SYMBOL) × 5)	\$1,000	560,000	30
(DIAMOND CARD 6) + (X CARD 5)	\$1,000	840,000	20
(4 CORNERS CARD 7) + (X CARD 5)	\$1,000	840,000	20
(LINE CARD 8) + (DIAMOND CARD 6)	\$1,000	840,000	20
4 CORNERS CARD 8	\$1,000	840,000	20
LINE CARD 8 w/ GREEN DAUBER DOT	\$2,500	1,680,000	10
LINE CARD 8 w/ ORANGE DAUBER DOT	\$5,000	840,000	20
X CARD 6	\$5,000	1,680,000	10
DIAMOND CARD 7	\$5,000	1,680,000	10
X CARD 7	\$10,000	1,680,000	10
DIAMOND CARD 8	\$10,000	1,680,000	10
X CARD 8	\$250,000	1,680,000	10

GREEN DAUBER DOT SYMBOL: The "Green Dauber Dot" symbol found on each bingo CARD is a FREE space. When a "Green Dauber Dot" symbol appears in any winning pattern, win 5 TIMES the prize shown for that win!

ORANGE DAUBER DOT SYMBOL: The "Orange Dauber Dot" symbol found on each bingo CARD is a FREE space. When an "Orange Dauber Dot" symbol appears in any winning pattern, win 10 TIMES the prize shown for that win!

BONUS: Reveal a "NIGHT" (WIN50) symbol in the BONUS NUMBERS area, win \$50 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$250,000 Bingo Night instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000

shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-

winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$250,000 Bingo Night, prize money from winning \$250,000 Bingo Night instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$250,000 Bingo Night instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$250,000 Bingo Night or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1225. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Millionaire Bucks Instant Lottery Game 1598

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Millionaire Bucks (hereinafter “Millionaire Bucks”). The game number is PA-1598.

2. *Price:* The price of a Millionaire Bucks instant lottery game ticket is \$20.

3. *Play symbols:* Each Millionaire Bucks instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and two “QUICK BUCK BONUS” spots. Each of the “QUICK BUCK BONUS” spots is played separately. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 11 (ELEVN), 12

(TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Bucks (BUCKS) symbol, 10X (10TIMES) symbol and a Bank (WINALL) symbol. The play symbols and their captions, located in each of the “QUICK BUCK BONUS” spots, are: Bag of Money (TRYAGAIN) symbol, Gold Bar (NOBONUS) symbol, Star (TRYAGAIN) symbol, Stack of Coins (TRYAGAIN) symbol, Crown (NOBONUS) symbol, Diamond (NOBONUS) symbol, Purse (TRYAGAIN) symbol, Pot of Gold (NOBONUS) symbol, Horseshoe (NOBONUS) symbol, \$100 Bill (WIN100) symbol, \$200 Bill (WIN200) symbol and a \$500 Bill (WIN500) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO), \$100,000 (ONEHUNTHO) and \$1MILL (ONE MIL).

5. *Prizes:* The prizes that can be won in this game, are: \$20, \$30, \$50, \$100, \$200, \$300, \$500, \$1,000, \$10,000, \$100,000 and \$1,000,000. The prizes that can be won in each of the “QUICK BUCK BONUS” spots, are: \$100, \$200 and \$500. Millionaire Bucks contains a feature that can multiply certain prizes. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 22 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Millionaire Bucks instant lottery game.

7. Determination of prize winners:

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1MILL (ONE MIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100,000 (ONEHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets upon which a 10X (10TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$500 (FIV HUN) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(g) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1,000 (ONE THO) appears in two of the “prize” areas, a prize symbol of \$500 (FIV HUN) appears in 13 of the “prize” areas and a prize symbol of \$200 (TWO HUN) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$9,500.

(h) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$1,000 (ONE THO) appears in four of the “prize” areas, a prize symbol of \$500 (FIV HUN) appears in six of the “prize” areas and a prize symbol of \$200 (TWO HUN) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$9,000.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(j) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(k) Holders of tickets upon which a 10X (10TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(m) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in 15 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$800.

(n) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$600.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(p) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$500.

(q) Holders of tickets upon which a 10X (10TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$500.

(r) Holders of tickets upon which a \$500 Bill (WIN500) symbol appears in either “QUICK BUCK BONUS” spot, on a single ticket, shall be entitled to a prize of \$500.

(s) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in three of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in 16 of the “prize” areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(t) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in ten of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(u) Holders of tickets upon which a Bank (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$20⁰⁰ (TWENTY) appears in all 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$400.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300 (THR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300.

(w) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$300 (THR HUN) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$300.

(x) Holders of tickets upon which a 10X (10TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$300.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(z) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$200.

(aa) Holders of tickets upon which a 10X (10TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that 10X (10TIMES) symbol, on a single ticket, shall be entitled to a prize of \$200.

(bb) Holders of tickets upon which a \$200 Bill (WIN200) symbol appears in either “QUICK BUCK BONUS” spot, on a single ticket, shall be entitled to a prize of \$200.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100

(ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(dd) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$100.

(ee) Holders of tickets upon which a \$100 Bill (WIN100) symbol appears in either “QUICK BUCK BONUS” spot, on a single ticket, shall be entitled to a prize of \$100.

(ff) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(gg) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$50.

(hh) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(ii) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$30.

(jj) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(kk) Holders of tickets upon which a Bucks (BUCKS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that Bucks (BUCKS) symbol, on a single ticket, shall be entitled to a prize of \$20.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“QUICK BUCK BONUS”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$20 w/ BUCKS		\$20	30	280,000
\$20		\$20	15.79	532,000
\$30 w/ BUCKS		\$30	20	420,000
\$30		\$30	21.43	392,000
\$30 + \$20		\$50	100	84,000
(\$20 w/ BUCKS) + \$30		\$50	75	112,000
\$50 w/ BUCKS		\$50	60	140,000
\$50		\$50	60	140,000
\$20 × 5		\$100	300	28,000
(((\$20 w/ BUCKS) × 3) + (\$20 × 2))		\$100	300	28,000
(((\$30 w/ BUCKS) × 2) + (\$20 w/ BUCKS) + \$20)		\$100	300	28,000
	\$100 w/ \$100 BILL	\$100	100	84,000
\$100 w/ BUCKS		\$100	75	112,000
\$100		\$100	300	28,000
\$20 × 10		\$200	24,000	350
\$50 × 4		\$200	24,000	350
(((\$20 w/ BUCKS) × 2) + (\$30 × 2) + \$100)		\$200	3,000	2,800
(((\$30 w/ BUCKS) × 2) + (\$20 × 2))	\$100 w/ \$100 BILL	\$200	3,000	2,800
(\$50 w/ BUCKS) + \$50	\$100 w/ \$100 BILL	\$200	3,000	2,800
(\$50 w/ BUCKS) + (\$30 w/ BUCKS) + (\$20 w/ BUCKS)	\$100 w/ \$100 BILL	\$200	3,000	2,800
\$100 w/ BUCKS	\$100 w/ \$100 BILL	\$200	3,000	2,800
	\$200 w/ \$200 BILL	\$200	800	10,500

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>"QUICK BUCK BONUS":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$20 w/ 10X		\$200	300	28,000
\$200 w/ BUCKS		\$200	600	14,000
\$200		\$200	3,000	2,800
\$100 × 3		\$300	24,000	350
(\$20 w/ 10X) + (\$20 × 5)		\$300	24,000	350
\$20 w/ 10X	\$100 w/ \$100 BILL	\$300	12,000	700
(((\$20 w/ BUCKS) × 3) + (\$20 × 2))	\$200 w/ \$200 BILL	\$300	12,000	700
(\$20 w/ BUCKS) × 5	(\$100 w/ \$100 BILL) × 2	\$300	12,000	700
	(\$200 w/ \$200 BILL) + (\$100 w/ \$100 BILL)	\$300	6,000	1,400
\$30 w/ 10X		\$300	12,000	700
\$300 w/ BUCKS		\$300	12,000	700
\$300		\$300	24,000	350
BANK w/ (\$20 × 20)	\$100 w/ \$100 BILL	\$500	3,000	2,800
BANK w/ ((\$30 × 10) + (\$20 × 10))		\$500	3,429	2,450
BANK w/ ((\$50 × 3) + (\$20 × 16) + \$30)		\$500	6,000	1,400
\$50 × 10		\$500	60,000	140
(\$20 w/ 10X) × 2	\$100 w/ \$100 BILL	\$500	24,000	350
(((\$20 w/ BUCKS) × 3) + (\$30 w/ 10X) + (\$20 × 2))	\$100 w/ \$100 BILL	\$500	24,000	350
(((\$30 w/ BUCKS) × 5) + (((\$20 w/ BUCKS) × 10) + \$50)	\$100 w/ \$100 BILL	\$500	24,000	350
(\$20 w/ BUCKS) × 10	(\$200 w/ \$200 BILL) + (\$100 w/ \$100 BILL)	\$500	24,000	350
(\$50 w/ BUCKS) × 10		\$500	24,000	350
	\$500 w/ \$500 BILL	\$500	4,000	2,100
\$50 w/ 10X		\$500	4,000	2,100
\$500 w/ BUCKS		\$500	24,000	350
\$500		\$500	120,000	70
BANK w/ (\$30 × 20)	(\$200 w/ \$200 BILL) × 2	\$1,000	12,000	700
BANK w/ ((\$100 × 5) + (\$20 × 15))	(\$100 w/ \$100 BILL) × 2	\$1,000	12,000	700
BANK w/ (\$50 × 20)		\$1,000	24,000	350
\$500 × 2		\$1,000	120,000	70
(\$30 w/ 10X) × 2	(\$200 w/ \$200 BILL) × 2	\$1,000	120,000	70
(\$50 w/ 10X) + (20 w/ 10X) + (\$20 × 10)	\$100 w/ \$100 BILL	\$1,000	120,000	70
(((\$50 w/ BUCKS) × 10) + (\$30 w/ 10X))	(\$100 w/ \$100 BILL) × 2	\$1,000	120,000	70
(\$50 w/ BUCKS) × 10	\$500 w/ \$500 BILL	\$1,000	24,000	350
(\$100 w/ BUCKS) × 5	\$500 w/ \$500 BILL	\$1,000	120,000	70
	(\$500 w/ \$500 BILL) × 2	\$1,000	24,000	350
\$100 w/ 10X		\$1,000	120,000	70
\$1,000 w/ BUCKS		\$1,000	120,000	70
\$1,000		\$1,000	60,000	140
BANK w/ ((\$1,000 × 4) + (\$500 × 6) + (\$200 × 10))	(\$500 w/ \$500 BILL) × 2	\$10,000	1,680,000	5

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“QUICK BUCK BONUS”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
BANK w/ (((\$1,000 × 2) + (\$500 × 13) + (\$200 × 5))	\$500 w/ \$500 BILL	\$10,000	1,680,000	5
BANK w/ (\$500 × 20)		\$10,000	1,680,000	5
\$1,000 w/ 10X		\$10,000	1,680,000	5
\$10,000 w/ BUCKS		\$10,000	1,680,000	5
\$10,000		\$10,000	1,680,000	5
\$100,000		\$100,000	1,680,000	5
\$1,000,000		\$1,000,000	1,680,000	5

Reveal a “Bucks” (BUCKS) symbol, win prize shown under that symbol automatically.

Reveal a “10X” (10TIMES) symbol, win 10 TIMES the prize shown under that symbol.

Reveal a “Bank” (WINALL) symbol, win all 20 prizes shown!

QUICK BUCK BONUS: Reveal a “\$100 Bill” (WIN100), “\$200 Bill” (WIN200) or “\$500 Bill” (WIN500) symbol in either QUICK BUCK BONUS spot, win that prize instantly! QUICK BUCK BONUS spots played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Millionaire Bucks instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Millionaire Bucks, prize money from winning Millionaire Bucks instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Millionaire Bucks instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State

Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Millionaire Bucks or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1226. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Ready Set Gold Instant Lottery Game 1599

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Ready Set Gold (hereinafter “Ready Set Gold”). The game number is PA-1599.

2. *Price:* The price of a Ready Set Gold instant lottery game ticket is \$5.

3. *Play symbols:* Each Ready Set Gold instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVEN), 12 (TWELVE), 13 (THIRTEEN), 14 (FOURTEEN), 15 (FIFTEEN), 16 (SIXTEEN), 17 (SEVENTEEN), 18 (EIGHTEEN), 19 (NINETEEN), 20 (TWENTY), 21 (TWENTYONE), 22 (TWENTYTWO), 23 (TWENTYTHREE), 24 (TWENTYFOUR), 25 (TWENTYFIVE),

26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions, located in the "YOUR NUMBERS" area, are: 1 (ONE), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), Gold Bar (GLDBR) symbol, 2X Nugget (DOUBLE) symbol and a GOLD (WIN100) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$5.⁰⁰ (FIV DOL), \$10.⁰⁰ (TEN DOL), \$20.⁰⁰ (TWENTY), \$30.⁰⁰ (THIRTY), \$50.⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$200,000 (TWOHUNTHO).

5. *Prizes:* The prizes that can be won in this game, are: \$5, \$10, \$20, \$30, \$50, \$100, \$200, \$500, \$1,000, \$5,000 and \$200,000. Ready Set Gold contains a feature that can multiply the prize won. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 12 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the Ready Set Gold instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200,000 (TWOHUNTHO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$5,000 (FIV THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$1,000 (ONE THO) appears in the "prize" area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(e) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$500 (FIV HUN) appears in the "prize" area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$500.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in the "prize" area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets upon which a 2X Nugget (DOUBLE) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that 2X Nugget (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$200.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which a GOLD (WIN100) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in the "prize" area under that GOLD (WIN100) symbol, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which a 2X Nugget (DOUBLE) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the "prize" area under that 2X Nugget (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$100.

(m) Holders of tickets upon which a 2X Nugget (DOUBLE) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the "prize" area under that 2X Nugget (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$60.

(n) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the "prize" area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$50.

(p) Holders of tickets upon which a 2X Nugget (DOUBLE) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the "prize" area under that 2X Nugget (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$40.

(q) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match any of the "WINNING NUMBERS" play symbols and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the "prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(r) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the "prize" area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$30.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(t) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20.⁰⁰ (TWENTY) appears in the “prize” area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$20.

(u) Holders of tickets upon which a 2X Nugget (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under that 2X Nugget (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$20.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(w) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$10.⁰⁰ (TEN DOL) appears in the “prize” area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$10.

(x) Holders of tickets upon which a 2X Nugget (DOUBLE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under that 2X Nugget (DOUBLE) symbol, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(z) Holders of tickets upon which a Gold Bar (GLDBR) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5.⁰⁰ (FIV DOL) appears in the “prize” area under that Gold Bar (GLDBR) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$5 w/ GOLD BAR	\$5	15	720,000
\$5	\$5	25	432,000
\$5 × 2	\$10	60	180,000
\$5 w/ 2X NUGGET	\$10	40	270,000
\$10 w/ GOLD BAR	\$10	50	216,000
\$10	\$10	200	54,000
\$5 × 4	\$20	600	18,000
(\$5 w/ 2X NUGGET) + \$10	\$20	600	18,000
(\$10 w/ GOLD BAR) + (\$5 w/ 2X NUGGET)	\$20	120	90,000
\$10 w/ 2X NUGGET	\$20	120	90,000
\$20 w/ GOLD BAR	\$20	600	18,000
\$20	\$20	600	18,000
\$10 × 3	\$30	600	18,000
(((\$5 w/ 2X NUGGET) × 2) + (\$5 × 2))	\$30	600	18,000
(((\$5 w/ GOLD BAR) × 2) + (\$5 w/ 2X NUGGET) + \$10)	\$30	300	36,000
(((\$5 w/ GOLD BAR) × 2) + (\$10 w/ 2X NUGGET))	\$30	300	36,000
(\$10 w/ GOLD BAR) + (((\$5 w/ 2X NUGGET) × 2))	\$30	300	36,000
\$30 w/ GOLD BAR	\$30	600	18,000
\$30	\$30	600	18,000
\$5 × 10	\$50	600	18,000
(((\$10 w/ 2X NUGGET) × 2) + \$10)	\$50	600	18,000
(\$20 w/ GOLD BAR) + (((\$5 w/ 2X NUGGET) × 3))	\$50	200	54,000

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number: Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
$((\$20 \text{ w/ GOLD BAR}) \times 2) + \10	\$50	600	18,000
\$50 w/ GOLD BAR	\$50	600	18,000
\$50	\$50	600	18,000
$\$10 \times 10$	\$100	60,000	180
$((\$10 \text{ w/ 2X NUGGET}) \times 4) + (\$10 \times 2)$	\$100	12,000	900
$((\$5 \text{ w/ GOLD BAR}) \times 4) + ((\$20 \text{ w/ 2X NUGGET}) \times 2)$	\$100	12,000	900
$((\$10 \text{ w/ GOLD BAR}) \times 5) + ((\$10 \text{ w/ 2X NUGGET}) \times 2) + (\$5 \times 2)$	\$100	12,000	900
$((\$20 \text{ w/ GOLD BAR}) \times 2) + ((\$10 \text{ w/ 2X NUGGET}) \times 2) + (\$5 \times 4)$	\$100	12,000	900
$(\$50 \text{ w/ GOLD BAR}) \times 2$	\$100	12,000	900
\$50 w/ 2X NUGGET	\$100	12,000	900
\$100 w/ GOLD SYMBOL	\$100	342.86	31,500
\$100	\$100	60,000	180
$\$50 \times 4$	\$200	120,000	90
$((\$20 \text{ w/ 2X NUGGET}) \times 3) + ((\$10 \text{ w/ 2X NUGGET}) \times 3) + (\$10 \times 2)$	\$200	40,000	270
$((\$20 \text{ w/ GOLD BAR}) \times 5) + (\$50 \text{ w/ 2X NUGGET})$	\$200	40,000	270
$((\$30 \text{ w/ GOLD BAR}) \times 5) + ((\$10 \text{ w/ 2X NUGGET}) \times 2) + (\$5 \times 2)$	\$200	40,000	270
$((\$50 \text{ w/ GOLD BAR}) \times 2) + ((\$20 \text{ w/ 2X NUGGET}) \times 2) + (\$10 \times 2)$	\$200	30,000	360
$(\$100 \text{ w/ GOLD SYMBOL}) + ((\$50 \text{ w/ GOLD BAR}) \times 2)$	\$200	24,000	450
$(\$100 \text{ w/ GOLD SYMBOL}) \times 2$	\$200	2,400	4,500
\$100 w/ 2X NUGGET	\$200	40,000	270
\$200 w/ GOLD BAR	\$200	60,000	180
\$200	\$200	120,000	90
$\$100 \times 5$	\$500	120,000	90
$((\$30 \text{ w/ 2X NUGGET}) \times 5) + ((\$20 \text{ w/ 2X NUGGET}) \times 4) + (\$10 \times 2) + \$20$	\$500	120,000	90
$((\$50 \text{ w/ GOLD BAR}) \times 4) + ((\$30 \text{ w/ 2X NUGGET}) \times 5)$	\$500	120,000	90
$((\$100 \text{ w/ GOLD SYMBOL}) \times 2) + ((\$50 \text{ w/ 2X NUGGET}) \times 3)$	\$500	60,000	180
$((\$100 \text{ w/ GOLD SYMBOL}) \times 3) + ((\$50 \text{ w/ GOLD BAR}) \times 4)$	\$500	60,000	180
$(\$100 \text{ w/ GOLD SYMBOL}) \times 5$	\$500	24,000	450
\$500 w/ GOLD BAR	\$500	120,000	90
\$500	\$500	120,000	90
$\$200 \times 5$	\$1,000	1,080,000	10
$\$500 \times 2$	\$1,000	1,080,000	10

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
(\$100 w/ GOLD SYMBOL) × 10	\$1,000	540,000	20
\$1,000 w/ GOLD BAR	\$1,000	540,000	20
\$1,000	\$1,000	1,080,000	10
(((\$1,000 w/ GOLD BAR) × 4) + ((\$100 w/ GOLD SYMBOL) × 6) + ((\$100 w/ 2X NUGGET) × 2))	\$5,000	1,080,000	10
\$5,000	\$5,000	1,080,000	10
\$200,000	\$200,000	1,080,000	10

Reveal a “Gold Bar” (GLDBR) symbol, win prize shown under that symbol automatically.

Reveal a “2X Nugget” (DOUBLE) symbol, win DOUBLE the prize shown under that symbol.

Reveal a “GOLD” (WIN100) symbol, win \$100 instantly!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Ready Set Gold instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Ready Set Gold, prize money from winning Ready Set Gold instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Ready Set Gold instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Ready Set Gold or through normal communications methods.

C. DANIEL HASSELL
Secretary

[Pa.B. Doc. No. 22-1227. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Twice As Great 8s Instant Lottery Game 1600

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Twice As Great 8s (hereafter “Twice As Great 8s”). The game number is PA-1600.

2. *Price:* The price of a Twice As Great 8s instant lottery game ticket is \$3.

3. *Play symbols:* Each Twice As Great 8s instant lottery game ticket will contain one play area consisting of six “GAME” areas. The play symbols and their captions, located in the six “GAME” areas, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWY TWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 29 (TWYNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 39 (THYNIN), 40 (FORT) and an 8 (EIGHT) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the six “GAME” areas, are: \$3⁰⁰ (THR DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$300 (THR HUN), \$1,000 (ONE THO) and \$50,000 (FTY THO).

5. *Prizes:* Twice As Great 8s has two ways to win a prize. The prizes that can be won in this game, are: \$3, \$5, \$10, \$15, \$20, \$30, \$50, \$300, \$1,000 and \$50,000. A player can win up to three times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Twice As Great 8s instant lottery game.

7. *Determination of prize winners:*

(a) Determination of prize winners for holders of tickets upon which three matching play symbols appear in the same "GAME" area, are:

(1) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$50,000 (FTY THO) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$1,000.

(3) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$300 (THR HUN) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$300.

(4) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$50.

(5) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$30.

(6) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$20.

(7) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$15.

(8) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$10.

(9) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$5.

(10) Holders of tickets upon which three matching play symbols appear in the same "GAME" area and a prize symbol of \$3⁰⁰ (THR DOL) appears in the "Prize" area for that "GAME" area, on a single ticket, shall be entitled to a prize of \$3.

(b) Determination of prize winners for holders of tickets upon which a total of five or more 8 (EIGHT) symbols appear in all "GAME" areas combined, are:

(1) Holders of tickets upon which a total of 12—8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$50,000.

(2) Holders of tickets upon which a total of 11—8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$1,000.

(3) Holders of tickets upon which a total of ten 8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$300.

(4) Holders of tickets upon which a total of nine 8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$50.

(5) Holders of tickets upon which a total of eight 8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$30.

(6) Holders of tickets upon which a total of seven 8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$10.

(7) Holders of tickets upon which a total of six 8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$5.

(8) Holders of tickets upon which a total of five 8 (EIGHT) symbols appear in all "GAME" areas combined, on a single ticket, shall be entitled to a prize of \$3.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>2 Ways to Play!</i>		<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
<i>1. Reveal 3 Like Numbers In The Same GAME, Win PRIZE Shown For That GAME. Win With:</i>	<i>2. Count The Total Number Of "8" (EIGHT) Symbols In All GAMES And Win Corresponding Prize Shown In The PRIZE LEGEND. Win With:</i>			
	5—8 SYMBOLS	\$3	16.67	504,000
\$3		\$3	20	420,000
	6—8 SYMBOLS	\$5	40	210,000
\$5		\$5	33.33	252,000
\$5	6—8 SYMBOLS	\$10	90.91	92,400
	7—8 SYMBOLS	\$10	100	84,000

<i>2 Ways to Play!</i>				
<i>1. Reveal 3 Like Numbers In The Same GAME, Win PRIZE Shown For That GAME. Win With:</i>	<i>2. Count The Total Number Of "8" (EIGHT) Symbols In All GAMES And Win Corresponding Prize Shown In The PRIZE LEGEND. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$10		\$10	100	84,000
\$5	7—8 SYMBOLS	\$15	200	42,000
\$10	6—8 SYMBOLS	\$15	111.11	75,600
\$15		\$15	200	42,000
\$5 × 2	7—8 SYMBOLS	\$20	200	42,000
\$10 + \$5	6—8 SYMBOLS	\$20	200	42,000
\$10	7—8 SYMBOLS	\$20	500	16,800
\$20		\$20	333.33	25,200
\$10 × 2	7—8 SYMBOLS	\$30	923.08	9,100
\$15 + \$10	6—8 SYMBOLS	\$30	923.08	9,100
\$20	7—8 SYMBOLS	\$30	923.08	9,100
	8—8 SYMBOLS	\$30	1,200	7,000
\$30		\$30	1,200	7,000
\$20	8—8 SYMBOLS	\$50	1,500	5,600
\$20 × 2	7—8 SYMBOLS	\$50	1,500	5,600
\$30 + \$10	7—8 SYMBOLS	\$50	1,500	5,600
	9—8 SYMBOLS	\$50	2,400	3,500
\$50		\$50	2,400	3,500
	10—8 SYMBOLS	\$300	6,000	1,400
\$300		\$300	6,000	1,400
	11—8 SYMBOLS	\$1,000	60,000	140
\$1,000		\$1,000	60,000	140
	12—8 SYMBOLS	\$50,000	1,680,000	5
\$50,000		\$50,000	1,680,000	5

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Twice As Great 8s instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a

winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Twice As Great 8s, prize money from winning Twice As Great 8s instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Twice As Great 8s instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Twice As Great 8s or through normal communications methods.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1228. Filed for public inspection August 12, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

State Transportation Commission Meeting

The State Transportation Commission (Commission) will hold a meeting on Wednesday, August 17, 2022, from 10 a.m. to 12 p.m. This meeting will be held in the Keystone Building, 8N1, 400 North Street and by means of Microsoft Teams. Meeting information including the agenda is available at <https://bit.ly/3b7M0Tq>.

For more information, contact the Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1229. Filed for public inspection August 12, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Changes to List of Class A Wild Trout Waters; July 2022

The Fish and Boat Commission (Commission) approved the addition of nine stream sections to its list of Class A wild trout streams. The proposed changes were set forth

at 52 Pa.B. 2940 (May 14, 2022). Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1230. Filed for public inspection August 12, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Changes; July 2022

The Fish and Boat Commission (Commission) approved the addition of 19 new waters to its list of wild trout streams as set forth at 52 Pa.B. 2939 (May 14, 2022). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission's Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission's web site at www.fishandboat.com/Fish/PennsylvaniaFishes/Trout/Pages/TroutWaterClassifications.aspx.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1231. Filed for public inspection August 12, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Proposed Additions and Revisions; October 2022

Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Fish and Boat Commission (Commission) to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The Commission's Fisheries Management Division maintains the list of wild trout streams. The Executive Director, with the approval of the Commission, will from time-to-time publish the list of wild trout streams in the *Pennsylvania Bulletin*. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams.

At the next Commission meeting on October 24 and 25, 2022, the Commission will consider changes to its list of wild trout streams. Specifically, the Commission will consider the addition of the following streams or portions of streams to the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Berks	UNT (RM 0.30) to UNT to Sacony Creek (RM 4.69)	Headwaters to Mouth	UNT to Sacony Creek (RM 4.69)	40.536619 75.813666
Berks	UNT (RM 1.25) to UNT to Maiden Creek (RM 14.26)	Headwaters to Mouth	UNT to Maiden Creek (RM 14.26)	40.578087 75.853561
Berks	UNT to Sacony Creek (RM 1.82)	Headwaters to Mouth	Sacony Creek	40.533479 75.854908

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Cameron	UNT to Salt Run (RM 4.43)	Headwaters to Mouth	Salt Run	41.565940 78.168500
Cameron	UNT to Salt Run (RM 5.02)	Headwaters to Mouth	Salt Run	41.570420 78.160000
Clearfield	Long Run	Headwaters to UNT at RM 1.30	Clearfield Creek	40.991837 78.407051
Elk	Bakemans Run	Headwaters to Mouth	Bennett Branch Sinnemahoning Creek	41.280048 78.446075
Elk	UNT to Little Toby Creek (RM 4.73)	Headwaters to Mouth	Little Toby Creek	41.314511 78.840747
Elk	UNT to Sand Lick Run (RM 0.76)	Headwaters to Mouth	Sand Lick Run	41.476750 78.444000
Elk	UNT to Seeley Hollow Run (RM 1.29)	Headwaters to Mouth	Seeley Hollow Run	41.501770 78.436400
Elk	UNT to Seeley Hollow Run (RM 1.45)	Headwaters to Mouth	Seeley Hollow Run	41.502920 78.438900
Elk	UNT to South Fork West Creek (RM 0.52)	Headwaters to Mouth	South Fork West Creek	41.470100 78.483400
Forest	UNT to Hastings Run (RM 0.61)	Headwaters to Mouth	Hastings Run	41.599830 79.102520
Indiana	UNT (RM 0.82) to UNT to Bear Run (RM 2.92)	Headwaters to Mouth	UNT to Bear Run (RM 2.92)	40.887758 78.807422
Indiana	UNT to Cush Cushion Creek (RM 5.50)	Headwaters to Mouth	Cush Cushion Creek	40.717410 78.880800
Indiana	UNT to North Branch Two Lick Creek (RM 2.66)	Headwaters to Mouth	North Branch Two Lick Creek	40.706980 78.955670
Indiana	UNT to North Branch Two Lick Creek (RM 3.34)	Headwaters to Mouth	North Branch Two Lick Creek	40.711299 78.945278
Indiana	UNT to West Branch Cush Creek (RM 1.80)	Headwaters to Mouth	West Branch Cush Creek	40.805690 78.878600
McKean	UNT to North Branch Cole Creek (RM 2.32)	Headwaters to Mouth	North Branch Cole Creek	41.879660 78.489000
McKean	UNT to North Branch Cole Creek (RM 2.64)	Headwaters to Mouth	North Branch Cole Creek	41.883378 78.491807
McKean	UNT to North Branch Cole Creek (RM 4.25)	Headwaters to Mouth	North Branch Cole Creek	41.894870 78.515467
Potter	UNT to Ludington Run (RM 3.43)	Headwaters to Mouth	Ludington Run	41.895926 77.802045
Somerset	UNT to Fall Creek (RM 0.08)	Headwaters to Mouth	Fall Creek	39.958510 79.279295
Susquehanna	UNT (RM 0.28) to UNT to Starrucca Creek (RM 8.50)	Headwaters to Mouth	UNT to Starrucca Creek (RM 8.50)	41.924476 75.490666
Susquehanna	UNT to East Branch Hemlock Creek (RM 1.17)	Headwaters to Mouth	East Branch Hemlock Creek	41.962586 75.494919

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Section Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Susquehanna	UNT to Starrucca Creek (RM 14.47)	Headwaters to Mouth	Starrucca Creek	41.862711 75.505957
Susquehanna	UNT to Starrucca Creek (RM 15.24)	Headwaters to Mouth	Starrucca Creek	41.860001 75.515171
Susquehanna	UNT to Starrucca Creek (RM 15.94)	Headwaters to Mouth	Starrucca Creek	41.857466 75.525892
Susquehanna	UNT to Starrucca Creek (RM 8.50)	Headwaters to Mouth	Starrucca Creek	41.924116 75.495921
Tioga	Silver Run	Headwaters to Mouth	Lick Creek	41.653056 77.180000
Tioga	UNT to Pine Creek (RM 58.02)	Headwaters to Mouth	Pine Creek	41.736853 77.430200
Warren	UNT (RM 0.26) to UNT to Farnsworth Branch (RM 2.58)	Headwaters to Mouth	UNT to Farnsworth Branch (RM 2.58)	41.745345 79.127271
Warren	UNT to Farnsworth Branch (RM 2.58)	Headwaters to Mouth	Farnsworth Branch	41.748541 79.126947
Wayne	UNT (RM 0.48) to UNT to Shadigee Creek (RM 3.05)	Headwaters to Mouth	UNT to Shadigee Creek (RM 3.05)	41.892331 75.426444
Wayne	UNT (RM 0.71) to UNT to Riley Creek (RM 2.56)	Headwaters to Mouth	UNT to Riley Creek (RM 2.56)	41.804131 75.396337
Wayne	UNT to Crooked Creek (RM 2.00)	Headwaters to Mouth	Crooked Creek	41.783753 75.281098
Wayne	UNT to East Branch Hemlock Creek (RM 2.25)	Headwaters to Mouth	East Branch Hemlock Creek	41.958421 75.477569
Wayne	UNT to Equinunk Creek (RM 12.24)	Headwaters to Mouth	Equinunk Creek	41.825583 75.394883
Wayne	UNT to Equinunk Creek (RM 4.81)	Headwaters to Mouth	Equinunk Creek	41.812612 75.285060
Wayne	UNT to Equinunk Creek (RM 6.02)	Headwaters to Mouth	Equinunk Creek	41.816300 75.301937
Wayne	UNT to Equinunk Creek (RM 8.17)	Headwaters to Mouth	Equinunk Creek	41.811922 75.333673
Wayne	UNT to Shadigee Creek (RM 5.22)	Headwaters to Mouth	Shadigee Creek	41.864901 75.424409
Wayne	UNT to Starrucca Creek (RM 11.77)	Headwaters to Mouth	Starrucca Creek	41.886068 75.472118
Wayne	UNT to Starrucca Creek (RM 11.84)	Headwaters to Mouth	Starrucca Creek	41.885136 75.471620
Wayne	UNT to Starrucca Creek (RM 12.21)	Headwaters to Mouth	Starrucca Creek	41.881385 75.475803

The Commission also will consider the following revisions to the section limits of streams on the list:

<i>County of Mouth</i>	<i>Stream Name</i>	<i>Current Limits</i>	<i>Revised Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>
Berks	Furnace Creek	Headwaters to 930 meters upstream SR 4044 (Mountain Road)	Headwaters to Mouth	Maiden Creek	40.574722 75.887222

Persons with comments, objections or suggestions concerning the classification of the streams listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1232. Filed for public inspection August 12, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wilderness Trout Streams; Additions; July 2022

The Fish and Boat Commission (Commission) approved the addition of 19 stream sections to the list of wilderness trout streams as set forth at 52 Pa.B. 3394 (June 11, 2022). Under 58 Pa. Code § 57.4 (relating to wilderness trout streams), it is the policy of the Commission to maintain the wilderness trout streams program where stream remoteness and populations of naturally reproducing trout combine to offer sport fishing opportunity for the recreation of anglers in a wilderness setting away from roads or vehicular access. It is the Commission's intent to advocate proper watershed management to maintain the wilderness setting and to advance and seek the highest water quality standards through the Department of Environmental Protection.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1233. Filed for public inspection August 12, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Proposed Changes to List of Class A Wild Trout Waters; October 2022

The Fish and Boat Commission (Commission) is considering changes to its list of Class A wild trout streams. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries. With rare exceptions, the Commission manages these stream sections solely for the perpetuation of the wild trout fishery with no stocking.

Criteria developed for Class A Wild Trout fisheries are species specific. Wild Trout Biomass Class Criteria include provisions for:

(i) *Wild Brook Trout Fisheries*

(A) Total brook trout biomass of at least 30 kg/ha (26.7 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brook trout biomass must comprise at least 75% of the total trout biomass.

(ii) *Wild Brown Trout Fisheries*

(A) Total brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Brown trout biomass must comprise at least 75% of the total trout biomass.

(iii) *Mixed Wild Brook and Brown Trout Fisheries*

(A) Combined brook and brown trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass must comprise less than 75% of the total trout biomass.

(E) Brown trout biomass must comprise less than 75% of the total trout biomass.

(iv) *Wild Rainbow Trout Fisheries*

Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 2.0 kg/ha (1.78 lbs/acre).

(v) *Mixed Wild Brook and Rainbow Trout Fisheries*

(A) Combined brook and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brook trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brook trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

(vi) *Mixed Wild Brown and Rainbow Trout Fisheries*

(A) Combined brown and rainbow trout biomass of at least 40 kg/ha (35.6 lbs/acre).

(B) Total biomass of brown trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(C) Total biomass of rainbow trout less than 15 cm (5.9 inches) in total length of at least 0.1 kg/ha (0.089 lbs/acre).

(D) Brown trout biomass shall comprise less than 75% of the total trout biomass.

(E) Rainbow trout biomass shall comprise less than 75% of the total trout biomass.

During recent surveys, Commission staff documented the following stream sections to have Class A wild trout populations. The Commission intends to consider adding these waters to its list of Class A Wild Trout Streams at its meeting on October 24 and 25, 2022.

<i>County</i>	<i>Stream</i>	<i>Section</i>	<i>Limits</i>	<i>Tributary to</i>	<i>Mouth Lat/Lon</i>	<i>Brook Trout (kg/ha)</i>	<i>Brown Trout (kg/ha)</i>	<i>Rainbow Trout (kg/ha)</i>	<i>Length (miles)</i>	<i>Survey Year</i>
Centre	Hall Run	1	Headwaters to Mouth	Black Moshannon Creek	40.966944 78.041111	24.40	16.35	—	2.50	2021

Persons with comments, objections or suggestions concerning the addition are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments also may be submitted electronically by completing the form at www.fishandboat.com/regcomments. If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1234. Filed for public inspection August 12, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Special Regulation Designations

The Fish and Boat Commission (Commission) took the following actions with respect to waters subject to 58 Pa. Code Chapter 65 (relating to special fishing regulations), effective upon publication in the *Pennsylvania Bulletin*.

58 Pa. Code § 65.9. Big bass waters program

The Commission added the following water to its list of “big bass regulation” waters regulated and managed under 58 Pa. Code § 65.9 (relating to big bass):

County	Water
Lancaster	Speedwell Forge Lake

58 Pa. Code § 65.11. Panfish enhancement

The Commission added the following waters to its list of “panfish enhancement” waters regulated and managed under 58 Pa. Code § 65.11 (relating to panfish enhancement):

County	Water	Species
Centre	Colyer	Yellow perch
Tioga	Lake Nessmuk	Yellow perch

58 Pa. Code § 65.17. Catch and release lakes

The Commission removed the following water from the catch and release lakes program:

County	Water
Lancaster	Speedwell Forge Lake

58 Pa. Code § 65.18. Brood stock lakes

The Commission removed the following lakes from its list of brood stock lakes:

County	Water
Crawford	Sugar Lake
Wayne	Belmont Lake
Wayne	Prompton Lake

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1235. Filed for public inspection August 12, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.18) in connection with the company’s termination of the insured’s homeowners policy. The proceedings will be held in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held virtually by means of Zoom. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126, ra-hearings@pa.gov.

Appeal of Helen Buchanan; State Farm Fire and Casualty Company; File No. 22-130-270019; Doc. No. P22-07-018; September 14, 2022, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Acting Insurance Commissioner (Acting Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Acting Commissioner’s Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Acting Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1236. Filed for public inspection August 12, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Recovery of Purchased Gas Costs; Doc. No. L-00840102

The regulation promulgated by the Pennsylvania Public Utility Commission (Commission) in 52 Pa. Code § 53.64(a) (relating to filing requirements for natural gas distributors with gross intrastate annual operating revenues in excess of \$40 million) directs the Commission to annually publish a schedule of filing dates for jurisdictional gas utilities subject to the procedure of 66 Pa.C.S. § 1307(f) (relating to sliding scale of rates; adjustments) for the recovery of purchased gas costs (PGC).

The 2023 schedule of § 53.64(a) filing dates is applicable to the listed natural gas distribution companies and city natural gas distribution operation (collectively, public utilities) as follows:

February 1, 2023: National Fuel Gas Distribution Corporation

March 1, 2023: Philadelphia Gas Works

April 1, 2023: Columbia Gas of Pennsylvania, Inc.; Peoples Gas Company; Peoples Natural Gas Company

June 1, 2023: PECO—Gas Division; UGI Utilities—Gas Division

Each PGC filing will be addressed at a utility-specific docket number to be assigned when the specific proceeding begins. The § 53.64(c) prefilings are due 30 days earlier.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1237. Filed for public inspection August 12, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before August 29, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by August 29, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Application of the following for approval to *begin operating as common carriers for transportation of persons as described under the application.*

A-2022-3033907. Serene Transport Services, LLC (152 East High Street, Suite 440B, Pottstown, Montgom-

ery County, PA 19525) to transport persons, by motor vehicle, in paratransit service, from points in the Counties of Berks, Bucks, Chester, Delaware, Lehigh and Montgomery, and the City and County of Philadelphia, to points in Pennsylvania, and return.

Application of the following for approval of the *beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.*

A-2022-3033682. Lackawanna Movers, LLC (416 West Market Street, Scranton, Lackawanna County, PA 18508) household goods in use, between points in Pennsylvania. *Attorney:* Paul George Batyko, III, 4113 Birney Avenue, Moosic, PA 18507.

Applications of the following for the approval of the *right and privilege to discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public conveyance as described under each application.*

A-2022-3034012. Daniel R. Koebler, t/a Crown Limousine Service (890 Harmony Road, Slippery Rock, Butler County, PA 16057) for the discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, between points in Pennsylvania, subject to the following conditions: 1. That no right, power or privilege is granted to provide service from points in the Counties of Lawrence and Mercer; 2. That no service may originate from a point in the County of Chester.

A-2022-3034015. Daniel R. Koebler, t/a Crown Limousine Service (890 Harmony Road, Slippery Rock, Butler County, PA 16057) for the discontinuance of service and cancellation of its certificate, for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Allegheny, Armstrong, Butler, Clarion, Lawrence, Mercer and Venango, to points in Pennsylvania, and return, subject to certain conditions.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1238. Filed for public inspection August 12, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than August 29, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215)

683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-22-07-08. Habibur Rahman Taxi, LLC (121 Englewood Road, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to

points in Pennsylvania, and return. *Attorney for Applicant*: David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-1239. Filed for public inspection August 12, 2022, 9:00 a.m.]
