

NOTICES

BOARD OF COAL MINE SAFETY

Meeting Cancellation

The Board of Coal Mine Safety (Board) meeting scheduled for Tuesday, September 6, 2022, is cancelled. The next regular meeting of the Board is scheduled for Wednesday, December 7, 2022. The meeting will begin at 10 a.m. in Conference Rooms 1A and 1B, Department of Environmental Protection, Cambria Office, 286 Industrial Park Road, Ebensburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select

"Public Participation," then "Advisory Committees," then "Mining," then "Board of Coal Mine Safety," then "2022").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the December 7, 2022, meeting can be directed to Peggy Scheloske at mscheloske@pa.gov or (724) 404-3143.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Peggy Scheloske at (724) 404-3143 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,
Chairperson

[Pa.B. Doc. No. 22-1293. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

List of Pesticides Which May be Used by Medical Marijuana Grower and Processors

The following pesticide active ingredients can be used legally in the growing and processing of seeds, immature medical marijuana plants, medical marijuana plants or medical marijuana and in accordance with the Pennsylvania Pesticide Control Act of 1973 (3 P.S. §§ 111.21—112). To qualify, products containing the following active ingredients must also be registered in the Commonwealth, and labeled for use in greenhouses on unspecified food crops or unspecified herbs, or both. Commonwealth pesticide registration can be checked at <https://www.paplants.pa.gov/ProductRegFSA/BrandSearch.aspx>.

The Department of Agriculture (Department) evaluates potential pesticide active ingredients for inclusion on this list on an annual basis. Candidates for addition to this list should be submitted to the Department by June 1st of each year. This list will be reviewed and updated September of each calendar year. Deletions of active ingredients will occur on an as-needed basis. Submissions can be sent to the Department of Agriculture, Attn: Pesticide Registration, 2301 North Cameron Street, Harrisburg, PA 17110.

The Department will utilize the following criteria when evaluating active ingredients for inclusion on the list:

- 1) The active ingredient is in at least one United States Environmental Protection Agency (EPA) registered pesticide or is exempt under section 25(b) of the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C.A. § 136w(b)).
- 2) Pesticides containing this ingredient are labeled for unspecified food or herb crops.
- 3) The active ingredient is exempt from the requirements of a tolerance on all food crops.

The Department may also consider other factors, such as pyrolysis data or whether addition of an active ingredient may likely lead to widespread misuse.

List of Pesticide Active Ingredients approved for use by Medical Marijuana Grower/Processors

<i>EPA Status</i>	<i>Pesticide Type</i>	<i>Comments</i>	<i>Active Ingredient</i>
25(b)	Insecticide		Castor Oil
25(b)	Insecticide		Cedarwood Oil
25(b)	Insecticide		Cinnamon
25(b)	Fungicide, Insecticide		Cinnamon Oil
25(b)	Fungicide, Insecticide		Citric Acid
25(b)	Bactericide, Fungicide		Clove
25(b)	Insecticide		Clove Oil
25(b)	Fungicide		Corn Oil
25(b)	Insecticide		Cornmint Oil
25(b)	Insecticide		Cottonseed Oil
25(b)	Insecticide		Garlic
25(b)	Insect Repellent		Garlic Oil
25(b)	Fungicide		Geraniol

<i>EPA Status</i>	<i>Pesticide Type</i>	<i>Comments</i>	<i>Active Ingredient</i>
25(b)	Insecticide		Geranium Oil
25(b)	Fungicide, Insecticide		Lemon Grass Oil
25(b)	Insecticide		Peppermint Oil
25(b)	Fungicide		Potassium Sorbate
25(b)	Insecticide		Rosemary
25(b)	Insecticide		Rosemary Oil
25(b)	Fungicide, Insecticide, Miticide		Sesame Oil
25(b)	Fungicide, Insecticide		Sodium Lauryl Sulfate
25(b)	Insecticide		Soybean Oil
25(b)	Fungicide		Thyme
25(b)	Fungicide, Insecticide, Miticide		Thyme Oil
25(b)	Insecticide		White Pepper
Sec 3 Products	Insecticide		Azadirachtin
Sec 3 Products	Fungicide		Bacillus Amyloliquefaciens Strain D747
Sec 3 Products	Fungicide		Bacillus Pumilus Strain GHA 180
Sec 3 Products	Fungicide		Bacillus Subtilis QST713 Strain
Sec 3 Products	Insecticide		Bacillus Thuringiensis SSP. Aizawai
Sec 3 Products	Insecticide		Bacillus thuringiensis ssp israelensis
Sec 3 Products	Insecticide		Bacillus thuringiensis ssp kurstaki strain EVB-113-19
Sec 3 Products	Insecticide		Beauveria bassiana strain ANT-03
Sec 3 Products	Insecticide		Beauveria bassiana Strain GHA
Sec 3 Products	Insecticide		Burkholderia ssp Strain A396
Sec 3 Products	Insecticide		Canola Oil
Sec 3 Products	Insect Repellent		Capsicum Oleoresin Extract
Sec 3 Products	Insecticide		Chromobacterium Sub Strain PRAA4-1 Cells
Sec 3 Products	Fungicide, Insecticide		Clarified Hydrophobic Extract of Neem Oil
Sec 3 Products	Fungicide		Copper Octanoate
Sec 3 Products	PGR		Cytokinin (Kinetin)
Sec 3 Products	Insecticide		Diatomaceous Earth
Sec 3 Products	PGR		Gibberellins (Gibberellic Acid)
Sec 3 Products	PGR		Harpin Alpha Beta
Sec 3 Products	Antimicrobial, Fungicide	Post-harvest application prohibited	Hydrogen Peroxide
Sec 3 Products	PGR		IBA (Indole-3-Butyric Acid)
Sec 3 Products	Insecticide		Isaria fumosorosea Apopka Strain 97
Sec 3 Products	Insecticide, PGR		Kaolin
Sec 3 Products	Insecticide		Mineral Oil
Sec 3 Products	Fungicide		Mono- and dipotassium salts of phosphorous acid
Sec 3 Products	Insecticide		Monopotassium Phosphate
Sec 3 Products	Nematicide		Myrothecium Verrucaria
Sec 3 Products	Fungicide, Insecticide		Neem Oil, Cold Pressed
Sec 3 Products	Antimicrobial, Fungicide		Peroxyacetic Acid
Sec 3 Products	Fungicide		Potassium bicarbonate

<i>EPA Status</i>	<i>Pesticide Type</i>	<i>Comments</i>	<i>Active Ingredient</i>
Sec 3 Products	Insecticide		Potassium Laurate
Sec 3 Products	Fungicide, Insecticide		Potassium Salts of Fatty Acids
Sec 3 Products	Fungicide		Pseudomonas chlororaphis strain AF5009
Sec 3 Products	Insecticide		Pyrethrins
Sec 3 Products	Fungicide		Reynoutria sachalinensis extract
Sec 3 Products	Molluscicide		Sodium Ferric EDTA
Sec 3 Products	Fungicide		Streptomyces lydicus WYEC 108
Sec 3 Products	Insecticide, Fungicide	Only EPA-registered products are approved for use on medical marijuana. Burning sulfur for pest control is prohibited	Sulfur
Sec 3 Products	Fungicide		Trichoderma Asperellum Strain ICC 012
Sec 3 Products	Fungicide		Trichoderma asperellum strain T34
Sec 3 Products	Fungicide		Trichoderma gamsii strain ICC080

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-1294. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending August 16, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
08-10-2022	PennCrest Bank Altoona Blair County	Approved
	Application for approval to purchase assets and assume liabilities of one branch of Mid Penn Bank, Millersburg, Dauphin County, located at: 101 High Street Williamsburg Blair County	

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-15-2022	Kish Bank Belleville Mifflin County	511 East Pine Grove Road State College Centre County	Opened

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
07-29-2022	Farmers and Merchants Trust Co. of Chambersburg Chambersburg Franklin County	1500 Nitterhouse Drive Chambersburg Franklin County (Limited Service Facility)	Opened
08-10-2022	Univest Bank and Trust Co. Souderton Montgomery County	51 Dutilh Road Cranberry Township Butler County	Approved
08-10-2022	Univest Bank and Trust Co. Souderton Montgomery County	10801 Tony Drive Lutherville-Timonium Baltimore County, MD	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1295. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Substantial Amendment to the 2019—2023 Consolidated Plan and 2019 Action Plan; Public Hearing

On March 27, 2020, the Coronavirus Aid, Relief, and Economic Security Act (CARES Act) (Pub.L. No. 116-136) was signed into law to respond to the growing effects of the novel coronavirus (COVID-19) public health crisis. The CARES Act provides special allocations to the Commonwealth under the Community Development Block Grant—Cares (CDBG-CV), Emergency Solutions Grant and Housing Opportunities for People with AIDS Grant programs to be used to prevent, prepare for and respond to the COVID-19 pandemic.

Annually, the Department of Community and Economic Development (Department) prepares the Action Plan which outlines the methods of distribution for Federal funding received by the Commonwealth through the United States Department of Housing and Urban Development (HUD). Notice is hereby given that the 2019—2023 Consolidated Plan and the 2019 Action Plan will be amended to account for two additional allocations of CDBG-CV funding. For the 2019 Action Plan, the Methods of Distribution to the Commonwealth's resources will be updated, which according to the Pennsylvania Citizen Participation Plan for the Consolidated Plan, constitutes a significant change in the distribution of funds under the plan and requires a substantial amendment to the original Consolidated Plan and Action Plan.

The Department conducted an unmet needs survey from December 20, 2021, until January 25, 2022. In addition, two listening sessions with grantees were held on March 8, 2022, and March 10, 2022. Additionally, the Department staff met with representatives of grantees at the PAHRA Capitol Conference held in February and consulted with the CD&H Advisory Committee to provide additional detail on the continued unmet needs in their communities.

The information provided to the Department necessitated changing the method of distribution to broaden the scope of public infrastructure projects to be funded and

reducing other project categories, which did not receive much consideration by units of local government during the last competitive application period. Proposed activities must support and document that they prepare for, prevent or respond to the COVID-19 pandemic.

After receiving applications for funding based on the changes previously as determined by the previously listed methods, the Department is again changing its method of distribution to better align the amounts of funding to reflect those areas which received applications for funding.

These changes trigger a substantial amendment. In accordance with a waiver of regulatory authority, approved by HUD on April 7, 2020, to the normal citizen comment period, the Commonwealth will hold a 5-day citizen comment period starting August 28, 2022, until September 1, 2022.

The proposed substantial amendment for the 2019 Annual Action Plan is as follows:

Increase the amount of funding for Public Improvements and Facilities to \$54,248,518.

Reduce the amount of funding for Housing-related activities to \$75,000.

Reduce the amount of funding for Public Service activities to \$0.

Reduce the amount of funding for Economic Development activities to \$0.

Public Review and Comment Period

The Substantial Amendment to the 2019—2023 Consolidated Plan and 2019 Annual Action Plan is available on the Department's web site at <http://dced.pa.gov>, under the Consolidated Plans, Annual Plans and Reports tab at the bottom of the home page. The substantial amendment is available for public comment from August 28, 2022, until September 1, 2022.

A public hearing will be held on August 31, 2022, at 11 a.m. through Microsoft Teams.

Individuals can join the hearing by phone at (267) 332-8737. The conference ID is 361 247 254#.

The hearing will be shortened if there is no one to testify or there is minimal response.

Individuals with a disability or limited English proficiency who wish to participate in the public hearing should contact Megan L. Sieber at (717) 787-5327 or TDD at (717) 346-0308 to discuss how the Department can accommodate their requests.

Comments on the Substantial Amendment to the 2019—2023 Consolidated Plan and 2019 Annual Action Plan may be electronically submitted to the Department at RA-DCEDcdbhhomequestions@pa.gov. Comments will also be accepted by telephone by calling (717) 787-5327. Written comments may be submitted to David Grey,

Center for Community and Housing Development, Department of Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Comments must be received by 4 p.m. on September 1, 2022, to be included as testimony in the Plan that will be submitted to HUD.

NEIL WEAVER,
Acting Secretary

[Pa.B. Doc. No. 22-1296. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
----------------	-----------------

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the

“Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPUBLICNOTICE. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150135	Chapter 102 Individual NPDES Permit	Transfer	Bacton Investment Partners LP 63 Dillan Drive Frazer, PA 19355-1037	East Whiteland Township Chester County	SERO
0922814	Joint DEP/PFBC Pesticides Permit	New	Crossings of Bucks County Comm Assoc 203 E Emmaus Avenue Allentown, PA 18103-5892	Milford Township Bucks County	SERO
1516840	Joint DEP/PFBC Pesticides Permit	Renewal	Longwood Gardens Inc. P.O. Box 501 Kennett Square, PA 19348-0501	East Marlborough Township Chester County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1522814	Joint DEP/PFBC Pesticides Permit	New	Chester County Water Resource Authority P.O. Box 2747 601 Westtown Road West Chester, PA 19380-0990	East Brandywine Township Chester County	SERO
3519802	Joint DEP/PFBC Pesticides Permit	Transfer	Cilento David 84 Wood Ridge Street Wood Ridge, NJ 07075-2417	Jefferson Township Lackawanna County	NERO
6413841	Joint DEP/PFBC Pesticides Permit	Transfer	Matthews Jennifer 681 Tannery Road Lake Ariel, PA 18436-4583	South Canaan Township Wayne County	NERO
3402202	Land Application and Reuse of Industrial Waste Individual WQM Permit	Transfer	Darling Ingredients Inc. 687 Cleck Road Mifflintown, PA 17059	Fermanagh Township Juniata County	SCRO
4615407	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Conshohocken Borough Authority Montgomery County 601 E Elm Street Conshohocken, PA 19428-1914	Conshohocken Borough Montgomery County	SERO
PA0061948	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Cedarville Investment Group LLC 1620 Hamilton Street Allentown, PA 18102-5053	Franklin Township Carbon County	NERO
6022202	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	New	Milestone Recreation Inc. 2751 Millers Bottom Road New Columbia, PA 17856-9467	White Deer Township Union County	NCRO
6791203	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Transfer	Constellation Energy Generation LLC 2569 Shures Landing Road Darlington, MD 21034-1503	Drumore Township Lancaster County	SCRO
1317401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Cedarville Investment Group LLC 1620 Hamilton Street Allentown, PA 18102-5053	Franklin Township Carbon County	NERO
3279407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	P & B Estates LLC 5268 Admiral Peary Highway Ebensburg, PA 15931-4501	Pine Township Indiana County	NWRO
0365S47	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Fredonia Borough Mercer County 45 Water Street P.O. Box 487 Fredonia, PA 16124-5013	Fredonia Borough Mercer County	NWRO
3694404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Earl Township Sewer Authority Lancaster County 517 N Railroad Avenue New Holland, PA 17557-9758	Earl Township Lancaster County	SCRO

NOTICES

5513

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4600407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Green Lane Borough & Marlborough Township Joint Authority Montgomery County P.O. Box 45 Green Lane, PA 18054	Marlborough Township Montgomery County	SERO
NOEXNW064	No Exposure Certification	Renewal	Jones Performance Products Inc. 1 Jones Way P.O. Box 808 West Middlesex, PA 16159-0808	West Middlesex Borough Mercer County	NWRO
NOEXNW066	No Exposure Certification	Renewal	Handsome Lake Energy LLC 173 Cornplanter Lane Kennerdell, PA 16374-4935	Rockland Township Venango County	NWRO
NOEXNW068	No Exposure Certification	Renewal	Matric Ltd 2099 Hill City Road Seneca, PA 16346-3711	Cranberry Township Venango County	NWRO
NOEXNW154	No Exposure Certification	Renewal	FedEx Corp 3620 Hacks Cross Road Env Management Dept Bldg B Memphis, TN 38125-8800	Cranberry Township Butler County	NWRO
NOEXNW161	No Exposure Certification	Renewal	FedEx Corp 3620 Hacks Cross Road Bldg B Memphis, TN 38125-8800	Sugarcreek Borough Venango County	NWRO
NOEXSC296	No Exposure Certification	Renewal	United Corrstack dba DS Smith 720 Laurel Street Reading, PA 19602-2718	Reading City Berks County	SCRO
PAG032246	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Ball Metal Beverage Container Corporation 140 Industrial Drive Pittston, PA 18640-6145	Jenkins Township Luzerne County	NERO
PAG038318	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Meal Preparation Inc. 11160 Parkway Drive North East, PA 16428-6512	North East Borough Erie County	NWRO
PAR123563	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Darling Ingredients Inc. 687 Cleck Road Mifflintown, PA 17059-9117	Fermanagh Township Juniata County	SCRO
PAR203614	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	MI Windows & Doors LLC 1001 54th Avenue NE Tacoma, WA 98424	Gratz Borough Dauphin County	SCRO
PAR606202	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Keystone Recycling Solutions LLC 2200 PA 30 Latrobe, PA 15650	Quemahoning Township Somerset County	SWRO
PAG040084	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Widergren Jeff 1101 Bondsville Road Downingtown, PA 19335-1936	Caln Township Chester County	SERO
PAG040221	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Neely Abby 226 River Road Gladwyne, PA 19035-1240	Lower Merion Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG045234	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Casey M & Shana L Bogert 638 Rattlesnake Pike Julian, PA 16844-9010	Union Township Centre County	NCRO
PAG124870	PAG-12 NPDES General Permit for CAFOs	Transfer	Rushtown Poultry LLC 90 Court Street Bethel, PA 19507	Rush Township Northumberland County	SCRO
PAG133583	PAG-13 NPDES General Permit for MS4s	Renewal	Dover Borough York County 46 Butter Road Dover, PA 17315	Dover Borough York County	SCRO
PAG133593	PAG-13 NPDES General Permit for MS4s	Renewal	Conewago Township York County 490 Copenhaffer Road York, PA 17404-8389	Conewago Township York County	SCRO
PAG133605	PAG-13 NPDES General Permit for MS4s	Renewal	PA State University 1031 Edgecomb Avenue York, PA 17403	Spring Garden Township York County	SCRO
PAG133607	PAG-13 NPDES General Permit for MS4s	Renewal	PA State University 77 W Harrisburg Pike Middletown, PA 17057	Lower Swatara Township Dauphin County	SCRO
PAG133624	PAG-13 NPDES General Permit for MS4s	Renewal	Lewisberry Borough York County P.O. Box 172 Lewisberry, PA 17339-0172	Lewisberry Borough York County	SCRO
PAG133648	PAG-13 NPDES General Permit for MS4s	Renewal	Pequea Township Lancaster County 1028 Millwood Road Willow Street, PA 17584-9375	Pequea Township Lancaster County	SCRO
PAG133685	PAG-13 NPDES General Permit for MS4s	Renewal	Wrightsville Borough York County 601 Water Street P.O. Box 187 Wrightsville, PA 17368-1646	Wrightsville Borough York County	SCRO
PAG133687	PAG-13 NPDES General Permit for MS4s	Renewal	New Salem Borough York County P.O. Box 243 York New Salem, PA 17371-0243	New Salem Borough York County	SCRO
PAG133702	PAG-13 NPDES General Permit for MS4s	Renewal	West Lebanon Township Lebanon County 322 North 22nd Street Lebanon, PA 17046	West Lebanon Township Lebanon County	SCRO
PAG133721	PAG-13 NPDES General Permit for MS4s	Renewal	Windsor Township Berks County 730 Monument Road Hamburg, PA 19526	Windsor Township Berks County	SCRO
PAG133743	PAG-13 NPDES General Permit for MS4s	Renewal	Conoy Township Lancaster County 211 Falmouth Road Bainbridge, PA 17502	Conoy Township Lancaster County	SCRO
PAG133745	PAG-13 NPDES General Permit for MS4s	Renewal	Heidelberg Township Lebanon County P.O. Box 188 Schaefferstown, PA 17088	Heidelberg Township Lebanon County	SCRO
PAG134818	PAG-13 NPDES General Permit for MS4s	Renewal	North Centre Township Columbia County 1059 State Route 93 Berwick, PA 18603-5101	North Centre Township Columbia County	NCRO

NOTICES

5515

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG134829	PAG-13 NPDES General Permit for MS4s	Renewal	Upper Fairfield Township Lycoming County 4090 Route 87 Highway Montoursville, PA 17754-7719	Upper Fairfield Township Lycoming County	NCRO
PAG138342	PAG-13 NPDES General Permit for MS4s	Renewal	Mahoning Township Lawrence County P.O. Box 99 4538 W State Road Hillsville, PA 16132-0099	Mahoning Township Lawrence County	NWRO
3622407	Pump Stations Individual WQM Permit	New	Earl Township Sewer Authority Lancaster County 517 N Railroad Avenue New Holland, PA 17557-9758	Earl Township Lancaster County	SCRO
6722405	Pump Stations Individual WQM Permit	New	Northeastern York County Sewer Authority P.O. Box 516 Mount Wolf, PA 17347-0516	East Manchester Township York County	SCRO
4515401	Sewage Land Application Individual WQM Permit	Renewal	Mount Pocono Municipal Authority Monroe County 1361 Pocono Blvd Suite 101 Mount Pocono, PA 18344-1045	Mount Pocono Borough Monroe County	NERO
0322401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Zampogna Adolph J 1018 Edgewood Road New Kensington, PA 15068-5312	Burrell Township Armstrong County	NWRO
1406412	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Casey M & Shana L Bogert 638 Rattlesnake Pike Julian, PA 16844-9010	Union Township Centre County	NCRO
2522422	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Brandi Williams & Mitchell Wright 13971 Tracy Road Albion, PA 16401-9741	Conneaut Township Erie County	NWRO
2522423	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Kuzma Joseph 8550 Old French Road Erie, PA 16509-5458	Summit Township Erie County	NWRO
2522424	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Marcinko Thomas 4221 South Hill Road McKean, PA 16426	McKean Township Erie County	NWRO
6122405	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Peaceful Chaos LLC 108 Thornwood Drive Butler, PA 16001	Cornplanter Township Venango County	NWRO
2522425	Small Flow Treatment Facility Individual WQM Permit	New	Miller Donor Colleen P.O. Box 21 Wattsburg, PA 16442-0021	Wattsburg Borough Erie County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0113093, Sewage, SIC Code 4952, **Christ Wesleyan Church**, 363 Stamm Road, Milton, PA 17847-7569. Facility Name: Christ Wesleyan Church Sewer System. This existing facility is located in Turbot Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Limestone Run (WWF), is located in State Water Plan watershed 10-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0035 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania’s Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	152 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	24 Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northcentral Regional Office

PA0228486, Sewage, SIC Code 4952, **Ditty, Justin W.**, P.O. Box 33, North Bend, PA 17760-0033. Facility Name: Justin W. Ditty. This existing facility is located in Chapman Township, **Clinton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to West Branch Susquehanna River (HQ-CWF, MF), is located in State Water Plan watershed 9-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	20.0	XXX	40.0
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0233285, Sewage, SIC Code 4952, **Di Eugenio, Michael**, 458 Indian Run Road, Glenmoore, PA 19343-1338. Facility Name: Michael Di Eugenio. This proposed facility is located in Lewis Township, **Lycoming County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Slacks Run (HQ-CWF, MF), is located in State Water Plan watershed 10-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Annl Avg	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Regional Office

PA0035581, Sewage, SIC Code 4941, **PA DOT Maintenance & Operations Bureau**, 400 North Street, 6th Floor, Harrisburg, PA 17120. Facility Name: PA DOT McKean County Maintenance Building. This existing facility is located in Lafayette Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream, an Unnamed Tributary to the Threemile Run, is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00165 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Quarterly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5 Avg Mo	XXX	1.2
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0095303, Sewage, SIC Code 8211, **Purchase Line School District**, 16559 Route 286 Highway East, Commodore, PA 15729-8309. Facility Name: Purchase Line School Complex. This existing facility is located in Green Township, **Indiana County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to East Run, is located in State Water Plan watershed 17-D and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.022 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.022	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	25	XXX	50
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	2.9	XXX	5.8
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0290891, Sewage, SIC Code 8800, **Melissa Smith**, 225 Golf Road, Mercer, PA 16137. Facility Name: Melissa Smith SRSTP. This proposed facility is located in Jefferson Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Shenango River, is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291005, Sewage, SIC Code 4952, 8800, **Brandi Williams & Mitchell Wright**, 13971 Tracy Road, Albion, PA 16401-9741. Facility Name: Brandi Williams & Mitchell Wright SRSTP. This proposed facility is located in Conneaut Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Ashtabula Creek, located in State Water Plan watershed 15-A and classified for Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291013, Sewage, SIC Code 4952, 8800, **Peaceful Chaos LLC**, 108 Thornwood Drive, Butler, PA 16001. Facility Name: Peaceful Chaos SRSTP. This proposed facility is located in Cornplanter Township, **Venango County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is the Allegheny River, located in State Water Plan watershed 16-E and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291030, Sewage, SIC Code 8800, **Corey Kendall**, 146 S New Castle Street, New Wilmington, PA 16142-1431. Facility Name: Corey Kendall SRSTP. This proposed facility is located in Pulaski Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Coffee Run, located in State Water Plan watershed 20-B and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0026549, Sewage, SIC Code 4952, **Reading City, Berks County**, 503 N 6th Street, Reading, PA 19601-3085. Facility Name: Reading WWTP. This existing facility is located in Reading City, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF) and Unnamed Tributary of Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-C and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 20.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.4	XXX	1.3
Color (Pt-Co Units)	XXX	XXX	XXX	186	XXX	465
(Pt-Co Units)						
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	3,693	5,539	XXX	21.6	32.4	43.2
May 1 - Oct 31	2,598	4,445	XXX	17.3	26.0	34.6
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	5,129	7,694	XXX	30.0	45.0	60

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ammonia-Nitrogen						
Nov 1 - Apr 30	2,616	XXX	XXX	15.3	XXX	30.6
May 1 - Oct 31	872	XXX	XXX	5.1	XXX	10.2
Nitrate-Nitrite as N	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Kjeldahl Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Copper, Total	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Lead, Total	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Mercury, Total	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Selenium, Total	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
Zinc, Total	XXX	Report Daily Max	XXX	XXX	Report Daily Max	XXX
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- EPA Pretreatment Program requirements
- Whole Effluent Toxicity Testing requirements, chronic tests, two species
- Update of High Flow Management Plan
- Proper handling and disposal of sludge and solids
- Reporting to DEP of any Hauled-in Wastes
- A Pollution Minimization Plan for Polychlorinated Bi-phenyls, implementation of the plan, and annual reports to DEP
- Best Management Practices and Preparedness Prevention and Contingency (PPC) Plan for controlling stormwater discharges

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0030643, Sewage, SIC Code 4952, **Shippensburg Borough**, 111 N Fayette Street, Shippensburg, PA 17257-1101. Facility Name: Shippensburg Borough STP. This existing facility is located in Shippensburg Borough, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Middle Spring Creek (CWF) and Middle Spring Creek (CWF, MF), is located in State Water Plan watershed 7-B and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.3 MGD—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	896	1,434	XXX	25	40	50
Total Suspended Solids	1,075	1,613	XXX	30	45	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	236	XXX	XXX	6.6	XXX	13.2
May 1 - Oct 31	78	XXX	XXX	2.2	XXX	4.4
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	17.9	XXX	XXX	0.5	XXX	1
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Aluminum, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Iron, Dissolved	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Iron, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Zinc, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.95 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,032	1,651	XXX	25.0	40.0	50
Total Suspended Solids	1,238	1,857	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Total Mo					
Nov 1 - Apr 30	260	XXX	XXX	6.3	XXX	12.6
May 1 - Oct 31	86	XXX	XXX	2.1	XXX	4.2
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Total Mo					
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Total Mo					
Total Phosphorus	20.6	XXX	XXX	0.5	XXX	1
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Aluminum, Total	Total Mo					
	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Iron, Dissolved	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Iron, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Zinc, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 4.95 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen	XXX	60,273	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)		Total				
Effluent Net		Annual				
Total Nitrogen	XXX	Report	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)		Total				
Ammonia-Nitrogen	XXX	Annual	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)		Report				
Total Phosphorus	XXX	Total	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)		Annual				
Total Phosphorus	XXX	Report	XXX	XXX	XXX	XXX
(Total Load, lbs) (lbs)		Total				
Effluent Net		Annual				
		8,036				

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0042021, Sewage, SIC Code 4952, **Milford-Trumbauersville Area Sewer Authority**, 1845 Rosenberger Road, Spinnerstown, PA 18967. Facility Name: Milford-Trumbauersville WWTP. This existing facility is located in Milford Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unami Creek (HQ-TSF), is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .8 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Dissolved Solids	Report Avg Qrtly	Report Daily Max	XXX	Report Avg Qrtly	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .8 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Dissolved Solids	6,672 Avg Qrtly	13,344 Daily Max	XXX	1,000 Avg Qrtly	2,000 Daily Max	2,500

The proposed effluent limits for Outfall 001 are based on a design flow of .8 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.04	XXX	0.13
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	96	144	XXX	14.4	21.6	28.8
May 1 - Oct 31	48	72	XXX	7.2	10.8	14.4
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	133	200	XXX	20.0	30.0	40
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	44.0	XXX	XXX	6.6	XXX	13.2
May 1 - Oct 31	14.7	XXX	XXX	2.2	XXX	4.4
Total Phosphorus						
Nov 1 - Mar 31	13.3	XXX	XXX	2.0	XXX	4
Apr 1 - Oct 31	7	XXX	XXX	1.0	XXX	2
Copper, Total	0.280	XXX	XXX	0.042	XXX	0.084

The proposed effluent limits for Outfall 001 are based on a design flow of .8 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- A. No Storm Water
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal

- D. Chlorine Optimization
- E. Small Stream Discharge
- F. Operator Notification
- G. Operation and Maintenance Plan
- H. High Flow Management Plan
- I. Bypass Requirements
- J. TDS Determination Condition
- K. Solids Management
- L. Site Specific Criteria Study

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0094099, Sewage, SIC Code 7032, **Camp Peniel of Meyersdale Inc.**, 620 Main Street, Berlin, PA 15530-1346. Facility Name: Camp Peniel STP. This existing facility is located in Greenville Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Trib 39232 of Miller Run (CWF), is located in State Water Plan watershed 19-F and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	0.006	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.38	XXX	1.25
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	25.0	XXX	50.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	16.0
				24.0		
Nov 1 - Apr 30	XXX	XXX	XXX	8.0	XXX	48.0
May 1 - Oct 31	XXX	XXX	XXX			

The proposed effluent limits for Outfall 001 are based on a design flow of .006 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max	XXX	XXX
				Report		
				Daily Max		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0203891, Sewage, SIC Code 8249, **Western Area Career & Tech Center**, 688 Western Avenue, Canonsburg, PA 15317-1477. Facility Name: Western Area Vocational-Tech School STP. This existing facility is located in Chartiers Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chartiers Run (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	0.005	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
				200		
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean Report	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0217174, Sewage, SIC Code 6514, **Elmor R Ernst**, 268 Harrison Road, Elizabeth, PA 15037-3037. Facility Name: Ernst SFTF. This existing facility is located in Lincoln Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Unnamed Tributary to Wylie Run (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5 Avg Mo	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of .0008 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Semi-Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Semi Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	Report

In addition, the permit contains the following major special conditions:

- AMR submission, septic tank pumping in every three years, and TRC optimization

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0284939, Sewage, SIC Code 8800, **Teresa L. Waltl**, 999 Eldersville Road, Burgettstown, PA 15021-2531. Facility Name: Waltl Properties SRSTP. This proposed facility is located in Jefferson Township, **Washington County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Cross Creek (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Annual Average	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	XXX

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255203, Industrial, SIC Code, **JD & D Enterprises**, 429 4th Avenue, Suite 301, Pittsburgh, PA 15219-1500. Facility Name: Franklin Commercial Park. This existing facility is located in Franklin Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Redstone Creek (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point (IMP) 101 are based on a design flow of 0.014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD) IMP	XXX	Report	XXX	XXX	XXX	XXX
pH (S.U.) IMP	XXX	XXX	Report	XXX	XXX	Report
Iron, Total IMP	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0284955, Storm Water, SIC Code 3275, **Gold Bond Building Products, LLC**, 2001 Rexford Road, Charlotte, NC 28211-3415. Facility Name: Shippingport Plant. This proposed facility is located in Shippingport Borough, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Haden Run (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Application Number	Application Type	Applicant Name & Address	Municipality, County	Office
PAD630012	Renewal	Gregg Inc. 1790 Route 136 Eighty-Four, PA 15330	Somerset Township Washington County	SWRO
PAD400057	New	Diplomat Investments Partners Company, LLC A. Patrick McNulty 205 South Aberdeen Avenue Wayne, PA 19087	Hazle Township Hazleton City Luzerne County	NERO
PAD480176	New	Triple Net Investments XIX, LP 171 State Route 173 Suite 201 Asbury, NJ 08802-1365	Bethlehem Township Northampton County	NERO
PAD230066	New	Ivy Airport Property, LLC 10 Industrial Highway Philadelphia, PA 19113	Tinicum Township Delaware County	SERO
PAD390247	New	Muhlenberg College 2400 W. Chew St. Allentown, PA 18104	City of Allentown Lehigh County	NERO
PAD150267	New	Evergreen Landscaping, Inc. Brad Brooks 9 Malin Road Malvern, PA 19355-1734	East Whiteland Township Chester County	SERO
PAD020060	New	NIOSH CDC 626 Cochrans Mill Road Pittsburgh, PA 15236	South Park Township Allegheny County	SWRO
PAD650041	New	PA DOT Eng Dist 12 SR 1060 Salina Bridge Edmond, PA 15618	Kiskiminetas Township Westmoreland County	SWRO
PAD020058	New	Courtyards at Hidden Falls 698 Dorseyville Road Pittsburgh, PA 15223	Indiana Township Allegheny County	SWRO

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD020059	New	Millvale Sportsman Club Inc. 170 Sunny Hill Road Wexford, PA 15090	Marshall Township Allegheny County	SWRO
PAD360095	New	156 W. Harrisburg Avenue Associates, LLC 156 West Harrisburg Avenue Elizabethtown, PA 17022	West Donegal Township Lancaster County	SCRO
PAD28002	Renewal	Frank R. Flohr & Mark R. Flohr Intersection of Garman Drive and Stullfield Road Chambersburg, PA 17202	Guilford Township Franklin County	SCRO
PAD210005	Renewal	Carlisle Borough 515-621 North College Street Carlisle, PA 17013	Carlisle Borough Cumberland County	SCRO
PAD510223	New	University of Pennsylvania— Thomas Yoo 3401 Grays Ferry Avenue Philadelphia, PA 19146	City of Philadelphia Philadelphia County	SERO
PAD510224	New	Tacony Realty LLC— Joseph Vona 4201 Tacony Street Philadelphia, PA 19124	City of Philadelphia Philadelphia County	SERO
PAD640032	New	Duck Harbor Equestrian Center 617-A Duck Harbor Road Equinunk, PA 18417	Damascus Township Wayne County	NERO
PAD450161	New	Dunne Manning Realty, LP 645 Hamilton Street Allentown, PA 18101	Tobyhanna Township Monroe County	NERO
PAD530011	New	UGI Utilities Inc. 133 Route 6 East Galeton, PA 16922-9157	Pike Township Potter County	NCRO
PAD630064	New	Rorich Automotive 2020 West Liberty Avenue Pittsburgh, PA 15226	North Strabane Township	SWRO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Aaron Martin 1383 River Road Mohrsville, PA 19541	Berks County	249.2	223.5	Duck/ Dairy	NA	New
Lavon Zimmerman 11653 William Penn Highway Thompsontown, PA 17094	Juniata County	71.1	392.51	Swine/ Beef/ Sheep	NA	Renewal
Mt. View Swine Farm 160 Frystown Road Myerstown, PA 17067	Berks County	0	2,262.53	Swine	NA	Renewal
Michael Burkholder 313 Deka Road Fleetwood, PA 19522	Berks County	145.25	396	Swine	NA	Renewal
Bellaire Farms, LLC 200 Bellaire Road Elizabethtown, PA 17022	Lancaster County	2.1	213.03	Broilers	NA	Renewal
Brubaker Farms, LLC 493 Musser Road Mount Joy, PA 17552	Lancaster County	2,134.3	3,370.31	Dairy/ Broilers	HQ	Renewal
Leonard Martin 105 Bordner Road Richland, PA 17087	Berks County	12	363.75	Poultry	NA	Renewal
Mercer Vu Farms, Inc. 12275 Mt. Pleasant Road Mercersburg, PA 17236	Franklin County	2,849.05	4,303.85	Dairy	HQ	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

Application No. 4022510, Construction/Operation, Public Water Supply.

Applicant	Blue Ridge Plaza
Address	116 S Main Rd Mountaintop, PA 18707
Municipality	Dorrance Township
County	Luzerne County
Responsible Official	Anthony Tuttle
Consulting Engineer	Michael Goodwin PE Milnes Engineering Inc. 12 Frear Hill Road Tunkhannock, PA 18657
Application Received	June 28, 2022

Description Applicant proposes to raise the well casing and permit existing treatment system comprised of the following: pressure tank, acid neutralizer, ion exchange, and sedimentation filtration for particulates.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Application No. 0122509, Construction, Public Water Supply.

Applicant Weis Markets, Inc.
Address 1000 South Second Street
 Sunbury, PA 17801
Municipality Hamilton Township
County Adams County
Responsible Official Alex Ororbia
Consulting Engineer Edward Spayd
 369 East Park Drive
 Harrisburg, PA 17111
Application Received June 9, 2022
Description Installation of an anion exchange treatment system for the removal of nitrates.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.

Application No. 0922520, Construction, Public Water Supply.

Applicant Top Star Express # 18
Address 515 Dublin Pike
 Perkasie, PA 18944
Municipality Bedminster Township
County Bucks County
Responsible Official Joe Stark
Consulting Engineer Synergy Environmental, Inc.
 155 Railroad Plaza
 First Floor
 Royersford, PA 19468
Application Received August 11, 2022
Description Adding a water softener and a Nitrogen treatment to the existing water system.

MINOR AMENDMENT

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Application No. 2622505MA, Construction, Minor Amendment, Public Water Supply.

Applicant North Fayette County
Municipal Authority
Address 1634 University Drive
 P.O. Box 368
 Dunbar, PA 15431
Municipality Dunbar Township
County Fayette County
Responsible Official Kenny Martray
 1634 University Drive
 P.O. Box 368
 Dunbar, PA 15431
Consulting Engineer Hebert, Rowland, & Grubic, Inc.
 220 West Kensingers Drive
 Suite 100
 Cranberry Township, PA 16066
Application Received July 26, 2022
Description Upgrades to Filter Nos. 6 and 7, including the replacement of filter underdrains, and the replacement of the existing gas chlorine system with a sodium hypochlorite system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
 PREAMBLE 1**

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a

summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager listed above the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa Hensel, Clerical Assistant 2, 570-327-3653.

KMK Transport, Inc. Cleanup, Primary Facility ID # **859909**, 3000 block of US 15 Southbound, Lewisburg, PA 17837, East Buffalo Township, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889 on behalf of KMK Transport, Inc., 870 Hillary Court, Longwood, FL 32750, submitted a Notice of Intent to Remediate. Site soil contaminated with diesel fuel and used motor oil. The applicant proposes to remediate the site to meet the nonresidential Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Item* on July 19, 2022. Application received: August 3, 2022.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

301288. Flaw Inc. d/b/a Recycle Oil Company, 1600 South 25th Street, Easton, PA 18042, Wilson Borough, **Northampton County**. An application for major permit modification for the removal of three tanks and the addition of two 20,000-gallon tanks. Application received: June 3, 2022. Supplemental information: August 9, 2022. Deemed administratively complete: August 11, 2022.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD

users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: John Oren, Waste Management Permits Section Chief, (717-705-4907).

1068775. York County Solid Waste and Refuse Authority, 2700 Blackbridge Road, York, PA 17406, Manchester Township, **York County**. Permit renewal for the York County Resource Recovery Center. Application received: July 22, 2022. Deemed administratively complete: August 4, 2022.

Comments or questions concerning the application should be directed to John Oren, Waste Management Permits Section Chief, (717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EP-EXTUPLSWRO@pa.gov.

301388. Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Amwell Township, **Washington County**. Application for an oil and gas wastewater storage impoundment for the storage and reuse of freshwater or oil and gas produced water at the Amwell Township 15 Centralized Impoundment located at 2294 S. Main Street Ext, Washington, PA 15301. Application received: July 12, 2022. Accepted: July 12, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

301389. Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Chartiers Township, **Washington County**. Application for an oil and gas wastewater storage impoundment for the storage and reuse of freshwater or oil and gas produced water at the Chartiers Township 16 Impoundment located at 430 Arden Road, Washington, PA 15301. Application received: July 12, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, (484) 250-5920.

09-0249A: Pet Meadow LLC 6 Steel Road, Morrisville, PA 19067, Falls Township, **Bucks County**. Application received: May 31, 2022. This is for the installation of one (1) pet crematory unit (Source ID 104) at an existing facility. The facility is classified as a Natural Minor as the site wide emissions for all criteria pollutants are below the threshold for major sources for the Philadelphia Metropolitan Area. The plan approval will contain requirements to keep the facility operating within all applicable air quality requirements for this source.

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

35-00011A: Alliance Sanitary Landfill, Inc., 398 South Keyser Ave, Taylor, PA 18517, Taylor Borough, Old Forge Borough and Ransom Township, **Lackawanna County**. Application received: December 16, 2021. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a Plan Approval # 35-00011A to Alliance Sanitary Landfill, Inc., 398 South Keyser Ave, Taylor, PA 18517, for their facility located in Taylor & Old Forge Borough, Ransom Township, Lackawanna County. The facility currently has Title V Operating Permit No. 35-00011. This plan approval will be incorporated into the Title V operating permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*.

The company has submitted Plan Approval Application No. 35-00011A to revise permit limits for carbon monoxide (CO) and sulfur oxides (SO_x), and proposed revisions to the operating permit terms and conditions. The following changes are proposed:

1. The facility has proposed SO_x emission limits of 249.9 tons/year on a twelve (12) month rolling sum.
2. The facility proposed CO emission limits of 249.9 tpy tons/year on a twelve (12) month rolling sum, down from 379.5 tpy.

3. The facility has proposed the replacement and/or addition to the automatic pilot flames with continuous pilot flames for the enclosed flares.

4. The facility has proposed to update the existing LFG treatment system to route collected gas for beneficial use as fuel for combustion in the continuous pilot flame and/or the existing automatic pilot flame of the enclosed flares.

The present SO_x limit was established based on a total reduced sulfur (TRS) concentration of 46.9 parts per million (ppm) in a 2009 plan approval application, which was adequate at that time based on available data. The TRS concentration has since increased over time due to changes in the waste composition. Therefore, due to the fluctuations in TRS concentration since the 2009 data, the facility is requesting to change emission limits for SO_x based on newly available data. The actual CO emissions are significantly less than the previously calculated 379.5 TPY, hence the company has proposed to revise their CO emissions limit to 249.9 TPY to keep the facility below the Prevention of Significant Deterioration (PSD) threshold applicability. Compliance with the emission limits will be demonstrated with monitoring, recordkeeping and reporting procedures and the tabulation of 12-month rolling emissions calculations on an ongoing basis.

A review of the information submitted by the company indicates that the proposed project will meet all applicable State and Federal air quality requirements. Based upon these findings, DEP plans to approve the application and issue a permit for the facility.

In order to assure compliance with the applicable standards, DEP will place conditions in the plan approval.

The Plan Approval and Operating Permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701.

Any person(s) wishing to provide DEP with additional information which they believe should be considered prior to the issuance of this permit may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 35-00011A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Mr. Mark Wejksznar, Program Manager, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701, Phone 570-826-2528 within 30 days after publication date.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03172B: Loyal Companion Pet Cremation, Inc., 311 Broadway, Hanover, PA 17331, Heidelberg Township, **York County.** Application received: March 17, 2022. For the construction of a pet crematory controlled by an afterburner at the facility. The expected increases in facility emissions as a result of the changes proposed are: 1.90 tons per year of NO_x, 1.30 tons per year of CO, 1.08 tons per year of PM and less than one ton each per year of SO_x and VOC. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05040E: East Penn Manufacturing Company, Inc., P.O. Box 147, Lyon Station, PA 19536, Richmond Township, **Berks County.** Application received: February 10, 2022. For installing one new casting machine and four new refining kettles as Source 118 to be operated within the Smelter Facility. The expected increases in facility emissions as a result of the changes proposed are 3.6 tpy of PM, 2.5 tpy of NO_x, 4.3 tpy of CO and less than a ton per year of other pollutants. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR 63 Subpart X. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Edward Orris, PE, New Source Review Chief (412-442-4168).

65-01122A: OPTA (US), Inc./Affival, Inc., 14th Street and 3rd Ave, Schreiber Industrial Park, Building 120, New Kensington, PA 15608, City of Arnold, **Westmoreland County.** Application received: August 4, 2020. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental

Protection (Department) intends to issue an Air Quality Plan Approval PA-65-01122A to OPTA (US), Inc. (Opta) to authorize the temporary operations of a cored wire production operation, including four (4) powdered metal cored wire lines, a powder dumping room, two (2) parts washers, three (3) solid metal cored wire lines, and miscellaneous combustion and metal fabrication equipment at their Affval, Inc. The particulate emissions from these operations shall be controlled by one (1) baghouse rated at 10,000 ACFM at 70°F, one (1) baghouse rated at 4,000 ACFM at 70°F, and one (1) baghouse rated at 2,000 ACFM at 70°F.

The proposed project potential to emit will not exceed 0.6 ton/12-consecutive month period (12-cmp) of NO_x, 0.5 ton/12-cmp of CO, 1.7 tons/12-cmp of PM₁₀, 0.4 ton/12-cmp of VOCs, and 0.6 ton/12-cmp of HAPs. This authorization is subject to State regulations including 25 Pa. Code Chapters 121—145. Plan approval conditions include operating restrictions, monitoring requirements, work practice standards, associated recordkeeping, and reporting requirements. All sources were evaluated for compliance with best available technology (BAT) requirements.

The Plan Approval Application, the Department's Air Quality Review Memorandum, the proposed Air Quality Plan Approval, and other relevant information for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Amanda Davis at amadavis@pa.gov or 412.442.4122.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Amanda Davis, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to amadavis@pa.gov; or fax to 412.442.4194. Each protest or set of written comments must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-01122A), and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Edward F. Orris, Environmental Engineer Manager, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to eorris@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

CORRECTION—previously published on July 9, 2022

67-05005, Brunner Island, LLC, P.O. Box 221, York Haven, PA 17370, East Manchester Township, **York County**. Application received: November 19, 2021. For the modification of the facility's Title V operating permit, including the removal of a system-wide NO_x averaging plan, and inclusion of a site-wide NO_x averaging plan as the Reasonably Available Control Technology 2 (RACT 2) approach for Sources 031A, 032, and 033A (tangentially fired boilers), and the addition of provisions derived from Consent Decree # 1:18-CV-01042-CCC dated May 17, 2018, at the electric generation station.

Air emissions reported by the facility in calendar year 2021 were, in tons per year:

NO _x	3,297.5
SO _x	3,644.1
CO	275.9
PM ₁₀	46.2
PM _{2.5}	40.9
VOC	5.4
HCl	2.1
HF	3.5
Lead	0.1
Mercury	0.0
POM	0.0
Total HAPs	5.8
Ammonia	11.4
CO ₂	2,501,680.2
Methane	51.7
N ₂ O	37.0
PM(con)	171.6
H ₂ SO ₄	25.2

In accordance with 25 Pa. Code §§ 129.91—129.100, the Department of Environmental Protection has made a preliminary determination to approve the RACT 2 site-wide NO_x emission averaging plan to be submitted as part of the PA State Implementation Plan (SIP) for the Brunner Island facility.

The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the RACT 2 approval, which are intended to satisfy the requirements for the 1997 National Ambient Air Quality Standard (NAAQS) and the 2008 NAAQS for ozone.

The proposed RACT 2 plan, if approved by DEP, will be issued as a modification of the facility's Title V operating permit (67-05005). The relevant RACT 2 requirements will also be submitted to the U.S. Environmental Protection Agency (EPA) for approval and incorporation into Pennsylvania's State Implementation Plan. Requirements that are not part of the RACT 2 approval will be excluded from the SIP submittal.

The proposed RACT 2 requirements for this facility that are proposed to be submitted to the EPA as part of

the SIP, are found in Group 012 of the draft permit, and require that Sources 031A, 032, and 033A shall comply with the facility-wide averaging plan requirements of 25 Pa. Code § 129.98 in order to comply with presumptive RACT requirements of 25 Pa. Code § 129.97. Facility-specific details will be included in the condition to ensure compliance with the RACT 2 requirements.

Additionally, the permit modification will incorporate the following requirements:

All terms in this condition are as defined in Consent Decree # 1:18-CV-01042-CCC dated May 17, 2018.

1. By the end of the Ozone Season of 2022, the permittee shall cease combustion of coal at Brunner Island during the Ozone Season (May 1 through September 30 of any calendar year), except that such combustion shall be allowed during each Ozone Season in the interim period from January 1, 2023 to December 31, 2028 (Interim Period), as long as the following conditions are met:

a. The 30-Day Rolling Average NO_x Emission Rate (for Brunner Island Units 1—3) is at or below 0.12 lb./MMBtu, calculated at the end of each operating day during each Interim Period Ozone Season when coal has been burned, with the first compliance demonstration made at the end of the 30th operating day in each Ozone Season during which coal has been burned. The permittee shall notify DEP of each operating day when coal was burned during the Ozone Season, within thirty (30) days after the end of any Ozone Season during which coal was burned.

b. Brunner Island shall emit less than 6,800,000 tons of carbon dioxide (CO₂) from Brunner Island Units 1—3 per calendar year during which coal has been burned during the Ozone Season during the Interim Period.

2. By December 31, 2028, the permittee shall cease combustion of coal at Brunner Island, other than during periods of time (including time required for startup and shutdown) when PJM has declared an Emergency Action as defined in PJM Manual 13 (Emergency Operations) or an equivalent standard, and when gas is not available or the supply of gas to Brunner Island is interrupted.

3. The 30-Day Rolling Average NO_x Emission Rate (for Brunner Island Units 1—3) during the Ozone Season shall be determined using the methodology found in 25 Pa. Code § 129.100 (a)(1)(i)—(iii) (for units measuring emissions with continuous emissions monitors (CEMs)), with total NO_x emissions and total heat input from Brunner Island Units 1—3 used in the calculation. Furthermore, an operating day shall be defined as one with emissions reported from any one of the three units. For the purposes of this permit condition, Day shall mean, unless otherwise specified, calendar day.

Public Comment Details: Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Thomas Bianca, P.E., West Permit Section Chief, Air Quality Program, at tbianca@pa.gov, or at DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. A 30-day comment period from the date of publication of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the

proposed Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed permit.

Public Hearing: A public hearing to accept oral comments on the proposed permit action and the proposed SIP revision will be held on Tuesday, October 4, 2022 at 10:00 a.m. at DEP's Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. Individuals who wish to observe or present testimony must contact John Repetz at 717-705-4904 or jrepetz@pa.gov a minimum of 24 hours in advance of the hearing to reserve a time to present testimony. Verbal comments are limited to 5 minutes for each presenter. Organizations are limited to designating one individual to present verbal comments on their behalf. Video demonstrations will not be permitted. Any persons presenting verbal comments are requested to submit a written copy of their verbal testimony by e-mail to Tom Bianca, P.E., at tbianca@pa.gov, by no later than October 14, 2022.

Individuals who are in need of an accommodation for the hearing as provided for in the Americans with Disabilities Act should contact Tom Bianca, P.E., at tbianca@pa.gov or make accommodations through the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD).

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review, upon request to Tom Bianca, P.E., Environmental Engineering Manager, at tbianca@pa.gov, or at PA DEP Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

37-00317, Ellwood Mill Products, 712 Moravia Street, New Castle, PA 16101, City of New Castle, **Lawrence County**. For renewal of the State Only Operating Permit for the iron and steel forging operations facility. The sources at the facility include, heat treating furnaces, ringmill milling machines (controlled by a dust collector), an emergency diesel fired generator, a degreaser, shot blaster, and scarfing. The diesel emergency generator (rated at 53.6 HP—2007 model year) is subject to 40 CFR 60 Subpart IIII pertaining to stationary compression ignition internal combustion engines. The facility has emission restrictions of 99 TPY on a 12-month rolling basis for both CO and NO_x to limit the potential emissions below major source threshold levels. The 2021 actual emissions reported by the facility were: 40.6 TPY CO, 58.5 TPY NO_x, 3.7 TPY PM₁₀, 3.7 TPY PM_{2.5}, 0.3 TPY SO_x, 2.8 TPY VOC and 1.54 TPY ammonia. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: September 23, 2021.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05049, Oldcastle APG National Northeast Inc., dba Trenwyth Industries, 1 Connelly Road, Emigville, PA 17318, Manchester Township, **York County**. To issue a State Only Operating Permit for the decorative cement block manufacturing facility. The potential emissions from the facility are estimated at 37.76 tpy VOC, 48.50 tpy PM_{10/2.5}, 9.79 tpy total HAPs, 3.57 tpy NO_x, 3.00 tpy of CO, and 0.02 tpy of SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63 for Degreasing Operations. Application received: September 21, 2021.

21-05013, Fry Communications, Inc., 101 Fry Dr., Mechanicsburg, PA 17050, Mechanicsburg Borough, **Cumberland County**. For the printing facility. This is for a significant modification of the existing State-Only Permit. The modification will revise Section E, Group G04 to incorporate 25 Pa. Code § 129.67b(d)(1)(iii) and (iv), which were previously annotated. The proposed revision allows for use of the alternative VOC emission limitation of 20 parts per million, by volume, outlet concentration in lieu of the standard limit of 95% destruction efficiency required by 25 Pa. Code § 129.67b(d)(1)(i)(A). The alternative limitations will be allowed for Source IDs 102A, 102B, 103A, and 103B. Application received: June 7, 2022.

67-05119, York Materials Group, LLC, 950 Smile Way, York, PA 17404, West Manchester Township, **York County**. For the operation of an asphalt plant facility. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility, accounting for the production limit, are estimated at 8.59 tpy PM₁₀, 7.20 tpy NO_x, 26.13 tpy CO, 18.51 tpy VOC, 1.38 tpy SO₂, and 2.28 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Application received: May 10, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03220, CHP F&M LLC, P.O. Box 610, 1475 North Old Trail Road, Wilson, WY 83014-0610, City of Lancaster, **Lancaster County**. To issue a State-Only Operating Permit for the operation of a natural gas fired engine equipped with a waste heat recovery boiler. Potential emissions from the facility are estimated to be 6.08 tpy CO, 7.59 tpy NO_x, 0.00 tpy PM₁₀/PM_{2.5}, 0.03 tpy SO_x, and 3.80 tpy VOC. The Operating Permit will include emission limits and work practice standards along with performance testing, monitoring, recordkeeping, and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. Application received: June 30, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, (484) 250-5920.

09-00232, Sigmapharm Laboratories LLC, 3375 Progress Dr., Bensalem, PA 19020, Bensalem Township, **Bucks County**. This is for a natural minor permit renewal of the pharmaceutical facility, which involves the use of isopropyl alcohol (IPA) as cleanup solvent. In addition, the facility operates three (3) diesel generators, one (1) 1.035 MMBtu boiler and a research department. The potential emissions are 6.8 tpy NO_x and 6.9 tpy VOC. All other criteria pollutants are under 1 tpy. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov. Application received: July 20, 2021.

09-00238, KVK Tech Inc., 110 Terry Drive, Suite 200, Newtown, PA 18940, Newtown Township, **Bucks County**. This is for the renewal of a non-Title V (State Only, Natural Minor) Operating Permit for a pharmaceutical and medicine research & development (R&D) and production facility. Existing sources of air emissions are fifteen (15) Ultra Performance Liquid Chromatography (UPLC) units, ten (10) High Performance Liquid Chromatography (HPLC) units, an isopropyl alcohol (IPA) cleaning process and a R&D solvent usage process. One (1) new emergency generator and three (3) dust collectors have been added to permit in this renewal. The facility's potential to emit criteria is less than major thresholds; therefore, the facility is a Natural Minor. The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov. Application received: August 19, 2021.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

65-00863, CCX Inc./Braeburn Alloy Steel, 101 Braeburn Road, Lower Burrell, PA 15068, City of Lower Burrell, **Westmoreland County**. Application received: February 9, 2022. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) gives notice that they intend to issue a State Only Operating Permit (SOOP) renewal to CCX Inc./Braeburn Alloy Steel to authorize the continued operation of their facility.

The company conducts a variety of services, including forging, conversion bar rolling, cold finish annealing, stress relieving, thermal treatment, peeling and grinding. It converts materials into forged and rolled bars and billets. The company has a wide selection of equipment that includes computer-programmable presses, manipulators, water quench tanks, rolling mills, straighteners, grinders, saws, peelers, lathes, reheat furnaces, annealing

furnaces, and parts cleaning activities. Estimated potential emissions from this facility are: 9.16 tons per year of PM₁₀, 47.61 tons per year of NO_x, 39.99 tons per year of CO, 3.2 tons per year of VOCs and 0.88 ton per year of HAPs. The proposed SOOP contains emission restriction, testing, monitoring, recordkeeping, reporting and work practice standards derived from the applicable requirements of 25 Pa. Code Article III, Chapters 121—145.

A person may oppose the proposed State Only Operating Permit by filing a written protest with the Department through Noor Nahar via e-mail at nnahar@pa.gov or mail to the Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed State Only Operating Permit (65-00863) and a concise statement of the objections to the Operating Permit issuance and the relevant facts upon which the objections are based.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> or by contacting Tom Joseph, Facilities Permitting Chief, directly.

All comments must be received prior to the close of business 30 days after the date of this publication.

65-00946, Equitrans LP, 2200 Energy Drive, Canonsburg, PA 15317, Fairfield Township, **Westmoreland County**. Application received: February 18, 2022. In accordance with 25 Pa. Code §§ 127.441 and 127.425, the Department is providing notice that they intend to issue a renewed State Only Operating Permit for the continued operation of a storage facility, natural gas, compressor station, known as the West Fairfield Compressor Station.

The facility consists of a single compressor, driven by a 1,004-bhp, natural gas-fired engine. This site also has two storage tanks, a 550-gallon lube oil tank, and a 500-gallon produced fluids tank.

Annual facility-wide potential emissions are 20 tons of NO_x, 20 tons of CO, 8 tons of VOC, 1 ton of PM₁₀, 1 ton of PM_{2.5}, and 3 tons of all HAPs combined. Sources at the facility are subject to applicable requirements in 40 CFR Part 63, Subpart A—General Provisions, 40 CFR Part 63 Subpart ZZZZ—National Emission Standards for Stationary Reciprocating Internal Combustion Engines and 25 Pa. Code Chapters 121—145. No equipment or emission changes are being approved by this action. The permit includes emission limitations and operational, monitoring, testing, recordkeeping, workpractice, and reporting requirements for the facility.

The application, the DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>, or contact Tom Joseph at 412.441.4336.

Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of this Title V Operating Permit may submit the information to Martin L. Hochhauser, P.E., Pennsylvania Department of Environmental

Protection, 400 Waterfront Drive, Pittsburgh, PA 15222. Each written comment must contain the name, address, and telephone number of the person submitting the comments, identification of the proposed Operating Permit (specify Operating Permit TVOP-65-00946), and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

All comments must be received prior to the close of business 30 days after the date of this publication. In accordance with 25 Pa. Code § 127.428, prior to issuing an operating permit, the Department may hold a fact-finding conference or hearing at which the petitioner, and a person who has properly filed a protest under § 127.426 (relating to filing protests) may appear and give testimony. The Department is not required to hold a conference or hearing. The applicant, the protestant, and other participants will be notified of the time, place and purpose of a conference or hearing, in writing or by publication in a newspaper or the *Pennsylvania Bulletin*, unless the Department determines that notification by telephone will be sufficient.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit applica-

tion, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3, 724.769.1100.

Mining Permit No. 32031301. NPDES No. PA0235580. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, White Township, **Indiana County.** To revise the permit and related NPDES permit. Affecting 370.0 proposed underground and proposed subsidence control plan acres. Application received: May 18, 2022. Accepted: July 22, 2022.

Mining Permit No. 63091301. NPDES No. PA0236004. Tunnel Ridge, LLC, 184 Valley Grove Lane, Valley Grove, WV 26060, Donegal Township, West Finley Township, and East Finley Township, **Washington County.** To revise the permit and related NPDES permit. This permit revision does not add acreage to the underground permit area, subsidence control plan acres, or the surface activity site area, but revises a portion (1,155.75 acres) of the existing underground and subsidence control plan areas from development mining only to longwall mining. Application received: May 27, 2022. Accepted: August 2, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

Mining Permit No. 17970106. Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township, **Clearfield County.** Permit renewal application for a bituminous surface coal mine, for reclamation only. Affecting 119.9 acres. Receiving stream: Big Run to Moshannon Creek, classified for the following use: CWF. Application received: August 11, 2022. Accepted: August 11, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54061302. NPDES Permit No. PA0224341. Rausch Creek Land, LP, 978 Gap Street, Valley View, PA 17983, Porter Township, **Schuylkill County.** Renewal for reclamation only of an anthracite underground mine operation and NPDES Permit. Affecting 61.3 acres. Receiving stream: Wiconisco Creek, classified for the following use: WWF. Application received: August 8, 2022.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

Alkalinity must always exceed acidity.
pH must always be greater than 6.0; less than 9.0.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 62990303. Allegheny Aggregates, Inc., P.O. Box 38, Pittsfield, PA 16340, Pittsfield Township, **Warren County.** Proposed revision to an existing large noncoal surface mine to add 21.5 acres to the permit boundary. Affecting 130.1 acres. Receiving stream: Miles Run, Little Brokenstraw Creek, classified for the following use: CWF. Application received: February 17, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

NPDES No. PA0115711. Mining Permit No. 17860144. Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township, **Clearfield County**, affecting 295.2 acres, receiving stream: UNT to Moshannon Creek (aka Big Run) and Shimel Run to Moshannon Creek, classified for the following use: CWF Application received: March 22, 2022. Accepted: March 23, 2022.

Renewal of an NPDES permit for discharge of water resulting from coal surface mining.

The following outfalls discharge to Shimel Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sedimentation Pond A	Precipitation Induced
002	Existing	Sedimentation Pond B	Precipitation Induced
008	Existing	Treatment Facility 1	Intermittent (Pumped)
009	Existing	Treatment Facility 2	Intermittent (Pumped)
010	Existing	Treatment Facility 3	Intermittent (Pumped)
011	Existing	Treatment Facility 4	Intermittent (Pumped)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 002 and 008—011 (All Weather Conditions) Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	

<i>Outfalls: 001, 002 and 008—011 (All Weather Conditions)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following outfalls discharge to unnamed tributary to Moshannon Creek (aka Big Run):

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
003	Existing	Sedimentation Pond C	Precipitation Induced
004	Existing	Sedimentation Pond D	Precipitation Induced
005	Existing	Sedimentation Pond E	Precipitation Induced
006	Existing	Sedimentation Pond F	Precipitation Induced
007	Existing	Sedimentation Pond G	Precipitation Induced
012	Existing	Treatment Facility 5	Intermittent (Pumped)
013	Existing	Treatment Facility 6	Intermittent (Pumped)
014	Existing	Sedimentation Pond E2	Precipitation Induced
015	Existing	Treatment Facility 7	Intermittent (Pumped)
016	New	Treatment Facility 8	Precipitation Induced
017	New	Treatment Facility 9	Precipitation Induced
018	New	Treatment Facility 10	Precipitation Induced
019	New	Treatment Facility 11	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 003—007 and 012—019 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	1.7	3.4	4.2
Manganese (mg/L)	1.1	1.2	2.7
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

NPDES No. PA0280569. Mining Permit No. 10170301. Glenn O. Hawbaker, Inc., 1952 Waddle Road, Suite 203, State College, PA 16803, Parker Township, **Butler County**. Revision of an NPDES permit to revise outfall points, affecting 169.5 acres, receiving stream: Unnamed tributaries to North Branch Bear Creek, classified for the following use: CWF. TMDL: North Branch Bear Creek. Application received: May 26, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributaries to North Branch Bear Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate: MGD</i>
001	Existing	SWO	0.215
002	Existing	SWO	0.126

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant</i>
		<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0

Alkalinity greater than acidity¹

¹The parameter is applicable at all times.

The following treated wastewater outfalls discharge to unnamed tributaries to North Branch Bear Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate: MGD</i>
003	Existing	SWO	0.210
004	Existing	TFO	0.072

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0

Alkalinity greater than acidity¹

¹The parameter is applicable at all times.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

NPDES No. PA0207101. Mining Permit No. 4773SM3. Hanson Aggregates Pennsylvania LLC, 7660 Imperial Way, Allentown, PA 18195, Limestone Township, **Lycoming County**, affecting 321.7 acres, receiving stream: Antes Creek, classified for the following use: CWF. Application received: April 21, 2022. Accepted: April 22, 2022.

Renewal NPDES permit for discharge of water resulting from surface mining of industrial minerals.

The following outfalls discharge to: Antes Creek

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sedimentation Pond C	Precipitation Induced
002	Existing	Sedimentation Pond D	Precipitation Induced
003	Existing	Oil/Water Separator	Intermittent

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 (All Discharges)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			
Benzene		Report	
Oil & Grease		Report	
<i>Outfalls: 002 (Dry Weather Conditions)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			
<i>Outfalls: 002 (≤10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
<i>Outfalls: 002 (>10-yr/24-hr Precip. Event)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
<i>Outfalls: 003 (All Discharges)</i> <i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (gpm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units.			
Benzene		Report	
Oil & Grease		Report	

The following outfall requires a non-discharge alternative:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
004	Existing	Sedimentation Pond E	No Discharge

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of an infiltration gallery.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

E4802221-005. Barnsdale Associates, LLC, 221 W. Langhorne Avenue, Bethlehem, PA 18017, Bethlehem Township and Freemansburg Borough, **Northampton County**, U.S. Army Corps of Engineers Philadelphia District. Application received: July 7, 2021.

To construct and maintain the following water obstructions and encroachments associated with the Pre-Act Quarry Reclamation Project, which will involve grading and filling in and around an existing, abandoned, 75-acre former rock quarry for the purpose of eliminating a substantial threat to public safety: 1) A fill within a 0.08-acre PEM Wetland “C2-100” (Other) for the purpose of site reclamation. 2) A fill within a 0.44-acre PEM Wetland “D” (EV) for the purpose of site reclamation. 3) A fill within a 1.63-acre PEM Wetland “F” (EV) for the purpose of site reclamation. 4) A fill within a 0.01-acre PEM Wetland “I” (Other) for the purpose of site reclamation. 5) A fill within a 0.01-acre PEM Wetland “J” (Other) for the purpose of site reclamation. 6) A fill within a

0.32-acre Open Body of Water within the Nancy Run Watershed (HQ-CWF, MF) for the purpose of site reclamation. 7) A fill within a 632-LF segment of a UNT to Nancy Run (HQ-CWF, MF) for the purpose of site reclamation. This activity will result in a permanent stream impact of 0.21-acre and a permanent floodway impact of 1.45-acres. 8) A fill within a 270-LF segment of a UNT to Nancy Run (HQ-CWF, MF) for the purpose of site reclamation. This activity will result in a permanent stream impact of 0.07-acre and a permanent floodway impact of 0.61-acre. 9) A modification of an existing 450 LF stream enclosure of a UNT to Nancy Run (HQ-CWF, MF) with work consisting of the abandonment and placement of fill above the enclosure for the purpose of site reclamation. 10) A stormwater outfall along the western bank of a UNT to Nancy Run (HQ-CWF, MF) consisting of a vegetated, riprap-lined trapezoidal channel and a 60-ft long structural level spreader having a 12-in wide concrete lip and R-4 riprap apron. 11) To remove an existing stream enclosure to construct and maintain a channel change of a UNT to Nancy Run (HQ-CWF, MF) consisting of an 15-ft wide, 349-ft long, 1.75-ft deep, V-shaped, R-4 riprap lined stream channel having 3:1 side slopes, 6-ft wide floodplain bench, boulder step pools, and a 5.5% longitudinal slope. Compensatory mitigation is provided through the purchase of 2.17 acres of wetland credits from the Quaker Mitigation Bank, construction of a baseflow mitigation system, the restoration of 260 LF of a UNT to Nancy Run (HQ-CWF, MF), and the abatement of an existing plunge pool located on the downstream end of the existing bridge structure conveying Nancy Run (HQ-CWF, MF) below Freemansburg Avenue. The project is located at 1600 Freemansburg Avenue, Bethlehem, PA 18015. Latitude: 40° 38' 14.03", Longitude: -75° 20' 20.36".

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant, 717-705-4992.

E3603122-009. PennDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, Ephrata Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District. Application received: July 27, 2022. The applicant proposes to remove existing structure and to install and maintain a 48 linear foot, 5.5-foot x 11.5-foot box culvert in Meadow Run (WWF, MF) with riprap scour protection, for the purpose of improving transportation safety. The project proposes to permanently impact 115 linear feet and temporarily 144 linear feet of stream channel. Latitude: 40.1781°, Longitude: -76.2174°.

E3803222-002. City of Lebanon Authority, 2311 Ridgeview Road, Lebanon, PA 17042, North Cornwall Township, **Lebanon County**, U.S. Army Corps of Engineers Baltimore District. Application received: March 25, 2022. The applicant proposes to 1) construct a methanol tank containment area structure expansion temporarily impacting 2,810 square feet of the floodway and 1,424 square feet of the flood plain of Snitz Creek (TSF, MF) and permanently impacting 28 square feet of the floodway and 181 square feet of the floodplain of Snitz Creek (TSF, MF); 2) install a new chemical feed line temporarily impacting 2,300 square feet of the floodway of Quittapahila Creek (TSF, MF) and permanently impacting 113 square feet of the floodway of Quittapahila Creek (TSF, MF). All impacts are for the purpose of improving operations and efficiency of the plant. There

are no direct stream or wetland impacts associated with the project. Latitude: 40.3366666666660°, Longitude: -76.4613888888880°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E0901222-004. PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Bedminster Township and Plumstead Township, **Bucks County**, U.S. Army Corps of Engineers Philadelphia District. Application received: August 3, 2022. To construct and maintain two new electrical poles, 20-inch and 18-inch diameter, replacing the existing 18-inch diameter, within the floodway of the Cabin Run and its UNT (CWF-MF) associated with the PECO Buckingham 351 Aerial Pole Installation Project. The project is located adjacent to the National register listed Loux Covered Bridge (Resource 1980RE00114) and near the eligible John A. Loux House (Resource 2018RE01911) and Henry Tyson Plantation House (Resource 2018RE03625) as mapped by Pennsylvania's Historic & Archaeological Resource Exchange (PA SHARE). The site is located within the vegetated shoulder parallel to Carversville and Wismer Roads. Latitude: 40.422936°, Longitude: -75.128714°.

E5101222-001. Delaware Avenue Enterprises, Inc., 101 South King Street, Gloucester City, NJ 08030, City of Philadelphia, **Philadelphia County**, U.S. Army Corps of Engineers Philadelphia District. Application received: February 14, 2022. To construct and maintain a trestle bridge consisting of concrete slab and steel girders ap-

proximately 580-foot long and 40-foot wide underneath and perpendicular to the Walt Whitman Bridge along the floodway/floodplain of the Delaware River (WWF/MF) associated with easy transportation of the materials between the marine terminals. The project will include 44 concrete-filled piles. The site is located at 2937-3117 South Christopher Columbus Boulevard. Latitude: 39.906345°, Longitude: -75.133085°.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant, 717-705-4992.

EA3603222-006. Donegal Chapter Trout Unlimited, P.O. Box 8001, Lancaster, PA 17604, East Drumore Township, **Lancaster County**, U.S. Army Corps of Engineers Baltimore District. Application received: August 10, 2022. The applicant proposes to 1.) regrade and maintain a total of 1,892 feet of two unnamed tributaries to Conowingo Creek (HQ-CWF, MF); 2.) construct and maintain ten cross rock vanes in an unnamed tributary to Conowingo Creek (HQ-CWF, MF); and 3.) install and maintain two 32.0-foot long by 20.0-foot wide cattle crossings in unnamed tributaries to Conowingo Creek (HQ-CWF, MF), all temporarily impacting 362 square feet of palustrine emergent exceptional value wetlands and all for the purposes of reducing sediment loading and enhancing fish habitat in the streams. The project is located immediately downstream of Maxwell Drive. Wetland impacts are temporary, and replacement is not required. Latitude: 39.8181°, Longitude: -76.16183°.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD070027	Chapter 102 Individual NPDES Permit	Issued	PA Department of Military & Veterans Affairs Bldg 11 Utility Road Fort Indiantown Gap Annville, PA 17002	Allegheny Township Blair County	SCRO
PAD150135	Chapter 102 Individual NPDES Permit	Issued	Bacton Investment Partners LP 63 Dillan Drive Frazer, PA 19355-1037	East Whiteland Township Chester County	SERO
PAD350004	Chapter 102 Individual NPDES Permit	Issued	Scranton Lackawanna Ind Bldg Co. P.O. Box 431 Scranton, PA 18501-0431	Scranton City Lackawanna County	NERO
PAD350025	Chapter 102 Individual NPDES Permit	Issued	Matt Development Inc. 39 S Main Street P.O. Box 573 Pittston, PA 18640-1815	Carbondale Township Lackawanna County	NERO
PAD360073	Chapter 102 Individual NPDES Permit	Issued	Bart Township Lancaster County 46 Quarry Road Quarryville, PA 17566-9454	Bart Township and Eden Township Lancaster County	SCRO
PAD360081	Chapter 102 Individual NPDES Permit	Issued	Zimmerman John R 1087 Silver Hill Road Narvon, PA 17555-9364	Brecknock Township Lancaster County	SCRO
PAD480137	Chapter 102 Individual NPDES Permit	Issued	NP Forks Township Ind LLC 12977 North Outer 40 Road Suite 203 St Louis, MO 63141	Forks Township Northampton County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD510216	Chapter 102 Individual NPDES Permit	Issued	Auto Store LLC 414 S 16th Street Suite 100 Philadelphia, PA 19146-1989	Philadelphia City Philadelphia County	SERO
PAD520041	Chapter 102 Individual NPDES Permit	Issued	RRsat Global Communication Network Inc. 4 Research Way Princeton, NJ 08540-6707	Palmyra Township Pike County	NERO
PAD560008	Chapter 102 Individual NPDES Permit	Issued	Listonburg Solar 106 Isabella Street Suite 400 Pittsburgh, PA 15212-5841	Addison Township Somerset County	SWRO
PAD650037	Chapter 102 Individual NPDES Permit	Issued	Jim Shorkey Auto Group 185 Colonial Manor Road Irwin, PA 15642-1603	North Huntingdon Township Westmoreland County	SWRO
PAD670054	Chapter 102 Individual NPDES Permit	Issued	Lakatosh John 45 Forest Ridge Court Red Lion, PA 17356-8448	Windsor Township York County	SCRO
PA0255998	Industrial Stormwater Individual NPDES Permit	Issued	Daniels Concrete Inc. 1463 State Rte 819 Greensburg, PA 15601	Salem Township Westmoreland County	SWRO
0913828	Joint DEP/PFBC Pesticides Permit	Issued	Alonso Duare Perez 4612 Frost Lane Doylestown, PA 18902-6530	Buckingham Township Bucks County	SERO
0916829	Joint DEP/PFBC Pesticides Permit	Issued	Taylor Patricia K 1733 Holicong Road Buckingham, PA 18912	Buckingham Township Bucks County	SERO
0917810	Joint DEP/PFBC Pesticides Permit	Issued	Foremski Jason 553 Geigel Hill Road Ottsville, PA 18942	Tinicum Township Bucks County	SERO
0918827	Joint DEP/PFBC Pesticides Permit	Issued	Detweiler Chris 401 Frogtown Road Kintnersville, PA 18930	Nockamixon Township Bucks County	SERO
0922814	Joint DEP/PFBC Pesticides Permit	Issued	Crossings of Bucks County Comm Assoc 203 E Emmaus Avenue Allentown, PA 18103-5892	Milford Township Bucks County	SERO
1516840	Joint DEP/PFBC Pesticides Permit	Issued	Longwood Gardens Inc. P.O. Box 501 Kennett Square, PA 19348-0501	East Marlborough Township Chester County	SERO
1522811	Joint DEP/PFBC Pesticides Permit	Issued	Sadsbury Park c/o Trident Properties Management 501 Anderson Street Coatesville, PA 19320	Sadsbury Township Chester County	SERO
1522813	Joint DEP/PFBC Pesticides Permit	Issued	Chester County Water Resource Authority P.O. Box 2747 601 Westtown Road West Chester, PA 19380-0990	West Caln Township Chester County	SERO
1522814	Joint DEP/PFBC Pesticides Permit	Issued	Chester County Water Resource Authority P.O. Box 2747 601 Westtown Road West Chester, PA 19380-0990	East Brandywine Township Chester County	SERO
3622803	Joint DEP/PFBC Pesticides Permit	Issued	Schwarz Ponds LLC 343 Enterprise Drive Bird in Hand, PA 17505-9632	Manheim Township Lancaster County	SCRO

NOTICES

5547

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4617811	Joint DEP/PFBC Pesticides Permit	Issued	Schultz Eric 1996 Knight Road Green Lane, PA 18054	Marlborough Township Montgomery County	SERO
4622811	Joint DEP/PFBC Pesticides Permit	Issued	The Hamlet Waterford Greene P.O. Box 30368 Charlotte, NC 28230-0368	Limerick Township Montgomery County	SERO
PAI138304	MS4 Individual NPDES Permit	Issued	Buffalo Township Butler County 109 Bear Creek Road Sarver, PA 16055-9227	Buffalo Township Butler County	NWRO
PA0000647	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	ATI Powder Metals LLC 6515 Steubenville Pike Pittsburgh, PA 15205-1005	Robinson Township Allegheny County	SWRO
PA0052647	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Pottstown Borough Authority Montgomery County 100 East High Street Pottstown, PA 19464	Pottstown Borough Montgomery County	SERO
PA0058467	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	The American College 630 Allendale Road King of Prussia, PA 19406-1695	Upper Merion Township Montgomery County	SERO
PA0043966	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Valley Forge Group LP 31200 Northwestern Highway Farmington Hills, MI 48334	Lower Providence Township Montgomery County	SERO
PA0060232	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	US ACOE Baltimore District 710 Ives Run Lane Tioga, PA 16946-8643	Lawrence Township Tioga County	NCRO
PA0204854	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Jones Estates Knobvue PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	New Sewickley Township Beaver County	SWRO
PA0247715	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	The York Water Co. 130 East Market Street York, PA 17401	Straban Township Adams County	SCRO
0471410	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Jones Estates Knobvue PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	New Sewickley Township Beaver County	SWRO
3999401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Lehigh County Authority 1053 Spruce Road Allentown, PA 18106-9408	Heidelberg Township Lehigh County	NERO
5995401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	US ACOE Baltimore District 710 Ives Run Lane Tioga, PA 16946-8643	Lawrence Township Tioga County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSE085	No Exposure Certification	Issued	Penn Panel and Box Co. P.O. Box 1458 Collingdale, PA 19023-8458	Collingdale Borough Delaware County	SERO
PAR232206	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Master Bldr Solutions Admixtures US LLC 23700 Chagrin Boulevard Beachwood, OH 44122-5506	Upper Macungie Township Lehigh County	NERO
PAR234818	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Energy Solutions US LLC 400 W Brown Street Lock Haven, PA 17745-3914	Castanea Township Clinton County	NCRO
PAR506117	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Armada Waste OH PA LLC 3490 Piedmont Road NE Atlanta, GA 30305-1743	Crescent Township Allegheny County	SWRO
PAG040133	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Berila Alexander and Natallia 36 Mega Way Rushland, PA 18956-0451	Wrightstown Township Bucks County	SERO
PAG041166	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Anthony Lore and Catisha Christy Lore 2751 Scranton Hollow Road Warren, PA 16365-8824	Farmington Township Warren County	NWRO
PAG048890	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Corsi Mark 3925 Douglas Road Erie, PA 16510-4903	Greene Township Erie County	NWRO
PAG103586	PAG-10 NPDES General Permit for Hydrostatic Test Water	Issued	Texas Eastern Trans LP 5400 Westheimer Court Houston, TX 77056-5353	North Heidelberg Township Berks County	SCRO
PAG124849	PAG-12 NPDES General Permit for CAFOs	Issued	Country View Family Farms LLC 1301 Fulling Mill Road Suite 3000 Middletown, PA 17057-5990	Columbia Township Bradford County	SCRO
PAG124870	PAG-12 NPDES General Permit for CAFOs	Issued	Rushtown Poultry LLC 90 Court Street Bethel, PA 19507	Rush Township Northumberland County	SCRO
PAG133599	PAG-13 NPDES General Permit for MS4s	Waived	Swatara Township Lebanon County 68 Supervisor Drive Jonestown, PA 17038	Swatara Township Lebanon County	SCRO
PAG136396	PAG-13 NPDES General Permit for MS4s	Waived	Upper Burrell Township Westmoreland County 3735 Seventh Street New Kensington, PA 15067	Upper Burrell Township Westmoreland County	SWRO
2514404	Sewer Extensions Individual WQM Permit	Issued	Summit Township Sewer Authority Erie County 68 Port Access Road Erie, PA 16507-2204	Erie City Erie County	NWRO
PA0233269	Single Residence STP Individual NPDES Permit	Issued	Rickabaugh Adam 13959 Tyrone Pike Curwensville, PA 16833-8308	Ferguson Township Clearfield County	NCRO
PA0234044	Single Residence STP Individual NPDES Permit	Issued	Singer Nathan 2210 Balsam Road Wellsboro, PA 16901-7438	Delmar Township Tioga County	NCRO

NOTICES

5549

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0239593	Single Residence STP Individual NPDES Permit	Issued	Boyd Matthew W 7351 Williams Road North East, PA 16428-4861	North East Township Erie County	NWRO
PA0291552	Single Residence STP Individual NPDES Permit	Issued	Berstler Dennis 204 Peach Avenue Hershey, PA 17033-2029	West Hanover Township Dauphin County	SCRO
1722404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Rickabaugh Adam 13959 Tyrone Pike Curwensville, PA 16833-8308	Ferguson Township Clearfield County	NCRO
2222401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Berstler Dennis 204 Peach Avenue Hershey, PA 17033-2029	West Hanover Township Dauphin County	SCRO
2503405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Corsi Mark 3925 Douglas Road Erie, PA 16510-4903	Greene Township Erie County	NWRO
3622404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Spang Nina and Sellers Eric 690 Greenville Road Denver, PA 17517-9596	West Cocalico Township Lancaster County	SCRO
PA0288047	Small Flow Treatment Facility Individual NPDES Permit	Issued	Kristen and Michael Beck 161 Vidic Road West Sunbury, PA 16061-2721	Clay Township Butler County	NWRO
1020401	Small Flow Treatment Facility Individual WQM Permit	Issued	Kristen and Michael Beck 161 Vidic Road West Sunbury, PA 16061-2721	Clay Township Butler County	NWRO
WQG01621403	WQG-01 WQM General Permit	Issued	Anthony Lore and Catisha Christy Lore 2751 Scranton Hollow Road Warren, PA 16365-8824	Farmington Township Warren County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400212	PAG-02 General Permit	Issued	Hud Inc. t/a Emerald Anthracite II Thomas Doughton P.O. Box 27 Nanticoke, PA 18634-0027	Newport Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400078 A-1	PAG-02 General Permit	Issued	Presidential Land Co, LTD Frank Pedriani P.O. Box 157 Mountaintop, PA 18707	Jackson Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC090062	PAG-02 General Permit	Issued	Swaminarayan Cultural Association 4731 Bethlehem Pike Telford, PA 18969	Hilltown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090481 A-1	PAG-02 General Permit	Issued	Triumph Construction Group 2324 Second Street Pike Suite 20 Newtown, PA 18940	Newtown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@ pa.gov
PAC460722	PAG-02 General Permit	Denied	Midgard Properties LP P.O. Box 2211 Jenkintown, PA 19046-2805	Jenkintown Borough Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC230227	PAG-02 General Permit	Issued	US Fish and Wildlife Service 8601 Lindbergh Boulevard Philadelphia, PA 19153	City of Philadelphia Philadelphia County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC400200 A-1	PAG-02 General Permit	Issued	NP Bliss 1 LLC Michael Magee 4825 NW 41st St Ste 500 Riverside, MO 64150-7806	Hanover Township Newport Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC400242	PAG-02 General Permit	Issued	Rick, Ross, Mitch, Gary Kornfeld 1073 Hwy 315 Wilkes-Barre, PA 18702	Plains Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC540125	PAG-02 General Permit	Issued	DCNR P.O. Box 8451 Harrisburg, PA 17105-8451	Ryan Township Schuylkill County	Schuylkill County Conservation District 1206 Ag Center Dr Pottsville, PA 17901-8732 570-622-3742
PAC370063	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Wayne Township Perry Township Franklin Township Lawrence County Beaver County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC100260	PAG-02 General Permit	Issued	Boundary Lofts Limited Partnership 500 S Front Street 10th Floor Columbus, OH 43215	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC250166	PAG-02 General Permit	Issued	Millcreek Township 3608 West 26th Street Erie, PA 16506	Millcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC350032	PAG-02 General Permit	Issued	Blakely Ridge LLC 1300 Old Plank Rd Mayfield, PA 18433	Blakely Borough Lackawanna County	Lackawanna County Conservation District 1038 Montdale Road Scott Township, PA 18447 570-382-3086

NOTICES

5551

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC100272	PAG-02 General Permit	Issued	CNC LLC 8 Progress Avenue Cranberry Township, PA 16066	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC480148	PAG-02 General Permit	Issued	Lehigh University 681 Taylor Street Bethlehem, PA 18015	City of Bethlehem Northampton County	Northampton County Conservation District 14 Gracedale Ave Greystone Building Nazareth, PA 18064-9211 610-829-6276
PAC150314	PAG-02 General Permit	Issued	Sycamore International, Inc. 431 West Baltimore Pike West Grove, PA 19390	London Grove Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150315	PAG-02 General Permit	Issued	Green Lawn Fertilizing, Inc. 1004 Saunders Lane West Chester, PA 19380	West Goshen Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150286	PAG-02 General Permit	Issued	Marc Petrucelli 1771 Fernbrook Lane Pottstown, PA 19465	East Vincent Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC460650	PAG-02 General Permit	Issued	DEH Holdings LLC 22 Nealy Blvd Marcus Hook, PA 19061	Lower Salford Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460110	PAG-02 General Permit	Issued	Rouse Chamberlin LTD 500 Exton Commons Exton, PA 19341	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460657	PAG-02 General Permit	Issued	723 Dresher Road LLC 580 W Germantown Pike Suite 200 Plymouth Meeting, PA 19462-1313	Horsham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460643	PAG-02 General Permit	Issued	DeVimy Equities LLC 32 Cross Street Suite 202 Lakewood, NJ 08701	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460016	PAG-02 General Permit	Issued	KTMT 1 LP 2001 State Hill Rd Suite 205 Wyomissing, PA 19610	Lower Frederick Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460680	PAG-02 General Permit	Issued	KL Investments LLC 1103 Brynhill Court Ambler, PA 19002-1861	Cheltenham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460729	PAG-02 General Permit	Issued	Cedarbrook Country Club 180 Penllyn Blue Bell Pike Blue Bell, PA 19422-1622	Whitpain Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 (610) 489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460670	PAG-02 General Permit	Issued	Montgomery County Planning Commission P.O. Box 311 Norristown, PA 19401-0311	Plymouth Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 (610) 489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460708	PAG-02 General Permit	Issued	Zafar Bushara Inc. 6053 Castor Avenue Philadelphia, PA 19149-3208	Lower Salford Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460673	PAG-02 General Permit	Issued	Hatboro-Horsham School District 229 Meetinghouse Road Horsham, PA 19044	Horsham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460642	PAG-02 General Permit	Issued	Alliance HSP Virginia Drive LLC 40 Morris Avenue Suite 230 Bryn Mawr, PA 19010	Upper Dublin Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460667	PAG-02 General Permit	Issued	Sparango Construction Co Inc. 506 Bethlehem Pike Fort Washington, PA 19034-2197	Worcester Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC400011 A-1	PAG-02 General Permit	Issued	Joseph Lombardo Estate Joseph Lombardo 16 Broad St Pittston, PA 18640	Kingston Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991
PAC080012	PAG-02 General Permit	Issued	Wilawana Land Company, LLC White Wagon Road Athens, PA 18810	Athens Township Bradford County	Bradford County Conservation District 200 Lake Rd Suite E Towanda, PA 18848 570-265-5539
PAC140064 A-2	PAG-02 General Permit	Issued	Fisherman's Paradise 1952 Waddle Rd Suite 203 State College, PA 16803	Benner Township Centre County	Centre County Conservation District 414 Holmes Ave Suite 4 Bellefonte, PA 16803 814-355-6817

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Star Rock Dairy, Inc./ Star Rock Farms, LLC 13845 Ted Wallace Road Brogue, PA 17309	York County	64.9	2,489.6	Steer & Heifer	NA	Approved
Tyler Bauman 1277 Bridgeton Road Airville, PA 17302	York County	134.74	378.15	Broilers	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor II, (570-327-3490).

Construction/Operation Permit No. 1222501MA, Minor Amendment, Public Water Supply.

Applicant	Emporium Water Company
Address	174 Nickler Road Emporium, PA 15834
Municipality	Emporium Borough
County	Cameron County
Consulting Engineer	Samuel Gibson 5173 Campbells Run Road Pittsburgh, PA 15205
Application Received	July 5, 2022
Permit Issued	August 10, 2022

Description

This permit authorizes the water system to perform filter plant performance modifications to allow for IFE and CFE turbidity monitoring, establish alarm and shutdown capabilities for IFE turbidity, CFE turbidity and low entry point chlorine residual through improvements to the Missions Communication System, PLC replacement, installation of conduit and wiring for proposed improvements and PLC programming at the Water Treatment Plant.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

Construction/Operation Permit No. 2660342, Public Water Supply.

Applicant	EL&L, LLC
Address	199 Highland Road Dalton, PA 18414
Municipality	Overfield Township
County	Wyoming County
Consulting Engineer	Ms. Raelene Gabriel, P.E. Glace Associates, Inc. 3705 Trindle Road Camp Hill, PA 17011

Application Received June 9, 2022

Permit Issued June 16, 2022

Description Operations permit issuance for 4-log.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4708.

Construction Permit No. 3622519 MA, Minor Amendment, Public Water Supply.

Applicant	Houston Run Community Water System, LLC
Address	1324 Main Street East Earl, PA 17519
Municipality	Salisbury Township
County	Lancaster County
Consulting Engineer	Thomas Devenney 743 South Broad Street Lititz, PA 17543

Application Received May 12, 2022

Permit Issued August 3, 2022

Description Construction of a bulk water loading station at 5301 East Newport Road.

Operation Permit No. 7360479, Public Water Supply.

Applicant	Applegreen PA Welcome Centres LLC
-----------	-----------------------------------

Address 208 Harristown Road
Route 208
Glen Rock, NJ 07452

Municipality Brecknock Township

County Lancaster County

Consulting Engineer Jamie Lorah
1047 North Park Road
Reading, PA 19610

Application Received May 13, 2022

Permit Issued August 5, 2022

Description Transfer of public water supply permits from HMS Host to Applegreen PA Welcome Centres LLC

Operation Permit No. 7360122, Public Water Supply.

Applicant Safe Harbor Village, LLC

Address 537 Church Street
Lancaster, PA 17602

Municipality Conestoga Township

County Lancaster County

Application Received May 19, 2022

Permit Issued August 9, 2022

Description Transfer of public water supply permits from Safe Harbor Partners LP to Safe Harbor Village, LLC

NCWSA Operation Permit No. 7280378, Public Water Supply.

Applicant McKinney Station

Address 16780 Cumberland Highway
Newburg, PA 17240

Municipality Lurgan Township

County Franklin County

Application Received August 9, 2022

Permit Issued August 9, 2022

Description Noncommunity water system operation approval.

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor II, (570-327-3490).

Operation Permit 267W016-A2, PWSID No. 6170016. City of Dubois Water Department, 5656 Home Camp Road, Dubois, PA 15801, Sandy Township, Clearfield County. Application received: July 26, 2022. Permit Issued: August 10, 2022. This permit authorizes the water system to replace all existing HACH 1720E turbidimeters with HACH TU5300sc turbidimeters and updates operation permit conditions to specify how 1-log Giardia inactivation is accomplished, measured and calculated.

Operation Permit 4410156, PWSID No. 4410156. Jersey Shore Area Joint Water Authority, 1111 Bardo Avenue, Jersey Shore, PA 17740, Anthony Township, Lycoming County. Application received: July 18, 2022.

Permit Issued: August 10, 2022. This permit designates treatment segments for 1.0-log Giardia inactivation calculations at Larry's Creek Filtration Plant.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Rhonda Hakundy-Jones 717.705.4708.

Source Water Protection Program Approval issued to **Chambersburg Borough Water Supply**, 7659 Lincoln Highway East, Fayetteville, PA 17222, PWSID # **7280005**, Chambersburg Borough, **Franklin County**, on August 9, 2022.

Contact: Thomas Filip, Environmental Engineer (717.705.4708).

Construction Permit 2222509 MA, PWSID No. 7220036. Pennsylvania American Water, 852 Wesley Drive, Mechanicsburg, PA 17055, Steelton Borough, **Dauphin County**. Application received: April 19, 2022. Permit Issued: July 25, 2022. Steelton Borough water system—Filter No. 2 GAC media replacement with anthracite.

Operation Permit 0122508 MA, PWSID No. 7010025. New Oxford Municipal Authority, 409 Water Works Road, New Oxford, PA 17350-1511, Oxford Township, **Adams County**. Application received: April 20, 2022. Permit Issued: July 26, 2022. 1-Log Cryptosporidium treatment credit by CFE/IFE performance at the New Oxford WTP.

Construction Permit 2222510 MA, PWSID No. 7220038. Borough of Middletown, 60 West Emaus Street, Middletown, PA 18057, Middletown Borough, **Dauphin County**. Application received: April 22, 2022. Permit Issued: July 26, 2022. Veolia Middletown Water System—Well No. 4 well pump replacement and VFD.

Construction Permit 2222511 MA, PWSID No. 7220015. Veolia Water Pennsylvania, Inc., 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, Lower Swatara Township, **Dauphin County**. Application received: April 22, 2022. Permit Issued: July 27, 2022. Airport Tank repainting/modifications.

Construction Permit 2222513 MA, PWSID No. 7220022. Lykens Borough Authority, 200 Main Street, Lykens, PA 17048, Jackson Township, **Dauphin County**. Application received: April 29, 2022. Permit Issued: July 27, 2022. Lykens WTP—Replacement of chemical feed pumps, analyzers, controls and valves.

Construction Permit 3822504 MA, PWSID No. 7380035. Fredericksburg Sewer & Water Authority, 113 East Main Street, Fredericksburg, PA 17026, Bethel Township, **Lebanon County**. Application received: April 25, 2022. Permit Issued: August 1, 2022. Repairing/modification of the East Tank.

Construction Permit 3822503, PWSID No. 7380032. Richland Borough, P.O. Box 676, Richland, PA 17087, Millcreek Township, **Lebanon County**. Application received: February 11, 2022. Permit Issued: August 4, 2022. Construction of Well No. 9 as a new source of supply.

Transfer Permit 7381001, PWSID No. 7381001. Applegreen PA Welcome Centres LLC, 208 Harristown Road, Suite 208, Glen Rock, NJ 07452, South Londonderry Township, **Lebanon County**. Application received: May 12, 2022. Permit Issued: August 5, 2022. Transfer of ownership of the Lawn Turnpike Plaza water system.

Construction Permit 3822511. PWSID No. **7360007.** **Christiana Borough Authority**, P.O. Box 135, Christiana, PA 17509, Sadsbury Township, **Lancaster County**. Application received: March 9, 2022. Permit Issued: August 9, 2022. Installation of treatment for Well No. 2.

Operation Permit 3820505 MA. PWSID No. **7380025.** **Myerstown Water Authority**, 601 Stracks Dam Road, Myerstown, PA 17067, Jackson Township, **Lebanon County**. Application received: July 13, 2022. Permit Issued: July 15, 2022. Partial operation permit for the Filter Nos. 1 & 2 media replacement.

Operation Permit 7010028. PWSID No. **7010028.** **Panorama MHP, LLC**, P.O. Box 35, Bowmansville, PA 17507, Oxford Township, **Adams County**. Application received: July 12, 2022. Permit Issued: July 15, 2022. Panarama MHP water system—Modification of the 4-Log Treatment of Viruses for EP 101 (Well Nos. 1 & 2).

Operation Permit 7010971. PWSID No. **7010971.** **Living Faith Evangelical Church**, 1490 Frederick Pike, Littlestown, PA 17340, German Township, **Adams County**. Application received: July 13, 2022. Permit Issued: July 14, 2022. Operation of nitrate removal treatment, sediment filter, and UV disinfection.

NCWSA Operation Permit 7011032. PWSID No. **7011032.** **Babes in Arms, LLC**, 448 Cedar Ridge Road, New Oxford, PA 17350, Straban Township, **Adams County**. Application received: July 5, 2022. Permit Issued: July 8, 2022. Operation of a noncommunity water system with cation exchange treatment, cartridge filtration and UV disinfection.

NCWSA Operation Permit 7220964. PWSID No. **7220964.** **Historica Acres of Hershey**, 3425 Old Hershey Road, Elizabethtown, PA 17022, Conewago Township, **Dauphin County**. Application received: July 12, 2022. Permit Issued: July 18, 2022. Operation of a noncommunity water system with cation exchange treatment and sodium hypochlorite disinfection.

NCWSA Construction Permit 7010370. PWSID No. **7010370.** **MHC Drummer Boy, LLC**, 2 North Riverside Plaza # 800, Chicago, IL 60606, Straban Township, **Adams County**. Application received: April 11, 2022. Permit Issued: July 22, 2022. Extension of the Well B well casing above grade and relocation of treatment to a new treatment building.

Operation Permit 7380426. PWSID No. **7380426.** **Crestwood Equity Partners LP**, 811 Main Street, Houston, TX 77002, Heidelberg Borough, **Lebanon County**. Application received: July 7, 2022. Permit Issued: July 19, 2022. Schaefferstown Terminal water system—operation of a replacement UV disinfection system.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 0621514. PWSID No. **3060691.** **Christ Evangelical Lutheran Church**, 325 Covered Bridge Road, Oley, PA 19547, Oley Township, **Berks County**. Application received: April 13, 2021. Permit Issued: August 11, 2022. Comprehensive operation permit including operation of the 4-log disinfection for treatment of viruses and cartridge filtration.

Construction Permit 2922501 MA. PWSID No. **4290808.** **Applegreen PA Welcome Centres LLC**, 208 Harristown Road, Route 208, Glen Rock, NJ 07452, Taylor Township, **Fulton County**. Application received: February 28, 2022. Permit Issued: August 11, 2022.

Construction permit for the replacement of raw water piping, addition of flow control valves, and replacement of arsenic media.

Construction/Operation Permit 6722510 MA. PWSID No. **7671339.** **YWCA York**, 320 E. Market Street, York, PA 17403, Conewago Township, **York County**. Application received: June 29, 2022. Permit Issued: August 11, 2022. Construction/operation permit for Well No. 2 pump replacement at Camp Cann-Edi-On.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Operation Permit 5620501MA. PWSID No. **4560013.** **Windber Area Authority**, 1700 Stockholm Avenue, Windber, PA 15963, Ogle Township, **Somerset County**. Application received: August 2, 2022. Permit Issued: August 9, 2022. Permit issued for the operation of the Clear Shade Water Storage Tanks Nos 1 and 2.

Operation Permit 0220514MA. PWSID No. **5020039.** **Pennsylvania-American Water Authority**, 852 Wesley Drive, Mechanicsburg, PA 17055, Robinson Township, **Washington County**. Application received: July 25, 2022. Permit Issued: August 10, 2022. Permit issued for the operation of approximately 10,000 LF of 24" diameter ductile iron water main (State Route 980 24" Water Main Improvements Project).

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2 484-250-55887.

WA-09-1003A, Water Allocations. **Newtown Artesian Water Company**, 201 N. Lincoln Avenue, Newtown, PA 18940-0217, Newton Township, **Bucks County**. To purchase water interconnection, NAWC has a existing interconnection with PAWC at the Linderhurst Road and Autumn Drive in Newtown, Bucks County. Application received: August 4, 2022. Issued: April 13, 2022

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cory Zimmerman, Sewage Planning Specialist, 717-705-4793.

Plan Location:

Municipality	Address	County
Mount Joy Township	8853 Elizabethtown Road Elizabethtown, PA 17022	Lancaster County

Plan Description:

Campus Road Subdivision, A3-36942-388-3. Approval of a revision to the official plan of Mount Joy Township, **Lancaster County**, has been issued. This action is a result of the review of a planning module

for the Campus Road Subdivision (DEP Code No. A3-36942-388-3; APS ID No. 1065408). The proposed development—to be located at 1376 Campus Road in Elizabethtown—consists of 209 single-family dwellings, 280 apartments, and a clubhouse all served by a proposed pump station and force main. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. Permits must be obtained in the name of Elizabethtown Regional Sewer Authority.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa Hensel, Clerical Assistant 2, 570-327-3653.

KMK Transport, Inc. Cleanup, Primary Facility ID # **859909**, 3000 block of US 15 Southbound, Lewisburg, PA 17837, East Buffalo Township, **Union County**.

EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889 on behalf of KMK Transport, Inc., 870 Hillary Court, Longwood, FL 32750, submitted a Final Report concerning remediation of soil contaminated with diesel fuel & used motor oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Noble Biomaterials, Primary Facility ID # **857180**, 302 Fig Street, Scranton, PA 18505, City of Scranton, **Lackawanna County**. AMO Environmental Decisions, 875 North Easton Road, Suite 10, Doylestown, PA 18902 on behalf of Noble Biomaterials, Inc., 300 Palm Street, Scranton, PA 18505, submitted a Final Report concerning remediation of soil contaminated with lead from historic industrial operations. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

National Sports and Events Center (NSEC), Primary Facility ID # **852693**, 115 West Lincoln Avenue (Route 82 and Lincoln Avenue), Coatesville, PA 19320, Coatesville Borough and Valley Township, **Chester County**. Paul White, Brickhouse Environmental, 515 South Franklin Street, Suite D-1, West Chester, PA 19382 on behalf of Crosby Wood, IDG Development LLC, 353 East Lincoln Highway, Coatesville, PA 19320, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with VOCs and SVOCs and metals. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Lehman Park Caretaker's House, Primary Facility ID # **829928**, 168 Lehman Park Road, Bushkill, PA 18324, Lehman Township, **Pike County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Lehman Township, 193 Municipal Drive, Bushkill, PA 18324, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil from an aboveground storage tank. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 10, 2022.

Palmer Town Center, Primary Facility ID # **628929**, 757 South 25th Street, Easton, PA 18042, Palmer Township, **Northampton County**. Apex Companies, 4701 Creek Road, Suite 100, Blue Ash, OH 45242 on behalf of Palmer Town Station LLC, 11501 Northlake Drive, Cincinnati, OH 45249, submitted a Final Report concerning remediation of soil contaminated with chlorinated solvents, metals, petroleum, PCBs, and polycyclic aromatic hydrocarbons from historic use as a former iron foundry and car dealership. The Final Report did not demonstrate attainment of the Statewide health and site-specific standards. Issued a technical deficiency letter: August 15, 2022.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Ridge Road—Leachate Spill, Primary Facility ID # **859209**, Ridge Road Lot 3 B-A, Elizabethtown, PA 17022, Mount Joy Township, **Lancaster County**. Applied Testing and Geosciences, LLC, 401 East Fourth Street, Building 12-B, Bridgeport, PA 19405 on behalf of Waste Management of Pennsylvania, Inc., 1000 New Ford Mill Road, Morrisville, PA 19067, submitted a Final Report concerning remediation of soil contaminated with metals and inorganic compounds. The Final Report did not demonstrate attainment of the Statewide health standards. Issued a technical deficiency letter: August 9, 2022.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Valley Brook Apartments, Primary Facility ID # **858679**, 5001 Pennell Road, Aston, PA 19007, Aston Township, **Delaware County**. Richard S. Werner, PG, Environmental Consultants, Inc., 202 Renaissance Boulevard, Suite 110, King of Prussia, PA 19406 on behalf of James Logue, Esquire, The Ecological Rainbow Living Trust, 1500 Bay Road, # 1538S, Miami Beach, FL 33139, submitted a Final Report concerning remediation of soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 8, 2022.

Cornerstone Automotive, Primary Facility ID # **847517**, 1301 Chester Pike, Crum Lynne, PA 19022, Ridley Township, **Delaware County**. Paul White, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382 on behalf of Brian Hoffman, Cornerstone Automotive, 1301 Chester Pike, Crum Lynne, PA 19022, submitted a Final Report concerning remediation of groundwater contaminated with toluene, ethylbenzene, total xylenes, MTBE, naphthalene, cumene, 1,2,4-TMB, 1,3,5-TMB, 1,2-dibromoethane, 1,2-dichloroethane and dissolved lead. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 10, 2022.

Northeast Building Products Corporation, Primary Facility ID # **813135**, 327 Chew Avenue, Philadelphia, PA 19120, City of Philadelphia, **Philadelphia County**. Justin Lauterbach, RT Environmental Services, Inc., 215 West Church Road, King of Prussia, 19604, PA 19604 on behalf of FASAL, Inc., c/o Philip L. Hinerman, Fox Rothschild, LLP, 200 Market Street, 20th Floor, Philadelphia, PA 19103, submitted a Final Report concerning remediation of groundwater contaminated with TCE. The Final Report did not demonstrate attainment of the background standards. Disapproved: August 11, 2022.

Novak Residence, Primary Facility ID # **746599**, 142 Red Rose Drive, Levittown, PA 19056, Middletown Township, **Bucks County**. Richard D. Trimpi, PG, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073 on behalf of Andrea G. Stewart, State Farm Insurance, P.O. Box 106169, Atlanta, GA 30348, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, cumene, naphthalene, MTBE, 1,2,4- and 1,3,5-

trimethylbenzene. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 9, 2022.

Philadelphia Naval Business Center, Primary Facility ID # **619603**, 2500 League Island Boulevard, Building 603, Philadelphia, PA 19112, City of Philadelphia, **Philadelphia County**. Michael Nines, P.E., Manko, Gold, Katcher & Fox, LLP, 401 City Avenue, Suite 901, Bala Cynwyd, PA 19004 on behalf of Anne Nevins, Philadelphia Industrial Development Corporation (PIDC), 1500 Market Street, Suite 3500 West, Philadelphia, PA 19102, submitted a Baseline Environmental Report concerning remediation of soil contaminated with lead. The Report demonstrated attainment of the special industrial area provision of act 2. Approved: August 8, 2022.

3145 Grays Ferry Avenue, Primary Facility ID # **848264**, 3145 Grays Ferry Avenue, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Heather Shoemaker, GZA GeoEnvironmental Inc., 1515 Market Street, Suite 945, Philadelphia, PA 19102 on behalf of Richard S. Oller, GOS Grays Ferry LLC, 107 South 2nd Street, Suite 500, Philadelphia, PA 19106, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil contaminated with cyclohexane, isopropylbenzene, methyl acetate, methyl cyclohexane, total xylenes, toluene, benzaldehyde, benzo(a,h)anthracene, benzo(b)fluoranthene, benzo(k)fluoranthene, benzo(g,h,i)perylene, biphenyl, chrysene, dibenzo(h)anthracene, dibenzofuran, fluorene, 2-butanone, 2-methylnaphthalene, indeno(1,2,3-cd)pyrene, phenanthrene, pyrene, arsenic, lead, and benzene.. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: August 11, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Precision Marshall Steel, Primary Facility ID # **853411**, 99 Berry Road, Washington, PA 15301, City of Washington, **Washington County**. Applied Geology & Environmental Science, Inc., 2402 Hookstown Grade Road, Suite 200, Clinton, PA 15026 on behalf of Precision Industries, 99 Berry Road, Washington, PA 15301, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil contaminated with vanadium, iron, arsenic, chromium, manganese, nickel and groundwater contaminated with vanadium, iron, and manganese.. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: August 12, 2022.

Range MCC Partners Well Pad 18H, Primary Facility ID # **859314**, 324 Strope Road, Burgettstown, PA 15021, Jefferson Township, **Washington County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086 on behalf of Range Resources—Appalachia, LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, Benzene, Toluene, Ethylbenzene, Isopropylbenzene, Naphthalene, sec-Butylbenzene, tert-Butylbenzene, Xylene (Total), Cyclohexane, Acenaphthene, Anthracene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(g,h,i)perylene, Benzo(a)pyrene, Chrysene, Fluorene, Indeno(1,2,3-cd)pyrene, 2-Methylnaphthalene, Phen-

anthrene, Pyrene, 1,1'-Biphenyl and Phenols. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 15, 2022.

LTV Midland MITCS, Primary Facility ID # **724564**, 7 South 12th Street, Midland, PA 15059, Midland Borough, **Beaver County**. RT Environmental Services, Inc., 2001 Waterdam Plaza Drive, Canonsburg, PA 15317 on behalf of Midland, LP, 100 Bet-Tech Drive, Aliquippa, PA 15001, submitted a Cleanup Plan/Final Report concerning remediation of soil contaminated with benzo(b)fluoranthene, arsenic, and thallium. The Final Report demonstrated attainment of the site-specific standards. Approved: August 15, 2022.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

101371. Waste Management of Pennsylvania, Inc., 4816 Timberline Road, Walnutport, PA 18088, Lehigh Township, **Northampton County**. A permit reissuance to transfer the McAuliffe Transfer Station permit from Advanced Disposal Services Eastern PA, Inc. to Waste Management of Pennsylvania, Inc. Application received: February 1, 2022. Approved: August 15, 2022.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP3-59-236: Cross Excavating, LLC, 19316 Route 6, Mansfield, PA 16933, Lawrence Township, **Tioga County**, to relocate and operate one Cedar Rapids jaw crusher; one Inertia model 516 crusher; one Powerscreen model 1400, double deck, vibratory screen; and two stacking conveyors pursuant to General Plan Approval and/or General Operating Permit For Portable Nonmetallic Mineral Processing Plants (BAQ-GPA/GP-3) at the Kilmer Quarry. Application received: July 13, 2022. Issued: August 12, 2022.

GP9-59-236: Cross Excavating, LLC, 19316 Route 6, Mansfield, PA 16933, Lawrence Township, **Tioga**

County, to relocate and operate the following diesel-fired generator engines: one 415 bhp, Caterpillar model D343; one 350 bhp, John Deere model 6081; and one 97 bhp, Deutz model BF4M1012C, pursuant to the General Plan Approval and/or General Operating Permit for Diesel or No. 2 Fuel-fired Internal Combustion Engines (BAQ-GPA/GP-9) at the Kilmer Quarry. Application received: July 13, 2022. Issued: August 12, 2022.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

AG5-58-00035A: Williams Field Services LLC, 310 State Route 29, Tunkhannock, PA 18657, Jessup Township, **Susquehanna County**. Reauthorization, modification and operation of natural gas compressor station. Application received: July 15, 2022. Issued: August 10, 2022.

GP3-35-007A: Powell Quarry, 1 Highland Blvd, Suite 207, Archbald, PA 18403, Archbald Borough, **Lackawanna County**. GP3 for operation of a portable stone crushing plant. Application received: August 10, 2022. Issued: August 10, 2022.

GP9-35-007A: Powell Quarry, 1 Highland Blvd, Suite 207, Archbald, PA 18403, Archbald Borough, **Lackawanna County**. GP9 for installation and operation of diesel/No. 2 oil fired I.C Engines. Application received: July 28, 2022. Issued: August 10, 2022.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

GP1-06-03073C: Giorgio Foods, Inc., P.O. Box 96, Temple, PA 19560, Maiden creek Township, **Berks County**. For four existing boilers, under GP1, at the facility. The general permit authorization was renewed. Application received: July 27, 2022. Issued: August 12, 2022.

GP14-06-03156: Stitzel Funeral Homes & Crematory, Inc., 3300 Kutztown Road, Laureldale, PA 19605, Laureldale Borough, **Berks County**. For a human crematory, under GP14, at the facility. The general permit authorization was renewed. Application received: July 26, 2022. Issued: August 15, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

GP3-46-0173: Ratoskey & Trainor, Inc., 3201 Potshop Rd., Norristown, PA 19403, East Norriton Township, **Montgomery County**. This general Operating Permit is for the operation of a portable product screen as part of a non-metallic mineral processing plant. Application received: June 8, 2022. Issued: August 12, 2022.

GP9-46-0118: Ratoskey & Trainor, Inc., 3201 Potshop Rd., Norristown, PA 19403, East Norriton Township, **Montgomery County**. This general Operating Permit is for the operation of a diesel-fired engine associated with a portable product screen as part of a non-metallic mineral processing plant. Application received: June 8, 2022. Issued: August 12, 2022.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05002T: Letterkenny Army Depot, One Overcash Ave., Chambersburg, PA 17201, Letterkenny Township, Greene Township, **Franklin County**. To approve Alternate Opacity Limitations and Compliance Assurance Monitoring for the Ammonium Perchlorate Rocket Motor Destruction (ARMD) Facility at the facility. Application received: June 17, 2021. Issued: August 15, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Edward Orris, PE, New Source Review Chief (412-442-4168).

04-00439D: Watco Transloading LLC, 2701 Midland Beaver Road, Industry, PA 15052, Industry Borough, **Beaver County**. On August 12, 2022, 180-day plan approval extension granted to prepare and submit the Operating Permit application for their Watco Lot No. 1 transloading facility. Application received: August 11, 2022. Issued: August 12, 2022.

04-00708B: Watco Transloading LLC, 2701 Midland Beaver Road, Industry, PA 15052, Industry Borough, **Beaver County**. Plan Approval extension issued on August 12, 2022, to extended temporary operation to facilitate the shake-down of sources and air cleaning devices at the truck loadout operations at their Lot # 2. Application received: August 11, 2022. Issued: August 12, 2022.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.

19-00001C: Autoneum North America, Inc., 480 West Fifth Street, Bloomsburg, PA 17815, City of Bloomsburg, **Columbia County**. Plan approval authorization to replace the 77 million Btu per hour natural gas-fired burner with an 81million Btu per hour natural gas-fired burner in Source 033 at the Bloomsburg Plant facility has been extended. Application received: July 5, 2022. Extension: August 11, 2022. New expiration date: February 11, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

07-05027B: Curry Rail Services Inc., 585 Berwind Road, Hollidaysburg, PA 16648, Frankstown Township, **Blair County**. For the construction of a new coating

booth controlled by dry filters at the metal manufacturing and custom motor vehicle up-fitting facility. The plan approval was extended. Application received: August 2, 2022. Issued: August 10, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05017G: Conestoga Wood Specialties Corp., 245 Reading Road, East Earl, PA 17519, East Earl Township, **Lancaster County**. For the construction of a new Venjakob conveyerized spray coating line, and associated ovens, at the kitchen cabinet manufacturing facility. This equipment will replace the existing CEFLA coating line (Source ID # 204). The plan approval was extended. Application received: July 29, 2022. Issued: August 10, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Edward Orris, PE, New Source Review Chief (412-442-4168).

63-00538: Dynamet Inc., 195 Museum Road, Washington, PA 15301, Chartiers Township, **Washington County**. On August 9, 2022, for the continued temporary operation of the chemical mill for pickling of titanium products controlled by two (2) scrubbers at the Arden Facility. Application received: August 4, 2022. Issued: August 9, 2022. The new expiration date is February 28, 2023.

65-00990C: Tenaska Pennsylvania Partners LLC, 14302 FNB Parkway, Omaha, NE 68154, South Huntingdon Township, **Westmoreland County**. On August 9, 2022, to allow continued temporary operation of the Tenaska Westmoreland Generating Station. Application received: July 14, 2022. Issued: August 9, 2022. The new expiration date is February 28, 2023.

30-00072E: CONSOL Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For continued temporary operation of air contamination sources and controls associated with the Crabapple Overland Conveyor. Application received: July 13, 2022. Issued: August 8, 2022. Plan approval extension: August 28, 2022. Expiration: February 28, 2023.

30-00072L: Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. For the Bailey Prep Plant. Application received: July 13, 2022. Issued: August 9, 2022. Plan approval extension effective: August 28, 2022. Expiration: February 28, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00026: Hilex Poly Co., LLC, 606 Old Curtin Road, P.O. Box 258, Milesburg, PA 16853, Boggs Township, **Centre County**. Issuance of a State Only (Natural Minor) Operating Permit renewal permit for the Hilex Poly Co., LLC facility. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions to

ensure compliance with all applicable State and Federal Air Quality rules and regulations. Application received: January 21, 2022. Renewal issued: August 11, 2022. New expiration date: August 10, 2027.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

61-00012: Borchers Americas, Inc., 240 Two Mile Run Road, Franklin, PA 16323, Sugarcreek Borough, **Venango County**. The Department issued the renewal State-Only Operating Permit of a facility, which manufactures specialty chemicals, metal carboxylates, PVC stabilizers, and cobalt and nickel salts, located in Sugarcreek Borough, Venango County. Permitted air contamination sources at the facility include batch chemical reactors, boilers, pastillators and a hopper, packaging activities, emergency generators and fire pump engines, degreasers, tanks, and space heaters. The facility is subject to Synthetic Minor limits of 44.4-TPY VOC, based on a 12-month rolling total. In this renewal, a monthly recordkeeping of VOC emissions from batch chemical reactors is added. Application received: June 28, 2021. Renewal issued: August 5, 2022.

61-00228: AM Stabilizers Corp., 240 Two Mile Run Road North, Franklin, PA 16323, Sugarcreek Borough, **Venango County**. The Department issued the renewal State-Only Operating Permit of a facility, which manufactures barium and calcium intermediates used in the production of mixed metal heat stabilizers for PVC plastics. Permitted air contamination sources at the facility include batch chemical reactors, tanks, packaging activities, and cold cleaning degreasers. For permitting purposes, the facility is Synthetic Minor. The facility is subject to the Synthetic Minor limit of 5.5-TPY VOCs. Based on a 12-month rolling total. In this renewal, only minor permit changes are made. Application received: June 15, 2021. Renewal issued: August 5, 2022.

25-00006: Lindy Paving, Inc., Wheelertown Asphalt Plant, 3580 Wheelertown Road, Waterford, PA 16441, Le Boeuf Township, **Erie County**. The Department issued the renewal State-Only Operating Permit of a hot mix asphalt counterflow drum mix plant. The facility is subject to elective restrictions to be Synthetic Minor. In this renewal, the previous throughput restriction is replaced with elective facility-wide emission restrictions. Requirements of GP13-25-006A, which was used to authorize the replacement counterflow drum, dryer burner, and baghouse, are incorporated. A permit condition allowing use of recycled asphalt products/pavement (RAP) in amounts up to 25% is added. Conditions of PA 25-006A that are no longer applicable or streamlined out by more stringent requirements are removed. Application received: August 27, 2021. Renewal issued: July 12, 2022.

37-00274: Kasgro Rail Cor., 121 Rundle Road, New Castle, PA 16102, Taylor Township, **Lawrence County**. The Department issued a renewal Operating Permit for the facility. The facility manufactures and surface coats rail cars. The significant sources at the facility are the M/U air furnace, a paint booth, a blast booth, and welding/fabricating operations. The VOC emissions from the facility are limited to less than 2.7 TPY on a 12-month rolling total. The conditions of the previous plan approvals and Operating Permit were incorporated into the renewal permit. Application received: July 6, 2021. Renewal issued: August 9, 2022.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

29-03007: Mellott Wood Preserving Co., Inc., 1398 Sawmill Road, P.O. Box 209, Needmore, PA 17238-0209, Belfast Township, **Fulton County**. For the wood preserving facility. The State-Only permit was renewed. Application received: August 9, 2021. Issued: August 10, 2022.

31-03036: Sunoco Pipeline, LP—Mount Union Pump Station, 535 Fritztown Road, Sinking Spring, PA 19608-1509, Shirley Township, **Huntingdon County**. For the Mount Union Pump Station. The State-Only permit was renewed. Application received: February 16, 2022. Issued: August 9, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03197: Sunoco Pipeline, LP—Blainsport Pump Station, 535 Fritztown Road, Sinking Spring, PA 19608-1509, West Cocalico Township, **Lancaster County**. For the Blainsport Pump Station. The State-Only permit was renewed. Application received: February 16, 2022. Issued: August 9, 2022.

06-03164: Sunoco Pipeline LP, 535 Fritztown Road, Sinking Spring, PA 19608, Brecknock Township, **Berks County**. For the natural gas liquid (ethane, propane, butane or a mixture of these) Beckersville pumping station. The State-Only permit was renewed. Application received: February 28, 2022. Issued: August 16, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00228: PR Plymouth Meeting, LP, 500 Germantown Pike, Suite 150, Plymouth Meeting, PA 19462, Plymouth Township, **Montgomery County**. This is for the renewal of a non-Title V (State Only, Natural Minor) Operating Permit of a retail shopping mall. The renewal permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Application received: March 31, 2021. Issued: August 12, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

04-00471: MPLX Terminals LLC, 3852 Midland Beaver Road, Industry, PA 15052, Industry Borough, **Beaver County**. On August 5, 2022, DEP issued a renewed State Only Operating Permit to MPLX Terminals LLC for the continued operation of a gasoline storage and transfer facility known as the Midland Terminal. The primary sources at the facility are six “swing” storage tanks, with storage capacities between 84,000 and 3,100,000 gallons (1-barrel petroleum = 42 US gallons), one 3,900,000-gallon, fixed roof, distillate tank, three ethanol tanks (36,600, 36,000, & 21,000 gallons), two, 42,000-gallon, biodiesel tanks, equipment for barge loading and unloading, and gasoline and distillate loading racks. Emissions of VOCs from the tank truck loading racks are controlled by a VRU, with a backup VCU. Sources at the Midland Terminal are subject to 40 CFR 60, Subparts A, Kb, and XX, 04-0047140 CFR 63, Subparts A and BBBBBB, and 25 Pa. Code Chapters 121—145. The permit includes emission limitations and testing, operational, monitoring,

reporting, and recordkeeping requirements for the plant. No equipment or emission changes are being approved by this action. The emission restriction, testing, monitoring, recordkeeping, reporting, and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR 60, Subparts A, Kb, and XX, 40 CFR 63, Subparts A and BBBBBB, and Pa. Code Title 25, Article III, Chapters 121—145. Application received: November 3, 2021. Issued: August 5, 2022.

11-00436: Penn Cambria School District, 201 6th Street, Cresson, PA 16630, Gallitzin Borough, **Cambria County**. Synthetic minor State-Only Operating Permit on August 16, 2022, the Department of Environmental Protection issued a renewed synthetic minor State-Only Operating Permit for Penn Cambria School District’s Middle School located in Gallitzin Borough, Cambria County. This facility is subject to the applicable requirements of 40 CFR Part 63 Subpart JJJJJJ and 25 Pa. Code Chapters 121—145. The synthetic minor State-Only Operating Permit includes emission restrictions, monitoring, recordkeeping, reporting, and work practice standards requirements for the site. Application received: June 9, 2022. Permit issued: August 16, 2022.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.

10-00330: National Veterinary Associates, 1761 N Main Street Extension, Butler, PA 16001, Center Township, **Butler County**. The Department issued an amendment of the Natural Minor State Only Operating Permit for the operation of a gas incinerator (crematory). The amendment incorporates the change of responsible official. Application received: May 26, 2022. Revised: August 1, 2022.

10-00288: Evergreen Metallurgical, LLC, 679 East Butler Road, Butler, PA 16002-9127, Summit Township, **Butler County**. The Department issued an amendment of the State Only Operating Permit for the ferroalloy production facility. The amendment incorporates the change of responsible official. Application received: May 23, 2022. Revised: August 1, 2022.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03021: Amsted Rail Company, Inc., 3420 Simpson Ferry Road, Camp Hill, PA 17011-6410, Lower Allen Township, **Cumberland County**. For the railcar coupling production and repair facility. The State-Only permit underwent a significant modification to address compliance with surface coating standards via an equivalency requirement. Application received: May 13, 2022. Issued: August 10, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 1901, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

46-00032: SPS Tech. Inc., 301 Highland Ave., Jenkintown, PA 19046, Abington Township, **Montgomery County**. This administrative amendment incorporates Plan Approval 46-0032H, for a new vapor degreaser, into SPS' Air Quality Operating Permit 46-00032. Application received: June 8, 2022. Issued: August 5, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

63-01008: Sunoco Pipeline LP, 5733 Butler Street, Pittsburgh, PA 15201, Chartiers Township, **Washington County**. On August 9, 2022, the Department issued an administrative amendment of the State Only Operating Permit for the Houston Injection Site. The amendment incorporates the change of responsible official. Application received: May 17, 2022. Issued: August 9, 2022.

63-01007: Sunoco Pipeline LP, 5733 Butler Street, Pittsburgh, PA 15201, Chartiers Township, **Washington County**. On August 9, 2022, the Department issued an administrative amendment of the State Only Operating Permit for the Houston Tank Farm. The amendment incorporates the change of responsible official. Application received: May 17, 2022. Issued: August 9, 2022.

04-00061: Nalco Production LLC, 125 Nalco Way, Ellwood City, PA 16117, Franklin Township, **Beaver County**. Administrative Amendment, issued on August 9, 2022, to correct typographical errors and to incorporate plan approval PA-04-00061C into the State-Only Operating Permit. Application received: June 29, 2022. Issued: August 9, 2022.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Edward Orris, PE, New Source Review Chief (412-442-4168).

GP5A-63-01019A [AG5A-63-00003A]: Range Resources Appalachia LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Donegal Township, **Washington County**. On July 25, 2022, for de minimis emissions increases pursuant to 25 Pa. Code § 127.449 not to exceed 3.6 tons of CO, 4.3 tons of NO_x, <0.1 ton of SO_x, 0.4 ton of PM₁₀, and 0.3 ton of VOC (including <0.1 ton of Clean Air Act Section 112 hazardous air pollutants), per year, at its Hunter John 11629 well pad facility located in Donegal Township, Washington County. The de minimis emissions increases are associated with the uprate of the line heater associated with each of the four (4) previously proposed gas production units (GPUs) from 1.0 MMBtu/hr to 2.0 MMBtu/hr and the installation and operation of three (3) additional GPUs, each with associated fugitive emissions components and a 2.0 MMBtu/hr line heater. No prior de minimis emissions increases have occurred at the facility during the term of its current GP-5A authorization.

GP5A-63-01043A [AG5A-63-00026A]: Range Resources Appalachia LLC, 3000 Town Center Boulevard, Canonsburg, PA 15317, Jefferson Township, **Washington County**. On July 25, 2022, for a de minimis emissions

increase pursuant to 25 Pa. Code § 127.449 not to exceed 0.16 ton of VOC (including approximately 0.09 ton of Clean Air Act Section 112 HAPs), per year, at its Orenchuk Russell 11890 well pad in Jefferson Township, Washington County. The de minimis emissions increase is associated with the installation and operation of one (1) 10 MMscfd vapor separator, two (2) continuous bleed natural gas-driven pneumatic devices, two (2) intermittent bleed natural gas-driven pneumatic devices, and fugitive emissions components. No prior de minimis emissions increases have occurred at the facility during the term of its current GP-5A authorization.

GP5-63-00967B [AG5-63-00008A]: Diversified Production LLC, 125 Industry Road, Waynesburg, PA 15370, Fallowfield Township, **Washington County**. On July 28, 2022, for a de minimis emissions increase pursuant to 25 Pa. Code § 127.449 not to exceed approximately 0.04 ton of VOC (including approximately 0.01 ton of Clean Air Act Section 112 HAPs), per year, at its California Compressor Station in Fallowfield Township, Washington County. The de minimis emissions increase is associated with the installation and operation of five (5) continuous bleed natural gas-driven pneumatic devices and eight (8) intermittent bleed natural gas-driven pneumatic devices. No prior de minimis emissions increases have occurred at the facility during the term of its current GP-5 authorization.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103).

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40041601. Hazleton Shaft Division, LLC, P.O. Box 39, Hazleton, PA 18201, Hazle Township, **Lancaster County**. Renewal of an anthracite coal preparation plant and coal refuse disposal operation, affecting 133.0 acres. Receiving stream: Hazle Creek, classified for the following use: HQ—CWF, MF. Application received: October 5, 2021. Renewal issued: August 11, 2022.

Mining Permit No. 40041601. Hazleton Shaft Division, LLC, P.O. Box 39, Hazleton, PA 18201, Hazle Township, **Lancaster County**. Transfer of an anthracite coal preparation plant and coal refuse disposal operation, affecting 133.0 acres. Receiving stream: Hazle Creek, classified for the following use: HQ—CWF, MF. Application received: October 5, 2021. Transfer issued: August 11, 2022.

Mining Permit No. 40041601. GP12 No. GP12-40041601. Hazleton Shaft Division, LLC, P.O. Box 39, Hazleton, PA 18201, Hazle Township, **Luzerne County**. General Operating Permit to operate an anthracite coal preparation plant. Application received: October 5, 2021. Coverage issued: August 11, 2022.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 24080802. Pollino Excavating, 645 Lovers Lane Extension, Kersey, PA 15846, Fox Township, Elk County. Final bond release for a small noncoal mining operation, affecting 5.0 acres. Receiving stream: Limestone Run and Toby Creek, classified for the following use: CWF. Application received: April 25, 2022. Issued: August 9, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

Mining Permit No. 57210302. NPDES No. PA0269981. McClintock Quarries, LLC, 15222 US Hwy 220, Muncy Valley, PA 17758, Shrewsbury Township, **Sullivan County**. Permit issued for a new large noncoal (industrial minerals) surface mine. The surface mining operation will conduct blasting, affecting 59.3 acres. A land use change from forestland to unmanaged natural habitat was approved for this permit. Receiving stream: UNT to Muncy Creek and Rock Run, classified for the following use: HQ-CWF. Application received: December 10, 2021. Accepted: December 14, 2021. Issued: August 11, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 58212513. NPDES Permit No. PA0226246. Gary Morrison, 478 Mountain View Estates, Montrose, PA 18801, Liberty Township, **Susquehanna County**. Commencement, operation and restoration of a GP-105 quarry permit and NPDES Permit, affecting 10.0 acres. Receiving stream: unnamed tributary to Silver Creek, classified for the following use: EV—CWF, MF. Application received: November 2, 2021. Permit issued: August 16, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 38224110. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, North Cornwall Township, **Lebanon County**. Construction blasting for Lebanon County Department of Emergency Services. Application received: August 2, 2022. Permit issued: August 9, 2022. Expiration date: January 6, 2023.

Permit No. 67224108. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, City of York, **York County**. Construction blasting for Bridgewater Development. Application received: August 2, 2022. Permit issued: August 9, 2022. Expiration date: August 1, 2023.

Permit No. 35224105. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Jefferson Township, **Lackawanna County**. Construction blasting at 376 Hitchcock Road. Application received: August 9, 2022. Permit issued: August 10, 2022. Expiration date: August 8, 2023.

Permit No. 35224106. Explosive Services, Inc., 7 Pine Street, Bethany, PA 18431, Apollo Borough, **Lackawanna County**. Construction blasting for The Highlands at Archbald. Application received: August 9, 2022. Permit issued: August 10, 2022. Expiration date: August 9, 2023.

Permit No. 40224111. Maurer & Scott Sales, Inc., 122 Thomas Street, Coopersburg, PA 18036, Hazle Township, **Luzerne County**. Construction blasting for Humboldt Lot 25C. Application received: August 10, 2022. Permit issued: August 10, 2022. Expiration date: August 10, 2023.

Permit No. 06224111. American Rock Mechanics, LLC, 7531 Chestnut Street, Zionsville, PA 18092, Sinking Spring Borough, **Berks County**. Construction blasting for Village Greens. Application received: August 4, 2022. Permit issued: August 15, 2022. Expiration date: August 4, 2023.

Permit No. 36224132. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Conoy Township, **Lancaster County**. Construction blasting for 118 Monument Drive. Application received: August 2, 2022. Permit issued: August 15, 2022. Expiration date: August 2, 2023.

Permit No. 36224133. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Mount Joy Township, **Lancaster County**. Blasting at the Lancaster Landfill Cell 11. Application received: August 4, 2022. Permit issued: August 15, 2022. Expiration date: August 4, 2023.

Permit No. 36224134. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, Warwick Township, **Lancaster County**. Construction blasting for Warwick Crossings Phase 2. Application received: August 8, 2022. Permit issued: August 15, 2022. Expiration date: September 30, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assess-

ment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Gillian Pehala, Clerical Assistant 2, 570-830-3077.

E4502222-003. Steve Blake & Jing Yu, 1153 Arrowhead Drive, Pocono Lake, PA 18347, Tobyhanna Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District. To construct and maintain 16 feet long by 4 feet wide, aluminum, recreational dock in Arrowhead Lake (EV, MF). Latitude: 41°8'40", Longitude: -75°34'8". Application received: March 23, 2022. Issued: August 4, 2022.

E4502222-004. Christopher Pandian, 131 Pierce Lane, Kennett Square, PA 19346, Tobyhanna Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District. To construct and maintain 10 feet by 20 feet long, floating, recreational dock in Arrowhead Lake (EV, MF). A 4-foot-wide wooden walkway raised one foot off the ground will also be constructed. Latitude: 41°9'4", Longitude: -75°33'40". Application received: March 23, 2022. Issued: August 10, 2022.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant, 717-705-4992.

E3603220-023. Bart Township, 46 Quarry Road, Quarryville, PA 17566, Bart Township, Eden Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District. 1.) excavate and maintain 10,688 feet of an unnamed tributary to South Fork Big Beaver Creek (TSF, MF); 2.) to relocate and maintain 600 feet of unnamed tributaries to South Fork Big Beaver Creek (TSF, MF); 3.) to relocate and maintain 413 feet of an unnamed tributary to South Fork Big Beaver Creek (TSF, MF); 4.) to regrade and maintain fill in the floodway of Bowery Run (HQ-CWF, MF) permanently impacting 1,414 square feet of floodway; 5.) to regrade and maintain fill in the floodway of an unnamed tributary to Bowery Run (HQ-CWF, MF) permanently impacting 4,886 square feet of floodway; and 6.) to regrade and maintain fill in the floodway of an unnamed tributary to Bowery Run (HQ-CWF, MF) permanently impacting 1,694 square feet of floodway, all for the purpose of improving drainage within a 1.2 miles segment of the Enola Low Grade Trail. The project is located along the Enola Low Grade Trail between East State Street and Hollow Road in Bart and Eden Townships and Quarryville Borough, Lancaster County. No wetlands will be impacted by this project. Latitude: 39° 54' 1"N°, Longitude: -76° 8' 57" W°. Application received: June 16, 2020. Approved: August 14, 2022.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, (717) 787-3411.

Contact: David Goerman, WPS, 717-772-5971.

EA9915-005. U.S.D.A. Forest Service, Allegheny National Forest, 4 Farm Colony Drive, Warren, PA 16365, **Warren County**. U.S. Army Corps of Engineers Pittsburgh District. The Department approves the Environmental Assessment submitted by the U.S.D.A. Forest Service, Allegheny National Forest (ANF) that sought a programmatic environmental assessment (EA) approval for use of restoration waiver under 105.12(a)(16) for stream, wetland and watershed restoration. The Forest Service is a Federal agency that manages public lands in National forests and Grasslands. This programmatic EA would apply to applicable projects within the 516,000-acre Allegheny National Forest which contains over 2,000 miles of perennial and intermittent streams, most of which are currently listed as High Quality—Cold Water Fisheries. In addition to streams, the Allegheny National Forest has 1,261 mapped wetlands and 273 waterbodies. The U.S.D.A. Forest Service's Forest Plan states a goal to "restore and enhance stream processes and aquatic habitat diversity for brook trout and other headwater stream fishes. Stream restoration focuses on reestablishing the composition, structure, pattern, and ecological processes necessary to facilitate aquatic ecosystem sustainability, resilience, and health under current and future condi-

tions. Forest Plan objectives call for the completion of stream restoration or enhancement for native and desired nonnative aquatic species where suitable habitat is lacking. The Forest Service primarily anticipates conducting projects that involve large wood addition/placement projects for stream restoration and road decommissioning projects (i.e., obliteration of road prism from a floodplain; removal of fill and restoration of stream channel at road-stream crossings). This approval does not include issuance of 410 Water Quality Certification. Application received: July 20, 2021. Approved: August 12, 2022.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 ESG295922010-00
Applicant Name Seneca Resources Co LLC
Contact Person Doug Kepler
Address 2000 Westinghouse Drive, Suite 400
City, State, Zip Cranberry Township, PA 16066-5238
Township(s) Covington Township, Richmond Township
County Tioga County
Receiving Stream(s) and Classification(s) UNT 1 of Elk Run (CWF, MF), UNT 5 of TRIB 31367 to North Elk Run (CWF, MF), UNT 4 of TRIB 31367 to North Elk Run (CWF, MF), UNT 3 of TRIB 31367 to North Elk Run (CWF, MF), UNT 2 of TRIB 31367 to North Elk Run (CWF, MF), TRIB 31367 to North Elk Run (CWF, MF), Elk Run (CWF, MF), TRIB 31367 to North Elk Run (CWF, MF)

Application received: June 29, 2022
Issued: August 15, 2022

ESCGP # 3 ESG295822014-00
Applicant Name Williams Field Services Co LLC
Contact Person Barry Mahar
Address 30351 Route 6
City, State, Zip Wysox, PA 18854
Township(s) Brooklyn Township, Dimock Township
County Susquehanna County
Receiving Stream(s) and Classification(s) Tributary 28931 to Horton Creek (CWF, MF)
Application received: July 11, 2022
Issued: August 15, 2022

ESCGP # 3 ESG295822015-00
Applicant Name Coterra Energy Inc.
Contact Person Kenneth Marcum
Address 2000 Park Lane, Suite 300
City, State, Zip Pittsburgh, PA 15275-1121
Township(s) Harford Township
County Susquehanna County
Receiving Stream(s) and Classification(s) Nine Partners Creek (CWF)
Application received: July 19, 2022
Issued: August 15, 2022

ESCGP # 3 ESG290822027-00
Applicant Name Appalachia Midstream Svc LLC
Contact Person Adam Weightman
Address 30351 Route 6
City, State, Zip Wysox, PA 18854
Township(s) Orwell Township
County Bradford County
Receiving Stream(s) and Classification(s) Unnamed Tributary to Trout Stream (CWF, MF), Unnamed Tributary to Wysox Creek (CWF, MF)
Application received: June 30, 2022
Issued: August 15, 2022

ESCGP # 3 ESG290822024-00
Applicant Name Chesapeake Appalachia LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
Township(s) Overton Township
County Bradford County
Receiving Stream(s) and Classification(s) Lick Creek (EV, MF), Tributary 30354 (HQ-CWF, MF), Chilson Run (HQ-CWF, MF)
Application received: June 24, 2022
Issued: August 15, 2022

ESCGP # 3 ESG295922012-00
Applicant Name NFG Midstream Covington LLC
Contact Person Matt Horvis
Address 1100 State Street
City, State, Zip Erie, PA 16501-6923
Township(s) Middlebury Township
County Tioga County
Receiving Stream(s) and Classification(s) UNT to Crooked Creek (WWF, MF), UNT to Losey Creek (WWF, MF), Losey Creek (WWF, MF)
Application received: July 14, 2022
Issued: August 15, 2022

CORRECTIVE ACTION UNDER ACT 32, 1989 PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention

Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kim Bontrager, Clerical Assistant 3, 814-332-6648.

Poor Man's Deli Quick Stop Market, Storage Tank Facility ID # **42-20051**, 225 Biddle Street, Kane, PA 16735-1501, Kane Borough, **McKean County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648 on behalf of James & Evelyn Temoshenko, 8421 Route 6, Kane, PA 16735-4525 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Benzene, Ethylbenzene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, and Naphthalene. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

Sheffield Pit Stop, Storage Tank Facility ID # **62-90017**, 30 South Main Street, Sheffield, PA 16347, Sheffield Township, **Warren County**. Environmental Alliance, Inc., 5341 Limestone Road, Wilmington, DE 19808 on behalf of Paul Singh, 30 South Main Street, Sheffield, PA 16347 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Benzene, Isopropyl Benzene, Ethyl Benzene, Methyl Tert-Butyl Ether, Naphthalene, Toluene, 1,2,4-Trimethylbenzene, 1,3,5-Trimethylbenzene, and total Xylenes. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19011, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Lukoil 69254, Storage Tank Facility ID # **09-41455**, 501 S. Oxford Valley Rd., Fairless Hills, PA 19030, Falls Township, **Bucks County**. EnviroTrac Ltd., 602 S. Beth-

lehem Pike, Suite A-2 & 3, Ambler, PA 19002 on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and used motor oil. The combined plan and report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Marcus Hook Term, Storage Tank Facility ID # **23-14224**, 100 Green St., Marcus Hook, PA 19061, Marcus Hook Borough, **Delaware County**. Stantec Consulting Services Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380 on behalf of Energy Transfer Marketing & Terminals L.P., 100 Green St., Marcus Hook, PA 19061 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with lead. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Main Street Food Market, Storage Tank Facility ID # **63-80682**, 500 North Main Street, Washington, PA 15301, City of Washington, **Washington County**. Flynn Environmental, Inc., 5640 Whipple Avenue Northwest, North Canton, OH 44720 on behalf of Schneider Real Estate Company, 726 Frank Street, Pittsburgh, PA 15227 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health and site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling meth-

odology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Onvo Express White Haven, Storage Tank Facility ID # **13-25464**, 4700 State Route 534, White Haven, PA 18661, Kidder Township, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Truck Stop 39, Inc., 2227 Scranton-Carbondale Highway, Scranton, PA 18508 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with petroleum. The report was acceptable to meet the Statewide health standards and was approved by DEP on August 11, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kim Bontrager, Clerical Assistant 3, 814-332-6648.

Poor Man's Deli Quick Stop Market, Storage Tank Facility ID # **42-20051**, 225 Biddle Street, Kane, PA 16735-1501, Kane Borough, **McKean County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648 on behalf of James & Evelyn Temoshenko, 8421 Route 6, Kane, PA 16735-4525 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Benzene, Ethylbenzene, 1,3,5-Trimethylbenzene, 1,2,4-Trimethylbenzene, and Naphthalene. The plan residential was not acceptable to meet the Statewide health standards and was disapproved by DEP on August 11, 2022.

Wayne Pumps, Storage Tank Facility ID # **32-81999**, 1194 Wayne Avenue, Indiana, PA 15701-3512, White Township, **Indiana County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Robert Benkowski, 119 Crane Road, Clearwater, FL 33764 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The plan nonresidential was acceptable to meet the site-specific standards and was approved by DEP on August 15, 2022.

Sunoco 0363 9200, Storage Tank Facility ID # **32-24181**, 1165 Wayne Avenue, Indiana, PA 15701, Indiana Borough, **Indiana County**. Groundwater & Environmental, Inc., 508 Thomson Park Drive, Wilmington, DE 19803 on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report residential did not

demonstrate attainment of the site-specific standards and was disapproved by DEP on August 16, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Sunoco # 0363-4037, Storage Tank Facility ID # **02-30747**, 2700 Mossie Boulevard, Monroeville, PA 15146, Monroeville Borough, **Allegheny County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 16365 on behalf of Sunoco, Inc., 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report nonresidential demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on August 12, 2022.

Exit 11 BP, Storage Tank Facility ID # **63-09708**, 2865 South Bridge Road, Washington, PA 15301, Buffalo Township, **Washington County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101 on behalf of Coen Markets, Inc., 1000 Philadelphia Street, Canonsburg, PA 15314 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was acceptable to meet the Statewide health standards and was approved by DEP on August 16, 2022.

SPECIAL NOTICES

WATER PROGRAMS

REQUEST FOR COMMENT AND NOTICE OF PUBLIC HEARING

Regional Permit Coordination Office: 400 Market Street, Harrisburg, PA 17101.

Transcontinental Gas Pipe Line Company, LLC, Regional Energy Access Expansion Project, Permit Nos. ESG830021002-00, E4083221-006, E4583221-002, various municipalities, Bucks, Chester Luzerne, Monroe and Northampton, Counties.

The Pennsylvania Department of Environmental Protection's (DEP) Regional Permit Coordination Office (RPCO) has received requests for a formal public hearing concerning the above referenced Ch. 102 (Erosion Control) and Ch. 105 (Dam Safety and Waterway Management) permit applications for the Regional Energy Access Expansion Project. DEP has scheduled a virtual formal public hearing for Wednesday, October 5, 2022, to begin at 7 p.m. The hearing will end at 10 p.m. or earlier if no additional commenters are present. During this time, DEP will receive comments concerning the permit applications.

Individuals who wish to observe or present testimony at the formal virtual public hearing must contact Colleen Connolly at 570-826-2035 or coconnolly@pa.gov, a minimum of 24 hours in advance of the hearing to reserve time to present testimony. The WebEx information for the virtual public hearing will be available through the Public Participation tab on DEP's web site at www.dep.pa.gov (select "Public Participation.") Comments, whether delivered orally during the virtual hearing or submitted in writing to RA-EPREGIONALPERMIT@pa.gov carry equal weight and consideration with DEP. Written comments will be accepted until close of business on October 12, 2022.

Verbal testimony is limited to 3 minutes for each witness. Video demonstrations and screen sharing by witnesses will not be permitted. DEP asks that each organization designate one speaker per group and reminds those presenting that time may not be shared or relinquished to others. More information on DEP virtual hearings may be found on DEP's Public Participation page, at www.dep.pa.gov (select "Public Participation").

[Pa.B. Doc. No. 22-1297. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Coastal Zone Grant Program

The Department of Environmental Protection's (Department) Compacts and Commissions Office invites interested parties to apply for a Federal Fiscal Year 2023 Coastal Zone Grant beginning Monday, August 29, 2022.

Applicants must meet certain eligibility requirements (for example, an applicant must be an authority, an incorporated nonprofit organization, a political subdivision or an educational institution). Projects must be located within the Delaware Estuary Coastal Zone or the Lake Erie Coastal Zone boundaries as noted in the Coastal Program Grant Application Instruction Guide. Proposals must support the mission of the Department's Coastal Resources Management Program to protect and enhance coastal resources in this Commonwealth.

The Coastal Zone Grant Program guidelines and application instructions are available online through the Department's web site at www.dep.pa.gov (select the "Grants" icon and scroll down under "Schools" and select "Coastal Zone Grant—for protecting water quality and shorelines in the Delaware Estuary and Lake Erie Coastal Zone") or by contacting the Department's Coastal Resources Management Program at RA-epcoastalzone@pa.gov or (717) 772-5622.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us/Login.aspx. Hardcopy applications will not be accepted. The Department will begin accepting applications on Monday, August 29, 2022. Applications must be received by 4 p.m. Monday, October 17, 2022.

For more information regarding the Coastal Zone Grant Program, contact the Department of Environmental Protection, Compacts and Commissions Office, 400 Market Street, P.O. Box 8465, Harrisburg, PA 17105-8465, RA-epcoastalzone@pa.gov, (717) 772-5622. Information is also available on the Department's web site at www.dep.pa.gov (select "Businesses," then "Water," then "Compacts and Commissions," then "Coastal Resources Management Program," then "Grants").

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1298. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

OSM 17(1083)104.1, Abandoned Mine Reclamation Project, South Grassflat 4, Cooper Township, Clearfield County. The principal items of work and approximate quantities include: implementation of the erosion and sediment pollution control plan; A. rock construction entrance, 1 each; B. compost filter sock; 1. 24" diameter compost filter sock, 7,450 linear feet; C. rock filters; 1. R-4 rock, 3 tons; 2. AASHTO No. 57 coarse aggregate, 1.5 tons; clearing and grubbing, 1 lump sum; dewatering and diversion and care of water, 1 lump sum; grading—area "N" 32,248 cubic yards; grading—area "SE" 18,715 cubic yards; grading—area "SW" 24,386 cubic yards; ditch excavation, 565 cubic yards; rolled erosion control products—TRM 190 square yards; rock lining with filter material—R-5 460 square yards; roadway surface material, 1,295 square yards; subsurface drain—perforated tubing, 186 linear feet; subsurface drain—nonperforated tubing, 23 linear feet; gate, 1 each; and seeding, 11.5 acres.

This bid issues on August 19, 2022, and bids will be opened on September 15, 2022, at 2 p.m. Bid documents, including drawings in PDF format and AutoCAD Map 3D format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. This project is financed by the Federal government under the authority given it by the Surface Mining Control and Reclamation Act of 1977 (act) (30 U.S.C.A. §§ 1201—1328) and is subject to the act and to the Federal grant for this project. Contact the Construction Contracts Section at RA-ConstructionContr@pa.gov or (717) 787-7820 for more information on this bid.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1299. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Storage Tank Advisory Committee Meeting Cancellation

The September 7, 2022, meeting of the Storage Tank Advisory Committee (Committee) is cancelled. The next Committee meeting is scheduled for Tuesday, December 6, 2022, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Kris A. Shiffer at kshiffer@pa.gov or (717) 772-5809.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov

(select “Public Participation,” then “Advisory Committees,” then “Cleanup and Brownfields,” then “Storage Tank Advisory Committee”).

Individuals are encouraged to visit the Committee’s webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the December 6, 2022, meeting can be directed to Kris A. Shiffer at kshiffer@pa.gov or (717) 772-5809.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5809 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1300. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Adoption of the 2022 Editions of the Guidelines for Design and Construction of Hospitals and Guidelines for Design and Construction of Outpatient Facilities

Under the authority of the Health Care Facilities Act (act) (35 P.S. §§ 448.101—448.904b) and the hospital and ambulatory surgical facility regulations promulgated under the act, the Department of Health (Department) adopts the 2022 edition of the *Guidelines for Design and Construction of Hospitals* and *Guidelines for Design and Construction of Outpatient Facilities (Guidelines)*, effective February 1, 2023. As of February 1, 2023, the Department will apply the 2022 *Guidelines* to all plans for new construction, alterations or renovations of hospitals and ambulatory surgical facilities.

The Department currently applies the 2018 edition of the *Guidelines* for all new construction, alterations or renovations of hospitals and ambulatory surgical facilities. The 2018 edition of the *Guidelines* will continue to be applied through February 1, 2023, unless a hospital or ambulatory surgical facility elects to use the 2022 *Guidelines* as set forth as follows.

While the mandatory usage of the new *Guidelines* will not occur until February 1, 2023, the Department has received inquiries regarding whether hospitals and ambulatory surgical facilities may use the 2022 *Guidelines* before that date. The Department will permit hospitals and ambulatory surgical facilities to use the 2022 *Guidelines* starting August 1, 2022. Thus, from August 1, 2022, until January 31, 2023, hospitals and ambulatory surgical facilities may elect to use either the 2018 *Guidelines* or the 2022 *Guidelines*, but after February 1, 2023, hospitals and ambulatory surgical facilities must use the 2022 *Guidelines*.

The Department recommends that smaller renovation projects or new additions be designed and submitted for approval based on compliance with the 2018 edition of the *Guidelines* as soon as possible after August 1, 2022. Although it is still permissible to utilize the 2018 edition until February 1, 2023, it would be prudent to utilize the 2022 edition. Larger or more complicated projects should be designed in conformance with the 2022 *Guidelines*,

however, final plan approvals issued after February 1, 2023, will be based upon conformance with the 2022 edition of the *Guidelines*, regardless of when the preliminary plans were submitted.

The established procedure requires the submission of construction plans and the issuance of a final construction plan approval by the Division of Safety Inspection (DSI) prior to the start of any new construction, renovation, alteration or changes in usage. Blueprints are to be submitted to the DSI and are reviewed for compliance with the NFPA 101, Life Safety Code and the requirements as set forth in the *Guidelines*. The plan approval function is a requirement to ensure that new construction, alterations and renovations comply with applicable regulations to avoid building noncompliant conditions into hospitals or ambulatory surgical buildings, which would necessitate costly remedial work to correct prior to the Department allowing the renovated area to be occupied.

After construction has been completed, a final inspection must be conducted for Life Safety Code requirements by the DSI and for State Licensure or Federal Certification, or both, requirements by the Division of Acute and Ambulatory Care.

Persons interested in purchasing a copy of the 2022 edition of the *Guidelines for Design and Construction of Hospitals* or *Guidelines for Design and Construction of Outpatient Facilities*, or both, may contact the Facility Guidelines Institute at info@fgiguidelines.org, <https://fgiguidelines.org/>.

Questions regarding this notice should be directed to Charles A. Schlegel, Director, Division of Safety Inspection at (717) 787-1911. Persons with a disability who require an alternative format of this document should contact V/TT (717) 783-6514. Speech and/or hearing impaired persons may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1301. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Approved Prearrest and Evidential Breath Testing Devices

The Department of Health (Department) has statutory authority to approve both prearrest and evidential breath testing devices for use by law enforcement officials to determine the alcohol content of blood by analysis of a person’s breath. This notice contains the combined approved lists of prearrest breath testing devices and evidential breath testing devices.

Prearrest Breath Testing Devices

The Department approves prearrest breath testing devices as required by 28 Pa. Code §§ 5.101—5.104 (relating to equipment to determine blood alcohol content under the Vehicle Code and the Fish and Boat Code). Authority to promulgate these regulations is contained in the Vehicle Code, 75 Pa.C.S. § 1547(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Fish and Boat Code, 30 Pa.C.S. § 5125(k) (relating to chemical testing to determine amount of alcohol or controlled substance), the Game and Wildlife

Code, 34 Pa.C.S. § 2502(j) (relating to chemical test to determine amount of alcohol) and section 2102(g) of The Administrative Code of 1929 (71 P.S. § 532(g)).

Prearrest breath testing devices approved under this authority may be used by police officers, waterways patrolmen and officers enforcing the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code in conducting preliminary determinations of the alcohol content of blood of persons suspected of driving, boating, hunting or furtaking while under the influence of alcohol. Officers and patrolmen use these devices to assist them in determining whether or not a person should be placed under arrest for violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance), for violation of 30 Pa.C.S. § 5502 (relating to operating watercraft under influence of alcohol or controlled substance), for violation of 34 Pa.C.S. § 2501 (relating to hunting or furtaking prohibited while under influence of alcohol or controlled substance) or for any other criminal offense under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code which involves operating a vehicle or boat, hunting or furtaking while under the influence of alcohol.

The National Highway Traffic Safety Administration (NHTSA) of the United States Department of Transportation published model specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 59 FR 39382 (August 2, 1994). These specifications established performance criteria and methods for testing alcohol screening devices to measure alcohol content. The NHTSA established these specifications to support state laws and the United States Department of Transportation's workplace alcohol testing program. The Department has elected to use the NHTSA criteria for approving devices for the prearrest testing of a person's breath to determine the alcohol content of the person's blood.

The NHTSA published its first Conforming Products List (CPL) for screening devices at 59 FR 61923 (December 2, 1994), with corrections at 59 FR 65128 (December 16, 1994), identifying the devices that meet the NHTSA's Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids. Thereafter, the NHTSA updated the CPL at 60 FR 42214 (August 15, 1995), 66 FR 22639 (May 4, 2001), 70 FR 54972 (September 19, 2005), with corrections at 70 FR 72502 (December 5, 2005) and 72 FR 4559 (January 31, 2007).

The NHTSA published revised Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids at 73 FR 16956 (March 31, 2008). These specifications removed from use interpretive screening devices (ISD) because ISDs did not provide an unambiguous test result. These specifications also removed from use the Breath Alcohol Sample Simulator as it is not necessary for testing breath alcohol screening devices. All other performance criteria and test methods were maintained. The NHTSA published an additional update to the CPL at 74 FR 66398 (December 15, 2009). The current list was published at 77 FR 35745 (June 14, 2012).

Evidential Breath Testing Devices

The Department approves evidential breath testing devices under the authority of the Vehicle Code (75 Pa.C.S. § 1547(c)(1)), the Fish and Boat Code (30 Pa.C.S. § 5125(c)(1)) and the Game and Wildlife Code (34 Pa.C.S. § 2502(c)).

Evidential breath testing devices approved under this notice may be used by law enforcement officials to obtain test results which will be admissible in evidence in any

summary or criminal proceeding in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 or any other violation of the Vehicle Code arising out of the same action or 30 Pa.C.S. § 5502 or any other violation of the Fish and Boat Code arising out of the same action or 34 Pa.C.S. § 2501 or any other violation of the Game and Wildlife Code arising out of the same action.

The NHTSA published the Standards for Devices to Measure Breath Alcohol at 38 FR 30459 (November 5, 1973). A Qualified Products List of Evidential Breath Measurement Devices comprised of instruments that met this standard was first issued at 39 FR 41399 (November 21, 1974).

The NHTSA converted the Standards for Devices to Measure Breath Alcohol to Model Specifications for Evidential Breath Testing Devices (Model Specifications) and published a CPL of instruments that were found to conform to the Model Specifications as Appendix D to that notice at 49 FR 48854 (December 14, 1984).

The NHTSA published a notice to amend the Model Specifications at 58 FR 48705 (September 17, 1993) and to update the CPL. That notice changed the alcohol concentration levels at which instruments are evaluated for precision and accuracy, from 0.000, 0.050, 0.101 and 0.151 BAC, to 0.000, 0.020, 0.040, 0.080 and 0.160 BAC, respectively. It also included a test for the presence of acetone and an expanded definition of alcohol to include other low molecular weight alcohols, for example, methyl or isopropyl. Since that time, the CPL has been annotated to indicate which instruments have been determined to meet the Model Specifications published in 1984 and which have been determined to meet the Model Specifications, as revised and published in 1993.

Thereafter, the NHTSA has periodically updated the CPL with those breath instruments found to conform to the Model Specifications.

The NHTSA published an additional update to the CPL at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). The Department's list of evidential breath testing devices contains updates to the CPL published at 77 FR 35747 (June 14, 2012) for instruments that conform to the Model Specifications for Evidential Breath Alcohol Measurement Devices at 58 FR 48705 (September 17, 1993). This current list was published at 82 FR 50940 (November 2, 2017).

Instruments marked with an asterisk (*) meet the Model Specifications detailed in 49 FR 48854 (December 14, 1984) (that is, instruments tested at 0.000, 0.050, 0.101 and 0.151 BAC). Instruments not marked with an asterisk meet the Model Specifications detailed in 58 FR 48705 (September 17, 1993) and were tested at BACs = 0.000, 0.020, 0.040, 0.080 and 0.160. All instruments that meet the Model Specifications currently in effect (dated September 17, 1993) also meet the Model Specifications for Screening Devices to Measure Alcohol in Bodily Fluids.

The NHTSA also evaluates equipment to determine if it must be operated at fixed locations (that is, nonmobile equipment) or can be transported to nonfixed operational sites in the field (that is, mobile equipment). Most equipment on the following list is approved for mobile and nonmobile operation. The instruments on the list not marked with an asterisk meet the specifications for use as prearrest or evidentiary breath testing devices. The instruments on the list marked with an asterisk may be

used as evidentiary devices for blood alcohol concentrations at or above 0.050%. These instruments may also be used as prearrest breath testing devices if they are approved for mobile operations. However, these instruments may not be used for making arrests under the Vehicle Code, the Fish and Boat Code or the Game and Wildlife Code where blood alcohol concentrations below 0.050% must be determined. Nonmobile devices can only be used as evidentiary testing instruments since they are not portable. Before purchasing breath testing devices, law enforcement officials should consult with the manufacturer of the equipment they intend to purchase to verify that the devices can be used for their intended purposes.

The update to the CPL published at 82 FR 50940 (November 2, 2017) adds 12 new instruments that have been evaluated and found to conform to the Model Specifications, as amended on September 17, 1993 for mobile and nonmobile use. One instrument is distributed by two different companies, so it has been listed twice. One manufacturer changed their legal name. One manufacturer added a new product option for USB and Ethernet connectivity. One manufacturer added a Bluetooth keyboard accessory to two devices and a calibration accessory for seven of its devices. These devices were found to conform with or without the accessories. Another seven instruments are now being listed under a different distributor/manufacturer and those devices will be cross-referenced for legacy purposes. In alphabetical order by company, the new devices are:

(1) The “AlcoMate TS600” distributed by AK GlobalTech Corporation, Palisades Park, NJ. This device will be known as the Alcoscan ALP—1 outside of the United States. The AlcoMate TS600 is a hand-held device with an electrochemical (EC) fuel cell sensor. This device is powered by internal batteries and is intended for mobile or stationary operations.

(2) The “Intoxilyzer 500” manufactured by CMI, Inc., Owensboro, KY. This instrument is currently listed on the CPL for Alcohol Screening Devices and will be removed when that CPL is updated. Improvements to the device’s sampling system allow it to conform as an Evidential Breath Tester (EBT). It is a hand-held instrument intended for use in mobile or stationary operations. It uses a fuel cell sensor and is powered by an internal battery. The Intoxilyzer 500 is also distributed as the Lion Alcolmeter 500 by Lion Laboratories outside the United States, so it has been listed twice on the CPL, once under each of its distributors/manufacturers.

(3) The “Intoxilyzer 9000” manufactured by CMI, Inc., Owensboro, KY. This is a bench-top device that is intended for use in mobile or stationary operations. This device uses an infrared (IR) sensor to measure ethanol concentration. The Intoxilyzer 9000 can be powered by either 110 volts alternate current (AC) or 12 volts direct current (DC).

(4) The “Alcotest 3820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 3820 is a hand-held device that uses an electrochemical (EC) fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(5) The “Alcotest 5510” manufactured by Draeger, Inc., Irving, Texas. The Alcotest 5510 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(6) The “Alcotest 5820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 5820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(7) The “Alcotest 6820” manufactured by Draeger, Inc., Irving, TX. The Alcotest 6820 is a hand-held device that uses an EC fuel cell sensor to measure ethanol. This device is powered by internal batteries and is intended for use in mobile or stationary operations.

(8) The “AlcoQuant 6020 Plus” manufactured by EnviteC, Wismar, Germany and distributed by Honeywell GmbH, Fond du Lac, WI. The AlcoQuant 6020 Plus is a hand-held device with a fuel cell sensor. This device is powered by internal batteries and is intended for use in mobile and stationary operations.

(9) The Alco-Sensor FST manufactured by Intoximeters, Inc., Saint Louis, MO. The Alco-Sensor FST is a hand-held EBT that uses an EC fuel cell sensor to measure ethanol concentration. This instrument is powered by internal batteries and is intended for use in stationary or mobile operations.

(10) The Intox DMT Dual Sensor manufactured by Intoximeters, Inc., Saint Louis, MO. The Intox DMT Dual Sensor is a bench-top EBT that is intended for use in stationary or mobile operations. This device uses both an IR sensor and an EC fuel cell sensor. The Intox DMT Dual Sensor can be powered by either 110 volts AC or 12 volts DC.

(11) The “Intox EC/IR II.t” manufactured by Intoximeters, Inc., Saint Louis, MO. This is a benchtop device intended for use in mobile or stationary operations. This device uses both an EC fuel cell sensor and an IR sensor to measure ethanol concentrations. The Intox EC/IR II.t can be powered by either 110 volts AC or 12 volts DC.

(12) The “FC10Plus” manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO. This is a hand-held device that is intended for use in mobile or stationary operations. This device uses a fuel cell sensor and is powered by internal batteries.

This update indicates that two devices (the Phoenix 6.0 and the FC20, manufactured by Lifeloc Technologies, Inc., Wheat Ridge, CO) come with Bluetooth keyboard support and five additional fields that users can use to enter additional information. With these features, these devices will be listed on the CPL as the “Phoenix 6.0BT” and the “FC20BT.” This update indicates also that seven devices manufactured by Lifeloc come with the EASYCAL calibration accessory. Those devices include the FC10, FC10Plus, FC20, FC20BT, EV30, Phoenix 6.0 and the Phoenix 6.0BT. The CPL specifies that each of these devices conforms to the model specifications “w/or without the EASYCAL accessory.”

Intoximeters, Inc., Saint Louis, MO acquired the breath alcohol testing business of National Patent Analytical Systems, Inc. (NPAS). Since there have been no changes to the devices other than ownership and a device name change, all six devices previously listed under NPAS (BAC DataMaster (with or without the Delta-1 accessory), BAC Verifier DataMaster (with or without the Delta-1 accessory), DataMaster cdm (with or without the Delta-1 accessory), DataMaster DMT with Fuel Cell option, DataMaster DMT with Rev A Fuel Cell option and DataMaster DMT) will now be listed under both Intoximeters and NPAS. The NPAS DataMaster DMT will

now be known as the Intoximeters Intox DMT. Accordingly, this device will be listed under Intoximeters under both names.

The CPL has been updated to reflect that Draeger Safety Diagnostics, Inc. will begin operating under the name Draeger, Inc. effective July 1, 2017, to align all sales and service operations for Draeger in the United States. Law enforcement agencies should determine that an approved training program in the use of the equipment is available in accordance with the previously referenced statutes before purchasing any of the devices contained on this list. Law enforcement agencies that plan to utilize a device that does not appear on the following list should contact the manufacturer of the equipment to verify that it has been evaluated by the NHTSA and found to meet the NHTSA's performance requirements. If a device is approved by the NHTSA after the date of this publication, the manufacturer of the device will need to forward documentation of the NHTSA acceptability to Jennifer Okraska at the address given as

follows so that the Department has information sufficient to enable it to include the device in the next revision of this notice in the *Pennsylvania Bulletin*.

Some of the devices included in this notice are listed under the name of more than one manufacturer due to the fact that the name of the manufacturer has changed or the right to produce a device has been transferred to a different company. In these instances, the device is listed under the name of every company that was ever associated with the device to allow law enforcement agencies to continue using devices bearing the name of a previous manufacturer.

To facilitate accessibility of information concerning breath alcohol testing devices which are approved for law enforcement purposes in this Commonwealth, the Department will publish revisions of this list of equipment semiannually as notices in the *Pennsylvania Bulletin*.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

CONFORMING PRODUCTS LIST OF ALCOHOL SCREENING DEVICES

Distributors/Manufacturers	Devices
AK Solutions, USA, LLC., Palisades Park, New Jersey ¹	<ul style="list-style-type: none"> AlcoScan AL-2500. SafeMate.² SafeDrive. AlcoMate.³ (aka: AlcoHAWK Pro by Q3 Innovations). AlcoMate Accu Cell AL-9000. AlcoMate Pro.³ AlcoMate Core.⁴ AlcoMate Premium AL-7000, with replaceable Premium Sensor Modules (SM-7000).^{4 5} AlcoMate Prestige AL-6000, with replaceable Prestige Sensor Modules (SM-6000).^{4 6} AlcoMate SafeGuard (Model AL-2500, aka: AlcoScan AL-2500).
Alco Check International, Hudsonville, Michigan	Alco Check 3000 D.O.T. ⁷ Alco Check 9000. ⁷
Akers Biosciences, Inc., Thorofare, New Jersey	Breath Alcohol® .02 Detection System. ⁸
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada	DRIVESAFE. ALERT J4X ALERT J5
BAC Solutions, Inc., Birmingham, Michigan	BACmaster.
B.E.S.T. Labs., Boardman, Ohio	PB 9000e.
Chematics, Inc., North Webster, Indiana	ALCO-SCREEN 02™ ⁹ .
Express Diagnostics Int'l, Inc., Blue Earth, Minnesota	AlcoCheck FC90 (aka: AT578 by Skyfine).
First Innovative Technology Group, Ltd., Hong Kong	AAT198—Pro.
Guth Laboratories, Inc., Harrisburg, Pennsylvania	<ul style="list-style-type: none"> Alco Tector Mark X. Mark X Alcohol Checker. Alcotector WAT89EC-1. Alcotector WAT90.
Han International Co., Ltd., ² Seoul, Korea	A.B.I. (Alcohol Breath Indicator) (aka: AlcoHAWK ABI by Q3 Innovations).
KHN Solutions, LLC, San Francisco, California	<ul style="list-style-type: none"> BACTRACK Select S50.¹⁰ BACTRACK Select S80.¹⁰ BACTRACK Element. BACTRACK S 75 Pro.
Lion Laboratories, Ltd., Wales, United Kingdom	Alcometer 500 (aka: Intoxilyzer 500-CMI, Inc.).
OraSure Technologies, Inc., Bethlehem, Pennsylvania	Q.E.D. A150 Saliva Alcohol Test.
PAS Systems International, Inc., Fredericksburg, Virginia	<ul style="list-style-type: none"> PAS Vr. Alcovisor MARS.

Distributors/Manufacturers	Devices
Q3 Innovations, Inc., Independence, Iowa	<ul style="list-style-type: none"> • AlcoHAWK Precision. • AlcoHAWK Slim. • AlcoHAWK Slim 2. • AlcoHAWK Elite. • AlcoHAWK ABI (aka: A.B.I. (Alcohol Breath Indicator) by Han Intl.). • AlcoHAWK Micro. • AlcoHAWK PRO (aka: AlcoMate by AK Solutions). • AlcoHAWK PT 500. • CA2010.
RepcO Marketing, Inc., Raleigh, North Carolina	Alco Tec III.
Seju Engineering Co., Taejeon, Korea	Safe-Slim.
Skyfine Inc., Ltd., Kwai Chung, NT, Hong Kong	<ul style="list-style-type: none"> • AT577. • AT578 (aka: AlcoCheck FC90). • AT579.
Sound Off, Inc., Hudsonville, Michigan	Digitox D.O.T. ⁷
Varian, Inc., Lake Forest, California	On-Site Alcohol. ¹⁰

¹ The AlcoMate was manufactured by Han International of Seoul, Korea, but marketed and sold in the United States by AK Solutions.

² Manufactured by Seju Engineering, Korea.

³ Han International does not market or sell devices directly in the United States market. Other devices manufactured by Han International are listed under AK Solutions, Inc. and Q3 Innovations, Inc.

⁴ Manufactured by Sentech Korea Corp.

⁵ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. The device comes with four detectors including the one that was already installed.

⁶ These devices utilize replaceable semiconductor detectors. Instead of recalibrating the device, a new calibrated detector can be installed. This device comes with five detectors including the one that was already installed.

⁷ While these devices are still being sold, they are no longer manufactured or supported.

⁸ The Breath Alcohol® .02 Detection System consists of a single-use disposable breath tube used in conjunction with an electronic analyzer that determines the test result. The electronic analyzer and the disposable breath tubes are lot specific and manufactured to remain calibrated throughout the shelf-life of the device. This screening device cannot be used after the expiration date.

⁹ While the ALCO-SCREEN 02™ saliva-alcohol screening device manufactured by Chematics, Inc. passed the requirements of the Model Specifications when tested at 40°C (104°F), the manufacturer has indicated that the device cannot exceed storage temperatures of 27°C (80°F). Instructions to this effect are stated on all packaging accompanying the device. Accordingly, the device should not be stored at temperatures above 27°C (80°F). If the device is stored at or below 27°C (80°F) and used at higher temperatures (that is, within a minute), the device meets the Model Specifications and the results persist for 10–15 minutes. If the device is stored at or below 27°C (80°F) and equilibrated at 40°C (104°F) for an hour prior to sample application, the device fails to meet the Model Specifications. Storage at temperatures above 27°C (80°F), for even brief periods of time, may result in false negative readings.

¹⁰ While this device passed all of the requirements of the Model Specifications, readings should be taken only after the time specified by the manufacturer. For valid readings, the user should follow the manufacturer's instructions. Readings should be taken 1 minute after a sample is introduced at or above 30°C (86°F); readings should be taken after 2 minutes at 18°C–29°C (64.4°F–84.2°F); and readings should be taken after 5 minutes when testing at temperatures at or below 17°C (62.6°F). If the reading is taken before 5 minutes has elapsed under the cold conditions, the user is likely to obtain a reading that underestimates the actual saliva-alcohol level.

CONFORMING PRODUCTS LIST OF EVIDENTIAL BREATH MEASUREMENT DEVICES

Manufacturer/Distributor and Model	Mobile	Nonmobile
AK GlobalTech Corporation, Palisades Park, New Jersey:		
AlcoMate TS600 (aka: Alcoscan ALP-1 outside the U.S.)	X	X
Alcohol Countermeasure Systems Corp., Toronto, Ontario, Canada:		
Alert J3AD*	X	X
Alert J4X.ec	X	X
PBA3000C	X	X
SAF [®] IR Evolution	X	X
BAC Systems, Inc., Ontario, Canada:		
Breath Analysis Computer*	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
CAMEC Ltd., North Shields, Tyne and Ware, England:		
IR Breath Analyzer*	X	X
CMI, Inc., Owensboro, Kentucky:		
Intoxilyzer Model:		
200	X	X
200D	X	X
240 (aka: Lion Alcolmeter 400+ outside the U.S.)	X	X
300	X	X
400	X	X
400PA	X	X
500 (aka: Lion Alcolmeter 500 outside the U.S.)	X	X
600 (aka: Lion Alcolmeter 600 outside the U.S.)	X	X
800	X	—
1400	X	X
4011*	X	X
4011A*	X	X
4011AS*	X	X
4011AS-A*	X	X
4011AS-AQ*	X	X
4011 AW*	X	X
4011A27-10100*	X	X
4011A27-10100 with filter*	X	X
5000	X	X
5000 (w/Cal. Vapor Re-Circ.)	X	X
5000 (w/3/8" ID Hose option)	X	X
5000CD	X	X
5000CD/FG5	X	X
5000EN	X	X
5000 (CAL DOJ)	X	X
5000VA	X	X
8000	X	X
9000	X	X
9000 (serial numbers 90-000500 and above)	X	X
PAC 1200*	X	X
S-D2	X	X
S-D5 (aka: Lion Alcolmeter SD-5 outside the U.S.)	X	X
Draeger, Inc. (aka: Draeger Safety Diagnostics, Inc. or National Draeger) Irving, Texas:		
Alcotest Model:		
3820	X	X
5510	X	X
5820	X	X
6510	X	X
6810	X	X
6820	X	X
7010*	X	X
7110*	X	X
7110 MKIII	X	X
7110 MKIII-C	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
7410	X	X
7410 Plus	X	X
7510	X	X
9510	X	X
Breathalyzer Model:		
900	X	X
900A*	X	X
900BG*	X	X
7410	X	X
7410-II	X	X
EnviteC, Wismar, Germany, distributed by Honeywell GmbH, Fond du Lac, Wisconsin:		
AlcoQuant 6020	X	X
AlcoQuant 6020 Plus	X	X
Gall's Inc., Lexington, Kentucky:		
Alcohol Detection System—A.D.S. 500	X	X
Guth Laboratories, Inc., Harrisburg, Pennsylvania:		
Alcotector BAC-100	X	X
Alcotector C2H5OH	X	X
Guth 38	X	X
Intoximeters, Inc., St. Louis, Missouri:		
Auto Intoximeter*	X	X
GC Intoximeter MK II*	X	X
GC Intoximeter MK IV*	X	X
Photo Electric Intoximeter*	—	X
Intoximeter Model:		
3000	X	X
3000 (rev B1)*	X	X
3000 (rev B2)*	X	X
3000 (rev B2A)*	X	X
3000 (rev B2A) w/FM option*	X	X
3000 (Fuel Cell)*	X	X
3000 D*	X	X
3000 DFC*	X	X
Alcomonitor	—	X
Alcomonitor CC	X	X
Alco-Sensor III	X	X
Alco-Sensor III (Enhanced with Serial Numbers above 1,200,000)	X	X
Alco-Sensor IV	X	X
Alco-Sensor IV XL	X	X
Alco-Sensor V	X	X
Alco-Sensor V XL	X	X
Alco-Sensor AZ	X	X
Alco-Sensor FST	X	X
Intox DMT Dual Sensor	X	X
Intox EC/IR	X	X
Intox EC/IR II	X	X
Intox EC/IR II (Enhanced with serial number 10,000 or higher)	—	X
Intox EC/IR II.t	X	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Portable Intox EC/IR	X	X
RBT-AZ	X	X
RBT-III	X	X
RBT III-A	X	X
RBT IV	X	X
RBT IV with CEM (cell enhancement module)	X	X
(Also Listed under National Patent Analytical Systems, Inc.) BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT w/Fuel Cell option	X	X
DataMaster DMT w/Rev A Fuel Cell option	X	X
DataMaster DMT (aka: Intox MT)	X	X
Intox DMT (aka: DataMaster DMT)	X	X
Komyo Kitagawa, Kogyo, K.K., Japan:		
Alcolyzer DPA-2*	X	X
Breath Alcohol Meter PAM 101B*	X	X
Lifeloc Technologies, Inc., (formerly Lifeloc, Inc.), Wheat Ridge, Colorado:		
EV 30 (w/or without EASYCAL accessory)	X	X
FC 10 (w/or without EASYCAL accessory)	X	X
FC 10Plus (w/or without EASYCAL accessory)	X	X
FC 20 (w/or without EASYCAL accessory)	X	X
FC 20BT (w/or without EASYCAL accessory)	X	X
LifeGuard Pro	X	X
Phoenix	X	X
Phoenix 6.0 (w/or without EASYCAL accessory)	X	X
Phoenix 6.0BT (w/or without EASYCAL accessory)	X	X
Lion Laboratories, Ltd., Cardiff, Wales, United Kingdom:		
Alcolmeter Model:		
300	X	X
400	X	X
400+ (aka: Intoxilyzer 240 in the U.S.)	X	X
500 (aka: Intoxilyzer 500 in the U.S.)	X	X
600 (aka: Intoxilyzer 600 in the U.S.)	X	X
EBA*	X	X
SD-2*	X	X
SD-5 (aka: S-D5 in the U.S.)	X	X
Intoxilyzer Model:		
200	X	X
200D	X	X
1400	X	X
5000 CD/FG5	X	X
5000 EN	X	X
Luckey Laboratories, San Bernardino, California:		
Alco-Analyzer Model:		
1000*	—	X
2000*	—	X

Manufacturer/Distributor and Model	Mobile	Nonmobile
Nanopuls AB, Uppsala, Sweden:		
Evidenzer	X	X
National Patent Analytical Systems, Inc. (NPAS), Mansfield, Ohio:		
BAC DataMaster (with or without the Delta-1 accessory)	X	X
BAC Verifier DataMaster (w/or without the Delta-1 accessory)	X	X
DataMaster cdm (w/or without the Delta-1 accessory)	X	X
DataMaster DMT (aka: Intox DMT)	X	X
DataMaster DMT w/Fuel Cell option SN: 555555	X	X
DataMaster DMT w/ Rev A Fuel Cell option SN: 100630	X	X
Omicron Systems, Palo Alto, California:		
Intoxilyzer Model:		
4011*	X	X
4011AW*	X	X
PAS International, Fredericksburg, Virginia:		
Alcovisor Jupiter	X	X
Alcovisor Mercury	X	X
Mark V Alcovisor	X	X
Plus 4 Engineering, Minturn, Colorado:		
5000 Plus 4*	X	X
Seres, Paris, France:		
Alco Master	X	X
Alcopro	X	X
Siemens-Allis, Cherry Hill, New Jersey:		
Alcomat*	X	X
Alcomat F*	X	X
Smith and Wesson Electronics, Springfield, Massachusetts:		
Breathalyzer Model:		
900*	X	X
900A*	X	X
1000*	X	X
2000*	X	X
2000 (non-Humidity Sensor)*	X	X
Sound-Off, Inc., Hudsonville, Michigan:		
AlcoData	X	X
Seres Alco Master	X	X
Seres Alcopro	X	X
Stephenson Corp.:		
Breathalyzer 900*	X	X
Tokai-Denshi Inc., Tokyo, Japan:		
ALC-PRO II (U.S.)	X	X
U.S. Alcohol Testing, Inc./Protection Devices, Inc., Rancho Cucamonga, California:		
Alco-Analyzer 1000	—	X
Alco-Analyzer 2000	—	X
Alco-Analyzer 2100	X	X
Verax Systems, Inc., Fairport, New York:		
BAC Verifier*	X	X
BAC Verifier Datamaster	X	X
BAC Verifier Datamaster II*	X	X

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1302. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Cytomegalovirus (CMV) Education and Newborn Screening Act

The act of June 27, 2022 (P.L. 388, No. 29), known as the CMV (CMV) Education and Newborn Screening Act (act) was signed into law on June 27, 2022. The act takes effect immediately and provides for the Department of Health (Department) to promulgate regulations within 2 years of the effective date. The act also requires the Department to make certain information and statistics regarding CMV available by means of the Department's web site. This information, including links to relevant resources, a template for capturing CMV screening consent/refusal and the Excel form used for the reporting requirements discussed as follows, can be found on the PA Newborn Hearing web site at <https://www.health.pa.gov/topics/programs/Newborn-Screening/Pages/Hearing.aspx>. The act additionally requires all newborn care providers (birthing facilities, certified nurse midwives, unlicensed midwives and health care practitioners) to provide CMV information to pregnant persons under their care and to offer a CMV screening to the parent or guardian of any newborn who fails their initial screening before the child turns 21 days of age. The Department created a CMV brochure available on the PA Newborn Hearing web site which can be shared with parents and guardians to meet this informational requirement. If practitioners cannot perform CMV screenings, they must provide referrals for screening.

Consent must be provided by the newborn's parent or guardian and established by means of a signed consent form. Objection to a CMV screening following a failed initial hearing screening must be established by means of a signed form. Consent and objection forms must then be stored in the medical records of the child and reported on monthly to the Department. Providers are required to submit monthly aggregate screening, referral and CMV consent and objection data to the Department by means of an Excel spreadsheet available on the PA Newborn Hearing web site. Reporting will begin in October 2022, for newborns birthed September 1, 2022, and forward. Aggregate data for each month must be submitted within 7 days of the following month to the resource account at ra-tcnbsadmin_fax@pa.gov.

The act establishes that the CMV screening is to be performed using polymerase chain reaction (PCR) on saliva or urine, a follow up urine test to a positive PCR saliva test or additional testing measures approved by the Department.

For additional information, contact Jordan Shover, Program Manager, Division of Newborn Screening and Ge-

netics, at (717) 783-8143. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Services at (800) 654-5984 (TT).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1303. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Human Immunodeficiency Virus (HIV) Community Prevention Planning Committee; Public Meetings

The Statewide HIV Planning Group, established by the Department of Health (Department) under sections 301(a) and 317 of the Public Health Service Act (42 U.S.C.A. §§ 241(a) and 247b), will hold public meetings at the Best Western Premier Central Hotel and Conference Center, 800 East Park Drive, Harrisburg, PA on Wednesday, September 7, 2022, and Thursday, September 8, 2022, from 9 a.m. to 4:30 p.m.

Participants can also access the meeting virtually through the following options:

To join the Microsoft Teams meetings, individuals will need to connect by phone; this can be done by dialing the following number and entering the meeting ID listed as follows:

Day 1: Main Meeting

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 328 239 26#

Day 1: Evaluation Subcommittee

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 565 483 165#

Day 1: Assessment Subcommittee

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 555 447 795#

Day 2: Main Meeting

Call in Information:
Phone Number: (412) 648-8888
Phone Conference ID: 806 150 148#

Jurisdictional HIV prevention planning is a required activity of the Department's Centers for Disease Control and Prevention Integrated HIV Surveillance and Prevention Programs for Health Departments grant. Additionally, the Ryan White HIV/AIDS Treatment Extension Act of 2009 (Pub.L. No. 111-87), previously known as the Ryan White Comprehensive AIDS Resources Emergency Act of 1990 (42 U.S.C.A. §§ 300ff-21—300ff-38), requires that the Department engage in a public advisory planning

process in developing a comprehensive plan. The purpose of these meetings is to conduct an integrated prevention and care HIV planning process by which the Department works in partnership with the community and stakeholders to enhance access to HIV prevention, care and treatment services.

For additional information or persons with a disability who wish to attend these meetings who require an auxiliary aid, service or other accommodation to do so should contact Kyle Fait, Planning Coordinator, Department of Health, Bureau of Communicable Diseases, 625 Forster Street, Health and Welfare Building, Harrisburg, PA 17120, (717) 260-8929, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department reserves the right to cancel these meetings without prior notice.

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1304. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Analyses of Blood or Serum or Both for Controlled Substances under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) or section 353 of the Federal Clinical Laboratories Improvement Amendments of 1988 (42 U.S.C.A. § 263a), or both, and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood or serum, or both, for the determination of controlled substances. This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in blood or serum, or both.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory analyses, or both, on blood or serum, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic blood or serum analysis services, or both, from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for medicolegal purposes. They should also determine that the director of the facility is

agreeable to performing analyses for forensic purposes. Persons seeking blood or serum analyses, or both, are responsible for specifying the controlled substances for which testing is being sought. Persons seeking those analyses should first determine the purpose of the analyses, that is, whether they are for medical, legal or other purposes.

The Vehicle Code contains a provision at 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories before the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols SB, SSe, CB, CSe indicate the following:

SB = approved for blood screening analyses
SSe = approved for serum screening analyses
CB = approved for blood confirmatory analyses
CSe = approved for serum confirmatory analyses

00671
ALLEGHENY COUNTY MED EX DIV OF LAB—SB,
SSe, CB, CSe
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SB,
SSe, CB, CSe
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 973-0166

21613
ARUP LABORATORIES INC—SSe, CSe
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB,
SSe, CB, CSe
3520 PROGRESS DRIVE, UNIT C
BENSALEM, PA 19020
(267) 525-2470

00977
DRUGSCAN INC—SB, SSe, CB, CSe
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

36525
FIRSTOX LABORATORIES LLC—CSe
4850 PLAZA DRIVE
IRVING, TX 75063
(813) 781-0891

31400
FRANCES WARDE MEDICAL LABORATORY—SSe, CSe
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

24655
HEALTH NETWORK LABORATORIES—SB, SSe, CB,
CSe
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SSe, CSe
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

05574
MEDTOX LABORATORIES INC—SB, SSe, CB, CSe
402 COUNTY ROAD, D WEST
ST PAUL, MN 55112
(651) 636-7466

32803
MOLECULAR DX, LLC—SB, CB
620 7TH STREET, SUITE C
WINDBER, PA 15963
(814) 361-6993

00504
NATIONAL MED SVCS INC/DBA NMS LABS—SB, SSe,
CB, CSe
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

29741
NORTHERN TIER RESEARCH—SB, SSe, CB, CSe
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153

35876
OPANS, LLC—CB
4134 S. ALSTON AVE., SUITE 100
DURHAM, NC 27713
(919) 323-4299

22533
PENNSYLVANIA DEPT. OF HEALTH—SB, CB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464

01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB,
SSe, CB, CSe
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900

22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—SSe, CSe
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543

00482
QUEST DIAGNOSTICS OF PA INC—CB, SSe
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600

25461
QUEST DIAGNOSTICS VENTURE LLC—CB, SSe
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7675

00151
ST JOSEPH QUALITY MEDICAL LAB—SSe
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SSe
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00141
YORK HOSPITAL—SSe
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1305. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Blood Alcohol Content under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code §§ 5.50 and 5.103 (relating to approval to provide special analytical services; and blood tests for blood alcohol content) to perform alcohol analyses of blood, serum or plasma. This approval is contingent on demonstrated proficiency in

periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated under the provisions of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755(a) (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol) as qualified to perform the types of specialized services which will reflect the presence of alcohol in blood, serum or plasma.

The Vehicle Code at 75 Pa.C.S. § 1547(c)(3)(ii) also permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence in certain legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide forensic blood, serum or plasma analysis services. This section states that the test results will be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed to conduct the test by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988, (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

Since procedures for determining the alcohol content of serum and plasma are identical and results obtained from serum or plasma derived from a blood sample are the same, laboratories that demonstrate reliability in the determination of alcohol in serum are approved to analyze both serum and plasma for alcohol content.

Persons seeking forensic blood, serum or plasma analysis services from the following designated laboratories should determine that the laboratory employs techniques and procedures acceptable for forensic purposes and that the director of the facility is agreeable to performing determinations for this purpose.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood alcohol and serum and plasma alcohol proficiency testing programs are approved by the United States Department of Health and Human Services in accordance with the requirements in section 353 of the Clinical Laboratory Improvement Amendments of 1988 (42 U.S.C.A. § 263a), and implementing regulations at 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology), which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, B, and SB indicate the following:

S = approved for serum and plasma analyses

B = approved for blood analyses

SB = approved for serum, plasma and blood analyses

00212

ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 481-2000

00041

ACMH HOSPITAL LABORATORY—S
ONE NOLTE DRIVE
KITTANNING, PA 16201
(724) 543-8219

00061

AHN GROVE CITY MEDICAL CENTER—S
631 NORTH BROAD STREET EXT.
GROVE CITY, PA 16127
(724) 450-7128

38782

AHN WEXFORD HOSPITAL—B
12351 PERRY HIGHWAY
WEXFORD, PA 15090
(878) 231-5006

00233

ALBERT EINSTEIN MEDICAL CENTER—S
5501 OLD YORK RD—LABS—TOWER BLDG GROUND
FL
PHILADELPHIA, PA 19141-3001
(215) 456-6102

00100

ALLE-KISKI MD CTR DBA AVH—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00671

ALLEGHENY COUNTY MED EX DIV OF LABS—SB
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

34874

AMERATHON LLC, DBA AHA—S
26300 EUCLID AVENUE, SUITE 910
CLEVELAND, OH 44132
(216) 472-2318

00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648

00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

21613
ARUP LABORATORIES INC—S
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

00047
ASSOCIATED CLINICAL LABORATORIES—SB
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SB
3520 PROGRESS DRIVE UNIT C
BENSALEM, PA 19020
(267) 525-2470

00320
BARNES KASSON HOSPITAL LAB—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059

00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110

00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00369
BUCKTAIL MED CENTER—S
1001 PINE STREET
RENOVO, PA 17764
(570) 531-6176

00301
BUTLER MEMORIAL HOSPITAL—S
ONE HOSPITAL WAY, (911 E. BRADY STREET)
BUTLER, PA 16001
(724) 284-4513

00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916

00157
CGOH LABORATORY—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 260-9955 x6181

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD
MAIN BLDG-5TH FLOOR-ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

28143
CHOP KING OF PRUSSIA HOSPITAL
550 GODDARD BOULEVARD
KING OF PRUSSIA, PA 19406
(267) 426-5537

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399

33142
CLINICAL REFERENCE LABORATORY, INC—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

00313
COMMONWEALTH HEALTH TUNKHANNOCK—S
880 SR 6 W.
TUNKHANNOCK, PA 18657-6149
(570) 770-4113

00125
CONEMAUGH MEM MED CTR-MAIN LAB—SB
LABORATORY DEPT 1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00231
CONEMAUGH MEYERSDALE MEDICAL CTR—S
200 HOSPITAL DR
MEYERSDALE, PA 15552
(814) 972-6913

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

00326
CORRY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORRY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MED CENTER LAB—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232

00204
DELAWARE COUNTY MEM HOSP LAB—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 447-2232

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SB
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00247
DEPART. OF PATHOLOGY & LAB MED-HUP—S
T301 CEDAR AVENUE
PHILADELPHIA, PA 19143
(251) 662-7879

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SB
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801

00164
EPHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE, PO BOX 1002
EPHRATA, PA 17522
(717) 733-0311

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00114
EXCELA HEALTH LATROBE HOSPITAL—S
ONE MELLON WAY
LATROBE, PA 15650
(724) 850-3121

00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567

31400
FRANCES WARDE MEDICAL LABORATORY—SB
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169

00002
GEISINGER BLOOMSBURG HOSPITAL LABORA-
TORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098

00005
GEISINGER COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 703-7123

00138
GEISINGER LEWISTOWN HOSPITAL—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7113

00173
GEISINGER MEDICAL CENTER—SB
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443

38895
GEISINGER MEDICAL CENTER MUNCY—S
100 N. ACADEMY AVENUE
DANVILLE, PA 17821
(570) 271-6336

36920
GEISINGER ST. LUKE'S HOSPITAL—S
100 PARAMONT BLVD
ORWIGSBURG, PA 17961
(272) 212-1091

00019
GEISINGER WYOMING VALLEY MED CTR—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845

00185
 GEISINGER SHAMOKIN AREA COMMUNITY HOS-
 PITAL—S
 4200 HOSPITAL ROAD
 COAL TOWNSHIP, PA 17866-9697
 (570) 644-4281

00122
 GETTYSBURG HOSPITAL LABORATORY—S
 147 GETTYS STREET
 GETTYSBURG, PA 17325
 (717) 337-4120

00299
 GOOD SAMARITAN HOSPITAL—S
 4TH & WALNUT STS, PO BOX 1281
 LEBANON, PA 17042-1218
 (717) 270-7500

00196
 GRAND VIEW HOSPITAL—S
 700 LAWN AVE
 SELLERSVILLE, PA 18960
 (215) 453-4648

00017
 GSWB A CAMPUS OF GWVMC—S
 25 CHURCH STREET
 WILKES BARRE, PA 18765
 (570) 808-7845

00024
 GUTHRIE CLINIC LAB AT TROY COMM—S
 275 GUTHRIE LANE
 TROY, PA 16947
 (570) 297-9289

00654
 GUTHRIE MEDICAL GROUP LABORATORIES—S
 ONE GUTHRIE SQUARE
 SAYRE, PA 18840
 (570) 887-4177

00023
 GUTHRIE MEDICAL GROUP LAB-TOWANDA—S
 91 HOSPITAL DRIVE
 TOWANDA, PA 18848
 (570) 265-2191

00139
 HANOVER HOSPITAL LABORATORY—S
 300 HIGHLAND AVE
 HANOVER, PA 17331
 (717) 316-2150

00155
 HARRISBURG HOSPITAL LABORATORY—S
 100 SOUTH 2ND STREET
 HARRISBURG, PA 17101
 (717) 782-3340

00169
 HEALTH NETWORK LABORATORIES—S
 1627 WEST CHEW STREET
 ALLENTOWN, PA 18102
 (610) 402-2236

00022
 HEALTH NETWORK LABORATORIES—S
 206 EAST BROWN STREET
 EAST STROUDSBURG, PA 18301
 (570) 476-3370

00549
 HEALTH NETWORK LABORATORIES—S
 1200 SOUTH CEDAR CREST BLVD
 ALLENTOWN, PA 18103
 (484) 425-8150

00600
 HEALTH NETWORK LABORATORIES—S
 2545 SCHOENERSVILLE ROAD
 BETHLEHEM, PA 18017-7384
 (484) 884-2259

24655
 HEALTH NETWORK LABORATORIES—SB
 794 ROBLE ROAD
 ALLENTOWN, PA 18109-9110
 (610) 402-8150

00205
 HERITAGE VALLEY BEAVER—S
 1000 DUTCH RIDGE ROAD
 BEAVER, PA 15009
 (724) 728-7000

00099
 HERITAGE VALLEY KENNEDY—S
 25 HECKEL ROAD
 MCKEES ROCKS, PA 15136
 (412) 777-6161

00101
 HERITAGE VALLEY SEWICKLEY LAB—S
 720 BLACKBURN RD
 SEWICKLEY, PA 15143
 (412) 749-7364

00103
 HIGHLANDS HOSPITAL—S
 401 EAST MURPHY AVENUE
 CONNELLSVILLE, PA 15425
 (724) 628-1500

38714
 HNL-ACL-HECKTOWN OAKS—S
 3780 HECKTOWN ROAD
 EASTON, PA 18045
 (484) 425-8215

00052
 INDIANA REGIONAL MEDICAL CENTER—S
 835 HOSPITAL ROAD
 PO BOX 788
 INDIANA, PA 15701-0788
 (724) 357-7165

00135
 J C BLAIR MEMORIAL HOSPITAL—S
 1225 WARM SPRINGS AVENUE
 HUNTINGDON, PA 16652
 (814) 643-8645

00038
 JEFFERSON HOSPITAL LABORATORY—S
 PO BOX 18119, 565 COAL VALLEY ROAD
 PITTSBURGH, PA 15236
 (412) 469-5723

36342
 LABCORP CENTRAL LABORATORY SERVICES—B
 8211 SCICOR DRIVE
 INDIANAPOLIS, IN 46214
 (317) 273-7250

01088

LABCORP OF AMERICA HOLDINGS—SB
69 FIRST AVENUE, PO BOX 500
RARITAN, NJ 08869
(908) 526-2400

00165

LANCASTER GENERAL HOSPITAL LAB—S
555 N DUKE STREET
LANCASTER, PA 17602
(717) 544-4322

00215

LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623

00010

LEHIGH VALLEY HOSPITAL—HAZLETON LABORATORY—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156

00193

LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00182

LVH-SCHUYLKILL E NORWEGIAN—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

00213

MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768

00242

MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

00199

MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206

MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685

MAYO CLINIC LABS-ROCH SUPERIOR DR—SB
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

00049

MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 336-5516

05574

MEDTOX LABORATORIES INC—SB
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140

MEMORIAL HOSPITAL CLINICAL LAB—S
1701 INNOVATION DRIVE
YORK, PA 17408
(717) 849-5371

00203

MERCY FITZGERALD HOSPITAL—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 237-4185

28436

METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

32803

MOLECULAR DX, LLC—B
620 7TH STREET SUITE C
WINDBER, PA 15963
(814) 361-6993

00108

MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

00007

MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630

00214

MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
ATTN: 2nd FLOOR LAB
ELKINS PARK, PA 19027
(215) 456-6152

00025

MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117

00304

NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215

00504

NATIONAL MED SVCS INC/DBA NMS LABS—SB
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

00248

NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245

- 36182
NJMHMC LLC D/B/A HUDSON REGIONAL HOSPITAL—S
55 MEADOWLANDS PARKWAY
SECAUCUS, NJ 07094
(201) 392-3516
- 29741
NORTHERN TIER RESEARCH—SB
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153
- 00053
PENN HIGHLANDS-BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312
- 00027
PENN HIGHLANDS DUBOIS—S
100 HOSPITAL AVENUE
DUBOIS, PA 15801
(814) 371-2200
- 00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525
- 00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST, DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435
- 38878
PENN STATE HEALTH HAMPDEN MEDICAL CENTER
LABORATORY—S
2200 GOOD HOPE ROAD
ENOLA, PA 17025
(717) 972-4145
- 00316
PENN STATE MILTON S HERSHEY MED CTR—S
500 UNIVERSITY DRIVE
DEPT OF PATHOLOGY & LAB MEDICINE
HERSHEY, PA 17033
(717) 531-8353
- 22533
PENNSYLVANIA DEPT OF HEALTH—SB
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 00251
PENNSYLVANIA HOSPITAL—S
800 SPRUCE STREET
PHILADELPHIA, PA 19107
(215) 829-3541
- 00026
PH DUBOIS, CLEARFIELD CAMPUS—S
809 TURNPIKE AVENUE, PO BOX 992
CLEARFIELD, PA 16830
(814) 768-2280
- 00197
PHOENIXVILLE HOSPITAL LABORATORY—S
140 NUTT ROAD DEPT OF PATHOLOGY
PHOENIXVILLE, PA 19460-0809
(610) 983-1000
- 00221
POTTSTOWN HOSPITAL—S
1600 EAST HIGH STREET
POTTSTOWN, PA 19464
(610) 327-7130
- 00130
PSH HOLY SPIRIT MEDICAL CENTER—S
503 N 21ST STREET
CAMP HILL, PA 17011-2288
(717) 763-2191
- 00300
PUNXSUTAWNEY AREA HOSPITAL—S
81 HILLCREST DRIVE
PUNXSUTAWNEY, PA 15767
(814) 938-1820
- 00669a
QUEST DIAGNOSTICS INCORPORATED—B
1 INSIGHTS DRIVE
CLIFTON, NJ 07012
(201) 393-5895
- 01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SB
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900
- 22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543
- 00482
QUEST DIAGNOSTICS OF PA INC—SB
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600
- 25461
QUEST DIAGNOSTICS VENTURE LLC—SB
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867
- 00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615
- 00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100
- 00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394
- 00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800

- 00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558
- 00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 00048
SAINT VINCENT HEALTH CENTER—S
232 WEST 25TH STREET
ERIE, PA 16544
(814) 452-5383
- 00064
SHARON REGIONAL LAB SERVICES—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914
- 00171
SLUHN SACRED HEART CAMPUS—S
421 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 776-4720
- 00260
ST. CHRISTOPHER'S HOSPITAL FOR CHILDREN—S
DEPT. OF PATHOLOGY & LAB MEDICINE
160 EAST ERIE AVENUE
PHILADELPHIA, PA 19134-1095
(215) 427-5272
- 00151
ST JOSEPH QUALITY MEDICAL LAB—S
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 00318
ST LUKE'S HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723
- 32021
ST. LUKE'S HOSPITAL-ANDERSON LAB—S
1872 ST. LUKE'S BLVD.
EASTON, PA 18045
(484) 503-1075
- 38867
ST. LUKE'S HOSPITAL-CARBON CAMPUS—S
500 ST. LUKE'S DRIVE
LEHIGHTON, PA 18235
(610) 377-7083
- 00175
ST. LUKE'S HOSPITAL EASTON CAMPUS—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819
- 00180
ST. LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET, PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 35019
ST. LUKE'S MONROE CAMPUS LABORTORY—S
100 ST. LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606
- 00195
ST. LUKE'S UPPER BUCKS CAMPUS—S
3000 ST. LUKE'S WAY
QUAKERTOWN, PA 18951
(215) 985-0050
- 00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075
- 00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB MED-RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560
- 00240
TEMPLE UNIVERSITY HOSPITAL—JEANES CAMPUS
7600 CENTRAL AVENUE
PHILADELPHIA, PA 19111
(215) 728-2248
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 SOUTH 11TH STREET, 204 FOERDERER PAVIL-
ION
PHILADELPHIA, PA 19107
(215) 955-3941
- 00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384
- 00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340

- 00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506
- 32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682
- 00046
UPMC HAMOT—S
201 STATE STREET, 4TH FLOOR WEST
ERIE, PA 16550
(814) 877-3131
- 00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100
- 00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500
- 00054
UPMC JAMESON—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4082
- 00034
UPMC KANE—S
4372 ROUTE 6
KANE, PA 16735
(814) 837-4570
- 00030
UPMC LOCK HAVEN LABORATORY—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5033
- 00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233
- 00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7624
- 00035
UPMC MUNCY LABORATORY—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282
- 00084
UPMC PASSAVANT—S
9104 BABCOCK BLVD
GROUND FLOOR, T BUILDING
PITTSBURGH, PA 15237
(412) 367-6700
- 05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
ATTN: LAB
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370
- 00131
UPMC PINNACLE CARLISLE—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 960-3336
- 00166
UPMC PINNACLE LITITZ—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572
- 00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—S
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855
- 00091
UPMC SAINT MARGARET HOSPITAL LABORA-
TORY—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000
- 00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE, GROUND FLOOR WEST
WING
PITTSBURGH, PA 15232
(412) 623-5950
- 00297
UPMC SOMERSET HOSPITAL—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215
- 00039
UPMC WELLSBORO LABORATORY—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0133
- 00037
UPMC WILLIAMSPORT LABORATORY—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300
- 00066
WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860
- 00105
WASHINGTON HEALTH SYSTEM GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00111
WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00298
WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133
WAYNESBORO HOSPITAL LABORATORY—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018
WBGH COMMONWEALTH HEALTH LAB SVS—SB
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

00095
WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVENUE
PITTSBURGH, PA 15224
(412) 578-5779

33480
WEST SHORE HOSP LABORATORY—S
1995 TECHNOLOGY PKWY
MECHANICSBURG, PA 17050
(717) 782-3128

00112
WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

00106
WINDBER HOSPITAL—S
600 SOMERSET AVE
WINDBER, PA 15963
(814) 467-3430

25064
WVU HOSPITAL LAB AT RUBY MEMORIAL HOS-
PITAL—S
1 MEDICAL CENTER DR, PO BOX 8009
MORGANTOWN, WV 26506-8009
(304) 598-4241

00141
YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1306. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Determine Controlled Substance Content of Urine under The Clinical Laboratory Act, the Vehicle Code, the Fish and Boat Code and the Game and Wildlife Code

The following laboratories are licensed by the Department of Health (Department) under The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved by the Department under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of urine for the determination of controlled substances.

This approval is contingent on demonstrated proficiency in periodic tests conducted by the Department's Bureau of Laboratories. These laboratories are also approved and designated for purposes of the Vehicle Code, 75 Pa.C.S. §§ 1547 and 3755 (relating to chemical testing to determine amount of alcohol or controlled substance; and reports by emergency room personnel), the Fish and Boat Code, 30 Pa.C.S. § 5125 (relating to chemical testing to determine amount of alcohol or controlled substance) and the Game and Wildlife Code, 34 Pa.C.S. § 2502 (relating to chemical test to determine amount of alcohol), as qualified to perform the types of services which will reflect the presence of controlled substances in urine.

Depending upon their capability and performance in proficiency surveys, laboratories are approved to perform screening or confirmatory urine drug analyses, or both. Screening analyses provide a presumptive indication that a controlled substance is present. Confirmatory testing is used to substantiate screening results.

Persons seeking forensic urine drug analysis services from any of the listed laboratories should determine that the laboratory employs techniques and procedures acceptable for the purpose. They should also determine that the director of the facility is agreeable to performing analyses for that purpose. Persons seeking the analyses are responsible for specifying the extent to which the presence of a controlled substance is to be verified. That specification should be predicated upon the purpose for which the analysis is being sought.

The Commonwealth's Vehicle Code contains a provision in 75 Pa.C.S. § 1547(c)(3)(ii) that permits test results on blood or urine for alcohol or controlled substances to be introduced into evidence at legal proceedings in this Commonwealth if the laboratory is located in another state and is not licensed and approved by the Department to provide these services. This section states that the test results may be admissible into evidence at summary or criminal proceedings in which the defendant is charged with a violation of 75 Pa.C.S. § 3802 (relating to driving under influence of alcohol or controlled substance) or any other violation of the Vehicle Code arising out of the same action if the laboratory that performed the test is licensed by the state in which the facility is located and licensed under the Clinical Laboratory Improvement Amendments of 1988 (Pub.L. No. 100-578). A similar provision appears in the Fish and Boat Code at 30 Pa.C.S. § 5125(c)(3)(ii).

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a labora-

tory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*. Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

The symbols S, C, SC indicate the following:

S = approved for screening analyses

C = approved for confirmatory analyses

SC = approved for screening and confirmatory analyses

00212

ABINGTON MEMORIAL HOSPITAL—S
1200 OLD YORK ROAD
ABINGTON, PA 19001
(215) 481-2324

32917

ACCURATE DIAGNOSTIC LABS, INC—S
3000 HADLEY ROAD
SOUTH PLAINFIELD, NJ 07080
(732) 839-3300

34830

ACUTIS DIAGNOSTICS—SC
400 KARIN LANE
HICKSVILLE, NY 11801
(516) 253-2171

36379

ADVANCED COMPREHENSIVE LABORATORY—SC
67-71 EAST WILLOW STREET
MILLBURN, NJ 07041
(877) 355-3580

30914

ADVANCED PAIN MEDICINE—SC
1009 BEAVER GRADE ROAD
MOON TOWNSHIP, PA 15108
(336) 755-9265

34513

ADVANCED SPINE & PAIN (DBA RELIEVUS)—SC
2 8TH STREET
HAMMONTON, NJ 08037
(888) 985-2727, X185

34867

ADVANTA ANALYTICAL LAB—SC
10935 CR 159 SUITE 101
TYLER, TX 75703
(903) 805-9955

31695

AEGIS SCIENCES CORPORATION—SC
515 GREAT CIRCLE ROAD
NASHVILLE, TN 37228
(615) 255-2400

38782

AHN WEXFORD HOSPITAL—S
12351 PERRY HIGHWAY
WEXFORD, PA 15090
(878) 231-5006

33996

AIM LABORATORIES LLC—SC
3165 MCKELVEY RD, SUITE 110
BRIDGETON, MO 63044
(314) 743-3748

00233

ALBERT EINSTEIN MEDICAL CENTER LABS—S
5501 OLD YORK RD—TOWER BLDG, GROUND FL
PHILADELPHIA, PA 19141-3001
(215) 456-6102

24496

ALERE TOXICOLOGY SERVICES—SC
450 SOUTHLAKE BOULEVARD
RICHMOND, VA 23236
(804) 378-9130

26008

ALERE TOXICOLOGY SERVICES INC—SC
1111 NEWTON STREET
GRETNA, LA 70053
(504) 361-8989

37650

ALFA LABS INC—SC
101 WOODWINDS INDUSTRIAL CT. STE L
CARY, NC 27511
(919) 473-6298

00100

ALLE-KISKI MD CTR DBA AVH—S
1301 CARLISLE STREET
NATRONA HEIGHTS, PA 15065
(724) 224-5100

00671

ALLEGHENY COUNTY MED EX DIV OF LAB—SC
1520 PENN AVENUE, 2ND FLOOR
PITTSBURGH, PA 15222
(412) 350-4425

28233

ALLEGHENY GENERAL HOSP DEPT OF LAB MED—S
320 E NORTH AVENUE
PITTSBURGH, PA 15212
(412) 359-6886

00077

ALLEGHENY GENERAL HOSPITAL LAB—S
1307 FEDERAL STREET
PITTSBURGH, PA 15212
(412) 359-6886

35214

ALLIANCE PHARMA, INC—C
17 LEE BOULEVARD
MALVERN, PA 19355
(610) 296-3152

34874

AMERATHON LLC, DBA AHA—S
26300 EUCLID AVENUE SUITE 910
CLEVELAND, OH 44132
(216) 472-2318

33871

AMERICAN CLINICAL SOLUTIONS, LLC—SC
721 CORTARO DR
SUN CITY CENTER, FL 33573
(813) 634-4529

31871
AMERICAN FORENSIC TOXICOLOGY SERVICES—SC
789 PARK AVENUE
HUNTINGTON, NY 11743
(631) 923-0166

36327
AMERICAN HEALTH ASSOCIATES INC. DAVIE
FLORIDA—S
15712 SW 41 STREET, SUITE 16
DAVIE, FL 33331
(954) 919-5005

34710
AMERICAN INSTITUTE OF TOXICOLOGY, INC (DBA
AIT LABORATORIES—SC
1500 INTERSTATE 35W
DENTON, TX 76207
(940) 435-0242

26620
AMMON ANALYTICAL LABORATORY—SC
35 BLANCKE STREET
LINDEN, NJ 07036
(908) 862-4404

34650
APEX LABS, INC—SC
6015 BENJAMIN ROAD SUITE 315
TAMPA, FL 33634
(813) 385-7784

00341
ARIA HEALTH—S
10800 KNIGHTS ROAD
PHILADELPHIA, PA 19114
(215) 612-2648

00236
ARIA HEALTH—S
FRANKFORD AVE & WAKELING STREET
PHILADELPHIA, PA 19124
(215) 831-2068

00192
ARIA HEALTH—S
380 NORTH OXFORD VALLEY ROAD
LANGHORNE, PA 19047-8304
(215) 934-5227

37557
ARS TREATMENT CENTERS, P.C.—SC
1200 SHARON ROAD, SUITE 1, FIRST FLOOR
BEAVER, PA 15009
(757) 771-04055

33097
ART OF PAIN MANAGEMENT—SC
9622 BUSTLETON AVENUE, SUITE 3
PHILADELPHIA, PA 19115
(770) 895-1161

26137
ARTHRITIS & OSTEOPOROSIS CTR INC—S
2760 CENTURY BOULEVARD
WYOMISSING, PA 19610
(610) 375-4251

21613
ARUP LABORATORIES INC—SC
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

00047
ASSOCIATED CLINICAL LABORATORIES—S
PATHOLOGY ASSOCIATES OF ERIE, INC
1526 PEACH STREET
ERIE, PA 16501
(814) 461-2400

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—SC
3520 PROGRESS DRIVE, UNIT C
BENSALEM, PA 19020
(267) 525-2470

37438
ATN PHYSICIANS & ASSOCIATES—S
1120 W. TOWNSHIP LINE, 2ND FLOOR
HAVERTOWN, PA 19083
(484) 535-1231

38799
ATVIVO—S
955 YONKERS AVENUE, NO19
YONKERS, NY 10704
(347) 215-0610

33692
AUSPICIOUS LABORATORY INC—SC
3707 WESTCENTER DRIVE, SUITE # 100
HOUSTON, TX 77042
(713) 266-0808

33067
AVERTEST—SC
4709 LAGUARDIA DRIVE, SUITE 100
ST. LOUIS, MO 63134
(804) 500-9813

00320
BARNES KASSON HOSPITAL LAB—S
2872 TURNPIKE STREET
SUSQUEHANNA, PA 18847
(570) 853-5059

37340
BAYSIDE LABORATORIES, INC—S
4557 BELL BLVD
BAYSIDE, NY 11361
(718) 229-8800

38970
BEECHTREE DIAGNOSTICS—SC
12351 GATEWAY PARK PLACE, SUITE D-700
DRAPER, UT 84040
(801) 893-2773

00001
BERWICK HOSPITAL LABORATORY—S
701 EAST 16TH STREET
BERWICK, PA 18603
(570) 759-5110

34189
BIODIAGNOSTIC LABS—S
2380 E 22 STREET
BROOKLYN, NY 11229
(718) 646-6000

22757
BIOREFERENCE LABORATORIES INC—SC
481 EDWARD H. ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600

00033
BRADFORD REGIONAL MEDICAL CENTER—S
116-156 INTERSTATE PKWY
BRADFORD, PA 16701-0218
(814) 362-8247

00472
BROOKSIDE CLINICAL LAB INC—S
2901 W DUTTONS MILLS ROAD, SUITE 100
ASTON, PA 19014
(610) 872-6466

00301
BUTLER MEMORIAL HOSPITAL—S
ONE HOSPITAL WAY (911E BRADY STREET)
BUTLER, PA 16001
(724) 284-4513

00107
CANONSBURG HOSPITAL—S
100 MEDICAL BOULEVARD
CANONSBURG, PA 15317
(724) 745-3916

34470
CAPITAL DIAGNOSTICS LLC—SC
14201 PARK CENTER DRIVE, SUITE 407
LAUREL, MD 20707
(703) 424-5604

35410
CARING HEALTHCARE NETWORK LAB—S
18 N FRONT ST
PHILIPSBURG, PA 16866
(814) 342-2333

35694
CAYUGA MEDICAL CENTER—S
101 DATES DRIVE
ITHACA, NY 14850
(604) 274-4474

36293
CENTER FOR INTERVENTIONAL PAIN & SPINE
LLC—SC
535 PENNSYLVANIA AVE, SUITE 100
FT WASHINGTON, PA 19034
(856) 701-0039

32471
CENTERS LAB NJ, LLC—SC
DBA MEDLABS DIAGNOSTICS, INC.
85 HORSE HILL ROAD
CEDAR KNOLLS, NJ 07927
(973) 731-2900

34075
CENTRAL TOX LLC—SC
525 ROUND ROCK WEST DRIVE STE B200
ROUND ROCK, TX 78681
(512) 382-9710

38363
CERTIGEN LABORATORY—SC
9309 SOUTH TOLEDO AVENUE, SUITE A
TULSA, OK 74137
(918) 960-3150

00157
CGOH LABORATORY—S
4300 LONDONDERRY ROAD
PO BOX 3000
HARRISBURG, PA 17109
(717) 782-3340

00132
CHAMBERSBURG HOSPITAL DEPT OF PATHOL-
OGY—S
112 NORTH SEVENTH STREET
CHAMBERSBURG, PA 17201
(717) 267-7973

00310
CHARLES COLE MEMORIAL HOSPITAL—S
1001 EAST SECOND STREET
COUDERSPORT, PA 16915
(814) 260-9955, X6181

35702
CHATTAHOOCHEE PHYSICIANS LABORATORY SER-
VICES, LLC—SC
1122 CAMBRIDGE SQUARE, STE E
ALPHARETTA, GA 30009
(770) 674-4468

34920
CHESAPEAKE TOXICOLOGY RESOURCES—SC
8415 PROGRESS DRIVE, SUITE V
FREDERICK, MD 21701
(240) 397-7060

00198
CHESTER COUNTY HOSPITAL—S
701 E MARSHALL ST
WEST CHESTER, PA 19380
(610) 431-5182

00227
CHESTNUT HILL HOSPITAL—S
DEPARTMENT OF PATHOLOGY
8835 GERMANTOWN AVENUE
PHILADELPHIA, PA 19118
(215) 248-8113

00228
CHILDRENS HOSP OF PHILADELPHIA—S
3401 CIVIC CENTER BLVD, MAIN BLDG-5TH FLOOR-
ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

28143
CHOP KING OF PRUSSIA HOSPITAL—S
550 GODDARD BOULEVARD
KING OF PRUSSIA, PA 19406
(267) 426-5537

00329
CLARION HOSPITAL—S
1 HOSPITAL DRIVE
CLARION, PA 16214
(814) 226-1399

36109
CLARITY LABS—SC
97 MOUNT BETHEL ROAD
WARREN, NJ 07059
(908) 458-1960

34259
CLEANSLATE CENTERS—SC
59 BOBALA ROAD
HOLYOKE, MA 01040
(413) 584-2173

27845
CLINICAL REFERENCE LABORATORY—S
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 693-5481

33142
CLINICAL REFERENCE LABORATORY, INC—SC
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 492-3652

24916
CLINICAL SCIENCE LABORATORY INC—SC
51 FRANCIS AVENUE
MANSFIELD, MA 02048
(508) 339-6106

00313
COMMONWEALTH HEALTH TUNKHANNOCK—S
880 SR 6 W
TUNKHANNOCK, PA 18657-6149
(570) 836-4705

31556
COMPREHENSIVE PAIN CENTER ALLENTOWN—SC
1146 CEDAR CREST BLVD.
ALLENTOWN, PA 18103
(610) 366-9000

00125
CONEMAUGH MEM MED CTR—MAIN LAB—S
1086 FRANKLIN STREET
JOHNSTOWN, PA 15905
(814) 534-9787

00128
CONEMAUGH MINERS MEDICAL CENTER—S
290 HAIDA AVENUE, PO BOX 689
HASTINGS, PA 16646
(814) 247-3200

29015
CORDANT HEALTH SOLUTIONS—SC
2617 EAST L STREET # A
TACOMA, WA 98421-2205
(253) 552-1551

00326
CORRY MEMORIAL HOSPITAL—S
965 SHAMROCK LANE
CORRY, PA 16407
(814) 664-4641

00201
CROZER CHESTER MEDICAL CENTER-LAB—S
1 MEDICAL CENTER BOULEVARD
UPLAND, PA 19013
(610) 447-2232

00204
DELAWARE COUNTY MEMORIAL HOSP-LAB—S
501 NORTH LANSDOWNE AVENUE
DREXEL HILL, PA 19026-1186
(610) 447-2232

35842
DELAWARE DIAGNOSTIC LABS, LLC—SC
1 CENTURIAN DRIVE, SUITE 103
NEWARK, DE 19713
(302) 407-5903

00266
DEPT OF PATHOLOGY & LAB MED-HUP—SC
3400 SPRUCE STREET
PHILADELPHIA, PA 19104
(215) 662-3423

00247
DEPT. OF PATHOLOGY & LAB MED-HUP—S
5301 CEDAR AVENUE
PHILADELPHIA, PA 19143
(215) 662-7879

36709
DEVANSH LAB WERKS INC—SC
234 AQUARIUS DRIVE, SUITE 111
HOWEWOOD, AL 35209
(205) 994-8266

32240
DOMINION DIAGNOSTICS, LLC—SC
211 CIRCUIT DRIVE
NORTH KINGSTOWN, RI 02852
(877) 734-9600

00194
DOYLESTOWN HOSPITAL LABORATORY—S
595 W STATE STREET
DOYLESTOWN, PA 18901
(215) 345-2250

00977
DRUGSCAN INC—SC
200 PRECISION ROAD, SUITE 200
HORSHAM, PA 19044
(215) 674-9310

37898
DTR LABS—SC
2150 JUSTIN ROAD, SUITE 300
HIGHLAND, TX 75077
(817) 901-8144

35752
DYNIX DIAGNOSTIX, LLC—SC
2260 N US HIGHWAY 1
FORT PIERCE, FL 34946
(772) 324-6330

00217
EINSTEIN MEDICAL CTR MONTGOMERY—S
559 W GERMANTOWN PIKE
EAST NORRITON, PA 19403
(484) 662-1000

34056
ELITE DIAGNOSTICS, LLC—SC
10996 FOUR SEASONS PLACE, 100A
CROWN POINT, IN 46307
(888) 339-7339

38140
ELITE MEDICAL LABORATORY SOLUTIONS LLC—SC
1101 ALMA STREET, SUITE 100
TOMBALL, TX 77375
(344) 867-8134

31625
EMPIRE CITY LABORATORIES—S
229 49TH STREET
BROOKLYN, NY 11220
(718) 788-3840

34725
EMPOWER 3 LAB SERVICES, LLC—S
2525 9TH AVENUE, SUITE 2B
ALTOONA, PA 16602
(814) 201-2835

00612
ENDLESS MOUNTAINS HEALTH SYSTEMS—S
100 HOSPITAL DRIVE
MONTROSE, PA 18801
(570) 278-3801

001648
EHRATA COMMUNITY HOSPITAL—S
169 MARTIN AVE PO BOX 1002
EHRATA, PA 17522
(717) 733-0311

36981
ETHOS LABORATORIES—SC
29 E. 6TH STREET
NEWPORT, KY 41071
(877) 496-2570

00181
EVANGELICAL COMMUNITY HOSPITAL—S
1 HOSPITAL DRIVE
LEWISBURG, PA 17837
(570) 522-2510

00114
EXCELA HEALTH LATROBE HOSPITAL—SC
ONE MELLON WAY
LATROBE, PA 15650
(724) 850-3121

34527
EXCELA CLINICAL LABORATORY—SC
95 DERMODY STREET
CRANFORD, NJ 07016
(732) 287-5115

36323
EXPERTUS LABORATORIES, INC.—SC
1701 GREEN ROAD, SUITE B
DEERFIELD BEACH, FL 33064
(561) 303-8887

36525
FIRSTOX LABORATORIES LLC—SC
4850 PLAZA DRIVE
IRVING, TX 75063
(813) 781-0891

00085
FORBES HOSPITAL—S
2570 HAYMAKER ROAD
MONROEVILLE, PA 15146
(412) 858-2567

32166
FORENSIC FLUIDS LABORATORIES, INC.—SC
225 PARSONS STREET
KALAMAZOO, MI 49007
(269) 492-7700

32497
FOX CHASE PAIN MANAGEMENT ASSOCIATES—S
4979 OLD STREET ROAD, SUITE B
TREVOSE, PA 19053
(267) 288-5601

31400
FRANCES WARDE MEDICAL LABORATORY—SC
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

00115
FRICK HOSPITAL—S
508 SOUTH CHURCH STREET
MOUNT PLEASANT, PA 15666
(724) 547-1500

09163
FRIENDS MEDICAL LAB INC—SC
5820 SOUTHWESTERN BLVD
BALTIMORE, MD 21227
(412) 247-4417

00330
FULTON COUNTY MEDICAL CENTER—S
214 PEACH ORCHARD ROAD
MCCONNELLSBURG, PA 17233
(717) 485-6169

30188
GARCIA CLINICAL LABORATORY INC—S
2195 SPRING ARBOR ROAD
JACKSON, MI 49201
(517) 787-9200

00002
GEISINGER-BLOOMSBURG HOSPITAL LABORA-
TORY—S
549 E FAIR STREET
BLOOMSBURG, PA 17815
(570) 387-2098

00005
GEISINGER COMMUNITY MEDICAL CENTER—S
1800 MULBERRY STREET
SCRANTON, PA 18510
(570) 703-7123

00312
GEISINGER JERSEY SHORE HOSPITAL—S
1020 THOMPSON STREET
JERSEY SHORE, PA 17740
(570) 398-5276

00138
GEISINGER-LEWISTOWN HOSPITAL LABORA-
TORY—S
400 HIGHLAND AVENUE
LEWISTOWN, PA 17044
(717) 242-7113

00173
GEISINGER MEDICAL CENTER—SC
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443

38895
GEISINGER MEDICAL CENTER MUNCY—S
100 N. ACADEMY AVENUE
DANVILLE, PA 17821
(570) 271-6336

36920
GEISINGER ST. LUKE'S HOSPITAL—S
100 PARAMONT BLVD
ORWIGSBURG, PA 17961
(272) 212-1091

00019
GEISINGER WYOMING VALLEY MC LABORATORY—S
1000 E MOUNTAIN DRIVE
WILKES-BARRE, PA 18711
(570) 808-7845

00185
GEISINGER-SHAMOKIN AREA COMMUNITY HOS-
PITAL—S
4200 HOSPITAL ROAD
COAL TOWNSHIP, PA 17866-9697
(570) 644-4281

35154
GENE TOX WORLDWIDE, LLC DBA SCIENTIA DIAG-
NOSTIC LLC—C
136 RIDGE ROAD, SUITE 1A
LYNDHURST, NJ 07071
(201) 844-9160

35160
GENESIS REFERENCE LABORATORY, LLC—SC
7924 FOREST CITY ROAD, SUITE 210
ORLANDO, FL 32810
(407) 232-7130

34333
GENOTOX LABORATORIES, LTD—SC
2170 WOODWARD STREET, SUITE 100
AUSTIN, TX 78745
(512) 600-6601

37022
GENTECH LABORATORIES, LLC—SC
4403 N. BELTWOOD PKWY., STE 300
DALLAS, TX 75244
(866) 658-4485

00299
GOOD SAMARITAN HOSPITAL—S
4TH & WALNUT STS, PO BOX 1218
LEBANON, PA 17042-1218
(717) 270-7500

35228
GRAVITY DIAGNOSTICS, LLC—SC
812 RUSSELL STREET
COVINGTON, KY 41011
(513) 310-1419

00017
GSWB A CAMPUS OF GWVMC—S
25 CHURCH STREET
WILKES BARRE, PA 18765
(570) 808-7845

00024
GUTHRIE CLINIC LAB AT TROY COMM—S
275 GUTHRIE LANE
TROY, PA 16947
(570) 297-9289

00654
GUTHRIE MEDICAL GROUP LABORATORIES—S
ONE GUTHRIE SQUARE
SAYRE, PA 18840
(570) 887-4177

00023
GUTHRIE MEDICAL GRP LAB-TOWANDA—S
91 HOSPITAL DRIVE
TOWANDA, PA 18848
(570) 265-2191

00139
HANOVER HOSPITAL LABORATORY—S
300 HIGHLAND AVE
HANOVER, PA 17331
(717) 316-2150

00155
HARRISBURG HOSPITAL LABORATORY—S
100 SOUTH 2ND STREET
HARRISBURG, PA 17101
(717) 782-3340

35930
HARVEST LABS, INC—SC
730 N AVENUE K, SUITE 201
CROWLEY, LA 70526
(888) 975-7447

00169
HEALTH NETWORK LABORATORIES—S
1627 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 402-2236

00022
HEALTH NETWORK LABORATORIES—S
206 EAST BROWN STREET
EAST STROUDSBURG, PA 18301
(570) 476-3370

24655
HEALTH NETWORK LABORATORIES—SC
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

00549
HEALTH NETWORK LABORATORIES—S
1200 SOUTH CEDAR CREST BLVD
ALLENTOWN, PA 18103
(484) 425-8150

00600
HEALTH NETWORK LABORATORIES—S
2545 SCHOENERSVILLE ROAD
BETHLEHEM, PA 18017-7384
(484) 884-2259

36670
HEALTHQUEST ESOTERICS, INC—SC
6 BENDIX
IRVINE, CA 92618
(949) 242-2260

38933
HELIX DIAGNOSTIX—SC
3745 PARK CENTRAL BLVD.
POMPANO BEACH, FL 33064
(754) 307-1945

00205
HERITAGE VALLEY BEAVER—S
1000 DUTCH RIDGE ROAD
BEAVER, PA 15009
(724) 728-7000

00099
HERITAGE VALLEY KENNEDY—S
25 HECKEL RD
MCKEES ROCKS, PA 15136
(412) 777-6161

00101
HERITAGE VALLEY SEWICKLEY LAB—S
720 BLACKBURN RD
SEWICKLEY, PA 15143
(412) 749-7364

00103
HIGHLANDS HOSPITAL—S
401 EAST MURPHY AVENUE
CONNELLSVILLE, PA 15425
(724) 628-1500

37187
HIGHLANDS HOSPITAL TOXICOLOGY LABORA-
TORY—SC
700 PARK STREET, LOWER LEVEL
CONNELLSVILLE, PA 15425
(724) 603-2741

38714
HNL-ACL-HECKTOWN OAKS—S
3780 HECKTOWN ROAD
EASTON, PA 18045
(484) 425-8215

00216
HOLY REDEEMER HOSPITAL—S
1648 HUNTINGDON PIKE
MEADOWBROOK, PA 19046
(215) 938-3703

- 36118
IDEAL OPTION—SC
8508 W. GAGE BLVD. SUITE A101
KENNEWICK, WA 99336
(509) 222-1275
- 37831
IDEAL OPTION PLLC—SC
1215 120TH AVE., NE, SUITE 201 & 204
BELLEVUE, WA 98005
(509) 290-1543
- 36818
INDIANA REGIONAL MEDICAL CENTER—SC
120 IRMC DRIVE
INDIANA, PA 15701
(724) 357-7188
- 00052
INDIANA REGIONAL MEDICAL CENTER—S
835 HOSPITAL ROAD
PO BOX 788
INDIANA, PA 15701-0788
(724) 357-7160
- 34295
INFINITI LABS INC—SC
6015 BENJAMIN ROAD, SUITE 315
TAMPA, FL 33634
(813) 886-2616
- 33708
INFINITY DIAGNOSTIC LABORATORIES—S
370 NORTH STREET
TETERBORO, NJ 07608
(201) 843-7750
- 35507
INTEGRALABS MDG INCORPORATED—SC
136A INDUSTRIAL PARK ROAD
PINEY FLATS, TN 37686
(423) 328-0527
- 00135
J C BLAIR MEMORIAL HOSPITAL—S
1225 WARM SPRINGS AVENUE
HUNTINGDON, PA 16652
(814) 643-8645
- 00038
JEFFERSON HOSPITAL LABORATORY—S
PO BOX 18119, 565 COAL VALLEY ROAD
PITTSBURGH, PA 15236
(412) 469-5257
- 37360
KASHI CLINICAL LABORATORIES, INC—SC
10101 SW BARBUR BLVD., SUITE 200
PORTLAND, OR 97219
(503) 206-4989
- 34192
KEYSTONE LABORATORIES, INC—SC
3 MCDOWELL STREET
ASHEVILLE, NC 28801
(828) 255-0307
- 21306
LAB CORP OCCUPATIONAL TEST SRVCS—SC
1120 STATELINE ROAD WEST
SOUTHAVEN, MS 38671
(886) 827-8042
- 36342
LABCORP CENTRAL LABORATORY SERVICES—SC
8211 SCICOR DRIVE
INDIANAPOLIS, IN 46214
(317) 273-7250
- 20512
LABCORP OCCUPATIONAL TESTING SER—SC
1904 ALEXANDER DRIVE PO BOX 12652
RESEARCH TRIANGLE PARK, NC 27709
(919) 572-6900
- 01088
LABCORP OF AMERICA HOLDINGS—SC
69 FIRST AVENUE, PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—SC
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 37647
LABQ CLINICAL DIAGNOSTICS—S
140 58 ST BUILDING A, UNIT 3L
BROOKLYN, NY 11220
(717) 534-5227
- 34646
LABTEST LLC—SC
5000 CEDAR PLAZA PKWY # 200
ST LOUIS, MO 63128
(888) 977-8862
- 00165
LANCASTER GENERAL HOSPITAL LABORATORY—S
555 N DUKE STREET
LANCASTER, PA 17602
(717) 544-4331
- 00215
LANSDALE HOSPITAL—S
100 MEDICAL CAMPUS DRIVE
LANSDALE, PA 19446
(215) 361-4623
- 32311
LEBANON PAIN RELIEF—S
600 ISABEL DRIVE, SUITE 3
LEBANON, PA 17042
(386) 290-4441
- 00010
LEHIGH VALLEY HOSPITAL-HAZLETON LABORA-
TORY—S
700 EAST BROAD STREET
HAZLETON, PA 18201
(570) 501-4156
- 34187
LENCO DIAGNOSTIC LABORATORIES INC—SC
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515
- 35348
LEXAR LABS ANALYSIS, LLC—SC
112 WESTHAMPTON DRIVE
LEXINGTON, KY 40511
(859) 543-2022
- 34254
LIFEBRITE LABORATORIES, LLC—SC
9 CORPORATE BLVD NE, SUITE 150
ATLANTA, GA 30329
(678) 433-0606

00193
LOWER BUCKS HOSPITAL LABORATORY—S
501 BATH ROAD
BRISTOL, PA 19007
(215) 785-9300

00182
LVH-SCHUYLKILL E NORWEGIAN—S
700 EAST NORWEGIAN STREET
POTTSVILLE, PA 17901
(570) 621-4032

37916
M1 LABS LLC—SC
1330 STATE ROUTE 14
COLUMBIANA, OH 44408
(330) 892-5191

00213
MAIN LINE HEALTH LAB-BRYN MAWR—S
130 S BRYN MAWR AVENUE
BRYN MAWR, PA 19010
(610) 526-3768

00242
MAIN LINE HOSPITALS LAB-LANKENAU—S
100 EAST LANCASTER AVENUE
3RD FLOOR
WYNNEWOOD, PA 19096
(484) 476-3521

00199
MAIN LINE HOSPITALS LAB-PAOLI—S
255 WEST LANCASTER AVENUE
PAOLI, PA 19301
(610) 648-1000

00206
MAIN LINE HOSPITALS LAB-RIDDLE—S
1068 W BALTIMORE PIKE
MEDIA, PA 19063
(610) 891-3339

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—SC
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

33620
MCKEESPORT DRUG SCREENING LAB—S
339 FIFTH AVENUE, WANDER BLDG, ROOM 208
PITTSBURGH, PA 15132
(412) 664-8871

33842
MD SPINE SOLUTIONS LLC, DBA MD LABS—SC
10715 DOUBLE R BLVD, SUITE 102
RENO, NV 89521
(775) 391-5221

39021
MD TOX LABORATORY—S
A565-B MCGAW AVENUE
IRVINE, CA 92614
(949) 612-9883

00049
MEADVILLE MED CTR-LIBERTY ST—S
751 LIBERTY STREET
MEADVILLE, PA 16335
(814) 333-5516

36586
MED SCREEN LABORATORIES INC.—SC
992 CLIFTON AVE, 2ND FLOOR
CLIFTON, NJ 07013
(914) 393-3148

35673
MEDARBOR LLC DBA MEDARBOR DIAGNOS-
TICS—SC
200 RITTENHOUSE CIRCLE, EAST BUILDING SUITE
1
BRISTOL, PA 19007
(610) 660-8100, X141

34940
MEDCOMP SCIENCES, LLC—SC
20203 MCHOST ROAD
ZACHARY, LA 70791
(225) 570-8486

03298
MEDICAL GROUP OF CORRY RHC—SC
315 YORK STREET
CORY, PA 16407
(814) 664-8686

35682
MEDSCAN LABORATORY, INC—SC
1502 13TH AVE. WEST SUITE 201
WILLISTON, ND 58801
(701) 577-0498

05574
MEDTOX LABORATORIES INC—SC
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

00140
MEMORIAL HOSPITAL CLINICAL LAB—S
1701 INNOVATION DRIVE
YORK, PA 17408
(717) 849-5384

00203
MERCY FITZGERALD HOSPITAL LABORATORY—S
1500 LANSDOWNE AVENUE
DARBY, PA 19023
(610) 748-9889

28436
METHODIST DIV TJUH CLINICAL LAB—S
2301 SOUTH BROAD STREET
PHILADELPHIA, PA 19148
(215) 952-9057

00045
MILLCREEK COMMUNITY HOSP LAB—S
5515 PEACH STREET
ERIE, PA 16509
(814) 864-4031

31050
MILLENIUM HEALTH, LLC—SC
16981 VIA TAZON, BUILDING 1
SAN DIEGO, CA 92127
(858) 451-3535

34564
MOLECULAR TESTING LABS—SC
14401 SE 1ST STREET
VANCOUVER, WA 98684
(360) 693-8850

00108
MONONGAHELA VALLEY HOSPITAL INC—S
1163 COUNTRY CLUB ROAD
MONONGAHELA, PA 15063
(724) 258-1021

- 00007
MOSES TAYLOR HOSPITAL—S
700 QUINCY AVENUE
SCRANTON, PA 18510
(570) 340-2630
- 00214
MOSS REHAB EINSTEIN AT ELKINS PARK—S
60 EAST TOWNSHIP LINE ROAD
2ND FLOOR LABORATORY
ELKINS PARK, PA 19027
(215) 456-6152
- 00025
MOUNT NITTANY MEDICAL CENTER—S
1800 EAST PARK AVENUE
STATE COLLEGE, PA 16803
(814) 234-6117
- 00304
NASON HOSPITAL—S
105 NASON DRIVE
ROARING SPRING, PA 16673
(814) 224-6215
- 35947
NASPAC—NJ, PLLC—S
2325 MARYLAND ROAD, SUITE 100
WILLOW GROVE, PA 19090
(215) 657-1313
- 37004
NASPAC1-CHERRY HILL
1601 N KINGS HWY, STE 800
CHERRY HILL, NJ 08034
(856) 888-2602
- 00504
NATIONAL MED SVCS INC/DBA NMS LABS—SC
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900
- 00248
NAZARETH HOSPITAL—S
2601 HOLME AVE
PHILADELPHIA, PA 19152
(215) 335-6245
- 35423
NEXTGEN LABORATORIES—SC
4229 BIRCH ST STE 130
NEWPORT BEACH, CA 92660
(949) 467-9770
- 36182
NJMHMC LLC D/B/A HUDSON REGIONAL HOS-
PITAL—S
55 MEADOWLANDS PARKWAY
SECAUCUS, NJ 07094
(201) 392-3516
- 36459
NOAH ASSOCIATES, INC—SC
10501 W. GREENFIELD AVE.
WEST ALLIS, WI 53214
(414) 600-1020
- 29741
NORTHERN TIER RESEARCH—SC
1302 MADISON AVE
DUNMORE, PA 18509
(570) 351-6153
- 35679
OMNIHEALTH DIAGNOSTICS—SC
2211 CENTURY CENTER BLVD, SUITE 110
IRVING, TX 75062
(214) 396-9440
- 35920
OPTIMUM LABS INC—S
34 WELBY ROAD
NEW BEDFORD, MA 02745
(508) 993-3710
- 38883
OXFORD CLINICAL LABORATORY—S
397 HALEDON AVENUE, SUITE 4
HALDEON, NJ 07508
(201) 647-3319
- 23801
PACIFIC TOXICOLOGY LABORATORIES—SC
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110
- 34837
PAIN AND SPINE SPECIALISTS OF MARYLAND—S
2702 BACK ACRE CIR
MOUNT AIRY, MD 21771
(301) 703-8767
- 36349
PARADIGM LABS, LLC—SC
249 REDFERN VILLAGE
ST. SIMONS ISLAND, GA 31522
(912) 342-2443
- 00250
PARKWAY CLINICAL LABORATORIES—SC
3494 PROGRESS DRIVE, SUITE D
BENSALEM, PA 19020
(215) 245-5112
- 33194
PEACHSTATE HEALTH MANAGEMENT—C
2225 CENTENNIAL DRIVE
GAINESVILLE, GA 30504
(678) 276-8412
- 00053
PENN HIGHLANDS—BROOKVILLE—S
100 HOSPITAL ROAD
BROOKVILLE, PA 15825
(814) 849-2312
- 00032
PENN HIGHLANDS ELK—S
763 JOHNSONBURG RD
SAINT MARYS, PA 15857
(814) 788-8525
- 00258
PENN PRESBYTERIAN MEDICAL CENTER—S
51 NORTH 39TH ST DEPT OF PATH & LAB
PHILADELPHIA, PA 19104-2640
(215) 662-3435
- 38878
PENN STATE HEALTH HAMPDEN MED. CTR. LABO-
RATORY—S
2200 GOOD HOPE ROAD
ENOLA, PA 17025
(717) 972-4145

5600

00316
 PENN STATE MILTON S HERSHEY MED CTR—S
 500 UNIVERSITY DRIVE
 DEPT OF PATHOLOGY & LAB MEDICINE
 HERSHEY, PA 17033
 (717) 531-8353

22533
 PENNSYLVANIA DEPT OF HEALTH—SC
 110 PICKERING WAY
 EXTON, PA 19341
 (610) 280-3464

00251
 PENNSYLVANIA HOSPITAL—S
 800 SPRUCE STREET
 PHILADELPHIA, PA 19107
 (215) 829-3541

33387
 PENNSYLVANIA PAIN AND SPINE—SC
 1500 HORIZON CR., SUITE 102B
 CHALFONT, PA 18914
 (215) 851-0372

36582
 PGN LAB, LLC—SC
 7847 SW ELLIPSE WAY
 STUART, FL 34997
 (772) 291-2629

00026
 PH DUBOIS, CLEARFIELD CAMPUS—S
 809 TURNPIKE AVENUE, PO BOX 992
 CLEARFIELD, PA 16830
 (814) 768-2280

31082
 PHAMATECH INC—SC
 15175 INNOVATION DRIVE
 SAN DIEGO, CA 92128
 (858) 643-5555

32887
 PHOENIX TOXICOLOGY & LAB SERVICES—SC
 2432 W PEORIA AVE, # 1064
 PHOENIX, AZ 85029
 (602) 374-4097

00197
 PHOENIXVILLE HOSPITAL LABORATORY—S
 140 NUTT ROAD, DEPT OF PATHOLOGY
 PHOENIXVILLE, PA 19460-0809
 (610) 983-1000

33621
 PITTSBURGH DRUG SCREENING LAB—S
 440 ROSS STREET, SUITE 2033
 PITTSBURGH, PA 15219
 (412) 350-5808

00221
 POTTSTOWN HOSPITAL—S
 1600 EAST HIGH STREET
 POTTSTOWN, PA 19464
 (610) 327-7130

33487
 PRECISION TOXICOLOGY, LLC—SC
 4215 SORRENTO VALLEY BLVD
 SAN DIEGO, CA 92121
 (800) 635-6901

34191
 PREMIER BIOTECH LABS, LLC—SC
 723 KASOTA AVE SE
 MINNEAPOLIS, MN 55414
 (855) 718-6917

NOTICES

35108
 PREMIER MEDICAL LABORATORY SERVICES—SC
 6000A PELHAM ROAD
 GREENVILLE, SC 29615
 (864) 862-0517

34030
 PRINCIPLE LABS, LLC—SC
 2550 BROADHEAD ROAD, SUITE 105
 BETHLEHEM, PA 18020-8922
 (484) 353-6661

35172
 PROGRESSIVE DIAGNOSTICS, LLC—SC
 35 NUTMEG DRIVE, SUITE 303
 TRUMBULL, CT 06611
 (888) 503-8803

00130
 PSH HOLY SPIRIT MEDICAL CENTER—S
 503 N 21ST STREET
 CAMP HILL, PA 17011-2288
 (717) 763-2191

21648
 PSYCHEMEDICS CORPORATION—SC
 5832 UPLANDER WAY
 CULVER CITY, CA 90230
 (800) 522-7424

00255
 PUBLIC HEALTH LAB CITY OF PHILADELPHIA—S
 500 SOUTH BROAD STREET, RM 359
 PHILADELPHIA, PA 19146
 (215) 685-6501

00300
 PUNXSUTAWNEY AREA HOSPITAL—S
 81 HILLCREST DRIVE
 PUNXSUTAWNEY, PA 15767
 (814) 938-1820

36980
 QR DIAGNOSTICS LLC—SC
 12734 KENWOOD LN., UNIT 68
 FORT MYERS, FL 33907
 (239) 330-4573

34652
 QUALITOX LABORATORIES, LLC—SC
 1556 ISLAND AVENUE
 MCKEES ROCKS, PA 15136
 (412) 326-8570

36012
 QUALITY LABORATORY SERVICE—SC
 2124 MORRIS AVE
 UNION, NJ 07083
 (908) 686-2300

34644
 QUALITY LABORATORY SERVICES—SC
 2651 EAST 14TH STREET
 BROOKLYN, NY 11235
 (718) 646-5100

00669
 QUEST DIAGNOSTICS INCORPORATED—S
 1 INSIGHTS DRIVE
 CLIFTON, NJ 07012
 (201) 393-5895

- 01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—SC
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900
- 22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—S
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543
- 00482
QUEST DIAGNOSTICS OF PA INC—SC
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600
- 25461
QUEST DIAGNOSTICS VENTURE LLC—SC
875 GREENTREE ROAD, 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867
- 34188
RADEAS LLC—SC
907 GATEWAY COMMONS CIRCLE, SUITE 100
WAKE FOREST, NC 27587
(919) 435-6669
- 38038
RCA LABORATORY SERVICES, LLC—S
4144 INNSLAKE DR.
GLEN ALLEN, VA 23060
(804) 346-4363
- 36227
RDX BIOSCIENCE INC.—SC
629 SPRINGFIELD ROAD
KENILWORTH, NJ 07033
(844) 762-9522
- 00150
READING HOSPITAL LABORATORY—S
420 S 5TH AVE
WEST READING, PA 19611
(484) 628-8615
- 34074
REALTOX LABS LLC—SC
200 BUSINESS CENTER DRIVE
REISTERTOWN, MD 21136
(410) 833-3025
- 38396
RECOVERY CARE—S
87 CARROLL AVENUE
KEYSER, WV 26726
(855) 502-2273
- 36232
RED LION PAIN AND PRIMARY CARE—SC
718 S. MAIN STREET
RED LION, PA 17356
(717) 244-8504
- 25348
REDWOOD TOXICOLOGY LABORATORY—SC
3650 WESTWIND BOULEVARD
SANTA ROSA, CA 95403
(707) 577-7958
- 00336
REGIONAL HOSPITAL OF SCRANTON—S
746 JEFFERSON AVENUE
SCRANTON, PA 18510
(570) 348-7100
- 32372
REGIONAL WOMENS HEALTH—S
450 CRESSON BLVD.
SUITE 305-307
OAKS, PA 19456
(484) 842-0717
- 35000
RIDGEWOOD DIAGNOSTIC LABORATORY—SC
126 STATE STREET, 2ND FLOOR
HACKENSACK, NJ 07601
(973) 542-2343
- 27779
RNJ SERVICES—S
35-37 PROGRESS STREET, SUITE B6
EDISON, NJ 08820
(908) 574-4300
- 00243
ROXBOROUGH MEMORIAL HOSPITAL—S
5800 RIDGE AVE
PHILADELPHIA, PA 19128
(215) 487-4394
- 30821
RXTOX INC—SC
51 PROF PLAZA, 850 CLAIRTON BLVD, SUITE 1300
PITTSBURGH, PA 15236
(412) 460-1310
- 00087
SAINT CLAIR MEMORIAL HOSPITAL—S
1000 BOWER HILL RD
PITTSBURGH, PA 15243
(412) 942-3800
- 00174
SAINT LUKES HOSPITAL—S
801 OSTRUM STREET
BETHLEHEM, PA 18015
(610) 954-4558
- 00328
SAINT MARY MEDICAL CENTER-PATH LAB—S
1201 LANGHORNE-NEWTOWN RD
LANGHORNE, PA 19047
(215) 710-2162
- 29838
SAN DIEGO REFERENCE LABORATORY—SC
6565 NANCY RIDGE DRIVE
SAN DIEGO, CA 92121
(800) 677-7995
- 35681
SCHUYLER HOSPITAL—S
220 STEUBEN ST
MONTAUR FALLS, NY 14856
(607) 535-8607
- 36007
SCIENTIFIC LABORATORY COMPANY LLC—SC
3395 LAKE WORTH ROAD, SUITES 1 & 2
PALM SPRINGS, FL 33461
(561) 855-2479
- 36741
SE PA PAIN MANAGEMENT, LTD—SC
508 PRUDENTIAL RD, SUITE 500
HORSHAM, PA 19044
(855) 235-7246

- 29038
SECON OF NEW ENGLAND—S
415 MAIN STREET, 4TH FLOOR
WORCESTER, MA 01608
(508) 831-0703
- 00064
SHARON REGIONAL LAB SERVICES—S
740 EAST STATE STREET
SHARON, PA 16146
(724) 983-3914
- 00171
SLUHN SACRED HEART CAMPUS—S
421 WEST CHEW STREET
ALLENTOWN, PA 18102
(610) 776-4720
- 27649
SMA MEDICAL LABORATORIES—SC
940 PENNSYLVANIA BOULEVARD UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590
- 34171
SONIC REFERENCE LABORATORY, INC—C
3800 QUICK HILL ROAD, BUILDING 3, SUITE 101
AUSTIN, TX 78728
(512) 531-2100
- 36860
SPARK LABORATORY—SC
101 NE 54TH ST
MIAMI, FL 33137
(786) 391-0988
- 35875
SPECTOR SCIENTIFIC LAB—C
160 SW 12TH AVE, UNIT 103B
DEERFIELD BEACH, FL 33442
(561) 507-0522
- 35762
ST. ANTHONY MEDICAL LABORATORIES—S
654 AVENUE C, SUITE # 303
BAYONNE, NJ 07002
(201) 455-8940
- 00260
ST CHRISTOPHERS HOSP FOR CHILDREN—S
160 EAST ERIE AVENUE
DEPT OF PATHOLOGY & LAB MEDICINE
PHILADELPHIA, PA 19134-1095
(215) 427-3165
- 00151
ST JOSEPH QUALITY MEDICAL LAB—S
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 39322
ST. JUDE LABORATORIES
9017 MENDENHALL CT., SUITE D
COLUMBIA, MD 21045
(332) 330-9125
- 00180
ST LUKE'S HOSPITAL MINERS CAMPUS—S
360 WEST RUDDLE STREET PO BOX 67
COALDALE, PA 18218
(570) 645-8271
- 35019
ST LUKE'S MONROE CAMPUS LABORATORY—S
100 ST LUKE'S LANE
STROUDSBURG, PA 18360
(484) 514-3606
- 00318
ST LUKES HOSP ALLENTOWN CAMPUS—S
1736 HAMILTON STREET
ALLENTOWN, PA 18104
(610) 628-8723
- 32021
ST. LUKE'S HOSPITAL-ANDERSON LAB—S
1872 ST. LUKE'S BLVD.
EASTON, PA 18045
(484) 503-1075
- 38867
ST. LUKE'S HOSPITAL CARBON CAMPUS—S
500 ST. LUKE'S DRIVE
LEHIGHTON, PA 18235
(610) 377-7083
- 00175
ST. LUKE'S HOSPITAL EASTON CAMPUS—S
250 SOUTH 21ST STREET
EASTON, PA 18042
(610) 250-4819
- 00195
ST. LUKE'S UPPER BUCKS CAMPUS—S
3000 ST. LUKE'S WAY
QUAKERTOWN, PA 18951
(267) 985-0038
- 37359
STAR LABORATORY CORPORATION—SC
125 FLEMING STREET
PISCATAWAY, NJ 08854
(732) 529-5100
- 31613
STEELFUSION CLINICAL TOXICOLOGY LABORA-
TORY, LLC—C
1103 DONNER AVE
MONESSEN, PA 15062
(724) 691-0263
- 33771
STR ADDICTION COUNSELING, LLC—S
1400 VETERANS HIGHWAY SUITE 108
LEVITTOWN, PA 19056
(267) 244-1107
- 00219
SUBURBAN COMMUNITY HOSPITAL—S
2701 DEKALB PIKE
EAST NORRITON, PA 19401
(610) 278-2075
- 36199
SUNRISE CLINICAL LAB LLC—SC
22 BALL STREET, SECOND FLOOR
IRVINGTON, NJ 07111
(973) 877-8358
- 34011
SURETOX LABORATORY—SC
241 MOLNAR DR
ELMWOOD PARK, NJ 07407-2041
(201) 791-7293
- 33368
SYNERGY MEDICAL LABORATORIES, PC—C
152 STATE ROUTE 35
KEYPORT, NJ 07735
(732) 792-3609

- 00207
TAYLOR HOSPITAL LABORATORY—S
175 EAST CHESTER PIKE
RIDLEY PARK, PA 19078
(610) 447-2232
- 27246
TECHNICAL RESOURCE MGMT—SC
1760 EAST ROUTE 66, SUITE 1
FLAGSTAFF, AZ 86004
(928) 526-1011
- 00235
TEMPLE UNIV HOSPITAL EPISCOPAL CAMPUS—S
100 EAST LEHIGH AVENUE
PHILADELPHIA, PA 19125-1098
(215) 707-4470
- 00265
TEMPLE UNIVERSITY HOSPITAL—S
3401 NORTH BROAD STREET
DEPT OF PATH & LAB ME—RM B243, OPB
PHILADELPHIA, PA 19140
(215) 707-9560
- 00240
TEMPLE UNIVERSITY HOSPITAL—JEANES CAM-
PUS—S
7600 CENTRAL AVE
PHILADELPHIA, PA 19111
(215) 728-2248
- 36013
TESTING MATTERS, INC—SC
14001 NW 4TH ST.
SUNRISE, FL 33325
(954) 268-1470, X1003
- 36673
TGM LABS, LLC—S
1000 GERMANTOWN PIKE, SUITE E5
PLYMOUTH MEETING, PA 19462
(484) 965-9529
- 36695
THE OCCUPATIONAL HEALTH CENTER—EAST
SIDE—S
4950 BUFFALO ROAD
ERIE, PA 16510
(814) 452-7879
- 35318
THE OCCUPATIONAL HEALTH CENTER-SAINT VIN-
CENT—S
2501 W. 12TH STREET, SUITE C7
ERIE, PA 16505
(814) 452-5264
- 00104
THE UNIONTOWN HOSPITAL LABORATORY—S
500 WEST BERKELEY STREET
UNIONTOWN, PA 15401
(724) 430-5143
- 00241
THOMAS JEFFERSON UNIVERSITY HOSP—S
125 S 11TH STREET, 204 FOERDERER PAVILION
PHILADELPHIA, PA 19107
(215) 955-3941
- 34847
THREE RIVERS PAIN MANAGEMENT—SC
2611 WAYNE AVE., BUILDING 63, STE 150
DAYTON, OH 45420
(937) 965-4980
- 34314
THYROID SPECIALTY LABORATORY, INC—C
1636 HEADLAND DRIVE
FENTON, MO 63026-1611
(314) 200-3040
- 00051
TITUSVILLE AREA HOSPITAL—S
406 WEST OAK STREET
TITUSVILLE, PA 16354
(814) 827-1851
- 34643
TOTAL TOXICOLOGY LABS—C
24525 SOUTHFIELD ROAD, SUITE 100
SOUTHFIELD, MI 48075
(248) 352-7171
- 36669
TRIDENT LABS, LLC—S
242 HOWARD AVE.
HOLLAND, MI 49424
(616) 395-8926
- 36731
TRINITY MEDICAL LABORATORIES LLC—SC
3 EVES DRIVE, SUITE 300
MARLTON, NJ 08053
(856) 334-9496
- 34190
TRUETOX LABORATORIES, LLC—SC
50 ROSE PLACE
GARDEN CITY PARK, NY 11040
(516) 741-1501
- 00124
TYRONE HOSPITAL—S
187 HOSPITAL DRIVE
TYRONE, PA 16686
(814) 684-6384
- 34997
UNITED CLINICAL LABORATORY LLC—SC
2257 VISTA PARKWAY, SUITE 2
WEST PALM BEACH, FL 33411
(561) 632-7922
- 36800
UNITED CLINICAL LABORATORY OF NEW JERSEY
LLC—SC
373 E US ROUTE 46, W UNIT 111
FAIRFIELD, NJ 07004
(862) 210-8456
- 00119
UPMC ALTOONA LAB—S
620 HOWARD AVENUE
ALTOONA, PA 16601-4899
(814) 889-2340
- 00121
UPMC BEDFORD MEMORIAL—S
10455 LINCOLN HIGHWAY
EVERETT, PA 15537
(814) 623-3506
- 32389
UPMC EAST PATHOLOGY LABORATORY—S
2775 MOSSIDE BLVD
GROUND FLOOR, ROOM 0304
MONROEVILLE, PA 15146
(412) 357-3682

00046
UPMC HAMOT—S
201 STATE STREET, 4TH FLOOR
WEST ERIE, PA 16550
(814) 877-3131

00059
UPMC HORIZON GREENVILLE—S
110 NORTH MAIN STREET
GREENVILLE, PA 16125
(724) 588-2100

00057
UPMC HORIZON SHENANGO—S
2200 MEMORIAL DRIVE
FARRELL, PA 16121
(724) 981-3500

00054
UPMC JAMESON—S
1211 WILMINGTON AVENUE
NEW CASTLE, PA 16105
(724) 656-4082

00030
UPMC LOCK HAVEN LABORATORY—S
24 CREE DRIVE
LOCK HAVEN, PA 17745
(570) 893-5033

00098
UPMC MCKEESPORT LABORATORY—S
1500 FIFTH AVENUE
MCKEESPORT, PA 15132
(412) 664-2233

00082
UPMC MERCY DEPT OF LAB MEDICINE—S
1400 LOCUST STREET
PITTSBURGH, PA 15219
(412) 232-7624

00035
UPMC MUNCY LABORATORY—S
215 EAST WATER ST
MUNCY, PA 17756
(570) 546-8282

00058
UPMC NORTHWEST—S
100 FAIRFIELD DRIVE
SENECA, PA 16346
(814) 676-7120

00084
UPMC PASSAVANT—S
9100 BABCOCK BLVD, GROUND FLOOR, T BUILDING
PITTSBURGH, PA 15237
(412) 367-6700

05784
UPMC PASSAVANT LABORATORY CRANBERRY—S
ONE ST FRANCIS WAY
CRANBERRY TOWNSHIP, PA 16066
(724) 772-5370

00131
UPMC PINNACLE CARLISLE—S
361 ALEXANDER SPRING ROAD
CARLISLE, PA 17015-9129
(717) 960-3336

00166
UPMC PINNACLE LITITZ—S
1500 HIGHLANDS DRIVE
LITITZ, PA 17543
(717) 625-5572

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—SC
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00091
UPMC SAINT MARGARET HOSPITAL LABORA-
TORY—S
815 FREEPORT ROAD
PITTSBURGH, PA 15215
(412) 784-4000

00092
UPMC SHADYSIDE—S
5230 CENTRE AVENUE, GROUND FLOOR WEST
WING
PITTSBURGH, PA 15232
(412) 623-5950

00297
UPMC SOMERSET HOSPITAL—S
225 S CENTER AVENUE
SOMERSET, PA 15501
(814) 443-5215

00039
UPMC WELLSBORO LABORATORY—S
32-36 CENTRAL AVENUE
WELLSBORO, PA 16901
(570) 723-0140

00037
UPMC WILLIAMSPORT LABORATORY—S
700 HIGH STREET
WILLIAMSPORT, PA 17701-3198
(570) 321-2300

27225
US DRUG TESTING LABORATORIES INC—SC
1700 SOUTH MOUNT PROSPECT ROAD
DES PLAINES, IL 60018
(847) 375-0770

36977
VERO DIAGNOSTICS—SC
3216 S. ALSTON AVENUE
DURHAM, NC 27713
(919) 341-1256

35707
VERRALAB JA LLC DBA BIOTAP MEDICAL—SC
716 WEST MAIN STREET, SUITE 100A
LOUISVILLE, KY 40202
(502) 566-3588

34702
VISION LABORATORIES LLC—SC
6130 SHALLOWFORD ROAD, SUITE 100
CHATTANOOGA, TN 37421
(844) 484-3522

35815
VISITING PHYSICIANS ASSOCIATION PC LAB—S
500 KIRTS BLVD
TROY, MI 48084
(248) 824-6500

34864
VITAE DIAGNOSTICS—SC
3848 DEL AMO BLVD, SUITE 303
TORRANCE, CA 90503
(310) 376-5812

00066

WARREN GENERAL HOSPITAL—S
2 CRESCENT PARK
WARREN, PA 16365
(814) 726-3860

00105

WASHINGTON HEALTH SYSTEM GREENE—S
350 BONAR AVENUE
WAYNESBURG, PA 15370
(724) 627-2640

00111

WASHINGTON HEALTH SYSTEM LAB—S
155 WILSON AVE
WASHINGTON, PA 15301
(724) 223-3120

00298

WAYNE MEMORIAL HOSPITAL—S
601 PARK STREET
HONESDALE, PA 18431
(570) 253-1300

00133

WAYNESBORO HOSPITAL LABORATORY—S
501 E MAIN STREET
WAYNESBORO, PA 17268
(717) 765-3403

00018

WBGH COMMONWEALTH HEALTH LAB SVS—SC
575 NORTH RIVER STREET
WILKES-BARRE, PA 18764
(570) 829-8111

35477

WELLSPAN PARKWAY INTERVENTIONAL PAIN—S
17 WESTERN MARYLAND PARKWAY, SUITE 100
HAGERSTOWN, MD 21740
(310) 797-9240

00095

WEST PENN HOSPITAL—S
4800 FRIENDSHIP AVE
PITTSBURGH, PA 15224
(412) 578-5779

33480

WEST SHORE HOSP LABORATORY—S
1995 TECHNOLOGY PKWY
MECHANICSBURG, PA 17050
(717) 782-3128

34586

WESTERN SLOPE LABORATORY, LLC—SC
1197 ROCHESTER ROAD, SUITE K
TROY, MI 48083
(248) 307-1168

00112

WESTMORELAND REGIONAL HOSPITAL—S
532 W PITTSBURGH STREET
GREENSBURG, PA 15601
(724) 832-4896

35377

WESTOX LABS LLC—C
18102 SKYPARK SOUTH, BLDG. 52, STE E
IRVINE, CA 92614
(949) 371-2050

00141

YORK HOSPITAL—S
1001 SOUTH GEORGE STREET
YORK, PA 17405
(717) 851-2345

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1307. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Laboratories Approved to Perform Blood Lead and/or Erythrocyte Protoporphyrin Determinations under The Clinical Laboratory Act

The following laboratories are licensed in accordance with The Clinical Laboratory Act (35 P.S. §§ 2151—2165) and are currently approved under 28 Pa. Code § 5.50 (relating to approval to provide special analytical services) to perform analyses of blood for lead or erythrocyte protoporphyrin content. This approval is based on demonstrated proficiency in periodic evaluations conducted by the Bureau of Laboratories of the Department of Health (Department).

Lead poisoning is reportable. Approved laboratories that offer blood lead testing services are required to inform the Department of actual or possible incidents of this condition in accordance with 28 Pa. Code § 27.34 (relating to reporting cases of lead poisoning). These regulations specify the following requirements for reporting by clinical laboratories:

(1) A clinical laboratory shall report all blood lead test results on both venous and capillary specimens for persons under 16 years of age to the Department's Childhood Lead Poisoning Prevention Program, Division of Maternal and Child Health, Bureau of Family Health.

(2) A clinical laboratory shall report an elevated blood lead level in a person 16 years of age or older to the Department's Division of Environmental Health Epidemiology, Bureau of Epidemiology or to other locations as designated by the Department. An elevated blood lead level is defined by the National Institute for Occupational Safety and Health (NIOSH). As of January 26, 2002, NIOSH defines an elevated blood lead level as a venous blood lead level of 25 micrograms per deciliter ($\mu\text{g}/\text{dL}$) or higher. The Department will publish in the *Pennsylvania Bulletin* any NIOSH update of the definition within 30 days of NIOSH's notification to the Department.

(3) A clinical laboratory which conducts blood lead tests of 100 or more specimens per month shall submit results electronically in a format specified by the Department.

(4) A clinical laboratory which conducts blood lead tests of less than 100 blood lead specimens per month shall submit results either electronically or by hard copy in the format specified by the Department.

(5) A laboratory which performs blood lead tests on blood specimens collected in this Commonwealth shall be licensed as a clinical laboratory and shall be specifically approved by the Department to conduct those tests.

(6) Blood lead analyses requested for occupational health purposes on blood specimens collected in this Commonwealth shall be performed only by laboratories which are licensed and approved as specified in paragraph (5), and which are also approved by the Occupational Safety and Health Administration of the United States Department of Labor under 29 CFR 1910.1025(j)(2)(iii) (relating to lead).

(7) A clinical laboratory shall complete a blood lead test within 5 work days of the receipt of the blood specimen and shall submit the case report to the Department by the close of business of the next work day after the day on which the test was performed. The clinical laboratory shall submit a report of lead poisoning using either the hard copy form or electronic transmission format specified by the Department.

(8) When a clinical laboratory receives a blood specimen without all of the information required for reporting purposes, the clinical laboratory shall test the specimen and shall submit the incomplete report to the Department.

Erythrocyte protoporphyrin determinations may be performed as an adjunct determination to substantiate blood lead levels of 25 µg/dL or higher. Since erythrocyte protoporphyrin concentrations may not increase as a result of low-level exposures to lead, direct blood lead analysis is the only reliable method for identifying individuals with blood lead concentrations below 25 µg/dL.

Persons seeking blood lead or erythrocyte protoporphyrin analyses should determine that the laboratory employs techniques and procedures acceptable for the purpose for which the analyses are sought.

The list of approved laboratories will be revised approximately semiannually and published in the *Pennsylvania Bulletin*.

The name or location of a laboratory, as well as the personnel and testing procedures, can change. When changes of this type occur, the clinical laboratory permit number does not change. If questions arise about the identity of a laboratory due to a name or location change, the clinical laboratory permit number should be used as the primary identifier. To assist in identifying a laboratory that performed a test, the clinical laboratory permit number of the facility at the time the list was prepared is included in the list of approved laboratories above the name of the laboratory.

The Department's blood lead proficiency testing program is approved by the United States Department of Health and Human Services in accordance with 42 CFR 493.901 and 493.937 (relating to approval of proficiency testing programs; and toxicology) which are administered by the Centers for Medicare & Medicaid Services. Successful participation in the Department's proficiency testing program will satisfy the compliance requirements for both the Department and Centers for Medicare & Medicaid Services.

Questions regarding this list should be directed to Jennifer Okraska, Director, Division of Chemistry and Toxicology, Department of Health, Bureau of Laboratories, P.O. Box 500, Exton, PA 19341-0500, (610) 280-3464.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape,

Braille) should contact Jennifer Okraska at the previously referenced address or phone number. Persons who are speech or hearing impaired may call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The symbols L and P indicate the following:

L = approved for blood lead analyses

P = approved for erythrocyte protoporphyrin analyses

LP = approved for blood lead and erythrocyte protoporphyrin analyses

20978

ABW ST. LUKES PEDIATRICS—L
834 EATON AVE. SUITE # 201
BETHLEHEM, PA 18018
(484) 526-7722

27431

ABW ST. LUKE'S PEDIATRICS—L
487 EAST MOORESTOWN ROAD
SUITE 105
WIND GAP, PA 18091
(601) 863-8200

34235

ABW ST. LUKES PEDIATRICS—L
6651 SILVER CREST ROAD, SUITE 103
BATH, PA 18014
(484) 526-7360

31609

ACCU REFERENCE MEDICAL LABORATORY—L
1901 EAST LINDEN AVENUE
SUITE 4
LINDEN, NJ 07036
(908) 474-1004

38512

AHN BRADDOCK PRIMARY CARE—L
501 BRADDOCK AVENUE
BRADDOCK, PA 19104
(412) 636-5054

04439

AHN HEALTH & WELLNESS PAVILION—L
4950 BUFFALO ROAD
ERIE, PA 16510
(814) 899-7000

10167

AHN PEDIATRICS CHARTIERS—L
1370 WASHINGTON PIKE, SUITE 107
BRIDGEVILLE, PA 15017
(412) 221-0160

30286

AHN PEDIATRICS FOX CHAPEL—L
3394 SAXONBURG BLVD, SUITE 600
GLENSHAW, PA 15116
(412) 767-0707

34549

AHN PEDIATRICS JEFFERSON—L
1200 BROOKS LANE, SUITE 130
JEFFERSON MEDICAL ARTS BLDG
JEFFERSON HILLS, PA 15025
(412) 460-8111

28764

AHN PEDIATRICS MCMURRAY—L
3001 WATERDAM PLAZA
SUITE 200
MCMURRAY, PA 15317
(724) 941-2747

28416
AHN PEDIATRICS, ARCADIA—L
9795 PERRY HIGHWAY, SUITE 100
WEXFORD, PA 15090
(412) 358-9548

22712
AHN PEDS PAL GREENTREE—L
969 GREENTREE ROAD
PRIMARY CARE CENTER OF GREENTREE
PITTSBURGH, PA 15220
(412) 922-5250

26609
AHN PEDS PAL NORTHLAND 7 FIELDS—L
100 NORTH POINTE CIRCLE, STE 101
SEVEN FIELDS, PA 16046
(724) 772-0777

24516
AHN PEDS PAL NORTHLAND CRANBERRY—L
TWO LANDMARK NORTH
SUITE 136 20397 ROUTE 19 NORTH
CRANBERRY TOWNSHIP, PA 16066
(724) 776-6030

01543
AHN PEDS PAL NORTHLAND MCKNIGHT—L
4721 MCKNIGHT RD, SUITE 209N
PITTSBURGH, PA 15237
(412) 366-5550

02125
AHN, PEDIATRICS, ST. CLAIR—L
1580 MCLAUGHLIN RUN ROAD
PINERIDGE COMMONS SUITE 208
UPPER ST CLAIR, PA 15241
(412) 221-2121

35986
ALLEGHENY COUNTY HEALTH DEPARTMENT—L
425 FIRST AVE, HARTLEY ROSE BUILDING, 4TH
FLOOR
PITTSBURGH, PA 15219
(412) 578-8070

22604
ALLEGHENY HEALTH & WELLNESS PAVILION
4247 WEST RIDGE ROAD, SUITE 105
ERIE, PA 16506
(814) 838-2468

10286
ALLENTOWN HEALTH BUREAU—L
245 NORTH 6TH ST ALLIANCE HALL
ALLENTOWN, PA 18102
(610) 437-7577

00016
ANGELINE KIRBY MEM HEALTH CENTER—L
71 NORTH FRANKLIN STREET
WILKES-BARRE, PA 18701
(570) 822-4278

21613
ARUP LABORATORIES INC—LP
500 CHIPETA WAY
SALT LAKE CITY, UT 84108
(800) 242-2787

24997
ATLANTIC DIAGNOSTIC LABORATORIES LLC—LP
3520 PROGRESS DRIVE, UNIT C
BENSALEM, PA 19020
(267) 525-2470

22757
BIOREFERENCE LABORATORIES INC—L
481 EDWARD H ROSS DRIVE
ELMWOOD PARK, NJ 07407
(201) 791-3600

36638
BTAMC PEDIATRIC & FAMILY HEALTH CARE—L
6678 TOWNE CENTER BLVD.
HUNTINGDON, PA 16652
(814) 506-8490

30248
CARING HANDS PEDIATRICS—L
300 CEDAR RIDGE DRIVE, SUITE 309
PITTSBURGH, PA 15205
(412) 921-2345

30249
CARING HANDS PEDIATRICS—L
105 BRAUNLICH DRIVE, SUITE 102
PITTSBURGH, PA 15237
(412) 369-7720

02526
CARLISLE PEDIATRIC ASSOCS LAB—L
804 BELVEDERE STREET
CARLISLE, PA 17013
(717) 243-1943

24790
CCP CASTLE SHANNON—L
240 MT. LEBANON BLVD.
PITTSBURGH, PA 15234
(412) 494-9588

27844
CCP MCMURRAY—L
3055 WASHINGTON ROAD, SUITE 102
MCMURRAY, PA 15317
(412) 969-5025

00228
CHILDRENS HOSP OF PHILADELPHIA—L
3401 CIVIC CENTER BLVD
MAIN BLDG—5TH FLOOR—ROOM 5135
PHILADELPHIA, PA 19104
(215) 590-4446

37654
CHRISTIANACARE PRIMARY CARE AT KENNETT
SQUARE—L
721 E. BALTIMORE PIKE, 1ST FLOOR
KENNETT SQUARE, PA 19348
(610) 765-4200

27845
CLINICAL REFERENCE LABORTORY—LP
8433 QUIVIRA ROAD
LENEXA, KS 66215
(913) 693-5481

34474
CORNERSTONE CARE MOBILE UNIT—L
7 GLASSWORKS ROAD
GREENSBORO, PA 15338
(724) 943-3308

31847
DOCTOR'S DATA, INC—L
3755 ILLINOIS AVENUE
ST CHARLES, IL 60174-2420
(630) 377-8139

25658
EAST LIBERTY FAMILY HEALTH CARE CENTER—L
7171 CHURCH STREET
PITTSBURGH, PA 15206
(412) 361-8284

20306
EAST LIBERTY FAMILY HEALTH CTR—L
6023 HARVARD STREET
PITTSBURGH, PA 15206
(412) 661-2802

00561
EAST PENN MFG CO INC—LP
DEKA RD KELLER TECH CENTER
PO BOX 147
LYONS STATION, PA 19536
(610) 682-6361

25549
EAST SUBURBAN PEDIATRICS—L
40 LINCOLN WAY, SUITE 400
NORTH HUNTINGDON, PA 15642
(724) 863-8811

29302
EAST SUBURBAN PEDIATRICS—L
2566 HAYMAKER ROAD, SUITE 106
MONROEVILLE, PA 15146
(412) 858-2777

10390
EAST SUBURBAN PEDIATRICS—L
4262 OLD WILLIAM PENN HWY, SUITE 208
MURRYSVILLE, PA 15668
(724) 325-2133

32339
EDEN PARK PEDIATRIC ASSOCIATES MOUNT JOY—L
779 E MAIN STREET
MOUNT JOY, PA 17552
(717) 569-8518

29462
EDEN PARK PEDIATRIC ASSOCIATES—L
4221 OREGON PIKE
EPHRATA, PA 17522
(717) 859-1434

10266
EDEN PARK PEDIATRIC ASSOCIATES—L
1725 OREGON PIKE
LANCASTER, PA 17601
(717) 569-8518

31378
ENZO CLINICAL LABS—L
60 EXECUTIVE BLVD
FARMINGDALE, NY 11735
(631) 755-5500

10324
FORBES FAMILY MEDICINE—L
2550 MOSSIDE BLVD, SUITE 500
MONROEVILLE, PA 15146
(412) 457-1077

31400
FRANCES WARDE MEDICAL LABORATORY—LP
300 WEST TEXTILE ROAD
ANN ARBOR, MI 48108
(734) 214-0300

00173
GEISINGER MEDICAL CENTER—L
100 N ACADEMY AVENUE
DANVILLE, PA 17822-0131
(570) 271-7443

32839
GENOVA DIAGNOSTICS—L
3425 CORPORATE WAY
DULUTH, GA 30096
(678) 638-2918

10395
GETTYSBURG PEDIATRICS—L
11 HUNTERS TRAIL
GETTYSBURG, PA 17325
(717) 334-7681

21344
GREEN TREE MEDICAL ASSOCIATE LAB—L
651 HOLIDAY DRIVE
FOSTER PLAZA FIVE
PITTSBURGH, PA 15220
(412) 922-8490

31348
GREENVILLE COMMUNITY HEALTH CENTER—L
348 MAIN STREET
GREENVILLE, PA 16125
(724) 588-5250

36246
HAMILTON HEALTH CENTER OF PERRY—L
46 RED HILL COURT
NEWPORT, PA 17074
(717) 232-9971

31393
HAMILTON HEALTH CENTER, INC.—L
1313 MONROE STREET
HARRISBURG, PA 17103
(717) 230-3946

30487
HAMILTON HEALTH CENTER, INC—L
1301 SYCAMORE STREET
HARRISBURG, PA 17104
(717) 232-9971

27989
HAMILTON HEALTH CENTER, INC.—L
1000 EVELYN DRIVE
MILLERSBURG, PA 17061
(717) 988-9262

00547
HAMILTON HEALTH CENTER, INC—L
110 SOUTH 17TH STREET
HARRISBURG, PA 17104
(717) 230-3946

01711
HANOVER PEDIATRICS—L
217 BROADWAY
HANOVER, PA 17331
(717) 632-3911

34095
HARBORVIEW MED CNTR, DEPT OF LAB MEDI-
CINE—P
325 9TH AVE. ROOM GWH-47
SEATTLE, WA 98104
(206) 897-5201

24655
HEALTH NETWORK LABORATORIES—L
794 ROBLE ROAD
ALLENTOWN, PA 18109-9110
(610) 402-8150

- 01933
HERITAGE VALLEY PEDICATRICS—L
250 COLLEGE AVENUE
BEAVER, PA 15009
(724) 774-4070
- 02115
HERITAGE VALLEY PEDIATRICS—L
301 OHIO RIVER BLVD., SUITE 200
SEWICKLEY, PA 15143
(412) 417-2622
- 20999
HERITAGE VALLEY PEDIATRICS—L
2032 BRODHEAD ROAD
ALIQUIPPA, PA 15001
(724) 375-6161
- 21628
HERITAGE VALLEY PEDIATRICS—L
2580 CONSTITUTION BLVD.
BEAVER FALLS, PA 15010
(724) 773-6842
- 29054
HILLTOP COMMUNITY HEALTHCARE CENTER—L
151 RUTH STREET
PITTSBURGH, PA 15211
(412) 431-3520
- 26490
HOPE PEDIATRICS—L
3512 STATE ROUTE 257 SUITE 106
SENECA, PA 16346
(814) 677-3717
- 29136
KIDS CARE PEDIATRICS—L
108 HORNER LANE
LATROBE, PA 15650
(724) 537-2131
- 33090
KIDS PLUS PEDIATRICS—L
671D CASTLE CREEK DRIVE
SEVEN FIELDS, PA 16046
(724) 761-2020
- 28267
KIDS PLUS PEDIATRICS PC—L
4070 BEECHWOOD BLVD
PITTSBURGH, PA 15217
(412) 521-6511
- 10158
KIDS PLUS PEDIATRICS PC—L
810 CLAIRTON BLVD, SUITE 100
PITTSBURGH, PA 15236
(412) 466-5004
- 21885
LAB CORP OF AMERICA HOLDINGS—LP
1447 YORK COURT
BURLINGTON, NC 27215
(336) 436-2153
- 05618
LAB CORP OF AMERICA HOLDINGS—LP
6370 WILCOX ROAD
DUBLIN, OH 43016-1296
(800) 282-7300
- 01088
LABCORP OF AMERICA HOLDINGS—LP
69 FIRST AVENUE, PO BOX 500
RARITAN, NJ 08869
(908) 526-2400
- 22715
LABONE LLC DBA QUEST DIAGNOSTICS—LP
10101 RENNER BOULEVARD
LENEXA, KS 66219-9752
(913) 577-1703
- 23380
LANCASTER PEDIATRIC ASSOC LTD—L
222 WILLOW VALLEY LAKES DRIVE
SUITE 100
WILLOW STREET, PA 17584-9463
(717) 464-9555
- 10270
LANCASTER PEDIATRIC ASSOCIATES—L
2106 HARRISBURG PIKE
SUITE 1 MED OFFICE, PO BOX 3200
LANCASTER, PA 17601
(717) 291-5931
- 02555
LEHIGH VALLEY PEDIATRIC ASSOC—L
401 NORTH 17TH STREET, STE 307
ALLENTOWN, PA 18104
(610) 434-2162
- 25678
LEHIGH VALLEY PEDIATRIC ASSOC INC—L
612 ELM ST
BETHLEHEM, PA 18018
(610) 865-3151
- 34187
LENCO DIAGNOSTIC LABORATORIES INC—L
1857 86TH STREET
BROOKLYN, NY 11214
(718) 232-1515
- 37668
LUZ MEDICINE, PC—L
29 CLOISTER AVENUE
EPHRATA, PA 17522
(717) 844-9003
- 10180
LVPG PEDIATRICS—BROAD ST—L
564 W BROAD STREET
HAZLETON, PA 18201
(570) 501-6400
- 37009
LVPG PEDIATRICS—EASTON—L
2401 NORTHAMPTON ST., SUITE 210
EASTON, PA 18045
(484) 591-7470
- 20350
LVPG PEDIATRICS—LEHIGHTON—L
363 N. 1ST STREET
LEHIGHTON, PA 18235
(610) 377-6969
- 31930
LVPG PEDIATRICS—PLAZA COURT—L
447 PLAZA COURT BUILDING
SUITE 500
EAST STROUDSBURG, PA 18301
(570) 476-3585
- 37144
LVPG PEDIATRICS—STROUDWEST—L
205 APPELGATE RD., SUITE 101
STROUDSBURG, PA 18360
(570) 476-3585

5610

33419
LVPG PEDIATRICS—WEST BROAD—L
325 W BROAD ST, 2ND FLOOR
BETHLEHEM, PA 18018
(484) 626-9222

29685
MAYO CLINIC LABS-ROCH SUPERIOR DR—LP
3050 SUPERIOR DRIVE NW
ROCHESTER, MN 55901
(507) 538-3458

24668
MCMURRAY PEDIATRIC & ADOLESCENT MEDI-
CINE—L
6000 WATERDAM PLAZA DRIVE # 280
MCMURRAY, PA 15317
(724) 941-8199

28806
MEDIA PEDIATRICS—L
401 MOORE ROAD
WALLINGFORD, PA 19086
(610) 565-3336

05574
MEDTOX LABORATORIES INC—LP
402 COUNTY ROAD D WEST
ST PAUL, MN 55112
(651) 636-7466

26760
METRO FAMILY PRACTICE, INC.—L
1789 S BRODDOCK AVENUE, SUITE 410
PITTSBURGH, PA 15218
(412) 247-2310

10233
MNPG DEPT OF PEDIATRICS—L
3901 SOUTH ATHERTON STREET, SUITE 5
STATE COLLEGE, PA 16801
(814) 466-7921

22325
MNPG DEPT. OF PEDIATRICS—L
129 MEDICAL PARK LANE
BELLEFONTE, PA 16823
(814) 466-7921

00504
NATIONAL MED SVCS INC-DBA/NMS LABS—LP
200 WELSH ROAD
HORSHAM, PA 19044
(215) 657-4900

30553
NATIONWIDE CHILDRENS HOSPITAL—L
CORE LAB AND LAB INFORMATION SYSTEMS
700 CHILDRENS DRIVE
COLUMBUS, OH 43205
(614) 722-5335

37445
NHCLV—BROAD ST—L
635 E. BROAD ST
BETHLEHEM, PA 18018
(610) 820-7605

31166
NHCLV—ALLENTOWN—L
218 NORTH SECOND STREET
ALLENTOWN, PA 18102
(610) 841-8400

NOTICES

30162
NHCLV—DONEGAN—L
1210 E 4TH STREET
BETHLEHEM, PA 18015
(610) 820-7605

35491
NHCLV AT TWO RIVERS—L
1101 NORTHAMPTON ST.
EASTON, PA 18042
(610) 841-9400

23205
NORTHSIDE CHRISTIAN HEALTH CENTER—L
816 MIDDLE STREET
PITTSBURGH, PA 15212
(412) 321-4001

30505
NORTHSIDE CHRISTIAN HEALTH CENTER-NVH—L
525 MOUNT PLEASANT ROAD
PITTSBURGH, PA 15214
(412) 321-4001

36128
OLIVERO MEDICAL HEALTH CENTER—L
1243 SKYTOP MOUNTAIN RD., SUITE 4
PORT MATILDA, PA 16870
(814) 499-3009

23801
PACIFIC TOXICOLOGY LABORATORIES—LP
9348 DE SOTO AVENUE
CHATSWORTH, CA 91311
(818) 598-3110

35190
PEDIATRIC ALLIANCE PC WITH AHN ALLEGHENY—
L
490 E NORTH ST, SUITE 204
PITTSBURGH, PA 15212
(412) 930-0908

28784
PEDIATRIC ASSOCIATES OF KINGSTON LLC—L
451 3RD AVENUE
KINGSTON, PA 18704
(570) 288-6543

25436
PEDIATRIC SPECIALISTS OF FRANKLIN COUNTY—L
27 VISTA DRIVE
UNIT 3
WAYNESBORO, PA 17268
(717) 765-6621

33953
PEDIATRIC URGENT CARE OF FRANKLIN
COUNTY—L
5 ROADSIDE AVE
WAYNESBORO, PA 17268
(717) 765-6621

20407
PEDIATRICS—TOWER HEALTH MEDICAL GROUP—L
2101 STATE HILL ROAD
SUITE 6
WYOMISSING, PA 19610
(484) 628-7540

10184
PEDIATRICS OF NORTHEASTERN PA—L
920 VIEWMONT DRIVE
DICKSON CITY, PA 18519
(570) 346-1464

- 10248
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L
1570 FRUITVILLE PIKE
LANCASTER, PA 17601
(717) 569-6481
- 29898
PENN MEDICINE LGHP ROSEVILLE PEDIATRICS—L
51 PETERS ROAD, SUITE 202
LITITZ, PA 17543
(717) 569-6481
- 29610
PENN STATE HEALTH ALL ABOUT CHILDREN—L
655 WALNUT STREET
WEST READING, PA 19611
(610) 372-9222
- 23864
PENN STATE HERSHEY MED. GROUP MIDDLE-
TOWN—L
3100 SCHOOLHOUSE ROAD
MIDDLETOWN, PA 17057
(717) 948-5180
- 01518
PENN STATE HERSHEY MEDICAL GROUP—L
941 PARK DRIVE
PALMYRA, PA 17078
(717) 838-6305
- 22533
PENNSYLVANIA DEPT OF HEALTH—L
110 PICKERING WAY
EXTON, PA 19341
(610) 280-3464
- 34168
PHILADELPHIA FIGHT CHC—L
1207 CHESTNUT STREET
PHILADELPHIA, PA 19107
(267) 985-4448
- 36240
PORTERSVILLE FAMILY PRACTICE—L
105 ADAMS LANE
PORTERSVILLE, PA 16051
(724) 368-4118
- 37694
PRIVA PATH LABS, INC.—L
222 E. HUNTINGTON DRIVE, SUITE 100
MONROVIA, CA 91016
(626) 479-8489
- 21982
PS MEDICAL GROUP-CORNERSTONE—L
6 WEST NEWPORT ROAD
LITITZ, PA 17543
(717) 627-2108
- 23778
PSH MEDICAL GROUP-ELIZABETHTOWN—L
ONE CONTINENTAL DRIVE
ELIZABETHTOWN, PA 17022
(717) 361-0666
- 23511
PSHMC CAMP HILL—L
3025 MARKET STREET
CAMP HILL, PA 17011
(717) 691-1212
- 04521
PSHMG HARRISBURG—L
2626 NORTH THIRD STREET
HARRISBURG, PA 17110
(717) 232-5443
- 10222
PSHMG LIME SPRING—L
2221 NOLL DRIVE
LANCASTER, PA 17603
(717) 715-1001
- 35397
PSHMG-MECHANICSBURG—L
140 OLD WILLOW MILL ROAD
MECHANICSBURG, PA 17050
(717) 766-4635
- 32841
PSHMG-MOUNT JOY—L
201 LEFEVER ROAD
MOUNT JOY, PA 17552
(717) 653-2900
- 37644
PSMG NYES ROAD—L
121 NYES ROAD
HARRISBURG, PA 17112
(717) 531-1780
- 00669
QUEST DIAGNOSTICS INCORPORATED—L
ONE INSIGHTS DRIVE
CLIFTON, NJ 07012
(201) 393-5895
- 01136
QUEST DIAGNOSTICS NICHOLS INSTITUTE—LP
14225 NEWBROOK DRIVE
CHANTILLY, VA 20151
(703) 802-6900
- 22376
QUEST DIAGNOSTICS NICHOLS INSTITUTE OF
VALENCIA—L
27027 TOURNEY ROAD
VALENCIA, CA 91355
(661) 799-6543
- 00482
QUEST DIAGNOSTICS OF PA INC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7600
- 25461
QUEST DIAGNOSTICS VENTURE LLC—LP
875 GREENTREE ROAD 4 PARKWAY CENTER
PITTSBURGH, PA 15220-3610
(412) 920-7867
- 01216
READING PEDIATRICS INC—L
40 BERKSHIRE COURT, SUITE 1
WYOMISSING, PA 19610
(610) 374-7400
- 29871
READING PEDIATRICS INC—L
5101 ALLENTOWN PIKE
TEMPLE, PA 19560
(610) 374-7400
- 29873
READING PEDIATRICS INC—L
25 LORANE ROAD
READING, PA 19606
(610) 374-7400
- 32983
READING PEDIATRICS INC—L
541 W. PENN AVE
ROBESONIA, PA 19551
(610) 374-7400

- 22143
SAINT VINCENT FAMILY MEDICINE—L
311 WEST 24TH STREET, SUITE 305
ERIE, PA 16502
(814) 452-5096
- 24657
SANDY LAKE COMMUNITY HEALTH CENTER—L
3205 SOUTH MAIN STREET
SANDY LAKE, PA 16145
(724) 342-3002
- 22196
SHARON MEDICAL GROUP—L
63 PITT STREET
SHARON, PA 16146
(724) 342-6604
- 24508
SHEAKLEYVILLE HEALTH CENTER—L
3339 PERRY HIGHWAY
SHEAKLEYVILLE, PA 16151
(724) 253-3428
- 27649
SMA MEDICAL LABORATORIES—L
940 PENNSYLVANIA BOULEVARD, UNIT E
FEASTERVILLE, PA 19053
(215) 322-6590
- 00151
ST JOSEPH QUALITY MEDICAL LAB—L
2500 BERNVILLE ROAD
READING, PA 19605-9453
(610) 378-2200
- 34494
ST LUKE'S ALLENTOWN PEDIATRICS—L
501 CETRONIA ROAD, SUITE 115
ALLENTOWN, PA 18104
(484) 426-2468
- 33310
ST LUKE'S COOPERSBURG PEDIATRICS—L
5445 LANARK ROAD, 1ST FLOOR, SUITE 103
CENTER VALLEY, PA 18034
(484) 526-7337
- 33636
ST LUKE'S PALMERTON PEDIATRICS—L
555 DELAWARE AVENUE
PALMERTON, PA 18071
(272) 639-5340
- 35321
ST. LUKE'S CHILDREN'S CHOICE PEDIATRICS—L
514 DELAWARE AVENUE
BETHLEHEM, PA 18015
(610) 856-6545
- 23136
ST LUKE'S POCONO PEDIATRIC ASSOC—L
208 LIFELINE ROAD, SUITE 201
STROUDSBURG, PA 18360
(570) 664-8750
- 23134
ST LUKES POCONO PEDIATRIC ASSOC—L
9090 FRANKLIN HILL ROAD
SUITE 201
EAST STROUDSBURG, PA 18301
(570) 664-8750
- 36017
ST. LUKE'S ANDERSON PEDIATRICS—L
1700 ST. LUKE'S BLVD., SUITE 403
EASTON, PA 18045
(484) 503-0060
- 10346
ST. LUKE'S QUAKERTOWN PEDIATRICS—L
237 N WEST END BLVD
QUAKERTOWN, PA 18951
(215) 536-1915
- 37359
STAR LABORATORY CORPORATION—L
125 FLEMING STREET
PISCATAWAY, NJ 08854
(732) 529-5100
- 01683
STO-ROX FAMILY HEALTH CENTER—L
710 THOMPSON AVE
MCKEES ROCKS, PA 15136
(412) 771-6460
- 22718
SUNRISE MEDICAL LABORATORIES INC—L
250 MILLER PLACE
HICKSVILLE, NY 11801
(631) 435-1515
- 23999
SUSQUEHANNA COMMUNITY HEALTH AND DENTAL
CENTER—L
471 HEPBURN STREET
WILLIAMSPORT, PA 17704
(570) 567-5400
- 22134
TAN & GARCIA PEDIATRICS PC—L
4700 UNION DEPOSIT RD, SUITE 120
HARRISBURG, PA 17111
(717) 540-1743
- 10296
TAN & GARCIA PEDIATRICS PC—L
2020 GOOD HOPE ROAD, SUITE 120
ENOLA, PA 17025
(717) 761-7901
- 02079
THE WRIGHT CENTER MEDICAL GROUP—L
2 SHARPE STREET
KINGSTON, PA 18704
(570) 343-2383
- 36990
THE WRIGHT CENTER MEDICAL GROUP—L
501 S. WASHINGTON AVE.
SCRANTON, PA 18505
(570) 491-0125
- 35522
THE WRIGHT CENTER MEDICAL GROUP PC—L
1401 FELLOW STREET
SCRANTON, PA 18504
(570) 343-2383
- 26198
THE WRIGHT CENTER MEDICAL GROUP PC—L
5 SOUTH WASHINGTON AVENUE
JERMYN, PA 18433
(570) 343-2383
- 32536
THE WRIGHT CENTER MEDICAL GROUP PC—L
335 S. FRANKLIN STREET
WILKES-BARRE, PA 18702-3808
(570) 343-2383
- 32537
THE WRIGHT CENTER MEDICAL GROUP PC—L
1145 NORTHERN BLVD
CLARKS SUMMIT, PA 18411
(570) 343-2383

29554
TRAPPE PEDIATRIC CARE—L
17 IRON BRIDGE DRIVE, SUITE 100
COLLEGEVILLE, PA 19426
(610) 489-5782

30336
TRI COUNTY PEDIATRICS—L
821 HUNTINGDON PIKE, SUITE 207
HUNTINGDON VALLEY, PA 19006
(215) 884-5715

29164
TRI COUNTY PEDIATRICS INC—L
9121 E ROOSEVELT BLVD
PHILADELPHIA, PA 19114
(215) 884-5715

27432
TRI COUNTY PEDIATRICS INC—L
140 EAST BUTLER AVENUE
CHALFONT, PA 18914
(215) 822-1770

04159
TRI COUNTY PEDIATRICS INC—L
205 NEWTOWN ROAD SUITE 210
WARMINSTER, PA 18974
(215) 884-5715

04575
TRI COUNTY PEDIATRICS INC—L
1939 CHELTENHAM AVENUE
ELKINS PARK, PA 19027
(215) 884-5715

30337
TRI COUNTY PEDIATRICS, INC—L
729 GROVE AVENUE
SUITE 1
SOUTHAMPTON, PA 18966
(215) 884-5715

29855
UNION COMMUNITY CARE AT BRIGHTSIDE—L
515 B HERSHEY AVENUE
LANCASTER, PA 17603
(717) 299-6372

10289
UNION COMMUNITY CARE AT DUKE ST.—L
625 SOUTH DUKE STREET
LANCASTER, PA 17062
(717) 299-6372

35866
UNION COMMUNITY CARE AT NHA—L
802 NEW HOLLAND AVENUE, SUITE # 200
LANCASTER, PA 17062
(717) 299-6371

34598
UNION COMMUNITY CARE AT REYNOLDS—L
605 W. WALNUT STREET
LANCASTER, PA 17603-3383
(717) 299-6372

31622
UNION COMMUNITY CARE AT WATER STREET—L
304 N. WATER STREET
LANCASTER, PA 17603
(717) 299-6372

25506
UNIVERSITY PHYSICIAN GROUP—L
35 HOPE DRIVE
HERSHEY, PA 17033
(717) 531-0003

22200
UNIVERSITY PHYSICIAN GROUP-FISHBURN—L
845 FISHBURN ROAD
HERSHEY, PA 17033
(717) 531-8181

00083
UPMC PRESBYTERIAN SHADYSIDE CP PUH—L
UPMC CLINICAL LABORATORY BUILDING
3477 EULER WAY
PITTSBURGH, PA 15213
(412) 647-5855

00539
WASHINGTON PED & ADOLESCENT MED—L
100 WELLNESS WAY, BLDG 2
WASHINGTON, PA 15301
(724) 250-6001

38397
XERON CLINICAL LABORATORIES, INC.—L
48-25 36TH STREET
LONG ISLAND CITY, NY 11101
(718) 762-3310 X500

34515
ZERO PEDIATRICS, PLLC—L
1000 MEADE ST, SUITE 102
DUNMORE, PA 18512
(570) 871-4445

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1308. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Pottsville Rehabilitation and Nursing Center
Pulaski and Leader Drive
Pottsville, PA 17901
FAC ID # 383802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Clarion Healthcare and Rehabilitation Center
999 Heidrick Street
Clarion, PA 16214
FAC ID # 591202

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1309. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by County Nursing Facilities; County Nursing Facility Supplementation Payment for Fiscal Year 2022-2023

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain county nursing facilities in Fiscal Year (FY) 2022-2023.

Proposed Payment

The Department intends to make a county nursing facility supplementation payment to each qualified county nursing facility. To qualify, a county nursing facility must be located in a home rule county that was formerly a county of the second class A, have more than 725 beds and a Medicaid acuity of 0.79 as of August 1, 2015. The number of beds will be the number of licensed beds as of August 1, 2015, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2015, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the qualifying county nursing facility's supplementation payment for FY 2022-2023 by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$4.785 million (\$2.000 million in State funds) for FY 2022-2023.

Public Comment

Interested persons are invited to submit written comments regarding the county nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Erica Justice, P.O. Box 8025, Harrisburg, PA 17105-8025 or RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1525. (1) General Fund; (2) Implementing Year 2022-23 is \$2,000,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$121,346,000; 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1310. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic and County Nursing Facilities; Supplemental Ventilator Care and Tracheostomy Care Add-on Payment for Fiscal Year 2022-2023

This announcement provides advance notice that the Department of Human Services (Department) intends to make an additional payment in Fiscal Year (FY) 2022-2023 to nonpublic and county nursing facilities that qualified for supplemental ventilator care and tracheostomy care payments in FY 2014-2015.

Proposed Payment

The Department intends to make an additional supplemental ventilator care and tracheostomy care payment to qualified nonpublic and county nursing facilities. This additional payment will be made to nonpublic and county nursing facilities that qualified for supplemental ventilator care and tracheostomy care payments in FY 2014-2015 with a percentage of Medical Assistance (MA) residents who required medically necessary ventilator care or tracheostomy care greater than 90%.

The Department will calculate the FY 2022-2023 add-on payment to qualified nonpublic and county nursing facilities by dividing the total funds for the supplemental ventilator care and tracheostomy care payment by the number of qualified nonpublic and county nursing facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$1.196 million (\$0.500 million in State funds) for FY 2022-2023.

Public Comment

Interested persons are invited to submit written comments regarding this supplemental ventilator care and tracheostomy care add-on payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Erica Justice, P.O. Box 8025, Harrisburg, PA 17105-8025 or RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1526. (1) General Fund; (2) Implementing Year 2022-23 is \$500,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$121,346,000; 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1311. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities Located in a County of the First Class; Nonpublic Nursing Facility Supplementation Payment for Fiscal Year 2022-2023

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain nonpublic nursing facilities in a county of the first class in Fiscal Year (FY) 2022-2023 to ensure access to necessary nursing care in that county.

Proposed Payment

The Department intends to make a nonpublic nursing facility supplementation payment to each qualified nonpublic nursing facility. To qualify, a nonpublic nursing facility must be located in a county of the first class, have more than 395 beds and a Medicaid acuity of 1.15 as of August 1, 2021. The number of beds will be the number of licensed beds as of August 1, 2021, and the Medicaid acuity will be determined using the Case Mix Index Report for the August 1, 2021, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the payment to qualifying facilities by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing

the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$2.392 million (\$1.000 million in State funds) for FY 2022-2023.

Public Comment

Interested persons are invited to submit written comments regarding the nonpublic nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Erica Justice, P.O. Box 8025, Harrisburg, PA 17105-8025 or RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1527. (1) General Fund; (2) Implementing Year 2022-23 is \$1,000,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$121,346,000; 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1312. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities Located in a County of the Eighth Class; Nonpublic Nursing Facility Supplementation Payment for Fiscal Year 2022-2023

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make an additional payment to certain nonpublic nursing facilities in a county of the eighth class in Fiscal Year (FY) 2022-2023 to ensure access to necessary nursing home care in that county.

Proposed Payment

The Department intends to make a nonpublic nursing facility supplementation payment to each qualified nonpublic nursing facility. To qualify, a nonpublic nursing facility must be located in a county of the eighth class, have more than 119 beds and a Medicaid acuity of 1.07 as of August 1, 2021. The number of beds will be the number of licensed beds as of August 1, 2021, and the Medicaid

acuity will be determined using the Case Mix Index Report for the August 1, 2021, Picture Date in accordance with 55 Pa. Code § 1187.33 (relating to resident data and picture date reporting requirements).

The Department will calculate the qualifying nonpublic nursing facility's supplementation payment for FY 2022-2023 by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this supplementation payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in an estimated cost of \$11.962 million (\$5.000 million in State funds) for FY 2022-2023.

Public Comment

Interested persons are invited to submit written comments regarding the nonpublic nursing facility supplementation payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Erica Justice, P.O. Box 8025, Harrisburg, PA 17105-8025 or RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1528. (1) General Fund; (2) Implementing Year 2022-23 is \$5,000,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$121,346,000; 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1313. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by Nonpublic Nursing Facilities; Medical Assistance Day One Incentive Payments to Nonpublic Nursing Facilities for Fiscal Year 2022-2023

This announcement provides advance notice that the Department of Human Services (Department) intends to continue to make Medical Assistance Day One Incentive (MDOI) payments to qualified nonpublic nursing facilities for Fiscal Year (FY) 2022-2023. The MDOI payments to

nonpublic nursing facilities will provide incentives to nonpublic nursing facilities to provide services to individuals who are Medical Assistance (MA) eligible on the day of admission. The MDOI payments are intended to encourage nonpublic nursing facilities to increase access to care for the poor and indigent citizens of this Commonwealth.

Nonpublic Medical Assistance Day One Incentive Payments

The Department will use the Total Pennsylvania Medical Assistance (PA MA) days and Total Resident Days as reported by nonpublic nursing facilities under Article VIII-A of the Human Services Code (62 P.S. §§ 801-A—815-A), regarding nursing facility assessments, to determine eligibility and calculate payments.

To qualify for MDOI payments, the nursing facility must be a nonpublic nursing facility for the full Resident Day quarters ended December 31, 2019, and March 31, 2020, and have submitted the required resident day reports for those quarters. In addition, the nonpublic nursing facility shall have an overall occupancy rate of at least 85% and an MA occupancy rate of at least 65% during the applicable Resident Day quarter. A nursing facility's overall occupancy rate for these payments will be determined as follows: Overall occupancy rate = (Total Resident Days ÷ (licensed bed capacity at the end of the quarter × the number of calendar days in the quarter)). A nursing facility's MA occupancy rate for these payments will be determined as follows: MA occupancy rate = Total PA MA days ÷ Total Resident Days.

Each nursing facility may qualify for a maximum of two MDOI payments. For qualifying nursing facilities in the southwest Community HealthChoices (CHC) zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2022, for the July 1, 2017—September 30, 2017, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2023, for the October 1, 2017—December 31, 2017, Resident Day Quarter for the second payment. For qualifying nursing facilities in the southeast CHC zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2022, for the July 1, 2018—September 30, 2018, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2023, for the October 1, 2018—December 31, 2018, Resident Day Quarter for the second payment. For qualifying nursing facilities in the Lehigh/Capital, northwest and northeast CHC zone, the Department will use the nursing facility assessment quarterly resident day reporting forms available on October 31, 2022, for the July 1, 2019—September 30, 2019, Resident Day Quarter for the first payment and will use the nursing facility assessment quarterly resident day reporting forms available on January 31, 2023, for the October 1, 2019—December 31, 2019, Resident Day Quarter for the second payment. The Department will calculate each qualified nonpublic nursing facility's MDOI payments based on the following formula:

(i) An MDOI per diem for each of the two MDOI payments will be 1/2 of the total funds appropriated for the fiscal year divided by the Total PA MA days as reported by all qualifying nursing facilities for the applicable Resident Day Quarter.

(ii) Each MDOI per diem will then be multiplied by each qualified nursing facility's Total PA MA days, as reported, for the applicable Resident Day Quarter to determine its MDOI payment.

(iii) The State funds allocated for FY 2022-2023 are \$16 million.

The Department will not retroactively revise an MDOI payment amount based on a nursing facility's late submission or revision of its report related to the previously listed dates. The Department may recoup payments based on an audit of a nursing facility's report.

The Department will submit a Medicaid State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS), which is a condition for the availability of the payment. If CMS approves the SPA, the Department will have the authority to make MDOI payments to nonpublic nursing facilities for FY 2022-2023.

Fiscal Impact

The fiscal impact of this change is estimated at \$38.278 million (\$16.0 million in State funds) for FY 2022-2023.

Public Comment

Interested persons are invited to submit written comments regarding these payments to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Erica Justice, P.O. Box 8025, Harrisburg, PA 17105-8025 or RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1524. (1) General Fund; (2) Implementing Year 2022-23 is \$16,000,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$121,346,000; 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1314. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Payment for Nursing Facility Services Provided by a Special Rehabilitation Facility Located in a City of the Third Class; Special Rehabilitation Facility Payment for Fiscal Year 2022-2023

This announcement provides advance notice that the Department of Human Services (Department) intends to make an additional payment to a special rehabilitation facility in peer group 13 (PG 13) located in a city of the third class in Fiscal Year (FY) 2022-2023.

Proposed Payment

The Department intends to make a payment to a qualified special rehabilitation facility in PG 13. To qualify, the special rehabilitation facility must be located in a city of the third class with a population between 115,000 and 120,000 based on 2020 census data.

The Department will calculate the payment to qualifying facilities by multiplying the supplementation per diem by the number of paid Medical Assistance (MA) facility and therapeutic leave days for the prior fiscal year. The supplementation per diem will be calculated by dividing the total funds available by the total number of paid MA facility and therapeutic leave days for the prior fiscal year for qualifying facilities.

The Department will submit a State Plan Amendment (SPA) to the Centers for Medicare & Medicaid Services (CMS). If CMS approves the SPA, the total funds will consist of both State and Federal funding. The Department will use its best efforts to process this payment within 30 days of the date it receives notice from CMS.

Fiscal Impact

This change will result in a cost of \$1.196 million (\$0.500 million in State funds) for FY 2022-2023.

Public Comment

Interested persons are invited to submit written comments regarding the special rehabilitation facility payment to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Erica Justice, P.O. Box 8025, Harrisburg, PA 17105-8025 or RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1529. (1) General Fund; (2) Implementing Year 2022-23 is \$500,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$121,346,000; 2020-21 Program—\$208,841,000; 2019-20 Program—\$470,244,000; (7) MA—Long-Term Living; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1315. Filed for public inspection August 26, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Traffic Signal Technologies Grant Program; Invitation to Submit Applications

Under section 1708-F.2 of the Fiscal Code of 1929 (72 P.S. § 1708-F.2), regarding motor license fund, as amended by Act 54 of 2022, the Department of Transportation (Department) established the Traffic Signal Technologies Grant Program (Program). The Program is a competitive application and reimbursement grant program whereby municipalities can request financial assist-

ance for traffic signal technologies at traffic control signals which will be connected to a central location using the Commonwealth communications network. During Fiscal Year 2022-2023, \$5 million will be available.

Additional information on eligible Program projects and the Program guidelines can be found on the Department's Traffic Signal web site at <http://www.dot.state.pa.us/signals>, including a link to the online electronic application. Supporting documents may be attached to the online application. Only the application and supporting documents attached to the online application will be considered. Paper copies are not required.

The Department invites municipalities to submit electronic Program applications between September 1, 2022, and September 30, 2022. Prior to application submission, applicants must complete and submit a preapplication project scoping form in accordance with the Program guidelines.

If municipalities are awarded funding, all grant agreements and requests for reimbursement will be processed through the Commonwealth's eGrants system.

Questions should be directed to Michael Centi, Senior Traffic Control Specialist, Bureau of Maintenance and Operations, Department of Transportation, 400 North Street, 6th Floor, Harrisburg, PA 17120, (717) 787-5313, GLG@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1316. Filed for public inspection August 26, 2022, 9:00 a.m.]

ENVIRONMENTAL HEARING BOARD

Citizens for Pennsylvania's Future and Brodhead Watershed Association v. Department of Environmental Protection and Swiftwater Solar, LLC, Permittee; EHB Doc. No. 2022-058-L

Citizens for Pennsylvania's Future and Brodhead Watershed Association have appealed the issuance by the Department of Environmental Protection of NPDES Permit No. PAD450151 for the discharge of stormwater from an earth disturbance activity to Swiftwater Creek, Scot Run and Dry Sawmill Run at the Swiftwater Solar site located in Pocono Township, Monroe County.

The appeal is filed with the Environmental Hearing Board (Board). The notice of appeal, and other filings related to the appeal, may be reviewed by any interested person through the Board's web site at <http://ehb.courtapps.com>. If information concerning this notice is required in an alternative form, contact the Secretary to the Board at (717) 787-3483. TDD users may telephone the Board through the Pennsylvania Hamilton Relay Center at (800) 654-5984. A date for the hearing on the appeal has not yet been scheduled.

Petitions to intervene in the appeal may be filed with the Board by interested parties under 25 Pa. Code § 1021.81 (relating to intervention). Copies of the Board's rules of practice and procedure are available online and upon request from the Board.

THOMAS W. RENWAND,
Chairperson

[Pa.B. Doc. No. 22-1317. Filed for public inspection August 26, 2022, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

September Meeting Rescheduled

The September 20, 2022, meeting of the Environmental Quality Board (Board) has been rescheduled to Tuesday, September 13, 2022. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board," then "2022 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the September 13, 2022, meeting can be directed to Laura Griffin at laurgriffi@pa.gov or (717) 772-3277.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-3277 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,
Chairperson

[Pa.B. Doc. No. 22-1318. Filed for public inspection August 26, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Kevin V. McDermott; Doc. No. SC22-08-004

Notice is hereby given of the Order to Show Cause issued on August 16, 2022, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: sections 611-A(20) and 678-A(b) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(20) and 310.78(b)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1319. Filed for public inspection August 26, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Redomesticate from the Commonwealth of Pennsylvania by American Sentinel Insurance Company

American Sentinel Insurance Company, a domestic stock casualty insurance company, has filed for approval of a plan of redomestication whereby the state of domicile would change from the Commonwealth of Pennsylvania to Missouri. The filing was made under section 357 of The Insurance Company Law of 1921 (40 P.S. § 477e).

Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 10 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Company Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syenger@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1320. Filed for public inspection August 26, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Brighthouse Life Insurance Company; Rate Increase Filing for Several LTC Policy Forms (MILL-133235480); Rate Filing

Brighthouse Life Insurance Company is requesting approval to increase the premium an aggregate 54% on 1,777 policyholders with individual LTC policy forms H-LTC4JQ7, H-LTC4JFQ15, H-LTC3JFQ7, H-LTC3JFO26, H-LTC3JP, H-LTC3JP27, H-LTC3J-2, H-LTC2J-5 and H-LTC3JQ3.

Unless formal administrative action is taken prior to November 10, 2022, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices hover the cursor over the "Consumers" tab, then select "Pending Long Term Care Rate Filings".

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA

17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1321. Filed for public inspection August 26, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Genevieve Smith; License Denial Appeal; Doc. No. AG22-08-005

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Genevieve Smith has appealed the denial of the application for a 1033 Written Waiver to engage in the business of insurance. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for October 13, 2022, at 2 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 11, 2022. A hearing will occur on October 27, 2022, at 9:30 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before September 29, 2022. The e-mail address to be used for the Administrative Hearings Office will be ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any shall be electronically filed on or before October 11, 2022.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman at (717) 787-4429 or jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1322. Filed for public inspection August 26, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2022-3034397. Columbia Gas of Pennsylvania, Inc. Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to one residential premises in Lawrence County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 12, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harris-

burg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

Through and By Counsel for: Candis A. Tunilo, Esquire, 800 North Third Street, Suite 204, Harrisburg, PA 17102, ctunilo@nisource.com; Theodore J. Gallagher, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317, tjgallagher@nisource.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1323. Filed for public inspection August 26, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 12, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by September 12, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2022-3033935. Swift Tri State Courier and Transport, LLC, t/a Swift Tri State (26 Hamilton Street, Rankin, Allegheny County, PA 15104) for the right to begin to transport, as a common carrier, by motor vehicle, persons in call or demand service, between points in Allegheny County.

A-2022-3034260. Petra General Trading, LLC, t/a Safe Trips Transportation (4099 William Penn Highway, Suite # 614, Monroeville, Allegheny County, PA 15146) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Allegheny, Armstrong, Beaver, Butler, Fayette, Washington, Westmoreland and from points in Allegheny County to points in Pennsylvania, and return.

Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.

A-2022-3034364, A-6416671. Special Event EMS, Inc., t/a Mid-State Mobile Health Partners (P.O. Box 434, Enola, Cumberland County, PA 17025) for the discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, limited to persons who are ill or injured, in paratransit service, from points in the Counties of Adams, Cumberland, Dauphin, Franklin, Perry and York, to points in Pennsylvania and return, subject to the following restrictions and limitations: (i) transportation shall be to and from health-care facilities and physicians' offices in wheelchair equipped vans; and (ii) no right, power or privilege is sought, or shall be granted to provide any service originating in the Counties of Clinton, Columbia, Lycoming and Montour, the Borough of Riverside, Northumberland County, the Townships of Nescopeck and Salem and the Borough of Nescopeck in Luzerne County.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1324. Filed for public inspection August 26, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2022-3034439. Verizon Pennsylvania, LLC and Stroud Media, LLC. Joint petition of Verizon Pennsylvania, LLC and Stroud Media, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Stroud Media, LLC, by their counsel, filed on August 15, 2022, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and Stroud

Media, LLC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1325. Filed for public inspection August 26, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2022-3034476. Verizon North, LLC and Barr Tell USA, Inc. Joint petition of Verizon North, LLC and Barr Tell USA, Inc. for approval of an amendment to interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Barr Tell USA, Inc., by their counsel, filed on August 17, 2022, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an amendment to interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon North, LLC and Barr Tell USA, Inc. joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1326. Filed for public inspection August 26, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2022-3034477. Verizon Pennsylvania, LLC and Barr Tell USA, Inc. Joint petition of Verizon Pennsylvania, LLC and Barr Tell USA, Inc. for approval of a UNE/resale forbearance amendment to the interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Barr Tell USA, Inc., by their counsel, filed on August 17, 2022, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of a UNE/resale forbearance amendment to the interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and Barr Tell USA, Inc., joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1327. Filed for public inspection August 26, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer by Sale

A-2022-303448 and U-2022-3034483. PECO Energy Company. Application of PECO Energy Company for approval of the transfer by sale to the Borough of Aldan of street lighting facilities located in Delaware County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 12, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

Through and By Counsel for: Caroline S. Choi, Assistant General Counsel, PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699, (770) 910-3006, Caroline.Choi@exeloncorp.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1328. Filed for public inspection August 26, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer by Sale

A-2022-3034486 and U-2022-3034487. PECO Energy Company. Application of PECO Energy Company for approval of the transfer by sale to the Borough of Green Lane of street lighting facilities located in Montgomery County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 12, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

Through and By Counsel for: Caroline S. Choi, Assistant General Counsel, PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699, (770) 910-3006, Caroline.Choi@exeloncorp.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1329. Filed for public inspection August 26, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than September 12, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-22-08-01. HAR GUR Wander, Inc. (101 Powell Lane, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-22-08-02. Anim JJES Taxi, LLC (5809 Thomas Avenue, Apartment 2, Philadelphia, PA 19143): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-22-08-03. Ashraf Taxi, LLC (1657 Benner Street, Philadelphia, PA 19149): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-22-08-04. 2 Brothers Taxi, LLC (3463 Fidler Street, Philadelphia, PA 19114): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

Doc. No. A-22-08-05. N Sandhu Trans, LLC (2 Violet Lane, Glen Mills, PA 19342): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-1330. Filed for public inspection August 26, 2022, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Gina Pettit Fritz, LPN; Case No. 21-51-011145

On June 7, 2022, Gina Pettit Fritz, LPN, license No. PN106252L, last known of Hellertown, Northampton County, had her license suspended for no less than 3 years, retroactive to July 21, 2021, for violating a previous State Board of Nursing (Board) order.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final Board decision in this matter. It may be appealed to the Commonwealth Court

of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 22-1331. Filed for public inspection August 26, 2022, 9:00 a.m.]

STATE ETHICS COMMISSION

Public Meeting; Coraopolis

Under 65 Pa.C.S. §§ 1101—1113 (relating to Public Official and Employee Ethics Act) (act), the State Ethics Commission (Commission) is required to hold at least two public hearings each year to seek input from persons and organizations who represent any individual subject to the provisions of the act and from other interested parties.

The Commission will conduct a public meeting at the Pittsburgh Airport Marriott, 777 Aten Road, Coraopolis, PA 15108 on September 14, 2022, beginning at 9 a.m. for purposes of receiving the input and for the conduct of other agency business. Public officials, public employees, organizations and members of the general public may attend.

Persons seeking to testify or present any statement, information or other comments in relation to the act, the regulations of the Commission or agency operations should contact Julie Gibson at (717) 783-1610 or (800) 932-0936. Written copies of any statement should be provided at the time of the meeting.

MARY W. FOX,
Executive Director

[Pa.B. Doc. No. 22-1332. Filed for public inspection August 26, 2022, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Commission Meeting

The Susquehanna River Basin Commission (Commission) will conduct its regular business meeting on September 15, 2022, at 9 a.m. in person and digitally in the Caracas Room at the Kimpton Hotel Monaco Baltimore, 2 North Charles Street, Baltimore, MD 21201. Details concerning the matters to be addressed at the business

meeting are contained in the Supplementary Information section of this notice. The Commission published a document in the *Federal Register* at 87 FR 41376 (July 12, 2022), concerning its public hearing on August 11, 2022, in Harrisburg, PA.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, fax (717) 238-2436.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) adoption of a revised Civil Penalty Matrix and a revised Policy and Guidance Statement for the Settlement of Civil Penalties/Enforcement Actions; (2) adoption of the Commission's Fiscal Year (FY) 2024 Budget; (3) adoption of member jurisdictions allocation for FY 2024; (4) approval of contracts, grants and agreements; and (5) actions on 20 regulatory program projects.

This agenda is complete at the time of issuance, but other items may be added, and some stricken without further notice. The listing of an item on the agenda does not necessarily mean that the Commission will take final action on it at this meeting. When the Commission does take final action, notice of these actions will be published in the *Federal Register* after the meeting. Actions specific to projects will also be provided in writing directly to project sponsors.

The meeting will be conducted both in person at the United States Army Corps of Engineers, Baltimore District headquarters and digitally. The public is invited to attend the Commission's business meeting. Individuals can access the business meeting through a computer (audio and video) at <https://srbc.webex.com/srbc/j.php?MTID=m296635b23fd682a18bc26d79257993b5> then enter meeting number 177 385 1780 and password CommBusMtg0915. Individuals may participate telephonically by dialing (877) 668-4493 and entering the meeting number 177 385 1780 followed by the # sign.

Written comments pertaining to items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srbc.net/about/meetings-events/business-meeting.html. Comments are due to the Commission on or before August 22, 2022. Comments will not be accepted at the business meeting noticed herein.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: August 12, 2022

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 22-1333. Filed for public inspection August 26, 2022, 9:00 a.m.]

