

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 6, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

### BANKING INSTITUTIONS

#### Branch Applications

##### De Novo Branches

| <i>Date</i> | <i>Name and Location of Applicant</i>             | <i>Location of Branch</i>                                       | <i>Action</i> |
|-------------|---|---|---------------|
| 08-31-2022  | Asian Bank<br>Philadelphia<br>Philadelphia County | 934 East Passyunk Avenue<br>Philadelphia<br>Philadelphia County | Approved      |
| 09-06-2022  | Penn Community Bank<br>Doylestown<br>Bucks County | 2285 Schoenersville Road<br>Bethlehem<br>Lehigh County          | Approved      |
| 09-06-2022  | Penn Community Bank<br>Doylestown<br>Bucks County | 3100 West Tilghman Street<br>Allentown<br>Lehigh County         | Approved      |

#### Articles of Amendment

| <i>Date</i> | <i>Name and Location of Institution</i>   | <i>Action</i> |
|-------------|---|---------------|
| 09-02-2022  | The Gratz Bank<br>Camp Hill<br>Cumberland County<br><br>Amendment to Articles 1 and 2 of the institution's Articles of Incorporation provides for Article 1 to change the bank's name from The Gratz Bank to LINKBANK and Article 2 to change the bank's principal place of business from 32 West Market Street, Gratz, Dauphin County, PA, to 3045 Market Street, Camp Hill, Cumberland County, PA.<br><br>Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety. | Filed         |

### CREDIT UNIONS

#### Consolidations, Mergers and Absorptions

| <i>Date</i> | <i>Name and Location of Applicant</i>   | <i>Action</i> |
|-------------|---|---------------|
| 09-01-2022  | Community Regional Credit Union<br>Kingston<br>Luzerne County<br><br>Application for approval to merge Community Regional Credit Union, Kingston, with and into Choice One Community Federal Credit Union, Plains Township. | Effective     |

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 22-1427. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF BANKING AND SECURITIES

### Maximum Lawful Rate of Interest for Residential Mortgages for the Month of October 2022

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of October 2022, is 5 3/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 3.13 to which was added 2.50 percentage points for a total of 5.63 that by law is rounded off to the nearest quarter at 5 3/4%.

RICHARD VAGUE,  
*Secretary*

[Pa.B. Doc. No. 22-1428. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

### Draft of Amendment to the 2021 Annual Action Plan

The Department of Community and Economic Development (Department) is preparing an amendment to its 2021 Annual Action Plan. The purpose of the amendment is to allow Sandy Township, Clearfield County to pursue funding through the Federal Section 108 Program (Program). This Program allows local governments to leverage portions of their Community Development Block Grant (CDBG) funds into Federally guaranteed loans large enough to pursue physical and economic revitalization projects capable of redeveloping entire neighborhoods.

Sandy Township is pursuing \$875,000 through the Program to install an additional extension and conveyance system to the township's sanitary sewer system for an industrial park expansion as an economic development project.

Notice is hereby given the amendment involved updating the Commonwealth's Methods of Distribution to include the Program. Under the Commonwealth's initiative to use the Program, the loans are guaranteed by the Commonwealth, committing the use of future CDBG

funds to pay off the loan in case of default. The Commonwealth's 2022 Program loan capacity amount is \$180,158,130.25. Currently, the Commonwealth has the amount of \$19,275,000 in outstanding loans and is requesting to use \$875,000 toward the Sandy Township project for a total outstanding obligation of \$20,150,000.

Individuals or organizations may provide written comments regarding this amendment. Written comments may be submitted to David Grey, Chief of Compliance and Technical Services, Center for Community and Housing Development, Department of Community and Economic Development, [dgrey@pa.gov](mailto:dgrey@pa.gov). Public comments will be accepted until Monday, September 26, 2022 by 4 p.m.

NEIL WEAVER,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1429. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Governor's Advisory Council for Hunting, Fishing and Conservation Public Meeting

The Governor's Advisory Council for Hunting, Fishing, and Conservation (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on September 19, 2022, at 1 p.m. at the Rachel Carson State Office Building, Room 105, 400 Market Street, Harrisburg, PA 17101.

In-person seating is limited and pre-registration is required. A virtual access option will be available by means of WebEx. A link will be provided for virtual registration and attendance on the Council's web site prior to the meeting at [www.dcnr.pa.gov/Conservation/GovernorsAdvisoryCouncil](http://www.dcnr.pa.gov/Conservation/GovernorsAdvisoryCouncil).

Questions concerning this public meeting or agenda items can be directed to Derek Eberly at (717) 317-0028. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 22-1430. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

### Special Fall Round of Community Conservation Partnerships Program Grants Available

The Department of Conservation and Natural Resources (Department) announces that applications are now being accepted for a special "supplemental" Fall 2022

round of Community Conservation Partnerships Program Grants. These grants are administered by the Bureau of Recreation and Conservation (Bureau).

The open application period began on Tuesday, September 6, 2022, and will end at 4 p.m. on Thursday, October 27, 2022. Eligible applicants include municipal entities and appropriate nonprofit organizations in this Commonwealth.

Applications must be submitted electronically through the Department's Grants Customer Service Portal at <https://apps.dcnr.pa.gov/grants>. Paper, faxed or e-mailed applications will not be accepted. Grant information, project guidance documents, program policies, applications and instructions are available on the portal.

For assistance with the portal, contact the Department's Grants Customer Service Center, (800) 326-7734, [DCNR-Grants@pa.gov](mailto:DCNR-Grants@pa.gov).

Grant assistance from the Department helps communities and organizations in this Commonwealth plan, acquire and develop recreation, park, and trail facilities, and conserve open space.

Funding for the special grant round comes from multiple sources, with the largest being the Federal American Rescue Plan Act funding made available to the Department through the Outdoor Recreation Program as part of the Commonwealth's Fiscal Year 2022-2023 budget.

Application process and project types largely mirror those for the typical spring application period for the Department's Community Conservation Partnerships Program Grants.

Unique to this round, municipalities with populations under 5,000 people can apply for projects with a reduced level of match. For these municipalities, match is only 20% of the grant amount with no cap on project size.

The Fall funding round also includes additional funding to support watershed and community forestry practices including tree planting, lawn conversion and riparian buffers.

A frequently asked questions document at <https://elibrary.dcnr.pa.gov/GetDocument?docId=4594375&DocName=Grant%20Round%202028%20Supplemental%20Round%20FAQs.pdf> has been put together with more information about the Fall funding round. Additional information will also be published through the Bureau's e-newsletter at <https://signup.e2ma.net/signup/1884423/1893689/>.

Bureau staff are available to assist applicants with developing a competitive application. Staff contact information can be found on the Bureau's web site at [http://www.docs.dcnr.pa.gov/cs/groups/public/documents/document/d\\_001184.pdf](http://www.docs.dcnr.pa.gov/cs/groups/public/documents/document/d_001184.pdf).

CINDY ADAMS DUNN,  
*Secretary*

[Pa.B. Doc. No. 22-1431. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF EDUCATION

### Index Calculation Required by Special Session Act 1 of 2006

Under section 333(1) of the Taxpayer Relief Act (53 P.S. § 6926.333(1)), the Department of Education (Department) has calculated the index for Fiscal Year (FY) 2023-2024.

The index is the average of the percentage increase in the Statewide average weekly wage and the Employment Cost Index. For FY 2023-2024, the base index is 4.1%.

For school districts with a market value/income aid ratio greater than 0.4000, an adjusted index will be posted on the Department's web site at [www.education.pa.gov](http://www.education.pa.gov) by September 30, 2022.

ERIC HAGARTY,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1432. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

| <i>Section</i> | <i>Category</i>  |
|----------------|--|
| I              | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received                                |
| II             | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III            | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity  |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

| <i>Application Number</i> | <i>Permit Type</i>  | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>                    | <i>DEP Office</i> |
|---------------------------|---|-------------------------|---|--|-------------------|
| 1522812                   | Joint DEP/PFBC Pesticides Permit  | New                     | Bentley Bill<br>398 N Manor Road<br>Elverson, PA 19520-9187                               | West Nantmeal Township<br>Chester County       | SERO              |
| 1522816                   | Joint DEP/PFBC Pesticides Permit  | New                     | Downingtown Borough<br>Chester County<br>4 West Lancaster Avenue<br>Downingtown, PA 19335 | Downingtown Borough<br>Chester County          | SERO              |
| 4515809                   | Joint DEP/PFBC Pesticides Permit  | Renewal                 | Snyder Terry<br>1301 Mazzetti Road<br>Stroudsburg, PA 18360-8665                          | Stroud Township<br>Monroe County               | NERO              |
| 4622812                   | Joint DEP/PFBC Pesticides Permit  | New                     | Link Cynthia<br>1256 Bleim Road<br>Pottstown, PA 19464-2122                               | Lower Pottsgrove Township<br>Montgomery County | SERO              |
| 4912201                   | Manure Storage and Wastewater Impoundments Individual WQM Permit              | Transfer                | Rushtown Poultry LLC<br>90 Court Street<br>Bethel, PA 19507                               | Rush Township<br>Northumberland County         | NCRO              |
| 6380204                   | Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit | Amendment               | Allegheny Energy Supply Co. LLC<br>800 Cabin Hill Drive<br>Greensburg, PA 15601           | Union Township<br>Washington County            | SWRO              |
| NOEXNW144                 | No Exposure Certification   | Renewal                 | Schlumberger Tech Corp<br>95 Rutherford Run<br>Bradford, PA 16701-3713                    | Bradford City<br>McKean County                 | NWRO              |
| NOEXNW175                 | No Exposure Certification   | Renewal                 | Flexcut Tool Co. Inc.<br>8105 Hawthorne Drive<br>Erie, PA 16509-4653                      | Summit Township<br>Erie County                 | NWRO              |
| NOEXSC281                 | No Exposure Certification   | Renewal                 | Snap On Tools Corp<br>265 S Church Street<br>Robesonia, PA 19551-1601                     | Robesonia Borough<br>Berks County              | SCRO              |
| NOEXSC385                 | No Exposure Certification   | New                     | ABF Freight System Inc.<br>P.O. Box 10048<br>Fort Smith, AR 72917-0048                    | Lower Allen Township<br>Cumberland County      | SCRO              |
| NOEXSW190                 | No Exposure Certification   | Renewal                 | St-Gobain Ceramics<br>4702 State Route 982<br>Latrobe, PA 15650-3280                      | Derry Township<br>Westmoreland County          | SWRO              |
| PAR606114                 | PAG-03 NPDES General Permit for Industrial Stormwater                         | Transfer                | SA Recycling LLC<br>2411 N Glassell Street<br>Orange, CA 92865-2717                       | Koppel Borough<br>Beaver County                | SWRO              |
| PAG109615                 | PAG-10 NPDES General Permit for Hydrostatic Test Water                        | Renewal                 | Enterprise TE Products Pipeline Co. LLC<br>P.O. Box 4324<br>Houston, TX 77210-4324        | Greensburg City<br>Westmoreland County         | SWRO              |

| <i>Application Number</i> | <i>Permit Type</i>  | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                   | <i>DEP Office</i> |
|---------------------------|---|-------------------------|--|---|-------------------|
| PAG133589                 | PAG-13 NPDES<br>General Permit for<br>MS4s                                | Renewal                 | Hellam Township<br>York County<br>44 Walnut Springs Road<br>York, PA 17046-9000                                    | Hellam Township<br>York County                | SCRO              |
| PAG136384                 | PAG-13 NPDES<br>General Permit for<br>MS4s                                | Renewal                 | Smith Township<br>Washington County<br>100 Courson Hill Road<br>Washington, PA 15301                               | Smith Township<br>Washington County           | SWRO              |
| PAG138313                 | PAG-13 NPDES<br>General Permit for<br>MS4s                                | Renewal                 | Lake City Borough<br>Erie County<br>2350 Main Street<br>Lake City, PA 16423-1509                                   | Lake City Borough<br>Erie County              | NWRO              |
| 0609401                   | Pump Stations<br>Individual WQM<br>Permit                                 | Amendment               | Maxatawny Township<br>Municipal Authority<br>Berks County<br>127 Quarry Road<br>Suite 1<br>Kutztown, PA 19530-9697 | Maxatawny Township<br>Berks County            | SCRO              |
| 2582403                   | Pump Stations<br>Individual WQM<br>Permit                                 | Amendment               | Millcreek Township<br>Erie County<br>68 Port Access Road<br>Erie, PA 16507-2204                                    | Erie City<br>Erie County                      | NWRO              |
| 2590405                   | Pump Stations<br>Individual WQM<br>Permit                                 | Amendment               | Millcreek Township<br>Erie County<br>68 Port Access Road<br>Erie, PA 16507-2204                                    | Erie City<br>Erie County                      | NWRO              |
| 2792401                   | Pump Stations<br>Individual WQM<br>Permit                                 | Amendment               | Jenks Township<br>Forest County<br>P.O. Box 436<br>135 Pine Street<br>Marienville, PA 16239-0436                   | Jenks Township<br>Forest County               | NWRO              |
| 1122400                   | Sewer Extensions<br>Individual WQM<br>Permit                              | Amendment               | Portage Area Sewer Authority<br>Cambria County<br>606 Cambria Street<br>Portage, PA 15946-1516                     | Portage Borough<br>Cambria County             | SWRO              |
| 1422401                   | Sewer Extensions<br>Individual WQM<br>Permit                              | New                     | ORD Sewer Authority<br>235 Skips Lane<br>Osceola Mills, PA 16666-1753  | Decatur Township<br>Clearfield County         | NCRO              |
| 1022412                   | Single Residence<br>Sewage Treatment<br>Plant<br>Individual WQM<br>Permit | New                     | Bartley William<br>230 Hall Road<br>Slippery Rock, PA 16057-5508   | Clay Township<br>Butler County                | NWRO              |
| 2022411                   | Single Residence<br>Sewage Treatment<br>Plant<br>Individual WQM<br>Permit | New                     | Nancy & Richard Miller<br>292 Donation Road<br>Greenville, PA 16125-8008   | South Shenango<br>Township<br>Crawford County | NWRO              |
| 2022412                   | Single Residence<br>Sewage Treatment<br>Plant<br>Individual WQM<br>Permit | New                     | Holzer William<br>12730 Van Horne Road<br>Meadville, PA 16335  | Vernon Township<br>Crawford County            | NWRO              |
| 2422401                   | Single Residence<br>Sewage Treatment<br>Plant<br>Individual WQM<br>Permit | New                     | Schwartz Ronald A<br>1093 Saxonburg Boulevard<br>Saxonburg, PA 16056-9133  | Horton Township<br>Elk County                 | NWRO              |

| <i>Application Number</i> | <i>Permit Type</i>  | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>               | <i>DEP Office</i> |
|---------------------------|---|-------------------------|--|---|-------------------|
| 2522427                   | Single Residence Sewage Treatment Plant Individual WQM Permit | New                     | Hawkinson Charles<br>7210 Station Road<br>Erie, PA 16510-4851  | Harborcreek Township<br>Erie County       | NWRO              |
| 2522428                   | Single Residence Sewage Treatment Plant Individual WQM Permit | New                     | Cynthia & Norman Dougan<br>9579 Bliley Road<br>Erie, PA 16510-5271   | Greene Township<br>Erie County            | NWRO              |
| 2522429                   | Single Residence Sewage Treatment Plant Individual WQM Permit | New                     | Otto Kevin J<br>11103 Dyer Road<br>Union City, PA 16438-8743   | Greene Township<br>Erie County            | NWRO              |
| 3722406                   | Single Residence Sewage Treatment Plant Individual WQM Permit | New                     | Hatcher Claire<br>120 Old Colony Drive<br>New Castle, PA 16105-4502  | Neshannock Township<br>Lawrence County    | NWRO              |
| 4322407                   | Single Residence Sewage Treatment Plant Individual WQM Permit | New                     | Gerdy Mark<br>8105 Short Leaf Pine Circle<br>Greenville, SC 29609-1365   | Salem Township<br>Mercer County           | NWRO              |
| PA0265152                 | Small Flow Treatment Facility Individual NPDES Permit         | Transfer                | Charlotte Apt LLC<br>107 Archibald Street<br>Kansas City, MO 64111-2214  | Slippery Rock Township<br>Lawrence County | NWRO              |
| PA0265721                 | Small Flow Treatment Facility Individual NPDES Permit         | Transfer                | Safran Family Houston LLC<br>3639 Sweetwater Canyon Drive<br>Malibu, CA 90265-4905                                 | Bloomfield Township<br>Crawford County    | NWRO              |
| 2018401                   | Small Flow Treatment Facility Individual WQM Permit           | Transfer                | Safran Family Houston LLC<br>3639 Sweetwater Canyon Drive<br>Malibu, CA 90265-4905                                 | Bloomfield Township<br>Crawford County    | NWRO              |
| 3717401                   | Small Flow Treatment Facility Individual WQM Permit           | Transfer                | Charlotte Apt LLC<br>107 Archibald Street<br>Kansas City, MO 64111-2214  | Slippery Rock Township<br>Lawrence County | NWRO              |
| WQG02062202               | WQG-02 WQM General Permit                                     | New                     | Maxatawny Township<br>Municipal Authority<br>Berks County<br>127 Quarry Road<br>Suite 1<br>Kutztown, PA 19530-9697 | Maxatawny Township<br>Berks County        | SCRO              |

---

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

---

### *Northcentral Regional Office*

**PA0043583**, Sewage, SIC Code 4952, **Hartley Township Municipal Authority**, P.O. Box 175, Laurelton, PA 17835-0175. Facility Name: Hartley Township Municipal Authority Wastewater Treatment Plant. This existing facility is located in Hartley Township, **Union County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Laurel Run (CWF), is located in State Water Plan watershed 6-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.2 MGD.—Limits.

| Parameters  | Mass Units (lbs/day) |                  | Minimum            | Concentrations (mg/L) |                | IMAX   |
|---|----------------------|------------------|--------------------|-----------------------|----------------|--------|
|   | Average Monthly      | Weekly Average   |                    | Average Monthly       | Weekly Average |        |
| Flow (MGD)  | Report               | Report           | XXX                | XXX                   | XXX            | XXX    |
| pH (S.U.)   | XXX                  | Daily Max<br>XXX | 6.0                | XXX                   | XXX            | 9.0    |
| Dissolved Oxygen  | XXX                  | XXX              | Inst Min<br>Report | XXX                   | XXX            | XXX    |
| Total Residual Chlorine (TRC)                               | XXX                  | XXX              | XXX                | XXX                   | XXX            | 0.02   |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | 41                   | 65               | XXX                | 25.0                  | 40.0           | 50     |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )               | Report               | Report           | XXX                | Report                | XXX            | XXX    |
| Raw Sewage Influent   |                      | Daily Max        |                    |                       |                |        |
| Total Suspended Solids                                      | 50                   | 75               | XXX                | 30.0                  | 45.0           | 60     |
| Total Suspended Solids                                      | Report               | Report           | XXX                | Report                | XXX            | XXX    |
| Raw Sewage Influent   |                      | Daily Max        |                    |                       |                |        |
| Fecal Coliform (No./100 ml)                                 |                      |                  |                    |                       |                |        |
| Oct 1 - Apr 30  | XXX                  | XXX              | XXX                | 2,000                 | XXX            | 10,000 |
| May 1 - Sep 30  | XXX                  | XXX              | XXX                | Geo Mean<br>200       | XXX            | 1,000  |
| E. Coli (No./100 ml)  | XXX                  | XXX              | XXX                | Geo Mean<br>XXX       | XXX            | Report |
| Total Nitrogen  | Report               | XXX              | XXX                | Report                | XXX            | XXX    |
| Ammonia-Nitrogen  |                      |                  |                    |                       |                |        |
| Nov 1 - Apr 30  | Report               | Report           | XXX                | Report                | Report         | XXX    |
| May 1 - Oct 31  | 21                   | 31               | XXX                | 13.0                  | 19.0           | 25     |
| Total Phosphorus  | Report               | XXX              | XXX                | Report                | XXX            | XXX    |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

**PA0044652**, Sewage, SIC Code 4952, **PA DCNR**, 28 Entrance Road, Troy, PA 16947-8506. Facility Name: Mt. Pisgah State Park. This existing facility is located in West Burlington Township, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mill Creek (TSF), is located in State Water Plan watershed 4-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.

| Parameters  | Mass Units (lbs/day) |                | Minimum | Concentrations (mg/L) |               | IMAX   |
|---|----------------------|----------------|---------|-----------------------|---------------|--------|
|   | Average Monthly      | Average Weekly |         | Average Monthly       | Daily Maximum |        |
| Flow (MGD)  | Report               | XXX            | XXX     | XXX                   | XXX           | XXX    |
| pH (S.U.)   | XXX                  | XXX            | 6.0     | XXX                   | 9.0           | XXX    |
| Dissolved Oxygen  | XXX                  | XXX            | Report  | XXX                   | XXX           | XXX    |
| Total Residual Chlorine (TRC)                               | XXX                  | XXX            | XXX     | 0.5                   | XXX           | 1.6    |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                  | XXX            | XXX     | 25                    | XXX           | 50     |
| Total Suspended Solids                                      | XXX                  | XXX            | XXX     | 30                    | XXX           | 60     |
| Fecal Coliform (No./100 ml)                                 |                      |                |         |                       |               |        |
| Oct 1 - Apr 30  | XXX                  | XXX            | XXX     | 2,000                 | XXX           | 10,000 |
| May 1 - Sep 30  | XXX                  | XXX            | XXX     | Geo Mean<br>200       | XXX           | 1,000  |
| Ammonia-Nitrogen  |                      |                |         | Geo Mean              |               |        |
| Nov 1 - Apr 30  | XXX                  | XXX            | XXX     | 20.0                  | XXX           | 40.0   |
| May 1 - Oct 31  | XXX                  | XXX            | XXX     | 6.5                   | XXX           | 13.0   |
| E. Coli (No./100 ml)  | XXX                  | XXX            | XXX     | XXX                   | Report        | XXX    |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.



*Northeast Regional Office*

**PA0061671**, Sewage, SIC Code 4952, **Greenfield Township Sewer Authority, Lackawanna County**, P.O. Box 501, Carbondale, PA 18407-0501. Facility Name: Greenfield Township Sewer Authority Wastewater Treatment Plant. This existing facility is located in Greenfield Township, **Lackawanna County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Dundaff Creek (WWF), is located in State Water Plan watershed 4-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .14 MGD.—Interim Limits.

| <i>Parameters</i>    | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                  | <i>IMAX</i> |
|----------------------|-----------------------------|-----------------------|----------------|------------------------------|------------------|-------------|
|                      | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Maximum</i>   |             |
| Copper, Total (ug/L) | Report                      | Report Daily Max      | XXX            | Report                       | Report Daily Max | XXX         |
| Zinc, Total (ug/L)   | Report                      | Report Daily Max      | XXX            | Report                       | Report Daily Max | XXX         |

The proposed effluent limits for Outfall 001 are based on a design flow of .14 MGD.—Final Limits.

| <i>Parameters</i>    | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                 | <i>IMAX</i> |
|----------------------|-----------------------------|-----------------------|----------------|------------------------------|-----------------|-------------|
|                      | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Maximum</i>  |             |
| Copper, Total (ug/L) | 0.015                       | 0.022 Daily Max       | XXX            | 13.0                         | 18.9 Daily Max  | 32.6        |
| Zinc, Total (ug/L)   | Report                      | 0.2 Daily Max         | XXX            | Report                       | 167.0 Daily Max | 167.0       |

The proposed effluent limits for Outfall 001 are based on a design flow of .14 MGD.—Limits.

| <i>Parameters</i>    | <i>Mass Units (lbs/day)</i> |                       | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> |                       | <i>IMAX</i> |
|----------------------|-----------------------------|-----------------------|------------------------------|------------------------------|-----------------------|-------------|
|                      | <i>Average Monthly</i>      | <i>Weekly Average</i> |                              | <i>Average Monthly</i>       | <i>Weekly Average</i> |             |
| E. Coli (No./100 ml) | XXX                         | XXX                   | XXX                          | XXX                          | XXX                   | Report      |

The proposed effluent limits for Outfall 001 are based on a design flow of .14 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> |                       | <i>IMAX</i> |
|---|-----------------------------|-----------------------|------------------------------|------------------------------|-----------------------|-------------|
|   | <i>Average Monthly</i>      | <i>Weekly Average</i> |                              | <i>Average Monthly</i>       | <i>Weekly Average</i> |             |
| Flow (MGD)  | Report                      | Report Daily Max      | XXX                          | XXX                          | XXX                   | XXX         |
| pH (S.U.)   | XXX                         | XXX                   | 6.0                          | XXX                          | XXX                   | 9.0         |
| Dissolved Oxygen  | XXX                         | XXX                   | 6.0                          | XXX                          | XXX                   | XXX         |
| Total Residual Chlorine (TRC)                               | XXX                         | XXX                   | XXX                          | 0.04                         | XXX                   | 0.09        |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | 29.2                        | 46.7                  | XXX                          | 25.0                         | 40.0                  | 50.0        |
| BOD <sub>5</sub> Minimum % Removal (%)                      | 85 Min Mo Avg               | XXX                   | XXX                          | XXX                          | XXX                   | XXX         |
| Total Suspended Solids                                      | 35.0                        | 52.5                  | XXX                          | 30.0                         | 45.0                  | 60.0        |
| Total Suspended Solids Minimum % Removal (%)                | 85 Min Mo Avg               | XXX                   | XXX                          | XXX                          | XXX                   | XXX         |
| Fecal Coliform (No./100 ml)                                 |                             |                       |                              |                              |                       |             |
| Oct 1 - Apr 30  | XXX                         | XXX                   | XXX                          | 2,000 Geo Mean               | XXX                   | 10,000      |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX                          | 200 Geo Mean                 | XXX                   | 1,000       |
| Ultraviolet light intensity (mW/cm <sup>2</sup> )           | XXX                         | XXX                   | Report                       | XXX                          | XXX                   | XXX         |
| Nitrate-Nitrite as N  | Report                      | Report Daily Max      | XXX                          | Report                       | Report Daily Max      | XXX         |
| Nitrate-Nitrite as N (Total Load, lbs)                      | Report Total Mo             | XXX                   | XXX                          | XXX                          | XXX                   | XXX         |
| Total Nitrogen  | Report                      | Report Daily Max      | XXX                          | Report                       | Report Daily Max      | XXX         |

NOTICES

| <i>Parameters</i>                                  | <i>Mass Units (lbs/day)</i> |                       | <i>Instantaneous Minimum</i> | <i>Concentrations (mg/L)</i> |                       | <i>IMAX</i> |
|--|-----------------------------|-----------------------|------------------------------|------------------------------|-----------------------|-------------|
|  | <i>Average Monthly</i>      | <i>Weekly Average</i> |                              | <i>Average Monthly</i>       | <i>Weekly Average</i> |             |
| Total Nitrogen<br>(Total Load, lbs) (lbs)          | Report<br>Total Mo          | XXX                   | XXX                          | XXX                          | XXX                   | XXX         |
| Ammonia-Nitrogen<br>Nov 1 - Apr 30                 | 8.7                         | Report<br>Daily Max   | XXX                          | 7.5                          | 15.0<br>Daily Max     | 15.0        |
| May 1 - Oct 31                                     | 2.9                         | Report<br>Daily Max   | XXX                          | 2.5                          | 5.0<br>Daily Max      | 5.0         |
| Ammonia-Nitrogen<br>(Total Load, lbs) (lbs)        | Report<br>Total Mo          | XXX                   | XXX                          | XXX                          | XXX                   | XXX         |
| Total Kjeldahl Nitrogen                            | Report                      | Report<br>Daily Max   | XXX                          | Report                       | Report<br>Daily Max   | XXX         |
| Total Kjeldahl Nitrogen<br>(Total Load, lbs) (lbs) | Report<br>Total Mo          | XXX                   | XXX                          | XXX                          | XXX                   | XXX         |
| Total Phosphorus                                   | Report                      | Report<br>Daily Max   | XXX                          | Report                       | Report<br>Daily Max   | XXX         |
| Total Phosphorus<br>(Total Load, lbs) (lbs)        | Report<br>Total Mo          | XXX                   | XXX                          | XXX                          | XXX                   | XXX         |
| Lead, Total  | Report                      | Report<br>Daily Max   | XXX                          | Report                       | Report<br>Daily Max   | XXX         |

The proposed effluent limits for Internal Monitoring Point/Outfall 101 are based on a design flow of NA MGD.—Limits.

| <i>Parameters</i>  | <i>Mass Units (lbs/day)</i> |                      | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|--|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------|
|  | <i>Average Monthly</i>      | <i>Daily Maximum</i> |                | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )<br>Raw Sewage Influent | Report                      | Report               | XXX            | Report                       | Report               | XXX         |
| Total Suspended Solids<br>Raw Sewage Influent                        | Report                      | Report               | XXX            | Report                       | Report               | XXX         |

In addition, the permit contains the following major special conditions:

- Stormwater prohibition; Necessary property rights; Residuals management; Chlorine minimization; Dry stream condition; SBR condition; Responsible operator; O&M Plan; High Flow Management Plan; Hauled-in wastewater; Changes to existing conditions; Required POTW SCADA System Upgrades; Chesapeake Bay Nutrient Definition; Solids management; WQBELs for toxic pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

**PA0064092**, Sewage, SIC Code 4952, **Beach Lake Municipal Authority**, P.O. Box 151, Beach Lake, PA 18405. Facility Name: Beach Lake Municipal Authority WWTP. This existing facility is located in Berlin Township, **Wayne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Beach Lake Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-A and is classified for High Quality Waters—Cold Water and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.

(From Permit Effective Date to 3 Years After Permit Effective Date)

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Total Residual Chlorine (TRC) | XXX                         | XXX                   | XXX            | 0.44                         | XXX            | 1.03        |

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.

(From 3 Years After Permit Effective Date to Permit Expiration Date)

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|-------------------------------|-----------------------------|-----------------------|----------------|------------------------------|----------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Average Weekly</i> |                | <i>Average Monthly</i>       | <i>Maximum</i> |             |
| Total Residual Chlorine (TRC) | XXX                         | XXX                   | XXX            | 0.29                         | XXX            | 0.96        |

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.

(From Permit Effective Date to Permit Expiration Date)

| Parameters  | Mass Units (lbs/day) |                  | Instant. Minimum | Concentrations (mg/L) |                | IMAX   |
|---|----------------------|------------------|------------------|-----------------------|----------------|--------|
|   | Average Monthly      | Weekly Average   |                  | Average Monthly       | Weekly Average |        |
| Flow (MGD)  | Report               | Report Daily Max | XXX              | XXX                   | XXX            | XXX    |
| pH (S.U.)   | XXX                  | XXX              | 6.0              | XXX                   | XXX            | 9.0    |
| Dissolved Oxygen  | XXX                  | XXX              | 5.0              | XXX                   | XXX            | XXX    |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | XXX                  | XXX              | XXX              | Report                | XXX            | XXX    |
| Raw Sewage Influent   |                      |                  |                  |                       |                |        |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | 15.0                 | 22.5             | XXX              | 20.0                  | 30.0           | 40.0   |
| Total Suspended Solids                                      | XXX                  | XXX              | XXX              | Report                | XXX            | XXX    |
| Raw Sewage Influent   |                      |                  |                  |                       |                |        |
| Total Suspended Solids                                      | 7.5                  | 11.3             | XXX              | 10.0                  | 15.0           | 20.0   |
| Fecal Coliform (No./100 ml)                                 |                      |                  |                  |                       |                |        |
| Oct 1 - Apr 30  | XXX                  | XXX              | XXX              | 2,000                 | XXX            | 10,000 |
| May 1 - Sep 30  | XXX                  | XXX              | XXX              | Geo Mean 200          | XXX            | 1,000  |
|   |                      |                  |                  | Geo Mean              |                |        |
| Nitrate-Nitrite as N  | XXX                  | XXX              | XXX              | Report                | XXX            | XXX    |
| Total Nitrogen  | XXX                  | XXX              | XXX              | Report                | XXX            | XXX    |
| Ammonia-Nitrogen  |                      |                  |                  |                       |                |        |
| Nov 1 - Apr 30  | 3.4                  | XXX              | XXX              | 4.5                   | XXX            | 9.0    |
| May 1 - Oct 31  | 1.1                  | XXX              | XXX              | 1.5                   | XXX            | 3.0    |
| Total Kjeldahl Nitrogen                                     | XXX                  | XXX              | XXX              | Report                | XXX            | XXX    |
| Total Phosphorus  | 1.5                  | XXX              | XXX              | 2.0                   | XXX            | 4.0    |

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.

(From Permit Effective Date to Permit Expiration Date)

| Parameters             | Mass Units (lbs/day) |                | Minimum | Concentrations (mg/L) |                | IMAX   |
|------------------------|----------------------|----------------|---------|-----------------------|----------------|--------|
|                        | Average Monthly      | Weekly Average |         | Average Quarterly     | Weekly Average |        |
| Total Dissolved Solids | XXX                  | XXX            | XXX     | 1,000                 | XXX            | XXX    |
| E. Coli (No./100 ml)   | XXX                  | XXX            | XXX     | XXX                   | XXX            | Report |
| Copper, Total          | XXX                  | XXX            | XXX     | Report                | XXX            | XXX    |
| Zinc, Total            | XXX                  | XXX            | XXX     | Report                | XXX            | XXX    |

In addition, the permit contains the following major special conditions:

- Solids Management
- Requirements for Total Residual Chlorine (TRC)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0290971**, Sewage, SIC Code 8800, **Monica Snyder**, 7209 Country Club Road, Butler, PA 16001-8576. Facility Name: Monica Snyder SRSTP. This proposed facility is located in Franklin Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Mulligan Run, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

| Parameters | Mass Units (lbs/day) |                | Minimum  | Concentrations (mg/L) |         | IMAX |
|------------|----------------------|----------------|----------|-----------------------|---------|------|
|            | Average Monthly      | Average Weekly |          | Annual Average        | Maximum |      |
| Flow (GPD) | Report               | XXX            | XXX      | XXX                   | XXX     | XXX  |
|            | Annl Avg             |                |          |                       |         |      |
| pH (S.U.)  | XXX                  | XXX            | 6.0      | XXX                   | XXX     | 9.0  |
|            |                      |                | Inst Min |                       |         |      |

| Parameters                                    | Mass Units (lbs/day) |                | Minimum | Concentrations (mg/L) |         | IMAX |
|---|----------------------|----------------|---------|-----------------------|---------|------|
|   | Average Monthly      | Average Weekly |         | Annual Average        | Maximum |      |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                  | XXX            | XXX     | 10.0                  | XXX     | 20   |
| Total Suspended Solids                        | XXX                  | XXX            | XXX     | 10.0                  | XXX     | 20   |
| Fecal Coliform (No./100 ml)                   | XXX                  | XXX            | XXX     | 200                   | XXX     | XXX  |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0291064**, Sewage, SIC Code 8800, **Adolph J Zampogna**, 1018 Edgewood Road, New Kensington, PA 15068-5312. Facility Name: Adolph Zampogna SRSTP. This proposed facility is located in Burrell Township, **Armstrong County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Long Run, is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

| Parameters                                    | Mass Units (lbs/day) |                | Minimum                | Concentrations (mg/L) |         | IMAX |
|---|----------------------|----------------|------------------------|-----------------------|---------|------|
|   | Average Monthly      | Average Weekly |                        | Annual Average        | Maximum |      |
| Flow (GPD)                                    | Report Annl Avg      | XXX            | XXX                    | XXX                   | XXX     | XXX  |
| pH (S.U.)                                     | XXX                  | XXX            | 6.0<br>Inst Min<br>XXX | XXX                   | XXX     | 9.0  |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                  | XXX            | XXX                    | 10.0                  | XXX     | 20   |
| Total Suspended Solids                        | XXX                  | XXX            | XXX                    | 10.0                  | XXX     | 20   |
| Fecal Coliform (No./100 ml)                   | XXX                  | XXX            | XXX                    | 200                   | XXX     | XXX  |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0291099**, Sewage, SIC Code 4952, 8800, **Claire Hatcher**, 120 Old Colony Drive, New Castle, PA 16105-4502. Facility Name: Claire Hatcher SRSTP. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Shenango River, located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

| Parameters                                    | Mass Units (lbs/day) |                | Minimum                | Concentrations (mg/L) |         | IMAX |
|---|----------------------|----------------|------------------------|-----------------------|---------|------|
|   | Average Monthly      | Average Weekly |                        | Annual Average        | Maximum |      |
| Flow (GPD)                                    | Report Annl Avg      | XXX            | XXX                    | XXX                   | XXX     | XXX  |
| pH (S.U.)                                     | XXX                  | XXX            | 6.0<br>Inst Min<br>XXX | XXX                   | XXX     | 9.0  |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                  | XXX            | XXX                    | 10.0                  | XXX     | 20.0 |
| Total Suspended Solids                        | XXX                  | XXX            | XXX                    | 10.0                  | XXX     | 20.0 |
| Fecal Coliform (No./100 ml)                   | XXX                  | XXX            | XXX                    | 200                   | XXX     | XXX  |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0291111**, Sewage, SIC Code 4952, 8800, **Ronald A Schwartz**, 1093 Saxonburg Boulevard, Saxonburg, PA 16056-9133. Facility Name: Ronald Schwartz SRSTP. This proposed facility is located in Horton Township, **Elk County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Little Toby Creek, located in State Water Plan watershed 17-A and classified for Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MG.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                       | <i>Minimum</i>  | <i>Concentrations (mg/L)</i> |                | <i>IMAX</i> |
|---|-----------------------------|-----------------------|-----------------|------------------------------|----------------|-------------|
|   | <i>Average Monthly</i>      | <i>Average Weekly</i> |                 | <i>Annual Average</i>        | <i>Maximum</i> |             |
| Flow (GPD)                                    | Report                      | XXX                   | XXX             | XXX                          | XXX            | XXX         |
| pH (S.U.)                                     | Annl Avg<br>XXX             | XXX                   | 6.0<br>Inst Min | XXX                          | XXX            | 9.0         |
| Total Residual Chlorine (TRC)                 | XXX                         | XXX                   | XXX             | Report                       | XXX            | XXX         |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20.0        |
| Total Suspended Solids                        | XXX                         | XXX                   | XXX             | 10.0                         | XXX            | 20.0        |
| Fecal Coliform (No./100 ml)                   | XXX                         | XXX                   | XXX             | 200                          | XXX            | XXX         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0087661**, Sewage, SIC Code 4952, **Chestnut Ridge Area Joint Authority**, 320 Lane Metal Road, New Paris, PA 15554-9238. Facility Name: Chestnut Ridge Area Joint Authority STP. This existing facility is located in East Saint Clair Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Dunning Creek (WWF), is located in State Water Plan watershed 11-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .915 MGD.—Limits.

| <i>Parameters</i>   | <i>Mass Units (lbs/day)</i> |                       | <i>Daily Minimum</i> | <i>Concentrations (mg/L)</i> |                       | <i>IMAX</i> |
|---|-----------------------------|-----------------------|----------------------|------------------------------|-----------------------|-------------|
|   | <i>Average Monthly</i>      | <i>Weekly Average</i> |                      | <i>Average Monthly</i>       | <i>Weekly Average</i> |             |
| Flow (MGD)  | Report                      | Report<br>Daily Max   | XXX                  | XXX                          | XXX                   | XXX         |
| pH (S.U.)   | XXX                         | XXX                   | 6.0<br>Inst Min      | XXX                          | XXX                   | 9.0         |
| Dissolved Oxygen  | XXX                         | XXX                   | 5.0<br>Inst Min      | XXX                          | XXX                   | XXX         |
| Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) | 117                         | 188                   | XXX                  | 20.0                         | 32.0                  | 40          |
| Biochemical Oxygen Demand (BOD <sub>5</sub> )               | Report                      | Report<br>Daily Max   | XXX                  | Report                       | XXX                   | XXX         |
| Raw Sewage Influent   |                             |                       |                      |                              |                       |             |
| Total Suspended Solids                                      | 176                         | 264                   | XXX                  | 30.0                         | 45.0                  | 60          |
| Total Suspended Solids Raw Sewage Influent                  | Report                      | Report<br>Daily Max   | XXX                  | Report                       | XXX                   | XXX         |
| Fecal Coliform (No./100 ml)                                 |                             |                       |                      |                              |                       |             |
| Oct 1 - Apr 30  | XXX                         | XXX                   | XXX                  | 2,000<br>Geo Mean            | XXX                   | 10,000      |
| May 1 - Sep 30  | XXX                         | XXX                   | XXX                  | 200<br>Geo Mean              | XXX                   | 1,000       |
| Ultraviolet light intensity (mW/cm <sup>2</sup> )           | XXX                         | XXX                   | Report               | XXX                          | XXX                   | XXX         |
| Nitrate-Nitrite as N  | XXX                         | XXX                   | XXX                  | Report                       | XXX                   | XXX         |
| Nitrate-Nitrite as N (Total Load, lbs) (lbs)                | Report<br>Total Mo          | XXX                   | XXX                  | XXX                          | XXX                   | XXX         |
| Total Nitrogen  | XXX                         | XXX                   | XXX                  | Report                       | XXX                   | XXX         |
| Total Nitrogen (Total Load, lbs) (lbs)                      | Report<br>Total Mo          | XXX                   | XXX                  | XXX                          | XXX                   | XXX         |
| Ammonia-Nitrogen  |                             |                       |                      |                              |                       |             |
| Nov 1 - Apr 30  | 123                         | XXX                   | XXX                  | 21.0                         | XXX                   | 42          |
| May 1 - Oct 31  | 41                          | XXX                   | XXX                  | 7.0                          | XXX                   | 14          |
| Ammonia-Nitrogen (Total Load, lbs) (lbs)                    | Report<br>Total Mo          | XXX                   | XXX                  | XXX                          | XXX                   | XXX         |

| Parameters   | Mass Units (lbs/day) |                   | Daily<br>Minimum | Concentrations (mg/L) |                   | IMAX |
|--|----------------------|-------------------|------------------|-----------------------|-------------------|------|
|  | Average<br>Monthly   | Weekly<br>Average |                  | Average<br>Monthly    | Weekly<br>Average |      |
| Total Kjeldahl Nitrogen                            | XXX                  | XXX               | XXX              | Report                | XXX               | XXX  |
| Total Kjeldahl Nitrogen<br>(Total Load, lbs) (lbs) | Report               | XXX               | XXX              | XXX                   | XXX               | XXX  |
| Total Phosphorus                                   | Total Mo             | XXX               | XXX              | Report                | XXX               | XXX  |
| Total Phosphorus<br>(Total Load, lbs) (lbs)        | Report               | XXX               | XXX              | XXX                   | XXX               | XXX  |
|  | Total Mo             |                   |                  |                       |                   |      |

The proposed effluent limits for Outfall 001 are based on a design flow of .915 MGD.—Limits.

| Parameters           | Mass Units (lbs/day) |                   | Daily<br>Minimum | Concentrations (mg/L) |                     | IMAX |
|----------------------|----------------------|-------------------|------------------|-----------------------|---------------------|------|
|                      | Average<br>Monthly   | Weekly<br>Average |                  | Average<br>Monthly    | Weekly<br>Average   |      |
| E. Coli (No./100 ml) | XXX                  | XXX               | XXX              | XXX                   | Report<br>Daily Max | XXX  |

The proposed effluent limits for Outfall 001 are based on a design flow of .915 MGD.—Limits.

| Parameters    | Mass Units (lbs/day) |                   | Daily<br>Minimum | Concentrations (mg/L) |                   | IMAX |
|---------------|----------------------|-------------------|------------------|-----------------------|-------------------|------|
|               | Average<br>Monthly   | Weekly<br>Average |                  | Average<br>Monthly    | Weekly<br>Average |      |
| Copper, Total | Report               | XXX               | XXX              | Report                | XXX               | XXX  |
|               | Semi Avg             |                   |                  | Semi Avg              |                   |      |
| Zinc, Total   | Report               | XXX               | XXX              | Report                | XXX               | XXX  |
|               | Semi Avg             |                   |                  | Semi Avg              |                   |      |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PAI130034, MS4, Hatfield Township, Montgomery County, 1950 School Road, Hatfield, PA 19440-1923.**

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Hatfield Township, **Montgomery County**. The receiving stream(s), Unnamed Tributary of Skippack Creek (TSF, MF), Unnamed Tributary to West Branch Neshaminy Creek (WWF, MF), and West Branch Neshaminy Creek (WWF, MF), is located in State Water Plan watershed 3-E and 2-F and is classified for Migratory Fishes, Warm Water Fishes, and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s.

*Southeast Regional Office*

**PAI130071, MS4, Worcester Township, Montgomery County, 1721 Valley Forge Road, Worcester, PA 19490.**

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Worcester Township, **Montgomery County**. The receiving stream(s), Unnamed Tributary to Towamencin Creek (TSF, MF), Wissahickon Creek (TSF, MF), Unnamed Tributary to Skippack Creek (TSF, MF), Unnamed Tributary of Stony Creek (TSF, MF), and Unnamed Tributary to Zacharias Creek (TSF, MF), is located in State Water Plan watershed 3-F and 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s.

*Southeast Regional Office*

**PAI130083**, MS4, **Towamencin Township, Montgomery County**, P.O. Box 303, Kulpsville, PA 19443-0303.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Towamencin Township, **Montgomery County**. The receiving stream(s), Towamencin Creek (TSF, MF) and Skippack Creek (TSF, MF), is located in State Water Plan watershed 3-E and is classified for Migratory Fishes and Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)
- A Total Maximum Daily Load (TMDL) Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s.

*Southeast Regional Office*

**PA0004979**, Industrial, SIC Code 2821, **Neville Chemicals Co.**, 2800 Neville Road, Pittsburgh, PA 15225-1496. Facility Name: Neville Chemicals Co. This existing facility is located in Neville Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Ohio River and Ohio River (WWF), is located in State Water Plan watershed—and 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.037 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                   | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)        | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)         | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Temperature (°F)  | XXX                         | XXX                  | XXX                     | XXX                          | 110.0                | XXX         |

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                   | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)        | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)         | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Oil and Grease    | XXX                         | XXX                  | XXX                     | 15.0                         | 30.0                 | XXX         |

The proposed effluent limits for Outfall 005 are based on a design flow of 1.01 MGD.—Limits.

| <i>Parameters</i>      | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                        | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)             | 1.01                        | 2.02                 | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)              | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Suspended Solids | XXX                         | XXX                  | XXX                     | 30.0                         | 60.0                 | XXX         |
| Oil and Grease         | XXX                         | XXX                  | XXX                     | 15.0                         | 30.0                 | XXX         |
| Ethylbenzene           | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Benzene                | XXX                         | XXX                  | XXX                     | 0.442                        | 0.690                | XXX         |
| Naphthalene            | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Toluene                | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Xylenes, Total         | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |

The proposed effluent limits for Outfall 101 are based on a design flow of 0.157 MGD.—Limits.

| <i>Parameters</i>                             | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|---|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|   | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)                                    | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)                                     | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Biochemical Oxygen Demand (BOD <sub>5</sub> ) | XXX                         | XXX                  | XXX                     | 26.0                         | 69.0                 | XXX         |
| Total Suspended Solids                        | XXX                         | XXX                  | XXX                     | 42.0                         | 135.0                | XXX         |
| Fluoride, Total                               | 1,273.00                    | 1,651.00             | XXX                     | Report                       | Report               | XXX         |
| Fluoroborates                                 | Report                      | Report               | XXX                     | Report                       | Report               | XXX         |

The proposed effluent limits for Outfall 101 are based on a design flow of 2.1 MGD.—Limits.

| <i>Parameters</i>           | <i>Mass Units (lbs/day)</i> |                      | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-----------------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------|
|                             | <i>Average Quarterly</i>    | <i>Daily Maximum</i> |                | <i>Average Quarterly</i>     | <i>Daily Maximum</i> |             |
| Chromium, Total             | 1.453                       | 3.627                | XXX            | 1.110                        | 2.770                | XXX         |
| Copper, Total               | 1.899                       | 4.426                | XXX            | 1.450                        | 3.380                | XXX         |
| Cyanide, Total              | 0.550                       | 1.571                | XXX            | 0.420                        | 1.20                 | XXX         |
| Lead, Total                 | 0.419                       | 0.903                | XXX            | 0.320                        | 0.690                | XXX         |
| Nickel, Total               | 2.213                       | 5.211                | XXX            | 1.690                        | 3.980                | XXX         |
| Zinc, Total                 | 1.375                       | 3.417                | XXX            | 1.050                        | 2.610                | XXX         |
| 2-Chlorophenol              | 0.041                       | 0.128                | XXX            | 0.031                        | 0.098                | XXX         |
| 2,4-Dichlorophenol          | 0.051                       | 0.147                | XXX            | 0.039                        | 0.112                | XXX         |
| 2,4-Dimethylphenol          | 0.024                       | 0.047                | XXX            | 0.018                        | 0.036                | XXX         |
| Fluorene                    | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| 2,4-Dinitrophenol           | 0.093                       | 0.161                | XXX            | 0.071                        | 0.123                | XXX         |
| 2,4-Dinitrotoluene          | 0.148                       | 0.373                | XXX            | 0.113                        | 0.285                | XXX         |
| 2,6-Dinitrotoluene          | 0.334                       | 0.839                | XXX            | 0.255                        | 0.641                | XXX         |
| 4,6-dinitro-o-cresol        | 0.102                       | 0.363                | XXX            | 0.078                        | 0.277                | XXX         |
| 2-Nitrophenol               | 0.054                       | 0.090                | XXX            | 0.041                        | 0.069                | XXX         |
| 4-Nitrophenol               | 0.094                       | 0.162                | XXX            | 0.072                        | 0.124                | XXX         |
| Phenol                      | 0.020                       | 0.034                | XXX            | 0.015                        | 0.026                | XXX         |
| Acenaphthene                | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| Acenaphthylene              | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| Acrylonitrile               | 0.126                       | 0.317                | XXX            | 0.096                        | 0.242                | XXX         |
| Anthracene                  | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| Chlorobenzene               | 0.020                       | 0.037                | XXX            | 0.015                        | 0.028                | XXX         |
| 1,2-Dichlorobenzene         | 0.101                       | 0.213                | XXX            | 0.077                        | 0.163                | XXX         |
| 1,3-Dichlorobenzene         | 0.041                       | 0.058                | XXX            | 0.031                        | 0.044                | XXX         |
| 1,4-Dichlorobenzene         | 0.020                       | 0.037                | XXX            | 0.015                        | 0.028                | XXX         |
| 1,3-Dichloropropylene       | 0.038                       | 0.058                | XXX            | 0.029                        | 0.044                | XXX         |
| 1,2,4-Trichlorobenzene      | 0.089                       | 0.183                | XXX            | 0.068                        | 0.140                | XXX         |
| Ethylbenzene                | 0.042                       | 0.114                | XXX            | 0.032                        | 0.108                | XXX         |
| Hexachlorobenzene           | 0.020                       | 0.037                | XXX            | 0.015                        | 0.028                | XXX         |
| Nitrobenzene                | 0.035                       | 0.089                | XXX            | 0.027                        | 0.068                | XXX         |
| Benzene                     | 0.048                       | 0.178                | XXX            | 0.037                        | 0.136                | XXX         |
| Benzo(a)Anthracene          | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| Benzo(a)Pyrene              | 0.030                       | 0.080                | XXX            | 0.023                        | 0.061                | XXX         |
| Benzo(k)Fluoranthene        | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| 3,4-Benzofluoranthene       | 0.030                       | 0.080                | XXX            | 0.023                        | 0.061                | XXX         |
| Carbon Tetrachloride        | 0.024                       | 0.050                | XXX            | 0.018                        | 0.038                | XXX         |
| Chloroethane                | 0.136                       | 0.351                | XXX            | 0.104                        | 0.268                | XXX         |
| 1,1,1-Trichloroethane       | 0.027                       | 0.071                | XXX            | 0.021                        | 0.054                | XXX         |
| 1,1,2-Trichloroethane       | 0.027                       | 0.071                | XXX            | 0.021                        | 0.054                | XXX         |
| 1,1-Dichloroethane          | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| 1,2-Dichloroethane          | 0.089                       | 0.276                | XXX            | 0.068                        | 0.211                | XXX         |
| 1,2-Dichloropropane         | 0.200                       | 0.301                | XXX            | 0.153                        | 0.230                | XXX         |
| Bis(2-Ethylhexyl) Phthalate | 0.135                       | 0.365                | XXX            | 0.103                        | 0.279                | XXX         |
| Chloroform                  | 0.027                       | 0.060                | XXX            | 0.021                        | 0.046                | XXX         |
| Chrysene                    | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| Diethyl Phthalate           | 0.106                       | 0.266                | XXX            | 0.081                        | 0.203                | XXX         |
| Dimethyl Phthalate          | 0.025                       | 0.062                | XXX            | 0.019                        | 0.047                | XXX         |
| Di-n-Butyl Phthalate        | 0.035                       | 0.075                | XXX            | 0.027                        | 0.057                | XXX         |
| Fluoranthene                | 0.033                       | 0.089                | XXX            | 0.025                        | 0.068                | XXX         |
| Hexachlorobutadiene         | 0.026                       | 0.064                | XXX            | 0.020                        | 0.049                | XXX         |
| Hexachloroethane            | 0.027                       | 0.071                | XXX            | 0.021                        | 0.054                | XXX         |
| Methyl Chloride             | 0.113                       | 0.249                | XXX            | 0.086                        | 0.190                | XXX         |
| Methylene Chloride          | 0.052                       | 0.117                | XXX            | 0.040                        | 0.089                | XXX         |
| Naphthalene                 | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| Phenanthrene                | 0.029                       | 0.077                | XXX            | 0.022                        | 0.059                | XXX         |
| Pyrene                      | 0.033                       | 0.088                | XXX            | 0.025                        | 0.067                | XXX         |
| 1,1-Dichloroethylene        | 0.021                       | 0.033                | XXX            | 0.016                        | 0.025                | XXX         |
| trans-1,2-Dichloroethylene  | 0.027                       | 0.071                | XXX            | 0.021                        | 0.054                | XXX         |
| Tetrachloroethylene         | 0.029                       | 0.073                | XXX            | 0.022                        | 0.056                | XXX         |
| Toluene                     | 0.034                       | 0.105                | XXX            | 0.026                        | 0.080                | XXX         |



| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> |                      | <i>Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|----------------|------------------------------|----------------------|-------------|
|                   | <i>Average Quarterly</i>    | <i>Daily Maximum</i> |                | <i>Average Quarterly</i>     | <i>Daily Maximum</i> |             |
| Trichloroethylene | 0.027                       | 0.071                | XXX            | 0.021                        | 0.054                | XXX         |
| Vinyl Chloride    | 0.136                       | 0.351                | XXX            | 0.104                        | 0.268                | XXX         |

The proposed effluent limits for Outfall 201 are based on a design flow of 2.1 MGD.—Limits.

| <i>Parameters</i> | <i>Mass Units (lbs/day)</i> |                      | <i>Instant. Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                   | <i>Average Monthly</i>      | <i>Daily Maximum</i> |                         | <i>Average Quarterly</i>     | <i>Daily Maximum</i> |             |
| Flow (MGD)        | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)         | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Temperature (°F)  | XXX                         | XXX                  | XXX                     | XXX                          | 110.0                | XXX         |
| Chlorobenzene     | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Ethylbenzene      | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Benzene           | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Naphthalene       | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Styrene           | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Toluene           | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Xylenes, Total    | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |
| Vinyl Chloride    | XXX                         | XXX                  | XXX                     | Report                       | Report               | XXX         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0204935**, Industrial, SIC Code 3273, **New Enterprise Stone & Lime Co. Inc.**, P.O. Box 77, New Enterprise, PA 16664-0077. Facility Name: New Enterprise Stone & Lime Ebensburg Plant. This existing facility is located in Cambria Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Unnamed Tributary to South Branch Blacklick Creek (CWF), is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .008 MGD.—Limits.

| <i>Parameters</i>      | <i>Mass Units (lbs/day)</i> |                       | <i>Instant Minimum</i> | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|------------------------|-----------------------------|-----------------------|------------------------|------------------------------|----------------------|-------------|
|                        | <i>Average Monthly</i>      | <i>Average Weekly</i> |                        | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)             | Report                      | Report<br>Daily Max   | XXX                    | XXX                          | XXX                  | XXX         |
| pH (S.U.)              | XXX                         | XXX                   | 6.0                    | XXX                          | XXX                  | 9.0         |
| Total Suspended Solids | XXX                         | XXX                   | XXX                    | Report                       | XXX                  | 50.0        |
| Total Dissolved Solids | XXX                         | XXX                   | XXX                    | Report                       | Report               | XXX         |
| Oil and Grease         | XXX                         | XXX                   | XXX                    | Report                       | Report               | XXX         |
| Aluminum, Total        | XXX                         | XXX                   | XXX                    | 0.75                         | 0.75                 | XXX         |
| Iron, Total            | XXX                         | XXX                   | XXX                    | 1.5                          | 3.0                  | XXX         |
| Manganese, Total       | XXX                         | XXX                   | XXX                    | 1.0                          | 2.0                  | XXX         |

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls
- Best Management Practices (BMPs) for Concrete Batch Facilities

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0255301**, Industrial, SIC Code 4941, **Springdale Borough**, 325 School Street, Springdale, PA 15144. Facility Name: Springdale Borough WTP. This existing facility is located in Springdale Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Allegheny River (WWF), is located in State Water Plan watershed 18-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0242 MGD.—Limits.

| <i>Parameters</i>             | <i>Mass Units (lbs/day)</i> |                      |                         | <i>Concentrations (mg/L)</i> |                      | <i>IMAX</i> |
|-------------------------------|-----------------------------|----------------------|-------------------------|------------------------------|----------------------|-------------|
|                               | <i>Average Monthly</i>      | <i>Daily Maximum</i> | <i>Instant. Minimum</i> | <i>Average Monthly</i>       | <i>Daily Maximum</i> |             |
| Flow (MGD)                    | Report                      | Report               | XXX                     | XXX                          | XXX                  | XXX         |
| pH (S.U.)                     | XXX                         | XXX                  | 6.0                     | XXX                          | XXX                  | 9.0         |
| Total Residual Chlorine (TRC) | XXX                         | XXX                  | XXX                     | 0.5                          | 1.0                  | 1.6         |
| Total Suspended Solids        | XXX                         | XXX                  | XXX                     | 30.0                         | 60.0                 | 75.0        |
| Aluminum, Total               | XXX                         | XXX                  | XXX                     | 4.0                          | 8.0                  | 10.0        |
| Iron, Total                   | XXX                         | XXX                  | XXX                     | 2.0                          | 4.0                  | 5.0         |
| Manganese, Total              | XXX                         | XXX                  | XXX                     | 1.0                          | 2.0                  | 2.5         |

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>  | <i>Office</i> |
|---------------------------|-------------------------|--|--|---------------|
| PAD020036 A-2             | Major Amendment         | Pennsylvania Turnpike Commission<br>Commonwealth Ave (SR 2044)<br>West Mifflin, PA 15122   | Jefferson Hills Borough<br>West Mifflin Borough<br>Clairton City<br>Allegheny County | RPCO          |
| PAD020036 A-3             | Major Amendment         | Pennsylvania Turnpike Commission<br>Commonwealth Ave (SR 2044)<br>West Mifflin, PA 15122   | West Mifflin Borough<br>Dravosburg Borough<br>Allegheny County                       | RPCO          |
| PAD150266                 | New                     | Pennsylvania Turnpike Commission<br>Bridge No. EB-701 at Milepost 301.3<br>over Pennsylvania Turnpike<br>West Nantmeal, PA 19520 | Elverson Borough<br>West Nantmeal Township<br>Chester County                         | RPCO          |
| PAD400039 A-1             | Major Amendment         | Wilkes-Barre/Scranton International<br>Airport<br>Stephen Mykulyn<br>100 Terminal Drive<br>Avoca, PA 18641                       | Pittston Township<br>Dupont Borough<br>Luzerne County                                | NERO          |
| PAD400059                 | New                     | Rising Light Ridge, LLC<br>Matt Anderson<br>588 Railroad Lane<br>Bear Creek Township, PA 18602                                   | Bear Creek Township<br>Luzerne County  | NERO          |
| PAD640008                 | Renewal                 | Wayne Economic<br>Development Corporation<br>32 Commercial Street<br>Suite 1<br>Honesdale, PA 18431                              | Sterling Township<br>Wayne County  | NERO          |
| PAD390252                 | New                     | RDM Group<br>1 International Blvd.<br>Mahwah, NJ 07430   | Upper Macungie Township<br>Lehigh County   | NERO          |
| PAD470004                 | New                     | PennDot Engineering District 3-0<br>715 Jordan Ave<br>Montoursville, PA 17754  | Valley Township<br>Mahoning Township<br>Montour County                               | NCRO          |
| PAD530013                 | New                     | AJ's Outdoor Power Equipment Inc.<br>Chris Ensminger<br>3101 E. 2nd St<br>Coudersport, PA 16915                                  | Sweden Township<br>Potter County   | NCRO          |
| PAD090086                 | New                     | Solebury Township<br>408 Lower York Road<br>(Route 202)<br>Solebury, PA 18963-0139   | Solebury Township<br>New Hope Borough<br>Bucks County                                | SERO          |

| <i>Application Number</i> | <i>Application Type</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>                 | <i>Office</i> |
|---------------------------|-------------------------|---|---|---------------|
| PAD510042 A-1             | Major Amendment         | Tippmann Group<br>5701 Tacony Street<br>Philadelphia, PA 19135  | City of Philadelphia<br>Philadelphia County | SERO          |
| PAD390253                 | New                     | Avery Quinn Group, LLC<br>131 Hoffman Lane<br>Islandia, NY 11749  | Lower Macungie<br>Township Lehigh County    | NERO          |
| PAD390170                 | Renewal                 | Westgate Mall Owner, LLC<br>c/o Onyx Equities LLC<br>One Gateway Center<br>Suite 2400<br>Newark, NJ 07102 | City of Bethlehem<br>Lehigh County          | NERO          |

**STATE CONSERVATION COMMISSION**

**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38  
NUTRIENT MANAGEMENT PLANS**

**CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

| <i>Agricultural Operation Name and Address</i>                        | <i>County</i>    | <i>Total Acres</i> | <i>Animal Equivalent Units</i> | <i>Animal Type</i>  | <i>Special Protection Waters (HQ or EV or NA)</i> | <i>Renewal / New</i> |
|---|------------------|--------------------|--------------------------------|---------------------|---|----------------------|
| Hillandale Gettysburg LP<br>3910 Oxford Road<br>Gettysburg, PA 17325  | Adams County     | 1,172.7            | 20,782.6                       | Poultry/<br>Layer   | NA  | Renewal              |
| Silver Crest Acres<br>1147 Silver Spring Road<br>Holtwood, PA 17352   | Lancaster County | 320                | 432.28                         | Swine               | HQ  | Renewal              |
| Herman Zeager<br>159 Yoder Road<br>Bainbridge, PA 17502               | Lancaster County | 65.5               | 914.16                         | Swine               | NA  | Renewal              |
| Glenn & Joel Martin<br>2077 Mountain Road<br>Manheim, PA 17545        | Lancaster County | 212.9              | 36.5                           | Ducks               | HQ  | Renewal              |
| R & T Family Farms LLC<br>258 Mountain Road<br>Muncy Valley, PA 17758 | Lycoming County  | 238.3              | 663.9                          | Swine/<br>Beef      | NA  | Renewal              |
| Carlin Lehman<br>11737 Parthemer Road<br>McClure, PA 17841            | Snyder County    | 1                  | 596.71                         | Swine/<br>Finishing | NA  | New                  |

## PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### SAFE DRINKING WATER

#### Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Pam Yoder, Clerical Assistant, 814-332-6899.*

**Application No. 2522502**, Construction, Public Water Supply.

|                      |  |
|----------------------|--|
| Applicant            | <b>Erie City Water Authority</b>   |
| Address              | 340 West Bayfront Parkway<br>Erie, PA 16507  |
| Municipality         | Mill Creek Township  |
| County               | <b>Erie County</b>   |
| Responsible Official | Craig Palmer, P.E.   |
| Consulting Engineer  | Robert Horvat, P.E.<br>Entech Engineering, Inc.<br>400 Industry Drive<br>Suite 200<br>Pittsburgh, PA 15275 |
| Application Received | August 29, 2022  |
| Description          | Construct a new Asbury Tank<br>Booster Pump Station  |

**Application No. 3222501**, Construction, Public Water Supply.

|           |  |
|-----------|--|
| Applicant | <b>Indiana County<br/>Municipal Services Authority</b> |
| Address   | 602 Kolter Drive<br>Indiana, PA 15701                  |

|                      |   |
|----------------------|---|
| Municipality         | Washington Township   |
| County               | <b>Indiana County</b>   |
| Responsible Official | Martin Maschak, Exec. Dir.  |
| Consulting Engineer  | Christopher Wharton, P.E.<br>Gibson-Thomas<br>Engineering Co., Inc.<br>1004 Ligonier Street<br>Box 853<br>Latrobe, PA 15650 |
| Application Received | August 30, 2022   |
| Description          | Construct a new clarifier at the<br>Crooked Creek Water Treatment<br>Plant  |

### MUNICIPAL WASTE GENERAL PERMITS

#### Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

*Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Carrie Majett, Clerical Assistant 3, 484-250-5892.*

**WMGI005A. Merck Sharp & Dohme, LLC**, 770 Sumneytown Pike, West Point, PA 19486-0004, Upper Gwynedd Township, **Montgomery County**. This permit modification application of the determination of applicability (DOA) under General Permit No. WMGI005A is to reflect the change of legal entity from Merck Sharp & Dohme Corp. to Merck Sharp & Dohme LLC, for the Merck Sharp & Dohme, LLC—West Point Facility, an Infectious Waste Processing facility. Application received: June 23, 2022. Deemed administratively complete: June 23, 2022.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**WMGI005D. Merck Sharp & Dohme, LLC**, 770 Sumneytown Pike, West Point, PA 19486-0004, Upper Gwynedd Township, **Montgomery County**. This permit modification application of the determination of applicability (DOA) under General Permit No. WMGI005D is to reflect the change of legal entity from Merck Sharp & Dohme Corp. to Merck Sharp & Dohme LLC, for the Merck Sharp & Dohme, LLC—North Wales Facility, an Infectious Waste Processing facility. Application received: June 23, 2022. Deemed administratively complete: July 11, 2022.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## HAZARDOUS WASTE TRANSPORTER LICENSE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

### *New Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Potomac Environmental, Inc.**, P.O. Box 1836, Stafford, VA 22555-1836. **License No. PA-AH 0925.** Accepted: June 29, 2022.

### *Renewal Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**2347854 Ontario, Inc.**, 1818 Burlington Street E, Hamilton, ON L8H 3L4. **License No. PA-AH 0817.** Accepted: August 8, 2022.

**Heritage-Crystal Clean, LLC**, 2000 Center Drive, Hoffman Estates, IL 60192. **License No. PA-AH 0672.** Accepted: July 21, 2022.

**Transervice Logistics, Inc.**, 5 Dakota Drive, Lake Success, NY 11042. **License No. PA-AH 0702.** Accepted: August 30, 2022.

## REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.**

### *Renewal Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Approved Storage & Waste Hauling MA, Inc.**, 110 Edison Avenue, Mount Vernon, NY 10550. **License No. PA-HC 0273.** Accepted: August 30, 2022.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a

facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### PLAN APPROVALS

**Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, (570) 327-3648.*

**08-00016: Dalrymple Gravel & Contracting Co., Inc.**, 2105 South Broadway, Pine City, NY 14871, Athens Township, **Bradford County**. Application received: March 3, 2022. For issuance of a revised operating permit to change the test requirements for the P101 drum plant from 50% RAP to 20% to 40% RAP to enable performance testing during actual production runs. The revision also incorporates all other terms and conditions of Plan Approvals 08-0016B and 08-00016C into the operating permit via administrative amendment along with the elimination of use of reprocessed oil in the drum plant burner, the addition of stack test requirements and revision of the No. 2 fuel oil specifications to reflect 25 Pa. Code § 123.22 for the Dalrymple Chemung facility. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping, and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Parts 60 and 63 and 25 Pa. Code Article III, Chapters 121–145.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05152F: Kellogg USA Inc.**, 2050 State Road, Lancaster, PA 17604, East Hempfield Township, **Lancaster County**. Application received: June 3, 2022. For the replacement of the corn tempering bin on the corn line with a larger corn tempering bin at the East Hempfield plant. The overall capacity of the corn line will not increase. The existing corn tempering bin exhausts through Rotoclone # 23, Size 16, inside the building. The new tempering bin will exhaust through a larger American Air Filter, Model W, Size 24, Rotoclone Wet Scrubber (Rotoclone # 39) and exhaust outside. The expected increase in facility potential emissions as a result of the changes proposed is: 0.01 tpy of PM. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

#### OPERATING PERMITS

**Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**08-00007, Leprino Foods Co.**, 400 Leprino Avenue, Waverly, NY 14892, South Waverly Borough, **Bradford County**. Application received: February 22, 2022. To issue a renewal State Only (synthetic minor) Operating Permit for their natural and processed cheese manufacturing facility. The facility is currently operating under State Only Operating Permit 08-00007. The facility's main sources include four natural gas/# 2, 4, 5 and 6 fuel oil-fired boilers and a natural gas-fired whey spray dryer. The facility has potential emissions of 45.02 TPY of CO; <100 TPY of NO<sub>x</sub>; <100 TPY of SO<sub>x</sub>; 48.29 TPY of PM/PM<sub>10</sub>; 5.93 TPY of VOCs; <10 TPY any single HAP; <25 TPY. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**49-00002, ConAgro Grocery Products Company**, 30 Marr Street, Milton, PA 17847, Milton Borough, **Northumberland County**. Application received: April 14, 2022. To issue a renewal State Only (Synthetic Minor) Operating Permit for their manufacturing plant. The facility is currently operating under State Only (Synthetic Minor) Operating Permit 49-00002. The facility's main sources include three (3) natural gas fired boilers ranging in size from 90 MMBtu/hr—108 MMBtu/hr, a wastewater treatment plant, six (6) storage silos, and a diesel fire pump. The facility has potential emissions of <100 TPY of CO; <100 TPY of NO<sub>x</sub>; 0.58 TPY of SO<sub>x</sub>; 10.05 TPY of PM/PM<sub>10</sub>; 9.10 TPY of VOCs, and 1.88 TPY of HAPs. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the renewal operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121–145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.*

**25-00886, Cross Paving, LLC**, 8955 Wattsburg Road, Erie, PA 16509-6021, Venango Township, **Erie County**. Application received: February 17, 2022. The Department is providing notice that they intend to renew a State Only Synthetic Minor Operating Permit for operation of the hot mix asphalt (HMA) facility. The facility's primary emission sources include the batch HMA process controlled by

a cyclone collector and venturi scrubber, the aggregate storage piles, and truck load-out. The potential emissions of the primary pollutants from the facility are as follows: 26.4 TPY (tons per year) NO<sub>x</sub>, 88.0 TPY CO, 1.80 TPY VOC, 30.8 TPY total PM, and 19.4 TPY SO<sub>x</sub>. The facility is a synthetic minor, taking a limit of 440,000 tons per year of asphalt produced to maintain CO emissions below 100 TPY. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

**62-00184, Allegheny Aggregate, Inc., Pittsfield,** 34175 Route 6, P.O. Box 38, Pittsfield, PA 16340, Pittsfield Township, **Wayne County.** Application received: January 18, 2022. The Department is providing notice that they intend to issue a new State Only Operating Permit for the sand and gravel processing plant. The facility consists of the mineral processing plant (crushers, conveyors, screening, roadways), and a 170-bhp diesel engine that powers the backup processing plant. The potential emissions of the primary pollutants from the facility are as follows: PM<sub>10</sub>: 19.94 TPY, PM<sub>2.5</sub>: 0.915 TPY, NO<sub>x</sub>: 6.60 TPY, SO<sub>x</sub>: 0.436 TPY, VOC: 0.535 TPY, and CO: 1.422 TPY; thus, the facility is a natural minor. The engine is subject to 40 CFR Part 63, Subpart ZZZZ, NESHAP for Stationary Reciprocating Internal Combustion Engines. The processing facility is subject to 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants, as well as General Permit GP3 conditions. The permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-03004, ADM Milling Co.,** 811 Spangler Road, Camp Hill, PA 17011, Camp Hill Borough, **Cumberland County.** Application received: May 20, 2022. For the operation of a flour mill facility. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 14.4 tpy PM<sub>10</sub>, 3.61 tpy NO<sub>x</sub>, 3.03 tpy CO, 4.58 tpy VOC, and less than 1 tpy of SO<sub>x</sub> and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**38-03055, Always Bagels, Inc.,** 10 Keyland Ct, Bohemia, NY 11716-2620, North Lebanon Township, **Lebanon County.** Application received: March 28, 2022. To issue a State-Only Operating Permit renewal for a bagel bakery. The facility has the potential to emit about 45.66 tons per year of VOCs, mainly from ethanol. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**06-03551, SGL Carbon LLC,** 796 Fritztown Road, Sinking Spring, PA 19608, Spring Township, **Berks County.** Application received: January 24, 2022. To issue a State-Only Operating Permit for the Spring Graphite Plant. The potential emissions from the facility are estimated at 13 tpy of particulate matter. The Operating

Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, telephone: 484-250-5920.*

**09-00229, Brenner Aerostructures,** 450-3 Winks Lane, Bensalem, PA 19020, Bensalem Township, **Bucks County.** Application received: February 24, 2022. For renewal of a non-Title V, Natural Minor Operating Permit. The facility is a manufacturer of aerospace components primarily serving the commercial aerospace industry. Permitted sources consist of four (4) spray booths in which a variety of coatings are applied to various parts and components specific to the aerospace industry. The primary pollutant of concern is volatile organic compounds (VOC) and hazardous air pollutants (HAP) that are contained in the coatings. Brenner Aerostructures is categorized as a natural minor facility and will not exceed any major source thresholds. The permit includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections;

application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity

permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### *Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

| <i>Parameter</i>  | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instantaneous<br/>Maximum</i> |
|-------------------|---------------------------|--------------------------|----------------------------------|
| Iron (total)      | 1.5 to 3.0 mg/l           | 3.0 to 6.0 mg/l          | 3.5 to 7.0 mg/l                  |
| Manganese (total) | 1.0 to 2.0 mg/l           | 2.0 to 4.0 mg/l          | 2.5 to 5.0 mg/l                  |
| Suspended solids  | 10 to 35 mg/l             | 20 to 70 mg/l            | 25 to 90 mg/l                    |
| Aluminum (Total)  | 0.75 to 2.0 mg/l          | 1.5 to 4.0 mg/l          | 2.0 to 5.0 mg/l                  |

pH must always be greater than 6.0; less than 9.0.  
Alkalinity must always be greater than acidity.

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3, 724.769.1100.*

**Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company, LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township and Morris Township, Greene County.** A revision to the permit and related NPDES permit for the VEP Boreholes Project, affecting 5.4 proposed surface acres. Application received: June 14, 2022. Accepted: August 11, 2022.

**Mining Permit No. 26961601. NPDES No. PA0214779. Matt Canestrone Contracting, Inc., P.O. Box 234, Belle Vernon, PA 15012-0234, Luzerne Township and East Bethlehem Township, Fayette County and Washington County.** To renew the permit and related NPDES permit. Application received: June 23, 2022. Accepted: August 23, 2022.

*New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.*

*Contact: Tracy Norbert, (724.925.5500) or RA-EPNEWSTANTON@pa.gov.*

**Mining Permit No. 30050103. NPDES No. PA0250759. Duquesne Light Company, 1800 Seymour Street, Pittsburgh, PA 15233-1134, Monongahela Township, Greene County.** Renewal application for continued mining for an existing bituminous mining operation and associated NPDES permit, affecting 37.0 acres. Receiving streams: Sandy Run and Monongahela River. Classified for the following use: WWF. Application received: August 31, 2022.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 54010201. Rausch Creek Coal Mining Good Spring, LLC, 978 Gap Street, Valley View, PA 17983, Hegins Township and Porter Township, Schuylkill County.** Transfer from Rausch Creek Generation, LLC of an anthracite coal refuse reprocessing operation and correction to add strip mining and blasting to the permit affecting 73.63 acres. Receiving stream: Good Spring Creek, classified for the following use: CWF. Application received: August 4, 2022.

#### *Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

| <i>Parameter</i> | <i>30-day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instantaneous<br/>Maximum</i> |
|------------------|---------------------------|--------------------------|----------------------------------|
| Suspended solids | 10 to 35 mg/l             | 20 to 70 mg/l            | 25 to 90 mg/l                    |

Alkalinity must always exceed acidity.  
pH must always be greater than 6.0; less than 9.0.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 64122501. NPDES Permit No. PA0225240. Tim Kohrs, 1031 Bethany Turnpike, Honesdale, PA 18431, Texas Township, Wayne County.** Renewal of an NPDES Permit on a GP-105 quarry permit affecting 10.0 acres. Receiving stream: Indian Orchard Brook, classified for the following uses: HQ-CWF, MF. Application received: August 29, 2022.



### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

#### *Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

| <i>Parameter</i>                                   | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instantaneous<br/>Maximum</i> |
|--|---------------------------|--------------------------|----------------------------------|
| Iron (Total)                                       | 3.0 mg/l                  | 6.0 mg/l                 | 7.0 mg/l                         |
| Manganese (Total)                                  | 2.0 mg/l                  | 4.0 mg/l                 | 5.0 mg/l                         |
| Suspended solids                                   | 35 mg/l                   | 70 mg/l                  | 90 mg/l                          |
| pH must always be greater than 6.0; less than 9.0. |                           |                          |                                  |
| Alkalinity must always be greater than acidity.    |                           |                          |                                  |

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

#### *Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

#### *Coal NPDES Draft Permits*

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3, 724.769.1100.*

**NPDES No. PA0214248. Mining Permit No. 63743702. Eighty Four Mining Company**, 46226 National Road, St. Clairsville, OH 43950, Somerset Township, **Washington County**. Application received: June 29, 2020. Accepted: September 24, 2020.

A repost to correct a mistake for a renewal to the NPDES permit and the mining activity permit for Eighty Four Mining Company for Mine 84 Refuse Area. Additionally, a transfer of the permit to Washington County Land Resources, Inc. and a change of the mine name to Washington County CRDA, affecting 601.0 surface acres. Receiving stream(s): Center Branch Pigeon Creek, classified for the following use: WWF, Monongahela River Watershed.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 002 discharging to UNT 39728 of Center Branch Pigeon Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

| <i>Parameter</i>                       |        | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|--------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow                                   | (mgd)  | -              | -                         | -                        | Report                      |
| Iron                                   | (mg/l) | -              | 1.5                       | 3.0                      | 3.8                         |
| Manganese                              | (mg/l) | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l) | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l) | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.) | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l) | -              | -                         | -                        | Report                      |

| <i>Parameter</i>                    |          | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|-------------------------------------|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Acidity, Total as CaCO <sub>3</sub> | (mg/l)   | -              | -                         | -                        | Report                      |
| Alkalinity, Net                     | (mg/l)   | 0.0            | -                         | -                        | -                           |
| Osmotic Pressure                    | (mOs/kg) | -              | 50                        | 50                       | 50                          |
| Total Dissolved Solids              | (mg/l)   | -              | -                         | -                        | Report                      |
| Sulfate                             | (mg/l)   | -              | -                         | -                        | Report                      |
| Chloride                            | (mg/l)   | -              | -                         | -                        | Report                      |

The proposed effluent limits for Outfall 008 discharging to UNT 39727 of Center Branch Pigeon Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to August 1, 2024:

| <i>Parameter</i>                       |          | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow                                   | (mgd)    | -              | -                         | -                        | Report                      |
| Iron                                   | (mg/l)   | -              | 1.5                       | 3.0                      | 3.8                         |
| Manganese                              | (mg/l)   | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l)   | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l)   | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.)   | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l)   | -              | -                         | -                        | Report                      |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l)   | -              | -                         | -                        | Report                      |
| Alkalinity, Net                        | (mg/l)   | 0.0            | -                         | -                        | -                           |
| Osmotic Pressure                       | (mOs/kg) | -              | 141                       | 283                      | 383                         |
| Total Dissolved Solids                 | (mg/l)   | -              | -                         | -                        | Report                      |
| Sulfate                                | (mg/l)   | -              | -                         | -                        | Report                      |
| Chloride                               | (mg/l)   | -              | -                         | -                        | Report                      |

The proposed effluent limits for Outfall 008 discharging to UNT 39727 of Center Branch Pigeon Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from August 2, 2024 to Permit Expiration Date:

| <i>Parameter</i>                       |          | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|--|----------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow                                   | (mgd)    | -              | -                         | -                        | Report                      |
| Iron                                   | (mg/l)   | -              | 1.5                       | 3.0                      | 3.8                         |
| Manganese                              | (mg/l)   | -              | 1.0                       | 2.0                      | 2.5                         |
| Aluminum                               | (mg/l)   | -              | 0.75                      | 0.75                     | 0.75                        |
| Suspended Solids                       | (mg/l)   | -              | 35                        | 70                       | 90                          |
| pH                                     | (s.u.)   | 6.0            | -                         | -                        | 9.0                         |
| Alkalinity, Total as CaCO <sub>3</sub> | (mg/l)   | -              | -                         | -                        | Report                      |
| Acidity, Total as CaCO <sub>3</sub>    | (mg/l)   | -              | -                         | -                        | Report                      |
| Alkalinity, Net                        | (mg/l)   | 0.0            | -                         | -                        | -                           |
| Osmotic Pressure                       | (mOs/kg) | -              | 50                        | 50                       | 50                          |
| Total Dissolved Solids                 | (mg/l)   | -              | -                         | -                        | Report                      |
| Sulfate                                | (mg/l)   | -              | -                         | -                        | Report                      |
| Chloride                               | (mg/l)   | -              | -                         | -                        | Report                      |

The EPA Waiver is not in effect.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

**NPDES No. PA0588491. Mining Permit No. 568141612. Wilson Creek Energy, LLC**, 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, Black Township, **Somerset County**. Renewal of an NPDES permit, mining activity permit and GP12 Air Quality Permit. Affecting 43.0 acres. Receiving stream: Coxes Creek, classified for the following use: WWF. This receiving stream is included in the Coxes Creek TMDL. Application received: August 4, 2021.

*Outfall 001* discharges to: Coxes Creek

The proposed effluent limits for *Outfall 001* (Lat: 39° 55' 48"; Long: -79° 08' 48") are:

| <i>Parameter</i>       |            | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant.<br/>Maximum</i> |
|------------------------|------------|----------------|---------------------------|--------------------------|-----------------------------|
| Flow                   | (mgd)      | -              | -                         | Report                   | -                           |
| pH                     | (s.u.)     | 6.0Min         | -                         | -                        | 9.0Max                      |
| Specific Conductivity  | (µmhos/cm) | -              | -                         | -                        | Report                      |
| Temperature            | (°C)       | -              | -                         | -                        | Report                      |
| Total Suspended Solids | (mg/l)     | -              | 35.0                      | 70.0                     | 90.0                        |
| Total Dissolved Solids | (mg/l)     | -              | -                         | -                        | Report                      |
| Osmotic Pressure       | (mOsm/kg)  | -              | -                         | -                        | Report                      |

| Parameter                                     |        | Minimum | 30-Day Average | Daily Maximum | Instant. Maximum |
|---|--------|---------|----------------|---------------|------------------|
| Alkalinity, Total (as CaCO <sub>3</sub> )     | (mg/l) | -       | -              | -             | Report           |
| Acidity, Total (as CaCO <sub>3</sub> )        | (mg/l) | -       | -              | -             | Report           |
| Net Alkalinity, Total (as CaCO <sub>3</sub> ) | (mg/l) | 0.0     | -              | -             | -                |
| Iron  | (mg/l) | -       | 1.5            | 3.0           | 3.8              |
| Aluminum                                      | (mg/l) | -       | 0.75           | 0.75          | 0.75             |
| Manganese                                     | (mg/l) | -       | 1.0            | 2.0           | 2.5              |
| Sulfate                                       | (mg/l) | -       | -              | -             | Report           |

Outfall 002 discharges to: Coxes Creek

The proposed effluent limits for Outfall 002 (Lat: 39° 55' 59"; Long: -79° 08' 41") are:

| Parameter                                     |            | Minimum | 30-Day Average | Daily Maximum | Instant. Maximum |
|---|------------|---------|----------------|---------------|------------------|
| Flow  | (mgd)      | -       | -              | Report        | -                |
| pH  | (s.u.)     | 6.0Min  | -              | -             | 9.0 Max          |
| Specific Conductivity                         | (µmhos/cm) | -       | -              | -             | Report           |
| Temperature                                   | (°C)       | -       | -              | -             | Report           |
| Total Suspended Solids                        | (mg/l)     | -       | 35.0           | 70.0          | 90.0             |
| Total Dissolved Solids                        | (mg/l)     | -       | -              | -             | Report           |
| Osmotic Pressure                              | (mOsm/kg)  | -       | -              | -             | Report           |
| Alkalinity, Total (as CaCO <sub>3</sub> )     | (mg/l)     | -       | -              | -             | Report           |
| Acidity, Total (as CaCO <sub>3</sub> )        | (mg/l)     | -       | -              | -             | Report           |
| Net Alkalinity, Total (as CaCO <sub>3</sub> ) | (mg/l)     | 0.0     | -              | -             | -                |
| Iron  | (mg/l)     | -       | 1.5            | 3.0           | 3.8              |
| Aluminum                                      | (mg/l)     | -       | 0.75           | 0.75          | 0.75             |
| Manganese                                     | (mg/l)     | -       | 1.0            | 2.0           | 2.5              |
| Sulfate                                       | (mg/l)     | -       | -              | -             | Report           |

*Noncoal NPDES Draft Permits*

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

**NPDES Permit No. PA0595721. Mining Permit No. 7876SM1. New Enterprise Stone & Lime Co., Inc.,** 3912 Brumbaugh Road, New Enterprise, PA 16664, Whitehall Township, **Lehigh County**. Application received: May 29, 2022.

Renewal of an NPDES permit on a quarry operation affecting 89.30 acres. Receiving stream: Coplay Creek, classified for the following use: CWF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Coplay Creek:

| Outfall Number | New or Existing | Type | Discharge Rate   |
|----------------|-----------------|------|------------------|
| 001            | Existing        | TFO  | Gravity drainage |

The proposed effluent limits for the previously listed outfall are as follows:

| Parameter                     | Minimum | 30-Day Average | Daily Maximum | Instant Maximum |
|-------------------------------|---------|----------------|---------------|-----------------|
| pH                            | 6.0     | -              | -             | 9.0             |
| Total Suspended Solids (mg/L) | -       | 35.0           | 70.0          | 90.0            |
| Acidity, Total (mg/L)         | -       | -              | -             | Report          |
| Alkalinity, Total (mg/L)      | -       | -              | -             | Report          |
| Net Alkalinity (mg/L)         | 0.0     | -              | -             | -               |
| Oil & Grease (mg/L)           | -       | -              | -             | Report          |

**NPDES Permit No. PA0612171. Mining Permit No. 36820301. H & K Group, Inc.,** P.O. Box 196, Skippack, PA 19474, White Township, **Lehigh County**. Application received: June 6, 2022.

Renewal of an NPDES permit on a quarry operation, affecting 131.71 acres. Receiving stream: unnamed tributary to Black Creek, classified for the following uses: HQ-WWF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributary to Black Creek

| Outfall Number | New or Existing | Type | Discharge Rate MGD |
|----------------|-----------------|------|--------------------|
| 001            | Existing        | TFO  | 0.15               |

The proposed effluent limits for the previously listed outfall are as follows:

| <i>Parameter (unit)</i>       | <i>Minimum</i> | <i>30-Day<br/>Average</i> | <i>Daily<br/>Maximum</i> | <i>Instant<br/>Maximum</i> |
|-------------------------------|----------------|---------------------------|--------------------------|----------------------------|
| Flow                          |                | 0.15                      |                          |                            |
| pH                            | 6.0            |                           |                          | 9.0                        |
| Total Suspended Solids (mg/L) |                | 35.0                      | 70.0                     | 90.0                       |
| Acidity, Total (mg/L)         |                |                           |                          | Report                     |
| Alkalinity, Total (mg/L)      |                |                           |                          | Report                     |
| Net Alkalinity (mg/L)         | 0.0            |                           |                          |                            |
| Oil & Grease (mg/L)           |                |                           |                          | Report                     |

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### WATER OBSTRUCTIONS AND ENCROACHMENTS

#### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E5829222-010. Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Auburn Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 22, 2022.

To construct, operate and maintain a well pad impacting 100,624 square feet of a palustrine emergent (PEM) wetland, 51,836 square feet of a palustrine forested (PFO) wetland and 958 square feet of a palustrine scrub shrub

(PSS) wetland. (Auburn Center, PA Quadrangle, Latitude: 41.708773°, Longitude: -76.024301°). This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 153,418 square feet (3.522 acres) of permanent wetland impacts all for the purpose of establishing a well pad for Marcellus well development in Auburn Township, Susquehanna County. The permittee will provide 13.06 acres of wetland credits at the Camp Brook Restoration Site (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006.

**E5829222-009. Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Auburn Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 22, 2022.

To construct, operate, and maintain:

1. a temporary workspace impacting 2,831 square feet (0.06 acre) of palustrine forested wetland (PFO) (Auburn Center, PA Quadrangle; Lat. 41.653206°, Long. -76.033345°),
2. a temporary workspace impacting 2,396 square feet (0.06 acre) of palustrine forested wetland (PFO) (Auburn Center, PA Quadrangle; Lat. 41.653122°, Long. -76.033561°),
3. permanent well pad fill impacting 5,227 square feet (0.12 acre) of palustrine emergent wetland (PEM) (Auburn Center, PA Quadrangle; Lat. 41.652736°, Long. -76.032256°),
4. permanent well pad fill impacting 22,651 square feet (0.52 acre) of palustrine emergent wetland (PEM) (Auburn Center, PA Quadrangle; Lat. 41.652206°, Long. -76.032693°),

The McGavin SUS Pad project located in Auburn Township, Susquehanna County. The project will result in 0.11 acre (4,777 square feet) of temporary PFO wetland impacts and 0.64 acre (27,878 square feet) of permanent PEM wetland impacts all for the purpose of operating and maintaining a Marcellus Shale natural gas well site.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: James Cassidy, Senior Civil Engineer, 570-855-9764.*

**E4104222-010. GEG PA Solar LLC**, 2 Logan Square, Suite 1830, Philadelphia, PA 19103, Nippenose Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 16, 2022.

GEG PA Solar, LLC is proposing the development of a 986-acre solar power project. The project is located in Nippenose Township, Lycoming County, PA on the southern side of the West Branch of the Susquehanna River. The Property is generally bound by: (i) the West Branch

of the Susquehanna River on the north and east; (ii) Norfolk Southern's railroad line and the Village of Antes Fort on the south; and (iii) State Highway 44 (SR 0044) on the west. The project area consists mostly of agricultural fields with small areas of forests, streams, wetlands, drainageways, and the floodplain and floodway of the West Branch Susquehanna River. The approximate center of the site is located at 41.200892° N, -77.217611° W according to the Linden PA USGS 7.5-minute series quadrangle. The Developer has entered into an approximately 25-year lease with the Property owners to access, construct, operate and maintain a commercial-scale project to generate 180–200 megawatt alternating current (MWAC) solar photovoltaic (PV) electric power. The Project is proposed to include a series of solar PV panels to capture and convert sunlight to produce direct current (DC) electricity. Through a series of inverters, equipment and supporting appurtenances, the Project is proposed to convert the DC electricity to generate AC electricity. The Project is proposed to be interconnected to the electrical grid via the existing Pennsylvania Power and Light Corporation (PPL) Lycoming-Lock Haven 69 kV overhead electric transmission line located south of the Property. The AC electricity generated from the Project is then to be delivered off-site for use by third parties, including energy companies and other entities. The Project is expected to generate approximately 350,000–400,000 MWh per year, or the equivalent of providing electricity to approximately 72,000–80,000 average Pennsylvania homes for an entire year. Latitude: 41.2008°, Longitude: -77.2175°.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager, 412-442-4000.*

**E6305122-007. PennDOT District 12-0**, 825 North Gallatin Avenue Ext, Uniontown, PA 15401, Luzerne Township, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 2, 2022.

The applicant proposes to: 1. remove an existing, single span reinforced concrete slab bridge over an unnamed tributary (UNT) to Middle Wheeling Creek (WWF) that has a hydraulic opening of 50 sq ft and out-to-out length of 16.55' and construct and maintain a replacement, precast box culvert with precast wingwall end sections with a hydraulic opening of 60 sq ft and out-to-out length of 37', and grouted rock cut-off walls over the UNT to Middle Wheeling Creek, 2. place and maintain fill in 173 LF of Middle Wheeling Creek (WWF) and construct and maintain 156 LF of relocated channel with natural stream bed material, live stake riparian plantings, and livestock fencing, 3. place and maintain fill, including R-6 rock, as part of a roadway embankment within the floodway along 183 LF of the left bank of Middle Wheeling Creek, 4. remove the existing 18-inch dia. CMP stormwater outfall structure and construct and maintain a stormwater outfall in the same location consisting of 24" dia. HDPE pipe spilling onto the R-6 roadway embankment in the Middle Wheeling Creek floodway described previously, 5. remove the existing 18-inch dia. CMP owned by West Finley Township and construct and maintain a stormwater outfall in the same location consisting of 24" dia. HDPE pipe spilling onto the R-6 roadway embankment in the Middle Wheeling Creek floodway described previously, for the purposes of replacing a dilapidated structure carrying SR 3021 over a UNT to Middle Wheeling Creek. Cumulatively, since some im-

pacts overlap, the project will have a permanent impact of 423 LF and a temporary impact of 356 LF on Middle Wheeling Creek and the UNT to Middle Wheeling Creek. Mitigation will be achieved through restoration of temporary impacts and the relocation of Middle Wheeling Creek into a 156 LF channel constructed with natural streambed materials, live stake riparian plantings, and livestock fencing. The project site is located on McGuffey Rd (SR 3021) near the intersection of Walnut Valley Road. Latitude: 40.067261°, Longitude: -80.480711°.

**E2605221-003. Fore Golf Company**, 440 Pleasant Valley Road, Connellsville, PA 15425, Bullsken Township, **Fayette County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: December 23, 2021.

To amend Permit No. E26052-389, which authorized the following: 1. Operate and maintain a 78-foot by 8-foot single span bridge over Mounts Creek (WWF); 2. Operate and maintain 466 feet of cart path pavement in the floodway of the unnamed tributary to Mounts Creek (WWF); 3. Operate and maintain a 24-inch CPP stormwater pipe along the right descending bank of the UNT to Mounts Creek; 4. Operate and maintain two 8-inch PVC outfall structures that drain the pond along the right descending bank of the UNT to Mounts Creek. 5. Operate and maintain 4,000 square feet of pond located in the floodway of the UNT to Mounts Creek; 6. Operate and maintain a 32-foot by 8-foot single span bridge that provides access to green within a pond; 7. Operate and maintain a 30-foot by 8-foot single span bridge that provides access to a second green along the aforementioned pond; 8. Operate and maintain a 25-foot by 10-foot single span bridge for cart passage along a second pond. This amendment proposes to: 1. Operate and maintain 400 feet of stream bank stabilization with R-4 riprap along both banks of Mounts Creek, and grading within the floodway; 2. Operate and maintain 1,050 feet of pond bank stabilization with R-4 riprap along a pond (Pond # 1); 3. Operate and maintain 610 feet of pond bank stabilization with R-4 riprap along a pond (Pond # 2); 4. Operate and maintain 72 feet of 8-inch diameter concrete inlet pipe for a yard drain within the floodway of Spruce Run (WWF), which replaced an 8-inch diameter pipe of equal length in the same location; 5. Operate and maintain a 78-foot long, 8-foot wide foot bridge within Mounts Creek; 6. Operate and maintain a 125-foot by 170-foot earthen mound within the floodway of the UNT to Mounts Creek; for the purpose of improving an existing golf course. Cumulatively, the project will permanently impact 478 feet of Mounts Creek, permanently impact 0.53 acre of the floodway of Mounts Creek, permanently impact 0.008 acre of the floodway of Spruce Run, and permanently impact 0.67 acre of the floodway of the UNT to Mounts Creek. Latitude: 40.066389°, Longitude: -79.544167°.

#### ENVIRONMENTAL ASSESSMENTS

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNNOGPRG@pa.gov.*

**EA5829222-005. Regency Marcellus Gas Gathering, LLC**, 101 West Third St., Williamsport, PA 17701, Lenox Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 29, 2022.

To construct, operate, and maintain: 1. a stream restoration/stabilization project impacting 173 lineal feet

and 7,754 square feet of floodway impact to Partners Creek (CWF, MF) (Lenoxville, PA Quadrangle; Lat. 41.711122°, Long. -75.698733°). The Regency Marcellus Gas Gathering, LLC (Regency) Herbert Well Connect—Partners Creek Restoration project proposes to restore a reach of Partners Creek that is crossed by the Herbert Well Connect Natural Gas Pipeline. The project is located within Lenox Township, Susquehanna County, PA. The project will result in 173 lineal feet and 7,754 square feet of floodway impacts to Partners Creek (CWF, MF) for the purpose of preventing stream degradation and as part of operation and maintenance of an existing natural gas gathering line for conveyance to market.

**EA5829222-003. Chesapeake Appalachia, LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Auburn Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 22, 2022.

To construct, operate, and maintain: 1. a temporary workspace impacting 828 square feet (0.02 acre) of palustrine forested wetland (PFO) (Auburn Center, PA Quadrangle; Lat. 41.666138°, Long. -76.094787°). The Nickolyn SUS Pad project is located in Auburn Township, Susquehanna County. The project will result in 0.02 acre (828 square feet) of temporary PFO wetland impacts all for the purpose of constructing, operating, and maintaining a Marcellus Shale natural gas well site.

## ACTIONS

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPUBLICNOTICE](http://www.dep.pa.gov/CWPUBLICNOTICE).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro

bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 *et seq.*, is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dept of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dept of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dept. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dept of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

| <i>Application Number</i> | <i>Permit Type</i>                            | <i>Action Taken</i> | <i>Permittee Name &amp; Address</i>  | <i>Municipality, County</i>  | <i>DEP Office</i> |
|---------------------------|---|---------------------|--|--|-------------------|
| PAD140011                 | Chapter 102 Individual NPDES Permit           | Issued              | Grays Wood Partnership<br>1952 Waddle Road<br>State College, PA 16803-1649   | Patton Township<br>Centre County   | NCRO              |
| PAD180027                 | Chapter 102 Individual NPDES Permit           | Issued              | Horses of Hope, Inc.<br>P.O. Box 94<br>Lock Haven, PA 17745  | Pine Creek Township<br>Clinton County  | NCRO              |
| PAD200008                 | Chapter 102 Individual NPDES Permit           | Issued              | Conneaut Lake Joint Municipal Authority<br>Crawford County<br>9888 State Highway 285<br>Conneaut Lake, PA 16316-2522 | Conneaut Lake Borough<br>Sadsbury Township<br>Summit Township<br>Crawford County | NWRO              |
| PAD400002                 | Chapter 102 Individual NPDES Permit           | Issued              | Walden Estates Inc.<br>57 N Mountain Boulevard<br>Mountain Top, PA 18707-1116  | Fairview Township<br>Luzerne County  | NERO              |
| PAD400008                 | Chapter 102 Individual NPDES Permit           | Issued              | Presidential Land Co. Ltd<br>435 W Centre Street<br>Mahanoy City, PA 17984   | Rice Township<br>Luzerne County  | NERO              |
| PAD400056                 | Chapter 102 Individual NPDES Permit           | Issued              | Misericordia University<br>301 Lake Street<br>Dallas, PA 18612-7752  | Dallas Township<br>Luzerne County  | NERO              |
| PAD440001                 | Chapter 102 Individual NPDES Permit           | Issued              | Glenn O Hawbaker, Inc.<br>1952 Waddle Road<br>Suite 203<br>State College, PA 16803-1649                              | Armagh Township<br>Mifflin County  | SCRO              |
| PA0245356                 | Industrial Stormwater Individual NPDES Permit | Issued              | International Paper Co.<br>6283 Tri-Ridge Boulevard<br>Loveland, OH 45241  | West Sadsbury Township<br>Chester County   | SERO              |
| PAS222204                 | Industrial Stormwater Individual NPDES Permit | Issued              | Consolidated Storage Co. Inc.<br>225 Main Street<br>Tatamy, PA 18085-7059  | Tatamy Borough<br>Northampton County   | NERO              |
| 0814804                   | Joint DEP/PFBC Pesticides Permit              | Issued              | Queen Esther Lot Owners Association<br>P.O. Box 934<br>Sayre, PA 18840-0934  | Athens Township<br>Bradford County   | NCRO              |
| 1122800                   | Joint DEP/PFBC Pesticides Permit              | Issued              | Windber CC<br>1392 Forest Hills Drive<br>Salix, PA 15952-9201  | Adams Township<br>Cambria County   | SWRO              |
| 1522812                   | Joint DEP/PFBC Pesticides Permit              | Issued              | Bentley Bill<br>398 N Manor Road<br>Elverson, PA 19520-9187  | West Nantmeal Township<br>Chester County   | SERO              |

| <i>Application Number</i> | <i>Permit Type</i>  | <i>Action Taken</i> | <i>Permittee Name &amp; Address</i>   | <i>Municipality, County</i>                    | <i>DEP Office</i> |
|---------------------------|---|---------------------|---|--|-------------------|
| 1522816                   | Joint DEP/PFBC Pesticides Permit  | Issued              | Downingtown Borough<br>Chester County<br>4 West Lancaster Avenue<br>Downingtown, PA 19335                                   | Downingtown Borough<br>Chester County          | SERO              |
| 4522804                   | Joint DEP/PFBC Pesticides Permit  | Issued              | Cresco Realty LLC<br>1 Weiler Drive<br>Cresco, PA 18326-9804  | Barrett Township<br>Monroe County              | NERO              |
| 4622812                   | Joint DEP/PFBC Pesticides Permit  | Issued              | Link Cynthia<br>1256 Bleim Road<br>Pottstown, PA 19464-2122   | Lower Pottsgrove Township<br>Montgomery County | SERO              |
| 3691201                   | Land Application and Reuse of Industrial Waste Individual WQM Permit        | Issued              | Darling Ingredients, Inc.<br>P.O. Box 369<br>693 Wide Hollow Road<br>Terre Hill, PA 17581-0369                              | East Earl Township<br>Lancaster County         | SCRO              |
| PA0060089                 | Major Sewage Facility<br>>= 1 MGD and < 5 MGD<br>Individual NPDES Permit    | Issued              | Middle Smithfield Township<br>Monroe County<br>147 Municipal Drive<br>East Stroudsburg, PA<br>18302-9519                    | Middle Smithfield Township<br>Monroe County    | NERO              |
| 4912201                   | Manure Storage and Wastewater Impoundments Individual WQM Permit            | Issued              | Rushtown Poultry, LLC<br>90 Court Street<br>Bethel, PA 19507  | Rush Township<br>Northumberland County         | NCRO              |
| PA0082066                 | Minor Industrial Waste Facility with ELG<br>Individual NPDES Permit         | Issued              | Darling Ingredients, Inc.<br>P.O. Box 369<br>693 Wide Hollow Road<br>Terre Hill, PA 17581-0369                              | East Earl Township<br>Lancaster County         | SCRO              |
| PA0023051                 | Minor Sewage Facility<br>>= 0.05 MGD and < 1 MGD<br>Individual NPDES Permit | Issued              | Palmerton Borough<br>Municipal Authority<br>Carbon County<br>443 Delaware Avenue<br>Palmerton, PA 18071-1908                | Palmerton Borough<br>Carbon County             | NERO              |
| PA0038733                 | Minor Sewage Facility<br>>= 0.05 MGD and < 1 MGD<br>Individual NPDES Permit | Issued              | East Providence Township<br>Municipal Authority<br>Bedford County<br>P.O. Box 83<br>Breezewood, PA 15533-0083               | East Providence Township<br>Bedford County     | SCRO              |
| PA0082589                 | Minor Sewage Facility<br>>= 0.05 MGD and < 1 MGD<br>Individual NPDES Permit | Issued              | PA American Water Co.<br>852 Wesley Drive<br>Mechanicsburg, PA 17055  | Fairview Township<br>York County               | SCRO              |
| 0101402                   | Minor and Non-NPDES Sewage Treatment Facility<br>Individual WQM Permit      | Issued              | Cumberland Township Authority<br>Adams County<br>1370 Fairfield Road<br>Gettysburg, PA 17325-7267                           | Cumberland Township<br>Adams County            | SCRO              |
| 6576417                   | Minor and Non-NPDES Sewage Treatment Facility<br>Individual WQM Permit      | Issued              | Unity Township<br>Municipal Authority<br>Westmoreland County<br>370 Pleasant Unity Mutual Road<br>Greensburg, PA 15601-6388 | Unity Township<br>Westmoreland County          | SWRO              |



## NOTICES

5987

| <i>Application Number</i> | <i>Permit Type</i>  | <i>Action Taken</i> | <i>Permittee Name &amp; Address</i>   | <i>Municipality, County</i>               | <i>DEP Office</i> |
|---------------------------|---|---------------------|---|---|-------------------|
| 6703405                   | Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit | Issued              | Stewartstown Borough Authority<br>York County<br>6 North Main Street<br>Stewartstown, PA 17363-4132 | Stewartstown Borough<br>York County       | SCRO              |
| NOEXNW221                 | No Exposure Certification   | Issued              | IRG Erie Inc.<br>1001 State Street<br>Erie, PA 16501-1814   | Erie City<br>Erie County                  | NWRO              |
| NOEXSE340                 | No Exposure Certification   | Issued              | Nabors Drilling USA, Inc.<br>515 W Greens Road<br>Suite 1000<br>Houston, TX 77067-4536              | West Whiteland Township<br>Chester County | SERO              |
| NOEXSW223                 | No Exposure Certification   | Denied              | PA American Water Co.<br>300 Galley Road<br>McMurray, PA 15317-2391                                 | Bethel Park Borough<br>Allegheny County   | SWRO              |
| PAR212217                 | PAG-03 NPDES General Permit for Industrial Stormwater               | Issued              | Castek, Inc.<br>20 Jones Street<br>New Rochelle, NY 10801-6000                                      | Salem Township<br>Luzerne County          | NERO              |
| 0422403                   | Sewer Extensions Individual WQM Permit                              | Issued              | Hopewell Township<br>Beaver County<br>1700 Clark Boulevard<br>Aliquippa, PA 15001-4205              | Hopewell Township<br>Beaver County        | SWRO              |
| PA0232718                 | Single Residence STP Individual NPDES Permit                        | Issued              | Hall David A<br>1190 Pleasant Hills Road<br>Williamsport, PA 17701-8439                             | Eldred Township<br>Lycoming County        | NCRO              |
| PA0290718                 | Single Residence STP Individual NPDES Permit                        | Issued              | Becker Paul<br>237 Callodine Avenue<br>Buffalo, NY 14226-3129                                       | Farmington Township<br>Warren County      | NWRO              |
| PA0290793                 | Single Residence STP Individual NPDES Permit                        | Issued              | Petruska Gregory<br>269 State Road<br>Valencia, PA 16059-2221                                       | Middlesex Township<br>Butler County       | NWRO              |
| PA0290858                 | Single Residence STP Individual NPDES Permit                        | Issued              | Vargason Matthew<br>138 Turkey Farm Road<br>Titusville, PA 16354                                    | Cherrytree Township<br>Venango County     | NWRO              |
| 1022410                   | Single Residence Sewage Treatment Plant Individual WQM Permit       | Issued              | Petruska Gregory<br>269 State Road<br>Valencia, PA 16059-2221                                       | Middlesex Township<br>Butler County       | NWRO              |
| 6122402                   | Single Residence Sewage Treatment Plant Individual WQM Permit       | Issued              | Vargason Matthew<br>138 Turkey Farm Road<br>Titusville, PA 16354                                    | Cherrytree Township<br>Venango County     | NWRO              |
| 6222406                   | Single Residence Sewage Treatment Plant Individual WQM Permit       | Issued              | Becker Paul<br>237 Callodine Avenue<br>Buffalo, NY 14226-3129                                       | Farmington Township<br>Warren County      | NWRO              |
| PA0290700                 | Small Flow Treatment Facility Individual NPDES Permit               | Issued              | Stelter Robert<br>1319 Willowbrook Road<br>New Castle, PA 16101-5415                                | Oakland Township<br>Butler County         | NWRO              |

| <i>Application Number</i> | <i>Permit Type</i>                                  | <i>Action Taken</i> | <i>Permittee Name &amp; Address</i>                                  | <i>Municipality, County</i>       | <i>DEP Office</i> |
|---------------------------|---|---------------------|--|-----------------------------------|-------------------|
| 1022407                   | Small Flow Treatment Facility Individual WQM Permit | Issued              | Stelter Robert<br>1319 Willowbrook Road<br>New Castle, PA 16101-5415 | Oakland Township<br>Butler County | NWRO              |

---

**II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.**


---

| <i>Permit Number</i> | <i>Permit Type</i>    | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                 | <i>Office</i>   |
|----------------------|-----------------------|---------------------|--|---|---|
| PAC510269            | PAG-02 General Permit | Issued              | 4250 Wissahickon Avenue, Inc.<br>1735 Market Street<br>Concourse Level<br>Philadelphia, PA 19103 | City of Philadelphia<br>Philadelphia County | SERO<br>RA-EPNPDES_SERO@pa.gov  |
| PAC400243            | PAG-02 General Permit | Issued              | Charles Finn<br>373 Municipal Road<br>Dallas, PA 18612   | Franklin Township<br>Luzerne County         | Luzerne Conservation District<br>325 Smiths Pond Road<br>Shavertown, PA 18708<br>570-674-7991<br>RA-EPWW-NERO@PA.GOV                    |
| PAC090538            | PAG-02 General Permit | Issued              | RE Alliance, LLC<br>711 Hyde Park<br>Doylestown, PA 18901  | Perkasie Borough<br>Bucks County            | Bucks County<br>Conservation District<br>1456 Ferry Road<br>Doylestown, PA<br>18901-5550<br>215.345.7577 x110<br>RA-EPNPDES_SERO@pa.gov |
| PAC090090            | PAG-02 General Permit | Issued              | Doylestown Township<br>425 Wells Road<br>Doylestown, PA 18901                                    | Doylestown Township<br>Bucks County         | Bucks County<br>Conservation District<br>1456 Ferry Road<br>Doylestown, PA<br>18901-5550<br>215.345.7577 x110<br>RA-EPNPDES_SERO@pa.gov |
| PAC090427 A-2        | PAG-02 General Permit | Issued              | Pennridge School District<br>1200 N. 5th Street<br>Perkasie, PA 18960                            | East Rockhill Township<br>Bucks County      | Bucks County<br>Conservation District<br>1456 Ferry Road<br>Doylestown, PA<br>18901-5550<br>215.345.7577 x110<br>RA-EPNPDES_SERO@pa.gov |
| PAC090551            | PAG-02 General Permit | Issued              | LCP Morrisville, LP<br>One North Wacker Drive<br>Suite 1925<br>Chicago, IL 60606-2180            | Falls Township<br>Bucks County              | Bucks County<br>Conservation District<br>1456 Ferry Road<br>Doylestown, PA<br>18901-5550<br>215-345-7577 x110<br>RA-EPNPDES_SERO@pa.gov |
| PAC090513            | PAG-02 General Permit | Issued              | Robert Trofimowicz<br>5791 Rodgers Road<br>Pipersville, PA 18947                                 | Bedminster Township<br>Bucks County         | Bucks County<br>Conservation District<br>1456 Ferry Road<br>Doylestown, PA<br>18901-5550<br>215-345-7577 x110<br>RA-EPNPDES_SERO@pa.gov |

## NOTICES

5989

| <i>Permit Number</i> | <i>Permit Type</i>       | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>             | <i>Office</i>   |
|----------------------|--------------------------|---------------------|--|---|---|
| PAC090523            | PAG-02<br>General Permit | Issued              | Sal Lapio, Inc.<br>104 Mill Road<br>Sellersville, PA 18960                             | West Rockhill Township<br>Bucks County  | Bucks County<br>Conservation District<br>1456 Ferry Road<br>Doylestown, PA<br>18901-5550<br>215-345-7577 x110<br>RA-EPNPDES_SERO@pa.gov       |
| PAC150309            | PAG-02<br>General Permit | Issued              | MBID of Delaware, LLC<br>5 Powell Lane<br>Collinswood, NJ 08108                        | Caln Township<br>Chester County         | Chester County<br>Conservation District<br>688 Unionville Road<br>Kennett Square, PA<br>19348<br>610-455-1360<br>RA-EPNPDES_SERO@pa.gov       |
| PAC150312            | PAG-02<br>General Permit | Issued              | HG Properties 90, L.P.<br>345 Main St.<br>Suite 112<br>Harleysville, PA 19438          | Schuylkill Township<br>Chester County   | Chester County<br>Conservation District<br>688 Unionville Road<br>Kennett Square, PA<br>19348<br>610-455-1360<br>RA-EPNPDES_SERO@pa.gov       |
| PAC350140            | PAG-02<br>General Permit | Issued              | Geisinger Community<br>Medical Center<br>100 N Academy Ave.<br>Danville, PA 17822-2455 | City of Scranton<br>Lackawanna County   | Lackawanna County<br>Conservation District<br>1038 Montdale Road<br>Scott Township, PA<br>18447 570-382-3086<br>RA-EPWW-NERO@PA.GOV           |
| PAC390033            | PAG-02<br>General Permit | Issued              | The Waterfront<br>Development Company<br>3 Furnace St.<br>Allentown, PA 18102          | City of Allentown<br>Lehigh County      | Lehigh County<br>Conservation District<br>4184 Dorney<br>Park Road<br>Suite 105<br>Allentown, PA 18104<br>610-391-9583<br>RA-EPWW-NERO@PA.GOV |
| PAC540122            | PAG-02<br>General Permit | Issued              | Sheetz, Inc.<br>Attn: Mr. Robert Franks<br>351 Sheetz Way<br>Claysburg, PA 16625       | City of Pottsville<br>Schuylkill County | Schuylkill Conservation<br>District 1206 AG Center<br>Drive<br>Pottsville, PA<br>17901-9733<br>570-622-3742<br>RA-EPWW-NERO@PA.GOV            |
| PAC600090            | PAG-02<br>General Permit | Issued              | Walnut Buildings, LLC<br>216 St Anthony Street<br>Lewisburg, PA 17837                  | Lewisburg Borough<br>Union County       | Union County<br>Conservation District<br>155 N 15th St<br>Lewisburg, PA<br>17837-8822<br>570-524-3860   |
| PAC360081 A-2        | PAG-02<br>General Permit | Issued              | Alido Group LP<br>P.O. Box 375<br>Intercourse, PA 17543                                | Leacock Township<br>Lancaster County    | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA 17601<br>717-874-2520<br>RA-EPSCWWPABULL@pa.gov   |

| <i>Permit Number</i> | <i>Permit Type</i>       | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>            | <i>Office</i>   |
|----------------------|--------------------------|---------------------|--|--|---|
| PAC360384 A-3        | PAG-02<br>General Permit | Issued              | Beiler Home Builders<br>1096 May Post Office Road<br>Quarryville, PA 17566       | Manheim Township<br>Lancaster County   | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA 17601<br>717-874-2520<br>RA-EPSCWWPABULL@pa.gov |
| PAC100275            | PAG-02<br>General Permit | Issued              | Spencer D Geibel<br>140 New Castle Road<br>Butler, PA 16001                      | Butler Township<br>Butler County       | Butler County<br>Conservation District<br>120 Hollywood Drive<br>Suite 201<br>Butler, PA 16001<br>724-284-5270                              |
| PAC250063A1          | PAG-02<br>General Permit | Issued              | Millcreek Township<br>School District<br>3740 West 26th Street<br>Erie, PA 16506 | Millcreek Township<br>Erie County      | Erie County<br>Conservation District<br>1927 Wager Road Erie,<br>PA 16509 814-825-6403  |
| PAC100231            | PAG-02<br>General Permit | Issued              | Meadow Ridge Partners LLC<br>3413 Babcock Boulevard<br>Pittsburgh, PA 15237      | Forward Township<br>Butler County      | Butler County<br>Conservation District<br>120 Hollywood Drive<br>Suite 201<br>Butler, PA 16001<br>724-284-5270                              |
| PAC360762            | PAG-02<br>General Permit | Issued              | Costello Builders Inc.<br>P.O. Box 95<br>East Petersburg, PA 17520               | Lancaster Township<br>Lancaster County | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA 17601<br>717-874-2520<br>RA-EPSCWWPABULL@pa.gov |
| PAC630260            | PAG-02<br>General Permit | Issued              | Columbia Gas of Pennsylvania<br>4000 Energy Drive<br>Bridgeville, PA 15017       | Donora Borough<br>Washington County    | Washington County<br>Conservation District<br>50 Old Hickory<br>Ridge Road<br>Suite 1<br>Washington, PA 15301<br>724-705-7098               |
| PAC360741            | PAG-02<br>General Permit | Issued              | Lancaster Bible College<br>901 Eden Rd<br>Lancaster, PA 17601                    | Manheim Township<br>Lancaster County   | Lancaster County<br>Conservation District<br>1383 Arcadia Road<br>Room 200<br>Lancaster, PA 17601<br>717-874-2520<br>RA-EPSCWWPABULL@pa.gov |
| PAC040107            | PAG-02<br>General Permit | Issued              | Brighton Township<br>1300 Brighton Road<br>Beaver, PA 15009                      | Brighton Township<br>Beaver County     | Beaver County<br>Conservation District<br>156 Cowpath Road<br>Aliquippa, PA 15001<br>724-378-1701   |
| PAC630235A-1         | PAG-02<br>General Permit | Issued              | Columbia Gas of Pennsylvania<br>4000 Energy Drive<br>Bridgeville, PA 15017       | Amwell Township<br>Washington County   | Washington County<br>Conservation District<br>50 Old Hickory<br>Ridge Road<br>Suite 1<br>Washington, PA 15301<br>724-705-7098               |

## NOTICES

5991

| <i>Permit Number</i> | <i>Permit Type</i>       | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                                     | <i>Office</i>   |
|----------------------|--------------------------|---------------------|--|---|---|
| PAC650310            | PAG-02<br>General Permit | Issued              | PennDOT Engineering<br>District 12-0<br>825 North Gallatin Avenue Ext<br>Uniontown, PA 15401 | Allegheny Township<br>Westmoreland<br>County                    | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15601<br>724-837-5271                                    |
| PAC380180 A-1        | PAG-02<br>General Permit | Issued              | Linford Snyder<br>90 Court Street<br>Bethel, PA 17042  | Swatara Township<br>Lebanon County                              | Lebanon County<br>Conservation District<br>2120 Cornwall Road<br>Suite 5<br>Lebanon, PA 17042<br>717-277-5275<br>RA-EPSCWWPABULL@<br>pa.gov |
| PAC630255            | PAG-02<br>General Permit | Issued              | Tomahawk 123 LLC<br>951 Cagni Drive<br>Canonsburg, PA 15317                                  | Peters Township<br>Washington County                            | Washington County<br>Conservation District<br>50 Old Hickory<br>Ridge Road<br>Suite 1<br>Washington, PA 15301<br>724-705-7098               |
| PAC380246            | PAG-02<br>General Permit | Issued              | Jon Fitzkee<br>400 South 8th Street<br>Room 207<br>Municipal Building<br>Lebanon, PA 17042   | City of Lebanon<br>North Cornwall<br>Township<br>Lebanon County | Lebanon County<br>Conservation District<br>2120 Cornwall Road<br>Suite 5<br>Lebanon, PA 17042<br>717-277-5275<br>RA-EPSCWWPABULL@<br>pa.gov |
| PAC650329            | PAG-02<br>General Permit | Issued              | Lower Burrell<br>Municipal Authority<br>2800 Bethel Street<br>Lower Burrell, PA 15068        | City of Lower<br>Burrell<br>Westmoreland<br>County              | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15301<br>724-837-5271                                    |
| PAC380253            | PAG-02<br>General Permit | Issued              | Pine Hill Building Company<br>100 Highlands Drive<br>Suite 209<br>Lititz, PA 17543           | North Cornwall<br>Township<br>Lebanon County                    | Lebanon County<br>Conservation District<br>2120 Cornwall Road<br>Suite 5<br>Lebanon, PA 17042<br>717-277-5275<br>RA-EPSCWWPABULL@<br>pa.gov |
| PAC650330            | PAG-02<br>General Permit | Issued              | Peoples Natural Gas, LLC<br>195 Donahoe Road<br>Greensburg, PA 15601                         | Hempfield Township<br>Westmoreland<br>County                    | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15601<br>724-837-5271                                    |
| PAC380251            | PAG-02<br>General Permit | Issued              | Duane Copenhaver<br>984 Forney Lane<br>Lebanon, PA 17042                                     | South Annville<br>Township<br>Lebanon County                    | Lebanon County<br>Conservation District<br>2120 Cornwall Road<br>Suite 5<br>Lebanon, PA 17042<br>717-277-5275<br>RA-EPSCWWPABULL@<br>pa.gov |

| <i>Permit Number</i> | <i>Permit Type</i>          | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>   | <i>Office</i>   |
|----------------------|-----------------------------|---------------------|--|---|---|
| PAC650316A-1         | PAG-02<br>General<br>Permit | Issued              | Westmoreland County<br>Industrial Development<br>Corporation<br>40 North Pennsylvania Avenue<br>5th Floor<br>Suite 520<br>Greensburg, PA 15601 | East Huntingdon<br>Township<br>Westmoreland<br>County               | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15601<br>724-837-5271  |
| PAC380250            | PAG-02<br>General<br>Permit | Issued              | PA Department of Military &<br>Veteran Affairs<br>Building 11-64<br>Utility Road, FTIG<br>Annville, PA 17003                                   | East Hanover<br>Township<br>Union Township<br>Lebanon County        | Lebanon County<br>Conservation District<br>2120 Cornwall Road<br>Suite 5<br>Lebanon, PA 17042<br>717-277-5275<br>RA-EPSCWWPABULL@<br>pa.gov                   |
| PAC650320            | PAG-02<br>General<br>Permit | Issued              | 4765 Old William Penn Re, LLC<br>1170 Pittsford Victor Road<br>Suite 260<br>Pittsford, NY 14534  | Murrysville Borough<br>Westmoreland<br>County                       | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15601<br>724-837-5271  |
| PAC380254            | PAG-02<br>General<br>Permit | Issued              | HPW Properties, LLC<br>1213 Orchard Road<br>Lititz, PA 17543   | South Lebanon<br>Township<br>Lebanon County                         | Lebanon County<br>Conservation District<br>2120 Cornwall Road<br>Suite 5<br>Lebanon, PA 17042<br>717-277-5275<br>RA-EPSCWWPABULL@<br>pa.gov                   |
| PAC650325            | PAG-02<br>General<br>Permit | Issued              | Westmoreland Pool<br>112 Washington Place<br>Pittsburgh, PA 15219  | Arona Borough<br>Westmoreland<br>County                             | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15601<br>724-837-5271  |
| PAC650289A-1         | PAG-02<br>General<br>Permit | Issued              | AI. Neyer LLC<br>11 Stanwix Street<br>Suite 1050<br>Pittsburgh, PA 15222   | Hempfield Township<br>Coraopolis Township<br>Westmoreland<br>County | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15601<br>724-837-5271  |
| PAC650254A-1         | PAG-02<br>General<br>Permit | Issued              | Columbia Gas of Pennsylvania<br>4000 Energy Drive<br>Bridgeville, PA 15017   | North Huntingdon<br>Township<br>Westmoreland<br>County              | Westmoreland County<br>Conservation District<br>218 Donahoe Road<br>Greensburg, PA 15601<br>724-837-5271  |
| PAC670568            | PAG-02<br>General<br>Permit | Issued              | 1049PA, LLC<br>Noah Mehrkham<br>1055 Thomas Jefferson Street<br>NW<br>Suite 250<br>Washington DC, DC 20007                                     | Penn Township<br>York County  | York County<br>Conservation District<br>2401 Pleasant<br>Valley Road<br>Suite 101<br>Room 139<br>York, PA 17402<br>717-840-7430<br>RA-EPSCWWPABULL@<br>pa.gov |

## NOTICES

5993

| <i>Permit Number</i> | <i>Permit Type</i>          | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>   | <i>Municipality, County</i>                 | <i>Office</i>   |
|----------------------|-----------------------------|---------------------|---|---|---|
| PAC670577            | PAG-02<br>General<br>Permit | Issued              | J. A. Myers Building &<br>Development Inc.<br>Joseph A. Myers<br>160 Ram Drive<br>Hanover, PA 17331                           | Hanover Borough<br>York County              | York County<br>Conservation District<br>2401 Pleasant<br>Valley Road<br>Suite 101<br>Room 139<br>York, PA 17402<br>717-840-7430<br>RA-EPSCWWPABULL@<br>pa.gov |
| PAC160045            | PAG-02<br>General<br>Permit | Issued              | Columbia Gas of Pennsylvania<br>4000 Energy Drive<br>Bridgeville, PA 15017  | Perry Township<br>Clarion County            | Clarion County<br>Conservation District<br>217 S 7th Avenue<br>Room 106A<br>Clarion, PA 16214<br>814-297-7813   |
| PAC280153 A-1        | PAG-02<br>General<br>Permit | Issued              | Loren Leid<br>Leid Poultry Operation<br>13690 Mongul Hill Road<br>Shippensburg, PA 17257-9105                                 | Southampton<br>Township<br>Franklin County  | Franklin County<br>Conservation District<br>185 Franklin<br>Farm Lane<br>Chambersburg, PA<br>17202<br>17-264-5499 ext. 107<br>RA-EPSCWWPABULL@<br>pa.gov      |
| PAC160017A1          | PAG-02<br>General<br>Permit | Issued              | Speyside Bourbon Cooperage<br>P.O. Box 509<br>Jackson, OH 45640   | Clarion Township<br>Clarion County          | Clarion County<br>Conservation District<br>217 S 7th Avenue Room<br>106A<br>Clarion, PA 16214<br>814-297-7813   |
| PAC280281            | PAG-02<br>General<br>Permit | Issued              | Steven Lynch<br>Sheetz, Inc.<br>351 Sheetz Way<br>Claysburg, PA 16225   | Greencastle Borough<br>Franklin County      | Franklin County<br>Conservation District<br>185 Franklin<br>Farm Lane<br>Chambersburg, PA<br>17202<br>717-264-5499 ext. 107<br>RA-EPSCWWPABULL@<br>pa.gov     |
| PAC280295            | PAG-02<br>General<br>Permit | Issued              | John Massimilla<br>WellSpan Properties, Inc.<br>101 South George Street<br>York, PA 17405                                     | Greene Township<br>Franklin County          | Franklin County<br>Conservation District<br>185 Franklin<br>Farm Lane<br>Chambersburg, PA<br>17202<br>717-264-5499 ext. 107<br>RA-EPSCWWPABULL@<br>pa.gov     |
| PAC280297            | PAG-02<br>General<br>Permit | Issued              | Aaron Ziebarth<br>CBM Ministries of<br>South-Central<br>Pennsylvania, Inc.<br>3741 Joy-El Drive<br>Greencastle, PA 17225-9001 | Saint Thomas<br>Township<br>Franklin County | Franklin County<br>Conservation District<br>185 Franklin<br>Farm Lane<br>Chambersburg, PA<br>17202<br>717-264-5499 ext. 107<br>RA-EPSCWWPABULL@<br>pa.gov     |
| PAC560061            | PAG-02<br>General<br>Permit | Issued              | Department of General Services<br>1800 Herr Street<br>Harrisburg, PA 17103  | Somerset Township<br>Somerset County        | Somerset County<br>Conservation District<br>6024 Glades Pike<br>Suite 103<br>Somerset, PA 15501<br>814-445-4652   |

| <i>Permit Number</i> | <i>Permit Type</i>          | <i>Action Taken</i> | <i>Applicant Name &amp; Address</i>  | <i>Municipality, County</i>                | <i>Office</i>  |
|----------------------|-----------------------------|---------------------|--|--|--|
| PAC250168            | PAG-02<br>General<br>Permit | Issued              | PLP XII LLC<br>2906 Copperleaf Drive<br>Erie, PA 16509   | Harborcreek<br>Township<br>Erie County     | Erie County<br>Conservation District<br>1927 Wager Road Erie,<br>PA 16509 814-825-6403   |
| PAC250170            | PAG-02<br>General<br>Permit | Issued              | Iron Peak Industries LLC<br>11560 Wilson Road<br>North East, PA 16428  | Greene Township<br>Erie County             | Erie County<br>Conservation District<br>1927 Wager Road Erie,<br>PA 16509 814-825-6403   |
| PAC020585A-1         | PAG-02<br>General<br>Permit | Issued              | West Penn Power Company<br>800 Cabin Hill Drive<br>Greensburg, PA 15601  | Springdale Township<br>Allegheny County    | Allegheny County<br>Conservation District<br>317 East<br>Carson Street<br>Suite 119<br>Pittsburgh, PA 15219<br>4122918005 SWRO |
| PAC020827            | PAG-02<br>General<br>Permit | Issued              | Compton Addy<br>3805 Edwards Road<br>Suite 390<br>Cincinnati, OH 45209   | Robinson Township<br>Allegheny County      | Allegheny County<br>Conservation District<br>317 East<br>Carson Street<br>Suite 119<br>Pittsburgh, PA 15219<br>412-291-8005    |
| PAC020838            | PAG-02<br>General<br>Permit | Issued              | Edgeworth Center<br>Retirement Residence<br>100 West Station Square Drive<br>Suite 350<br>Pittsburgh, PA 15219 | Edgeworth Borough<br>Allegheny County      | Allegheny County<br>Conservation District<br>317 East<br>Carson Street<br>Suite 119<br>Pittsburgh, PA 15219<br>412-291-8005    |
| PAC020475A-2         | PAG-02<br>General<br>Permit | Issued              | Continental Real Estate<br>Companies<br>150 East Broad Street<br>Columbus, OH 43215                            | McCandless<br>Township<br>Allegheny County | Allegheny County<br>Conservation District<br>317 East<br>Carson Street<br>Suite 119<br>Pittsburgh, PA 15219<br>412-291-8005    |
| PAC020840            | PAG-02<br>General<br>Permit | Issued              | Landowner<br>128 Majestic Drive<br>Mars, PA 16046  | Pine Township<br>Allegheny County          | Allegheny County<br>Conservation District<br>317 East<br>Carson Street<br>Suite 119<br>Pittsburgh, PA 15219<br>412-291-8005    |

## STATE CONSERVATION COMMISSION

### NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's



rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

| <i>Agricultural Operation<br/>Name and Address</i>       | <i>County</i> | <i>Total<br/>Acres</i> | <i>Animal<br/>Equivalent<br/>Units</i> | <i>Animal<br/>Type</i> | <i>Special<br/>Protection<br/>Waters (HQ<br/>or EV or NA)</i> | <i>Approved or<br/>Disapproved</i> |
|--|---------------|------------------------|--|------------------------|---|------------------------------------|
| Barry Good<br>1695 Rake Road<br>Mohrsville, PA 19541     | Berks County  | 269.67                 | 314                                    | Poultry                | NA  | Approved                           |
| Spring Pond Farm<br>93 Deck Road<br>Womelsdorf, PA 19567 | Berks County  | 112.9                  | 407.11                                 | Poultry                | NA  | Approved                           |

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers Clerical Assistant 2 484-250-5887.*

**Construction Permit No. 1522514**, Major Amendment, Public Water Supply.

|                      |   |
|----------------------|---|
| Applicant            | <b>Highland Court</b>   |
| Address              | 3982 West Lincoln Highway<br>Parksberg, PA 19356-1776   |
| Municipality         | Highland Township   |
| County               | <b>Chester County</b>   |
| Consulting Engineer  | James R. Holley &<br>Associates, Inc.<br>18 South George Street<br>Suite 300<br>York, PA 17401            |
| Application Received | June 24, 2022   |
| Permit Issued        | August 29, 2022   |
| Description          | Corrosion control facilities, flow switch for caustic soda feed pump, replace chlorine and caustic pumps. |

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nicole Mechtly, Clerical Supervisor II, (570-327-3490).*

**Operation Permit 5922501MA**. PWSID No. **2590018**. **KA Middlebury Mobile Home Park, LLC**, 34 Brennan Way, Hillsborough, NJ 08844, Middlebury Township, **Tioga County**. Application received: August 16, 2022. Permit Issued: August 29, 2022. This permit authorizes the water system to operate two Flexcon Mixmaster Model BAF-120 120-gallon tanks constructed of fiberglass.

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Gillian Pehala, Clerical Assistant 2, (570) 830-3077.*

**Operation Permit 2400026.** PWSID No. **2400026.** **The Pennsylvania State University Wilkes-Barre Campus**, 209 Water Treatment Plant, University Park, PA 16802, Lehman Township, **Luzerne County**. Application received: July 19, 2022. Permit Issued: July 22, 2022. Operation Permit issued following the completion of warranty punch list work on elevated water storage tank.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Construction Permit 2222514 MA.** PWSID No. **7220038.** **Borough of Middletown**, 60 West Emaus Street, Middletown, PA 17057, Middletown Borough, **Dauphin County**. Application received: June 9, 2022. Permit Issued: August 15, 2022. Repainting and modifications to the Turnpike finished water storage tank.

**Construction/Operation Permit 2222515 MA.** PWSID No. **7220017.** **Pennsylvania American Water**, 852 Wesley Park Drive, Mechanicsburg, PA 17055, South Hanover Township, **Dauphin County**. Application received: June 21, 2022. Permit Issued: August 16, 2022. Replacement of the four existing online chlorine analyzers with new amperometric analyzers.

**Construction Permit 0120501.** PWSID No. **7010036.** **Lake Meade Municipal Authority**, 59 Curtis Drive, East Berlin, PA 17316, Reading Township, **Adams County**. Application received: July 7, 2022. Permit Issued: August 26, 2022. Re-permitting of Well No. 3 with the installation of uranium and radon treatment and GWR 4-log disinfection.

**NCWSA Operation Permit 7220888.** PWSID No. **7220888.** **Lake Tobias Wildlife Park**, 760 Tobias Road, Halifax, PA 17032, Halifax Township, **Dauphin County**. Application received: July 13, 2022. Permit Issued: August 24, 2022. Operation of Well No. 3 with a cartridge filter and UV disinfection.

**NCWSA Operation Permit 7010830.** PWSID No. **7010830.** **Red Barns, LLC**, 1284 Town Hill Road, York Springs, PA 17372, Latimore Township, **Adams County**. Application received: August 16, 2022. Permit Issued: August 26, 2022. Installation of Well No. 1—3 with cartridge filters and sodium hypochlorite disinfection with contact tanks.

**Operation Permit 2219507 MA.** PWSID No. **7220005.** **Gratz Borough Water Revenue Fund**, P.O. Box 444, Gratz, PA 17030, Gratz Borough, **Dauphin County**. Application received: August 11, 2022. Permit Issued: August 30, 2022. Partial permit for the operation of the treatment plant and meter pit Spring controls.

**Operation Permit 6719511 MA.** PWSID No. **7670085.** **Dallastown-Yeo Water Company**, 175 East Broad Street, Dallastown, PA 17313, Dallastown Borough, **York County**. Application received: August 11, 2022. Permit Issued: August 30, 2022. Partial operation permit for the new South Park Street storage tank and modifications to the existing Denton elevated storage tank.

*Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.*

**Construction Permit 0522501.** PWSID No. **4050497.** **Shellbark Campground, LLC**, 121 Pecan Road, Manns Choice, PA 15550, Napier Township, **Bedford County**. Application received: March 14, 2022. Permit Issued: July 20, 2022. Construction permit for 4-log disinfection treatment of viruses using sodium hypochlorite.

**Construction Permit 6722507 MA.** PWSID No. **7670082.** **New Freedom Borough**, 49 East High Street, New Freedom, PA 17349, New Freedom Borough and Shrewsbury Township, **York County**. Application received: May 11, 2022. Permit Issued: August 3, 2022. Construction permit for new chemical feed pumps to replace existing feed pumps.

**Operation Permit 4050009.** PWSID No. **4050009.** **Hillside Terrace MHP, LLC**, 2958 Willow Street Pike, Willow Street, PA 17584, East Saint Clair Township, **Bedford County**. Application received: June 29, 2022. Permit Issued: July 13, 2022. Comprehensive Operation Permit updated to include the operation of the iron and manganese treatment removal system.

**Construction Permit 2122506 MA.** PWSID No. **7210029.** **Pennsylvania-American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Fairview Township, **York County**. Application received: June 20, 2022. Permit Issued: September 1, 2022. Construction permit for the replacement of the polymer feed pumps at the West Shore Water Treatment Plant.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.*

**Operation Permit 1122504MA.** PWSID No. **4110017.** **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, Croyle Township, **Cambria County**. Application received: July 5, 2022. Permit Issued: August 30, 2022. Replacement of approximately 20,000 linear feet of 12-inch, 10-inch, 4-inch, and 2-inch diameter transmission and distribution waterline and appurtenances along Beaver Run Avenue, Mill Road, Lake Road, and Frankstown Road; and the installation of five pressure reducing valves (Water System Improvements Project).

**Operation Permit 1122502MA.** PWSID No. **4110800.** **Saint Francis University of Pennsylvania**, 117 Lakeview Drive, Loretto, PA 15940, Loretto Borough, **Cambria County**. Application received: August 12, 2022. Permit Issued: August 31, 2022. Operation of Filters 3 and 4 at Saint Francis water treatment facility.

#### SEWAGE FACILITIES ACT PLAN DISAPPROVAL

**Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Cory Zimmerman, Sewage Planning Specialist, 717-705-4793.*

*Plan Location:*

| <i>Municipality</i> | <i>Address</i>                          | <i>County</i>       |
|---------------------|---|---------------------|
| Leacock Township    | 3545 W. Newport Road<br>Ronks, PA 17572 | Lancaster<br>County |

*Plan Description:*

**Daniel M. King Subdivision**, A3-36935-318-2. The revision to the official plan of Leacock Township, **Lancaster County** for the Daniel M. King Subdivision (DEP Code No. A3-36935-318-2; APS ID No. 1065917) has been disapproved. The proposed development to be located at 997 Musser School Road in Gordonville—consists of a residential lot using on-lot disposal with a proposed groundwater recharge easement. This plan revision has been disapproved because a replacement absorption area was proposed within the proposed groundwater recharge easement and also because the groundwater recharge easement, as proposed, may only partially contain the plume from the new lot as the plume moves with topography.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

---

#### The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

---

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kim Bontrager, Clerical Assistant 3, 814-332-6648.*

**Vitro Meadville Flat Glass, LLC**, Primary Facility ID # **857354**, 5123 Victory Boulevard, Cochranon, PA 16314, Greenwood Township, **Crawford County**. Geosyntec Consultants, 5313 Campbells Run Road, Suite 150, Pittsburgh, PA 15205 on behalf of Vitro Meadville Flat Glass, LLC, 5123 Victory Boulevard, Cochranon, PA 16314, submitted a Final Report concerning remediation of soil contaminated with benzene, toluene, ethylbenzene, cumene (isopropylbenzene), methyl tert-butyl ether (MTBE), naphthalene, 1,2,4-trimethyl benzene and 1,3,5-trimethyl benzene. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 31, 2022.

**Beechwood Pad A (411 Boundary Lane)**, Primary Facility ID # **855182**, 411 Boundary Lane, St. Marys, PA 15857, City of Saint Marys, **Elk County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110 on behalf of Pin Oak Energy Partners, LLC, 388 South Main Street, Akron, OH 44311, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil and groundwater contaminated with in soil Aluminum, Lithium, Strontium, Barium, Manganese, Zinc, Boron, Selenium, Iron, Chloride; in groundwater Barium, Lithium, Vanadium, Boron, Selenium, Zinc, Strontium, and Chloride. The Final Report demonstrated attainment of the Site-Specific, Statewide Health & Background. Approved: September 6, 2022.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**New Enterprise Stone & Lime Co., Inc.—Hinkletown Aggregates**, Primary Facility ID # **858452**, 606 Martindale Road, Ephrata, PA 17522, Earl Township, **Lancaster County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on behalf of New Enterprise Stone & Lime Co., Inc., 3580 Division Highway, East Earl, PA 17519, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 24, 2022.

**Peggy Roshong Property**, Primary Facility ID # **857668**, 10 Crusher Road, Douglassville, PA 19518, Union Township, **Berks County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602 on

behalf of Peggy Roshong, 10 Crusher Road, Douglassville, PA 19518, submitted a Final Report concerning remediation of soil contaminated with No. 2 Fuel Oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 2, 2022.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Derry Station**, Primary Facility ID # **831044**, 200 West 2nd Avenue, Derry, PA 15627, Derry Borough, **Westmoreland County**. Resource Control Consultants, LLC, 10 Lippincott Lane, Unit 1, Mt Holly, NJ 08060 on behalf of National Church Residencies, 2335 North Bank Drive, Columbus, OH 43220, submitted a Final Report concerning remediation of soil and groundwater contaminated with anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluorene, indeno(1,2,3-cd)pyrene, phenanthrene, pyrene, aroclor 1254, aluminum, antimony, arsenic, barium, beryllium, boron, chromium III, cobalt, copper, iron, lead, manganese, mercury, nickel, selenium, silver, thallium, tin, zinc, and vanadium for soils; and barium, beryllium, cobalt, copper, iron, magnesium, nickel, selenium, silver, thallium, vanadium, zinc, aluminum, antimony, arsenic, chromium III, lead, and manganese for groundwater. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: September 2, 2022.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

*New Transporter License Issued*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101,717-787-7561.*

*Contact: Jonathan Adams.*

**Potomac Environmental, Inc.**, P.O. Box 1836, Stafford, VA 22555-1836. **License No. PA-AH 0925**. Application received: June 29, 2022. Effective August 31, 2022.

*Transporter License Renewed*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101,717-787-7561.*

*Contact: Jonathan Adams.*

**2347854 Ontario, Inc.**, 1818 Burlington Street E, Hamilton, ON L8H 3L4. **License No. PA-AH 0817**. Application received: August 8, 2022. Effective August 18, 2022.

**Heritage-Crystal Clean, LLC**, 2000 Center Drive, Hoffman Estates, IL 60192. **License No. PA-AH 0672**. Application received: July 21, 2022. Effective August 31, 2022.

**Transervice Logistics, Inc.**, 5 Dakota Drive, Lake Success, NY 11042. **License No. PA-AH 0702**. Application received: August 30, 2022. Effective August 30, 2022.

*Transporter License Voluntarily Terminated*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101,717-787-7561.*

*Contact: Jonathan Adams.*

**Dynamic Environmental Services, LLC**, P.O. Box 697, Geismar, LA 70734-0697. **License No. PA-AH 0905**. Application received: September 1, 2022. Effective September 1, 2022.

#### REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

**Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.**

*Transporter License Renewed*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101,717-787-7561.*

*Contact: Jonathan Adams.*

**Approved Storage & Waste Hauling MA, Inc.**, 110 Edison Avenue, Mount Vernon, NY 10550. **License No. PA-HC 0273**. Received on August 30, 2022. Effective August 30, 2022.

#### HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

**Actions(s) Taken on Draft Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage, or Disposal Facility.**

*Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.*

**PAD981038227. World Resources Company**, 984 West Broadway, Suite 3, Jackson, WY 83001, Norwegian Township, **Schuylkill County**. The Commonwealth of Pennsylvania, Department of Environmental Protection (DEP) intends to issue to World Resources Company (WRC) a Solid Waste Management Act Permit. This permit is a renewal of the permit to operate a Hazardous Waste treatment and storage facility at 170 Walnut Lane, Pottsville, PA 17901. The renewed permit will allow the existing facility to remain in operation for another ten (10) years. WRC specializes in the production of non-

-ferrous metal concentrate products from select metal-bearing industrial waste streams. These metal bearing wastes are the by-product of the wastewater treatment and manufacturing activities at firms utilizing electroplating and surface finishing technologies, principally in the electronics and metal finishing industries. During the production of the metal concentrates, WRC treats and stores recyclable materials on site in the facility Containment Building, utilizing a Receiving, Inspection and Sampling Receptacle (RISR), a Hydrometallurgical Process System, two concentrating units, a compounding unit, and a mechanical shredding/size reduction unit. The public will be given forty-five (45) days to comment on the draft permit, issued September 15, 2022 and prepared under the Solid Waste Management Act. The comment period will begin on September 17, 2022 and will end on November 1, 2022. Any person interested in commenting on the application or draft permit must do so within this comment period. An information repository has been established at the DEP Northeast Regional Office. Application received: March 9, 2021.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2511, rbellas@pa.gov, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

#### DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Mohamad Mazid, Chief, Technical Services, Phone Number 484-250-5768.*

**WMGR081SE013. Universal Waste Solutions, LLC**, 4301 N. Delaware Avenue, Building B, Philadelphia, PA 19137-1934, City of Philadelphia, **Philadelphia County**. This General Permit application is for Determination of Applicability (DOA) under the conditions defined within General Permit No. WMGR081 for sorting, disassembling and mechanical processing by sizing, shaping, separating and volume reduction only of electronic waste prior to reuse or recycle at Universal Waste Solutions Facility. Application received: December 10, 2021. Denied: September 1, 2022.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Lisa Houser, P.E., Environmental Engineer Manager, 570-327-3752.*

**100963. Lycoming County Resource Management Service**, P.O. Box 187, 447 Alexander Drive, Montgomery, PA 17752, Brady Township, **Lycoming County**. Minor permit modification for the installation of the tertiary liner system in the leachate tank. Application received: March 4, 2022. Permit issued: August 30, 2022.

Persons interested in reviewing the permit may contact Lisa Houser, P.E., Environmental Engineer Manager, 570-372-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**100963. Lycoming County Resource Management Service**, P.O. Box 187, 447 Alexander Drive, Montgomery, PA 17752, Brady Township, **Lycoming County**. Minor permit modification for a new final closure cap system. Application received: March 14, 2022. Permit issued: August 30, 2022.

Persons interested in reviewing the permit may contact Lisa Houser, P.E., Environmental Engineer Manager, 570-372-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**301626. White Pines Corporation**, 515 State Route 442, Millville, PA 17846, Pine Township, **Columbia County**. Minor permit modification for the construction of a leachate storage impoundment (Basin # 3) at the White Pines Landfill. Application received: February 14, 2022. Permit issued: August 30, 2022.

Persons interested in reviewing the permit may contact Lisa Houser, P.E., Environmental Engineer Manager, 570-372-3752, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

*Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.*

**400665. Erie Sewer Authority/City of Erie**, 68 Port Access Road, Erie, PA 16507-2202, City of Erie, **Erie**

**County.** Permit Renewal for the operation of an incinerator for the City of Erie Wastewater Treatment Plant to process the treatment plant's sludge prior to landfill disposal. The permit renewal does not change any existing permit conditions but provides an additional ten-years of operation. Application received: June 16, 2022. Renewed: August 30, 2022.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager, 412-442-4000.*

**100590. BFI Waste Systems of North America LLC,** 334 Walley Run Road, Leeper, PA 16233, Fallowfield Township, **Washington County.** Modification of the Closure Plan for the closed Mon Valley Landfill located at 30 Fox Stop Road, Charleroi, PA 15022-3626. Application received: September 11, 2020. Approved: August 26, 2022.

Persons interested in reviewing the permit may contact Regional Files by telephone at 412-442-4100, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

*Contact: Waste Management Program Manager, 412-442-4000*

**301291. INEOS Composites US, LLC,** 5220 Blazer Parkway, Dublin, OH 43017, Neville Township, **Allegheny County.** An individual permit was reissued to INEOS Composites US, LLC for the residual waste incinerator located at 2650 Neville Road, Neville Township, PA due to a change in ownership. The permit was previously issued to Ashland, LLC. Application received: May 21, 2019. Permit issued: August 30, 2022.

Persons interested in reviewing the permit may contact Regional Files by telephone at 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

## AIR QUALITY

**Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**GP1-60-100A: Country View Family Farms, LLC,** 1301 Fulling Mill Road, Suite 3000, Middletown, PA

17057, White Deer Township, **Union County.** For the construction and operation of a 24.375 MMBtu/hr, Johnston Boiler Co. model PFTA-600-4, natural gas-fired boiler, equipped with low NO<sub>x</sub> burners, pursuant to the General Plan Approval and/or General Operating Permit (BAQ-GPA/GP-1) Small Gas and No. 2 Oil Fired Combustion Units at its feed mill. Application received: August 11, 2022. Issued: August 24, 2022.

**GP15-60-100A: Country View Family Farms, LLC,** 1301 Fulling Mill Rd., Ste. 3000, Middletown, PA 17057, White Deer Township, **Union County.** For the construction and operation of an animal feed mill pursuant to the General Plan Approval and/or General Operating Permit (BAQ-GPA/GP-15): Feed Mills, at its proposed facility. Application received: August 11, 2022. Issued: August 24, 2022.

**GP1-08-00010A: Global Tungsten & Powders Corp.,** 1 Hawes St., Towanda, PA 18848, North Towanda Township, **Bradford County.** To construct and operate one Ware Systems model F2-DB-650X-250PSIG natural gas-fired boiler rated at a maximum of 27.19 MMBtu/hr of heat input pursuant to the General Plan Approval and General Operating Permit for Small Gas & No. 2 Oil Fired Combustion Units (BAQ-GPA/GP-1) at their Towanda facility. Application received: July 19, 2022. Issued: August 23, 2022.

**Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Edward Orris, PE, New Source Review Chief (412-442-4168).*

**63-00096D: Union Electric Steel Corporation,** 31 Union Electric Road, Burgettstown, PA 15021, Smith Township, **Washington County.** Authorizes the installation of two (2) direct-fired natural gas annealing furnaces, each rated at 9.9 MMBtu/hr and two (2) direct-fired natural gas forge furnaces, each rated at 15 MMBtu/hr at the existing Harmon Creek Plant. Application received: January 5, 2022. Issued: August 30, 2022.

**65-01032A: Alumisource Corporation,** 1145 Donner Avenue, Monessen, PA 15062, City of Monessen, **Westmoreland County.** Authorizes the installation and temporary operation of secondary aluminum smelting operations comprised of one (1) 3.125 tons/hr rotary melting furnace with associated 7 MMBtu/hr burner, one (1) 12.5 tons/hr rotary melting furnace with associated 20 MMBtu/hr burner, one (1) 2.5 tons/hr reverberatory holding furnace with associated 3 MMBtu/hr burner, pouring, and salt cake cooling. Application received: October 6, 2021. Issued: August 30, 2022.

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, New Source Review Chief—Telephone: 814-332-6940.*

**42-004K: American Refining Group**, 77 North Kendall Avenue, Bradford, PA 16701, City of Bradford, **McKean County**. The Department has issued a plan approval extension to allow continued project shakedown activities. This is a Title V facility. Application received: July 21, 2022. Extension: August 31, 2022. Expiration date: February 28, 2023.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**46-0005AU: Merck, Sharp & Dohme Corp.**, 770 Sumneytown Pike, West Point, PA 19486, Upper Gwynedd Township, **Montgomery County**. An extension to (a) build a new building (Building 63—Source number 113) that will house Good Manufacturing Practices which will use cleaners and disinfectants containing VOCs; (b) install a new de minimis process operation (polysaccharide drug intermediates in Building 63) in existing Source 378; and (c) construct and install a 755 BHP, 4-stroke lean-burn natural gas-fired, caterpillar engine powering a 500 kW generator set to provide emergency back-up electrical power to building 63 at their facility. Application received: July 29, 2022. Issued: August 31, 2022.

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**25-00929: Lindy Paving, Inc., Erie (Millcreek) Asphalt Plant**, 2002 Pittsburgh Avenue, Erie, PA 16502, Millcreek Township, **Erie County**. The Department issued the renewal State-Only Operating Permit of a batch mix asphalt plant. To be Synthetic Minor, the facility is subject to a facility-wide elective restriction to maintain CO below major source thresholds. Requirements of GP13-25-929A, which was used to authorize the replacement burner and baghouse, are incorporated into the permit. The permit map for the batch mix asphalt plant is also revised to reflect the replacement baghouse. As requested by the facility, a permit condition allowing use of RAP in amounts up to 25% is added. Application received: August 26, 2021. Renewed: August 25, 2022.

**25-00688: UPMC Hamot**, 201 State Street, Erie, PA 16550-0002, City of Erie, **Erie County**. The Department issued the renewal State Only Natural Minor Operating Permit for the medical and surgical hospital. The facility's primary emission sources include four natural gas-fired boilers with fuel oil backup, nine diesel-fueled emergency generators, one natural gas-fired emergency generator, two parts washers, and an ethylene oxide sterilizer controlled by a scrubber. The potential emissions of the primary pollutants from the facility are as follows: 4.11 TPY PM<sub>10</sub> and PM<sub>2.5</sub>, 69.50 TPY NO<sub>x</sub>, 5.83 TPY SO<sub>x</sub>, 47.26 TPY CO, 6.87 TPY VOC, and 0.85 TPY total HAP; thus, the facility is a natural minor. The boilers include restrictions on fuel oil in order to avoid the requirements of 40 CFR 63 Subpart JJJJJ. The boilers are subject to 40 CFR 60 Subpart Dc, Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units; however, the fuel oil sulfur requirements of this subpart are streamlined by 25 Pa. Code § 123.22. The diesel-fueled emergency genera-

tors are subject to 40 CFR 60 Subpart IIII, Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The natural gas-fired engine is subject to 40 CFR 60 Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The EtO sterilizer is subject to 40 CFR 63 Subpart WWWWW, National Emission Standards for Hospital Ethylene Oxide Sterilizers. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: October 1, 2021. Renewal issued: August 30, 2022.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-05039: Land O' Lakes, Inc.**, 405 Park Drive, Carlisle, PA 17013-9270, South Middleton Township, **Cumberland County**. For the evaporated dairy products manufacturing facility. The State-Only permit was renewed. Application received: October 6, 2021. Issued: August 31, 2022.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**22-03094: Sunoco Pipeline LP**, 525 Fritztown Road, Sinking Spring, PA 19608, Londonderry Township, **Dauphin County**. For the natural gas liquid (ethane, propane, butane or a mixture of these) Middletown pumping station. The State-Only permit was renewed. Application received: February 28, 2022. Issued: August 30, 2022.

**06-03107: Morgan Truck Body LLC dba Morgan Corp.**, 111 Morgan Way, P.O. Box 588, Morgantown, PA 19543-0588, New Morgan Borough, **Berks County**. For the truck body and part manufacturing facility. The State-Only permit was renewed. Application received: August 12, 2021. Issued: August 29, 2022.

**22-03041: Librandi's Machine Shop, Inc.**, 93 Airport Drive, Middletown, PA 17057-5022, Lower Swatara Township, **Dauphin County**. For the electroplating operations and burn-off oven at the facility. The State-Only permit was renewed. Application received: February 9, 2022. Issued: September 1, 2022.

**06-05108: Bally Ribbon Mills**, 23 North 7th Street, Bally, PA 19503, Bally Borough, **Berks County**. For the ribbon and strap manufacturing facility. The State-Only permit was renewed. Application received: September 22, 2021. Issued: August 31, 2022.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.*

**09-00220: Donaldson Company, Inc./Feasterville**, 1731 Loretta Ave., Feasterville, PA 19053, Lower Southampton Township, **Bucks County**. This action is for the renewal of a Natural Minor Operating Permit. The facility manufactures PTFE filter membranes for various industries using an extrusion press. Application received: April 12, 2021. Issued: August 30, 2022.

**09-00147: Northtec, LLC/Bristol**, 411 Sinclair Street, Bristol, PA 19007, Bristol Township, **Bucks County**. For the renewal of a Natural Minor Operating Permit for their inorganic pigment manufacturing facility. Solvents used in the cleanup operation (Source ID No. 101) have the potential to emit VOC. The facility also has various

miscellaneous sources consuming natural gas and one (1) diesel-fired 2,220 HP emergency generator. Application received: September 20, 2021. Issued: August 31, 2022.

**46-00107: ITW Performance Polymers formerly known as ITW Engineered Polymers**, 130 Commerce Drive, Montgomeryville, PA 18936, Montgomery Township, **Montgomery County**. A renewal to allow nine (9) mixers and two (2) filling stations mixing volatile organic compound (VOC) and non-VOC-containing materials for the manufacture of industrial adhesives, grouts and encapsulating epoxies at their facility. Application received: December 13, 2021. Issued: August 31, 2022.

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**53-00018: PA Pellets, LLC**, 958 State Route 49 W, Ulysses, PA 16948, Ulysses Borough, **Potter County**. Issuance of an amended State Only Operating Permit to incorporate all terms and conditions specified in Plan Approval 53-00018A. Application received: August 9, 2022. Revised: September 1, 2022.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief—Telephone: 814-332-6940.*

**32-00197: Purchase Line School District**, 16559 Route 286 Highway East, Commodore, PA 15729-8309, Green Township, **Indiana County**. The Department issued an administrative amendment to the State Only Operating Permit for the facility. The amendment incorporates the change of responsible official. Application received: June 24, 2022. Issued: August 24, 2022.

*Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Edward Wiener, Chief of Source Registration, 215-685-9426.*

**OP20-000005: Federal Detention Center, Philadelphia**, 700 Arch Street, Philadelphia, PA 19016, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) administratively amended Operating Permits issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and regulations to construct, modify, reactivate or operate air contamination sources and associated air cleaning devices to incorporate a change of permit contact, a change in facility contact, and a change of responsible official. The Synthetic Minor Operating Permit was originally issued on September 22, 2020. Application received: August 29, 2022. Permit issued: September 1, 2022.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).**

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814.472.1900, raepcambria@pa.gov.*

**Mining Permit No. 31220101. NPDES No. PA0279854. J & J Svonavec Excavating, Inc.**, 110 Windermere Lane, Somerset, PA 15501, Wood Township, **Huntingdon County**. Commencement, operation and restoration of a bituminous surface mine. Affecting 134.5 acres. Receiving streams: Great Trough Creek, classified for the following uses: TSF. Application received: January 25, 2022. Issued: August 30, 2022.

### Noncoal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814.472.1900, raepcambria@pa.gov.*

**Mining Permit No. 5074SM2. NPDES No. PA0279544. New Enterprise Stone & Lime Co., Inc.**, P.O. Box 77, New Enterprise, PA 16664, Greene and Guilford Townships, **Franklin County**. Renewal of NPDES permit. Receiving streams; UNT to Conococheague Creek classified for the following uses: CWF. Application received: December 9, 2021. Issued: August 31, 2022.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.*

**Mining Permit No. 17200301. NPDES GP-104 Permit No. PAM221020. Russell Stone Products, Inc.**, 2640 Greenville Pike, Grampian, PA 16838, Pike Township and Bloom Township, **Clearfield County**. Commencement, operation, and restoration of a Large Noncoal Industrial Minerals surface mine affecting 38.9 acres. Receiving stream(s): Anderson Creek and Bilger Run classified for the following use(s): CWF. A blasting permit



was issued with this surface mining permit. Application received: August 16, 2021. Accepted: August 31, 2021. Issued: September 2, 2022.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 58222507. DB Legacy Quarry, LLC**, 616 Mountain Valley Road, Hallstead, PA 18822, Oakland Township and Susquehanna Depot Borough, **Susquehanna County**. Commencement, operation and restoration of a GP-105 permit for bluestone affecting 10.0 acres. Receiving stream: unnamed tributary to Susquehanna River, classified for the following uses: CWF, MF. Application received: January 31, 2022. Permit issued: September 6, 2022. Expiration date: September 6, 2032.

**Mining Permit No. GP-105 No. 58222507. GP-104 No. PAM122009. DB Legacy Quarry, LLC**, 616 Mountain Valley Road, Hallstead, PA 18822, Oakland Township and Susquehanna Depot Borough, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on a GP-105 Permit, receiving stream: unnamed tributary to Susquehanna River, classified for the following uses: CWF, MF. Application received: January 31, 2022. GP coverage issued: September 6, 2022. Expiration date: March 27, 2026.

**Mining Permit No. 58212801. GP-104 No. PAM121017. Anthony P. Bennett**, 3657 Old Stage Coal Road, Wyalusing, PA 18853, Rush Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104) on a Small Noncoal Permit, receiving stream: unnamed tributary to North Branch Wyalusing Creek, classified for the following uses: CWF, MF. Application received: March 11, 2021. GP coverage issued: September 6, 2022. Expiration date: March 27, 2026.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

##### *Blasting Permits*

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Ashley Foster, Clerical Assistant 3, 814-342-8215.*

**Permit No. 17224101. Wampum Hardware Co.**, 636 Paden Rd., New Galilee, PA 16141, Boggs Township, **Clearfield County**. Blasting for construction of a highway/road. Application received: August 23, 2022. Issued: August 25, 2022. Expiration date: December 31, 2022.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 35224107. Hayduk Enterprises, Inc.**, 257 Riverside Drive, Factoryville, PA 18419, Clarks Summit Borough, **Lackawanna County**. Construction blast-

ing for Todd Chambers Foundation. Application received: August 25, 2022. Permit issued: August 29, 2022. Expiration date: December 30, 2022.

**Permit No. 40224112. Maurer & Scott Sales, Inc.**, 122 Thomas Street, Coopersburg, PA 18036, Hazle Township, **Luzerne County**. Construction blasting for Project X. Application received: August 25, 2022. Permit issued: August 29, 2022. Expiration date: August 25, 2023.

**Permit No. 58224112. Accublast Explosives, LLC**, 1727 Caitlin Road, Kingsley, PA 18826, New Milford Township, **Susquehanna County**. Construction blasting for John Howard residence. Application received: August 15, 2022. Permit issued: August 30, 2022. Expiration date: August 1, 2023.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

## WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E0829222-025. Chesapeake Appalachia LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Orwell Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District.

To construct, operate and maintain a fresh water impoundment and access road impacting 13,111 square feet of a palustrine emergent (PEM) wetlands. (Rome, PA Quadrangle, Latitude: 41.837355°, Longitude: -76.275798°). This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 11,326 square feet (0.260 acre) of permanent wetland impacts and 1,785 square feet (0.041 acre) of temporary wetland impacts, all for the purpose of establishing a fresh water impoundment for natural gas development in Orwell Township, Bradford County. The permittee will provide 0.033 acre of onsite wetland restoration and 0.55 acre of wetland credits at the Camp Brook Restoration Site (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006. Application received: May 25, 2022. Issued: September 2, 2022.

**E0829222-029. Chesapeake Appalachia LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Asylum Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District.

To construct, operate and maintain a well pad impacting 2,046 square feet of a palustrine emergent (PEM) wetland. (Towanda, PA Quadrangle, Latitude: 41.758049°, Longitude: -76.385968°). This project is an after-the-fact permit that is associated with the Chesapeake Audit and will result in 348 square feet (0.008 acre) of permanent wetland impacts and 1,698 square feet (0.039 acre) of temporary wetland impacts, all for the purpose of establishing a well pad for Marcellus well development in Asylum Township, Bradford County. The permittee will provide 0.059 acre of onsite wetland restoration and 0.02 acre of wetland credits at the Camp Brook Restoration Site (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006. Application received: June 22, 2022. Issued: September 2, 2022.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Jay Maneval, Water Pollution Biologist 2, 570-327-3765.*

**E4104222-003. Tri-County Rural Electric Cooperative, Inc.**, 22 North Main Street, Mansfield, PA 16933, McHenry Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District.

The applicant proposes to permit and maintain an electric service across Pine Creek to replace a previously existing failed electric service. Construction activities include three new wooden monopoles, a support pole, and

two overhead electric lines, resulting in 0.002 acre of stream impact and 0.001 acre of wetland impact. Mitigation achieved through avoidance and minimization of impacts. This approval under Chapter 105, Section 105.12(a)(16) includes 401 Water Quality Certification Latitude: 41.428708°, Longitude: -77.495222°. Application received: April 1, 2022. Issued: August 30, 2022.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**E1006122-006. PA DOT Engineering District 10**, 2550 Oakland Avenue, Indiana, PA 15701, Adams Township and Middlesex Township, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a highway safety and capacity improvement project to widen approximately 2.5 miles of SR 0228, Section 19B extending east from Mars-Valencia Road (Mars and Valencia, PA Quadrangle N: 40. 693414°; W: -79.977226°) in Adams and Middlesex Townships, Butler County resulting in 0.50 acre permanent wetland impact, 0.16 acre temporary wetland impact, 1874 feet permanent stream impacts and 270 feet of temporary stream impacts to UNTs to Breakneck Creek and Glade Run having less than 100 acres contributory drainage associated with the proposed roadway fill slopes and various culvert replacement/extensions. Mitigation for project impacts will include construction of 0.53 acre of wetland onsite, debit of 0.131 acre from PennDOT's Butler County Wetland Bank, and to restore 300 feet of Glade Run within the project area. Latitude: 40.693414°, Longitude: -79.977226°. Application received: May 16, 2022. Issued: August 29, 2022.

**E2006222-002. Conneaut Lake Joint Municipal Authority**, 9888 State Highway 285, P.O. Box 277, Conneaut Lake, PA 16313, Sadsbury Township, **Crawford County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a new 12-inch sewer line and construct and maintain improvements at the sewage treatment facility located within the FEMA Floodplain of Conneaut Outlet and crossing two streams (Conneaut Outlet and Barber Run) and one wetland, impacting 100 linear feet of stream channel and 0.15 acre of wetland for the installation of the sewer line in the area south of SR 6 at Conneaut Lake Borough, Conneaut Lake, PA in Sadsbury Township, Crawford County. Latitude: 41.601961°, Longitude: -80.298795°. Application received: January 11, 2022. Issued: August 31, 2022.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.*

**E1501221-013. Stephen and Melissa Novak Eldredge**, 2261 South Valley Road, Berwyn, PA 19312, Easttown Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain a 3-inch outfall with headwall and riprap apron discharging flow to an unnamed tributary to Waynesborough Run (HQ-CWF-MF) from a proposed individual residence sewage treatment plant to serve an existing four bedroom single family home. This activity will result in 35 square feet of permanent floodway impact and 152 square feet of temporary floodway impact and includes the pipe conveyance to the outfall. The outfall will have a 5-foot offset from edge

of watercourse. This project is located at 2261 South Valley Road in Easttown Township, Chester County (USGS PA Valley Forge Quadrangle). Latitude: 40.017724°, Longitude: -75.464588°. Application received: July 19, 2021. Permit issued: August 30, 2022.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager, 412-442-4000.*

**E0205221-013. Castle Shannon Borough**, 3310 McRoberts Road, Castle Shannon, PA 15234, Castle Shannon Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: 1. Re-grade and maintain the streambanks along approximately 255 feet of Sawmill Run (WWF) from a bank-height ratio of 1.6 to 1.0; 2. Construct and maintain a 35-foot riparian buffer, with vegetative plantings, along the aforementioned reach of Sawmill Run; For the purpose of providing nutrient and sediment load reduction toward Castle Shannon Borough's MS4 requirements of their NPDES permit. Cumulatively, the project will permanently impact 291 feet of stream, and temporarily impact 334 feet of stream. The project is located east of Canal Street, between Willow Avenue and Library Road. Latitude: 40.3642°, Longitude: -80.0264°. Application received: June 8, 2021. Issued: September 6, 2022.

**E6305221-003. Washington County Redevelopment Authority**, 100 West Beau Street, Suite 603, Washington, PA 15301, South Franklin Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: 1. Place and maintain fill within 0.018 acre of Wetland W-LRK-01 (PEM) to construct the taxiway and fill slope; 2. Place and maintain fill within 0.12 acre of Wetland W-LRK-02 (PEM) to construct the taxiway, apron space, and fill slope; 3. Place and maintain fill within 0.051 acre of Wetland W-LRK-03 (PEM) to construct the taxiway and apron space; 4. Place and maintain fill within 0.081 acre of Wetland W-LRK-06 (PEM) to construct the access road and fill slope; 5. Place and maintain permanent fill within 204 LF of watercourse S-TRS-01 an Unnamed Tributary (UNT) to Chartiers Creek (WWF) to construct the road and fill slope; Temporarily impact 30 linear feet of watercourse S-TRS-01 to provide construction access and workspace; For the purpose of improving user services, infrastructure, and safety at the Washington County Airport. Mitigation for wetland impacts will be provided through the purchase of 0.27 ac PEM wetland credits from the Robinson Fork Phase 2 Mitigation Bank. Mitigation for stream impacts will be provided through the purchase of 204 linear feet of stream credits from the Robinson Fork Phase 2 Mitigation Bank. Latitude: 40.134167°, Longitude: -80.290833°. Application received: February 5, 2021. Issued: September 6, 2022.

#### ENVIRONMENTAL ASSESSMENTS

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOPRG@pa.gov.*

**EA0829222-006. Appalachia Midstream Services**, 30351 Route 6, Wysox, PA 18854, Orwell Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District.

The construction of the existing compressor station resulted in 2,599 square feet (0.06 acre) of impacts to a

Palustrine Emergent Wetland. The project proposes 2,599 square feet (0.06 acre) of restoration activities such as soil decompaction and the replanting of native hydrophytic vegetation within the impacted wetland. The project will result in 7,870 square feet (0.18 acre) of temporary Palustrine Emergent Wetland impacts and 285 square feet of floodway impacts (Windham, PA Quadrangle, Latitude: 41.880212°, Longitude: -76.285280°). Application received: July 5, 2022. Issued: September 1, 2022.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOPRG@pa.gov.*

#### ESCGP # 3 ESG295922011-00

Applicant Name **NFG Midstream Covington, LLC**

Contact Person Matt Hovis

Address 1100 State Street

City, State, Zip Erie, PA 16501

Township(s) Bloss Township and Covington Township

County **Tioga County**

Receiving Stream(s) and Classification(s) UNT to Tioga

River (CWF, MF), UNT to Marvin Creek (CWF, MF)

Application received: July 5, 2022

Issued: August 30, 2022

#### ESCGP # 3 ESG290822022-00

Applicant Name **Chesapeake Appalachia, LLC**

Contact Person Eric Haskins

Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840

Township(s) Wilmot Township

County **Bradford County**

Receiving Stream(s) and Classification(s) Susquehanna

River (WWF, MF)

Application received: June 21, 2022

Issued: September 1, 2022

**ESCGP # 3 ESG295822020-00**

Applicant Name **Williams Field Services Co, LLC**  
 Contact Person Barry Mahar  
 Address 30351 Route 6  
 City, State, Zip Wysox, PA 18854  
 Township(s) Bridgewater Township  
 County **Susquehanna County**  
 Receiving Stream(s) and Classification(s) South Branch  
 Wyalusing Creek (CWF, MF), Unnamed Tributary to  
 West Branch Meshoppen Creek (CWF, MF)  
 Application received: August 10, 2022  
 Issued: September 2, 2022

**ESCGP # 3 ESG296622005-00**

Applicant Name **Chesapeake Appalachia, LLC**  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 Township(s) Meshoppen Township  
 County **Wyoming County**  
 Receiving Stream(s) and Classification(s) Little Meshop-  
 pen Creek (CWF, MF)  
 Application received: June 23, 2022  
 Issued: September 2, 2022

**ESCGP # 3 ESG290822033-00**

Applicant Name **Chesapeake Appalachia, LLC**  
 Contact Person Eric Haskins  
 Address 14 Chesapeake Lane  
 City, State, Zip Sayre, PA 18840  
 Township(s) Monroe Township and Albany Township  
 County **Bradford County**  
 Receiving Stream(s) and Classification(s) UNT Satterlee  
 Run (HQ-CWF, MF), Satterlee Run (HQ-CWF, MF),  
 South Branch Towanda Creek (CWF, MF), UNT 1  
 South Branch Towanda Creek (CWF, MF), UNT 2  
 South Branch Towanda Creek (CWF, MF)  
 Application received: July 22, 2022  
 Issued: September 6, 2022

**CORRECTIVE ACTION UNDER  
 ACT 32, 1989  
 PREAMBLE 2**

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.*

**Kwik Fill M0168**, Storage Tank Facility ID # **59-23825**, 23 Main Street, Lawrenceville, PA 16929, Lawrenceville Borough, **Tioga County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066 on behalf of United Refining Company of PA, 814 Lexington Avenue, P.O. Box 688, Warren, PA 16365, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager, 570-826-2511.*

**7-Eleven 21110**, Storage Tank Facility ID # **39-24558**, 1146 Chestnut Street, Emmaus, PA 18049, Emmaus Borough, **Lehigh County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428 on behalf of 7-Eleven, Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221-0711 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting Statewide health standards.

**Speedway # 6756**, Storage Tank Facility ID # **54-14427**, 6 Tremont Road, Pine Grove, PA 17963, Pine Grove Township, **Schuylkill County**. AECOM, 625 West Ridge Pike, Suite E-100, Conshohocken, PA 19428 on behalf of 7-Eleven, Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221-0711 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

**Exxon Mini Mart**, Storage Tank Facility ID # **45-32649**, 2909 Route 611, Tannersville, PA 18372, Pocono Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Shri Yog, Inc., 2902 Route 611, Tannersville, PA 18372 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

**Capital Trailways**, Storage Tank Facility ID # **54-22101**, 2650 Woodglen Road, Pottsville, PA 17901, City of Pottsville, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972 on behalf of JAM Woodglen LLC, P.O. Box 472, Schuylkill Haven, PA 17972 submitted a Remedial Action Completion Report concerning remediation of soil and

groundwater contaminated with diesel. The report is intended to document the remedial actions for meeting residential Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kim Bontrager, Clerical Assistant 3, 814-332-6648.*

**Country Fair Store 65**, Storage Tank Facility ID # **25-91609**, 8080 Peach Street, Erie, PA 16509, Summit Township, **Erie County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066 on behalf of Country Fair, Inc., 2251 East 30th Street, Erie, PA 16501 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Gregory Bowman, Environmental Group Manager, 717-705-4705.*

**Tyrone Convenience Store**, Storage Tank Facility ID # **07-15475**, 1960 Adams Avenue, Tyrone, PA 16686, Tyrone Borough, **Blair County**. P. Joseph Lehman, Inc., P.O. Box 419, Hollidaysburg, PA 16648 on behalf of Mr. Hiteshkumar Patel, 1960 Adams Avenue, Tyrone, PA 16686 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Petroleum Constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Sunoco # 0002-1725**, Storage Tank Facility ID # **63-32309**, 1550 West Chestnut Street, Washington, PA 15301, City of Washington, **Washington County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry, PA 16066 on behalf of Sunoco Retail, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting residential site-specific standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

---

**Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention

Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager, 570-826-2511.*

**Convenient Food Mart**, Storage Tank Facility ID # **40-08918**, 340 Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Reliance Environmental, 235 North Duke Street, Lancaster, PA 17602 on behalf of CDG 320 Inc., 304 North Wilkes-Barre Township Boulevard, Wilkes-Barre, PA 18702 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan was not acceptable to meet the Statewide health and site-specific standards and was disapproved by DEP on August 31, 2022.

**7 Eleven 23322**, Storage Tank Facility ID # **39-24557**, 11 East Susquehanna Street, Allentown, PA 18103, City of Allentown, **Lehigh County**. AECOM, 625 West Ridge Pike, Suite E-100, Consohocken, PA 19428 on behalf of 7-Eleven, Inc., 3200 Hackberry Road, P.O. Box 711 (0148), Dallas, TX 75221-0711 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan was acceptable to meet the site-specific standards and was approved by DEP on September 1, 2022.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kim Bontrager, Clerical Assistant 3, 814-332-6648.*

**Kwik Fill S 92**, Storage Tank Facility ID # **32-23790**, 231 Oakland Avenue, Indiana, PA 15701-3392, Indiana Borough, **Indiana County**. Kleinfelder, Inc., 51 Dutilh Road, Suite 240, Cranberry Township, PA 16066 on behalf of United Refining Company, 15 Bradley Street, Warren, PA 16365 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report nonresidential did not demonstrate attainment of the Statewide health and site-specific standards and was disapproved by DEP on September 2, 2022.

*Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.*

**Chevron # 205103**, Storage Tank Facility ID # **56-84175**, 1219 Center Avenue, Somerset, PA 15501, Somerset Township, **Somerset County**. Arcadis U.S., Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA 15090 on behalf of Chevron Environmental Management Company, 1400 Smith Street, Houston, TX 77002 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with

benzene, 1,2,4-TMB, COCs, and EDB. The report nonresidential was acceptable to meet the Statewide health and site-specific standards and was approved by DEP on September 6, 2022.

## SPECIAL NOTICES

### WASTE, AIR, RADIATION AND REMEDIATION

#### Notice of Certification To Perform Radon-Related Activities In Pennsylvania.

*Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.*

*Contact: Michelle Foster 717-787-2480.*

In the month of August 2022, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

| <i>Name</i>                         | <i>Address</i>                                       | <i>Certification</i>  |
|-------------------------------------|--|-----------------------|
| Shavaun Cotter                      | 611 Industrial Way W<br>Ste A<br>Eatontown, NJ 07724 | Mitigation Individual |
| Partner Assessment Corporation      | 611 Industrial Way W<br>Ste A<br>Eatontown, NJ 07724 | Mitigation Firm       |
| Jeffrey Kaplan                      | 6951 Allentown Blvd<br>Ste N<br>Harrisburg, PA 17112 | Laboratory Individual |
| Justin Weber                        | 10 Chelsey Dr<br>Mountain Top, PA 18707              | Testing Individual    |
| Richard Garzony                     | 815 Montour St<br>Coraopolis, PA 15108               | Testing Individual    |
| J.L. Camp Inspection Services, Inc. | 6006 Forest Dr<br>Monaca, PA 15061                   | Testing Firm          |
| Sean McNamara                       | 173 Green St<br>Emmaus, PA 18049                     | Testing Individual    |
| CDA Inspection Services             | 173 Green St<br>Emmaus, PA 18049                     | Testing Firm          |
| Michael Foglia                      | 2427 Anneto Dr<br>Pottstown, PA 19464                | Testing Individual    |
| David Konow                         | 1050 Street Rd<br># 1640<br>Southampton, PA 18966    | Testing Individual    |
| Kevin Kenny                         | 47 Cook Rd<br>Duncannon, PA 17020                    | Testing Individual    |
| Bryce Hoenig                        | 121 Cottonwood Dr<br>Aliquippa, PA 15001             | Mitigation Individual |

| <i>Name</i>                 | <i>Address</i>  | <i>Certification</i>  |
|-----------------------------|---|-----------------------|
| HomeTeam Inspection Service | 1216 Edgewood Dr<br>West Homestead, PA 15120          | Testing Firm          |
| Brian Allen                 | 239 Buckboard Rd<br>Willow Grove, PA 19090            | Testing Individual    |
| Clarence Sisco              | P.O. Box 954<br>Blue Bell, PA 19422                   | Testing Individual    |
| Tony Domingues              | 6801 W Tilghman St<br>Unit 115<br>Allentown, PA 18106 | Mitigation Individual |
| Integra Environmental       | 6801 W Tilghman St<br>Unit 115<br>Allentown, PA 18106 | Mitigation Firm       |

**Covered Device Prohibited from Sale under Sections 302 and 507 of the Covered Device Recycling Act, Act 108 of 2010.**

*Central Office: Waste Management, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.*

*Contact: Teesha Truesdale 717-787-7382.*

The Department of Environmental Protection (Department) hereby announces that certain manufacturers of covered devices are not included on the Department's list of registered manufacturers, maintained by the Department under sections 302 and 507 of the Covered Device Recycling Act (CDRA). Accordingly, under Section 302 of the CDRA, no retailer may offer these manufacturers' products for sale within the Commonwealth.

Manufacturers of new covered devices—such as televisions, laptop and desktop computers, tablets, etc.—offered for sale in Pennsylvania are required to register with the Department prior to commencing sales per Section 304 of the CDRA. Manufacturers must also pay an annual registration fee and submit a recycling plan and annual report. Section 302 of the CDRA prohibits the sale of covered devices in the Commonwealth by unregistered manufacturers.

The Department is required to maintain a list of registered manufacturers per Section 302(b) of the CDRA. The list can be accessed by visiting [dep.pa.gov](http://dep.pa.gov).

The following manufacturers are not included on the Department's list and are therefore considered out of compliance:

Linsay Digital  
Azulle Tech  
Gigabyte Technology  
Evervue USA Inc.

Due to their non-compliant status and non-inclusion on the list of registered manufacturers, the Department is notifying the public, in cooperation with covered device retailers, that the CDRA prohibits the sale of devices manufactured by Linsay Digital, Azulle Tech, Gigabyte Technology, and Evervue USA within the Commonwealth, and that the sale of such devices would constitute unlawful conduct under the CDRA. Noncompliant manufacturers may once again be included on the Department's list of registered manufacturers, and their devices offered for sale in the Commonwealth, if the manufacturers return to compliance with all the applicable provisions of the CDRA.

Inquiries regarding this notification can be directed to Jordan Hoover, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at [jorhoover@pa.gov](mailto:jorhoover@pa.gov) or (717) 783-8973.

[Pa.B. Doc. No. 22-1433. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Agriculture Energy Efficiency Rebate Program; Notice of Availability

The Department of Environmental Protection (Department) announces the availability of rebates to Commonwealth agriculture producers for agriculture energy efficiency projects under Pennsylvania's Agriculture Energy Efficiency Rebate Program (Program). The Program provides rebates to assist agricultural producers with the purchase of light-emitting diode (LED) lighting systems, efficient ventilation equipment and efficient milk pump-

ing and cooling equipment for their farming operations. The Department will begin accepting applications on September 17, 2022.

To qualify for the rebate, the applicant must meet the definition of a normal farming operation under the act of June 10, 1982 (P.L. 454, No. 133), known as the Pennsylvania Right to Farm Act (3 P.S. §§ 951–958), and the application must be submitted to the Department prior to the installation of the project. Equipment purchase costs after July 1, 2022, are eligible and installation costs up to \$500 may be included in the project costs. The rebate will be offered on a first-come, first-served basis in the order in which applications are received, until no later than March 31, 2023. Following approval and receipt of a rebate voucher from the Department, approved applicants

should install eligible equipment and then submit a payment request form with required documentation to receive rebate moneys.

The following rebates are offered:

- \$5,000 rebate for LED lighting systems (up to 50% of equipment purchase costs).
- \$5,000 rebate for efficient ventilation (up to 50% of equipment purchase costs).
- \$5,000 rebate for dairy equipment for milk pumping and refrigeration or cooling (up to 50% of equipment purchase costs).
- Installation costs of up to \$500 may be included for each technology category.

Applicants may apply under each category, but no more than a total of \$5,000 in rebates will be issued to any one applicant.

The Program guidelines and application instructions are available online through the Department's web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select the "Grants" icon and under "Businesses" select "Agriculture Energy Efficiency Rebate Program") or by contacting the Department at [ra-epagenergyprogram@pa.gov](mailto:ra-epagenergyprogram@pa.gov) or (570) 327-3783.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site at [www.esa.dced.state.pa.us/Login.aspx](http://www.esa.dced.state.pa.us/Login.aspx). Hardcopy applications will not be accepted. The Department will begin accepting applications on September 17, 2022. Applications must be received by 11:59 p.m. Friday, March 31, 2023.

Questions concerning the rebate program can be directed to Michelle Ferguson at [ra-epagenergyprogram@pa.gov](mailto:ra-epagenergyprogram@pa.gov) or (570) 327-3783. Information is also available on the Department's Agriculture Energy Efficiency webpage at [www.dep.pa.gov/agricultureenergy](http://www.dep.pa.gov/agricultureenergy) under "What's New."

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1434. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Availability of Fiscal-Year Report for the Reclamation Fee O & M Trust Account

The Department of Environmental Protection (Department) announces the availability of the draft Fiscal-Year Report (report) for the Reclamation Fee O & M Trust Account. This account was established to provide funds for the operation and maintenance of mine drainage treatment facilities at mine sites with post-mining discharges at Alternate Bonding System Legacy Sites as defined in 25 Pa. Code § 86.1 (relating to definitions). As required by the regulations in 25 Pa. Code § 86.17(e) (relating to permit and reclamation fees) this report contains a financial analysis of the revenue and expenditures from the account for Fiscal Year (FY) 2021-2022 and provides projections for the FY 2022-2023.

The draft report is available on the Department's web site at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment).

The Department will accept comments on the draft report through Monday, October 10, 2022. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment) or by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov). Written comments can be mailed to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "Reclamation Fee Report" as the subject line in written communication.

Questions regarding the draft report should be directed to Greg Greenfield, Department of Environmental Protection, Bureau of Mining Programs, Rachel Carson State Office Building, P.O. Box 8461, Harrisburg, PA 17105-8461, at [grgreenfie@pa.gov](mailto:grgreenfie@pa.gov) or (717) 787-3174.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-3174 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1435. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Cleanup Standards Scientific Advisory Board Meeting

The next meeting of the Cleanup Standards Scientific Advisory Board (Board) is scheduled for Thursday, October 20, 2022. The meeting will begin at 9:30 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Michael Maddigan at [mmaddigan@pa.gov](mailto:mmaddigan@pa.gov) or (717) 772-3609.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Cleanup and Brownfields," then "Cleanup Standards Scientific Advisory Board," then "Agendas and Handouts").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the October 20, 2022, meeting can be directed to Michael Maddigan at [mmaddigan@pa.gov](mailto:mmaddigan@pa.gov) or (717) 772-3609.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should con-



tact the Department at (717) 783-1566 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1436. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Extension of National Pollutant Discharge Elimination System General Permit for Discharges from the Application of Pesticides (PAG-15)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department) is, by this notice, extending for 12 months the availability of the current National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges from the Application of Pesticides (PAG-15).

The existing PAG-15 General Permit in effect at this time will expire on October 28, 2022. Persons who are operating under the PAG-15 General Permit may continue to operate until October 28, 2023. The Department is extending the availability of this permit to adequately complete preparation of the renewal of the PAG-15 General Permit. During the period of administrative extension, no new coverage under the PAG-15 General Permit may be authorized by the Department.

To access the General Permit and related documents, visit the Department's eLibrary web site at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/) (select "Permit and Authorization Packages," then "Clean Water," then "PAG-15—NPDES General Permit for Point Source Discharges to Waters of PA from Application of Pesticides 3800-PM-BCW0345").

Questions regarding the PAG-15 General Permit can be directed to Maria Schumack, PE, at [maschumack@pa.gov](mailto:maschumack@pa.gov) or (717) 705-0486.

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1437. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Federal Consistency under the Coastal Zone Management Act; Maintenance Dredging of the North East Marina

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C.A. § 1455(d)(14)), regarding public participation in consistency determinations. The Department of Environmental Protection's (Department) Coastal Resources

Management Program has received notice that the Fish and Boat Commission (applicant) is proposing to conduct maintenance dredging at North East Marina in North East Township, Erie County (Project).

The applicant is proposing to utilize a hydraulic dredging machine to remove native built up material from the mooring basin of North East Marina. The dredged material is proposed to be pumped by means of piping to a previously approved area along the Eastern Beach below the plane of ordinary high water to allow the material to enter back into the littoral system. The mooring basin is proposed to be dredged to provide safe passageway to boaters. The mooring basin is not proposed to be expanded laterally in any direction.

The applicant proposes to utilize a long-reach excavator to remove littoral drift material accreted west of the western bin wall. Once the material is removed, it is proposed to be loaded into a dump truck and transported to a previously approved area along the Eastern Beach below the plane of ordinary high water. The material will be dumped and pushed/spread out to allow it to enter back into the littoral system. The western area will not be widened beyond existing conditions. The applicant is proposing to follow Fish and Boat Commission standard-biosecurity protocols to prevent the spread of invasive species while conducting this activity. The applicant is applying to the United States Army Corps of Engineers for a Federal permit under section 10 of the Rivers and Harbors Act (33 U.S.C.A. § 403) to authorize the Project.

This Project is subject to Department review for Federal consistency because it is an activity requiring a Federal license or permit and will have reasonably foreseeable effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C.A. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart D (relating to consistency for activities requiring a Federal license or permit), the applicant has certified that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review can be directed to Matthew Walderon, Federal Consistency Coordinator, at [RA-Fed\\_Consistency@pa.gov](mailto:RA-Fed_Consistency@pa.gov) or (717) 772-2196.

The Department will consider all comments received on or before Monday, October 3, 2022, before issuing a final Federal consistency concurrence or objection. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Comments, including comments submitted by e-mail, must include the commentator's name and address. Comments submitted by facsimile will not be accepted.

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1438. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Household Hazardous Waste Education Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant awards to Mercer County and Venango County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at [mvottero@pa.gov](mailto:mvottero@pa.gov) or (717) 772-5719.

#### Act 101, Section 901 HHW Education Grant

| Region    | County  | Applicant      | Project       | Grant    |
|-----------|---------|----------------|---------------|----------|
| Northwest | Mercer  | Mercer County  | HHW Education | \$10,803 |
| Northwest | Venango | Venango County | HHW Education | \$6,304  |

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1439. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Low-Level Radioactive Waste Advisory Committee Meeting

The Low-Level Radioactive Waste Advisory Committee (Committee) will meet on Friday, September 30, 2022. The meeting will begin at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Wade DeHaas at [wdehaas@pa.gov](mailto:wdehaas@pa.gov) or (717) 787-2480.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Radiation," then "Low-Level Waste Advisory Committee," then "Meetings and Bylaws").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the September 30, 2022, meeting can be directed to Wade DeHaas at [wdehaas@pa.gov](mailto:wdehaas@pa.gov) or (717) 787-2480.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-2480 or through the

Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1440. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Radiation Protection Advisory Committee Meeting Rescheduled

The Radiation Protection Advisory Committee (Committee) meeting scheduled for Thursday, October 6, 2022, has been rescheduled to Friday, December 9, 2022. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting John Chippo at [jchippo@pa.gov](mailto:jchippo@pa.gov) or (717) 783-9730.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov)

(select "Public Participation," then "Advisory Committees," then "Radiation," then "Radiation Protection Advisory Committee," then "Meetings and Bylaws").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the December 9, 2022, meeting can be directed to John Chipppo at [jchippo@pa.gov](mailto:jchippo@pa.gov) or (717) 783-9730.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 787-3720, or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1441. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### State Board for Certification of Sewage Enforcement Officers; Meeting Location Changes

The State Board for Certification of Sewage Enforcement Officers (Board) meetings scheduled for Wednesday, October 12, 2022, and Wednesday, November 30, 2022, will be held in the 10th Floor Conference Room (previously published as the 12th Floor), Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The meetings will begin at 10 a.m. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting the Board at [ra-seotrng@pa.gov](mailto:ra-seotrng@pa.gov) or (717) 772-2186.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at [www.dep.pa.gov](http://www.dep.pa.gov) (select "Public Participation," then "Advisory Committees," then "Water," then "State Board for Certification of Sewage Enforcement Officers").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the October 12, 2022, meeting can be directed to the Board at [ra-seotrng@pa.gov](mailto:ra-seotrng@pa.gov) or (717) 772-2186.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-2186 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1442. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) and (j) (relating to prevention, control and surveillance of tuberculosis (TB)):

Kingston Rehabilitation and Nursing Center  
200 Second Avenue  
Kingston, PA 18704  
FAC ID # 900102

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j):

Promedica Skilled Nursing and Rehabilitation  
(Montgomeryville)  
640 Bethlehem Pike  
Montgomeryville, PA 18936  
FAC ID # 382402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.9(g) (relating to pharmacy services):

Transitions Healthcare Autumn Grove Care Center  
555 South Main Street  
Harrisville, PA 16038  
FAC ID # 022102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov).

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1443. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); WIC Advisory

The WIC Advisory will meet on September 21, 2022, from 12 p.m. to 1 p.m. The purpose of this meeting is to

discuss the formation of the Nomination and Bylaws Committees; the roles and responsibilities of the WIC Advisory, Chair, Co-Chair and Secretary; and other items as identified in a forthcoming meeting agenda. The Department of Health (Department) will send out the meeting agenda on or before September 21, 2022, by e-mail. Individuals interested in receiving a copy of the agenda may send an e-mail to ra-dhwcadvisory@pa.gov requesting to be added to the distribution list.

Individuals can join at [https://teams.microsoft.com/join/meetup-join/19%3ameeting\\_MTZhNjhjZTctY2M5ZS00MzdKLTlhYmItNmUxNmU2OWViOWU4%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%220cfa0410-062c-44ce-8c0c-5e4c0a12ecd9%22%7d](https://teams.microsoft.com/join/meetup-join/19%3ameeting_MTZhNjhjZTctY2M5ZS00MzdKLTlhYmItNmUxNmU2OWViOWU4%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22Oid%22%3a%220cfa0410-062c-44ce-8c0c-5e4c0a12ecd9%22%7d).

Individuals can also join by calling (267) 332-8737. The conference ID number is 268 600 915#.

The meeting will be recorded so if individuals choose to attend, they are consenting to being recorded. Individuals should not attend the meeting if they do not wish to be recorded.

Questions about the WIC Advisory may be submitted by e-mail to the Department at ra-dhwcadvisory@pa.gov.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Pennsylvania WIC program is funded by the United States Department of Agriculture (USDA). The USDA is an equal opportunity provider.

*USDA Nondiscrimination Statement:*

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotope, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://www.usda.gov/sites/default/files/documents/USDA-OASCR%20P-Complaint-Form-0508-0002-508-11-28-17Fax2Mail.pdf>, from any USDA office, by calling (866) 632-9992 or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the USDA by mail to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW,

Washington, DC 20250-9410, fax (833) 256-1665, (202) 690-7442, [Program.Intake@usda.gov](mailto:Program.Intake@usda.gov).

This institution is an equal opportunity provider.

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1444. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Spinal Cord Research Advisory Committee Meeting Schedule for Calendar Year 2022; Revised

The Department of Health's Spinal Cord Research Advisory Committee (Committee), established by section 903.1(b) of the Tobacco Settlement Act (35 P.S. § 5701.903A(b)), will hold a virtual public meeting on Wednesday, October 19, 2022, from 9:30 a.m. to 11 a.m. and the public may join the meeting using Microsoft Teams. The dial in number is (267) 332-8737. The conference ID number is 806 880 266#.

The purpose of this meeting is to review the work of the Committee, review the status and progress of the current request for applications, reaffirm priorities, evaluate and refine the process to review the next spinal cord research applications and address emerging issues.

For additional information for persons with disabilities who wish to attend the meeting and require an auxiliary aid, service or other accommodation, contact Will Cramer, Director, Health Research Office or Pamela Brown, Management Technician, Health Research Office at (717) 231-2825, [ra-healthresearch@pa.gov](mailto:ra-healthresearch@pa.gov). For speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Check the Department of Health, Health Research Office CURE Spinal Cord Research Advisory Committee web site at <https://www.health.pa.gov/topics/Research/CURE/Pages/Spinal-Cord.aspx> for any changes to this public meeting.

This meeting is subject to cancellation without notice.

DR. DENISE A. JOHNSON,  
*Acting Secretary*

[Pa.B. Doc. No. 22-1445. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Canton Borough, Bradford County, along the southern side of Lower Mountain Road, approximately 397' west of

Route 14. The parcel contains 3.512 acres of unimproved land. The estimated fair market value is \$6,900.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Jeffrey M. Wenner, PE, District R/W Administrator, Department of Transportation, 715 Jordan Avenue, Montoursville, PA 17754.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 22-1446. Filed for public inspection September 16, 2022, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Draft National Pollutant Discharge Elimination System Municipal Separate Storm Sewer System Pollution Reduction Plans

The Department of Transportation (Department) will receive public comments on four proposed Pollution Reduction Plans (PRP) required for its 2021–2026 National Pollutant Discharge Elimination System individual permit to discharge stormwater from small municipal separate storm sewer systems (MS4) permit No. PAI139601.

The Department MS4 has developed PRPs for the Chesapeake Bay, Delaware River, Ohio River and Lake Erie Watersheds. The PRPs determine existing sediment pollutant loadings associated with stormwater runoff and propose potential best management practices to reduce the pollutant loads to meet the requirements of the MS4 Permit for each watershed.

The proposed PRPs can be viewed online by visiting [www.penndot.pa.gov/Doing-Business/LocalGovernment/StormWaterManagement/](http://www.penndot.pa.gov/Doing-Business/LocalGovernment/StormWaterManagement/), select “Municipal Separate Storm Sewer System (MS4)” and then select “Pollution Reduction Plan.” Alternatively, interested persons can request to receive the draft PRPs by contacting Richard Heineman at [rheineman@pa.gov](mailto:rheineman@pa.gov) or (717) 787-0459.

Written comments on the PRPs will be accepted for a period of 30 days from the date of this public notice by mail to Richard Heineman, Department of Transportation, 400 North Street, 6th Floor, Harrisburg, PA 17105 or at [rheineman@pa.gov](mailto:rheineman@pa.gov). Comments will be tabulated and considered with the final PRPs.

YASSMIN GRAMIAN,  
*Secretary*

[Pa.B. Doc. No. 22-1447. Filed for public inspection September 16, 2022, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines with regard to encouraging public participation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or

redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission’s guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Board of Commissioners.

At the next Commission meeting on October 24 and 25, 2022, the Commission will consider taking the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective upon publication in the *Pennsylvania Bulletin*.

#### 58 Pa. Code § 65.4c. All-tackle trout slot limit

The Commission will consider adding the following water to its list of “all-tackle trout slot limit” waters regulated and managed under 58 Pa. Code § 65.4c (relating to all-tackle trout slot limit):

| County             | Water                   |
|--------------------|-------------------------|
| Centre and Mifflin | Penns Creek, Section 03 |

#### 58 Pa. Code § 65.4d. Artificial lures only trout slot limit

The Commission will consider adding the following waters to its list of “artificial lures only trout slot limit” waters regulated and managed under 58 Pa. Code § 65.4d (relating to artificial lures only trout slot limit):

| County      | Water                      |
|-------------|----------------------------|
| York        | Codorus Creek, Section 04  |
| Northampton | Monocacy Creek, Section 07 |
| Northampton | Saucon Creek, Section 05   |

#### 58 Pa. Code § 65.7. Trophy trout artificial lures only

The Commission will consider removing the following waters from its list of “trophy trout artificial lures only” waters regulated and managed under 58 Pa. Code § 65.7 (relating to trophy trout artificial lures only):

| County      | Water                      |
|-------------|----------------------------|
| York        | Codorus Creek, Section 04  |
| Northampton | Monocacy Creek, Section 07 |
| Northampton | Saucon Creek, Section 05   |

At this time, the Commission is soliciting public input concerning the previously listed designations. Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments also may be submitted electronically by completing the form at [www.fishandboat.com/regcomments](http://www.fishandboat.com/regcomments). If an acknowledgment of electronic comments is not received by the sender within 2 working days, the comments should be retransmitted to ensure receipt. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 22-1448. Filed for public inspection September 16, 2022, 9:00 a.m.]

# INDEPENDENT REGULATORY REVIEW COMMISSION

## Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

| <i>Reg. No.</i> | <i>Agency / Title</i>   | <i>Close of the Public Comment Period</i> | <i>IRRC Comments Issued</i> |
|-----------------|---|---|-----------------------------|
| 14-548          | Department of Human Services<br>Psychiatric Rehabilitation Services<br>52 Pa.B. 3828 (July 9, 2022) | 8/8/22                                    | 9/7/22                      |

### Department of Human Services Regulation # 14-548 (IRRC # 3347)

#### Psychiatric Rehabilitation Services

September 7, 2022

We submit for your consideration the following comments on the proposed rulemaking published in the July 9, 2022 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (RRA) (71 P.S. § 745.5b). Section 5.1(a) of the RRA (71 P.S. § 745.5a(a)) directs the Department of Human Services (Department) to respond to all comments received from us or any other source.

#### 1. Implementation procedures; Clarity.

The Department states this proposed regulation “will benefit all individuals who receive [psychiatric rehabilitation services (PRS)] by clarifying that PRS can be provided in the home and by removing barriers to the provision of PRS through telehealth.” While the Department states that it removes barriers to telehealth, the regulations do not directly state how the provision of PRS will be implemented through this delivery method. To this end, commentators have numerous concerns, questions and recommendations relating to telehealth, including the following:

- The use of the term “telehealth” is vague as used in the Preamble and is not used in the Annex. How will it be added to the regulations?
- The term “telehealth” should be defined and include services delivered by telephone, even if there is a limitation in the regulation on the amount of telephone services allowed.
- References to telehealth should be added to individual and group service provisions to clarify how it relates to these regulations.
- PRS agencies delivering services through telehealth must have policies that ensure that this method is utilized only when it is clinically appropriate to do so and that licensed practitioners are complying with standards of practice set by their licensing board.

We ask the Department to explain how PRS agencies will implement access to services through telehealth. In addition, the Department should consider clarifying the regulations by defining the term “telehealth” and establishing standards for delivery of services through this method.

### 2. Section 5230.3. Definitions.—Clarity and lack of ambiguity; Protection of the public health, safety and welfare; Implementation procedures.

#### Functional impairment

This term is defined as “[d]ifficulties that interfere with or limit skill development or functioning in a domain.” The Department explains in the Preamble that the definition is amended to be more specific for use by a licensed practitioner of the healing arts (LPHA) when determining admission requirements for PRS. We have two concerns. First, this definition is vague. Second, as explained by a commentator, an LPHA may be unfamiliar with assessing functioning and performance in life domains as needed to complete a recommendation. The commentator suggests adding details that may be referenced in a recommendation. We ask the Department to revise this definition to improve clarity and implementation of the regulations.

#### Wellness

This term is defined as a “domain that helps an individual to develop skills needed to improve or maintain physical and mental health.” This definition is vague. In the Preamble, the Department explains the addition of wellness as a domain will allow an individual to manage “physical and mental health needs to promote or support . . . recovery and resiliency.” Commentators support the addition of this domain but assert this definition does not reflect that wellness “is a holistic integration of activities and lifestyle intended to enhance all the life domains listed in the regulation.” Commentators also state their programs utilize the Federal Substance Abuse and Mental Health Services Administration’s wellness initiative supporting eight dimensions: physical, intellectual, emotional, social, spiritual, vocational, financial and environmental. We recommend that the definition be revised to improve clarity and protect the public health, safety and welfare.

### 3. Section 5230.4. Psychiatric rehabilitation processes and practices.—Reasonableness; Need; Implementation procedures; Clarity.

Subsection (f) expands the locations where a PRS agency may deliver service to include an individual’s home. Commentators have numerous concerns, questions and recommendations, including the following:

- The expansion of location of services is unnecessary, redundant and potentially burdensome for the Depart-

ment and PRS providers. Adding home as a location will require PRS providers to resubmit service descriptions to the Department for approval and updated licenses would need to be issued.

- The home has always been considered a community location as opposed to a facility location.

- It may be useful to define “community” in Section 5230.3 (relating to definitions) as services delivered anywhere other than the licensed facility, including services delivered in the home either in-person or by telehealth.

We ask the Department to explain why it is necessary to add home as a service location. The Department should also explain the reasonableness of this addition given the regulated community’s concerns regarding implementation procedures. To improve clarity, the Department should consider adding a definition of the term “community” to include the home or explain why it is unnecessary to do so.

This comment also applies to Sections 5230.15(a)(6), 5230.52(e)(2), 5230.53 and 5230.54(a).

#### **4. Section 5230.15. Agency service description.— Implementation procedures; Clarity.**

Subsection (a)(3)(ii) requires a PRS agency to submit to the Department a service description of the population served specifying the “[a]ge range and age groupings, including information on how different age groups will be separated while services are provided through the scheduling of services, providing services in different locations in the PRS facility’s physical space and other procedures.” We have two issues. First, a commentator asks for clarification on how different age groups are expected to be separated. Second, a PRS agency is required to describe “other procedures” in the document. We ask the Department to explain the implementation procedures for separation of age groups and the other procedures a PRS agency is expected to describe. Further, the Department should consider revising this subparagraph to improve clarity.

#### **5. Section 5230.21. Content of individual record.— Statutory authority; Consistency with statute; Protection of the public health, safety and welfare; Implementation procedures; Clarity.**

Paragraph (4) requires a PRS agency develop and maintain a record for an individual, including a signed set of documents providing:

(i) Documentation of an individual’s consent to receive PRS *or*, if the individual is 14 years of age or older but under 18 years of age, documentation of an individual’s consent to receive PRS *or* documentation of consent by the individual’s parent or legal guardian for the individual to receive PRS.

(ii) Documentation of an individual’s consent to release information to other providers and natural supports, including family members, *or*, if the individual is 14 years of age or older but under 18 years of age, documentation of the individual’s consent to release information to other providers and natural supports, including family members, *or*, if the parent or legal guardian has provided the consent to receive PRS, documentation of consent by the individual’s parent or legal guardian to release information to other providers and natural supports, including family members.

(Emphasis added.)

Representative Kathy Rapp supports the initiative to expand services but expresses concerns about parental rights to determine what is in the best interest of a child. She asks the “Department to clarify whether there are specific statutory provisions, whether state or federal, that provides the Department with authority to promulgate regulations regarding minors receiving PRS without needing parental consent.” The letter also asks for clarification of paragraph (4)(i). Who does the Department intend to authorize to provide consent given the use of the conjunctive “or”? Specifically, does the Department mean to authorize PRS to individuals at least 14 years of age without requiring parental consent? She expresses concern “about the scenario that may develop when a minor and a parent disagree as to the proposed route of treatment. If the minor consents to treatment, but the parent does not, or the minor does not want PRS, but the parent provides consent to having his or her child receive PRS, how will that disagreement be resolved?” Relating to this concern, how will admission requirements under Section 5230.31 (relating to admission requirements) be handled if a parent disagrees with having a minor child admitted when there is a written recommendation from an LPHA? Regarding paragraph (4)(ii), Representative Rapp asks when “the minor child has consented to receive PRS, are there provisions or situations in which a parent may access their minor child’s records without the minor child’s consent, or may the parent only receive this access if the parent provided the initial consent for the minor child to receive PRS?”

Commentators from the regulated community oppose a parent or legal guardian providing consent for an individual 14 years of age or older but under 18 years of age to receive PRS, explaining that a person other than the individual being treated agreeing to access PRS is in opposition to the voluntary nature of psychiatric rehabilitation.

A commentator asks how paragraph (4)(i) and (ii) conforms with the act of July 23, 2020 (P.L. 647, No. 65) (Act 65), which enables certain minors to consent to medical, dental and health services, as well as providing for mental health treatment and release of medical records.

We ask the Department to state the statutory authority for the consent provisions in paragraph (4)(i) and (ii) and address consistency with other statutes addressing consent for mental health services, including Act 65. The Department should explain how the authorization provisions will be implemented for individuals 14 years of age or older but under 18 years of age, as well as parents and legal guardians, and explain how these provisions protect the public health, safety and welfare. Finally, the Department should consider revising these subparagraphs to improve the clarity of the consent provisions so that they are more easily understood by the regulated community.

#### **6. Section 5230.31. Admission requirements.—Protection of the public health, safety and welfare; Implementation procedures; Need; Feasibility; Clarity.**

##### *Subsection (a)(2)*

Subsection (a) requires an LPHA to write a recommendation for an individual to be eligible for PRS. The documentation must include one of the diagnoses in paragraph (2)(i)—(ix). Commentators address the following two issues.

First, commentators ask the Department to consider adding autism spectrum disorder to the list of diagnoses

in subsection (a)(2) that do not require review through the exception process in subsection (c), as PRS has been shown to benefit autistic individuals. A commentator states that people with autism “do not have barrier-free nor open access to PRS.” This commentator also feels that these individuals “deserve parity in services in order to develop skills needed to live, learn, socialize, and work in equal measure to peers” with the listed diagnoses.

Second, a commentator explains that subsection (a)(2)(i)—(ix) lists both entire diagnostic groups and certain specified diagnoses within a group. This commentator suggests clarifying these diagnoses by using select groupings in the Diagnostic and Statistical Manual of Mental Disorders (DSM), including “Depressive Disorders” and “Trauma and Stressor-Related Disorders,” to broaden categories and eliminate the need for additional exceptions.

We ask the Department to consider revising paragraph (2) to include autism spectrum disorder and clarifying the list of diagnoses to protect the public health, safety and welfare.

#### *Subsection (a)(4)*

Current subsection (a)(4) requires an individual to choose to receive PRS to be eligible for this service. This paragraph is proposed to be deleted. We have two concerns. First, the Department did not explain the rationale for deleting this requirement. Second, commentators oppose this deletion, explaining that PRS is a voluntary service and individuals have a right to decide whether and how to participate in PRS. We ask the Department to explain the rationale for deleting this requirement and how the regulation continues to protect the public health, safety and welfare without this safeguard.

#### *Subsection (c)*

Subsection (c) sets forth the exception process for an individual who does not have a diagnosis in subsection (a)(2). Under paragraph (3), an LPHA is required to document “the anticipated benefit that PRS will provide for the individual.” Commentators oppose this requirement given that an LPHA may not have experience using interventions. Further, commentators express concern that an LPHA identifying the anticipated benefit of PRS has the potential to take away from the individual’s ability to set rehabilitation goals with the PRS provider. We ask the Department to explain the need for this documentation, the feasibility and reasonableness of requiring an LPHA to complete this assessment, and how this step of the exception process will protect the public health, safety and welfare.

#### *Subsection (d)*

Subsection (d) requires a PRS agency, upon an individual’s admission, to complete an initial functional impairment screening to confirm moderate to severe functional impairment in at least one domain identified in the LPHA’s written recommendation. Commentators oppose this subsection, noting the term “screening” means a process that searches for existence of impairment when there are no clear symptoms. They further draw attention to Section 5230.61 (relating to assessment), which requires an assessment at the start of service as a collaborative process with PRS staff and the individual, along with supports, to identify services and resources that may be needed to assist an individual. Commentators suggest this process does not need to be duplicated as part of the admission process.

We ask the Department to explain why the screening is needed given the implementation procedures in Section

5230.61. Should the Department determine this step of the admission process is necessary, we ask it to clarify this provision by revising “screening” to “assessment” or explain why it is not necessary to do so.

#### **7. Section 5230.32. Continued stay requirements.—Protection of the public health, safety and welfare.**

“Skill deficit,” as assessed while determining eligibility for continued stay, is proposed to be deleted from subsection (b)(2)(i). We have two concerns. First, the Department did not explain why this assessment is proposed to be deleted. Second, commentators oppose this deletion, explaining “this is specific to if the goal was accomplished” and it “better describes the need for an individual’s continued stay.” We ask the Department to explain why “skill deficit” is deleted and how the regulation continues to protect the public health, safety and welfare without this assessment.

#### **8. Section 5230.51. Staff qualifications.—Implementation procedures; Protection of the public health, safety and welfare; Clarity.**

This section sets forth staff qualifications for PRS agencies that serve individuals over 18 years of age in subsections (a) and (b) and PRS agencies that serve individuals 14 years of age or older but under 18 years of age in subsections (e) and (f).

Commentators ask for clarification of how subsections (a), (b), (e) and (f) will be implemented by a PRS agency who serves both individuals over 18 years of age and individuals 14 years of age or older but under 18 years of age. Will a staff member be required to maintain dual certification as a Child and Family Resiliency Practitioner (CFRP) and a Certified Psychiatric Rehabilitation Practitioner? In addition, a commentator asks why qualifications for psychiatric rehabilitation workers and psychiatric rehabilitation assistants in subsections (c) and (d), respectively, are not updated to include staff members who work with individuals 14 years of age or older but under 18 years of age.

We ask the Department to explain implementation procedures for a PRS agency who serves both populations. The Department should consider revising this section to improve clarity for the regulated community. Further, the Department should explain why the staff requirements in subsections (c) and (d) are not amended and how this protects the public health, safety and welfare.

#### **9. Section 5230.52. General staffing requirements.—Implementation procedures; Clarity.**

##### *Subsection (h)*

Subsection (h) requires a minimum of 25% of a PRS agency’s staff, based on the number of full-time equivalent positions, to meet the qualifications of a psychiatric rehabilitation specialist in Section 5230.51(b) or (f) (relating to staff qualifications). (Emphasis added.) Section 5230.51(b) applies to psychiatric rehabilitation specialists who work with individuals over 18 years of age. Section 5230.51(f) applies to psychiatric rehabilitation specialists who work with individuals 14 years of age or older but under 18 years of age. How will a PRS agency that serves both populations implement this staffing requirement? We ask the Department to explain the implementation procedures and consider clarifying this subsection as needed.

##### *Subsections (h)—(i.1)*

Subsections (h)—(i.1) require a minimum of 25% of the staff based on the number of full-time equivalent posi-



tions to meet qualification and certification standards. A commentator asks if this requirement applies to all available positions (including any current program vacancies) versus all currently-staffed positions. We ask the Department to explain how a PRS agency should implement these subsections and further ask the Department to clarify these requirements to establish a clear standard for the regulated community.

**10. Section 5230.54. Group services.—Implementation procedures; Protection of the public health, safety and welfare; Clarity.**

*Subsection (a)*

Subsection (a)(3) specifies that when an individual receives group service in the home, other individuals must be in another location. We have two issues.

First, the Department states in the Preamble that this paragraph limits “group services in the home to services provided only through telehealth.” As addressed in Comment # 1, this paragraph does not directly include the provision of service through telehealth. The Department should explain how group services will be implemented through telehealth and consider clarifying this paragraph accordingly.

Second, commentators oppose the requirement for individuals to be in separate locations to receive group services, noting this does not meet psychiatric rehabilitation goals, values and principles, and fails to adequately accommodate individuals who live in the same residence. The Department should address these concerns and consider revising this paragraph to protect the public health, safety and welfare.

*Subsection (f.1)*

Subsection (f.1) limits group services delivered in the community to only individuals who receive services from a PRS agency. The Department explains in the Preamble that this protects confidentiality. Commentators express concern with this requirement, stating it excludes participation from natural supports and peers working on the same goals. We ask the Department to consider clarifying this subsection to address the stated intent of protecting confidentiality. The Department should also consider allowing participation by natural supports and peers working on the same goals to protect the public health, safety and welfare.

**11. Section 5230.56. Staff training requirements.—Protection of the public health, safety and welfare; Implementation procedures; Clarity.**

Paragraph (2) requires staff at a PRS agency to complete 18 hours of training annually, with separate requirements for an agency serving individuals over 18 years of age in subparagraph (i) and individuals 14 years of age or older but under 18 years of age in subparagraph (ii). There are two concerns with this paragraph. First, a commentator states there should be more consistency with the training requirement, with all staff members, regardless of the population served, receiving training in resiliency and recovery practices. Second, commentators express confusion regarding how the training hours are to be allocated among the required topics. We ask the Department to explain how the required topics for each population protect the public health, safety and welfare, and how a PRS agency will be expected to implement these requirements. The Department should consider clarifying this paragraph to establish standards that are understood by the regulated community and protect the public health, safety and welfare.

**12. Section 5230.57. Criminal history checks and child abuse certification.—Protection of the public health, safety and welfare.**

Subsection (d) requires a PRS agency that serves individuals 14 years of age or older but under 18 years of age to develop and implement written policies and procedures regarding personnel decisions in accordance with 23 Pa.C.S. §§ 6301—6388 (relating to Child Protective Services Law) and Chapter 3490 (relating to protective services). Why are criminal history background checks not included in this subsection? We ask the Department to include these checks to protect the public health, safety and welfare or explain why it is not necessary to do so.

**13. Section 5230.61. Assessment.—Protection of the public health, safety and welfare; Implementation procedures; Need; Reasonableness; Clarity.**

*Subsection (b)*

Under subsection (b), a PRS agency is required to complete an assessment collaboratively and as directed by an individual, with formal and natural supports, including family members. The assessment identifies services and resources needed to assist the individual. Commentators express concern with the addition of supports and family members, which they state may delay and interfere with the assessment process, demean the individual and violate confidentiality. The Department should explain how the requirement to include supports and family members will be implemented as to not delay the process to develop an individual rehabilitation plan (IRP). Further, the Department should explain how including additional persons in the assessment process protects the health, safety and welfare of individuals receiving PRS.

In addition, the Department explains in the Preamble that this subsection “allows for documentation that the assessment was reviewed with the individual to allow for the provision of PRS through telehealth.” This subsection does not address telehealth. As addressed in Comment # 1, we ask the Department to explain how a PRS agency will provide services through telehealth and revise this subsection accordingly.

*Subsection (b)(3)*

Current subsection (b)(3) includes health care facilities as an existing and needed support. These facilities are proposed to be deleted. Commentators oppose the deletion given the “importance that health care facilities have on an individual’s physical wellness.” We ask the Department to explain why this deletion is necessary and consider retaining this current requirement in the final-form regulation.

*Subsection (b)(7)*

Subsection (b)(7)(i.1) requires a PRS agency to update an IRP when the “individual’s diagnosis and identified needs change.” Commentators oppose the inclusion of diagnosis and have numerous concerns with this this subparagraph, including the following:

- An LPHA may change a diagnosis and not report it to the PRS agency.
- A diagnosis change may not have a direct impact on the functioning of the individual.
- It is unclear if an update is needed when a combination of the diagnosis and identified needs change or either the diagnosis or identified needs changes.
- A change in diagnosis is not relevant to the delivery of PRS as the focus is on changes in functioning.

Given these concerns, we ask the Department to explain the need for and reasonableness of the IRP update. Further, we ask the Department to revise the regulation to address implementation procedures and improve clarity to ensure the protection of the public health, safety and welfare.

**14. Section 5230.62. Individual rehabilitation plan.—Implementation procedures; Protection of the public health, safety and welfare; Clarity.**

Subsections (a)(7) and (d)(5) provide for an individual to sign an IRP or for documentation of the individual's consent and the date it was provided. The Preamble explains this allows for verbal consent when the individual is not able to sign the IRP in person. We have two concerns. First, what is acceptable documentation of consent? Second, commentators oppose the option for consent without a signature, noting concern that this may provide for individuals not being actively involved and present during the recovery planning process. The Department should explain how this provision will be implemented, including how consent is documented. We ask the Department to clarify these provisions by specifying verbal consent. In addition, the Department should address the concerns regarding active involvement and how this protects the public health, safety and welfare.

This comment also applies to Section 5230.61(b)(6).

**15. Section 5230.63. Daily entry.—Implementation procedures; Protection of the public health, safety and welfare.**

Paragraph (4) currently requires an individual to sign the daily record or documentation of the reason why it was not signed. The Department explains this provision is proposed to be deleted to “remove an unnecessary burden on staff and the individual.” Commentators oppose the deletion of this requirement, as a signature promotes active participation in PRS. However, they support an option for verbal consent. We ask the Department to consider retaining this provision and adding verbal consent to protect the public health, safety and welfare, or explain why it is not necessary to do so.

**16. Economic or fiscal impacts.**

The Department explains in the Preamble that PRS agencies who serve individuals 14 years of age or older

but under 18 years of age may have a “small initial increase in costs” to implement this rulemaking “because the director, psychiatric rehabilitation specialist and 25% of the full-time equivalent staff complement will need to obtain CFRP certification, and the PRS agencies will need to obtain child abuse certifications for staff.” As reported in RAF Question # 19, the costs for regulatory requirements per staff member are as follows: CFRP certification is estimated to be \$395 (registration and examination); Pennsylvania State Police child abuse clearance is \$13; and a Federal Bureau of Investigation criminal history background check is \$22.60. Commentators add there are additional costs relating to training, dual certification as required by Section 5230.51(e), and recertification.

However, the Department does not include an estimate of the fiscal impact on PRS agencies in Regulatory Analysis Form Question # 23. Accordingly, we ask the Department to include an estimate of the total costs to the entire regulated community in Regulatory Analysis Form Questions # 19 and # 23, including training, certification, recertification and clearance requirements.

**17. Miscellaneous clarity.**

- The Preamble states that definitions for “associate’s degree” and “bachelor’s degree” are added in Section 5230.3. These definitions are not included in Section 5230.3 but degree standards are stated in Section 5230.51(g). We ask the Department to revise the Preamble to the final-form regulation to reflect the regulation where degree standards are explained;

- The definitions of “DSM” and “ICD” should be clarified in Section 5230.3 by adding the publishers of these documents; and

- Section 5230.13 (relating to agency records) should be revised to require a PRS agency to maintain copies of criminal history background checks for staff members.

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 22-1449. Filed for public inspection September 16, 2022, 9:00 a.m.]

**INDEPENDENT REGULATORY REVIEW COMMISSION**

**Notice of Filing of Final Rulemakings**

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed at the Commission’s web site at [www.irrc.state.pa.us](http://www.irrc.state.pa.us).

| <i>Final-Omit<br/>Reg. No.</i> | <i>Agency/Title</i>  | <i>Received</i> | <i>Public<br/>Meeting</i> |
|--------------------------------|--|-----------------|---------------------------|
| 6-352                          | State Board of Education<br>Student Attendance and Students and Student Services | 8/22/22         | 10/20/22                  |

| <i>Final-Form<br/>Reg. No.</i> | <i>Agency/Title</i>              | <i>Received</i> | <i>Public<br/>Meeting</i> |
|--------------------------------|----------------------------------|-----------------|---------------------------|
| 16A-4634                       | State Board of Dentistry<br>Fees | 7/7/22          | 9/15/22                   |

| <i>Final-Form<br/>Reg. No.</i> | <i>Agency/Title</i>   | <i>Received</i> | <i>Public<br/>Meeting</i> |
|--------------------------------|---|-----------------|---------------------------|
| 7-553                          | Environmental Protection Agency<br>Water Quality Standards for Manganese and Implementation   | 8/10/22         | 9/15/22                   |
| 7-561                          | Environmental Protection Agency<br>Additional RACT Requirements for Major Sources of NO <sub>x</sub> and VOCs for the<br>2015 Ozone NAAQS | 8/10/22         | 9/15/22                   |
| 16A-4520                       | State Board of Cosmetology<br>Fees  | 8/10/22         | 9/15/22                   |
| 7-564                          | Environmental Protection Agency<br>Municipal Waste Rural Transfer Facility Permit by Rule   | 8/10/22         | 9/15/22                   |
| 16A-4111                       | State Architects Licensure Board<br>Digital Signature and Seal  | 8/31/22         | 10/20/22                  |
| 16A-4712                       | State Board of Professional Engineers, Land Surveyors, and Geologists<br>Digital Signature and Seal                                       | 8/31/22         | 10/20/22                  |
| 16A-6112                       | State Board of Landscape Architects<br>Digital Signature and Seal   | 8/31/22         | 10/20/22                  |

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 22-1450. Filed for public inspection September 16, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Nelson A. Berfield; License Denial Appeal; Doc. No. AG22-08-023

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Nelson A. Berfield has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for October 24, 2022, at 2 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 21, 2022. A hearing will occur on November 9, 2022, at 9:30 a.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before October 11, 2022. The e-mail address to be used for the Administrative Hearings Office is [ra-hearings@pa.gov](mailto:ra-hearings@pa.gov). Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before October 21, 2022.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, [jkorman@pa.gov](mailto:jkorman@pa.gov).

MICHAEL HUMPHREYS,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 22-1451. Filed for public inspection September 16, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Pennsylvania Compensation Rating Bureau; Rule Filing

On August 30, 2022, the Insurance Department (Department) received a rule filing from the Pennsylvania Compensation Rating Bureau (Bureau) affecting telecommuter employees effective April 1, 2023.

Bureau filing No. 334 proposes the creation of a new and separate classification for telecommuting clerical employees (Code 822, Telecommuting Clerical Employees) that work from home, away from any location of their employer, doing office clerical work. The new classification is proposed for all Commonwealth employers other than those classified to a classification that is designated "All Employees Including Office." If approved, clerical workers who interchange between telecommuting and performing clerical work at their employer's location will be classified to Code 822 when more than 50% of their time is spent telecommuting, and to Code 953, Office when 50% or less of their time is spent telecommuting.

The proposed loss cost for Code 822, Telecommuting Clerical Employees is the same as the lost cost for Code 953, Office.

Bureau filing No. 334 is available for review on the Bureau's web site at [www.pcrb.com](http://www.pcrb.com) in the "Filings" section under "Featured Products."

Interested parties are invited to submit written comments, suggestions or objections to Dennis Sloand, Insurance Department, Office of Insurance Product Regulation, [desloand@pa.gov](mailto:desloand@pa.gov), within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 22-1452. Filed for public inspection September 16, 2022, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be held in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Room 200, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Mary Kay Sidesinger; Erie Insurance Exchange; File No. 22-116-272377; Doc. No. P22-08-025; October 12, 2022, 9:30 a.m.

Following the hearing and receipt of the stenographic transcript, the Acting Insurance Commissioner will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Acting Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Acting Insurance Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Acting Insurance Commissioner*

[Pa.B. Doc. No. 22-1453. Filed for public inspection September 16, 2022, 9:00 a.m.]

## LEGISLATIVE REFERENCE BUREAU

### Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

#### *Executive Board*

Resolution No. CB-22-040, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and AFSCME that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-041, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and SEIU-Local 668 that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-042, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and SEIU-Local 668, UC Referees Unit, that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-043, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and FOSCEP that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-044, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and OPEIU that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-045, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and PSTA that reschedules the October 2022 general pay increase to July 2023 and the annual service and longevity increment in Fiscal Year 2022-2023 to be effective no later than August 13, 2022.

Resolution No. CB-22-046, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and ALES that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-047, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and UGSOA that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-048, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and FOP-Lodge # 85 (Capitol Police) that reschedules the October 2022 general pay increase and the annual service and longevity increments in Fiscal Year 2022-2023 to August 2022.

Resolution No. CB-22-049, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and FOP-Lodge No. 114 (Game Commission) that reschedules the July 2023 general pay increase to April 2023 and the January 2023 longevity increment to August 2022.

Resolution No. CB-22-050, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and SEIU-HCPA that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-051, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and PDA that reschedules the October 2022 and January 2023 general pay increases to August 2022.

Resolution No. CB-22-052, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and CIVEA that reschedules the January 2023 general pay increase and service increment to August 2022.

Resolution No. CB-22-053, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and PSEA that reschedules the January 2023 general pay increase and service increment to August 2022.

Resolution No. CB-22-054, Dated August 17, 2022. Authorizes a side letter between the Commonwealth and PSCOA that reschedules the July 2023 general pay

increase to April 2023 and the annual service and longevity increment in Fiscal Year 2022-2023 to be effective no later than August 13, 2022.

Resolution No. CB-22-055, Dated August 29, 2022. Authorizes a side letter between the Commonwealth and PLEA that reschedules the October 2022 general pay increase and January 2023 increment to August 2022.

Resolution No. CB-22-056, Dated August 29, 2022. Authorizes a side letter between the Commonwealth and AFSCME that reschedules the October 2022 general pay increase and January 2023 increment to August 2022 for employees within the Pennsylvania Game Commission and Fish and Boat Commission.

Resolution No. CB-22-057, Dated August 29, 2022. Authorizes the labor agreement between the Commonwealth and Pa. State Rangers Association (PSRA) effective 7/1/2021 through 6/30/2024.

Resolution No. CB-22-058, Dated August 29, 2022. Authorizes a side letter with the PA State Rangers Association (PSRA) to expedite the general pay increase and annual increment.

#### *Governor's Office*

Manual No. 110.01—2023-24 Budget Instructions, Amended August 15, 2022.

Management Directive No. 260.03—Gubernatorial Transitions, Dated August 10, 2022.

Management Directive No. 325.03—Performance of Audit Responsibilities, Amended August 30, 2022.

Administrative Circular No. 22-10—Holiday Trees and Decorations in Commonwealth Owned or Leased Buildings, Dated August 11, 2022.

Administrative Circular No. 22-11—Holidays—2023, Dated August 25, 2022.

AMY J. MENDELSON,  
*Director*  
*Pennsylvania Code and Bulletin*

[Pa.B. Doc. No. 22-1454. Filed for public inspection September 16, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Investigation into Conservation Service Provider and Other Third-Party Access to Electric Distribution Company Customer Data; Doc. No. M-2021-3029018

On February 8, 2022, the Pennsylvania Public Utility Commission (Commission) sent out a Secretarial Letter, with a list of questions regarding Conservation Service Provider (CSP) and other third-party access to Electric Distribution Company customer data. On August 4, 2022, the Commission approved a petition by Metropolitan Edison Company, Pennsylvania Electric Company, Pennsylvania Power Company and West Penn Power Company (collectively FirstEnergy) at Docket No. P-2021-3030012, et al., for approval of the Default Service Plan (DSP) from June 1, 2023, through May 31, 2027. Based on the initial comments filed at Docket No. M-2021-3029018, and the approval of the FirstEnergy's DSP, filed at Docket No. P-2021-3030012, the Commission has additional ques-

tions regarding potential pathways to be created for CSP's and other third parties to access customer data. These questions have been included as Attachment A to this Secretarial Letter.

It is not intended that this list of questions limit the information commentators may furnish. When submitting responses to these proceedings, commentators are encouraged to submit any additional questions or any other information that they deem relevant.

Interested parties are invited to file comments within 45 days after the date of publication of the instant Secretarial Letter in the *Pennsylvania Bulletin*. Written comments referencing Docket No. M-2021-3029018 shall be submitted to the Pennsylvania Public Utility Commission, Attn.: Secretary, 400 North Street, Harrisburg, PA 17120, or eFiled at <https://efiling.puc.pa.gov/>.

If there are any technical questions regarding the investigation, contact Jeremy Haring, [jharing@pa.gov](mailto:jharing@pa.gov), (717) 783-6174, in the Commission's Bureau of Technical Utility Services. If there are any questions related to the comment and approval processes, contact either Scott Thomas, [sjthomas@pa.gov](mailto:sjthomas@pa.gov), (717) 783-2812, in the Commission's Law Bureau, or Christian McDewell, [cmcdewell@pa.gov](mailto:cmcdewell@pa.gov), (717) 787-7466, in the Commission's Law Bureau.

ROSEMARY CHIAVETTA,  
*Secretary*

#### Attachment A

#### Follow Up Questions Related to the Commission's Investigation into Conservation Service Provider (CSP) and Other Third-Party Access to Electric Distribution Company Customer Data at Docket No. M-2021-3029018

7. What barriers, if any, prevent EDCs from implementing the components of the third-party data access tariff supplement contained in the FirstEnergy settlement at Docket No. P-2021-3030012, including but not limited to, the following policies?

a. Implement a standard form of authorization to be used for all new requests from third parties seeking customer data.

b. Conduct periodic, randomized internal audits of participants to ensure that letters of authorization are being properly obtained by third parties. Such audits will occur at least semi-annually and will include at least 10% of active third parties.

8. What specific customer electric usage information do the EDCs believe can reasonably to be released to 3rd parties?

9. What specific customer electric usage data do other parties believe EDCs should have available to reasonably be released to 3rd parties?

[Pa.B. Doc. No. 22-1455. Filed for public inspection September 16, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Natural Gas Service

**A-2022-3034637. Columbia Gas of Pennsylvania, Inc.** Application for approval of abandonment of natural

gas service by Columbia Gas of Pennsylvania, Inc. to one commercial premises located in Somerset County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, September 19, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* Columbia Gas of Pennsylvania, Inc.

*Through and By Counsel:* Candis A. Tunilo, Esquire, Columbia Gas of Pennsylvania, Inc., 800 North Third Street, Suite 204, Harrisburg, PA 17102; Theodore J. Gallagher, Esquire, NiSource Corporate Services Company, 121 Champion Way, Suite 100, Canonsburg, PA 15317

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1456. Filed for public inspection September 16, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Natural Gas Service

**A-2022-3035015. Columbia Gas of Pennsylvania, Inc.** Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to one commercial premises and two residential premises in Beaver County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 3, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings

containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

*Through and By Counsel for:* Candis A. Tunilo, Esquire, 800 North Third Street, Suite 204, Harrisburg, PA 17102, [ctunilo@nisource.com](mailto:ctunilo@nisource.com); Theodore J. Gallagher, Esquire, 121 Champion Way, Suite 100, Canonsburg, PA 15317, [tjgallagher@nisource.com](mailto:tjgallagher@nisource.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1457. Filed for public inspection September 16, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 3, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 3, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the previously listed docket number or by searching the applicant's web site.

**Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.***

**A-2022-3034654. Medi-Cab Transport, LLC** (35 Majestic Circle, Hollidaysburg, Blair County, PA 16648) persons in paratransit service, limited to nonemergency medical purposes from points in the Counties of Beaver, Butler, Cameron, Clarion, Clinton, Crawford, Dauphin, Elk, Erie, Forest, Lancaster, Lawrence, Lebanon, McKean, Mercer, Perry, Potter, Venango, Warren, Washington and York, to points in Pennsylvania, and return. *Attorney:* Paul Eckenrode, 171 Lovell Avenue, Suite 202, Edenburg, PA 15931.

**A-2022-3034809. Tri Transit, LLC** (923 South 17th Street, Harrisburg, Dauphin County, PA 17103) for the right to begin to transport, as a common carrier, by motor

vehicles, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, between points in the Counties of Cumberland and Dauphin.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1458. Filed for public inspection September 16, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2022-3034879. The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Peerless Network of Pennsylvania, LLC.** Joint petition of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Peerless Network of Pennsylvania, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Peerless Network of Pennsylvania, LLC, by their counsel, filed on August 31, 2022, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of The United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Peerless Network of Pennsylvania, LLC joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-1827.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1459. Filed for public inspection September 16, 2022, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer by Sale

**A-2022-3035054 and U-2022-3035052. PECO Energy Company.** Application of PECO Energy Company for approval of transfer by sale to Upper Gwynedd Township of street lighting facilities located in Montgomery County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 3, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available

only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or individuals may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

*Applicant:* PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699

*Through and By Counsel for:* Caroline S. Choi, Assistant General Counsel, PECO Energy Company, 2301 Market Street, S23-1, P.O. Box 8699, Philadelphia, PA 19101-8699, (770) 910-3006, [Caroline.Choi@exeloncorp.com](mailto:Caroline.Choi@exeloncorp.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 22-1460. Filed for public inspection September 16, 2022, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than October 3, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-22-09-01. M.A. Service, LLC** (117 Cumberland Place, Bryn Mawr, PA 19010): An application for a limousine certificate of public convenience to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Charles Milstein, Esq., 7102 Frankford Avenue, Philadelphia, PA 19135.

DENNIS WELDON,  
*Temporary Executive Director*

[Pa.B. Doc. No. 22-1461. Filed for public inspection September 16, 2022, 9:00 a.m.]

## STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

### Bureau of Professional and Occupational Affairs v. Car Farm Auto Group, LLC; Case No. 19-60- 000547

On July 13, 2022, Car Farm Auto Group, LLC, vehicle dealer license No. VD029650, last known of Levittown, Bucks County, was levied a \$9,400 civil penalty for employing vehicle salespeople who were not properly licensed.

Individuals may obtain a copy of the adjudication at [www.pals.pa.gov](http://www.pals.pa.gov).

This order represents the final State Board of Vehicle Manufacturers, Dealers and Salespersons (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

KIRK A. DAVIS,  
*Chairperson*

[Pa.B. Doc. No. 22-1462. Filed for public inspection September 16, 2022, 9:00 a.m.]

## STATE HORSE RACING COMMISSION

### Receipt of Matters Subject to Intervention

In accordance with 7 Pa. Code § 179.17(d) (relating to intervention), the State Horse Racing Commission (Commission) provides notice that it has received the following timely, substantially complete and properly filed applications or petitions seeking authorization, permission or licensure renewal, or both, to engage in certain licensed racing activities within this Commonwealth:

#### *Vendor Renewal Applications:*

1. Churchill Downs Technology Initiatives Company (d/b/a TwinSpire)
2. Gaming and Leisure Properties, Inc.
3. International Sound Corporation
4. Penn ADW, LLC
5. Roberts Communications Network, LLC
6. ODS Technologies, LP (d/b/a TVG Network)

7. VICI Properties, Inc.
8. Xpressbet, LLC
9. eBet Technologies, Inc.
10. Global Tote US, LLC (f/k/a Sportech Racing, LLC)

#### *Totalisator Renewal Applications:*

1. Am Tote International, Inc.
2. United Tote Company
3. Global Tote US, LLC (f/k/a Sportech Racing, LLC)

#### *SPMO License Renewal Applications:*

1. AM West Entertainment, LLC

#### *Electronic Wagering Petitions:*

1. Bensalem Racing Association and Keystone Turf Club, Inc.
2. Downs Racing, LP
3. Washington Trotting Association, LLC and Mountain Laurel Racing, Inc.
4. Presque Isle Downs, LLC
5. Mountainview Thoroughbred Racing Association and Penn National Turf Club, LLC
6. Chester Downs and Marina, LLC (d/b/a Harrah's Philadelphia Casino and Racetrack)

#### *3-Year Race Meet License Renewal:*

1. Downs Racing, LP (d/b/a Mohegan Sun Pocono)
2. Penn Entertainment, Inc. (f/k/a Penn National Gaming, Inc.)
3. Chester Downs and Marina, LLC (d/b/a Harrah's Philadelphia Casino and Racetrack)
4. Mountain Laurel Racing, Inc. and Washington Trotting Association, Inc. (d/b/a The Meadows Racetrack & Casino)
5. Bensalem Racing Association, Inc. & Keystone Turf Club, Inc. (d/b/a Parx Racetrack & Casino)

Under 7 Pa. Code § 179.17(b) and (e) of the Commission's adopted procedures, persons interested in intervening in the previously listed matters may file a Petition to Intervene with the Commission within 30 days of the publication of this notice.

ANTHONY SALERNO,  
*Director*  
*Bureau of Standardbred Horse Racing*

THOMAS F. CHUCKAS, Jr.,  
*Director*  
*Bureau of Thoroughbred Horse Racing*

[Pa.B. Doc. No. 22-1463. Filed for public inspection September 16, 2022, 9:00 a.m.]





