


PENNSYLVANIA BULLETIN

Volume 52
Saturday, October 8, 2022 • Harrisburg, PA
Number 41
Pages 6343—6440

Agencies in this issue

The General Assembly
The Courts
Department of Agriculture
Department of Banking and Securities
Department of Environmental Protection
Department of Human Services
Department of Transportation
Independent Regulatory Review Commission
Insurance Department
Pennsylvania Public Utility Commission
Public School Employees' Retirement Board
State Conservation Commission
Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 575, October 2022

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2022 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE GENERAL ASSEMBLY

COMMISSION ON SENTENCING
 Adopted State parole guidelines; correction 6351

THE COURTS

JUDICIAL SYSTEM GENERAL PROVISIONS
 Proposed amendments to the Pennsylvania Rules of Professional Conduct relating to misconduct 6357

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF AGRICULTURE
Notices
 Fiscal Year 2022-2023 Annual Plan for awarding grants under the Pennsylvania Agricultural Fair Act 6361

DEPARTMENT OF BANKING AND SECURITIES
Notices
 Actions on applications 6362

DEPARTMENT OF ENVIRONMENTAL PROTECTION
Notices
 Applications, actions and special notices 6363
 Availability of grants through the Small Business Advantage Grant Program 6424

DEPARTMENT OF HUMAN SERVICES
Notices
 Co-payments for the Subsidized Child Care Program 6425
 Disproportionate share payments and supplemental hospital payments to qualifying hospitals 6434
 Supplemental payments to qualifying hospitals 6434
 Updates to the Medical Assistance Program Fee schedule for administration of SARS-CoV-2 vaccine manufactured by Novavax 6435

DEPARTMENT OF TRANSPORTATION
Notices
 Findings 6436
 State Transportation Advisory Committee meeting . . 6437

INDEPENDENT REGULATORY REVIEW COMMISSION
Notices
 Notice of filing of final rulemakings 6437

INSURANCE DEPARTMENT
Notices
 Alleged violations of insurance laws; Kayayetta D. Dukes; doc. No. SC22-09-020 6437
 Application for approval to acquire control of Lombard International Life Assurance Company 6437
 Application for approval to redomesticate from the Commonwealth of Pennsylvania by CM Regent Insurance Company 6438

PENNSYLVANIA PUBLIC UTILITY COMMISSION
Rules and Regulations
 Rulemaking to comply with the competitive classification of telecommunication retail services under 66 Pa.C.S. § 3016(a); general review of regulations 52 Pa. Code, Chapter 53, Chapter 63 and Chapter 64; corrective amendment 6360

Notices
 Service of notice of motor carrier applications 6438
 Telecommunications 6438

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD
Notices
 Hearing scheduled 6439

STATE CONSERVATION COMMISSION
Notices
 Action on odor management plans for concentrated animal operations and concentrated animal feeding operations and volunteers complying with the Commonwealth's Facility Odor Management Program 6439

Available Online at <http://www.pacodeandbulletin.gov>

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the Pennsylvania Bulletin

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2022.

4 Pa. Code (Administration)

Adopted Rules

1	936
7	336, 4227, 5788, 6140
601a	1454
602a	1454
603a	1454
604a	1454
605a	1454
606a	1454
607a	1454

Statements of Policy

1	4242
9	1112, 1276, 1742, 2218, 2972, 3439, 4139, 5133, 5657, 5817

7 Pa. Code (Agriculture)

Adopted Rules

160	2699
-----	------

16 Pa. Code (Community Affairs)

Proposed Rules

41	2122
----	------

17 Pa. Code (Conservation and Natural Resources)

Proposed Rules

45	5476
----	------

22 Pa. Code (Education)

Adopted Rules

4	3946
49	2451
741	356
741a	356

Statements of Policy

238	1009
-----	------

25 Pa. Code (Environmental Protection)

Adopted Rule

88	5804
90	5804
121	1875
129	1875
145	2471
208	5813

Proposed Rules

92a	361
109	1245
121	689
129	689
218	5500
250	4235
261a	235
271	363
279	363

28 Pa. Code (Health and Safety)

Adopted Rules

1141	359
1151	359
1161	359
1171	359
1181	359

1191	359
1211	359
1230	359

Proposed Rules

18	3587
201	1626, 3070
207	3070
209	1626, 3070
211	1626, 3070

31 Pa. Code (Insurance)

Proposed Rules

90j	.830, 4396
-----	------------

Statements of Policy

89	2128
----	------

34 Pa. Code (Labor and Industry)

Adopted Rules

101	1480
111	3317
231	2701
401	971
403	971

40 Pa. Code (Liquor)

Adopted Rules

3	4090
5	4090
11	4090

Proposed Rules

13	3318
----	------

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules

3	1485
13	1600
16	1899
17	1899
18	1899
19	444
21	1916
27	3822
29	4401
37	17
39	2963
41	446
42	448
47	1608
48	1608
49	1608

Proposed Rules

1	1736, 2969
6	1978
7	2558
16	4923
18	985
31	1980
42	835

52 Pa. Code (Public Utilities)

Adopted Rules

51 5934
 53 5049, 6360
 63 5049, 6360
 64 5049, 6360
 65 4096
 66 4096

Proposed Rules

3 4926
 53 6160
 59 992
 65 4926

55 Pa. Code (Human Services)

Adopted Rules

123 2548
 133 2548

Proposed Rules

5230 3828

58 Pa. Code (Recreation)

Adopted Rules

61 5946
 63 5947, 5948, 5949
 65 5950, 5951
 103 5952
 105 5952
 109 5952
 111 5952, 5953
 113 983
 141 3065, 5466, 5469, 5470
 147 3066, 5471, 5472, 5474
 623b 1491, 3224
 627b 1491
 629b 1491

Proposed Rules

51 3982
 57 3423
 61 3320, 5649
 63 1494, 3321, 3322, 3423, 3434, 3984, 5650
 65 1494, 1496
 69 3982
 71 3423
 71a 3423
 73 3423
 91 3982
 93 3982
 97 3323
 103 3435
 105 3435
 107 5651
 109 3435
 111 3324, 3435, 5652
 131 5653
 135 5653
 141 3101, 3102, 3105
 147 3106, 3107, 3108
 461a 2211
 469a 2211

67 Pa. Code (Transportation)

Adopted Rules

55 68

101 Pa. Code (General Assembly)

Statements of Policy

31 1642

201 Pa. Code (Rules of Judicial Administration)

Proposed Rules

19 2561

204 Pa. Code (Judicial System General Provisions)

Adopted Rules

29 339, 4083, 5926
 71 341
 82 964
 83 1733, 1974, 2955, 4392, 5634
 85 2581
 87 2581
 89 2581
 91 2581
 93 2581, 4915
 309 6144, 6351

Proposed Rules

81 942, 6357
 83 942, 965, 4392
 303 583
 309 2344
 311 2351

207 Pa. Code (Judicial Conduct)

Adopted Rules

1 680, 2208
 3 3932
 33 3937
 51 3937

210 Pa. Code (Appellate Procedure)

Adopted Rules

3 6036
 19 9
 65 4231

Proposed Rules

1 5634
 3 4915
 5 2561
 9 5634
 11 5634
 13 4915, 5634
 15 5634
 16 1452, 5634

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules

200 440
 400 10, 682
 1000 5792
 1300 3213
 1915 826
 1930 3579
 2120 5792
 2150 5792
 2170 5792
 Part II 441, 684

Proposed Rules

240 2561
 400 5927
 1000 5118, 5640
 2000 5640
 Part II 2561, 3057, 5119

234 Pa. Code (Rules of Criminal Procedure)
Proposed Rules
 1205, 346
 4 2561
 5 205, 346, 2689, 3215
 6 346
 7 205
 10205, 346

237 Pa. Code (Juvenile Rules)
Proposed Rules
 1 2561
 5 11

246 Pa. Code (Minor Court Civil Rules)
Adopted Rules
 300 2357

Proposed Rules
 200 2561
 300 3816

249 Pa. Code (Philadelphia Rules)
 Unclassified 230, 827, 3418, 3582, 3938, 5121, 5643, 6150

252 Pa. Code (Allegheny County Rules)
 Unclassified13, 4919

255 Pa. Code (Local Court Rules)
 Unclassified 14, 15, 16, 231, 232, 233, 353,
 443, 685, 828, 968, 969, 1111, 1453, 1599, 1734, 1975,
 1976, 2208, 2360, 2584, 2585, 2695, 2697, 2792, 2843,
 3059, 3218, 3220, 3312, 3418, 3419, 3420, 3421, 3582,
 3678, 3944, 4085, 4086, 4232, 4921, 5124, 5125, 5644,
 5645, 5803, 5929, 5930, 5931, 5932, 5933, 6153, 6155,
 6158

THE GENERAL ASSEMBLY

Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

PART VIII. CRIMINAL SENTENCING

COMMISSION ON SENTENCING

[204 PA. CODE CH. 309]

Adopted State Parole Guidelines; Correction

An error occurred in the Adopted State Parole Guidelines, Pa.B. Doc. No. 22-1506, published on behalf of the Commission on Sentencing at 52 Pa.B. 6144 (October 1, 2022). The document was published under THE COURTS heading instead of THE GENERAL ASSEMBLY heading of the *Pennsylvania Bulletin*. The document, filed for public inspection September 30, 2022, 9:00 a.m., is otherwise correct as previously published at 52 Pa.B. 6144 as follows:

On March 10, 2022, the Pennsylvania Commission on Sentencing approved for the purpose of public comment proposed State Parole Guidelines. The proposed guidelines were published in the *Pennsylvania Bulletin* on April 23, 2022 (52 Pa.B. 2344). Public hearings were held on May 31, 2022 (via Zoom for incarcerated individuals at the Pennsylvania Department of Corrections) and June 1, 2022 (in Harrisburg and via Zoom for the general public). Previous public hearings were held on August 31, 2020 (via Zoom for incarcerated individuals at the Pennsylvania Department of Corrections) and September 9, 2020 (via Zoom for the general public).

On June 2, 2022, the Pennsylvania Commission on Sentencing adopted the State Parole Guidelines. The guidelines adopted by the Commission are submitted to the General Assembly for review by way of publication in the *Pennsylvania Bulletin* and will become effective 90 days after publication unless rejected by concurrent resolution of the General Assembly.

The Commission is authorized by 42 Pa.C.S. § 2154.5 to adopt guidelines that shall be considered by the Pennsylvania Parole Board and any other paroling entity when exercising its power to parole and reparole all persons sentenced by any court in this Commonwealth to imprisonment in any correctional institution. The guidelines are to:

- (1) Give primary consideration to the protection of the public and to victim safety;
- (2) Provide for due consideration of victim input;
- (3) Be designed to encourage inmates and parolees to conduct themselves in accordance with conditions and rules of conduct set forth by the department or other prison facilities and the board;
- (4) Be designed to encourage inmates and parolees to participate in programs that have been demonstrated to be effective in reducing recidivism, including appropriate drug and alcohol treatment programs;
- (5) Provide for prioritization of incarceration, rehabilitation and other criminal justice resources for offenders posing the greatest risk to public safety; and
- (6) Use validated risk assessment tools, be evidence based and take into account available research relating to the risk of recidivism, minimizing the threat posed to public safety and factors maximizing the success of reentry.

These initial State Parole Guidelines, as adopted by the Commission, are summarized below, and set forth in Annex A.

REPRESENTATIVE TODD STEPHENS,
Chair

Commentary

This Commentary highlights key factors considered in the development and adoption of the State Parole Guidelines. The State Parole Guidelines are set forth in Annex A.

As provided in statute, 61 Pa.C.S. § 6102 (relating to operation of parole system generally): The parole system shall operate consistently with the following provisions:

(1) The parole system provides several benefits to the criminal justice system, including the provision of adequate supervision of the offender while protecting the public, the opportunity for the offender to become a useful member of society and the diversion of appropriate offenders from prison.

(2) In providing these benefits to the criminal justice system, the board and any other paroling entity shall first and foremost seek to protect the safety of the public.

(3) In addition to this goal, the board and any other paroling entity shall address input by crime victims, assist in the fair administration of justice by ensuring the custody, control and treatment of paroled offenders, shall consider any applicable guidelines established by the commission and shall ensure that parole proceedings, release and recommitment are administered in an efficient and timely manner.

Further, 42 Pa.C.S. § 2154.5 (relating to adoption of guidelines for parole) requires the Commission to adopt guidelines for parole that consider the following:

- (1) Give primary consideration to the protection of the public and to victim safety;
- (2) Provide for due consideration of victim input;
- (3) Be designed to encourage inmates and parolees to conduct themselves in accordance with conditions and rules of conduct set forth by the department or other prison facilities and the board;
- (4) Be designed to encourage inmates and parolees to participate in programs that have been demonstrated to be effective in reducing recidivism, including appropriate drug and alcohol treatment programs;
- (5) Provide for prioritization of incarceration, rehabilitation and other criminal justice resources for offenders posing the greatest risk to public safety; and
- (6) Use validated risk assessment tools, be evidence based and take into account available research relating to the risk of recidivism, minimizing the threat posed to public safety and factors maximizing the success of reentry.

Pursuant to 61 Pa.C.S. § 6137 (relating to parole power), the Board is required to consider guidelines for parole and reparole established by the Commission, and to report to the Commission the parole and reparole decision and provide a contemporaneous written statement of reasons for any deviation from the guidelines. In addition to consideration of the guidelines, the Board may develop and use internal decisional instruments.

The guidelines for parole established by the Commission are advisory guidelines, which must be considered by the Board but for which the Board may exercise discre-

tion in deviating from the recommendations. The guidelines do not remove the discretionary authority of the Pennsylvania Parole Board, and do not prevent the Board from adopting policies and procedures related to parole decision-making.

As described in the document published prior to the 2020 public hearings, the Commission has proposed a two-step process for consideration of state parole. The first step involves the preparation and consideration of the State Parole Guidelines recommendation; the second step involves the consideration by the Board of these guidelines and other factors that may require or suggest a deviation from the guidelines.

The preparation of the State Parole Guidelines recommendations involves two categories of factors: risk and preparedness. As required by statute, a validated risk assessment instrument, the Level of Service Inventory—Revised (LSI-R), is used to address public and victim safety, while the analysis of objective criteria related to behavior and compliance and the weighting of factors identified during the parole interview are used to address readiness for parole. Based on these factors, recommendations to grant or refuse parole for individuals with a current conviction for a violent offense, or for individuals with a prior conviction within ten years for a violent offense, are included in the State Parole Guidelines Matrix (Violent) found at § 309.4(a). Recommendations to grant or refuse parole for all other individuals are included in the State Parole Guidelines Matrix (Non-Violent) found at § 309.4(b).

The parole guidelines also require the Board to consider statutory mandates and factors such as public safety inputs and reentry needs to further individualize the decision by the Board and inform the exercise of discretion. The State Parole Guidelines Form, found at § 309.5, is used to document and report decisions by the Board and reasons for deviation from the guidelines to the Commission.

Following the public hearings held in 2020, the Commission approved several modifications to the proposed State Parole Guidelines that were initially published. These include changes to the interview factors in order to give greater consideration to progress in rehabilitation, treatment, and education; replacing override factors with a non-exclusive list of reasons for deviation from the parole guidelines; and collecting additional information based on the parole decision: when parole is granted, conditions imposed that are not required by statute nor recommended by a validated risk assessment case management plan; and when parole is denied, reasons for scheduling a review that is more than one year from the date of the parole decision. The Commission also continued discussions with the Department of Corrections and the Parole Board regarding the transition away from the use of the LSI-R as the validated risk assessment instrument.

On September 10, 2020, the Commission tabled action on adoption of the parole guidelines anticipating validation and deployment by the Pennsylvania Department of Corrections (DOC) of a new risk assessment instrument, the Static Risk Offender Needs Guide—Revised (STRONG-R), intended to replace the LSI-R as the validated risk assessment instrument. However, due to delays in the implementation of STRONG-R and recognizing the continued use of the LSI-R by the DOC and Parole Board, the Commission voted on March 10, 2022 to resume consideration of the State Parole Guidelines. Because of the nearly two-year delay in action, the Commission voted to publish a revised version of the

proposed guidelines, intended to serve as interim parole guidelines until the validation and deployment of the STRONG-R, and the subsequent reconstruction of the parole guidelines. Following public hearings held on May 31, 2022 and June 1, 2022, the Commission adopted the State Parole Guidelines on June 2, 2022.

Commentary on Annex A

§ 309.1. Preliminary provisions.

Sub-section (a) provides the statutory authority for adopting guidelines for parole (42 Pa.C.S. § 2154.5).

Sub-section (b) provides definitions of terms used in the guidelines, as obtained from the Pennsylvania Parole Board, Department of Corrections, and Commission on Sentencing.

§ 309.2. State parole guidelines standards.

Section 309.2 addresses standards provided in statute for consideration of the guidelines by the Pennsylvania Parole Board, and the reporting of decisions to the Commission.

§ 309.3. Procedures for determining state parole guidelines.

The guidelines recommendations are based on two categories of factors: 1) the risk to public safety, as measured by the risk of recidivism and 2) an assessment of an offender's preparedness for parole release, as measured by pre-interview and interview factors. Both categories were developed based on data analysis of past parole decisions, recidivism, and decision makers' policies and philosophies.

The risk score utilizes the ten criminogenic domains of the Level of Services Inventory-Revised (LSI-R). Scores range from 0 to 54, with higher scores indicating a higher rate of recidivism risk. The guidelines include three risk levels based on risk score: low (0—19), medium (20—33), and high (34 and greater).

The preparedness score is based on seven pre-interview factors and four interview factors. Each is scored as a '1' or '0,' with '1' being more positive or indicating success. Pre-interview factors are a combination of actuarial and dynamic factors and include the Department of Corrections' recommendation. Interview factors are grounded in the professional judgement of the decision makers. The guidelines include three preparedness levels based on preparedness scores: low (0—7), medium (8-9), and high (10-11).

The recommendation to grant or refuse parole is based on the intersection of the risk and preparedness categories. These slightly vary depending upon whether the offender has a current or past conviction within ten years for a violent offense.

The guidelines are advisory, and the Board may deviate from the guidelines. Reasons for deviation are required and must be reported to the Commission with other parole-related information. Reasons include but are not limited to mental health or medication compliance status, negative interest in parole, an outstanding detainer, judicial input, prosecution or public safety input, and if the maximum sentence date occurs in less than one year.

The guidelines apply to parole decisions for offenders initially being considered for parole and to those previously denied parole. They also apply to parole violators being considered for reparole.

§ 309.4. State parole guidelines matrices.

The state parole matrices contain recommendations to grant or refuse parole based on two categories of factors: risk of re-offense and preparedness for parole. Each cell

recommends either ‘grant’ or ‘refuse’ parole. The State Parole Guidelines Matrix (Violent) found at § 309.4(a) applies to those with a current (instant) or previous conviction within ten years for a violent offense. The State Parole Guidelines Matrix (Non-Violent) found at § 309.4(b) applies to those without a current (instant) or previous conviction within ten years for a violent offense. The recommendations are based on recidivism analysis and grant rates, with a difference between the two matrices found at the intersection of the medium preparedness and medium risk categories.

§ 309.5. *State parole guidelines form.*

The form documents the risk level associated with the LSI-R score, all pre-interview and interview factors and the associated preparedness level, the state parole guidelines recommendation based on the applicable matrix (violent, non-violent), the decision by the Board, any reason(s) for deviation from the guidelines, and information on conditions of parole or reasons for delay in reviewing a case in which parole is denied.

Resource Utilization

In accordance with 42 Pa.C.S. § 2153(a)(15), prior to the adoption of changes to guidelines, the Commission is mandated to determine the resources that are required under current guidelines and the resources that would be required to carry out any proposed changes. Since the State Parole Guidelines adopted by the Commission are initial guidelines rather than changes to guidelines, there are no current guidelines from which to make a determination, and no basis for determining Board compliance with the State Parole Guidelines. However, based on data analyzed from all Board interviews conducted from 2010—2016, parole is recommended in 59% of all interviews, consistent with the Board grant rate of 59%; recommendations to parole those classified as violent is 41%, as compared to the Board grant rate of 51%; and recommendations to parole those classified as non-violent is 76%, as compared to the Board grant rate of 66%.

Effective Date

The State Parole Guidelines shall become effective January 1, 2023 unless disapproved by the General Assembly, pursuant to 42 Pa.C.S. § 2155(b).

Annex A

TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

PART VIII. CRIMINAL SENTENCING

CHAPTER 309. PAROLE GUIDELINES

Subchapter A. STATE PAROLE GUIDELINES

§ 309.1. Preliminary provisions.

(a) *Authorization.*

(1) As authorized by 42 Pa.C.S. § 2154.5 (relating to adoption of guidelines for parole), the Pennsylvania Commission on Sentencing (Commission) shall adopt guidelines that shall be considered by the Pennsylvania Parole Board when exercising its power to parole and reparole all persons sentenced by any court in this Commonwealth to imprisonment in any state correctional institution.

(i) The guidelines shall do all of the following:

(A) Give primary consideration to the protection of the public and to victim safety;

(B) Provide for due consideration of victim input;

(C) Be designed to encourage inmates and parolees to conduct themselves in accordance with conditions and

rules of conduct set forth by the department or other prison facilities and the board;

(D) Be designed to encourage inmates and parolees to participate in programs that have been demonstrated to be effective in reducing recidivism, including appropriate drug and alcohol treatment programs;

(E) Provide for prioritization of incarceration, rehabilitation and other criminal justice resources for offenders posing the greatest risk to public safety; and

(F) Use validated risk assessment tools, be evidence based and take into account available research relating to the risk of recidivism, minimizing the threat posed to public safety and factors maximizing the success of reentry.

(ii) Notwithstanding any other provision of law, this section shall not remove the discretionary parole authority of the board when exercising its power to parole and reparole.

(b) *Definitions.* For purposes of this chapter:

“*Aggregated Sentence.*” Two or more consecutive sentences that have been combined whereby the aggregate minimum term is the sum of the consecutive minimum terms and the aggregate maximum term is the sum of the consecutive maximum terms.

“*Conviction Offense.*” Offense for which the original sentence was imposed.

“*Court.*” A court of record.

“*Detainer.*” A written order of the court or paroling authority to hold a person in custody in a correctional institution pending further legal action.

“*Hearing Examiner.*” An agent of the Parole Board who is empowered to sit on parole revocation panels, conduct parole hearings in lieu of panels and conduct parole interviews on behalf of the Parole Board.

“*Judicial Proceeding.*” A sentencing hearing in which all offenses for which the offender is convicted are pending before the court for sentencing at the same time. A judicial proceeding may include multiple OTNs.

“*Misconduct.*” Any violation of Pennsylvania Department of Corrections rules, regulations, or policies as provided in DC-ADM 801, Inmate Discipline Procedures Manual. A detailed list of “criminal or assaultive misconducts” considered in the pre-interview factors is found at DC-ADM 801 Category A Misconducts/Rule Violations (Formal Resolution Only).

“*Non-Violent Offender.*” An offender not currently or previously convicted of a violent offense, for which the State Parole Guidelines Matrix (Non-Violent) applies. Non-violent offenders include but are not limited to those eligible for the following:

“*Rebuttable Parole.*” A statutorily designated non-violent inmate who has been certified by the DOC based on a good conduct record and nonviolent history.

“*Recidivism Risk Reduction Incentive (RRRI).*” A sentence imposed upon a non-violent inmate that can allow the opportunity to reduce the minimum sentence upon completion of recommended programming while maintaining a good conduct record.

“*Short Sentence Parole.*” Offenders sentenced to state incarceration with an aggregate minimum sentence of two years or less or a recidivism risk reduction incentive minimum sentence of two years or less, excluding ineligibility as defined in 61 Pa.C.S. § 6137.1, may be approved by the Board for parole without requiring an interview. If an offender is committed to the Department of Correc-

tions after the expiration of the minimum sentence, parole may be approved within 30 days after commitment.

“Original Sentence.” The sentence resulting from the original conviction. It is from this sentence the Board paroles the inmate and the parolee serves the remaining time on the street unless recommitted by the Board.

“Panel.” A two-member unit of the Parole Board comprised of either two Board Members or one Board Member and one Hearing Examiner, empowered to make parole release decisions and recommitment decisions.

“Parole.” The conditional release from imprisonment of an inmate from a correctional facility to serve the remainder of his/her unexpired sentence in the community under supervision as long as (s)he satisfactorily complies with all terms and conditions provided in the parole order.

“Parole Preparedness Category.” One of two factors used to determine the recommendations contained in the State Parole Guidelines matrix. The parole preparedness category is a scale based on 11 factors identified prior to and during the parole interview, intended to measure an inmate’s readiness for parole release. A higher score indicates greater preparedness. One point is assigned for each positive assessment; 0 points for each negative assessment.

“Parole Risk Category.” One of two factors used to determine the recommendations contained in the State Parole Guidelines matrix. The parole risk category is determined through the Level of Service Inventory-Revised (LSI-R). The LSI-R is a validated risk-screening instrument used by the Department of Corrections. LSI-R assesses an inmate’s general risk based on each of 10 criminogenic domains. Scores range from 0 to 54, with scores of 0 to 19 designated as low risk, scores of 20 to 33 designated as medium risk, and scores of 34 to 54 designated high risk.

“Pennsylvania Parole Board (Board).” An independent executive branch agency comprised of nine members appointed by the Governor and confirmed by the Senate for six-year terms.

“Reasons for deviation.” Common reasons found for deviation from parole guidelines include mental health/medication compliance, negative interest in parole, judicial input, prosecution/public safety input, detainer status, and less than one year until maximum sentence reached. Other reasons may apply. Decision makers are required to provide one or more reasons when deviating from the State Parole Guidelines recommendation.

“Sentencing Guidelines Software Web Application (SGS Web).” A JNET-based application operated by the Commission which includes the modules for Sentencing, Resentencing, and Parole Guidelines. SGS Web serves as the source of data for the original reported sentence and associated information and the reporting source for revocations and resentences.

“State Parole.” The Pennsylvania Parole Board has paroling authority for offenders sentenced to state incarceration.

“Underlapping Concurrent Sentence.” A sentence that is served at the same time as the controlling sentence but has a shorter minimum and/or maximum sentence than the controlling sentence.

“Violent Offender.” An offender with a current or previous conviction within ten years as provided below, or offenses otherwise designated by the Pennsylvania Parole Board as violent offenses, for which the State Parole Guidelines Matrix (Violent) applies:

42 Pa.C.S. § 9714(g)

42 Pa.C.S. § 9718.1

42 Pa.C.S. § 9799.14

§ 309.2. State parole guidelines standards.

(a) *Guidelines.* The Board shall consider the State Parole Guidelines when exercising its power to parole and reparole all persons sentenced by any court in this Commonwealth to a state correctional institution.

(b) *Effective Date.* The State Parole Guidelines apply to all persons sentenced to a state correctional institution and considered for parole on or after January 1, 2023. Amendments to the parole guidelines shall apply to all persons sentenced to a state correctional institution and considered for parole on or after the effective date of the Amendment.

(c) *Reasons.* In every case in which the Board renders a parole decision, the Board shall make as part of the record a statement of the reason or reasons for the decision to grant or refuse parole.

(d) *Deviation from the Guidelines.* In every case in which the Board deviates from the guidelines, the Board shall identify reasons for deviation from the guidelines, and the reasons for the deviation from the guidelines shall be recorded on the State Parole Guidelines Form, a copy of which shall be electronically transmitted to the Pennsylvania Commission on Sentencing (Commission) in the manner described in subsection (e).

(e) *Reporting decision.* Unless otherwise provided by the Commission, the JNET-based Sentencing Guidelines Software application (SGS Web) shall be used at the Board’s direction to prepare and submit State Parole Guidelines Forms and guidelines-required parole decision information for each consideration of parole or reparole. An example of the State Parole Guidelines Form is found at § 309.5 (relating to State Parole Guidelines Form).

(1) The completed State Parole Guidelines Form shall be made a part of the record and the information electronically submitted to the Commission no later than 30 days after the date of the parole decision.

(2) In the case of revocation and recommitment, the completed State Parole Guidelines Form used to report the grant of parole shall be attached to the State Parole Guidelines Form prepared for each consideration of reparole.

§ 309.3. Procedures for determining state parole guidelines.

(a) The State Parole Guidelines consider two categories of factors to determine the parole recommendation: parole risk category and parole preparedness category.

(1) *Parole Risk Category.*

(i) *Risk score.* The LSI-R score is calculated prior to the interview, and the score is used to determine the risk level.

(ii) *Risk Level.* The LSI-R score is divided into three levels:

(A) High Risk (scores 34 and greater)

(B) Medium Risk (scores of 20 to 33)

(C) Low Risk (scores 19 and less)

(2) *Parole Preparedness Category.*

(i) *Pre-Interview Factors.* The pre-interview factors are determined based on a review of Department of Corrections records and scored as a “1” or a “0,” with 1 being successful or positive.

(A) Factors directly related to the offender’s behavior and compliance:

(I) Enrollment in and/or completion of required programs.

(II) Misconduct free for the past 12 months.

(III) Free of criminal or assaultive misconducts for the past 12 months.

(IV) One or no prior probation or parole revocations.

(V) Free of alcohol or drug dependence.

(VI) Compliance with all prescribed medications.

(B) Factor related to the recommendation of the Department of Corrections.

(ii) *Interview Factors.* The interview preparedness factors are based on the professional judgement of the decision maker(s) following a parole interview and scored as a "1" or a "0," with 1 being positive or successful.

(A) Factors related to progress and commitment to rehabilitation:

(I) Motivation for success or progress in rehabilitation, treatment, or education.

(II) Acceptance of responsibility.

(III) Insight and positive response to address criminal behavior.

(B) Stable release plan (community and/or family support).

(iii) *Preparedness Level.* The preparedness score is the total of the pre-interview and interview factors and is divided into three levels:

(A) Low preparedness: Score 0 to 7.

(B) Medium preparedness: Score 8 to 9.

(C) High preparedness: Score 10 to 11.

(b) The State Parole Guidelines recommendations are based on the combination of the risk level and preparedness level and include consideration of whether the individual is classified as violent or non-violent. These recommendations are contained in two matrices and found at § 309.4(a) (relating to State Parole Guidelines Matrix (Violent)) and § 309.4(b) (relating to State Parole Guidelines Matrix (Non-Violent)).

(c) *Deviations from the Guidelines.* The State Parole Guidelines are advisory. The Board must consider the guidelines but may exercise discretion in deviating from the recommendation.

(1) Reasons for deviations from the State Parole Guidelines shall be provided on the State Parole Guidelines Form and reported to the Pennsylvania Commission on Sentencing (Commission).

(2) Reasons for deviation from the State Parole Guidelines may include but are not limited to the following:

(i) Mental health or medication compliance.

(ii) An inmate's negative interest in parole.

(iii) Judicial input.

(iv) Prosecution and public safety input.

(v) Outstanding detainer.

(vi) Maximum sentence date is less than one year from interview date.

(3) *Additional information.* The following information shall be provided on the State Parole Guidelines Form and reported to the Commission:

(i) If parole is granted, condition(s) of parole ordered but not required by statute or recommended by a validated risk assessment case management plan.

(ii) If parole is denied, reason(s) a review is scheduled more than one year from the date of the parole decision.

(d) *Additional Applications.*

(1) The State Parole Guidelines must be considered in all cases for which the Board is authorized to exercise discretionary parole, including all initial and subsequent parole decisions.

(2) For individuals recommitted as parole violators, the State Parole Guidelines must be considered prior to reparole.


§ 309.4(a). State Parole Guidelines Matrix (Violent).

		Preparedness Category		
		Low	Medium	High
Risk Category	High	Refuse	Refuse	Grant
	Medium	Refuse	Refuse	Grant
	Low	Refuse	Grant	Grant

§ 309.4(b). State Parole Guidelines Matrix (Non-Violent).

		Preparedness Category		
		Low	Medium	High
Risk Category	High	Refuse	Refuse	Grant
	Medium	Refuse	Grant	Grant
	Low	Refuse	Grant	Grant

§ 309.5. State Parole Guidelines Form.

 Commission on Sentencing STATE PAROLE GUIDELINES FORM		Commission ID: _____ Date Risk Score Calculated: _____																																									
Offender Name: _____	State ID Number: _____	Type of Case: _____	Majority/Panel/RRRI _____																																								
Date of Birth: _____	Parole ID Number: _____	Type of Interview: _____	Min/Min Subseq _____																																								
Age at Interview: _____	Inmate Number: _____	Reparole/Reparole Subsq _____																																									
	Institution: _____	Application _____																																									
		Date of Interview: _____																																									
Current Offense: _____	Violent: _____																																										
Total Sentence: _____	Requires SORNA Registration: _____																																										
Minimum Date: _____	Alcohol or Drug Related: _____																																										
Maximum Date: _____	Firearm/Other Weapon Used: _____																																										
Summary of Risk: Level of Service Inventory-Revised		Overall Rating	Overall Risk Category																																								
LSI-R Score: _____																																											
Summary of Preparedness Factors		Overall Rating	Overall Preparedness Category:																																								
Pre-Interview																																											
Required programs completed or in progress?	-	<u>Out of 11 Factors</u>																																									
Free of misconducts for the past year?	-	0 - 7	Low																																								
Free of criminal or assaultive misconducts for the past year?	-	8 - 9	Medium																																								
Free of prior probation/parole revocations?	-	10 - 11	High																																								
Free of alcohol or drug dependence?	-																																										
Compliant with all prescribed medications?	-																																										
Positive recommendation from DOC?	-																																										
Interview																																											
Expressed motivation for success or exhibited progress in rehabilitation, treatment, or education	-																																										
Expressed acceptance of responsibility	-																																										
Expressed insight and positive response to criminal behavior?	-																																										
Stable release plan (community and/or family support)?	-	Total Score = _____																																									
State Parole Guidelines Matrix (Violent)		State Parole Guidelines Matrix (Non-Violent)																																									
<table border="1" style="margin: auto;"> <tr><td colspan="4" style="text-align: center;"><i>Preparedness Category</i></td></tr> <tr><td></td><td style="text-align: center;">Low</td><td style="text-align: center;">Medium</td><td style="text-align: center;">High</td></tr> <tr><td style="text-align: center;">High</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Grant</td></tr> <tr><td style="text-align: center;">Medium</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Grant</td></tr> <tr><td style="text-align: center;">Low</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Grant</td><td style="text-align: center;">Grant</td></tr> </table>		<i>Preparedness Category</i>					Low	Medium	High	High	Refuse	Refuse	Grant	Medium	Refuse	Refuse	Grant	Low	Refuse	Grant	Grant	<table border="1" style="margin: auto;"> <tr><td colspan="4" style="text-align: center;"><i>Preparedness Category</i></td></tr> <tr><td></td><td style="text-align: center;">Low</td><td style="text-align: center;">Medium</td><td style="text-align: center;">High</td></tr> <tr><td style="text-align: center;">High</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Grant</td></tr> <tr><td style="text-align: center;">Medium</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Grant</td><td style="text-align: center;">Grant</td></tr> <tr><td style="text-align: center;">Low</td><td style="text-align: center;">Refuse</td><td style="text-align: center;">Grant</td><td style="text-align: center;">Grant</td></tr> </table>		<i>Preparedness Category</i>					Low	Medium	High	High	Refuse	Refuse	Grant	Medium	Refuse	Grant	Grant	Low	Refuse	Grant	Grant
<i>Preparedness Category</i>																																											
	Low	Medium	High																																								
High	Refuse	Refuse	Grant																																								
Medium	Refuse	Refuse	Grant																																								
Low	Refuse	Grant	Grant																																								
<i>Preparedness Category</i>																																											
	Low	Medium	High																																								
High	Refuse	Refuse	Grant																																								
Medium	Refuse	Grant	Grant																																								
Low	Refuse	Grant	Grant																																								
Recommend Grant _____	Recommend Refusal _____	Recommend Grant _____	Recommend Refusal _____																																								
Parole Decision																																											
Grant parole _____	Refuse Parole _____																																										
Does this decision deviate from the State Parole Guidelines recommendation? Yes No																																											
Reasons for Deviation from the State Parole Guidelines																																											
Mental Health / Medication Compliance	_____																																										
Negative Interest in Parole	_____																																										
Judicial Input	_____																																										
Prosecution/Public Safety Input	_____																																										
Detainer Status	_____																																										
Approaching Maximum Sentence (less than 1 year)	_____																																										
Other reason(s):	_____																																										

Additional Information																																											
If parole is <u>granted</u> , list condition(s) not required by statute or recommended by a validated risk assessment case management plan:																																											

If parole is <u>denied</u> , provide reason(s) for a scheduled review greater than one year from the date of this parole decision:																																											

THE COURTS

Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT

[204 PA. CODE CH. 81]

Proposed Amendments to the Pennsylvania Rules of Professional Conduct Relating to Misconduct

Notice is hereby given that The Disciplinary Board of the Supreme Court of Pennsylvania (the “Board”) is considering recommending to the Supreme Court of Pennsylvania an amendment to the Comment to Pennsylvania Rule of Professional Conduct (“RPC”) 8.4, as set forth in Annex A.

EXPLANATORY REPORT

RPC 8.4(c) governs misconduct and prohibits a lawyer without exception, from “engag[ing] in conduct involving dishonesty, fraud, deceit or misrepresentation.” RPC 8.4(a) makes it misconduct for a lawyer to violate the rules “through the acts of another.”

Pennsylvania’s RPC 8.4 poses a problem for lawyers who may have occasion to oversee lawful investigations where deceit or pretext is used, as the rule does not make an exception for supervising lawful investigations.¹ It is not only criminal prosecutors who are involved in such investigations; they are common in housing discrimination investigations and lawsuits and among intellectual property lawyers. Examples of pretexting include employing “testers” who misrepresent their identity or purpose, or both, to apply for housing or job openings to uncover discriminatory practices, or directing investigators to pose as business customers to identify potential trademark infringement activity taking place in the daily operations of a target company. The United States Supreme Court has recognized that deception and pretext are permissible tools of lawful investigations. *See, e.g., Lewis v. United States*, 385 U.S. 206, 209 (1966) (recognizing the propriety of concealing and misleading agents’ identities in investigations); *Havens Realty Corp. v. Coleman*, 455 U.S. 363, 373 (1982) (approving deception and pretext in determining housing discrimination).

While Pennsylvania’s rule prohibits a lawyer from engaging in dishonesty, fraud, deceit or misrepresentation, or doing so through the acts or others, such that supervising or directing lawful investigations, and certainly participating in such activity, violates a lawyer’s ethical obligations,² other jurisdictions have addressed this issue in their conduct rules, and their amendments indicate that a lawyer’s oversight is preferable to foregoing law enforcement activities or preventing investigators from receiving guidance from their supervising lawyers.

Approximately 20 states have adopted amendments to their Rules of Professional Conduct to authorize and define deception in pursuit of lawful undercover activities,

¹ Likewise, Pennsylvania does not have an investigative exception in RPC 3.8 (governing special responsibilities of a prosecutor) to allow a prosecutor to engage in deception while supervising a lawful undercover investigation.

² In *Office of Disciplinary Counsel v. Stacy Parks Miller*, No. 32 DB 2017 (D. Bd. Rpt. 12/6/2018) (S. Ct. Order 2/8/2019), Miller, while serving as Centre County District Attorney, personally set up a Facebook sting operation in an effort to combat the sale of bath salts in Centre County, participated in the operation and directed and supervised others in the operation. In concluding that Miller engaged in professional misconduct, the Board stated that while covert activity is permitted in criminal investigations, attorneys are prohibited from participation in such activity, as RPC 8.4(c) “broadly prohibits an attorney from engaging in dishonest, fraud, deceit or misrepresentation.” D. Bd. Rpt. at p. 31.

so that lawyers who supervise such lawful investigations do not run afoul of ethics rules prohibiting dishonesty, deceit, fraud, and misrepresentation. Some states’ rules authorize lawful investigations involving violations of criminal law or civil or constitutional rights, particularly where the lawyer has a good faith belief that a violation of criminal law or civil or constitutional rights has taken place, is taking place, or will take place in the foreseeable future.³ Other states limit deception exceptions to government lawyers.⁴ The great majority of these states prohibit the lawyer’s personal participation in the undercover activity.⁵

An example of the consequences of a strict interpretation of RPC 8.4(c) can be found in Colorado, which amended its RPC 8.4(c) in 2017. Like Pennsylvania’s current rule, Colorado’s version of the rule prior to September 2017 provided that “[i]t is professional misconduct for a lawyer to engage in conduct involving dishonesty, fraud, deceit or misrepresentation.” But in September 2017, the Colorado Supreme Court amended the rule to add an exception concerning lawful investigative activities as follows: “[i]t is professional misconduct for a lawyer to . . . (c) engage in conduct involving dishonesty, fraud, deceit or misrepresentation, except that a lawyer may advise, direct or supervise others, including clients, law enforcement officers, or investigators, who participate in lawful investigative activities.” The change stemmed from an ethics complaint filed with the Colorado Office of Attorney Regulation Counsel (OARC) by a defense attorney against a district attorney whose office housed (and thereby supervised) an investigative unit that rooted out

³ *See, e.g., Alaska* RPC 8.4 cmt. [4] (allowing lawyers to advise and supervise “lawful covert activity in the investigation of violations of criminal law or civil or constitutional rights” where the lawyer “in good faith believes there is a reasonable possibility that a violation of criminal law or civil or constitutional rights has taken place, is taking place, or will take place in the foreseeable future,” but prohibiting the lawyer from “participating directly”); *Iowa* RPC 32:8.4(c) cmt. [6] (permitting lawyers to advise clients or to “supervise or participate in lawful covert activity or in the investigation of violations of civil or criminal law or constitutional rights in a lawful intelligence-gathering activity” where the lawyer “in good faith believes there is a reasonable possibility that unlawful activity has taken place, is taking place, or will take place in the foreseeable future”); *Ohio* RPC 8.4(c) cmt. [2A] (exception permits lawyer to supervise or advise about “lawful covert activity in the investigation of criminal activity or violations of constitutional or civil rights when authorized by law”); *Ore.* RPC 8.4(b)(“[I]t shall not be professional misconduct for a lawyer to advise clients or others about or to supervise lawful covert activity in the investigation of violations of civil and criminal law or constitutional rights, provided the lawyer’s conduct is otherwise in compliance with these Rules,” and defining “covert activity” as an investigation employing “misrepresentation or other subterfuge” that requires a good faith belief about the existence or imminence of unlawful activity); *Wis.* SCR 20:4.1(b) and Committee Comment (2007) (authorizing lawyer to advise or supervise others with respect to lawful investigative activities, including where the “conduct involves some form of deception” such as using discrimination testers or undercover detectives investigating theft in the workplace, when the lawyer “in good faith believes there is a reasonable possibility that unlawful activity has taken place, is taking place or will take place in the foreseeable future,” but recognizing that “serious questions arise” if the lawyer personally participates in the deception).

⁴ *See, e.g., Ala.* RPC 3.8(2) cmt. (allowing exception for prosecutors to “order, direct, encourage and advise with respect to any lawful governmental action” involving pretext or “the making of false statements,” although they may not personally do so); *D.C.* Bar R. 4.2 cmt. [12] (“This rule is not intended to enlarge or restrict the law enforcement activities. . . authorized and permissible under the Constitution and law of the United States,” and stating that the “authorized by law” provision is “intended to permit government conduct that is valid. . . and is meant to accommodate substantive law as it may develop”); *Mo.* Sup. Ct. 4-8.4(c) and cmt. (3) (providing exception for lawyers employed by criminal law enforcement agency, regulatory agency, or state attorney general to participate in undercover investigation if authorized by law to conduct such investigation); *N.C.* RPC 8.4 cmt. [1] (rule “does not prohibit lawyer from advising a client or, in the case of a government lawyer, investigatory personnel, of action the client, or such investigatory personnel, is lawfully entitled to take”); *Tenn.* RPC 8.4(c) cmt. [5] (allowing prosecutors to use or direct investigative agents to use “deceitful” investigative techniques); *Wyo.* RPC 3.8(b), cmt. [2] (authorizing prosecutors to participate “directly or indirectly in constitutionally permissible investigative actions” and permitting prosecutors to “ethically advise law enforcement” about the “full range of constitutionally permissible investigative actions”).

⁵ An exception is Florida. *Fla. St. Bar. R.* 4-8.4(c) provides that “it shall not be professional misconduct for a lawyer for a criminal law enforcement agency or regulatory agency to advise others about or to supervise another in an undercover investigation, unless prohibited by law or rule, and it shall not be professional misconduct for a lawyer employed in a capacity other than as lawyer by a criminal law enforcement agency or regulatory agency to participate in an undercover investigation, unless prohibited by law or rule.”

child predators on the internet—like the complainant's client—by having the investigators present themselves online under fictitious identities. The district attorney agreed to close the unit and OARC ended the investigation. However, because of OARC's investigation, the Colorado Attorney General suspended all in-house undercover investigations and filed an original action in the Colorado Supreme Court seeking injunctive relief to prevent OARC from interpreting RPC 8.4(c) in a way that would prevent government lawyers from providing advice to lawful undercover investigations or disciplining the government lawyers for doing so. The Colorado Supreme Court denied the petition, but adopted the above rule change.

The Board is considering a proposal to amend the comment to RPC 8.4 to provide guidance to Pennsylvania practitioners that notwithstanding the general restrictions against engaging in deceit, the rule is not interpreted as prohibiting a lawyer from advising or supervising another who engages in an otherwise lawful and ethical undercover investigation, in which the investigator does not disclose his or her true identity and motivation, regardless of the nature of the matter or substantive area of law involved. The proposal emphasizes that the lawyer, while supervising or advising, must take reasonable measures so that the investigator does not communicate with a represented party in violation of the ethical rules, does not seek to elicit privileged information, and otherwise acts in accordance with the conduct rules, court orders, and civil and criminal law. The proposal does not permit lawyers to participate personally in the undercover activity.

This proposal is of value to the profession because it recognizes the reality that lawful undercover investigations are common and occur in this Commonwealth, and lawyers need guidance as whether and to what extent they may be involved in such investigations. The Board proposes adding the new comment so that Pennsylvania lawyers may advise and supervise lawful undercover investigations to ensure ethical behavior on the part of the investigators without engaging in professional misconduct through this activity.

Interested persons are invited to submit written comments, suggestions or objections by mail, email or facsimile to the Executive Office, The Disciplinary Board of the Supreme Court of Pennsylvania, 601 Commonwealth Avenue, Suite 5600, PO Box 62625, Harrisburg, PA 17106-2625, facsimile number (717) 231-3381, email address Dboard.comments@pacourts.us on or before December 7, 2022.

*By The Disciplinary Board of the
Supreme Court of Pennsylvania*

JESSE G. HEREDA,
Executive Director

Annex A

TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

PART V. PROFESSIONAL ETHICS AND CONDUCT

Subpart A. PROFESSIONAL RESPONSIBILITY

CHAPTER 81. RULES OF PROFESSIONAL CONDUCT

Subchapter A. RULES OF PROFESSIONAL CONDUCT

§ 81.4. Rules of Professional Conduct.

The following are the Rules of Professional Conduct:

MAINTAINING THE INTEGRITY OF THE PROFESSION

Rule 8.4. Misconduct.

It is professional misconduct for a lawyer to:

(a) violate or attempt to violate the Rules of Professional Conduct, knowingly assist or induce another to do so, or do so through the acts of another;

(b) commit a criminal act that reflects adversely on the lawyer's honesty, trustworthiness or fitness as a lawyer in other respects;

(c) engage in conduct involving dishonesty, fraud, deceit or misrepresentation;

* * * * *

Comment:

(1) Lawyers are subject to discipline when they violate or attempt to violate the Rules of Professional Conduct, knowingly assist or induce another to do so or do so through the acts of another, as when they request or instruct an agent to do so on the lawyer's behalf. Paragraph (a), however, does not prohibit a lawyer from advising a client of action the client is lawfully entitled to take.

(2) Notwithstanding the general restriction against engaging in deceit, this Rule does not prohibit a lawyer from advising or supervising another who engages in an otherwise lawful and ethical undercover investigation, in which the investigator does not disclose his or her true identity and motivation, regardless of the nature of the matter or substantive area of law involved. This Rule does not change the scope of a lawyer's obligations under Rule 4.2 and thus a lawyer must take reasonable measures so that the investigator does not communicate with a represented party in violation of Rule 4.2, does not seek to elicit privileged information, and otherwise acts in compliance with these Rules, court orders, and civil and criminal law.

[(2)] (3) Many kinds of illegal conduct reflect adversely on fitness to practice law, such as offenses involving fraud and the offense of willful failure to file an income tax return. However, some kinds of offenses carry no such implication. Traditionally, the distinction was drawn in terms of offenses involving "moral turpitude." That concept can be construed to include offenses concerning some matters of personal morality, such as adultery and comparable offenses that have no specific connection to fitness for the practice of law. Although a lawyer is personally answerable to the entire criminal law, a lawyer should be professionally answerable only for offenses that indicate lack of those characteristics relevant to law practice. Offenses involving violence, dishonesty, breach of trust, or serious interference with the administration of justice are in that category. A pattern of repeated offenses, even ones of minor significance when considered separately, can indicate indifference to legal obligation.

[(3)] (4) For the purposes of paragraph (g), conduct in the practice of law includes (i) interacting with witnesses, coworkers, court personnel, lawyers, or others, while appearing in proceedings before a tribunal or in connection with the representation of a client; (ii) operating or managing a law firm or law practice; or (iii) participation in judicial boards, conferences, or committees; continuing legal education seminars; bench bar conferences; and bar

association activities where legal education credits are offered. The term “the practice of law” does not include speeches, communications, debates, presentations, or publications given or published outside the contexts described in (i)—(iii).

[(4)] (5) “Harassment” means conduct that is intended to intimidate, denigrate or show hostility or aversion toward a person on any of the bases listed in paragraph (g). “Harassment” includes sexual harassment, which includes but is not limited to sexual advances, requests for sexual favors, and other conduct of a sexual nature that is unwelcome.

[(5)] (6) “Discrimination” means conduct that a lawyer knows manifests an intention: to treat a person as inferior based on one or more of the characteristics listed in paragraph (g); to disregard relevant considerations of individual characteristics or merit because of one or more of the listed characteristics; or to cause or attempt to

cause interference with the fair administration of justice based on one or more of the listed characteristics.

[(6)] (7) A lawyer may refuse to comply with an obligation imposed by law upon a good faith belief that no valid obligation exists. The provisions of Rule 1.2(d) concerning a good faith challenge to the validity, scope, meaning or application of the law apply to challenges of legal regulation of the practice of law.

[(7)] (8) Lawyers holding public office assume legal responsibilities going beyond those of other citizens. A lawyer’s abuse of public office can suggest an inability to fulfill the professional role of lawyers. The same is true of abuse of positions of private trust such as trustee, executor, administrator, guardian, agent and officer, director or manager of a corporation or other organization.

[Pa.B. Doc. No. 22-1540. Filed for public inspection October 7, 2022, 9:00 a.m.]

RULES AND REGULATIONS

Title 52—PUBLIC UTILITIES

PENNSYLVANIA PUBLIC UTILITY COMMISSION

[52 PA. CODE CHS. 53, 63 AND 64]

Rulemaking to Comply with the Competitive Classification of Telecommunication Retail Services Under 66 Pa.C.S. § 3016(a); General Review of Regulations 52 Pa. Code, Chapter 53, Chapter 63 and Chapter 64; Corrective Amendment

Ellipses were inadvertently omitted from 52 Pa. Code § 64.74 (relating to procedures upon customer contact before suspension) in the final-form rulemaking published at 52 Pa.B. 5049, 5105 (August 13, 2022). The correct version of § 64.74 follows.

§ 64.74. Procedures upon customer contact before suspension.

(a) If, at a time after the issuance of the suspension notice and before the suspension of service, a customer contacts the LEC concerning the proposed suspension, an authorized LEC employee shall fully explain, when applicable, the following:

- (1) The reasons for the proposed suspension.
- (2) The available methods of avoiding a suspension including:
 - (i) Tendering the past due amount as specified on the suspension notice or otherwise eliminating the grounds for suspension.
 - (ii) Entering a payment agreement.
 - (iii) The right of the customer to file a dispute with the telecommunications company and, thereafter, an informal complaint with the Commission.
- (3) The procedures for resolving disputes relating to charges on the notice and the procedures for filing informal complaints to request payment terms on the basic service portion of the account, including the address and the telephone number of the nearest regional Commission office.
- (4) The duty of the customer to pay a portion of a bill not honestly disputed.
- (5) [Reserved].
- (6) The medical emergency procedures.
- (7) That upon failure to timely appeal from or comply with a telecommunications company report, as defined in § 64.142 (relating to contents of written summary by the LEC), an informal complaint report, or an order from a formal complaint—the LEC is not required to give further written notice before suspension.

* * * * *

[Pa.B. Doc. No. 22-1541. Filed for public inspection October 7, 2022, 9:00 a.m.]

NOTICES

DEPARTMENT OF AGRICULTURE

Fiscal Year 2022-2023 Annual Plan for Awarding Grants under the Pennsylvania Agricultural Fair Act

This notice presents the Fiscal Year (FY) 2022-2023 Annual Plan (Annual Plan) of the Department of Agriculture (Department) for the administration of the grant program authorized under the Pennsylvania Agricultural Fair Act (act) (3 P.S. §§ 1501—1510). It prescribes how the available funds appropriated by the General Assembly shall be distributed. This Annual Plan is authorized by section 8(a) of the act (3 P.S. § 1508(a)), has been prepared with the assistance and advice of the Agricultural Fair Advisory Committee (Committee), and was approved by that Committee at its September 20, 2022, meeting.

The act authorizes the Department to make grants to organizations conducting eligible agricultural fairs, Statewide agricultural organizations which contribute to the development of agriculture and agribusiness and to eligible agricultural youth groups for support of their programs.

Funds appropriated by the General Assembly to fund the act in FY 2022-2023 shall be dispersed by the Department as follows, on a funds-available basis, in the following order of priority:

1. First priority shall be given to grants to finance a portion of a fair's operating costs. These costs include, but are not limited to, the cost of exhibiting agribusiness products, materials and equipment, conducting agricultural or agribusiness educational activities and demonstrations, and awarding premiums to contest and exhibit winners at the agricultural fair. For these grants, the maximum payment shall be as allowed for each Class Fair under section 5(1)(i)(A) of the act (3 P.S. § 1505(1)(i)(A)). These maximum payments range from \$2,500 to \$14,000, depending on the Class Fair involved.

2. Second priority shall be given to grants to finance a portion of the agricultural premiums identified in section 5(1)(i)(B) of the act. For these grants, the maximum payment shall not exceed \$15,000.

3. Third priority shall be given to grants to reimburse a county agricultural society, or an independent agricultural society, that conducts harness horse racing at its annual agricultural fair, other than races for colts and fillies 2 years of age and 3 years of age, in an amount equal to that used during the annual agricultural fair as purse money for harness horse racing, track and stable maintenance, starting gate rental and the cost of harness horse racing officials during the annual fair. For these grants, the maximum amount of reimbursement shall be as allowed under section 5(1)(iii) of the act. This maximum amount is \$13,000, at least \$4,000 of which must be used to reimburse purse money.

4. Fourth priority shall be given to grants to reimburse a county agricultural society, or an independent agricultural society, that conducts harness horse racing for 2-year-old and 3-year-old colts and fillies at its annual agricultural fair. For these grants, the maximum amount of reimbursement shall be as allowed under section 5(1)(iv) of the act. This maximum amount is \$7,600.

5. Fifth priority shall be given to grants to reimburse a Statewide agricultural organization that conducts an agri-

cultural fair and is otherwise eligible for grants under section 5(2) of the act, for up to \$2,000 of its fair's operating expenses (including premium payments) on a dollar-for-dollar basis, and for 50% of all additional premium costs that are not included in that initial dollar-for-dollar reimbursement, up to a maximum amount of \$10,000. The total maximum payment shall not exceed \$12,000.

6. Sixth priority shall be given to grants to countywide or Statewide 4-H and Future Farmers of America (FFA) or combined FFA and Future Homemakers of America units of boys and girls under 21 years of age that are eligible for grants under section 5(3) of the act. Grants shall be awarded in accordance with the requirements of that provision of the act.

a. The purpose of the act is to make funds available to encourage the further development and improvement of the Commonwealth's agricultural fairs, and to continue the contribution of agricultural fairs to agriculture and agribusiness by encouraging related careers, fostering agricultural production and agricultural product improvements, and promoting increased investments in agriculture. This Commonwealth's agricultural fairs also enrich the life of the community by showcasing agricultural and agribusiness achievements, offering recreational opportunities and promoting tourism. For these reasons, the Department encourages those agricultural youth groups that are eligible for grants under section 5(3) of the act to engage in projects and activities that are conducted at agricultural fairs or that are of direct benefit to agricultural fairs.

b. The Department will award grants to the agricultural youth groups previously described as follows:

i. For actual expenses incurred for activities which contribute to the advancement of agriculture or agribusiness by a 4-H Youth group, a payment which will be calculated according to the following formula, under authority of section 5(3) of the act:

Tier 1: \$2,000 for total enrollment of up to 1,000 members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member.

Tier 2: \$2,500 for total enrollment of 1,001 to 2,000 members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member.

Tier 3: \$3,000 for total enrollment of 2,001 to 3,000 members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member.

Tier 4: \$3,500 for total enrollment of 3,001+ members plus \$1.50 for each traditional member and \$1 for each school enrichment/special interest member, a maximum reimbursement of \$9,000.

ii. For actual expenses incurred for activities which contribute to the advancement of agriculture or agribusiness by FFA Youth groups, a payment which will be calculated using the following formula, under authority of section 5(3) of the act:

Tier I: County FFA Organizations with 100 members or less will receive base funding of \$1,000 with an additional \$4 per member.

Tier II: County FFA Organizations with 101 to 210 members inclusive will receive a \$2,000 base funding with an additional \$2 per member.

Tier III: County FFA Organizations with 211 members or more will receive funding of \$2,000 with an additional \$4 per member for every member over 210.

7. Funds remaining after the previous grants have been awarded shall be utilized for capital improvement as provided in section 5(1)(ii) of the act.

The Department will endeavor to disburse the previous payments at the earliest date practicable.

RUSSELL C. REDDING,
Secretary

[Pa.B. Doc. No. 22-1542. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 27, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
09-20-2022	The Dime Bank Honesdale Wayne County	1055 Texas Palmyra Highway Honesdale Wayne County	Opened
09-27-2022	The Fidelity Deposit and Discount Bank Dunmore Lackawanna County	62 North Franklin Street Wilkes-Barre Luzerne County	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
09-20-2022	Ambler Savings Bank Ambler Montgomery County	1264 Fort Washington Avenue Fort Washington Montgomery County (Limited Service Facility)	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1543. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAS232202	Industrial Stormwater Individual NPDES Permit	Transfer	Luicana's LLC P.O. Box 309 Pine Forge, PA 19548-0309	Macungie Borough Lehigh County	NERO
0122807	Joint DEP/PFBC Pesticides Permit	New	Rice Michael 827 Hanover Street New Oxford, PA 17350-9533	New Oxford Borough Adams County	SCRO
2522805	Joint DEP/PFBC Pesticides Permit	New	David Riccardi 2560 Hillborn Road Erie, PA 16509-5810	Greene Township Erie County	NWRO
4320801	Joint DEP/PFBC Pesticides Permit	Amendment	John Nugent 7271 W Market Street Mercer, PA 16137	Jefferson Township Mercer County	NWRO
PA0044521	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	The York Water Co. 130 E Market Street York, PA 17401-1219	Letterkenny Township Franklin County	SCRO
PA0115100	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Tioga MHC, LLC 35 Calais Road Randolph, NJ 07869-3531	Lawrence Township Tioga County	NCRO

NOTICES

6365

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0027952	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Transfer	Applegreen PA Welcome Center LLC 208 Harrison Road Glen Rock, NJ 07452	South Londonderry Township Lebanon County	SCRO
PA0030597	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Transfer	The York Water Co. 130 E Market Street York, PA 17401-1219	Letterkenny Township Franklin County	SCRO
2808404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	The York Water Co. 130 E Market Street York, PA 17401-1219	Letterkenny Township Franklin County	SCRO
2810401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	The York Water Co. 130 E Market Street York, PA 17401-1219	Letterkenny Township Franklin County	SCRO
5992404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Tioga MHC, LLC 35 Calais Road Randolph, NJ 07869-3531	Lawrence Township Tioga County	NCRO
6490406	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Lakeview Estates Homeowners Association P.O. Box 687 Moscow, PA 18444	Lehigh Township Wayne County	NERO
NOEXNE020	No Exposure Certification	Transfer	Liberty Soils, LLC 661 Main Street Niagara Falls, NY 14301	Reilly Township Schuylkill County	NERO
NOEXNW224	No Exposure Certification	New	Joy Global Underground Mining, LLC 1425 Allegheny Boulevard Reno, PA 16343-1020	Sugarcreek Borough Venango County	NWRO
NOEXSC386	No Exposure Certification	New	CP Flexible Packaging 15 Grumbacher Road York, PA 17406-8417	Manchester Township York County	SCRO
NOEXSC387	No Exposure Certification	New	CP Flexible Packaging 15 Grumbacher Road York, PA 17406-8417	Manchester Township York County	SCRO
PAR144802	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	AHF LLC 3840 Hempland Road Mountville, PA 17554-1500	Beech Creek Township Clinton County	NCRO
PAR203508	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	WER Corp dba Alum Alloys 4601 W Penn Avenue Sinking Spring, PA 19608	Lower Heidelberg Township Berks County	SCRO
PAR608315	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	SA Recycling, LLC 2411 N Glassell Street Orange, CA 92865-2717	Slippery Rock Township Butler County	NWRO
PAG040170	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Anolik Rachel 1436 Monk Road Gladwyne, PA 19035-1315	Lower Merion Township Montgomery County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG049343	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Glen & Robyn Hempfling 169 Kelly Road Portersville, PA 16051-2107	Lancaster Township Butler County	NWRO
PAG062202	PAG-06 NPDES General Permit for Combined Sewer Systems	Renewal	Lackawanna River Basin Sewer Authority P.O. Box 280 Olyphant, PA 18447-0280	Moosic Borough Lackawanna County	NERO
PAG133657	PAG-13 NPDES General Permit for MS4s	Renewal	Yoe Borough York County 150 N Maple Street Yoe, PA 17313-1110	Yoe Borough York County	SCRO
PAG133682	PAG-13 NPDES General Permit for MS4s	Renewal	Union Township Lebanon County 3111 State Route 72 Jonestown, PA 17038-8741	Union Township Lebanon County	SCRO
PAG133755	PAG-13 NPDES General Permit for MS4s	Renewal	Tulpehocken Township Berks County 22 Rehrersburg Road Rehersburg, PA 19550	Tulpehocken Township Berks County	SCRO
PAG133757	PAG-13 NPDES General Permit for MS4s	Renewal	Butler Township Adams County 2379 Table Rock Road Biglerville, PA 17307	Butler Township Adams County	SCRO
PAG136157	PAG-13 NPDES General Permit for MS4s	Renewal	Big Beaver Borough Beaver County 114 Forest Drive Darlington, PA 16115-3206	Big Beaver Borough Beaver County	SWRO
PAG136169	PAG-13 NPDES General Permit for MS4s	Renewal	Fallston Borough Beaver County 158 Beaver Street New Brighton, PA 15066-2926	Fallston Borough Beaver County	SWRO
PAG136170	PAG-13 NPDES General Permit for MS4s	Renewal	Darlington Township Beaver County 3590 Darlington Road Darlington, PA 16115-2520	Darlington Township Beaver County	SWRO
PAG136228	PAG-13 NPDES General Permit for MS4s	Renewal	Bridgewater Borough Beaver County 199 Boundry Lane Bridgewater, PA 15009	Bridgewater Borough Beaver County	SWRO
PAG136230	PAG-13 NPDES General Permit for MS4s	Renewal	Versailles Borough Allegheny County 5100 Walnut Street McKeesport, PA 15132-6322	Versailles Borough Allegheny County	SWRO
PAG136237	PAG-13 NPDES General Permit for MS4s	Renewal	Ben Avon Heights Borough Allegheny County 6 Lynton Lane Pittsburgh, PA 15202-1327	Ben Avon Heights Borough Allegheny County	SWRO
PAG136255	PAG-13 NPDES General Permit for MS4s	Renewal	Rossllyn Farms Borough Allegheny County 200 Rossllyn Road Carnegie, PA 15106-1034	Rossllyn Farms Borough Allegheny County	SWRO
PAG136264	PAG-13 NPDES General Permit for MS4s	Renewal	Edgewood Borough Allegheny County 2 Race Street Pittsburgh, PA 15218-1445	Edgewood Borough Allegheny County	SWRO
PAG136293	PAG-13 NPDES General Permit for MS4s	Renewal	East Rochester Borough Beaver County 760 Spruce Avenue East Rochester, PA 15074	East Rochester Borough Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG136296	PAG-13 NPDES General Permit for MS4s	Renewal	White Township Beaver County 2511 13th Avenue Beaver Falls, PA 15010-2457	White Township Beaver County	SWRO
PAG136308	PAG-13 NPDES General Permit for MS4s	Renewal	North Sewickley Township Beaver County 893 Mercer Road Beaver Falls, PA 15010-6815	North Sewickley Township Beaver County	SWRO
PAG136327	PAG-13 NPDES General Permit for MS4s	Renewal	West Newton Borough Westmoreland County 112 South Water Street West Newton, PA 15089-1364	West Newton Borough Westmoreland County	SWRO
PAG136398	PAG-13 NPDES General Permit for MS4s	Renewal	Mt Pleasant Township Washington County 31 Mccarrell Road Hickory, PA 15340-1147	Mount Pleasant Township Washington County	SWRO
PAG138304	PAG-13 NPDES General Permit for MS4s	Renewal	Shenango Township Mercer County 3439 Hubbard Middlesex Road West Middlesex, PA 16159-2547	Shenango Township Mercer County	NWRO
PAG138315	PAG-13 NPDES General Permit for MS4s	Renewal	Girard Township Erie County 10140 Ridge Road Girard, PA 16417-9415	Girard Township Erie County	NWRO
PAG138320	PAG-13 NPDES General Permit for MS4s	Renewal	PA State University Penn State Shenango 147 Shenango Avenue Sharon, PA 16146	Sharon City Mercer County	NWRO
1022414	Sewer Extensions Individual WQM Permit	Amendment	Butler Area Sewer Authority 100 Litman Road Butler, PA 16001-3256	Butler Township Butler County	NWRO
PA0265331	Single Residence STP Individual NPDES Permit	Transfer	Corbett Cindy 781 Quaker Hill Road Warren, PA 16365-4281	Glade Township Warren County	NWRO
1022415	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Holland Carol 103 Mohawk Trail Slippery Rock, PA 16057	Slippery Rock Township Butler County	NWRO
WQG018547	WQG-01 WQM General Permit	Transfer	Glen & Robyn Hempfling 169 Kelly Road Portersville, PA 16051-2107	Lancaster Township Butler County	NWRO
WQG02212203	WQG-02 WQM General Permit	New	North Middleton Authority Cumberland County 240 Clearwater Drive Carlisle, PA 17013-1185	North Middleton Township Cumberland County	SCRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0062201, Sewage, SIC Code 4952, **Schuylkill County Municipal Authority**, 221 South Centre Street, Pottsville, PA 17901-3506. Facility Name: Gordon WWTP. This existing facility is located in Gordon Borough, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mahanoy Creek (WWF, MF), is located in State Water Plan watershed 6-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.60 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	125	200	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	150	225	XXX	30.0	45.0	60.0
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Aluminum, Total	XXX	XXX	XXX	Report	XXX	XXX
Iron, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Manganese, Total	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	10,959 Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	1,461 Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0064211, Sewage, SIC Code 4952, **Schuylkill Valley Sewer Authority**, P.O. Box 53, Cumbola, PA 17930-0053. Facility Name: Schuylkill Valley Sewer Authority WWTP. This existing facility is located in Blythe Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage. This is a Redraft NPDES Permit being issued for public comment.

The receiving stream(s), Schuylkill River (CWF, MF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .55 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Ammonia-Nitrogen May 1 - Oct 31	80.5	Report Daily Max	XXX	17.5	35.0 Daily Max	35.0
Copper, Total (ug/L)	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .55 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Dissolved Oxygen	XXX	XXX	3.0 Inst Min	XXX	XXX	XXX
Ammonia-Nitrogen May 1 - Oct 31	53.2	Report Daily Max	XXX	11.49	22.98 Daily Max	22.98
Copper, Total (ug/L)	0.13	0.18 Daily Max	XXX	28.8	38.8 Daily Max	72.0

The proposed effluent limits for Outfall 001 are based on a design flow of .55 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.17
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	115	184 Wkly Avg	XXX	25.0	40.0 Wkly Avg	50.0
BOD ₅ Minimum % Removal (%)	85 Min Mo Avg	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	139	208	XXX	30.0	45.0	60.0
Total Suspended Solids Minimum % Removal (%)	85 Min Mo Avg	Wkly Avg XXX	XXX	XXX	Wkly Avg XXX	XXX
Total Dissolved Solids	Report	Report	XXX	1,000	2,000	2,500
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	Report	Report	XXX	Report	Report	XXX
Aluminum, Total (ug/L)	Report	Report	XXX	750	1,500	1,875
Cadmium, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Total (ug/L)	Report	Report	XXX	1,500	3,000	3,750
Lead, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Manganese, Total (ug/L)	Report	Report	XXX	1,000	2,000	2,500
Silver, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Bis(2-Ethylhexyl)Phthalate (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .55 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	Report	Report	XXX	Report	Report	XXX
Total Nitrogen	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX
Total Kjeldahl Nitrogen	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX
Total Phosphorus	Avg Qrtly Report	Report	XXX	Avg Qrtly Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point/Outfall 101 are based on a design flow of NA MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Raw Sewage Influent Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent Iron, Total	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent Manganese, Total	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Internal Monitoring Point/Outfall 102 are based on a design flow of NA MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Industrial Influent pH (S.U.)	XXX	XXX	Report	XXX	XXX	Report
Industrial Influent			Inst Min			

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Biochemical Oxygen Demand (BOD ₅) Industrial Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Industrial Influent	Report	Report	XXX	Report	Report	XXX
Total Dissolved Solids Industrial Influent	Report	Report	XXX	Report	Report	XXX
Aluminum, Total (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX
Cadmium, Total (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX
Iron, Total (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX
Manganese, Total (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX
Silver, Total (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX
3,3-Dichlorobenzidine (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX
PCBs, Total (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX
Toxaphene (ug/L) Industrial Influent	Report	Report	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions:

Stormwater Prohibition; Necessary Property Rights; Residuals Management; Chlorine Minimization; WQM Permit Application Requirement (Unbuilt Sludge Drying Beds); Changes to Effluent/Stream Quality; Pollutant Group Analysis upon Department Request; Schedule of Compliance (Dissolved Oxygen and Ammonia-N); Solids Management; Water Quality-Based Effluent Limitations for Toxic Pollutants (Copper).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0065102, Sewage, SIC Code 8811, **Sohail & Humaira Anjum**, 369 Bossardsville Road, Stroudsburg, PA 18360. Facility Name: Anjum SRSTP. This existing facility is located in Hamilton Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream, Tributary 4886 to Lake Creek (HQ-CWF, MF), is located in State Water Plan watershed 1-E and is classified for High Quality Waters—Cold Water and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0007 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Annual Average</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0061581, Industrial, SIC Code 2086, **Bezdecki Family LLC, dba Sutton Springs Water Company**, 1823 Sutton Road, Shavertown, PA 18708-9521. Facility Name: Sutton Springs. This existing facility is located in Jackson Township, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Huntsville Creek, is located in State Water Plan watershed 5-B and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0012 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	9.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0063142, Industrial, SIC Code 4953, **Chrin Brothers, Inc.**, 1225 Industrial Drive, Easton, PA 18042-6829. Facility Name: Chrin Brothers Sanitary Landfill. This existing facility is located in Williams Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste and untreated stormwater.

The receiving streams, Morgan Valley Run (CWF, MF) (HQ-CWF, MF existing use) and the Lehigh River (WWF, MF), are located in State Water Plan watershed 2-C and are classified as previously indicated as well as for aquatic life, water supply, and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.

(From Permit Effective Date to 1 Year After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Vinyl Chloride	XXX	XXX	0.0007	0.0014	XXX	0.0017
Total Lead	XXX	XXX	Report	Report	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.

(From 1 Year After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Vinyl Chloride	XXX	XXX	0.0006	0.0010	XXX	0.0016
Total Lead	XXX	XXX	0.015	0.024	XXX	0.039

The proposed effluent limits for Outfall 001 are based on a design flow of 0.09 MGD.

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Average Monthly	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Total Dissolved Solids	XXX	XXX	XXX	1,000 Avg Mo	2,000 Daily Max	XXX
Chlorobenzene	XXX	XXX	0.001	0.002	XXX	0.0025
1,4-Dichlorobenzene	XXX	XXX	0.001	0.002	XXX	0.0025
Benzene	XXX	XXX	0.001	0.002	XXX	0.0025
BTEX, Total	XXX	XXX	0.1	0.2	XXX	0.25
Carbon Tetrachloride	XXX	XXX	0.001	0.002	XXX	0.0025
1,1-Dichloroethane	XXX	XXX	0.001	0.002	XXX	0.0025
1,2-Dichloropropane	XXX	XXX	0.001	0.002	XXX	0.0025
Bis(2-Ethylhexyl)Phthalate	XXX	XXX	0.001	0.002	XXX	0.0025
Chloroform	XXX	XXX	0.001	0.002	XXX	0.0025
Isophorone	XXX	XXX	0.001	0.002	XXX	0.0025
Methylene Chloride	XXX	XXX	0.001	0.002	XXX	0.0025
1,1-Dichloroethylene	XXX	XXX	0.001	0.002	XXX	0.0025
Tetrachloroethylene	XXX	XXX	0.001	0.002	XXX	0.0025
Trichloroethylene	XXX	XXX	0.001	0.002	XXX	0.0025

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (stormwater).

(From Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls
- Groundwater Cleanup

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0070483, Industrial, SIC Code 4953, **Grand Central Sanitary Landfill, Inc.**, 910 Pennsylvania Avenue, Pen Argyl, PA 18072-9709. Facility Name: Grand Central Sanitary Landfill. This existing facility is located in Plainfield Township, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving streams, an Unnamed Tributary to Little Bushkill Creek (HQ-CWF/MF) and Waltz Creek (CWF/MF), are located in State Water Plan watershed 1-F and are classified for High Quality—Cold Water Fishes, Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
True Color (Pt-Co Units)	XXX	XXX	XXX	100	XXX	XXX
Influent Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	20	XXX	XXX	25.0	XXX	75.0
CBOD ₅	XXX	XXX	XXX	85	XXX	XXX
Minimum % Removal (%)						
Total Suspended Solids	Report	Report	XXX	27.0	88.0	XXX
Total Dissolved Solids	XXX	XXX	XXX	XXX	1,000	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N						
May 1 - Sep 30	Report	Report	XXX	Report	Report	XXX
Total Nitrogen						
May 1 - Sep 30	Report	Report	XXX	Report	Report	XXX
Ammonia-Nitrogen	2.5	XXX	XXX	3.0	XXX	6.0
Total Kjeldahl Nitrogen						
May 1 - Sep 30	Report	Report	XXX	Report	Report	XXX
Total Phosphorus						
May 1 - Sep 30	Report	Report	XXX	Report	Report	XXX
Boron, Total	6.8	10.5	XXX	8.2	12.6	XXX
Zinc, Total	Report	Report	XXX	0.11	0.20	XXX
Phenol	Report	Report	XXX	0.015	0.026	XXX
a-Terpineol	Report	Report	XXX	0.016	0.033	XXX
Benzoic Acid	Report	Report	XXX	0.071	0.12	XXX
p-Cresol	Report	Report	XXX	0.014	0.025	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfalls 004, 005, 007—009 and 011 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	Report	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0065374, Pesticides, SIC Code 0782, **Pennsylvania American Water**, 83 Aston Mountain Road, Pittston, PA 18640.

Description of Existing Activity: The application is for a renewal of an NPDES permit for a discharge associated with the application of pesticides in Spring Brook Township, **Lackawanna County**.

The receiving surface water, Nesbitt Reservoir (on Spring Brook, HQ-CWF, MF), is located in State Water Plan watershed 5-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect.

Northwest Regional Office

PA0238431, Sewage, SIC Code 4952, 8800, **Charles A Betts**, 1800 Weiler Road, Warren, PA 16365-8514. Facility Name: Charles A Betts SRSTP. This existing facility is located in Conewango Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an Unnamed tributary to Morse Run, located in State Water Plan watershed 16-B and classified for High Quality Waters—Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5 Avg Mo	XXX	1.6
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0228231, Sewage, SIC Code 4952, **Lower Mahanoy Township Municipal Authority, Northumberland County**, 132 River Road, Dalmatia, PA 17017-9501. Facility Name: Lower Mahanoy Township Municipal Authority Sewer System STP. This existing facility is located in Lower Mahanoy Township, **Northumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Susquehanna River (WWF), is located in State Water Plan watershed 6-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .085 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0 Max	XXX
Dissolved Oxygen	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	18	28	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	21	32	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .085 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northwest Regional Office

PA0263834, Sewage, SIC Code 6515, **Lake Lucy Sewer Authority**, 1560 Lake Lucy Road, Tionesta, PA 16353-2412. Facility Name: Lake Lucy STP. This existing facility is located in Washington Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the East Branch Hemlock Creek, is located in State Water Plan watershed 16-E and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.014 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0264407, Sewage, SIC Code 8800, **Nicholas Romeo**, 316 Logan Road, Valencia, PA 16059-3504. Facility Name: Nicholas Romeo SRSTP. This existing facility is located in Penn Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Thorn Creek, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0271390, Sewage, SIC Code 4952, 8800, **Thelma Simmons**, 76 Church Road, Greenville, PA 16125-9221. Facility Name: Thelma Simmons SRSTP. This existing facility is located in West Salem Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Big Run, located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291145, Sewage, SIC Code 8800, **William Bartley**, 230 Hall Road, Slippery Rock, PA 16057-5508. Facility Name: William Bartley SRSTP. This proposed facility is located in Clay Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Big Run, is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291153, Sewage, SIC Code 8800, **Kevin J. Otto**, 11103 Dyer Road, Union City, PA 16438-8743. Facility Name: Kevin Otto SRSTP. This proposed facility is located in Greene Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Walnut Creek, is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291277, Sewage, SIC Code 8800, **Michael Stover**, 4430 Route 59, Lewis Run, PA 16738-3216. Facility Name: Michael Stover SRSTP. This proposed facility is located in Lafayette Township, **McKean County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Buck Lick Run, is located in State Water Plan watershed 16-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0043443, Sewage, SIC Code 4952, **Alexandria Borough & Porter Township Joint Sewer Authority, Huntingdon County**, P.O. Box 113, Alexandria, PA 16611-0113. Facility Name: Alexandria Borough Porter Township STP. This existing facility is located in Porter Township, **Huntingdon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Frankstown Branch Juniata River (WWF), is located in State Water Plan watershed 11-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.24 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	50.0	80.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	60.0 Report	90.0 Report Daily Max	XXX XXX	30.0 Report	45.0 XXX	60.0 XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light dosage (mJoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed monitoring requirements and, where appropriate, effluent limits for implementation of the Chesapeake Bay Tributary Strategy are as follows for Outfall 001.

Parameter	Mass Units (lbs)		Monthly	Concentrations (mg/L)		
	Monthly	Annual		Monthly Average	Maximum	Instant. Maximum
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Stormwater prohibition
- Notification of the designation of responsible operator
- Hauled-in waste restriction
- Notification for TRC

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0085511, Sewage, SIC Code 4952, **West Hanover Township Water & Sewer Authority**, 7901 Jonestown Road, Harrisburg, PA 17112-9728. Facility Name: West Hanover Township STP. This existing facility is located in West Hanover Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Manada Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .78 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD ₅	162	260	XXX	25.0	40.0	50
		Wkly Avg				
BOD ₅	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	195	292	XXX	30.0	45.0	60
		Wkly Avg				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Daily Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	29	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	10	XXX	XXX	1.5	XXX	3
Ammonia-Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	13	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Lead, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	1.55	XXX	XXX	0.24	XXX	0.25
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	14,246 Total	XXX	XXX	XXX	XXX
Effluent Net		Annual				
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Annual Report Total	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	1,900 Total	XXX	XXX	XXX	XXX
Effluent Net		Annual				
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total	XXX	XXX	XXX	XXX
		Annual				

*This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- The permittee is authorized to use 2,250 lbs/year as Total Nitrogen (TN) offsets toward compliance with the Annual Net TN mass load limitations (Cap Loads)

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, Approval contingencies, Solids management, Restriction on receipt of hauled in waste under certain conditions.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0110361, Sewage, SIC Code 4952, **Freedom Township Water & Sewer Authority**, 131 Municipal Street, East Freedom, PA 16637-8158. Facility Name: Freedom Township STP. This existing facility is located in Freedom Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Frankstown Branch Juniata River (WWF, MF) and Frankstown Branch Juniata River (TSF, MF), is located in State Water Plan watershed 11-A and is classified for Trout Stocking, Migratory Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .97 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	162	243	XXX	20.0	30.0	40
May 1 - Oct 31	202	324	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	243	364	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30	145	XXX	XXX	18.0	XXX	36
May 1 - Oct 31	49	XXX	XXX	6.0	XXX	12
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .97 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Copper, Total	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX
Zinc, Total	Report Avg Qrtly	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .97 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	80	121	XXX	10.0	15.0	20
Total Suspended Solids	80	121	XXX	10.0	15.0	20
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Total Nitrogen	40	XXX	XXX	Geo Mean 5.0	XXX	10
Ammonia-Nitrogen						
Nov 1 - Apr 30	31.5	XXX	XXX	3.9	XXX	7.8
May 1 - Oct 31	10.5	XXX	XXX	1.3	XXX	2.6
Total Phosphorus	4.0	XXX	XXX	0.5	XXX	1
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0219487 A-1, Sewage, SIC Code 4952, **Washington County Land Resources Inc.**, 46226 National Road, Saint Clairsville, OH 43950-8742. Facility Name: Hallam Portal STP. This existing facility is located in Amwell Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Trib. To Redd Run (TSF), is located in State Water Plan watershed 19-B and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0250 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	0.025	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.01	XXX	0.04
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	2.8	XXX	5.6
May 1 - Oct 31	XXX	XXX	XXX	1.9	XXX	3.8
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max Report	XXX
					Daily Max	

In addition, the permit contains the following major special conditions:

- None

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD390246	New	2766 Route 100 Associates, LLC 300 Conshohocken State Road Suite 250 West Conshohocken, PA 19428	Lowhill Township Lehigh County	NERO
PAD140017	Renewal	Glenn O. Hawbaker, Inc. 143 Old Lewistown Pike Spring Mills, PA 16875	Potter Township Centre County	NCRO
PAD390251	New	Ciocca Properties, LP 4611 Hamilton Blvd. Allentown, PA 18103	Lower Macungie Township Lehigh County	NERO
PAD390240	New	Joel Tilli 304 Blue Sage Drive Allentown, PA 18104	Upper Saucon Township Lehigh County	NERO
PAD520042	New	David and Wendy Friend 205 W. 89th Street New York, NY 10024	Milford Township Pike County	NERO
PAD480020	Renewal	Vinart Realty Associates 675 Slate Avenue Emmaus, PA 18049-3029	Lower Nazareth Township Northampton County	NERO

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38 NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Mt. Pleasant Farms 2071 Mt. Pleasant Road Fayetteville, PA 17222	Franklin County	403.1	604.46	Poultry/ Heifers	NA	Renewal
Walnut Run Farms Partnership 292 Elm Road Lititz, PA 17543	Lancaster County	1,300	1,557.15	Dairy	HQ	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Ronald Snyder Farm 3356 Sweet Arrow Lake Road Pine Grove, PA 17963	Schuylkill County	156.4	724.75	Swine/ Sheep	NA	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Application No. 0622525, Construction, Public Water Supply.

Applicant	Giorgi Mushroom Farm 1
Address	1161 Park Road Reading, PA 19510
Municipality	Maidencreek Township and Ontelaunee Township
County	Berks County

Responsible Official	Mike Vallonio 1161 Park Road Reading, PA 19510
Consulting Engineer	Liberty Environmental, Inc. 505 Penn Street Suite 400 Reading, PA 19601
Application Received	September 15, 2022
Description	Application for a proposed nitrate removal system for Plant 15.

Application No. 0622526, Construction, Public Water Supply.

Applicant	Giorgi Mushroom Farm 1
Address	1161 Park Road Reading, PA 19510
Municipality	Maidencreek Township and Ontelaunee Township
County	Berks County
Responsible Official	Mike Vallonio 1161 Park Road Reading, PA 19510
Consulting Engineer	Liberty Environmental, Inc. 505 Penn Street Suite 400 Reading, PA 19601
Application Received	September 15, 2022
Description	Application for a proposed 4-log treatment of viruses disinfection for Plant 17.

Application No. 0622527, Construction, Public Water Supply.

Applicant	Giorgi Mushroom Farm 1
Address	1161 Park Road Reading, PA 19510
Municipality	Maidencreek Township and Ontelaunee Township
County	Berks County
Responsible Official	Mike Vallonio 1161 Park Road Reading, PA 19510
Consulting Engineer	Liberty Environmental, Inc. 505 Penn Street Suite 400 Reading, PA 19601
Application Received	September 15, 2022
Description	Application for a proposed 4-log treatment of viruses disinfection for Plant 19.

Application No. 0622528, Construction, Public Water Supply.

Applicant **Giorgi Mushroom Farm 1**
 Address 1161 Park Road
 Reading, PA 19510
 Municipality Maiden creek Township and
 Ontelaunee Township
 County **Berks County**
 Responsible Official Mike Vallonio
 1161 Park Road
 Reading, PA 19510
 Consulting Engineer Liberty Environmental, Inc.
 505 Penn Street
 Suite 400
 Reading, PA 19601
 Application Received September 15, 2022
 Description Application for a proposed 4-log
 treatment of viruses disinfection
 for Plant 25.

MINOR AMENDMENT

Application(s) Received Under the Pennsylvania Safe Drinking Water Act.

Central Office: Safe Drinking Water Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: Jacob Fogarty, Environmental Engineer, 717-772-4477.

Application No. 9996489, Amendment, Minor Amendment, Public Water Supply.

Applicant **Spring Hill Farms Dairy**
 Address 136 Neck Road
 Haverhill, MA 01835
 Municipality Haverhill
 County **Essex**
 Responsible Official Ms. Marcia Rogers
 136 Neck Road
 Ward Hill, MA 01835
 Application Received September 22, 2022
 Description Spring Hill Farm submitted an
 application to remove one source
 (Spring Hill Source) and add two
 new sources (Harvest Farm
 Spring Wells and Upland Farms
 Spring).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to

Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Thomas Property, Primary Facility ID # **855405**, 301 North 6th Street, Sunbury, PA 17801, City of Sunbury, **Northumberland County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889 on behalf of Patricia Thomas, 301 North 6th Street, Sunbury, PA 17801, submitted a Notice of Intent to Remediate. This notice of Intent to Remediate concerns remediation of site soil contaminated with No. 2 heating oil. The applicant proposes to remediate the site to meet the residential Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Item* on September 1, 2022. Application received: September 16, 2022.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kim Bontrager, Clerical Assistant 3, 814-332-6648.

Berry Plastics, Primary Facility ID # **625608**, 844 E. Columbus Avenue (Route 6), Corry, PA 16407, City of Corry, **Erie County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16335 on behalf of HNI Corporation, 600 East Second Street, Muscatine, IA 52761, submitted a Notice of Intent to Remediate. Site was formerly used for manufacturing office furniture and equipment. Site soil and site groundwater has been found to be contaminated with Volatile Organic Compounds. Intended future use of property will be nonresidential. The Notice of Intent to Remediate was published in *Corry Journal* on July 30, 2022. Application received: September 16, 2022.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

752 Holland Road, Primary Facility ID # **857842**, 752 Holland Road, Northampton, PA 18966, Northampton Township, **Bucks County**. Thomas Hippensteal, PG, Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477 on behalf of Federal National Mortgage Association, 14221 Dallas Parkway # 1000, Dallas, TX 75265, submitted a Notice of Intent to Remediate. The site is a residential property contaminated with No. 2 fuel oil. The proposed future use of the property will be residential. The Notice of Intent to Remediate was published in *Bucks County Herald* on August 11, 2022. Application received: September 2, 2022.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Waste Regulations for a General Permit to Operate Regulated Medical and Chemotherapeutic Waste Processing Facilities.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982.

Contact: Jason Dunham, Environmental Group Manager.

WMGI017. The Trustees of the University of Pennsylvania acting through the School of Veterinary Medicine, 3160 Chestnut Street, Suite 400, Philadelphia, PA 19104, East Marlborough Township, **Chester County**. The general permit application is for a proposed facility that would process and disinfect regulated medical waste. The proposed facility would use chemical and thermal digestion using sodium and/or potassium hydroxide to disinfect animal carcasses, animal bedding, animal feces and animal body parts. Application received: May 11, 2022. Accepted: September 9, 2022.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101,

717-787-1982. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

044SW001. Reserve Park Recycling and Transfer, Inc., 408 Hoffman Road, Pittsburgh, PA 15212, Reserve Township, **Allegheny County**. An application for a Determination of Applicability for a General Permit to Operate for processing of construction and demolition waste for beneficial use in landscaping, construction, erosion control, as animal bedding or fuel at 408 Hoffman Road, Pittsburgh, PA 15212. Application received: August 19, 2022. Deemed administratively complete: September 6, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@PA.GOV, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Bionomics, Inc., P.O. Box 817, Kingston, TN 37763. **License No. PA-AH 0730**. Accepted: September 21, 2022.

Bradish Logistics, Inc., 444 Willow Crossing Rd., Greensburg, PA 15601. **License No. PA-AH 0873**. Accepted: September 27, 2022.

NRC East Environmental Services, Inc., 19 National Dr., Franklin, MA 02038. **License No. PA-AH 0876**. Accepted: September 21, 2022.

Fielding Environmental, LLC, 150 4th Ave., Freedom, PA 15042. **License No. PA-AH 0908**. Accepted: September 21, 2022.

**REGULATED MEDICAL AND
CHEMOTHERAPEUTIC WASTE TRANSPORTER
LICENSE**

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Cyntox, LLC, 64 Beaver St., New York, NY 10004.
License No. PA-HC 0260. Accepted: September 27, 2022.

AIR QUALITY

**PLAN APPROVAL AND OPERATING
PERMIT APPLICATIONS**

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-050010: Armstrong World Industries, Inc., 1507 River Road, Marietta, PA 17547, East Donegal Township, **Lancaster County**. Application received: August 3, 2022. For the modification to the existing dust collection system on the PIF Line (ID 250) at their ceiling tile plant. Specifically, the project will replace the internally vented 20,000 acfm baghouse (Control ID D05—Baghouse # 27) and the internally vented 4,000 acfm receiver baghouse (baghouse # 7) with a 57,000 acfm baghouse and a new 1,830 acfm receiver baghouse, respectively. The 57,000 acfm baghouse is an existing baghouse (Control C130—Baghouse # 30) which will be relocated, rebuilt and equipped with new high-efficiency filters. The two new baghouses are to be vented to atmosphere. Additionally, Armstrong is proposing to add additional dust pickups to existing Baghouse # 26 (Control ID D04), which controls the equalizers (Sources IDs 204 and 210), and Baghouse # 4 (Control ID D01) which controls the PIF line feeder and sander (Source ID 250). The additional pickup points will improve dust collection on existing operations. No production equipment will be modified or added during the project. The potential emissions from the project are estimated to be 3.31 tpy PM₁₀/PM_{2.5}. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application

for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00016, Plastic Development Company, P.O. Box 4007, Williamsport, PA 17701, Woodward Township, **Lycoming County**. Application received: April 25, 2022. Proposed issuance of a renewal Title V operating permit for the Williamsport facility. The facility is currently operating under Title V Operating Permit 41-00016. The facility's sources include eleven (11) natural gas-fired space heaters, a gelcoat hand layup operation, a resin spray layup operation, a PVC cementing operation, a polyurethane foam operation, a surface coating touchup operation and a cleanup operation. The facility has the potential to emit 0.82 ton of nitrogen oxides (NO_x) per year, 0.69 ton of carbon monoxide (CO) per year, 25.00 tons of volatile organic compounds (VOCs) per year, 0.01 ton of sulfur oxides (SO_x), 24.46 tons of particulate matter (PM, including PM₁₀) per year and 25.00 tons of hazardous air pollutants. No emission or equipment changes are being proposed by this action. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Subpart WWWW of 40 CFR Part 63 and 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00019, ST Engineering Hackney, Inc., 914 Saegers Station Road, Montgomery, PA 17752, Clinton Township, **Lycoming County**. Application received: February 7, 2022. For the proposed renewal operating permit for the Montgomery Plant. In accordance with 25 Pa. Code §§ 127.424 and 127.425 the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the previously-mentioned facility. The facility's sources include several natural gas fired space heaters, Truck and Trailer Assembly and Cleaning Operations,

Refrigerated Truck and Trailer Application Operations, surface coating operation, one (1) propane-fired emergency generator engine, one (1) diesel-fired fire pump engine, three (3) parts washers and three (3) paint gun washers. This facility has the potential to emit 18.51 tons of carbon monoxide, 49.95 tons of nitrogen oxides, 71.60 tons of particulate matter (including particulate matter less than 10 microns and particulate matter less than 2.5 microns), 2.11 tons of sulfur oxides, 149.05 tons of volatile organic compounds, 9.05 tons of hazardous air pollutants, and 18,188 tons of CO₂e. The permittee has taken an emission limitation on the amount of volatile organic compound to not equal or exceed 50 tons in any 12 consecutive month period at the facility to obtain Synthetic Minor status. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable state air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

41-00051, Wirerope Works, Inc., 100 Maynard Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. Application received: March 28, 2022. For the renewal of the State Only (Synthetic Minor) Operating Permit for the Williamsport facility. The facility is currently operating under SMOP 41-00051. The facility's main sources include two 15 MMBtu/hr coal-fired boilers; sixteen natural-gas-fired combustion units; three electric-heated grease pots; and the machine/maintenance shop. The facility has potential emissions of 34.95 tons per year of carbon monoxide, 45.45 tons per year of nitrogen oxides, 91.76 tons per year of sulfur oxides, 25.84 tons per year of particulate matter with an aerodynamic diameter of less than 10 microns, 25.84 tons per year of particulate matter with an aerodynamic diameter of less than 2.5 microns, 49.9 tons per year of volatile organic compounds, 8.42 tons per year of total hazardous air pollutants (HAPs), and 51,288 tons per year of carbon dioxide equivalents (greenhouse gases). Wirerope Works, Inc. decommissioned the Reel shop paint booth incorporated into Source ID P106. This source has been removed from the permit. The emission restrictions, testing, monitoring, recordkeeping, reporting and work practice conditions of the SMOP have been derived from the applicable requirements of 40 CFR Parts 60 and 63, and 25 Pa. Code Article III, Chapters 121—145 to ensure the facility complies with all applicable air quality regulations. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

41-00077, Kellogg USA, Inc., 572 Industrial Park Road, Muncy, PA 17756, Muncy Creek Township, **Lycoming County**. Application received: May 24, 2022. To issue a renewal State Only (Synthetic Minor) Operating Permit for the Muncy Creek Township Plant. The facility's main sources include three industrial-sized, natural gas-fired bake ovens, natural gas-fired boilers, storage silos and bins, and two emergency generators. The facility has potential emissions of 16.11 TYPY of CO; 18.04 TYPY of NO_x; 0.11 TYPY of SO_x; 1.39 TYPY of PM/PM₁₀; <49 TYPY of

VOCs; 0.46 TYP HAPs; 19,697 TYP GHGs. One 350 kW, diesel-fired generator engine is subject to 40 CFR Part 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. One 30 kW, natural gas-fired generator engine is subject to 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. Both generator engines are also subject to 40 CFR 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

08-00028, Wyalusing Area School District, 42 Main Street, P.O. Box 157, Wyalusing, PA 18853, Wyalusing Township, **Bradford County**. Application received: May 31, 2022. To issue a renewal State Only (Natural Minor) Operating Permit for their campus located in Wyalusing Township, Bradford County. The facility's main source is a 12 MMBtu/hr No. 2 fuel oil fired boiler. The facility has potential emissions of 0.39 TYP of CO; 1.18 TYP of NO_x; 0.68 TYP of SO_x; 0.29 TYP of PM/PM₁₀; 0.25 of VOCs and 0.01 TYP HAPs. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, (814) 332-6940.

33-00152, Eastern Gas Transmission & Storage, Incorporated/Stoney Run Compressor Station, 6603 West Broad Street, Richmond, VA 23230-1711, Gaskill Township, **Jefferson County**. Application received: April 18, 2022. The Department is providing notice that they intend to issue the renewal State Only Operating Permit for the natural gas production station. The facility's major emission sources include: three (3) two-stroke lean-burn natural gas-fired engines (384 HP), a TEG (tri-ethylene glycol) natural gas dehydrator (25 mmSCF/day) and its 0.50 mmBtu/hr natural gas-fired reboiler, two (2) storage tanks, venting/blowdowns, and facility fugitives. The potential emissions of the major pollutants from the facility are as follows: PM₁₀ and PM_{2.5}: 1.67 TYP, NO_x: 82.09 TYP, SO_x: 0.02 TYP, CO: 27.55 TYP, VOC: 42.84 TYP, and total HAP: 9.96 TYP; thus, the facility is a natural minor. The three engines

are subject to 40 CFR Part 63, Subpart ZZZZ, NESHAP for stationary RICE, and the TEG dehydrator is subject to 40 CFR Part 63, Subpart HH, NESHAP for natural gas production facilities. The permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration, 215-685-9426.

OP19-00006, Axalta Coating Systems, LLC, 1050 Constitution Avenue, Philadelphia, PA 19112, City of Philadelphia, **Philadelphia County**. Application received: March 5, 2020. The City of Philadelphia, Air Management Services (AMS) has intent to issue a Synthetic Minor State Only Operating Permit for Axalta Coating Systems, LLC for operation of a Surface Coating Operations. The facility emission sources are the following: seven (7) Spray Paint Booth, a Regenerative Thermal Oxidizer (RTO), small electric and natural gas ovens, three (3) Humidification Chambers, aluminum and metal sanders, six (6) natural gas boilers each rated 6.1 MMBtu/hr, Dehumidification Units, and a 750-kw emergency generator. The operating permit will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426. Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-03045, The Sherwin Williams Manufacturing Company, 3050 Hanford Drive, Lebanon, PA 17046, North Lebanon Township, **Lebanon County**. Application received: June 10, 2022. For their latex paint manufacturing facility. Potential emissions from the facility are estimated at 0.40 tpy PM, 1.50 tpy VOC and 0.79 of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 130.601—130.611 for Architectural and Industrial Maintenance Coatings.

06-05077, Can Corporation of America, Inc., 326 June Avenue, Blandon, PA 19510, Maiden Creek Township, **Berks County**. Application received: November 18, 2021. To issue a State-Only Operating Permit for the can manufacturing plant. The actual emissions from the facility in 2016 year are estimated at 5 tons of CO, 5 tons of NO_x and 8 tons of VOC. The Operating Permit will include emission limits and work practice standards along

with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 63 Subpart ZZZZ and 25 Pa. Code § 129.63.

36-03040, Wenger Feeds, LP/Rheems Mill, 101 W. Harrisburg Avenue, Rheems, PA 17570, Mount Joy Township, **Lancaster County**. Application received: July 19, 2022. For operation of an animal feed mill. The facility potential emissions are 3.25 tons of CO, 6.64 tons of NO_x, 57.32 tons of PM, 1.44 tons of SO_x, 0.20 ton of VOC, and 0.06 ton of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 63, Subpart JJJJJJ—National Emissions Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources, and 40 CFR Part 63 Subpart DDDDDDD—National Emission Standards for Hazardous Air Pollutants for Area Sources: Prepared Feeds Manufacturing.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

09-00068, Orchard Hill Memorial Park, 80 Kelly Road, Quakertown, PA 18951, Richland Township, **Bucks County**. Application received: May 2, 2022. This action is for the renewal of a non-Title V Facility, State-Only Synthetic Minor Operating Permit. The Synthetic Minor Operating Permit reflects the continued operation of Source IDs 101 (IEE Animal Crematorium “A”), 104 (Therm-Tec Animal Crematorium “D”), Source 106 (Therm-Tec Animal Crematorium “H”), Source 108 (Six-Cell Animal Crematorium “I”), Source 109 (Six-Cell Animal Crematorium “J”), and Source 110 (Six-Cell Animal Crematorium “K”). There are no other significant sources of emissions at this facility. The potential to emit of the permitted sources at the facility, with enforceable restrictions in place, are 17.07 TPY for NO_x, 7.04 TPY for SO_x, 9.68 TPY for PM, 5.47 TPY for CO, 2.91 TPY for VOC, and 1.73 TPY for Total HAP. Emissions of PM are expected to be less than 0.08 grain per dry standard cubic feet, corrected to 7 percent O₂. Emissions of SO_x are expected to be less than 500 ppmv. The permit will continue to contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

63-00110, Instant Brands LLC, 100 8th Street, Charleroi, PA 15022, Charleroi Borough, **Washington County**. Application received: May 5, 2022.

In accordance with 25 Pa. Code §§ 127.424, 127.425 and 127.521, the Department is providing notice that it intends to issue a renewal Synthetic Minor Operating Permit for operation of the Charleroi Plant.

Air contamination sources at the facility include a glass melting tank, eight (8) swabbing burners, a truck/rail unloading operation, a mixhouse area, miscellaneous natural gas-fired combustion sources, a mixer/hopper enclosure, miscellaneous fugitive sources, a diesel-fired emergency engine, and a natural gas-fired emergency generator engine.

Potential emissions for the facility have been calculated as follows: 29.06 tons per year of carbon monoxide (CO), 58.13 tons per year of nitrogen oxides (NO_x), 36.06 tons per year of particulate matter less than 10-microns (PM₁₀), 28.03 tons per year of particulate matter less than 2.5-microns (PM_{2.5}), 90.14 tons per year of sulfur oxides (SO₂), 10.30 tons per year of volatile organic compounds (VOC), 0.01 ton per year of Hazardous Air Pollutants (HAPs), and 32,832 tons per year of greenhouse gases (CO_{2e}).

The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121–145. The proposed operating permit includes emission limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility.

The application, DEP’s Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP’s Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP’s website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

Any person may submit comments, a request for the Department to hold a public hearing, or a protest to the proposed operating permit or a condition thereof by submitting the information to Nick Waryanka, P.E., Air Quality Engineer, at the Southwest Regional Office. A 30-day comment period from the date of publication of this notice will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit (specify Operating Permit 63-00110) and concise statements regarding the relevancy of the information in the proposed permit or objections to issuance of the permit.

A public hearing may be held in accordance with 25 Pa. Code § 127.429, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. If a public hearing is held, all persons who have properly filed a protest under 25 Pa. Code § 127.426 may appear and give testimony. The applicant, the protestant, and other participants will be notified of the decision to hold a hearing (and the time, place and purpose of such hearing) by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient.

PLAN APPROVALS

Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, Environmental Group Manager, 570.826.2511.

54-00098A, MI Windows and Doors, LLC, 79 Park Lane, Hegins, PA 17938, Hegins Township, **Schuylkill County**. Application received: July 29, 2022.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval for their facility.

This Plan Approval No. 54-00098A will be incorporated into a State Only Permit through an administrative amendment at a later date. Plan Approval No. 54-00098A is for Sources producing finished windows and doors for consumer use. Emissions from the process include the use of various sealants from handheld applicators for the purposes of assembling a finished product and the use of isopropyl alcohol to hand-wipe clean the various components during the assembly process. VOC emissions from the plant will remain under 50 TPY threshold limit, 12-month rolling sum. Total HAP emissions from the facility will be under 25 TPY, 12-month rolling sum. Single HAP emissions will be under 10 TPY, 12-month rolling sum. The company shall be subject to and comply with 25 Pa. Code § 123.31 for malodorous emissions. The company shall be subject to and comply with 25 Pa. Code § 123.13 for particulate emissions. The company shall be subject to and comply with 25 Pa. Code § 123.41 for Visible emissions. These limits will meet BAT requirements for this source. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph.

Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 54-00098A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit.

A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone number 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the

Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3, 724.769.1100.

Mining Permit No. 63141301. NPDES No. PA0215431. Consol Mining Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Chartiers Township, **Washington County**. To revise the permit and related NPDES permit to include two (2) previously approved boreholes and a new injection borehole, affecting 0.93 proposed surface acres. Application received: July 22, 2022. Accepted: September 20, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 13070101. Lehigh Anthracite, LP, 1233 East Broad Street, Tamaqua, PA 18252, Nesquehoning Borough, **Carbon County**. Renewal of an anthracite surface mine operation affecting 252.3 acres. Receiving stream: Nesquehoning Creek, classified for the following uses: CWF, MF. Application received: August 30, 2022.

Mining Permit No. 54011301. Alfred Brown Coal, 71 Hill Road, Hegins, PA 17938, Blythe Township, **Schuylkill County**. Renewal of an anthracite underground mine operation affecting 36.5 acres. Receiving stream: Schuylkill River, classified for the following use: CWF, MF. Application received: September 13, 2022.

Mining Permit No. 54071301. Kimmel's Mining, Inc., 1744 East Grand Avenue, Tower City, PA 17980, Porter, Williams and Wiconisco Townships, **Schuylkill County and Dauphin County**. Renewal of an anthracite underground mine operation affecting 26.4 acres. Receiving stream: Wiconisco Creek, classified for the following uses: WWF, MF. Application received: September 14, 2022.

Mining Permit No. 54980201. A/C Fuels Company, 2929 Allen Parkway, Suite 3275, Houston, TX 77019, Kline, Hazle and Banks Townships, **Schuylkill, Luzerne and Carbon Counties**. Correction to an anthracite surface mine and coal refuse reprocessing operation to update the post-mining land use from forestland to unmanaged natural habitat affecting 197.5 acres. Receiving stream: Catawissa Creek, classified for the following uses: CWF, MF. Application received: September 16, 2022.

Mining Permit No. 49111301. S & N Coal Co., LLC, 859 East Market Street, Spring Glen, PA 17978, Mount Carmel Township, **Northumberland County**. Renewal of an anthracite underground mine operation affecting 4.1 acres. Receiving stream: Mahanoy Creek, classified for the following uses: WWF, MF. Application received: September 23, 2022.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

Alkalinity must always exceed acidity.

pH must always be greater than 6.0; less than 9.0.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 8274SM6. NPDES Permit No. PA0595349. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, East Hempfield Township, **Lancaster County**. Renewal of NPDES Permit on a quarry operation affecting 248.22 acres. Receiving stream: unnamed tributary to Little Conestoga Creek, classified for the following use: TSF. Application received: September 12, 2022.

Mining Permit No. 7973SM2. NPDES Permit No. PA0043901. Hanson Aggregates Pennsylvania, LLC, 7600 Imperial Way, Allentown, PA 18195, Wrightstown Township, **Bucks County**. Renewal of an NPDES Permit on a quarry operation affecting 154.9 acres. Receiving stream: unnamed tributary to Neshaminy Creek, classified for the following uses: TSF, MF. Application received: September 13, 2022.

Mining Permit No. 8275SM2. NPDES Permit No. PA0593885. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, Earl and Ephrata Townships, **Lancaster County**. Renewal of an NPDES Permit on a quarry operation affecting 261.0 acres. Receiving stream: unnamed tributary to Conestoga River, classified for the following use: WWF. Application received: August 4, 2022.

Mining Permit No. 48080301. NPDES Permit No. PA0225223. Grand Central Sanitary Landfill, Inc., 910 West Pennsylvania Avenue, Pen Argyl, PA 18072, Pen Argyl Borough, **Northampton County**. Renewal of an NPDES Permit on a quarry operation affecting 174.59 acres. Receiving stream: Waltz Creek, classified for the following uses: CWF, MF. Application received: September 8, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

CORRECTION—previously published on August 20, 2022

NPDES Permit No. PA0613827. Mining Permit No. 7175SM1. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, South Hanover Township, **Dauphin County**. Application received: February 7, 2022.

Renewal of an NPDES permit affecting 280.0 acres. Receiving stream: Swatara Creek, classified for the following use: WWF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Swatara Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate MGD</i>
001	Existing	MDT	29.82
002	Existing	MDT	(combined)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Aluminum (mg/L)			0.75	
Total Alkalinity (mg/L)				Report
Total Acidity (mg/L)				Report
Net Acidity (mg/L)	0.0			
pH (S.U.)	6.0			9.0

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: James Cassidy, Senior Civil Engineer, 570-855-9764.

E4104222-001. Brion Pepperman, 82 McIntyre Road, Cogan Station, PA 17728, Lewis Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 19, 2022.

This project will involve elevation/raising vertically (not laterally) the existing Brion Pepperman home located at 82 McIntyre Way, Cogan Station, within the Floodway

District of Lewis Township. Once elevated, this existing home will then be supported on a newly constructed elevated structural steel frame and (22) reinforced concrete piers that will allow floodwater to pass freely and unobstructed underneath. A new 5' wide elevated walkway all around the home, a new 9' x 24' elevated deck on the west side, and two new stairs leading down to finish grade will also be added. Latitude: 41.350473°, Longitude: -77.089807°.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@pa.gov.

E3902222-005. Jaindl Land Company, 3150 Cof-feetown Road, Orefield, PA 18069, Upper Macungie Township, **Lehigh County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 14, 2022.

To construct and maintain the following water obstructions and encroachments associated with the Fallbrook Residential Subdivision Project. The project is bounded by Lehigh Parkway East to the south and by South 10th Street to the north, in the City of Allentown, Lehigh County. Latitude: 40° 33' 17", Longitude: -75° 38' 32".

E3502222-010. Vesper Northeast LP, 1100 Brynlawn Road, Villanova, PA 19085-2102, Moosic Borough and Pittston Township, **Lackawanna County and Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 16, 2022.

To construct and maintain the following water obstructions and encroachments associated with the Vesper Northeast Logistics Park Project. The project is located approximately 0.48 mile south of the intersection of I-81 and I-467, Avoca, PA in Moosic Borough and Pittston Township, Lackawanna and Luzerne Counties. Latitude: 41° 20' 48", Longitude: -75° 42' 45".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E1006122-009. PA DOT Engineering District 10, 2550 Oakland Avenue, Indiana, PA 15701, Summit Township and Butler Township, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: September 9, 2022. Latitude: 40.872778°, Longitude: -79.874444°.

The applicant proposes to replace the existing Karns Crossing Bridge carrying SR 0068, Section 253 over the Buffalo & Pittsburgh Railroad, Bessemer & Lake Erie Railroad, and Connoquenessing Creek (WWF) and its unnamed tributaries (UNT's) as follows:

1. To remove the existing twin-cell arch culvert and to construct and maintain a single-span prestressed concrete

PA bulb-tee beam bridge having a normal clear span of 146'-0", an underclearance of 22'-4 3/4", and a length of 78'-0" across Connoquenessing Creek in Summit Township, Butler County (Saxonburg, PA Quadrangle N: 40°, 52', 22"; W: 79°, 52', 28").

2. To remove the existing twelve-span P/S concrete box beam, steel through truss and steel through girder bridge and to construct and maintain a three-span continuous steel plate girder bridge having a total normal clear span of 793'-1 5/8", an underclearance of 28'-3 3/4", and a length of 66'-4 1/2" across UNT Connoquenessing Creek in Butler and Summit Townships, Butler County (Butler and Saxonburg, PA Quadrangles N: 40°, 52', 16"; W: 79°, 52', 34"). This activity also results in the relocation of 329 linear feet of UNT Connoquenessing Creek (Stream S-01) and permanent impacts of 235 linear feet to UNT Connoquenessing Creek (Stream S-02) to accommodate fill slope adjustments and the relocation of 105 linear feet of UNT Connoquenessing Creek (Stream UNT 1) to accommodate the proposed bridge pier.

The project will result in a total of 919 linear feet of permanent stream impacts, 549 linear feet of temporary stream impacts, 0.25-ac of permanent wetland impacts and 0.08-ac of temporary wetland impacts. A total of 434 linear feet of on-site stream relocation is proposed, and the applicant proposes to debit wetland credits from the existing Butler County Wetland Bank, owned by the applicant.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Sage Saum, Clerical Assistant 2, 717-705-4992.

E0503222-002. Hopewell Borough, P.O. Box 160, Hopewell, PA 16650-0160, Hopewell Borough, **Bedford County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 27, 2022.

The applicant proposes to replace, construct and maintain the existing wastewater treatment plant with an extended aeration packaged treatment plant. Also, the project includes the addition of the dedicated blowers, the ultra-violet disinfection facilities and an electrical control room in the floodplain of the Raystown Branch Juniata River (TSF, MF). The project will permanently impact a total of 236 linear feet by 38 linear feet in the floodplain. The project is located in Hopewell Borough, Bedford County. Latitude: 40° 08' 13.2", Longitude: -78° 15' 57.9".

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601222-020. Upper Providence Township, 1286 Black Rock Road, Phoenixville, PA 19460, Upper Providence Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: September 13, 2022.

To demolish and remove the existing house, accessory structure, foundation, slabs, walkways, driveway, and site improvements. The disturbed area will be stabilized with clean fill and maintained as open lawn ground along the floodplain of the Schuylkill River (WWF-MF) associated with the Floodplain Management Site Restoration. The site is located at 201 Canal Street, Mont Clare (Collegeville, PA USGS Quadrangle) in Upper Providence Township, Montgomery County. Latitude: 40.129334°, Longitude: -75.495848°.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager, 412-442-4000.

E0405222-004. Patterson Township, 16009 9th Ave, Beaver Falls, PA 15010, Patterson Township, **Beaver County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 20, 2022.

The applicant proposes to: Construct and maintain a stream restoration project, along approximately 442 linear feet of an Unnamed Tributary # 1 of Brady Run (TSF) by re-grading the streambanks to reconnect the stream with its floodplain, and planting vegetative riparian buffers on the streambanks extending 35-feet perpendicular in both directions along the 442 feet of stream, resulting in 442 linear feet of permanent impact to the stream, and 493 linear feet of temporary impacts, as well as 0.7 acre of permanent floodway impacts, and 0.2 acre of temporary impacts. Construct and maintain a stream restoration project via the planting of vegetative riparian buffers, along approximately 100 linear feet of an Unnamed Tributary # 2 of Brady Run (TSF) for the purpose of stream bank plantings, resulting in 107 linear feet of permanent stream impacts, 117 linear feet of temporary impacts, and 0.2 acre of permanent floodway impacts, and 0.1 acre of temporary impacts. For the purpose of reducing the impairment due to erosion within the waterway. The project site is located near the intersection of Constitution Boulevard and 8th Street. Latitude: 40.751389°, Longitude: -79.960000°.

E0205222-008. Sewickley LLC, 3330 Stokie Valley Road, Highland Park, IL 60035, Franklin Park Borough and Ohio Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: March 10, 2022.

The applicant proposes to: 1. Remove an existing 241 linear foot section of an existing 950 linear foot, 48" and 54" CMP stream enclosure which conveys a UNT to Kilbuck Run (CWF), with a 274 linear foot, 54" HDPE stream enclosure; 2. Remove a 94 linear feet section of the aforementioned 54" CMP stream enclosure conveying a UNT to Kilbuck Run and restore to a natural stream channel; 3. Operate and maintain the remaining 615 linear feet of the aforementioned stream enclosure; and 4. Excavate 0.16-acre of PEM Wetland in association with the regrading and expansion of an existing stormwater basin. For the purpose of expanding an existing stormwater basin which will serve a proposed development, consisting of single-family homes and townhomes. Permanent impacts include 335 linear feet of UNT to Kilbuck Run and 0.16 acre of PEM wetland. The project site is located on Prescott Place off Ascot Drive. Latitude: 40° 34' 20", Longitude: -80° 06' 58".

E6305222-010. Robert Cain, 362 Kennedy Road, Charleroi, PA 15022, Fallowfield Township, **Washington County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 23, 2022.

The applicant proposes to: Maintain fill in the floodway of an unnamed tributary to South Branch of Maple Creek. The length of fill is 102 feet and the width of the fill is 28 feet. 0.065 acre of the floodway will be permanently impacted. The purpose of the fill is to create a building pad for an equipment storage facility. The project site is located at 362 Kennedy Road. Latitude: 40° 07' 13", Longitude: -79° 57' 02".

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: Kelly Steele, Project Specialist, 717.787.1785, kelsteele@pa.gov.

D64-039. Pennsylvania Fish and Boat Commission, 595 East Rolling Ridge Drive, Bellefonte, PA 16823, Mount Pleasant Township, **Wayne County**. To modify, operate, and maintain Miller Pond Dam across Tributary to Johnson Creek, (HQ-CWF) impacting 0.17 (0.05—permanent, 0.12 temp.—to be restored) acres of wetlands (PEM) and zero feet of stream and providing zero acres of wetland mitigation, for the purpose of deconstructing the existing structure and reconstructing a new dam in

accordance with current safety standards and specifications. Latitude: 41.7180°, Longitude: -75.3563°. Application received: February 12, 2021.

D64-012. Pennsylvania Fish and Boat Commission, 595 East Rolling Ridge Drive, Bellefonte, PA 16823, Clinton Township, **Wayne County**. To modify, operate, and maintain White Oak Pond Dam across the tributary to West Branch Lackawaxen River, (HQ-CWF, MF) impacting 0.22 acre of wetlands (PEM) and 0 feet of stream and providing 0.22 acre of wetland mitigation, for the purpose of deconstructing the existing structure and reconstructing a new dam in accordance with current safety standards and specifications, Latitude: 41.6452°, Longitude: -75.3758°. Application received: February 25, 2021.

ACTIONS**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT****FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the

Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150243	Chapter 102 Individual NPDES Permit	Issued	US Home LLC d/b/a Lennar P.O. Box 689 Devon, PA 19333-0689	East Coventry Township Chester County	SERO
PAD160004	Chapter 102 Individual NPDES Permit	Issued	Clarion FOD LLC P.O. Box 745 Clarion, PA 16214	Beaver Township Clarion County	NWRO
PAD230026	Chapter 102 Individual NPDES Permit	Issued	BDN Radnor Properties I LP 2929 Walnut Street Philadelphia, PA 19104-5054	Conshohocken Borough Montgomery County	SERO
PAD230063	Chapter 102 Individual NPDES Permit	Issued	FMM Qzob LLC 1019 4th Avenue Lester, PA 19029-1813	Chester City Delaware County	SERO
PAD280002	Chapter 102 Individual NPDES Permit	Issued	Flohr Frank 1350 Lincoln Way E Chambersburg, PA 17202-3083	Guilford Township Franklin County	SCRO
PAD360091	Chapter 102 Individual NPDES Permit	Issued	Matthew Wiker 1033 Truce Road Holtwood, PA 17532-9604	Providence Township Lancaster County	SCRO
PAD390032	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Allentown, PA 18104-9342	Upper Macungie Township Lehigh County	NERO
PAD390244	Chapter 102 Individual NPDES Permit	Issued	Lower Macungie Township Lehigh County 3400 Brookside Drive Macungie, PA 18062	Lower Macungie Township Lehigh County	NERO
PAD410021	Chapter 102 Individual NPDES Permit	Issued	Hamilton Patriot LLC 50 Patriot Lane Montgomery, PA 17752-6501	Clinton Township Lycoming County	NCRO
PAD630068	Chapter 102 Individual NPDES Permit	Issued	North Franklin Township Municipal Authority Washington County 620 Franklin Farms Road Washington, PA 15301-5908	North Franklin Township Washington County	SWRO
PAD670071	Chapter 102 Individual NPDES Permit	Issued	Hedgeford LLC 227 Granite Run Drive Suite 100 Lancaster, PA 17601-6813	Windsor Township York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0245186	Industrial Stormwater Individual NPDES Permit	Issued	Victory Brewing Co. 420 Acorn Lane Downingtown, PA 19335	West Sadsbury Township Chester County	SERO
0122807	Joint DEP/PFBC Pesticides Permit	Issued	Rice Michael 827 Hanover Street New Oxford, PA 17350-9533	New Oxford Borough Adams County	SCRO
0906404	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Toll PA XI LP 1140 Virginia Drive Fort Washington, PA 19034	Buckingham Township Bucks County	SERO
PAI133527	MS4 Individual NPDES Permit	Waived	Caernarvon Township Lancaster County 2139 Main Street Narvon, PA 17555-9518	Caernarvon Township Lancaster County	SCRO
PA0027316	Major Sewage Facility >= 5 MGD Individual NPDES Permit	Issued	Lebanon City Authority Lebanon County 2321 Ridgeview Road Lebanon, PA 17042-9431	Lebanon City Lebanon County	SCRO
0916401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Lower Bucks County Joint Municipal Authority 7811 New Falls Road Levittown, PA 19055-1014	Bristol Township Bucks County	SERO
6573448	Major Sewage Treatment Facility Individual WQM Permit	Issued	North Huntingdon Township Municipal Authority Westmoreland County 4130 Turner Valley Road North Huntingdon, PA 15642-4969	North Huntingdon Township Westmoreland County	SWRO
PA0290106	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Catalus Corp 286 Piper Road St Marys, PA 15857	Saint Marys City Elk County	NWRO
PA0001350	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Washington County Land Resources Inc. 46226 National Road Saint Clairsville, OH 43950-8742	Somerset Township Washington County	SWRO
PA0096733	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Pleasant View MHP LLC P.O. Box 662 Mount Pleasant, PA 15666-0662	Saltlick Township Fayette County	SWRO
PA0252735	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Huston Farms LLC 626 Cross Road Rockwood, PA 15557-7415	Milford Township Somerset County	SWRO
PA0063487	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Northside Heights Estates 97 Sam Brooke Circle Lehighton, PA 18235-4226	East Penn Township Carbon County	NERO
0420200	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Cleveland Cliffs Steel Holding Corp 9227 Centre Pointe Drive West Chester, OH 45069-4822	Harmony Township Beaver County	SWRO

NOTICES

6399

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2672406	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Pleasant View MHP LLC P.O. Box 662 Mount Pleasant, PA 15666-0662	Saltlick Township Fayette County	SWRO
4501408	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	Tobyhanna Township Monroe County	NERO
467S050	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Washington County Land Resources Inc. 46226 National Road Saint Clairsville, OH 43950-8742	Somerset Township Washington County	SWRO
NOEXNW222	No Exposure Certification	Issued	Acv Environmental Service Inc. 1500 Rahway Avenue Avenel, NJ 07001-2200	Pulaski Township Lawrence County	NWRO
NOEXSC258	No Exposure Certification	Issued	Fed Express Corp 3620 Hacks Cross Road 3rd Floor Memphis, TN 38125-8800	Lower Swatara Township Dauphin County	SCRO
NOEXSE066	No Exposure Certification	Issued	Donaldson Co. Inc. 85 Railroad Drive Ivyland, PA 18974-1478	Lower Southampton Township Bucks County	SERO
NOEXSE341	No Exposure Certification	Issued	Purolite Corp 2201 Renaissance Boulevard King of Prussia, PA 19406	Upper Merion Township Montgomery County	SERO
PAG045234	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Casey M and Shana L Bogert 638 Rattlesnake Pike Julian, PA 16844-9010	Union Township Centre County	NCRO
PAG133508	PAG-13 NPDES General Permit for MS4s	Waived	Saint Lawrence Borough Berks County 3540 Saint Lawrence Avenue Reading, PA 19606-2372	Saint Lawrence Borough Berks County	SCRO
PAG133513	PAG-13 NPDES General Permit for MS4s	Waived	Mount Penn Borough Berks County 200 N 25th Street Reading, PA 19606-2075	Mount Penn Borough Berks County	SCRO
PAG133514	PAG-13 NPDES General Permit for MS4s	Waived	Marion Township Berks County 420 Water Street Stouchsburg, PA 19567-1636	Marion Township Berks County	SCRO
PAG133606	PAG-13 NPDES General Permit for MS4s	Waived	Milton S Hershey Medical Center 90 Hope Drive # A330 Hershey, PA 17033-2036	Derry Township Dauphin County	SCRO
PAG133618	PAG-13 NPDES General Permit for MS4s	Waived	Providence Township Lancaster County 200 Mount Airy Road New Providence, PA 17560-9781	Providence Township Lancaster County	SCRO
PAG133650	PAG-13 NPDES General Permit for MS4s	Waived	York County 28 E Market Street York, PA 17401-1501	York City York County	SCRO
PAG133672	PAG-13 NPDES General Permit for MS4s	Waived	York Haven Borough York County 2 N Pennsylvania Avenue P.O. Box 169 York Haven, PA 17370-0169	York Haven Borough York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG133725	PAG-13 NPDES General Permit for MS4s	Waived	Richland Borough Lebanon County P.O. Box 676 Richland, PA 17087-0676	Richland Borough Lebanon County	SCRO
PAG133727	PAG-13 NPDES General Permit for MS4s	Waived	Hamilton Township Adams County 272 Mummerts Church Road Abbottstown, PA 17301-9724	Hamilton Township Adams County	SCRO
PA0239208	Single Residence STP Individual NPDES Permit	Issued	Alex and Sarah Thiel 2510 Old Route 422 E Fenelton, PA 16034-9404	Clearfield Township Butler County	NWRO
PA0244686	Single Residence STP Individual NPDES Permit	Issued	Gretsky Jon 1021 Copeland School Road West Chester, PA 19380-1829	East Bradford Township Chester County	SERO
PA0263800	Single Residence STP Individual NPDES Permit	Issued	Morgan Billy L 392 Palmer Road Butler, PA 16001-8439	Center Township Butler County	NWRO
PA0264610	Single Residence STP Individual NPDES Permit	Issued	Hess Dale L 9625 Tileyard Road Waterford, PA 16441-3339	McKean Township Erie County	NWRO
PA0264725	Single Residence STP Individual NPDES Permit	Issued	Edwards Richard A 476 Methodist Road Greenville, PA 16125-9742	Hempfield Township Mercer County	NWRO
PA0265331	Single Residence STP Individual NPDES Permit	Issued	Corbett Cindy 781 Quaker Hill Road Warren, PA 16365-4281	Glade Township Warren County	NWRO
PA0284912	Single Residence STP Individual NPDES Permit	Issued	Midler Chase 1502 Fox Chapel Road Pittsburgh, PA 15238-1203	Indiana Township Allegheny County	SWRO
PA0290912	Single Residence STP Individual NPDES Permit	Issued	Harris Eileen 10076 Station Road North East, PA 16428-5604	Greenfield Township Erie County	NWRO
PA0290921	Single Residence STP Individual NPDES Permit	Issued	Rager Lynda 8598 Pocahontas Lane Jamestown, PA 16134-2902	North Shenango Township Crawford County	NWRO
0222401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Midler Chase 1502 Fox Chapel Road Pittsburgh, PA 15238-1203	Indiana Township Allegheny County	SWRO
1003406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Alex and Sarah Thiel 2510 Old Route 422 E Fenelton, PA 16034-9404	Clearfield Township Butler County	NWRO
1406412	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Casey M and Shana L Bogert 638 Rattlesnake Pike Julian, PA 16844-9010	Union Township Centre County	NCRO

NOTICES

6401

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1591410	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Gretsky Jon 1021 Copeland School Road West Chester, PA 19380-1829	East Bradford Township Chester County	SERO
2022408	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Rager Lynda 8598 Pocahontas Lane Jamestown, PA 16134-2902	North Shenango Township Crawford County	NWRO
2522421	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Harris Eileen 10076 Station Road North East, PA 16428-5604	Greenfield Township Erie County	NWRO
6217413	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Corbett Cindy 781 Quaker Hill Road Warren, PA 16365-4281	Glade Township Warren County	NWRO
6719409	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Peach Clifton 303 Capitol Hill Road Dillsburg, PA 17019-9744	Franklin Township York County	SCRO
PA0058599	Small Flow Treatment Facility Individual NPDES Permit	Issued	Piper Real Properties LLC 13195 Rettew Drive Manassas, VA 20112-7813	Bedminster Township Bucks County	SERO
PA0222747	Small Flow Treatment Facility Individual NPDES Permit	Issued	John Philip Lantzy 140 Seagull Lane North East, PA 16428-3492	North East Township Erie County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC580019 A-1	PAG-02 General Permit	Issued	Susan Hazelton—PennDOT PennDOT Engineering District 4-0 55 Keystone Industrial Park Dunmore, PA 18512	Lathrop Township Lenox Township Harford Township Susquehanna County	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105 RA-EPWW-NERO@pa.gov
PAC090144	PAG-02 General Permit	Issued	Toll PA XIV, LP 1140 Virginia Drive Fort Washington, PA 19034	Hilltown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@pa.gov
PAC090479 A-1	PAG-02 General Permit	Issued	Britton Realty of Morrisville, LLC 227 Bakers Basin Road Lawrenceville, NJ 08648-3307	Falls Township Morrisville Borough Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC150316	PAG-02 General Permit	Issued	Longwood Gardens, Inc. P.O. Box 501 Kennett Square, PA 19348	East Marlborough Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC630065	PAG-02 General Permit	Issued	Castlewood Fields, LP 375 Golfside Drive Wexford, PA 15090	Nottingham Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC560070	PAG-02 General Permit	Issued	Richard Schoedel 4411 Run Road New Tripoli, PA 18066	Allegheny Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652
PAC110097	PAG-02 General Permit	Issued	Mid Atlantic Interstate Transmission, LLC 341 White Pond Drive Akron, OH 44320	Cambria Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120
PAC480142	PAG-02 General Permit	Issued	Donna Asure Forks Township Manager 1606 Sullivan Trail Easton, PA 18040	Forks Township Northampton County	Northampton County Conservation District 14 Gracedale Avenue Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC560071	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Brothersvalley Township Berlin Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652
PAC630261	PAG-02 General Permit	Issued	Erik Fargo 3468 Old Hickory Lane Medina, OH 44256	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC230219	PAG-02 General Permit	Issued	Marple Newtown School District 40 Media Line Road Newtown Square, PA 19008-1127	Marple Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov

NOTICES

6403

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC110097	PAG-02 General Permit	Issued	Mid Atlantic Interstate Transmission, LLC 341 White Pond Drive Akron, OH 44320	Cambria Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120
PAC480144	PAG-02 General Permit	Issued	Melo Enterprises, LLC 305 Mill Road Lehighon, PA 18235	Lehigh Township Northampton County	Northampton County Conservation District 14 Gracedale Avenue Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC360759	PAG-02 General Permit	Issued	Robert Murphy 1268 Drager Road Columbia, PA 17512	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717-299-5361 ext. 5
PAC360771	PAG-02 General Permit	Issued	Sheetz Inc. 5700 Sixth Avenue Altoona, PA 16602	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717-299-5361 ext. 5
PAC360117 A-1	PAG-02 General Permit	Issued	E&J Family LP 112 Peters Road New Holland, PA 17557	Upper Leacock Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717-299-5361 ext. 5
PAC360311 A-1	PAG-02 General Permit	Issued	Myron Stoltzfus 250 Eshelman Road Lancaster, PA 17601	Paradise Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717-299-5361 ext. 5
PAC360097 A-2	PAG-02 General Permit	Issued	35 Erick Road LLC 2456 Noll Drive Lancaster, PA 17603	City of Lancaster Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717-299-5361 ext. 5
PAC360322 A-3	PAG-02 General Permit	Issued	High Real Estate Group 1853 William Penn Way Lancaster, PA 17601	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601-3149 717-299-5361 ext. 5

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670103	PAG-02 General Permit	Issued	Woodland View Associates LLC 474 Mt. Sidney Road Lancaster, PA 17602	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC070106	PAG-02 General Permit	Issued	Bruno Degol 3229 Pleasant Valley Blvd. Altoona, PA 16602	Antis Township Blair County	Blair County Conservation District 1407 Blair Street Hollidaysburg, PA 16648 814-696-0877, ext. 5
PAC140147	PAG-02 General Permit	Issued	The Pennsylvania State University 139J Physical Plant Bldg University Park, PA 16802	College Township Centre County	Centre County Conservation District 414 Holmes Avenue Suite 4 Bellefonte, PA 16823 814-355-6817
PAC600092	PAG-02 General Permit	Issued	Country View Family Farms, LLC Old Route 15 and I-80 New Columbia, PA 17856	White Deer Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570 524-3860
PAC410015	PAG-02 General Permit	Issued	Mira Point 555 Cemetery Drive Hughesville, PA 17737	Wolf Township Lycoming County	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 570-433-3003

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Noah Light 568 Shirksville Road Jonestown, PA 17046	Lebanon County	3.6	292.18	Pullets	NA	Approved
Embrovac LLC 616 Dairy Road Tamaqua, PA 18252	Schuylkill County	0	347.49	Poultry	HQ	Approved
Walmoore Holsteins 1826 Howellmore Road West Grove, PA 19392	Chester County	1,610.6	2,011.5	Dairy	EV	Approved
Brian Doutrich 750 Whitman Road Lebanon, PA 17042	Lebanon County	81.4	636.69	Pullets/ Steers	NA	Approved
Joel Krall 480 Schaeffer Road Lebanon, PA 17042	Lebanon County	1.8	678.23	Dairy	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor II, (570-327-3490).

Construction Permit No. 5522501, Public Water Supply.

Applicant	Aqua Pennsylvania, Inc. Monroe Manor
Address	762 West Lancaster Avenue Bryn Mawr, PA 19010
Municipality	Monroe Township
County	Snyder County
Consulting Engineer	David Knapton, P.E. 4068 Mt Royal Blvd. Allison Park, PA 15101
Application Received	July 14, 2022
Permit Issued	September 21, 2022
Description	This permit approves development of Well No. 8 as a replacement source of supply for Well Nos. 4 and 7 and installation of additional chlorine contact piping prior to Entry Point 108.

Construction Permit No. 1822502MA, Public Water Supply.

Applicant	Rote Mutual Water Association
Address	P.O. Box 213 Mill Hall, PA 17751
Municipality	Lamar Township
County	Clinton County
Consulting Engineer	K. Alan Uhler, P.E. P.L.S 140 West High Street Bellefonte, PA 16823
Application Received	June 30, 2022

Permit Issued September 19, 2022
 Description This permit approves removal of the contact tank bypass line, repiping of the contact tank discharge line directly to the finished water storage tank, activation of required alarm and shutdowns, and 1.0-Log Giardia Inactivation Designation at the Rote Filtration Plant.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Teresa Yencha, Clerical Assistant 2, (570) 830-3048.

Operation Permit No. 2408001, Public Water Supply.

Applicant **Hazleton City Authority**
 Address 400 East Arthur Gardner Parkway Hazleton, PA 18201
 Municipality Hazle Township
 County **Luzerne County**
 Consulting Engineer Mr. John Synoski Pe Engineer Hazleton City Authority 400 E Arthur Gardner Parkway Hazleton, PA 18201

Application Received July 22, 2022
 Permit Issued September 26, 2022
 Description Operations Permit for the designation of the Mt. Pleasant Well No. 11 to Permanent.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4708.

Operation Permit No. 3622531 MA, Public Water Supply.

Applicant **Quarryville Borough Authority**
 Address 300 Saint Catherine Street Quarryville, PA 17566
 Municipality Quarryville Borough
 County **Lancaster County**
 Consulting Engineer ARRO Consulting, Inc. 108 West Airport Road Lititz, PA 17543

Application Received July 28, 2022
 Permit Issued September 12, 2022
 Description Replacement of the Entry Point 101 online chlorine analyzer.

Construction Permit No. 2822514 MA, Minor Amendment, Public Water Supply.

Applicant **Grove U.S., LLC**
 Address 1565 Buchanan Trail East Shady Grove, PA 17256
 Municipality Antrim Township

County **Franklin County**
 Consulting Engineer RHS Engineering, Inc. 2909 Conococheague Lane Greencastle, PA 17225
 Application Received June 27, 2022
 Permit Issued September 14, 2022
 Description Abandonment of Well No. 3
Construction/Operation Permit No. 3622524 MA, Public Water Supply.

Applicant **Municipal Authority of the Township of East Hempfield**
 Address 920 Church Street Landisville, PA 17538
 Municipality East Hempfield Township
 County **Lancaster County**
 Consulting Engineer ARRO Consulting, Inc. 108 West Airport Road Lititz, PA 17543
 Application Received June 8, 2022
 Permit Issued September 15, 2022
 Description Rehabilitation of the Rohrerstown water storage tank.

Construction Permit No. 2822503, Major Amendment, Public Water Supply.

Applicant **Bear Valley Joint Authority**
 Address 218 School House Road St. Thomas, PA 17252
 Municipality Saint Thomas Township
 County **Franklin County**
 Consulting Engineer Gwin, Dobson & Foreman, Inc. 3121 Fairway Drive Altoona, PA 16602
 Application Received January 13, 2022
 Permit Issued September 15, 2022
 Description Addition of Wells No. 13, 16, and 17.

Operation Permit No. 7360617, Public Water Supply.

Applicant **Darling Ingredients, Inc.**
 Address 693 Wide Hollow Road East Earl, PA 17519
 Municipality East Earl Township
 County **Lancaster County**
 Application Received July 29, 2022
 Permit Issued September 20, 2022
 Description Transfer of public water supply permits from Valley Proteins, Inc. to Darling Ingredients, Inc.

Operation Permit No. 7280958, Public Water Supply.

Applicant **Antrim Township**
 Address 10655 Antrim Church Road P.O. Box 130 Greencastle, PA 17225
 Municipality Antrim Township
 County **Franklin County**

Consulting Engineer Glace Associates, Inc.
3705 Trindle Road
Camp Hill, PA 17011

Application Received September 22, 2022

Permit Issued September 22, 2022

Description Operation of sodium hypochlorite addition, cartridge filtration, greensand filtration, carbon filtration, softening, finished water storage, and pumping facilities.

Operation Permit No. 7360709, Public Water Supply.

Applicant **SEG Inc.**

Address 1615 West Chester Pike
West Chester, PA 19382

Municipality Upper Leacock Township

County **Lancaster County**

Application Received June 21, 2022

Permit Issued September 23, 2022

Description Transfer of public water supply permits from Hildebrant Learning Center to SEG Inc.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers Clerical Assistant 2, 484-250-5887.

Construction Permit No. 0922517, Major Amendment, Public Water Supply.

Applicant **Perkasie Regional Authority**

Address 150 Ridge Road
Suite 1
Sellersville, PA 18960

Municipality Perkasie Borough

County **Bucks County**

Consulting Engineer Andersen Engineering Associates, Inc.
150 Ridge Road
Suite 2
Sellersville, PA 18960

Application Received July 18, 2022

Permit Issued September 9, 2022

Description Replacing existing 100+ year reservoir.

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor II, (570-327-3490).

Operation Permit 552504. PWSID No. **4550013**. **Freeburg Municipal Authority**, 11 East Church Street, Freeburg, PA 17827, Washington Township, **Snyder County**. Application received: September 7, 2022. Permit Issued: September 19, 2022. This permit authorizes operation of the recently installed Galene ion exchange treatment system for nitrate removal.

Operation Permit 1422504MA. PWSID No. **4140087**. **Pennsylvania-American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Rush Township, **Centre County**. Application received: September 26, 2022. Permit Issued: September 27, 2022. This permit authorizes operation of the new submersible pump in Cold Stream Well No. 1.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Transfer Permit 7010028. PWSID No. **7010028**. **Panorama MHP, LLC**, P.O. Box 35, Bowmansville, PA 15507, Oxford Township, **Adams County**. Application received: July 24, 2022. Permit Issued: September 22, 2022. Transfer of ownership for the Panorama MHP from Red Hill Enterprises, Inc. to Panorama MHP, LLC.

Operation Permit 3619516 MA. PWSID No. **7360058**. **City of Lancaster**, P.O. Box 1599, Lancaster, PA 17608-1599, City of Lancaster, **Lancaster County**. Application received: September 9, 2022. Permit Issued: September 15, 2022. Operation of the newly constructed 3.0 MG South Tank.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Construction Permit 5022502. PWSID No. **7500019**. **Duncannon Borough**, 428 North High Street, Duncannon Borough, PA 17020, Penn Township, **Perry County**. Application received: May 16, 2022. Permit Issued: September 27, 2022. Construction of a proposed arsenic treatment system including sodium hypochlorite oxidation and ion exchange for Well No. 4.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

Construction Permit 5622506MA. PWSID No. **4560009**. **Somerset County General Authority**, 300 North Center Avenue, Suite 500, Somerset, PA 15501, Somerset Township, **Somerset County**. Application received: June 15, 2022. Permit Issued: September 19, 2022. Installation of the Pleasant Hill Road Meter Vault and approximately 60 linear feet of 12-inch diameter ductile iron transmission line and appurtenances (Pleasant Hill Road Meter Vault Project).

Construction Permit 2621510MA. PWSID No. **5260017**. **Point Marion Borough**, P.O. Box 236, Point Marion, PA 15474, Point Marion Borough, **Fayette County**. Application received: December 20, 2021. Permit Issued: September 19, 2022. Addition of DelPAC 2020 at the Point Marion Borough Water Treatment Plant and repairs to Tank # 1.

Construction Permit 6522508. PWSID No. **5650070**. **Municipal Authority of the City of New Kensington**, P.O. Box 577, 920 Barnes Street, New Kensington, PA 15068, City of New Kensington, **Westmoreland County**. Application received: May 12, 2022. Permit Issued: August 22, 2022. Installation of two new filters (Filters No. 19 and 20), the rehabilitation of Filter No. 1 (including filter media replacement and concrete repair), and the replacement of the existing turbidimeters at the H. Burns Smith Water Treatment Plant.

Construction Permit 1122504MA. PWSID No. 4110017. **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, Croyle Township, **Cambria County**. Application received: July 5, 2022. Permit Issued: August 30, 2022. Replacement of approximately 20,000 linear feet of 12-inch, 10-inch, 4-inch, and 2-inch diameter transmission and distribution waterline and appurtenances along Beave Run Avenue, Mill Road, Lake Road, and Frankstown Road; and the installation of five pressure reducing valves (Water System Improvements Project).

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Director, ra-epsdsw@pa.gov.

WA04-1019A-1, Water Allocations. **New Sewickley Township Municipal Authority**, 233 Miller Road, Rochester, PA 15074, New Sewickley Township, **Beaver County**. Right to purchase up to 250,000 gallons per day from the West View Water Authority. Application received: July 8, 2022. Approved: September 23, 2022

Actions Taken on Water Allocation Permits or Orders of Confirmation Issued Under the Act of June 24, 1939 (P.L. 842, No. 365) (32 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4948.

28-1005, Succession to Water Rights. The Department has acknowledged that **York Water Company**, 130 East Market Street, York, PA 17401, Lurgan Township, **Franklin County**, has given notice that it or succeeded to all rights and obligations under the permit, issued to the former Franklin County General Authority, Lurgan Township, Franklin County on September 14, 2022.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Thomas M. Randis, Clean Water Program Manager, (570) 327-0530.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Kelly Township	551 Zeigler Road Lewisburg, PA 17837	Union County

Plan Description:

Minor Act 537 Plan Update Revision—Zeigler Road & 1st Street Special Study. The approved Minor

Act 537 Plan Update Revision calls for Kelly Township to design and construct a roughly 3,300 linear foot public sewage extension to serve eleven existing residences in the area of Zeigler Road and 1st Street. This project is estimated to carry a cost of \$680,000 and will be funded by CDBG grants and Kelly Township Municipal Authority capital reserve funds, with no impact to current user rates. The Kelly Township Municipal Authority will ultimately own and operate the proposed collection system extension. The Department's review of the sewage facilities update revision has not identified any significant environmental impacts.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: RA-EPSCROCWMAIN@pa.gov.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Cromwell Township	10999 Valley Street Shirleysburg, PA 17260	Huntingdon County

Plan Description:

Joshua Bittle Property SFTF, A3-31913-156-3s. Approval of a revision to the official plan of Cromwell Township, **Huntingdon County**. The project is known as Joshua Bittle Property SFTF. The plan provides for the installation of a small flow treatment facility with a discharge on the property into Shade Creek, for a proposed 3-bedroom residential dwelling on a 1.75-acre lot. The property is located at 21243 Croghan Pike. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-31913-156-3s and the APS ID is 1068143. Any permits must be obtained in the name of the property owner.

Southeast Region: Clean Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: RA-EPSEROCWPLANNING@pa.gov.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
East Vincent Township	262 Ridge Rd Spring City, PA 19475	Chester County

Plan Description:

Brown Dr—Old Schuylkill Rd LPSS Ext Act 537 Special Study. The 537 Plan provides for the extension of a low-pressure sewer system to serve 49 parcels along Brown Drive and Old Schuylkill Road as shown on Exhibit 1—Public Sewer Service Exhibit created by CKS Engineers, Inc. on March 28, 2022 and last revised on August 23, 2022. The low-pressure sewer system will consist of 7,520 linear feet of high-density polyethylene ("HDPE") force main pipe ranging in size from two to four inches and 49 individual grinder pump systems. The low-pressure force main will extend throughout the area and discharge to existing Manhole No. 509 located in the intersection of Brown Drive and Pennhurst Road. From there, sewage will be conveyed by the Township's Veterans Center Wastewater Treatment Plant for treatment. Construction will also involve lateral connections to all homes, abandonment of onlot sewage disposal systems and road restoration. This project will be connected to the Township's collection system and will generate 12,740 gallons of sewage per day to be treated at the Township's Veterans Center Wastewater Treatment Plant. The property owners will connect to the proposed force main via grinder pumps and force main laterals which

will be owned and maintained by the respective property owners. The Township will purchase grinder pumps and have them made available for each property owner within the delineated service area. Operation and Maintenance requirements for the proposed grinder pumps and force main laterals are provided for through the Township's Grinder Pump Ordinance (Ordinance No. 175) enacted on May 5, 2004. The Township has committed to amending their current mandatory connection ordinance while permitting and construction of the low-pressure sewer system takes place. The ordinance amendment will provide options to the property owners within the delineated service area for the deferment of an immediate connection to the low-pressure system once construction has been complete.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Thomas M. Randis, Clean Water Program Manager, (570) 327-0530.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
State College Borough	243 South Allen Street State College, PA 16801	Centre County

Plan Description:

Special Study for the Calder Way & Atherton Street Sewer Main Replacement Projects. The denied Act 537 Plan Special Study called for State College Borough to replace and upsize 2,100 linear feet of sewage collection line in the Atherton Street area and 5,150 linear feet of sewage collection line in the Calder Way area. The estimated project cost was \$1,880,000 and was to be paid by using grants, new tapping fees, and municipal funding. The denial was based on forwarded correspondence from the University Area Joint Authority that did not confirm acceptance of the project and found that the proposal could potentially create future surcharge conditions downstream of State College Borough, in the University Area Joint Authority public sewage facilities.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cory Zimmerman, Sewage Planning Specialist, 717-705-4793.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Brecknock Township	1026 Dry Tavern Rd. Denver, PA 17517	Lancaster County

Plan Description:

Brecknock Orchard Development, A3-36914-296-2. The revision to the official plan of Brecknock Township, **Lancaster County** for the Brecknock Orchard Development (DEP Code No. A3-36914-296-2; APS ID No. 1058369) has been disapproved. The proposed development—to be located at 390 Orchard Road in Mohnton—consists of demolishing existing poultry houses in order to construct a new retail store using a community on-lot disposal system shared with an existing single-family

dwelling. This plan revision has been disapproved because the proposed groundwater recharge easement is not of sufficient size to contain the plume or provide dilution using a perennial water.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 2**

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Thomas Property, Primary Facility ID # **855405,** 301 North 6th Street, Sunbury, PA 17801, City of Sunbury, **Northumberland County.** EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889 on behalf of Patricia Thomas, 301 North 6th Street, Sunbury, PA 17801, submitted a Final Report concerning remediation of soil contaminated with # 2 Heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Bridgewater Township Building, Primary Facility ID # **755266**, 12751 State Route 29, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Bridgewater Township, 12751 State Route 29, Montrose, PA 18801, submitted a Final Report concerning remediation of soil contaminated with heating oil from an underground storage tank. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Keefer Property, Primary Facility ID # **859232**, 6320 Pohopoco Drive, Lehigh, PA 18235, Towamensing Township, **Carbon County**. Environmental Maintenance Company, 1420 East Mermaid Lane, Glenside, PA 19038 on behalf of K&K Oil Company, Inc., 1257 Municipal Road, Lehigh, PA 18235, submitted a Final Report concerning remediation of soil contaminated with heating oil from an aboveground storage tank. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

J. Griffiths Pad 1, Primary Facility ID # **850453**, 1007 Hoag Hill Road, Montrose, PA 18801, Rush Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with diesel-based drilling mud. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kim Bontrager, Clerical Assistant 3, 814-332-6648.

ARG Refinery, Primary Facility ID # **651768**, 77 North Kendall Avenue, Bradford, PA 16701-1726, City of Bradford, **McKean County**. GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with soil: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Fluorene, Phenanthrene, Anthracene, Pyrene, Chrysene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(a)pyrene, Benzo(g,h,i)perylene and groundwater: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Phenanthrene, Pyrene, Chrysene for EU-1E. The Risk Assessment is intended to document remediation of the site to meet the site-specific standards.

ARG Refinery, Primary Facility ID # **651768**, 77 North Kendall Avenue, Bradford, PA 16701-1726, City of Bradford, **McKean County**. GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701, submitted a Risk Assessment con-

cerning remediation of soil and groundwater contaminated with soil: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Fluorene, Phenanthrene, Anthracene, Pyrene, Chrysene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(a)pyrene, Benzo(g,h,i)perylene and groundwater: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Phenanthrene, Pyrene, Chrysene for EU-1W. The Risk Assessment is intended to document remediation of the site to meet the site-specific standards.

ARG Refinery, Primary Facility ID # **651768**, 77 North Kendall Avenue, Bradford, PA 16701-1726, City of Bradford, **McKean County**. GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701-1726, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with soil: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Fluorene, Phenanthrene, Anthracene, Pyrene, Chrysene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(a)pyrene, Benzo(g,h,i)perylene and groundwater: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Phenanthrene, Pyrene, Chrysene for EU-6. The Risk Assessment is intended to document remediation of the site to meet the site-specific standards.

NWREC Transformer Release—4277 West Erie Street Extension, Primary Facility ID # **861104**, 4277 West Erie Street Extension, Linesville, PA 16424, Pine Township, **Crawford County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412, on behalf of Northwestern Rural Electric Cooperative, 22534 Highway 86, Cambridge Springs, PA 16403, submitted a Final Report concerning remediation of soil contaminated with PCB-1016, PCB-1221, PCB-1232, PCB-1242, PCB-1248, PCB-1254, PCB-1260, 1,2,4-Trimethylbenzene and 1,3,5-Trimethylbenzene. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Norfolk Southern Enola Yard, Primary Facility ID # **622263**, 219 Enola Road, Enola, PA 17025, East Pennsboro Township, **Cumberland County**. AECOM Technical Services, Inc., 110 Sterling Parkway, Mechanicsburg, PA 17050, on behalf of Norfolk Southern Railway Co., 650 West Peachtree Street NW, Atlanta, GA 30308, submitted a Final Report concerning remediation of groundwater contaminated with VOCs. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Former T-Mobile Store, Primary Facility ID # **856769**, 5411 Carlisle Pike, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. BL Compa-

nies, 2601 Market Place, Suite 350, Harrisburg, PA 17110 on behalf of Carlisle Retail, LLC, 1775 Hancock Street, Suite 200, San Diego, CA 92110, submitted a Final Report concerning remediation of soil and groundwater contaminated with Leaded/Unleaded Gasoline. The Final Report is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

752 Holland Road, Primary Facility ID # **857842**, 752 Holland Road, Northampton, PA 18966, Northampton Township, **Bucks County**. Thomas Hippensteal, PG, Envirosearch Consultants, Inc., P.O. Box 940, Springhouse, PA 19477, on behalf of Federal National Mortgage Association, 14221 Dallas Parkway # 1000, Dallas, TX 75265, submitted a Final Report concerning remediation of soil contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Romill Associates, LP, Primary Facility ID # **844303**, 1312 Ridge Pike, Conshohocken, PA 19428, PA 19428, Plymouth Township, **Montgomery County**. Michael Kern, Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Charles J. Miller, MMCO Auto LLC, 1312 Ridge Pike, Conshohocken, PA 19428, Conshohocken, PA 19428, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with SVOCs, petroleum and VOCs. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

NP Falls Township Industrial, LLC—Keystone Trade Center (KTC)—Lot 23, Primary Facility ID # **849384**, One Ben Fairless Drive, Fairless Hills, PA 19030, Falls Township, **Bucks County**. Jennifer Poole, Pennoni, 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Joe Forkin, Delaware River Waterfront Corporation, 12 North Columbus Boulevard, Philadelphia, PA 19106, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil contaminated with vanadium, VOCs, SVOCs, metals and PCBs. The Risk Assessment/Remedial Investigation/Final Report is intended to document remediation of the site to meet the site-specific standards.

Festival Pier, Primary Facility ID # **811767**, 501 North Christopher Columbus Boulevard, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Jennifer Poole, Pennoni, 1900 Market Street, Suite 300, Philadelphia, PA 19103 on behalf of Joe Forkin, Delaware River Waterfront Corporation, 12 North Columbus Boulevard, Philadelphia, PA 19106, submitted a Final Report concerning remediation of soil and groundwater contaminated with PAHs, metals, and VOCs. The Final Report is intended to document remediation of the site to meet the site-specific standards.

Waterside Development—Parcel B, Primary Facility ID # **620175**, 2215 State Road, Bensalem, PA 19020, Bensalem Township, **Bucks County**. Jeffrey K. Walsh, PG, Penn E&R, Inc, 400 Old Dublin Pike, Doylestown, PA 18901, on behalf of Daniel Stewart, US Home Corporation d/b/a Lennar, 1285 Drummers Lane, Suite 100, Wayne, PA 19807, submitted a Risk Assessment Report/Cleanup

Plan/Final Report concerning remediation of soil and groundwater contaminated with acenaphthylene, acetone, anthracene, arsenic, barium, benzene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chromium, chrysene, cumene, dibenzo(a,h)anthracene, ethylbenzene, fluoranthene, fluorene, indeno(1,23-cd)pyrene, mercury, methyl ethyl ketone, naphthalene, PCB-Aroclor 1254, phenanthrene, pyrene, tetrachloroethene, toluene, trichloroethene, 1,2,4-trimethylbenzene (TMB), 1,3,5-TMB and xylenes. The Risk Assessment/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

16 Wolf Street, LLC, Primary Facility ID # **843245**, 16 Wolf Street, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. David Schantz, Aquaterra Technologies, Inc, 901 S. Bolmar Street, Suite A, West Chester, PA 19382, on behalf of Loretta Mitsos, 16 Wolf Street, LLC, 2825 South Warnock Street, Philadelphia, PA 19148, submitted a Remedial Investigation Report concerning remediation of soil and groundwater contaminated with lead. The Remedial Investigation Report is intended to document remediation of the site to meet the site-specific standards.

Bristol Township Sewer Authority, Primary Facility ID # **843245**, 1800 River Road, Croydon, PA 19021, City of Philadelphia, **Philadelphia County**. Matthew Mercuri, PG, RMS Environmental LLC, 2198 Pennsbury Drive, Jamison, PA 18929, on behalf of Joe Crooks, Superior Tank & Energy Company, LLC, 302 Jefferson Avenue, Bristol, PA 19007, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

137 Wallace Avenue, Primary Facility ID # **854225**, 137 Wallace Avenue, Downingtown, PA 19335, Downingtown Borough, **Chester County**. Paul White, PG, Brickhouse Environmental, 515 South Franklin Street, Suite D-1, West Chester, PA 19382, 515 South Franklin Street, Suite D-1, West Chester, PA 19382, on behalf of Cheol C. Sihm, 50 Dimas Court, Harrington Park, NJ 07640, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of groundwater contaminated with VOCs. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Greylock Skib A Well Pad, Primary Facility ID # **861034**, 1273 East Roy Furman Highway, Carmichaels, PA 15320, Jefferson Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Conventional, LLC, 500 Corporate Landing, Charleston, WV 25311, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lead, manganese, selenium, strontium, vanadium, zinc, arsenic, and copper. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

KMK Transport, Inc. Cleanup, Primary Facility ID # **859909**, 3000 block of US 15 Southbound, Lewisburg, PA 17837, East Buffalo Township, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889,

on behalf of KMK Transport, Inc., 870 Hillary Court, Longwood, FL 32750, submitted a Final Report concerning remediation of soil contaminated with diesel fuel and used motor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 20, 2022.

JGM Coach LLC Project, Primary Facility ID # **858235**, US Route 15 at MM 115 northbound exit ramp, Williamsport, PA 17702, Cogan House Township, **Lycoming County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of JGM Coach LLC, 10 Cherry Street, Wellsboro, PA 16901, submitted a Final Report concerning remediation of soil contaminated with diesel fuel and used motor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 20, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Yarasavage Well Pad, Primary Facility ID # **762556**, 139 Keiserville Road, Tunkhannock, PA 18657, Washington Township, **Wyoming County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Callon (Marcellus) LLC, 200 West Sam Houston Parkway South, Suite 2000, Houston, TX 77077, submitted a Final Report concerning remediation of soil and groundwater contaminated with frac flowback fluid (brine) that was released as the result when a driller lost control of a natural gas well. The Final Report did not demonstrate attainment of the Statewide health and background standards. Issued a technical deficiency letter: September 22, 2022.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Philadelphia Coke Plant, Primary Facility ID # **831308**, 4501 Richmond Street, Philadelphia, PA 19137, City of Philadelphia, **Philadelphia County**. Daniel P. Sheehan, PE, Arcadis U.S., Inc., 824 North Market Street, Suite 820, Wilmington, DE 19801, on behalf of Brian M. Stearns, National Grid, 300 Erie Boulevard, Syracuse, NY 13202, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PAHs, metals and VOCs. The Report demonstrated attainment of the site-specific standards. Approved: September 20, 2022.

2104 East Tioga Street, Primary Facility ID # **858527**, 2104 East Tioga Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. Henry Bienkowski, PG, Crawford Environmental Services, LLC, 20 Cardinal Drive, Birdsboro, PA 19508, on behalf of Stephanie Weldon, Tioga Fuel Company Inc, 230 East Tioga Street, Philadelphia, PA 19134, submitted a Final Report concerning remediation of soil contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 20, 2022.

Perry Residence, Primary Facility ID # **793907**, 11 Caledonia Drive, Warminster, PA 18974, Warminster Township, **Bucks County**. Richard D. Trimpi, PG, Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA

18703, on behalf of Erin M. Bydelak, Nationwide Insurance, 355 Maple Avenue, Harleysville, PA 19438, submitted a Final Report concerning remediation of soil and groundwater contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the Statewide health standards. Issued a technical deficiency letter: August 8, 2022.

Defense Supply Center Philadelphia, Primary Facility ID # **654838**, 2990 B South 20th Street, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Meredith Braverman, ARCADIS U.S., Inc., 1700 North Orange Street, Suite 411 and 412, Wilmington, DE 19801, on behalf of Bradley Clawson, DLA Installation Management, 8725 John J. Kingman Road, Suite 2639, Fort Belvoir, VA 22060, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with leaded gasoline and other organics. The Report did not demonstrate attainment of the site-specific standards. Disapproved: September 13, 2022.

Former Gryphyn Coatings, Inc., Primary Facility ID # **817323**, 3501 Richmond Street, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. George Guzdek, PG, Bison Environmental, LLC, 89 Jennifer Lane, Burlington, NJ 08016, on behalf of George Minosis, 5627-41 Hegerman Street, LLC, 2209 North American Street, Philadelphia, PA 19133, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with chlorinated solvents and leaded gasoline. The Final Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: September 13, 2022.

Inolex Chemical Company, Primary Facility ID # **619750**, 2101 South Swanson Street, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. David Farrington, PG, Brickhouse Environmental, 515 South Franklin Street, Chester, PA 19382, on behalf of David Newman, NDA Swanson, LLC, 601 Gates Road, Suite 1, Vestal, NY 13850, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with VOCs, SVOCs, alcohols and metals. The Report demonstrated attainment of the site-specific standards. Approved: September 21, 2022.

860 Unit Cooling Tower and Hartranft Street—Point Breeze South Yard, Primary Facility ID # **854903**, 3144 Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Kevin Long, Terraphase Engineering Inc., 100 Canal Pointe Boulevard, Suite 108, Princeton, NJ 08540, on behalf of Anne Garr, Philadelphia Energy Solutions Refining and Marketing, LLC, 111 South Wacker Drive, Suite 3000, Chicago, IL 60606, submitted a Final Report concerning remediation of soil and groundwater contaminated with petroleum. The Report did not demonstrate attainment of the Statewide health standards. Disapproved: September 15, 2022.

Providence Village Shopping Center, Primary Facility ID # **78456**, 519 North Oak Avenue, Aldan, PA 19018, Aldan Borough, **Delaware County**. Thomas A. Petrecz, Penn E&R, Inc., 400 Old Dublin Pike, Doylestown, PA 18901, on behalf of Gordon Saul, Providence Village Associates, LP, 115 Old York Road, Jenkintown, PA 19046, submitted a Remedial Investigation Report/Risk Assessment/Cleanup Plan/Final Report concerning

remediation of groundwater contaminated with tetrachloroethene, trichloroethene, cis-1,2-Dichloroethene, vinyl chloride, 1,1-Dichloroethene. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: September 19, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

CNX GH6 Well Pad, Primary Facility ID # **859962**, Rush Run Road, Sycamore, PA 15364, Center Township, **Greene County**. Penn Environmental & Remediation, 111 Ryan Court, Pittsburgh, PA 15205, on behalf of CNX Gas Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, born, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: September 27, 2022.

EQT Lumber Well Pad, Primary Facility ID # **860440**, 454 Martin Hill Road, New Freeport, PA 15352, Springhill Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 27, 2022.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

Transporter License Renewed

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Bionomics, Inc., P.O. Box 817, Kingston, TN 37763. **License No. PA-AH 0730**. Application received: September 21, 2022. Effective September 22, 2022.

Bradish Logistics, Inc., 444 Willow Crossing Rd., Greensburg, PA 15601. **License No. PA-AH 0873**. Application received: September 27, 2022. Effective September 27, 2022.

NRC East Environmental Services, Inc., 19 National Dr., Franklin, MA 02038. **License No. PA-AH 0876**. Application received: September 21, 2022. Effective September 22, 2022.

Fielding Environmental, LLC, 150 4th Ave., Freedom, PA 15042. **License No. PA-AH 0908**. Application received: September 21, 2022. Effective September 22, 2022.

**REGULATED MEDICAL AND
CHEMOTHERAPEUTIC WASTE TRANSPORTER
LICENSE**

Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Transporter License Renewed

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Cyntox, LLC, 64 Beaver St., New York, NY 10004. **License No. PA-HC 0260.** Received on September 27, 2022. Effective September 27, 2022.

MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGM015-NE002. Gravel Hill Enterprises, Inc., 99 Headline Road, Deer Park, NY 11729, Lower Mount Bethel Township, **Northampton County**. A permit renewal for continued coverage under general permit number WMGM015 for the processing and beneficial use of timber waste to produce mulch and processing and beneficial use of leaf and yard waste to produce compost. Application received: March 8, 2022. Issued: September 22, 2022.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

WMGM044-NE004. American Container & Disposal, LLC, 1438 Willowbrook Road, Northampton, PA 18067, Allen Township, **Northampton County**. A permit renewal for continued coverage under general permit number WMGM044 for the processing of wood waste, gypsum board, rubble, organic/other waste, cardboard, particle board, newspaper, non-asphalt containing asphalt shingles, recyclable plastic waste, and scrap metal for beneficial use as mulch, soil erosion control material, aggregate material in construction, animal bedding, alternative fuel, or distributed to wholesale outlets. Application received: March 4, 2022. Issued: September 26, 2022.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre,

PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**REGISTRATION FOR MUNICIPAL WASTE
GENERAL PERMITS**

Actions(s) Taken on Registration(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, Phone Number 484-250-5768.

WMGM042SE001. Ar-Joy Farms, LLC, 1600 Althouse Road, Cochranville, PA 19330, West Fallowfield Township, **Chester County**. This General Permit is for the renewal of the registration under General Permit No WMGM042 to continue operations without any modification of the anaerobic digestion of animal manure on a farm mixed with offsite food waste from commercial or institutional sources at Ar-Joy Farms LLC Facility. Application received: February 22, 2022. Issued: September 20, 2022.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

**DETERMINATION OF APPLICABILITY FOR
MUNICIPAL WASTE GENERAL PERMITS**

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, Phone Number 484-250-5768.

WMGM017SE002 (Formerly WMGM017D015). Kitchen Harvest, Inc., 733 Foss Ave., Drexel Hill, PA 19026, Middletown Township, **Delaware County**. This general permit renewal is to continue the coverage of the Determination of Applicability (DOA) under the conditions defined within General Permit No. WMGM017 for on-farm source separated composting activities at the Linvilla Orchards Site. Application received: February 16, 2022. Issued: September 20, 2022.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

WMGM017SE001 (Formerly WMGM017D004). Longwood Gardens, Inc., 409 Conservatory Road, Kennett Square, PA 19348, East Marlborough Township, **Chester County**. This general permit renewal is to continue the coverage of the Determination of Applicability (DOA) under the conditions defined within General Permit No. WMGM017 for on-farm source separated composting activities at Abbondi Composting Facility. Application received: April 4, 2022. Issued: September 20, 2022.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR123-NE008. SWN Production Company, LLC, 917 State Route 92 North, Tunkhannock, PA 18657, Middletown Township, **Susquehanna County**. A determination of applicability for the processing, transfer and beneficial use of oil and gas liquid waste at the Fiondi Water Transfer facility. Application received: March 18, 2022. Issued: September 22, 2022.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

301356. Cleveland Cliffs Steel Corp—Butler Works, Route 8 South, Butler, PA 16003, Butler Township, **Butler County**. Permit renewal of an existing residual waste landfill that was expiring to provide for another ten-years of operation. Application received: February 1, 2022. Permit issued: September 20, 2022.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP9-19-204: AT&T Corp., P.O. Box 5095, Room 4W200M, San Ramon, CA 94583, Cleveland Township, **Columbia County**. Was issued an authorization for continued operation of the engine at their Catawissa Facility pursuant to the PA DEP Air Quality Bureau's General Plan Approval and General Operating Permit for Stationary Diesel Internal Combustion Engines (BAQ-GPA/GP-9). Application received: September 13, 2022. Issued: September 16, 2022.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2531.

GP3-58-082: Meshoppen Stone, Inc., P.O. Box 127, Meshoppen, PA 18603, Gibson Township, **Susquehanna County**. For the relocation of a portable crushing operation with water sprays to the Tompkins Pad site in Gibson Township, Susquehanna County. Application received: August 24, 2022. Issued: September 13, 2022.

GP9-58-082: Meshoppen Stone, Inc., P.O. Box 127, Meshoppen, PA 18603, Gibson Township, **Susquehanna County**. For the relocation of the engines associated with the portable crushing operation to the Tompkins Pad site in Gibson Township, Susquehanna County. Application received: August 24, 2022. Issued: September 13, 2022.

AG5A-58-00049A: Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, Gibson Township, **Susquehanna County**. For the construction and operation of one (1) 600 bhp Caterpillar CG137-12 4SRB natural gas-fired compressor engine controlled by NSCR, and five (5) small heaters <5 MMBtu/hr each, pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) located at Romeika, J. Pad 1 in Gibson Township, Susquehanna County. Application received: August 17, 2022. Issued: September 15, 2022.

Contact: Raymond Kempa, New Source Review Chief—Telephone: 570-826-2531.

GP1-39-004A: Sunopta Grains and Foods Inc., 7108 Daniels Drive, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. To operate three (3) natural gas boilers at their facility. Application received: June 6, 2022. Issued: July 15, 2022.

GP3-64-015: Bill Pykus Excavating, Inc., 1880 Great Bend Turnpike, Honesdale, PA 18431, Preston Township, **Wayne County**. To construct and operate a Portable Crushing Operation with water sprays at 3230 Creamton Drive. Application received: June 13, 2022. Issued: July 18, 2022.

GP9-64-015: Bill Pykus Excavating, Inc., 1880 Great Bend Turnpike, Honesdale, PA 18431, Preston Township, **Wayne County**. To install and operate four (4) Diesel I/C engines at 3230 Creamton Drive. Application received: June 13, 2022. Issued: July 18, 2022.

GP9-54-005: PA Department of Corrections/SCI Mahanoy, 301 Grey Line Drive, Frackville, PA 17931, Frackville Borough, **Schuylkill County**. To install and operate one (1) Diesel I/C engine. Application received: June 10, 2022. Issued: July 19, 2022.

GP3-58-077A: A. Wilber Stone, Inc., 22 Imex Drive, Hallstead, PA 18822, Liberty Township, **Susquehanna County**. To construct and operate a Portable Crushing Operation with water sprays at 758 Holy Rd. Application received: June 30, 2022. Issued: July 28, 2022.

GP9-58-077A: A. Wilber Stone, Inc., 22 Imex Drive, Hallstead, PA 18822, Liberty Township, **Susquehanna County**. To install and operate three (3) Diesel I/C engines at 758 Holy Rd. Application received: June 30, 2022. Issued: July 28, 2022.

AG5A-58-00047A: Coterra Energy, Inc., 2000 Park Lane, Ste 300, Pittsburgh, PA 15275, Auburn Township, **Susquehanna County**. To operate one (1) IC Engine, at the Howell, G. Pad 1 well pad site. Application received: June 23, 2022. Issued: July 27, 2022.

AG5A-58-00048A: Coterra Energy Inc., 2000 Park Lane, Ste 300, Pittsburgh, PA 15275, Harford Township, **Susquehanna County**. To operate one (1) IC Engine, at the Reynen, J. Pad 1 well pad site. Application received: August 17, 2022. Issued: September 13, 2022.

AG5-58-00036A: Williams Field Services Co., LLC, 310 SR 29 North, Tunkhannock, PA 18657, Forest Lake Township, **Susquehanna County**. To operate six (6) IC Engines, one (1) emergency generator, one (1) dehydrator with reboiler, and four (4) condensate tanks at their Fraser Compressor Station. Application received: July 12, 2022. Issued: August 12, 2022.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

GP9-40-037A: Wilkes-Barre Materials, LLC, 500 Chase Road, Shavetown, PA 18708, Plains Township, Laffin Borough, **Luzerne County**. For the operation of I C Engines at the facility located in Plains Twp. and Laffin Borough, Luzerne County. Application received: September 27, 2022. Issued: September 26, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

GP5-65-00816C: Diversified Production, LLC, 101 McQuiston Drive, Jackson Center, PA 16133, Hempfield Township, **Westmoreland County**. To operate the previously authorized sources which include: one (1) natural gas-fired Caterpillar engine, rated at 215 bhp, four (4) produced water tanks, truck loadout, venting/blowdowns, and fugitives emissions at their Silvis Compressor Station. Application received: August 4, 2022. Authorized: September 23, 2022.

GP5-63-00948F: MarkWest Liberty Midstream and Resources, LLC, 1515 Arapahoe Street, Tower 1, Suite 1600, Denver, CO 80202, Amwell Township, **Washington County**. To allow the continued operation of existing sources and modified sources which include: Four (4) Caterpillar rated at 1,340 bhp each and controlled by oxidation catalysts, one Waukesha rated at 1,480 bhp controlled by NSCR catalyst, one dehydrator unit controlled by a 7.0 MMBtu/hr flare, a reboiler rated at 1.0 MMBtu/hr, and three produced water and condensate tanks each with a capacity of 400 bbl at their existing Tupta Day Compressor Station. Application received: August 29, 2022. Authorized: September 27, 2022.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03219A: Champion Home Builders, Inc., 101 Garden Spot Road, Ephrata, PA 17522, East Cocalico Township, **Lancaster County**. For the operation of a modular home production facility. Application received: April 7, 2022. Issued: September 22, 2022.

36-05158G: Perdue AgriBusiness, LLC, 1897 River Road, Marietta, PA 17547, Conoy Township, **Lancaster County**. For the modification of the Lowest Achievable Emission Rate (LAER) limits on Source ID 206 at the soybean processing facility. The limits will be revised from 1.42 lb/hr & 6.2 tpy VOC, as hexane, to 11.94 lb/hr & 52.28 tpy VOC, as hexane. The facility's site-wide emissions limits (116.9 tpy PM, 30.7 tpy PM₁₀, 8.1 tpy PM_{2.5}, 208.1 tpy VOC, & 104.0 tpy n-hexane) established during PA No. 36-05158A are not changing. Application received: February 16, 2022. Issued: September 26, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

46-00271: Janssen Research & Development, LLC, 1400 McKean Road, Springhouse, PA 19477, Lower Gwynedd Township, **Montgomery County**. A Plan Approval to permit three existing and two temporary (rental) emergency generator sets at its existing pharmaceutical research and development facility. Application received: February 21, 2022. Issued: September 23, 2022.

09-0249A: Pet Meadow, LLC, 6 Steel Road, Morrisville, PA 19067, Falls Township, **Bucks County**. For installation of one (1) pet crematory unit (Source ID 104) at an existing facility. The facility is classified as a Natural Minor as the site wide emissions for all criteria pollutants are below the threshold for major sources for the Philadelphia Metropolitan Area. The plan approval will contain requirements to keep the facility operating within all applicable air quality requirements for this source. Application received: May 31, 2022. Issued: September 22, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

04-00468E: S.H. Bell Company, 2217 Michigan Avenue, East Liverpool, OH 43920, Ohioville Borough, **Beaver County**. Plan Approval Extension issuance date effective September 19, 2022, to facilitate the shakedown of sources and air cleaning devices and to allow time to prepare for initial operating inspection of their mineral processing facility. Application received: August 19, 2022. Issued: September 19, 2022.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05142D: Mars Wrigley Confectionery US, LLC, 295 South Brown Street, Elizabethtown, PA 17022, Elizabethtown Borough, **Lancaster County**. For the construction of a new Jetzone # 3 roasting line and an allowable increase in VOC emissions of 9.37 tpy for the existing Jetzone # 1 roasting line at the chocolate manufacturing plant. The plan approval was extended. Application received: August 29, 2022. Issued: September 23, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.

23-0123: Aeroaggregates, LLC, 1500 Chester Pike, Eddystone, PA 19022-1338, Eddystone Borough, **Delaware County**. An extension for the operation of an existing natural gas-fired glass foaming tunnel kiln, an existing natural gas-fired fluidized bed dryer, and the installation of two (2) new natural gas-fired glass foaming tunnel kilns at an existing foamed glass aggregate production facility. Application received: August 23, 2022. Issued: September 23, 2022.

46-0036K: VV2750, LLC, 1 Belmont Avenue, Suite 520, Bala Cynwyd, PA 19004, Worcester Township, **Montgomery County**. An extension for an increase in the permitted operating hours for the four existing electric generating engines with the installation of an oxidation catalyst on each to reduce CO and VOC emissions at their facility. Application received: August 18, 2022. Issued: September 23, 2022.

Plan Approval(s) Denied, Terminated, Modified, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and the Provisions of 25 Pa. Code §§ 127.13b and 127.13c.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP13-49-00060A: Corson Asphalt Inc., 432 Quarry Road, Elysburg, PA 17824, Rapho Township, **Northumberland County**. Denied authorization to utilize the General Plan Approval and/or General Operating Permit for Hot Mix Asphalt Plants (BAQ-GPA/GP-13) for the reactivation of a Barber-Greene Model No. BE-82x175 batch mix asphalt plant rated at a maximum production

capacity of 300 tons per hour of asphalt. The Department has determined that the emissions from the reactivated plant are likely to exceed the Best Available Technology requirements and limitations established pursuant to 25 Pa. Code §§ 127.1 and 127.12 which are specified in Condition # 14(c) of GP-13. Application received: August 16, 2021. Denied: September 14, 2022.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05069: East Penn Manufacturing Co., Deka Road, P.O. Box 147, Lyon Station, PA 19536, Richmond Township, **Berks County**. For the lead-acid battery manufacturing and assembly facility. The Title V permit was renewed. Application received: March 26, 2021. Issued: September 20, 2022.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

34-03009: D&S Shavings, 504 Pine Grove Drive, Mifflintown, PA 17059-8070, Fermanagh Township, **Juniata County**. For the log shaving facility. The State-Only permit was renewed. Application received: March 10, 2022. Issued: September 19, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03021: Post Precision Castings, Inc., P.O. Box A, Strausstown, PA 19559-0100, Upper Tulpehocken Township, **Berks County**. For the metal casting facility. The State-Only permit was renewed. Application received: April 29, 2022. Issued: September 20, 2022.

36-03121: Intellicor, LLC, 330 Eden Road, Lancaster, PA 17601-4218, West Hempfield Township, **Lancaster County**. For the commercial journal printing facility. The State-Only permit was renewed. Application received: December 30, 2021. Issued: September 26, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00101: Esschem, Inc., 4000 Columbia Ave, Linwood, PA 19061, Lower Chichester Township, **Delaware County**. For a renewal of a State Only Operating Permit. Esschem, Inc. is a custom methacrylate-based polymer manufacturing and monomer blending facility. The primary pollutant of concern is volatile organic compounds (VOC) due to the materials that are used in the chemical processes and blending operations. All VOC emissions are controlled by a packed tower scrubber. Application received: February 3, 2021. Issued: September 20, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

63-00947: MarkWest Liberty Midstream and Resources LLC, 100 Oakleaf Road, Avella, PA 15312, Hopewell Township, **Washington County**. DEP issued an initial natural minor State-Only Operating Permit for the continued operation of the MarkWest Lowry natural gas compressor station. This facility is subject to the applicable requirements of 25 Pa. Code Chapters 121—145 and the applicable requirements of 40 CFR Part 60 Subpart JJJJ, 40 CFR Part 60 Subpart OOOO, and 40 CFR Part 63 Subparts ZZZZ and HH. The air quality Operating Permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, testing, reporting, and recordkeeping requirements for the site. Application received: October 14, 2020. Issued: September 20, 2022.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05167: AHF Products, LLC, 1067 Dillerville Road, Lancaster, PA 17603-2613, City of Lancaster, **Lancaster County**. For the flooring manufacturing facility. The State-Only permit was administratively amended to reflect a change of ownership. Application received: August 31, 2022. Issued: September 14, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief—Telephone: 484-250-5920.

23-00014: Kimberly-Clark Corporation, 1 Avenue of the States, Chester, PA 19013, City of Chester, **Delaware County**. In accordance with 25 Pa. Code § 127.450, Plan Approval 23-0014I has been incorporated into the Title V Operating Permit, for the operation of two (2) Cogeneration Units. The permit includes monitoring, recordkeeping, and reporting requirements designed to keep the facility within all applicable air quality requirements. Application received: August 17, 2022. Issued: September 23, 2022.

09-00117: Heubach, LTD, 99 Newbold Road, Fairless Hills, PA 19030, Falls Township, **Bucks County**. In accordance with 25 Pa. Code § 127.462, the permit was modified to clarify permitting language pertaining to the operation of the two (2) Mahle dust collectors of the Corrosive-Resistant Pigment Operation (Source ID 102), to require that the dust collectors be operated only when charging of the source is taking place and not during mixing operations. This modification does not result in any increase in emissions from the sources or control devices, nor does it change any existing limits in the permit. This modification does not represent any physical change or change in method of operation that has not already been previously approved by the Department. The modified State Only Operating Permit includes monitoring, recordkeeping, reporting, and work practice requirements designed to keep the facility operating within all

applicable air quality requirements. Application received: July 26, 2022. Issued: September 23, 2022.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05046: Columbia Gas Transmission Corp./Marietta, 1700 Maccorkle Ave SE, P.O. Box 1273, Charleston, WV 25314-1518, East Donegal Township, **Lancaster County**. For a de minimis emissions increase of 0.26 tpy VOC and 0.83 tpy VOC, respectively, resulting from blowdowns and launcher/receivers associated with the installation of a bi-directional barrel at the Marietta Compressor Station. These are the first and second de minimis emissions increases at the facility during the term of the current Operating Permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

04-00227: IPSCO Koppel Tubulars, LLC, 2225 Duss Avenue, Ambridge, PA 15003, Harmony Township, **Beaver County**. On September 23, 2022, received approval for a de minimis emissions increase of 0.83 ton of VOCs per year, pursuant to 25 Pa. Code § 127.449 resulting from the installation of a robotic marking station at its Ambridge Plant. The list of de minimis increases for this facility includes only this project.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 49170102. Reading Anthracite Company, P.O. Box 1200, Pottsville, PA 17901, East

Cameron and Mt. Carmel Townships, **Northumberland County**. Correction to authorize the application of biosolids for reclamation to an anthracite surface mine operation affecting 371.0 acres. Receiving stream: Locust Creek. Application received: December 7, 2021. Correction issued: September 27, 2022.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 37160303. NPDES No. PA0259713. Amerikohl Aggregates, Inc., 202 Sunset Drive, Butler, PA 16001, Wayne Township, **Lawrence County**. Renewal of NPDES No. PA0259713. Receiving stream: Unnamed tributaries to Connoquenessing Creek and unnamed tributaries to the Beaver River, classified for the following use: WWF. Application received: June 30, 2022. Issued: September 22, 2022.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

Mining Permit No. 08112802. NPDES No. PA0270008. Anthony Bennett, 3657 Old Stage Coach Road, Wyalusing, PA 18853, Warren Township, **Bradford County**. New NPDES permit associated with a small noncoal (industrial minerals) mining site affecting 7 acres. Receiving stream(s): UNT to Gaylord Creek classified for the following use(s): HQ-CWF, MF. Application received: March 11, 2022. Issued: September 20, 2022.

Mining Permit No. 14810401. NPDES No. PA0269735. Centre Lime & Stone Company, Inc., 711 E. College Avenue, Pleasant Gap, PA 16823, Spring Township, **Centre County**. Renewal of a NPDES permit associated with a small noncoal (industrial minerals) mining site affecting 173.8 acres. Receiving stream(s): Logan Branch classified for the following use(s): CWF. Application received: March 7, 2022. Issued: September 20, 2022.

Mining Permit No. 08222501. GP104 No. PAM222005. Northstar Leasing Inc., d/b/a Northstar Stone, Inc., P.O. Box 322, Meshoppen, PA 18630, Standing Stone Township, **Bradford County**. Commencement, operation, and restoration of a GP-105 (industrial minerals) operation affecting 10.0 acres. Receiving stream(s): King Creek Tributary to Susquehanna River classified for the following use(s): WWF, MF. Application received: March 30, 2022. Issued: September 22, 2022.

Mining Permit No. 08222802. GP104 No. PAM222004. Northstar Leasing, Inc., d/b/a Northstar Stone, Inc., P.O. Box 322, Meshoppen, PA 18630, Asylum Township, **Bradford County**. Commencement, operation, and restoration of a small noncoal (industrial minerals) operation affecting 5.0 acres. Receiving stream(s): Durell Creek Tributary to Susquehanna River classified for the following use(s): WWF, MF. Proposed blasting approved. Application received: February 24, 2022. Issued: September 22, 2022.

Mining Permit No. 08222801. GP104 No. PAM222003. Northstar Leasing, Inc., d/b/a Northstar Stone, Inc., P.O. Box 322, Meshoppen, PA 18630, Asylum Township, **Bradford County**. Commencement, operation, and restoration of a small noncoal (industrial minerals)

operation affecting 5.0 acres. Receiving stream(s): Durell Creek Tributary to Susquehanna River classified for the following use(s): WWF, MF. Proposed blasting approved. Application received: February 24, 2022. Issued: September 22, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, 724.925.5500 or RA-EP NEWSTANTON@pa.gov.

Permit No. 63224103. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141-2018, Buffalo Township, **Washington County**. Blasting activity permit for the construction of the Markwest Timberlake Commercial Development with an expiration date of December 31, 2023. Application received: September 20, 2022. Issued: September 20, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 48224107. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Lower Mount Bethel Township, **Northampton County**. Construction blasting for Demi Road Warehouse. Application received: September 19, 2022. Permit issued: September 23, 2022. Expiration date: September 12, 2023.

Permit No. 52224104. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Lackawaxen Township, **Pike County**. Construction blasting at 106 Wren Court. Application received: September 21, 2022. Issued: September 26, 2022. Expiration date: September 14, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of

publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: RA-EPREGIONALPERMIT@pa.gov.

E4083222-001. Pennsylvania Turnpike Commission, 700 S. Eisenhower Blvd, Middletown, PA 17057, Bear Creek Township, **Luzerne County**. U.S. Army Corps of Engineers Philadelphia District. Latitude: 41.198676°, Longitude: -75.793389°. Application received: February 2, 2022. Issued: September 21, 2022.

To construct and maintain the following water obstructions and encroachments associated with two bridge replacements, one carrying Laurel Run Road over the mainline turnpike, and the other carrying Wilkes-Barre Interchange Ramp AB over the mainline turnpike.

1. To excavate within the floodway of Tenmile Run (HQ-CWF, MF) (Channel 1) for grading associated with roadway construction, and to create a discharge channel from an 18-inch pipe and endwall, discharging stormwater from Laurel Run Road.

2. To remove the existing structure and to construct and maintain a 59-foot long, 36-inch RCP culvert carrying a tributary to Tenmile Run (HQ-CWF, MF) (Channel 3) under Laurel Run Road, with concrete repair work of the downstream channel and upstream headwall replacement.

3. To construct and maintain a stormwater outfall in the floodway of a tributary to Tenmile Run (HQ-CWF, MF) (Channel 2) consisting of an 18-inch diameter, CMP and riprap apron, discharging stormwater from Ramp AB of the Wilkes-Barre Interchange. The outfall will impact PEM/PSS/PFO wetlands (EV) (Wetland D).

4. To construct and maintain an outfall within PEM/PSS/PFO Wetland D (EV) consisting of an 18-inch diameter, CMP pipe and riprap apron, discharging stormwater from Ramp AB of the Wilkes-Barre Interchange.

5. To excavate within PEM/PSS/PFO wetlands (EV) (Wetland D) to create a discharge channel from a 24-inch, concrete pipe and riprap apron, discharging stormwater from I-476 Turnpike Mainline.

6. To excavate wetlands (Other) (Wetland I) within stormwater facility to regrade an existing stormwater channel (Channel 508) discharging stormwater from Ramp AB of the Wilkes-Barre Interchange.

In total the project will result in 0.01 acre of temporary and 0.01 acre of permanent stream impact, 0.18 acre of temporary and 0.40 acre of permanent floodway impact, and 0.07 acre of temporary and 0.05 acre of permanent wetland impact.

The project is located at Milepost A-105.11 and A-105.33 along the PA Turnpike (Wilkes-Barre East, PA Quadrangle) in Bear Creek Township, Luzerne County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@pa.gov.

E4502222-006. Cresco Realty, LLC, One Weiler Drive, Cresco, PA 18326, Barrett Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain the following obstructions and encroachments associated with the Weiler Pond maintenance project located on Cranberry Creek (EV, MF): 1. An intake structure encroaching 25-feet into the normal pool elevation of Weiler Pond (EV, MF) consisting of a 6-inch diameter perforated PVC pipe. 2. Removal of a submersible pump located within Weiler Pond (EV, MF). The pump station will be relocated outside of the normal pool elevation. 3. A utility line crossing consisting of dual 15-foot long, 2-inch diameter PVC water supply lines constructed 3-feet below Weiler Pond (EV, MF). 4. A utility line crossing consisting of a 13-foot long, 220V electrical service line within conduit constructed on the bottom of Weiler Pond (EV, MF). To maintain the following existing water obstructions and encroachments: two (2) riprap waterfall outfalls, two (2) intake structures encroaching into the normal pool elevation of the pond consisting of 6-inch perforated PVC pipes, one (1) dry hydrant intake structure encroaching into the pond consisting of a 6-inch perforated PVC pipe, one (1) dry hydrant intake structure encroaching into the pond consisting of a 12-inch steel pipe, a 4-foot wide by 20-foot long wooden footbridge, a utility line crossing consisting of dual 2-inch PVC water supply lines constructed 3-feet below Weiler Pond, four (4) electrical utility line crossings within conduit anchored to the bottom of the pond, one (1) pond aeration fountain in the middle of Weiler pond, and boulder shoreline stabilization along Weiler Pond. All features are impacts to Weiler Pond (EV, MF). The project is located on the right of PA-191 N. approximately 7.0 miles from the intersection of PA-940 and PA-191 in Barrett Township, Monroe County. Latitude: 41° 9' 26", Longitude: -75° 16' 47". Application received: June 2, 2022.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E1501222-003. PECO Energy Company, 2301 Market Street, N3-3, Philadelphia, PA 19103, Tredyffrin Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain approximately 305 LF of 6-inch plastic gas main in and along the assumed 100-year floodway of Crow Creek (WWF, MF) through open

trench. The existing 6-inch steel gas main will be abandoned and capped in place. The site is located along Croton Road and near the intersection of Knox and Kennedy Roads (Valley Forge, PA USGS Map) in Tredyffrin Township, Chester County. Latitude: 40.062672°, Longitude: -75.397937°. Application received: March 14, 2022. Issued: September 12, 2022.

E5101222-002. Philadelphia Parks & Recreation, 1515 Arch Street, 11th Floor, Philadelphia, PA 19102, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain a Welcome Center, including the installation of a patio, sidewalks, driveway, and an expansion of the existing bioswale for stormwater management, permanent floodplain impact (Meadow Lake, WWF). The facility is located in FDR Park at 3500 South Broad Street (Philadelphia, PA USGS Map) in the City and County of Philadelphia. Latitude: 39.90492°, Longitude: -75.177650°. Application received: March 10, 2022. Issued: August 30, 2022.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager, 412-442-4000.

E0205221-029. # 1 Chochran Automotive, 4520 William Penn Highway, Monroeville, PA 15146, Harrison Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: Place and maintain fill in approximately 0.19 acre of PEM Wetland (W001), for the purpose of constructing an expansion of

an existing warehouse and associated parking area. Mitigation will be provided through the purchase of wetland credits from an approved mitigation bank (Furnace Run Mitigation Bank). The project site is located at the intersection of State Route 908 and State Route 1039, on Acee Drive. Latitude: 40° 40' 5.56", Longitude: -79° 42' 40.61". Application received: September 26, 2022. Issued: September 22, 2022.

ENVIRONMENTAL ASSESSMENTS

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

EA0829222-003. Chesapeake Appalachia, LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567, Rome Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 25, 2022. Issued: September 27, 2022. This project seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. As previously referenced, Environmental Assessment for Waived Activities, (EAR) Application EA0829222-003 Chesapeake Appalachia, LLC (Chesapeake) has applied for an Environmental Assessment waiver 16—restoration to construct, operate and maintain 0.179 acre of temporary impacts to on-site wetlands. All impacts are associated with the Jacobs Bra Pad construction in 2010. There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 7,797 SF (0.179 acre) of temporary wetland impacts.

WETLAND IMPACT TABLE:

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
W-MAB-021-T	Rome Windham	Conversion/Workspace	PFO	None	102	3,528			41.878566° 76.346517°
W-MAB-023-T	Rome Windham	Conversion/Workspace	PFO	None	180	4,095			41.877604° 76.348099°
W-MAB-025-T	Rome Windham	Conversion/Workspace	PEM	None	9	174			41.878962° 76.347122°
TOTAL IMPACTS					291	7,797			

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of

practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 ESG295922014-00
Applicant Name Seneca Resources Co, LLC
Contact Person Benjamin Williams
Address 51 Zents Blvd
City, State, Zip Brookville, PA 15825
Township(s) Chatham Township
County Tioga County
Receiving Stream(s) and Classification(s) UNT to Crooked Creek (WWF)
Application received: August 19, 2022
Issued: September 20, 2022

ESCGP # 3 ESG290822023-00
Applicant Name Chesapeake Appalachia, LLC
Contact Person Eric Haskins
Address 14 Chesapeake Lane
City, State, Zip Sayre, PA 18840
Township(s) Rome Township
County Bradford County
Receiving Stream(s) and Classification(s) Dry Run (CWF, MF), S-SLH-018/UNT to Dry Run (CWF, MF), S-SLH-017 (CWF, MF)
Application received: June 24, 2022
Issued: September 27, 2022

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Katelyn Hogue, Clerical Supervisor 2, (814-332-6860).

ESCGP # 3 ESG080322005-00
Applicant Name Laurel Mountain Production
Contact Person Weinreich Matthew
Address 1 McMurray Road, Suite 300
City, State, Zip Pittsburgh, PA 15241-1633
Township(s) Perry Township, Parker City, and Parker Township
County Armstrong County and Butler County
Receiving Stream(s) and Classification(s) North Branch Bear Creek CWF
Application received: July 22, 2022
Issued: September 21, 2022

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The Following Storage Tank Site-Specific Installation Permit(s), Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and Under 25 Pa. Code Chapter 245, Subchapter C, Have Been Issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Application No. 22-17-009
Applicant Name Midland Asphalt Materials, Inc.
Address 88 Barrett Rd.
City, State, Zip Woodland, PA 16881
County Clearfield County
Municipality Bradford Township
Tank Type One AST storing asphalt emulsion
Tank Capacity 40,000 gallons
Application Received August 18, 2022
Permit Issued September 27, 2022

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101–6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Turkey Hill Mini Market 114, Storage Tank Facility ID # **48-41707**, 4205 Lehigh Drive, Cherryville, PA 18035, Lehigh Township, **Northampton County**. August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428 on behalf of Turkey Hill Minit Markets, LLC, 165 Flanders Road, Westborough, MA 01581 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

FC HAAB Schuylkill Term, Storage Tank Facility ID # **51-02454**, 1701 Schuylkill Ave., Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. Stantec

Consulting Services Inc., 1060 Andrew Drive, Suite 140, West Chester, DE 19380 on behalf of F.C. Haab Energy Services, 225 East City Avenue, Suite 105, Bala Cynwyd, PA 19004 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Bergeys Fuel CTR, Storage Tank Facility ID # **46-11173**, 436 Harleysville Pike, Souderton, PA 18964, Franconia Township, **Montgomery County**. Penn's Trail Environmental, LLC, 21 East Lincoln Avenue, Suite 160, Hatfield, PA 19440 on behalf of Bergey's Realty Co., 446 Harleysville Pike, Souderton, PA 18974 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting residential Statewide health standards.

LUKOIL 69210, Storage Tank Facility ID # **23-42596**, 729 Highland Avenue, Chester, PA 19013, City of Chester, **Delaware County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2/A3, Ambler, PA 19002, on behalf of Lukoil North America LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health and site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Sunoco # 0002-4190, Storage Tank Facility ID # **02-32312**, 1721 Banksville Road, Pittsburgh, PA 15216, City of Pittsburgh, **Allegheny County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 16365, on behalf of Sunoco, Inc., 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, xylenes, MBTE, cumene, and naphthalene. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Chevron # 203876, Storage Tank Facility ID # **65-82885**, 11540 Route 30, North Huntingdon, PA 15642, North Huntingdon Township, **Westmoreland County**. Arcadis U.S., Inc., 6041 Wallace Road Ext., Suite 300, Wexford, PA 15090, on behalf of Chevron Environmental Management Company, 1400 Smith Street, Houston, TX 77002 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with BTEX, MBTE, cumene, naphthalene, 1,2,4-TMB, 1,3,5-TMB, EDB, EDC, and lead. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104.

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Sunoco 80010510 05662408, Storage Tank Facility ID # **15-38409**, 950 Common Drive, Parkesburg, PA 19365, Parkesburg Borough, **Chester County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and diesel fuel. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on September 19, 2022.

Amar Energy, Storage Tank Facility ID # **09-20649**, 188 State Rd., Bensalem, PA 19020, Bensalem Township, **Bucks County**. August Mack Environmental, 806 Fayette Street, Conshohocken, PA 19428, on behalf of Tioga Fuels, 188 State Rd., Bensalem, PA 19020 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan nonresidential was acceptable to meet the Statewide health and site-specific standards and was approved by DEP on September 15, 2022.

US Capital Investments 6, Storage Tank Facility ID # **51-55064**, 512 W. Montgomery Avenue, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Environmental Maintenance Company, 1420 E. Mermaid Lane, Glenside, PA 19038, on behalf of US Capital

Investments Inc., 2301 Washington Avenue, Suite 111, Philadelphia, PA 19146 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline and heating oil. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on September 19, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Happy Mart, Storage Tank Facility ID # **02-06684**, 1100 Penn Avenue, Wilkinsburg, PA 15221, Wilkinsburg Borough, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of S&D Oil, Inc., 1100 Penn Avenue, Wilkinsburg, PA 15221 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was acceptable to meet the Statewide health standards and was approved by DEP on September 21, 2022.

Save N Go, Storage Tank Facility ID # **02-81607**, 5610 William Flynn Highway, Gibsonia, PA 15044, Richland Township, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Jasbir Bhargal, 5610 William Flynn Highway, Gibsonia, PA 15044 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report nonresidential was acceptable to meet the Statewide health standards and was approved by DEP on September 26, 2022.

[Pa.B. Doc. No. 22-1544. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Small Business Advantage Grant Program

The Department of Environmental Protection (Department) announces the availability of up to \$1 million in grant funding for the 19th year of the Commonwealth's Small Business Advantage Grant Program (Program). The Program assists small businesses undertaking energy efficiency, pollution prevention or natural resource conservation projects. With nearly 1 million small businesses in this Commonwealth, well-designed projects can help small businesses cut operating costs and grow the Commonwealth's economy, while simultaneously protecting the environment.

The Program is a first-come, first-served grant program that provides matching grants, ranging from a maximum of 50% or \$5,000, up to 80% or \$8,000, whichever is less. Maximum funding will vary based on project location and environmental impact. Eligible projects must save the small business a minimum of \$500 per year and at least 20% in annual energy consumption or pollution-related expenses.

Natural resource protection projects are exempt from the minimum savings requirements; however, projects must provide enough information to allow quantification of the sediment and nutrient diversion from the directly related receiving waterway to be eligible.

To be eligible, the applicant's business must be Commonwealth-based, be registered to do business in the Commonwealth, and be a for-profit small business with 100 or fewer full-time equivalent (FTE) employees. The applicable grant project must be undertaken in or on a facility located in this Commonwealth. Applicants may not have current environmental violations or obligations due to the Commonwealth.

Grants will be offered on a first-come, first-served basis in the order in which they are received, until March 24, 2023, or when funds are depleted, whichever occurs first.

The Program guidelines, required forms and application instructions are available on the Department's web site at www.dep.pa.gov (select "Residents," then "Grants, Loans and Rebates," then under the Businesses headline "Small Business Advantage Grant—for energy efficiency, pollution prevention, or natural resource protection efforts," then "Small Business Advantage Grant program").

Applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us/Login.aspx. Hardcopy applications will not be accepted. The Department will begin accepting applications on October 8, 2022. Applications must be received by 11:59 p.m. on Friday, March 24, 2023.

For applicants who are deaf, hard of hearing, deaf-blind or have a speech disorder, the Pennsylvania Hamilton Relay Service is available by calling (800) 654-5984 (TTD users) or (800) 654-5988 (voice users), and request that the call be relayed to Samantha Harmon at (717) 783-0909.

ATTENTION: If you speak another language other than English, language assistance services can be made available to you. Call (717) 783-0909.

ATENCIÓN: Si habla otro idioma que no sea el inglés, los servicios de asistencia lingüística pueden estar disponibles para usted. Llame al (717) 783-0909.

ACHTUNG: Wenn Sie eine andere Sprache als Englisch sprechen, können Ihnen Sprachunterstützungsdienste zur Verfügung gestellt werden. Rufen Sie (717) 783-0909 an.

注意：如果您说英语以外的其他语言，可以为您提供语言帮助服务。请致电 717.783.0909。

주의: 영어 이외의 다른 언어를 사용하는 경우 언어 지원 서비스를 이용할 수 있습니다. 전화 717.783.0909.

ध्यान दें: यदि आप अंग्रेजी के अलावा अन्य भाषा बोलते हैं, तो भाषा सहायता सेवाएं आपको उपलब्ध कराई जा सकती हैं। 717.783.0909 पर कॉल करें।

For further information, contact the Small Business Ombudsman Office by e-mail at RA-epAdvantageGrant@pa.gov or by telephone at (717) 783-9640.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1545. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Co-payments for the Subsidized Child Care Program

This notice expands co-payments codified at 55 Pa. Code Chapter 3041, Appendix B (relating to co-payment chart family co-payment scale (based on the 2022 Federal Poverty Income Guidelines)) under 55 Pa. Code § 3041.107(b) (relating to availability and use of the Federal Poverty Income Guidelines). Chapter 3041, Appendix B of 55 Pa. Code establishes the family co-payment levels according to the family's computed annual income and lists the weekly family co-payment based on the annual family income. This change is effective September 12, 2022.

Under section 408.3(b) of the Human Services Code (62 P.S. § 408.3(b)), the co-payment schedule is adjusted by notice published in the *Pennsylvania Bulletin*. Effective September 12, 2022, co-payments will be expanded to include families whose income is between 235% in the Federal Poverty Income Guidelines (FPIG) and 300% FPIG. Families with income between 235% FPIG and 300% FPIG will pay 7% to 12% of their income. The initiative will not change any family's co-payment if their income is 235% FPIG or less, who pay 3% to 7% of their income.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1538. (1) General Fund; (2) Implementing Year 2022-23 is \$25,000,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$156,482,000; 2020-21 Program—\$156,482,000; 2019-20 Program—\$156,332,000; (7) Child Care Services; (8) recommends adoption. Funds have been included in the budget to cover this increase.

CO-PAYMENT CHART

FAMILY CO-PAYMENT SCALE EFFECTIVE SEPTEMBER 12, 2022

Weekly Co-pay	Family Size: Annual Income	1	Weekly Co-pay	Family Size: Annual Income	2	Weekly Co-pay	Family Size: Annual Income	3
\$5	\$0.00	\$7,186	\$5	\$0.00	\$7,530	\$5	\$0.00	\$8,118
\$6	\$7,186.01	\$7,984	\$6	\$7,530.01	\$8,606	\$6	\$8,118.01	\$9,471
\$6	\$7,984.01	\$8,783	\$7	\$8,606.01	\$9,681	\$7	\$9,471.01	\$10,824
\$7	\$8,783.01	\$9,581	\$8	\$9,681.01	\$10,757	\$8	\$10,824.01	\$12,177
\$8	\$9,581.01	\$10,379	\$9	\$10,757.01	\$11,833	\$10	\$12,177.01	\$13,530
\$9	\$10,379.01	\$11,178	\$10	\$11,833.01	\$12,909	\$11	\$13,530.01	\$14,883
\$10	\$11,178.01	\$11,976	\$11	\$12,909.01	\$13,984	\$12	\$14,883.01	\$16,236
\$11	\$11,976.01	\$12,775	\$12	\$13,984.01	\$15,060	\$14	\$16,236.01	\$17,589
\$12	\$12,775.01	\$13,573	\$13	\$15,060.01	\$16,136	\$15	\$17,589.01	\$18,942
\$13	\$13,573.01	\$14,371	\$15	\$16,136.01	\$17,211	\$17	\$18,942.01	\$20,295
\$14	\$14,371.01	\$15,170	\$16	\$17,211.01	\$18,287	\$19	\$20,295.01	\$21,648
\$15	\$15,170.01	\$15,968	\$18	\$18,287.01	\$19,363	\$20	\$21,648.01	\$23,001
\$16	\$15,968.01	\$16,767	\$19	\$19,363.01	\$20,439	\$22	\$23,001.01	\$24,354
\$17	\$16,767.01	\$17,565	\$20	\$20,439.01	\$21,514	\$24	\$24,354.01	\$25,707
\$18	\$17,565.01	\$18,363	\$22	\$21,514.01	\$22,590	\$26	\$25,707.01	\$27,060
\$20	\$18,363.01	\$19,162	\$23	\$22,590.01	\$23,666	\$27	\$27,060.01	\$28,413
\$21	\$19,162.01	\$19,960	\$25	\$23,666.01	\$24,741	\$29	\$28,413.01	\$29,766
\$22	\$19,960.01	\$20,759	\$26	\$24,741.01	\$25,817	\$31	\$29,766.01	\$31,119
\$23	\$20,759.01	\$21,557	\$28	\$25,817.01	\$26,893	\$33	\$31,119.01	\$32,472
\$24	\$21,557.01	\$22,356	\$30	\$26,893.01	\$27,969	\$35	\$32,472.01	\$33,825
\$26	\$22,356.01	\$23,154	\$31	\$27,969.01	\$29,044	\$37	\$33,825.01	\$35,178
\$27	\$23,154.01	\$23,952	\$33	\$29,044.01	\$30,120	\$39	\$35,178.01	\$36,531
\$28	\$23,952.01	\$24,751	\$35	\$30,120.01	\$31,196	\$42	\$36,531.01	\$37,884
\$30	\$24,751.01	\$25,549	\$37	\$31,196.01	\$32,271	\$44	\$37,884.01	\$39,237
\$31	\$25,549.01	\$26,348	\$38	\$32,271.01	\$33,347	\$46	\$39,237.01	\$40,590
\$33	\$26,348.01	\$27,146	\$40	\$33,347.01	\$34,423	\$48	\$40,590.01	\$41,943
\$34	\$27,146.01	\$27,944	\$42	\$34,423.01	\$35,499	\$51	\$41,943.01	\$43,296
\$36	\$27,944.01	\$28,743	\$44	\$35,499.01	\$36,574	\$53	\$43,296.01	\$44,649
\$37	\$28,743.01	\$29,541	\$46	\$36,574.01	\$37,650	\$55	\$44,649.01	\$46,002
\$39	\$29,541.01	\$30,340	\$48	\$37,650.01	\$38,726	\$58	\$46,002.01	\$47,355

<i>Weekly Co-pay</i>	<i>Family Size: 1 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 2 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 3 Annual Income</i>	
\$40	\$30,340.01	\$31,138	\$50	\$38,726.01	\$39,801	\$60	\$47,355.01	\$48,708
\$42	\$31,138.01	\$31,937	\$52	\$39,801.01	\$40,877	\$63	\$48,708.01	\$50,061
\$44	\$31,937.01	\$32,379	\$54	\$40,877.01	\$41,953	\$66	\$50,061.01	\$51,414
\$46	\$32,379.01	\$32,820	\$56	\$41,953.01	\$43,029	\$68	\$51,414.01	\$52,767
\$48	\$32,820.01	\$33,262	\$59	\$43,029.01	\$43,624	\$71	\$52,767.01	\$54,121
\$50	\$33,262.01	\$33,704	\$62	\$43,624.01	\$44,219	\$74	\$54,121.01	\$54,869
\$53	\$33,704.01	\$34,145	\$65	\$44,219.01	\$44,814	\$78	\$54,869.01	\$55,618
\$55	\$34,145.01	\$34,587	\$68	\$44,814.01	\$45,409	\$81	\$55,618.01	\$56,366
\$58	\$34,587.01	\$35,029	\$71	\$45,409.01	\$46,004	\$85	\$56,366.01	\$57,115
\$60	\$35,029.01	\$35,470	\$74	\$46,004.01	\$46,599	\$89	\$57,115.01	\$57,863
\$63	\$35,470.01	\$35,912	\$77	\$46,599.01	\$47,194	\$93	\$57,863.01	\$58,612
\$65	\$35,912.01	\$36,354	\$81	\$47,194.01	\$47,790	\$97	\$58,612.01	\$59,360
\$68	\$36,354.01	\$36,795	\$84	\$47,790.01	\$48,385	\$102	\$59,360.01	\$60,109
\$70	\$36,795.01	\$37,237	\$88	\$48,385.01	\$48,980	\$106	\$60,109.01	\$60,857
\$73	\$37,237.01	\$37,679	\$91	\$48,980.01	\$49,575	\$110	\$60,857.01	\$61,606
\$76	\$37,679.01	\$38,120	\$95	\$49,575.01	\$50,170	\$115	\$61,606.01	\$62,354
\$79	\$38,120.01	\$38,562	\$98	\$50,170.01	\$50,765	\$119	\$62,354.01	\$63,103
\$81	\$38,562.01	\$39,004	\$102	\$50,765.01	\$51,360	\$124	\$63,103.01	\$63,851
\$84	\$39,004.01	\$39,445	\$106	\$51,360.01	\$51,955	\$128	\$63,851.01	\$64,600
\$87	\$39,445.01	\$39,887	\$110	\$51,955.01	\$52,550	\$133	\$64,600.01	\$65,348
\$90	\$39,887.01	\$40,329	\$113	\$52,550.01	\$53,145	\$138	\$65,348.01	\$66,096
\$93	\$40,329.01	\$40,770	\$117	\$53,145.01	\$53,740	\$143	\$66,096.01	\$66,845
	200% FPIG	\$27,180	\$121	\$53,740.01	\$54,335	\$148	\$66,845.01	\$67,593
			\$125	\$54,335.01	\$54,930	\$153	\$67,593.01	\$68,342
				200% FPIG	\$36,620	\$158	\$68,342.01	\$69,090
							200% FPIG	\$46,060

<i>Weekly Co-pay</i>	<i>Family Size: 4 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 5 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 6 Annual Income</i>	
\$5	\$0.00	\$8,152	\$5	\$0.00	\$9,538	\$5	\$0.00	\$8,740
\$6	\$8,152.01	\$9,782	\$7	\$9,538.01	\$11,446	\$6	\$8,740.01	\$10,925
\$7	\$9,782.01	\$11,412	\$8	\$11,446.01	\$13,353	\$8	\$10,925.01	\$13,109
\$8	\$11,412.01	\$13,043	\$10	\$13,353.01	\$15,261	\$9	\$13,109.01	\$15,294
\$10	\$13,043.01	\$14,673	\$12	\$15,261.01	\$17,169	\$11	\$15,294.01	\$17,479
\$11	\$14,673.01	\$16,303	\$13	\$17,169.01	\$19,076	\$13	\$17,479.01	\$19,664
\$13	\$16,303.01	\$17,933	\$15	\$19,076.01	\$20,984	\$15	\$19,664.01	\$21,849
\$15	\$17,933.01	\$19,564	\$17	\$20,984.01	\$22,891	\$18	\$21,849.01	\$24,034
\$17	\$19,564.01	\$21,194	\$19	\$22,891.01	\$24,799	\$20	\$24,034.01	\$26,219
\$18	\$21,194.01	\$22,824	\$22	\$24,799.01	\$26,707	\$22	\$26,219.01	\$28,404
\$20	\$22,824.01	\$24,455	\$24	\$26,707.01	\$28,614	\$25	\$28,404.01	\$30,589
\$22	\$24,455.01	\$26,085	\$26	\$28,614.01	\$30,522	\$27	\$30,589.01	\$32,774
\$24	\$26,085.01	\$27,715	\$29	\$30,522.01	\$32,429	\$30	\$32,774.01	\$34,959
\$27	\$27,715.01	\$29,346	\$31	\$32,429.01	\$34,337	\$33	\$34,959.01	\$37,144
\$29	\$29,346.01	\$30,976	\$34	\$34,337.01	\$36,245	\$36	\$37,144.01	\$39,328
\$31	\$30,976.01	\$32,606	\$36	\$36,245.01	\$38,152	\$39	\$39,328.01	\$41,513
\$33	\$32,606.01	\$34,237	\$39	\$38,152.01	\$40,060	\$41	\$41,513.01	\$43,698
\$35	\$34,237.01	\$35,867	\$41	\$40,060.01	\$41,967	\$44	\$43,698.01	\$45,883

NOTICES

6427

<i>Weekly Co-pay</i>	<i>Family Size: 4 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 5 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 6 Annual Income</i>	
\$38	\$35,867.01	\$37,497	\$44	\$41,967.01	\$43,875	\$47	\$45,883.01	\$48,068
\$40	\$37,497.01	\$39,128	\$47	\$43,875.01	\$45,783	\$50	\$48,068.01	\$50,253
\$42	\$39,128.01	\$40,758	\$50	\$45,783.01	\$47,690	\$54	\$50,253.01	\$52,438
\$45	\$40,758.01	\$42,388	\$53	\$47,690.01	\$49,598	\$57	\$52,438.01	\$54,623
\$47	\$42,388.01	\$44,018	\$55	\$49,598.01	\$51,506	\$60	\$54,623.01	\$56,808
\$50	\$44,018.01	\$45,649	\$59	\$51,506.01	\$53,413	\$64	\$56,808.01	\$58,993
\$53	\$45,649.01	\$47,279	\$62	\$53,413.01	\$55,321	\$67	\$58,993.01	\$61,178
\$55	\$47,279.01	\$48,909	\$65	\$55,321.01	\$57,228	\$71	\$61,178.01	\$63,362
\$58	\$48,909.01	\$50,540	\$68	\$57,228.01	\$59,136	\$74	\$63,362.01	\$65,547
\$61	\$50,540.01	\$52,170	\$71	\$59,136.01	\$61,044	\$78	\$65,547.01	\$67,732
\$64	\$52,170.01	\$53,800	\$75	\$61,044.01	\$62,951	\$82	\$67,732.01	\$69,917
\$67	\$53,800.01	\$55,431	\$78	\$62,951.01	\$64,859	\$86	\$69,917.01	\$72,102
\$70	\$55,431.01	\$57,061	\$82	\$64,859.01	\$66,766	\$89	\$72,102.01	\$74,287
\$73	\$57,061.01	\$58,691	\$85	\$66,766.01	\$68,674	\$94	\$74,287.01	\$76,472
\$76	\$58,691.01	\$60,322	\$89	\$68,674.01	\$70,582	\$98	\$76,472.01	\$78,657
\$79	\$60,322.01	\$61,952	\$93	\$70,582.01	\$72,489	\$102	\$78,657.01	\$80,842
\$82	\$61,952.01	\$63,582	\$96	\$72,489.01	\$74,397	\$106	\$80,842.01	\$83,027
\$86	\$63,582.01	\$65,213	\$100	\$74,397.01	\$76,305	\$110	\$83,027.01	\$85,212
\$89	\$65,213.01	\$66,115	\$104	\$76,305.01	\$77,360	\$115	\$85,212.01	\$87,397
\$94	\$66,115.01	\$67,017	\$109	\$77,360.01	\$78,416	\$119	\$87,397.01	\$88,606
\$98	\$67,017.01	\$67,919	\$115	\$78,416.01	\$79,471	\$125	\$88,606.01	\$89,814
\$103	\$67,919.01	\$68,820	\$120	\$79,471.01	\$80,526	\$132	\$89,814.01	\$91,023
\$108	\$68,820.01	\$69,722	\$126	\$80,526.01	\$81,581	\$138	\$91,023.01	\$92,232
\$112	\$69,722.01	\$70,624	\$132	\$81,581.01	\$82,637	\$144	\$92,232.01	\$93,440
\$117	\$70,624.01	\$71,526	\$137	\$82,637.01	\$83,692	\$151	\$93,440.01	\$94,649
\$122	\$71,526.01	\$72,428	\$143	\$83,692.01	\$84,747	\$157	\$94,649.01	\$95,858
\$128	\$72,428.01	\$73,330	\$149	\$84,747.01	\$85,802	\$164	\$95,858.01	\$97,066
\$133	\$73,330.01	\$74,232	\$155	\$85,802.01	\$86,858	\$171	\$97,066.01	\$98,275
\$138	\$74,232.01	\$75,134	\$162	\$86,858.01	\$87,913	\$178	\$98,275.01	\$99,484
\$144	\$75,134.01	\$76,035	\$168	\$87,913.01	\$88,968	\$185	\$99,484.01	\$100,692
\$149	\$76,035.01	\$76,937	\$174	\$88,968.01	\$90,023	\$192	\$100,692.01	\$101,901
\$155	\$76,937.01	\$77,839	\$181	\$90,023.01	\$91,079	\$200	\$101,901.01	\$103,110
\$160	\$77,839.01	\$78,741	\$188	\$91,079.01	\$92,134	\$207	\$103,110.01	\$104,318
\$166	\$78,741.01	\$79,643	\$194	\$92,134.01	\$93,189	\$215	\$104,318.01	\$105,527
\$172	\$79,643.01	\$80,545	\$201	\$93,189.01	\$94,244	\$223	\$105,527.01	\$106,736
\$178	\$80,545.01	\$81,447	\$208	\$94,244.01	\$95,300	\$230	\$106,736.01	\$107,944
\$184	\$81,447.01	\$82,348	\$215	\$95,300.01	\$96,355	\$238	\$107,944.01	\$109,153
\$190	\$82,348.01	\$83,250	\$222	\$96,355.01	\$97,410	\$246	\$109,153.01	\$110,361
	200% FPIG	\$55,500		200% FPIG	\$64,940	\$255	\$110,361.01	\$111,570
							200% FPIG	\$74,380

<i>Weekly Co-pay</i>	<i>Family Size: 7 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 8 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 9 Annual Income</i>	
\$5	\$0.00	\$9,849	\$5	\$0.00	\$10,958	\$5	\$0.00	\$9,050
\$7	\$9,849.01	\$12,311	\$7	\$10,958.01	\$13,698	\$6	\$9,050.01	\$12,067
\$8	\$12,311.01	\$14,773	\$9	\$13,698.01	\$16,437	\$8	\$12,067.01	\$15,084
\$11	\$14,773.01	\$17,235	\$12	\$16,437.01	\$19,177	\$10	\$15,084.01	\$18,101

<i>Weekly Co-pay</i>	<i>Family Size: 7 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 8 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 9 Annual Income</i>	
\$13	\$17,235.01	\$19,698	\$14	\$19,177.01	\$21,916	\$13	\$18,101.01	\$21,118
\$15	\$19,698.01	\$22,160	\$17	\$21,916.01	\$24,656	\$16	\$21,118.01	\$24,135
\$17	\$22,160.01	\$24,622	\$19	\$24,656.01	\$27,395	\$18	\$24,135.01	\$27,151
\$20	\$24,622.01	\$27,084	\$22	\$27,395.01	\$30,135	\$21	\$27,151.01	\$30,168
\$22	\$27,084.01	\$29,547	\$25	\$30,135.01	\$32,874	\$24	\$30,168.01	\$33,185
\$25	\$29,547.01	\$32,009	\$28	\$32,874.01	\$35,614	\$27	\$33,185.01	\$36,202
\$28	\$32,009.01	\$34,471	\$31	\$35,614.01	\$38,353	\$31	\$36,202.01	\$39,219
\$31	\$34,471.01	\$36,933	\$34	\$38,353.01	\$41,093	\$34	\$39,219.01	\$42,235
\$34	\$36,933.01	\$39,395	\$38	\$41,093.01	\$43,832	\$38	\$42,235.01	\$45,252
\$37	\$39,395.01	\$41,858	\$41	\$43,832.01	\$46,572	\$41	\$45,252.01	\$48,269
\$40	\$41,858.01	\$44,320	\$45	\$46,572.01	\$49,311	\$45	\$48,269.01	\$51,286
\$43	\$44,320.01	\$46,782	\$48	\$49,311.01	\$52,051	\$49	\$51,286.01	\$54,303
\$47	\$46,782.01	\$49,244	\$52	\$52,051.01	\$54,790	\$53	\$54,303.01	\$57,319
\$50	\$49,244.01	\$51,706	\$56	\$54,790.01	\$57,530	\$57	\$57,319.01	\$60,336
\$53	\$51,706.01	\$54,169	\$59	\$57,530.01	\$60,269	\$61	\$60,336.01	\$63,353
\$57	\$54,169.01	\$56,631	\$63	\$60,269.01	\$63,009	\$65	\$63,353.01	\$66,370
\$60	\$56,631.01	\$59,093	\$67	\$63,009.01	\$65,748	\$70	\$66,370.01	\$69,387
\$64	\$59,093.01	\$61,555	\$71	\$65,748.01	\$68,488	\$74	\$69,387.01	\$72,404
\$68	\$61,555.01	\$64,018	\$75	\$68,488.01	\$71,227	\$78	\$72,404.01	\$75,420
\$72	\$64,018.01	\$66,480	\$80	\$71,227.01	\$73,967	\$83	\$75,420.01	\$78,437
\$76	\$66,480.01	\$68,942	\$84	\$73,967.01	\$76,706	\$88	\$78,437.01	\$81,454
\$80	\$68,942.01	\$71,404	\$89	\$76,706.01	\$79,446	\$93	\$81,454.01	\$84,471
\$84	\$71,404.01	\$73,866	\$93	\$79,446.01	\$82,185	\$97	\$84,471.01	\$87,488
\$88	\$73,866.01	\$76,329	\$98	\$82,185.01	\$84,925	\$102	\$87,488.01	\$90,504
\$92	\$76,329.01	\$78,791	\$102	\$84,925.01	\$87,664	\$108	\$90,504.01	\$93,521
\$96	\$78,791.01	\$81,253	\$107	\$87,664.01	\$90,404	\$113	\$93,521.01	\$96,538
\$101	\$81,253.01	\$83,715	\$112	\$90,404.01	\$93,143	\$118	\$96,538.01	\$99,555
\$105	\$83,715.01	\$86,177	\$117	\$93,143.01	\$95,883	\$124	\$99,555.01	\$102,572
\$110	\$86,177.01	\$88,640	\$122	\$95,883.01	\$98,622	\$129	\$102,572.01	\$105,588
\$115	\$88,640.01	\$91,102	\$128	\$98,622.01	\$101,362	\$135	\$105,588.01	\$108,605
\$119	\$91,102.01	\$93,564	\$133	\$101,362.01	\$104,101	\$141	\$108,605.01	\$111,622
\$124	\$93,564.01	\$96,026	\$138	\$104,101.01	\$106,841	\$146	\$111,622.01	\$114,639
\$129	\$96,026.01	\$98,488	\$144	\$106,841.01	\$109,581	\$152	\$114,639.01	\$117,656
\$134	\$98,488.01	\$99,850	\$150	\$109,581.01	\$111,096	\$158	\$117,656.01	\$120,673
\$141	\$99,850.01	\$101,212	\$157	\$111,096.01	\$112,612	\$165	\$120,673.01	\$122,342
\$148	\$101,212.01	\$102,574	\$165	\$112,612.01	\$114,127	\$173	\$122,342.01	\$124,011
\$155	\$102,574.01	\$103,936	\$173	\$114,127.01	\$115,643	\$182	\$124,011.01	\$125,680
\$163	\$103,936.01	\$105,299	\$181	\$115,643.01	\$117,158	\$190	\$125,680.01	\$127,348
\$170	\$105,299.01	\$106,661	\$189	\$117,158.01	\$118,674	\$199	\$127,348.01	\$129,017
\$177	\$106,661.01	\$108,023	\$197	\$118,674.01	\$120,189	\$208	\$129,017.01	\$130,686
\$185	\$108,023.01	\$109,385	\$206	\$120,189.01	\$121,705	\$217	\$130,686.01	\$132,355
\$193	\$109,385.01	\$110,747	\$214	\$121,705.01	\$123,220	\$227	\$132,355.01	\$134,024
\$201	\$110,747.01	\$112,109	\$223	\$123,220.01	\$124,736	\$236	\$134,024.01	\$135,693
\$209	\$112,109.01	\$113,471	\$232	\$124,736.01	\$126,251	\$246	\$135,693.01	\$137,361
\$217	\$113,471.01	\$114,833	\$241	\$126,251.01	\$127,766	\$256	\$137,361.01	\$139,030
\$225	\$114,833.01	\$116,195	\$250	\$127,766.01	\$129,282	\$266	\$139,030.01	\$140,699
\$234	\$116,195.01	\$117,557	\$260	\$129,282.01	\$130,797	\$276	\$140,699.01	\$142,368

<i>Weekly Co-pay</i>	<i>Family Size: 7 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 8 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 9 Annual Income</i>	
\$242	\$117,557.01	\$118,920	\$269	\$130,797.01	\$132,313	\$286	\$142,368.01	\$144,037
\$251	\$118,920.01	\$120,282	\$279	\$132,313.01	\$133,828	\$297	\$144,037.01	\$145,706
\$260	\$120,282.01	\$121,644	\$289	\$133,828.01	\$135,344	\$307	\$145,706.01	\$147,375
\$269	\$121,644.01	\$123,006	\$299	\$135,344.01	\$136,859	\$318	\$147,375.01	\$149,043
\$278	\$123,006.01	\$124,368	\$309	\$136,859.01	\$138,375	\$329	\$149,043.01	\$150,712
\$287	\$124,368.01	\$125,730	\$319	\$138,375.01	\$139,890	\$340	\$150,712.01	\$152,381
	200% FPIG	\$83,820		200% FPIG	\$93,260	\$352	\$152,381.01	\$154,050
							200% FPIG	\$102,700

<i>Weekly Co-pay</i>	<i>Family Size: 10 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 11 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 12 Annual Income</i>	
\$5	\$0.00	\$9,882	\$5	\$0.00	\$10,714	\$5	\$0.00	\$11,546
\$6	\$9,882.01	\$13,176	\$7	\$10,714.01	\$14,286	\$7	\$11,546.01	\$15,395
\$9	\$13,176.01	\$16,471	\$10	\$14,286.01	\$17,857	\$10	\$15,395.01	\$19,244
\$11	\$16,471.01	\$19,765	\$12	\$17,857.01	\$21,428	\$13	\$19,244.01	\$23,092
\$14	\$19,765.01	\$23,059	\$15	\$21,428.01	\$25,000	\$16	\$23,092.01	\$26,941
\$17	\$23,059.01	\$26,353	\$18	\$25,000.01	\$28,571	\$20	\$26,941.01	\$30,790
\$20	\$26,353.01	\$29,647	\$22	\$28,571.01	\$32,143	\$23	\$30,790.01	\$34,638
\$23	\$29,647.01	\$32,941	\$25	\$32,143.01	\$35,714	\$27	\$34,638.01	\$38,487
\$26	\$32,941.01	\$36,235	\$29	\$35,714.01	\$39,286	\$31	\$38,487.01	\$42,336
\$30	\$36,235.01	\$39,529	\$32	\$39,286.01	\$42,857	\$35	\$42,336.01	\$46,185
\$34	\$39,529.01	\$42,823	\$36	\$42,857.01	\$46,428	\$39	\$46,185.01	\$50,033
\$37	\$42,823.01	\$46,118	\$40	\$46,428.01	\$50,000	\$44	\$50,033.01	\$53,882
\$41	\$46,118.01	\$49,412	\$45	\$50,000.01	\$53,571	\$48	\$53,882.01	\$57,731
\$45	\$49,412.01	\$52,706	\$49	\$53,571.01	\$57,143	\$53	\$57,731.01	\$61,579
\$49	\$52,706.01	\$56,000	\$54	\$57,143.01	\$60,714	\$58	\$61,579.01	\$65,428
\$54	\$56,000.01	\$59,294	\$58	\$60,714.01	\$64,285	\$63	\$65,428.01	\$69,277
\$58	\$59,294.01	\$62,588	\$63	\$64,285.01	\$67,857	\$68	\$69,277.01	\$73,126
\$62	\$62,588.01	\$65,882	\$68	\$67,857.01	\$71,428	\$73	\$73,126.01	\$76,974
\$67	\$65,882.01	\$69,176	\$72	\$71,428.01	\$75,000	\$78	\$76,974.01	\$80,823
\$71	\$69,176.01	\$72,470	\$77	\$75,000.01	\$78,571	\$83	\$80,823.01	\$84,672
\$76	\$72,470.01	\$75,765	\$82	\$78,571.01	\$82,142	\$89	\$84,672.01	\$88,520
\$81	\$75,765.01	\$79,059	\$88	\$82,142.01	\$85,714	\$94	\$88,520.01	\$92,369
\$86	\$79,059.01	\$82,353	\$93	\$85,714.01	\$89,285	\$100	\$92,369.01	\$96,218
\$91	\$82,353.01	\$85,647	\$98	\$89,285.01	\$92,857	\$106	\$96,218.01	\$100,067
\$96	\$85,647.01	\$88,941	\$104	\$92,857.01	\$96,428	\$112	\$100,067.01	\$103,915
\$101	\$88,941.01	\$92,235	\$110	\$96,428.01	\$100,000	\$118	\$103,915.01	\$107,764
\$106	\$92,235.01	\$95,529	\$115	\$100,000.01	\$103,571	\$124	\$107,764.01	\$111,613
\$112	\$95,529.01	\$98,823	\$121	\$103,571.01	\$107,142	\$131	\$111,613.01	\$115,461
\$117	\$98,823.01	\$102,117	\$127	\$107,142.01	\$110,714	\$137	\$115,461.01	\$119,310
\$123	\$102,117.01	\$105,412	\$134	\$110,714.01	\$114,285	\$144	\$119,310.01	\$123,159
\$129	\$105,412.01	\$108,706	\$140	\$114,285.01	\$117,857	\$151	\$123,159.01	\$127,008
\$135	\$108,706.01	\$112,000	\$146	\$117,857.01	\$121,428	\$158	\$127,008.01	\$130,856
\$141	\$112,000.01	\$115,294	\$153	\$121,428.01	\$124,999	\$165	\$130,856.01	\$134,705
\$147	\$115,294.01	\$118,588	\$160	\$124,999.01	\$128,571	\$172	\$134,705.01	\$138,554
\$153	\$118,588.01	\$121,882	\$166	\$128,571.01	\$132,142	\$179	\$138,554.01	\$142,402
\$160	\$121,882.01	\$125,176	\$173	\$132,142.01	\$135,714	\$187	\$142,402.01	\$146,251

<i>Weekly Co-pay</i>	<i>Family Size: 10 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 11 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 12 Annual Income</i>	
\$166	\$125,176.01	\$128,470	\$180	\$135,714.01	\$139,285	\$194	\$146,251.01	\$150,100
\$173	\$128,470.01	\$131,765	\$187	\$139,285.01	\$142,857	\$202	\$150,100.01	\$153,949
\$180	\$131,765.01	\$133,587	\$195	\$142,857.01	\$144,833	\$210	\$153,949.01	\$156,078
\$189	\$133,587.01	\$135,409	\$205	\$144,833.01	\$146,808	\$221	\$156,078.01	\$158,207
\$198	\$135,409.01	\$137,232	\$215	\$146,808.01	\$148,784	\$232	\$158,207.01	\$160,336
\$208	\$137,232.01	\$139,054	\$225	\$148,784.01	\$150,760	\$243	\$160,336.01	\$162,465
\$217	\$139,054.01	\$140,876	\$236	\$150,760.01	\$152,735	\$254	\$162,465.01	\$164,594
\$227	\$140,876.01	\$142,698	\$246	\$152,735.01	\$154,711	\$266	\$164,594.01	\$166,723
\$237	\$142,698.01	\$144,521	\$257	\$154,711.01	\$156,686	\$277	\$166,723.01	\$168,852
\$247	\$144,521.01	\$146,343	\$268	\$156,686.01	\$158,662	\$289	\$168,852.01	\$170,981
\$258	\$146,343.01	\$148,165	\$280	\$158,662.01	\$160,638	\$301	\$170,981.01	\$173,110
\$268	\$148,165.01	\$149,987	\$291	\$160,638.01	\$162,613	\$314	\$173,110.01	\$175,239
\$279	\$149,987.01	\$151,810	\$303	\$162,613.01	\$164,589	\$326	\$175,239.01	\$177,368
\$290	\$151,810.01	\$153,632	\$315	\$164,589.01	\$166,565	\$339	\$177,368.01	\$179,497
\$301	\$153,632.01	\$155,454	\$327	\$166,565.01	\$168,540	\$352	\$179,497.01	\$181,626
\$312	\$155,454.01	\$157,276	\$339	\$168,540.01	\$170,516	\$365	\$181,626.01	\$183,756
\$324	\$157,276.01	\$159,099	\$351	\$170,516.01	\$172,492	\$378	\$183,756.01	\$185,885
\$336	\$159,099.01	\$160,921	\$364	\$172,492.01	\$174,467	\$392	\$185,885.01	\$188,014
\$347	\$160,921.01	\$162,743	\$377	\$174,467.01	\$176,443	\$406	\$188,014.01	\$190,143
\$359	\$162,743.01	\$164,565	\$390	\$176,443.01	\$178,419	\$420	\$190,143.01	\$192,272
\$372	\$164,565.01	\$166,388	\$403	\$178,419.01	\$180,394	\$434	\$192,272.01	\$194,401
\$384	\$166,388.01	\$168,210	\$416	\$180,394.01	\$182,370	\$449	\$194,401.01	\$196,530
	200% FPIG	\$112,140		200% FPIG	\$121,580		200% FPIG	\$131,020

<i>Weekly Co-pay</i>	<i>Family Size: 13 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 14 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 15 Annual Income</i>	
\$5	\$0.00	\$12,378	\$5	\$0.00	\$13,210	\$5	\$0.00	\$9,361
\$8	\$12,378.01	\$16,504	\$9	\$13,210.01	\$17,613	\$6	\$9,361.01	\$14,042
\$11	\$16,504.01	\$20,630	\$12	\$17,613.01	\$22,017	\$9	\$14,042.01	\$18,722
\$14	\$20,630.01	\$24,756	\$15	\$22,017.01	\$26,420	\$12	\$18,722.01	\$23,403
\$18	\$24,756.01	\$28,882	\$19	\$26,420.01	\$30,823	\$16	\$23,403.01	\$28,084
\$21	\$28,882.01	\$33,008	\$23	\$30,823.01	\$35,227	\$20	\$28,084.01	\$32,764
\$25	\$33,008.01	\$37,134	\$27	\$35,227.01	\$39,630	\$24	\$32,764.01	\$37,445
\$29	\$37,134.01	\$41,260	\$31	\$39,630.01	\$44,033	\$28	\$37,445.01	\$42,126
\$33	\$41,260.01	\$45,386	\$35	\$44,033.01	\$48,436	\$33	\$42,126.01	\$46,806
\$37	\$45,386.01	\$49,512	\$40	\$48,436.01	\$52,840	\$38	\$46,806.01	\$51,487
\$42	\$49,512.01	\$53,638	\$45	\$52,840.01	\$57,243	\$43	\$51,487.01	\$56,167
\$47	\$53,638.01	\$57,764	\$50	\$57,243.01	\$61,646	\$48	\$56,167.01	\$60,848
\$52	\$57,764.01	\$61,890	\$55	\$61,646.01	\$66,050	\$53	\$60,848.01	\$65,529
\$57	\$61,890.01	\$66,016	\$61	\$66,050.01	\$70,453	\$59	\$65,529.01	\$70,209
\$62	\$66,016.01	\$70,142	\$66	\$70,453.01	\$74,856	\$64	\$70,209.01	\$74,890
\$67	\$70,142.01	\$74,268	\$72	\$74,856.01	\$79,260	\$70	\$74,890.01	\$79,570
\$73	\$74,268.01	\$78,394	\$78	\$79,260.01	\$83,663	\$77	\$79,570.01	\$84,251
\$78	\$78,394.01	\$82,520	\$83	\$83,663.01	\$88,066	\$82	\$84,251.01	\$88,932
\$84	\$82,520.01	\$86,646	\$89	\$88,066.01	\$92,470	\$89	\$88,932.01	\$93,612
\$89	\$86,646.01	\$90,772	\$95	\$92,470.01	\$96,873	\$95	\$93,612.01	\$98,293
\$95	\$90,772.01	\$94,898	\$102	\$96,873.01	\$101,276	\$101	\$98,293.01	\$102,973

NOTICES

6431

<i>Weekly Co-pay</i>	<i>Family Size: 13 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 14 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 15 Annual Income</i>	
\$101	\$94,898.01	\$99,024	\$108	\$101,276.01	\$105,680	\$108	\$102,973.01	\$107,654
\$107	\$99,024.01	\$103,150	\$115	\$105,680.01	\$110,083	\$115	\$107,654.01	\$112,335
\$114	\$103,150.01	\$107,276	\$121	\$110,083.01	\$114,486	\$122	\$112,335.01	\$117,015
\$120	\$107,276.01	\$111,402	\$128	\$114,486.01	\$118,889	\$129	\$117,015.01	\$121,696
\$127	\$111,402.01	\$115,528	\$135	\$118,889.01	\$123,293	\$136	\$121,696.01	\$126,377
\$133	\$115,528.01	\$119,654	\$142	\$123,293.01	\$127,696	\$144	\$126,377.01	\$131,057
\$140	\$119,654.01	\$123,780	\$150	\$127,696.01	\$132,099	\$151	\$131,057.01	\$135,738
\$147	\$123,780.01	\$127,906	\$157	\$132,099.01	\$136,503	\$159	\$135,738.01	\$140,418
\$154	\$127,906.01	\$132,032	\$165	\$136,503.01	\$140,906	\$167	\$140,418.01	\$145,099
\$162	\$132,032.01	\$136,158	\$172	\$140,906.01	\$145,309	\$175	\$145,099.01	\$149,780
\$169	\$136,158.01	\$140,284	\$180	\$145,309.01	\$149,713	\$183	\$149,780.01	\$154,460
\$177	\$140,284.01	\$144,410	\$188	\$149,713.01	\$154,116	\$192	\$154,460.01	\$159,141
\$184	\$144,410.01	\$148,536	\$197	\$154,116.01	\$158,519	\$200	\$159,141.01	\$163,821
\$192	\$148,536.01	\$152,662	\$205	\$158,519.01	\$162,923	\$209	\$163,821.01	\$168,502
\$200	\$152,662.01	\$156,788	\$214	\$162,923.01	\$167,326	\$218	\$168,502.01	\$173,183
\$208	\$156,788.01	\$160,914	\$222	\$167,326.01	\$171,729	\$227	\$173,183.01	\$177,863
\$217	\$160,914.01	\$165,041	\$231	\$171,729.01	\$176,133	\$236	\$177,863.01	\$182,544
\$225	\$165,041.01	\$167,323	\$240	\$176,133.01	\$178,569	\$246	\$182,544.01	\$187,225
\$237	\$167,323.01	\$169,606	\$253	\$178,569.01	\$181,005	\$256	\$187,225.01	\$189,814
\$248	\$169,606.01	\$171,888	\$265	\$181,005.01	\$183,440	\$269	\$189,814.01	\$192,403
\$260	\$171,888.01	\$174,171	\$278	\$183,440.01	\$185,876	\$282	\$192,403.01	\$194,993
\$272	\$174,171.01	\$176,453	\$291	\$185,876.01	\$188,312	\$295	\$194,993.01	\$197,582
\$285	\$176,453.01	\$178,736	\$304	\$188,312.01	\$190,748	\$309	\$197,582.01	\$200,171
\$297	\$178,736.01	\$181,018	\$317	\$190,748.01	\$193,184	\$323	\$200,171.01	\$202,760
\$310	\$181,018.01	\$183,300	\$331	\$193,184.01	\$195,620	\$337	\$202,760.01	\$205,350
\$323	\$183,300.01	\$185,583	\$345	\$195,620.01	\$198,055	\$352	\$205,350.01	\$207,939
\$336	\$185,583.01	\$187,865	\$359	\$198,055.01	\$200,491	\$366	\$207,939.01	\$210,528
\$350	\$187,865.01	\$190,148	\$373	\$200,491.01	\$202,927	\$381	\$210,528.01	\$213,117
\$363	\$190,148.01	\$192,430	\$388	\$202,927.01	\$205,363	\$397	\$213,117.01	\$215,706
\$377	\$192,430.01	\$194,713	\$403	\$205,363.01	\$207,799	\$412	\$215,706.01	\$218,296
\$391	\$194,713.01	\$196,995	\$418	\$207,799.01	\$210,235	\$428	\$218,296.01	\$220,885
\$406	\$196,995.01	\$199,277	\$433	\$210,235.01	\$212,670	\$444	\$220,885.01	\$223,474
\$420	\$199,277.01	\$201,560	\$449	\$212,670.01	\$215,106	\$460	\$223,474.01	\$226,063
\$435	\$201,560.01	\$203,842	\$464	\$215,106.01	\$217,542	\$477	\$226,063.01	\$228,653
\$450	\$203,842.01	\$206,125	\$480	\$217,542.01	\$219,978	\$494	\$228,653.01	\$231,242
\$465	\$206,125.01	\$208,407	\$497	\$219,978.01	\$222,414	\$511	\$231,242.01	\$233,831
\$481	\$208,407.01	\$210,690	\$513	\$222,414.01	\$224,850	\$528	\$233,831.01	\$236,420
	200% FPIG	\$140,460		200% FPIG	\$149,900	\$546	\$236,420.01	\$239,010
							200% FPIG	\$159,340

<i>Weekly Co-pay</i>	<i>Family Size: 16 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 17 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 18 Annual Income</i>	
\$5	\$0.00	\$9,916	\$5	\$0.00	\$10,470	\$5	\$0.00	\$11,025
\$6	\$9,916.01	\$14,874	\$7	\$10,470.01	\$15,706	\$7	\$11,025.01	\$16,538
\$10	\$14,874.01	\$19,832	\$10	\$15,706.01	\$20,941	\$11	\$16,538.01	\$22,050
\$13	\$19,832.01	\$24,790	\$14	\$20,941.01	\$26,176	\$15	\$22,050.01	\$27,563
\$17	\$24,790.01	\$29,747	\$18	\$26,176.01	\$31,411	\$19	\$27,563.01	\$33,075

<i>Weekly Co-pay</i>	<i>Family Size: 16 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 17 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 18 Annual Income</i>	
\$21	\$29,747.01	\$34,705	\$22	\$31,411.01	\$36,646	\$24	\$33,075.01	\$38,588
\$26	\$34,705.01	\$39,663	\$27	\$36,646.01	\$41,882	\$28	\$38,588.01	\$44,100
\$30	\$39,663.01	\$44,621	\$32	\$41,882.01	\$47,117	\$33	\$44,100.01	\$49,613
\$35	\$44,621.01	\$49,579	\$37	\$47,117.01	\$52,352	\$39	\$49,613.01	\$55,125
\$40	\$49,579.01	\$54,537	\$42	\$52,352.01	\$57,587	\$44	\$55,125.01	\$60,638
\$45	\$54,537.01	\$59,495	\$48	\$57,587.01	\$62,823	\$50	\$60,638.01	\$66,150
\$50	\$59,495.01	\$64,453	\$53	\$62,823.01	\$68,058	\$56	\$66,150.01	\$71,663
\$56	\$64,453.01	\$69,411	\$59	\$68,058.01	\$73,293	\$62	\$71,663.01	\$77,175
\$62	\$69,411.01	\$74,369	\$65	\$73,293.01	\$78,528	\$69	\$77,175.01	\$82,688
\$68	\$74,369.01	\$79,327	\$72	\$78,528.01	\$83,763	\$76	\$82,688.01	\$88,200
\$74	\$79,327.01	\$84,285	\$79	\$83,763.01	\$88,999	\$83	\$88,200.01	\$93,713
\$81	\$84,285.01	\$89,242	\$86	\$88,999.01	\$94,234	\$90	\$93,713.01	\$99,225
\$87	\$89,242.01	\$94,200	\$92	\$94,234.01	\$99,469	\$97	\$99,225.01	\$104,738
\$94	\$94,200.01	\$99,158	\$99	\$99,469.01	\$104,704	\$104	\$104,738.01	\$110,250
\$101	\$99,158.01	\$104,116	\$106	\$104,704.01	\$109,939	\$112	\$110,250.01	\$115,763
\$107	\$104,116.01	\$109,074	\$113	\$109,939.01	\$115,175	\$119	\$115,763.01	\$121,275
\$114	\$109,074.01	\$114,032	\$121	\$115,175.01	\$120,410	\$127	\$121,275.01	\$126,788
\$122	\$114,032.01	\$118,990	\$128	\$120,410.01	\$125,645	\$135	\$126,788.01	\$132,300
\$129	\$118,990.01	\$123,948	\$136	\$125,645.01	\$130,880	\$143	\$132,300.01	\$137,813
\$137	\$123,948.01	\$128,906	\$144	\$130,880.01	\$136,116	\$152	\$137,813.01	\$143,325
\$144	\$128,906.01	\$133,864	\$152	\$136,116.01	\$141,351	\$160	\$143,325.01	\$148,838
\$152	\$133,864.01	\$138,822	\$161	\$141,351.01	\$146,586	\$169	\$148,838.01	\$154,350
\$160	\$138,822.01	\$143,779	\$169	\$146,586.01	\$151,821	\$178	\$154,350.01	\$159,863
\$168	\$143,779.01	\$148,737	\$178	\$151,821.01	\$157,056	\$187	\$159,863.01	\$165,375
\$177	\$148,737.01	\$153,695	\$187	\$157,056.01	\$162,292	\$197	\$165,375.01	\$170,888
\$185	\$153,695.01	\$158,653	\$196	\$162,292.01	\$167,527	\$206	\$170,888.01	\$176,400
\$194	\$158,653.01	\$163,611	\$205	\$167,527.01	\$172,762	\$216	\$176,400.01	\$181,913
\$203	\$163,611.01	\$168,569	\$214	\$172,762.01	\$177,997	\$226	\$181,913.01	\$187,425
\$212	\$168,569.01	\$173,527	\$224	\$177,997.01	\$183,232	\$236	\$187,425.01	\$192,938
\$221	\$173,527.01	\$178,485	\$234	\$183,232.01	\$188,468	\$246	\$192,938.01	\$198,450
\$231	\$178,485.01	\$183,443	\$244	\$188,468.01	\$193,703	\$257	\$198,450.01	\$203,963
\$241	\$183,443.01	\$188,401	\$254	\$193,703.01	\$198,938	\$267	\$203,963.01	\$209,475
\$250	\$188,401.01	\$193,359	\$264	\$198,938.01	\$204,173	\$278	\$209,475.01	\$214,988
\$260	\$193,359.01	\$198,317	\$275	\$204,173.01	\$209,409	\$289	\$214,988.01	\$220,501
\$271	\$198,317.01	\$201,060	\$286	\$209,409.01	\$212,305	\$301	\$220,501.01	\$223,550
\$284	\$201,060.01	\$203,802	\$300	\$212,305.01	\$215,201	\$316	\$223,550.01	\$226,600
\$298	\$203,802.01	\$206,545	\$315	\$215,201.01	\$218,097	\$332	\$226,600.01	\$229,649
\$313	\$206,545.01	\$209,288	\$330	\$218,097.01	\$220,993	\$348	\$229,649.01	\$232,699
\$327	\$209,288.01	\$212,030	\$346	\$220,993.01	\$223,889	\$364	\$232,699.01	\$235,748
\$342	\$212,030.01	\$214,773	\$361	\$223,889.01	\$226,785	\$380	\$235,748.01	\$238,798
\$357	\$214,773.01	\$217,515	\$377	\$226,785.01	\$229,681	\$397	\$238,798.01	\$241,847
\$373	\$217,515.01	\$220,258	\$393	\$229,681.01	\$232,577	\$414	\$241,847.01	\$244,897
\$388	\$220,258.01	\$223,001	\$410	\$232,577.01	\$235,473	\$432	\$244,897.01	\$247,946
\$404	\$223,001.01	\$225,743	\$427	\$235,473.01	\$238,369	\$449	\$247,946.01	\$250,996
\$420	\$225,743.01	\$228,486	\$444	\$238,369.01	\$241,265	\$467	\$250,996.01	\$254,045
\$437	\$228,486.01	\$231,229	\$461	\$241,265.01	\$244,161	\$485	\$254,045.01	\$257,095
\$453	\$231,229.01	\$233,971	\$479	\$244,161.01	\$247,057	\$504	\$257,095.01	\$260,144

NOTICES

6433

<i>Weekly Co-pay</i>	<i>Family Size: 16 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 17 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 18 Annual Income</i>	
\$470	\$233,971.01	\$236,714	\$497	\$247,057.01	\$249,953	\$523	\$260,144.01	\$263,194
\$488	\$236,714.01	\$239,456	\$515	\$249,953.01	\$252,849	\$542	\$263,194.01	\$266,243
\$505	\$239,456.01	\$242,199	\$533	\$252,849.01	\$255,745	\$562	\$266,243.01	\$269,293
\$523	\$242,199.01	\$244,942	\$552	\$255,745.01	\$258,641	\$581	\$269,293.01	\$272,342
\$541	\$244,942.01	\$247,684	\$571	\$258,641.01	\$261,537	\$601	\$272,342.01	\$275,392
\$559	\$247,684.01	\$250,427	\$591	\$261,537.01	\$264,433	\$622	\$275,392.01	\$278,441
\$578	\$250,427.01	\$253,170	\$610	\$264,433.01	\$267,329	\$643	\$278,441.01	\$281,491
	200% FPIG	\$168,780		200% FPIG	\$178,220		200% FPIG	\$187,660

<i>Weekly Co-pay</i>	<i>Family Size: 19 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 20 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 21 Annual Income</i>	
\$5	\$0.00	\$11,580	\$5	\$0.00	\$12,134	\$5	\$0.00	\$12,689
\$7	\$11,580.01	\$17,369	\$8	\$12,134.01	\$18,201	\$8	\$12,689.01	\$19,033
\$11	\$17,369.01	\$23,159	\$12	\$18,201.01	\$24,268	\$12	\$19,033.01	\$25,378
\$15	\$23,159.01	\$28,949	\$16	\$24,268.01	\$30,336	\$17	\$25,378.01	\$31,722
\$20	\$28,949.01	\$34,739	\$21	\$30,336.01	\$36,403	\$22	\$31,722.01	\$38,066
\$25	\$34,739.01	\$40,529	\$26	\$36,403.01	\$42,470	\$27	\$38,066.01	\$44,411
\$30	\$40,529.01	\$46,319	\$31	\$42,470.01	\$48,537	\$33	\$44,411.01	\$50,755
\$35	\$46,319.01	\$52,108	\$37	\$48,537.01	\$54,604	\$38	\$50,755.01	\$57,100
\$41	\$52,108.01	\$57,898	\$43	\$54,604.01	\$60,671	\$45	\$57,100.01	\$63,444
\$47	\$57,898.01	\$63,688	\$49	\$60,671.01	\$66,738	\$51	\$63,444.01	\$69,789
\$53	\$63,688.01	\$69,478	\$55	\$66,738.01	\$72,805	\$58	\$69,789.01	\$76,133
\$59	\$69,478.01	\$75,268	\$62	\$72,805.01	\$78,872	\$65	\$76,133.01	\$82,477
\$66	\$75,268.01	\$81,057	\$69	\$78,872.01	\$84,940	\$72	\$82,477.01	\$88,822
\$72	\$81,057.01	\$86,847	\$76	\$84,940.01	\$91,007	\$79	\$88,822.01	\$95,166
\$80	\$86,847.01	\$92,637	\$83	\$91,007.01	\$97,074	\$87	\$95,166.01	\$101,511
\$87	\$92,637.01	\$98,427	\$91	\$97,074.01	\$103,141	\$95	\$101,511.01	\$107,855
\$95	\$98,427.01	\$104,217	\$99	\$103,141.01	\$109,208	\$104	\$107,855.01	\$114,199
\$102	\$104,217.01	\$110,006	\$107	\$109,208.01	\$115,275	\$112	\$114,199.01	\$120,544
\$110	\$110,006.01	\$115,796	\$115	\$115,275.01	\$121,342	\$120	\$120,544.01	\$126,888
\$117	\$115,796.01	\$121,586	\$123	\$121,342.01	\$127,409	\$129	\$126,888.01	\$133,233
\$125	\$121,586.01	\$127,376	\$131	\$127,409.01	\$133,476	\$137	\$133,233.01	\$139,577
\$134	\$127,376.01	\$133,166	\$140	\$133,476.01	\$139,544	\$146	\$139,577.01	\$145,921
\$142	\$133,166.01	\$138,956	\$149	\$139,544.01	\$145,611	\$156	\$145,921.01	\$152,266
\$151	\$138,956.01	\$144,745	\$158	\$145,611.01	\$151,678	\$165	\$152,266.01	\$158,610
\$159	\$144,745.01	\$150,535	\$167	\$151,678.01	\$157,745	\$175	\$158,610.01	\$164,955
\$168	\$150,535.01	\$156,325	\$176	\$157,745.01	\$163,812	\$185	\$164,955.01	\$171,299
\$178	\$156,325.01	\$162,115	\$186	\$163,812.01	\$169,879	\$195	\$171,299.01	\$177,644
\$187	\$162,115.01	\$167,905	\$196	\$169,879.01	\$175,946	\$205	\$177,644.01	\$183,988
\$197	\$167,905.01	\$173,694	\$206	\$175,946.01	\$182,013	\$216	\$183,988.01	\$190,332
\$206	\$173,694.01	\$179,484	\$216	\$182,013.01	\$188,080	\$226	\$190,332.01	\$196,677
\$217	\$179,484.01	\$185,274	\$227	\$188,080.01	\$194,148	\$237	\$196,677.01	\$203,021
\$227	\$185,274.01	\$191,064	\$238	\$194,148.01	\$200,215	\$248	\$203,021.01	\$209,366
\$237	\$191,064.01	\$196,854	\$249	\$200,215.01	\$206,282	\$260	\$209,366.01	\$215,710
\$248	\$196,854.01	\$202,643	\$260	\$206,282.01	\$212,349	\$272	\$215,710.01	\$222,054
\$259	\$202,643.01	\$208,433	\$271	\$212,349.01	\$218,416	\$283	\$222,054.01	\$228,399
\$270	\$208,433.01	\$214,223	\$283	\$218,416.01	\$224,483	\$295	\$228,399.01	\$234,743

<i>Weekly Co-pay</i>	<i>Family Size: 19 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 20 Annual Income</i>		<i>Weekly Co-pay</i>	<i>Family Size: 21 Annual Income</i>	
\$281	\$214,223.01	\$220,013	\$294	\$224,483.01	\$230,550	\$308	\$234,743.01	\$241,088
\$292	\$220,013.01	\$225,803	\$306	\$230,550.01	\$236,617	\$320	\$241,088.01	\$247,432
\$304	\$225,803.01	\$231,593	\$319	\$236,617.01	\$242,685	\$333	\$247,432.01	\$253,777
\$316	\$231,593.01	\$234,796	\$331	\$242,685.01	\$246,041	\$347	\$253,777.01	\$257,287
\$332	\$234,796.01	\$237,999	\$348	\$246,041.01	\$249,397	\$364	\$257,287.01	\$260,796
\$349	\$237,999.01	\$241,201	\$365	\$249,397.01	\$252,754	\$382	\$260,796.01	\$264,306
\$365	\$241,201.01	\$244,404	\$383	\$252,754.01	\$256,110	\$400	\$264,306.01	\$267,816
\$382	\$244,404.01	\$247,607	\$400	\$256,110.01	\$259,466	\$419	\$267,816.01	\$271,325
\$399	\$247,607.01	\$250,810	\$419	\$259,466.01	\$262,822	\$438	\$271,325.01	\$274,835
\$417	\$250,810.01	\$254,013	\$437	\$262,822.01	\$266,179	\$457	\$274,835.01	\$278,345
\$435	\$254,013.01	\$257,216	\$456	\$266,179.01	\$269,535	\$477	\$278,345.01	\$281,854
\$453	\$257,216.01	\$260,418	\$475	\$269,535.01	\$272,891	\$497	\$281,854.01	\$285,364
\$472	\$260,418.01	\$263,621	\$494	\$272,891.01	\$276,247	\$517	\$285,364.01	\$288,873
\$491	\$263,621.01	\$266,824	\$514	\$276,247.01	\$279,604	\$538	\$288,873.01	\$292,383
\$510	\$266,824.01	\$270,027	\$534	\$279,604.01	\$282,960	\$559	\$292,383.01	\$295,893
\$529	\$270,027.01	\$273,230	\$555	\$282,960.01	\$286,316	\$580	\$295,893.01	\$299,402
\$549	\$273,230.01	\$276,433	\$576	\$286,316.01	\$289,672	\$602	\$299,402.01	\$302,912
\$569	\$276,433.01	\$279,635	\$597	\$289,672.01	\$293,029	\$624	\$302,912.01	\$306,422
\$590	\$279,635.01	\$282,838	\$618	\$293,029.01	\$296,385	\$646	\$306,422.01	\$309,931
\$611	\$282,838.01	\$286,041	\$640	\$296,385.01	\$299,741	\$669	\$309,931.01	\$313,441
\$632	\$286,041.01	\$289,244	\$662	\$299,741.01	\$303,097	\$692	\$313,441.01	\$316,951
\$653	\$289,244.01	\$292,447	\$684	\$303,097.01	\$306,454	\$716	\$316,951.01	\$320,460
\$675	\$292,447.01	\$295,650	\$707	\$306,454.01	\$309,810	\$740	\$320,460.01	\$323,970
	200% FPIG	\$197,100		200% FPIG	\$206,540		200% FPIG	\$215,980

[Pa.B. Doc. No. 22-1546. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Hospital Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2021-2022 for several classes of inpatient disproportionate share hospital payments and supplemental payments to Medical Assistance enrolled and qualifying inpatient acute care general hospitals. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 52 Pa.B. 2778 (May 7, 2022). The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent.

Fiscal Impact

The total FY 2021-2022 impact is \$15.427 million. The total FY 2022-2023 impact is \$40.163 million.

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1539. (1) General Fund;

(7) Medical Assistance—Fee-for-Service; (2) Implementing Year 2021-22 is \$0; (3) 1st Succeeding Year 2022-23 is

\$9,113,000; 2nd Succeeding Year 2023-24 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; 2018-19 Program—\$342,544,000;

(7) Medical Assistance—Academic Medical Centers; (2) Implementing Year 2021-22 is \$6,343,000; (3) 1st Succeeding Year 2022-23 through 5th Succeeding Year 2026-27 are \$0; (4) 2020-21 Program—\$21,479,000; 2019-20 Program—\$21,092,000; 2018-19 Program—\$24,681,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1547. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is announcing its intent to allocate funds for Fiscal Year (FY) 2022-2023 supplemental payments to promote the continuation of quality medical services to individuals enrolled in the Pennsylvania Medical Assistance (MA) Program and provide financial relief to hospitals during

the novel coronavirus (COVID-19) pandemic. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments.

Fiscal Impact

For FY 2022-2023, the Department will allocate an annualized amount of \$70.000 million in total funds (State and Federal) for these supplemental payments upon approval by the Centers for Medicare & Medicaid Services.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1536. (1) General Fund; (2) Implementing Year 2022-23 is \$16,653,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 22-1548. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Updates to the Medical Assistance Program Fee Schedule for Administration of SARS-CoV-2 Vaccine Manufactured by Novavax

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following procedure codes to the Medical Assistance (MA) Program Fee Schedule for the administration of the SARS-CoV-2 vaccine manufactured by Novavax. The effective date and MA fee for each code is indicated as follows.

<i>Procedure Code</i>	<i>Description</i>	<i>Effective Date</i>	<i>MA Fee</i>
0041A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; first dose	7/13/22	\$40
0042A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, recombinant spike protein nanoparticle, saponin-based adjuvant, preservative free, 5 mcg/0.5mL dosage; second dose	7/13/22	\$40

The MA Program Fee Schedule has been updated with the new Current Procedural Terminology (CPT) codes to allow for payment of the administration of the SARS-CoV-2 vaccines manufactured by Novavax.

The Department issued an MA Bulletin to inform providers enrolled in the MA Program of the addition of the CPT codes for the administration of SARS-CoV-2 vaccines manufactured by Novavax.

Fiscal Impact

There is no fiscal impact associated with the addition of these procedure codes.

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1537. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-1549. Filed for public inspection October 7, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Findings

Under section 2002 of The Administrative Code of 1929 (71 P.S. § 512) establishing the Department of Transportation (Department), the Director of the Bureau of Design and Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the projects listed as follows. Environmental and Section 4(f) Documentation have been developed for the following identified projects to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System at <http://www.dotdom2.state.pa.us/ceea/ceeamain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the proposed identified projects, and all reasonable steps have been taken to minimize the effects.

• **SR 4004, Section 670—Clinton Township, Wayne County.**

Project Description: The project is the replacement of the existing stacked stone and pipe culvert that carries White Oak Pond Drive (SR 4004) over the White Oak Pond Dam Outlet.

Environmental Documents: ED 1b Evaluation approved on April 7, 2022, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on March 16, 2022.

Proposed Use of Section 4(f)/2002 Resource: Approximately 0.063-acre of right-of-way (ROW) will be required from the 225-acre White Oak Pond Dam and Reservoir, which was determined to be eligible for listing on the National Register of Historic Places (NRHP).

• **SR 4040, Section 01B—Upper Tulpehocken Township, Berks County.**

Project Description: The project is the replacement of the existing structure that carries Old Route 22 (SR 4040) bridge over Northkill Creek.

Environmental Documents: CE 1b Evaluation approved on June 6, 2022, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 17, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.103-acre of ROW will be required from the Seyfert Mill, which is listed on the NRHP.

• **SR 2006, Section 01B—Williams Township, Northampton County.**

Project Description: The project is the replacement of the existing bridge that carries Raubsville Road (SR 2006) over an unnamed tributary to Frya Run.

Environmental Documents: CE 1b Evaluation approved on June 13, 2022, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved March 31, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.47-acre ROW will be required from the Stout-Liedich Farm, which was determined to be eligible for listing on the NRHP.

• **SR 0724, Section IDA—North Coventry Township, Chester County.**

Project Description: The project is the replacement of the bridge that carries West Schuylkill Road (SR 0724) over Eckers Creek.

Environmental Documents: CE BRPA Evaluation approved on June 1, 2022, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 25, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.044-acre of ROW will be required from the Laurel Locks Farm, which was determined to be eligible for listing on the NRHP.

• **SR 0376, Section A62—City of Pittsburgh, Allegheny County.**

Project Description: The project is the replacement of the Commercial Street Bridge that carries SR 0376.

Environmental Documents: CE 2 Evaluation approved on May 17, 2022, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on April 27, 2022.

Proposed Use of Section 4(f)/2002 Resources: The existing Commercial Street Bridge was determined to be eligible for listing on the NRHP. The Commercial Street Bridge is also a contributing element to the Penn-Lincoln Parkway East, which was determined to be eligible for listing on the NRHP.

• **SR 3034, Section A15—Upper Saint Clair Township and Bridgeville Borough, Allegheny County.**

Project Description: The project is the remediation of several slides along Chartiers Street (SR 3034).

Environmental Documents: CE 1b Evaluation approved on May 26, 2022, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on May 25, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.069-acre of ROW, 0.423-acre of slope easement and 0.004-acre of drainage easement will be required from the 46.1-acres Chartiers Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 1060, Section A20—Bell Township, Westmoreland County and Kiskiminetas Township, Armstrong County.**

Project Description: The project is the replacement of Salina Bridge, which carries Bridge Street (SR 1060) over the Kiskiminetas River and Norfolk Southern Railroad.

Environmental Documents: CE 2 Reevaluation approved on May 6, 2022, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on December 28, 2020.

Proposed Use of Section 4(f)/2002 Resources: The Salina Bridge was determined to be eligible for listing on the NRHP.

CHRISTINE A. SPANGLER, PE,
Director
Bureau of Design and Delivery

[Pa.B. Doc. No. 22-1550. Filed for public inspection October 7, 2022, 9:00 a.m.]

**DEPARTMENT OF
TRANSPORTATION**

State Transportation Advisory Committee Meeting

The State Transportation Advisory Committee will hold a meeting on Tuesday, October 11, 2022, 10 a.m. to 12 p.m. This meeting will be held in the Keystone Building, 8N1, 400 North Street, Harrisburg, PA 17120 and by means of Microsoft Teams. The meeting informa-

tion including the agenda is available at <https://bit.ly/3xz3obK>.

For more information, contact the Office of the State Transportation Commission, (717) 787-2913, RA-PennDOTSTC@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1551. Filed for public inspection October 7, 2022, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Filing of Final Rulemakings

The Independent Regulatory Review Commission (Commission) received the following regulations. They are scheduled to be considered on the date noted. The Commission’s public meetings are held at 333 Market Street, 14th Floor, Harrisburg, PA at 10 a.m. To obtain a copy of the regulation, interested parties should first contact the promulgating agency. If a copy cannot be obtained from the promulgating agency, the Commission will provide a copy or it can be viewed at the Commission’s web site at www.irrc.state.pa.us.

<i>Final-Form Reg. No.</i>	<i>Agency / Title</i>	<i>Received</i>	<i>Public Meeting</i>
16A-4611	State Board of Auctioneer Examiners Fees	9/19/22	10/20/22
10-219	Department of Health Medical Marijuana	9/19/22	10/20/22

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 22-1552. Filed for public inspection October 7, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Kayayetta D. Dukes; Doc. No. SC22-09-020

Notice is hereby given of the Order to Show Cause issued on September 28, 2022, by the Deputy Insurance Commissioner in the previously-referenced matter. Violations of the following are alleged: sections 611-A(1), (8) and (20) and 678-A(a) of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(1), (8) and (20) and 310.78(a)).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to

participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1553. Filed for public inspection October 7, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Lombard International Life Assurance Company

Lombard Wealth Acquisition, LLC, a Delaware domiciled limited liability company, and James P. Corcoran have filed an application for approval to acquire control of Lombard International Life Assurance Company, a domestic stock life insurance company. The filing was received on September 27, 2022, and was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1414).

Persons wishing to comment on this acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to

Steven L. Yerger, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1554. Filed for public inspection October 7, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Redomesticate from the Commonwealth of Pennsylvania by CM Regent Insurance Company

CM Regent Insurance Company, a domestic stock casualty insurance company, has filed for approval a plan of redomestication whereby the state of domicile would change from the Commonwealth of Pennsylvania to Wisconsin. The filing was made under section 357 of The Insurance Company Law of 1921 (40 P.S. § 477e).

Persons wishing to comment on the redomestication are invited to submit a written statement to the Insurance Department (Department) within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Lori Rumpf, lrumpf@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1555. Filed for public inspection October 7, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 24, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 24, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or

impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2022-3035068. Champion Marketing Corp., t/a CMC Transportation (523 Donner Avenue, Floor 2, Monessen, PA 15062) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Washington and Westmoreland, to points in Pennsylvania, and return.

A-2022-3035568. Sip and Play Tours, LLC, t/a S & P Transportation (725 Pearl Street, Easton, Northampton County, PA 18042) for the right to begin to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Monroe and Northampton to Lehigh Valley International Airport and Philadelphia International Airport, and vice versa.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2022-3034610. Roadway Movers, Inc., t/a Roadway Movers (1135 Bronx River Avenue, Bronx County, NY 10467) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1556. Filed for public inspection October 7, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2022-3035680. United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Metropolitan Telecommunications Corporation of PA. Joint petition of United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Metropolitan Telecommunications Corporation of PA for approval of a resale forbearance amendment under section 252(e) of the Telecommunications Act of 1996.

United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Metropolitan Telecommunications Corporation of PA, by their counsel, filed on September 27, 2022, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed

in support of United Telephone Company of Pennsylvania, LLC, d/b/a CenturyLink and Metropolitan Telecommunications Corporation of PA joint petition are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, at the Commission’s web site at www.puc.pa.gov and at the applicant’s business address.

The contact person is Kathryn Sophy, Director, Office of Special Assistants, (717) 787-8108.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1557. Filed for public inspection October 7, 2022, 9:00 a.m.]

**PUBLIC SCHOOL EMPLOYEES’
RETIREMENT BOARD**

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees’ Retirement Code), in connection with the Public School Employees’ Retirement System’s (System) denial of claimant’s request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees’ Retirement System, 5 North Fifth Street, Harrisburg, PA 17101.

February 8, 2023	Account of Cathleen Reese (Purchase of Service)	10 a.m.
------------------	----------------------------------------------------	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 22-1558. Filed for public inspection October 7, 2022, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth’s Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and order management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
David P. King—Poultry Farm 713 Smeltz Road Dornsife, PA 17823	Northumberland County/ Washington Township	229.76	Broilers	New	Approved
Jeremy Woodling—Stage Road Farm 12547 Stage Road McClure, PA 17841	Snyder County/ Spring Township	341.42	Swine	Amended	Approved

NOTICES

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Marlin J. Peachey and Sondra L. Peachey—Home Farm 328 Coffee Run Road Reedsville, PA 17084	Mifflin County/ Brown Township	778.87	Swine/ Equine/ Cattle	Amended	Approved
James L. Weaver 136 Herr Drive Peach Bottom, PA 17563	Lancaster County/ Fulton Township	458.52	Broilers	Existing	Rescinded

RAMEZ ZIADEH, P.E.,
Chairperson

[Pa.B. Doc. No. 22-1559. Filed for public inspection October 7, 2022, 9:00 a.m.]

