

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending October 25, 2022.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Branch Applications

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
10-14-2022	ACNB Gettysburg Adams County	101 Main Street Arendtsville Adams County	Closed
10-14-2022	ACNB Gettysburg Adams County	101 North Main Street Bendersville Adams County	Closed

Articles of Amendment

<i>Date</i>	<i>Name and Location of Institution</i>	<i>Action</i>
10-19-2022	The Gratz Bank Gratz Dauphin County Amendment to Articles 1 and 2 of the institution's Articles of Incorporation provides for Article 1 to change the bank's name from The Gratz Bank to LINKBANK and Article 2 to change the bank's principal place of business from 32 West Market Street, Gratz, Dauphin County, PA to 3045 Market Street, Camp Hill, Cumberland County, PA. Articles of Amendment provide for the institution's Articles of Incorporation to be amended and restated in their entirety.	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1696. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Adjustment to Definition of "Base Figure" in the Loan Interest and Protection Law

The Department of Banking and Securities (Department), as required by the definition of "base figure" in section 101 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 101), known as the Loan Interest and Protection Law, is publishing the following notice regarding the inflation-adjusted base figure for the calendar year 2023.

The Department has determined that the current base figure of \$278,204 adjusted for annual inflation using the "Consumer Price Index—All Urban Consumers: U.S. All Items 1982-84 = 100" published by the United States Department of Labor Bureau of Labor Statistics results in a base figure of \$301,022. This new base figure will be effective January 1, 2023, for the calendar year 2023.

RICHARD VAGUE,
Secretary

[Pa.B. Doc. No. 22-1697. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Public Comment Period, First Public Hearing and Pennsylvania Housing Advisory Committee Meeting; 2023 Annual Action Plan

The Department of Community and Economic Development (Department) is preparing the Commonwealth's 2023 Action Plan of the Consolidated Plan (Plan) for 2019—2023. The Plan is a document submitted to the United States Department of Housing and Urban Development (HUD) every 5 years analyzing the needs of the nonentitlement areas of the Commonwealth in the areas of housing, community development, homelessness prevention and economic development. From this analysis, a unified strategy for housing, homelessness and community development programs, including the necessary linkages for building successful neighborhoods and communities is created. The Action Plan is the annual application to HUD for Federal funds administered by the Commonwealth for the nonentitlement communities of the State. The HUD funding programs covered by the Plan and administered by the Department are the Community Development Block Grant (CDBG), the HOME Investment Partnerships (HOME), the Emergency Solutions Grant (ESG), CDBG Disaster Recovery (CDBG-DR), CDBG-CARES Act (CDBG-CV), ESG-CARES Act (ESG-CV) and Neighborhood Stabilization Program (NSP-1 and NSP-3) programs. The Plan also covers the following programs which are administered by other Commonwealth agencies: the Housing Opportunities for Persons with AIDS (HOPWA) and HOPWA-CARES Act (HOPWA-CV) programs administered by the Department of Health and the National Housing Trust Fund (HTF) administered by the Pennsylvania Housing Finance Agency.

Invitation for Public Comment

The public is invited to provide public comment about topics related to the needs of this Commonwealth in the following areas: community development; housing including special needs; homelessness; economic development; and any changes to the methods of distribution of the existing Federal programs.

Public comments will be accepted until 4 p.m., Friday, January 13, 2023, for review and consideration for the Action Plan. Comments should be submitted to Megan Sieber, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225, RA-DCEDcdbghomequestions@pa.gov.

First Public Hearing

Thursday, December 15, 2022
1 p.m.

The first public hearing for the 2023 Annual Action Plan will be conducted electronically by means of Microsoft Teams on Thursday, December 15, 2022, at 1 p.m. This hearing will be held virtually. Individuals who wish to make comments or discuss policy may participate directly from their phone, personal computer or from a public computer (for example, public library).

Individuals or organizations may give testimony or comments during this meeting. Comments will be accepted about topics related to the needs of the Commonwealth in the following areas: community development; housing including special needs; homelessness; economic

development; any changes to the methods of distribution of the existing Federal programs; and the continued impact of the novel coronavirus (COVID-19) pandemic on communities. In addition, a summary of the Program Year 2021 accomplishments and an overview of the annual planning process will be provided. The Commonwealth encourages public participation in this process.

Registration is not required and individuals may join the meeting directly by phone at (267) 332-8737. The conference ID is 949 580 238#.

The hearing will be recorded for public record. The hearing will be shortened if there is no one to testify or there is minimal response.

Individuals with a disability or limited English proficiency who wish to participate in the public hearing should contact Megan Sieber at msieber@pa.gov, (717) 720-7404 or TDD (717) 346-0308 at a minimum of 72 hours prior to the meeting to discuss how the Department can accommodate their needs.

Written Comments

Written testimony, instead of testimony provided during the public hearing, must be submitted by 4 p.m., Friday, January 13, 2023, for review for consideration for the Action Plan. Comments should be submitted to Megan Sieber, Department of Community and Economic Development, Center for Community Financing, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225, RA-DCEDcdbghomequestions@pa.gov.

Pennsylvania Housing Advisory Committee

Tuesday, December 13, 2022
9 a.m.—10 a.m.

The Pennsylvania Housing Advisory Committee (Committee) is responsible for reviewing Statewide housing, community development and support services needs and priorities, as well as advising the Department in the preparation of the Plan, annual action plans and the coordination of Federal, State and local resources to manage the implementation of these plans.

As part of the planning process for the Plan for the 2023 Annual Action Plan, the Committee will be meeting in an open public forum to discuss the needs of this Commonwealth in terms of housing, including special needs, community development, homelessness, economic development and the continued impact of the COVID-19 pandemic on communities. Reports from the six Department regions will be presented on the needs in their respective areas of the Commonwealth collected during the annual Regional Housing Advisory Committee meetings. A summary of the accomplishments of the 2021 Program Year will be presented for the CDBG, the HOME, the ESG, CDBG-DR, CDBG-CV, ESG-CV, NSP-1 and NSP-3, HOPWA and HOPWA-CV programs and HTF.

Individuals who wish to attend the Committee meeting may join by phone at (267) 332-8737. The conference ID is 225 246 564#.

Individuals with a disability or limited English proficiency who wish to participate in the public hearing should contact Megan Sieber at msieber@pa.gov, (717) 720-7404 or TDD (717) 346-0308 at a minimum of 72 hours prior to the meeting to discuss how the Department can accommodate their needs.

NEIL WEAVER,
Acting Secretary

[Pa.B. Doc. No. 22-1698. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III provides notice of applications and draft individual permits for stormwater discharges associated with construction activities. Where indicated, DEP has made tentative determinations, based on preliminary review, to issue permits subject to proposed effluent limitations consisting of best management practices identified in the erosion and sediment control (E&S) plans and post-construction stormwater management (PCSM) plans submitted with the applications, as well as other terms and conditions based on the permit applications. A 30-day public comment period applies to these applications.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2322806	Joint DEP/PFBC Pesticides Permit	New	Hobbs Janice 16 Dogwood Hill Lane Chadds Ford, PA 19317-9106	Chadds Ford Township Delaware County	SERO
2322807	Joint DEP/PFBC Pesticides Permit	New	CBRE 1 State Farm Drive Glen Mills, PA 19342-1077	Concord Township Delaware County	SERO
4013801	Joint DEP/PFBC Pesticides Permit	Renewal	Blytheburn Lake Association 1725 Henry Drive Mountain Top, PA 18707-9020	Rice Township Luzerne County	NERO
4117801	Joint DEP/PFBC Pesticides Permit	Renewal	Const Spec of NJ, Inc. 6696 Route 405 Highway Muncy, PA 17756-6381	Clinton Township Lycoming County	NCRO
0622407	Land Application and Reuse of Sewage Individual WQM Permit	New	Birch Hill Road Ind Development, LLC 5 Knowles Creek Road New Hope, PA 18938-9250	Perry Township Berks County	SCRO
0473205	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Transfer	Shippingport Ind Park, LLC 500 Seneca Street Buffalo, NY 14204-1963	Shippingport Borough Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0805201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Cargill Meat Solutions Corp P.O. Box 188 1252 Route 706 Wyalusing, PA 18853-0188	Wyalusing Township Bradford County	NCRO
0471419	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Shippingport Ind Park, LLC 500 Seneca Street Buffalo, NY 14204-1963	Shippingport Borough Beaver County	SWRO
0487403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Shippingport Ind Park, LLC 500 Seneca Street Buffalo, NY 14204-1963	Shippingport Borough Beaver County	SWRO
0497401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Honeywell Electronic Materials Inc. 195 Hartzell School Road Fombell, PA 16123-1207	Marion Township Beaver County	SWRO
NOEXNE043	No Exposure Certification	New	FedEx Supply Chain 3025 Commerce Center Boulevard Bethlehem, PA 18015-9547	Bethlehem City Northampton County	NERO
NOEXSE201	No Exposure Certification	Renewal	Tolas Health Care Pkg 905 Pennsylvania Boulevard Feasterville, PA 19053	Upper Southampton Township Bucks County	SERO
NOEXSE290	No Exposure Certification	Renewal	First Student, Inc. 470 S State Street Suite E Newtown, PA 18940	Newtown Township Bucks County	SERO
NOEXSE343	No Exposure Certification	New	SEPTA 1234 Market Street Philadelphia, PA 19107-3727	Philadelphia City Philadelphia County	SERO
NOEXSW224	No Exposure Certification	New	Lockheed Martin Aero Parts, Inc. 211 Industrial Park Road Johnstown, PA 15904-1961	Richland Township Cambria County	SWRO
NOEXSW226	No Exposure Certification	New	Lockheed Martin Aero Parts, Inc. 221 Industrial Park Road Johnstown, PA 15904-1961	Richland Township Cambria County	SWRO
NOEXSW227	No Exposure Certification	New	Lockheed Martin Aero Parts, Inc. 211 Industrial Park Road Johnstown, PA 15904-1961	Conemaugh Township Somerset County	SWRO
PAR216142	PAG-03 NPDES General Permit for Industrial Stormwater	Transfer	Shippingport Ind Park, LLC 500 Seneca Street Suite 504 Buffalo, NY 14204-1963	Shippingport Borough Beaver County	SWRO
PAG046336	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Rabena Brian and Jennifer 107 Osage Path Stoystown, PA 15563-9055	Indian Lake Borough Somerset County	SWRO
PAG066125	PAG-06 NPDES General Permit for Combined Sewer Systems	Renewal	Sharpsburg Borough Allegheny County 1611 Main Street Pittsburgh, PA 15215-2609	Sharpsburg Borough Allegheny County	SWRO

NOTICES

6879

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG066139	PAG-06 NPDES General Permit for Combined Sewer Systems	Renewal	Ingram Borough Allegheny County 40 W Prospect Avenue Pittsburgh, PA 15205	Ingram Borough Allegheny County	SWRO
PAG066141	PAG-06 NPDES General Permit for Combined Sewer Systems	Renewal	Munhall Sanitary Sewer Municipal Authority 1809 West Street Munhall, PA 15120-2532	Munhall Borough Allegheny County	SWRO
PAG133515	PAG-13 NPDES General Permit for MS4s	Renewal	Kenhorst Borough Berks County 339 S Kenhorst Boulevard Reading, PA 19607-2038	Kenhorst Borough Berks County	SCRO
PAG133600	PAG-13 NPDES General Permit for MS4s	Renewal	Elizabeth Township Lancaster County 423 Southview Drive Lititz, PA 17543	Elizabeth Township Lancaster County	SCRO
PAG133734	PAG-13 NPDES General Permit for MS4s	Renewal	Shoemakersville Borough Berks County 846 Main Street Shoemakersville, PA 19555-1623	Shoemakersville Borough Berks County	SCRO
PAG133758	PAG-13 NPDES General Permit for MS4s	Renewal	Perry Township Berks County 680 Moselem Springs Road Shoemakersville, PA 19555	Perry Township Berks County	SCRO
PAG136315	PAG-13 NPDES General Permit for MS4s	Renewal	Sutersville Borough Westmoreland County 320 Municipal Avenue Sutersville, PA 15083-1144	Sutersville Borough Westmoreland County	SWRO
PAG136336	PAG-13 NPDES General Permit for MS4s	Renewal	Glenfield Borough Allegheny County 265 Dawson Avenue Sewickley, PA 15143-2225	Glenfield Borough Allegheny County	SWRO
PAG136383	PAG-13 NPDES General Permit for MS4s	Renewal	West Brownsville Borough Washington County 100 Courson Hill Road Washington, PA 15301	West Brownsville Borough Washington County	SWRO
PAG136395	PAG-13 NPDES General Permit for MS4s	Renewal	Oklahoma Borough Westmoreland County 170 Thorn Street Apollo, PA 15613	Oklahoma Borough Westmoreland County	SWRO
2119402	Pump Stations Individual WQM Permit	Amendment	Carlisle Borough Cumberland County 54 N Middlesex Road Carlisle, PA 17013-1627	Middlesex Township Cumberland County	SCRO
6620401	Sewage Treatment Facilities Individual WQM Permit	New	Lake Winola Municipal Authority Wyoming County P.O. Box 59 Lake Winola, PA 18625-0059	Overfield Township Wyoming County	NERO
0203405	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Beradi Stephanie 921 Northeast Drive Irwin, PA 15642-1978	Lincoln Borough Allegheny County	SWRO
0560406	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Rabena Brian and Jennifer 107 Osage Path Stoystown, PA 15563-9055	Indian Lake Borough Somerset County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5622402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Indian Lake Borough Somerset County 7785 Lincoln Highway Central City, PA 15926-7500	Indian Lake Borough Somerset County	SWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0060305, Industrial, SIC Code 4941, **PA DCNR**, 28 Entrance Road, Troy, PA 16947-8506. Facility Name: Mt. Pisgah State Park. This existing facility is located in West Burlington Township, **Bradford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Mill Creek (TSF), is located in State Water Plan watershed 4-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0002 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Aluminum, Total	XXX	XXX	XXX	4.0	8.0	XXX
Iron, Total	XXX	XXX	XXX	Annl Avg 2.0	Daily Max 4.0	XXX
Manganese, Total	XXX	XXX	XXX	Annl Avg 1.0	Daily Max 2.0	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0002 MGD.—Limits.

In addition, the permit contains the following major special conditions:

- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0275841, Industrial, SIC Code 3561, **Curtiss Wright EPD**, 1185 Feather Way, Bethlehem, PA 18015. Facility Name: Curtiss Wright EPD. This existing facility is located in Bethlehem City, **Northampton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s) Saucon Creek and Unnamed Stream is located in State Water Plan watershed—and 2-C and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD (stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Daily Max XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for IMP 101 are based on a design flow of 1.125 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPM)	Report	XXX	XXX	XXX	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Duration of Discharge (hours)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	0.05
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX
Total Volume (GPM)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

The proposed effluent limits for IMP 201 are based on a design flow of 1.125 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPM)	Report	XXX	XXX	XXX	XXX	XXX
Duration of Discharge (hours)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	0.05
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX
Total Volume (GPM)	Report	XXX	XXX	XXX	XXX	XXX
	Total Mo					

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PAI132215, MS4, **Bath Borough**, 121 S. Walnut Street, Bath, PA 18014.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Bath Borough, **Northampton County**. The receiving streams, Monocacy Creek (HQ-CWF, MF), Tributary 3410 to Monocacy Creek (HQ-CWF, MF), and East Branch Monocacy Creek (HQ-CWF, MF) are located in State Water Plan watershed 2-C and are classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Northeast Regional Office

PAI132223, MS4, **Hellertown Borough**, 685 Main Street, Hellertown, PA 18055.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Hellertown Borough, **Northampton County**. The receiving streams, Silver Creek (CWF, MF), Polk Valley Run (CWF, MF) and Saucon Creek (HQ-CWF, MF), are located in State Water Plan watershed 2-C and are classified for High Quality—Cold Water and Migratory Fish (Saucon Creek), Cold Water and Migratory Fish (Silver Creek and Polk Valley Run), and for aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Northeast Regional Office

PAS232210, Storm Water, SIC Code 3085, **Altium Pkg, LLC**, 2500 Windy Ridge Parkway, Atlanta, GA 30339. Facility Name: Consolidated Container Co. Allentown. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0223042, Sewage, SIC Code 4952, **Farmington Township**, P.O. Box 148, Leeper, PA 16233-0148. Facility Name: Farmington Township STP Clarion. This existing facility is located in Farmington Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Licking Creek, is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
			4.0		XXX	
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min	0.5	XXX	1.6
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	21	33	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids						
Raw Sewage Influent	25	38	XXX	30	45	60
Total Suspended Solids						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Avg Qrtly	XXX	XXX	Avg Qrtly	XXX	XXX
	Report			Report		
	Avg Qrtly			Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0273058, Sewage, SIC Code 4952, 8800, **Christopher & Kristina Reeher**, 34 Maple Road, Greenville, PA 16125-9258. Facility Name: Christopher & Kristina Reeher SRSTP. This existing facility is located in West Salem Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is an Unnamed Tributary to Big Run, located in State Water Plan watershed 20-A and classified for Warm Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0291307, Sewage, SIC Code 4952, 8800, **James Smith**, 1052 W Corydon Street, Bradford, PA 16701-4610. Facility Name: James Smith SRSTP. This proposed facility is located in Bradford Township, **McKean County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to West Branch Tunungwant Creek, located in State Water Plan watershed 16-C and classified for High Quality Waters—Cold Water Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0000183, Industrial, SIC Code 3743, **Wabtec U.S. Rail, Inc.**, 2901 East Lake Road, Building 9-201, Erie, PA 16531-0001. Facility Name: General Electric Transportation Erie. This existing facility is located in Lawrence Park Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving streams, an Unnamed Tributary to Lake Erie (WWF, MF) and Fourmile Creek (WWF, MF), is located in State Water Plan watershed 15-A and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.66 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Oil and Grease	XXX	XXX	Daily Min XXX	30.0 Daily Max	Daily Max XXX	30

The proposed effluent limits for Outfall 002 are based on a design flow of 0.00 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.00 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.00 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.00 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0.00 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PAI138305, MS4, **Harborcreek Township**, 5601 Buffalo Road, Harborcreek, PA 16421-1625.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Harborcreek Township, **Erie County**. The receiving stream(s), Unnamed Tributaries to Lake Erie (CWF, WWF, MF), Lake Erie (CWF, MF), Twelvemile Creek (HQ-CWF, MF), Eightmile Creek (CWF, MF), and Sixmile Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for High Quality—Cold Water, Migratory Fish, Cold Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southcentral Regional Office

PA0043672, Industrial, SIC Code 3489, **General Dynamics OTS (PA), Inc.**, 200 E High Street, Red Lion, PA 17356-1426. Facility Name: General Dynamics OTS PA. This existing facility is located in Red Lion Borough, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of industrial stormwater, treated groundwater, and NCCW (emergency only).

The receiving stream(s), Fishing Creek (TSF, MF), is located in State Water Plan watershed 7-I and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 (Emergency only)—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum Daily	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 002 (AST1) are based on a design flow of 0.005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Trichloroethylene AST1 Effluent	XXX	XXX	XXX	0.03	0.06	0.075
Trichloroethylene AST1 Influent	XXX	XXX	XXX	XXX	Report	XXX
Chloroethane AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
1,1,1-Trichloroethane AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
1,1-Dichloroethane AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
1,2-Dichloroethane AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
Chloroform AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
1,1-Dichloroethylene AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
cis-1,2-Dichloroethylene AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
trans-1,2-Dichloroethylene AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
Tetrachloroethylene AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
Vinyl Chloride AST1 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 (Stormwater)—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Antimony, Total	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX
Selenium, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX
Thallium, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 (AST2) are based on a design flow of 0.080 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Trichloroethylene AST2 Effluent	XXX	XXX	Inst Min	0.02	0.04	0.05
Trichloroethylene AST2 Influent	XXX	XXX	XXX	XXX	Report	XXX
Carbon Tetrachloride AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
Chloroethane AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
1,1,1-Trichloroethane AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
1,1-Dichloroethane AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
Chloroform AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
1,1-Dichloroethylene AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
cis-1,2-Dichloroethylene AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
Tetrachloroethylene AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX
Vinyl Chloride AST2 Influent and Effluent	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 (Stormwater).—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Antimony, Total	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Hexavalent	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX
Selenium, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX
Thallium, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Requirements Applicable to Stormwater Outfalls including:

- The permittee is authorized to discharge non-polluting stormwater from its site, alone or in combination with other wastewaters, through the following outfalls:

<i>Outfall No.</i>	<i>Area Drained (ft²)</i>	<i>Latitude</i>	<i>Longitude</i>	<i>Description</i>
002	427,000	39° 54' 16.78"	-76° 36' 6.45"	Material loading/unloading, parking lots, storage tanks, trash compactor, building roof
005	442,000	39° 54' 14.91"	-76° 36' 13.00"	Material loading/unloading, parking lots, storage tanks, dumpsters/rolloffs, building roof, steel and aluminum barstock, wood pallets, steel tubs

Monitoring requirements and effluent limitations for these outfalls are specified in Part A of this permit, if applicable.

- Stormwater Annual Report
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements including:

<i>Parameter</i>	<i>Benchmark Value (mg/L)</i>
Total Suspended Solids (TSS) (mg/L)	100
Oil and Grease (mg/L)	30
5-Day Biochemical Oxygen Demand (BOD ₅)	30

- Groundwater Cleanup—Volatile Organic Compounds (VOCs) including:

- Sampling shall be in accordance with monitoring requirements in Part A of this permit. All monitoring results shall be submitted with the monthly DMR.

- The Groundwater Monitoring Data Report form (3800-FM-BCW0443) shall be submitted to DEP's Clean Water Program on a quarterly basis, as an attachment to the appropriate DMR.

If the permittee monitors any pollutant and/or performs any measurements more frequently than the permit requires, the results of this monitoring shall be included on the quarterly report.

- A GRS Annual Report shall be submitted annually to the Clean Water Program on January 28 (for the previous calendar year). The Groundwater Remediation System (GRS) Annual Report shall address activities under the permit for the previous calendar year including groundwater quality data. If modification to the operation is proposed, details must be submitted along with the GRS Annual Report.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0057479, Industrial, SIC Code 3731, **Rhoads Ind., Inc.**, 1900 Kitty Hawk Avenue, Philadelphia, PA 19112. Facility Name: Philadelphia Navy Ship Yard Dry Dock 2. This existing facility is located in Philadelphia City, **Philadelphia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of wastewater.

The receiving stream(s), Delaware River (WWF, MF), is located in State Water Plan watershed 3-J and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 010 are based on a design flow of 1.092 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	100.0	200.0	250
Oil and Grease	XXX	XXX	XXX	15.0	30.0	30
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX
Lead, Total	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	XXX	XXX	XXX	Report	Report	XXX
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- I. Other Requirements
- II. Requirements Applicable to Stormwater Outfalls
- III. PCB Pollutant Minimization Plan and Monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0244970, Storm Water, SIC Code 2821, **DSM Biomed**, 735 Pennsylvania Drive, Exton, PA 19341-1130. Facility Name: DSM Biomedical. This existing facility is located in Upper Uwchlan Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Marsh Creek (HQ-TSF, MF), is located in State Water Plan watershed 3-H and is classified for Migratory Fish and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 is based are based on storm event

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

- I. Stormwater Outfalls and Authorized Non-Stormwater Discharges
- II. Best Management Practices (BMPs)
- III. Routine Inspections
- IV. Preparedness, Prevention, and Contingency (PPC) Plan
- V. Stormwater Monitoring Requirements
- VI. Other Requirements
 - A. Acquire Necessary Property Rights
 - B. Sludge Disposal Requirements
 - C. BAT/ELG Reopener
 - D. Small Stream Discharge
 - E. Remedial Measures if Public Nuisance

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0036595, Sewage, SIC Code 8361, **Basalt Trap Rock, LLC**, P.O. Box 653, Stevensville, MD 21666-0653. Facility Name: **Right Way Academy**. This existing facility is located in Morgan Township, **Greene County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), South Fork Tenmile Creek (WWF), is located in State Water Plan watershed 19-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.062 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min	0.5	XXX	1.6
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10	XXX	20
			XXX			
Total Suspended Solids	XXX	XXX	XXX	10	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
				200		
Ammonia-Nitrogen	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

In addition, the permit contains the following major special conditions:

- None

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0096334, Sewage, SIC Code 8211, **Clelian Heights School for Exceptional Children**, 135 Clelian Heights Lane, Greensburg, PA 15601-6665. Facility Name: Clelian Hts School for Exceptional Children STP. This existing facility is located in Hempfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Beaver Run (HQ-CWF), is located in State Water Plan watershed 18-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.18

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	0.009	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	6.7	XXX	13.4
May 1 - Oct 31	XXX	XXX	XXX	2.7	XXX	5.4
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0255033, Sewage, SIC Code 8811, **Josephine T Duman Estate**, 2028 Duman Road, Ebensburg, PA 15931-6803. Facility Name: Duman Estate SRSTP. This existing facility is located in Barr Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Crooked Run (CWF), is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

Parameters	Mass Units (lbs./day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	Report
				Daily Max		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Qrtly	XXX	Report

In addition, the permit contains the following major special conditions:

- Septic tank pumping requirement
- Optimization of TRC dosage

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

<i>Application Number</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAD150268	New	802 E. Baltimore Pike, LLC Kurt Hutter 802-810 East Baltimore Pike Kennett Square, PA 19348	East Marlborough Township Kennett Township Chester County	SERO
PAD150281	New	Adam Pompei and Patricia Pompei 1021 Bodine Road Chester Springs, PA 19425-2007	West Vincent Township Chester County	SERO
PAD460073	New	Concert Philmont, LLC c/o Ridgewood Real Estate Partners Philmont Country Club Pine Road & Tomlinson Road Huntingdon Valley, PA 19006-4815	Lower Moreland Township Montgomery County	SERO
PAD510225	New	Alliance 51st Street, LLC 1646 S. 51st Street Philadelphia, PA 19143	City of Philadelphia Philadelphia County	SERO
PAD060003	Renewal	East Penn Manufacturing Company Deka Road Lyon Station, PA 19536	Richmond Township Maxatawny Borough Berks County	SCRO
PAD210082	New	Hamilton Commons, LLP Clay & Hamilton Streets Carlisle, PA 17013	Carlisle Borough Cumberland County	SCRO
PAD090087	New	Byberry Woods, LLC Sandra DiNardo 1282 Byberry Road Bensalem, PA 19020	Bensalem Township Bucks County	SERO
PAD670063 A-1	Renewal	Inch's Properties, LLC 350 North Sherman Street York, PA 17403	Spring Garden Township York County	SCRO
PAD450031	Renewal	Hardrock Trucking & Excavating, LLC 784 Frable Road Brodheads ville, PA 18322	Hamlin Township Monroe County	NERO
PAD450166	New	TJA Realty, Inc. 351 Cedar Road Bangor, PA 18013	Hamilton Township Monroe County	NERO
PAD140011 [1]	Major Amendment	Grays Woods Partnership Grays Woods Planned Community Port Matilda, PA 16870	Patton Township Centre County	NCRO
PAD140086 A-1	Major Amendment	HRI, Inc. Route 80 Bellefonte, PA 16823	Marion Township Centre County	NCRO
PAD140094	New	Nicholas Wellar 2252 Dix Run Road Julian, PA 16844	Huston Township Centre County	NCRO

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Application No. 2222519, Construction, Public Water Supply.

Applicant	Susquehanna Area Regional Airport Authority/Harrisburg International Airport
Address	One Terminal Drive Suite 300 Middletown, PA 17057
Municipality	Lower Swatara Township
County	Dauphin County
Responsible Official	Timothy J. Edwards One Terminal Drive Suite 300 Middletown, PA 17057
Consulting Engineer	Glace Associates, Inc. 3705 Trindle Road Camp Hill, PA 17011
Application Received	October 5, 2022
Description	Demonstration of 4-Log Treatment of Viruses.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa Hensel, Clerical Assistant 2, 570-327-3653.

Stellar Cargo, Inc. Diesel Fuel Cleanup, Primary Facility ID # **855046**, Interstate 80 at MM 210E, exit 210A to US Route 15S, New Columbia, PA 17856, White Deer Township, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889 on behalf of Stellar Cargo, Inc., 110 Higgins Road, Park Ridge, IL 60068, has submitted a Notice of Intent to Remediate concerning remediation of site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Item* on October 11, 2022. Application received: October 21, 2022.

Jorawar Transport, LLC Diesel Fuel Cleanup, Primary Facility ID # **859453**, Interstate 80 at MM 216E, Milton, PA 17847, East Chillisquaque Township, **Northumberland County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889 on behalf of Jorawar Transport LLC, 75 Oak Creek Road, East Windsor, NJ 05620, has submitted a Notice of Intent to remediate concerning remediation of site soil contaminated with diesel fuel. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Daily Item* on September 16, 2022. Application received: October 21, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

K. Benedikt Pad 1, Primary Facility ID # **857544**, 1767 Chenango Street, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Folsom Engineering, 4361 State Route 87, Mehoopany, PA 18629 on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of diesel-based drilling mud. The Notice of Intent to Remediate was published in *The Susquehanna County Transcript* on October 12, 2022. Application received: October 20, 2022.

Falcon Oil Tanker Spill, Primary Facility ID # **848995**, SR 315 & I-81 Southbound Entrance Ramp near MM 174, Pittston, PA 18640, Jenkins Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512 on behalf of Falcon Oil Company, Inc., 1630 Main Street, Blakely, PA 18447, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated with gasoline from a tank truck accident. The Notice of Intent to Remediate was published in *The Scranton Times* on October 14, 2022. Application received: October 21, 2022.

Former Neuweiler Brewery, Primary Facility ID # **665057**, 401 North Front Street and 16 West Liberty Street, Allentown, PA 18102, City of Allentown, **Lehigh County**. Earthres Group, 6912 Old Easton Road, Pipersville, PA 18947 on behalf of 401 N. Front Street LLC, 114 West Allen Street, Allentown, PA 18102, submitted a Notice of Intent to Remediate. Soil was contaminated with arsenic from historic industrial operations. The Notice of Intent to Remediate was published in the *Morning Call* on October 21, 2022. Application received: October 24, 2022.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGM019SW006. Adler and Sons, Inc., 1011 Middlesex Road, Gibsonia, PA 15044, Richland Township, **Allegheny County**. A determination of applicability to operate under municipal waste general permit WMGM019 for the processing of waste concrete and asphalt to produce a roadway construction material and for the processing of wood waste, uncontaminated soil and leaf and yard waste to produce topsoil, landscaping mulch material and compost at 1011 Middlesex Road, Gibsonia, PA 15044. Application received: December 9, 2021. Deemed administratively complete: April 5, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@PA.GOV, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

WMGM043SW008. Diamond Mulch, Inc., P.O. Box 693, Indianola, PA 15051, Indiana Township, **Allegheny County**. An application for Determination of Applicability coverage under general permit WMGM043 for the processing of construction and demolition waste for recycling at 1 Hershey Road, Indianola, PA 15051. Application received: June 7, 2022. Deemed administratively complete: June 21, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@PA.GOV, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

WMGM044SW001. Reserve Park Recycling and Transfer, Inc., 408 Hoffman Road, Pittsburgh, PA 15212-1121, Reserve Township, **Allegheny County**. An application for the processing of wood waste, gypsum board, rubble, organic/other waste, cardboard, particle board, newspaper, non-asphalt containing asphalt shingles, recyclable plastic waste, and scrap metal for beneficial use as mulch, soil erosion control material, aggregate material in construction, animal bedding, alternative fuel, or distributed to wholesale outlets at Michael Brothers Reserve Park Facility, 408 Hoffman Road, Pittsburgh, PA 15212-1121. Application received: August 19, 2022. Deemed administratively complete: September 6, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@PA.GOV,

Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR123SW062, PennEnergy Resources, LLC, 1000 Commerce Drive, Park Place One, Suite 400, Pittsburgh, PA 15275, Marion Township, **Beaver County**. An application for coverage under General Permit No. WMGR123 for the processing, transfer and beneficial use of oil and gas liquid waste to develop or hydraulically fracture an oil or gas well at the ConnQ Pad, Route 588, Fombell, PA 16123. Application received: June 17, 2022. Deemed administratively complete: August 4, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@PA.GOV, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

101711. Casella Waste Management of Pennsylvania, Inc., 19 Ness Lane, Kane, PA 16735, Sergeant Township, **McKean County**. Permit application for a municipal waste transfer station to accept waste via the railroad. Casella had a previously permitted transfer station in 2016 but the facility was never constructed, and the permit became void. Application received: September 6, 2022. Deemed administratively complete: October 3, 2022.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid

Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

301356. Cleveland-Cliffs Steel Corporation, 210 Pittsburgh Road, Route 8 South, Butler, PA 16003, Butler Township, **Butler County**. Major permit modification application to an existing captive residual waste landfill for the vertical and horizontal expansion of the landfill disposal area. Application received: September 28, 2022. Deemed administratively complete: October 24, 2022.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: John Oren, Waste Management Permits Section Chief, 717-705-4907.

101606. Kline's Services LLC, 5 Holland Street, Salunga, PA 17538, East Hempfield Township, **Lancaster County**. Renewal of Operating Permit # 101606. Application received: October 7, 2022. Deemed administratively complete: October 24, 2022.

Comments or questions concerning the application should be directed to John Oren, Waste Management Permits Section Chief, (717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

301389. Range Resources—Appalachia LLC, 3000 Town Center Blvd, Canonsburg, PA 15317, Chartiers Township, **Washington County**. An application for an oil and gas wastewater storage impoundment for the storage and reuse of freshwater or oil and gas produced water at the Chartiers 16 Centralized Impoundment located at 430 Arden Road, Washington, PA 15301, Chartiers Township, Washington County. Application received: July 11, 2022. Deemed administratively complete: October 14, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@PA.GOV, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

301386. CNX Gas Company, LLC, 1000 Consol Drive, Canonsburg, PA 15317, Morris Township, **Washington**

County. An application for an oil and gas wastewater storage impoundment for the storage and reuse of fresh-water or oil and gas produced water at the NV North # 3 and NV North # 4 Centralized Impoundments located at 24 Cabin Road, Prosperity, PA 15329, Morris Township, Washington County. Application received: January 26, 2022. Deemed administratively complete: October 14, 2022.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@PA.GOV, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E,

or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Dave Balog, New Source Review Chief, (814) 332-6328.

25-01068A: Family Friends Pet Loss Services, LLC, 502 West 12th Street, Erie, PA 16501, City of Erie, Erie County. The Department received the application for the construction and initial operation of an animal crematory. Application received: October 7, 2022.

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00010S: Global Tungsten & Powders Corp., 1 Hawes Street, Towanda, PA 18848, Towanda Borough, Bradford County. Application received: July 19, 2022. For installation of a new dust collector and HEPA filter to replace the previously installed cyclone collector and wet scrubber on the existing Calciner # 5 (Source ID P219) at the Towanda Facility. The Department of Environmental Protection's (Department) review of the information submitted by Global Tungsten & Powders Corp. indicates that the air cleaning devices to be installed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants. Based on this finding, the Department proposes to issue a plan approval for the proposed installation. The emissions from Calciner # 5 after the installation of the new air cleaning device will not exceed 0.01 ton per year of filterable particulate matter or hazardous air pollutants. There will be no change in combustion emissions associ-

ated with the calciner's six 0.3 MMBtu/hr gas-fired burners. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: Calciner # 5 shall only be fired on natural gas or propane. The dust collector and HEPA filter shall have a combined control efficiency for filterable particulate matter of at least 99.5%. The dust collector and HEPA filter shall each be equipped with instrumentation to continuously monitor the pressure drop across the control device. The Department reserves the right to establish a pressure drop range for the dust collector and/or HEPA filter upon the issuance of an operating permit. The permittee shall record the pressure drop across the dust collector and the HEPA filter at least once per operating day. The permittee shall maintain records, including supporting calculations, as necessary to demonstrate compliance with the particulate matter emissions limitations. These records shall be kept on site for a minimum of five years and shall be presented to the Department upon request. The permittee shall keep on hand sufficient quantity of spare fabric collector bags and filters for all collectors and filters at the facility in order to be able to immediately replace any bag or filter requiring replacement. Any air compressor used to provide compressed air to any of the collectors or filters shall be equipped with an air dryer and an oil trap. Calciner # 5 as well as its associated control devices and monitoring equipment shall be operated and maintained in accordance with the manufacturer's specifications and in a manner consistent with good air pollution control practices for minimizing emissions. Calciner # 5 is a Harper Furnace model GU-30D180-RTA-20 tungsten carbide scrap calciner which incorporates six natural gas/propane-fired burners collectively rated at 1.80 MMBtu/hr of heat input. The particulate matter emissions from Calciner # 5 shall be controlled by a Scientific Dust Collector model SPJ-X4RT10 dust collector followed by a Sure Line Filter Housing model 26L06X04 HEPA filter. The particulate matter emissions from the Calciner # 5 dust bin and product bin shall be controlled by a Scientific Dust Collector model SPJ-X4RT10 dust collector followed by a Sure Line Filter Housing model 26L06X04 HEPA filter. The facility is a State Only facility. If the Department determines that the control devices are installed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 08-00010S, the requirements established in the plan approval will be incorporated into State Only Operating Permit 08-00010 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

08-00010R: Global Tungsten & Powders Corp., 1 Hawes Street, Towanda, PA 18848, Towanda Borough, Bradford County. Application received: July 19, 2022. For installation of a new dust collector and HEPA filter to replace the previously installed dust collector and HEPA filter on the existing Calciner # 4 (Source ID P218) at the Towanda Facility. The Department of Environmental Protection's (Department) review of the information submitted by Global Tungsten & Powders Corp. indicates that the air cleaning devices to be installed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants. Based

on this finding, the Department proposes to issue a plan approval for the proposed installation. The emissions from Calciner #4 after the installation of the new air cleaning device will not exceed 0.01 ton per year of filterable particulate matter or hazardous air pollutants. There will be no change in combustion emissions associated with the calciner's six 0.3 MMBtu/hr gas-fired burners. In addition to the emission limitations, the following is a brief description of the types of conditions the Department intends to place in the plan approval in order to ensure compliance with all applicable air quality regulatory requirements: The permittee shall not emit into the outdoor atmosphere total particulate matter from Calciner # 4 in a manner that the concentration in the effluent gas exceeds 0.1 lbs/hr, 0.44 ton/12 CMP, and 0.002 gr/dscf. Calciner # 4 shall only be fired on natural gas. The permittee shall only process tungsten scrap in Calciner # 4 and the tungsten scrap shall not contain any cutting fluids, any volatiles, or any hazardous materials. Additionally, the permittee shall not produce more than 480 lbs/hr of tungsten oxide. The HEPA filter shall have a control efficiency for particulate matter of at least 99.97%. Each fabric collector, dust collector, cartridge collector, and final filter shall be equipped with instrumentation which continuously monitors the pressure drop across the collector and filter and shall monitor the pressure drop across the collector and filter. The Scientific Dust Collector model SPJ-X4RT10 fabric collector shall be equipped with instrumentation to continuously monitor and record the inlet temperature to the collector. The permittee shall record the pressure drop across each collector and filter at least once per operating shift. The permittee shall keep records of the following: a) Supporting calculations which verify compliance with the particulate matter emission limitation and the throughput limitation. b) The pressure drop across the collector and HEPA filter at least once per day. c) The inlet temperature to the fabric collector on a continuous basis. These records shall be kept on site for minimum of five years and shall be presented to the Department upon request. The permittee shall keep on hand sufficient quantity of spare fabric collector bags and filters for all collectors and filters at the facility in order to be able to immediately replace any bag or filter requiring replacement. Any air compressor used to provide compressed air to any of the collectors or filters shall be equipped with an air dryer and an oil trap. Calciner # 4 as well as its associated control devices and monitoring equipment shall be operated and maintained in accordance with the manufacturer's specifications and in a manner consistent with good air pollution control practices for minimizing emissions. Calciner # 4 is a Harper Electric model GU-30D180-RT-18 which incorporates six natural gas-fired burners collectively rated at 1.80 MMBtu/hr of heat input. The particulate matter emissions shall be controlled by the Scientific Dust Collector model SPJX4RT10 fabric collector which incorporates a HEPA filter in its exhaust duct. Additionally, the control devices shall be made of material that is capable of withstanding temperatures of at least 390°F. The air temperature shall not exceed 390°F in the inlet of the fabric collector. The Department reserves the right to establish a pressure drop range for the Scientific Dust Collector model SPJ-X4RT10 fabric collector and HEPA filter upon the issuance of an operating permit. The opacity from the exhaust of the HEPA filter shall not exceed 5%. The particulate matter emissions from the Calciner # 8 dust bin and product bin shall be controlled by a Scientific Dust Collector model SPJ-X4RT10 dust collector followed by a Sure Line Filter Housing model 26L06X04 HEPA filter. These control devices will also

control particulate matter emissions from the Calciner # 4, # 5, and # 7 dust and product bins, the Calciner # 6 product bin, and a tote discharge station. The facility is a State Only facility. If the Department determines that the control devices are installed and operated in compliance with the plan approval conditions and the specification of the application for Plan Approval 08-00010R, the requirements established in the plan approval will be incorporated into State Only Operating Permit 08-00010 pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-0550.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

26-00495B: Gans Energy LLC, 581 Gans Road, Gans, PA 15439, Springhill Township, **Fayette County**. Application received: August 16, 2021.

Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval 26-00495B to modify wording on existing Operating Permit conditions, as well as add facility-wide emission limitations. The facility includes the following existing equipment: two (2) 424.6 MMBtu/hr combustion gas turbine units, each equipped with water injection systems, and two (2) cooling towers.

There will be no increase of emissions at the facility. Per the most recent Title V Operating Permit renewal (TV-26-00495), potential to emit will not equal or exceed 137 tons of CO, 99.9 tons of NO_x, 13 tons of VOC, 10.0 tons of PM₁₀, 10.0 tons of PM_{2.5}, 7.0 tons of SO₂, 1.0 ton of formaldehyde, 2.0 tons of the sum of all HAPs combined, and 126,531 tons of CO_{2e}.

No new sources were proposed. The Plan Approval does not include physical modification or change in operation, and no emission increases are proposed. As such, a no sources require a revised best available technology (BAT) analysis. The existing facility underwent BAT analysis and met BAT during the initial Plan Approval process.

The facility remains subject to State as well as Federal National Emission Standards including 40 CFR Part 60, GG—Standards of Performance for Stationary Gas Turbines, Parts 72—77—Acid Rain Program requirements, and Part 97, Subparts AAAAA, BBBBB, and CCCCC—CSAPR NO_x and SO₂ Trading Programs and 25 Pa. Code Chapters 121—145. This Plan Approval and the existing Operating Permit have been conditioned to ensure compliance with all applicable rules. This includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. The applicant will be required to submit an administrative amendment application to roll the Plan Approval into the Title V Operating Permit in accordance with 25 Pa. Code Subchapter F.

The Plan Approval Application, the Department's Air Quality Review Memorandum, the proposed Air Quality Plan Approval, and other relevant information for this project are available for review by any interested party at the Department's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of

the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000.

A person may oppose the proposed plan approval by filing a written protest with the Department through Laura Dickson, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; ldickson@pa.gov; or fax 412.442.4098. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-26-00495B) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based.

All comments must be received prior to the close of business 30 days after the date of this publication.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Laura S. Dickson, Environmental Engineer, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to ldickson@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00002, Graymont (PA), Inc., 375 Graymont Road, Bellefonte, PA 16823, Benner Township and Spring Township, **Centre County**. Application received: May 18, 2022. For a significant permit modification to the Title V operating permit for their Pleasant Gap, Bellefonte & Con-Lime sites in Spring and Benner Township, Centre County. The facility's main sources include lime manufacturing kilns No. 6, 7 and 8 as well as the material handling, conveyance and other processing operations that support the kilns. The type and quantity of pollutants emitted on a facility-wide potential emission basis is estimated, as follows: NO_x—1,067.9 tons per year (tpy), CO—913.5 tpy, SO_x (as SO₂)—302.6 tpy, PM_{2.5}—156 tpy, VOCs—< 50 tpy, HAPs (HCl)—118.26 tpy, GHG (as CO₂)—1,000,000 tpy, 225 tpy for PM₁₀, and 350 tpy for PM (particulate matter). The company has applied to renew the PAL at the current level of 302.6 TPY. In accordance with the necessary PAL permit application and other documentation submitted by the company, the Department has preliminarily determined that the information justifies maintaining the PAL at its current rate or level pursuant to 40 CFR 52.21(aa)(10)(iv)(a). Accordingly, the Title V permit revisions incorporate all applicable requirements for the PAL permit renewal to estab-

lish compliance pursuant to 40 CFR 52.21(aa)(1)–(15). All emission units that emit or have potential to emit will be subject to SO₂ PAL permit renewal requirements. As the facility is located in an area designated as attainment/unclassifiable the applicable requirements for SO₂ PAL permit renewal are derived from 25 Pa. Code Chapters 121 and 145, specifically Chapter 127, subchapter D, relating to Prevention of Significant Deterioration. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6328.

37-00013, CEMEX Wampum Cement Plant, 2001 Portland Park, Wampum, PA 16157-3913, Wampum Borough, **Lawrence County**. Application received: September 1, 2021. In accordance with 25 Pa. Code §§ 127.441, 127.425 and 127.521, the Department is providing notice that they intend to issue a renewed Title V Operating Permit for the Portland cement production operations. The facility is currently operating as a transfer station and is undergoing new source review for the reactivation of the cement operations (plan approval 37-00013G). The facility is a major facility due to its potential to emit PM₁₀. Potential emissions of the primary pollutants are as follows: 104.86 TPY PM₁₀, 55.28 TPY PM_{2.5}, and the rest of the pollutants less than 1 TPY. The facility is subject to 40 CFR 63 Subpart LLL, NESHAP from the Portland Cement Manufacturing Industry. The renewal permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration, 215-685-9426.

OP20-000055, Temple University-Main Campus, 1009 West Montgomery Avenue, City of Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Application received: October 22, 2020. The City of Philadelphia, Air Management Services (AMS) intends to issue a renewal of the Title V/State Operating Permit (TVOP) for the operation of a university facility in the City of Philadelphia, Philadelphia County. The facility's air emission sources are seven (7) boilers in the Central Steam Plant with the ability to burn natural gas and No. 2 oil each rated between 41.24 MMBtu/hr and 91.3 MMBtu/hr, six (6) boilers with the ability to burn natural gas and No. 2 oil each rated 9.9 MMBtu/hr or less, five (5) boilers and four (4) heaters with the ability to burn natural gas each rated 3.5 MMBtu/hr or less, ten (10) standby electric generators firing natural gas, each with two engines and two oxidation catalysts and each rated 2250 BHP, thirty-four (34) emergency generators firing No. 2 oil/diesel, of which twenty (20) rated between 201 HP and 1,588 HP, and fourteen (14) rated 197 HP or less, eleven (11) emergency generators firing natural gas each rated 300 kW or less, five (5) fire pumps firing No. 2 oil/diesel, of which one (1) rated 751 HP, and four (4) rated 170 HP or less, twelve (12) glass processing units including

burners, kilns, and furnaces firing natural gas each rated 1.537 MMBtu/hr or less, and twelve (12) insignificant emergency generators. The facility is a major source of Nitrogen Oxides (NO_x). The operating permit will be issued under the 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection at AMS, 321 University Avenue, Philadelphia, PA 19104. For further information, contact Edward Wiener at (215) 685-9426. Persons wishing to file protest, comments, or request a public hearing on the previously listed operating permit must submit the protest, comments, or request for public hearing within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or schedule a public hearing. The hearing notice will be published in the *Pennsylvania Bulletin* and a local newspaper at least thirty days before the hearing.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05003, Carmeuse Lime Incorporated, 3 Clear Spring Road, Annville, PA 17003, North Londonderry Township, **Lebanon County**. Application received: March 24, 2022. For the operation of the Millard Lime plant. The facility's reported AIMS emissions for 2016 were 315.97 tons of CO, 225.94 tons of NO_x, 191.30 tons of SO_x, 20.85 tons of PM₁₀, 10.32 tons of PM_{2.5}, and 0.9 ton of VOCs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include applicability to the RACT 2 requirements of 25 Pa. Code §§ 129.96–129.100, 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, and 40 CFR Part 63, 40 CFR Part 63, Subpart AAAAA for Lime Manufacturing Plants.

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: 570-826-2409.

45-00004, US Dept Defense/Tobyhanna Army Depot, 11 Hap Arnold Blvd, Tobyhanna, PA 18466-5002, Coolbaugh Township, **Monroe County**. Application received: April 28, 2022. The Department intends to issue a renewal State-Only (Synthetic) Minor Permit for the manufacturing of Electrical Equipment and Supplies facility located in Coolbaugh Township, Monroe County. The sources at this facility consists of a (7) boilers, (29) emergency generators, and spray booths. The control devices consist of panel filters. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring,

recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00092, RAD MFG LLC/Nescopeck, P.O. Box 531, Nescopeck, PA 18635-0531, Nescopeck Borough, **Luzerne County**. Application received: March 2, 2022. The Department intends to issue a renewal State-Only (Natural) Minor Permit for the manufacturing of Hardwood Dimension and Flooring Mills facility located in Nescopeck Borough, Luzerne County. The sources at this facility consists of a wood fired boiler, a silo, and grinders. The control devices consist of baghouses and collectors. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00049, ACME Cryogenics/Allentown Plant, 2801 Mitchell Ave, Allentown, PA 18103-7111, City of Allentown, **Lehigh County**. Application received: March 15, 2022. The Department intends to issue a renewal State-Only (Natural) Minor Permit for the manufacturing of Fabricated Pipe and Fittings facility located in Allentown City, Lehigh County. The sources at this facility consists of copper & brass dipping operations, and brazing operation. The control device is a fume scrubber. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00120, Cargill Cocoa & Chocolate/Hazle Township, 400 Stoney Creek Rd, Hazle Township, PA 18202-9722, Hazle Township, **Luzerne County**. Application received: May 18, 2022. The Department intends to issue a renewal State-Only (Synthetic) Minor Permit for the manufacturing of Chocolate and Cocoa Products facility located in Hazle Township, Luzerne County. The sources at this facility consists of a boiler and loadout processes. The control devices consist of baghouses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The proposed operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

13-00015, Arfan Inc/Palmerton, 525 Delaware Ave, Palmerton, PA 18071, Palmerton Borough, **Carbon County**. Application received: September 9, 2022. The Department intends to issue a renewal Operating Permit for their funeral home and funeral services facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00095, Pine Creek Structures Inc., 42 Quaker Dr., Hegins, PA 17938, Hubley Township, **Schuylkill**

County. Application received: September 22, 2022. The Department intends to issue a renewal Operating Permit for their prefabricated wood building and components manufacturing facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

64-00007, Hanson Aggregates PA LLC, 7660 Imperial Way, Allentown, PA 18195, Lake Township, **Wayne County**. Application received: September 22, 2022. The Department intends to issue a renewal Operating Permit for their Lake Ariel Quarry. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

64-00018, Lake Region Crematorium LLC, 143 Gravity Rd, Lake Ariel, PA 18436, Lake Township, **Wayne County**. Application received: September 7, 2022. The Department intends to issue a renewal Operating Permit for their Lake Region Crematorium at James Wilson Funeral Home. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00018, Stanley Vidmar Inc., 11 Grammes Road, Allentown, PA 18103, City of Allentown, **Lehigh County**. Application received: July 6, 2022. The Department intends to issue a renewal Operating Permit for their fabricated metal product manufacturing facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

54-00001, Guilford Mills Inc., 1 Penn Dye Street, Pine Grove, PA 17963, Pine Grove Borough, **Schuylkill County**. Application received: September 9, 2022. The Department intends to issue a renewal Operating Permit for their textile and fabric finishing mills facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

20-00256, Weaber, Inc., Choicewood, Titusville Mill, 1231 Mount Wilson Road, Lebanon, PA 17042-4785, Oil Creek Township, **Crawford County**. Application received: November 8, 2021. The Department intends to issue the renewal of the State-Only Operating Permit of a woodworking facility which produces moldings and S4S boards from hardwood lumbers. Permitted sources at the facility are the various woodworking operations controlled by 2 baghouses, silo-to-truck transfer of sawdust, a degreaser, and miscellaneous natural gas combustion. With potential emissions of 5.85, 0.44, 0.09, 0.023, and 0.003 TPY for PM, NO_x, CO, VOC, and SO_x, respectively,

the facility is a Natural Minor. None of the permitted sources are subject to MACT. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

25-00987, Hanes Erie, Inc., 7601 Klier Drive, Fairview, PA 16415, Fairview Township, **Erie County**. Application received: November 30, 2021. The Department intends to issue a renewal of a State Only Operating Permit to Hanes Erie, Inc., for the facility. The facility is a Synthetic Minor. The primary sources at the facility are 14 paint spray booth lines, 4 natural gas fueled heaters rated at 825,000 Btu/hour each, and one natural gas fueled emergency generator. Potential emissions are as follows: 45 tpy VOC; 9.9 tpy any single HAP; 24.9 tpy Total all HAPs combined; 2.1 tpy NO_x; and 1.77 tpy CO. The permit renewal contains emission restrictions, reporting, recordkeeping, and work practice requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-03066, Georgia Pacific Corrugated, LLC, 122 Bordnersville Road, Jonestown, PA 17038, Union Township, **Lebanon County**. Application received: June 16, 2022. To issue a State-Only Operating Permit for the recyclable mailer production lines. Potential emissions from the operations are estimated to be 46.4 tpy of VOCs and 6.2 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.77.

06-03114, WER Corp, dba Alum Alloys, 4601 Penn Avenue, Sinking Spring, PA 19608, Lower Heidelberg Township, **Berks County**. Application received: March 30, 2022. For the operation of an aluminum foundry. Potential emissions from the facility are 2.3 tpy of CO, 13.8 tpy of NO_x, 51.4 tpy of PM₁₀, 3.7 tpy of SO_x and 8.0 tpy of VOC. The State-Only Operating Permit will include visible emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include applicability to 40 CFR Part 63, Subpart ZZZZZZ for Hazardous Air Pollutants: Area Source Standards for Aluminum, Copper, and Other Nonferrous Foundries.

38-03007, Evans Eagle Burial Vaults Inc., 15 Graybill Road, Leola, PA 17540, Heidelberg Township, **Lebanon County**. Application received: July 12, 2022. To issue a State-Only Operating Permit for their three (3) human crematories. The potential emissions from the facility are estimated at 9.2 tpy of NO_x, 11.6 tpy of CO, 5.7 tpy of PM, 2.0 tpy of SO_x and 2.8 tpy of TOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

06-03186, Pregis EverTec, 9024 Old Route 22, Bethel, PA 19507, Bethel Township, **Berks County**. Application received: November 3, 2021. To issue a State-Only Operating Permit for the operation of two paper mailer production lines. The potential emissions from the facility

are estimated at 24 tons per year of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.77.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00014, Knoll, Inc., 1235 Water Street, East Greenville, PA 18041, Upper Hanover Township, **Montgomery County**. Application received: February 16, 2022. This action is for the renewal of a synthetic minor operating permit. Knoll, Inc. (Knoll) is a furniture manufacturing plant located in Upper Hanover Township, Montgomery County; SIC Code 2521: Manufacturing—Wood Office Furniture; NAICS Code 337211. The facility is considered a Synthetic Minor because facility-wide potential to emit Volatile Organic Compound (VOC) and Nitrogen Oxide (NO_x) emissions are less than major source threshold levels after operating restrictions. The facility is an area (minor) source for Hazardous Air Pollutant (HAP) emissions; facility wide HAP emissions are capped to less than 10 tons per year individual HAP and less than 25 tons per year, any combination of HAP. The metal furniture surface coating requirements of 25 Pa. Code § 129.52a and the adhesive requirements of 25 Pa. Code § 129.77 apply to operations at Knoll. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

63-00994, Hydro Recovery LP, 572 State Route 18, Burgettstown, PA 15021, Hanover Township, **Washington County**. Application received: January 10, 2022.

In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue a Natural Minor State-Only Operating Permit for Hydro Recovery, LP's oil and gas wastewater treatment facility.

Sources of emissions consist of two (2) 1.0 MMgal HTDSF tanks, one (1) 1.1 MMgal HTDSF tank, three (3) 3.0 MMgal HSF tanks, two (2) 18,000-gal surge tanks, one (1) 17,000 half-round tank, one (1) 5,000-gal concentrate tank, one (1) 18,000-gal wet well tank, and one (1) 24-bhp backup trash pump. All storage tanks are controlled by carbon canisters except for the two (2) surge tanks and half-round tank. The facility-wide potential-to-emit is less than 2.7 TPY VOC, 1.0 TPY total HAP, 0.5 TPY of any single HAP, and less than 1.0 TPY for all other criteria pollutants. The proposed air quality operating permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, testing, reporting, and recordkeeping requirements for the site.

Those who wish to provide the Department with additional written information that they believe should be

considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Facilities Permit Chief, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-00994) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit.

A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address.

All comments must be received prior to the close of business 30 days after the date of this publication.

The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—72.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 61120107. NPDES No. PA0259331. Hillside Stone, LLC, 4080 Sandy Lake Road, Sandy Lake, PA 16145, Irwin Township, Venango County. Renewal of an existing bituminous surface mine. Application received: October 19, 2022.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, Clerical Assistant 2, 724-925-5513.

Mining Permit No. 65150101. PA0278238. Coal Loaders, Inc., 210 East Main Street, Ligonier, PA 15658, Ligonier Borough, **Westmoreland County**. Renewal application for continued mining of an existing bituminous surface mine, affecting 339.9 acres. Receiving streams: UNTs to Mill Creek and UNTs to Coalpit Run, classified for the following use: HQ-CWF. There is no potable water supply with 10 miles downstream from the point of discharge. Application received: October 19, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40763204. GP12 No. GP12-40763204. Northampton Fuel Supply Co., Inc., 1 Horwith Drive, Northampton, PA 18067, Newport Township, **Luzerne County**. Application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12. Application received: October 7, 2022.

Mining Permit No. 54803004. Rausch Creek Land, LP, 978 Gap Street, Valley View, PA 17983, Hegins Township and Porter Township, **Schuylkill County**. Correction to update the post-mining land use and contour of an anthracite surface mine operation affecting 214.0 acres. Receiving streams: East Branch Rausch Creek and Good Spring Creek, classified for the following use: CWF. Application received: October 18, 2022.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

NPDES No. PA0224162. Mining Permit No. 28010302. David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17202, Antrim Township, **Franklin County**. Renewal of an NPDES permit. Affecting 48.7 acres. Receiving stream: unnamed tributary to Muddy Run classified for the following use: CWF. Application received: August 22, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributary to Muddy Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	SWO	Precipitation Induced
003	Existing	SWO	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls 001 and 003 (Dry Weather Discharges)</i>		<i>30-Day</i>	<i>Daily</i>	<i>Instant</i>
<i>Parameter (unit)</i>	<i>Minimum</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Suspended Solids (ml/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
<i>Outfalls 001 and 003 (10-yr/24-hr Precip. Event)</i>		<i>30-Day</i>	<i>Daily</i>	<i>Instant</i>
<i>Parameter (unit)</i>	<i>Minimum</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Settleable Solids (ml/L)	XXX	XXX	XXX	0.5
pH (S.U.)	6.0	XXX	XXX	9.0
<i>Outfalls 001 and 003 (>10-yr/24-hr Precip. Event)</i>		<i>30-Day</i>	<i>Daily</i>	<i>Instant</i>
<i>Parameter (unit)</i>	<i>Minimum</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0
Total Acidity (mg/L)	XXX	XXX	XXX	Report

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRG@pa.gov.

E5929222-008. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, Osceola Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: September 7, 2022.

To construct, operate and maintain an additional 9.15 acres of PFO, PSS and PEM wetland creation/enhancement will temporarily impact 6.14 acres of PEM and PFO wetlands at the Camp Brook Mitigation Site. (Elkland, PA Quadrangle, Latitude: 41.99200°, Longitude: -77.32750°). This project is in addition to impacts from permit number E5929221-006 which provides for 54.15 acres of wetland creation. This project is the mitigation site for the *Chesapeake Audit and Consent Decree United States, et al. v. Chesapeake Appalachia, LLC*, Civil Action No. 4:21-00538-MWB, all for the purpose of establishing a mitigation site for permanent wetland and stream impacts that occurred during well pad construction for Marcellus well development.

E4129222-012. Beech Resources LLC, 343 Pine Street, Suite 1, Williamsport, PA 17701, Lycoming Township, **Lycoming County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 18, 2022. To construct, operate and maintain approximately

1.9 miles of co-located underground 16-inch diameter steel natural gas pipeline and 16-inch diameter polyethylene water pipeline, along with 1.9 miles of temporary aboveground 16-inch diameter polyethylene water pipeline, and the use of a 0.25-mile existing access road. The gas pipeline will transfer gas from the proposed Delta Well Pad to the existing ISA Well Pad and connect to existing natural gas transmission infrastructure. The water pipelines will transfer freshwater and production

water during well development. The project will result in a total of 31 LF (386 SF) of permanent and 54 LF (644 SF) of temporary stream impacts, 1,455 SF (0.0334 acre) of permanent and 2,294 SF (0.0527 acre) of temporary floodway impacts and 1,235 SF (0.0284 acre) of permanent and 2,992 SF (0.0687 acre) of temporary wetland impacts all for the purpose of constructing a natural gas pipeline for Marcellus Shale well development.

Stream Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Chap. 93</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Stream A UNT Beautys Run	Lycoming Cogan Station	Pipelines & Workspace	WWF	None	29	88	3	12	41.28450° 77.11675°
Stream B UNT Beautys Run	Lycoming Cogan Station	Pipelines & Workspace	WWF	None			25	287	41.28356° 77.10411°
Stream C UNT Beautys Run	Lycoming Cogan Station	Pipelines & Workspace	WWF	None	25	556	3	87	41.28250° 77.10250°
TOTAL IMPACTS					54	664	31	386	

Wetland Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Cow. Class</i>	<i>Listed Trout</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Wetland B	Lycoming Cogan Station	Pipelines & Workspace	PEM; EV	None	100	2,992	235	312	41.28450° 77.11675°
Wetland E-1	Lycoming Cogan Station	Pipelines & Workspace	PEM; EV	None			70	528	41.28361° 77.10414°
Wetland E3	Lycoming Cogan Station	Pipelines & Workspace	PFO; EV	None			44	394	41.28361° 77.10414°
TOTAL IMPACTS					100	2,992	349	1,235	

Floodway Impact Table:

<i>Resource Name</i>	<i>Municipality Quadrangle</i>	<i>Activity</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Length Temp. (LF)</i>	<i>Impact Area Perm. (SF)</i>	<i>Impact Length Perm. (LF)</i>	<i>Lat. Long.</i>
Stream A UNT Beautys Run	Lycoming Cogan Station	Pipelines & Workspace	89	2,294	266	347	41.28450° 77.11675°
Stream B UNT Beautys Run	Lycoming Cogan Station	Pipelines & Workspace			39	1,108	41.28356° 77.10411°
TOTAL IMPACTS			89	2,294	305	1,455	

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Pete Geanacopoulos, Project Manager, 570-327-3701.

E5704221-003. Elkland Township, 909 Kobbé Road, Forksville, PA 18616, Elkland Township, Sullivan County. U.S. Army Corps of Engineers Baltimore District. Application received: October 17, 2022.

This is a major amendment. The applicant wishes to construct an additional 112 linear feet of R-8 rock protection along UNT Elk Creek (EV, MF). Latitude: 41° 33' 56.5", Longitude: -76° 38' 29.7".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@pa.gov.

E5802122-001. PA Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Great Bend Borough, New Milford Borough, Great Bend Township, and New Milford Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District. Application received: February 23, 2022.

To authorize the following water obstructions and encroachments associated with the SR 0081 Section 511 Project. The proposed project is located along SR 0081 and extends from the PA/NY border to Exit 223 for approximately 9 miles. (Franklin Forks, Great Bend and Hartford, PA Quadrangle, Latitude: 41.872703; Longitude: -75.720039 to Latitude: 41.997753; Longitude: -75.752269 in Great Bend and New Milford Boroughs and Great Bend and New Milford Townships, Susquehanna County.) Latitude: 41.872703 to 41.997753°, Longitude: -75.720039 to -75.752269°.

E5202222-001. Pike County Commissioners, 506 Broad Street, Milford, PA 18337, Dingman Township, **Pike County**. U.S. Army Corps of Engineers Philadelphia District. Application received: October 7, 2022.

To construct and maintain a bridge replacement conveying flow for Rattlesnake Creek (HQ-CWF, MF) consisting of a single 36.0-foot span, 31-foot long precast three-sided concrete frame bridge on concrete spread footings. The replacement structure will include appurtenant features such as a concrete headwall, upstream and downstream wingwalls and R-8 riprap scour protection. Approximately 0.01 acre of permanent EV wetland impacts are associated with this project. Edgemere, PA Quadrangle Latitude: 41° 21' 49", Longitude: -74° 57' 54" in Dingman Township, Pike County.

E3902222-004. Reynolds Acquisitions L.P., 404 Sumneytown Pike, North Wales, PA 19454, Coopersburg Borough, **Lehigh County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 16, 2022.

To permanently impact 0.17 of emergent wetlands for the construction of a residential development. The project is located in the Coopersburg Borough, Lehigh County. Latitude: 40° 30' 35", Longitude: -75° 23' 56".

F4002222-001. Plymouth Township, P.O. Box 1909, Kingston, PA 18704, Plymouth Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: October 14, 2022.

To demolish and remove structures located on the following sites in the floodplain and floodway of the Susquehanna River and Harveys Creek through the Wyoming Valley Levee Raising Project—Mitigation Program. Sites will be restored and stabilized to open space. Sites are owned by the Luzerne County Flood Protection Authority (LCFPA) and are in Plymouth Township, Luzerne County. Latitude: 41° 13' 21.10" to 41° 13' 21.76", Longitude: -76° 0' 52.02" to -76° 0' 57.03".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E4206222-006. Pennsylvania American Water, 203 Sycamore Street, Punxsutawney, PA 15767, Kane Borough and Wetmore Township, **McKean County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: September 30, 2022.

Linear utility project. Proposing replacement of approximately 9,000 LF of 12" ductile iron waterline and 1,300 LF 8" sanitary sewer along various roads in Kane Borough and Wetmore Township. Installation will be by open cut trenching and horizontal boring. Project includes 4 stream crossing and 4 wetland crossings impacting Tributary 56603 to Hubert Run (CWF). Three crossing have drainages of >100 acres. Entire project is in a Trout Natural Reproduction watershed. All impacted wetlands are Exceptional Value. Propose 0.03 acre temporary impact to wetlands. Propose 0.08 acre temporary impact to streams. Limit of disturbance is 2.1 acres and the NPDES boundary is 4.2 acres. Latitude: 41.67161°, Longitude: -78.8043°.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281.

E3007222-003. CNX Midstream Operating Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, Morris Township, **Greene County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 31, 2022. Latitude: 39.963355°, Longitude: -80.287465°. CNX Midstream Operating Company, LLC is proposing to stabilize and correct the underlying causes of a slope failure along the existing Deerlick to Iams natural gas pipeline right-of-way. (39.963355, -80.287465). CNXM proposes to remove the slope failure mass along the eastern bank of Trib. 40564 to Browns Creek and stabilize the existing slope through typical earthwork construction practices and subsurface drainage installation. The subsurface drainage installation will require permanent impacts to a wetland and an ephemeral stream channel on site. The slope will be reconstructed to approximate preexisting grades. Wetland mitigation is proposed at the First Pennsylvania Resource, LLC, Laurel Hill Creek Mitigation Bank (MB990556-0001). The project is located within the Rogersville USGS 7 1/2 Minute Quadrangle Map.

<i>Resource</i>	<i>Resource Type</i>	<i>Activity Type</i>	<i>Permanent Direct (acres)</i>	<i>Temporary Direct (acres)</i>	<i>Permanent Indirect (acres)</i>	<i>Temporary Indirect (acres)</i>
Wetland 1	PEM/PFO (Other)	Excavation and drain installation	0.072	0.052	—	—
UNT 2 to Trib 40564 to Browns Creek	HQ-WWF	Conversion to vegetated drainage channel	0.006 (125 LF)	—	—	—

<i>Resource</i>	<i>Resource Type</i>	<i>Activity Type</i>	<i>Permanent Direct (acres)</i>	<i>Temporary Direct (acres)</i>	<i>Permanent Indirect (acres)</i>	<i>Temporary Indirect (acres)</i>
UNT 2 to Trib 40564 to Browns Creek Floodway		Loss of floodway due to channel conversion	0.146	—	—	—
Trib 40564 to Browns Creek	HQ-WWF	Temporary diversion (stream bypass)	—	0.034	—	—
Trib 40564 to Browns Creek Floodway		Temporary regrading	—	0.470	—	—

Contact: Dana Drake, Program Manager, 412-442-4000.

E5605222-003. Stonycreek Township, 120 Municipal Road, Friendsens, PA 15541, Stonycreek Township, **Somerset County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: August 11, 2022.

The applicant proposes to: Place and maintain fill within the Yonai Road township right of way and floodplain of Stonycreek River (CWF), utilizing a french stone mattress, and to construct and maintain twelve 12" diameter smooth culverts across the roadway and within the aforementioned floodplain for the purpose of widening and raising the roadbed elevation for continued use during and after storm events. The project will permanently impact 0.28 acre of floodplain to Stonycreek River. The project site is located on Yonai Road approximately 50-feet east of the Stonycreek River. Latitude: 39° 59' 05", Longitude: -78° 54' 47".

E0205222-003. Duquesne Light, 2841 New Beaver Ave, Pittsburgh, PA 15223, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: February 4, 2022.

The applicant proposes to: Construct, operate and maintain streambank protection in front of an approximately 100-foot existing sheet pile wall that will remain to provide additional support. The sloped stream bank projection will include a 67 linear feet section of riprap, and an adjacent 36 linear feet section of Fabriform concrete bags. Construct, operate and maintain a 27 linear foot gabion wall with a maximum exposed height of 5 feet will be installed to protect existing features associated with the updating of existing facilities, including removing and replacing secondary containment for the existing transformer pad. Cumulatively, the upgrades will impact 0.092 acre of Saw Mill Run's (WWF) floodplain. For the purpose of permanently stabilizing the existing bank that was subject to erosive flows during recent periods of high velocities. The total length of permanent impact to the left descending bank of Saw Mill Run (WWF) is 103 linear feet. Duquesne Light Company was previously granted an emergency permit (EP0205221-024) on November 14, 2021, for temporary stabilization of the existing sheet pile wall, with R-6 riprap. The previously installed R-6 riprap will be removed and replaced with the aforementioned slope stream bank protection. The project site is located in the West End neighborhood of Pittsburgh, between McKnight Street and Saw Mill Run Boulevard. Latitude: 40° 26' 6.26", Longitude: -80° 1' 57.54".

E0205222-015. Sewickley Academy, 315 Academy Avenue, Sewickley, PA 15143, Edgeworth Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 9, 2022.

The applicant proposes to: 1. Remove approximately 233,950 square feet of existing sports buildings, fields, courts, gravel parking lot and a single-family residence and to construct, operate and maintain the installation of a new indoor training facility, synthetic turf soccer/lacrosse and baseball stadiums and bleacher structures, field house, concessions, playground, and storage facility with associated utilities and stormwater management, which will temporarily impact 81,600 square feet and permanently impact 43,418 square feet of Little Sewickley Creek's (HQ-TSF) floodway. For the purpose of updating the existing sports complex at Sewickley Academy. The project site is located at 624 Beaver Road, Sewickley, PA. Latitude: 40° 33' 30", Longitude: -80° 11' 50".

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. § 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0229067	CAFO Individual NPDES Permit	Issued	Murmac Farms LLC 2336 Zion Road Bellefonte, PA 16823-6704	Spring Township Centre County	SCRO
PA0262013	CAFO Individual NPDES Permit	Issued	King Kerwin M 375 Forest Manor Road Cochranville, PA 19330-1648	Upper Oxford Township Chester County	SCRO
PAD020035	Chapter 102 Individual NPDES Permit	Issued	DRI/CA Pittsburgh, LLC 130 E Randolph Street Suite 2100 Chicago, IL 60601-6223	Pittsburgh City Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD180029	Chapter 102 Individual NPDES Permit	Issued	Wynn Tec, Inc. 70 EJ Commerce Drive Loganton, PA 17747-7107	Greene Township Clinton County	NCRO
PAD350028	Chapter 102 Individual NPDES Permit	Issued	Lackawanna County 1 Bald Mountain Road Scranton, PA 18504-9789	Dunmore Borough Elmhurst Township Roaring Brook Township Lackawanna County	NERO
PAD450160	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 50 1002 Hamilton Street Allentown, PA 18101	Hamilton Township Stroud Township Monroe County	NERO
PAD460069	Chapter 102 Individual NPDES Permit	Issued	PA Turnpike Comm 700 S Eisenhower Boulevard Middletown, PA 17057-5529	Franconia Township Montgomery County	SERO
PAD480166	Chapter 102 Individual NPDES Permit	Issued	Farmstead Realty Holdings, LLC 530 E 3rd Street Bethlehem, PA 18015-1314	Plainfield Township Northampton County	NERO
PA0284955	Industrial Stormwater Individual NPDES Permit	Issued	Gold Bond Bldg Products, LLC 2001 Rexford Road Charlotte, NC 28211-3415	Shippingport Borough Beaver County	SWRO
2322806	Joint DEP/PFBC Pesticides Permit	Issued	Hobbs Janice 16 Dogwood Hill Lane Chadds Ford, PA 19317-9106	Chadds Ford Township Delaware County	SERO
2322807	Joint DEP/PFBC Pesticides Permit	Issued	CBRE 1 State Farm Drive Glen Mills, PA 19342-1077	Concord Township Delaware County	SERO
PAI132279	MS4 Individual NPDES Permit	Waived	Mahoning Township Carbon County 2685 Mahoning Drive E Lehighton, PA 18235-9723	Mahoning Township Carbon County	NERO
PA0025933	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Lock Haven City Clinton County 20 E Church Street Lock Haven, PA 17745-2527	Lock Haven City Clinton County	NCRO
PA0058742	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Warminster Municipal Authority Bucks County P.O. Box 2279 415 Gibson Avenue Warminster, PA 18974-0147	Warminster Township Bucks County	SERO
PA0014605	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Veolia Water PA, Inc. 6310 Allentown Boulevard Suite 104 Harrisburg, PA 17112-2739	Fairview Township York County	SCRO
PA0032409	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PA DCNR 4205 Little Pine Creek Road Waterville, PA 17776-9608	Chapman Township Clinton County	NCRO
PA0054089	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Limerick Aviation LP 600 Horizon Drive Chalfont, PA 18914	Limerick Township Montgomery County	SERO

NOTICES

6909

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0035025	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Western Wayne School District 1970 Easton Turnpike Building C Lake Ariel, PA 18436-4661	South Canaan Township Wayne County	NERO
PA0095303	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Purchase Line School District 16559 Route 286 Highway E Commodore, PA 15729-8309	Green Township Indiana County	NWRO
PA0203696	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	South Side Area School District 4949 State Route 151 Hookstown, PA 15050-1439	Greene Township Beaver County	SWRO
PA0203891	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Western Area Career & Tech Center 688 Western Avenue Canonsburg, PA 15317-1477	Chartiers Township Washington County	SWRO
PA0082694	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	East St Clair Township Municipal Authority Bedford County P.O. Box 55 Fishertown, PA 15539-0055	East Saint Clair Township Bedford County	SCRO
PA0082732	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	East St Clair Township Municipal Authority Bedford County P.O. Box 55 Fishertown, PA 15539-0055	East Saint Clair Township Bedford County	SCRO
PA0088226	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	South Woodbury Township Bedford County 125 North Road New Enterprise, PA 16664-9121	South Woodbury Township Bedford County	SCRO
PA0110469	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Patton Borough Cambria County P.O. Box 175 800 4th Avenue Patton, PA 16668-0175	Elder Township Cambria County	SWRO
PA0253472	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Hanover Township Sewer Authority Washington County 533 Bavington Road Burgettstown, PA 15021-2734	Hanover Township Washington County	SWRO
NOEXNE043	No Exposure Certification	Issued	FedEx Supply Chain 3025 Commerce Center Boulevard Bethlehem, PA 18015-9547	Bethlehem City Northampton County	NERO
PAG030092	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Glynneath LP 800 N Wales Road North Wales, PA 19454	Upper Gwynedd Township Montgomery County	SERO
PAR216175	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	McDanel Adv Ceramic Tech LLC 160 Federal Street Floor 23 Boston, MA 02110-1700	Beaver Falls City Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG046309	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Marker Anthony C 840 Pioneer Road Rockwood, PA 15557-7111	Milford Township Somerset County	SWRO
PAG046311	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Rocksauce Operations, LLC 1851 North Road McDonald, PA 15057	North Fayette Township Allegheny County	SWRO
PAG058403	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	Allegheny Pit Stop, LLC 306 S Main Street Sheffield, PA 16347-2463	Sheffield Township Warren County	NWRO
PAG133502	PAG-13 NPDES General Permit for MS4s	Waived	Bally Borough Berks County 425 Chestnut Street P.O. Box 217 Bally, PA 19503-9614	Bally Borough Berks County	SCRO
PAG133583	PAG-13 NPDES General Permit for MS4s	Waived	Dover Borough York County 46 Butter Road Dover, PA 17315	Dover Borough York County	SCRO
PAG133622	PAG-13 NPDES General Permit for MS4s	Waived	Lancaster County 150 N Queen Street Suite 612 Lancaster, PA 17603-3994	Lancaster City Lancaster County	SCRO
PAG133624	PAG-13 NPDES General Permit for MS4s	Waived	Lewisberry Borough York County P.O. Box 172 Lewisberry, PA 17339-0172	Lewisberry Borough York County	SCRO
PAG133626	PAG-13 NPDES General Permit for MS4s	Waived	Lower Windsor Township York County 2425 Craley Road Wrightsville, PA 17368-8922	Lower Windsor Township York County	SCRO
PAG133648	PAG-13 NPDES General Permit for MS4s	Waived	Pequea Township Lancaster County 1028 Millwood Road Willow Street, PA 17584-9375	Pequea Township Lancaster County	SCRO
PAG133687	PAG-13 NPDES General Permit for MS4s	Waived	New Salem Borough York County P.O. Box 243 York New Salem, PA 17371-0243	New Salem Borough York County	SCRO
PAG133732	PAG-13 NPDES General Permit for MS4s	Waived	Mount Pleasant Township Adams County 1035 Beck Road Gettysburg, PA 17325	Mount Pleasant Township Adams County	SCRO
PAG136228	PAG-13 NPDES General Permit for MS4s	Waived	Bridgewater Borough Beaver County 199 Boundry Lane Bridgewater, PA 15009	Bridgewater Borough Beaver County	SWRO
PA0264245	Single Residence STP Individual NPDES Permit	Issued	Carlson Howard 1523 Valentine Run Road Russell, PA 16345-3005	Farmington Township Warren County	NWRO
PA0264792	Single Residence STP Individual NPDES Permit	Issued	John and Paula Patton 4261 Harborgreene Road Erie, PA 16510	Greene Township Erie County	NWRO
PA0290831	Single Residence STP Individual NPDES Permit	Issued	Martin Christine 4821 Old State Road McKean, PA 16426-2246	Washington Township Erie County	NWRO

NOTICES

6911

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0290882	Single Residence STP Individual NPDES Permit	Issued	Kathy and Thomas Waskiewicz 7100 Old Meadville Road Union City, PA 16438-5844	Le Boeuf Township Erie County	NWRO
PA0290904	Single Residence STP Individual NPDES Permit	Issued	Bryan and Tamara Gromacki SRSTP 3229 Harvard Road Erie, PA 16508-2146	Millcreek Township Erie County	NWRO
PA0290939	Single Residence STP Individual NPDES Permit	Issued	Santell David 1603 Shadow Court Scott Air Force Base, IL 62225-6302	Greene Township Mercer County	NWRO
PA0290955	Single Residence STP Individual NPDES Permit	Issued	Deliman Donald 1984 Buxton Road Titusville, PA 16354-7402	Cherrytree Township Venango County	NWRO
2522417	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Martin Christine 4821 Old State Road McKean, PA 16426-2246	Washington Township Erie County	NWRO
2522419	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Kathy and Thomas Waskiewicz 7100 Old Meadville Road Union City, PA 16438-5844	Le Boeuf Township Erie County	NWRO
2522420	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Bryan and Tamara Gromacki SRSTP 3229 Harvard Road Erie, PA 16508-2146	Millcreek Township Erie County	NWRO
4322406	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Santell David 1603 Shadow Court Scott Air Force Base, IL 62225-6302	Greene Township Mercer County	NWRO
6122403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Deliman Donald 1984 Buxton Road Titusville, PA 16354-7402	Cherrytree Township Venango County	NWRO
PA0291650	Small Flow Treatment Facility Individual NPDES Permit	Issued	Slate Ridge Mennonite School 149 Run Road Carlisle, PA 17015-8947	North Newton Township Cumberland County	SCRO
0281441	Small Flow Treatment Facility Individual WQM Permit	Issued	Rocksauce Operations LLC 1851 North Road McDonald, PA 15057	North Fayette Township Allegheny County	SWRO
2122404	Small Flow Treatment Facility Individual WQM Permit	Issued	Slate Ridge Mennonite School 149 Run Road Carlisle, PA 17015-8947	North Newton Township Cumberland County	SCRO
WQG016618	WQG-01 WQM General Permit	Issued	Marker Anthony C 840 Pioneer Road Rockwood, PA 15557-7111	Milford Township Somerset County	SWRO
WQG02252201	WQG-02 WQM General Permit	Issued	Fairview Township Water & Sewer Authority Erie County 68 Port Access Road Erie, PA 16507-2204	Erie City Erie County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020851	PAG-02 General Permit	Issued	Urbano Way, LLC 460 Virginia Avenue Indianapolis, PA 46203	Robinson Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020810	PAG-02 General Permit	Issued	# 1 Cochran Automotive 4520 William Penn Highway Monroeville, PA 15146	Harrison Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020889	PAG-02 General Permit	Issued	Scott Township 301 Lindsay Road Carnegie, PA 15106	Scott Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC02881	PAG-02 General Permit	Issued	PWSA 1200 Penn Avenue Pittsburgh, PA 15222	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020837	PAG-02 General Permit	Issued	Brookfield Properties 127 Public Square 31st floor Cleveland, OH 44114	Robeson Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020890	PAG-02 General Permit	Issued	Township of North Fayette 400 North Branch Road Oakdale, PA 15071	North Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020845	PAG-02 General Permit	Issued	Elk Ridge Development, LP 10431 Perry Highway Suite 100 Wexford, PA 15090	Moon Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC110095	PAG-02 General Permit	Issued	Portage Area Sewer Authority 606 Cambria Street Portage, PA 15946	Portage Borough Portage Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 221 Ebensburg, PA 15931 814-472-2120
PAD460074	PAG-02 General Permit	Denied	PTV 1236 LLC 400 Penn Center Blvd. Bldg. 4 Suite 1000 Pittsburgh, PA 15235	Marlborough Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov

NOTICES

6913

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460736	PAG-02 General Permit	Issued	T-Mobile Northeast LLC 30 South Montgomery Avenue Norristown, PA 19403-3326	West Norriton Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC460685	PAG-02 General Permit	Issued	The Hill School 860 Beech Street Pottstown, PA 19464	Pottstown Borough Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC460709	PAG-02 General Permit	Issued	Old Forge Acquisitions LP 404 Sumneytown Pike Suite 200 North Wales, PA 19454	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC460726	PAG-02 General Permit	Issued	LaSalle College High School 8605 Cheltenham Wyndmoor, PA 19038-7121	Springfield Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC090474	PAG-02 General Permit	Issued	ELU DeLuca Yardley, LLC 370 Maple Avenue Suite 101 Langhorne, PA 19047	Lower Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18902-5550 215-345-7577 x110 RA-EPNPDES_SERO@ pa.gov
PAC090099	PAG-02 General Permit	Issued	Mar-Mar Builders 400 Crossing Drive Bristol, PA 19007-1510	Upper Makefield Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC460715	PAG-02 General Permit	Issued	Fort Washington Property Owner LLC 1420 Spring Hill Road McLean, VA 22102-3028	Upper Dublin Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC480155	PAG-02 General Permit	Issued	Bethlehem Township Municipal Authority 4225 Easton Avenue Bethlehem, PA 18020	Bethlehem Township Northampton County	Northampton County Conservation District 14 Gracedale Avenue Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ PA.GOV

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC660032	PAG-02 General Permit	Issued	Gregory Lopatofsky 216 Oakridge Road Bear Creek, PA 18702	Nicholson Township Wyoming County	Wyoming County Conservation District 21 Hollowcrest Road Tunkhannock, PA 18657 570-836-2589 RA-EPWW-NERO@ PA.GOV
PAC100263	PAG-02 General Permit	Issued	Liberty Pointe Partners LLC 3413 Babcock Boulevard Pittsburgh, PA 15237	Jefferson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-2845270
PAC100090A1	PAG-02 General Permit	Issued	Sippel Enterprises 2000 Georgetown Drive Suite 100 Sewickley, PA 15143	Cranberry Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC150318	PAG-02 General Permit	Issued	Daniel E Fisher 273 Beacon Light Road Parkesburg, PA 19365	West Caln Township Chester County	Chester County Conservation District 688 Unionville Road Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC610021	PAG-02 General Permit	Issued	National Fuel Gas Distribution Corporation 1100 State Street Erie, PA 16501	City of Franklin Sugarcreek Borough Venango County	Venango County Conservation District 4871 US 322 Franklin, PA 16323 814-676-2832
PAC210293	PAG-02 General Permit	Issued	Weary Real Estate LLC 75 Goodyear Road Carlisle, PA 17015	West Pennsboro Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013-9101 717-240-7812
PAC220348	PAG-02 General Permit	Issued	Highview Commercial WH1, LLC 6235 Hamilton Blvd Allentown, PA 18106	West Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220349	PAG-02 General Permit	Issued	JJLH Associates, LTD 4337 East Street Road Trevose, PA 19053	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220191A-4	PAG-02 General Permit	Issued	Dana and Kyle Fronk 301 Adelia Street Middletown, PA 17057	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220317	PAG-02 General Permit	Issued	Dennis Railing 928 Groff Avenue Elizabethtown, PA 17022	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100

NOTICES

6915

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220350	PAG-02 General Permit	Issued	Patricia Derk 722 Knight Drive Harrisburg, PA 17111	South Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220052A-2	PAG-02 General Permit	Issued	Penn State University Milton S. Hershey Medical Center 139J Physical Plant Building University Park, PA 16802	Derry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC540014	PAG-02 General Permit	Issued	Tyson Foods Mr. Duane Redder 2231 W. Martin Luther King Jr Blvd Fayetteville, AR 72701	Cass Township Schuylkill County	Schuylkill Conservation District 1206 Ag Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@PA.GOV
PAC630073A-1	PAG-02 General Permit	Issued	S&S Excavating and Construction 176 Grand Vista Lane Friedens, PA 15541	Fallowfield Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC630004A-6	PAG-02 General Permit	Issued	Rivendale Farms Pittsburgh, LLC 1357 Valleyview Road Bulger, PA 15019	Robinson Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC630244A-1	PAG-02 General Permit	Issued	PTV 1223, LLC 400 Penn Center Boulevard Building 4 Pittsburgh, PA 15235	Carroll Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC020151A-1	PAG-02 General Permit	Issued	Housing Authority City of Pittsburgh 200 Ross Street Pittsburgh, PA 152219	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC02882	PAG-02 General Permit	Issued	Lee Carmen Industries, LLC 696 McKeesport Road Elizabeth, PA 15037	White Oak Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020883	PAG-02 General Permit	Issued	Kilbuck Builder Supply, LLC 785 Redgate Road Sewickley, PA 15143	Kilbuck Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020843	PAG-02 General Permit	Issued	LORE PPA BKSU4 6519 Penn, LLC 5500 Walnut Street Suite 300 Pittsburgh, PA 15232	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC020839	PAG-02 General Permit	Issued	Mele & Mele & Sons, Inc. One Mele Place Braddock, PA 15104	City of Duquesne Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020897	PAG-02 General Permit	Issued	Patalsky Homes, Inc. 1209 Route 286 Export, PA 15632	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020869	PAG-02 General Permit	Issued	Allegheny County Airport Authority Landslide Terminal 4th Floor Mezzanine Suite 1050 Pittsburgh, PA 15231	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020860A-1	PAG-02 General Permit	Issued	Peoples Natural Gas Company, LLC 375 North Shore Drive Pittsburgh, PA 15212	Penn Hills Township Plum Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020894	PAG-02 General Permit	Issued	Regional Industrial Development Corporation 611 William Penn Place Suite 600 Pittsburgh, PA 15219	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020865	PAG-02 General Permit	Issued	Bundy Investments, LP 33-2 McGovern Boulevard Crescent, PA 15046	Moon Township Crescent Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PA020900	PAG-02 General Permit	Issued	South Fayette Township Municipal Authority 900 Presto Sygan Road Bridgeville, PA 15017	South Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020820	PAG-02 General Permit	Issued	CRAFT Pittsburgh USA, Inc. 301 Grant Street Pittsburgh, PA 15219	Mount Lebanon Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020730	PAG-02 General Permit	Issued	Duquesne Light Company 2841 New Beaver Avenue Pittsburgh, PA 15233	Robinson Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC020741	PAG-02 General Permit	Issued	The Silverman Group 195 Morristown Road Baskin Ridge, NJ 07920	North Fayette Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 119 Pittsburgh, PA 15219 412-291-8005
PAC600089	PAG-02 General Permit	Issued	Earl Hursh 8005 Old Turnpike Road Mifflinburg, PA 17844	Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC410077	PAG-02 General Permit	Issued	Leclerc Foods USA Inc. 44 Park Dr Montgomery, PA 17752	Clinton Township Lycoming County	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 570-433-3003

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Barry Farms 221 Michters Road Schaefferstown, PA 17088	Lebanon County	654.7	1,034.61	Beef/ Swine	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of

practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor 2, 570-327-3490.

Construction Permit No. 4922504, Major Amendment, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.
Roaring Creek**
Address 762 West Lancaster Avenue
Bryn Mawr, PA 19010
Municipality Coal Township
County **Northumberland County**
Consulting Engineer Charlie Liu P.E.
920 Germantown Pike
Suite 200
Plymouth Meeting, PA 19462
Application Received June 24, 2022
Permit Issued October 19, 2022
Description This permit approves replacement of the existing chlorine dioxide generators at both reservoirs with a new chlorine dioxide generator at the Roaring Creek Filtration Plant.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Terri Yench, Clerical Assistant 2, 570-830-3048.

Construction Permit No. 5422508MA, Minor Amendment, Public Water Supply.

Applicant **Pennsylvania American Water Company**
Address 852 Wesley Drive
Mechanicsburg, PA 17055
Municipality Frackville Borough
County **Schuylkill County**
Consulting Engineer Ewoud Hulstein, P.E.,
Pennsylvania American Water Company
852 Wesley Drive
Mechanicsburg, PA 17055
Application Received July 28, 2022
Permit Issued October 18, 2022
Description Removal of UV light disinfection system.

Construction Permit No. 5222501MA, Minor Amendment, Public Water Supply.

Applicant **Community Utilities of Pennsylvania, Inc.**
Address 570 Hallett Road
East Stroudsburg, PA 18301
Municipality Lehman Township

County **Pike County**
Consulting Engineer Charles W. Amer III, P.E.
GHD, Inc.
298 East 5th Street
Suite 1
Bloomsburg, PA 17815
Application Received June 30, 2022
Permit Issued August 24, 2022
Description Well No. 3 wellhead modifications.

Operation Permit No. 2359008, Public Water Supply.

Applicant **Pennsylvania American Water**
Address 852 Wesley Drive
Mechanicsburg, PA 17055
Municipality Roaring Brook Township
County **Lackawanna County**
Consulting Engineer Rich Dudek
Pennsylvania American Water
2699 Stafford Avenue
Scranton, PA 18505
Application Received February 25, 2022
Permit Issued October 20, 2022
Description Approval to operate three 325-gallon portable water storage tankers.

Construction Permit No. 3922510, Major Amendment, Public Water Supply.

Applicant **South Whitehall Township**
Address 4444 Walbert Avenue
Allentown, PA 18104
Municipality South Whitehall Township
County **Lehigh County**
Consulting Engineer Ebert Engineering, Inc.
P.O. Box 540
4397 Skippack Pike
Skippack, PA 19474
Application Received October 24, 2022
Permit Issued October 24, 2022
Description Installation of booster pump station to supply water to new Ridge Farms Development.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4708.

Construction/Operation Permit No. 3622533 MA, Minor Amendment, Public Water Supply.

Applicant **Ephrata Area Joint Authority**
Address 124 South State Street
Ephrata, PA 17522
Municipality Ephrata Borough
County **Lancaster County**

Consulting Engineer Becker Engineering, LLC
525 Greenfield Road
Suite 201
Lancaster, PA 17601

Application Received August 15, 2022

Permit Issued October 20, 2022

Description Repairs to the 0.5 MG Lincoln elevated finished water storage tank.

Operation Permit No. 7360100, Public Water Supply.

Applicant **We Care Communities, LLC**

Address 135 Herr Drive
Peach Bottom, PA 17563

Municipality East Drumore Township

County **Lancaster County**

Consulting Engineer James R. Holley & Associates, Inc.
18 South George Street
Suite 300
York, PA 17401

Application Received October 19, 2022

Permit Issued October 24, 2022

Description Change of the pH adjustment chemical from soda ash to caustic soda.

Operation Permit No. 7360056, Public Water Supply.

Applicant **Penny Park**

Address 1619 Parkman Avenue
Baltimore, MD 21230

Municipality Drumore Township

County **Lancaster County**

Consulting Engineer James R. Holley & Associates, Inc.
18 South George Street
Suite 300
York, PA 17401

Application Received October 19, 2022

Permit Issued October 24, 2022

Description Operation of a flow switch control for the caustic soda feed pump.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers Clerical Assistant 2 484-250-5887.

Construction Permit No. 0922520, Minor Amendment, Public Water Supply.

Applicant **Top Star Express # 18**

Address 515 Dublin Pike
Perkaise, PA 19468

Municipality Bedminster Township

County **Bucks County**

Consulting Engineer Synergy Environmental, Inc.
155 Railroad Plaza
First Floor
Royersford, PA 19468

Application Received August 11, 2022

Permit Issued October 11, 2022

Description Adding a water softener and a Nitrogen treatment to the existing water system.

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor 2, 570-327-3490.

Amendment Permit 0818501. PWSID No. **2080029**. **Towanda Municipal Authority**, 724 Main Street, Towanda, PA 18848, North Towanda Township, **Bradford County**. Application received: October 5, 2022. Permit Issued: October 19, 2022. Amended Operation Permit for Special Condition S amended to prohibit simultaneous operation of the membrane racks. This allows the use of one turbidimeter to record the individual and combined filter effluent turbidities, since the values will always be the same. In addition, Special Condition V is hereby updated based on Chapter 109 revisions to require the recording of the following parameters daily at the hour of peak flow: Entry Point free chlorine residual, temperature, and pH; flow rate out of the clearwell; and calculated CT and log inactivation.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Operation Permit 7380033. PWSID No. **7380033**. **Heidelberg Township**, P.O. Box 188, Schaefferstown, PA 17088, Heidelberg Township, **Lebanon County**. Application received: August 15, 2022. Permit Issued: September 28, 2022. Replacement of the nitrate treatment anion exchange system.

Operation Permit 7220017. PWSID No. **7220017**. **PA American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, Londonderry Township, **Dauphin County**. Application received: August 29, 2022. Permit Issued: October 14, 2022. Operation of the Colebrook Road booster pumping station.

Operation Permit 2222509 MA. PWSID No. **7220036**. **PA American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, Steelton Borough, **Dauphin County**. Application received: October 21, 2022. Permit Issued: October 24, 2022. Steelton Borough water system—Replacement of the Filter No. 2 media.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 2122506 MA. PWSID No. **7210029**. **Pennsylvania-American Water Company**, 852 Wesley Drive, Mechanicsburg, PA 17055, Fairview Township, **York County**. Application received: October 21, 2022. Permit Issued: October 24, 2022. Partial operation permit for one polymer feed pump replacement.

Contact: Susan Wilbur, 717.705.4708.

Source Water Protection Program Approval issued to **Topton Borough Water Supply**, 205 South Calowhill Street Topton, PA 19562, PWSID No. **3060072**, Topton Borough, **Berks County** on October 17, 2022.

SEWAGE FACILITIES ACT PLAN DISAPPROVAL

Plan Disapprovals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: RA-EPSCROCWMAIN@pa.gov.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Wernersville Borough	100 North Reber Street Wernersville, PA 19565	Berks County

Plan Description:

West Ridge Suites Development, A3-06972-022-3E. The exemption from the requirement to revise the Official Plan for the West Ridge Suites Development, DEP Code No. A3-06972-022-3E, APS ID 1073162, is disapproved. The proposed subdivision consists of eight single-family residential lots to utilize a new force main with proposed flows of 1,904 gallons per day to be collected and conveyed by Wernersville Municipal Authority and treated at the Robeson-Wernersville Municipal Authority Wastewater Treatment Facility. The proposed development is located on Old Furnace Road in Wernersville Borough. This plan is disapproved because the submission does not qualify as an exemption from the requirement to revise the Official Plan. It does not qualify because the subdivision proposes the connection to or an extension of public sewer facilities which require or which must apply for a new or modified permit from DEP under the Pennsylvania Clean Streams Law (CSL) as per Chapter 71, Section 71.51(b)(5).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and trans-

port analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa Hensel, Clerical Assistant 2, 570-327-3653.

Coal Township Release Site, Primary Facility ID # **772092**, 40.80216, -76.60628, south side of Little Mountain, Coal Township, PA 17866, Coal Township, **Northumberland County**. Groundwater & Environmental Services, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Sunoco Pipeline, LP, 100 Green Street, Marcus Hook, PA 19061, submitted a Final Report concerning remediation of groundwater contaminated with unleaded gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Stellar Cargo, Inc. Diesel Fuel Cleanup, Primary Facility ID # **855046**, Interstate 80 at MM 210E, exit 210A to US Route 15S, New Columbia, PA 17856, White Deer Township, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Stellar Cargo, Inc., 110 Higgins Road, Park Ridge, IL 60068, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

David C. Duncan Pad A, Primary Facility ID # **861565**, 1178 Matthews Road, Trout Run, PA 17771, Cascade Township, **Lycoming County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17701, on behalf of EQT Corporation, 33 West Third Street, Suite 300, Williamsport, PA 17701, submitted a Final Report concerning remediation of soil contaminated with produced water and lube oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Jorawar Transport, LLC Diesel Fuel Cleanup, Primary Facility ID # **8859453**, Interstate 80 at MM 216E, Milton, PA 17847, East Chillisquaque Township, **Northumberland County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Jorawar Transport LLC, 75 Oak Creek Road, East Windsor, NJ 05620, submitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Imler's Poultry, Inc. Diesel Fuel Cleanup, Primary Facility ID # **859903**, Interstate 80 at MM 210 W at US Route 15 N ramp, New Columbia, PA 17856, White Deer Township, **Union County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Imler's Poultry, Inc., 1887 Route 754, Duncansville, PA 16635-7952, sub-

mitted a Final Report concerning remediation of soil contaminated with diesel fuel. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

K. Benedikt Pad 1, Primary Facility ID # **857544**, 1767 Chenango Street, Montrose, PA 18801, Bridgewater Township, **Susquehanna County**. Folsom Engineering, 4361 State Route 87, Mehoopany, PA 18629, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with diesel-based drilling mud. The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Barry Stanton, Geologic Specialist, 814-332-6195.

Potato Creek 1H Well Pad, Primary Facility ID # **802517**, 790 Colegrove Brook Road, Warren, PA 16379, Norwich Township, **McKean County**. Moody and Associates, 11548 Colton Road, Meadville, PA 16335, on behalf of PA General Energy Co LLC, 120 Market Street, Warren, PA 16365, submitted a Final Report concerning remediation of soil and groundwater contaminated with residential Statewide health standard in soil for aluminum, barium, boron, chloride, chromium, copper, lead, lithium, selenium, strontium, and zinc; and in groundwater for aluminum, arsenic, barium, boron, chloride, chromium, copper, lead, lithium, selenium, strontium, vanadium, and zinc. The project attained the background standard for arsenic in soil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

EQT Trax Farm Well Pad, Primary Facility ID # **861781**, 6390 State Route 88, Finleyville, PA 15332, Union Township, **Washington County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of EQT Corporation, 625 Liberty Avenue, 17th Floor, Pittsburgh, PA 15222, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, iron, lithium, manganese, selenium, vanadium, zinc, and chloride. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Superior Truck Lines, Inc. Project, Primary Facility ID # **859080**, US Route 15 Southbound near Trout Run Exit, Williamsport, PA 17701, Lewis Township, **Lycoming County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Superior Truck Lines, Inc., P.O. Box 538, Newark, NY 14513, submitted a Final Report concerning remediation of soil contaminated with diesel fuel and used motor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 14, 2022.

Thomas Property, Primary Facility ID # **855405**, 301 North 6th Street, Sunbury, PA 17801, City of Sunbury, **Northumberland County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of

Patricia Thomas, 301 North 6th Street, Sunbury, PA 17801, submitted a Final Report concerning remediation of soil contaminated with No. 2 heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 5, 2022.

Transportation Logistics Services, Inc. Cleanup Project, Primary Facility ID # **858952**, State Route 1475 North of the State 405 Interchange, Lewisburg, PA 17837, West Chillisquaque Township, **Northumberland County**. EnviroServe, Inc., 254 Reitz Avenue, Winfield, PA 17889, on behalf of Transportation Logistics Services, Inc., 12214 E. Main Road, North East, PA 16428, submitted a Final Report concerning remediation of soil contaminated with diesel fuel and used motor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: October 6, 2022.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

S. Biniewicz Pad 1, Primary Facility ID # **858776**, 6771 State Route 547, Harford, PA 18823, Gibson Township, **Susquehanna County**. Folsom Engineering, 4361 State Route 87, Mehoopany, PA 18629, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with produced fluid (brine). The Final Report demonstrated attainment of the Statewide health standards. Approved: October 25, 2022.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, 484-250-5768.

101470. United States Recycling, Inc., 6101 Tacony Street, Philadelphia, PA 19135, City of Philadelphia, **Philadelphia County**. The provided applications are for (1) a minor permit modification, received on June 21, 2021, and (2) a ten-year permit renewal, received on June 24, 2021, to continue operation at the United States Recycling Transfer Station, a municipal waste transfer facility. Application received: June 21, 2021. Approved: October 13, 2022. Renewed: October 13, 2022.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

101706. Michael Brothers Hauling, Inc., 901 Horning Road, Pittsburgh, PA 15236, Baldwin Borough, **Allegheny County**. Operation of a Municipal/Construction

and Demolition Waste Transfer Facility at 5331 McAnulty Road, Pittsburgh, PA 15236 in Baldwin Borough, Allegheny County. Application received: October 15, 2021. Renewed: October 21, 2022.

Persons interested in reviewing the permit may contact Regional Files, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

GP14-17-397: Clearfield County SPCA, 275 21st Street, Clearfield, PA 16833, Lawrence Township, **Clearfield County**. An authorization for continued operation of the animal crematory at their facility pursuant to the PA DEP Air Quality Bureau's General Plan Approval and General Operating Permit for Human or Animal Crematories (BAQ-GPA/GP-14). Application received: October 11, 2022. Issued: October 19, 2022.

AG5-57-00002A: Appalachia Midstream Services, LLC, 30351 SR6, Wysox, PA 18854, Fox Township, **Sullivan County**. Authorized for the continued operation of three 1,875 bhp Caterpillar model G3606LE, natural gas-fired, 4-stroke, lean burn compressor engines, each equipped with 2-way oxidation catalysts; one 622 bhp Caterpillar G3412TA, natural gas-fired, 4-stroke, rich burn, standby generator engine; three 3.575 MMBtu/hr, natural gas-fired line heaters and one 0.12 MMBtu/hr, catalytic fuel gas heater; various storage tanks, pneumatic devices, venting/blowdowns, fugitives, and pigging operations, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Red Fox Compressor Station. Application received: October 5, 2022. Issued: October 21, 2022.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, New Source Review Chief, Telephone: 570-826-2531.

GP3-54-015: Commonwealth Environmental Systems, LP, 99 Commonwealth Road, Hegins, PA 17938-0322, Foster Township, **Schuylkill County**. General permit for one (1) 600 TPH McCloskey vibratory screener and two (2) 600 TPH McCloskey 36x80 conveyors controlled by water sprays located at the site in Foster Township, Schuylkill County. Application received: September 12, 2022. Issued: October 18, 2022.

GP9-54-015: Commonwealth Environmental Systems, LP, 99 Commonwealth Road, Hegins, PA 17938-0322, Foster Township, **Schuylkill County**. General permit for engines associated with the portable nonmetallic mineral processing equipment issued under GP3-54-015. The engines consist of one (1) 131 BHP Caterpillar

C4.4 diesel-fired engine controlled by an oxidation catalyst and SCR, and two (2) 382 BHP AB Volvo Penta diesel-fired engines controlled by SCR located at the site in Foster Township, Schuylkill County. Application received: September 12, 2022. Issued: October 18, 2022.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03034A: Penn Valley Crematory, LLC, 167 North Enola Road, Enola, PA 17025, East Pennsboro Township, **Cumberland County**. For the human crematory. Application received: March 24, 2022. Issued: October 11, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05152F: Kellogg USA Inc., 2050 State Road, Lancaster, PA 17604, East Hempfield Township, **Lancaster County**. For the replacement of the corn tempering bin on the corn line with a larger corn tempering bin at the East Hempfield plant. The overall capacity of the corn line will not increase. The existing corn tempering bin exhausts through Rotoclone # 23, Size 16, inside the building. The new tempering bin will exhaust through a larger American Air Filter, Model W, Size 24, Rotoclone Wet Scrubber (Rotoclone # 39) and exhaust outside. Application received: June 3, 2022. Issued: October 18, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

63-00936F: MarkWest Liberty Midstream and Resources, LLC, 800 Western Avenue, Washington, PA 15317, Chartiers Township, **Washington County**. Plan Approval extension effective November 28, 2022, to extend the period of temporary operation of the Houston Gas Plant. The new expiration date is May 28, 2023. Application received: October 3, 2022. Issued: October 19, 2022.

65-01122A: OPTA (US), Inc./Affival, Inc., Schreiber Industrial Park, Building 120, 14th Street and 3rd Avenue, New Kensington, PA 15608, City of Arnold, **Westmoreland County**. The Department issued a plan approval to authorize the temporary operations of a cored wire production operation, including four (4) powdered metal cored wire lines, a powder dumping room, two (2) parts washers, three (3) solid metal cored wire lines, and miscellaneous combustion and metal fabrication equipment. The plan approval includes conditions relating to applicable emission restrictions, testing, monitoring, recordkeeping, reporting, and work practice standards requirements at the facility. Application received: August 4, 2020. Issued: October 13, 2022.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

31-05022B: AC Products, Inc.—Mt. Union Plant, 11823 Lenape Drive, Mount Union, PA 17066, Shirley Township, **Huntingdon County**. For the wood cabinet manufacturing facility. The plan approval was extended. Application received: October 4, 2022. Issued: October 21, 2022.

67-03083C: Utz Quality Foods, LLC, 900 High Street, Hanover, PA 17331, Hanover Borough, **York County**. For the construction of a new tortilla chip production line at the snack food manufacturing facility. The plan approval was extended. Application received: October 14, 2022. Issued: October 21, 2022.

67-05063A: York Building Products Co., Inc.—Roosevelt Quarry, 950 Smile Way, York, PA 17404, West Manchester Township, **York County**. For the replacement of a secondary and tertiary cone crusher and subsequent increase in sitewide capacity from 600 tph to 800 tph at the limestone quarry. The plan approval was extended. Application received: October 14, 2022. Issued: October 24, 2022.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05033A: Texas Eastern Transmission/Bernville, 306 Station Road, Robeson, PA 19551, North Heidelberg Township, **Berks County**. For the construction of two (2) new natural gas-fired simple cycle turbines at the Bernville Compressor Station. These new turbines will replace two (2) GE turbines. The turbines will be built with SoLoNO_x dry low NO_x (DLN) technology for the control of NO_x and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current 445 bhp emergency generator (Source ID 033) with a Waukesha VGF48GL 1,175 bhp, natural gas, emergency generator. The project also includes the installation of two (2) fuel gas heaters, each rated at 1.47 MMBtu/hr heat input, and five (5) 33-gallon separator vessels used to collect pipeline liquids. The plan approval was extended. Application received: September 29, 2022. Issued: October 21, 2022.

22-05010A: Texas Eastern Transmission, LP, 429 Station Road, Grantville, PA 17028, East Hanover Township, **Dauphin County**. For the construction of two (2) new natural gas-fired simple cycle turbines at the Grantville Compressor Station. These new turbines will replace four (4) turbines. The turbines will be built with SoLoNO_x dry low NO_x (DLN) technology for the control of NO_x and equipped with oxidation catalysts for the control of CO, VOCs and organic hazardous air pollutants (HAPS). The facility is also replacing the current 445 bhp emergency generator (Source ID 035) with a Waukesha VGF24GL 585 bhp, natural gas, emergency generator. The project also includes the installation of two (2) fuel gas heaters, each rated at 1.154 MMBtu/hr heat input, one space heater rated at 0.200 MMBtu/hr, three (3) separator vessels each rated less than 500 gallons used to collect pipeline liquids, one (1) 2,260 gallon pipeline liquids tank, two (2) 3,550 gallon oil tanks and one (1) 10,000 gallon oily water tank. The plan approval was extended. Application received: September 29, 2022. Issued: October 20, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

23-0051: Riddle Memorial Hospital, 1068 West Baltimore Pike, Media, PA 19063-5104, Middletown Township, **Delaware County**. For the extension of plan approval 23-0051 for the installation and operation of two emergency generators and one boiler, and the plan approval includes the removal of one existing emergency generator at their existing facility. Application received: October 12, 2022. Issued: October 20, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

11-00536A: CPV Fairview, LLC, 2862 William Penn Highway, Johnstown, PA 15909, Jackson Township, **Cambria County**. For change of responsible official and plan approval extension effective on October 28, 2022, with expiration on April 28, 2023, for continued temporary operation of air contamination sources and controls at the CPV Fairview Energy Center. Application received: September 23, 2022. Issued: October 28, 2022.

11-00536B: CPV Fairview, LLC, 2862 William Penn Highway, Johnstown, PA 15909, Jackson Township, **Cambria County**. For change of responsible official and plan approval extension effective on October 28, 2022, with expiration on April 28, 2023, for continued temporary operation of air contamination sources and controls at the CPV Fairview Energy Center. Application received: September 23, 2022. Issued: October 28, 2022.

Plan Approval(s) Denied, Terminated, Modified, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and the Provisions of 25 Pa. Code §§ 127.13b and 127.13c.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00047: Precision Tube Company, 287 Wis-sahickon Avenue, North Wales, PA 19454-4115, Upper Gwynedd Township, **Montgomery County**. For the revocation of the Title V Operating Permit because of the permanent shutdown of significant sources, including tube straighteners, vapor degreasers, parts washer and furnaces at the facility. Application received: November 8, 2021. Revoked: October 20, 2022.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

30-00194: EQM Gathering OPCO, LLC, 2200 Energy Drive, Canonsburg, PA 15317, Morris Township, **Greene County**. In accordance with 25 Pa. Code §§ 127.441, 127.425, and 127.521, the Department of Environmental Protection (DEP) is providing notice that on October 17, 2022, DEP issued a renewed Title V Operating Permit EQM Gathering OPTO LLC for the continued opera-

tion of a gathering line, natural gas-fired, compressor station, known as the Callisto Compressor Station. The facility consists of five, natural gas, compressors driven by spark ignition, four-stroke, lean-burn, 4,735-bhp, Caterpillar G3616 LE, natural gas-fired, compressor engines equipped with oxidation catalysts and air/fuel ratio controllers and two, triethylene glycol (TEG), 240 and 120 MMBtu/hr reboiler, and a 1,420 scfm, enclosed ground flare. For permitting purposes, the Browns Creek Dehydration Station is part of Callisto Compressor Station. This dehydration station contains two, 210-bbl and one, 50-bbl condensate tanks, one, 4-MMscf/d, dehydration unit, and an enclosed ground flare. Sources at the facility are subject to applicable requirements in Sources at the facility are subject to applicable requirements in 40 CFR Part 60, Subpart A—General Provisions, 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Part 60, Subpart OOOO—Standards of Performance for Crude Oil and Natural Gas Facilities for Which Construction, Modification, or Reconstruction Commenced After August 23, 2011, and on or Before September 18, 2015, 40 CFR Part 63, Subpart A—General Provisions, 40 CFR Part 63 Subpart HH—National Emission Standards for Hazardous Air Pollutants From Oil and Natural Gas Production Facilities, and 25 Pa. Code Chapters 121—145. No equipment or emission changes are being approved by this action. The emission restriction, testing, monitoring, recordkeeping, reporting and work practice conditions of the TVOP have been derived from the applicable requirements of 40 CFR Parts 60, 63, and 70, and 25 Pa. Code Article III, Chapters 121—145. Application received: March 29, 2022. Issued: October 17, 2022.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00002: ConAgra Grocery Products Company, 30 Marr Street, Milton, PA 17847, Milton Borough, **Northumberland County**. The Department issued a renewal State Only Operating Permit for their Milton production facility. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: April 15, 2022. Permit issued: October 21, 2022.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: 570-826-2409.

40-00070: Berwick Offray LLC Berwick Plant, Ninth and Bomboy LN, Berwick, PA 18603-4102, Salem Township, **Luzerne County**. The Department issued a renewal State-Only (Synthetic) Minor Permit for the manufacturing of commercial printing and gravure facility located in Salem Township, Luzerne County. The sources at this facility consists of extrusion lines and presses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP),

and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: May 13, 2022. Renewal issued: October 17, 2022.

40-00141: Wren Manufacturing Co., 1070 Hanover Street, Hanover, PA 18706, Hanover Township, **Luzerne County**. The Department issued a new State-Only (Natural) Minor Permit for the manufacturing of wood kitchen cabinets facility located in Hanover Township, Luzerne County. The sources at this facility consists of wood working machinery and spray lines. The control devices consist of baghouses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: February 23, 2022. Permit issued: October 24, 2022.

Contact: Norm Frederick, 570-826-2409.

39-00096: BEHR Proc Corp/Allentown, 7529 Morris Ct, Allentown, PA 18106-9226, Upper Macungie Township, **Lehigh County**. The Department issued a State-Only (Natural) Minor Permit for the operation of paints and allied products facility in Upper Macungie Township, Lehigh County. The sources at this facility consist of raw material processing. The control devices consist of a baghouse. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: January 18, 2022. Renewal issued: October 21, 2022.

40-00141: WREN Manufacturing Co., 1070 Hanover Street, Sugar Notch, PA 18706, Hanover Township, **Luzerne County**. The Department issued a new State-Only (Natural) Minor Permit for the manufacturing of wood kitchen cabinets facility located in Hanover Township, Luzerne County. The sources at this facility consists of wood working machinery and spray lines. The control devices consist of baghouses. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: February 23, 2022. Permit issued: October 24, 2022.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

35-00029: Scranton Hospital Co, LLC, 746 Jefferson Ave, Scranton, PA 18510, City of Scranton, **Lackawanna County**. The Department issued a renewal Operating Permit for their general medical and surgical hospital. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and

State air pollution regulations. Application received: March 23, 2022. Accepted: March 23, 2022. Issued: September 28, 2022.

40-00147: General Dynamics OTS (Wilkes-Barre), LLC, 1060 Hanover St, Hanover, PA 18706, Hanover Township, **Luzerne County**. The Department issued a State-Only Operating Permit for operation of sources at their artillery and mortar shell bodies manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: March 2, 2022. Accepted: March 2, 2022. Issued: September 21, 2022.

45-00026: Hanson Aggregates PA, LLC, 7660 Imperial Way, Allentown, PA 18195, Hamilton Township, **Monroe County**. The Department issued a State-Only Operating Permit for operation of sources at their asphalt paving mixture and block manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: March 17, 2022. Accepted: March 17, 2022. Issued: September 28, 2022.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03551: SGL Carbon, LLC, 796 Fritztown Road, P.O. Box 2193, Sinking Spring, PA 19608, Spring Township, **Berks County**. For the graphite components manufacturing facility. The State-Only permit was renewed. Application received: January 24, 2022. Issued: October 17, 2022.

36-03220: CHP F&M, LLC, P.O. Box 610, 1475 North Old Trail Road, Wilson, WY 83014-0610, City of Lancaster, **Lancaster County**. For the operation of a natural gas fired engine equipped with a waste heat recovery boiler. Application received: June 30, 2022. Issued: October 19, 2022.

36-05094: Keystone Wood Specialties, Inc., P.O. Box 10127, Lancaster, PA 17605-0127, East Lampeter Township, **Lancaster County**. For the custom wood specialties manufacturing facility. The State-Only permit was renewed. Application received: March 31, 2022. Issued: October 11, 2022.

38-03055: Always Bagels, Inc., 10 Keyland Court, Bohemia, NY 11716-2620, North Lebanon Township, **Lebanon County**. For the bagel bakery. The State-Only permit was renewed. Application received: March 28, 2022. Issued: October 18, 2022.

06-03032: Hamburg Manufacturing, Inc., 221 S. 4th Street, P.O. Box 147, Hamburg, PA 19526, Hamburg Borough, **Berks County**. For the metal castings manufacturing facility known as Plant # 1, at 147 South 4th Street. The State-Only permit was renewed. Application received: November 5, 2021. Issued: October 14, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

65-00863: CCX Inc. Braeburn Alloy Steel, 101 Braeburn Road, Lower Burrell, PA 15068, City of Lower Burrell, **Westmoreland County**. A State Only Operating Permit (SOOP) renewal to CCX Inc/Braeburn Alloy Steel to authorize the continued operation of their facility. Application received: February 9, 2022. Issued: October 21, 2022.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

17-00001: Shawville Power, LLC, P.O. Box F, 250 Power Plant Drive, Shawville, PA 16873-0403, Bradford Township, **Clearfield County**. The Department issued an administrative amendment Title V Operating Permit revision to reflect the new Responsible Official contact information for their Shawville Generating Station. All applicable regulatory requirements including testing, monitoring, recordkeeping, reporting and work practice conditions to verify compliance are included within the revised Title V permit. Application received: October 6, 2022. Revised: October 14, 2022.

59-00007: Blossburg Power, LLC, Old Rt. 15, ML N Blossburg, Blossburg, PA 16912, Covington Township, **Tioga County**. The Department issued a revised State Only (synthetic minor) Operating Permit for a change in responsible official for the Blossburg Generating Station. This revised State Only (synthetic minor) Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions. Application received: October 6, 2022. Revised: October 17, 2022.

08-00016: Dalrymple Gravel & Contracting Co., Inc., 2105 South Broadway, Pine City, NY 14871, Athens Township, **Bradford County**. The Department issued a revised State Only Operating Permit for their Chemung asphalt plant and sand and gravel facility. Revision No. 1 was issued for the incorporation of plan approvals 08-00016B and 08-00016C which authorized a new countercurrent flow drum and a new dual-fuel (natural gas and No. 2 fuel oil) burner for the drum mix plant as well as to allow the use of waste oil (on-specification type) in the existing burner of the batch mix plant. The revision also includes a change in the test requirements for the P101 drum plant from 50% RAP to 20% to 40% RAP to enable performance testing during actual production runs. The revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: March 10, 2022. Issued: February 11, 2020. Revised: October 24, 2022.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00259: The Hill at Whitemarsh, 4000 Fox Hound Drive, Lafayette, PA 19444, Whitemarsh Township, **Montgomery County**. For the change of ownership of the facility from EPP Renewable Energy LLC to The Hill at Whitemarsh. Application received: August 18, 2022. Issued: October 21, 2022.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, PE, Facilities Permitting Chief, 412-442-4336.

56-00199: Shade Central City School District, 203 McGregor Avenue, Cairnbrook, PA 15927, Shade Township, **Somerset County**. The Department issued an administrative amendment of the synthetic minor State Only Operating Permit for Shade High School. The Operating Permit was modified to change the responsible official and permit contact person. Application received: July 18, 2022. Issued: October 24, 2022.

65-00837: Eastern Gas Transmission and Storage Inc., 5000 Dominion Boulevard, Glen Allen, VA 23060, Salem Township, **Westmoreland County**. Administrative Amendment to change the language in Condition # 004 of Section E, Source Group SG05, of the Operating Permit to correct an inadvertent language error introduced in the previous, December 27, 2021, amendment to the permit for the Oakford Compressor Station. Application received: June 9, 2022. Issued: October 17, 2022.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 49663009. Mallard Contracting Co., Inc., 122 Wilburton Road, Mt. Carmel, PA 17851, Mount Carmel Township, **Northumberland County**.

Correction to construct a stream crossing and update the haul/access road on an anthracite surface mine, coal refuse reprocessing, refuse disposal and preparation plant operation affecting 1,189.2 acres. Receiving stream: Shamokin Creek. Application received: May 5, 2022. Correction issued: October 21, 2022.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 3076SM5. NPDES No. PA0259730. Conneaut Lake Sand & Gravel, Inc., P.O. Box 233, West Middlesex, PA 16159, Sadsbury Township, **Crawford County**. Receiving streams: Unnamed tributary to Conneaut Lake, classified for the following uses: HQ-CWF. Renewal of NPDES No. PA0259730. Application received: June 22, 2022. Issued: October 19, 2022.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. GP105 Permit No. 58112504. GP104 No. PAM122038. Eric Wheaton, 1576 Meshopen Creek Road, Montrose, PA 18801, Auburn Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: Tuscarora Creek. Application received: August 17, 2022. Coverage issued: October 19, 2022.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, 724.925.5500 or RA-EPNEWSTANTON@pa.gov.

Permit No. 03224102. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141, Boggs Township, **Armstrong County**. Blasting Activity Permit for the construction of Mascaro Route 66 and 28 highway project. Application received: October 13, 2022. Issued: October 13, 2022. Expiration date: December 31, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 15224107. Rock Work, Inc., 1257 Dekalb Pike, Blue Bell, PA 19422, West Whiteland Township, **Chester County**. Construction blasting for Exton Knoll Phase 2. Application received: October 13, 2022. Permit issued: October 19, 2022. Expiration date: November 1, 2023.

Permit No. 15224108. Valley Rock Solutions, LLC, P.O. Box 246, Macungie, PA 18062, City of Coatesville, **Chester County**. Construction blasting for Southview Subdivision. Application received: October 14, 2022. Permit issued: October 19, 2022. Expiration date: December 31, 2022.

Permit No. 36224141. Keystone Blasting Service, 15 Hopeland Road, Lititz, PA 17543, Manheim Township, **Lancaster County**. Construction blasting for Brooklawn Phase 111. Application received: October 18, 2022. Permit issued: October 21, 2022. Expiration date: November 30, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPWW-NERO@pa.gov.

E400222-006. Donna Klug, 32 Pear Street, Harveys Lake, PA 18618, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To remove an existing boathouse and dock and to construct and maintain a 2,538 ft², pile-supported boathouse/dock within the normal pool elevation of Harveys Lake (HQ-CWF, MF) and within a de minimus area of PEM Wetlands (Other) equal to 0.001 acre. The project is located at Pole 179 along Lakeside Drive (SR 415) in Harveys Lake Borough, Luzerne County. Latitude: 41° 22' 1", Longitude: -76° 3' 26". Application received: July 8, 2022.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E6106222-003. Jackson Township, P.O. Box 238, Cooperstown, PA 16317, Jackson Township, **Venango County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a steel beam bridge with 22-foot wide laminated timber deck having a clear span of 48 feet and an underclearance of 7 feet across UNT Sugar Creek on T-384 (White Road) approximately 1.2 miles south of SR 4022, Dempseytown, PA, Jackson Township, Venango County. Latitude: 41.538533°, Longitude: -79.858998°. Application received: May 24, 2022. Issued: October 24, 2022.

E3306222-002. Symmco Inc., 40 S Park Street, Sykesville, PA 15865, Sykesville Borough, **Jefferson County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a 34-foot wide by 50-foot long 1,700 square foot utility building in the assumed 50-foot floodway of Stump Creek at an existing manufacturing facility along South Park Street, DuBois, PA, Sykesville Borough, Jefferson County. Latitude: 41.0495°, Longitude: -78.81958°. Application received: August 3, 2022. Issued: October 25, 2022.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E0901221-004. Richland Township, 1328 California Road, Suite A, Quakertown, PA 18951, Richland Township, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District.

To restore, rehabilitate, and maintain approximately 1,000 feet of stream restoration along the Tohickon Creek (TSF/MF) associated with the MS4 Permit and PRP. The improvements will include several areas of eroded streambank stabilizations, sawtooth deflectors, end walls, and herbaceous plantings to restore and prevent future issues. The site is located south of East Pumping Station Road, Quakertown, Richland Township, Bucks County. Latitude: 40.4623°, Longitude: -75.3398°. Application received: May 24, 2021. Issued: October 20, 2022.

ENVIRONMENTAL ASSESSMENTS

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

EA5829222-004. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, Auburn Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District.

The construction of the existing water impoundment resulted in 112,428 square feet (2.581 acres) of impacts to a Palustrine Emergent Wetland and Palustrine Scrub-Shrub Wetland. The project proposes the removal of 112,428 square feet (2.581 acres) of existing fill from within the wetland. The project will result in 6,316 square feet (0.15 acre) of temporary PEM and PSS impacts (Bushkill, PA Quadrangle, Latitude: 41.706095°, Longitude: -76.094905°). This project is associated with the Chesapeake Audit and the impacts are the result of removing fill from within the wetland in Auburn Township, Susquehanna County. The permittee will provide 2.58 acres of PEM and PSS on-site restoration and 2.58 acres of PEM and PSS wetland mitigation at Camp Brook Restoration (Elkland, PA Quadrangle, Latitude: 41.988385°, Longitude: -77.337152°), permit application number E5929221-006. Application received: August 22, 2022. Issued: October 18, 2022.

EA0829222-004. Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840-1567, Terry Township and Wilmot Township, **Bradford County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 22, 2022. Issued: October 21, 2022. This project seeks after-the-fact authorization in accordance with the Consent Decree Chesapeake Appalachia, LLC entered into with the U.S. Environmental Protection Agency and the PA Department of Environmental Protection on May 20, 2021. As previously referenced, Environmental Assessment for Waived Activities, (EAR) Application EA0829222-004 Chesapeake Appalachia, LLC (Chesapeake) has applied for an Environmental Assessment Waiver 16—restoration to construct, operate and maintain 0.079 acre of temporary impacts to on-site wetlands. All impacts are associated with the Alexander Bra Pad construction in 2011. There are no stream and floodway impacts associated with this after-the-fact authorization. The project will result in a total of 3,441 SF (0.079 acre) of temporary wetland impacts.

WETLAND IMPACT TABLE:

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
W-JLK-110-T1	Terry Colley	Conversion/Workspace	PFO	Wild	97	2,570			41.611130° 76.317869°

Resource Name	Municipality Quadrangle	Activity	Cow. Class	Listed Trout	Impact Length Temp. (LF)	Impact Area Temp. (SF)	Impact Length Perm. (LF)	Impact Area Perm. (SF)	Lat. Long.
W-JLK-110-T2	Terry Colley	Temporary Workspace	PEM	Wild	39	871			41.611196° 76.317614°
TOTAL IMPACTS					136	3,441			

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG290822029-00**
 Applicant Name **Chesapeake Appalachia, LLC**
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 Township(s) Albany Township
 County **Bradford County**
 Receiving Stream(s) and Classification(s) Trib 30281 (CWF, MF), Trib 30280 (CWF, MF), South Branch Towanda Creek (CWF, MF), Trib 30278 (CWF, MF), Trib 30277 (CWF, MF)
 Application received: July 6, 2022
 Issued: October 19, 2022

ESCGP # 3 **ESG295822022-00**
 Applicant Name **Chesapeake Appalachia, LLC**
 Contact Person Eric Haskins
 Address 14 Chesapeake Lane
 City, State, Zip Sayre, PA 18840
 Township(s) Auburn Township

County **Susquehanna County**
 Receiving Stream(s) and Classification(s) UNT to Tuscarora Creek (CWF, MF)

Application received: September 6, 2022
 Issued: October 25, 2022

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281.

ESCGP#3 **ESG070222001-00**
 Applicant Name **Hyperion Midstream, LLC**
 Contact Person Brian Dillemath
 Address 501 Technology Drive, Suite 1200
 City, State, Zip Canonsburg, PA 15317
 Township(s) Allegheny County
 County **Elizabeth Township**
 Receiving Stream(s) and Classification(s) Trib 39541 to Fallen Timber Run WWF
 Application received: May 25, 2022
 Issued: October 14, 2022

ESCGP#3 **ESG076322007-00**
 Applicant Name **Markwest Liberty Midstream & Resources, LLC**
 Contact Person Brian Elliott
 Address 4600 J Barry Court, Suite 500
 City, State, Zip Canonsburg, PA 15317
 Township(s) Buffalo Township
 County **Washington County**
 Receiving Stream(s) and Classification(s) UNT to Wolf Run HQ-WWF UNT to Buffalo Creek HQ-WWF
 Application received: June 6, 2022
 Issued: October 5, 2022

ESCGP#3 **ESG073022008-00**
 Applicant Name **EQM Gathering OPCO, LLC**
 Contact Person Erin Debias
 Address 2200 Energy Drive
 City, State, Zip Canonsburg, PA 15317
 Township(s) Jackson Township
 County **Greene County**
 Receiving Stream(s) and Classification(s) UNT to Toms Run WWF
 Application received: September 1, 2022
 Issued: October 25, 2022

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial

action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Diana's Corner Store, Storage Tank Facility ID # **13-50526**, 23 West Lizard Creek Road, Lehigh, PA 18235, East Penn Township, **Carbon County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lehigh Patel Kwik Stop LLC, 23 West Lizard Creek Road, Lehigh, PA 18235 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Statewide health and site-specific standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ellen Roberts.

Reds Place For Car Care, Storage Tank Facility ID # **37-20525**, 101 S. New Castle St, New Wilmington, PA 16142, New Wilmington Borough, **Lawrence County**. Letterle & Associates, 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Ronald E Proudfoot, 101 S New Castle Street, New Wilmington, PA 16142 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential and nonresidential site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Gregory Bowman, Environmental Group Manager, 717-705-4705.

Former McGinness Airfield, Storage Tank Facility ID # **36-98067**, 1020 Manor Street, Columbia, PA 17512-1828, Columbia Borough, **Lancaster County**. ECS Mid-Atlantic, LLC, 145 Lake Drive, Suite 102, Wexford, PA

15090, on behalf of Columbia Borough, 308 Locust Street, Columbia, PA 17512 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Turkey Hill 176, Storage Tank Facility ID # **15-40728**, 3026 Horseshoe Pike, Honeybrook, PA 19334, Honey Brook Township, **Chester County**. Liberty Environmental, Inc., 505 Penn Street, Reading, PA 19601, on behalf of Turkey Hill Minit Markets, LLC, 165 Flanders Rd, Westborough, MA 01581 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Edward J Dougherty, Storage Tank Facility ID # **46-07027**, 1780 Summeytown Pike, Kulpsville, PA 19443, Towamencin Township, **Montgomery County**. August Mack Environmental, Inc., 806 Fayette Street, Conshohocken, PA 19428, on behalf of Former Summeytown Gulf, 1780 Summeytown Pike, Lansdale, PA 19446 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Woodland Gardens, Storage Tank Facility ID # **23-34639**, 553 Church Ln., Yeadon, PA 19050, Yeadon Borough, **Delaware County**. Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of Mr. Nicholas Canavati, 209 Hazel Ridge Drive, Wilmington, DE 19810 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a descrip-

tion of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Capital Trailways, Storage Tank Facility ID # **54-22101**, 2650 Woodglen Road, Pottsville, PA 17901, City of Pottsville, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of JAM Woodglen LLC, P.O. Box 472, Schuylkill Haven, PA 17972 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on October 24, 2022.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Havertown Auto, Storage Tank Facility ID # **23-43603**, 819 West Chester Pike, Havertown, PA 19083, Haverford Township, **Delaware County**. Rickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of Mr. Robert Mulhern, 917 General Drive, West Chester, PA 19380 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on October 19, 2022.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Best Deal Tire Center, Storage Tank Facility ID # **02-07379**, 89 Clever Road, McKees Rocks, PA 15136, Kennedy Township, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Avenue Northwest, North Canton, OH 44720, on behalf of Bill Ostapchenko, 89 Clever Road, McKees Rocks, PA 15136 submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report residential did not demonstrate attainment of the Statewide health standards and was disapproved by DEP on October 18, 2022.

SPECIAL NOTICES

WATER PROGRAMS

Northeast Region: Clean Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: RA-EPNPDES_NERO@pa.gov.

Public Hearing for Intent to Issue NPDES Permit No. PA0029149 to Pocono Manor Investors, LP.

Notice is hereby given pursuant to 25 Pa. Code § 92a.83 that the Pennsylvania Department of Environmental Protection (DEP) will hold a public hearing on December 7, 2022, starting at 6:00 p.m. at Tunkhannock Township Volunteer Fire Company Hall, 1539 Long Pond Road, Long Pond, PA 18334.

The purpose of the public hearing is to take testimony concerning DEP's intent to issue NPDES Permit No. PA0029149 to Pocono Manor Investors LP, P.O. Box 38, Pocono Manor, PA 18348 for the discharge of treated sewage from The Inn At Pocono Manor to Swiftwater Creek (EV (existing use)) located at Route 314 Pocono Manor, PA 18349 in Pocono Township, Monroe County.

In accordance with 25 Pa. Code § 92a.82, DEP published notice of the draft NPDES permit in the *Pennsylvania Bulletin* on July 23, 2022 to allow for public comment regarding this proposal. Appointments may be made to review the DEP files on this case by calling the File Review Coordinator at 570-826-2511.

DEP will accept and record testimony concerning Pocono Manor Investor's application. Persons wishing to present testimony at the hearing should contact DEP's Community Relations Coordinator at coconnolly@pa.gov or 570-826-2511 before 4:00 p.m. on December 6, 2022. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who notify DEP in advance will be given priority on the agenda. Organizations are encouraged to designate one witness to present testimony on behalf of the organization. DEP requests that attendees limit their testimony to no more than 5 minutes per person so that all individuals have the opportunity to participate. Relinquishing time to others will not be allowed. Also, DEP requests that comments stay within the scope of the meeting, particularly questions and comments related to draft NPDES Permit No. PA0029149.

Persons unable to attend the hearing may submit three copies of a written statement and exhibits within 10 days thereafter to the Pennsylvania Department of Environmental Protection, Clean Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915 or RA-EPNPDES_NERO@pa.gov. Written submittals must contain the following:

- Name, address and telephone number of the person submitting the comments.
- Identification of the proposed draft NPDES Permit No. (PA0029149).
- Concise statements regarding the relevancy of the information or objections to issuance of the NPDES Permit.

Individuals in need of an accommodation as provided for in the Americans With Disabilities Act of 1990 should contact the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

WASTE, AIR, RADIATION AND REMEDIATION

Plan Revision Approval under the Municipal Waste Planning, Recycling and Waste Planning, Recycling and Waste Reduction Act of 1988, Act 101.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Joseph L. Delgrippe, Regional Planning & Recycling Coordinator, 570-916-8648.

The Department of Environmental Protection (Department) approved the Potter County Municipal Waste Plan Revision on October 19, 2022.

Persons aggrieved by an action may appeal, under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to the Administrative Agency Law), to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users may contact the Environmental Hearing Board (Board) through the Pennsylvania Relay Service, (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at (717) 787-3483 for more information.

The plan revision is a public document and may be viewed at the Department Regional Office previously noted.

Questions concerning this approval should be directed to Joseph L. DelGrippe, Regional Planning and Recycling Coordinator, Waste Management Program, at the Northcentral Regional Office at 570-916-8648.

[Pa.B. Doc. No. 22-1699. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where

each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Draft TGD: Substantive Revision

DEP ID: 381-2188-005. **Title:** Small Flow Treatment Facility Manual. **Description:** The purpose of this document is to provide guidance regarding the design, permitting, installation, operation and maintenance of domestic wastewater treatment facilities with flows not greater than 2,000 gallons per day.

The manual has not been revised since 2006. The manual has been updated, including:

- Added definitions—existing manual had no section containing definitions.
- Added organic design criteria—existing manual was based on hydraulic loading only.
- Added section on pretreatment for food preparation facilities—oil and grease from restaurants can cause problems with small flow systems unless it is removed prior to entering the system.
- Added specifications for trenching, bedding, haunching and initial backfill, final backfill, deflection testing and joints.
- Revised sand specifications—existing sand specifications were based on the Department of Transportation (PennDOT) sand, which is nonuniform and packs densely with a minimum of air space. This makes for good concrete but is the opposite of the sand desired for sand filters. In addition, some of the sand that was specified in the existing manual has been discontinued and is no longer available making compliance with the manual impossible. Furthermore, the ranges of materials (such as sand) specified in the existing manual were excessively broad. The revisions tighten the standards so that they reflect materials that will perform satisfactorily. Finally, the revisions require the design engineer to perform an analysis of the material and show that it will be expected to continuously meet effluent limits.
- Deleted the CO-OP RFS III recirculating sand filter.
- Added section allowing the use of proprietary technologies that have been evaluated and approved by the Bureau of Clean Water. It has been determined that several technologies are capable of meeting the specified effluent limits, with greater than 85% certainty. The revisions to this manual incorporate these technologies by reference into the manual.

- Revised dosing frequencies—provided for improved system performance.
- Added operation and maintenance requirements for sand filters and chlorine disinfection.
- Added PennDOT specifications for coarse aggregate—eliminates the need to consult multiple documents in the design process.

Written Comments: Interested persons may submit written comments on this draft TGD through Tuesday, January 3, 2023. Comments, including comments submitted by e-mail must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed to Jay Patel at jaypatel@pa.gov or (717) 787-5017.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1700. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Citizens Advisory Council and Environmental Justice Advisory Board Joint Meeting

The Citizens Advisory Council (Council) will meet at 12:30 p.m. on Tuesday, November 15, 2022, in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. This will be a combined meeting of the Council and the Environmental Justice Advisory Board. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Keith Salador at ksalador@pa.gov or (717) 787-8171.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Council's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Citizens Advisory Council," then "Meetings").

Individuals are encouraged to visit the Council's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the November 15, 2022, meeting can be directed to Keith Salador at ksalador@pa.gov or (717) 787-8171.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Keith Salador at (717) 787-8171 or through the

Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1701. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft National Pollutant Discharge Elimination System General Permit for Discharges from Small Flow Treatment Facilities (PAG-04)

The Department of Environmental Protection (Department) is announcing the availability of a draft National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges from Small Flow Treatment Facilities (SFTF) (PAG-04). To access the draft General Permit and related documents, visit www.dep.greenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "Draft—PAG-04 NPDES General Permit for Discharges from Small Flow Treatment Facilities").

The PAG-04 General Permit is intended to provide NPDES permit coverage to existing or proposed SFTFs. SFTFs are treatment works designed to adequately treat sewage flows of not greater than 2,000 gallons per day for final disposal to surface waters. The General Permit may not be used to cover other types of treatment facilities including those that process industrial wastes.

The following significant changes are proposed in the draft PAG-04 General Permit in comparison to the PAG-04 General Permit that is currently in effect, which expired on May 11, 2019, and has been extended to May 11, 2023:

- The proposed Notice of Intent (NOI) fee would increase from \$0 to \$100 for single residence sewage treatment plants (SRSTP), and from \$100 to \$1,000 for SFTFs that are not SRSTPs (paid in increments of \$200 per year).

- A definition of "service provider" has been proposed to address the qualifications of those performing annual inspections of an SFTF. In addition, a definition of "proprietary system" would be introduced to clarify that service providers for these systems would need to be certified by the manufacturer to provide operation and maintenance services.

- The existing General Permit restricts the use of PAG-04 to only those SFTF technologies that are identified in the Department's Small Flow Treatment Facilities Manual (DEP ID: 362-0300-002). The Department is proposing to expand the applicability of PAG-04 to any technology that the Department's Bureau of Clean Water has evaluated and determined capable of achieving the effluent limitations in Part A of the General Permit. The technologies include proprietary systems that have been reviewed and verified to achieve advanced secondary treatment standards of ≤ 10 milligrams per liter (mg/L) of 5-day carbonaceous biochemical oxygen demand and of

≤ 10 mg/L total suspended solids and disinfection to a fecal coliform level ≤ 200 colony forming units/100 milliliters.

- Instructions have been developed by the Department to assist permittees in completing Annual Maintenance Reports (AMR) (3800-PM-BCW0093f).

- The reporting period for annual reports would be transitioned from the current period of June 1—May 1 to a calendar year for administrative purposes. AMRs would continue to be due by June 30.

- The existing General Permit requires annual pumping of dosing tanks and aerobic tanks. The Department proposes to clarify that dosing tanks only need to be pumped when solids are observed in the tank that have the potential to affect downstream units (such as filters). The Department also proposes to remove the requirement to pump aerobic tanks annually because doing so may affect the biological integrity of the system; instead, the Department will note on the AMR that aerobic tanks should be pumped (or have solids removed) as recommended by the manufacturer or service provider.

- The existing General Permit requires monthly cleaning of the ultraviolet (UV) contact surface and annual UV bulb replacement. However, some UV systems have sensors or alarms to notify the owner of reduced intensity or transmittance. The Department proposes to allow the permittee with an alarm system to conduct maintenance when notified that it is necessary by an alarm system.

- The existing General Permit utilized the AMR to serve as the NOI for annual coverage under PAG-04. New coverage was approved without an expiration date of coverage identified. The Department proposes to no longer utilize the AMR as an NOI for annual coverage under the reissued General Permit. The Department will notify PAG-04 permittees of the mechanism that must be used to continue coverage under a modified or reissued General Permit and new coverage will specify an expiration date of coverage that corresponds to the PAG-04 expiration date.

Written Comments: Interested persons are invited to submit written comments regarding the draft PAG-04 General Permit and associated documents through Monday, December 5, 2022. Comments, including comments submitted by e-mail must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Written comments submitted during the 30-day comment period will be retained by the Department and considered in finalizing the General Permit. The Department will provide an opportunity for any interested person or group of persons, any affected State, any affected interstate agency, the United States Environmental Protection Agency or any interested agency to request or petition for a public hearing with respect to the proposed General Permit. The request or petition for public hearing, which must be filed within the 30-day period allowed for filing of written comments, must

indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be held if there is significant public interest.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1702. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft Water Quality Management General Permit for Small Flow Treatment Facilities (WQG-01)

The Department of Environmental Protection (Department) is announcing the availability of draft amendments to the Water Quality Management (WQM) General Permit for Small Flow Treatment Facilities (SFTF) (WQG-01). To access the draft amended General Permit and related documents visit www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "Draft—WQG-01 WQM General Permit for Small Flow Treatment Facilities").

The WQG-01 General Permit is intended to provide coverage to persons constructing and operating domestic wastewater treatment facilities with flows not greater than 2,000 gallons per day.

The modifications that the Department is proposing to make through amendment of the WQG-01 General Permit are as follows:

1. A proposed clarification to the size of system that may receive coverage under the general permit. The term "Design Daily Flow" is used in the current permit. To clarify the meaning of the term, the Department proposes to use the term "Design Maximum Daily Flow" as indicated in the Notice of Intent (NOI) and NOI instructions.

2. The CO-OP RFS III system is proposed for removal from coverage under the general permit. This specific system design is rarely received in proposal as SFTF in WQM permit received by the Department.

3. A new category of systems is proposed for coverage under the general permit in addition to the systems currently eligible for coverage under the WQG-01 General Permit. Proprietary systems that have been evaluated as SFTFs by the Department's Bureau of Clean Water and that meet the average monthly effluent standard of 10 milligrams per liter (mg/L) for 5-day carbonaceous biochemical oxygen demand, 10 mg/L for total suspended solids and 200 colony forming units/100 milliliters for fecal coliform are consistent with the Department's Small Flow Treatment Facility Manual (DEP ID: 381-2188-005) and may be approved for coverage under WQG-01 and under the National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges from SFTFs (PAG-04). As of the publication date of this permit, technologies that have been evaluated by the Department's Bureau of Clean Water and have been determined to be capable of achieving the relevant effluent limitations when used in conjunction with disinfection are listed in the Department's Small Flow Treatment Facilities Manual.

4. Operation and maintenance standard conditions have been updated to clarify the minimum operation and maintenance standards.

5. Permit eligibility requirements have been coordinated with the associated NPDES General Permit for SFTFs (PAG-04) eligibility requirements.

The Department is proposing to amend the WQG-01 General Permit as previously described. Submission of an NOI is not required for individuals who already have coverage under this General Permit and have already constructed or started constructing their SFTF. The permittee shall be responsible for complying with the final amended General Permit as published in the *Pennsylvania Bulletin*. The Department will publish notice of the receipt of NOIs in the *Pennsylvania Bulletin* and will publish notice when actions are taken by the Department to approve or deny coverage under the amended WQG-01 General Permit.

Written Comments: Interested persons are invited to submit written comments regarding the Draft WQG-01 General Permit and associated documents through Monday, December 5, 2022. Comments, including comments submitted by e-mail must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063.

Written comments submitted during the 30-day comment period will be retained by the Department and considered in finalizing the WQG-01 General Permit. The Department will provide an opportunity for any interested person or group of persons, any affected state, any affected interstate agency, the United States Environmental Protection Agency or any interested agency to request or petition for a public hearing with respect to the proposed WQG-01 General Permit. The request or petition for public hearing, which must be filed within the 30-day period allowed for filing of written comments, must indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be held if there is significant public interest.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1703. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Justice Advisory Board Meeting and Citizens Advisory Council Joint Meeting

The Environmental Justice Advisory Board (Board) will meet at 9 a.m. on Tuesday, November 15, 2022, in the Delaware Room, 16th Floor, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. The Board will then join the Citizens Advisory Council at 12:30 p.m. for a combined meeting in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meetings in person or remotely. Individuals interested in providing public com-

ments during the meeting are encouraged to sign up in advance by contacting Justin Dula at jdula@pa.gov or (484) 250-5820.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Environmental Justice," then "Environmental Justice Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the November 15, 2022, meeting can be directed to Justin Dula at jdula@pa.gov or (484) 250-5820.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Justin Dula at (484) 250-5820 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1704. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Reclamation Committee Meeting

The Mining and Reclamation Advisory Board's (Board) Reclamation Committee will meet on Wednesday, November 16, 2022, at 10 a.m. in the 10th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments during the meeting are encouraged to sign up in advance by contacting Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Mining," then "Mining and Reclamation Advisory Board," then "2022").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the November 16, 2022, meeting can be directed to Daniel E. Snowden at dsnowden@pa.gov or (717) 783-8846.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Daniel E. Snowden at (717) 783-8846 or through the

Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users), or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RAMEZ ZIADEH, P.E.,
Acting Secretary

[Pa.B. Doc. No. 22-1705. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(e) (relating to prevention, control and surveillance of tuberculosis (TB)):

Chandler Hall
99 Barclay Street
Newtown, PA 18940
FAC ID # 031402

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 201.22(j):

Willowbrooke Court at Southampton Estates
238 Street Road
Southampton, PA 18966
FAC ID # 151302

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department

and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1706. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF HEALTH

State Child Death Review Team Meeting

The State Child Death Review (CDR) Team established under the Public Health Child Death Review Act (11 P.S. §§ 2150.1—2150.20), will hold a public meeting on Wednesday, November 9, 2022. The meeting will be held at the Sheraton Hershey Harrisburg, 4650 Lindle Road, Harrisburg, PA 17111 from 10 a.m. to 3 p.m.

Meeting materials will be available at the public meeting. Contact Christina Phillips at christiphi@pa.gov with any questions and to register for the meeting.

The Department of Health's CDR Program provides training and technical assistance to local CDR teams. The State CDR Team is a multidisciplinary team comprised of local professionals and representatives of State agencies who review data submitted by local CDR teams, develop protocols for CDRs and develop child death prevention strategies. This meeting will focus on suicide deaths.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Christina Phillips, Division of Bureau Operations, at (717) 346-3000 or for speech and/or hearing-impaired persons, contact V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Services at (800) 654-5984.

This meeting is subject to cancellation without notice.

DR. DENISE A. JOHNSON,
Acting Secretary

[Pa.B. Doc. No. 22-1707. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Addition to the Medical Assistance Program Fee Schedule for the Administration of a Booster Dose of the SARS-CoV-2 Vaccine Manufactured by Moderna, Inc.

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following procedure code to the Medical Assistance (MA) Program Fee Schedule for the administration of a booster dose of the novel coronavirus (SARS-CoV-2) vaccine manufactured by Moderna, Inc. The effective date and MA Fee are indicated as follows.

Vaccine Manufacturer	Procedure Code	Description	Effective Date	MA Fee
Moderna, Inc.	0094A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, preservative free, 50 mcg/0.5 mL dosage; booster dose	3/29/22	\$40

The MA Program Fee Schedule has been updated with the new Current Procedural Terminology (CPT) code to allow for payment of the administration of a booster dose of the SARS-CoV-2 vaccine manufactured by Moderna, Inc.

The Department issued an MA Bulletin to enrolled providers to advise them of the addition of the CPT code for the administration of a booster dose of the SARS-CoV-2 vaccine manufactured by Moderna, Inc. to the MA Fee Schedule.

Fiscal Impact

There is no fiscal impact associated with the addition of this procedure code.

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

MEG SNEAD,
Acting Secretary

Fiscal Note: 14-NOT-1544. No fiscal impact; (8) recommends adoption.

[Pa.B. Doc. No. 22-1708. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Millionaire Raffle XXXII Raffle Lottery Game

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 874.4 (relating to notice of raffle lottery game rules), the Secretary of Revenue hereby provides public notice of the rules for the following raffle lottery game:

1. *Name:* The name of the raffle lottery game is Pennsylvania Millionaire Raffle XXXII.

2. *Price:* The price of one Pennsylvania Millionaire Raffle XXXII lottery game ticket is \$20.

3. *Ticket sales and drawing date:* Pennsylvania Millionaire Raffle XXXII lottery game ticket sales will commence on or after November 8, 2022 and will continue until all 500,000 tickets have been sold, or 8:00 p.m. on January 7, 2023, whichever occurs earlier.

4. *Ticket characteristics:* Each Pennsylvania Millionaire Raffle XXXII lottery game ticket will contain one unique computer-generated eight-digit number between 00000001 and 00500000, the drawing date, amount bet, and validation data.

5. *Prizes:* The prizes that can be won in this raffle lottery game are \$100, \$1,000, \$100,000 and \$1,000,000.

6. *Maximum number of tickets printed and sold for the game:* There will be no more than 500,000 tickets printed and sold for the Pennsylvania Millionaire Raffle XXXII lottery game. The chances will be sequentially issued on a statewide basis from the range of individual unique numbers representing the chances available for the game.

7. *Weekly Drawings:*

(a) *Conduct of the Weekly Drawings:* The Lottery will conduct eight Weekly Drawings, each of which will award two prizes of \$50,000, for a total of 16 prizes.

(1) Each ticket purchased during the entry period for each Weekly Drawing will be automatically entered into that week's Weekly Drawing, as described in section 7(b) (relating to Weekly Drawing entry periods), as well as the Millionaire Raffle Drawing on January 7, 2023, as described in section 8 (relating to conduct of Millionaire Raffle Drawing).

(2) A computer-generated randomizer will be used to conduct each Weekly Drawing. Two unique eight-digit numbers will be drawn from the range of numbers representing the chances sold during each Weekly Drawing entry period. Each of the two unique eight-digit numbers drawn will be a winning number.

(3) The winning ticket numbers for each Weekly Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(b) *Weekly Drawing entry periods:*

(1) All tickets sold between November 8, 2022, at 4:59:59 a.m. and November 14, 2022 at 11:59:59 p.m. will be entered into Weekly Drawing 1, held between November 15, 2022 and November 21, 2022, with winners announced by November 21, 2022.

(2) All tickets sold between November 15, 2022 at 12:00:00 a.m. and November 21, 2022 at 11:59:59 p.m. will be entered into Weekly Drawing 2, held between November 22, 2022 and November 29, 2022, with winners announced by November 29, 2022.

(3) All tickets sold between November 22, 2022 at 12:00:00 a.m. and November 28, 2022 at 11:59:59 p.m. will be entered into Weekly Drawing 3, held between November 29, 2022 and December 5, 2022, with winners announced by December 5, 2022.

(4) All tickets sold between November 29, 2022 at 12:00:00 a.m. and December 5, 2022 at 11:59:59 p.m. will be entered into Weekly Drawing 4, held between December 6, 2022 and December 12, 2022, with winners announced by December 12, 2022.

(5) All tickets sold between December 6, 2022 at 12:00:00 a.m. and December 12, 2022 at 11:59:59 p.m. will be entered into Weekly Drawing 5, held between December 13, 2022 and December 19, 2022, with winners announced by December 19, 2022.

(6) All tickets sold between December 13, 2022 at 12:00:00 a.m. and December 19, 2022 at 11:59:59 p.m. will be entered into Weekly Drawing 6, held between December 20, 2022 and December 26, 2022, with winners announced by December 26, 2022.

(7) All tickets sold between December 20, 2022 at 12:00:00 a.m. and December 26, 2022 at 11:59:59 p.m. will be entered into Weekly Drawing 7, held between December 27, 2022 and January 2, 2023, with winners announced by January 2, 2023.

(8) All tickets sold between December 27, 2022 at 12:00:00 a.m. and January 2, 2023 at 11:59:59 p.m. will be entered into Weekly Drawing 8, held between January 3, 2023 and January 7, 2023, with winners announced by January 7, 2023.

(9) All tickets sold after January 2, 2023 at 11:59:59 p.m. will only be eligible for the Millionaire Raffle drawing.

(c) *Determination of Weekly Drawing prize winners:*

(1) The first and second unique eight-digit numbers drawn from among the tickets automatically entered into each of the Weekly Drawings will be winning numbers and the holders of the tickets that match either of those winning numbers shall be entitled to a prize of \$50,000.

(2) The tickets bearing the winning numbers from each Weekly Drawing shall be ineligible to win a prize in any subsequent Weekly Drawing, but shall be entered into the Millionaire Raffle Drawing, as described in section 8 (relating to conduct of Millionaire Raffle Drawing) and shall be eligible to win a prize described in section 9 (relating to determination of Millionaire Raffle Drawing prize winners).

(d) *Conduct of Weekly Drawings in the event that all tickets are sold:*

(1) If all lottery raffle game tickets are sold during any of the Weekly Drawing entry periods described in section 7(b) (relating to Weekly Drawing entry periods), the Lottery will conduct the Weekly Drawing for that entry period from among all tickets sold during that entry period. For all subsequent Weekly Drawings, all non-winning tickets from the prior Weekly Drawing(s) will be eligible to be entered into any remaining Weekly Drawings, subject to section 7(d)(2).

(2) A winning ticket selected in any Weekly Drawing conducted under subsection 7(d) (relating to conduct of Weekly Drawings in the event that all tickets are sold) will be ineligible to win in any subsequent Weekly Drawings conducted under this subsection.

(e) The odds of an entry being selected in each Weekly Drawing depends upon the number of tickets sold during the entry period for each Weekly Drawing.

(f) The entry periods for the Weekly Drawings will be posted to the Pennsylvania Lottery’s publicly accessible web site.

8. *Conduct of Millionaire Raffle Drawing:* The results of the Pennsylvania Millionaire Raffle XXXII lottery game will be posted to the Lottery’s publicly accessible web site on January 7, 2023, after 10:00 p.m. A computer-generated randomizer will be used to conduct the drawing. Six-thousand (6,000) unique eight-digit numbers will be drawn from the range of numbers representing the chances sold. The first four unique eight-digit numbers drawn will be the first-prize-tier winning numbers. The fifth through eighth unique eight-digit numbers drawn will be the second-prize-tier winning numbers. The ninth through 108th unique eight-digit numbers drawn will be the third-prize-tier winning numbers. The 109th through 6,000th unique eight-digit numbers drawn will be the fourth-prize-tier winning numbers. A player may only win one time on each ticket or chance for the Millionaire Raffle Drawing.

9. *Determination of Millionaire Raffle Drawing prize winners:*

(a) Holders of tickets upon which the unique eight-digit number exactly matches one of the first-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000,000.

(b) Holders of tickets upon which the unique eight-digit number exactly matches one of the second-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100,000.

(c) Holders of tickets upon which the unique eight-digit number exactly matches one of the third-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which the unique eight-digit number exactly matches one of the fourth-prize-tier numbers selected by the Lottery shall be entitled to a prize of \$100.

10. *Number and Description of Prizes and Approximate Odds:* The Pennsylvania Millionaire Raffle XXXII lottery game prizes and determination of winners are as follows:

<i>Ticket Matching Exactly the Unique Eight-digit Number Drawn:</i>	<i>Win Prize Of:</i>	<i>Maximum Odds Of Winning Are 1 In:</i>	<i>Number Of Winners:</i>
First-Prize-Tier	\$1,000,000	125,000	4
Second-Prize-Tier	\$100,000	125,000	4
Third-Prize-Tier	\$1,000	5,000	100
Fourth-Prize-Tier	\$100	84.86	5,892

The odds of winning are based on selling all 500,000 tickets. If all 500,000 tickets are not sold, the odds of winning will depend on the total number of tickets sold. All Pennsylvania Millionaire Raffle XXXII lottery game prize payments, including first-prize-tier prizes, will be made as one-time, lump-sum cash payments. All required income tax withholding will be automatically deducted from the lump-sum cash payment for all first-prize-tier and second-prize-tier prizes.

11. *Consumer Promotional Programs:* The Lottery may conduct promotional activities to promote the sale of Pennsylvania Millionaire Raffle XXXII lottery game tick-

ets, including offering tickets at a discounted price. Details of any such offering will be disseminated through media used to advertise or promote the Pennsylvania Millionaire Raffle XXXII lottery game or through normal communications methods.

12. *Retailer Bonus:* The Lottery in its sole discretion may offer a retailer bonus in connection with the sale of Pennsylvania Millionaire Raffle XXXII lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or

having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. A Lottery retailer is entitled only to the largest bonus for which they qualify for on a winning ticket. A bonus will be initiated for payment after the winning ticket is claimed and validated or approximately 30 days after the date of the drawing in which the winning ticket was entered, provided that Lottery security can and has verified the sales transaction as valid. A bonus will not be awarded to a Lottery retailer that sells a Pennsylvania Lottery Millionaire Raffle XXXII ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize in that second-chance drawing or promotion.

13. *Promotional Drawings:* The Pennsylvania Lottery may conduct promotional drawings associated with the Pennsylvania Millionaire Raffle XXXII lottery game. If the Lottery does conduct such a promotional drawing, Pennsylvania Millionaire Raffle XXXII lottery game tickets will be imprinted with a unique code to be used by players to enter the promotional drawings. The promotional drawings may be held independently of or in conjunction with the regular Pennsylvania Millionaire Raffle XXXII drawings. The Secretary will announce the existence of the promotional drawings. Winners of promotional drawings will be randomly selected from the group of qualified entries. A description of the available prize(s) and the specific rules and other information necessary for the conduct of the promotional drawings will be posted to the Lottery's publicly accessible web site. A copy of the same will also be kept on file with the Lottery and will be available upon request.

14. *Retailer Incentive Awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Pennsylvania Millionaire Raffle XXXII lottery game tickets. The conduct of the Program will be governed by 61 Pa. Code § 811.41 (relating to promotional prizes).

15. *Unclaimed Prize Money:* Unclaimed prize money on winning Pennsylvania Millionaire Raffle XXXII lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto for 1 year from the announced close of the Pennsylvania Millionaire Raffle XXXII lottery game. If no claim is made within 1 year of the announced close of the Pennsylvania Millionaire Raffle XXXII lottery game conducted by the State Lottery, the right of a ticket holder to claim the prize represented by that ticket, if any, expires and the prize money will be paid into the State Lottery Fund and used for purposes otherwise provided for by statute.

16. *Governing Law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

C. DANIEL HASSELL,
Secretary

[Pa.B. Doc. No. 22-1709. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF STATE

Publication of Proposed Constitutional Amendments

In accordance with section 801(b)(2) of The Administrative Code of 1929 (71 P.S. § 271(b)(2)), I do hereby certify to each member of the General Assembly, the Secretary of the Senate, the Chief Clerk of the House of Representatives, the Parliamentarian of the House of Representatives and the Legislative Reference Bureau that publication of the proposed constitutional amendments in Joint Resolution 2021-2 (formerly House Bill 14) and Joint Resolution 2022-1 (formerly Senate Bill 106) was completed in compliance with Article XI, Section 1 of the Pennsylvania Constitution.

Witness my hand and the seal of my office this 20th day of October 2022.

LEIGH M. CHAPMAN,
Acting Secretary

[Pa.B. Doc. No. 22-1710. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Green Light—Go: Pennsylvania's Municipal Signal Partnership Program; Invitation to Submit Applications

Under 74 Pa.C.S. Chapter 92 (relating to traffic signals) and 75 Pa.C.S. § 9511(e.1) (relating to allocation of proceeds), the Department of Transportation (Department) established the Green Light—Go: Pennsylvania's Municipal Signal Partnership Program, also known as the Green Light—Go Program. The Green Light—Go Program is a competitive application and reimbursement grant program whereby municipalities and metropolitan or rural planning organizations can request financial assistance to replace, synchronize, time, operate and maintain traffic signals. A 20% match from grantees is required under 75 Pa.C.S. § 9511(e.1)(4).

During Fiscal Year 2023-2024, it is anticipated approximately \$40 million will be available to municipalities and metropolitan or rural planning organizations for upgrading traffic signals to light-emitting diode technology and intelligent transportation applications, such as autonomous and connected vehicle-related technology, performing regional operations such as retiming, developing special event plans, monitoring traffic signals and for maintaining and operating traffic signals.

Additional information on eligible Green Light—Go Program projects and the program guidelines can be found on the Department's Traffic Signal web site at <http://www.dot.state.pa.us/signals> including a link to the online electronic application. Supporting documents may be attached to the online application. Only the application and supporting documents attached to the online application will be considered. Paper copies are not required.

The Department invites municipalities and metropolitan or rural planning organizations to submit electronic Green Light—Go Program applications between January 3, 2023, and January 31, 2023. Prior to application submission, applicants must complete and submit a Pre-Application Project Scoping Form to the Bureau of Operations in accordance with the Green Light—Go Program Guidelines. Pre-Application Project Scoping Forms will be accepted until December 23, 2022. In addition to the electronic application, applicants must update information in the Department's Traffic Signal Asset Management System as indicated in the Green Light—Go Program guidelines posted on the Department's Traffic Signal web site.

If municipalities or metropolitan or rural planning organizations are awarded funding, all grant agreements and requests for reimbursement will be processed through the Commonwealth's Electronic Single Application for Assistance system.

Questions should be directed to Michael Centi, Senior Traffic Control Specialist, Bureau of Maintenance and Operations, Department of Transportation, 400 North Street, 6th Floor, Harrisburg, PA 17120, (717) 787-5313, GLG@pa.gov.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1711. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Inspection Advisory Board Meeting

The Inspection Advisory Board (Board) will meet on Wednesday, November 9, 2022. The meeting will begin at 11 a.m. at the Riverfront Office Center, Transportation University, Room 408, 1101 South Front Street, Harrisburg, PA. Chairperson Stephen J. Madrak will preside. The meeting is open to the public.

Members of the public interested in addressing the Board with a concern relating to inspection regulations must contact Tim Langlet at (717) 787-2895 by 12 p.m., Monday, November 7, 2022. These concerns will be discussed during "Items from the Floor" on the agenda. The agenda will be posted a minimum of 24 hours prior to the start of the meeting at <http://www.dmv.pa.gov/> in the Inspection Information page under the Vehicles Services tab.

The meeting location is accessible to persons with disabilities. Persons with special needs or requiring special aids are also requested to contact Tim Langlet at (717) 787-2895 prior to the meeting so that disability needs may be accommodated.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1712. Filed for public inspection November 4, 2022, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Medical Advisory Board Meeting

The Medical Advisory Board (Board) will meet on Friday, November 18, 2022. The meeting will begin at 10 a.m. at the Riverfront Office Center, Transportation University, 1101 South Front Street, Harrisburg, PA. Chairperson Kara N. Templeton will preside. The meeting is open to the public.

Members of the public interested in addressing the Board with a concern relating to medical regulations must contact Robert Dowling at (717) 783-4534 by Friday, November 11, 2022. These concerns will be discussed during "Items from the Floor" on the agenda, which will open at 12 p.m.

The meeting location is accessible to persons with disabilities. Persons with special needs or requiring special aids are also requested to contact Robert Dowling at (717) 783-4534 prior to the meeting so that disability needs may be accommodated.

YASSMIN GRAMIAN,
Secretary

[Pa.B. Doc. No. 22-1713. Filed for public inspection November 4, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Changes to List of Class A Wild Trout Waters; October 2022

The Fish and Boat Commission (Commission) approved the addition of one stream section to its list of Class A wild trout streams. The proposed changes were set forth at 52 Pa.B. 5041 (August 13, 2022). Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), it is the Commission's policy to manage self-sustaining Class A wild trout populations as a renewable natural resource to conserve that resource and the angling it provides. Class A wild trout populations represent the best of this Commonwealth's naturally reproducing trout fisheries.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1714. Filed for public inspection November 4, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Classification of Wild Trout Streams; Changes; October 2022

The Fish and Boat Commission (Commission) approved the addition of 45 new waters to its list of wild trout streams and the revision of one section limit of a water currently listed, as set forth at 52 Pa.B. 5038 (August 13,

2022). Under 58 Pa. Code § 57.11 (relating to listing of wild trout streams), it is the policy of the Commission to accurately identify and classify stream sections supporting naturally reproducing populations of trout as wild trout streams. The listing of a stream section as a wild trout stream is a biological designation that does not determine how it is managed. The Commission relies upon many factors in determining the appropriate management of streams. The Commission’s Fisheries Management Division maintains the complete list of wild trout streams, and it is available on the Commission’s web site at www.fishandboat.com/Fish/PennsylvaniaFishes/Trout/Pages/TroutWaterClassifications.aspx.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1715. Filed for public inspection November 4, 2022, 9:00 a.m.]

FISH AND BOAT COMMISSION

Special Regulation Designations

The Fish and Boat Commission (Commission) took the following actions with respect to waters subject to 58 Pa. Code Chapter 65 (relating to special fishing regulations), effective upon publication in the *Pennsylvania Bulletin*.

58 Pa. Code § 65.4c. All-tackle trout slot limit

The Commission added the following water to its list of “all-tackle trout slot limit” waters regulated and managed under 58 Pa. Code § 65.4c (relating to all-tackle trout slot limit):

County	Water
Centre and Mifflin	Penns Creek, Section 03

58 Pa. Code § 65.4d. Artificial lures only trout slot limit

The Commission added the following waters to its list of “artificial lures only trout slot limit” waters regulated and managed under 58 Pa. Code § 65.4d (relating to artificial lures only trout slot limit):

County	Water
York	Codorus Creek, Section 04
Northampton	Monocacy Creek, Section 07
Northampton	Saucon Creek, Section 05

58 Pa. Code § 65.7. Trophy trout artificial lures only

The Commission removed the following waters from its list of “trophy trout artificial lures only” waters regulated and managed under 58 Pa. Code § 65.7 (relating to trophy trout artificial lures only):

County	Water
York	Codorus Creek, Section 04
Northampton	Monocacy Creek, Section 07
Northampton	Saucon Creek, Section 05

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 22-1716. Filed for public inspection November 4, 2022, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, October 20, 2022, and announced the following:

Actions Taken—Regulations Approved:

State Board of Auctioneer Examiners # 16A-6411: Fees (amends 49 Pa. Code § 1.41)

State Board of Education # 6-352: Student Attendance and Student and Student Services (Final-Omit) (amends 22 Pa. Code Chapters 11 and 12)

State Architects Licensure Board # 16A-4111: Digital Signature and Seal (amends 49 Pa. Code Chapter 9 by adding §§ 9.140, and 9.141a and amending §§ 9.141, 9.145 and 9.146)

State Registration Board for Professional Engineers, Land Surveyors and Geologists # 16A-4712: Digital Signature and Seal (amends 49 Pa. Code Sections 37.56a and 37.57—37.6)

State Board of Landscape Architects # 16A-6112: Digital Signature and Seal (amends 49 Pa. Code Chapter 15)

Department of Health # 10-219: Medical Marijuana (amends 28 Pa. Code Sections 1131, 1141, 1141a, 1151, 1151a, 1161, 1161a, 1171, 1171a, 1181, 1181a, 1191, 1191a, 1211, 1211a, 1230 and 1230a)

Approval Order

Public Meeting Held
October 20, 2022

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

State Board of Auctioneer Examiners— Fees Regulation No. 16A-6411 (# 3337)

On March 10, 2022, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Auctioneer Examiners (Board). This rulemaking amends 49 Pa. Code § 1.41. The proposed regulation was published in the March 26, 2022 *Pennsylvania Bulletin* with a public comment period ending on April 25, 2022. The final-form regulation was submitted to the Commission on September 19, 2022.

This rulemaking will increase the following application fees on a graduated basis: auctioneer, apprentice auctioneer, auction company, trading assistant, trading assistant company, special license, and course of study. It will also increase the graduated biennial renewal fees for the following licenses and registrations: auctioneer, apprentice auctioneer, auction company, trading assistant, and trading assistant company.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. §§ 734.6(a) and (b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
October 20, 2022

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Education—
Student Attendance and Students and Student Services
Regulation No. 6-352 (# 3354)*

On August 22, 2022, the Independent Regulatory Review Commission (Commission) received this regulation from the State Board of Education (Board). This rulemaking amends 22 Pa. Code Chapters 11 and 12. Notice of proposed rulemaking was omitted for this regulation; it will become effective upon publication in the *Pennsylvania Bulletin*.

This final-omitted regulation makes technical amendments to conform Chapters 11 and 12 to the definition of “compulsory school age” in Section 1326 of the Public School Code of 1949. 24 P.S. § 13-1326.

We have determined this regulation is consistent with the statutory authority of the Board (24 P.S. §§ 26-2603-B(a) and 26-2604-B(b)(2)(v)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
October 20, 2022

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Architects Licensure Board—
Digital Signature and Seal
Regulation No. 16A-4111 (# 3263)*

On August 11, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Architects Licensure Board (Board). This rulemaking amends 49 Pa. Code Chapter 9 by adding §§ 9.140, and 9.141a and amending §§ 9.141, 9.145 and 9.146. The proposed regulation was published in the August 22, 2020 *Pennsylvania Bulletin* with a public comment period ending on September 21, 2020. The final-form regulation was submitted to the Commission on August 31, 2022.

This rulemaking provides for the use of digital signatures and seals on architectural documents. Specifically, it sets forth the definitions and requirements for use, including the surrender of digital seals and signatures, and compromised digital seals and signatures.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. §§ 34.6(a) and 34.12)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
October 20, 2022

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Registration Board for Professional Engineers,
Land Surveyors and Geologists—
Digital Signature and Seal
Regulation No. 16A-4712 (# 3264)*

On August 11, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Registration Board for Professional Engineers, Land Surveyors and Geologists (Board). This rulemaking amends 49 Pa. Code Sections 37.56a and 37.57—37.6. The proposed regulation was published in the August 22, 2020 *Pennsylvania Bulletin* with a public comment period ending on September 21, 2020. The final-form regulation was submitted to the Commission on August 31, 2022.

This regulation adopts standards for professional engineers, land surveyors, and geologists who utilize digital seals and signatures.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. Sections 151(1) and 154) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
October 20, 2022

Commissioners Voting: George D. Bedwick, Chairperson; John F. Mizner, Esq., Vice Chairperson; John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A. Watson, Esq.

*State Board of Landscape Architects—
Digital Signature and Seal
Regulation No. 16A-6112 (# 3265)*

On August 11, 2020, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the State Board of Landscape Architects (Board). This rulemaking amends 49 Pa. Code Chapter 15. The proposed regulation was published in the August 22, 2020 *Pennsylvania Bulletin* with a public comment period ending on September 21, 2020. The final-form regulation was submitted to the Commission on August 31, 2022.

This final-form regulation adopts definitions and requirements for use of digital seals and signatures on work products issued by landscape architects.

We have determined this regulation is consistent with the statutory authority of the Board (63 P.S. §§ 904(9) and 909) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

Approval Order

Public Meeting Held
October 20, 2022

Commissioners Voting: George D. Bedwick, Chairperson;
John F. Mizner, Esq., Vice Chairperson, Abstaining;
John J. Soroko, Esq.; Murray Ufberg, Esq.; Dennis A.
Watson, Esq.

*Department of Health—
Medical Marijuana
Regulation No. 10-219 (# 3290)*

On February 16, 2021, the Independent Regulatory Review Commission (Commission) received this proposed regulation from the Department of Health (Department). This rulemaking amends 28 Pa. Code Sections 1131, 1141, 1141a, 1151, 1151a, 1161, 1161a, 1171, 1171a, 1181, 1181a, 1191, 1191a, 1211, 1211a, 1230, and 1230a. The proposed regulation was published in the March 6, 2021

Pennsylvania Bulletin with a public comment period ending on April 5, 2021. The final-form regulation was submitted to the Commission on September 19, 2022.

This regulation implements the state's Medical Marijuana Program, replacing the current temporary regulations with permanent regulations.

We have determined this regulation is consistent with the statutory authority of the Department (35 P.S. § 10231.301(b)) and the intention of the General Assembly. Having considered all of the other criteria of the Regulatory Review Act, we find promulgation of this regulation is in the public interest.

By Order of the Commission:

This regulation is approved.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 22-1717. Filed for public inspection November 4, 2022, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
7-574	Environmental Quality Board Radiological Health Fees 52 Pa.B. 5500 (August 27, 2022)	9/26/22	10/26/22

Environmental Quality Board Regulation # 7-574 (IRRC # 3352)

Radiological Health Fees

October 26, 2022

We submit for your consideration the following comments on the proposed rulemaking published in the August 27, 2022 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b). Section 5.1(a) of the Regulatory Review Act (71 P.S. § 745.5a(a)) directs the Environmental Quality Board (Board) to respond to all comments received from us or any other source.

1. Chapter 218, Appendix A. Fees for Radioactive Material Licenses.—Statutory authority; Reasonableness; Need.

Fee Categories 4A, 5B and 14

The full cost recovery fee for licenses in categories 4A, 5B and 14 is currently \$225 per hour and is proposed to be increased by 22 percent to \$275 per hour. This fee is assessed for decontamination and decommissioning activities performed by the Department of Environmental Protection (Department) and covers personnel and incidental charges. We have two issues. First, the Preamble and Regulatory Analysis Form (RAF) submitted with this proposed regulation state the fees in Chapter 218, Appendix A are increased by ten percent. Second, the Board

does not explain the need to raise this fee. We ask the Board to revise the Preamble and RAF submitted with the final-form regulation to reflect the percentage increase of the full cost recovery fee. Further, we ask the Board to explain why this increase is needed and reasonable.

Fee Category 6A

The annual fee for a nuclear laundry license is currently \$43,200 and is proposed to be increased by ten percent to \$47,520. A commentator who holds this license believes the fee was initially based on information received from the United States Nuclear Regulatory Commission, which “was likely skewed by excessive hours devoted. . .to oversight related to a condition that no longer exists.” The commentator is also licensed in seven other states, where fees range from \$4,000 to \$18,284. The commentator goes on to request a reduction in this fee to a reasonable standard in consideration of actual costs incurred by the Department. Section 401 of the Radiation Protection Act (Act), the statutory authority for this proposed regulation, requires the Board to “set reasonable annual fees” to provide the Department with sufficient funds to administer the Radiation Protection Program. 35 P.S. § 7110.401. In addition to addressing the commentator's concerns, we ask the Board to explain why this fee, and the proposed increase, is reasonable and how it complies with the requirement in the Act.

2. RAF—Clarity; Economic or fiscal impact.

The estimates of costs to local governments in RAF Question # 20 and state government in RAF # 21 to comply with this proposed regulation conflict with the estimates for these regulated communities in RAF Question # 23. We ask the Board to update the RAF submitted with the final-form regulation to provide consistent cost estimates.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 22-1718. Filed for public inspection November 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval of Proposed Merger of HealthAssurance Pennsylvania, Inc. with and into Aetna Life Insurance Company

An application has been received requesting approval of the merger of HealthAssurance Pennsylvania, Inc., a Pennsylvania domestic risk-assuming preferred provider organization with and into Aetna Life Insurance Company, a foreign stock life insurance company that was organized under the Laws of Connecticut. The initial filing was received on October 19, 2022, and was made under Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1414).

Persons wishing to comment on the merger are invited to submit a written statement to the Insurance Department (Department) within 21 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120 or by e-mail to syerger@pa.gov. Comments received will be forwarded to the applicant for an appropriate response.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1719. Filed for public inspection November 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Nicholas Arbutina; Consent Order; Doc. No. CO21-11-004

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for December 2, 2022, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before November 30, 2022. A hearing will occur on December 14, 2022, at 9:30 a.m. in Room 200, Administrative Hearings Office, Capitol Associates Building, 901 North Seventh Street, Harrisburg, PA 19102.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before November 18, 2022. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before November 30, 2022.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1720. Filed for public inspection November 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Emil Kesselring; License Denial Appeal; Doc. No. AG22-10-017

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Emil Kesselring has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for November 28, 2022, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before November 22, 2022. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before November 14, 2022. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before November 22, 2022.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1721. Filed for public inspection November 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

MedAmerica Insurance Company (SERFF # TRIP-133436940); Rate Increase Filing for Several LTC Forms; Rate Filing

MedAmerica Insurance Company is requesting approval to increase the proposed aggregate 12.18% on 472 policyholders of MedAmerica Insurance Company forms SPL2-336-PA, SPL2-336-PA rev, FSPL2-336-PA and FSPL2-336-PA rev.

Unless formal administrative action is taken prior to January 20, 2023, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over the word "Consumers," then select "Pending Long Term Care Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1722. Filed for public inspection November 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insureds have requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insureds' automobile insurance policy. The hearing will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). The administrative hearing will be held as follows. Failure by the appellants to appear at the scheduled hearing may result in dismissal with prejudice.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Rachael L. and Jarrad Trotman; File No. 22-178-274543; Doc. No. P22-10-018; December 7, 2022, 9 a.m.

Following the hearing and receipt of the stenographic transcript, the Acting Insurance Commissioner (Acting Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Acting Commis-

sioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Acting Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1723. Filed for public inspection November 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

United Security Assurance Company of Pennsylvania; Rate Increase Filing for Individual LTC Form TQLTC-97-U (SERFF # USPA-133426544); Rate Filing

United Security Assurance Company of Pennsylvania is requesting approval to increase the premium 15% on 18 policyholders of United Security Assurance Company of Pennsylvania individual LTC form TQLTC-97-U.

Unless formal administrative action is taken prior to January 20, 2023, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over the word "Consumers," then select "Pending Long Term Care Rate Filings."

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1724. Filed for public inspection November 4, 2022, 9:00 a.m.]

INSURANCE DEPARTMENT

Unum Life Insurance Company of America; Rate Increase Filing for Group LTC Forms B.LTC, TQB.LTC, GLTC95 and TQGLTC95 (SERFF # UNUM-133413118); Rate Filing

Unum Life Insurance Company of America is requesting approval to increase the premium 24.3% on 14,885 policyholders with group LTC forms B.LTC, TQB.LTC, GLTC95 and TQGLTC95.

Unless formal administrative action is taken prior to January 20, 2023, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department’s web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over the word “Consumers” then select “Pending Long Term Care Rate Filings.”

Interested parties are invited to submit written comments, suggestions or objections to Valerie Romig, Actuary, Insurance Department, Insurance Product Regula-

tion, Room 1311, Strawberry Square, Harrisburg, PA 17120, vromig@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 22-1725. Filed for public inspection November 4, 2022, 9:00 a.m.]

OFFICE OF THE STATE FIRE COMMISSIONER

Inflation Adjustment for the Fire and Emergency Medical Service Loan Program

This notice provides information about the Fire and Emergency Medical Service Loan Program (Program) established under 35 Pa.C.S. Chapter 73, Subchapter E (relating to Fire and Emergency Medical Services Loan Program) as amended by the act of October 29, 2020 (P.L. 739, No. 91). The loan limits are to be adjusted biannually at the rate of inflation as outlined in the Consumer Price Index for All Urban Consumers for the Philadelphia-Camden-Wilmington, PA-NJ-DE-MD area for the most recent 12-month period for which the figures have been reported by the United States Department of Labor, Bureau of Labor Statistics. In accordance with 35 Pa.C.S. § 7364(b.1) (relating to assistance to fire companies and EMS companies) loan limits are increased by 8.8%.

New Lending Limits and Repayment Terms—VLAP Loans

	<i>Maximum Loan</i>	<i>Maximum Term</i>	<i>Payment</i>
Facility	\$486,000 or 50% (whichever is less)	30 years	\$1,796.35/month
Aerial Apparatus	\$378,000 or 50% (whichever is less)	30 years	\$1,397.16/month
Heavy Duty Rescue (GVWR 14,700+ lb.)	\$270,000 or 50% (whichever is less)	20 years	\$1,365.89/month
Apparatus (New)	\$270,000 or 50% (whichever is less) (pumpers/tankers/utility/special service vehicles)	20 years	\$1,365.89/month
Apparatus (Used)	\$216,000 or 80% (whichever is less)	20 years	\$1,092.71/month
Ambulance*	\$135,000 or 50% (whichever is less)	20 years	\$682.94/month
Light Duty Rescue	\$135,000 or 50% (whichever is less)	20 years	\$682.94/month
Watercraft Rescue*	\$37,800 or 50% (whichever is less)	10 years	\$347.81/month
Rehabilitation	\$86,400 or 80% (whichever is less)	20 years	\$437.08/month
PennFIRS	\$4,320 or 50% (whichever is less)	10 years	\$39.75/month
Equipment	\$27,000 (once per 5-year period)	10 years	\$248.44/month

*New or Used

New apparatus/ambulance/rescue vehicle manufactured or assembled in this Commonwealth: \$20,000 may be added to the previously listed limits. Certification is required from the manufacturer that 75% of the total cost results from the vehicle being manufactured in this Commonwealth.

Summary by Amount

Less than \$50,000	—	10 Years
\$50,000—\$300,000	—	20 Years
Above \$300,000	—	30 Years
(Minimum Loan is \$3,000)	Loans are at 2% interest per annum	(Effective 6/2022)

CHARLES J. MCGARVEY, Sr.,
Acting Commissioner

[Pa.B. Doc. No. 22-1726. Filed for public inspection November 4, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to

intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 21, 2022. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by November 21, 2022. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission’s eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest

shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the previously listed docket number or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2022-3033930. Swift Tri State Courier and Transport, LLC, t/a Swift Tri State (26 Hamilton Street, Rankin, Allegheny County, PA 15104) persons in airport transfer service, from points in Allegheny County, the Pittsburgh International Airport and vice versa.

A-2022-3036109. Be Safe Transport, LLC (1126 Broad Street, Collingdale, Delaware County, PA 19023) to transport persons, by motor vehicle, in paratransit service, from points in Delaware County and the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2022-3036166. Wheelie Trans, LLC (11037 Bustleton Avenue, Philadelphia, Philadelphia County, PA 19116) to transport persons, by motor vehicle, in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2022-3036169. Blackstone Transportation Services, Inc. (1004 Bingham Street, Philadelphia, PA 19115) persons in limousine service, between points in Pennsylvania, excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2022-3036173. Babs Ventures, LLC, t/a Babs Transportation (48 West Court Boulevard, West Lawn, Berks County, PA 19609) for the right to begin to transport, as a common carrier, by motor vehicle, persons in group and party service, in vehicles seating 11 to 15 passengers, including the driver, from points in Berks County, to points in Pennsylvania, and return.

A-2022-3036179. Rahman786, LLC (1600 Garret Road, Apartment G-103, Upper Darby, Delaware County, PA 19082) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in the Counties of Chester, Delaware and Montgomery, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2022-3036334. Sterling-Distinctive Limousine Services, LLC (9344 Stottlemeyer Road, Boonsboro, MD 21713) persons in limousine service, between points in Pennsylvania; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under the application.

A-2022-3035895. Cool Breeze Moving and Handling, LLC (2232 Sepviva Street, Philadelphia, Philadelphia County, PA 19125) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

Applications of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.

A-2021-3028171. Central Cab Company (750 Somerset Street, New Brunswick, NJ 08901) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, in scheduled route service, as more thoroughly described in the original ordering paragraphs at A-00101803F0003.

A-2021-3028172. Central Cab Company (750 Somerset Street, New Brunswick, NJ 08901) discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, in paratransit service, as more thoroughly described in the original ordering paragraphs at A-00101803F0006.

A-2010-2165832. Homestead Transportation, LLC (P.O. Box 1404, Lansdale, Montgomery County, PA 19446) for the discontinuance and cancellation of its right to transport, as a common carrier, by motor vehicle, persons in call or demand service, from the Borough of Doylestown, Bucks County, and within an airline distance of 5 statute miles of the limits of said borough; excluding any right to render service in the Borough of Ivyland and the Townships of Warminster, Warrington and Warwick, all in Bucks County: so as to permit the transportation of persons in call or demand service, from points in the Borough of Silverdale, Bucks County, and within an airline distance of 12 statute miles of the limits of said borough; excluding any right, power or privilege, to render service in the Borough of Ivyland and the Townships of Warminster, Warrington and Warwick, all within Bucks County.

A-2022-3036224. Regional Medical Transportation, Inc. (1695 Huntingdon Road, Huntingdon Valley, Montgomery County, PA 19006) for the discontinuance of service and cancellation of its certificate, to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Delaware and Philadelphia, to points in Pennsylvania, and return, as amended.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1727. Filed for public inspection November 4, 2022, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Wastewater Service

A-2022-3036285. Aqua Pennsylvania Wastewater, Inc. In the matter of the application of Aqua Pennsylvania Wastewater, Inc. for approval to begin to offer, render, furnish and supply wastewater service to the public in an additional portion of East Bradford Township, Chester County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before November 21, 2022. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The

documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: Aqua Pennsylvania Wastewater, Inc., 762 West Lancaster Avenue, Bryn Mawr, PA 19010

Through and By Counsel for: Frances P. Orth, Esquire, Vice-President and Senior Managing Counsel, Aqua Pennsylvania Wastewater, Inc., 762 West Lancaster Avenue, Bryn Mawr, PA 19010, (610) 645-1126, FPOrth@aquamerica.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 22-1728. Filed for public inspection November 4, 2022, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as common carriers in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than November 21, 2022. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Christine Kirlin, Esq. at (215) 683-9653 to make an appointment) or may be inspected at the business address of the respective applicant or attorney, or both.

Doc. No. A-22-10-04. Raqaiyah Tasnifa, LLC (512 Winfield Avenue, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David R. Alperstein, Esq., 314 Cherry Avenue, Voorhees, NJ 08043.

DENNIS WELDON,
Temporary Executive Director

[Pa.B. Doc. No. 22-1729. Filed for public inspection November 4, 2022, 9:00 a.m.]

STATE BOARD OF NURSING

Bureau of Professional and Occupational Affairs v. Tomassa L. Davis, LPN; Case No. 19-51-001069

On September 9, 2022, Tomassa L. Davis, LPN, Pennsylvania license No. PN3006576, last known of Camden, NJ, was suspended based on her guilty pleas to a felony and misdemeanor crimes of moral turpitude, directly related to the practice of the profession.

Individuals may obtain a copy of the adjudication at www.pals.pa.gov.

This order represents the final State Board of Nursing (Board) decision in this matter. It may be appealed to the Commonwealth Court of Pennsylvania by the filing of a petition for review with that court in accordance with the Pennsylvania Rules of Appellate Procedure. Individuals who take an appeal to the Commonwealth Court must serve the Board with a copy of their petition for review.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 22-1730. Filed for public inspection November 4, 2022, 9:00 a.m.]

STATE EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimant's request concerning the indicated account.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

January 20, 2023	Bernard R. Ryan (Deceased) Contested Death Benefit	10 a.m.
February 24, 2023	Dennis Avellino, Jr. Change Retirement Option Selection	1 p.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. Each hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—08 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOSEPH A. TORTA,
Executive Director

[Pa.B. Doc. No. 22-1731. Filed for public inspection November 4, 2022, 9:00 a.m.]