

PENNSYLVANIA BULLETIN

Volume 53

Number 21

Saturday, May 27, 2023 • Harrisburg, PA

Pages 2821—2932

Agencies in this issue

The Courts

Department of Banking and Securities

Department of Environmental Protection

Department of Health

Department of Human Services

Executive Board

Insurance Department

Pennsylvania Public Utility Commission

Professional Standards and Practices Commission

Public School Employees' Retirement Board

State Board of Examiners in Speech-Language


Pathology and Audiology

State Conservation Commission

State Tax Equalization Board

Susquehanna River Basin Commission

Detailed list of contents appears inside.



**Latest Pennsylvania Code Reporter
(Master Transmittal Sheet):**

No. 582, May 2023

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

CHANGE NOTICE/NEW SUBSCRIPTION

If information on mailing label is incorrect, please email changes to info@pabulletin.com or mail to:

FRY COMMUNICATIONS, INC.
Attn: *Pennsylvania Bulletin*
800 W. Church Rd.
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

PENNSYLVANIA



BULLETIN

(ISSN 0162-2137)

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198
(717) 766-0211 ext. 2340
(800) 334-1429 ext. 2340 (toll free, out-of-State)
(800) 524-3232 ext. 2340 (toll free, in State)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "Fry Communications, Inc." Periodicals postage paid at Harrisburg, Pennsylvania.

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.
Attn: *Pennsylvania Bulletin*
800 West Church Road
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2023 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

CONTENTS

THE COURTS

LOCAL COURT RULES

York County

Adoption of local rule of judicial administration
7040; CP-67-AD-0025-2023; 2023-MI-0158;
6723-0115 2829

EXECUTIVE AND INDEPENDENT AGENCIES

DEPARTMENT OF BANKING AND SECURITIES

Notices

Actions on applications 2836

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Notices

Applications, actions and special notices 2837
Bid opportunity 2900
Storage Tank Advisory Committee meeting cancella-
tion 2900

DEPARTMENT OF HEALTH

Notices

Preventive Health and Health Services Block
Grant 2901
Preventive Health and Health Services Block Grant
application of Federal fiscal year 2023; public
hearing 2901

DEPARTMENT OF HUMAN SERVICES

Notices

Addition to the Medical Assistance Program Fee
Schedule of additional bivalent doses of the
SARS-CoV-2 vaccines manufactured by Moderna,
Inc. and Pfizer, Inc. 2902
Availability of amendments to the Office of Develop-
mental Programs' Consolidated, Community Liv-
ing, Person/Family Directed Support and Adult
Autism Waivers as well as rate setting methodol-
ogy and proposed fee schedule rates for select
services funded through the Office of Developmen-
tal Programs' waivers 2902
Medical Assistance Program Fee Schedule revisions
for evaluation and management procedure codes .. 2906
Medical Assistance Program Fee Schedule updates
for EPSDT and COVID-19 vaccine counseling only
visits 2917

EXECUTIVE BOARD

Statements of Policy

Reorganization of the Parole Board 2834

INSURANCE DEPARTMENT

Notices

1332 Waiver Reinsurance Program—public comment
period and public forum; notice 2023-06 2918
Alleged violation of insurance laws; Benjamin Keith
Collier; doc. No. SC23-05-020 2919

Application and request for a certificate of authority
to provide a continuing care retirement commu-
nity by Birchwood Rehabilitation and Healthcare,
LLC 2919
Application and request for a certificate of authority
to provide a continuing care retirement commu-
nity by Epworth Rehabilitation and Healthcare,
LLC 2919
Application and request for a certificate of authority
to provide a continuing care retirement commu-
nity by Mountain Top Rehabilitation and Health-
care, LLC 2919
Application and request for a certificate of authority
to provide a continuing care retirement commu-
nity by Riverside Rehabilitation and Healthcare,
LLC 2920
James Michael Hoeltje; license denial appeal; doc.
No. AG23-05-001 2920
Paul R. Riggleman; license denial appeal; doc. No.
AG23-05-021 2920

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Notices

Service of notice of motor carrier applications. 2920
Service of notice of motor carrier formal complaints .. 2921
Wastewater service 2925

PROFESSIONAL STANDARDS AND PRACTICES COMMISSION

Notices

Application of Rachel S. Erickson for reinstatement
of teaching certificates; doc. No. RE-23-006 2925
Application of Matthew J. Filippelli for reinstate-
ment of teaching certificates; doc. No. RE-23-005 .. 2926

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Notices

Hearings scheduled 2926

STATE BOARD OF EXAMINERS IN SPEECH-LANGUAGE PATHOLOGY AND AUDIOLOGY

Proposed Rulemaking

Licensure by endorsement 2830

STATE CONSERVATION COMMISSION

Notices

Access to Nutrient Management Plans, under re-
view and acted upon by the State Conservation
Commission, for concentrated animal operations
and concentrated animal feeding operations and
volunteers complying with the Commonwealth's
Nutrient Management Program 2926
Action on odor management plans for concentrated
animal operations and concentrated animal feed-
ing operations and volunteers complying with the
Commonwealth's Facility Odor Management Pro-
gram 2927

Available Online at <http://www.pacodeandbulletin.gov>

STATE TAX EQUALIZATION BOARD

Notices

2020 common level ratio; corrective notice 2928
2022 common level ratio 2929

SUSQUEHANNA RIVER BASIN COMMISSION

Notices

Grandfathering registration notice 2930
Projects approved for consumptive uses of water 2931

READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

Pennsylvania Bulletin

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

Adoption, Amendment or Repeal of Regulations

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

Citation to the *Pennsylvania Bulletin*

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

Pennsylvania Code

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

How to Find Rules and Regulations

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at www.pacodeandbulletin.gov.

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm.

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at www.pacodeandbulletin.gov.

Subscription Information: (717) 766-0211
General Information and Finding Aids: (717) 783-1530

Printing Format

Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

Court Rules in Titles 201—246 of the Pennsylvania Code

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

§ 3.44. General permission to reproduce content of Code and Bulletin.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.

List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2023.

4 Pa. Code (Administration)

Adopted Rules	
1	930
5	596, 930, 1156, 2688
6	7, 704, 2688
7	705, 821
7a	7

Statements of Policy

9	611, 1177, 1511, 1946, 2738, 2834
---	-----------------------------------

12 Pa. Code (Commerce, Trade and Local Government)

Adopted Rules	
145	830

25 Pa. Code (Environmental Protection)

Adopted Rules	
109	333, 943
121	465, 2418
129	465
901	830
903	830

28 Pa. Code (Health and Safety)

Adopted Rules	
1113	1275
1141	1275
1141a	1275
1151	1275
1151a	1275
1161	1275
1161a	1275
1171	1275
1171a	1275
1181	1275
1181a	1275
1191	1275
1191a	1275
1211	1275
1211a	1275
1230	1275
1230a	1275

Statements of Policy

1171a	1179
-------	------

31 Pa. Code (Insurance)

Proposed Rules	
89	2046

34 Pa. Code (Labor and Industry)

Proposed Rules	
123	2165

37 Pa. Code (Law)

Proposed Rules	
301	2590

Statements of Policy

471	20
-----	----

40 Pa. Code (Liquor)

Adopted Rules	
13	501

Proposed Rules

5	2735
---	------

49 Pa. Code (Professional and Vocational Standards)

Adopted Rules	
16	14
17	14
18	16, 713
19	370

Proposed Rules

23	2306
45	2316, 2830

Statements of Policy

21	1806
----	------

55 Pa. Code (Human Services)

Adopted Rules	
1101	376

Proposed Rules

15	2169
----	------

58 Pa. Code (Recreation)

Adopted Rules	
65	1385
131	1668
135	1668
141	1669
147	1670
631b	1671
635b	1671

Proposed Rules

63	2048
93	1176, 1679
133	1680
135	1932
137	1938
139	1681, 1690
141	1692
143	1940
147	1695

201 Pa. Code (Rules of Judicial Administration)

Adopted Rules	
19	2560

204 Pa. Code (Judicial System General Provisions)

Adopted Rules	
33	1394
81	2162
209	2693
213	2035, 2702

Proposed Rules

303a	125
307	256
307a	256
311	260, 321

207 Pa. Code (Judicial Conduct)

Adopted Rules
 1 2039

210 Pa. Code (Appellate Procedure)

Adopted Rules
 69 1397

Proposed Rules

21 2725
 23 2725

225 Pa. Code (Rules of Evidence)

Adopted Rules
 Art. II 1051

231 Pa. Code (Rules of Civil Procedure)

Adopted Rules
 200 322
 1915 824
 1920 1161
 Part II 1052

Proposed Rules

200 1160
 1915 2560

234 Pa. Code (Rules of Criminal Procedure)

Adopted Rules
 1 1053

Proposed Rules

1 1790
 6 1660

237 Pa. Code (Juvenile Rules)

Adopted Rules
 1 1055
 11 1055, 1791
 12 1791
 13 1791
 14 1791
 15 1791
 16 1791

Proposed Rules

1 2582
 11 2039, 2582
 14 2582
 15 2582
 16 2582

246 Pa. Code (Minor Court Civil Rules)

Adopted Rules
 200 1056
 300 1057

Proposed Rules

1200 707

249 Pa. Code (Philadelphia Rules)

Unclassified 11, 1162, 1169, 1171

252 Pa. Code (Allegheny County Rules)

Unclassified 2041

255 Pa. Code (Local Court Rules)

Unclassified 11, 12, 322, 323, 324, 326, 464, 600, 601, 604, 608, 609, 610, 712, 827, 1060, 1061, 1064, 1398, 1509, 1664, 1665, 1800, 1804, 1928, 2045, 2162, 2292, 2296, 2297, 2304, 2416, 2829

THE COURTS

Title 255—LOCAL COURT RULES

YORK COUNTY

Adoption of Local Rule of Judicial Administration 7040; CP-67-AD-0025-2023; 2023-MI-0158; 6723-0115

Administrative Order Adopting York County Rule of Judicial Administration 7040 Regarding Digital Media as Evidence

And Now, this 11th day of May, 2023, it is *Ordered* that York County Local Rule of Judicial Administration 7040 is adopted, effective January 1, 2024.

The District Court Administrator shall publish this order as may be required.

By the Court

MARIA MUSTI COOK,
President Judge

(This is an entirely new rule. Effective 01/01/2024)

Rule 7040. Digital Media as Evidence.

(A) “Electronic evidence” refers to media created, transmitted, or stored in digital format including, but not limited to, all documents, photographs, audio files, video files, text messages, and/or social media excerpts proposed to be submitted as evidence or exchanged in discovery which is transmitted in any form other than paper.

(B) All electronic evidence to be presented in a court proceeding or submitted into the record for the York County Court of Common Pleas shall comply with the requirements of this Rule. Any electronic evidence that does not comply with this rule will not become a part of the record of the case.

(C) When electronic evidence is used during a court proceeding, the party submitting electronic evidence shall:

(1) provide a device by which the electronic evidence may be viewed or played which shall have an output which is compatible with the technology in the courtroom;

(2) be familiar with how to operate the device so that the electronic evidence can be viewed;

(3) make the electronic evidence available for use by the opposing parties during cross-examination of the same witness for which it was originally used;

(4) provide the clerk with the electronic evidence, as amended through trial, on its submitted storage device with data preserved in its native format that shall:

(a) have files formatted to a file type, whenever possible, consistent with the acceptable file types periodically published by the court. When a file type is unique or proprietary, the party must provide the appropriate codex or other software to be able to open and view the file on any computer;

(b) have individual files with each file name consistent with how the file will be referenced on the record (e.g., “Commonwealth’s Exhibit 1”);

(c) be provided on a secure and protected media storage device (see (D), below); and

(d) be identified with a label that shall be affixed to each storage device legibly identifying the case caption (which may be abbreviated), docket number(s), and disk number (1 of 2, etc.) if there is more than one media storage device per case. If it is impractical to affix such label directly on the media storage device, the media storage device shall be submitted in an 8 1/2” by 11” envelope which shall be labeled with all the above information.

(D) The court only accepts the media storage device and file types as periodically published by the court on its public website. The court shall periodically seek input from the York County Bar Association regarding device and file types commonly in use by practitioners. Such storage devices shall be for the exclusive use of the courts and authorized court personnel, unless otherwise ordered.

(E) The clerk shall retain electronic evidence for the same time frame as it would retain any other form of evidence.

[Pa.B. Doc. No. 23-691. Filed for public inspection May 26, 2023, 9:00 a.m.]

PROPOSED RULEMAKING

STATE BOARD OF EXAMINERS IN SPEECH-LANGUAGE PATHOLOGY AND AUDIOLOGY

[49 PA. CODE CH. 45]

Licensure by Endorsement

The State Board of Examiners in Speech-Language Pathology and Audiology (Board) proposes to amend § 45.2 (relating to definitions) and add §§ 45.25 and 45.26 (relating to licensure by endorsement; and provisional endorsement license) to read as set forth in Annex A.

Effective Date

This proposed rulemaking will be effective upon publication of the final-form rulemaking in the *Pennsylvania Bulletin*.

Statutory Authority

The provisions of 63 Pa.C.S. § 3111 (relating to licensure by endorsement) require licensing boards and commissions to issue a license, certificate, registration or permit to an applicant to allow practice in this Commonwealth provided the applicant meets the following criteria: holds a current license, certificate, registration or permit from another state, territory or country whose licensing requirements are substantially equivalent to or exceed the requirements in this Commonwealth; demonstrates competency; has not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice that profession or occupation in this Commonwealth, unless the board or commission determines such conduct is not an impediment to granting the license, certificate, registration or permit; is in good standing and has not been disciplined by the jurisdiction that issued the license, certificate, registration or permit, unless the board or commission determines such conduct is not an impediment to granting the license, certificate, registration or permit; and the applicant pays fees, as established by regulation. Additionally, 63 Pa.C.S. § 3111 authorizes boards and commissions to issue a provisional license, certificate, registration or permit while an applicant is satisfying remaining requirements for licensure by endorsement, for which the Board must set by regulation the terms of expiration. Additionally, section 5 of the Speech-Language Pathologists and Audiologists Licensure Act (act) (63 P.S. § 1705) provides that the Board may adopt or revise rules and regulations consistent with the law as necessary.

The act of July 1, 2020 (P.L. 575, No. 53) added 63 Pa.C.S. § 3111 as part of the consolidation of the act of July 2, 1993 (P.L. 345, No. 48) (Act 48) (repealed) into 63 Pa.C.S. Chapter 31 (relating to powers and duties). The text of 63 Pa.C.S. § 3111 was originally added to Act 48 by the act of July 1, 2019 (P.L. 292, No. 41).

Background and Need for the Amendments

This proposed rulemaking is needed to effectuate 63 Pa.C.S. § 3111, which requires the Board to issue a license to applicants who meet the requirements for licensure by endorsement as set forth in 63 Pa.C.S. § 3111. Under 63 Pa.C.S. § 3111, the Board must determine whether standards for licensure are substantially

equivalent to or exceed those established by the Board. Additionally, 63 Pa.C.S. § 3111 requires the Board to determine the methods of competency, including completion of continuing education or experience in the profession or occupation for at least 2 of the 5 years immediately preceding the filing of the application, and must establish, by regulation, the expiration of provisional endorsement license. This proposed rulemaking sets forth the criteria for eligibility for licensure by endorsement, including the specific methods required for an applicant to demonstrate competency as well as requirements for granting a provisional endorsement license.

Section 3111 of 63 Pa.C.S. provides that the Board may establish appropriate fees for this licensure. Accordingly, the Board has determined that applicants for licensure by endorsement shall pay the fee for initial licensure in § 45.1(1) (relating to fees).

In accordance with the requirements of Executive Order 1996-1 (4 Pa. Code §§ 1.371—1.382 (relating to regulatory review and promulgation)), the Board sent an exposure draft of this proposed rulemaking to interested parties. The Pennsylvania Speech-Language Hearing Association (PSHA)—which is the State-wide professional association representing the interests of more than 8,000 audiologists, speech-language pathologists, speech, language and hearing scientists, audiology and speech-language pathology support personnel, and students throughout the Commonwealth—commented in support of this regulation stating that “PSHA advocates for the planned modifications,” and further expressed appreciation for “crafting these regulations” and for the “efforts to improve [the] practice.” No other written comments were received.

Description of the Proposed Amendments

The Board proposes to amend § 45.2 to add a definition of the term “jurisdiction” consistent with 63 Pa.C.S. § 3111. Next, the Board proposes to amend Subchapter B (relating to licensure and certification) by adding § 45.25. Proposed § 45.25 requires an applicant to satisfy seven criteria required for licensure by endorsement. The first criterion, as set forth in proposed § 45.25(a)(1), requires an applicant to provide proof of a current license, certificate, registration or permit in good standing to practice in another jurisdiction whose standards are substantially equivalent to or exceed the standards established under section 7(a) of the act (63 P.S. § 1707(a)) and §§ 45.17 and 45.20 (relating to education requirements; and supervised professional experience required for licensure as a speech-language pathologist). Proposed § 45.25(a)(1)(i) further requires an applicant to submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration or permit requirements and scope of practice in the jurisdiction that issued the license, certificate, registration or permit. Proposed § 45.25(a)(1)(iii) also requires that the copy of the applicable law, regulation or other rule include the enactment date. Additionally, because 63 Pa.C.S. § 3111 is applicable to territories and other countries that use languages other than English, where the applicable law, regulation or other rule is in a language other than English, proposed § 45.25(a)(1)(ii) requires translation of the applicable law, regulation or other rule by a professional translation service at the applicant’s expense.

Proposed § 45.25(a)(2) requires a demonstration of competency. Under this provision, an applicant must

provide proof of competency by demonstrating either experience in the practice of speech-language pathology or audiology, or by completion of continuing education. To demonstrate competency by experience, an applicant must show active engagement in the practice of the profession for at least 2 of the 5 years immediately preceding the filing of the application for licensure by endorsement. The experience must have been engaged in under a license, certificate, registration or permit in a substantially equivalent jurisdiction or jurisdictions. To demonstrate competency through completion of continuing education, an applicant must submit proof of completion of 20 hours of continuing education from an approved provider listed in § 45.505(d) (relating to approval of continuing education programs). The continuing education must be completed during the 24 months immediately preceding the date of the application for licensure by endorsement. The Board proposes completion of the continuing education within 24 months immediately preceding the date of the application because a 24-month limitation correlates with the Board's biennial renewal continuing education requirement.

Proposed § 45.25(a)(3) and (4) incorporate the statutory prohibitions of 63 Pa.C.S. § 3111 pertaining to conduct that would constitute grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice the profession or occupation and prior discipline by the jurisdiction that issued the license.

Proposed § 45.25(a)(5) provides for payment of an application fee, as required by 63 Pa.C.S. § 3111(a)(5). The applicable fee for licensure by endorsement under 63 Pa.C.S. § 3111 is the initial licensure fee in § 45.1.

Next, proposed § 45.25(a)(6) requires applicants to apply for licensure in accordance with Chapter 45 (relating to State Board of Examiners in Speech-Language Pathology and Audiology) in the manner and format prescribed by the Board.

Finally, proposed § 45.25(a)(7) requires completion of 3 hours of training in child abuse recognition and reporting, which is mandated continuing education under the Child Protective Services Law at 23 Pa.C.S. § 6383(b)(3)(i) (relating to education and training).

In proposed § 45.25(b), the Board may require a personal interview or additional information to assist the Board in determining eligibility and competency. When a personal interview is necessary, the applicant may request the interview to be conducted by video teleconference for good cause shown.

Consistent with 63 Pa.C.S. § 3111(a)(3) and (4), proposed § 45.25(c) authorizes the Board, in its discretion, to determine that an act prohibited under subsection (a)(3) or (4) is not an impediment to licensure by endorsement.

The Board is also proposing the addition of § 45.26. Consistent with 63 Pa.C.S. § 3111(b), proposed § 45.26 provides that the Board, in its discretion, may issue a provisional endorsement license while an applicant is satisfying remaining requirements under 63 Pa.C.S. § 3111 and proposed § 45.25. Proposed § 45.26(b) sets the expiration of a provisional endorsement license at 1 year. Additionally, upon a written request, the Board may extend the term of the license upon a showing of good cause. Proposed § 45.26(c) sets forth reasons for which a provisional endorsement license will be terminated by the Board, including when the Board denies or grants a license, the provisional endorsement licensee fails to comply with the terms of a provisional endorsement license, or upon expiration of a provisional endorse-

ment license. Finally, proposed § 45.26(d) clarifies that while an individual may reapply for a license by endorsement under proposed § 45.25, the Board will not issue a subsequent provisional endorsement license to an applicant who previously held a provisional endorsement license that expired or was terminated.

Fiscal Impact and Paperwork Requirements

This proposed rulemaking will have no adverse fiscal impact on the Commonwealth or its political subdivisions. The costs to the Board related to processing applications for licensure by endorsement will be recouped through fees paid by applicants. Applicants who apply for licensure by endorsement will be impacted by the \$50 application fee in § 45.1(1) and may incur continuing education expenses if they choose to demonstrate competency by completing 20 hours of continuing education. Applicants must complete child abuse recognition and reporting training, as required by 23 Pa.C.S. § 6383(b)(3)(i). There are free in-person and online child abuse recognition and reporting training options available; therefore, the Board does not anticipate a negative fiscal impact for this statutorily mandated training.

Sunset Date

The Board continuously monitors the cost effectiveness of its regulations. Therefore, no sunset date has been assigned.

Regulatory Review

Under section 5(a) of the Regulatory Review Act (71 P.S. § 745.5(a)), on May 11, 2023, the Board submitted a copy of this proposed rulemaking and a copy of a Regulatory Analysis Form to the Independent Regulatory Review Commission (IRRC) and the Chairpersons of the Senate Consumer Protection and Professional Licensure Committee and the House Professional Licensure Committee. A copy of this material is available to the public upon request.

Under section 5(g) of the Regulatory Review Act, IRRC may convey comments, recommendations or objections to the proposed rulemaking within 30 days of the close of the public comment period. The comments, recommendations or objections must specify the regulatory review criteria in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b) which have not been met. The Regulatory Review Act specifies detailed procedures for review, prior to final publication of the rulemaking, by the Board, the General Assembly and the Governor.

Public Comment

Interested persons are invited to submit written comments, recommendations or objections regarding this proposed rulemaking to the Board Counsel, State Board of Examiners in Speech-Language Pathology and Audiology, P.O. Box 69523, Harrisburg, PA 17106-9523 or RA-STRegulatoryCounsel@pa.gov within 30 days of publication of this proposed rulemaking in the *Pennsylvania Bulletin*. Reference 16A-6808 (Licensure by Endorsement), when submitting comments.

AMY S. GOLDMAN, MS, CCC,
Chairperson

Fiscal Note: 16A-6808. No fiscal impact; recommends adoption.

Annex A

TITLE 49. PROFESSIONAL AND VOCATIONAL STANDARDS

PART I. DEPARTMENT OF STATE

Subpart A. PROFESSIONAL AND OCCUPATIONAL AFFAIRS

CHAPTER 45. STATE BOARD OF EXAMINERS IN SPEECH-LANGUAGE PATHOLOGY AND AUDIOLOGY

Subchapter A. GENERAL PROVISIONS

§ 45.2. Definitions.

The following words and terms, when used in this chapter, have the following meanings, unless the context clearly indicates otherwise:

* * * * *

Inactive license—A license status in which the licensee notifies the Board that the licensee no longer requires an active license to practice.

Jurisdiction—A state, territory or country.

Lapsed license—A license status in which the license has not been currently renewed.

* * * * *

Subchapter B. LICENSURE AND CERTIFICATION

(*Editor's Note:* Sections 45.25 and 45.26 are proposed to be added and are printed in regular type to enhance readability.)

§ 45.25. Licensure by endorsement.

(a) *Requirements for issuance.* To be issued a license by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement), an applicant must satisfy all of the following conditions:

(1) Have a license, certificate, registration or permit in good standing to practice speech-language pathology or audiology in another jurisdiction whose standards are substantially equivalent to or exceed those established under section 7(a) of the act (63 P.S. § 1707(a)) and §§ 45.17 and 45.20 (relating to education requirements; and supervised professional experience required for licensure as a speech-language pathologist). The following apply:

(i) An applicant must submit a copy of the current applicable law, regulation or other rule governing licensure, certification, registration or permit requirements and scope of practice in the jurisdiction that issued the license, certificate, registration or permit.

(ii) If the applicable law, regulation or other rule is in a language other than English, at the applicant's expense, the applicable law, regulation or other rule shall be translated by a professional translation service and verified to be complete and accurate.

(iii) The copy of the applicable law, regulation or other rule must include the enactment date.

(2) Demonstrate competency by one of the following:

(i) Experience in the practice of speech-language pathology or audiology by demonstrating, at a minimum, that the applicant has actively engaged in the practice of speech-language pathology or audiology under a license, certificate, registration or permit in a substantially equivalent jurisdiction, or jurisdictions, for at least 2 of the 5 years immediately preceding the date the application is filed with the Board.

(ii) Completion of 20 hours of continuing education in speech-language pathology or audiology from continuing education providers listed in § 45.505(d) (relating to approval of continuing education programs) or other equivalent providers, as determined by the Board, during the 24 months immediately preceding the date the application is filed with the Board. Completion of child abuse recognition and reporting training under paragraph (7) may be attributed to the 20 hours of required continuing education.

(3) Have not committed any act that constitutes grounds for refusal, suspension or revocation of a license, certificate, registration or permit to practice speech-language pathology or audiology under section 10 of the act (63 P.S. § 1710) or §§ 45.102—45.104 (relating to Code of Ethics; unprofessional conduct; and fraud or deceit).

(4) Have not been disciplined by the jurisdiction that issued the license, certificate, registration or permit.

(5) Have paid the initial licensure fee as required by § 45.1(1) (relating to fees).

(6) Have applied for licensure in accordance with this chapter in the manner and format prescribed by the Board.

(7) Have completed 3 hours of training in child abuse recognition and reporting from a provider approved by the Department of Human Services as required under 23 Pa.C.S. § 6383(b)(3)(i) (relating to education and training).

(b) *Interview and additional information.* An applicant may be required to appear before the Board for a personal interview and may be required to submit additional information, including supporting documentation relating to competency and experience. The applicant may request the interview to be conducted by video teleconference for good cause shown.

(c) *Prohibited acts.* Notwithstanding subsection (a)(3) and (4), the Board may, in its discretion, determine that an act prohibited under section 10 of the act (63 P.S. § 1710) or §§ 45.102—45.104 or disciplinary action by a jurisdiction is not an impediment to the granting of a license by endorsement under 63 Pa.C.S. § 3111.

§ 45.26. Provisional endorsement license.

(a) *Provisional endorsement license.* The Board may, in its discretion, issue a provisional endorsement license to an applicant while the applicant is satisfying remaining requirements for licensure by endorsement under 63 Pa.C.S. § 3111 (relating to licensure by endorsement) and § 45.25 (relating to licensure by endorsement).

(b) *Expiration of a provisional endorsement license.*

(1) An individual holding a provisional endorsement license may practice for up to 1 year after issuance of the provisional endorsement license. The Board, in its discretion, may determine that an expiration date of less than 1 year is appropriate.

(2) Upon a written request and a showing of good cause, the Board may grant an extension of no longer than 1 year from the expiration date of the provisional endorsement license.

(c) *Termination of a provisional endorsement license.* A provisional endorsement license terminates if any of the following occurs:

(1) When the Board completes its assessment of the applicant and denies or grants the license.

(2) When the holder of the provisional license fails to comply with the terms of the provisional endorsement license.

(3) When the provisional endorsement license expires.

(d) *Reapplication.* An individual may reapply for licensure by endorsement under § 45.25 after expiration or termination of a provisional endorsement license. The individual may not be issued a subsequent provisional endorsement license.

[Pa.B. Doc. No. 23-692. Filed for public inspection May 26, 2023, 9:00 a.m.]

STATEMENTS OF POLICY

Title 4—ADMINISTRATION

PART II. EXECUTIVE BOARD

[4 PA. CODE CH. 9]

Reorganization of the Parole Board

The Executive Board approved a reorganization of the Parole Board effective May 16, 2023.


The organization chart at 53 Pa.B. 2835 (May 27, 2023) is published at the request of the Joint Committee on Documents under 1 Pa. Code § 3.1(a)(9) (relating to contents of *Code*).

(Editor's Note: The Joint Committee on Documents has found organization charts to be general and permanent in nature. This document meets the criteria of 45 Pa.C.S. § 702(7) (relating to contents of Pennsylvania Code) as a document general and permanent in nature which shall be codified in the Pennsylvania Code.)

[Pa.B. Doc. No. 23-693. Filed for public inspection May 26, 2023, 9:00 a.m.]

Pennsylvania Parole Board

OR-23-008
May 16, 2023



NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending May 16, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
05-12-2023	The Juniata Valley Bank Mifflintown Juniata County	Effective
	Application for approval to purchase assets and assume liabilities of one branch of Orrstown Bank, Shippensburg, PA, located at: 16400 Path Valley Road Spring Run Franklin County	

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-11-2023	Mid Penn Bank Millersburg Dauphin County	1196 Walnut Bottom Road Carlisle Cumberland County	Filed

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
05-12-2023	The Juniata Valley Bank Mifflintown Juniata County	17428 Tuscarora Creek Road Blairs Mills Huntingdon County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Interim Acting Secretary

[Pa.B. Doc. No. 23-694. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 717-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3918805	Joint DEP/PFBC Pesticides Permit	New	DeSales University 2755 Station Avenue Center Valley, PA 18034-9565	Upper Saucon Township Lehigh County	NERO
4123801	Joint DEP/PFBC Pesticides Permit	New	Montoursville Borough Lycoming County 617 N Loyalsock Avenue Montoursville, PA 17754-1321	Montoursville Borough Lycoming County	NCRO
3621201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Amendment	S & A Kreider & Sons Inc. 761 Spring Valley Road Quarryville, PA 17566-9773	East Drumore Township Lancaster County	SCRO
WQM1805201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Amendment	Schrack Farms Partnership 860 W Valley Road Loganton, PA 17747-8935	Logan Township Clinton County	NCRO
PA0103471	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	DEP-Initiated Minor Amendment	Shenango Township Municipal Authority Mercer County 155 Campground Road P.O. Box 266 West Middlesex, PA 16159-2803	Shenango Township Mercer County	NWRO

NOTICES

2839

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0465S70	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Transfer	Go Carlson Inc. dba Braeburn Alloy Steel 175 Main Street Oil City, PA 16301-1038	Lower Burrell City Westmoreland County	SWRO
PAG030267	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Americold Logistics LLC 2525 Bergey Road Hatfield, PA 19440-1703	Hatfield Township Montgomery County	SERO
PAG030279	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Savoy John dba Savoy Recycling 1279 Middletown Road Glen Mills, PA 19342-9661	Chester Township Delaware County	SERO
PAG032203	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Dupont Terminal DE LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Pittston Township Luzerne County	NERO
PAG032254	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	International Polymers Corp 426 S Aubrey Street Allentown, PA 18109	Allentown City Lehigh County	NERO
PAG032257	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Slaw Precast 438 Riverview Road Lehighton, PA 18235-3435	East Penn Township Carbon County	NERO
PAG032263	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Amazon Com Service LLC P.O. Box 80842 Attn: NA Environmental Dept Seattle, WA 98108-0842	Hazle Township Luzerne County	NERO
PAG032364	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Bosch Rexroth Corp 2315 City Line Road Bethlehem, PA 18017-2131	Bethlehem City Lehigh County	NERO
PAG032367	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Hazleton Oil & Environmental Inc. 300 S Tamaqua Street Route 309 S Hazleton, PA 18201	Banks Township Carbon County	NERO
PAG032377	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Henkel US Operations Corp 125 Jaycee Drive West Hazleton, PA 18202-1145	West Hazleton Borough Luzerne County	NERO
PAG032379	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Hazleton Casting Co. LLC 300 Commerce Street Weatherly, PA 18255-1200	Hazleton City Luzerne County	NERO
PAG032382	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	International Paper Co. 533 Forest Road Hazleton, PA 18202	Hazle Township Luzerne County	NERO
PAG032388	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Hydro Extruder USA LLC 330 Elmwood Avenue Mountain Top, PA 18707-2116	Wright Township Luzerne County	NERO
PAG032390	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Gen Dynamics Land System 175 East Street Eynon, PA 18403-1326	Archbald Borough Lackawanna County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG032391	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Wyman Gordon PA LLC 1141 Highway 315 Wilkes-Barre, PA 18702-6928	Plains Township Luzerne County	NERO
PAG032403	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Alan Auto Parts 4162 Best Station Road Slatington, PA 18080	Washington Township Lehigh County	NERO
PAG033510	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Titanium Metals Corp dba Timet 900 Hemlock Road Morgantown, PA 19543-9762	Caernarvon Township Berks County	SCRO
PAG033525	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	WPTM LLC 14648 Glen Eden Drive Naples, FL 34110-3666	Salisbury Township Lancaster County	SCRO
PAG034002	PAG-03 NPDES General Permit for Industrial Stormwater	New	Champion Home Bldr Inc. 101 Garden Spot Road Ephrata, PA 17522-9760	East Cocalico Township Lancaster County	SCRO
PAG034004	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Dairy Farmers of American Inc. 1405 N 98th Street Kansas City, KS 66111-1865	Lower Allen Township Cumberland County	SCRO
PAG034008	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Blue Triangle Hardwoods Inc. 156 Industrial Boulevard Everett, PA 15537-3326	West Providence Township Bedford County	SCRO
PAG034009	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Brentwood Ind Inc. 621 Brentwood Drive Reading, PA 19611-2014	Reading City Berks County	SCRO
PAG036198	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Heidelberg Materials NE LLC 2200 Springfield Pike Connellsville, PA 15425-6412	Pittsburgh City Allegheny County	SWRO
PAG036199	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Heidelberg Materials NE LLC 2200 Springfield Pike Connellsville, PA 15425-6412	Braddock Borough Allegheny County	SWRO
PAG036201	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	AMG Resources Corp. 2045 Lincoln Boulevard Elizabeth, PA 15037-2900	Lincoln Borough Allegheny County	SWRO
PAG036236	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	MV Transportation Inc. 72 E 8th Street Donora, PA 15033	Donora Borough Washington County	SWRO
PAG036521	PAG-03 NPDES General Permit for Industrial Stormwater	New	Enviroserve Inc. 2 Dorrington Road Carnegie, PA 15106-1615	Collier Township Allegheny County	SWRO
PAG036527	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	New Enterprise Stone & Lime Co. Inc. P.O. Box 77 New Enterprise, PA 16664-0077	Cambria Township Cambria County	SWRO
PAG036528	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Frank Bryan Inc. 100 South 3rd Street Pittsburgh, PA 15219	Pittsburgh City Allegheny County	SWRO

NOTICES

2841

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036529	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Dlubak Glass Co. 1600 Saxonburg Road Natrona Hts, PA 15065-1801	Harrison Township Allegheny County	SWRO
PAG036531	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Lanxess Corp. 3499 Grand Avenue Pittsburgh, PA 15225-1507	Neville Township Allegheny County	SWRO
PAG036532	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Maund Ind Inc. 1200 Wood Street California, PA 15419-1262	California Borough Washington County	SWRO
PAG038307	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Gutchess Brookville LLC 890 McLean Road Cortland, NY 13045-9393	Pine Creek Township Jefferson County	NWRO
PAG038310	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	A Stucki Co. dba Independent Draft Gear P.O. Box 298 Farrell, PA 16121-0298	Farrell City Mercer County	NWRO
PAG038335	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	John W Thrower Inc. 409 Saxonburg Boulevard Saxonburg, PA 16056-9451	Clinton Township Butler County	NWRO
PAG038383	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	JW Marshall Inc. 109 Browns Hill Road Valencia, PA 16059-3101	Middlesex Township Butler County	NWRO
PAG038447	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	TC Recycling LLC P.O. Box 1080 Mars, PA 16046-1080	Adams Township Butler County	NWRO
PAG038455	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Hovis Auto Wrecking Inc. 5074 Emlenton Clintonville Road Emlenton, PA 16373-6708	Scrubgrass Township Venango County	NWRO
1008401	Pump Stations Individual WQM Permit	Amendment	Western Butler County Authority 607 Market Street Zelienople, PA 16063-1830	Zelienople Borough Butler County	NWRO
PA0267422	Single Residence STP Individual NPDES Permit	Transfer	Lucas Garrett C 1120 2nd Street Enola, PA 17025-3264	Rye Township Perry County	SCRO
1018402	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Pudina Tessa 137 Swamp Run Road Butler, PA 16001-0729	Center Township Butler County	NWRO
2523414	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Bradley & Rebecca Fox 5770 Ruhl Road Fairview, PA 16415-2533	Fairview Township Erie County	NWRO
5021401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Lucas Garrett C 1120 2nd Street Enola, PA 17025-3264	Rye Township Perry County	SCRO
6123401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Watson Shawn T 754 Squaw Valley Road Emlenton, PA 16373-2706	Scrubgrass Township Venango County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0228249, Sewage, SIC Code 6515, **Eagle Creek, LLC**, 1454 Martin Street, State College, PA 16803-3065. Facility Name: Eagle Creek, LLC Wastewater Treatment Facility. This existing facility is located in Union Township, **Centre County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Bald Eagle Creek, is located in State Water Plan watershed 9-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.015 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
	XXX	XXX	XXX	Report	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA1132283, MS4, **Wright Township**, 321 South Mountain Boulevard, Mountain Top, PA 18707-1915. The application is for a new individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Wright Township, **Luzerne County**. The receiving streams, Bow Creek (HQ-CWF), Big Wapwallopen Creek (CWF, MF), Unnamed Tributary to Big Wapwallopen Creek (CWF, MF) and Unnamed Tributary to Watering Run (CWF, MF) are located in State Water Plan watershed 5-B and are classified for High Quality—Cold Water Fishes, Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

The Department has made a tentative determination to issue the NPDES permit. Written comments on the application and draft permit will be accepted for 30 days following publication of this notice. The period for comment may be extended at the discretion of DEP for one additional 15-day period. You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

Northeast Regional Office

PAS802227, Storm Water, SIC Code 4225, **Dayton Superior Corp**, 1125 Byers Road, Miamisburg, OH 45342-5765. Facility Name: Dayton Superior Corp Allentown Distribution Center. This existing facility is located in Upper Macungie Township, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF), is located in State Water Plan watershed 2-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls Nos. 001—003 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater outfalls and authorized non-stormwater discharges; Best Management Practices (BMPs); Stormwater monitoring requirements; Routine inspections; Preparedness, Prevention and Contingency (PPC) Plan; Necessary property rights; and Residuals management.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0026387, Sewage, SIC Code 4952, **Saint Marys Municipal Authority**, 11 Lafayette Street, Saint Marys, PA 15857-1385. Facility Name: Saint Marys WWTP. This existing facility is located in Saint Marys City, **Elk County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage and stormwater.

The receiving stream(s), Elk Creek, is located in State Water Plan watershed 17-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.31 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Bis(2-Ethylhexyl)Phthalate	0.11	Report	XXX	0.003	Report	0.007

The proposed effluent limits for Outfall 001 are based on a design flow of 4.31 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Bis(2-Ethylhexyl)Phthalate (ug/L)	0.031	0.049	XXX	0.87	1.36	2.18

The proposed effluent limits for Outfall 001 are based on a design flow of 4.31 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	720	1,080	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,080	1,620	XXX	30	45	60
Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	Report	XXX	XXX	Report	XXX
Fecal Coliform (CFU/100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	248	XXX	XXX	6.9	XXX	13.8
Nov 1 - Apr 30						
May 1 - Oct 31	83	XXX	XXX	2.3	XXX	4.6
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Aluminum, Total	XXX	Report	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Daily Minimum	Average Monthly	Daily Maximum	
Boron, Total	XXX	Report	XXX	XXX	Report	XXX
Cadmium, Total	XXX	Report	XXX	XXX	Report	XXX
Chromium III, Total	XXX	Report	XXX	XXX	Report	XXX
Cobalt, Total	XXX	Report	XXX	XXX	Report	XXX
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Dissolved	XXX	Report	XXX	XXX	Report	XXX
Iron, Total	XXX	Report	XXX	XXX	Report	XXX
Lead, Total	XXX	Report	XXX	XXX	Report	XXX
Nickel, Total	XXX	Report	XXX	XXX	Report	XXX
Selenium, Total	XXX	Report	XXX	XXX	Report	XXX
Zinc, Total	7.9	14.2	XXX	0.22	0.39	0.44
Carbon Tetrachloride	XXX	Report	XXX	XXX	Report	XXX
Phenolics, Total	XXX	Report	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- POTW Pretreatment Program Implementation
- Solids Management
- Water Quality-Based Effluent Limitations for Toxic Pollutants
- Whole Effluent Toxicity (WET)
- WQBELs Below Quantification Limits
- Site Specific Criterion for Total Copper
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0265772, Sewage, SIC Code 8800, **Deidre & Luke Reinhart**, 2805 Summerville Road, Erie, PA 16510-4245. Facility Name: Deidre & Luke Reinhart SRSTP. This existing facility is located in Harborcreek Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Mill Creek (WWF, MF), is located in State Water Plan watershed 15-A and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0292796, Sewage, SIC Code 4952, 8800, **Joseph L Miller**, 438 Mahood Road, Butler, PA 16001. Facility Name: Joseph L Miller SRSTP. This proposed facility is located at 2141 Dawson Run Road, West Hickory, PA 16370 in Harmony Township, **Forest County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream is an unnamed tributary to the Allegheny River, located in State Water Plan watershed 16-F and classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293181, Sewage, SIC Code 8800, **Kathryn & Peter Barry**, 11154 Eureka Road, Edinboro, PA 16412-3726. Facility Name: Kathryn & Peter Barry SRSTP. This proposed facility is located in Franklin Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Cussewago Creek (WWF), is located in State Water Plan watershed 16-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293199, Sewage, SIC Code 8800, **Ruth Perrine**, 21163 Fisher Road, Meadville, PA 16335-5303. Facility Name: Ruth Perrine SRSTP. This proposed facility is located in Woodcock Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Woodcock Creek (CWF), is located in State Water Plan watershed 16-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293202, Sewage, SIC Code 8800, **Stephen Caligiuri**, 8 Sunnybrook Drive, New Castle, PA 16105-1834. Facility Name: Stephen Caligiuri SRSTP. This proposed facility is located in Neshannock Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293211, Sewage, SIC Code 8800, **Justin J Bryan**, 447 State Route 18, New Wilmington, PA 16412. Facility Name: Justin Bryan SRSTP. This proposed facility is located in Wilmington Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Neshannock Creek (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293229, Sewage, SIC Code 8800, **Larry Bryan**, 441 State Rte 18, New Wilmington, PA 16142. Facility Name: Larry Bryan SRSTP. This proposed facility is located in Wilmington Township, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage from a small flow treatment facility.

The receiving stream(s), Unnamed Tributary to Little Neshannock Creek (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .000635 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293237, Sewage, SIC Code 8800, **Gary Ustik**, 96 N Crescent Drive, Hermitage, PA 16148-1744. Facility Name: Gary Ustik SRSTP. This proposed facility is located on Rutledge Road, Transfer PA 16154 in Delaware Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0002038, Industrial, SIC Code 2819, **Borchers America Inc.**, P.O. Box 111, Franklin, PA 16323-111. Facility Name: Borchers America. This existing facility is located in Sugarcreek Borough, **Venango County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Allegheny River (WWF), Unnamed tributary to Twomile Creek (CWF) and Twomile Run (CWF), is located in State Water Plan watershed 16-E and are classified for Cold Water Fishes and Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0.1332 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX

The proposed effluent limits for Outfall 003, 004 and 007—011 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 602 are based on a design flow of 0.1332 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Internal Monitoring Point pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Internal Monitoring Point Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Internal Monitoring Point Aluminum, Total	XXX	XXX	XXX	4.0	XXX	8
Internal Monitoring Point Iron, Total	XXX	XXX	XXX	2.0	XXX	4

The proposed effluent limits for Outfall 702 are based on a design flow of 0.007 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Internal Monitoring Point						

In addition, the permit contains the following major special conditions:

- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0266388, Sewage, SIC Code 8811, **Claudia K Paul**, 302 Guyer Corner Road, New Enterprise, PA 16664-8226. Facility Name: Claudia K Paul Res. This existing facility is located in South Woodbury Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Beaver Creek (HQ-CWF, MF), is located in State Water Plan watershed 11-D and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	5.0	XXX	10.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

Application No. PA0266442, Concentrated Animal Feeding Operation (CAFO), **Logan M Bower (Pleasant View Farms Perry County CAFO)**, 2675 Conococheague Road, Blain, PA 17006-6229.

Logan M Bower has submitted an application for an Individual NPDES permit for a renewal of an CAFO known as Pleasant View Farms Perry County CAFO, located in Jackson Township, **Perry County**.

The CAFO is situated near Unnamed Tributary to Sherman Creek (HQ-CWF, MF) in Watershed 7-A, which is classified for High Quality—Cold Water and Migratory Fish. The CAFO is designed to maintain an animal population of approximately 1,171.21 animal equivalent units (AEUs) consisting of 655 Holstein Cows, 125 Holstein Heifers, 180 Holstein Calf, 195 Beef Calf, and 24 Swine Grow Finish. Liquid manure is stored onsite in an Earthen Clay-Lined Lagoon and in a Concrete Round Storage. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 25-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

PA0050326, Industrial, SIC Code 3312, **Cleveland Cliffs Plate LLC**, 900 Conshohocken Road, Conshohocken, PA 19428-1038. Facility Name: Cleveland Cliffs Conshohocken Plant. This existing facility is located in Plymouth Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Color (Pt-Co Units)	XXX	XXX	XXX	XXX	Report	XXX
Total Dissolved Solids	10,008	20,016	XXX	1,000.0	2,000.0	2,500
	Avg Qrtly			Avg Qrtly		
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Sulfate, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloride	XXX	XXX	XXX	XXX	Report	XXX
Bromide	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.2 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Total Suspended Solids	225.5	601.4	XXX	30.0	60.0	75
Oil and Grease	Report	150.5	XXX	15	Report	30

The proposed effluent limits for Outfall 004 are based on an average stormwater flow.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum Daily</i>	
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Chromium, Total	XXX	XXX	XXX	XXX	Report	XXX
Copper, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Nickel, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on an average stormwater flow.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

Stormwater Outfalls 002, 003, and 005 are not required to be monitored.

In addition, the permit contains the following major special conditions:

- A. Necessary Property Rights
- B. Proper Sludge Disposal
- C. WQM Condition
- D. BAT/ELG Reopener Clause
- E. TRC Minimization
- F. Operations and Maintenance Plan
- G. 2°F Temperature Change
- H. DRBC Additional Requirements
- I. DRBC Docket
- J. Remedial Measures if Public Nuisance
- K. Fire Hydrant Discharge
- L. Dust Control
- M. CWIS Operation
- N. Chemical Additives
- O. Requirements Applicable to Stormwater Outfalls
- P. PCB PMP Requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0244538 A-1, Industrial, SIC Code 2819, **Buckman's Inc.**, 105 Airport Road, Pottstown, PA 19464-3438. Facility Name: Buckman's Inc. This existing facility is located in Limerick Township, **Montgomery County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Possum Hollow Run (WWF, MF), is located in State Water Plan watershed 3-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .012 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	75
Total Dissolved Solids	XXX	XXX	XXX	2,000.0	4,000.0	5,000

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- Dry stream discharge
- Requirements applicable to stormwater outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0027570, Sewage, SIC Code 4952, **Western Westmoreland Municipal Authority**, 12441 Route 993, North Huntingdon, PA 15642-4264. Facility Name: Brush Creek STP. This existing facility is located in North Huntingdon Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Brush Creek (TSF), is located in State Water Plan watershed 19-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.4 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	915.0	1,390.0	XXX	25.0	38.0 Wkly Avg	50.0
Total Suspended Solids	1,100.0	1,650.0	XXX	30.0	45.0 Wkly Avg	60.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	Report Avg Qrtly	Report Daily Max	XXX	0.75 Avg Qrtly	0.75	XXX
Boron, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Dissolved (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	Report Avg Qrtly	Report Daily Max	XXX	1.5 Avg Qrtly	3.0	XXX
Dichlorobromomethane (ug/L)	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 4.4 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	915.0	1,390.0	XXX	25.0	38.0 Wkly Avg	50.0
Total Suspended Solids	1,100.0	1,650.0	XXX	30.0	45.0 Wkly Avg	60.0
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean XXX	Report	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	Report	XXX
Aluminum, Total	Report	Report	XXX	0.75	0.75	XXX
	Avg Qrtly	Daily Max		Avg Qrtly		
Boron, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	XXX	XXX	XXX	4.52	7.05	11.3
Iron, Dissolved (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	Report	Report	XXX	1.5	3.0	XXX
	Avg Qrtly	Daily Max		Avg Qrtly		
Dichlorobromomethane (ug/L)	XXX	XXX	XXX	Report	Report	XXX

In addition, the permit contains the following major special conditions: requirements for solids management; a schedule of compliance for new water quality-based effluent limits for Free Cyanide; requirements for Whole Effluent Toxicity testing; and requirements for stormwater outfalls (SW-001 and SW-002).

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0095010, Industrial, SIC Code 4941, **Greater Johnstown Water Authority**, P.O. Box 1407, 640 Franklin Street, Johnstown, PA 15907-1407. Facility Name: Riverside Water Treatment Plant. This existing facility is located in Stonycreek Township, **Cambria County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Stonycreek River (WWF), is located in State Water Plan watershed 18-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.243 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	1.5	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

The proposed effluent limits for Outfalls 002 and 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0285030, Sewage, SIC Code 8800, **Richard H. McConnell**, 138 School Road, Aliquippa, PA 15001-5934. Facility Name: McConnell Properties SRSTP. This proposed facility is located in Independence Township, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Tributary 33660 to Raccoon Creek (WWF), is located in State Water Plan watershed 20-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Monthly	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Northeast Regional Office

Applicant: **Thomson Logistics Asset LLC c/o Mapletree US Management LLC**

Applicant Address: 5 Bryant Park, 28th Floor, New York, NY 10018

Application Number: **PAD450176**

Application Type: New

Municipality/County: Coolbaugh Township, **Monroe County**

Total Earth Disturbance Area (acres): 13.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Clear Run, Clear Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of additional loading docks, reconfiguration of parking facilities and stockpiling of excess soil on site. Repairs to the existing detention basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **E.R. Linde Construction Corp.**

Applicant Address: 239 Golf Hill Road, Honesdale, PA 18431

Application Number: **PAD450182**

Application Type: New

Municipality/County: Paradise Township, **Monroe County**

Total Earth Disturbance Area (acres): 6.35 acres

Surface Waters Receiving Stormwater Discharges: Swiftwater Creek (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Placement of soils materials on site and construction of an infiltration basin

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Joseph Mariani**

Applicant Address: 125 Beechtree Drive, Broomall, PA 19008

Application Number: **PAD150291**

Application Type: New

Municipality/County: West Bradford Township and Whitmarsh Township, **Chester County**

Total Earth Disturbance Area (acres): 1.86 acres

Surface Waters Receiving Stormwater Discharges: Unnamed Trib to West Branch Brandywine Creek (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Joseph F. Mariani is proposing to construct a single-family detached dwelling at 1460 Oakwood Road. The proposed improvements include a garage, driveway, connection to public utilities, storm sewer systems, an infiltration basin, and other amenities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northcentral Regional Office

Applicant: **Berks at Nittany Glen LLC**

Applicant Address: 3335 Morgantown Road, Mohnton, PA 19540

Application Number: **PAD140048**

Application Type: Renewal

Municipality/County: Benner Township, **Centre County**

Total Earth Disturbance Area (acres): 6.04 acres

Surface Waters Receiving Stormwater Discharges: UNT to Buffalo Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Residential development with all related infrastructure

Special Conditions: None

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **Mount Nittany Medical Center**

Applicant Address: 1800 East Park Avenue, State College, PA 16803

Application Number: **PAD140101**

Application Type: New

Municipality/County: College Township, **Centre County**

Total Earth Disturbance Area (acres): 13 acres

Surface Waters Receiving Stormwater Discharges: Spring Creek (HQ-CWF) and Slab Cabin Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new bed tower, parking garage, and central energy plant along with the associated utilities, landscaping, and walkways.

Special Conditions: None

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **Trexler Fields Twin Home Project, LLC**

Applicant Address: 5930 Hamilton Blvd., Wescosville, PA 18106

Application Number: **PAD390048**

Application Type: Renewal

Municipality/County: Upper Macungie Township, **Lehigh County**

Total Earth Disturbance Area (acres): 92.2 acres

Surface Waters Receiving Stormwater Discharges: Schaeffer Run—CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Trexler Fields Residential Development consisting of existing constructed homes and related infrastructure.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Hillcrest Saylor Dairy 947 Hatch Hollow Road Rockwood, PA 15557	Somerset County	1,696.8	1,539.2	Dairy	HQ	Renewal

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
LHF Enterprises LLC & LHF Farms LLC— Adam Egolf 932 Turner Camp Road Schellsburg, PA 15559	Bedford County	5.7	900.47	Swine & Ducks	NA	Renewal
Delbert Burkholder— Delbert's Ag Operation 156 Kunkel Road Kempton, PA 19529	Berks County	86.5	80.87	Duck	NA	New
Neil Martin— Neil L. Martin CAFO 749 Bloody Spring Road Bethel, PA 19507	Berks County	77.2	387.41	Poultry	NA	Renewal
Hurst Poultry LLC 61 Clay Road Lititz, PA 17543	Lancaster County	32.1	263.15	Pullets	NA	Renewal
Steve Wenger— Wen-Crest Farms 549 Schaeffer Road Lebanon, PA 17042	Lebanon County	1,532.77	2,031.55	Broiler/Beef	NA	Renewal
Mor-T-Do Farm— Neil and Mac Miller 5292 Pleasant Ridge Road Needmore, PA 17238	Fulton County	132.7	386.96	Finishing Swine	NA	Renewal
John Cornelius 19062 Trough Creek Valley Pike Mapleton Depot, PA 17052	Huntingdon County	227.18	726.90	Swine	NA	Renewal
Harley Bange 15629 Trough Creek Valley Pike Huntingdon, PA 16652	Huntingdon County	623.53	719.48	Swine, Beef	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor, 570-327-3490.

Application No. 1923502, Construction, Public Water Supply 90.

Applicant	Camp Victory
Address	58 Camp Victory Road Greenwood, PA 17846
Municipality	Greenwood Township
County	Columbia County
Responsible Official	Jamie Huntley 58 Camp Victory Road Millville, PA 17846

Consulting Engineer Peter J. Lusardi, P.E.
225 Gradview Avenue
Suite 403
Camp Hill, PA 17011

Application Received May 10, 2023

Description Camp Victory Water System upgrades: the installation of a filtration system that will remove the presence of iron and manganese.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant, 570-830-3077.

Application No. 5223503, Construction, Public Water Supply.

Applicant **Laurel Woods MHC LLC**

Address 100 Swale Brook Lane
Milford, PA 18337

Municipality Lackawaxen Township

County **Pike County**

Responsible Official Raj Dalavai, Owner
Laurel Woods MHC LLC
100 Swale Brook Lane
Milford, PA 18337

Consulting Engineer Irina O Hott, PE
Water and Wastewater Project Leader
JHA Companies
466 South Main Street
Montrose, PA 18801

Application Received April 21, 2023

Description Applicant proposes modifications to the existing disinfection and finished water storage system. The treatment process modifications include the installation of disinfection contact tankage and replacement of the finished water storage tank.

Application No. 5223501, Construction, Public Water Supply.

Applicant **Nesto's General Store**

Address 4872 Pine Ridge Drive W.
Bushkill, PA 18324

Municipality Lehman Township

County **Pike County**

Responsible Official Ernesto Margaro
4872 Pine Ridge Drive
W. Bushkill, PA 18324

Consulting Engineer Sara Bue-Morris, P.E.
Bue-Morris Associates, Inc.
275 S. Sterling Road
Newfoundland, PA 18445

Application Received March 30, 2023

Description The applicant proposes to install a 4-Log disinfection system.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

7522 Morris Court, Primary Facility ID # **866515**, 7522 Morris Court, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. Environmental Consulting Inc., 2002 Renaissance Blvd, Suite 110, King of Prussia, PA 19406 on behalf of J.G. Petrucci Company, Inc., 171 Route 173, Suite 201, Asbury, NJ 08802, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of used motor oil. The Notice of Intent to Remediate was published in *The Morning Call* on May 10, 2023. Application received: May 10, 2023.

1312 Brookside Road, Primary Facility ID # **866250**, 1312 Brookside Road, Allentown, PA 18106, Lower Macungie Township, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Camp Degel Hatorah, Inc., 116 Glen Avenue South, Lakeside, NJ 08701, submitted a Notice of Intent to Remediate. Soil was contaminated by a release of heating oil from an aboveground storage tank. The Notice of Intent to Remediate was published in *The Morning Call* on April 23, 2023. Application received: May 12, 2023.

HAZARDOUS WASTE TREATMENT, STORAGE & DISPOSAL FACILITIES

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Regulations to Operate a Hazardous Waste Treatment, Storage or Disposal Facility.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief Technical Services, RA-EPWM-SERO-PERMITS@pa.gov.

PAD096844311. Action Manufacturing Company, 190 Rittenhouse Circle, Bristol, PA 19007, West Fallowfield Township, **Chester County**. This application is for the RCRA Part B permit renewal to continue the processing of explosive and pyrotechnic waste generated by the manufacturing processes at the Action Manufacturing Company Atglen and Bristol Plants in the Thermal Treatment Unit (TTU) located at Atglen Facility. Action Manufacturing Company's Atglen Facility is located at 500 Bailey Crossroads Road. Application received: May 1, 2023.

Comments concerning the application should be directed to the Waste Management Program Manager, Department of Environmental Protection (DEP) Southeast Regional Office, 2 East Main Street, Norristown, PA 19401-4915, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov. Persons interested in obtaining more information about the general permit application may contact the Southeast Regional Office by telephone at 484.250.5960. TDD users may contact the (DEP) through the Pennsylvania Hamilton Relay Service, 800-654.5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-1982.

Contact: Jason Dunham, Environmental Group Manager.

WMGM042. Vanguard Organics, LLC, 133 Boston Post Road, Weston, MA 02493-2525. The application proposes modifications to General Permit WMGM042. The proposed modifications would add the ability to process methane, produced from anaerobic digestion, into a pipeline quality natural gas. The resultant pipeline quality natural gas could be distributed offsite or used onsite for beneficial use as a fuel. Application received: April 12, 2023. Deemed administratively complete: May 1, 2023.

Comments or questions concerning the application should be directed to Jason Dunham, Environmental Group Manager, 717-787-1982, Central Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGM044SW004. Michael Brothers Mt. Pleasant LLC, 901 Horning Road, Pittsburgh, PA 15236, East Huntingdon Township, **Westmoreland County**. An application for a Determination of Applicability for coverage under Municipal Waste General Permit No. WMGM044 for the processing and beneficial use of waste materials identified in WMGM044 at the Michael Brothers Mt. Pleasant facility, located at 1215 Route 31 West, Mt. Pleasant, PA 15666. Application received: May 2, 2023. Deemed administratively complete: May 12, 2023.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be sub-

mitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR123SW066, Range Resources—Appalachia, LLC, 3000 Town Center Blvd, Canonsburg, PA 15317, Mount Pleasant Township, **Washington County**. An application for coverage under General Permit No. WMGR123 was received. Range Resources—Appalachia, LLC is proposing to place twenty (20), 350 bbl capacity vertical storage tanks and associated equipment to act as a Reuse Water Storage Facility at the Yonker George Well Site, located at 94 Baker Road, McDonald, PA 15057. The facility will be used to support unconventional well completions. The tanks will primarily store reuse water from producing oil and gas wells and related activities but may also be used to store fresh water. Application received: May 1, 2023. Deemed administratively complete: May 12, 2023.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**OPERATE WASTE PROCESSING OR DISPOSAL
AREA OR SITE**

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITS@pa.gov.

301391. EcoMaterials, LLC, 3305 Frankford Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. This application is for the construction and operation of a new residual waste processing facility under the name “EcoMaterials Soil Wash Facility—Passyunk Plant” to be located at 6110 West Passyunk Avenue, in the City and County of Philadelphia. Application received: May 3, 2023. Deemed administratively complete: May 9, 2023.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**DETERMINATION OF APPLICABILITY FOR
MUNICIPAL WASTE GENERAL PERMITS**

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager, 412-442-4000.

WMGM055SW007. PSA South Hills Landfill Gas Venture LLC, 200 Allegheny Drive, Suite 100, Warrendale, PA 15086, South Park Township and Union Township, **Allegheny County** and **Washington County**. An application for a Determination of Applicability for coverage under General Permit No. WMGM055 for the processing and beneficial use of landfill gas at USA South Hills Landfill, located at 3100 Hill Road, South Park, PA 15129. Application received: April 28, 2023. Deemed administratively complete: May 12, 2023.

Questions concerning the application should be directed to Waste Management Program Manager, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

**DETERMINATION OF APPLICABILITY FOR
RESIDUAL WASTE GENERAL PERMITS**

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR081SW005. eLoop LLC, 1 Wesco Lane, Export, PA 15632, Municipality of Murrysville and Export Borough, **Westmoreland County**. An application for a Determination of Applicability under Residual Waste General Permit WMGR081 for the processing and beneficial use of waste electronics at eLoop LLC, located at 1 Wesco

Lane, Export, PA 15632. Application received: April 7, 2023. Deemed administratively complete: May 8, 2023.

Questions concerning the application should be directed to Waste Management Program Manager, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Choice MedWaste, LLC, P.O. Box 1443, Hockessin, DE 19707. **License No. PA-AH 0934**. Accepted: March 20, 2023.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Lionetti Oil Recovery, Inc. DBA Lorco, 450 S. Front St., Elizabeth, NJ 07202. **License No. PA-AH 0567**. Accepted: May 10, 2023.

First Piedmont Hauling, Inc., P.O. Box 1069, Chatham, VA 24531. **License No. PA-AH S212**. Accepted: May 9, 2023.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office.

A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05013A: Lancaster County Solid Waste Management Authority, 1911 River Road, Bainbridge, PA 17502-9360, Conoy Township, **Lancaster County**. Application received: December 16, 2022.

For the installation of Covanta proprietary Low NO_x (LN) technology for each of the three (3) municipal waste combustors at the Lancaster Waste-to-Energy (LWTE) facility, and the incorporation of presumptive, and alternative RACT 3 requirements for the MWCs, at the facility. As part of this plan approval the facility will upgrade the furnace Type K thermocouples used to measure furnace temperatures with infrared (IR) sensors.

NO_x emissions from the facility are expected to decrease as a result of the project, and no other pollutants

are expected to increase. Actual emissions from the facility in 2022 were estimated at: 18.73 tpy of CO, 543.04 tpy of NO_x, 5.84 tpy of SO_x, 1.61 tpy of VOC, 1.58 tpy of PM₁₀, 0.37 tpy PM_{2.5}, and 4.53 tpy of Total HAP's. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the modification of the air contamination sources will enable the sources to comply with applicable regulatory requirements. Based on this finding, DEP proposes to issue a plan approval for the proposed activity. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO_x and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT 3 plan for the previously-mentioned facility.

The RACT 3 plan approval incorporates provisions and requirements for the control of emissions of nitrogen oxides (NO_x) and/or volatile organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT 3 plan approval does not adopt any new regulations. If approved by the Department, this RACT 3 plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT 3 plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT 3 plan approval requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

I. 129.112(f): Upon completion of startup and a subsequent 90 day optimization testing period for each of the municipal waste combustors following installation of the Low NO_x (LN) Technology on the affected combustor, each modified combustor shall comply with the RACT 3 presumptive requirement of 110 ppmvd NO_x at 7% oxygen on a daily average, as per 25 Pa. Code § 129.112(f), and shall follow the requirements of 25 Pa. Code § 129.115 in demonstrating compliance with the limit.

II. 129.112(n): Prior to the completion of the LN 90-day optimization testing period, each combustor shall comply with an interim emission limit of 147 ppmvd NO_x at 7% oxygen on a daily average, and shall follow the requirements of 25 Pa. Code § 129.115 in demonstrating compliance with the limit.

III. 129.115:

(b) [T]he owner and operator of an air contamination source subject to a NO_x RACT requirement or RACT emission limitation or VOC RACT requirement or RACT emission limitation, or both, listed in 25 Pa. Code § 129.112 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) shall demonstrate compliance with

the applicable RACT requirement or RACT emission limitation by performing the following monitoring or testing procedures: . . .

(3) For a municipal waste combustor with a CEMS, monitoring and testing in accordance with the requirements in Chapter 139, Subchapter C, using a daily average. The daily average will be considered valid if it contains at least 18 valid hourly averages reported at any time during the calendar day as required in the quality assurance section of the continuous source monitoring manual.

(f) The owner and operator of an air contamination source subject to this section and §§ 129.111—129.114 shall keep records to demonstrate compliance with §§ 129.111—129.114 and submit reports to the Department or appropriate approved local air pollution control agency in accordance with the applicable regulations in 25 Pa. Code Part I, Subpart C, Article III (relating to air resources) and as specified in the operating permit or plan approval for the air contamination source as follows:

(1) The records shall include sufficient data and calculations to demonstrate that the requirements of §§ 129.111—129.114 are met.

(2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

(3) The records necessary to determine compliance shall be reported to the Department or appropriate approved local air pollution control agency on a schedule specified in the applicable regulation or as otherwise specified in the operating permit or plan approval for the air contamination source.

(k) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

IV. In installing, operating, and maintaining Low NO_x (LN) Technology on each of the three combustors, the permittee shall do so in accordance with the manufacturer's specifications and good operating practices.

V. 129.112(n): As a moderate nonattainment area, Pennsylvania is required to attain the 2015 ozone NAAQS as expeditiously as practicable, but no later than 6 years after the initial designation as nonattainment (83 FR 10376). The initial nonattainment designation occurred on August 3, 2018 (83 FR 25776) meaning Pennsylvania is required to attain the 2015 ozone NAAQS no later than August 3, 2024. Attaining the 2015 ozone NAAQS includes the complete implementation of RACT which means all RACT measures, including the installation and operation of all RACT control devices, must occur before August 3, 2024 unless otherwise specified in an approved compliance agreement.

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Thomas Hanlon, P.E., Environmental Engineering Manager, Air Quality Program, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at thanlon@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on June 19, 2023.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 3 plan approval, including the permit number, and a concise statement regarding the RACT 3 plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT 3 approval.

A public hearing will be held on Thursday, June 29, 2023 at 1:00 PM at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed permit action and the proposed SIP revision. To register to speak at the hearing, please contact Tom Hanlon at 717-705-4862. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be the Friday before the hearing.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, may submit a written statement and exhibits within 10 days thereafter to Thomas Hanlon, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at thanlon@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting Thomas Hanlon at 717-705-4862 or at thanlon@pa.gov.

36-05013A: Lancaster Solid Waste Management Authority, 1911 River Road, Bainbridge, PA 17502-9360, Conoy Township, **Lancaster County**. Application received: December 16, 2022. For the installation of Covanta proprietary Low NO_x (LN) technology for each of the three (3) municipal waste combustors at the Lancaster Waste-to-Energy (LWTE) facility, and the incorporation of presumptive, and alternative RACT 3 requirements for the MWCs, at the facility located in Conoy Township, Lancaster County. As part of this plan approval the facility will upgrade the furnace Type K thermocouples used to measure furnace temperatures with infrared (IR) sensors.

NO_x emissions from the facility are expected to decrease as a result of the project, and no other pollutants are expected to increase. Actual emissions from the facility in 2022 were estimated at: 18.73 tpy of CO, 543.04 tpy of NO_x, 5.84 tpy of SO_x, 1.61 tpy of VOC, 1.58 tpy of PM₁₀, 0.37 tpy PM_{2.5}, and 4.53 tpy of Total HAP's. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the modification of the air contamination sources will enable the sources to comply with applicable regulatory requirements. Based on this finding, DEP proposes to issue a plan approval for the proposed activity. If DEP determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO_x and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT 3 plan for the previously-mentioned facility.

The RACT 3 plan approval incorporates provisions and requirements for the control of emissions of nitrogen oxides (NO_x) and/or volatile organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT 3 plan approval does not adopt any new regulations. If approved by the Department, this RACT 3 plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT 3 plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT 3 plan approval requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

I. 129.112(f): Upon completion of startup and a subsequent 90 day optimization testing period for each of the municipal waste combustors following installation the Low NO_x (LN) Technology on the affected combustor, each modified combustor shall comply with the RACT 3 presumptive requirement of 110 ppmvd NO_x at 7% oxygen on a daily average, as per 25 Pa. Code § 129.112(f), and shall follow the requirements of 25 Pa. Code § 129.115 in demonstrating compliance with the limit.

II. 129.112(n): Prior to the completion of the LN 90-day optimization testing period, each combustor shall comply with an interim emission limit of 147 ppmvd NO_x at 7% oxygen on a daily average, and shall follow the requirements of 25 Pa. Code § 129.115 in demonstrating compliance with the limit.

III. 129.115:

(b) . . . [T]he owner and operator of an air contamination source subject to a NO_x RACT requirement or RACT emission limitation or VOC RACT requirement or RACT emission limitation, or both, listed in 25 Pa. Code § 129.112 (relating to presumptive RACT requirements, RACT emission limitations and petition for alternative compliance schedule) shall demonstrate compliance with the applicable RACT requirement or RACT emission limitation by performing the following monitoring or testing procedures: . . .

(3) For a municipal waste combustor with a CEMS, monitoring and testing in accordance with the requirements in Chapter 139, Subchapter C, using a daily average. The daily average will be considered valid if it contains at least 18 valid hourly averages reported at any time during the calendar day as required in the quality assurance section of the continuous source monitoring manual.

(f) The owner and operator of an air contamination source subject to this section and §§ 129.111—129.114 shall keep records to demonstrate compliance with §§ 129.111—129.114 and submit reports to the Department or appropriate approved local air pollution control agency in accordance with the applicable regulations in 25 Pa. Code Part I, Subpart C, Article III (relating to air resources) and as specified in the operating permit or plan approval for the air contamination source as follows:

(1) The records shall include sufficient data and calculations to demonstrate that the requirements of §§ 129.111—129.114 are met.

(2) Data or information required to determine compliance shall be recorded and maintained in a time frame consistent with the averaging period of the requirement.

(3) The records necessary to determine compliance shall be reported to the Department or appropriate approved local air pollution control agency on a schedule specified in the applicable regulation or as otherwise specified in the operating permit or plan approval for the air contamination source.

(k) The records shall be retained by the owner or operator for 5 years and made available to the Department or appropriate approved local air pollution control agency upon receipt of a written request from the Department or appropriate approved local air pollution control agency.

IV. In installing, operating, and maintaining Low NO_x (LN) Technology on each of the three combustors, the permittee shall do so in accordance with the manufacturer's specifications and good operating practices.

V. 129.112(n): As a moderate nonattainment area, Pennsylvania is required to attain the 2015 ozone NAAQS as expeditiously as practicable, but no later than 6 years after the initial designation as nonattainment (83 FR 10376). The initial nonattainment designation occurred on August 3, 2018 (83 FR 25776) meaning Pennsylvania is required to attain the 2015 ozone NAAQS no later than August 3, 2024. Attaining the 2015 ozone NAAQS includes the complete implementation of RACT which means all RACT measures, including the installation and operation of all RACT control devices, must occur before August 3, 2024 unless otherwise specified in an approved compliance agreement.

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Thomas Hanlon, P.E., Environmental Engineering Manager, Air Quality Program, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at thanlon@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on June 26, 2023.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT 3 plan approval, including the permit number, and a concise statement regarding the RACT 3 plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT 3 approval.

Public hearing. A public hearing will be held on Thursday, June 29, 2023 at 1:00 PM at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed permit action and the proposed SIP revision. To register to speak at the hearing, please contact Tom Hanlon at 717-705-4862. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be the Friday before the hearing.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, may submit a written statement and exhibits

within 10 days thereafter to Thomas Hanlon, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at thanlon@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting Thomas Hanlon at 717-705-4862 or at thanlon@pa.gov.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

46-0019B: Lockheed Martin Corp/King of Prussia, 230 Mall Blvd., King of Prussia, PA 19406, Upper Merion Township, **Montgomery County.** Application received: November 1, 2022. This application is for the installation of two (2) spray booths and two (2) fume hoods for the application of aerospace coatings, etchants and stripping agents. The fume hoods are for small quantity adhesive mixing that generates less than 100 lbs/yr of VOCs or HAPs and does not contain any lead, chromium, mercury, POM, PCB, dioxins or furans. The spray booths will consist of one (1) robotic booth and one (1) manual spray booth for the application of etchants, strippers and aerospace coatings. The booths will include filters for overspray capable of removing 99.83% of overspray and fine particulate. Spray gun transfer efficiency will be 65%. Some VOC and HAP will remain in the overspray and be captured in the filters. Most of the VOCs and some HAPs will be emitted to the atmosphere. HAPs include chromium, formaldehyde, MIBK and other volatile HAPs. HAPs emissions from the spray booths are expected to be under 2 tons per year combined with no individual HAP over 1 ton per year. VOC emissions are estimated to be under 5 tons per year. The control of VOCs and HAPs will be through limiting the VOC content of the coatings used according to 25 Pa. Code § 129.52(b) and (h). Sitewide limits of 12 tons per year VOCs, 7 tons per year combined all HAPs and 3 tons per year for individual HAPs will be included in the permit. Appropriate monitoring, recording, recordkeeping and maintenance will be required under the plan approval to minimize emissions. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

09-0252A: WM Renewal Energy, LLC, 1200 New Ford Mill Road, Morrisville, PA 19067, Falls Township, **Bucks County.** Application received: March 17, 2023. This is a modified Plan Approval Application to Plan Approval application No. 09-0252, which was received on April 11, 2022. This Plan Approval is for the construction of two (2) 6,000 scfm renewable natural gas (RNG) plants, to be located in Falls Township, Bucks County. The RNG plants will process landfill gas from the Fairless landfill and the G.R.O.W.S. landfill, converting the landfill gas to pipeline quality natural gas, which will then be directed into the nearby natural gas pipeline. As part of the process, there will be a waste gas stream that will be treated by a thermal oxidizer. During startup of the RNG plants as well as processed landfill gas that does not meet the required specs for pipeline natural gas, that landfill gas/off-spec gas will be combusted using a flare. There are no boilers, heaters, or generators proposed with this project. However, if the facility loses power, the facility will use rental generators for those situations where it is necessary. The facility will be major facility for nitrogen oxides (NO_x). Sitewide potential emissions are as follows: NO_x—35.78

TPY; carbon monoxide (CO)—69.98 TPY; volatile organic compounds (VOC)—8.64 TPY; sulfur oxides (SO_x)—6.30 TPY; particulate matter (PM)—4.96 TPY; hydrogen chloride (HCl)—6.24 TPY; and total hazardous air pollutants (HAP)—7.14 TPY. The Plan Approval will contain sufficient monitoring, recordkeeping, reporting, and work practice standards to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-0282A: Titan International Inc., 740 Queen Street, Pottstown, PA 19464, Pottstown Borough, **Montgomery County**. Application received: December 7, 2022. This action is for the installation of two (2) 1,200-gallon reaction tanks to be designated as Source ID 301 and 302 and the removal of two (2) existing 1,000-gallon reaction tanks. Hydrochloric acid (HCl) emissions will be controlled by the existing HCl Fume Scrubber (C01). The post-control HCl emission limit will be increased from 0.042 tpy to 0.50 tpy. The uncontrolled Nitrogen Oxides (NO_x) emission limit will be increased from 12.375 tpy to 13.72 tpy. Facility-wide potential to emit for an individual HAP is less than major source thresholds for the Southeast Regional Area after the use of an add-on control device (hydrochloric acid scrubber); therefore, the facility is classified as a Synthetic Minor facility and an area source for Hazardous Air Pollutant (HAP) emissions. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

09-0254: Mount Materials, 15 Energy Drive, Morrisville, PA 19067, Falls Township, **Bucks County**. Application received: January 19, 2023. For installation and operation of crusher, screens, conveyors and diesel engines at their facility in Falls Township, Bucks County. This plan approval is for a concrete recycling facility. Sources consist of two (2) stone crusher, associated screens and three (3) diesel-fired engines. The primary pollutant of concern is Particulate Matter (PM); sitewide PM emissions are estimated to be: 36.11 tpy PM, 12.79 tpy PM₁₀ and 2.04 tpy PM_{2.5}. The plan approval includes monitoring, recordkeeping and reporting requirements designed to address all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00007, Cherokee Pharmaceuticals, LLC, 100 Avenue C, Riverside, PA 17868, Riverside Borough, **North-**

umberland County. Application received: December 22, 2022. A Title V operating permit renewal for the Riverside Borough Plant. In accordance with 25 Pa. Code § 127.521, the Department of Environmental Protection (DEP) has received an application and intends to issue a renewal of an Air Quality Operating Permit for the previously mentioned facility. The subject facility has the following potential emissions: 105.48 TPY of CO; 131.51 TPY of NO_x; 1.63 TPY of SO_x; 55.07 TPY of PM/PM₁₀; 61.84 TPY of VOCs; 80.42 TPY of total HAPs; and 151,926 TPY of CO₂e. The facility's sources include two natural gas/No. 2 fuel oil-fired boilers, an onsite wastewater treatment plant and sludge drying system, numerous pharmaceutical production equipment, various storage tanks for chemicals, fuels and glycol coolant and associated loading operations, drum handling areas, onsite laboratories, and various emergency generator engines, all of which have the potential to emit carbon monoxide (CO), nitrogen oxide (NO_x), volatile organic compound (VOC) and hazardous air pollutant (HAP) emissions above the major emission thresholds. Revisions include incorporating applicable RACT III requirements of 25 Pa. Code §§ 129.111—129.115. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 40 CFR Parts 52, 60, 63, 64, 68, 72, 73, 74, 75, 76, 96, 97, 98 and 25 Pa. Code Article III, Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05012, Transcontinental Gas Pipe Line Company, LLC, 2204 Bryansville Rd., Delta, PA 17314, Peach Bottom Township, **York County**. Application received: August 24, 2022. For the operation of the natural gas compressor station. This is for renewal of the existing Title V permit. Actual 2021 air emissions from the facility are estimated at 1.66 tons NO_x, 1.57 tons CO, and less than 1 ton of PM, VOC, SO₂, and HAPs. The Title V Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include presumptive RACT III requirements, and provisions for the boiler subject to 40 CFR Part 63, Subpart DDDDD—National Emission Standards for Hazardous Air Pollutants for Major Sources: Industrial, Commercial and Institutional Boilers and Process Heaters.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920

23-00012, Braskem America, Inc., 750 West 10th Street, Marcus Hook, PA 19061-4500, Marcus Hook Borough, **Delaware County**. Application received: December 29, 2022.

Approval of a Reasonably Available Control Technology (RACT) III plan for the Braskem America Inc./Marcus Hook as a significant modification to its applicable Title V operating permit.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO_x and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT III plan for the Braskem America, Inc./Marcus Hook. The RACT III plan approval, if approved by the Department, will be issued as a significant modification to the facility's Title V operating permit 23-00012.

The RACT III plan approval incorporates provisions and requirements for the control of emissions of volatile

organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obligations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT III plan approval does not adopt any new regulations. If approved by the Department, this RACT III plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT III plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT III alternate compliance plan requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

<i>Source Description</i>	<i>Proposed VOC RACT</i>	<i>TVOP No. 46-00198 Condition No.</i>
101A—Plant 1 Three Storage Silos	RACT II satisfies RACT III VOC Emissions ≤ 12.10 TPY	Section D, Condition # 002
	Monitoring	Section D, Condition # 004
	Recordkeeping 25 Pa. Code § 129.115(f)	Section D, Condition # 005(b)—(d).
101B—Plant 2 Three Storage Silos	RACT II satisfies RACT III VOC Emissions ≤ 4.64 TPY	Section D, Condition # 003
	Monitoring	Section D, Condition # 008
	Recordkeeping 25 Pa. Code § 129.115(f)	Section D, Conditions # 009(b) and (c), and # 010 (a) and (b)
102A—Plant 1 Polypropylene Manufacturing Sources	RACT II satisfies RACT III Flare Control Device Efficiency 40 CFR Part 60 Subpart DDD	Section D, Conditions # 002(a)—(c)
	Monitoring 25 Pa. Code § 129.115	Section D, Conditions # 004(a) and (b) and # 005
	Recordkeeping 25 Pa. Code § 129.115(f)	Section D, Conditions # 006(a), # 007 and # 008(a)—(d)
102B—Plant 2 Polypropylene Manufacturing Sources	RACT II satisfies RACT III VOC destruction of 99% by flare	Section D, Condition #003(a)—(c)
	Monitoring	Section D, Conditions # 005 and # 006
	Recordkeeping 25 Pa. Code § 129.115(f)	Section D, Conditions # 007 (a)(1) and (2) and (b), and # 009(a)—(d)
Plant 1—Combined Total Silos, Polypropylene Mfg. Sources and Fugitive Emissions. 101A, 102A and 103A	RACT II satisfies RACT III VOC Emissions < 10/hr and < 240 lb/day, calculated as a 12-month rolling average	Section E. Group 1 Condition #002
	Monitoring	Section E. Group 1 Condition # 003
	Recordkeeping 25 Pa. Code § 129.115(f)	Section E. Group 1 Condition # 004
106 Propylene Splitter Process and Cavern 4	VOC destruction of 98% by flare	Section D, Condition # 001
	Recordkeeping 25 Pa. Code § 129.115(f)	Section D, Condition # 008
107 Propylene Unloading Rack	VOC destruction of 98% by flare	Section D, Condition # 002
	Recordkeeping 25 Pa. Code § 129.115(f)	Section D, Condition # 010

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Janine Tulloch-Reid, Environmental Engineering Manager, Air Quality Program, at 2 East Main Street, Norristown, PA 19401, or at jtullochre@pa.gov on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on June 26, 2023.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the RACT III plan approval, including the permit number, and a concise statement regarding the RACT III plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT III plan approval.

Public hearing. A public hearing will be held on July 5, 2023 at 3:00 p.m. at the DEP Southeast Regional Office, 2 E. Main Street, Norristown, PA 19401, to accept oral comments on the proposed RACT III alternate compliance plan action and the proposed SIP revision. To register to speak at the hearing, please contact Ms. Stephanie Berardi, Community Relations Coordinator, at sberardi@pa.gov or 484.250.5808. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be Friday, June 30, 2023.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to Janine Tulloch-Reid at 2 E. Main Street, Norristown, PA 19401, or at jtullochre@pa.gov.

All pertinent documents are available electronically for public review and copies can be requested by contacting Janine Tulloch-Reid at 484-250-5920 or at jtullochre@pa.gov.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

53-00013, C.A. Elliott Lumber Company, P.O. Box 272, Roulette, PA 16746, Roulette Township, **Potter County**. Application received: October 5, 2022. The Department intends to issue a renewal State Only (Natural Minor) operating permit for the company's hardwood dimension and flooring mills. The facility's main sources include one (1) 4.80 million Btu per hour, wood-fired Burnham boiler, four (4) lumber drying kilns and wood-working equipment, the air contaminant emissions from which are controlled by a cyclone collector connected in series with an after-filter. The facility has potential to emit under 10.44 tons per year (tpy) of particulate matter/particulate matter with an effective aerodynamic diameter of less than or equal to 10 micrometer, 10.30 tpy of nitrogen oxides, 12.62 tpy of carbon monoxide, 0.61 tpy

of volatile organic compounds, and 0.53 tpy of sulfur oxides. The wood-fired boiler is subject to 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Title 25 Pa. Code Chapters 121—145, as well as 40 CFR Part 63 and 98. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

08-00047, Milan Energy, LLC, 106 Isabella St., Ste 600, Pittsburgh, PA 15212, Smithfield Township, **Bradford County**. Application received: December 22, 2022. To issue a State Only Operating Permit for the Milan Energy electric power generating facility. The facility's main sources include three 9,708 bhp Rolls Royce Bergen 35:40-V16AG-2, lean burn, natural gas-fired, engine/generator sets, each equipped with an SCR/catox system, and miscellaneous storage tanks, combustion sources and fugitive emissions. The facility has potential emissions of 32.21 TPY of CO; 16.49 TPY of NO_x; 0.39 TPY of SO₂; 14.02 TPY of PM/PM₁₀; 10.68 TPY of VOCs; 5.14 TPY HAPs; 2.53 TPY of formaldehyde; 91,142 TPY GHGs. The three Rolls Royce Bergen engines are subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Title 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-03039, Wyrnwood Gaming Inc., 650 Houtztown Road, Myerstown, PA 17067, Jackson Township, **Lebanon County**. Application received: January 18, 2023. To issue a State Only Operating Permit for the wood furniture manufacturing facility. The potential emissions from the facility are estimated at 38.25 tpy of VOCs and 0.68 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52 Surface coating processes.

22-03096, MI Windows & Doors LLC, 760 West Market Street, Gratz, PA 17030, Gratz Borough, **Dauphin County**. Application received: January 10, 2023. To issue a State Only Operating Permit for the window and door manufacturing facility. The potential emissions from the facility are estimated at 0.47 tpy of NO_x, 0.06 tpy of CO, 0.01 tpy of PM, 0.09 tpy of SO_x, 35.53 tpy of VOCs and 6.39 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.77—Control of emissions from the use or application of adhesives, sealants, primers and solvents, 25 Pa. Code § 129.63a Control of VOC emissions from industrial cleaning solvents and 40 CFR 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19011, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00135, CECO Environmental Corp, 700 Emlen Way, Telford, PA 18969, Telford Borough, **Bucks County**. Application received: November 21, 2022. This action is for the renewal of a State Only Natural Minor Operating Permit. This facility manufactures corrosion-resistant fiberglass reinforced plastic pumps and pumping equipment for use in chemical processes and other industries with harsh environmental exposures. The facility emits Styrene from the manufacturing process and is a natural minor facility for VOC and HAP emissions. This facility is limited to 3.5 tons per year of VOC emissions. This Operating Permit renewal includes emission restrictions, monitoring, recordkeeping and work practice requirements designed to ensure this facility complies with all applicable air quality regulations. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

23-00046, Container Research Corp., 159 Hollow Hill Rd., Glen Riddle, PA 19037, Aston Township, **Delaware County**. Application received: October 20, 2022. This is a State Only Operating Permit renewal application for their facility that manufactures aluminum and steel containers for defense and aerospace applications. The primary emission sources include a dual fuel-fired (i.e., natural gas and No. 2 fuel oil) boiler rated at 9.8 MMBtu/hr, the Binks and Filtermap paintspray systems, the 1.5 kW natural gas-fired Onan emergency generator and two (2) parts washers. The facility-wide VOC emissions are limited to less than 24.9 tons per year. The renewed permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00029, Glasgow, Inc., Rte. 309 and Hartman Rd, Montgomeryville, PA 18936, Montgomery Township, **Montgomery County**. Application received: February 2,

2022. This action is for the renewal of Synthetic Minor Operating Permit. The operating permit includes a Hot Mix Asphalt plant and quarry operations. The facility maintains a synthetic minor operating status by maintaining total nitrogen oxide (NO_x) emissions to less than 24.9 tons per year; total volatile organic compounds (VOC) emissions to less than 7.0 tons per year and total particulate matter (PM) emissions to less than 19.6 tons per year. The renewal will include monitoring, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00116, Pecora Corporation, 165 Wambold Road, Harleysville, PA 19438, Lower Salford Township, **Montgomery County**. Application received: October 13, 2022. This action is for the renewal of the Natural Minor Operating Permit. Sources of emission at the facility are mixers and cold cleaning degreasers. The facility is an area source for Particulate Matter (PM) and Volatile Organic Compound (VOC) emissions. The Potential to Emit Volatile Organic Compounds is 4.25 tons per year. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

PLAN APPROVALS

Receipt of Plan Approval Application(s) and Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B and Subchapter F. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2507.

45-00037A, All Weather Insulated Panels, 1275 Crowe Rd, East Stroudsburg, PA 18301, East Stroudsburg Borough, **Monroe County**. Application received: December 12, 2022. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), that the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to All Weather Insulated Panels for their facility located in East Stroudsburg Borough, Monroe County. Plan Approval No. 45-00037A will be converted into an initial State-Only Operating Permit at a later date. Plan Approval No. 45-00037A is for the operation of equipment at a foam insulated panel manufacturing facility. Sources of emissions at the facility include a laminator, burn-off oven, and cutting saws. The foam manufacturing process designed to use low VOC content materials wherever possible meets Department's BAT criteria for VOC emissions control from the facility. The burn-off oven shall comply with all general air quality burn-off oven requirements. The use of a

baghouse designed to achieve greater than 99% particulate matter removal efficiency meets Department's BAT criteria for particulate matter control for the cutting operations. Additionally, the facility shall be subject to and comply with 25 Pa. Code § 123.1 for fugitive emissions, 25 Pa. Code § 123.31 for malodorous emissions, and 25 Pa. Code § 123.41 for visible emissions. The company shall operate the sources and maintain the control device in accordance with good operating practices to assure proper operation of the system. The plan approval will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 45-00037A and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Raymond Kempa, EEM, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2531.

48-00105B, Reeb Millwork Corporation, 1000 Maloney Circle, Bethlehem, PA 18015, City of Bethlehem, Northampton County. Application received: January 24, 2023. In accordance with 25 Pa. Code §§ 127.44(a) and 127.45(a), the Department of Environmental Protection (DEP) has received and intends to issue a Plan Approval to Reeb Millwork Corporation (1000 Maloney Circle, Bethlehem, PA 18015) for their facility in City of Bethlehem, Northampton County. This Plan Approval No. 48-00105B will be incorporated into a Synthetic Minor Permit through an administrative amendment at a later date. Plan Approval No. 48-00105B is for the installation and operation of four (4) paint spray booths. The main emissions from the source is VOCs. The new sources will meet all applicable requirements. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements.

Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the

proposed permit No. 48-00105B and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Group Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18711, Phone 570-826-2511 within 30 days after publication date.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity

permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant.

Mining Permit No. 03961301. NPDES No. PA0214787. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Kiskiminetas Township, **Armstrong County**. To revise the permit and related NPDES permit for a change in post-mining land use to unmanaged natural habitat. Application received: February 21, 2023. Accepted: April 21, 2023.

Mining Permit No. 32081301. NPDES No. PA0235946. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Center Township, **Indiana County**. To renew the permit and related NPDES permit. Application received: March 10, 2023. Accepted: May 9, 2023.

Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Morris and Washington Townships, **Greene County**. To revise the permit and related NPDES permit for the addition of 5.1 acres of surface permit area and deletion of 11.7 acres of surface area for revisions to borehole access roads, affecting -6.6 proposed surface acres. Application received: March 13, 2023. Accepted: May 9, 2023.

Mining Permit No. 56090701. NPDES No. 0235938. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, Stonycreek Township, **Somerset County**. To revise the permit and related NPDES permit to add outfalls 006—008 to existing ponds. Receiving stream(s): Unnamed Tributary to Schrock Run and Schrock Run, classified for the following use: CWF. Application received: March 3, 2023. Accepted: May 4, 2023.

Mining Permit No. 30161301. NPDES No. PA0236519. Marshall County Coal Resources, Inc., 46226 National Road, St. Clairsville, OH 43950, Aleppo Township, **Greene County**. To revise the permit and related NPDES permit to add a degas borehole. Application received: March 10, 2023. Accepted: May 10, 2023.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant.

Mining Permit No. 17131301. NPDES No. PA0235504. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Huston Township, **Clearfield County**. Permit renewal application for a bituminous surface coal mine and associated NPDES permit affecting 7.0 acres. Remaining mining activities consist only of operation and maintenance of a post-mining mine drainage water treatment system. Receiving stream(s): Horning Run and Bennetts Branch Watershed classified for the following use(s): CWF. Application received: May 9, 2023. Accepted: May 11, 2023.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 03230101. NPDES No. PA0278572. P & N Coal Company, Inc., 680 Old Route 119N, Indiana, PA 15701, Madison Township, **Armstrong County**. New application for commencement, operation and restoration of a bituminous surface mine and associated NPDES permit, affecting 126.9 acres. Receiving streams: unnamed tributaries to Redbank Creek and Redbank Creek, classified for the following uses: CWF/TSF. Application received: April 3, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 40900203. Northampton Fuel Supply Co., Inc., 1 Horwith Drive, Northampton, PA 18067, Newport Township, **Luzerne County**. GP12 Application No. GP-40900203. Application to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12. Application received: May 9, 2023.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

Alkalinity must always exceed acidity.
pH must always be greater than 6.0; less than 9.0.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 28030301. NPDES No. PA0613371. D L George & Sons Construction Company, 20 East 6th Street, Waynesboro, PA 17268, Antrim Township, **Franklin County**. Renewal of NPDES permit. Receiving stream: Paddy Run classified for the following use: WWF. Application received: May 12, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 5878SM3. NPDES Permit No. PA0595691. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Penn Forest Township, **Carbon County**. Renew NPDES Permit on a quarry operation affecting 20.0 acres. Receiving stream: Stony Creek, classified for the following use: EV. Application received: May 8, 2023.

ABANDONED MINE RECLAMATION

LETTERS OF INTEREST

Under Act 181 of 1984, the Department of Environmental Protection is soliciting interest/reclamation proposals from landowners, licensed mine operators, and/or eligible reclamation contractors for the reclamation of the following abandoned strip mine:

Project No. 14080101.1, Warren C. Hartman Cont., Mine # 66 Operation, SMP 14081010, Snowshoe Township and Burnside Township, **Centre County**, 3.5 acres.

A pre-proposal site meeting is scheduled for Wednesday, June 14, 2023 at 10:00 AM on site to tour the reclamation area with all interested parties.

Preregistration is necessary via a letter of interest or verbal confirmation through Scott Hammond, Mining Permit and Compliance Specialist, Moshannon District Office, Department of Environmental Protection, 186 Enterprise Drive, Philipsburg, PA 16866, no later than 3:30 PM, June 12, 2023. Telephone inquiries shall be directed to Scott Hammond at 814.342.8200 (office) or 814.505.3252 (cell) or by email at scotthammo@pa.gov. Proposal documents package will be provided at meeting.

Only proposals from those in attendance will be considered for this contract.

Project Overview: Work will be done on a reclaimed mine land located on Pennsylvania State Game Land # 100. Work will consist of grading of an existing stormwater management pond to improve access and habitat for wildlife; construction of a 580-foot long, vegetated stormwater diversion swale; seeding, mulching, and revegetation of all disturbed and reclaimed areas according to Pennsylvania State Game Commission (PGC) specifications; preserving and rehabilitating the existing access road should any damage occur; implementation of E&S controls and removal of those controls when stabilization is achieved. Contractor shall comply with all PGC regulations and obey any restrictions to site access and working during all hunting seasons.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant.

NPDES No. PA0257320. Mining Permit No. 17100104. RES Coal, LLC, 51 Airport Road, Clearfield, PA 16830, Chest Township, **Clearfield County**. Application received: April 3, 2023.

Renewal of an NPDES permit for discharge of water resulting from coal surface mining affecting 125 acres. Receiving stream(s): unnamed tributaries to and Chest Creek, classified for the following use(s): CWF.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Unnamed Tributary 2 to and Chest Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Basin 1	Intermittent (Pumped)
002	Existing	Treatment Basin 2	Intermittent (Pumped)

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001 and 002 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The following outfall discharges to Unnamed Tributary 1 to Chest Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
004	Existing	Sediment Pond A	Precipitation Induced

The proposed effluent limits for the previously listed outfall are as follows:

<i>Outfall: 004 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	3.2	6.4	8.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

The following outfalls discharge to Unnamed Tributary 2 to and Chest Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
005	Existing	Sediment Pond B	Precipitation Induced
006	Existing	Sediment Pond C	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 005 and 006 (Discharges during Dry Weather)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			
<i>Outfalls: 005 and 006 (Discharges after ≤10-yr/24-hr Precip. Event)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 005 and 006 (Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
Alkalinity must exceed acidity at all times.

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

NPDES No. PA0257699. Mining Permit No. 17110107. Bell Resources, Inc., 1340 Hoyt Road, Curwensville, PA 16833, Bloom Township, Brady Township, and Penn Township, **Clearfield County.** Application received: April 3, 2023.

Renewal of a NPDES permit for discharge of water resulting from coal surface mining affecting 63.8 acres. Receiving stream(s): unnamed tributaries to Bell Run, classified for the following use(s): CWF.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Unnamed Tributary C to Bell Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Basin 1	Intermittent (Pumped)
003	Existing	Sediment Pond A	Precipitation Induced
004	Existing	Sediment Pond B	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Outfalls: 001, 003, and 004 (All Discharges)</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	2.8	5.6	7.0
Manganese (mg/L)	1.9	2.8	4.7
Aluminum (mg/L)	1.4	2.8	3.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The following outfalls discharge to Unnamed Tributary D to Bell Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
002	Existing	Treatment Basin 2	Intermittent (Pumped)
005	Existing	Treatment Basin 3	Intermittent (Pumped)

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 002 and 005

(All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

NPDES No. PA0269816. Mining Permit No. 17160102. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, Bradford Township, **Clearfield County**. Application received: January 17, 2023.

Renewal of an NPDES permit for discharge of water resulting from coal surface mining affecting 95.3 acres. Receiving stream(s): Valley Fork Run and an unnamed tributary to Sulfur Run, classified for the following use(s): CWF. Valley Fork Run is included in the Clearfield Creek TMDL.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributary to Sulfur Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Sediment Pond A	Precipitation Induced
006	New	Treatment Basin 3	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 001 and 006 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	1.5	3.0	3.7
Manganese (mg/L)	1.0	2.0	2.5
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

The following outfalls discharge to unnamed tributary to Valley Fork Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
002	Existing	Sediment Pond B	Precipitation Induced
003	Existing	Sediment Pond C	Precipitation Induced
005	Existing	Treatment Basin 2	Intermittent (pumped)

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 002, 003, & 005 (All Discharges)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	0.75	0.75	0.75
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	

<i>Outfalls: 002, 003, & 005 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

This site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code Chapter 87, Subchapter F, this permit establishes instream monitoring for a degraded stream (unnamed tributary to Valley Fork Run) in lieu of baseline pollution loadings from individual discharges to that stream.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

NPDES No. PA0251569. Mining Permit No. 26090101. Neiswonger Construction, Inc., 17592 Route 322, Strattanville, PA 16258, Dunbar Township, **Fayette County.** NPDES permit renewal at an existing bituminous surface mine, affecting 135.2 acres (former mining area) on a 160.7-acre permit. The permit includes a stream crossing variance on Craig Branch which may be used in support of continuing reclamation activities. Receiving stream: Craig Branch, classified for the following use: WWF. The receiving stream is subject to the Redstone Creek Total Maximum Daily Load. All impoundments have been reclaimed and no treated wastewater or stormwater outfalls are proposed or authorized with this NPDES renewal. Application received: March 26, 2021.

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

NPDES No. PA0269131. Mining Permit No. 31120801. Robert B. Colton, 11368 Old Town Road, Huntingdon, PA 16652, Miller Township, **Huntingdon County.** Renewal of a NPDES permit for discharge of stormwater from a small noncoal shale pit affecting 5 acres. Receiving stream: unnamed tributary to Standing Stone Creek, classified for the following use: HQ-CWF. Application received: November 22, 2022.

There are no treatment facilities associated with this site. The one following stormwater outfall requires a non-discharge alternative. Point source discharges from the emergency spillways of stormwater facilities will occur for precipitation in excess of the 10-year 24-hour event.

The following stormwater emergency spillway outfall discharges to an unnamed tributary to Standing Stone Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>
001 (Sediment Pond with Associated Infiltration Gallery)	N

The proposed effluent limits for discharge to the infiltration gallery from the stormwater facility outfall are as follows:

<i>Outfall: 001</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Iron (mg/l)	N/A	N/A	7.0
Total Manganese (mg/l)	N/A	N/A	5.0
Total Aluminum (mg/l)	N/A	N/A	5.0
Total Suspended Solids (mg/l)	N/A	N/A	90.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must be greater than acidity at all times.			
Flow (gpm)		Monitor and Report	

The proposed effluent limits for the previously listed stormwater emergency spillway outfall are as follows:

<i>Outfall: 001</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Total Iron (mg/l)	N/A	N/A	1.5
Total Manganese (mg/l)	N/A	N/A	1.0
Total Aluminum (mg/l)	N/A	N/A	0.75
Total Suspended Solids (mg/l)	N/A	N/A	10.0
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must be greater than acidity at all times.			
Flow (gpm)		Monitor and Report	

NPDES No. PA0595591. Mining Permit No. 01930301. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Hamiltonban Township, **Adams County.** Renewal of an NPDES permit affecting 80 acres. Receiving stream: Middle Creek and Spring Run, classified for the following use: CWF and MF. Application received: December 21, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Middle Creek and Spring Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001 (Middle Creek)	Existing	SWO	1.75 MGD
002 (Middle Creek)	Existing	TFO	2.46 MGD
003 (Spring Run)	Existing	SWO	1.75 MGD

The proposed effluent limits are as follows:

<i>Outfall: 002 (All Discharges) Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0	-	-	9.0
Total Suspended Solids (mg/L)	-	35.0	70.0	90.0
Flow (gpm)	-	-	Monitor And Report	-
Specific Conductance (µmhos/cm)	-	-	Monitor And Report	-
Temperature (°C)	-	-	Monitor And Report	-

¹This Parameter is applicable at all times.

<i>Outfalls: 001 and 003 (Dry Weather Discharges) Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0	-	-	9.0
Total Suspended Solids (mg/L)	-	35.0	70.0	90.0
Flow (gpm)	-	-	Monitor And Report	-
Specific Conductance (µmhos/cm)	-	-	Monitor And Report	-
Temperature (°C)	-	-	Monitor And Report	-

¹This Parameter is applicable at all times.

<i>Outfalls: 001 and 003 (≤10-yr/24-hr Precipitation Event) Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0	-	-	9.0
Total Settleable Solids (mL/L)	-	-	-	0.5
Flow (gpm)	-	-	Monitor And Report	-
Specific Conductance (µmhos/cm)	-	-	Monitor And Report	-
Temperature (°C)	-	-	Monitor And Report	-

¹This Parameter is applicable at all times.

<i>Outfalls: 001 and 003 (>10-yr/24-hr Precipitation Event) Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
pH ¹ (S.U.)	6.0	-	-	9.0

¹This Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed

necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPRGR@pa.gov.

E5929223-002. Repsol Oil & Gas USA, 337 Daniel Zenker Drive, Horseheads, NY 14845, Ward Township and Hamilton Township, **Tioga County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 1, 2023.

To construct, operate, and maintain:

1. One 12-inch diameter temporary surface waterline impacting 2 linear feet of an unnamed tributary to Fall Brook (CWF) (Gleason, PA Quadrangle 41.699511°, -76.97429°);

2. One 12-inch diameter temporary surface waterline impacting 2 linear feet of unnamed tributary to Fall Brook (CWF) (Gleason, PA Quadrangle 41.699777°, -76.980044°);

3. One 12-inch diameter temporary surface waterline impacting 2 linear feet of unnamed tributary to Fall Brook (CWF) (Gleason, PA Quadrangle 41.697710°, -76.982745°);

4. One 12-inch diameter temporary surface waterline and a temporary road crossing using timber matting impacting 21 linear feet of Fall Brook (CWF) (Gleason, PA Quadrangle 41.691852°, -76.971532°);

5. One 12-inch diameter temporary surface waterline impacting 154 square feet of a palustrine emergent (PEM) wetland (Gleason, PA Quadrangle 41.692963°, -76.999111°);

6. One 12-inch diameter temporary surface waterline impacting 482 square feet of a palustrine forested (PFO) wetland (Blossburg, PA Quadrangle 41.692750°, -77.000202°);

7. One 12-inch diameter temporary surface waterline impacting 262 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.692684°, -77.001148°);

8. One 12-inch diameter temporary surface waterline impacting 32 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.69.3542°, -77.006405°);

9. One 12-inch diameter temporary surface waterline impacting 8 linear feet of an unnamed tributary to Morris Run (CWF) (Blossburg, PA Quadrangle 41.693948°, -77.008101°);

10. One 12-inch diameter temporary surface waterline impacting 526 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.694653°, -77.009151°);

11. One 12-inch diameter temporary surface waterline impacting 24 linear feet of Morris Run (CWF) (Blossburg, PA Quadrangle 41.694954°, -77.009746°);

12. One 12-inch diameter temporary surface waterline impacting 110 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.694977°, -77.010084°);

13. One 12-inch diameter temporary surface waterline impacting 32 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.695303°, -77.010640°);

14. One 12-inch diameter temporary surface waterline impacting 4,000 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.694184°, -77.014457°);

15. One 12-inch diameter temporary surface waterline impacting 528 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.692746°, -77.017573°);

16. One 12-inch diameter temporary surface waterline impacting 116 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.690939°, -77.019528°);

17. One 12-inch diameter temporary surface waterline impacting 1,900 square feet of a palustrine forested (PFO) wetland and 3 linear feet of an unnamed tributary to Morris Run (CWF) (Blossburg, PA Quadrangle 41.693948°, -77.008101°);

18. One 12-inch diameter temporary surface waterline impacting 486 square feet of a palustrine emergent (PEM) wetland (Blossburg, PA Quadrangle 41.692434°, -77.025373°);

19. One 12-inch diameter temporary surface waterline impacting 3 linear feet of an unnamed tributary to Morris Run (CWF) (Blossburg, PA Quadrangle 41.691203°, -77.029584°);

The project will result in 62 linear feet of temporary stream impacts and 8,628 square feet (0.20 acre) of wetland impacts fall for the purpose of installing a temporary fresh waterline in Ward and Hamilton Township, Tioga County.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Andrew Ross, Project Manager, 570-327-3565.

E4904223-001. Cellco Partnership d/b/a Verizon Wireless, 512 E. Township Lind Rd Bldg. 2, Fl 3, Blue Bell, PA 19422, West Chillisquaque Township, **Northumberland County**. U.S. Army Corps of Engineers Baltimore District. Application received: April 21, 2023.

The applicant proposes construction of a telecommunications facility on the property known as UNI Lewisburg Hospital/617269989 and located at 3000 PA Route 405. The facility will include a 153-foot monopole communications tower and associated support equipment enclosed within a fenced 20-foot by 36-foot compound. The project proposes .01 acre of permanent floodway impacts. No wetland impacts are proposed. Latitude: 40.97078°, Longitude: -76.87572°.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant, 570-830-3077.

E4002223-011. Northpoint Development, LLC, 3315 North Oak Trafficway, Kansas City, MO 64116, Hanover Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 8, 2023.

To construct and maintain the following water obstructions and encroachments associated with the Tradeport 164—Building # 10 Project: 1) A utility crossing above an enclosed portion of Espy Run (CWF, MF) consisting of an 8-inch diameter ductile iron water line. 2) A utility crossing above an enclosed portion of Espy Run (CWF, MF) consisting of a 2-inch diameter plastic natural gas line. 3) A utility crossing above an enclosed portion of Espy Run (CWF, MF) consisting of an 8-inch diameter PVC sanitary sewer line and a concrete manhole. 4) An aerial utility crossing of an enclosed portion of Espy Run (CWF, MF) consisting of an overhead electric and telecommunications line. 5) A fill within 0.1 acre of PEM Wetlands (Other) consisting of an access road and associated grading. 6) A stormwater outfall along the eastern bank of Espy Run (CWF, MF) consisting of a 30-inch diameter RCP pipe, concrete headwall, and R-4 riprap apron. The project is located approximately 0.1 mile south of the intersection of Front Street and Pine Street

(Wilkes-Barre West, PA Quadrangle Latitude: 41° 10' 55.71"; Longitude: -75° 59' 5.35") in Hanover Township, Luzerne County.

E4502223-005. Drew Bernstein, 121 English Ivy Court, Long Pond, PA 18350, Tunkhannock Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District. Application received: April 28, 2023.

To construct and maintain an 8.0-foot long by 4.0-foot wide with an 8.0-foot long by 8.0-foot wide section of dock within Emerald Lakes. The project also includes placement of fill in a de minimus area of PEM EV wetlands equal to 0.01 acre for construction of a walking path to Emerald Lakes. The project is located along Ivy Court approximately 0.1-mile East of intersection with Ivy Way in Emerald Lake Estates Pocono Pines Quadrangle Latitude: 41.07864", Longitude: -75.419139".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E1006223-001. City of Butler, 140 West North Street, Butler, PA 16001, City of Butler, **Butler County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 3, 2023.

To construct and maintain a pedestrian bridge with a length of 68 feet and a width of 6 feet over Shanks Hollow Run in Butler Memorial Park. Three playground sets, four new parking lots and other facilities will also be constructed. Latitude: 40.873881°, Longitude: -79.907754°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0603221-014. 84 Lumber Company, 1019 Route 519, Eighty Four, PA 15330, Douglass Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 23, 2021.

To 1) place and maintain fill from grading, resulting in 0.046 acre of permanent impact to an palustrine forested wetland; 2) place and maintain fill from grading and a rock riprap apron, resulting in 135 square feet of permanent impact to an Unnamed Tributary to Schuylkill River (WWF, MF), all for the purpose of constructing a 7,500 square feet building (84 Lumber Company Retail Center)

along with a parking lot, utilities, sidewalk, and two stormwater management basins. The project is located at 1484 Benjamin Franklin Highway in Douglass Township, Berks County (Latitude: 40.251970, Longitude: -75.71294). Permanent wetland loss is less than 0.05 acre and replacement is not required. The project is located within the Schuylkill River (WWF, MF) watershed. Latitude: 40.251970°, Longitude: -75.71294°.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

E6507223-009. CNX Gas Company LLC, 1000 Horizon Vue Drive, Canonsburg, PA 15317, Washington Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 12, 2023.

The proposed Beaver Run Reservoir—Source 35 Project is located in Washington Township, Westmoreland County, PA. The project will include two surface water withdrawal locations on the Beaver Run Reservoir shoreline for unconventional gas well development. The Beaver Run Reservoir is a public water supply operated by the Municipal Authority of Westmoreland County. Latitude: 40.505523°, Longitude: -79.558658°.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.

Contact: Joshua Fair, 717-772-5988.

D40-020EA. Bilal Baqai, PA DCNR, 2808 Three Mile Run Road, Perkasio, PA 18944, Plains Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 4, 2023.

Applicant proposes to remove the Pine Run No. 1 Dam to eliminate a threat to public safety and to restore approximately 700 feet of stream channel to a free-flowing condition. The proposed restoration project includes full sediment removal within the limits of the impoundment and proposes grading of a pilot channel to encourage channel development in the stream's historic alignment. The project is located across Pine Creek (CWF, MF) in the Wilkes-Barre West, PA USGS quadrangle map Latitude: 41.1975°, Longitude: -75.8956°.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPpublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD020065	Chapter 102 Individual NPDES Permit	Issued	Allegheny Rivertrail Park 285 River Avenue Pittsburgh, PA 15215-3115	Aspinwall Borough Allegheny County	SWRO
PAD130008	Chapter 102 Individual NPDES Permit	Issued	Awesome View Properties Inc. P.O. Box 600 Lehigh, PA 18235-0600	Mahoning Township Carbon County	NERO
PAD140095	Chapter 102 Individual NPDES Permit	Issued	Songer Joe 201805 Goodstone Drive Gaithersburg, MD 20882	Harris Township Centre County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150046	Chapter 102 Individual NPDES Permit	Issued	Grove Meadow Developers LLC 1171 Lancaster Avenue Berwyn, PA 19312-2602	West Whiteland Township Chester County	SERO
PAD230070	Chapter 102 Individual NPDES Permit	Issued	Keystone Sports & Entertainment LLC 2501 Seaport Drive Suite Bh 100 Chester, PA 19013-2249	Chester City Delaware County	SERO
PAD360092	Chapter 102 Individual NPDES Permit	Issued	Blank John 2661 Bernville Road Reading, PA 19605-9316	Salisbury Township Lancaster County	SCRO
PAD450113	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 5 0 1002 Hamilton Street Allentown, PA 18101-1013	Chestnuthill Township Monroe County	NERO
PAD450125	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 5 0 1002 Hamilton Street Allentown, PA 18101-1013	Chestnuthill Township Monroe County	NERO
PAD450172	Chapter 102 Individual NPDES Permit	Issued	109 Realty LLC P.O. Box 164 Mount Pocono, PA 18344	Tobyhanna Township Monroe County	NERO
PAD460024	Chapter 102 Individual NPDES Permit	Issued	Toll Mid Atlantic LP Co. Inc. 1140 Virginia Drive Fort Washington, PA 19034-3204	Worcester Township Montgomery County	SERO
PAD480134	Chapter 102 Individual NPDES Permit	Issued	Lehigh Township Northampton County 1069 Municipal Road Walnutport, PA 18088-9718	Lehigh Township Northampton County	NERO
PAD480185	Chapter 102 Individual NPDES Permit	Issued	Ronca Development LLC 541 Apollo Drive Bethlehem, PA 18017-2511	Bethlehem City Northampton County	NERO
PA0232882	Industrial Stormwater Individual NPDES Permit	Issued	Glenn O Hawbaker Inc. 1952 Waddle Road Suite 203 State College, PA 16803-1649	Spring Township Centre County	NCRO
PAS406101	Industrial Stormwater Individual NPDES Permit	Issued	Evoqua Water Tech LLC 118 Park Road Darlington, PA 16115-1636	Darlington Township Beaver County	SWRO
PAI132206	MS4 Individual NPDES Permit	Issued	Palmer Township Northampton County 3 Weller Place Palmer, PA 18045-1975	Palmer Township Northampton County	NERO
6571417	Major Sewage Treatment Facility Individual WQM Permit	Issued	Kiski Valley Water Poll Control Authority 1361 School Road Leechburg, PA 15656-4904	Allegheny Township Westmoreland County	SWRO
PA0003824	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Nalco Products LLC P.O. Box 391 Ellwood City, PA 16117-4129	Franklin Township Beaver County	SWRO
PA0050776	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Coventry Terrace MHP LLC 524 Meadow Avenue Loop Banner Elk, NC 28604-9443	East Coventry Township Chester County	SERO

NOTICES

2881

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0093211	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Menallen Township Fayette County 427 Searights Herbert Road Uniontown, PA 15401-5137	Menallen Township Fayette County	SWRO
3006201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Lawrenceville Acquisition Company LLC 2105 W 1800 N Ogden, UT 84404-9851	Monongahela Township Greene County	SWRO
3083201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Lawrenceville Acquisition Company LLC 2105 W 1800 N Ogden, UT 84404-9851	Monongahela Township Greene County	SWRO
0497401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Honeywell Electronic Materials Inc. 195 Hartzell School Road Fombell, PA 16123-1207	Marion Township Beaver County	SWRO
NNOEXNC78	No Exposure Certification	Issued	Silcotek Corp. 225 Penntech Drive Bellefonte, PA 16823-7461	Benner Township Centre County	NCRO
NOEXSE347	No Exposure Certification	Issued	Iovance Biotherapeutics Inc. 300 Rouse Boulevard Philadelphia, PA 19112-1905	Philadelphia City Philadelphia County	SERO
NOEXSW234	No Exposure Certification	Issued	Charles and John Lenzner 110 Lenzner Court Sewickley, PA 15143-9510	Ohio Township Allegheny County	SWRO
PAG030139	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management of PA Inc. 197 Swamp Creek Road Gilbertsville, PA 19525-9299	Douglass Township Montgomery County	SERO
PAG033703	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Akzo Nobel Coatings Inc. 150 Columbia Avenue Reading, PA 19601-1748	Reading City Berks County	SCRO
PAG033730	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Wer Corp. d/b/a Alum Alloys 4601 W Penn Avenue Sinking Spring, PA 19608	Lower Heidelberg Township Berks County	SCRO
PAG034887	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Advanced Drainage System Inc. 4640 Trueman Boulevard Hilliard, OH 43026-2438	Muncy Creek Township Lycoming County	NCRO
PAG036208	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amazon Com Service LLC P.O. Box 80842 Seattle, WA 98108-0842	Pittsburgh City Allegheny County	SWRO
PAG036254	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Siemens Large Drives LLC 100 Technology Drive Alpharetta, GA 30005-3900	Upper Burrell Township Westmoreland County	SWRO
PAG036305	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fi Hoff Concrete Products Inc. 240 Bentwood Avenue Johnstown, PA 15904-1334	Geistown Borough Cambria County	SWRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036353	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Appalachian Water Service LLC 195 Enterprise Lane Connellsville, PA 15425-6617	Masontown Borough Fayette County	SWRO
PAG036355	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Duraloy Tech Inc. 120 Bridge Street Scottdale, PA 15683-1748	Scottdale Borough Westmoreland County	SWRO
PAG134816	PAG-13 NPDES General Permit for MS4s	Waived	Riverside Borough Northumberland County P.O. Box 307 Riverside, PA 17868-0307	Riverside Borough Northumberland County	NCRO
PAG136321	PAG-13 NPDES General Permit for MS4s	Waived	Daisytown Borough Cambria County 93 Baiker Street Johnstown, PA 15902-1604	Daisytown Borough Cambria County	SWRO
PAG136402	PAG-13 NPDES General Permit for MS4s	Waived	Twilight Borough Washington County 8 Chestnut Road Charleroi, PA 15022-2607	Twilight Borough Washington County	SWRO
0286405	Sewer Extensions Individual WQM Permit	Issued	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
0290412	Sewer Extensions Individual WQM Permit	Issued	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
1123400	Sewer Extensions Individual WQM Permit	Issued	Jackson Township Cambria County 513 Pike Road Johnstown, PA 15909-4209	Jackson Township Cambria County	SWRO
PA0204609	Single Residence STP Individual NPDES Permit	Issued	Danko Jamie R 156 Shannon Lane Ligonier, PA 15658-3575	Ligonier Township Westmoreland County	SWRO
PA0255271	Single Residence STP Individual NPDES Permit	Issued	Eisenbarth Susan 136 Donaldson Road Gibsonia, PA 15044-7843	West Deer Township Allegheny County	SWRO
PA0285048	Single Residence STP Individual NPDES Permit	Issued	Spiewak Jaclin and Bryan 241 Darr Road Rostraver Township, PA 15012-3303	Rostraver Township Westmoreland County	SWRO
PA0285064	Single Residence STP Individual NPDES Permit	Issued	Daniels Diane 226 Rankin Road Washington, PA 15301-3182	South Franklin Township Washington County	SWRO
PA0292940	Single Residence STP Individual NPDES Permit	Issued	Osterrieder Gary 894 Old Ash Road Volant, PA 16156-6124	Plain Grove Township Lawrence County	NWRO
3723401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Osterrieder Gary 894 Old Ash Road Volant, PA 16156-6124	Plain Grove Township Lawrence County	NWRO
6323400	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Daniels Diane 226 Rankin Road Washington, PA 15301-3182	South Franklin Township Washington County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6523400	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Spiewak Jaclin and Bryan 241 Darr Road Rostraver Township, PA 15012-3303	Rostraver Township Westmoreland County	SWRO
6590408	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Danko Jamie R 156 Shannon Lane Ligonier, PA 15658-3575	Ligonier Township Westmoreland County	SWRO
PA0292974	Small Flow Treatment Facility Individual NPDES Permit	Issued	Blane and Nancy Chase 12455 Route 6N Albion, PA 16401-9781	Conneaut Township Erie County	NWRO
PA0292982	Small Flow Treatment Facility Individual NPDES Permit	Issued	Johnston Debra 3499 Perry Highway Hadley, PA 16130-2321	Sandy Creek Township Mercer County	NWRO
2523406	Small Flow Treatment Facility Individual WQM Permit	Issued	Blane and Nancy Chase 12455 Route 6N Albion, PA 16401-9781	Conneaut Township Erie County	NWRO
4323405	Small Flow Treatment Facility Individual WQM Permit	Issued	Johnston Debra 3499 Perry Highway Hadley, PA 16130-2321	Sandy Creek Township Mercer County	NWRO
WQG02462304	WQG-02 WQM General Permit	Issued	East Whiteland Township Chester County 209 Conestoga Road Frazer, PA 19355-1633	East Whiteland Township Chester County	SERO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC580032	PAG-02 General Permit	Issued	Brian Costanzo Lackawanna College 401 Vine St. Scranton, PA 18509	New Milford Township Susquehanna County	Susquehanna County Conservation District 89 Industrial Drive Montrose, PA 18801 570-782-2105 RA-EPWW-NERO@pa.gov
PAC090616	PAG-02 General Permit	Issued	Lower Bucks Home Builders, LLC 20 Markham Court Langhorne, PA 19047-1445	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Suite 704 Doylestown, PA 18901-7577 215-345-7577 x110 RA-EPNPDES_SERO@pa.gov
PAC090613	PAG-02 General Permit	Issued	CLC Contractors, Inc. 1270 Veterans Highway Bristol, PA 19007-2588	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Suite 704 Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460751	PAG-02 General Permit	Issued	Souderton Borough 25 W Summit Street Souderton, PA 18964-1612	Franconia Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC460700	PAG-02 General Permit	Issued	Montgomery County Planning Commission 425 Swede Street P.O. Box 311 Norristown, PA 19401	Lower Pottsgrove Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC460733	PAG-02 General Permit	Issued	RML Construction Inc. 21 Brownstone Road Reading, PA 19606-9760	Limerick Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC350151	PAG-02 General Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	South Abington Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Rd. South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC170067	PAG-02 General Permit	Issued	Village of Hope Inc. Red Oak Road West Decatur, PA 16878	Wallaceton Borough Boggs Township Clearfield County	Clearfield County Conservation District 6395 Clearfield-Woodland Hwy. Suite 2 Clearfield, PA 16830 814-765-2629
PAC460791	PAG-02 General Permit	Issued	Two Farms Inc. A Maryland Corp. 3611 Roland Avenue Baltimore, MD 21211-2408	Lower Pottsgrove Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC460767	PAG-02 General Permit	Issued	Living Branches 242 W Reliance Road Souderton, PA 18964-2043	Franconia Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov
PAC460804	PAG-02 General Permit	Issued	Hatfield Township 1950 School Road Hatfield, PA 19440-1992	Hatfield Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov

NOTICES

2885

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC620007	PAG-02 General Permit	Denied	Tidioute (62) DPP LLC 9010 Overlook Boulevard Brentwood, TN 37027	Limestone Township Warren County	DEP NWRO 230 Chestnut Street Meadville, PA 16335 814-332-6984 RA-EPWW-NWRO@ pa.gov
PAC250037A1	PAG-02 General Permit	Issued	MDY Acquisition Company 10307 Hall Avenue Lake City, PA 16423	Lake City Borough Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC430082	PAG-02 General Permit	Issued	Jackson Center Borough 1229 Franklin Road Jackson Center, PA 16133	Jackson Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC010229	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 1600 Colony Road York, PA 17408	Biglerville Borough Butler Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 100 Gettysburg, PA 17325 717-334-0636
PAC500052	PAG-02 General Permit	Issued	Charles P. Cope, III 305 Ponderosa Road Carlisle, PA 17015	Miller Township Cumberland County	Perry County Conservation District 31 West Main Street New Bloomfield, PA 17068 717-582-8988
PAC010226	PAG-02 General Permit	Issued	Sentz Properties, LLC 1005 Kilpatrick Road Gettysburg, PA 17325	Cumberland Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC380275	PAG-02 General Permit	Issued	Lickdale Associates, LP 633 West Germantown Pike Suite 104 Plymouth Meeting, PA 19462	Union Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC670597	PAG-02 General Permit	Issued	Sheetz Inc. 351 Sheetz Way Claysburg, PA 16625	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC050062	PAG-02 General Permit	Issued	Adam Egolf 932 Turner Camp Road Schellsburg, PA 15559	Napier Township Bedford County	Bedford County Conservation District 702 West Pitt Street Suite 4 Bedford, PA 15522 814-310-3279
PAC360427A-1	PAG-02 General Permit	Issued	TOA East Petersburg LLC 1235 Westlakes Drive Suite 300 Berwyn, PA 19312	East Hempfield Township East Petersburg Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360059A-3	PAG-02 General Permit	Issued	Rock Lititz Properties 100 Rock Lititz Blvd Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360808	PAG-02 General Permit	Issued	Christopher Poje 513 Deer Run Road Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360273A-1	PAG-02 General Permit	Issued	Zion Mennonite Church 187 N. Windy Mansion Road Reinholds, PA 17569	West Cocalico Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360367A-12	PAG-02 General Permit	Issued	Houston Run Properties LLC 1324 Main Street East Earl, PA 17519	Salisbury Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360615A-1	PAG-02 General Permit	Issued	High Properties LP 1853 William Penn Way Lancaster, PA 17601	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360781	PAG-02 General Permit	Issued	Karida LLC 3653 Marietta Avenue Lancaster, PA 17601	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC220380	PAG-02 General Permit	Issued	Timothy Hoover 477 Sheridan Road Womelsdorf, PA 19567	Halifax Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220109	PAG-02 General Permit	Issued	The McNaughton Company 4400 Deer Path Road Harrisburg, PA 17110	Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17601 717-921-8100
PAC220382	PAG-02 General Permit	Issued	Adam J. Kopp 1597 Colebrook Road Middletown, PA 17057	Londonderry Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220097	PAG-02 General Permit	Issued	Eastern Communities LTD 7300 Derry Street Harrisburg, PA 17111	West Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17111 717-921-8100

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC220385	PAG-02 General Permit	Issued	Covenant Christian Academy 1982 Locust Lane Harrisburg, PA 17190	Susquehanna Township Dauphin County	Dauphin County Conservation District 1415 Peters Mountain Road Dauphin, PA 17109 717-921-8100
PAC220390	PAG-02 General Permit	Issued	James Kline 9330 Allentown Blvd. Grantville, PA 17028	East Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17601 717-921-8100
PAC480091 A-1	PAG-02 General Permit	Issued	The Mill at Easton, LLC 800 W. St. Clair Ave. 4th Floor Cleveland, OH 44113 and Stewart Silk Mill Redevelopment Partners, L.P. 900 South Avenue Suite 300 Staten Island, NY 10314	City of Easton Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Huston Hollow Farm Country View Family Farms, LLC 2994 South Madden Road Hustontown, PA 17229	Fulton County	323	3,277.35	Gestating Sow Gilts Boars Sow and Litter	HQ	Approved
Herbruck's Blue Springs Egg Farm 8069 Corner Road Mercersburg, PA 17236	Franklin County	74.8	6,908.0	Poultry— Layers	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor, 570-327-3490.

Construction Permit No. 4923503, Major Amendment, Public Water Supply.

Applicant	Splash Magic RV Resort, LLC
Address	5 Legacy Drive Goldendale, WA 98620
Municipality	Point Township
County	Northumberland County
Consulting Engineer	Kenneth Estep 2049 W Market St Lewisburg, PA 17837
Application Received	March 8, 2023
Permit Issued	May 10, 2023

Description	This permit grants permission to replace the existing treatment plants for Well Nos. 1, 2, and 4 at Splash Magic RV Resort. In addition, operation of the noncommunity public water system is hereby transferred to Splash Magic RV Resort, LLC.
-------------	--

Construction Permit No. 1422510, Major Amendment, Public Water Supply.

Applicant	Monument Water Authority
Address	2332 Monument Orviston Road Beech Creek, PA 16822
Municipality	Liberty Township
County	Centre County
Consulting Engineer	Shelby M. McVey, P.E. Herbert, Rowland & Gubric, Inc. 369 E. Park Drive Harrisburg, PA 17111
Application Received	October 11, 2022
Permit Issued	May 5, 2023
Description	This permit authorizes installation of manganese greensand filtration for iron and manganese removal. New equipment includes MGA Series manufactured by Marlo Inc. Greensand Filtration system.

Construction Permit No. 4923501MA, Minor Amendment, Public Water Supply.

Applicant	PA American White Deer
Address	852 Wesley Drive Mechanicsburg, PA 17055
Municipality	Milton Borough
County	Northumberland County
Consulting Engineer	Ewoud Hulstein, P.E. 852 Wesley Drive Mechanicsburg, PA 17055
Application Received	February 23, 2023
Permit Issued	May 12, 2023
Description	This permit authorizes replacing the existing four Swan Analytical AMI Turbiwell turbidimeters with four new Lovibond PTV 1000 Process Turbimeters with flow indicator and bluetooth at Milton WTP.

Construction Permit No. 5323501MA, Minor Amendment, Public Water Supply.

Applicant	Ulysses Municipal Authority
Address	518 Main Street Ulysses, PA 16948
Municipality	Ulysses Borough
County	Potter County
Consulting Engineer	Joshua C. Owens, PE 723 Hickory Road Dalmatia, PA 17017
Application Received	March 22, 2023

Permit Issued May 15, 2023
 Description This permit approves upgrades to a portion of the distribution system, replacement of booster pumps, rehabilitation of the raw water reservoir, and removal of finished water storage, known as Pleasant View Tank.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant, 570-830-3077.

Construction Permit No. 3922512MA, Minor Amendment, Public Water Supply.

Applicant **BlueTriton Brands, Inc. (Line 18 Modifications)**
 Address 305 Nestle Way
 Breinigsville, PA 18031
 Municipality Upper Macungie Township
 County **Lehigh County**
 Consulting Engineer Edward E. Davis, P.E.
 Miller Brothers Construction,
 Inc.
 P.O. Box 472
 Schuylkill Haven, PA 17972
 Application Received October 17, 2022
 Permit Issued November 16, 2022
 Description Construction of Line 18.

Construction Permit No. 4022510, Major Amendment, Public Water Supply.

Applicant **Blue Ridge Travel**
 Address 1721 Blue Ridge Trail
 Mountain Top, PA 18707
 Municipality Dorrance Township
 County **Luzerne County**
 Consulting Engineer Mr. Michael P. Goodwin, P.E.
 Project Manager
 Milnes Engineering, Inc.
 12 Frear Hill Road
 Tunkhannock, PA 18657
 Application Received June 28, 2022
 Permit Issued December 14, 2022
 Description Application proposed permitting of existing system components installed without prior approval (softener, acid neutralizer, sedimentation filtration, and raise well casing).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nicole Mechtly, Clerical Supervisor, 570-327-3490.

Construction Permit 1720504. PWSID No. **6170052**. **BCI Municipal Authority**, 625 Cressview Street Ext., Irvona, PA 16656, Gulich Township, **Clearfield County**. Application received: April 24, 2023. Permit Issued: May

15, 2023. This permit approves operation of the existing Well No. 2, following pressure grouting of the lower 25 feet of the borehole.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Operation Permit 7220049. PWSID No. **7220049**. **Capital Region Water**, 3003 North Front Street, Harrisburg, PA 17110, Susquehanna Township, **Dauphin County**. Application received: May 1, 2023. Permit Issued: May 11, 2023. Rehabilitation of Filter Nos. 3–8 and installation of additional pH control feed points.

Construction/Operation Permit 2223503 MA. PWSID No. **7220015**. **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, Susquehanna Township, **Dauphin County**. Application received: February 2, 2023. Permit Issued: May 10, 2023. Rehabilitation of the 6th St WTP clearwells.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Construction Permit 6722516. PWSID No. **7670100**. **The York Water Company**, 130 East Market Street, York, PA 17401, West Manchester Township, **York County**. Application received: December 5, 2022. Permit Issued: May 10, 2023. Construction permit for the West Manchester Booster Pumping Station Capacity Expansion.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Operation Permit 6523509. PWSID No. **5650080**. **Ligonier Township Municipal Authority**, 1 Municipal Park Drive, Ligonier, PA 15501, Ligonier Township and Fairfield Township, **Westmoreland County**. Application received: May 5, 2023. Permit Issued: May 12, 2023. Issuance of Operation Permit No. 6523609 for the operation of the 250,000-gallon Darlington Water Storage Tank.

Contact: Renee Diehl, Program Manager, ra-epswsdu@pa.gov.

Operation Permit 1123505MA. PWSID No. **4110017**. **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, Croyle Township, **Cambria County**. Application received: May 8, 2023. Permit Issued: May 12, 2023. Operation of approximately 4,200 linear feet of 10-inch diameter waterline and appurtenances along Beaver Run Avenue.

Construction Permit 2623503. PWSID No. **5260036**. **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672, Penn Township, West Leechburg Borough, and Salem Township, **Westmoreland County**. Application received: March 1, 2023. Permit Issued: May 12, 2023. Painting of the 850,000-gallon North Jeanette, 160,000-gallon West Leechburg # 1, and 858,000-gallon Clelian Heights # 2 tanks and the installation of mixers and powervents.

BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, 484-250-5787.

HAZARDOUS SITES CLEANUP UNDER THE ACT OF OCTOBER 18, 1988

Notice of Prompt-Interim Response—Location Addendum.

Boyertown Landfill HSCA Site, 300 Merkel Road, Gilbertsville, PA 19525, Douglass Township, **Montgomery County**.

On May 13, 2023, the Department of Environmental Protection (DEP), under the authority of the Hazardous Sites Cleanup Act (HSCA) (35 P.S. §§ 6020.101—6020.1305) initiated a Prompt-Interim Response at the Boyertown Landfill HSCA Site (Site). This response has been initiated pursuant to Sections 501(a) and 505(b) of HSCA (35 P.S. §§ 6020.501(a) and 6020.505(b)).

This addendum is to supplement the Notice published on May 13, 2023 to provide the location of the public hearing scheduled on June 21, 2023 at 6:30 PM. The hearing will be held at the Gilbertsville Fire and Rescue Company, 1454 E Philadelphia Avenue, Gilbertsville, PA 19525. Any person wishing to present comments must register with Stephanie Berardi a minimum of 24 hours in advance of the hearing by telephone at 484-250-5808, electronic mail at sberardi@pa.gov. The Administrative Record will be open for comment from May 13, 2023 until August 11, 2023.

Persons with a disability who wish to attend the hearing and require auxiliary aid, service or other accommodations to participate in the proceedings, should call Stephanie Berardi at 484-250-5808 or the Pennsylvania

Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate their needs.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

7522 Morris Court, Primary Facility ID # **866515**, 7522 Morris Court, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. Environmental Consulting Inc., 2002 Renaissance Blvd, Suite 110, King of Prussia, PA 19406, on behalf of J.G. Petrucci Company, Inc., 171 Route 173, Suite 201, Asbury, NJ 08802, submitted a Final Report concerning remediation of soil contaminated with used motor oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

1312 Brookside Road, Primary Facility ID # **866250**, 1312 Brookside Road, Allentown, PA 18106, Lower

Macungie Township, **Lehigh County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Camp Degel Hatorah, Inc., 116 Glen Avenue South, Lakeside, NJ 08701, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Standard Farms, Former EMCEE Broadcast Products, Primary Facility ID # **621431**, 411 Susquehanna Street, White Haven, PA 18661, White Haven Borough, **Luzerne County**. Civil & Environmental Consultants, 31 Bellows Road, Raynham, MA 02767, on behalf of Tilt Holdings, 411 Susquehanna Street, White Haven, PA 18661, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Final Report demonstrated attainment of the Statewide health standards. Approved: May 10, 2023.

Bethlehem Village Shoppes—One Hour Express Dry Cleaners, Primary Facility ID # **781009**, 3650 Nazareth Pike, Bethlehem, PA 18020, Bethlehem Township, **Northampton County**. Earthres Group, 6912 Old Easton Road, Pipersville, PA 18974, on behalf of Bethlehem Village Associates, LP, 1525 Mulberry Circle, Warminster, PA 18974, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Report site-specific standards. Approved: May 15, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Wire-Mesh Products, Inc., Primary Facility ID # **862790**, 501 East King Street, York, PA 17403, City of York, **York County**. Groundwater Sciences Corporation, 2550 Interstate Drive, Suite 303, Harrisburg, PA 17110-9307, on behalf of Wire-Mesh Products, Inc., 501 East King Street, York, PA 17403, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with Petroleum Substances. The Report demonstrated attainment of the site-specific standards. Approved: May 15, 2023.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Transporter License Issued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Choice MedWaste, LLC, P.O. Box 1443, Hockessin, DE 19707. **License No. PA-AH 0934**. Application received: March 20, 2023. Effective May 11, 2023.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Lionetti Oil Recovery, Inc., d/b/a Lorco, 450 S. Front St., Elizabeth, NJ 07202. **License No. PA-AH 0567**. Application received: May 10, 2023. Effective May 15, 2023.

First Piedmont Hauling, Inc., P.O. Box 1069, Chatham, VA 24531. **License No. PA-AH S212**. Application received: May 9, 2023. Effective May 10, 2023.

RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Facilities Manager, 570-327-3740.

WMGR081D019B. eLoop, LLC, 3500 East College Ave, Suite 1480, State College, PA 16801, College Township, **Centre County**. Minor modification for the operation of a new FPD PRO unit to process flat panel display electronic devices. Application received: April 4, 2023. Permit modification issued: May 5, 2023.

Persons interested in reviewing the permit may contact Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: John Oren, Waste Management Permits Section Chief, 717-705-4907.

300659. Magnesita Refractories Company, 425 South Salem Church Road, York, PA 17408, West Manchester Township, **York County**. Permit # 300659 for the Magnesita Refractories Company Residual Waste Landfill located at 320 North Baker Road, York, PA 17408, is renewed until May 15, 2023. Application received: August 11, 2022. Deemed administratively complete: August 25, 2022. Renewal issued: May 1, 2023.

Persons interested in reviewing the permit may contact John Oren, Waste Management Permits Section Chief, (717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

400561. York County Solid Waste and Refuse Authority, 2700 Blackbridge Road, York, PA 17406, Manchester Township, **York County**. For York County Solid Waste and Refuse Authority's Resource Recovery Center is renewed until May 5, 2023. Application received: September 8, 2022. Renewal issued: May 2, 2023.

Persons interested in reviewing the permit may contact John Oren, Waste Management Permits Section Chief,

(717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-59-00028A: UGI Texas Creek, LLC, 835 Knitting Mills Way, Wyomissing, PA 19610, Elk Township, **Tioga County**. The Department granted authorization to construct and operate new sources pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, And Transmission Stations (BAQ-GPA/GP-5) at the Marshlands 815 Compressor Station. The authorization included: one (1) 205 bhp Caterpillar G3306B four-stroke rich-burn compressor engine with three-way (NSCR) catalyst, one (1) 30 MMSCFD Dehydrator with associated 1.5 MMBtu/hr reboiler, one (1) 0.05 MMBtu/hr fuel gas heater, one (1) 0.17 MMBtu/hr Qnergy Stirling engine generator, one (1) 8,225 gallons Produced Water Tank and associated truck loading and facility fugitive emissions, including component leaks, pneumatic devices, compressor and facility blowdowns, rod packing leaks, and pigging operations. Application received: March 20, 2023. Authorized: May 15, 2023. Expiration date: May 14, 2028.

AG5A-53-00004A: JKLM Energy, LLC, 2200 George-towne Drive, Suite 500, Sewickley, PA 15143, Summit Township, **Potter County**. The Department granted authorization to continue operating the following sources pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) at the Sweden Valley 101 Well Pad. Existing sources at the facility include: one (1) 1,380 bhp Caterpillar model G3516B lean-burn natural gas-fired compressor engines, each equipped with an oxidation catalyst, one (1) 30 MMscf/day Cameron dehydrator unit with associated flash tank and 0.275 MMBtu/hr reboiler burner, one (1) 30 MMscf/day Cimarron dehydrator unit with associated flash tank and 0.250 MMBtu/hr reboiler burner, three (3) 2.0 MMBtu per hour natural gas fired gas processing units, four (4) 400 bbl (16,800 gallons) produced water tanks, one (1) 400-barrel (16,800 gallons) Drip Tank, one (1) 72,000 Btu/hr Thermoelectric Generator, several small volume oil, coolant and glycol tanks, one (1) 156 bhp HL110M Godwin water pump diesel-fired engine along with Tank Truck Loadout fugitives and fugitive emissions from Blowdown Operations, Rod Packing, Components, and Pigging. Application received: April 14, 2023. Authorized: May 15, 2023. New expiration date: May 14, 2028.

AG5-08-00014A: Regency Marcellus Gas Gathering, LLC, 101 West Third Street, Williamsport, PA 17701, West Burlington Township, **Bradford County**. The Department authorized continued operation of four (4) 1340 bhp Caterpillar model G3516LE ultra-lean burn natural gas-fired compressor engines, one (1) 25 MMscf/day dehy-

drator with a 0.75 MMBtu/hr regenerator reboiler, one (1) 60 MMscf/day dehydrator with a 1.0 MMBtu/hr regenerator reboiler and a Superior EVAC enclosed flare, two (2) 8,820-gallon produced water tanks, one (1) 21,000-gallon produced water tank, along with numerous small storage tanks for lubricating oils, methanol, triethylene glycol and coolant under the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-5 for Natural Gas Compression Stations, Processing Plants, and Transmissions Stations (BAQ-GPA/GP-5) at the Bradford West Compressor Station. Application received: April 21, 2023. Authorized: May 16, 2023. New expiration date: May 15, 2028.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, Environmental Group Manager.

AG5A-58-00046B: Coterra Energy Inc., 2000 Park Ln Ste 300, Pittsburgh, PA 15275, Dimock Township, **Susquehanna County**. Installation and operation of a Caterpillar IC Engine with OxCat at the King D Pad 1 site Application received: May 4, 2023. Issued: May 16, 2023.

GP9-40-040: Mericle Construction, Inc., 100 Baltimore Drive, Wilkes-Barre, PA 18702, Hazle Township, **Luzerne County**. For the relocation of the engines associated with the portable crushing operation to the Cranberry Creek site in Hazle Township, Luzerne County. Application received: April 17, 2023. Issued: May 3, 2023.

GP3-40-040: Mericle Construction, Inc., 100 Baltimore Drive, Wilkes-Barre, PA 18702, Hazle Township, **Luzerne County**. For the relocation of a portable crushing operation with water sprays to the Cranberry Creek site in Hazle Township, Luzerne County. Application received: April 17, 2023. Issued: May 3, 2023.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

AG5A-58-00032B: SWN Production Company, LLC, P.O. Box 12359, Spring, TX 77391, Oakland Township, **Susquehanna County**. **AG5A-58-00032B: SWN Production Company LLC** (P.O. Box 12359, Spring, TX 77391) on May 16, 2023 the general Operating Permit GP5A issued for the construction & operation of an Unconventional Natural Gas Well Site at NR-23 Four Bucks well pad located in Oakland Twp., Susquehanna County. Application received: April 18, 2023. Issued: May 16, 2023.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

47-00001I: Montour, LLC, P.O. Box 128, Washingtonville, PA 17884, Derry Township, **Montour County**. To document the transfer and use of 50.95 tons of VOC ERCs for the Gas Conversion Project at the Montour Steam Electric Station. Application received: February 24, 2023. Issued: May 5, 2023.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, Environmental Group Manager.

54-00006A: Rausch Creek Generation, LLC, 490 West Main Street, Tremont, PA 17981-1716, Frailey Township, **Schuylkill County**. For the installation of Selective Non-Catalytic Reduction (SNCR) on their CFB boiler to reduce the NO_x emissions. Application received: November 18, 2022. Issued: May 15, 2023.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

63-00995: WG Tomko Incorporation, 2559 PA-88, Finleyville, PA 15332, Union Township, **Washington County**. On April 25, 2023, the Department issued a Plan Approval for the post-construction permitting of a surface coating booth, an abrasive blasting booth, a glue station, twelve (12) welding stations, a plasma and torch cutting source, parts washers and two (2) waste oil heaters. This plan approval includes conditions relating to emission limits, and testing, monitoring, recordkeeping, reporting, work practice and additional requirements designed to keep the operations within all applicable are quality requirements at the facility located in Union Township, Washington County. Application received: April 6, 2022. Issued: April 25, 2023.

PA-65-00137C: ATI Flat Rolled Products Holdings, LLC, 130 Lincoln Avenue, Vandergrift, PA 15690, Vandergrift Borough, **Westmoreland County**. Plan Approval extension effective May 28, 2023, to extend the period of temporary operation of the Vandergrift facility located in Vandergrift Borough, Westmoreland County. Application received: April 17, 2023. Issued: May 16, 2023. New Expiration Date: November 28, 2023.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00009G: Clinton County Solid Waste Authority, P.O. Box 209, McElhattan, PA 17748, Wayne Township, **Clinton County**. The Department extended the plan approval expiration date for the temporary operation of the landfill gas flare at the Wayne Township Landfill pending verification of source testing compliance. Application received: April 17, 2023. Revised: May 16, 2023. New expiration date: November 17, 2023.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration, 215-685-9426.

IP 23-000101: City of Philadelphia Water Department Northeast Water Pollution Control Plant, 3899 Richmond Street, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued Plan Approval

No. IP23-000103 to the City of Philadelphia Water Department Northeast Water Pollution Control Plan (3899 Richmond St, Philadelphia, PA 19107), to extend Plan Approval No. IP20-000143 dated December 1, 2021. Plan Approval No. IP20-000143 was for the installation and temporary operation of a preliminary wastewater treatment facility and a gravity thickener and odor control facility. Application received: April 10, 2023. Issued: May 10, 2023. The extension is effective until November 10, 2024.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05083F: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the upgrade of the Block 2 Electricity Generation Project's nominally rated power output capacity from 760 MW to 830 MW at the York Energy Center. The plan approval was extended. Application received: May 1, 2023. Issued: May 10, 2023.

67-05083G: Calpine Mid-Merit, LLC, 1055 Pikes Peak Road, Delta, PA 17314, Peach Bottom Township, **York County**. For the modification of the York Energy Center Block 2 Electricity Generation Project's turbine BACT emission limits. These limits are imposed on each combined cycle (CC) combustion turbine (CT) associated with the project. The existing facility is located in Peach Bottom Township, York County. The modification consists of the following changes to the requirements of P.A. No. 67-05083F (issued on August 1, 2016): 1.) Remove provisional status of any emission limits previously so specified except CO, 2.) Remove requirement for second stack test related to provisional emission limits, and 3.) Revise the CO BACT emission limit for the CTs firing ULSD without duct burners from 3.5 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs) to a bifurcated limit as follows: Load \geq 90% = 2.0 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs); Load < 90% = 3.5 ppmvd at 15% O₂ (3-hour block average; average of 3 test runs). The plan approval was extended. Application received: May 1, 2023. Issued: May 10, 2023.

Contact: Thomas Bianca, West Permit Section Chief, 717-705-4863.

67-05004U: Pixelle Specialty Solutions, LLC, 228 South Main Street, Spring Grove, PA 17362-1000, Spring Grove Borough, **York County**. 67-05004U: Pixelle Specialty Solutions, LLC (228 South Main Street, Spring Grove, PA 17362-1000) on May 16, 2023, for the installation of two 115 mmBtu/hr natural gas burners in the # 3 Recovery Boiler (ID 037) which will be limited by an annual fuel limitation of 225.49 mmscf of natural gas, upgrade of the PLC software and various hardware of the Hardwood Digester (ID 112) to increase pulp production by 2.1%, and upgrades to the water removal system of paper machines # 1 and # 8 (contained in ID 115) to increase paper production by approximately 8% at the pulp and paper mill in Spring Grove Borough, York County. The plan approval was extended. Application received: May 8, 2023. Extension: May 16, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

46-0008A: Coopers Creek Chemical Corporation, 884 River Road, West Conshohocken, PA 19428, Upper

Merion Township, **Montgomery County**. This action is for an extension of a plan approval for the addition of equipment that will add flexibility to produce a high melt-point pitch at their non-Title V facility. Application received: April 25, 2023. Issued: May 12, 2023.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, East Permit Section Chief, 717-705-4862.

06-05078: FR & S, Inc., 727 Redlane Road, Birdsboro, PA 19508-1702, Exeter Township, **Berks County**. 06-05078: FR & S, Inc. (727 Redlane Road, Birdsboro, PA 19508-1702) on May 15, 2023, for the Pioneer Crossing Landfill located in Exeter Township, Berks County. The Title V permit was renewed. Application received: March 14, 2022. Renewed: May 15, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00011: Cleveland Cliffs Plate/Conshohocken, 900 Conshohocken Rd, Conshohocken, PA 19428, Plymouth Township, **Montgomery County**. This action is for the renewal of a Title V Operating Permit renewal for a steel mill. There will be no changes in actual emissions of any air contaminant, nor will there be any new sources constructed or installed as a result of this action. Application received: July 15, 2022. Issued: May 3, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

60-00026: GAF Keystone, LLC, 2093 Old Route 15, New Columbia, PA 17856, White Deer Township, **Union County**. Was issued a State Only Operating Permit for their ISO Foam Board Facility. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: October 3, 2022. Issued: May 2, 2023.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration, 215-685-9426.

OP21-000063: Constitution Health Plaza, 1930 South Broad Street, Philadelphia, PA 19145, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal of a Natural Minor Operating Permit (NMOP) for a multi-purpose campus and center for community care. The facility's major emission sources include the following: • two (2) 2.5 Million British Thermal Units per hour (MMBtu/hr) boilers firing natural gas; • one (1) 536 Horsepower (HP) emergency

generator firing No. 2 Oil; • one (1) 335 HP emergency generator firing No. 2 Oil; • two (2) 268 HP emergency generators firing No. 2 Oil; and • one (1) 114 HP fire pump firing diesel. Application received: November 5, 2021. Issued: May 12, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, West Permit Section Chief, 717-705-4863.

07-03022: Vitro Flat Glass, P.O. Box 307, Tipton, PA 16684-0307, Antrim Township, **Blair County**. 07-03002: Vitro Flat Glass (P.O. Box 307, Tipton, PA 16684-0307) on May 16, 2023, for the automotive glass manufacturing facility located in Antrim Township, Blair County. The State-Only permit was renewed. Application received: December 13, 2022. Renewed: May 15, 2023.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03171: Dengler Funeral Home, Inc., 144 North Spruce Street, Birdsboro, PA 19508-2038, Birdsboro Borough, **Berks County**. For the human crematory facility. The State-Only permit was renewed. Application received: December 5, 2022. Issued: May 15, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00161: H&K Inc. (Sanatoga Asphalt), 394 S Sanatoga Rd., Pottstown, PA 19464, Lower Pottsgrove Township, **Montgomery County**. This action is for the renewal of a State Only, Synthetic Minor Operating Permit. H&K operates a Batch Asphalt Plant at this site. There have been no modifications to the facility since the last renewal. Application received: August 22, 2022. Issued: May 5, 2023.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

65-00962: CCF Ind Inc., 4716 State Route 66, Apollo, PA 15613, Washington Township, **Westmoreland County**. The Department issued a State Only Operating Permit for the continued operations of eleven (11) natural gas fueled heaters, wood working production equipment and a surface coating booth. The Operating Permit includes conditions relating to applicable emissions restrictions, and testing, monitoring, recordkeeping, reporting and work practice requirements at the facility located in Washington Township, Westmoreland County. Application received: September 21, 2022. Issued: May 12, 2023.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00009: Tennessee Gas Pipeline Company, LLC, 1001 Louisiana Street, Ste 1000, Houston, TX 77002, Troy Township, **Bradford County**. Was issued a revised State

Only Operating Permit for the requested change in allowable emission rates of NO_x and VOC for the operation of the Source ID P201 combustion turbine source at their 317 compression station. All applicable Federal and State regulatory requirements are incorporated into the Operating Permit, including testing, monitoring, recordkeeping, reporting, and work practice conditions to verify compliance. Application received: February 16, 2022. Revised: May 5, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

16-00003: PA State System of Higher Education, PennWest University Clarion, 840 Wood Street, Clarion, PA 16214-1240, Clarion Borough, **Clarion County**. The Department administratively amended the Natural Minor State Only Operating Permit to incorporate the change of tax ID, responsible official, and permit contact. Application received: February 6, 2023. Revised: April 17, 2023.

20-00094: Post Consumer Brands Meadville, 18746 Mill Street, Meadville, PA 16335-3644, Vernon Township, **Crawford County**. The Department administratively amended the Natural Minor State Only Operating Permit to incorporate the change of ownership, tax ID, and responsible official. Application received: March 24, 2023. Revised: May 3, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00196: Abington Reldan Metals, LLC, 550 Old Bordertown RD, Fairless Hills, PA 19030, Falls Township, **Bucks County**. The Synthetic Minor Operating Permit was revised through an Administrative Amendment to incorporate the requirements from Plan Approval 09-0196H in accordance with 25 Pa. Code Section 127.450. Plan Approval 09-0196H, that was for the installation and operation of a new electric furnace, the 300 # Melt Furnace, in Melt Furnace Area. Application received: March 23, 2023. Issued: May 3, 2023.

46-00027: Janssen Research & Development, LLC, 1400 McKean Road, Spring House, PA 19477, Lower Gwynedd Township, **Montgomery County**. This action is for an Administrative Amendment of Title V Operating Permit (TVOP) No. 46-00027 for its facility located in Lower Gwynedd Township, Montgomery County. The Administrative Amendment incorporates the requirements of the following Plan Approvals: • Plan Approval No. 46-0027G for the replacement of the selective catalytic reduction system (Source ID C116 → Source ID C116A) for an existing 1,500 kW emergency generator set (Source ID 116) at the facility. • Plan Approval No. 46-0027H for the installation and temporary operation of a new 1,000-kW emergency generator set (Source ID 123) at the facility. • Plan Approval No. 46-0027I to (re)permit three existing emergency generator sets (Source IDs 113, 119, and 122) and two temporary (rental) emergency generator sets (Source ID 124) at the facility, which were previously exempted from Plan Approval requirements under multiple Requests for Determination of Changes of Minor Significance and Exemption from Plan Approval/Operating Permit (RFDs), to remove their exempt status. The Administrative Amendment is issued under the Air Pollution Control Act

(35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450(a)(2) and (5). Application received: March 31, 2023. Issued: May 5, 2023.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant.

Mining Permit No. 32041301. NPDES No. PA0235644. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Center Township, Indiana County. To renew the permit and related NPDES permit. Application received: April 30, 2021. Accepted: July 30, 2021. Permit issued: May 12, 2023.

Mining Permit No. 30841602. NPDES No. PA0215562. Duquesne Light Company, 1800 Seymour Street, Pittsburgh, PA 15233, Monongahela Township, Greene County. To revise the permit and related NPDES permit to install a maelstrom oxidizer and an incidental boundary correction. The surface acreage will not change with this adjustment. Application received: December 14, 2022. Accepted: January 20, 2023. Permit issued: May 11, 2023.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant.

Mining Permit No. 17051601. Junior Coal Contracting, Inc., 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township, Clearfield County. Renewal of coverage under GP-12 to operate a coal preparation plant whose pollution control equipment is required to meet all applicable limitations, terms and conditions of General Permit, BAQ-GPA/GP-12 on Surface Mining Permit No. 17051601. Application received: March 8, 2023. Issued: May 15, 2023.

Mining Permit No. 17110109. NPDES No. PA0257818. Coal Loaders, Inc., 210 East Main Street, Ligonier, PA 15658, Morris Township, Clearfield County. Transfer of an existing bituminous surface coal

mine and associated NPDES permit affecting 85.7 acres. Transfer of permit from King Coal Sales, Inc. Receiving stream(s): unnamed tributary to Hawk Run classified for the following use(s): CWF. Application received: January 3, 2023. Accepted: January 24, 2023. Issued: May 12, 2023.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 03030102. Bedrock Mines, LP, 111 Freeport Road, Pittsburgh, PA 15215, Sugarcreek and East Franklin Townships, Armstrong County. Renewal permit issued for reclamation only to an existing bituminous coal mine, affecting 256.5 acres. Receiving streams: Unnamed tributaries to Long Run and to Long Run, to Patterson Creek, to Buffalo Creek and to the Allegheny River; classified for the following use: TSF. Application received: March 9, 2023. Issued: May 11, 2023.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 50820303. NPDES No. PA0613169. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Oliver Township, Perry County. NPDES renewal of an existing large industrial mine. Receiving streams: Little Buffalo Creek classified for the following uses: CWF. Application received: February 2, 2022. Issued: May 15, 2023.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant.

Mining Permit No. 08120301. PA0257885. Glenn O. Hawbaker, Inc., 1952 Waddle Road, State College, PA 16803, Burlington Borough, Bradford County. Renewal of an NPDES permit associated with a large noncoal (industrial minerals) mining site affecting 41.6 acres. Receiving stream(s): Sugar Creek classified for the following use(s): WWF. Application received: December 8, 2023. Issued: May 15, 2023.

Mining Permit No. 08120305. NPDES No. PA0269565. Bishop Brothers Construction Company, Inc., 1376 Leisure Drive, Towanda, PA 18848, Wysox Township, Bradford County. Renewal of an NPDES permit associated with a large noncoal (industrial minerals) mining site affecting 25 acres. Receiving stream(s): Susquehanna River classified for the following use(s): WWF, MF. Application received: January 6, 2023. Issued: May 15, 2023.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 03950301. NPDES No. PA0201359. Glacial Sand & Gravel Company, P.O. Box 1022, Kittanning, PA 16201, East Franklin Township, Armstrong County. Withdrawal of a land use change revision for an existing large noncoal surface mine, affecting 310 acres. Receiving streams: unnamed tributaries to Allegheny River, classified for the following use: WWF. Application received: August 9, 2022. Withdrawn: April 27, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 58212517. Baltazar Loja, 456 High Hill Road, Great Bend, PA 18821, Liberty Township, **Susquehanna County**. Commencement, operation and restoration of a GP105 quarry operation affecting 7.4 acres. Receiving stream: UNT to Rhiney Creek. Application received: December 6, 2021. Permit issued: May 10, 2023.

Mining Permit No. 58212517. GP104 No. PAM121063. Baltazar Loja, 456 High Hill Road, Great Bend, PA 18821, Liberty Township, **Susquehanna County**. Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT to Rhiney Creek. Application received: December 6, 2021. Coverage issued: May 10, 2023.

Mining Permit No. 58010301. NPDES Permit No. PA0224171. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Bridgewater Township, **Susquehanna County**. Renew NPDES Permit on a quarry operation. Receiving stream: South Branch Wyalusing Creek. Application received: December 12, 2022. Renewal issued: May 12, 2023.

Mining Permit No. 58190803. NPDES Permit No. PA0225835. Susan L. English, 16435 SR 167, Montrose, PA 18801, Silver Lake Township, **Susquehanna County**. Renew NPDES Permit on a quarry operation. Receiving stream: UNT to Fall Brook. Application received: December 22, 2022. Renewal issued: May 15, 2023.

Mining Permit No. 5376SM16. NPDES Permit No. PA0593915. American Asphalt Paving Company, 500 Chase Road, Shavertown, PA 18708, Jackson Township, **Luzerne County**. Renew NPDES Permit on a quarry operation. Receiving stream: Browns Creek. Application received: December 29, 2022. Renewal issued: May 15, 2023.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 36234110. Abel Construction Co., Inc., 3925 Columbia Avenue, Mountville, PA 17554, Strasburg Township, **Lancaster County**. Construction blasting for Meadows at Strasburg. Application received: May 10, 2023. Permit issued: May 12, 2023. Expiration date: December 1, 2023.

Permit No. 40234001. Gregory General Contracting, Inc., P.O. Box 2237, Pulaski, VA 24301, Buck, Bear Creek, Plains, Jenkins and Dallas Townships; Lafflin, Wyoming and West Wyoming Boroughs, **Luzerne County**. Blast for Regional Energy Access Expansion. Application received: April 24, 2023. Permit issued: May 15, 2023. Expiration date: September 30, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received

permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E0306223-001. East Franklin Township, 106 Cherry Orchard Avenue, Kittanning, PA 16201, East Franklin Township, **Armstrong County**. U.S. Army Corps of Engineers Pittsburgh District.

Install 7,000 feet of 8-inch diameter sanitary sewer line including 13 crossings of EV wetlands, 9 crossings of three UNTs to Glade Run, and 5 floodway crossings resulting in total wetland impacts of 0.79235 acre temporary, 0.0009 acre permanent, stream impacts of 0.187 acre temporary, 0.0 acre permanent, and total floodway impacts of 3.2 acres temporary, 0.007 acre permanent as part of the connection of Fox Hollow Sanitary Sewer

System with the West Hills Area Water Pollution Control Authority System as well as decommissioning and demolishing the existing Fox Hollow Sewage Plant. Latitude: 40.806552°, Longitude: -79.577144°. Application received: February 27, 2023. Issued: May 11, 2023.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant, 484-250-5157.

E0901223-001. New Britain Township, 207 Park Avenue, Chalfont, PA 18914, New Britain Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain a 10-foot-wide shared use path within the floodway and floodplain of the Neshaminy Creek (WWF/MF) resulting in 8,251 square feet (0.19 acre) of permanent floodway impact and 7,485 square feet (0.17 acre) of permanent floodplain impact. A 14-foot-wide earth disturbance is expected for the length of the trail and includes the installation of several park-like benches. This project is an extension of the existing Neshaminy Greenway Trail on the former Coleman property from the Neshaminy Creek to Upper State Road in New Britain Township, Bucks County (USGS PA Doylestown Quadrangle). Latitude: 40.288874°, Longitude: -75.183070°. Application received: February 21, 2023. Issued: May 10, 2023.

E1501223-003. Willistown Conservation Trust, 925 Providence Road, Newtown Square, PA 19073, Willistown Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To place 14 poured-in-place concrete stepping stones within the floodway of the Crum Creek (HQ—CWF—MF) to link two trails in the Kirkwood Preserve, resulting in 40 linear feet (320 sq ft, 0.007 acre) of permanent watercourse and floodway impact. This project is located in the Kirkwood Preserve owned and maintained by the Willistown Conservation Trust, Chester County, Willistown Township, PA (USGS PA Quadrangle). Latitude: 39.996389°, Longitude: -75.457778°. Application received: February 7, 2023. Issued: May 9, 2023.

E4601222-010. Concert Philmont, LLC, c/o Ridge-wood Real Estate Partners, 25A Hanover Road, Suite 310, Florham Park, NJ 07932, Lower Moreland Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

Concert Philmont, LLC, is proposing to perform the following-listed water obstruction and encroachment activities associated with the Proposed Active Adult Housing Development. The project proposes to construct and maintain 176 townhouses for adult housing at the existing Philmont Golf Country Club. The proposed project will place fill and impact the streambank of UNT Huntingdon Valley Creek (TSF). Impacts include approximately 0.16 acre of permanent floodway and 0.001 of stream impacts. The site is located near the intersection of Philmont Avenue and Tomlinson Road (Frankford and Hatboro USGS Map) in Lower Moreland Township, Montgomery County. Latitude: 40.12645°, Longitude: -75.04313°. Application received: May 5, 2022. Issued: May 9, 2023.

E5101222-010. Philadelphia Water Department, 1101 Market Street, 4th Floor, Philadelphia, PA 19107, City of Philadelphia and Yeadon Borough, **Philadelphia County and Delaware County**. U.S. Army Corps of Engineers Philadelphia District.

To restore, rehabilitate, and maintain approximately 1,300 feet long eroded bed and banks of the Cobbs Creek (WWF/MF) and infrastructure protection associated with an intercepting 60-inch diameter combined sanitary sewer line and manholes. The improvements will include Boulder Toe Revetment (with Rock Toe Protection), Engineered Riffle, Preformed Scour Hole, Riprap Slope Revetment, Soil-Filled Riprap Floodplain Bench, Slope Protection, and outfall protection, etc. The site is located along Cobbs Creek near Mount Moriah Cemetery (Philadelphia, PA-NJ, USGS Quadrangle) in the City of Philadelphia, Philadelphia County, and Yeadon Borough, Delaware County. Latitude: 39.932550°, Longitude: -75.237943°. Application received: July 11, 2022. Issued: May 15, 2023.

ENVIRONMENTAL ASSESSMENTS

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

EA2103222-001. North Middleton Township, 2501 Spring Road, Carlisle, PA 17013, North Middleton Township, **Cumberland County**. U.S. Army Corps of Engineers Baltimore District.

The application proposes to restore and maintain 350 linear feet of an Unnamed Tributary to Conodoguinet Creek (WWF) by use of channel realignment, constructed riffles, floodplain bench creation, and rock toe armoring. The project temporarily impacts 0.03 acre of emergent wetland and permanently impacts less than 0.01 acre of emergent wetland. The project is located at Village Park in North Middleton Township, Cumberland County (Latitude: 40.2273; Longitude: -77.1707). Application received: July 22, 2023. Approved: May 10, 2023

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 ESG295823003-00

Applicant Name **Chesapeake Appalachia, LLC**

Contact Person Eric Haskins

Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840

Township(s) Auburn Township

County **Susquehanna County**

Receiving Stream(s) and Classification(s) Trib 29491 to

Tuscarora Creek (CWF, MF), Stream 1 (CWF, MF), Trib

29495 to Tuscarora Creek (CWF, MF)

Application received: January 26, 2023

Issued: May 15, 2023

ESCGP # 3 ESG295923008-00

Applicant Name **Repsol Oil & Gas USA, LLC**

Contact Person Jonathan Fronk

Address 337 Daniel Zenker Drive

City, State, Zip Horseheads, NY 14845

Township(s) Covington Township

County **Tioga County**

Receiving Stream(s) and Classification(s) Canoe Camp

Creek (CWF, MF)

Application received: April 24, 2023

Issued: May 15, 2023

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson.

ESCGP # 3 ESG073023004-00

Applicant Name **CNX Gas Company, LLC**

Contact Person Robert Bassett

Address 1000 Horizon Vue Drive

City, State, Zip Canonsburg, PA 15317

Township(s) Morris Township

County **Greene County**

Receiving Stream(s) and Classification(s) UNT to Enlow

Fork, WWF

Application received: February 20, 2023

Issued: May 10, 2023

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action

completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Gregory Bowman, Environmental Group Manager.

Martins Auto Center, Storage Tank Facility ID # **36-61981**, 680 Lancaster Ave, New Holland, PA 17557, Earl Township, **Lancaster County**. Element Environmental Solutions Inc., 61 Willow St, P.O. Box 921, Adamstown, PA 19501, on behalf of Martin Auto Center, 680 Lancaster Ave, New Holland, PA 17557 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Petroleum Constituents. The plan is intended to document the remedial actions for meeting Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Chris Schiappa, 724-598-2206.

BFS Grove City W Main, Storage Tank Facility ID # **43-14158**, 201 W Main St, Grove City, PA 16127, Grove City Borough, **Mercer County**. Antea USA, Inc., 10320 Little Patuxent Parkway, Suite 200, Columbia, MD 21044, on behalf of BP Products North America, Inc., P.O. Box 101925, Arlington, VA 22210 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan non-residential was not acceptable to meet the Statewide health and site-specific standards and was disapproved by DEP on May 15, 2023.

SPECIAL NOTICES

WASTE, AIR, RADIATION AND REMEDIATION

Public Hearing—Municipal Waste Transfer Station Application No. 101731, Submitted by North East Waste Systems, LLC, City of Hazleton, Luzerne County.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

The Department of Environmental Protection has scheduled a public hearing to accept comments on Municipal Waste Transfer Station Permit Application No. 101731 for a proposed municipal waste transfer facility to be located near 455 East Broad Street (State Route 93), Hazleton, Luzerne County. The application is currently under review.

The public hearing will be held on Wednesday, June 21, 2023 from 6:00 to 9:00 p.m. at the Hazle Township Volunteer Fire and Rescue building located at 1113 N. Church St, Hazle Township, PA 18202.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator, North East Waste Systems, LLC Public Hearing, PA DEP, 2 Public Square, Wilkes-Barre, PA 18701-1915, or by email at coconnolly@pa.gov.

The Department will accept notices up to the day of the hearing. The written notice should include the person's name, address, telephone number and a brief statement as to the nature of their presentation. The Department requests that individuals limit their testimony to 10 minutes so that all individuals have the opportunity to testify.

Written copies of oral testimony are requested. Relinquishing of time to others will not be allowed. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who pre-register to testify will be given priority on the agenda. Persons

unable to attend the hearing may submit written statements/comments to the Department on or before June 21, 2023.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly, 570-826-2511 or through the Pennsylvania Hamilton Relay Service at 800-654-5984 (TDD) to discuss how the Department can meet their needs.

The permit application is available for review on the Department's web site: <https://www.dep.pa.gov/About/Regional/Northeast-Regional-Office/Community%20Information/Pages/Northeast-Waste-Transfer-Station.aspx>.

[Pa.B. Doc. No. 23-695. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Bid Opportunity

BF63080601.1, Bond Forfeiture Land Reclamation, Green Global Machine 221 LNC Land Reclamation Project, Buffalo Township, Washington County. The principal items of work and approximate quantities include: mobilization/demobilization of necessary reclamation equipment; backfilling highwall or blasting highwall, approximately 60,000 cubic yards; topsoil spreading, approximately 15,000 cubic yards; regrading/revegetation, 5 acres; remove one pond; place gravel over pond removal area, approximately 25 tons; regrade/spread topsoil and revegetate, approximately 5 acres according to the approved reclamation plan; repair all erosion gullies; and remove any assorted trash, abandoned equipment and parts left behind by Green Global Machine.

This bid issues on May 19, 2023, and bids will be opened on June 22, 2023, at 2 p.m. Bid documents, including drawings in PDF format, may be downloaded for free beginning on the issue date from the Department of Environmental Protection by going to www.BidExpress.com. Contact the Construction Contracts Section at (717) 787-7820 or RA-ConstructionContr@pa.gov for more information on this bid.

RICHARD NEGRIN,
Acting Secretary

[Pa.B. Doc. No. 23-696. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Storage Tank Advisory Committee Meeting Cancellation

The June 7, 2023, meeting of the Storage Tank Advisory Committee (Committee) is cancelled. The next meeting is scheduled for Wednesday, September 6, 2023, at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17105. Individuals may attend the meeting in person or remotely. Individuals interested in providing public comments dur-

ing the meeting are encouraged to sign up in advance by contacting Kris A. Shiffer at kshiffer@pa.gov or (717) 772-5809.

Information on how to join the meeting remotely, as well as agenda and meeting materials, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Cleanup and Brownfields," then "Storage Tank Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the September 6, 2023, meeting can be directed to Kris A. Shiffer at kshiffer@pa.gov or (717) 772-5809.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 772-5809 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RICHARD NEGRIN,
Acting Secretary

[Pa.B. Doc. No. 23-697. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Preventive Health and Health Services Block Grant

The Preventive Health and Health Services Block Grant Advisory Committee, established under section 1905 of the Public Health Service Act (42 U.S.C.A. § 300w-4), will hold a public meeting on Thursday, June 8, 2023, from 9 a.m. to 11 a.m. The purpose of the meeting is to present the Federal Fiscal Year 2023 Workplan and budget information. The meeting will be held in Room 1000, Health and Welfare Building, Harrisburg, PA. A virtual option is also available. The information for calling into the meeting is: dial (267) 332-8737 and use conference ID 740 255 516#. Contact Christopher Noble at (717) 574-3204, chnoble@pa.gov to RSVP or with any questions regarding the meeting. It is requested that all RSVP responses are received no later than June 5, 2023.

For additional information, or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so should contact Kelly Dupler, Director, Bureau of Health Promotion and Risk Reduction, Room 1000, Health and Welfare Building, Harrisburg, PA, (717) 547-3205, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-698. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Preventive Health and Health Services Block Grant Application for Federal Fiscal Year 2023; Public Hearing

The Department of Health (Department) is making available copies of the proposed Preventive Health and Health Services Block Grant Application for Federal Fiscal Year 2023 under section 1905 of the Public Health Service Act (act) (42 U.S.C.A. § 300w-4). This block grant application shall serve as the Commonwealth's request to the United States Department of Health and Human Services for block grant funding to address the Healthy People 2030 Health Status Objectives.

The block grant application, describing proposed services, program goals, and objectives and activities, is available for public comment. Copies (electronic or hard copy) of the proposed block grant application will be available on or after July 26, 2023, and can be obtained by calling the Bureau of Health Promotion and Risk Reduction (Bureau) at (717) 787-6214.

A public hearing will be conducted by the Department for the purpose of receiving testimony on the previously-mentioned block grant application in accordance with section 1905 of the act. Comments and suggestions from the public should relate to the priorities and program plans included in the block grant application.

The hearing will be held on June 7, 2023, from 2 p.m. until 3 p.m. by means of a teleconference call. The call-in number is (267) 332-8737 and the phone conference ID is 584 460 93#. Persons wishing to testify are requested to pre-register by contacting the Bureau at (717) 787-6214. Registration will be accepted on the day of the hearing. Persons will be allotted a maximum of 5 minutes to testify. Testifiers must submit two written copies of their testimony to the Department at the time of the hearing.

Written comments will be accepted and should be sent to Christopher Noble, Block Grant Coordinator, at chnoble@pa.gov and should be received no later than 4 p.m. on June 6, 2023.

Persons with a disability who wish to comment or who require an alternative format of the application (for example: large print, Braille) or who wish to attend the public hearing by joining the teleconference call or require special accommodations to do so should contact the Bureau at (717) 787-6214, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

This hearing is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-699. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Addition to the Medical Assistance Program Fee Schedule of Additional Bivalent Doses of the SARS-CoV-2 Vaccines Manufactured by Moderna, Inc. and Pfizer, Inc.

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of the following procedure codes to the Medical Assistance (MA) Program Fee Schedule for the administration of additional bivalent doses of the novel coronavirus (SARS-CoV-2) vaccines manufactured by Moderna, Inc. and Pfizer, Inc. The effective date and MA Fee for the codes are indicated as follows.

<i>Vaccine Manufacturer</i>	<i>Procedure Code</i>	<i>Description</i>	<i>Effective Date</i>	<i>MA Fee</i>
Moderna, Inc.	0164A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 10 mcg/0.2 mL dosage, booster dose	12/8/22	\$40
Pfizer, Inc.	0173A	Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease (COVID-19)) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, third dose	12/8/22	\$40

The MA Program Fee Schedule has been updated with the new Current Procedural Terminology (CPT) codes to allow for payment of the administration of the additional bivalent doses of the SARS-CoV-2 vaccines manufactured by Moderna, Inc. and Pfizer, Inc.

The Department issued an MA Bulletin to enrolled providers to advise them of the addition of the CPT codes for the administration of the additional bivalent doses of the SARS-CoV-2 vaccines manufactured by Moderna, Inc. and Pfizer, Inc. to the MA Fee Schedule.

Fiscal Impact

There is no fiscal impact associated with the addition of these procedure codes.

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Acting Secretary

Fiscal Note: 14-NOT-1577. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 23-700. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Availability of Amendments to the Office of Developmental Programs' Consolidated, Community Living, Person/Family Directed Support and Adult Autism Waivers as well as Rate Setting Methodology and Proposed Fee Schedule Rates for Select Services Funded Through the Office of Developmental Programs' Waivers

The Department of Human Services (Department) is making available for public review and comment, the Office of Developmental Programs' proposed amendments to the Consolidated, Person/Family Directed Support (P/FDS), Community Living and Adult Autism waivers, which will be effective November 1, 2023. The Department is also making available for public review and comment the rate setting methodology and proposed Fee

Schedule Rates for services in the waivers that are impacted by the proposed amendments and additional Fee Schedule Rates for Needs Group 5 Residential Habilitation services and for Life Sharing Without Day services. In addition, the Department is making available for public review and comment, the Fee Schedule Rates for Community Participation Support services and for Transportation Trip services which will be in effect 6 months after the expiration of the Federal novel coronavirus (COVID-19) public health emergency.

Background

Whenever substantive changes are made to an approved waiver, the Department must submit an amendment to the Centers for Medicare & Medicaid Services (CMS) for approval.

The Department proposes the following substantive amendments to all four waivers effective November 1, 2023:

- Increase community participation and create administrative efficiencies by removing the requirement for a variance to be requested for each individual who spends less than 25% of their time during the provision of Community Participation Support or Day Habilitation services participating in integrated community activities. Providers of Community Participation Support or Day Habilitation services will instead be required to include in their quality management plans required by 55 Pa. Code § 6100.45 (relating to quality management) provider performance improvement targets and strategies that ensure opportunities for access to the community for service locations where individuals' participation in integrated community activities is low as defined in the waivers.

- Improve quality of services provided by adding additional provider qualification standards that address financial preparedness and experience rendering services.

- Prevent individuals from losing services due to changes in Community Participation Support or Transportation Trip rates by allowing exceptions to annual service limits in the P/FDS and Adult Autism waivers.

- Increase employment of individuals by allowing Community Participation Support, Day Habilitation, Career Planning and Supported Employment services to assist individuals with contacting relevant agencies and obtaining documents needed to access employment supports and services that educate participants on the impact of employment on current benefits and adding a timeframe for when providers must complete a plan for decreasing an individual's need for Job Coaching and Support.

- Improve quality and support provider innovation through inclusion of supplemental payments for activities that promote recovery and expansion of services impacted by the COVID-19 pandemic and technology that enhance services and for staff training, credentialing and business associates programs for employment.

The Department proposes the following substantive amendments to the Consolidated, Community Living and P/FDS waivers effective November 1, 2023:

- Promote the health, wellness and safety of individuals receiving services by allowing for group Music Therapy, Art Therapy and Equine Assisted Therapy and adding a Specialty Health Assessment and Coordination service.

- Support individuals with complex needs by clarifying what must be in the risk mitigation policy for Life Sharing providers when serving individuals with a medically complex condition.

Rates

Additional Fee Schedule Rates are being added for:

- Group Music Therapy, Art Therapy and Equine Assisted Therapy services provided through the Consolidated, Community Living and P/FDS waivers.

- Needs Group 5 Residential Habilitation services provided through the Consolidated Waiver and Life Sharing Without Day services provided through the Consolidated and Community Living waivers.

The new Specialty Health Assessment and Coordination service in the Consolidated, Community Living and P/FDS waivers will be reimbursed monthly as a vendor service based on the cost that the provider charges to the general public.

In addition, on April 3, 2021, the Department provided notification at 51 Pa. B. 1907 (April 3, 2021) that it had implemented temporary increases to the Fee Schedule

Rates for Community Participation Support services provided through the Consolidated, Community Living and P/FDS Waivers and Transportation Trip services provided through the Consolidated, Community Living, P/FDS and Adult Autism Waivers retroactive to January 1, 2021. The Department intended to end the temporary increases to the Fee Schedule Rates and Department-Established Fees on June 30, 2021.

On March 11, 2021, President Joe Biden signed the American Rescue Plan Act (ARPA) of 2021 (Pub.L. No. 117-2). Section 9817 of the ARPA provides the Commonwealth with a temporary 10 percentage point increase to the Federal medical assistance percentage for certain Medicaid expenditures for home and community-based services provided the Department maintains provider payments at a rate no less than those in place on April 1, 2021, through the end of the spending period required by section 9817. On February 26, 2022, the Department provided notification at 52 Pa.B. 1328 (February 26, 2022) that new Fee Schedule Rates for Community Participation Support services provided through the Consolidated, Community Living and P/FDS waivers will be effective 6 months after the expiration of the Federal COVID-19 public health emergency. The Department no longer intends to implement the rates for Community Participation Support services announced in the February 26, 2022, notice and will instead continue to use the rates announced in the April 3, 2021, notice.

The proposed Fee Schedule Rates discussed in this notice will also apply to the Department-Established Fees under 55 Pa. Code § 4300.115(a) (relating to Department established fees) for base-funded services managed through County programs for individuals with an intellectual disability under the Mental Health and Intellectual Disability Act of 1966 (50 P.S. §§ 4101—4704); 55 Pa. Code Chapter 4300 (relating to county mental health and intellectual disability fiscal manual); and 55 Pa. Code Chapter 6100 (relating to services for individuals with an intellectual disability or autism).

Rate Setting Methodology:

The proposed Fee Schedule Rates for Life Sharing Without Day services, Residential Habilitation Needs Group 5 and group Music Therapy, Art Therapy and Equine Assisted Therapy were developed using a market-based approach. The process for the development of the Fee Schedule included a review of the waiver service definitions and a determination of allowable cost components which reflected costs that are reasonable, necessary and related to the service, as defined in the Uniform Administrative Requirements, Cost Principles and Audit Requirements for Federal Awards (OMB Circular Uniform Guidance, December 26, 2014). The Department established the Fee Schedule Rates to fund services at a level sufficient to ensure access, encourage provider participation and promote provider choice, while at the same time ensuring cost effectiveness and fiscal accountability. The Fee Schedule Rates represent the maximum rates that the Department will pay for each service.

In developing the proposed Fee Schedule Rates for Life Sharing Without Day Services, Residential Habilitation Needs Group 5 and group Music Therapy, Art Therapy and Equine Assisted Therapy, the Department evaluated and used various independent data sources, such as a Commonwealth-specific compensation study, to ensure the rates reflect the expected expenses for the delivery services.

As required by 55 Pa. Code § 6100.571(b) (relating to fee schedule rates), to establish the Fee Schedule Rates the Department examined and used data relating to the following factors:

- The service needs of the individuals.
- Staff wages.
- Staff-related expenses.
- Productivity.
- Occupancy.
- Program and administration-related expenses.
- Geographic costs based on the location where the service is provided.
- Service definitions in the Consolidated, Community Living and P/FDS waivers and determinations made about allowable cost components that reflect reasonable and necessary costs related to the delivery of each service.
- Cost of implementing applicable Federal and State statutes and regulations and local ordinances.

The Department also used the previously-described methodology to determine that the rates for Community Participation Support and Transportation Trip services implemented January 1, 2021, continue to reflect the expected expenses for the delivery of Community Participation Support and Transportation Trip services. Therefore, the Department intends to continue to use the Fee Schedule Rates for Community Participation Support and Transportation Trip services implemented on January 1, 2021.

The proposed Fee Schedule Rates, which are also the proposed Department-Established Fees under 55 Pa. Code § 4300.115(a), for each service are included in the following tables. The assumption logs used to develop the Fee Schedule Rates and Department-Established fees are available at <https://www.dhs.pa.gov/Services/Disabilities-Aging/Pages/2023-Proposed-Waiver-Amendments.aspx>.

A notice will be published announcing the final Fee Schedule Rates and Department-Established Fees after the public comment period.

Fee Schedule Rates for Community Participation Support Services Effective 6 Months after the Expiration of the Federal COVID-19 Public Health Emergency

The rates in the table are per 15-minute unit.

<i>Service</i>	<i>Procedure Code</i>	<i>Staff to Individual Ratio</i>	<i>Fee Schedule Rate</i>	<i>Fee Schedule Rate for Enhanced Communication</i>
Community Participation Support—Facility	W7222	1:11 to 1:15	\$2.96	\$3.27
	W7223	1:7 to 1:10	\$3.18	\$3.61
	W7226	1:4 to 1:6	\$5.23	\$6.01
	W7224	1:2 to 1:3	\$6.84	\$7.90
	W7244	1:1	\$12.40	\$14.50
	W9353	1:1 Enhanced	\$17.27	\$20.66
	W7269	2:1	\$23.77	\$27.96
	W9356	2:1 Enhanced	\$28.65	\$34.12
Community Participation Support—Community	W9351	1:2 to 1:3	\$6.98	\$8.02
	W9352	2:3	\$10.43	\$13.60
	W5996	1:1	\$12.81	\$14.97
	W5997	1:1 Enhanced	\$17.83	\$21.38
	W5993	2:1	\$24.62	\$29.07
	W5994	2:1 Enhanced	\$29.70	\$35.43

Fee Schedule Rates for Transportation Trip Services Effective 6 Months after the Expiration of the Federal COVID-19 Public Health Emergency

<i>Service</i>	<i>Unit of Service</i>	<i>Procedure Code</i>	<i>Fee Schedule Rate</i>
Transportation Trip	Zone 1 (greater than 0 and up to 10 miles)	W7274	\$33.83
	Zone 2 (greater than 10 miles and up to 30 miles)	W7275	\$60.91
	Zone 3 (over 30 miles)	W7276	\$69.19

**Fee Schedule Rates for Life Sharing, Residential Habilitation Services and Group Music Therapy,
Art Therapy and Equine Assisted Therapy Effective January 1, 2024**

<i>Service Name</i>	<i>Needs Group</i>	<i>Program Capacity or Staffing Level</i>	<i>Procedure Code</i>	<i>Statewide Fee</i>	<i>Enhanced Communication Statewide Fee</i>
Licensed Residential Habilitation With Day	Needs Group 5	1 person	TBD	\$1,265.90 (per day unit)	\$1,519.08 (per day unit)
		2 person	TBD	\$1,146.38 (per day unit)	\$1,375.66 (per day unit)
		3 person	TBD	\$788.17 (per day unit)	\$945.80 (per day unit)
		4 person	TBD	\$606.45 (per day unit)	\$727.74 (per day unit)
		5—8 person	TBD	\$546.93 (per day unit)	\$656.32 (per day unit)
Licensed Residential Habilitation Without Day	Needs Group 5	1 person	TBD	\$1,655.20 (per day unit)	\$1,986.24 (per day unit)
		2 person	TBD	\$1,238.27 (per day unit)	\$1,485.92 (per day unit)
		3 person	TBD	\$947.47 (per day unit)	\$1,136.96 (per day unit)
		4 person	TBD	\$722.91 (per day unit)	\$867.49 (per day unit)
		5—8 person	TBD	\$644.85 (per day unit)	\$773.82 (per day unit)
Life Sharing Without Day—Over 30 Hours Per Week on Average	Needs Group 1	1 person	TBD	\$279.64 (per day unit)	\$286.76 (per day unit)
		2 person	TBD	\$229.06 (per day unit)	\$233.52 (per day unit)
	Needs Group 2	1 person	TBD	\$317.42 (per day unit)	\$329.17 (per day unit)
		2 person	TBD	\$257.96 (per day unit)	\$264.99 (per day unit)
	Needs Group 3	1 person	TBD	\$389.74 (per day unit)	\$418.88 (per day unit)
		2 person	TBD	\$307.22 (per day unit)	\$325.02 (per day unit)
	Needs Group 4	1 person	TBD	\$470.86 (per day unit)	\$522.88 (per day unit)
		2 person	TBD	\$360.46 (per day unit)	\$391.25 (per day unit)
Medically Complex Life Sharing Without Day	Needs Group 4	1 person	TBD	\$494.40 (per day unit)	\$549.02 (per day unit)
		2 person	TBD	\$378.48	\$410.81
Music Therapy	N/A	1:2 to 1:4	TBD	\$9.58 (per 15-minute unit)	\$12.11 (per 15-minute unit)
Art Therapy	N/A	1:2 to 1:4	TBD	\$9.58 (per 15-minute unit)	\$12.11 (per 15-minute unit)
Equine Assisted Therapy	N/A	1:2 to 1:4	TBD	\$6.67 (per 15-minute unit)	\$8.13 (per 15-minute unit)

Copies of this notice and documents containing the proposed amendments to the Consolidated, Community Living, P/FDS and Adult Autism waivers may be obtained by contacting Julie Mochon, Department of Human Services, Office of Developmental Programs, 625 Forster Street, Room 510, Harrisburg, PA 17120, RA-odpcomment@pa.gov.

The proposed amendments to the Consolidated, Community Living, P/FDS and Adult Autism waivers, effective November 1, 2023, are also available at <https://www.dhs.pa.gov/Services/Disabilities-Aging/Pages/2023-Proposed-Waiver-Amendments.aspx>.

Fiscal Impact

In Fiscal Year 2023-2024 the anticipated cost for the Intellectual Disabilities (ID)—Community Waiver Programs' expansion of life sharing of \$7.500 million (\$3.441 million in State funds).

In Fiscal Year 2023-2024 the anticipated cost for the ID—Community Waiver Programs' specialty health assessment and coordination initiative is \$1.400 million (\$0.700 million in State funds). For the Medical Assistance (MA)—Capitation Program there is an anticipated saving of \$2.500 million (\$1.134 million in State funds).

The amount of funding available is dependent upon the funds appropriated by the General Assembly for the forthcoming year. Therefore, the fiscal impact is dependent on approval by the General Assembly.

Public Comment

Interested persons are invited to submit written comments regarding the proposed amendments to the waivers and proposed Fee Schedule Rates. Comments should be addressed to Julie Mochon, Department of Human Services, Office of Developmental Programs, 625 Forster Street, Room 510, Harrisburg, PA 17120. Comments may be submitted to the Department at RA-odpcomment@pa.gov using the subject header "Waiver and Rate Comments."

Comments received within 30 days of publication of this notice will be reviewed and considered for revisions to the proposed amendments to the waivers and proposed Fee Schedule Rates.

The Department will also hold three webinars to receive comments on the proposed amendments to the waivers: two webinars for the Consolidated, Community Living and P/FDS waivers and one for the Adult Autism waiver. The date, time and link for registration to attend the webinars for the Consolidated, Community Living and P/FDS Waivers are as follows:

June 9, 2023
2 p.m. to 3:30 p.m.
<https://attendee.gotowebinar.com/register/9086430493386490975>

June 14, 2023
10 a.m. to 11:30 a.m.
<https://attendee.gotowebinar.com/register/412826365048911710>

The date, time and link for registration to attend the webinar for the Adult Autism Waiver is as follows:

June 15, 2023
1 p.m. to 2:30 p.m.
<https://attendee.gotowebinar.com/register/3649989807848063576>

Participants who are interested in participating in the webinars may do so by phone but will need a computer to provide comments during the webinars. To assist the Department in accurately capturing comments provided during the webinars, individuals are asked to submit a written copy of their comments by e-mail or mail to the previously provided address.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by dialing 711 or by using one of the toll-free numbers: (800) 654-5984 (TDD users), (800) 654-5988 (voice users), (844) 308-9292 (Speech-to-Speech) or (844) 308-9291 (Spanish).

VALERIE A. ARKOOSH,
Acting Secretary

Fiscal Note: 14-NOT-1579. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund;

(7) Intellectual Disabilities—Community Waiver Program; (2) Implementing Year 2022-23 is \$0; (3) 1st Succeeding Year 2023-24 is \$4,141,000; 2nd Succeeding Year 2024-25 is \$4,900,000; 3rd Succeeding Year 2025-26 through 5th Succeeding Year 2027-28 are \$1,918,000; (4) 2021-22 Program—\$1,799,000,000; 2020-21 Program—\$1,622,000,000; 2019-20 Program—\$1,664,000,000;

(7) Autism Intervention and Services; (2) Implementing Year 2022-23 is \$0; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$27,493,000; 2020-21 Program—\$27,262,000; 2019-20 Program—\$27,062,000;

(7) Medical Assistance—Capitation; (2) Implementing Year 2022-23 is \$0; (3) 1st Succeeding Year 2023-24 is -\$1,134,000; 2nd Succeeding Year 2024-25 is -\$1,789,000; 3rd Succeeding Year is -\$2,202,000; 4th Succeeding Year is -\$2,266,000; 5th Succeeding Year 2027-28 is -\$3,487,000; (4) 2021-22 Program—\$4,557,000,000; 2020-21 Program—\$3,060,000,000; 2019-20 Program—\$2,508,000,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 23-701. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Revisions for Evaluation and Management Procedure Codes

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces updates to the Medical Assistance (MA) Program Fee Schedule for Evaluation and Management (E&M) procedure codes, including making adjustments to the fees for some procedure codes. These updates are effective for dates of service on and after June 1, 2023.

Background

The Department is end-dating procedure codes, updating descriptions and making fee adjustments on procedure codes as a result of implementing the 2023 updates published by the Centers for Medicare & Medicaid Services to the 2023 Healthcare Common Procedure Coding System (HCPCS). The Department is also making changes to procedure codes

currently on the MA Program Fee Schedule, including adding or removing Provider Type (PT)/Specialty (Spec) combinations, Place of Service (POS) and procedure code modifiers.

Procedure Codes Being End-dated

The Department is end-dating the following procedure codes from the MA Program Fee Schedule as a result of the 2023 HCPCS Updates:

<i>Procedure Codes</i>				
99217	99218	99219	99220	99224
99225	99226	99241	99251	99281
99318	99324	99325	99326	99327
99328	99334	99335	99336	99337
99343				

Updates to E&M Procedure Codes Currently on the MA Program Fee Schedule

PT/Spec/POS Updates

The Department is adding PT/Spec/POS combinations for the following procedure codes with and without modifiers, as indicated as follows, as the Department determined these provider types and specialties are appropriate for these services:

<i>Procedure Code and Modifiers</i>	<i>Addition of PT/Spec/POS</i>
99238 (FQ-audio-only service)	31 (Physician)/339 (Psychiatry)/02 (Telehealth Provided Other than in Patient's Home)
99239 (FQ)	31/339/02
99252	18/180/0218 (Optometrist)/180 (Optometrist)/02 18/180/21 (Inpatient Hospital) 18/180/22 (Outpatient Hospital)
99253	18/180/02 18/180/21 18/180/22
99344	09 (Certified Registered Nurse Practitioner)/ALL/12 (Home) 10 (Mid-Level Practitioner)/100 (Physician Assistant)/12 14 (Podiatrist)/140 (Podiatrist)/12 31/ALL/12 33 (Certified Nurse Midwife)/335 (Certified Nurse Midwife)/12
99344 (TH-obstetric)	09/ALL/12 10/100/12 31/ALL/12 33/335/12
99345	09/ALL/12 10/100/12 14/140/12 31/ALL/12 33/335/12
99345 (TH)	09/ALL/12 10/100/12 31/ALL/12 33/335/12
99350	09/ALL/12 10/100/12 14/140/12
99350 (TH)	09/ALL/12 10/100/12

The Department is updating the PT/Spec combinations for the following procedure codes, as indicated as follows, as the Department determined these provider types and specialties are appropriate for these services:

<i>Procedure Code</i>	<i>Current PT/Spec</i>	<i>New PT/Spec Effective June 1, 2023</i>
99239	27 (Dentist)/272 (Oral/Maxillofacial Surgeon) 27/283 (Cleft Palate)	27/ALL
99252	14/ALL	14/140
99253	14/ALL	14/140
99254	14/ALL	14/140
99255	14/ALL	14/140
99347	09/093 (Nurse Practitioner)	09/ALL
99348	09/093	09/ALL
99349	09/093	09/ALL
99460	09/093 09/094 (Family Home Health) 09/101 (Neonatal) 09/105 (Pediatric Acute Chronic) 09/106 (Pediatric Critical Care) 09/297 (Pediatric Oncology) 09/298 (Perinatal) 09/299 (Women's Health)	09/ALL
99463	09/093 09/094 09/101 09/105 09/106 09/297 09/298 09/299	09/ALL

Healthy Beginnings Plus (HBP) Program

The Department is opening the following PT/Spec/POS combinations for procedure code 99242 with U9 (pricing) and HD (pregnant/parenting women's program) modifiers, as indicated as follows, to allow for the billing of services provided in the HBP Program that were previously billed with the end-dated procedure code 99241.

<i>Procedure Code and Modifiers</i>	<i>New PT/Spec</i>	<i>POS</i>
99242 (U9) (HD)	01 (Inpatient Facility)/183 (Hospital Based Medical Clinic)	02, 10 (Telehealth provided in Patient's Home), 22
	05 (Home Health)/050 (Home Health Agency)	02, 10, 12
	08 (Clinic)/080 (Federally Qualified Health Center)	02, 10, 12, 50 (Federally Qualified Health Center)
	08/081 (Rural Health Clinic)	02, 10, 12, 72 (Rural Health Clinic)
	08/082 (Independent Medical/Surgical Center)	02, 10, 49 (Independent Clinic)
	08/083 (Family Planning Clinic)	02, 10, 22, 49
	31/ALL	02, 10, 11 (Office), 12, 99 (Other Unlisted)
	33/335	02, 10, 11, 99
47 (Birthing Center)/470 (Birthing Center)	02, 10, 11, 25 (Birthing Center)	

Psychiatric Outpatient and Drug and Alcohol Clinic Services

The Department is opening the following PT/Spec/POS combinations for procedure code 99242 with U7 (pricing) or UB (pricing) modifiers, as indicated as follows, to allow for the billing of services that were previously billed with the end-dated procedure code 99241. The Department is not revising the fee for procedure code 99242 with these modifiers.

<i>Procedure Code and Modifiers</i>	<i>Code Description</i>	<i>Addition of PT/Spec/POS</i>
99242 (U7)	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded. (Chemotherapy clinic visit for administration and evaluation of drugs other than methadone or drugs for opiate detox)	08/184 (Outpatient Drug and Alcohol Clinic)/57 (Non-Residential Substance Abuse Treatment Facility)
99242 (UB)	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded. (Psychiatric clinic medication visit for drug administration and evaluation)	08/074 (Mobile Mental Health Treatment)/15 (Mobile Unit)
		08/110 (Psychiatric Outpatient Clinic)/49

Other PT/Spec Updates

The Department is end-dating PT/Spec/POS combinations for the following procedure codes with and without modifiers, as indicated as follows, as the Department determined these provider types and specialties are not appropriate for these services:

<i>Procedure Codes</i>	<i>End-dated PT/Spec/POS</i>
99306	18/180/02
	18/180/31 (Skilled Nursing Facility)
	18/180/32 (Nursing Facility)
99310	18/180/02
	18/180/31
	18/180/32
99341 99341 (FQ)	31/339/10
99342 99342 (FQ)	31/339/10
99344	15 (Chiropractor)/150 (Chiropractor)/02
	15/150/12
99345	15/150/02
	15/150/12
99349	15/150/02
	15/150/12
	18/180/02
	18/180/12
99350	15/150/02
	15/150/12
99492 99492 (FQ)	31/339/10
99493 99493 (FQ)	31/339/10
99494 99494 (FQ)	31/339/10

Modifier Updates

The Department is adding the Q6 (Informational) modifier used to identify nonemergency visits to the emergency room when used in combination with the following procedure code, as indicated as follows. This procedure code may include the emergency room modifiers U4 (pricing) or U5 (pricing).

<i>Procedure Code and Modifiers</i>	<i>PT/Spec</i>	<i>POS</i>
99283 (U4) (Q6)	01/016 (Emergency Room Arrangement 1)	02, 23 (Emergency Room)
	01/017 (Emergency Room Arrangement 2)	

<i>Procedure Code and Modifiers</i>	<i>PT/Spec</i>	<i>POS</i>
99283 (U5) (Q6)	01/016 01/017	02, 23

The Department is adding the TH modifier for the PT/Spec combination 31/ALL to be used to identify prenatal or postpartum obstetric evaluation and management services only, for the following procedure codes:

<i>Procedure Code and Modifiers</i>			
99234 (TH)	99235 (TH)	99236 (TH)	99239 (TH)

The Department is end-dating the 54 (surgical care) modifier for T1015 procedure code with the PT/Spec combinations 08/080 and 08/081.

The Department is end-dating the GT (telemedicine) modifier for the following procedure codes, as a result of the addition of POS 02 or 10 to indicate the use of telemedicine:

<i>Procedure Codes</i>				
99050	99202	99203	99204	99205
99211	99212	99213	99214	99215
99234	99235	99236	99238	99239
99242	99243	99244	99245	99252
99253	99254	99255	99282	99283
99284	99285	99341	99342	99344
99345	99347	99348	99349	99350
99381	99382	99383	99384	99385
99386	99387	99391	99392	99393
99394	99395	99396	99397	99483
99484	99491	99492	99493	99494
99501	T1015			

The Department is end-dating the HA (child/adolescent program) modifier and modifier combinations U4, U1 (informational) and U5, U1 when used with procedure code T1015.

The Department is end-dating the U1 modifier for the PT/Spec/POS combinations 31/ALL/02, 11, and/or 99 for the following procedure codes.

<i>Procedure Codes</i>			
99203	99204	99211	99212
99213	99214	99215	

The Department is end-dating the U9 modifier for the following procedure codes as the U9 modifier will no longer be needed for the PT/Spec combination 15/150:

<i>Procedure Codes</i>			
99341	99342	99347	99348

POS Updates

The Department is adding POS 10, used to identify when telehealth is provided in the patient's home, for the following procedure codes for all PT/Spec combinations as the Department determined this setting is appropriate for the performance of these services using telemedicine:

<i>Procedure Codes with Addition of POS 10</i>				
99202	99203	99204	99205	99211
99212	99213	99214*	99215*	99242
99243	99244	99245	99304	99305
99306	99307	99308	99309	99310
99315	99316	99401	99407	99483
99484				

*Note: For procedure codes 99214 and 99215, the Department will not be adding POS 10 when used for services related to Healthy Beginnings Plus.

NOTICES

2911

The Department is adding POS 02 or POS 10 to the T1015 procedure code with and without modifiers in the following PT/Spec combinations as the Department determined these settings are appropriate for the performance of these services:

<i>Procedure Code and Modifiers</i>	<i>PT/Spec with Addition of POS 02 or POS 10</i>
T1015 (U4) T1015 (U4) (FP-family planning) T1015 (U5) T1015 (U5) (FP) T1015 (U7) T1015 (U7) (GN-speech pathology) T1015 (U7) (GO-occupational therapy) T1015 (U7) (GP-physical therapy) T1015 (U8-pricing) T1015 (U8) (GN) T1015 (U8) (GO) T1015 (U8) (GP)	01/183/10
T1015 (U3-vision)	08/080/02
T1015 T1015 (AE-childhood nutrition and weight management services) T1015 (FP) T1015 (HR-childhood nutrition and weight management services) T1015 (TJ-childhood nutrition and weight management services) T1015 (TJ) (TS-childhood nutrition and weight management services) T1015 (TS) T1015 (TT-childhood nutrition and weight management services) T1015 (U3) T1015 (U9)	08/080/10
T1015 (U3)	08/081/02
T1015 T1015 (AE) T1015 (FP) T1015 (HR) T1015 (TJ) T1015 (TJ) (TS) T1015 (TS) T1015 (TT) T1015 (U3) T1015 (U9)	08/081/10
T1015 (TH) T1015 (U7) T1015 (U7) (FP) T1015 (U7) (GN) T1015 (U7) (GO) T1015 (U7) (GP)	08/082/10

The Department is adding the POS 21 used to identify when services are provided in the inpatient hospital setting, for the following procedure codes, as the Department determined this setting is clinically appropriate for these services:

<i>Procedure Codes with Addition of POS 21</i>		
99234	99235	99236

The Department is adding the POS 22 for the purposes of observation, based on the revisions to the National code descriptions as a result of the 2023 HCPCS Updates, for the following procedure codes:

<i>Procedure Codes with Addition of POS 22</i>			
99221	99222	99223	99231
99232	99233	99238	99239
99252	99253	99254	99255

The Department is end-dating the POS 02 for all provider types for the following procedure codes as the Department determined that this setting is not appropriate for these services:

<i>Procedure Codes</i>				
99050	99291	99292	99341	99342
99344	99345	99347	99348	99349
99350	99360	99381	99382	99383
99384	99385	99386	99387	99391
99392	99393	99394	99395	99396
99397	99460	99461	99462	99463
99468	99469	99471	99472	99475
99476	99477	99478	99479	99480
99492	99493	99494	99501	

The Department is end-dating POS 02 for the following procedure codes with modifier combinations, as indicated as follows, as the Department determined that this setting is not appropriate for these services:

<i>Procedure Code and Modifiers</i>		
99214 (U9) (HD)	99215 (U9) (HD)	T1015 (EP-EPSTDT)

Due to the National code description revisions as a result of the 2023 HCPCS Updates, consultations while in observation may be billed using procedure codes 99252, 99253, 99254 and 99255. Therefore, the Department is end-dating the POS 22 for the PT 14 and PT 31 for the following procedure codes:

<i>Procedure Codes</i>			
99242	99243	99244	99245

The Department is end-dating POS 31 and POS 32 for all of the PT/Spec combinations for the following procedure codes:

<i>Procedure Codes</i>			
99252	99253	99254	99255

The Department is end-dating POS 33 (Custodial Care Facility) for all of the PT/Spec combinations for procedure code 99483, as providers can now bill POS 12 when the services are completed in the home.

The Department is end-dating POS 54 (Intermediate Care Facility) for all of the PT/Spec combinations for the following procedure codes:

<i>Procedure Codes</i>			
99242	99243	99244	99245

Code Description and Fee Updates

The Department is updating the procedure code descriptions, as indicated as follows, as a result of changes to the National code descriptions made as part of the 2023 HCPCS Updates. The Department is also adjusting the MA Program fees for the procedure codes identified as follows, effective June 1, 2023.

<i>Procedure Code and Modifiers</i>	<i>New Code Description Effective June 1, 2023</i>	<i>Current Fee</i>	<i>MA Fee Effective June 1, 2023</i>
99221 99221 (TH)	Initial hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward or low level medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.	\$79	\$65.05

<i>Procedure Code and Modifiers</i>	<i>New Code Description Effective June 1, 2023</i>	<i>Current Fee</i>	<i>MA Fee Effective June 1, 2023</i>
99222 99222 (TH)	Initial hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.	\$106.37	\$101.94
99223 99223 (TH)	Initial hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.	\$156.63	\$135.92
99231 99231 (TH)	Subsequent hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward or low level of medical decision making. When using total time on the date of the encounter for code selection, 25 minutes must be met or exceeded.	\$30.06	\$38.93
99232 99232 (TH)	Subsequent hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 35 minutes must be met or exceeded.	\$56.22	\$61.98
99233 99233 (TH)	Subsequent hospital inpatient or observation care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 50 minutes must be met or exceeded.	\$80.79	\$93.26
99234	Hospital inpatient or observation, for the evaluation and management of a patient including admission and discharge on the same date, which requires a medically appropriate history and/or examination and straightforward or low level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.	\$69.18	\$77.36
99235	Hospital inpatient or observation care, for the evaluation and management of a patient including admission and discharge on the same date, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 70 minutes must be met or exceeded.	\$86.29	\$124.85
99236	Hospital inpatient or observation care, for the evaluation and management of a patient including admission and discharge on the same date, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 85 minutes must be met or exceeded.	\$111.46	\$163.65
99238	Hospital inpatient or observation discharge day management; 30 minutes or less on the date of the encounter.	\$17	\$63.10
99239	Hospital inpatient or observation discharge day management; more than 30 minutes on the date of the encounter.	\$73.26	\$89.53

<i>Procedure Code and Modifiers</i>	<i>New Code Description Effective June 1, 2023</i>	<i>Current Fee</i>	<i>MA Fee Effective June 1, 2023</i>
99242	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.	\$55.15	\$43.90
99243	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.	\$76.93	\$69.46
99244	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.	\$120.56	\$105.94
99245	Office or other outpatient consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 55 minutes must be met or exceeded.	\$151.44	\$141.97
99252	Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 35 minutes must be met or exceeded.	\$30	\$56.27
99253	Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.	\$30	\$78.42
99254	Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.	\$49	\$109.02
99255	Inpatient or observation consultation for a new or established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 80 minutes must be met or exceeded.	\$49	\$146.47
99282 99282 (TH)	Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward medical decision making.	\$26.85	\$32.98
99283 99283 (TH)	Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and low level of medical decision making.	\$35	\$56.65

<i>Procedure Code and Modifiers</i>	<i>New Code Description Effective June 1, 2023</i>	<i>Current Fee</i>	<i>MA Fee Effective June 1, 2023</i>
99284 99284 (TH)	Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making.	\$50	\$95.33
99285 99285 (TH)	Emergency department visit for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making.	\$50	\$138.74
99304	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward or low level of medical decision making. When using total time on the date of the encounter for code selection, 25 minutes must be met or exceeded.	\$43.75	\$62.84
99305	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 35 minutes must be met or exceeded.	\$56.15	\$104.06
99306	Initial nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.	\$69.92	\$142.27
99307	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.	\$23.29	\$30.83
99308	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.	\$36.65	\$57.94
99309	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.	\$51.27	\$83.07
99310	Subsequent nursing facility care, per day, for the evaluation and management of a patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.	\$60.31	\$119.53
99315	Nursing facility discharge management; 30 minutes or less total time on the date of the encounter.	\$36.58	\$63.61
99316	Nursing facility discharge management; more than 30 minutes total time on the date of the encounter.	\$47.94	\$102.54

<i>Procedure Code and Modifiers</i>	<i>New Code Description Effective June 1, 2023</i>	<i>Current Fee</i>	<i>MA Fee Effective June 1, 2023</i>
99341	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.	\$21	\$38.21
99341 (TH)		\$26	
99342	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.	\$21	\$61.11
99342 (TH)		\$26	
99344	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.	\$13	\$112.58
99345	Home or residence visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 75 minutes must be met or exceeded.	\$13	\$158.12
99347 99347 (TH)	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.	\$21	\$34.99
99348 99348 (TH)	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low level of medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.	\$26	\$59.58
99349	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate level of medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.	\$31	\$99.66
99349 (TH)		\$36	
99350 99350 (TH)	Home or residence visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high level of medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.	\$36	\$145.47

<i>Procedure Code and Modifiers</i>	<i>New Code Description Effective June 1, 2023</i>	<i>Current Fee</i>	<i>MA Fee Effective June 1, 2023</i>
99483	Assessment of and care planning for a patient with cognitive impairment, requiring an independent historian, in the office or other outpatient, home or domiciliary or rest home, with all of the following required elements: Cognition-focused evaluation including a pertinent history and examination, Medical decision making of moderate or high complexity, Functional assessment (eg, basic and instrumental activities of daily living), including decision-making capacity, Use of standardized instruments for staging of dementia (eg, functional assessment staging test (FAST), clinical dementia rating (CDR)), Medication reconciliation and review for high-risk medications, Evaluation for neuropsychiatric and behavioral symptoms, including depression, including use of standardized screening instrument(s), Evaluation of safety (eg, home), including motor vehicle operation, Identification of caregiver(s), caregiver knowledge, caregiver needs, social supports, and the willingness of caregiver to take on caregiving tasks, Development, updating or revision, or review of an Advance Care Plan, Creation of a written care plan, including initial plans to address any neuropsychiatric symptoms, neuro-cognitive symptoms, functional limitations, and referral to community resources as needed (eg, rehabilitation services, adult day programs, support groups) shared with the patient and/or caregiver with initial education and support. Typically, 60 minutes of total time is spent on the date of the encounter.	\$140.87	\$151.71

Fiscal Impact

The estimated annualized cost beginning in Fiscal Year 2023-2024 is \$12.461 million in total funds.

Public Comment

Interested persons are invited to submit written comments regarding the E&M procedure code updates to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Acting Secretary

Fiscal Note: 14-NOT-1580. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2022-23 is \$0; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$5,658,000; (4) 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000; (7) MA—Fee-for-Service; (8) recommends adoption. The impact in the outyears will be included in the budget.

[Pa.B. Doc. No. 23-702. Filed for public inspection May 26, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Updates for EPSDT and COVID-19 Vaccine Counseling Only Visits

In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department of Human Services (Department) announces the addition of procedure codes G0312 and G0315 to the Medical Assistance (MA) Program Fee Schedule for Early and Periodic Screening, Diagnostic and Treatment (EPSDT) and novel coronavirus (COVID-19) vaccine counseling only visits, respectively, when provided to MA beneficiaries under 21 years of age or their parent or caregiver, or both, and no

EPSDT pediatric vaccine or SARS-CoV-2 vaccine, respectively, is administered.

Background

The Department added procedure code 99401 with the U1 modifier to the MA Program Fee Schedule on September 20, 2022, to bill for EPSDT vaccine counseling only visits provided to MA beneficiaries under 21 years of age or their parent or caregiver, or both, that receive counseling about any pediatric vaccine covered under the EPSDT benefit, but no pediatric vaccine is administered.

The Department added procedure code 99401 with the U2 modifier to the MA Program Fee Schedule on September 23, 2022, to bill for COVID-19 vaccine counseling only visits provided to MA beneficiaries under 21 years of age or their parent or caregiver, or both, when a SARS-CoV-2 vaccine is not administered.

The Centers for Medicare & Medicaid Services developed new procedures, G0312 and G0315, to bill for EPSDT and COVID-19 vaccine counseling only visits, respectively, for MA beneficiaries under 21 years of age. Although states are not required to utilize these procedure codes, the Department is adding them to the MA Program Fee Schedule.

Procedure Code Being Added

The Department is adding the following procedure codes, procedure code descriptions and MA fees to the MA Program Fee Schedule, effective with dates of service on and after June 12, 2023:

<i>Procedure Code</i>	<i>Code Description</i>	<i>Fee</i>
G0312	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service for under 21 years of age, 5—15 minutes time (This code is used for Medicaid billing purposes)	\$10
G0315	Immunization counseling by a physician or other qualified health care professional for COVID-19, under 21 years of age, 5—15 minutes time (This code is used for the Medicaid Early and Periodic Screening, Diagnostic and Treatment Benefit (EPSDT))	\$10

Procedure Codes Being End-Dated

Effective with dates of service on and after June 11, 2023, the MA Program is end-dating procedure code 99401 with the U1 modifier for the provision of vaccine counseling only visits to MA beneficiaries under 21 years of age for pediatric vaccine provided through the EPSDT benefit when no pediatric vaccines are administered.

Additionally, effective with dates of service on and after June 11, 2023, the MA Program is end-dating procedure code 99401 with the U2 modifier for the provision of COVID-19 vaccine counseling only visits for beneficiaries under 21 years of age when a SARS-CoV-2 vaccine is administered.

The MA Program Fee Schedule has been updated to reflect these changes.

Fiscal Impact

There is no fiscal impact associated with the addition of these procedure codes.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania

Hamilton Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Acting Secretary

Fiscal Note: 14-NOT-1578. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 23-703. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

1332 Waiver Reinsurance Program—Public Comment Period and Public Forum; Notice 2023-06

The Commonwealth is accepting public comments on its 1332 State Innovation Waiver Reinsurance (PA-Re) Program beginning Thursday, June 1, 2023, and ending Friday, June 30, 2023. Comments may be directed to the Insurance Department 1332 Innovation Waiver, Attn: Katie Merritt, 1326 Strawberry Square, Harrisburg, PA 17120, RA-IN-PA1332Waiver@pa.gov.

An in-person public forum will provide additional opportunities to learn about and comment on the PA-Re Program. The public forum will be held on June 28, 2023, from 1 p.m. to 2 p.m. at the Capital Associates Building, 901 North 7th Street, Forster Conference Room, Harrisburg, PA. For directions to the Capital Associates Building visit <https://www.insurance.pa.gov/Regulations/Pages/Directions-to-CAB-Building.aspx>.

The public forum will be available virtually by means of Microsoft Teams on June 28, 2023, from 1 p.m. to 2 p.m. at https://teams.microsoft.com/l/meetup-join/19%3ameeting_ODg0NTI5NTgtODgxOS00OGQzLThjMWUtYmVmY2Y5ODFkODg5%40thread.v2/0?context=%7b%22Tid%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%220id%22%3a%2280cc5f11-04bb-4f9a-a201-84346502e712%22%7d. The meeting ID is 295 298 852 355 and the passcode is 3BHwTT.

The call in number for the public forum is (267) 332-8737 and the phone conference ID is 480 005 430#.

This forum will be recorded; attendance will constitute consent to the recording.

Information is available for review at www.insurance.pa.gov/PA1332Waiver. The Commonwealth's PA-Re Program was approved in July 2020, by the Centers for Medicare & Medicaid Services, a division of the United States Department of Health and Human Services and the United States Department of the Treasury. This approval is effective for the period of January 1, 2021, through December 31, 2025, with a provision for a possible extension at the end of the initial term. This public forum assumes the PA-Re Program will continue as it has since it was first approved. This required forum is distinct from the request for comment on a possible suspension of the program, a comment period that has been available through the notice published at 53 Pa.B. 2273 (April 22, 2023).

Questions regarding this notice may be directed to the previously listed e-mail address and mailing address.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-704. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Alleged Violation of Insurance Laws; Benjamin Keith Collier; Doc. No. SC23-05-020

Notice is hereby given of the Order to Show Cause issued on May 15, 2023, by the Deputy Insurance Commissioner of the Commonwealth in the previously-referenced matter. Violations of the following are alleged: sections 611-A(1), (8) and (20), 678-A(a) and 696-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.11(1), (8) and (20), 310.78(a) and 310.96).

The respondent shall file a written answer to the Order to Show Cause within 30 days of the date of issue. If the respondent files a timely answer, a formal administrative hearing shall be held in accordance with 2 Pa.C.S. §§ 501—588 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure), 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) and other relevant procedural provisions of law.

Answers, motions preliminary to those at hearing, protests, petitions to intervene or notices of intervention, if any, must be filed in writing with the Hearings Administrator, Insurance Department, Administrative Hearings Office, 901 North 7th Street, Harrisburg, PA 17102, ra-hearings@pa.gov.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, Agency ADA Coordinator, jkorman@pa.gov, (717) 787-4429.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-705. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Birchwood Rehabilitation and Healthcare, LLC

Birchwood Rehabilitation and Healthcare, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Birchwood Rehabilitation and Healthcare Center in Nanticoke, PA. The initial filing was received on April 27, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insur-

ance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-706. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Epworth Rehabilitation and Healthcare, LLC

Epworth Rehabilitation and Healthcare, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Cedarwood Rehabilitation and Healthcare Center in Tyrone, PA. The initial filing was received on April 27, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-707. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Mountain Top Rehabilitation and Healthcare, LLC

Mountain Top Rehabilitation and Healthcare, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Mountain Top Rehabilitation and Healthcare Center in Mountain Top, PA. The initial filing was received on April 28, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the

Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-708. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Riverside Rehabilitation and Healthcare, LLC

Riverside Rehabilitation and Healthcare, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Oak Ridge Rehabilitation and Healthcare Center in Taylor, PA. The initial filing was received on April 27, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-709. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

James Michael Hoeltje; License Denial Appeal; Doc. No. AG23-05-001

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), James Michael Hoeltje has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for June 22, 2023, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before June 20, 2023. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before June

8, 2023. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before June 20, 2023.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-710. Filed for public inspection May 26, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Paul R. Riggleman; License Denial Appeal; Doc. No. AG23-05-021

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Paul R. Riggleman has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for June 29, 2023, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before June 27, 2023. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before June 15, 2023. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before June 27, 2023.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Acting Insurance Commissioner

[Pa.B. Doc. No. 23-711. Filed for public inspection May 26, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility

Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before June 12, 2023. Filings are recommended to be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by June 12, 2023. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Application of the following for approval to begin operating as common carriers for transportation of persons as described under the application.

A-2023-3040434. Gordon Transport, LLC (57 Gebhart School Road, Mohnton, Berks County, PA 19540) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, from points in the Counties of Berks and Lancaster, to points in Pennsylvania, and return.

Application of the following for approval to begin operating as contract carriers for transportation of persons as described under the application.

A-2023-3040731. Oriental Care, LLC (4307 Derry Street—Rear, Harrisburg, Dauphin County, PA 17111) to transport persons, in contract carrier service, for Coordinated Transportation Solutions, Inc., from points in the Counties of Adams, Berks, Cumberland, Dauphin, Franklin, Juniata, Lancaster, Lebanon, Perry and York, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-712. Filed for public inspection May 26, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due June 12, 2023, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Big Man 1 Transport, LLC; Doc. No. C-2023-3020978

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Big Man 1 Transport, LLC Respondent, maintains a principal place of business at 281 Governors Park Rd., Bellefonte, PA, and a mailing address at 1319 N. May Avenue 204, Oklahoma City, OK 73134.

2. On, October 5, 2022, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8925674. Respondent was further advised "Certificate holder is advised to become familiar with the requirements of 52 Pa. Code. Failure to comply with all applicable requirements may subject the carrier to penalties, including fines suspension of operating rights or cancellation of authority. Title 52 of the *Pennsylvania Code* may be accessed on the World Wide Web at www.pacode.com."

3. PUC Enforcement Supervisor Ernest Snyder attempted several times to contact Respondent. On March 13, 2023, a certified and a first-class letter was sent to the carrier with a request contact.

4. On January 9, 2023, Officer Stover texted a message to the carrier requesting the carrier send an email so that he may email the information on the requirements required to earn a successful Safety Fitness Review. As of March 17, 2023, no attempt to contact Officer Stover has been made by the carrier by phone, text, or email.

5. On March 13, 2023, the Pittsburgh Regional Office sent a letter regular mail and certified to the Respondent to an Oklahoma address listed for the company and on April 5, 2023, another first class and certified letter was sent to the Respondent to the Pennsylvania address for the Respondent, which was returned to the Pittsburgh Regional office as unclaimed.

6. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. Code § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. Code § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8925554.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued Big Man 1 Transport LLC, at PUC utility code no. 8925674.

Respectfully submitted,
 Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 19 April 2023

Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or, you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Rezk Trucking, LLC; Doc. No. C-2023-3036762

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Rezk Trucking, LLC, Respondent, maintains a principal place of business at 4012 Crawford Avenue, Northern Cambria, PA 15714.

2. On, October 5, 2022, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation of property for compensation at PUC utility code no. 8925554. Respondent was further advised "Certificate holder is advised to become familiar with the requirements of 52 Pa. Code. Failure to comply with all applicable requirements may subject the carrier to penalties, including fines suspension of operating rights or cancellation of authority. Title 52 of the *Pennsylvania Code* may be accessed on the World Wide Web at www.pacode.com."

3. On December 1, 2022, PUC Enforcement Officer Gerald Stover called the phone number for the company and left a voicemail for the carrier to contact the officer regarding the Safety Fitness Review. Officer Stover attempted several times to contact Respondent by phone. On December 28, 2022, a certified and a first-class letter was sent to the carrier with a request contact.

4. On January 9, 2023 Officer Stover texted a message to the carrier requesting the carrier send an email so that he may email the information on the requirements required to earn a successful Safety Fitness Review. As of March 17, 2023, no attempt to contact Officer Stover has been made by the carrier by phone, text or email.

5. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. Code § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. Code § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8925554.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued Rezk Trucking, LLC, at PUC utility code no. 8925554.

Respectfully submitted,
 Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in

this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11 April 2023

Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. JNF Express, Inc.; Doc. No. C-2023-3037781

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and

Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That JNF Express, Inc., Respondent, maintains a principal place of business at 831 Woodlawn Street, Scranton, PA 18509.

2. On, November 3, 2021, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8924599. Respondent was further advised "Certificate holder is advised to become familiar with the requirements of 52 Pa. Code. Failure to comply with all applicable requirements may subject the carrier to penalties, including fines suspension of operating rights or cancellation of authority. Title 52 of the *Pennsylvania Code* may be accessed on the World Wide Web at www.pacode.com."

3. PUC Enforcement Officer Barry Pacovsky attempted several times to contact Respondent. On March 1, 2023, a first-class letter was sent to the carrier with a request contact and on March 6, 2023, a certified letter was sent. The certified letter was unclaimed and returned to the Scranton Regional Office on April 5, 2023.

4. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. Code § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. Code § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8924599.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued JNF Express Inc, at PUC utility code no. 8924599.

Respectfully submitted,
Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 11 April 2023

Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal

arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. McMurdy Trucking & Excavating, LLC; Doc. No. C-2023-3032071

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That McMurdy Trucking & Excavating, LLC, Respondent, maintains a principal place of business at 256 Byers Road West, Sunbury, PA 16061.

2. On, April 22, 2022, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 00119077. Respondent was further advised "Certificate holder is advised to become familiar with the requirements of 52 Pa. Code. Failure to comply

with all applicable requirements may subject the carrier to penalties, including fines, suspension of operating rights or cancellation of authority. Title 52 of the *Pennsylvania Code* may be accessed on the World Wide Web at www.pacode.com."

3. On April 27, 2022, PUC Enforcement Officer Gerald Stover contacted the Respondent via email at KmcMurdy@hotmail.com at which time the carrier chose to email the required documents when available, to pass the review. Several attempts were made by phone and email and as of March 17, 2023, no documents were provided and no contact by phone or email has been successful.

4. On March 29, 2023, a first class and a certified letter was mailed to the Respondent, which was delivered April 5, 2023. No response has been received.

5. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa. Code § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. Code § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 00119077.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued McMurdy Trucking & Excavating, LLC, at PUC utility code no. 00119077.

Respectfully submitted,
 Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 400 North Street
 Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove the same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 25 April 2023

Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located

under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-713. Filed for public inspection May 26, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Wastewater Service

A-2023-3040661. Towamencin Township. In the matter of the application of Towamencin Township, under 66 Pa.C.S. § 1102(a) (relating to enumeration of acts requiring certificate) for a certificate of public convenience to offer, furnish, render and supply wastewater service to the public in certain portions of Franconia Township, Lansdale Borough, Lower Salford Township and Worcester Township, Montgomery County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before June 12, 2023. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the applicant's business address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: Towamencin Township, 1090 Troxel Road, Lansdale, PA 19446

Through and By Counsel for: James Rodgers, Esquire, Dilworth Paxson, LLP, 1500 Market Street, Suite 3500E, Philadelphia, PA 19102, (215) 575-7143, fax (215) 754-4603, jroddgers@dilworthlaw.com; Elizabeth Preate Havey, Esquire, Dilworth Paxson, LLP, 1500 Market Street, Suite 3500E, Philadelphia, PA 19102, (215) 575-7123, fax (215) 754-4603, epreatehavey@dilworthlaw.com; Marc Feller, Esquire, Dilworth Paxson, LLP, 1500 Market Street, Suite 3500E, Philadelphia, PA 19102, (215) 575-7242, fax (215) 754-4603, mfeller@dilworthlaw.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-714. Filed for public inspection May 26, 2023, 9:00 a.m.]

PROFESSIONAL STANDARDS AND PRACTICES COMMISSION

Application of Rachel S. Erickson for Reinstatement of Teaching Certificates; Doc. No. RE-23-006

Notice of Opportunity to Intervene or Protest, or Both

Under the Educator Discipline Act (act) (24 P.S. §§ 2070.1a—2070.18c), the Professional Standards and Practices Commission (Commission) will consider the application of Rachel S. Erickson for reinstatement of her teaching certificates.

Rachel S. Erickson filed an application for reinstatement of her teaching certificates under section 16 of the act (24 P.S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.123 (relating to reinstatements). Rachel S. Erickson waived her right to a hearing.

In accordance with the act, 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 22 Pa. Code § 233.123(d), the Commission will directly consider the application at a public meeting of the Commission. An interested party wishing to participate in this proceeding must file a notice of intervention or a petition to intervene in accordance with 1 Pa. Code §§ 35.27—35.32 (relating to intervention) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. A person objecting to the approval of the application may also, within 30 days after publication of this notice in the *Pennsylvania Bulletin*, file a protest in accordance with 1 Pa. Code § 35.23 (relating to protest generally).

Notices and petitions to intervene and protests shall be filed with Shane Crosby, Executive Director of the Professional Standards and Practices Commission, 333 Market Street, 14th Floor, Harrisburg, PA 17126-0333 on or before 4 p.m. on the due date prescribed by this notice.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate, contact April Rivera at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

SHANE F. CROSBY,
Executive Director

[Pa.B. Doc. No. 23-715. Filed for public inspection May 26, 2023, 9:00 a.m.]

PROFESSIONAL STANDARDS AND PRACTICES COMMISSION

Application of Matthew J. Filippelli for Reinstatement of Teaching Certificates; Doc. No. RE-23-005

Notice of Opportunity to Intervene or Protest, or Both

Under the Educator Discipline Act (act) (24 P.S. §§ 2070.1a—2070.18c), the Professional Standards and Practices Commission (Commission) will consider the application of Matthew J. Filippelli for reinstatement of his teaching certificates.

Matthew J. Filippelli filed an application for reinstatement of his teaching certificates under section 16 of the act (24 P.S. § 2070.16), 1 Pa. Code §§ 35.1 and 35.2 (relating to applications) and 22 Pa. Code § 233.123 (relating to reinstatements). Matthew J. Filippelli waived his right to a hearing.

In accordance with the act, 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 22 Pa. Code § 233.123(d), the Commission will directly consider the application at a public meeting of the Commission. An interested party wishing to participate in this proceeding must file a notice of intervention or a petition to intervene in accordance with 1 Pa. Code §§ 35.27—35.32 (relating to intervention) within 30 days after publication of this notice in the *Pennsylvania Bulletin*. A person objecting to the approval of the application may also, within 30 days after publication of this notice in the *Pennsylvania Bulletin*, file a protest in accordance with 1 Pa. Code § 35.23 (relating to protest generally).

Notices and petitions to intervene and protests shall be filed with Shane Crosby, Executive Director of the Professional Standards and Practices Commission, 333 Market Street, 14th Floor, Harrisburg, PA 17126-0333 on or before 4 p.m. on the due date prescribed by this notice.

Persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to participate, contact Kyle Shemory at (717) 787-6576 to discuss how the Commission may best accommodate their needs.

SHANE F. CROSBY,
Executive Director

[Pa.B. Doc. No. 23-716. Filed for public inspection May 26, 2023, 9:00 a.m.]

PUBLIC SCHOOL EMPLOYEES' RETIREMENT BOARD

Hearings Scheduled

Hearings have been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees' Retirement Code), in connection with the Public School Employees' Retirement System's (System) denial of claimants' requests concerning the indicated accounts.

The hearings will be held before a hearing examiner at the Public School Employees' Retirement System, 5 North Fifth Street, Harrisburg, PA 17101:

July 26, 2023	Account of Jason J. Wilson (Disability)	10 a.m.
August 30, 2023	Account of Betsy R. Korb (Purchase of Out-of-State Service)	10 a.m.

Persons with a disability who wish to attend a previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 23-717. Filed for public inspection May 26, 2023, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Access to Nutrient Management Plans, under Review and Acted upon by the State Conservation Commission, for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Nutrient Management Program

This notice is provided to direct the public to the State Conservation Commission's (Commission) webpage at https://www.agriculture.pa.gov/Plants_Land_Water/State_ConservationCommission/NutrientManagementProgram/Pages/PA-Nutrient-Management-Program-Public-Notices.aspx or alternatively to the Commission's office to obtain information relating to Nutrient Management Plans (NMP) submitted for Commission review and action under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

The Commission's Nutrient Management Program public notice webpage previously listed provides the public with the name, address, county, acres, animal equivalent units, operation type, animal type and submission type for the various NMP under review and acted upon by the Commission. This listing of plans under review and acted upon can also be accessed by contacting the Commission's office in Harrisburg at (717) 787-8821. The Commission will not take an action on a submitted NMP until it has been noticed on this list for a minimum of 30 days.

Commission actions on submitted NMPs will be published on the Commission's previously listed web site.

Persons wishing to view or obtain a copy of submitted NMPs are directed to submit a Right-To-Know request to the Department of Agriculture to arrange access to the plans currently under review.

Persons wishing to comment on an NMP under review by the Commission are invited to submit a written statement outlining their comments on the plan to the Commission's Nutrient Management Program within 30 days from the plan notice date provided on the Commission's listing of plans under review on the Nutrient Management Program Public Noticing webpage. Persons with a question relating to the submission of comments on a plan under review may contact the Commission office by phone to discuss the process for the submission of comments. Comments should include the name, address and telephone number of the writer and a concise statement to inform the Commission of the exact basis of the comments and the relevant facts upon which they are based. Comments may be submitted in writing to the

State Conservation Commission, Department of Agriculture, Attn: Nutrient and Odor Management Programs, 2301 North Cameron Street, Room 311, Harrisburg, PA 17110.

Persons with a disability who wish to provide comments and require an auxiliary aid, service or other accommodation to participate in the proceedings should contact the specified program. TDD users should contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

RICHARD NEGRIN,
Acting Chairperson

[Pa.B. Doc. No. 23-718. Filed for public inspection May 26, 2023, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Curvin Zimmerman—Layer Farm 1361 Division Highway Ephrata, PA 17522	Lancaster County/ Earl Township	125.2	Layers	New	Approved
Bleacher Farms, LLC—Home Farm 2790 Safe Harbor Road Millersville, PA 17551	Lancaster County/ Manor Township	241.12	Layers	New	Approved
Randall Fischer 241 Blue Mountain Road Fredericksburg, PA 17026	Lebanon County/ Bethel Township	152	Layers	Existing	Rescind
Delbert Burkholder—Delbert's Ag Operation Site: 156 Kunkel Road Kempton, PA 19529	Berks County/ Albany Township	80.87	Ducks	New	Approved
S. & A. Kreider & Sons, Inc.— Stoner Farm 128 Black Bear Road Quarryville, PA 17566	Lancaster County/ East Drumore Township	500	Cattle	Amended	Approved
Linford Zimmerman—Poultry Farm 2230 Pine Road Newville, PA 17241	Cumberland County/ Penn Township	226.6	Broilers	New	Approved
Mark Bender—Home Farm 1735 Church Road Mifflinburg, PA 17844	Union County/ West Buffalo Township	160.48	Broilers	New	Approved

<i>Ag Operation Name, Address</i>	<i>County/Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Rushtown Poultry, LLC—Danville 970 Rushtown Road Danville, PA 17821	Northumberland County/ Rush Township	1,118.76	Layers	Amended	Approved
Llewellyn J. Moyer 650 Christmas Village Road Bernville, PA 19506	Berks County/ Jefferson Township	20.2	Ducks	Existing	Rescind
Brendon Burkholder—Crawford Road Farm 370 Crawford Road Watsontown, PA 17777	Northumberland County/ Delaware Township	154	Broilers	New	Approved
Wesley Burkholder—Turkey Barns Wesley Burkholder 4715 Fort McCord Road Chambersburg, PA 17201	Franklin County/ Hamilton Township	406.32	Turkey	New	Approved
Leonard Martin—Layer Farm 751 Bloody Spring Road Bethel, PA 19507	Berks County/ Upper Tulpehocken Township	250.4	Layer	New	Approved
Star Rock Dairy, Inc.—Main Dairy 175 Chestnut Grove Road Conestoga, PA 17516	Lancaster County/ Manor Township	1,368.3	Cattle	Amended	Approved
Star Rock Dairy, Inc.—Calf Farm 54 Witmer Road Conestoga, PA 17516	Lancaster County/ Manor Township	54.12	Cattle	Amended	Approved
Kish-View Farm—Home Farm 4733 East Main Street Belleville, PA 17004	Mifflin County/ Union Township	384.46	Cattle	Amended	Approved

RICHARD NEGRIN,
Acting Chairperson

[Pa.B. Doc. No. 23-719. Filed for public inspection May 26, 2023, 9:00 a.m.]

STATE TAX EQUALIZATION BOARD

2020 Common Level Ratio; Corrective Notice

*Revised on May 17, 2023 (Court Order: Allegheny recalculation)

The State Tax Equalization Board (Board) has established a Common Level Ratio (CLR) for each county in this Commonwealth for the calendar year 2020. The Board is governed by sections 1500—1521 of the Community and Economic Development Enhancement Act (act) (71 P.S. §§ 1709.1500—1709.1521).

The act requires the Board to use statistically acceptable techniques, to make the methodology for computing ratios public and to certify, prior to July 1, the ratio to the Chief Assessor of each county annually.

The statistically acceptable technique which the Board used for the 2020 CLR is to determine the arithmetic median of the individual sales ratios for every valid sale received from the county for the calendar year 2020.

The methodology used is to include every valid sale as verified by the county assessor. The Board has defined high and low limits by computing outliers based on an interquartile range (IQR-factor of 3) to establish an upper and lower boundary. This outlier trimming is based on standards recommended by the International Association of Assessing Officers. After the boundary limits are defined, the Board has utilized the remaining valid sales, rejecting those sales which exceed the limits. The result-

ing arithmetic median ratio is the ratio which the Board is certifying as the CLR for each county for 2020.

The CLRs for 2020 are listed as follows.

2020 Common Level Ratios—Certified

Ratios to be used from July 1, 2021, to June 30, 2022

<i>County</i>	<i>CLR</i>
*Adams	96.3
*Allegheny	81.1 now 63.5
Armstrong	39.3
Beaver	16.5
*Bedford	76.4
*Berks	52.0
*Blair	93.2
Bradford	26.3
*Bucks	8.3
*Butler	7.9
*Cambria	17.6
Cameron	29.6
Carbon	30.0
Centre	23.3
*Chester	45.0
*Clarion	33.6

<i>County</i>	<i>CLR</i>
Clearfield	11.5
*Clinton	73.5
Columbia	19.3
Crawford	24.2
*Cumberland	88.0
*Dauphin	59.2
^*Delaware	49.4
Elk	27.2
*Erie	81.4
*Fayette	55.8
*Forest	14.8
*Franklin	10.6
*Fulton	30.4
*Greene	48.9
Huntingdon	17.5
*Indiana	98.4
*Jefferson	31.9
*Juniata	11.0
*Lackawanna (missing Sep to Dec sales)	9.2
*Lancaster	78.1
*Lawrence	69.2
*Lebanon	82.1
*Lehigh	72.7
*Luzerne	88.9
*Lycoming	61.0
*McKean	80.9
Mercer	15.4
Mifflin	30.5
*Monroe	76.6
*Montgomery	44.7
*Montour	61.1
Northampton	25.0
*Northumberland	14.0
*Perry	82.8
*Philadelphia	93.2
Pike	14.9
*Potter	23.7
Schuylkill	32.1
*Snyder	13.3
Somerset	27.2
*Sullivan	58.4
Susquehanna	25.3
*Tioga	58.3
*Union	62.6
*Venango	73.0
Warren	20.7
*Washington	86.8
*Wayne	72.0

<i>County</i>	<i>CLR</i>
*Westmoreland	12.3
Wyoming	15.7
*York	75.5

*Counties with a predetermined assessment ratio of 100% Countywide Reassessment for 2021

^*Delaware County—use 100

CLRs are to be used in the Appeal Process only and not used to set market value.

CLR factors can be found on the Department of Revenue’s web site at <https://www.revenue.pa.gov/TaxTypes/RTT/Pages/Common%20Level%20Ratios.aspx>.

PETER BARSZ,
Chairperson

[Pa.B. Doc. No. 23-720. Filed for public inspection May 26, 2023, 9:00 a.m.]

STATE TAX EQUALIZATION BOARD

2022 Common Level Ratio

The State Tax Equalization Board (Board) has established a Common Level Ratio (CLR) for each county in this Commonwealth for the calendar year 2022. The Board is governed by sections 1500—1521 of the Community and Economic Development Enhancement Act (act) (71 P.S. §§ 1709.1500—1709.1521).

The act requires the Board to use statistically acceptable techniques, to make the methodology for computing ratios public and to certify, prior to July 1, the ratio to the Chief Assessor of each county annually.

The statistically acceptable technique which the Board used for the 2022 CLR is to determine the arithmetic median of the individual sales ratios for every valid sale received from the county for the calendar year 2022.

The methodology used is to include every valid sale as verified by the county assessor. The Board has defined high and low limits by computing outliers based on an interquartile range (IQR-factor of 3) to establish an upper and lower boundary. This outlier trimming is based on standards recommended by the International Association of Assessing Officers. After the boundary limits are defined, the Board has utilized the remaining valid sales, rejecting those sales which exceed the limits. The resulting arithmetic median ratio is the ratio which the Board is certifying as the CLR for each county for 2022.

The CLRs for 2022 are listed as follows.

2022 Common Level Ratios—Certified

Ratios to be used from July 1, 2023, to June 30, 2024

<i>County</i>	<i>CLR</i>
*Adams	83.9
*Allegheny	54.5
Armstrong	45.4
Beaver	14.7
*Bedford	63.2
*Berks	39.8
*Blair	90.9

<i>County</i>	<i>CLR</i>
Bradford	20.9
*Bucks	6.7
*Butler	6.5
*Cambria	14.3
Cameron	20.2
Carbon	20.8
Centre	18.5
*Chester	36.0
*Clarion	25.7
Clearfield	13.3
*Clinton	58.6
Columbia	16.0
Crawford	19.1
*Cumberland	80.9
*Dauphin	46.6
*Delaware	65.8
Elk	22.0
*Erie	63.1
*Fayette	49.0
*Forest	16.0
*Franklin	8.6
*Fulton	23.0
*Greene	38.8
Huntingdon	13.9
*Indiana	90.4
*Jefferson	25.5
*Juniata	10.1
*Lackawanna	6.8
*Lancaster	60.4
*Lawrence	53.7
*Lebanon	62.8
*Lehigh	56.8
*Luzerne	69.4
*Lycoming	51.3
*McKean	57.6
Mercer	13.0
Mifflin	25.6
*Monroe	56.2
*Montgomery	35.5
*Montour	50.4
Northampton	19.4
*Northumberland	10.9
*Perry	66.2
^*Philadelphia	93.5
Pike	10.4
*Potter	18.0
Schuylkill	22.9
*Snyder	10.5

<i>County</i>	<i>CLR</i>
Somerset	21.1
*Sullivan	50.9
Susquehanna	19.6
*Tioga	47.2
*Union	52.2
*Venango	57.5
Warren	17.0
*Washington	75.3
^*Wayne	50.5
*Westmoreland	10.0
Wyoming	13.4
*York	56.9

*Counties with a predetermined assessment ratio of 100%

^*Philadelphia and Wayne—January 2023 Reassessment—use 100%

CLRs are to be used in the Appeal Process only and not used to set market value.

CLR factors can be found on the Department of Revenue's web site at <https://www.revenue.pa.gov/TaxTypes/RTT/Pages/Common%20Level%20Ratios.aspx>.

PETER BARSZ,
Chairperson

[Pa.B. Doc. No. 23-721. Filed for public inspection May 26, 2023, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Grandfathering Registration Notice

The Susquehanna River Basin Commission lists the following Grandfathering (GF) Registration for projects under 18 CFR Part 806, Subpart E (relating to registration of grandfathered projects) from April 1, 2023, through April 30, 2023.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists GF Registration for projects, described as follows, under 18 CFR Part 806, Subpart E, for the time period previously specified:

1. Mountaintop Regional Water Authority—Public Water Supply System, GF Certificate No. GF-202304249, Burnside Township, Centre County, PA; Big Sterling Spring; Issue Date: April 7, 2023.

2. Triple G Farms, Inc.—Foxchase Golf Club, GF Certificate No. GF-202304250, East Cocalico Township, Lancaster County, PA; Cocalico Creek and consumptive use; Issue Date: April 7, 2023.

3. Willow Valley Associates, Inc., GF Certificate No. GF-202304251, West Lampeter Township, Lancaster

County, PA; Irrigation Pond and Unnamed Tributary to Mill Creek; Issue Date: April 7, 2023.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: May 11, 2023

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 23-722. Filed for public inspection May 26, 2023, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from April 1, 2023, through April 30, 2023.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.net. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(e) and (f) (relating to standards for consumptive uses of water) for the time period previously specified.

Water Source Approval—Issued Under 18 CFR 806.22(e):

1. BEST BEV, LLC; Pad ID: Waverly Canning Facility; ABR-202304001; Barton Town, Tioga County, NY; Consumptive Use of Up to 0.1000 mgd; Approval Date: April 7, 2023.

2. Bottling Group, LLC; Pad ID: Pepsi Beverages Company; ABR-202304002; Lower Paxton Township, Dauphin County, PA; Consumptive Use of Up to 0.4660 mgd; Approval Date: April 14, 2023.

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. Chesapeake Appalachia, LLC; Pad ID: Hanlon; ABR-201303003.R2; McNett Township, Lycoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 12, 2023.

2. Chesapeake Appalachia, LLC; Pad ID: J. Brown Drilling Pad; ABR-201303001.R2; Troy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 12, 2023.

3. Chesapeake Appalachia, LLC; Pad ID: Jes; ABR-201303008.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 12, 2023.

4. Chesapeake Appalachia, LLC; Pad ID: Lasher; ABR-201303010.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 12, 2023.

5. Coterra Energy, Inc.; Pad ID: MackeyR P1; ABR-201203015.R2; Lathrop Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 12, 2023.

6. Coterra Energy, Inc.; Pad ID: MolnarM P1; ABR-201303007.R2; Brooklyn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 12, 2023.

7. Repsol Oil & Gas USA, LLC; Pad ID: MONRO (03 142) G; ABR-201803001.R1; Columbia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: April 12, 2023.

8. Chesapeake Appalachia, LLC; Pad ID: Waldeisen-Ladd Drilling Pad; ABR-20100699.R2.1; Fox Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 12, 2023.

9. Chesapeake Appalachia, LLC; Pad ID: W & L Drilling Pad # 1; ABR-201103014.R2.1; Lemon Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 12, 2023.

10. Chesapeake Appalachia, LLC; Pad ID: SGL-12 A Drilling Pad; ABR-201407007.R1.1; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 12, 2023.

11. Chesapeake Appalachia, LLC; Pad ID: PELTON UNIT PAD; ABR-202205001.1; Franklin Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 17, 2023.

12. BKV Operating, LLC; Pad ID: Mazzara; ABR-201103035.R2; Washington Township, Wyoming County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 24, 2023.

13. Chesapeake Appalachia, LLC; Pad ID: Lucy; ABR-201304015.R2; Monroe Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 24, 2023.

14. Chesapeake Appalachia, LLC; Pad ID: Sharpe; ABR-201304004.R2; Windham Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 24, 2023.

15. Seneca Resources Company, LLC; Pad ID: COP Pad S; ABR-201103029.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 24, 2023.

16. Seneca Resources Company, LLC; Pad ID: M L Mitchell Trust 554; ABR-201103017.R2; Middlebury Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 24, 2023.

17. Seneca Resources Company, LLC; Pad ID: PHC Pad Z; ABR-201103024.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 24, 2023.

18. Chesapeake Appalachia, LLC; Pad ID: Lathrop Farm Trust Drilling Pad; ABR-201302004.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 28, 2023.

19. Chesapeake Appalachia, LLC; Pad ID: McEnaney; ABR-201304001.R2; Terry Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 28, 2023.

20. Chesapeake Appalachia, LLC; Pad ID: Poepperling; ABR-201304017.R2; North Branch Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 28, 2023.

21. Chesapeake Appalachia, LLC; Pad ID: SGL 12 C DRILLING PAD; ABR-201703004.R1; Leroy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 28, 2023.

22. Chesapeake Appalachia, LLC; Pad ID: SGL 36 DRILLING PAD; ABR-201803007.R1; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: April 28, 2023.

23. Coterra Energy, Inc.; Pad ID: CarpenettiR P1; ABR-201303014.R2; Lathrop Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 28, 2023.

24. Coterra Energy, Inc.; Pad ID: CastrogiovanniA P3; ABR-201303011.R2; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 28, 2023.

25. Coterra Energy, Inc.; Pad ID: PritchardD P1; ABR-201304005.R2; Harford Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 28, 2023.

26. Coterra Energy, Inc.; Pad ID: TsourousA P1; ABR-201703007.R1; Jessup Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 28, 2023.

27. Range Resources—Appalachia, LLC; Pad ID: Roaring Run Unit; ABR-201203029.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: April 28, 2023.

28. Seneca Resources Company, LLC; Pad ID: COP Pad N; ABR-201103001.R2; Lawrence Township, Clearfield County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 28, 2023.

29. Seneca Resources Company, LLC; Pad ID: DCNR 100 Pad D; ABR-201102002.R2; McIntyre Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 28, 2023.

30. Seneca Resources Company, LLC; Pad ID: Kuhl 529; ABR-201102014.R2; Richmond Township, Tioga

County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 28, 2023.

31. Seneca Resources Company, LLC; Pad ID: Salevsky 335; ABR-201103046.R2; Charleston Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 28, 2023.

32. SWN Production Company, LLC; Pad ID: DRANN PAD; ABR-201303006.R2; New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: April 28, 2023.

33. SWN Production Company, LLC; Pad ID: Marichini-Zingieser (Pad 9); ABR-201303012.R2; Herrick Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: April 28, 2023.

34. SWN Production Company, LLC; Pad ID: McMahon (VW Pad); ABR-201304003.R2; Stevens Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: April 28, 2023.

35. SWN Production Company, LLC; Pad ID: TI-17 Hoffman; ABR-201803003.R1; Liberty Township, Tioga County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: April 28, 2023.

36. Seneca Resources Company, LLC; Pad ID: Swan 1122; ABR-201104031.R2; Farmington Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: April 29, 2023.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: May 11, 2023

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 23-723. Filed for public inspection May 26, 2023, 9:00 a.m.]