

NOTICES

DEPARTMENT OF AGRICULTURE

Pennsylvania Wine Marketing and Research Board; Grant Solicitation and Application Procedures for Agricultural Commodities Marketing Act Funding

1. *Introduction.* The Pennsylvania Wine Marketing and Research Program Board (Board) annually, or more frequently as the availability of fund permits, solicits applications for grants to conduct promotion, marketing and research projects to increase the quality, profitability, production and sale of wines, enhance the wine industry and benefit wine producers of this Commonwealth. The Board was established by the Department of Agriculture (Department) under 3 Pa.C.S. §§ 4501—4513 (relating to Agricultural Commodities Marketing Act) (ACMA). Its composition, funding and duties were subsequently expanded by section 488.1 of the Liquor Code (47 P.S. § 4-488.1). The Board makes recommendations for the awarding of grants by the Liquor Control Board from funds provided through the Liquor Code (47 P.S. §§ 1-101—10-1001) for Liquor Control Board Act 39 of 2016 funding. This notice establishes the procedures by which grant applications will be solicited, reviewed and grants awarded. The purpose of this solicitation is to procure proposals to complete an economic impact study regarding the wine industry within this Commonwealth for 2023.

2. *Solicitation.* The Board will be accepting grant applications for the purposes, in the form and grant according to the schedule set forth herein for not less than 30 days beginning on the date of publication of this notice in the *Pennsylvania Bulletin*. Additional publication and dissemination of this notice shall be made and may include direct dissemination to qualified entities that perform this type of work. The maximum award available is \$40,000.

3. *Process overview.* The Board will employ the review process described as follows.

a. The Department will receive proposals and disseminate them to the Board for review. The Board will meet on Tuesday, August 29, 2023, at 10 a.m. and score the proposals to determine to whom they will award the funds. Within 3 days of this decision the Department will communicate the results to all who submitted proposals.

4. *Application deadline.* Applicants should submit a Project Proposal and Grant Application, in the form set forth in paragraph 5 of this notice, to the Board by 4 p.m. on Friday, August 18, 2023. Proposals should be sent electronically as a PDF file, to RA-AGCommodities@pa.gov. The file should not exceed 5MB.

5. *Format of the project proposal and grant application.* Failure to follow this format could result in rejection of the proposal. Applicants may submit up to three one-page letters of support which do not count toward the page limit. The project proposal and grant application cannot exceed ten pages total for project and budget narratives, plus one additional page for the budget table and shall be formatted as follows:

a. A cover page, titled Pennsylvania Wine Marketing and Research Program—Project Proposal and Grant Application, providing: the title of the proposed project; the full legal name and street address of the applicant; the

name, address, telephone number and e-mail address of the applicant's principal contact person for matters relating to the application; the name, title, address, telephone number and e-mail address of the individual authorized to contractually bind the applicant to the grant agreement; and the total maximum grant amount sought for the proposed project or program.

b. Addendum, titled Demonstrated Qualifications, should be attached as a maximum three-page addendum which does not count toward the page limit of the proposal.

i. Describe how previous industry market research has been employed by the industries in this Commonwealth or other states;

ii. List any reports or projects presented at meetings in this Commonwealth, other states or countries.

c. Section 1, titled Project Narrative, explaining or identifying methods for measuring and reporting data; details of the proposed project, including a timeline, statement of expected impact of data, staffing for the project, and objectives and methodologies; and whether, how and to what anticipated extent, the proposed report can be leveraged to impact quality, profitability, production and sale of wines, enhance the wine industry and benefit wine producers of this Commonwealth.

d. Section 2, titled Data Points of Economic Impact Report. At minimum, the report must cover all data points from the 2018 economic impact report and should explore any new recommended areas by the applicant. Applicants can download the 2018 report at https://pennsylvaniawine.com/wp-content/uploads/2020/02/PWA_EconomicImpact-FNL.pdf. The report must capture how this Commonwealth ranks in the industry Nationally.

e. Section 3, titled Evaluation and Reporting, in this section individuals should describe in detail the approach to methodology and include a narrative describing data collection to inform the outcome measures. This section must be clear and unambiguous as it will inform expectations of progress reports and the final report.

f. Section 4, titled Budget, presenting a detailed budget for the proposed project or program, including any other matching funds and the value of any noncash resources that will be included in the project.

For all applications, each and every item of direct expense to be incurred in the project shall be separately set forth, including all purchases of consumable or non-consumable goods or equipment, listing the disposition of all nonconsumable goods or equipment upon completion of the project; all travel by dates, purpose, destination, mode of transportation and rate; a full breakdown of other costs, if any, and the method used to calculate those costs. See also paragraph 12.

i. *Personnel*—Includes employed personnel. Those employed elsewhere should be listed as subcontractors or consultants in the contractual cost category. Provide details of all personnel by name devoted to the project, their professional qualifications, the amount of time calculated by hours and the tasks to be performed by each of the named personnel.

ii. *Fringe benefits*—Provide the rate of fringe benefits for each project participant's salary. Identify the total for all funded fringe benefits.

iii. *Travel*—Calculate the costs for travel by considering destinations, number of trips, days traveling, transportation costs, estimated lodging and meal costs and estimated mileage rate.

iv. *Supplies*—This could be anything from office supplies and software to education or field supplies.

v. *Contractual*—If contractual work will be involved with carrying out the work of the project, identify the total contractual expenses. When determining the total cost for this category, include the fees for the professional services, travel costs, lodging expenses, indirect costs as provided in paragraph 12 and any other related contractual expenses.

vi. *Other*—This category includes fees for conferences or meetings, facility and equipment rental costs, lodging and meal expenses, communication costs, speaker fees, publication costs and data collection.

g. Section 5, titled Budget Narrative, providing details of how individuals arrived at the estimated expenses in the budget and describing how each expense will lead to the success of the project.

h. Section 6, titled Industry Participation, addressing the extent of support, participation and data that will be derived directly from the Commonwealth's wine industry, including wineries, associations, organizations or agencies, or both, with an interest in the project outcome. Letters or written confirmation of that support, or participation should be included in this section.

6. *Scoring of applications.* The Board will evaluate each complete and timely-filed project proposal and grant application it receives, which shall include a 100-point scale assessing:

a. Up to 20 points for research methodology including data retrieval.

b. Up to 40 points for previous experience or demonstrated expertise.

c. Up to 20 points for overall project evaluation.

d. Up to 20 points for plan to garner support and participation from the industry.

7. *Evaluation and awards.* The Board reserves the right to request modifications or clarifications, or both, of project proposals and grant applications, including but not limited to additional detail of purpose, reduced or modified budgets, and the like. Upon completion of evaluations, the Board will prepare a record identifying each complete and timely-filed project proposal and grant application received and the numerical score assigned to each.

8. *Term of grants.* Grant agreements will become effective on the date of the last required signature affixed to the contract. The contract shall have a term of no longer than 12 months, except in cases where a nocost extension is requested and agreed to in accordance with paragraph 11.

9. *Progress report.* Progress reports are to include the deliverables from paragraph 5.d. A progress report must be delivered by e-mail to RA-AGCommodities@pa.gov no later than six months from the execution of the contract. The Board may request subsequent progress reports prior to the conclusion of the project. Final reports should be submitted within 60 days of contract end date. Failure to meet these deadlines constitutes a breach of the grant agreement, will result in non-payment of invoices and could jeopardize future grant awards.

10. *Grant agreement.* After the Secretary of Agriculture (Secretary) approves a grant application and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant will execute a written or electronic grant agreement which establishes the terms and conditions subject to which the grant is made. The grant agreement will not be effective, and work should not begin, until all required signatures have been applied to the grant agreement. The grant agreement will contain and conform to the requirements of this notice and will also contain special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to all records relating to the performance of the project and submit such information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the e-mail address set forth in Section 13. Applicants who are unable to agree to the terms and conditions should not submit an application.

11. *No-cost extensions and budget adjustments.* Requests for contract modifications must be received no later than 60 days prior to the end of the agreement.

12. *Cost-reimbursement grant and indirect costs cap.* Grants made hereunder do not require the applicant to secure or to devote a matching sum to the project. Payment of grant funds will occur on a reimbursement basis only. Grant awards may include an allowance for indirect costs of up to 10%. In the case of graduate student participation, reasonable stipends will be allowed and tuition will not be allowed.

13. *Requests for additional information.* Direct questions or requests for additional information to RA-AGCommodities@pa.gov.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 23-930. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF AGRICULTURE

Program Requirements for the Urban Agricultural Infrastructure Grant Program

The Department of Agriculture (Department) hereby provides notice of the standards and requirements for the Urban Agricultural Infrastructure Grant Program (Program).

The Program is established under authority of 3 Pa.C.S. §§ 10702—10705 (relating to Urban Agricultural Infrastructure Grant Program), referred to as the Urban Agricultural Infrastructure Grant Program Act (act). The Program allows the Department to award reimbursement grants for certain eligible projects to improve urban agricultural infrastructure in an urban area, improve or facilitate the aggregation of agricultural products in an urban area, entail the sharing of resources among urban agricultural entities or community organizations and support community development in the project area.

This notice establishes the procedures by which grant applications will be solicited, reviewed and by which grants will be awarded, drawing on funding available in

Fiscal Year (FY) 2023-2024. The Department intends to make no less than \$500,000 available for grants under the Program.

1. *Program Objective.* The Program's objective is to provide grants to reimburse some portion of the costs of implementing projects that improve agriculture infrastructure in urban areas and that focus on aggregation of agricultural products, sharing of resources and support for community development resources.

2. *Definitions.* The following words and phrases apply to the Program:

Department. The Department of Agriculture of the Commonwealth

Eligible project. A project that the Department determines does one or more of the following:

a. Improves agricultural infrastructure in an urban area.

b. Improves or facilitates the aggregation of agricultural products in an urban area.

c. Entails the sharing of resources among urban agricultural operations, agricultural producers or community organizations.

d. Supports community or economic development in the project area.

Person. An individual, partnership, association, firm, corporation, cooperatives or any other legal entity.

Program. The Urban Agricultural Infrastructure Grant Program.

Secretary. The Secretary of the Department.

Urban municipality. A municipality with a population density equal to or greater than 291 persons per square mile and a total population equal to or greater than 2,500, or a municipality in which more than 50% of the population lives in an urbanized area, as defined by the United States Census Bureau. A listing of urban municipalities can be found on the Center for Rural Pennsylvania's list of municipalities, currently found at <https://www.rural.pa.gov/download.cfm?file=Resources/PDFs/data/List%20of%20Municipalities%20web%202022.xlsx>.

3. *Reimbursement Grant Program.* Program grants shall be reimbursement grants. The following shall apply:

a. The amount of a grant is based on actual eligible costs submitted by an approved applicant for an approved project.

b. Grant money shall not exceed 85% of the costs of an eligible project.

c. Grant money shall not be used to reimburse any portion of an in-kind contribution to an eligible project.

d. Grant money may not be used to pay or reimburse wages or salaries of grant recipient staff.

e. Grant money may not be used to reimburse any portion of the project costs which are being paid or reimbursed under another Federal or State grant program.

f. A single applicant may not be awarded more than \$100,000 in grants in any 5-year period, calculated from the date the Department awards the grant.

g. Grants will only be offered to the extent that funding is made available to the Department. In the event funding is exhausted or otherwise unavailable, the Department will be under no obligation to provide grants. Grant money may be prorated or offered as a percentage

of actual costs, as determined by the Department, and set forth in an order by the Secretary, to spread available money to a larger number of eligible applicants.

4. *Eligibility.* A person may apply to the Department for a grant for an eligible project in an urban municipality under the Program.

5. *Grant Types.* An applicant for a grant under the Program shall specify whether the applicant seeks a Microgrant or a Collaboration Grant.

a. A Microgrant shall be awarded for one-time project or to a single entity applicant. The maximum amount of a Microgrant shall be the lesser of \$2,500 or 85% of project costs.

b. A Collaboration Grant shall be awarded for an eligible project (as defined in paragraph No. 2) for which a Microgrant is not sought. An application for a Collaboration Grant may be submitted by multiple partners on a single project. The maximum amount of a Collaborative shall be the lesser of \$50,000 or 85% of project costs.

6. *Application Procedure.*

a. *Online Applications Only.* An applicant for a grant under the Program shall be submitted through the Commonwealth's Single Application for Assistance online application system at www.esa.dced.state.pa.us.

b. *Application Window.* Applications must be submitted through the Single Application for Assistance online application system between 8 a.m. on Monday, July 17, 2023, and 5 p.m. on Friday, September 1, 2023. Applications received outside of that application window will not be considered or reviewed.

c. *Application Requirements.* An application for a grant under the Program shall contain the following information:

i. The applicant's name, business address and contact information.

ii. A statement as to whether the applicant seeks a Microgrant or a Collaboration Grant.

iii. The details of the project for which reimbursement grant money is sought, including the following:

A. A project budget.

B. A statement of the maximum amount of grant money sought for the project.

C. A project construction and implementation schedule.

D. A narrative identifying each entity that will assist in, participate in and benefit from the project.

iv. Separate descriptions of how the project would meet one or more of the following statutory requirements:

A. Improve agricultural infrastructure in an urban area.

B. Improve or facilitates the aggregation of agricultural products in an urban area.

C. Entail the sharing of resources among urban agricultural operations, agricultural producers or community organizations.

D. Support community or economic development in the project area.

v. An attestation signed by the applicant, verifying the accuracy of the information presented on the application.

7. *Disposition and Review of Grant Applications.* The Department will review each application, and supporting documentation submitted therewith, for completeness and

accuracy. If an application is found to be incomplete or inaccurate, the Department may request additional documentation and may discontinue further processing of the application until the requested information is received.

8. *Grant Agreement.* After the Secretary approves a grant application, and as a precondition to the Department's release of grant moneys to a successful applicant, the Department and the applicant shall execute a written or electronic grant agreement which establishes the terms and conditions subject to which the grant is made. The grant agreement will not be effective, and work should not begin, until all required signatures have been applied to the grant agreement. The grant agreement will contain and conform to the requirements of this notice and will also contain special terms and conditions as required by the Secretary. Among the terms of the grant agreement will be a requirement that the grant recipient provide the Department full and complete access to the records relating to the performance of the project and submit the information as the Department may require. Applicants who wish to view the full terms and conditions of the grant agreement in advance of submitting an application may contact the Department at the phone number or e-mail address set forth in section 10. Applicants who are unable to agree to the terms and conditions should not submit an application.

9. *Distribution of Grant Money.* As Program grants are reimbursement grants, the Department will not issue grant money until the successful applicant submits all of the following to the Department:

- a. A verified statement that the eligible project has been completed or implemented.
- b. A verified statement of the project completion date.
- c. Photos of the completed or implemented project with a narrative explanation of each photo.
- d. Bills and invoices demonstrating that expenses were incurred for which reimbursement grant funds are sought.

Documents submitted to the Department under this paragraph shall be directed to the Department of Agriculture, Attn: Agricultural Infrastructure Grant Program Coordinator, 2301 North Cameron Street, Harrisburg, PA 17110-9408.

10. *Additional Information.* Additional information may be obtained from the Department by contacting Morgan Sheffield, (717) 787-3568, msheffield@pa.gov.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 23-931. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending July 4, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, with the exception of branch applications, may file comments in writing with the Department of Banking and Securities, Bank Supervision or Credit Union and Trust Supervision (as applicable), 17 North Second Street, Suite 1300, Harrisburg, PA 17101-2290. Comments must be received no later than 30 days from the date notice regarding receipt of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240 and for credit unions and trust companies (717) 783-2253. Photocopies of the nonconfidential portions of the applications may be requested consistent with the Department's Right-to-Know Law Records Request policy.

BANKING INSTITUTIONS

Section 112 Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
06-29-2023	Castle Creek Capital Partners VII, LP Castle Creek Capital Partners VIII, LP Castle Creek Capital Partners VIII Co-Investment Fund B, LP San Diego San Diego County, CA Application for approval to purchase or otherwise acquire more than 10% of the shares of a class of newly-created nonvoting preferred stock of Republic First Bancorp, Inc., Philadelphia, PA, a company that controls Republic First Bank, Philadelphia, PA.	Approved

Holding Company Acquisitions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
06-29-2023	First Bank Hamilton Mercer County, NJ Application for approval to acquire 100% of Malvern Bank, National Association, Paoli, Chester County, PA. Subsequent to the proposed acquisition, Malvern Bank, National Association, will be merged with and into First Bank.	Approved

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Action</i>
06-22-2023	Ambler Savings Bank Ambler Montgomery County	1515 The Fairway Rydal Montgomery County	Closed

CREDIT UNIONS**Consolidations, Mergers and Absorptions**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Action</i>
07-01-2023	EME Credit Union Easton Northampton County Merger of EME Credit Union, Easton, Northampton County, with and into People First Federal Credit Union, Allentown, Lehigh County.	Effective

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Acting Secretary

[Pa.B. Doc. No. 23-932. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of August 2023

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of August 2023, is 6 1/2%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 3.89 to which was added 2.50 percentage points for a total of 6.39 that by law is rounded off to the nearest quarter at 6 1/2%.

WENDY S. SPICHER,
Acting Secretary

[Pa.B. Doc. No. 23-933. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

Draft 2022 Action Plan for the Recovery Housing Program

On October 24, 2018, the Substance Use-Disorder Prevention that Promotes Opioid Recovery and Treatment for Patients and Communities Act or SUPPORT for Patients and Communities Act (Pub.L. No. 115-271) was signed into law to respond to the growing effects of the opioid public health crisis. The United States Department of Housing and Urban Development (HUD) awarded \$1,091,286 of Recovery Housing Program (Program) funds to the Commonwealth, which will be administered by the Department of Community and Economic Development (Department). The Commonwealth is required to notify and provide its citizens an opportunity to comment and provide input on the draft Action Plan or any substantial amendment to the Action Plan, or both.

The purpose of the Program is to help grantees to provide stable, temporary housing to individuals in recovery from a substance disorder. More specifically, the Program would provide funds to develop housing or maintain housing for individuals.

Public Review and Comment Period

The draft Action Plan will be available for a 15-day public comment period, in accordance with the *Federal Register* notice. The Action Plan may be viewed on the Department's web site at <https://dced.pa.gov/library/?wpdmc2=action-plans-2019-2023>. The Action Plan will be available for public comment from July 15, 2023, until August 1, 2023.

A public hearing will be held on July 26, 2023, at 1 p.m. through Microsoft Teams. Individuals who wish to attend the hearing can join by phone at (267) 332-8737. The conference ID is 628 012 129#.

The hearing will be shortened if there is no one to testify or there is minimal response.

Persons with a disability or limited English proficiency who wish to participate in the public hearing should contact Megan L. Sieber at (717) 787-5327 or TDD at (717) 346-0308 to discuss how the Department can accommodate their requests.

Comments on the Program Action Plan may be electronically submitted to the Department at dcedhdpubliccomments@pa.gov. Comments will also be accepted by telephone by calling (717) 787-5327. Written comments may be submitted to David Grey, Center for Community and Housing Development, Department of

Community and Economic Development, 400 North Street, 4th Floor, Commonwealth Keystone Building, Harrisburg, PA 17120-0225. Comments must be received by 4 p.m. on August 1, 2023, to be included as testimony in the Program Action Plan that will be submitted to HUD.

RICK SIGER,
Secretary

[Pa.B. Doc. No. 23-934. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the

“Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD150222	Chapter 102 Individual NPDES Permit	Transfer	I-76 TC Owner (PA) LLC 303 Peachtree Battle Avenue Suite 575 Atlanta, GA 30305-1210	Uwchlan Township Chester County	SERO
0813813	Joint DEP/PFBC Pesticides Permit	Renewal	Lake Omeadows Lake Owners Association P.O. Box 354 Little Meadows, PA 18830-0354	Warren Township Bradford County	NCRO
2313809	Joint DEP/PFBC Pesticides Permit	Renewal	Alverno Valley Farms 511 W Chester Pike Havertown, PA 19083-4524	Middletown Township Delaware County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4523802	Joint DEP/PFBC Pesticides Permit	New	Mt Airy Casino & Golf Course 115 Woodland Road Mount Pocono, PA 18344-7167	Paradise Township Monroe County	NERO
6517802	Joint DEP/PFBC Pesticides Permit	Renewal	Haney Valerie 709 Pine Run Road Apollo, PA 15613	Washington Township Westmoreland County	SWRO
PA0043681	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	DEP- Initiated Minor Amendment	Valley Joint Sewer Authority Bradford County 1 S River Street Athens, PA 18810-1701	Athens Borough Bradford County	NCRO
6586418	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Franklin Township Municipal Sanitary Authority Westmoreland County 3001 Meadowbrook Road Murrysville, PA 15668-1627	Murrysville Borough Westmoreland County	SWRO
PA0204935	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Transfer	Charles J Merlo Inc. 234 Merlo Road Mineral Point, PA 15942-5703	Cambria Township Cambria County	SWRO
PA0045802	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	DEP- Initiated Minor Amendment	Jones Estates Stanton Hills PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-5798	Hempfield Township Westmoreland County	SWRO
1198201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Transfer	Charles J Merlo Inc. 234 Merlo Road Mineral Point, PA 15942-5703	Cambria Township Cambria County	SWRO
1800403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Western Clinton County Municipal Authority P.O. Box 363 Renovo, PA 17764-0363	Renovo Borough Clinton County	NCRO
6570410	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Jones Estates Stanton Hills PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-5798	Hempfield Township Westmoreland County	SWRO
NOEX10802	No Exposure Certification	Renewal	Pine Grove Landfill Inc. 10376 Bullock Drive King George, VA 22485	Pine Grove Township Schuylkill County	NERO
NOEXNW097	No Exposure Certification	Renewal	VPI Acquisition Corp dba Viking Plastics P.O. Box 136 Corry, PA 16407-0136	Corry City Erie County	NWRO
NOEXSW240	No Exposure Certification	Transfer	Sensia LLC 1000 McClaren Woods Drive Coraopolis, PA 15108-7766	Findlay Township Allegheny County	SWRO
PAG030286	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	PEL Healthcare LLC 650 Cathill Road Sellersville, PA 18960-1512	West Rockhill Township Bucks County	SERO
PAG032342	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Fabcon Precast LLC 1200 Morea Road Mahanoy City, PA 17948	Mahanoy Township Schuylkill County	NERO

NOTICES

3713

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036109	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Fed Express 3620 Hacks Cross Road Bldg B Floor 3 Memphis, TN 38125-8800	Aliquippa City Beaver County	SWRO
PAG036110	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Fed Express 3620 Hacks Cross Road Bldg B Floor 2 Memphis, TN 38125	Pittsburgh City Allegheny County	SWRO
PAG036458	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Boring Salvage 267 Svc Crk Road Aliquippa, PA 15001	Independence Township Beaver County	SWRO
PAG036508	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	George Delallo Co. Inc. 3682 PA-31 Donegal, PA 15628	East Huntingdon Township Westmoreland County	SWRO
PAG036543	PAG-03 NPDES General Permit for Industrial Stormwater	New	84 Recycling & Supply 10 Donley Road Eighty Four, PA 15330-2068	Somerset Township Washington County	SWRO
PAG036545	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Mountain Top Salvage Inc. 1001 Foxburg Road Normalville, PA 15469-1041	Springfield Township Fayette County	SWRO
PAG036547	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Butchko Bros Inc. 1094 Dunbar Road Dunbar, PA 15431-2300	Dunbar Township Fayette County	SWRO
PAG036548	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Sandvik Mining & Const USA LLC P.O. Box 282 6701 National Pike Brier Hill, PA 15415-0282	Redstone Township Fayette County	SWRO
PAG038377	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Kovalchick Corp P.O. Box 279 Indiana, PA 15701-2951	Center Township Indiana County	NWRO
PAG038498	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Latrobe Specialty Metals A Carpenter Co. 2626 Ligonier Street Latrobe, PA 15650-3246	Sandycreek Township Venango County	NWRO
PAG038510	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	J M Manufacturing Co. Inc. dba J M Eagle 15661 Delano Road Cochranon, PA 16314-4457	Greenwood Township Crawford County	NWRO
PAG038511	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	MGK Tech Inc. P.O. Box H Brookville, PA 15825-0608	Homer City Borough Indiana County	NWRO
PAG038513	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Miller Welding & Mach Co. P.O. Box G Brookville, PA 15825-0607	Rose Township Jefferson County	NWRO
PAG038514	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Port Erie Plastics Inc. 909 Troupe Road Harborcreek, PA 16421-1018	Harborcreek Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG048626	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Joy & Timothy Merrill 9712 Mitchell Road Union City, PA 16438-9764	Union Township Erie County	NWRO
PAG049411	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	G O Carlson Inc. dba Electralloy 175 Main Street Oil City, PA 16301-1038	Cherrytree Township Venango County	NWRO
PAG066101	PAG-06 NPDES General Permit for Combined Sewer Systems	Renewal	Pitcairn Borough 609 Broadway Pitcairn, PA 15140-1535	Pitcairn Borough Allegheny County	SWRO
PAG066112	PAG-06 NPDES General Permit for Combined Sewer Systems	Renewal	McKees Rocks Borough 340 Bell Avenue McKees Rocks, PA 15136-3514	McKees Rocks Borough Allegheny County	SWRO
PAG123757	PAG-12 NPDES General Permit for CAFOs	Transfer	Noah W Kreider & Sons 1461 Lancaster Road Manheim, PA 17545-9768	Mount Joy Township Lancaster County	SCRO
PAG124845	PAG-12 NPDES General Permit for CAFOs	Amendment	D & K Poultry LLC 66 Dundore Road Port Trevorton, PA 17864-9504	West Perry Township Snyder County	SCRO
PAG133574	PAG-13 NPDES General Permit for MS4s	Renewal	Douglass Township 1068 Douglass Drive Boyertown, PA 19512-7621	Douglass Township Berks County	SCRO
PAG133575	PAG-13 NPDES General Permit for MS4s	Renewal	Earl Township Berks County 19 Schoolhouse Road Boyertown, PA 19512-7926	Earl Township Berks County	SCRO
0405405	Pump Stations Individual WQM Permit	Transfer	Beaver Falls City 715 15th Street Beaver Falls, PA 15010-4124	Eastvale Borough Beaver County	SWRO
3622407	Pump Stations Individual WQM Permit	Amendment	Earl Township Sewer Authority 517 N Railroad Avenue New Holland, PA 17557-9758	Earl Township Lancaster County	SCRO
PA0058131	Single Residence STP Individual NPDES Permit	Transfer	Wight Briana 595 Cricket Lane Downingtown, PA 19335-4838	East Nantmeal Township Chester County	SERO
PA0267431	Single Residence STP Individual NPDES Permit	Transfer	Direnzo Michael S 276 Coleman Road Gettysburg, PA 17325-8285	Straban Township Adams County	SCRO
0121401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Direnzo Michael S 276 Coleman Road Gettysburg, PA 17325-8285	Straban Township Adams County	SCRO
2023403	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Barbara & Jeffrey Lojek 25645 N Mosiertown Road Edinboro, PA 16412-4149	Hayfield Township Crawford County	NWRO
2599418	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Joy & Timothy Merrill 9712 Mitchell Road Union City, PA 16438-9764	Union Township Erie County	NWRO
4317403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Reinhart Kaela 2108 Mercer Road Fredonia, PA 16124-1824	Delaware Township Mercer County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2712401	Small Flow Treatment Facility Individual WQM Permit	Transfer	Demaio Anthony 143 Crown Farms Lane Leeper, PA 16233-4301	Green Township Forest County	NWRO
WQG018605	WQG-01 WQM General Permit	Transfer	G O Carlson Inc. dba Electralloy 175 Main Street Oil City, PA 16301-1038	Cherrytree Township Venango County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0233382, Sewage, SIC Code 4952, **Kay Spencer**, 1152 Patton Hill Road, Towanda, PA 18848-8655. Facility Name: Kay Spencer SRSTP. This proposed facility is located in Towanda Township, **Bradford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Towanda Creek (CWF, MF), is located in State Water Plan watershed 4-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Annl Avg	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0060640, Sewage, SIC Code 4952, **Pennsylvania American Water Company**, 171 W. Johnson Highway, Norristown, PA 19401-3030. Facility Name: Saw Creek Estates Treatment Facility. This existing facility is located in Lehman Township, **Pike County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Saw Creek, is located in State Water Plan watershed and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.75 MGD.—Interim Limits.

(From Permit Effective Date to Four Years After Permit Effective Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max				

The proposed effluent limits for Outfall 001 are based on a design flow of 0.75 MGD—Final Limits.

(From Four Years After Permit Effective Date to Permit Expiration Date)

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Copper, Total	0.13	0.21	XXX	0.021	0.033	0.053
		Daily Max				

The proposed effluent limits for Outfall 001 are based on a design flow of .75 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 6.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.21	XXX	0.68
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	156.4	XXX	XXX	25.0	XXX	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%)	Report	XXX	XXX	XXX	XXX	XXX
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	187.7	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 9.0	XXX	18.0
Ammonia-Nitrogen Nov 1 - Apr 30	56.3	XXX	XXX	3.0	XXX	6.0
May 1 - Oct 31	18.8	XXX	XXX	Report	Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management
- Water Quality-Based Effluent Limitations for Toxic Pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0061212, Sewage, SIC Code 4952, **Christopher R Yerger**, 655 Route 61, Orwigsburg, PA 17961-2231. Facility Name: Roadhouse 61. This existing facility is located in North Manheim Township, **Schuylkill County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Mahannon Creek (CWF, MF), is located in State Water Plan watershed 3-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.—Interim Limits.

(From Permit Effective Date to Three Years After Permit Effective Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	1.2	XXX	2.8

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD—Final Limits.

(From Three Years After Permit Effective Date to Permit Expiration Date)

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

The proposed effluent limits for Outfall 001 are based on a design flow of 0.005 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	Inst Min XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50.0
Nov 1 - Apr 30	XXX	XXX	XXX	XXX	XXX	Report
May 1 - Oct 31	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Annl Avg	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg	XXX	XXX

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0062260, Sewage, SIC Code 9431, **Brookmont Health and Rehabilitation Center LLC**, 510 Brookmont Drive, Effort, PA 18330-9534. Facility Name: Brookmont Health and Rehabilitation Center STP. This existing facility is located in Chestnuthill Township, **Monroe County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Pohopoco Creek (HQ-CWF), is located in State Water Plan watershed 2-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min XXX	0.5	XXX	1.1
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	1,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	20.0	XXX	50.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Dissolved Solids	XXX	XXX	XXX	1,000	XXX	XXX
				Avg Qrtly		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293059, Sewage, SIC Code 8800, **Ronald Blosser**, 5925 Firman Road, Erie, PA 16510-4513. Facility Name: Ronald Blosser SRSTP. This proposed facility is located in Harborcreek Township, **Erie County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Sixmile Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0027197, Sewage, SIC Code 4952, **Capital Region Water**, 212 Locust Street, Suite 500, Harrisburg, PA 17101-1510. Facility Name: Harrisburg Advanced Wastewater Treatment Facility. This existing facility is located in Harrisburg City, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Susquehanna River (WWF, MF) is located in State Water Plan watershed 7-C and is classified for Warm Water Fishes, Cold Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 37.7 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
					Max	

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	7,860	12,577	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	9,433	14,149	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (CFU/100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	629	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	XXX	XXX	XXX
Effluent Net						
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
E. Coli (No./100mL)	XXX	XXX	XXX	XXX	XXX	Report
Total Aluminum	Report	Report	XXX	Report	Report	XXX
Total Zinc	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	688,575	XXX	XXX	XXX	XXX
Effluent Net						
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	91,810	XXX	XXX	XXX	XXX
Effluent Net						
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

This draft permit contains special conditions for Combined Sewer Overflow (CSO) outfalls in Part C.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PAI130024, MS4, **Ontelaunee Township, Berks County**, 35 Ontelaunee Drive, Reading, PA 19605-7022.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Ontelaunee Township, **Berks County**. The receiving stream(s), Schuylkill River (WWF, MF), Unnamed Tributary to Irish Creek (WWF, MF), Maiden Creek (WWF, MF), and Willow Creek (HQ-CWF, MF), is located in State Water Plan watershed 3-B and 3-C and is classified for Warm Water Fishes, Migratory Fishes, and Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southeast Regional Office

PA0040665, Sewage, SIC Code 5812, **Stone Barn Inc.**, 100 Stone Barn Drive, Kennett Square, PA 19348. Facility Name: Stone Barn Rentals. This existing facility is located in West Marlborough Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to East Branch White Clay Creek (EV), is located in State Water Plan watershed 3-I and is classified for Exceptional Value Waters, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.011 MGD:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.17
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	XXX	XXX	XXX	25	XXX	50
May 1 - Oct 31	XXX	XXX	XXX	20	XXX	40
Total Suspended Solids	XXX	XXX	XXX	20	XXX	40
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean	XXX	XXX
				Report		
Total Nitrogen	XXX	XXX	XXX	24	XXX	48
Ammonia-Nitrogen						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- No stormwater to sanitary sewers
- Necessary property rights
- Proper sludge disposal
- Abandon STP when public sewers become available
- TRC minimization
- Small stream discharge
- Notification of designation of responsible operator
- Operation and maintenance plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0057011, Sewage, SIC Code 4952, **Aqua PA Wastewater Inc.**, 762 West Lancaster Avenue, Bryn Mawr, PA 19010-3402. Facility Name: Bridlewood Farm STP. This existing facility is located in Thornbury Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Radley Run (WWF, MF), is located in State Water Plan watershed 3-H and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .103 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.5
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	16.1	XXX	XXX	18.8	XXX	37.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	19.3	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	Report	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	200 Geo Mean	XXX	1,000
Total Nitrogen Ammonia-Nitrogen Nov 1 - Apr 30	21.5	XXX	XXX	XXX	XXX	XXX
May 1 - Oct 31	6.7	XXX	XXX	25.0	XXX	50
Total Phosphorus	2.3	XXX	XXX	7.8	XXX	15.6
	1.3	XXX	XXX	2.6	XXX	5.2
				1.5	XXX	3

The proposed effluent limits for Outfall 001 are based on a design flow of .103 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- A. No Stormwater
- B. Acquire Necessary Property Rights
- C. Proper Sludge Disposal
- D. Abandon STP when Municipal Sewers Available
- E. Chlorine Optimization
- F. Small Stream Discharge
- G. Operator Notification
- H. Fecal Coliform Reporting
- I. Maximize Drip Irrigation
- J. Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0245488, Storm Water, SIC Code 3083, **Anholt Technologies Inc. d/b/a QFIX**, 440 Church Road, Avondale, PA 19311-9786. Facility Name: QFIX 440 Church Road Facility. This proposed facility is located in Avondale Borough, **Chester County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of industrial stormwater.

The receiving stream(s), East Branch White Clay Creek, is located in State Water Plan watershed 3-I and is classified for exceptional value stream, migratory fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	100.0	XXX
Oil and Grease	XXX	XXX	XXX	XXX	30.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater outfalls and authorized non-stormwater discharges
- Permittee shall implement and maintain BMPs to remain in compliance with permit
- Stormwater monitoring requirements
- Routine inspection on semiannual basis
- Permittee shall develop and implement PPC Plan

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0025941, Sewage, SIC Code 4952, **Canonsburg Houston Joint Authority**, 68 E Pike Street, Canonsburg, PA 15317-1375. Facility Name: Canonsburg Houston Joint WWTP. This existing facility is located in Cecil Township, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Chartiers Creek (WWF), is located in State Water Plan watershed 20-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 8.4 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen Nov 1 - Apr 30	350.7	526.1	XXX	7.0	10.5	14
May 1 - Oct 31	175.4	265.5 Wkly Avg	XXX	3.5	5.3 Wkly Avg	7
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	Report	Report	XXX	Report	Report	XXX
Mercury, Total (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 8.4 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Ammonia-Nitrogen Nov 1 - Apr 30	313.1	469.7	XXX	4.47	6.70	8.94
May 1 - Oct 31	151.3	226.9 Wkly Avg	XXX	2.16	3.24 Wkly Avg	4.32

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total (ug/L)	1.3	1.78	XXX	18.5	25.4	25.4
Cyanide, Free (ug/L)	0.32	0.59	XXX	4.62	8.49	11.5
Mercury, Total (ug/L)	0.004	0.007	XXX	0.058	0.11	0.14

The proposed effluent limits for Outfall 001 are based on a design flow of 8.4 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)						
Nov 1 - Apr 30	1,485	2,227	XXX	21.2	31.8	42.4
May 1 - Oct 31	903	1,352	XXX	12.9	19.3	25.8
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	2,100.0	3,150.0	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)						
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	Report XXX	XXX XXX
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Boron, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Dissolved (ug/L)	Report	Report	XXX	Report	Report	XXX
Iron, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Chlorodibromomethane (ug/L)	Report	Report	XXX	Report	Report	XXX
Dichlorobromomethane (ug/L)	Report	Report	XXX	Report	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX

Following major conditions have been added to the permit:

- A compliance schedule for ammonia-nitrogen in Part C.V.A.
- A compliance schedule for total copper, free cyanide, total mercury, and chloroform in Part C. VI.D.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0217522, Sewage, SIC Code 4952, **Smithton Borough Municipal Authority**, P.O. Box 342, Smithton, PA 15479-0342. Facility Name: Smithton Borough Municipal Authority. This existing facility is located in Smithton Borough, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tributary 37856 of the Youghiogheny River (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .066 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	13.0	XXX	XXX	25	XXX	50
Biochemical Oxygen Demand (BOD ₅)						
Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	16.0	XXX	XXX	30.0	XXX	60.0
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean		
Ammonia-Nitrogen				Report	Report	XXX
Nov 1 - Apr 30	XXX	XXX	XXX	8.07	XXX	16.14
May 1 - Oct 31	XXX	XXX	XXX	2.69	XXX	5.38
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0285137, Sewage, SIC Code 8800, **Stauber Connie**, 1228 Perry Highway, Portersville, PA 16051-2412. Facility Name: Stauber Properties SRSTP. This proposed facility is located in North Sewickley Township, **Beaver County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Brush Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	Annl Avg XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Optimization of chlorine dosage
- UV disinfection system maintenance

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA1136151, MS4, **Municipal of Monroeville, Allegheny County**, 2700 Monroeville Boulevard, Monroeville, PA 15146.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Monroeville Borough, **Allegheny County**. The receiving streams, Piersons Run (TSF), Simpson Run (TSF), Abers Creek (TSF), Unnamed Tributaries of Turtle Creek (WWF, TSF), Turtle Creek (TSF), Unnamed Tributary to Abers Creek (TSF), Unnamed Tributary to

Haymakers Run (HQ-CWF), Leak Run (WWF), Thompson Run (WWF, TSF), Unnamed Tributaries of Thompson Run (WWF, TSF), and Unnamed Tributaries to Leak Run (WWF), are located in State Water Plan watershed 19-A and are classified for Trout Stocking, Warm Water Fishes, and High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southwest Regional Office

PA0285099, Storm Water, SIC Code 5015, **Hemminger Auto & Truck Inc.**, 6288 Penn Avenue, Friedens, PA 15541-8804. Facility Name: Hemminger Auto & Truck Inc. This proposed facility is located in Jenner Township, **Somerset County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream, Unnamed Tributary to Beaverdam Creek (HQ-CWF), is located in State Water Plan watershed 18-E and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Northeast Regional Office

Applicant: **Brookshire Partners, LP**

Applicant Address: 409 Stenton Ave., Flourtown, PA 19031

Application Number: **PAD390064**

Application Type: Renewal

Municipality/County: Upper Milford Township, Hereford Township, **Lehigh County** and **Berks County**

Total Earth Disturbance Area (acres): 39.58 acres

Surface Waters Receiving Stormwater Discharges: Perkiomen Creek and EV Wetlands—HQ-CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of homes, utilities, roadways, on-lot PCSM BMP

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **RMLP-MT, LP, c/o Lewis Ronca**

Applicant Address: 2295 Corporate Blvd., NW, Suite 222, Boca Raton, FL 33431

Application Number: **PAD390270**

Application Type: New

Municipality/County: City of Bethlehem, **Lehigh County**

Total Earth Disturbance Area (acres): 39.20 acres

Surface Waters Receiving Stormwater Discharges: Monocacy Creek—HQ-CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Site contains approximately 52.58 acres of land previously used as an office complex for the former Bethlehem Steel Company. The site contained multiple office buildings including the Martin Tower complex, which have since been demolished. Two medical office buildings are being proposed now, with the remainder of the site to be developed at a future date.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Exeter Swedeland Land, LLC**

Applicant Address: Five Radnor Corporate Center, 100 Matsonford Road, Suite 250, Radnor, PA 19087-4558

Application Number: **PAD460081**

Application Type: New

Municipality/County: Upper Merion Township, **Montgomery County**

Total Earth Disturbance Area (acres): 10.61 acres

Surface Waters Receiving Stormwater Discharges: Matsunk Creek (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The applicant proposes a warehouse/distribution center with parking, utilities, landscaping and stormwater management necessary to support the project.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **PPL Electric Utilities Corporation**

Applicant Address: 1639 Church Road, Allentown, PA 18104-9342

Application Number: **PAD540032**

Application Type: New

Municipality/County: Butler Township, **Schuylkill County**

Total Earth Disturbance Area (acres): 135.7 acres

Surface Waters Receiving Stormwater Discharges: 3 Discharge Points Identified: Mahanoy Creek (WWF, MF), Little Mahanoy Creek (CWF, MF), EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the removal of approximately 9.1 miles of existing steel and wooden electric transmission poles and electric transmission lines and the installation of new steel monopole electric transmission poles and electric transmission lines.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Scenic Valley Builders, LLC**

Applicant Address: 5259 Diem Road, New Holland, PA 17557

Application Number: **PAD150297**

Application Type: New

Municipality/County: West Brandywine Township, **Chester County**

Total Earth Disturbance Area (acres): 1.84 acres

Surface Waters Receiving Stormwater Discharges: UNT—W. Branch Brandywine Creek—HQ-TSF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Demolition of existing barn, single-family dwelling & trailer, and construction of single-family dwelling, garage & driveway (to connect to existing on-lot driveway).

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southcentral Regional Office

Applicant: **Galen Wise**

Applicant Address: 915 Greenville Road, Denver, PA 17517

Application Number: **PAD060080**

Application Type: New

Municipality/County: Penn Township, **Berks County**

Total Earth Disturbance Area (acres): 8.85 acres

Surface Waters Receiving Stormwater Discharges: UNT to Northkill Creek (WWF, MF) and Wetlands (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Expansion of Existing Farm Site to Add Poultry Barns

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **422 Properties LP**

Applicant Address: 910 Germantown Pike, Plymouth Meeting, PA 19462-7400

Application Number: **PAD060083**

Application Type: New

Municipality/County: Amity Township, **Berks County**

Total Earth Disturbance Area (acres): 80 acres

Surface Waters Receiving Stormwater Discharges: Leaf Creek (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of two commercial buildings with supporting loading, parking and access drives. Stream crossings are necessary for site accesses.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
DoVan Farms 582 Rocky Lane Berlin, PA 15530	Somerset County	1,097.5	1,039.2	Dairy	NA	Renewal
Larry Horst/Emway Farms 820 Luxemburg Road Lykens, PA 17048	Dauphin County	21.3	3,268.59	Poultry (Layer)	NA	Renewal
Zack Akers 1218 Cherry Lane Clearville, PA 15535	Bedford County	221.3	117.18	Ducks and Beef	NA	Renewal
Brubaker Run Farms, LLC— Nicholas Brubaker 2963 North Colebrook Road Manheim, PA 17545	Lancaster County	12	107.36	Ducks	NA	Renewal
Robert L. Brubaker Jr. 2871 North Colebrook Road Manheim, PA 17545	Lancaster County	9.8	597.08	Swine/Pullets	NA	Renewal
Joe Burkholder 1440 Division Highway Ephrata, PA 17522	Lancaster County	88	351.61	Swine/Steers	NA	Renewal
Lime Valley Farms, Inc.— Steve Good 1415 Lime Valley Road Lancaster, PA 17602	Lancaster County	56.2	359.93	Broilers	NA	Renewal
Reid & Diane Hoover— Brook—Corner, LLC 400 Mt. Wilson Road Lebanon, PA 17042	Lebanon County	358.9	864.65	Dairy	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Pam Yoder, Clerical Assistant 2, 814-332-6899.

Application No. 0323501, Construction, Public Water Supply.

Applicant	Buffalo Township Municipal Authority
Address	707 Sarver Pike Road Sarver, PA 16055
Municipality	Freeport Borough
County	Armstrong County
Responsible Official	Kristine Donaldson Authority Manager Buffalo Township Municipal Authority 707 Sarver Pike Road Sarver, PA 16055
Consulting Engineer	Christopher Wharton, P.E. Gibson-Thomas Engineering Co., Inc. 1004 Ligonier Street Box 853 Latrobe, PA 15650
Application Received	June 28, 2023

Description	Freeport Water Treatment Plant Upgrades—Membrane Filter Train; Raw and Finished Water Pumps; UV Reactor and SCADA Modifications.
-------------	--

BIOSOLIDS INDIVIDUAL PERMITS (PABIG AND PABIS)

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to land apply biosolids subject to certain requirements in the permit.

Individuals wishing to comment on a proposed permit are invited to submit statements to the responsible The DEP Regional Office noted before the application within 30-days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determination regarding an application. A response should include the name, address and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Regional Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, comments received and other information on file and may be inspected and arrangements made for copying at the responsible DEP Regional Office indicated before the application.

Individuals in need of accommodations to participate in the proceedings should contact the Secretary to the Board at 717-787-3483. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984 or (800) 654-5988 (voice users).

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

**UNDER ACT 2, 1995
PREAMBLE 1**

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP

provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

Susan Well Pad, Primary Facility ID # **862684**, 3508 State Route 3003, Laceyville, PA 18623, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001 on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Notice of Intent to Remediate. Soil was contaminated by releases of production fluid (brine). The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on June 21, 2023. Application received: June 28, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

355 West Market Street, Primary Facility ID # **867047**, 355 West Market Street, West Chester, PA 19382, West Chester Borough, **Chester County**. Stephan Huxta, PG, ARM Group, LLC, 515 South Franklin Street, West Chester, PA 19382 on behalf of Gary Toll, 355 West Market Associates, LLC, 120 Pennsylvania Avenue, Mal-

vern, PA 19355, submitted a Notice of Intent to Remediate. Soil on the property has been found to be impacted by metals and PAHs. The proposed future use of the property will be either residential apartment or retail space and offices. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Daily Local News* on May 12, 2023. Application received: May 23, 2023.

Route 202N Ramp to Route 422W, Primary Facility ID # **866901**, Route 202N Ramp to Route 422W, Upper Merion, PA 19078, Upper Merion Township, **Montgomery County**. Richard Doran, HETI, 54 Nonset Path, Acton, MA 01720 on behalf of Chris Sharkey, DE Walker & Sons Inc./Green Propane Inc., 63 East Broad Street, Hatfield, PA 19440, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with heating oil in soil on the site. The proposed future use of the property will continue to be a State Highway right-of-way. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Intelligencer* on May 14, 2023. Application received: May 19, 2023.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

1801-1803 North Howard Street Property, Primary Facility ID # **866798**, 1801-1803 North Howard Street, Philadelphia, PA 19122, City of Philadelphia, **Philadelphia County**. Mark Fortna, Penn Environmental & Remediation, Inc., 400 Old Dublin Pike, Doylestown, PA 18901, on behalf of Justin Meshberg, 1801 North Howard Street, LLC, P.O. Box 27531, Brooklyn, NY 11202, submitted a Notice of Intent to Remediate. Soil and groundwater have been found to be impacted with certain VOCs including chlorinated VOCs. The proposed future use of the property will be residential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Daily News Locals* on April 26, 2023. Application received: May 16, 2023.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

6101-6109 Broad Street Property, Primary Facility ID # **867637**, 6101-6109 Broad Street, Pittsburgh, PA 15206, City of Pittsburgh, **Allegheny County**. Civil & Environmental Consultants, Inc., 700 Cherrington Parkway, Moon Township, PA 15108 on behalf of East Liberty Development, Inc., 211 North Whitefield Street, Suite 204, Pittsburgh, PA 15206, submitted a Notice of Intent to Remediate. The property is an approximately 13,500 square foot lot located in a commercial area in the East Liberty Section of Pittsburgh. It is occupied by a one-story masonry building that encompasses the entire property. Current tenants include an auto repair facility and a dry cleaner. Based on review of historical resources, an auto service business has occupied the property since at least 1926, and a dry cleaning or laundry business since the 1930s. Site investigations conducted in 2021/2022 identified localized impacts to soil by lead. Tetrachloroethene (PCE) was identified in groundwater across the site. Trichloroethene (TCE) was identified in groundwater at one monitoring point. Soil gas sampling did not

identify concentrations greater than Act 2 residential screening levels. Three properties located in apparent upgradient locations relative to the site are completed Act 2 sites with environmental covenants that restrict the use of groundwater due to the presence of PCE, an indicator that impacts to groundwater by PCE are area-wide. The intended use of the property is unknown but could be residential or nonresidential. The Notice of Intent to Remediate was published in *Pittsburgh Post-Gazette* on June 8, 2023. Application received: June 23, 2023.

Greylock Beacon Well Pad, Primary Facility ID # **852726**, 137 Blaker Ridge Road, Waynesburg, PA 15370, Greene Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301 on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, submitted a Notice of Intent to Remediate. Soil and groundwater at the site were impacted by brine-related constituents associated with a release of produced fluid. The intended future use of the property will be residential and will maintain continued production of the well. The Notice of Intent to Remediate was published in *the Observer-Reporter* on June 14, 2023. Application received: June 30, 2023.

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. § 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

WMGM049NW001. Hickory Run Energy, LLC, 7500 College Boulevard, Overland Park, KS 66210-4016, North Beaver Township, **Lawrence County**. Hickory Run Energy, LLC (HRE) includes an onsite sanitary packaged treatment plant for sewage generated at the site. Reclaimed water from the sanitary packaged treatment plant is routed through a sump for further treatment and chlorine dosage in the Raw Water Treatment system prior to beneficial use as non-contact cooling water. The reclaimed water is beneficially used under HRE's existing municipal waste general beneficial use permit WMGM049NW001. The current permit expires January 1, 2024. This application is for renewal of the existing referenced permit Application received: June 28, 2023. Deemed administratively complete: June 28, 2023.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie Fleming, Program Manager.

WMGM052SC002. Divert Inc., 305 Busser Road, York, PA 17406, Manchester Township, **York County**. Divert submitted both a Determination of Applicability (DOA) for coverage under the WMGM052 base General Permit (GP), and a modification to the WMGM052 base GP. WMGM052 authorizes the use of self-contained organics collection bins which serve as in-vessel composting systems prior to off-site beneficial use of composted organics. The modifications proposed to WMGM052 were to allow for additional organic waste streams and included collection and storage of organics in storage bins at intermediate facilities, without composting, prior to transfer to an off-site composting or anaerobic digestion facility. Due to changes in operational plans, Divert requested that the application for the DOA, as well as the modification to the base GP, be withdrawn. Questions regarding the modification to the base GP can be directed to Jason Dunham, General Permits/Beneficial Use Section, Division of Municipal and Residual Waste, Bureau of Waste Management, P.O. Box 69170, Harrisburg, PA 17106; or 717-787-7381. Questions on the DOA application can be directed to John L. Oren, P.E., Permits Chief, Waste Management Program, Southcentral Regional Office. Application received: May 4, 2022. Withdrawn: June 27, 2023.

Comments or questions concerning the application should be directed to John L. Oren, P.E., Permits Chief, Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

WMGR028-NE013, New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Bath Borough and East Allen Township, **Northampton County**. An application for determination of applicability for coverage under general permit number WMGR028 for the beneficial use of asphalt plant baghouse fines as a soil additive at the Bath Hot Mix Asphalt Plant. Application received: June 5, 2023. Supplemental information: June 26, 2023. Deemed administratively complete: June 26, 2023.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

WMGR038-NE014, New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Lower Macungie Township, **Lehigh County**. An application for determination of applicability for coverage under general permit number WMGR028 for the beneficial use of asphalt plant baghouse fines as a soil additive at the Wescosville Hot Mix Asphalt Plant. Application received: June 12, 2023. Supplemental information: June 26, 2023. Deemed administratively complete: June 27, 2023.

Comments or questions concerning the application should be directed to Roger Bellas, Environmental Program Manager, 570-826-2201, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMITTS@pa.gov.

WMGR096SE013, NorthPoint Falls Township Industrial, LLC, 4805 Montgomery Road, Suite 310, Cincinnati, OH 45212, Falls Township, **Bucks County**. This general permit application is for Determination of Applicability (DOA) under the conditions defined within General Permit No. WMGR096 for the Phase 3 demolition and fill activities at the NorthPoint-Redevelopment at U.S. Steel KIPC site located in Falls Township, Bucks County. Application received: June 23, 2023. Deemed administratively complete: July 3, 2023.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITTS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, RA-EPWM-SERO-PERMITTS@pa.gov.

101699. Waste Management of Fairless, LLC, 1000 New Ford Mill Road, Morrisville, PA 19067, Falls Township, **Bucks County**. This major permit modification application is requesting approval for the distribution of landfill gas collected from the Fairless Landfill and transmitted to the Waste Management Renewable Energy, LLC (WMRE) Renewable Natural Gas (RNG) Plant that is proposed under the General Permit WMGM055. The RNG Plant will process the landfill gas into clean, renewable natural gas for sale and distribution via regional natural gas pipelines, as required by the Fairless Landfill's existing solid waste permit. The Fairless Landfill is a municipal waste landfill located in Falls Township, Bucks County. Application received: June 16, 2023. Accepted: June 21, 2023.

Comments or questions concerning the application should be directed to Waste Management Program Manager, Phone 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMITTS@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe

should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Dave Balog, New Source Review Chief, 814-332-6328.

25-00035C: Molded Fiber Glass Company, 55 4th Avenue, Union City, PA 16438, Union City Borough, **Erie County**. Application received: September 21, 2022. Notice is hereby given pursuant to 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Pennsylvania Department of Environmental Protection (DEP) intends to issue Plan Approval 25-00035C to authorize an alternate operating scenario at their facility. The Plan Approval will subsequently be incorporated into the facility's Operating Permit through an administrative amendment in accordance with 25 Pa. Code § 127.450. Plan Approval No. 25-00035C will authorize an alternate operating scenario, allowing the facility's two (2) existing reaction injection

molding presses (Source ID 109) to operate as compression resin transfer molding (C-RTM) presses. Emissions from the subject sources will be limited via throughput limitations to a maximum 14.0 tons per year of volatile organic compounds (VOC's). The Plan Approval will contain additional monitoring, recordkeeping and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Additionally, the proposed Plan Approval includes a facility-wide emission limit of 49.95 tons per year of VOC, which will make Molded Fiber Glass a Synthetic Minor facility in the future. Copies of the application, DEP's analysis, and other documents used in the evaluation are available for public inspection between the hours of 8 a.m. and 4 p.m. weekdays at the following address. To make an appointment, contact Records Management at 814-332-6340. Anyone wishing to provide DEP with additional information they believe should be considered may submit the information to the following address. Comments must be received by the Department within 30 days of the last day of publication. Written comments should include the name, address, and telephone number of the person submitting comments, identification of the proposed Plan Approval; No. 25-00035C and a concise statement regarding the relevancy of the information or any objections to issuance of the Plan Approval. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted on the comments received during the public comment period. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a local newspaper of general circulation or the *Pennsylvania Bulletin* or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Eric Gustafson, Regional Air Quality Manager, Department of Environmental Protection, Northwest Regional Office, 230 Chestnut St., Meadville, PA 16335, 814-332-6940.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05001F: Magnesita Refractories Co., 425 South Salem Church Road, York, PA 17408-5955, West Manchester Township, **York County**. Application received: March 1, 2023. For the refractory manufacturing facility. 67-05001F will authorize the use of an alternative binding agent, with a higher VOC content, which is cured in ID 801 Cure Oven and controlled by C81 Oven Incinerator. The facility's 2022 actual air emissions were 163.0 tons CO, 2,143.1 tons NO_x, 43.0 tons PM₁₀, 17.53 tons PM_{2.5}, 829.9 tons SO_x, 16.56 tons VOC, 38.5 tons total HAP, and 38.1 tons individual HAP (hydrochloric acid). The emissions increases are calculated to be 1.2 tons VOC and 1.5 tons HAP (phenol) as a result of the plan approval. Among other requirements in the permit, the cure oven is subject to 40 CFR 63 Subpart SSSSS National Emission Standards for Hazardous Air Pollutants of Refractory Products Manufacturing. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants. Based on these findings, the Department proposes to issue a plan approval for the proposed material substitution. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance

with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an operating permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05069AD: East Penn Manufacturing Co., Inc., 102 Deka Rd., Lyon Station, PA 19536, Richmond Township, **Berks County**. Application received: December 21, 2022. For the transfer from Anew Environmental, LLC to East Penn Manufacturing, Inc. 47 tpy of NO_x emission reduction credits (ERCs) in accordance with 25 Pa. Code Chapter 127, Subchapter E. In addition, East Penn Manufacturing Co., Inc. is proposing to (A) install one new continuous pasting line equipped with one 0.8 million Btu/hr burner and remove two existing panel pasting lines and (B) install one new stripcasting machine equipped with one 6.0 million Btu/hr burner and remove four existing book molds each equipped with one 1.0 million Btu/hr burner. These changes concern the Battery Assembly plant. The PTE from the proposed project is 0.51 tpy of NO_x and 0.03 tpy of VOC. The facility is a Title V facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James A. Beach, New Source Review Chief, 484-250-7501.

46-0081D: Optimova Valley Forge Inc., 435 School Lane, Plymouth Meeting, PA 19462, Plymouth Township, **Montgomery County**. Application received: October 11, 2022. Optimova submitted a Plan Approval application requesting to operate their catalytic oxidizer (CATOX), as the primary control device on a temporary basis for their extrusion process. The SOOP currently lists the Regenerative Thermal Oxidizer (RTO) as the primary control device and the CATOX as the backup. Under the proposal, their CATOX would operate as the primary control device until production levels increase and the use of the RTO becomes economically feasible. This temporary period is for approximately two years. There will be approximately 0.622 ton of VOCs per year increase using the CATOX in place of the RTO. The minimal annual increase in VOC emissions meets deminis increase as per 25 Pa. Code § 127.449, temporary operation of the CATOX and source testing of the CATOX is considered Best Available Technology for control of VOC emissions in this reduced production scenario. The plan approval includes source testing, production restrictions, and monitoring, recordkeeping and work practice requirements designed to ensure this facility complies with all applicable air quality regulations. Anyone wishing to request information regarding this action can do so by contacting

the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0226B: Nosco ODSC, Inc., 1504 Grundy Lane, Bristol, PA 19007, Bristol Township, **Bucks County**. Application received: June 12, 2023. This action is for the installation of a new HP Indigo 35000, seven-color digital printer at an existing facility. The proposed HP Indigo 35000 digital printer will be replacing an older, existing HP Indigo 30000 digital printer. The primary pollutant of concern from the new digital printer will be volatile organic compounds (VOC). There are no hazardous air pollutants (HAP) emitted from the printer. Solvents used in cleanup operations will contain some HAP. The new digital printer has a potential to emit 10.94 tons per year of VOC. The facility will maintain a synthetic minor status by limiting its facility-wide VOC emissions to 24.9 tons per year. The plan approval will include monitoring, recordkeeping, and reporting requirements designed to address all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-011131A: Ameresco, Inc., 234 Landfill Road, Scottdale, PA 15683, East Huntingdon Township, **Westmoreland County**. Application received: January 6, 2022. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44—127.46 that the Pennsylvania Department of Environmental Protection (Department) intends to issue Air Quality Plan Approval PA-65-011131A for a planned construction and operation of a renewable natural gas (RNG) processing facility by Ameresco, Inc. at the existing Greenridge Reclamation Landfill located in East Huntingdon Township, Westmoreland County. Potential to emit from the facility has been calculated to be 17.0 tons VOC, 28.0 tons CO, 9.0 tons NO_x, 4.0 tons SO_x, 7.0 tons PM/PM₁₀/PM_{2.5}, and 3.40 tons total HAPs per year. Sources include RNG refining process, one (1) 23.8 MMBtu/hr thermal oxidizer, one (1) 37.9 MMBtu/hr backup open flare, one (1) fixed bed system containing solid adsorption media to reduce the sulfur content of the LFG, one (1) Membrane Tail Gas Filtration System to reduce the VOC, Siloxane, and CO₂ content of the LFG, One (1) 250-gallon waste oil storage tank, and one (1) 300 kW diesel-fired generator engine. This authorization is subject to best available technology requirements of 25 Pa. Code § 127.1. The Plan Approval has been conditioned to ensure compliance with all applicable rules including, emission restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. Once compliance with the Plan Approval is demonstrated, the applicant will be required to incorporate the conditions into a State Only Operating Permit. The Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania

Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed air Quality Plan Approval for this project, a person may contact the Department at 412-442-4000. A person may oppose the proposed plan approval by filing a written protest with the Department through Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; asandy@pa.gov; or fax 412-442-4194. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-01131A) and a concise statement of the objections to the plan approval and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication. For additional information, you may contact Alexander Sandy at 412-442-4028. A public hearing may be held, if the Department, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written comments or requests for a public hearing should be directed Alexander Sandy, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222 or by email to asandy@pa.gov. All comments must be received prior to the close of business 30 days after the date of this publication.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

45-00005, Sanofi Pasteur, Swiftwater Facility, 1 Discovery Drive, Swiftwater, PA 18370-9100, Pocono Township, **Monroe County**. Application received: June 9, 2022. The Department intends to issue a renewal Title V Operating Permit for the Pharmaceutical Preparations facility in Pocono Township, Monroe County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The main sources at this facility consist of boilers, vaccine production, emergency generators, and egg waste processing area. The control devices are an RTO and Hepa filters. These sources have the potential to emit major quantities of regulated pollutants above Title V emission thresholds. The proposed Title V operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00074, Bayard Printing Group, One Maynard Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. Application received: August 15, 2022. The Department has received an application and intends to issue the renewal of an Air Quality Operating Permit for the company's Williamsport printing facility. The facility has the following potential emissions: 1.66 TPY of CO; 2.18 TPY of NO_x; 0.02 TPY of SO_x; 6.13 TPY of PM/PM₁₀; 18.25 TPY of VOC; 3.47 TPY of VHAPs and 2,601 TPY of CO_{2e}. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial and Institutional Boiler Area Sources, 40 CFR Part 63 Subpart JJJJJJ Sections 63.11193—63.11237. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

22-05060, Texas Eastern Transmission/Grantville, 429 Station Road, Grantville, PA 17028, East Hanover Township, **Dauphin County**. Application received: March 28, 2023. To issue a State Only Operating Permit for the natural gas compressor station. The potential emissions from the facility are estimated at 48 tpy of NO_x, 39 tpy of CO, 9 tpy of PM₁₀, 20 tpy of SO_x, 44 tpy of VOC, 1 tpy of Formaldehyde and 3 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart KKKK—Standards of Performance for Stationary Combustion Turbines, 40 CFR Part 60, Subpart OOOOa—Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 and 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

22-03004, Hershey Company, 925 Reese Avenue, Hershey, PA 17033, Derry Township, **Dauphin County**. Application received: January 6, 2023. For the H.B. Reese

Candy facility. The facility’s 2020 actual air emissions were 3.9 tons of CO, 4.7 tons of NO_x, 3.7 tons of PM₁₀, 0.03 ton of SO_x, and 7.5 tons of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Unit, 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, and 40 CFR Part 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant’s newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 63091301. NPDES No. PA0236004. 1 Ridge, LLC, 184 Schoolhouse Lane, Valley Grove, WV 26060, Donegal, West Finley and East Finley Townships, Washington County. To revise the permit and related NPDES permit to revise 1,735.68 previously permitted underground and subsidence control plan acres from development to longwall mining. Application received: April 28, 2023. Accepted: June 20, 2023.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 08122504. Charles H. God II, 46 River Woods Ln, Sugar Run, PA 18846, Pike Township, **Bradford County**. Request for renewal of coverage under GP-105 for a bluestone surface mining operation affecting 9.27 acres. Receiving stream(s): Unnamed Tributary to Rockwell Creek classified for the following use(s): WWF. Application received: June 20, 2023. Accepted: June 26, 2023.

Mining Permit No. 08122505. Charles H. God II, 46 River Woods Ln, Sugar Run, PA 18846, Pike Township, **Bradford County**. Request for renewal of coverage under GP-105 for a bluestone surface mining operation affecting 3.09 acres. Receiving stream(s): Unnamed Tributary to Rockwell Creek classified for the following use(s): WWF. Application received: June 20, 2023. Accepted: June 26, 2023.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

NPDES No. PA0107395. Mining Permit No. 16860310. Glen-Gery Corporation, 1166 Spring Street, Wyomissing, PA 19610, Limestone Township, Monroe Township, **Clarion County**. Renewal of an NPDES permit. Application received: May 19, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributaries to Little Piney to Piney Creek.

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate: MGD</i>
001	Existing	SWO	0.209
003	Existing	SWO	0.129
004	Existing	TFO	0.017
005	Existing	TFO	0.072

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity ¹				

¹The parameter is applicable at all times.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0269646. Mining Permit No. 08120307. Glenn O. Hawbaker, Inc., 1952 Waddle Road, State College, PA 16803-1649, Athens Township, **Bradford County**. Application received: April 24, 2023.

Renewal of an NPDES permit for discharge of water resulting from surface mining of industrial minerals affecting 77.0 acres. Receiving stream(s): Unnamed tributary to Buck Creek, classified for the following use(s): WWF.

The following outfalls discharge to UNT to Buck Creek:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Stormwater Detention 1	Precipitation Induced
003	Existing	Sediment Basin 1	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

Outfalls: 001

(Discharges during Dry Weather Conditions)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)	Report		

pH (S.U.): Must be between 6.0 and 9.0 standard units

*Outfall 001 only. The 1/year sample must be taken during the months when the asphalt plant on the permit is active. If a sheen is observed during visual inspection of the pond at 001, a grab sample should be collected.

Outfalls: 001

(Discharges after ≤10-yr/24-hr Precip. Event)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)	Report		

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

*Outfall 001 only. The 1/year sample must be taken during the months when the asphalt plant on the permit is active. If a sheen is observed during visual inspection of the pond at 001, a grab sample should be collected.

Outfalls: 003

(Discharges during Dry Weather Conditions)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Flow (gpm)	Report		

pH (S.U.): Must be between 6.0 and 9.0 standard units.

Outfalls: 003

(Discharges after ≤10-yr/24-hr Precip. Event)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Flow (gpm)	Report		

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Outfalls: 001 & 003

(Discharges after >10-yr/24-hr Precip. Event)

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0225762. Mining Permit No. 5276SM8. Pocono Transcrete, Inc., 179 Burger Road, Blakeslee, PA 18601, Tobyhanna Township, **Monroe County.** Renew NPDES permit affecting 10.0 acres. Receiving stream: Twomile Run, classified for the following uses: HQ-CWF, MF. There is no discharge proposed to Twomile Run from this site. Non-discharge BMP's will apply to this site. Application received: May 2, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jake Carson, Project Manager, 570-327-3565.

E5904123-003. PA DOT Engineering District 3-0, 715 Jordan Ave, Montoursville, PA 17754, Richmond Township, **Tioga County.** U.S. Army Corps of Engineers Baltimore District. Application received: June 23, 2023.

PA DOT propose to replace a Single Span Reinforced Concrete Slab Bridge with a Single Cell Precast Concrete Box Culvert. The Existing Structure has a Span of 8.0 Ft, Skew of 32°, Roadway Width of 102 Ft., Underclearance

of 8.3 Ft., Low Chord Elevation of 1,440.22 Ft., and a Hydraulic Opening of 68 Ft². The Proposed Structure has a Span of 20.0 Ft, Skew of 34°, Roadway Width of 120 Ft., Underclearance of 9.5 Ft., Low Chord Elevation of 1,442.53 Ft., and a Hydraulic Opening of 190 Ft². The project will utilize R-8 Rip Rap scour protection at the inlet and outlet. The proposed structure will be depressed one foot and include full width baffles to aid in aquatic passage. The proposed slope is 2.67%. The proposed structure will be shifted approximately 40 Ft. to the west to improve stream alignment. The project will utilize the existing structure to convey the stream during construction. The project will utilize 20 Ft. of R-6 Rip Rap upstream and 45 Ft. of R-6 Rip Rap downstream to tie into the existing stream. The Rip Rap will be depressed one foot and choked with native streambed material. The project will utilize a sandbag diversion and clean water pump during the tie into the existing stream. The project will utilize a temporary roadway and bridge to convey the stream during construction. The project includes a planting plan to restore the riparian area impact. The project will not impact any jurisdictional wetland. The Unnamed Tributary to North Elk Run is designated as a Cold Water Fishery by 25 Pa. Code Chapter 93 Water Quality Standards and a Wild Trout Stream by PA Fish and Boat Commission. Latitude: 41° 47' 12", Longitude: -77° 08' 13".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E5402123-002. PA Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Frackville Borough, Saint Clair Borough, New Castle Township, West Mahanoy Township, Blythe Township, Ryan Township, **Schuylkill County.** U.S. Army Corps of Engineers Philadelphia District. Application received: April 7, 2023.

Latitude: 40.778003°, Longitude: -76.227562°.

E5402123-002

To authorize the following water obstructions and encroachments associated with the SR 0061 Section 14M Project:

Outfalls

1. To construct and maintain an outfall in the floodway of Mill Creek (CWF, MF) consisting of an outfall pipe and endwall. (Impact S1fw-a-P-OF1)
2. To construct and maintain an outfall in the floodway of Mill Creek (CWF, MF) consisting of an outfall pipe and endwall. (Impact S1fw-b-P-OF2)
3. To construct and maintain an outfall in the floodway and watercourse of Mill Creek (CWF, MF) consisting of an outfall pipe and endwall. (Impacts S1fw-e-P-OF3 and S1d-P-OF3)
4. To construct and maintain an outfall in the floodway of Darkwater Creek (CWF, MF) consisting of an outfall pipe and endwall. (Impact S4fw-a-P-OF4)
5. To construct and maintain an outfall in the floodway of Mill Creek (CWF, MF) consisting of riprap apron protection. (Impact S1fw-i-P-OF5)
6. To construct and maintain an outfall in the floodway of Mill Creek (CWF, MF) consisting of an outfall pipe and endwall. (Impact S1fw-l-P-OF6)

7. To construct and maintain an outfall in the floodway of Mill Creek (CWF, MF) consisting of riprap apron protection. (Impact S1fw-m-P-OF7)

8. To construct and maintain an outfall in the floodway of a tributary to Mill Creek (CWF, MF) consisting of an outfall pipe, an endwall and outlet protection. (Impact S44fw-a-P-OF1)

9. To construct and maintain an outfall in the floodway of Mill Creek (CWF, MF) consisting of riprap apron protection. (Impact S1fw-o-P-OF8)

10. To construct and maintain an outfall in the floodway and watercourse of Mill Creek (CWF, MF) consisting of an outfall pipe, endwall and outlet protection. (Impacts S11-P-OF9 and S1fw-r-P-OF9)

11. To construct and maintain an outfall in the floodway and watercourse of Mill Creek (CWF, MF) consisting of an outfall pipe, endwall and outlet protection. (Impacts S1m-P-OF10 and S1fw-t-P-OF10)

12. To construct and maintain an outfall in the floodway of Mill Creek (CWF, MF) consisting of an outfall pipe, endwall and riprap outlet protection. (Impact S1fw-u-P-OF11)

13. To construct and maintain an outfall in the floodway and watercourse of Mud Run (CWF, MF) consisting of an outfall pipe and endwall. (Impacts S17d-P-OF13 and S17fw-b-P-OF13)

14. To construct and maintain an outfall in the floodway of Mud Run (CWF, MF) consisting of an outfall pipe, endwall and riprap outlet protection. (Impact S17fw-e-P-OF14)

15. To construct and maintain an outfall in the floodway of Mud Run (CWF, MF) consisting of an outfall pipe, endwall and riprap outlet protection. (Impact S17fw-g-P-OF15)

16. To construct and maintain an outfall in the floodway of Mud Run (CWF, MF) consisting of an outfall pipe and endwall. (Impact S17fw-I-P-OF16)

Box Culverts

1. To remove the existing structure and to construct and maintain an 81' wide single span pre-cast reinforced concrete box culvert carrying SR 0061 across Tar Run (CWF, MF) having a 9' normal clear span and an 8.5' minimum underclearance and to construct and maintain appurtenant structure features. (Impacts S16a-P-C3 and S16fw-b-P-C3) 2. To remove the existing structure and to construct and maintain an 84' wide single span pre-cast reinforced concrete box culvert carrying SR 0061 across Kauffman Run (CWF, MF) having a 15' normal clear span and a 6' minimum underclearance and to construct and maintain appurtenant structure features. (Impacts S26-P-C8 and S26fw-P-C8)

Bridges

1. To construct and maintain a new 23' wide single span bridge that will carry a proposed driveway over Mill Creek (CWF, MF) having a normal clear span of 60' and a minimum underclearance of 12' and to construct and maintain appurtenant structure features. (Impacts S1g-P-SRL/B and S1fw-h-P-B)

Stream Enclosure Replacements and Rehabilitation

1. To remove the existing structure and to construct and maintain a new stream enclosure carrying a tributary to Mill Creek (CWF, MF) across SR 0061. (Impacts S3-P-SE and S3fw-P-F)

2. To remove the existing structure and to construct and maintain a 66" diameter 223' long stream enclosure carrying Darkwater Creek (CWF, MF) under SR 0061 and to construct and maintain appurtenant structure features. (Impacts S4a-P-C1 and S4fw-P-C1)

3. To construct and maintain a new stream enclosure carrying a tributary to Mill Creek under SR 0061 and discharging into Mill Creek and to construct and maintain appurtenant structure features. Approximately 175 LF of open channel loss will occur due to SR 0061 slope grading. (Impacts S8-P-SE, S8fw-P-F and S1fw-q-P-SE)

4. To perform maintenance on an existing stone masonry arch stream enclosure that carries SR 0061 over Tar Run (CWF, MF). The proposed maintenance consists of the installation of grouted cut-off walls, grouting of existing streambed material and the reconstruction of downstream wingwalls. The stream enclosure discharges to Mill Creek. (Impacts S1n-P-C2, S1fw-x-P-C2, S16b-P-C2 and S16fw-P-C2)

5. To perform maintenance on an existing stone masonry arch stream enclosure that carries SR 0061 over Mud Run (CWF, MF). The proposed maintenance consists of the installation of steel plate liner. The stream enclosure discharges to Mill Creek. (Impacts S1p-P-C4, S1fw-aa-P-C4, S17a-P-C4 and S17fw-P-C4)

6. To perform maintenance on an existing stone masonry arch stream enclosure that carries SR 0061 over Mud Run (CWF, MF). The proposed maintenance consists of the installation of a galvanized steel plate liner. (Impacts S17e-P-C5 and S17fw-c-P-C5)

7. To perform maintenance on an existing stone masonry arch stream enclosure that carries SR 0061 over Mud Run (CWF, MF). The proposed maintenance consists of the installation of a galvanized steel plate liner. Minor impacts to a tributary to Mud Run (CWF, MF) will also occur for the structure rehabilitation. (Impacts S17f-P-C6, S17fw-d-P-C6, S23-P-C6)

8. To remove the existing structure and to construct and maintain a 190' wide precast reinforced concrete box stream enclosure with a 15' normal clear span and a 9' minimum underclearance carrying Mud Run (CWF, MF) under SR 0061 and to construct and maintain appurtenant structure features. (Impacts S17fw-k-P-C7 and S17k-P-C7)

9. To perform maintenance on an existing CIP RC Box stream enclosure that carries SR 0061 over Mud Run (CWF, MF). The proposed maintenance consists of the placement of a concrete floor slab. (Impacts S17l-P-C9 and S17fw-m-P-C9)

Wetland Fill

1. To permanently impact 0.22 acre of PUB/PEM wetlands for SR 0061 reconstruction, grading, outfall placements and culvert replacements.

Floodway Fill

2. To place 0.007 acre of fill in the floodway of Mill Creek (CWF, MF) for the purpose of reconstruction and grading of SR 0061. (Impact S1fw-s-P-F)

3. To place 0.03 acre of fill in the floodway of Mill Creek (CWF, MF) for the purpose of reconstruction and grading of SR 0061. (Impact S1fw-w-P-F)

4. To place 0.02 acre of fill in the floodway of Tar Run (CWF, MF) for the purpose of reconstruction and grading of SR 0061. (Impact S16fw-a-P-F)

5. To place 0.20 acre of fill in the floodway of a tributary to Tar Run (CWF, MF) for the purpose of reconstruction and grading of SR 0061. (Impact S21fw-P-F)

Retaining Walls

1. Approximately 400 LF of a new retaining wall (wall 5) will impact the watercourse and floodway of Mill Creek. (CWF, MF) (Impacts S1c-P-W5 and S1fw-d-P-W5)

2. Approximately 555 LF of a new retaining wall (wall 6) will impact the watercourse and floodway of Mill Creek. (CWF, MF) (Impacts S1e-P-W6 and S1fw-f-P-W6)

3. Approximately 250-LF of existing retaining wall (wall 2) located along Mill Creek (CWF, MF) will be permanently removed. (Impacts S1i-P-W2 and S1fw-k-P-W2)

4. Approximately 100-LF of existing retaining wall (wall 4) located along Mill Creek (CWF, MF) will be rehabilitated. (Impacts S1o-P-W4 and S1fw-y-P-W4)

5. Approximately 165-LF of existing retaining wall (wall 9) located along Mud Run (CWF, MF) will be permanently removed at stream mitigation site 2. (Impacts S17i-P-SR and S17fw-h-P-W9)

Stream Channel Fill, Stream Channel Changes, associated Floodway Fill

1. To fill 0.002 acre of the Mill Creek (CWF, MF) watercourse and 0.10 acre of floodway from SR 0061 reconstruction. (Impact S1f-P-FS and S1fw-g-P-F)

2. To fill 0.01 acre the Mill Creek (CWF, MF) watercourse and 0.02 acre of floodway from SR 0061 reconstruction. (Impacts S1h-P-FS and S1fw-j-P-F)

3. To fill 0.25 acre of a tributary to Mill Creek (CWF, MF) watercourse and 0.25 acre of floodway from SR 0061 reconstruction. (Impacts S46-P-FS and S46fw-P-F)

4. To fill 0.005 acre of a tributary to Mill Creek (CWF, MF) watercourse and 0.37 acre of floodway from SR 0061 reconstruction. (Impacts S44-P-FS and S44fw-P-F)

5. To fill 0.03 acre of the Mill Creek (CWF, MF) watercourse and 0.07 acre of floodway from SR 0061 reconstruction. (Impacts S1j-P-FS and S1fw-n-P-F)

6. Approximately 22-LF of channel and associated floodway loss will occur in a tributary to Mill Creek (CWF, MF) due to SR 0061 slope grading. (Impacts S10-P-FS and S10fw-P-F)

7. Approximately 60-LF of channel and associated floodway loss will occur in a tributary to Mill Creek (CWF, MF) due to SR 0061 slope grading. (Impacts S11-P-FS and S11fw-P-F)

8. To fill 0.02 acre of Mud Run (CWF, MF) from SR 0061 grading and reconstruction. (Impact S17b-P-FS)

9. Approximately 66-LF of stream restoration and 470-LF of wall restoration (wall 7) will occur in Mud Run (CWF, MF) at stream restoration site 1. (Impacts S17fw-a-P-W7 and S17c-P-SR)

10. To fill 0.005 acre of a tributary to Mud Run (CWF, MF) watercourse and 0.007 acre of floodway from SR 0061 reconstruction. (Impacts S19-P-FS and S19fw-P-F)

11. Approximately 100-LF of stream restoration and 335 LF of wall restoration (wall 8) will occur in Mud Run (CWF, MF) at stream restoration site 2. (Impact S17h-P-SR and S17fw-f-P-W8)

12. Approximately 65-LF of stream restoration will occur in a tributary to Mud Run (CWF, MF) at stream restoration site 2. (Impact S28-P-SR)

13. Approximately 5-LF of channel loss will occur in a tributary to Kauffman Run (CWF, MF) due to SR 0061 slope grading. (Impact 27-P-FS)

The proposed project is located along SR 0061 and extends south from West Spruce Street in Frackville Borough for approximately 4.5 miles (Pottsville and Shenandoah, PA Quadrangles, Latitude: 40.778003°; Longitude: -76.227562° to Latitude: 40.728828°; Longitude: -76.194233°) in Frackville and Saint Clair Boroughs and New Castle, West Mahanoy, Blythe and Ryan Townships, Schuylkill County. Received Date: April 7, 2023.

E4002223-014. Hunlock Township, 33 Village Drive, Hunlock Creek, PA 18621, Hunlock Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 21, 2023.

To construct and maintain the following water obstructions and encroachments associated with the Hunlock Township Park Project: 1) A stormwater outfall within the floodway of a UNT to Hunlock Creek (CWF, MF) consisting of a 2-foot wide, vegetated trapezoidal channel and a 20-ft long, 6-in deep earthen level spreader. 2) A fill within the floodway of a UNT to Hunlock Creek (CWF, MF) consisting of a 10-ft wide, 30-ft long concrete pad and an 8-ft high chain link fence associated with a proposed baseball dugout. 3) A fill within the floodway of a UNT to Hunlock Creek (CWF, MF) consisting of a 40-ft long, 6-ft wide concrete walking path. 4) A fill within the floodway of a UNT to Hunlock Creek (CWF, MF) consisting of a 230-ft long, 6-ft tall chain link fence. This project will result in a new cut of 366 ft³ within the floodway. The project is located at approximately 0.22 mile south of the intersection of Sunset Lake Road and Hunlock-Harveyville Road (Nanticoke, PA Quadrangle Latitude: 41° 13' 8"; Longitude: -76° 6' 38") in Hunlock Township, Luzerne County.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E0603223-013. Pintzuk Brown Realty Group Inc., 491 Old York Road, Suite 200, Jenkintown, PA 19046, Perry Township and Shoemakersville Borough, **Berks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: May 9, 2023.

To 1) place and maintain 0.13 acre of fill associated with a proposed road crossing in an emergent/scrub-shrub/forested wetland; 2) place and maintain 0.01 acre of fill associated with a proposed road crossing in an emergent/scrub-shrub wetland; 3) place and maintain 0.11 acre of fill in an emergent/scrub-shrub wetland; 4) install and maintain a 68-foot long, 5.5-foot high, open bottom concrete culvert, with a waterway opening width of 12 feet, permanently impacting 111 linear feet (888 square feet) and temporarily impacting 82 linear feet (656 square feet) of an Unnamed Tributary to the Schuylkill River (WWF, MF); 5) install and maintain a 274-foot long, 2.4-foot wide, elliptical concrete pipe, with a waterway opening width of 3.8 feet, permanently impacting 290 linear feet (2,320 square feet) of an Unnamed Tributary to the Schuylkill River (WWF, MF); 6) Install and maintain a 451-foot long, 3-foot wide, concrete pipe, with a waterway opening width of 3 feet, permanently impacting 322 linear feet (2,254 square feet) of an Unnamed Tributary to the Schuylkill River (WWF, MF).

The project will also result in 72,041 square feet of permanent floodway impact. All for the purpose of developing a 21.5-acre commercial retail site containing two existing and four proposed buildings and constructing a new two-lane road connecting Pottsville Pike (Route 61) and Main Street and stormwater management systems. The project is located along SR 0061 (Pottsville Pike) in Perry Township and Shoemakersville Borough, Berks County (40.509154, -75.967159). To compensate for wetland and stream impacts, the applicant has secured 0.25 wetlands mitigation credits and 723 stream mitigation credits at the Quaker Mitigation Bank (DEP Permit No. MB990306-0001) in Berks County, PA. Latitude: 40.509154°, Longitude: -75.967159°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E0901223-002. Landing Property, LLC, 537 North Avenue, 4th Floor, Plainfield, NJ 07060, New Hope Borough, **Bucks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: February 28, 2023.

To construct, rehabilitate, and maintain a river walk with a size of 115-feet by 10-feet, patio of 140-feet by 12-feet, access ramps of 205-feet by 21-feet to floating docks, and two new floating docks 205-feet by 21-feet within the floodway/floodplain of the Delaware River (WWF), associated with an existing restaurant, customer recreation, and access for the fire rescue boats. The site is

located about 250 feet northeast of West Bridge Street and Route 32 (NW Lambertville, PA-NJ USGS Quadrangles) in New Hope Borough, Bucks County. Latitude: 40.365655°, Longitude: -74.951304°.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281.

E3007223-006. CNX Midstream Operating Company, LLC, 1000 Horizon Vue Drive, Canonsburg, PA 15317, Morris Township, **Greene County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 21, 2023. Latitude: 40.010166°, Longitude: -80.289138°.

This small project joint permit application proposes to expose approximately 380 LF of one existing 12" HDPE combination (fresh/produced) and two (2) existing 10" steel gas pipelines through Regulated Waters of the Commonwealth in preparation for longwall mining activities under these pipelines. Exposure of Pipeline exposure is anticipated to last approximately one (1) year and will result in temporary impacts to one (1) stream and two (2) associated stream floodways (UNTs to Bates Fork, a High-Quality Warm Waters Fishery). Total proposed earth disturbance for this project is 27.8 acres. Proposed project impacts include excavation to expose the existing pipelines, stockpiling of soils, installation of temporary flume pipe, installation of monitoring equipment, installation of erosion and sediment controls, and site restoration post-construction.

<i>Resource Name</i>	<i>Aquatic Resource Type</i>	<i>Activity</i>	<i>Chapter 93 Designation</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Area Temp. (LF)</i>	<i>Impact Area Temp. (Ac)</i>	<i>Impact Area Perm. (Ac)</i>
Stream 7 (UNT to Bates Fork)	Intermittent	Flume Pipe	HQ-WWF	180 SF	60 LF	0.004	-
Stream 7 (UNT to Bates Fork)	Intermittent	Excavation	HQ-WWF	135 SF	45 LF	0.003	-
Stream 7 (UNT to Bates Fork) floodway	Intermittent	Floodway Activity (Excavation; Construction)	HQ-WWF	14,586 SF	-	0.33 Ac	-
Stream 11 (UNT to Bates Fork) floodway	Intermittent	Floodway Activity (Excavation; Construction)	HQ-WWF	12,425 SF	-	0.29 Ac	-
Total Impacts				27,191 SF	60 LF	0.63 Ac	-

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Individuals wishing to comment on the proposed permit are invited to submit a statement to the appropriate DEP

Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Applications Received Under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP-3 # **ESCP #**
 Applicant Name **Hyperion Midstream LLC—Guardian Compressor Station—ESP076523002-00**
 Contact Person Brian Dillemath, (724) 754-0110, bdillemath@olympusenergy.com
 Address Wilderness Road
 City, State, Zip Trafford, PA 15085
 Township(s) Penn Township
 County **Westmoreland County**
 Receiving Stream(s) and Classification(s) UNTs to Trib 37358 to Lyons Run, Trib. 37358 to Lyons Run, Lyons Run. Lat 40.396667, Long -79.678349. Ch. 93 Class; TSF
 Application received: June 15, 2023

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This

paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0276049	CAFO Individual NPDES Permit	Issued	Pappy's Orchard 2474 Urffers Road Coopersburg, PA 18036-3807	Lower Milford Township Lehigh County	SCRO
PAD050011	Chapter 102 Individual NPDES Permit	Issued	Merit Si 717 Texas Avenue 12th Flr Houston, TX 77002	Bedford Township Bedford County	SCRO
PAD150222	Chapter 102 Individual NPDES Permit	Issued	I-76 Tc Owner (Pa) LLC 303 Peachtree Battle Avenue Suite 575 Atlanta, GA 30305-1210	Uwchlan Township Chester County	SERO
PAD150233	Chapter 102 Individual NPDES Permit	Issued	Great Valley School District 47 Church Road Malvern, PA 19355-1539	East Whiteland Township Chester County	SERO
PAD360101	Chapter 102 Individual NPDES Permit	Issued	1147 Holdings, LLC 132 N Ann Street Lancaster, PA 17602-3060	Lancaster City Lancaster County	SCRO
PAD390048	Chapter 102 Individual NPDES Permit	Issued	Trexler Fld Twin Home Project LLC 5930 Hamilton Boulevard Suite 10 Wescosville, PA 18106	Upper Macungie Township Lehigh County	NERO
PAD630073	Chapter 102 Individual NPDES Permit	Issued	PA DGS 1800 Herr Street Arsenal Bldg 3rd Floor Harrisburg, PA 17103-1540	Hanover Township Washington County	SWRO
PA0053392	Industrial Stormwater Individual NPDES Permit	Issued	United Parcel Service Inc. 1 Hog Island Road Philadelphia, PA 19153-3809	Tinicum Township Delaware County	SERO
1518814	Joint DEP/PFBC Pesticides Permit	Issued	Dokas Paul 230 Fairview Road Glenmoore, PA 19343	Wallace Township Chester County	SERO
2313809	Joint DEP/PFBC Pesticides Permit	Issued	Alverno Valley Farms 511 W Chester Pike Havertown, PA 19083-4524	Middletown Township Delaware County	SERO
3513817	Joint DEP/PFBC Pesticides Permit	Issued	Cravath Amy 529 Lower Mill City Road Dalton, PA 18414	West Abington Township Lackawanna County	NERO

NOTICES

3745

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3513825	Joint DEP/PFBC Pesticides Permit	Issued	Abington School District 200 E Grove Street Clarks Green, PA 18411-1737	Newton Township Lackawanna County	NERO
3523802	Joint DEP/PFBC Pesticides Permit	Issued	Burke Terrence 100 Old Winola Road Clarks Summit, PA 18411-9401	South Abington Township Lackawanna County	NERO
3913812A-1	Joint DEP/PFBC Pesticides Permit	Issued	North Whitehall Township 3256 Levans Road Coplay, PA 18037-2118	North Whitehall Township Lehigh County	NERO
3923803	Joint DEP/PFBC Pesticides Permit	Issued	Fikse Derek 4640 Church View Road Zionsville, PA 18092-2001	Upper Milford Township Lehigh County	NERO
4513809	Joint DEP/PFBC Pesticides Permit	Issued	Stones Throw Property Owners Association 122 Stones Throw East Stroudsburg, PA 18301	East Stroudsburg Borough Monroe County	NERO
4521808	Joint DEP/PFBC Pesticides Permit	Issued	Hallowood Acres Homes Association 546 Hallowood Drive East Stroudsburg, PA 18302-7727	Price Township Monroe County	NERO
4613858	Joint DEP/PFBC Pesticides Permit	Issued	Reserve At Penn Crossing P.O. Box 1925 Blue Bell, PA 19422	East Norriton Township Montgomery County	SERO
4618802	Joint DEP/PFBC Pesticides Permit	Issued	Upper Gwynedd Township P.O. Box 1 West Point, PA 19486-0001	Upper Gwynedd Township Montgomery County	SERO
5813810	Joint DEP/PFBC Pesticides Permit	Issued	Foxton Lake Association 356 Lake Road Susquehanna, PA 18847-7340	Jackson Township Susquehanna County	NERO
5813818	Joint DEP/PFBC Pesticides Permit	Issued	Flower Cornelia 134 Elk Lake School Road Springville, PA 18844-7736	Springville Township Susquehanna County	NERO
5813831A-1	Joint DEP/PFBC Pesticides Permit	Issued	Forest Lake Cottage Owners Association 276 Road 3 Montrose, PA 18801-7544	Forest Lake Township Susquehanna County	NERO
5814801	Joint DEP/PFBC Pesticides Permit	Issued	Crescent Lake Assoc 3132 SR 267 Meshoppen, PA 18630	Auburn Township Susquehanna County	NERO
6413835	Joint DEP/PFBC Pesticides Permit	Issued	Wildwood Park Outing Club Inc. 335 Avoy Road Lake Ariel, PA 18436-4810	Lake Township Wayne County	NERO
6413844	Joint DEP/PFBC Pesticides Permit	Issued	Lake Henry Cottagers Assoc Inc. 245 7th Avenue Apt 12A New York, NY 10001-7301	Lake Township Wayne County	NERO
6423805	Joint DEP/PFBC Pesticides Permit	Issued	Harrison Scott 309 Church Road Damascus, PA 18415-3536	Damascus Township Wayne County	NERO
PA0024694	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Beaver Borough Municipal Authority 469 3rd Street Beaver, PA 15009-2226	Beaver Borough Beaver County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2008201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Bortnick Dairy LLC 21820 Palmer Road Conneautville, PA 16406-4746	Beaver Township Crawford County	NWRO
PA0095010	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Greater Johnstown Water Authority P.O. Box 1407 640 Franklin Street Johnstown, PA 15907-1407	Stonycreek Township Cambria County	SWRO
PA0103411	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Ellwood Quality Steels Co. 700 Moravia Street New Castle, PA 16101-3950	New Castle City Lawrence County	NWRO
PA0244538	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Buckmans Inc. 105 Airport Road Pottstown, PA 19464-3438	Limerick Township Montgomery County	SERO
PA0031453	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Southern Columbia Area School District 800 Southern Drive Catawissa, PA 17820-8410	Franklin Township Columbia County	NCRO
PA0217514	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Honeywell Electronic Materials Inc. 195 Hartzell School Road Fombell, PA 16123-1207	Marion Township Beaver County	SWRO
1512408	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	East Vincent Township 262 Ridge Road Spring City, PA 19475-2203	East Vincent Township Chester County	SERO
2670409	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Mt Pleasant MHP LLC 600 Laurelview Drive Mt Pleasant, PA 15666	Bullskin Township Fayette County	SWRO
NOEXNC149	No Exposure Certification	Issued	Hunting Titan Inc. 450 Gears Road Suite 200 Houston, TX 77067-4513	Sandy Township Clearfield County	NCRO
PAG032245	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Berry Global Films LLC 20 Elmwood Avenue Mountain Top, PA 18707-2100	Wright Township Luzerne County	NERO
PAG032405	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Honeywell International Inc. 98 Westwood Road Pottsville, PA 17901-1834	Norwegian Township Schuylkill County	NERO
PAG033741	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Heyco Metals Inc. 1069 Stinson Drive Reading, PA 19605-9464	Bern Township Berks County	SCRO
PAG033932	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Graham Pkg Co. LP 700 Indian Springs Drive Suite 100 Lancaster, PA 17601-7800	Spring Garden Township York County	SCRO

NOTICES

3747

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG034034	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Starbucks Coffee Co. 3000 Espresso Way York, PA 17406-6035	East Manchester Township York County	SCRO
PAG034857	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	White Pines Corp 2650 Audubon Road Audubon, PA 19403	Pine Township Columbia County	NCRO
PAG036169	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Triumvirate Environmental Pittsburgh Inc. 200 Innerbelt Road Somerville, MA 02143-4456	Penn Township Westmoreland County	SWRO
PAG036189	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fullerton Terminals De LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Delmont Borough Westmoreland County	SWRO
PAG036234	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	C & C Concrete dba Donaldsons Supply 40 Murdock Street Canonsburg, PA 15317-1310	Canonsburg Borough Washington County	SWRO
PAG036248	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	North Fayette Supply LLC 415 Unity Center Road Pittsburgh, PA 15239-3409	Bullskin Township Fayette County	SWRO
PAG036251	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Stone & Co. Inc. 606 McCormick Avenue Connellsville, PA 15425-2733	Chartiers Township Washington County	SWRO
PAG053607	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	522 Park Pit Stop LLC 29459 Great Cove Road Fort Littleton, PA 17223-9637	Dublin Township Fulton County	SCRO
PAG124845	PAG-12 NPDES General Permit for CAFOs	Issued	D & K Poultry LLC 66 Dundore Road Port Trevorton, PA 17864-9504	West Perry Township Snyder County	SCRO
3623401	Pump Stations Individual WQM Permit	Issued	Lancaster Area Sewer Authority 130 Centerville Road Lancaster, PA 17603-4007	Manor Township Lancaster County	SCRO
6573410	Pump Stations Individual WQM Permit	Issued	North Huntingdon Township Municipal Authority 4130 Turner Valley Road Irwin, PA 15642-4969	North Huntingdon Township Westmoreland County	SWRO
02722-S	Sewer Extensions Individual WQM Permit	Issued	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
3623403	Sewer Extensions Individual WQM Permit	Issued	Elizabethtown Borough 600 S Hanover Street Elizabethtown, PA 17022-2522	Elizabethtown Borough Lancaster County	SCRO
PA0102555	Single Residence STP Individual NPDES Permit	Issued	Defranco Rocco A 1593 Silver Creek Road Johnsonburg, PA 15845-2531	Jones Township Elk County	NWRO
PA0240052	Single Residence STP Individual NPDES Permit	Issued	Deets Celeste 22980 Plank Road Venango, PA 16440-2030	Venango Township Crawford County	NWRO
PA0265578	Single Residence STP Individual NPDES Permit	Issued	Black Kevin 470 Smutz Road Warren, PA 16365-3835	Conewango Township Warren County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0265705	Single Residence STP Individual NPDES Permit	Issued	Braun James 1450 Fisherman's Cove Road Polk, PA 16342	Victory Township Venango County	NWRO
PA0266388	Single Residence STP Individual NPDES Permit	Issued	Paul Claudia K 302 Guyer Corner Road New Enterprise, PA 16664-8226	South Woodbury Township Bedford County	SCRO
PA0288659	Single Residence STP Individual NPDES Permit	Issued	Solman Frederick F 110 Glenwood Avenue Evans City, PA 16033-9308	Forward Township Butler County	NWRO
PA0288691	Single Residence STP Individual NPDES Permit	Issued	Bufalino Joseph 5580 Crane Road Edinboro, PA 16412-1034	Washington Township Erie County	NWRO
PA0292893	Single Residence STP Individual NPDES Permit	Issued	Alley Andrew 817 E Lake Road Transfer, PA 16154-2311	Pymatuning Township Mercer County	NWRO
PA0293091	Single Residence STP Individual NPDES Permit	Issued	Pearson John B 9775 Oliver Road McKean, PA 16426-1849	McKean Township Erie County	NWRO
1020414	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Solman Frederick F 110 Glenwood Avenue Evans City, PA 16033-9308	Forward Township Butler County	NWRO
1513402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Wachs Rachel A 215 W Church Road King of Prussia, PA 19406-3203	West Brandywine Township Chester County	SERO
2007403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Deets Celeste 22980 Plank Road Venango, PA 16440-2030	Venango Township Crawford County	NWRO
2520421	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Bufalino Joseph 5580 Crane Road Edinboro, PA 16412-1034	Washington Township Erie County	NWRO
2523412	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Pearson John B 9775 Oliver Road McKean, PA 16426-1849	McKean Township Erie County	NWRO
4323403	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Alley Andrew 817 E Lake Road Transfer, PA 16154-2311	Pymatuning Township Mercer County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC510264	PAG-02 General Permit	Issued	Cobbs Creek Foundation 300 Conshohocken State Road West Conshohocken, PA 19428	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC630284	PAG-02 General Permit	Issued	PennDOT Engineering District 12-0 825 North Gallatin Avenue Ext Uniontown, PA 15401	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO

NOTICES

3749

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC110106	PAG-02 General Permit	Issued	Joseph Wyland 632 Lincoln Road Loretto, PA 15940	Allegheny Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15931 814-472-2120 SWRO
PAC090238	PAG-02 General Permit	Issued	Deepak Patel 620 Leslie Lane Morrisville, PA 19067-4468	Upper Makefield Township Bucks County	Bucks County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Doylestown, PA 18901-5550 215-345-7577 x110 RA-EPNPDES_SERO@ pa.gov
PAC460357	PAG-02 General Permit	Issued	Brandywine Operating Partnership LP 2929 Arch Street Suite 1700 Philadelphia, PA 19104	Upper Merion Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC010183A-1	PAG-02 General Permit	Issued	Ery Properties, LLC 299 Brickyard Road New Oxford, PA 17350	Oxford Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 100 Gettysburg, PA 17325 717-334-0636
PAC010045A-1	PAG-02 General Permit	Issued	Littlestown Area School District 162 Newark Street Littlestown, PA 17340	Littlestown Borough Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 100 Gettysburg, PA 17325 717-334-0636
PAC310026	PAG-02 General Permit	Issued	Southern Huntingdon County School District 10339 Pogue Road Three Springs, PA 17264	Cromwell Township Huntingdon County	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652 814-627-1626
PAC310029	PAG-02 General Permit	Issued	RJLT Bender 1 LLC 4331 Fox Run Road Dover, PA 17315	Hopewell Township Huntingdon County	Huntingdon County Conservation District 10605 Raystown Road Suite A Huntingdon, PA 16652 814-627-1626
PAC380271	PAG-02 General Permit	Issued	Annville-Cleona School District 520 South White Oak Street Annville, PA 17003	South Annville Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC380284	PAG-02 General Permit	Issued	Cali Companies 500 South Locust Street Palmyra, PA 17078	North Cornwall Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC010233	PAG-02 General Permit	Issued	Amos Z. and Malinda S. Stoltzfoos 1365 Georgetown Road Littlestown, PA 17340	Germany Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 100 Littlestown, PA 17340 717-334-0636
PAC460734	PAG-02 General Permit	Issued	Bryn Mawr Avenue Investors LLC 775 E Lancaster Avenue Villanova, PA 19085-1529	Lower Merion Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460744	PAG-02 General Permit	Issued	Jenkintown Commons Limited Partnership 3 BAP Jenkintown LLC 925 West Lancaster Avenue Suite 200 Bryn Mawr, PA 19010-3050	Jenkintown Borough Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460758	PAG-02 General Permit	Issued	PJ Land Development LLC 71 Carolyn Boulevard Farmingdale, NY 11735-1527	Lower Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460787	PAG-02 General Permit	Issued	Brandywine Operating Partnership LP 2929 Arch Street Suite 1700 Philadelphia, PA 19104-7327	Upper Merion Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC360851	PAG-02 General Permit	Issued	Ephrata Area School District 803 Oak Boulevard Ephrata, PA 17522	Ephrata Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360852	PAG-02 General Permit	Issued	Meadow Lane Dairy 3280 Blue Rock Road Lancaster, PA 17603	Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360756	PAG-02 General Permit	Issued	Marlin W Martin 305 W Girl Scout Road Stevens, PA 17578	Clay Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360854	PAG-02 General Permit	Issued	Jay Zimmerman 1655 Clay Road Ephrata, PA 17522	Clay Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360195A-1	PAG-02 General Permit	Issued	Manheim Projects Associates LLC 110 Hillside Blvd Lakewood, NJ 08701	Penn Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360828	PAG-02 General Permit	Issued	East Empfield Township 1700 Nissley Road Landisville, PA 17538	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361 ext. 5
PAC360279A-6	PAG-02 General Permit	Issued	Lancaster Airport Authority Transtect Hangar 500 Airport Drive Lititz, PA 17543	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17543 717-299-5361 ext. 5
PAC670529A-3	PAG-02 General Permit	Issued	BAM Westgate Drive Three LLC 4045 Thicket Lane Harrisburg, PA 17110	West Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Delbert's Ag Operation 156 Kunkel Road Kempton, PA 19529	Berks County	96	80.87	Ducks	NA	Approved
Brubaker Poultry Operation 788 Summer Mountain Road Bernville, PA 19506	Berks County	73.2	258.43	Beef and Poultry (broilers)	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

Construction Permit No. 3921509MA, Minor Amendment, Public Water Supply.

Applicant	Glencrest Realty Company Glencrest Mobile Home Park
Address	139 Country Club Road Northampton, PA 18067
Municipality	Washington Township
County	Lehigh County
Consulting Engineer	Mr. Garrett A. Stoy, PE Project Engineer UNI-TEC Consulting Engineers, Inc. 2007 Cato Avenue State College, PA 16801
Application Received	June 14, 2023
Permit Issued	June 28, 2023
Description	Construction permit renewal of PWS Permit No. 3921509MA originally issued on October 8, 2021. It includes 4-Log disinfection at Entry Point-101 (Well No. 1—3); replacing three underground tanks with three above grade tanks; replacing the existing booster pumps; and replacing the chemical feed pumps.

Operation Permit No. 3396420, Public Water Supply.

Applicant	BlueTriton Brands, Inc.
Address	305 & 405 Nestle Way Breinigsville, PA 18031
Municipality	Upper Macungie Township
County	Lehigh County
Consulting Engineer	Edward E. Davis, Sr., P.E. Miller Bros. Construction, Inc. P.O. Box 472 Schuylkill Haven, PA 17972
Application Received	May 30, 2023
Permit Issued	June 30, 2023
Description	Operations permit for Line 18.

Construction Permit No. 5222502, Major Amendment, Public Water Supply.

Applicant	Pennsylvania American Water Company
Address	852 Wesley Drive Mechanicsburg, PA 17055

Municipality Delaware Township
 County **Pike County**
 Consulting Engineer Cory James Salmon, PE
 Herbert, Rowland & Grubic, Inc.
 501 Allendale Rd.
 Suite 203
 King of Prussia, PA 19406

Application Received September 6, 2022
 Permit Issued June 27, 2023

Description Applicant proposes to the following improvements to the Pocono Mountain Lake Forest water service facilities to alleviate inadequate pressures in the system: the installation of an 8" water main distribution interconnection that will combine two PAWC water systems (PWSID 2520050 and PWSID 2520035) to operate under one water system and one permit (PWSID 2520035); the installation of a water booster pump station; and the improvements to the Well 3 (Source ID 003 under PWSID 2520050) located on Ferret Rd. The Project proposes to regionalize both water systems and combine the two water systems to operate as one system. As a result of the regionalization, PAWC will retire the PAWC's PWSID # 2520050 Permit and operate all facilities from that permit under the PWSID # 2520035.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4708.

Construction Permit No. 2823503 MA, Minor Amendment, Public Water Supply.

Applicant **Fannett Metal School District**
 Address 14823 Path Valley Road
 P.O. Box 91
 Willow Hill, PA 17271

Municipality Metal Township
 County **Franklin County**
 Consulting Engineer Dennis E. Black Engineering, Inc.
 2400 Philadelphia Avenue
 Chambersburg, PA 17201

Application Received February 17, 2023
 Permit Issued June 26, 2023

Description Replacement of the existing water softeners.

Operation Permit No. 3622520, Public Water Supply.
 Applicant **Charles Farms, Inc.**

Address 2927 Charlestown Road
 Lancaster, PA 17603

Municipality Pequea Township
 County **Lancaster County**
 Consulting Engineer James R. Holley & Associates, Inc.
 18 South George Street
 Suite 300
 York, PA 17401

Application Received June 20, 2023
 Permit Issued June 28, 2023

Description Operation of a water softener, nitrate treatment, soda ash addition, cartridge filtration, and ultraviolet disinfection.

Operation Permit No. 7360472, Public Water Supply.

Applicant **RD1 Real Estate LLC**
 Address 833 Stonebridge Drive
 Lancaster, PA 17601

Municipality East Hempfield Township
 County **Lancaster County**
 Application Received March 27, 2023
 Permit Issued June 30, 2023

Description Transfer of public water supply permits for PWS ID No. 7360472 to RD1 Real Estate LLC.

Contact: Joseph M. Mattucci, Program Manager, 717-705-4708.

Emergency Permit No. 3123505 E, Major Amendment, Public Water Supply.

Applicant **PA DCNR—Bureau of State Park**
 Address RCSOB
 8th Floor
 400 Market Street
 Harrisburg, PA 17101

Municipality Todd Township
 County **Huntingdon County**
 Consulting Engineer Shawn D. Beeler, P.E.
 PADCNR—Bureau of Facility Design and Construction
 RCSOB
 8th Floor
 400 Market Street
 Harrisburg, PA 17101

Application Received April 4, 2023
 Permit Issued May 23, 2023

Description Limited duration emergency operation permit for the use of a temporary storage tank and bulk water hauling to transport water to the Trough Creek State Park Water System (PWSID 4310372).

Construction Permit No. 0622514, Major Amendment, Public Water Supply.

Applicant **Maidencreek Township Water Authority**

Address P.O. Box 289
Blandon, PA 19510

Municipality Maiden creek Township

County **Berks County**

Consulting Engineer Greg Unger, P.E.
Systems Design Engineering,
Inc.
1032 James Drive
Leesport, PA 19533

Application Received May 6, 2022

Permit Issued May 22, 2023

Description Construction Permit approving
the construction of two new
groundwater sources (Well Nos.
6 and 7) and a treatment
building with chlorine gas
disinfection and fluoride
addition.

NCWSA Construction Permit No. 7360346, Public
Water Supply.

Applicant **Countryside Rest**

Address 2096 Mine Road
Paradise, PA 17562

Municipality Bart Township

County **Lancaster County**

Consulting Engineer Jerry Burkholder
Martin Water Conditioning
740 E Lincoln Ave
Myerstown, PA 17067

Application Received April 20, 2023

Permit Issued May 8, 2023

Description NCWS Operation Approval for
the new water system.

Operation Permit No. 0720507, Major Amendment,
Public Water Supply.

Applicant **Greenfield Township
Municipal Authority**

Address P.O. Box 372
Claysburg, PA 16625

Municipality Greenfield Township

County **Blair County**

Consulting Engineer Stiffler, McGraw, and Associates,
Inc.
1731 North Juniata Street
Hollidaysburg, PA 16648

Application Received May 1, 2023

Permit Issued May 5, 2023

Description Operation Permit for the
approval to use the new well
(Well No. 4) and disinfection
treatment system.

Operation Permit No. 3060069, Public Water Supply.

Applicant **PA Water Company—
Penn District**

Address 852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Various Municipalities

County **Berks County**

Consulting Engineer Craig Dorash PE
4 Wellington Blvd
Suite 201
Wyomissing, PA 19610

Application Received March 16, 2023

Permit Issued April 28, 2023

Description Comprehensive Operation permit
designating Penn District Well
No. 21 as a reserve source.

Construction/Operation Permit No. 0623503 MA,
Minor Amendment, Public Water Supply.

Applicant **PA Water Company—
Penn District**

Address 852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Sinking Spring Borough

County **Berks County**

Consulting Engineer Craig Dorash PE
4 Wellington Blvd
Suite 201
Wyomissing, PA 19610

Application Received March 7, 2023

Permit Issued April 28, 2023

Description Combined construction/Operation
Permit approving the
replacement of the existing Well
No. 18A pump and motor.

Operation Permit No. 4310016, Public Water Supply.

Applicant **Mount Union Municipal
Authority**

Address 9 W Market St
Mount Union, PA 17066

Municipality Shirley Township

County **Huntingdon County**

Consulting Engineer Adam Charles, PE
Keller Engineers, Inc.
420 Allegheny St
Hollidaysburg, PA 16643

Application Received January 5, 2023

Permit Issued April 26, 2023

Description Comprehensive operation permit
approving the already replaced
chemical feed pumps, proposed
installation of an entry point
flow meter, and designation of
treatment segments for
calculation of 1-log Giardia
inactivation.

Emergency Permit No. 0623508 E, Major Amend-
ment, Public Water Supply.

Applicant **Reading Area Water
Authority**

Address 1801 Kutztown Road
Reading, PA 19604

Municipality Ontelaunee Township

County **Berks County**

Consulting Engineer Darryl A. Jenkins, PE
SSM 1047 N Park Road
Reading, PA 19610

Application Received April 24, 2023

Permit Issued April 24, 2023

Description Emergency operation permit to purchase water from Western Berks Water Authority.

Operation Permit No. 7280025, Public Water Supply.

Applicant **Quincy Township—Quincy Village Water System**

Address 7575 Mentzer Gap Road
Waynesboro, PA 17268

Municipality Quincy Township

County **Franklin County**

Consulting Engineer Thomas Devenney, PE
ELA Group, Inc.
743 S Broad St
Lititz, PA 17543

Application Received April 18, 2023

Permit Issued April 19, 2023

Description Operation permit approving the use of the new sodium hypochlorite disinfection system and tank valving/piping modifications at the Quincy Village Water System.

NCWSA Transfer Permit No. 4290825, Public Water Supply.

Applicant **Mellott PA/MD Real Estate Holdings, LLC**

Address 100 Mellott Drive
Warfordsburg, PA 17267

Municipality Bethel Township

County **Fulton County**

Consulting Engineer Brandon Bowersox
Culligan Water Conditioning
12 Waterford Drive
Mechanicsburg, PA 17050

Application Received February 8, 2023

Permit Issued April 18, 2023

Description NCWS Operation approval for the change in ownership of the water system (PWSID 4290825) from Orchard Business Park, LP to Mellott PA/MD Real Estate Holdings, LLC.

NCWSA Construction Permit No. 4290825, Public Water Supply.

Applicant **Mellott PA/MD Real Estate Holdings, LLC**

Address 100 Mellott Drive
Warfordsburg, PA 17267

Municipality Bethel Township

County **Fulton County**

Consulting Engineer Brandon Bowersox
Culligan Water Conditioning
12 Waterford Drive
Mechanicsburg, PA 17050

Application Received January 29, 2023

Permit Issued April 18, 2023

Description NCWS Construction Approval for the proposed replacement of the existing multimedia filter, softener, cartridge filter, and UV disinfection unit at the Well No. 2 treatment system.

Operation Permit No. 0622516 MA, Minor Amendment, Public Water Supply.

Applicant **Oley Township Municipal Authority**

Address 1 Rose Virginia Road
P.O. Box 19
Oley, PA 19547

Municipality Oley Township

County **Berks County**

Consulting Engineer Daniel J. Hopkins—
Entech Engineering, Inc.
201 Penn Street
P.O. Box 32
Reading, PA 19602

Application Received April 10, 2023

Permit Issued April 12, 2023

Description Operation permit for the installation of a new well pump, pump control valve, and check valve.

Operation Permit No. 3119505, Major Amendment, Public Water Supply.

Applicant **Petersburg Borough Water Authority**

Address 316 King Street
Petersburg, PA 16669

Municipality Logan Township

County **Huntingdon County**

Consulting Engineer Chris Eckenrode, PE
GDF, Inc.
3121 Fairway Drive
Altoona, PA 16602

Application Received March 31, 2023

Permit Issued April 12, 2023

Description Operation permit for the several changes made to the existing slow sand filter treatment plant and existing sources.

Operation Permit No. 3060087, Public Water Supply.

Applicant **Western Berks Water Authority**

Address 91 Water Road
Sinking Springs, PA 19608

Municipality Centre Township

County **Berks County**

Consulting Engineer R. Scott Hughes, PE
Gannett Fleming, Inc.
1010 Adams Ave
Audubon, PA 19403

Application Received February 2, 2023

Permit Issued April 10, 2023

Description Operation permit for the installation of a new arsenic treatment system at the WBWA Mohrsville Water District.

Operation Permit No. 0621528, Major Amendment, Public Water Supply.

Applicant **Miller Group Holdings, LP—Fleetwood Dollar General**

Address 950 E Main St
Schuylkill Haven, PA 17972

Municipality Richmond Township

County **Berks County**

Consulting Engineer Sean C Sweeney, PE
Barton & Loguidice
3901 Hartzdale Dr.
Suite 101
Camp Hill, PA 17011

Application Received February 22, 2023

Permit Issued April 10, 2023

Description Operation Permit for the new water system at the Fleetwood Dollar General.

Construction Permit No. 3123502, Major Amendment, Public Water Supply.

Applicant **Emily Estates Water System**

Address 1916 Hileman Road
Tyrone, PA 16686

Municipality Morris Township

County **Huntingdon County**

Consulting Engineer Brian Shura, PE
Stiffler, McGraw and Associates, Inc.
1731 N Juniata St
Hollidaysburg, PA 16648

Application Received January 17, 2023

Permit Issued June 28, 2023

Description Construction permit for the replacement of the Well No. 1 well pump and installation of a softening system for hardness removal.

Construction Permit No. 0623504, Major Amendment, Public Water Supply.

Applicant **234 Rich Maiden Road, LLC**

Address 234 Rich Maiden Road
Fleetwood, PA 19522

Municipality Maidencreek Township

County **Berks County**

Consulting Engineer Charles A. Kehew, II, P.E.—
James R. Holley & Associates,
Inc.
18 S George St.
Suite 300
York, PA 17401

Application Received March 14, 2023

Permit Issued June 22, 2023

Description Construction Permit for the installation of a sodium hypochlorite disinfection system and contact tanks to provide 4-log virus inactivation.

Construction Permit No. 3123507 MA, Minor Amendment, Public Water Supply.

Applicant **Warriors Mark General Authority**

Address P.O. Box 122
Warriors Mark, PA 16877

Municipality Warriors Mark Township

County **Huntingdon County**

Consulting Engineer Kerry Tyson, PE
Century Engineering, a
Kleinfelder Company
2836 Earlstown Road
Suite 1
Centre Hall, PA 16828

Application Received April 12, 2023

Permit Issued June 22, 2023

Description Construction permit for the use of a temporary and portable water storage tank while the existing Edgewood System Tank is out of service for repairs.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

Construction Permit 2823504 MA. PWSID No. **7210043**. **Shippensburg Borough Authority**, 111 North Fayette Street, Shippensburg, PA 17257, Lurgan Township, **Franklin County**. Application received: March 27, 2023. Permit Issued: June 27, 2023. This action authorizes the replacement of media in two filters at the Gunter Valley Water Treatment Plant.

NCWSA Construction Permit 3060344. PWSID No. **3060344**. **Union Township Office Building**, 1445 East Main Street, Douglassville, PA 19518, Union Township, **Berks County**. Application received: January 3, 2023. Permit Issued: June 22, 2023. This action authorizes the replacement and reordering of water system treatment components.

Construction Permit 3823502. PWSID No. **7380439**. **Country View Grocery, LLC**, 1941 Horseshoe Pike, Annville, PA 17003, South Annville Township, **Lebanon County**. Application received: February 1, 2023. Permit Issued: June 28, 2023. This action authorizes the construction of a chlorination system for 4-log inactivation of viruses.

NCWSA Construction Permit 3060865. PWSID No. **3060865. Huff's Union Church**, 540 Conrad Road, Alburdis, PA 18011, Hereford Township, **Berks County**. Application received: April 6, 2023. Permit Issued: June 27, 2023. This action authorizes the construction of a chlorination system.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 2221501. PWSID No. **7220044. Susquehanna Area Regional Airport Authority Harrisburg International Airport**, One Terminal Drive, Suite 300, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. Application received: June 16, 2023. Permit Issued: June 27, 2023. Partial Operation Permit for the operation of Tanks 3 and 4 at 500 gpm for PFAS treatment.

Construction Permit 6723506 MA. PWSID No. **7670119. ATG Properties, LLC**, P.O. Box 677, Morgantown, PA 19543, Newberry Township, **York County**. Application received: March 16, 2023. Permit Issued: June 28, 2023. Construction permit for chlorine contact piping and finished water storage.

Construction/Operation Permit 2123504 MA. PWSID No. **7210041. Newville Borough Water and Sewer Authority**, 4 West Street, Newville, PA 17241, Newville Borough, **Cumberland County**. Application received: June 6, 2023. Permit Issued: June 30, 2023. Turbidimeter replacement at the Cool Spring Water Filtration Plant.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Operation Permit 1118503-A1. PWSID No. **4110011. Gallitzin Water Authority**, 311 Convent Street, Gallitzin, PA 16641, Gallitzin Township, **Cambria County**. Application received: June 21, 2023. Permit Issued: June 28, 2023. Issuance of updated Operation Permit No. 1118503-A1 for the use of aluminum chloride hydroxide sulfate for the purposes of coagulation at the Gallitzin Water Treatment Plant.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631–641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

WA26-5D, Water Allocations. Municipal Authority of the Township of Washington, 1390 Fayette Avenue, Belle Vernon, PA 15012, Washington Township, **Fayette County**. The right to purchase, for public water supply purposes, 9,000 gallons per day of water, 30-day average, from the Municipal Authority of Westmoreland County. Application received: September 12, 2018. Issued: June 28, 2023

BIOSOLIDS INDIVIDUAL PERMITS (PABIG, SSN AND PABIS)

The Department of Environmental Protection has taken the following actions on the previously received individual permit applications for the land application of treated sewage sludge (biosolids).

Any person aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. Section 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge this action, the appeal must reach the board within 30-days. A lawyer is not needed to file an appeal.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, AA1, 484-250-5787.

HAZARDOUS SITES CLEAN-UP UNDER THE ACT OF OCTOBER 18, 1988

PUBLIC NOTICE OF PROPOSED PROSPECTIVE PURCHASER AGREEMENT

Commodore Semiconductor Superfund Site, Van Buren and Rittenhouse Rds., Audubon, PA 19403, Lower Providence Township, **Montgomery County**.

The Department of Environmental Protection (Department), under the authority of the Pennsylvania Hazardous Sites Cleanup Act ("HSCA") proposes to enter into a Prospective Purchaser Agreement ("PPA") with 960 Rittenhouse Road Associates LLC ("Purchaser"), 338 Sun Valley Drive, Ambler, PA 19002. The property at issue is located in Lower Providence Township, Montgomery County.

Purchaser intends to purchase real property located at 960 Rittenhouse Road (the 960 Property) for commercial or industrial purposes, which will result in beneficial reuse of the 960 Property. The 960 Property is located within the Commodore Semiconductor Superfund Site ("the Site"). This site was added to the United States Environmental Protection Agency ("USEPA")'s National Priorities List in October 1989. USEPA divided the Site into three Operable Units for purposes of cleanup. Operable Unit 3 consists of the 960 Property.

In 2013, offsite investigations were performed at the 960 Property to better define upgradient contamination. The results indicated a localized volatile organic compound ("VOC") source not associated with what was previously understood by USEPA to be the source of

contamination at the Site. Previous testing and studies at the 960 Property have identified the presence of VOCs in soil and groundwater, as well as the presence of certain metals in soil.

As part of its responsibility under HSCA, the Department has incurred and will continue to incur response costs with respect to the Commodore Site and/or 960 Property, authorized and recoverable under Section 507 of HSCA, 35 P.S. § 6020.507. The Department has determined that, upon acquisition of the 960 Property, Purchaser could become a potentially responsible person within the meaning of Section 701(a) of HSCA for the releases or threatened releases of hazardous substances or contaminants at the Site and/or the 960 Property. Purchaser has represented to the Department that it has not caused, contributed to, or is not otherwise liable under environmental law for the Existing Contamination at the Site or at or from the 960 Property. Existing Contamination includes any and all releases or threats of releases of hazardous substances and contaminants identified and addressed or intended to be addressed at the Site as of the effective date of the PPA. In accordance with the proposed PPA, Purchaser intends to complete a removal action consisting of excavation and offsite disposal of soil contaminated with VOCs at the 960 Property. The Purchaser will also record an environmental covenant on the deed of the 960 Property. Purchaser desires, through the PPA, to resolve any potential liability it may have upon purchase of the 960 Property.

This notice is provided under Section 1113 of HSCA, 35 P.S. § 6020.1113, which states that, "settlement shall become final upon the filing of the Department's response to significant written comments." The PPA is available for public review and comment. An electronic copy of the proposed agreement may be requested by contacting either Ms. Christine McCarthy, (484) 250-5725 or Mr. Adam Bram, Esquire at (484) 250-5930. Ms. McCarthy and Mr. Bram may also be contacted electronically at chmccarthy@pa.gov and abram@pa.gov, respectively. A public comment period on the PPA extends for 60 days from today's date. Persons may submit written comments regarding the agreement within 60 days from today's date, by submitting them to Ms. McCarthy at the previously listed address.

The Department has reserved the right to withdraw its consent to the PPA if comments submitted during the public comment period disclose facts or considerations which indicate, in the Department's discretion, that the PPA is inappropriate or not in the public's interest.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the

nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Susan Well Pad, Primary Facility ID # **862684**, 3508 State Route 3003, Laceyville, PA 18623, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health and background standards.

Bethlehem Village Shoppes—One Hour Express Dry Cleaners, Primary Facility ID # **781009**, 3650 Nazareth Pike, Bethlehem, PA 18020, Bethlehem Township, **Northampton County**. Earthres Group, 6912 Old Easton Road, Pipersville, PA 18947, on behalf of Bethlehem Village Associates, LP, 1525 Mulberry Circle, Warminster, PA 18974, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the site-specific standards.

Dingman-Delaware Elementary School, Primary Facility ID # **836164**, 1355 PA 739, Dingmans Ferry, PA 18328, Dingman Township, **Pike County**. Terraphase Engineering, 252 West Swamp Road, Suite 35, Doylestown, PA 18901, on behalf of Delaware Valley School District, 236 Route 6 and 209, Milford, PA 18337, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

723 Wheatland Street, Primary Facility ID # **780952**, 723 Wheatland Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Marc Chartier, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Jon Herzog, CSW Wheatland Associates, Inc., 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034, submitted a Final Report concerning remediation of soil and groundwater contaminated with chlorinated solvents. The Final Report is intended to document remediation of the site to meet the site-specific standards.

319 West Gay Street, Primary Facility ID # **780952**, 319 West Gay Street, West Chester, PA 19382, West Chester Borough, **Chester County**. John Sunkler, EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Chad Weldon, CRW Realty, LP, 319 West Chester Gay Street, West Chester, PA 19382, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The combined Remedial Investigation Report/Cleanup Plan/Final Report is intended to document remediation of the site to meet the site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

CNX NV 110 Well Pad, Primary Facility ID # **867748**, 1 Stone Road, Claysville, PA 15323, East Finley Township, **Washington County**. Penn Environmental & Remediation, 111 Ryan Court, Pittsburgh, PA 15205, on behalf of CNX Gas Company, LLC, 1000 Horizon Vue Energy Drive, Canonsburg, PA 15317, submitted a Final Report concerning remediation of soil contaminated with RCRA Metals. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

7522 Morris Court, Primary Facility ID # **866515**, 7522 Morris Court, Allentown, PA 18106, Upper Macungie Township, **Lehigh County**. Environmental Consulting Inc., 2002 Renaissance Blvd, Suite 110, King of Prussia, PA 19406, on behalf of J.G. Petrucci Company, Inc., 171 Route 173, Suite 201, Asbury, NJ 08802, submitted a Final Report concerning remediation of soil contaminated with used motor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 27, 2023.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben, 814-350-5132.

Clermont Rad E ESG, Primary Facility ID # **866627**, 1659 Ermily Road, Wilcox, PA 15870, Jones Township, **Elk County**. ARM Group LLC, 2548 Park Center Blvd, State College, PA 16801, on behalf of Seneca Resources Company, LLC, 2000 Westinghouse Drive, Suite 400, Cranberry Township, PA 16066, submitted a Final Report concerning remediation of soil contaminated with aluminum, barium, boron, chloride, iron, lithium, manganese, selenium, strontium, zinc, and vanadium. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: July 3, 2023.

Contact: Bill, 814-332-6671.

ARG Refinery, Primary Facility ID # **651768**, 77 North Kendall Avenue, Bradford, PA 16701, City of Bradford, **McKean County**. GHD Services Inc.,

410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Fluorene, Phenanthrene, Anthracene, Pyrene, Chrysene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(a)pyrene, Benzo(g,h,i)perylene and groundwater: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Phenanthrene, Pyrene, Chrysene for EU-6. The Report did not demonstrate attainment of the site-specific standards. Disapproved: June 27, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

68 Red Rose Drive Transformer Spill, Primary Facility ID # **865881**, 68 Red Rose Drive, Levittown, PA 19456, Middletown Township, **Bucks County**. Chris Zeliznak, PG, Stantec Consulting Services, Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380, on behalf of George Horvat, PECO Energy Company, 2301 Market Street, S7-2, Philadelphia, PA 19103, submitted a Final Report concerning remediation of soil contaminated with PCBs. The Final Report demonstrated attainment of the Statewide health standards. Approved: June 14, 2023.

2101 South Swanson Street, Primary Facility ID # **619750**, 2101 South Swanson Street, Philadelphia, PA 19104, City of Philadelphia, **Philadelphia County**. David Farrington, PG, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of David Newman, NDA Swanson, LLC, 601 Gates Road, Suite 1, Vestal, NY 13850, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with VOCs, SVOCs, and PFAS. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: June 9, 2023.

601 Spruce Street, Primary Facility ID # **844566**, 601 Spruce Street, Perkasio, PA 18944, Perkasio Borough, **Bucks County**. Mark Fortna, Penn Environmental and Remediation, Inc., 400 Old Dublin Pike, Doylestown, PA 18901, on behalf of James Cassidy, 601 Spruce Street Investment Partners, LLC, 270 West Walnut Lane, Philadelphia, PA 19144, submitted a Risk Assessment/Cleanup Plan concerning remediation of soil and groundwater contaminated with VOC and inorganics. The Report did not demonstrate attainment of the site-specific standards. Disapproved: June 8, 2023.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

80 East Oregon Avenue, Primary Facility ID # **841286**, 80 East Oregon Avenue, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. Marc Chartier, PG, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Sukesh Reddy Anam, Anam Properties, LLC, 2500 West Cheltenham Avenue, Philadelphia, PA 19148, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and ground-

water contaminated with VOCs, SVOCs and metals. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: June 13, 2023.

1608 Walnut Street, Primary Facility ID # **850610**, 1608 Walnut Street, Philadelphia, PA 19103, City of Philadelphia, **Philadelphia County**. James Manuel, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, on behalf of Eric Shelmire, 1608 Walnut Street Associates, LP, Philadelphia, PA 19103, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with fuel oil No. 4/5/6. The Report demonstrated attainment of the site-specific standards. Approved: June 8, 2023.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Greylock Skib A Well Pad, Primary Facility ID # **861034**, 1273 East Roy Furman Highway, Carmichaels, PA 15320, Jefferson Township, **Greene County**. Moody and Associates, Inc., 1720 Washington Road, Suite 100, Washington, PA 15301, on behalf of Greylock Production, LLC, 500 Corporate Landing, Charleston, WV 25311, submitted a Final Report concerning remediation of soil contaminated with aluminum, arsenic, barium, boron, bromide, chloride, iron, lead, lithium, manganese, selenium, strontium, vanadium, and zinc. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: June 29, 2023.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGM044SW002. Michael Brothers Hauling, Inc., 901 Horning Road, Pittsburgh, PA 15236, Baldwin Borough, **Allegheny County**. Coverage under General Permit No. WMGM044 for the processing and beneficial use of unpainted and untreated wood waste, gypsum board, brick, block, and concrete waste, construction/demolition waste and various other waste as specified in the permit as mulch for landscaping purposes, soil erosion control material, aggregate material in construction, animal bedding, alternative fuel or recycled material at the Michael Brothers Baldwin Facility, 901 Horning Road, Pittsburgh, PA 15236 was approved. Application received: September 27, 2022. Issued: June 27, 2023.

Persons interested in reviewing the permit may contact Regional Files, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northeast Region: Waste Management Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Roger Bellas, Environmental Program Manager, 570-826-2201.

101308. Waste Management of Pennsylvania, Inc., 165 Rosencranse Road, Beach Lake, PA 18405, Berlin Township, **Wayne County**. A permit renewal for the continued operation of the Beach Lake municipal waste transfer station. Application received: October 5, 2022. Issued: June 29, 2023.

Persons interested in reviewing the permit may contact Roger Bellas, Environmental Program Manager, Northeast Region, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

Southwest Region: Regional Solid Waste, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

300720. Cheswick Lefever, LLC, 12601 Plantside Drive, Louisville, KY 40299, Indiana Township, **Allegheny County**. Lefever Road (SR 1016). Application received: July 1, 2022. Issued: June 29, 2023.

Persons interested in reviewing the permit may contact Regional Files, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

GP14-06-03022B: Perkiomen Animal Hospital, PLLC, 919 Gravel Pike, Palm, PA 18070, Hereford Township, **Berks County**. For an existing animal crematory under GP14. The general permit authorization was renewed. Application received: June 12, 2023. Issued: June 28, 2023.

GP1-22-03081: Upper Dauphin Area School District, 5668 State Route 209, Lykens, PA 17048, Elizabethtown Borough, **Dauphin County**. For a No. 2 oil-fired boiler rated at 12.5 MMBtu, under GP1, at the public school facility. The general permit authorization was renewed. Application received: June 5, 2023. Issued: June 30, 2023.

GP1-22-03043A: The Odd Fellows Home of Pennsylvania, 999 West Harrisburg Pike, Middletown, PA 17057, Lower Swatara Township, **Dauphin County**. For the two natural gas/No. 2 oil-fired boilers, under GP1, at the nursing home facility. The general permit authorization was renewed. Application received: May 1, 2023. Issued: June 30, 2023.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP5-30-00826A/AG5-30-00038A: EQM Gathering Opco, LLC, 2200 Energy Drive, Canonsburg, PA 15317, Aleppo Township, **Greene County**. On June 27, 2023, GP5-30-00826A/AG5-30-00038A authorization issued to EQM Gathering Opco, LLC for operation and construction of sources which include: One (1) TEG dehydration unit, rated at 150 MMscfd and one (1) dehydrated at 110 MMscfd with associated flash tanks, each equipped with a thermal oxidizer and a reboiler, one (1) Produced Water storage tank rated at 8,820-gallon, one (1) TEG tank, truck loading operations, Venting and Blowdowns, Pigging Operations, fugitive emissions from component leaks, and two (2) Natural gas-fired electrical generators, each rated at 5.65 kW at SGL-179 Facility Station located in Aleppo Township, Greene County. Application received: June 12, 2023. Authorized: June 27, 2023.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, Environmental Group Manager.

48-00122B: Coherent Corporation, 2251 Newlins Mill Road, Easton, PA 18951, Palmer Township, **Northampton County**. For the installation of an emergency scrubber. Application received: January 17, 2023. Issued: June 29, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Chief: 814-332-6940.

25-01068A: Family Friends Pet Loss Service, LLC, 500 West 12th Street, Erie, PA 16501-1507, City of Erie, **Erie County**. The Department issued the following Plan Approval Permit for construction of a U.S. Cremation Equipment Model USB 20, a.k.a. Sierra 500, 2-chamber animal crematory with afterburner, at the facility. Application received: October 7, 2022. Issued: June 28, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

46-0019B: Lockheed Martin Corp, 230 Mall Boulevard, King of Prussia, PA 19406-2902, Upper Merion Township, **Montgomery County**. This action is for a plan approval for the installation of 2 spray booths, one robotic and one manual, in Building 100, along with two fume hoods which are insignificant sources. Application received: November 1, 2022. Issued: June 27, 2023.

46-0282A: Titan International, 700—744 Queen Street, Pottstown, PA 19464, Pottstown Borough, **Montgomery County**. This action is for a plan approval for the replacement of two 1,000-gallon tanks previously designated as Source ID 201 (Reactor Tank 10) and Source ID 202 (Reactor Tank 11) with two new 1,200-gallon tanks designated as Source ID 301 (Reactor Tank 12) and Source ID 302 (Reactor Tank 13). HCl emissions will be exhausted to the existing HCl Fume Scrubber (C01). Application received: December 7, 2022. Issued: June 27, 2023.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00084C: Hamilton Patriot, LLC, 50 Patriot Lane, Montgomery, PA 17752, Clinton Township, **Lycoming County**. The Department extended the plan approval expiration date for the rotor upgrade and electrical generation capacity increase for the natural-gas-fired combined-cycle combustion turbine Source P103 at the Hamilton Patriot Generation Plant facility. Application received: May 18, 2023. Extension: June 16, 2023. New expiration date: December 16, 2023.

18-00030C: First Quality Tissue, LLC, 904 Woods Avenue, Lock Haven, PA 17745, Castanea Township, **Clinton County**. The facility was issued a plan approval extension for the temporary operation of the paper towel and tissue manufacturing operation authorized under the plan approval while the source awaits confirmation of compliance demonstration. Application received: May 11, 2023. Extension: June 23, 2023. New expiration date: December 25, 2023.

18-00030D: First Quality Tissue, LLC, 904 Woods Avenue, Lock Haven, PA 17745, Castanea Township, **Clinton County**. The facility was issued a plan approval extension for the temporary operation of the paper towel and tissue manufacturing operation authorized under the plan approval while the source awaits confirmation of compliance demonstration. Application received: May 11, 2023. Extension: June 23, 2023. New expiration date: December 25, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick 570-826-2409.

45-00004: US Dept. Defense/Tobyhanna Army Depot, 11 Hap Arnold Blvd., Tobyhanna, PA 18466-5002, Coolbaugh Township, **Monroe County**. The Department issued a renewal State-Only (Synthetic) Minor Permit for the manufacturing of Electrical Equipment and Supplies facility located in Coolbaugh Township, Monroe County. The sources at this facility consists of (3) boilers, (31) emergency generators, and spray booths. The control devices consist of panel filters. The sources are considered

minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and VOC's. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: April 28, 2022. Renewal issued: June 9, 2023.

64-00001: PA Dept. of Corr/Waymart SCI, P.O. Box 256, Route 6, Waymart, PA 18472-0256, Canaan Township, **Wayne County**. The Department issued a new State-Only (Natural Minor) Permit for the operation of a Correctional Institution in Canaan Township, Wayne County. The main sources at this facility are two (2) Superior Boilers and one (1) Cleaver Brooks Boiler utilizing natural gas. The sources are considered minor emission sources of nitrogen oxide (NO_x), sulfur oxides (SO_x), carbon monoxide (CO), total suspended particulate (TSP), and volatile organic compounds (VOC) emissions. The Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: February 8, 2023. Permit issued: June 20, 2023.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00021: Avery Dennison Performance Polymers, 171 Draketown Road, Mill Hall, PA 17751, Bald Eagle Township, **Clinton County**. The Department issued a revised State Only (Natural Minor) Operating Permit for the company's Mill Hall facility to incorporate the terms and conditions of Plan Approval 18-00021B. All applicable Federal and State regulatory requirements including the appropriate testing, monitoring, recordkeeping, reporting, and work practices as necessary to verify compliance are included in the State Only Operating Permit for this facility. Application received: March 16, 2023. Revised: July 3, 2023. Expiration date: September 24, 2024.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03052: Gelest, Inc., 158 Industrial Road, Glen Rock, PA 17327, City of York, **York County**. For its chemical manufacturing facility. The de minimis emission increase results from the proposed installation of 12,000-gallon aboveground storage tank used to store butyl acrylate. The Department hereby approves the de minimis emission increase. The following is a list of the de minimis emission increases as required by 25 Pa. Code § 127.449(i). There have been no de minimis emission increases at the facility since their natural minor Operat-

ing Permit issuance on May 23rd, 2022. The expected emission increase from this project is 0.26 tpy VOC.

36-05001: Armstrong World Industries, Inc., 1507 River Road, Marietta, PA 17547-9403, East Donegal Township, **Lancaster County**. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for the de minimis emissions increase of 0.45 tpy PM₁₀, resulting from the modification to the existing 12,000 cfm Phoenix line dust collector (baghouse # 33). The dust collector was modified to exhaust to the outdoor atmosphere. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 56910701. NPDES No. PA0213560. PBS Coals, Inc., 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, Somerset and Brothersvalley Townships, **Somerset County**. To renew the permit and related NPDES permit. Application received: February 1, 2022. Accepted: April 5, 2022. Issued: June 13, 2023.

Mining Permit No. 30161301. NPDES No. PA0236519. Marshall County Coal Resources, Inc., 46226 National Road, St. Clairsville, OH 43950, Aleppo Township, **Greene County**. To revise the permit and related NPDES permit for installation of a degas borehole. Application received: November 21, 2022. Accepted: January 18, 2023. Issued: June 22, 2023.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 41232801. GP-104 No. PAM223004. Kremser Associates, LLC, 1300 Jordan Ave., Montoursville, PA 17754, Muncy Creek Township, **Lycoming County**. Commencement, operation, and restoration of a small noncoal (industrial minerals) operation

affecting 5 acres. Receiving stream(s): Muncy Creek classified for the following use(s): TSF, MF. Application received: April 17, 2023. Issued: June 26, 2023.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 26090101. NPDES No. PA0251569. Neiswonger Construction, Inc., 17592 Route 322, Strattanville, PA 16258, Dunbar Township, **Fayette County**. Renewal permit issued for continued mining to an existing bituminous mine site, affecting 160.7 acres. Receiving streams: Craig Branch to Bute Run, classified for the following use: WWF. Application received: April 2, 2021. Issued: June 27, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54950202. Gilberton Coal Company, 10 Gilberton Road, Gilberton, PA 17934, Mahanoy Township, **Schuylkill County**. Renewal of an anthracite coal refuse reprocessing and refuse disposal operation affecting 148.0 acres. Receiving stream: Mahanoy Creek. Application received: September 29, 2020. Renewal issued: June 27, 2023.

Mining Permit No. 19000201. Mid-Valley Coal Sales, Inc., 212 West Cherry Street, Mt. Carmel, PA 17851, Conyngham Township, **Columbia County**. Renewal of an anthracite surface mine, coal refuse reprocessing and refuse disposal operation affecting 343.0 acres. Receiving stream: North Branch Shamokin Creek. Application received: March 31, 2022. Renewal issued: June 27, 2023.

Mining Permit No. 49950202. Gilberton Coal Company, 10 Gilberton Road, Gilberton, PA 17934, Mount Carmel Township, **Northumberland County**. Renewal of an anthracite coal refuse reprocessing operation affecting 142.0 acres. Receiving stream: Shamokin Creek. Application received: June 2, 2022. Renewal issued: June 27, 2023.

Mining Permit No. 54880201. Blaschak Anthracite Corp., P.O. Box 12, Mahanoy City, PA 17948, Pine Grove Township, **Schuylkill County**. Renewal for reclamation activities only of an anthracite coal refuse reprocessing and preparation plant operation affecting 61.4 acres. Receiving stream: Swatara Creek. Application received: December 22, 2022. Renewal issued: June 27, 2023.

Mining Permit No. 40663024. NPDES Permit No. PA0225614. Hazleton Shaft Division, LLC, 100 Hazlebrook Road, Hazle Township, PA 18201, **Luzerne County**. Renewal of an anthracite surface mine and coal refuse disposal operation affecting 597.0 acres. Receiving streams: Hazle Creek and Black Creek. Application received: February 9, 2021. Renewal issued: June 27, 2023.

Mining Permit No. 40663024. NPDES Permit No. PA0225614. Hazleton Shaft Division, LLC, 100 Hazlebrook Road, Hazle Township, PA 18201, **Luzerne County**. Transfer of an anthracite surface mine and coal refuse disposal operation from Atlantic Carbon Group, Inc. affecting 597.0 acres. Receiving streams: Hazle Creek and Black Creek. Application received: February 9, 2021. Transfer issued: June 27, 2023.

Mining Permit No. 19881301. UAE CoalCorp Associates, 142 Barry Road, Ashland, PA 17921, Conyngham & Mt. Carmel Townships, **Columbia and Northumberland Counties**. Correction to an anthracite underground

mine operation to update the post-mining land use to unmanaged natural habitat and commercial. Receiving stream: Shamokin Creek. Application received: October 20, 2022. Correction issued: June 30, 2023.

Mining Permit No. 49920101. Blaschak Anthracite Corp., P.O. Box 12, Mahanoy City, PA 17948, Coal Township, **Northumberland County.** Renewal of an anthracite surface mine operation affecting 954.6 acres. Receiving stream: Shamokin Creek. Application received: March 15, 2023. Renewal issued: June 30, 2023.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 31120801. NPDES No. PA0269131. Robert B. Colton, 11368 Old Town Road, Huntingdon, PA 16652, Miller Township, **Huntingdon County.** NPDES renewal of an existing large industrial mineral permit. Receiving streams unnamed tributary to Standing Stone Creek classified for the following use: HQ—CWF. Application received: November 22, 2022. Renewal issued: June 27, 2023.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 61190301. NPDES No. PA0280780. Glenn O. Hawbaker, Inc., 1952 Waddle Road, Suite 203, State College, PA 16803, Barkeyville Borough, Pine Township, **Venango County and Mercer County.** Commencement, operation and restoration of a large industrial minerals mine. Application received: March 21, 2022. Issued: June 26, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 5077SM1. NPDES Permit No. PA0225452. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Lehman Township, **Luzerne County.** Renew NPDES Permit on a quarry operation affecting 142.9 acres. Receiving stream: Pikes Creek. Application received: March 14, 2022. Renewal issued: June 27, 2023.

Mining Permit No. 8274SM4. NPDES Permit No. PA0010111. Rohrer's Quarry, Inc., 70 Lititz Road, Lititz, PA 17543, Penn and Warwick Townships, **Lancaster County.** Correction to a quarry operation and NPDES Permit to increase the permit acres for a total of 202.2 acres. Receiving stream: UNT to Little Conestoga Creek. Application received: July 14, 2022. Coverage issued: June 27, 2023.

Mining Permit No. 45950301. NPDES Permit No. PA0223506. Bill Barry Excavating, Inc., 174 Quarry Lane, Cresco, PA 18326, Barrett Township, **Monroe County.** Renew NPDES Permit on a quarry operation affecting 152.1 acres. Receiving stream: UNT to Cranberry Creek. Application received: December 22, 2022. Renewal issued: June 28, 2023.

Mining Permit No. 8275SM2. NPDES Permit No. PA0593885. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, Earl and Ephrata Townships, **Lancaster County.** Renew NPDES Permit on a quarry operation affecting 261.0 acres. Receiving streams: Conestoga River and UNT to

Conestoga River. Application received: August 4, 2022. Renewal issued: June 29, 2023.

Mining Permit No. 8275SM5. NPDES Permit No. PA0226335. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, East Cocalico Township, **Lancaster County.** Renew NPDES Permit on a quarry operation affecting 150.0 acres. Receiving stream: Stony Creek. Application received: November 17, 2022. Permit issued: June 29, 2023.

Mining Permit No. 7774SM1. NPDES Permit No. PA0044555. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, Oley Township, **Berks County.** Renew NPDES Permit on a quarry operation affecting 675.0 acres. Receiving stream: UNT to Limekiln Creek. Application received: November 22, 2022. Renewal issued: June 29, 2023.

Mining Permit No. 58222514. Weida Stone Products, LLC, 136 Gunn Hill Road, Nicholson, PA 18446, Lenox Township, **Susquehanna County.** Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: Tunkhannock Creek. Application received: May 23, 2022. Permit issued: June 30, 2023.

Mining Permit No. 58222514. GP104 Permit No. PAM122030. Weida Stone Products, LLC, 136 Gunn Hill Road, Nicholson, PA 18446, Lenox Township, **Schuylkill County.** Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: Tunkhannock Creek. Application received: May 23, 2022. Coverage issued: June 30, 2023

Mining Permit No. 58222523. John Vandermark, 907 Vandermark Road, Montrose, PA 18801, Dimock Township, **Susquehanna County.** Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: UNT to Meshoppen Creek. Application received: December 22, 2022. Permit issued: June 30, 2023.

Mining Permit No. 58222523. GP104 Permit No. PAM122055. John Vandermark, 907 Vandermark Road, Montrose, PA 18801, Dimock Township, **Susquehanna County.** Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT to Meshoppen Creek. Application received: December 22, 2022. Coverage issued: June 30, 2023.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8101.

Permit No. 14234104. Douglas Explosives Services LLC, 2052 Philipsburg Bigler Hwy, Philipsburg, PA 16866, Benner Township, **Centre County.** Blasting for residential development. Application received: June 23, 2023. Issued: June 23, 2023. Expiration date: December 30, 2024.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 09234106. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Milford, West Rockhill and Abington Townships, **Bucks and Montgomery Counties**. Construction blasting for the I-476 Turnpike Reconstruction. Application received: June 15, 2023. Permit issued: June 27, 2023. Expiration date: June 15, 2024.

Permit No. 67234103. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Dover Township, **York County**. Construction blasting for Buchmyer Pools. Application received: June 23, 2023. Permit issued: June 27, 2023. Expiration date: June 23, 2024.

Permit No. 58234103. Midstream Explosives, LLC, 289 Southside Drive, Newville, PA 17241, Jessup Township, **Susquehanna County**. Construction blasting for Housenick Pipeline. Application received: June 6, 2023. Permit issued: June 28, 2023. Expiration date: June 6, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot

afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E2203222-007. Highspire Borough Authority, 640 Eshelman Street, Highspire, PA 17034, Highspire Borough, **Dauphin County**. U.S. Army Corps of Engineers Baltimore District.

To replace sludge stabilization facilities and dewatering equipment, permanently impacting 0.1 acre of the floodplain of the Susquehanna River (WWF, MF). All project activities are for the purpose of preventing a critical failure of the biosolids system as well as providing a long-term solution to processing and disposal of biosolids that should result in stable sewer costs. The project is located at Highspire Wastewater Treatment Facility (40.2066°, -76.7897°). There are no impacts to wetlands proposed. Application received: November 16, 2022. Issued: April 26, 2023.

E0603221-014. 84 Lumber Company, 1019 Route 519, Eighty Four, PA 15330, Douglass Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District.

To 1) place and maintain fill from grading, resulting in 0.046 acre of permanent impact to an palustrine forested wetland; 2) place and maintain fill from grading and a rock riprap apron, resulting in 135 square feet of permanent impact to an Unnamed Tributary to Schuylkill River (WWF, MF), all for the purpose of constructing a 7,500 square foot building (84 Lumber Company Retail Center) along with a parking lot, utilities, sidewalk, and two stormwater management basins. The project is located at 1484 Benjamin Franklin Highway in Douglass Township, Berks County (Latitude: 40.251970, Longitude: -75.71294). Permanent wetland loss is less than 0.05 acre and replacement is not required. The project is located within the Schuylkill River (WWF, MF) watershed. Application received: December 23, 2021. Issued: June 29, 2023.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205222-032. Baldwin Borough, 3344 Churchview Ave, Pittsburgh, PA 15227, Baldwin Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: Construct and maintain a 35' wide, 296' long floodway bench on both sides of a UNT to Streets Run (WWF); Construct, operate, and maintain a temporary road crossing of the same UNT to Streets Run, and erosion control structures along this UNT; For the purpose of better connecting the stream to

its floodway, bank rehabilitation, and riparian buffer enhancement. Permanent impacts are to 296 linear feet of stream bank and 0.48 acre of floodway. Temporary impacts are to 347 linear feet of stream and all temporarily impacted areas will be restored upon project completion. The project site is located at 3420 Hazelhurst Ave, Pittsburgh, PA 15227 (Pittsburgh East, PA USGS topographic quadrangle; N: 40°, 22', 52"; W: -79°, 57', 36"; Sub-basin 19A). Application received: May 10, 2022. Issued: June 27, 2023.

ENVIRONMENTAL ASSESSMENTS

Cambria District Mining Office: Cambria District Mining Office, 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Kelsey Canary, Mining Engineer Manager.

EA1709-1-23-001. PA DEP Bureau of Abandoned Mine Reclamation, 286 Industrial Park Road, Ebensburg, PA 15931, City of DuBois, **Clearfield County**. U.S. Army Corps of Engineers Pittsburgh District.

The DuBois abandoned mine land project is a multiphase project that will address a flooded underground mine that is discharging into an Unnamed Tributary to Pentz Run (CWF). Exploratory drilling will be necessary to better understand the abandoned underground mine pool and select a desired elevation for the mine pool. A drainage system and riprap channel will be constructed to control the discharge and lower the mine pool to a safer elevation and eliminate the risk to public health and safety. The wetland is being created by the acid mine drainage discharge and due to the location of the wetland, impacts could not be avoided. This project will permanently impact 0.2 acre of wetland. Available water quality data indicates that the wetland meets elevated total metal levels (pH < 5.0, Aluminum > 0.6mg/l, Iron > 7.0 mg/l, and Manganese > 4.0 mg/l) required for a Waiver 16—Restoration Activities. Latitude: 41.111111°, Longitude: -78.775833°. Application received: April 21, 2023. Accepted: June 5, 2023. Approved.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsyl-

vania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNNOGPRG@pa.gov.

ESCGP # 3 **ESG295923013-00**

Applicant Name **NFG Midstream Covington, LLC**

Contact Person Matt Hovis

Address 1100 State Street

City, State, Zip Erie, PA 16501-1912

Township(s) Middlebury Township

County **Tioga County**

Receiving Stream(s) and Classification(s) North Run (WWF, MF)

Application received: June 1, 2023

Issued: June 30, 2023

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue Clerical Supervisor, 814-332-6868.

ESCGP # 3 **ESG080323003-00**

Applicant Name **Snyder Bros Inc.**

Contact Person Carl Rose

Address P.O. Box 1022

City, State, Zip Kittanning, PA 16201

Township(s) Kittanning Township, Manor Township, and Rayburn Township

County **Armstrong County**

Receiving Stream(s) and Classification(s) Cowanshannock Creek (TSF), Mill Run (WWF), Tributary 46974 to Cowanshannock Creek (WWF), Unnamed Tributary to Mill Run (WWF)

Application received: May 15, 2023

Approved: June 30, 2023

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281.

ESCGP # 3 **ESG071123001-02**

Applicant Name **EQM Gathering OPCO, LLC**

Contact Person Tom Glisson

Address 2200 Energy Drive

City, State, Zip Canonsburg, PA 15317

Township(s) Jackson Township

County **Cambria County**

Receiving Stream(s) and Classification(s) UNT to Laurel Run, HQ—CWF; UNT to Red Run, HQ—CWF; Findley Run, HQ—CWF; UNT to Risinger Run, HQ—CWF.

Application received: May 31, 2023

Issued: June 27, 2023

Contact: Kate Hogue Clerical Supervisor 814-332-6868.

ESCGP # 3 **ESG076323004-00**

Applicant Name **Markwest Liberty Midstream & Resources LLC**

Contact Person Brian Elliot

Address 4600 J Barry Ct, Ste 500

City, State, Zip Canonsburg, PA 15317

Township(s) Buffalo Township, Canton Township

County **Washington County**

Receiving Stream(s) and Classification(s) UNT to Buffalo Creek (HQ—WWF); UNT to Chartiers Creek (WWF)
 Application received: June 27, 2023
 Issued: June 26, 2023

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Wind Gap Texaco, Storage Tank Facility ID # **48-41589**, 6703 Sullivan Trail, Wind Gap, PA 18091, Plainfield Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Pipeline Petroleum, Inc., P.O. Box 159, Shippers Road, Macungie, PA 18062 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with gasoline. The plan is intended to document the remedial actions for meeting Statewide health standards.

Pottsville Fuel Stop, Storage Tank Facility ID # **54-50599**, 1471 SR 61, Pottsville, PA 17901, New Castle Township, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Pottsville Fuel Stop, Inc., 1471 SR 61, Pottsville, PA 17901 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Greg Bowman, Environmental Group Manager.

UPS Altoona Center, Storage Tank Facility ID # **07-27295**, 3042 Rte. 764, Duncansville, PA 16635, Allegheny Township, **Blair County**. Arcadis US Inc., 10 Friends Lane, Ste 100, Newtown, PA 18940, on behalf of UPS Altoona Center, 3042 Rte. 764, Duncansville, PA 16635-8045 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report is intended to document the remedial actions for meeting site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Gas N Goods, Storage Tank Facility ID # **45-12376**, 5677 Hamilton South, Sciota, PA 18354, Hamilton Township, **Monroe County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Kuber Property, LLC, P.O.

Box 342, Sciota, PA 18354 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on June 28, 2023.

PA0028 Scranton (former Joe's Kwik Mart 200), Storage Tank Facility ID # **35-20606**, 1327 Providence Road, Scranton, PA 18508, City of Scranton, **Lackawanna County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of Joseph Gentile Jr., 1031B Reeves Street, Dunmore, PA 18512 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report did not demonstrate attainment of the Statewide health and site-specific standards and was disapproved by DEP on June 29, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Cherie M. Campbell, Soil Scientist.

Adams County Auto and Truck Repair, Storage Tank Facility ID # **01-28005**, 720 W Elm Ave, Hanover, PA 17331-4703, Conewago Township, **Adams County**. Buchart Horn, Inc., 445 W Philadelphia St, York, PA 17401, on behalf of Shipley Energy, 415 Norway St, York, PA 17403 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The plan was not acceptable to meet the Statewide health and site-specific standards and was disapproved by DEP on June 27, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Retap Enterprises, Storage Tank Facility ID # **51-98184**, 2950 Castor Avenue, Philadelphia, PA 19134, City of Philadelphia, **Philadelphia County**. EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Retap Enterprise, LLC, Philadelphia, PA 19124, 4336 Sepviva Street, Philadelphia, PA 19124 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on June 30, 2023.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

PSK Auto Repair, Storage Tank Facility ID # **02-01036**, 1901 Lincoln Way, White Oak, PA 15131, White Oak Borough, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Avenue Northwest, North Canton, OH 44720, on behalf of Michael Maleski, 1901 Lincoln Way, White Oak, PA 15131, submitted a Remedial Action Plan concerning remediation of soil contaminated with unleaded gasoline. The plan residential was acceptable to meet the Statewide health standards and was approved by DEP on July 3, 2023.

CIO # 26, Storage Tank Facility ID # **02-29677**, 411 Perry Highway, Pittsburgh, PA 15229, West View Borough, **Allegheny County**. KU Resources, Inc., 22 South

Linden Street, Duquesne, PA 15110, on behalf of Center Independent Oil Real Estate, LP, 1035 Boyce Road, Suite 220, Pittsburgh, PA 15241 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan nonresidential was acceptable to meet the site-specific standards and was approved by DEP on July 3, 2023.

Log Cabin Service, Storage Tank Facility ID # **30-09729**, 735 Golden Oaks Road, New Freeport, PA 15352, Freeport Township, **Greene County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Coen Markets, Inc., 1000 Philadelphia Street, Canonsburg, PA 15314 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on June 30, 2023.

CoGo's # 16, Storage Tank Facility ID # **11-81152**, 351 Central Avenue, Johnstown, PA 15902, City of Johnstown, **Cambria County**. Letterle & Associates, Inc., 191 Howard Street, Suite 108, Franklin, PA 16323, on behalf of Coen Markets, Inc., 1000 Philadelphia Street, Allison Park, PA 15101 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report nonresidential demonstrated attainment of the site-specific standards and was approved by DEP on June 26, 2023.

SPECIAL NOTICES

ACTIVE AND ABANDONED MINE OPERATIONS

Moshannon District Mining Office: Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8200.

Notice of Public Meeting

Notice is hereby given the Pennsylvania Department of Environmental Protection (DEP) District Mining Operations, has received an application for a new large industrial minerals (noncoal) surface mining application from **Bishop Brothers Construction Company, Inc.**, for the Minard Mine. The Permit Application Number is **08230301**. The application is to commence surface mining of sandstone and sand and gravel. The proposed mine expansion is located within Athens Township in Bradford County.

The proposed permit is near the Environmental Justice area of Athens Borough therefore the Moshannon District Mining office has scheduled a public information meeting concerning this application. The meeting will be held at the Athens Area High School Auditorium, 401 W Frederick St, Athens, PA 18810, on Monday July 31, 2023 starting at 6:00 p.m. and ending at 8:00 p.m. Attendees may bring written comments to the meeting and give them to DEP staff, or they may make a verbal statement of no more than three (3) minutes duration at the meeting. DEP staff will be available at the meeting to answer general questions about the permit application.

Written comments will also be accepted until August 25, 2023 and should be sent to John Mital, Licensed Professional Geologist, Moshannon District Mining Office,

via email at jmital@pa.gov or via mail to the Moshannon District Mining Office, 186 Enterprise Drive, Philipsburg, PA 16866.

Paper copies of the application are on file for public review at the Department of Environmental Protection, Moshannon District Office, 186 Enterprise Drive, Philipsburg, PA 16866 or at the Athens Township Municipal Building, 45 Herrick Avenue, Sayre, PA 18840. An electronic copy of the application is available at <https://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Community-Information/Pages/Minard-Mine.aspx>.

OIL AND GAS MANAGEMENT

Northcentral Region: Oil and Gas Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: RA-EPOILGASDROPBOX@pa.gov.

PUBLIC NOTICE

Notice is hereby given that the Pennsylvania Department of Environmental Protection (DEP) will hold a public hearing on Tuesday, July 25, 2023, beginning at 5:30 PM at the F.W. Gunzburger County Office Building auditorium, located at 1 North Main Street, Coudersport, PA, 16915. Doors will open and onsite registration will begin at 5:00 PM.

The purpose of this hearing is to take testimony concerning the Roulette Oil & Gas Company, LLC (ROGC), application to convert the Clara Field # 20 gas well into an oil and gas waste disposal well (solely for ROGC conventional well waste) in Clara Township, Potter County. The U.S. Environmental Protection Agency (EPA) issued an Underground Injection Control Permit (PAS2D050BPOT), effective January 14, 2022, to authorize the operation of the Class II-D Injection Well.

The DEP will accept and record testimony concerning ROGC's application. Those wishing to present testimony during the hearing should contact the Regional Communications Manager, Megan Lehman, at 570-327-3659, before noon on Monday, July 24, 2023, to register. There will also be an opportunity to sign up to testify at the door before the start of the meeting. Organizations are encouraged to designate one witness to present testimony on behalf of the organization. Persons unable to attend the public hearing can submit a written statement to the DEP by close of business on Tuesday, August 8, 2023. Written statements should be sent via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, Northwest Oil and Gas District, 230 Chestnut Street, Meadville, PA 16335, emailed to RA-EPOILGASDROPBOX@pa.gov. Each written statement must contain the name, address, and telephone number of the person submitting the comments, identification of the permit application (Clara Field # 20), and a concise statement of the objections to the permit application and the relevant facts upon which the objections are based.

Individuals in need of an accommodation as provided for in the Americans with Disabilities Act of 1990 should contact Megan Lehman or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how DEP may accommodate your needs.

[Pa.B. Doc. No. 23-935. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Agricultural Advisory Board Special Meeting Scheduled

On Tuesday, July 18, 2023, a special meeting of the Agricultural Advisory Board (Board) will be held at 9 a.m. at the Rachel Carson State Office Building, Room 105, Harrisburg, PA. Individuals may attend the meeting in-person or remotely.

Information about Board meetings, including agendas, meeting materials and in-person and remote participation options, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water," then "Agricultural Advisory Board").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the Board can be directed to Bob Haines at robhaines@pa.gov or (717) 787-7565.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-936. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Draft National Pollutant Discharge Elimination System General Permit for Discharges from Small Flow Treatment Facilities (PAG-04)

The Department of Environmental Protection (Department) is announcing the availability of a draft National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges from Small Flow Treatment Facilities (SFTF) (PAG-04). The draft General Permit and related documents are available online in the Department's eLibrary at www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "DRAFT—PAG-04 NPDES General Permit for Discharges from Small Flow Treatment Facilities Comments due December 5, 2022 3800-PM-BCW0093").

The PAG-04 General Permit is intended to provide NPDES permit coverage to existing or proposed SFTFs. SFTFs are treatment works designed to adequately treat sewage flows of not greater than 2,000 gallons per day for final disposal to surface waters. The General Permit may not be used to cover other types of treatment facilities including those that process industrial wastes.

A draft PAG-04 General Permit was published at 52 Pa.B. 6933 (November 5, 2022) for a 30-day public comment period. The Department has made additional changes to the draft General Permit and is publishing the

redrafted General Permit for an additional public comment period. Upon final issuance of the General Permit, the Department will provide responses to all public comments received on the initial draft General Permit and the redrafted General Permit. The additional proposed changes to the General Permit are:

- The Department proposes that, under 25 Pa. Code § 92a.23(c) (relating to NOI for coverage under an NPDES general permit), a Notice of Intent (NOI) will not be required for existing permittees to remain covered under the reissued General Permit. This determination was based on the expected nature of SFTF discharges and the level of treatment required and performed by these systems. The determination was also based on the expected minimal volume of discharges, the low potential for toxic or conventional pollutants in the discharges and other methods of identifying discharges covered under this permit.

- An NOI fee will only be required with submission of an NOI. An annual installment payment of the NOI fee will not be required.

Written Comments: Interested persons are invited to submit written comments regarding the redrafted PAG-04 General Permit and associated documents through Monday, August 14, 2023. Commentators are encouraged to submit comments using the Department's online eCom-

ment system at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Comments, including comments submitted by e-mail, must include the commentator's name and address. Comments submitted by facsimile will not be accepted.

Written comments submitted during the 30-day comment period will be retained by the Department and considered in finalizing the General Permit. The Department will provide an opportunity for any interested person or group of persons, any affected state, any affected interstate agency, the United States Environmental Protection Agency or any interested agency, to request or petition for a public hearing with respect to the proposed General Permit. The request or petition for public hearing, which must be filed within the 30-day period allowed for filing of written comments, must indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be held if there is significant public interest.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-937. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
AHN North Fayette Ambulatory Surgery Center	28 Pa. Code § 553.1 (relating to principle)
Allegheny Health Network Endoscopy Center, Westmoreland	28 Pa. Code § 553.1
Allegheny Health Network Monroeville Surgery Center	28 Pa. Code § 553.1
Allegheny Health Network Surgery Center—Bethel Park, LLC	28 Pa. Code § 553.1
North Shore Endoscopy Center, LLC	28 Pa. Code § 553.1
Penn Highlands Dubois Endoscopy Center	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Penn Highlands Dubois Surgery Center	28 Pa. Code § 553.31(a)
Surgery Center of Allentown, LLC	28 Pa. Code § 551.21(d)(1) (relating to criteria for ambulatory surgery)
UPMC West Mifflin Surgery Center	28 Pa. Code § 553.31(a)
Wexford Surgery Center	28 Pa. Code § 553.1

The following ASF has filed a request for exception under 28 Pa. Code § 571.1 (relating to minimum standards). Requests for exceptions under this section relate to *Guidelines for Design and Construction of Hospitals and of Outpatient Facilities*, as published by the Facility Guidelines Institute (*FGI Guidelines*). The following list includes the citation to the section of the *FGI Guidelines* for which the hospital is seeking an exception and the year of publication.

<i>Facility Name</i>	<i>Guidelines Section and relating to</i>	<i>Yr¹</i>
Western PA Surgery Center	A2.1-3.2.3.2 space requirements	18-O

¹ 2018 Year *FGI Regulations* were split into 2 books; *Hospitals*, and *Outpatient Facilities* as indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the

previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-938. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from June 1, 2023, through June 30, 2023. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Ambulatory Surgery Center of Bala Cynwyd	§ 551.21(d)(1) (relating to criteria for ambulatory surgery)	06/21/2023	Granted Probationary w/Conditions
Doylestown Health Endoscopy Center	§ 551.3 (relating to definitions)	06/11/2023	Granted w/Conditions
	§ 553.1 (relating to principle)	06/11/2023	Granted w/Conditions
	§ 555.1 (relating to principle)	06/11/2023	Granted w/Conditions
	§ 555.31(a) (relating to principle)	06/11/2023	Granted w/Conditions
	§ 563.2(b) (relating to organization and staffing)	06/11/2023	Granted w/Conditions
Jefferson Surgical Center	§ 567.53(1) (relating to sterilization control)	06/13/2023	Granted w/Conditions
Surgery Center of Allentown, LLC	§ 551.21(d)(1)	06/21/2023	Granted Probationary w/Conditions
Waterfront Surgery Center, LLC	§ 569.35(7) (relating to general safety precautions)	06/11/2023	Granted w/Conditions

Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Allegheny Valley Hospital	§ 153.1(a) (relating to minimum standards) 2.2-3.5.10.2(2)(a) patient toilet room	06/16/2023	Granted Temporary
Grand View Health	§ 107.5(b)(1)—(5) (relating to membership appointment and reappointment)	06/11/2023	Granted w/Conditions
	§ 107.26(b)(1) (relating to additional committees)	06/11/2023	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
The Hospital of the University of Pennsylvania	§ 107.64 (relating to administration of drugs)	06/11/2023	Granted w/Conditions
The Milton S. Hershey Medical Center	§ 51.3(a) and (b) (relating to notification)	06/20/2023	Granted w/Conditions
	§ 101.31(5) and (6) (relating to hospital requirements)	06/20/2023	Granted w/Conditions
	§ 105.15 (relating to patient identification)	06/20/2023	Granted w/Conditions
	§ 107.64	06/20/2023	Granted w/Conditions
	§ 117.30(3) and (4) (relating to emergency paramedic services)	06/20/2023	Granted w/Conditions
	§ 153.1(a) and (c)	06/20/2023	Granted w/Conditions
Mount Nittany Medical Center	§ 51.23 (relating to positron emission tomography)	06/16/2023	Granted
Penn Highlands Connellsville	§ 103.31 (relating to the chief executive officer)	06/11/2023	Granted w/Conditions
	§ 107.12(9) (relating to content of bylaws, rules and regulations)	06/11/2023	Granted w/Conditions
	§ 107.26(b)(1), (3), (5) and (6)	06/11/2023	Granted w/Conditions
Penn Highlands Dubois	§ 153.1(a) 2.1-3.2.2.7(3)(a)(i) other design requirements	06/15/2023	Granted
	§ 153.1(a) 2.1-3.5.1.3(1)(d) radiation protection	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-3.5.2.2(1)(b)(i) space requirements	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-3.5.8.15(2) pre- and post-procedure patient care area	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-3.5.9.4 staff changing area	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-3.10.2.1 patient toilet room	06/15/2023	Granted
	§ 153.1(a) 2.1-7.2.2.2(1) ceiling height	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-7.2.3.1(6)(a)(ii) flooring and wall bases	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-7.2.3.2(1)(c)(i) walls and wall protection	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-7.2.3.3(2) ceilings	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-8.4.4 medical gas and vacuum systems	06/15/2023	Granted w/Conditions
	§ 153.1(a) 2.1-8.5.1 call systems	06/15/2023	Granted w/Conditions
Penn Highlands Mon Valley	§ 103.31	06/11/2023	Granted w/Conditions
Thomas Jefferson University Hospitals, Inc.	§ 153.1(a) 2.1-2.6 patient toilet room for individuals of size	06/11/2023	Granted
	§ 153.1(a) 2.1-2.7.1.1(3)(b) clearances	06/11/2023	Granted
	§ 153.1(a) 2.1-2.10.2.1 door openings to accommodate individuals of size	06/11/2023	Granted
Wellspan Chambersburg Hospital	§ 101.31(5) and (6)	06/20/2023	Granted w/Conditions
	§ 113.13 (relating to cabinets)	06/20/2023	Granted w/Conditions
	§ 133.6(b)(1) and (2) (relating to special care unit nursing service)	06/20/2023	Granted w/Conditions
	§ 151.12 (relating to fire warning and safety systems)	06/20/2023	Granted w/Conditions
	§ 151.13 (relating to testing fire warning systems)	06/20/2023	Granted w/Conditions
	§ 151.45 (relating to electrical safety)	06/20/2023	Granted w/Conditions
	§ 151.46(1)—(6) (relating to general safety precautions)	06/20/2023	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
	§ 151.47(1) and (2) (relating to safety devices)	06/20/2023	Granted w/Conditions
	§ 153.1(a) and (c)	06/20/2023	Granted w/Conditions
Wellspan Good Samaritan Hospital	§ 101.31(5) and (6)	06/20/2023	Granted w/Conditions
	§ 113.13	06/20/2023	Granted w/Conditions
	§ 133.6(b)(1) and (2)	06/20/2023	Granted w/Conditions
	§ 151.12	06/20/2023	Granted w/Conditions
	§ 151.13	06/20/2023	Granted w/Conditions
	§ 151.45	06/20/2023	Granted w/Conditions
	§ 151.46(1)—(6)	06/20/2023	Granted w/Conditions
	§ 151.47(1) and (2)	06/20/2023	Granted w/Conditions
	§ 153.1(a) and (c)	06/20/2023	Granted w/Conditions
Wellspan York Hospital	§ 101.31(5) and (6)	06/20/2023	Granted w/Conditions
	§ 113.13	06/20/2023	Granted w/Conditions
	§ 133.6(b)(1) and (2)	06/20/2023	Granted w/Conditions
	§ 151.12	06/20/2023	Granted w/Conditions
	§ 151.13	06/20/2023	Granted w/Conditions
	§ 151.45	06/20/2023	Granted w/Conditions
	§ 151.46(1)—(6)	06/20/2023	Granted w/Conditions
	§ 151.47(1) and (2)	06/20/2023	Granted w/Conditions
	§ 153.1(a) and (c)	06/20/2023	Granted w/Conditions

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-939. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Allegheny Valley Hospital	28 Pa. Code § 103.31 (relating to the chief executive officer)
Canonsburg Hospital	28 Pa. Code § 51.3(a)—(d) (relating to notification)
	28 Pa. Code § 101.31(5) and (6) (relating to hospital requirements)
	28 Pa. Code § 105.15 (relating to patient identification)
	28 Pa. Code § 107.64 (relating to administration of drugs)
	28 Pa. Code § 109.4 (relating to professional nursing staff)
	28 Pa. Code § 117.30(3) and (4) (relating to emergency paramedic services)
	28 Pa. Code § 153.1(a) and (c) (relating to minimum standards)
Forbes Hospital	28 Pa. Code § 103.31
Geisinger—Bloomsburg Hospital	28 Pa. Code § 117.30(1), (3) and (6)

<i>Facility Name</i>	<i>Regulation and relating to</i>
Geisinger—Community Medical Center	28 Pa. Code § 117.30(1)
Geisinger Jersey Shore Hospital	28 Pa. Code § 117.30(1)
Geisinger—Lewistown Hospital	28 Pa. Code § 117.30(1)
Geisinger Medical Center	28 Pa. Code § 117.30(1)
Geisinger Medical Center Muncy	28 Pa. Code § 117.30(1)
Geisinger Wyoming Valley Medical Center	28 Pa. Code § 117.30(1)
Grove City Hospital	28 Pa. Code § 103.31
Penn Highlands Brookville	28 Pa. Code § 101.31(5)
Penn Highlands Connellsville	28 Pa. Code § 135.5 (relating to surgical emergency care)
Penn Highlands Dubois	28 Pa. Code § 103.31
Penn Highlands Elk	28 Pa. Code § 135.5
Penn Highlands Mon Valley	28 Pa. Code § 107.12(9) (relating to content of bylaws, rules and regulations)
	28 Pa. Code § 107.26(b)(1), (3), (5) and (6) (relating to additional committees)
Penn Highlands Tyrone	28 Pa. Code § 103.31
	28 Pa. Code § 135.5
Saint Vincent Hospital	28 Pa. Code § 103.31
Thomas Jefferson University Hospitals, Inc.	28 Pa. Code § 51.23 (relating to positron emission tomography)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1. Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition, Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition, Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr^{1,2}</i>
Crozer-Chester Medical Center	2.1-3.2.2.1(1) space requirements	18
	2.1-3.2.2.2(c)(i) single-patient exam/observation room	22-O
	2.1-3.5.10.2(2)(a) patient toilet room	22-O
Penn Highlands Tyrone	2.1-3.8.7.1(1) location	22-O
	2.1-8.3.6 electrical receptacles	22-O
	2.12-3.2.2.1(1), (2)(a) and (b) individual therapy room	22-O
Riddle Memorial Hospital	1.2-6.1.3 design criteria for acoustic surfaces	18
Saint Luke's Hospital of Bethlehem, Pennsylvania	2.2-3.1.2.2(1) entrance	18
Saint Luke's Hospital—Carbon Campus	2.2-2.6.2.2(2)(b) space requirements	22
Thomas Jefferson University Hospitals, Inc.	2.2-3.2.8.1(1) support areas for the observation unit	18
Warren General Hospital	2.1-6.2.3.3(1) public toilet room	22-O
	2.1-7.2.2.1(1) corridor width	22-O
	2.1-7.2.2.3(2)(a) doors and door hardware	22-O

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and

Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-940. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Traumatic Brain Injury Advisory Board Meeting

The Traumatic Brain Injury Advisory Board (Board), established under section 1252 of the Federal Traumatic Brain Injury Act of 1996 (42 U.S.C. § 300d-52), will hold a public meeting on Friday, August 4, 2023, from 10 a.m. to 3 p.m. The meeting will be held in person at the Pennsylvania Training and Technical Assistance Network, 6340 Flank Drive, Harrisburg, PA 17112 in the Cambria conference room.

Meeting materials will be sent out before the meeting and will also be available on the Board's web site at <https://www.health.pa.gov/topics/disease/Pages/Traumatic-Brain-Injury.aspx> and at the meeting location. Contact Nicole Johnson at njohnson@pa.gov with any questions.

The Department of Health's (Department) Head Injury Program (HIP) strives to ensure that eligible individuals who have a traumatic brain injury receive high quality rehabilitative services aimed at reducing functional limitations and improving quality of life. The Board assists the Department in understanding and meeting the needs of persons living with traumatic brain injury and their families. This quarterly meeting will provide updates on a variety of topics including the number of people served by HIP. In addition, meeting participants will discuss budgetary and programmatic issues, community programs relating to traumatic brain injury and available advocacy opportunities.

For additional information or for persons with a disability who wish to attend the meeting and require an auxiliary aid, service or other accommodation to do so contact Nicole Johnson, Division of Community Systems Development and Outreach, (717) 772-2763, or for speech and/or hearing-impaired persons, contact V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984.

This meeting is subject to cancellation without notice.

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-941. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Designated Exceptional Durable Medical Equipment; Correction

An error occurred in the document published at 53 Pa.B. 3481 (July 1, 2023). An incorrect e-mail address was inadvertently published. The following notice replaces the version published at 53 Pa.B. 3481 in its entirety.

In accordance with the Department of Human Services' (Department) currently approved State Plan, the Department is required to publish an annual list of exceptional Durable Medical Equipment (DME) by notice in the *Pennsylvania Bulletin* in July of each year for nursing facilities Statewide. Interested persons may petition the Department to consider additions to the exceptional DME list by submitting a written request to the Department. Requests received on or before December 31 will be considered in developing the list for the following July.

During calendar year 2022, the Department received no written requests to add or remove items of DME from the list of exceptional DME. Therefore, this notice makes no changes in either the acquisition cost or the list of qualifying DME.

"Exceptional DME" is defined as DME that has an acquisition cost of \$5,000 or more and is either Specially Adapted DME or other DME that is designated as exceptional DME by the Department annually by notice in the *Pennsylvania Bulletin*.

"Specially Adapted DME" is DME that is uniquely constructed or substantially adapted or modified in accordance with the written orders of a physician for the particular use of one resident, making its contemporaneous use by another resident unsuitable.

The list of exceptional DME that has been designated by the Department is as follows:

(1) *Air fluidized beds*. The pressure relief provided by this therapy uses a high rate of airflow to fluidize fine particulate material (for example, beads or sand) to produce a support medium that has characteristics similar to liquid. It may have a Gore-Tex cover.

(2) *Powered air flotation bed (low air loss therapy)*. A semi-electric or total electric bed with a fully integrated powered pressure-reducing mattress, which is characterized by all of the following:

(a) An air pump or blower with a series of interconnected woven fabric air pillows which provides sequential inflation and deflation of the air cells or a low interface pressure throughout the mattress allowing some air to escape through the support surface to the resident. It may have a Gore-Tex cover.

(b) Inflated cell height of the air cells through which air is being circulated is 5 inches or greater.

(c) Height of the air chambers, proximity of the air chambers to one another, frequency of air cycling (for alternating pressure mattresses) and air pressure provide adequate patient lift, reducing pressure and prevent bottoming out.

(d) A surface designed to reduce friction and shear.

(e) May be placed directly on a hospital bed frame.

(f) Automatically readjusts inflation pressures with change in position of bed (for example, head elevation).

(3) *Augmentative communication devices*. Used by residents who are unable to use natural oral speech as a

primary means of communication. The specific device requested must be appropriate for use by the resident and the resident must demonstrate the abilities or potential abilities to use the device selected. Portable devices need to supplement, aid or serve as an alternative to natural speech for residents with severe expressive communication disorders. Nonportable devices may be covered only if required for visual enhancement or physical access needs that cannot be accommodated by a portable device.

(4) *Ventilators (and related supplies).*

(a) Used by residents 21 years of age and older who require full ventilator support for a minimum of 8 hours per day to sustain life.

(b) Used by residents 20 years of age and younger who require ventilator support to sustain life (no minimum time requirement).

Effective Date

This notice is effective upon publication in the *Pennsylvania Bulletin*.

Public Comment

Interested persons are invited to submit petitions for the Department to consider additions to the exceptional DME list or written comments regarding these designated DME items to the Department of Human Services, Office of Long-Term Living, Bureau of Policy Development and Communications Management, Attention: Erica Justice, P.O. Box 8025, Harrisburg, PA 17105-8025 or at RA-PWOLTLNFPUBLICCOM@pa.gov. Comments received within 30 days will be reviewed and considered.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service by calling (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1576. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 23-942. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share Payments and Supplemental Payments to Qualifying Hospitals

The Department of Human Services (Department) is providing final notice of its funding allocation for Fiscal Year (FY) 2022-2023 for several classes of inpatient disproportionate share hospital and supplemental payments to Medical Assistance (MA) enrolled, qualifying inpatient acute care general hospitals. The Department is not otherwise changing the qualifying criteria or payment methodology for these payments.

The Department published notice of its intent to allocate funding for these payments at 53 Pa.B. 1021 (February 18, 2023). The Department increased the funding allocation for one payment that was announced in its notice of intent. Supplemental payments to qualifying acute care general hospitals that treat a high percentage of MA patients under 18 years of age were increased to

an allocation of \$61.249 million in total funds. This revised funding allocation appeared on the State Plan page submitted to the Centers for Medicare & Medicaid Services and approved on April 14, 2023.

The Department received no comments during the 30-day comment period. The Department will implement the total payment set forth in the notice of intent and as previously noted.

Fiscal Impact

The FY 2022-2023 impact, as a result of the funding allocation for these payments, is \$118.281 million in total funds.

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1586. Under section 612 of the Administrative Code of 1929 (71 P.S. § 232), (1) General Fund;

(7) MA—Hospital-Based Burn Centers; (2) Implementing Year 2022-23 is \$3,975,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$3,856,000; 2020-21 Program—\$3,862,000; 2019-20 Program—\$3,792,000;

(7) MA—Obstetric and Neonatal Services; (2) Implementing Year 2022-23 is \$2,985,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$2,806,000; 2020-21 Program—\$2,814,000; 2019-20 Program—\$2,709,000;

(7) MA—Critical Access Hospitals; (2) Implementing Year 2022-23 is \$11,364,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$10,927,000; 2020-21 Program—\$9,777,000; 2019-20 Program—\$8,850,000;

(7) MA—Fee-for-Service; (2) Implementing Year 2022-23 is \$15,735,000; (3) 1st Succeeding Year 2023-24 through 5th Succeeding Year 2027-28 are \$0; (4) 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; 2019-20 Program—\$344,107,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 23-943. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Uniform Construction Code Review and Advisory Council Meeting

The Uniform Construction Code Review and Advisory Council will hold a meeting on Thursday, September 14, 2023, at 9 a.m.

Individuals may join the meeting by using the following information:

Dial by individual's location:
(929) 205-6099 US (New York)
(301) 715-8592 US (Washington DC)
(312) 626-6799 US (Chicago)
(669) 900-6833 US (San Jose)
(253) 215-8782 US (Tacoma)
(346) 248-7799 US (Houston)

Meeting ID: 361 131 6502

Passcode: 259161

Find individual's local number: <https://zoom.us/j/adX66zPHZI>

Individuals who do not have the Zoom software may download the software at <https://zoom.us/downloads>. This allows use of the web cam on an individual's computer, as well as additional options such as screen sharing.

The Americans with Disabilities Act contact is Kristen Gardner at (717) 346-1497.

Questions concerning this meeting may be directed to Kristen Gardner at (717) 346-1497.

NANCY WALKER,
Secretary

[Pa.B. Doc. No. 23-944. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania \$3,000,000 Fun Fortune Instant Lottery Game 1646

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$3,000,000 Fun Fortune (“\$3,000,000 Fun Fortune”). The game number is PA-1646.

2. *Price:* The price of a \$3,000,000 Fun Fortune instant lottery game ticket is \$30.

3. *Play symbols:* Each \$3,000,000 Fun Fortune instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area, a “FUN” area, and a “BEACH BONUS” area containing a “\$300 BEACH BONUS” spot and a “\$100 BEACH BONUS” spot. The “FUN” area is played separately. The “BEACH BONUS” spots are played separately. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN) and 40 (FORT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), Sunglasses (SUNGLS) symbol, 30X (30TIMES) symbol and a FORTUNE (WINALL) symbol. The play symbols and their captions, located in

the “FUN” area, are: Crab (CRAB) symbol, Flamingo (FLMNGO) symbol, Raft (RAFT) symbol, Lemon (LEMON) symbol, Watermelon (WTRMLN) symbol, Unicorn (UNCRN) symbol, Cactus (CACTUS) symbol, Donut (DONUT) symbol and a Surf Board (SURF) symbol. The play symbols and their captions, located in the “\$100 BEACH BONUS” spot, are: Star (NOBONUS) symbol, Storage Box (TRYAGAIN) symbol, Clouds (NOBONUS) symbol, Crown (TRYAGAIN) symbol, Gem (NOBONUS) symbol, Turtle (TRYAGAIN) symbol and a Sandals (WIN100) symbol. The play symbols and their captions, located in the “\$300 BEACH BONUS” spot, are: Pelican (NOBONUS) symbol, Beach Ball (TRYAGAIN) symbol, Sun (NOBONUS) symbol, Piggy Bank (TRYAGAIN) symbol, Anchor (NOBONUS) symbol, Diamond (TRYAGAIN) symbol and a Beach Chair (WIN300) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$3,000 (THR THO), \$30,000 (TRY THO), \$300,000 (THRHUNTHO) and \$3MILL (THR MIL). The prize symbols and their captions, located in the “FUN” area, are: \$30⁰⁰ (THIRTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$300 (THR HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$3,000 (THR THO).

5. *Prizes:* The prizes that can be won in this game are: \$30, \$40, \$50, \$100, \$300, \$500, \$1,000, \$3,000, \$30,000, \$300,000 and \$3,000,000. The prizes that can be won in the “FUN” area, are: \$30, \$40, \$50, \$100, \$300, \$500, \$1,000 and \$3,000. The prize that can be won in the “\$100 BEACH BONUS” spot is \$100. The prize that can be won in the “\$300 BEACH BONUS” spot is \$300. A player can win up to 28 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 6,000,000 tickets will be printed for the \$3,000,000 Fun Fortune instant lottery game.

7. Determination of prize winners:

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3MILL (THR MIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300,000 (THRHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300,000.

(c) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30,000 (TRY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(d) Holders of tickets upon which a 30X (30TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that 30X (30TIMES) symbol, on a single ticket, shall be entitled to a prize of \$30,000.

(e) Holders of tickets upon which a FORTUNE (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$3,000 (THR THO) appears in five of the “prize” areas, a prize symbol of \$1,000 (ONE

THO) appears in 14 of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in four of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas, on a single ticket, shall be entitled to a prize of \$29,500.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$3,000 (THR THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(g) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$3,000 (THR THO) appears in “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$3,000.

(h) Holders of tickets upon which a 30X (30TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that 30X (30TIMES) symbol, on a single ticket, shall be entitled to a prize of \$3,000.

(i) Holders of tickets upon which a FORTUNE (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$100 (ONE HUN) appears in all 25 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$2,500.

(j) Holders of tickets upon which a FORTUNE (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$500 (FIV HUN) appears in two of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in 17 of the “prize” areas, a prize symbol of \$30⁰⁰ (THIRTY) appears in five of the “prize” areas and a prize symbol of \$300 (THR HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$2,300.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets upon which a Sunglasses (SUNGLS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Sunglasses (SUNGLS) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(m) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$1,000.

(n) Holders of tickets upon which a FORTUNE (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$40⁰⁰ (FORTY) appears in all 25 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(o) Holders of tickets upon which a 30X (30TIMES) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “prize” area under that 30X (30TIMES) symbol, on a single ticket, shall be entitled to a prize of \$900.

(p) Holders of tickets upon which a FORTUNE (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$40⁰⁰ (FORTY) appears in ten of the “prize” areas and a prize symbol of \$30⁰⁰

(THIRTY) appears in 15 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$850.

(q) Holders of tickets upon which a FORTUNE (WINALL) symbol appears in the “YOUR NUMBERS” area, and a prize symbol of \$40⁰⁰ (FORTY) appears in five of the “prize” areas and a prize symbol of \$30⁰⁰ (THIRTY) appears in 20 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$800.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(s) Holders of tickets upon which a Sunglasses (SUNGLS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Sunglasses (SUNGLS) symbol, on a single ticket, shall be entitled to a prize of \$500.

(t) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$500.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300 (THR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300.

(v) Holders of tickets upon which a Sunglasses (SUNGLS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$300 (THR HUN) appears in the “prize” area under that Sunglasses (SUNGLS) symbol, on a single ticket, shall be entitled to a prize of \$300.

(w) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$300 (THR HUN) appears in the “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$300.

(x) Holders of tickets upon which a Beach Chair (WIN300) symbol appears in the “\$300 BEACH BONUS” spot, on a single ticket, shall be entitled to a prize of \$300.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets upon which a Sunglasses (SUNGLS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Sunglasses (SUNGLS) symbol, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$100.

(bb) Holders of tickets upon which a Sandals (WIN100) symbol appears in the “\$100 BEACH BONUS” spot, on a single ticket, shall be entitled to a prize of \$100.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(dd) Holders of tickets upon which a Sunglasses (SUNGLS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the “prize” area under that Sunglasses (SUNGLS) symbol, on a single ticket, shall be entitled to a prize of \$50.

(ee) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$50.⁰⁰ (FIFTY) appears in the “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$50.

(ff) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$40.⁰⁰ (FORTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(gg) Holders of tickets upon which a Sunglasses (SUNGLS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40.⁰⁰ (FORTY) appears in the “prize” area under that Sunglasses (SUNGLS) symbol, on a single ticket, shall be entitled to a prize of \$40.

(hh) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$40.⁰⁰ (FORTY) appears in the “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$40.

(ii) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(jj) Holders of tickets upon which a Sunglasses (SUNGLS) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the “prize” area under that Sunglasses (SUNGLS) symbol, on a single ticket, shall be entitled to a prize of \$30.

(kk) Holders of tickets upon which two matching play symbols appear in the “FUN” area and a prize symbol of \$30.⁰⁰ (THIRTY) appears in the “prize” area under the matching play symbols, on a single ticket, shall be entitled to a prize of \$30.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“FUN AREA”:</i>	<i>“BEACH BONUS”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
	\$30 w/ POOL FLOAT MATCH		\$30	30	200,000
\$30 w/ SUNGLASSES			\$30	21.43	280,000
\$30			\$30	30	200,000
	\$40 w/ POOL FLOAT MATCH		\$40	30	200,000
\$40 w/ SUNGLASSES			\$40	25	240,000
\$40			\$40	30	200,000
	\$50 w/ POOL FLOAT MATCH		\$50	300	20,000
\$50 w/ SUNGLASSES			\$50	30	200,000
\$50			\$50	300	20,000
\$50 × 2			\$100	300	20,000
(\$30 × 2) + \$40			\$100	300	20,000
\$30 × 2	\$40 w/ POOL FLOAT MATCH		\$100	300	20,000
\$50	\$50 w/ POOL FLOAT MATCH		\$100	100	60,000
		\$100 w/ SANDALS	\$100	30	200,000
	\$100 w/ POOL FLOAT MATCH		\$100	300	20,000

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>"FUN AREA":</i>	<i>"BEACH BONUS":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
\$100 w/ SUNGLASSES			\$100	300	20,000
\$100			\$100	300	20,000
\$30 × 10			\$300	12,000	500
\$100 × 3			\$300	12,000	500
(((\$30 w/ SUNGLASSES) × 3) + (\$30 × 2) + \$50	\$100 w/ POOL FLOAT MATCH		\$300	1,200	5,000
(((\$40 w/ SUNGLASSES) × 3) + \$50	\$30 w/ POOL FLOAT MATCH	\$100 w/ SANDALS	\$300	1,200	5,000
(\$50 w/ SUNGLASSES) × 3	\$50 w/ POOL FLOAT MATCH	\$100 w/ SANDALS	\$300	1,200	5,000
(\$100 w/ SUNGLASSES) + (\$30 w/ SUNGLASSES) + \$30	\$40 w/ POOL FLOAT MATCH	\$100 w/ SANDALS	\$300	1,200	5,000
(\$100 w/ SUNGLASSES) + (\$50 w/ SUNGLASSES) + (\$50 × 2)	\$50 w/ POOL FLOAT MATCH		\$300	1,200	5,000
		\$300 w/ BEACH CHAIR	\$300	480	12,500
	\$300 w/ POOL FLOAT MATCH		\$300	1,714	3,500
\$300 w/ SUNGLASSES			\$300	1,714	3,500
\$300			\$300	12,000	500
\$50 × 10			\$500	24,000	250
\$100 × 5			\$500	24,000	250
\$30 × 10	\$100 w/ POOL FLOAT MATCH	\$100 w/ SANDALS	\$500	24,000	250
\$40 × 5		\$300 w/ BEACH CHAIR	\$500	6,000	1,000
(((\$40 w/ SUNGLASSES) × 2) + (\$30 × 3)	\$30 w/ POOL FLOAT MATCH	\$300 w/ BEACH CHAIR	\$500	6,000	1,000
\$50 w/ SUNGLASSES	\$50 w/ POOL FLOAT MATCH	(\$300 w/ BEACH CHAIR) + (\$100 w/ SANDALS)	\$500	6,000	1,000
(((\$50 w/ SUNGLASSES) × 2) + (\$30 w/ SUNGLASSES) + \$30	\$40 w/ POOL FLOAT MATCH	\$300 w/ BEACH CHAIR	\$500	6,000	1,000
(\$100 w/ SUNGLASSES) × 2		\$300 w/ BEACH CHAIR	\$500	6,000	1,000
	\$500 w/ POOL FLOAT MATCH		\$500	6,000	1,000
\$500 w/ SUNGLASSES			\$500	8,000	750
\$500			\$500	24,000	250
FORTUNE w/ (((\$40 × 5) + (\$30 × 20))	\$100 w/ POOL FLOAT MATCH	\$100 w/ SANDALS	\$1,000	6,000	1,000

NOTICES

3781

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“FUN AREA”:</i>	<i>“BEACH BONUS”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 6,000,000 Tickets:</i>
FORTUNE w/ (($\$40 \times 10$) + ($\30×15))	\$50 w/ POOL FLOAT MATCH	\$100 w/ SANDALS	\$1,000	6,000	1,000
FORTUNE w/ ($\$40 \times 25$)			\$1,000	6,000	1,000
\$500 \times 2			\$1,000	120,000	50
\$30 w/ 30X		\$100 w/ SANDALS	\$1,000	4,000	1,500
\$30 w/ 30X	\$100 w/ POOL FLOAT MATCH		\$1,000	4,000	1,500
($\$30$ w/ SUNGLASSES) \times 10	\$300 w/ POOL FLOAT MATCH	($\$300$ w/ BEACH CHAIR) + ($\$100$ w/ SANDALS)	\$1,000	120,000	50
(($\$40$ w/ SUNGLASSES) \times 2) + ($\$30 \times 4$)	\$500 w/ POOL FLOAT MATCH	\$300 w/ BEACH CHAIR	\$1,000	60,000	100
(($\$50$ w/ SUNGLASSES) \times 4) + ($\$50 \times 2$) + ($\40×5)	\$100 w/ POOL FLOAT MATCH	($\$300$ w/ BEACH CHAIR) + ($\$100$ w/ SANDALS)	\$1,000	60,000	100
(($\$100$ w/ SUNGLASSES) \times 2) + ($\$40 \times 10$)	\$300 w/ POOL FLOAT MATCH	\$100 w/ SANDALS	\$1,000	60,000	100
	\$1,000 w/ POOL FLOAT MATCH		\$1,000	60,000	100
\$1,000 w/ SUNGLASSES			\$1,000	120,000	50
\$1,000			\$1,000	120,000	50
FORTUNE w/ ($\$100 \times 25$)	\$100 w/ POOL FLOAT MATCH	($\$300$ w/ BEACH CHAIR) + ($\$100$ w/ SANDALS)	\$3,000	300,000	20
FORTUNE w/ (($\$500 \times 2$) + ($\50×17) + ($\$30 \times 5$) + $\$300$)	\$300 w/ POOL FLOAT MATCH	($\$300$ w/ BEACH CHAIR) + ($\$100$ w/ SANDALS)	\$3,000	300,000	20
\$100 w/ 30X			\$3,000	300,000	20
	\$3,000 w/ POOL FLOAT MATCH		\$3,000	1,200,000	5
\$3,000			\$3,000	1,200,000	5
FORTUNE w/ (($\$3,000 \times 5$) + ($\$1,000 \times 14$) + ($\$100 \times 4$) + ($\50×2))	\$100 w/ POOL FLOAT MATCH	($\$300$ w/ BEACH CHAIR) + ($\$100$ w/ SANDALS)	\$30,000	600,000	10
\$1,000 w/ 30X			\$30,000	300,000	20
\$30,000			\$30,000	1,200,000	5
($\$1,000$ w/ 30X) \times 10			\$300,000	1,200,000	5
\$300,000			\$300,000	1,200,000	5
\$3,000,000			\$3,000,000	1,200,000	5

Reveal a “Sunglasses” (SUNGLS) symbol, win prize shown under that symbol automatically.

Reveal a “30X” (30TIMES) symbol, win 30 TIMES the prize shown under that symbol.

Reveal a “FORTUNE” (WINALL) symbol, win all 25 prizes shown!

Scratch the word FUN in the game name. Match 2 like pool float symbols, win prize shown automatically! FUN area is played separately.

BEACH BONUS: Reveal a “Sandals” (WIN100) symbol in the \$100 BEACH BONUS spot, win \$100 instantly. Reveal a “Beach Chair” (WIN300) symbol in the \$300 BEACH BONUS spot, win \$300 instantly. BEACH BONUS spots are played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$3,000,000 Fun Fortune instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of \$3,000,000 Fun Fortune, prize money from winning \$3,000,000 Fun Fortune instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the \$3,000,000 Fun Fortune instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote \$3,000,000 Fun Fortune or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 23-945. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Fast Loot Instant Lottery Game 1649

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Fast Loot (“Fast Loot”). The game number is PA-1649.

2. *Price:* The price of a Fast Loot instant lottery game ticket is \$1.

3. *Play symbols:* Each Fast Loot instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area and a “YOUR NUMBERS” area. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN) and 20 (TWENT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT) and a LOOT (WINALL) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: FREE (TICKET), \$1⁰⁰ (ONE DOL), \$2⁰⁰ (TWO DOL), \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$40⁰⁰ (FORTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN) and \$5,000 (FIV THO).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$5, \$10, \$20, \$40, \$50, \$100, \$200 and \$5,000. A player can win up to four times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the Fast Loot instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(c) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$50⁰⁰ (FIFTY) appears in all four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(d) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$40⁰⁰ (FORTY) appears in two of the “Prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(f) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(g) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the “Prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in two of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(h) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in three of the “Prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$50.

(i) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$40⁰⁰ (FORTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$40.

(j) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in all four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$40.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(l) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$5⁰⁰ (FIV DOL) appears in all four of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(m) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(n) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$2⁰⁰ (TWO DOL) appears in two of the “Prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in one of the “Prize” areas and a prize symbol of \$1⁰⁰ (ONE DOL) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$10.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols, and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(p) Holders of tickets upon which a LOOT (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1⁰⁰ (ONE DOL) appears in three of the “Prize” areas and a prize symbol of \$2⁰⁰ (TWO DOL) appears in one of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$5.

(q) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2⁰⁰ (TWO DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$1⁰⁰ (ONE DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1.

(s) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of FREE (TICKET) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of one Fast Loot instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	9.01	932,400
\$1 × 2	\$2	33.33	252,000
\$2	\$2	37.04	226,800
LOOT w/ ((\$1 × 3) + \$2)	\$5	34.48	243,600

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
$(\$2 \times 2) + \1	\$5	1,000	8,400
\$5	\$5	1,000	8,400
LOOT w/ $(\$2 \times 2) + \$5 + \$1$	\$10	90.91	92,400
$\$5 \times 2$	\$10	1,000	8,400
\$10	\$10	1,000	8,400
LOOT w/ $(\$5 \times 4)$	\$20	320	26,250
$(\$5 \times 2) + \10	\$20	12,000	700
$\$10 \times 2$	\$20	12,000	700
\$20	\$20	24,000	350
LOOT w/ $(\$10 \times 4)$	\$40	2,182	3,850
$(\$10 \times 2) + \20	\$40	2,400	3,500
$\$20 \times 2$	\$40	12,000	700
\$40	\$40	12,000	700
LOOT w/ $(\$10 \times 3) + \20	\$50	6,000	1,400
LOOT w/ $(\$20 \times 2) + (\$5 \times 2)$	\$50	6,000	1,400
$\$40 + \10	\$50	24,000	350
\$50	\$50	24,000	350
LOOT w/ $(\$40 \times 2) + (\$10 \times 2)$	\$100	12,000	700
$\$50 \times 2$	\$100	120,000	70
\$100	\$100	120,000	70
LOOT w/ $(\$50 \times 4)$	\$200	420,000	20
$\$100 \times 2$	\$200	840,000	10
\$200	\$200	840,000	10
\$5,000	\$5,000	840,000	10

Reveal a "LOOT" (WINALL) symbol, win ALL 4 PRIZES shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Fast Loot instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a

winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Fast Loot, prize money from winning Fast Loot instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Fast Loot instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Fast Loot or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 23-946. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Feeling Lucky Instant Lottery Game 1647

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Feeling Lucky (“Feeling Lucky”). The game number is PA-1647.

2. *Price:* The price of a Feeling Lucky instant lottery game ticket is \$10.

3. *Play symbols:* Each Feeling Lucky instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “FEELING 10X LUCKY” area containing “LUCKY SPOT 1” and “LUCKY SPOT 2.” The “FEELING 10X LUCKY” area is played separately. The play symbols and their captions, located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN) and 30 (THIRT). The play symbols and their captions, located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), Fingers Crossed (WINPRZ) symbol and a Horseshoe (WIN500) symbol.

4. *Prize symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area, are: \$10⁰⁰ (TEN DOL), \$20⁰⁰ (TWENTY), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$150 (ONEHUNFTY), \$500 (FIV HUN), \$1,000 (ONE THO), \$10,000 (TEN THO) and \$500,000 (FIVHUNTHO). The prize symbols and their captions, located in the “FEELING 10X LUCKY” area, are: \$10⁰⁰ (TEN DOL), \$30⁰⁰ (THIRTY), \$50⁰⁰ (FIFTY), \$100 (ONE HUN), \$500 (FIV HUN) and \$1,000 (ONE THO).

5. *Prizes:* The prizes that can be won in this game are: \$10, \$20, \$30, \$50, \$100, \$150, \$500, \$1,000, \$10,000 and \$500,000. The prizes that can be won in the “FEELING 10X LUCKY” area, are: \$10, \$30, \$50, \$100, \$500 and \$1,000. Feeling Lucky contains a feature that can multiply certain prizes. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds). A player can win up to 16 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 11,400,000 tickets will be printed for the Feeling Lucky instant lottery game.

7. Determination of prize winners:

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500,000 (FIVHUNTHO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(c) Holders of tickets upon which a prize symbol of \$1,000 (ONE THO) appears in “LUCKY SPOT 1” and “LUCKY SPOT 2” within the “FEELING 10X LUCKY” area, on a single ticket, shall be entitled to a prize of \$10,000.

(d) Holders of tickets upon which a prize symbol of \$500 (FIV HUN) appears in “LUCKY SPOT 1” and “LUCKY SPOT 2” within the “FEELING 10X LUCKY” area, on a single ticket, shall be entitled to a prize of \$5,000.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which a prize symbol of \$100 (ONE HUN) appears in “LUCKY SPOT 1” and “LUCKY SPOT 2” within the “FEELING 10X LUCKY” area, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(i) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$500.

(j) Holders of tickets upon which a Horseshoe (WIN500) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “Prize” area under that Horseshoe (WIN500) symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which a prize symbol of \$50⁰⁰ (FIFTY) appears in “LUCKY SPOT 1” and “LUCKY SPOT 2” within the “FEELING 10X LUCKY” area, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which a prize symbol of \$30⁰⁰ (THIRTY) appears in “LUCKY SPOT 1” and “LUCKY SPOT 2” within the “FEELING 10X LUCKY” area, on a single ticket, shall be entitled to a prize of \$300.

(m) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$150 (ONEHUNFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$150.

(n) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$150 (ONEHUNFTY) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$150.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(p) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$100.

(q) Holders of tickets upon which a prize symbol of \$10⁰⁰ (TEN DOL) appears in “LUCKY SPOT 1” and “LUCKY SPOT 2” within the “FEELING 10X LUCKY” area, on a single ticket, shall be entitled to a prize of \$100.

(r) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50.

(s) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS”

area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$50.

(t) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$30.

(u) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$30⁰⁰ (THIRTY) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$30.

(v) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$20.

(w) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$20.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets upon which a Fingers Crossed (WINPRZ) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “Prize” area under that Fingers Crossed (WINPRZ) symbol, on a single ticket, shall be entitled to a prize of \$10.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>“FEELING 10X LUCKY”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 11,400,000 Tickets:</i>
\$10 w/ FINGERS CROSSED		\$10	14.63	779,000
\$10		\$10	20	570,000
\$10 × 2		\$20	200	57,000
(\$10 w/ FINGERS CROSSED) + \$10		\$20	30	380,000
\$20 w/ FINGERS CROSSED		\$20	30	380,000
\$20		\$20	200	57,000
\$10 × 3		\$30	600	19,000
(\$10 w/ FINGERS CROSSED) + \$20		\$30	600	19,000
(\$20 w/ FINGERS CROSSED) + \$10		\$30	200	57,000
\$30 w/ FINGERS CROSSED		\$30	35.29	323,000
\$30		\$30	300	38,000

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>"FEELING 10X LUCKY":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 11,400,000 Tickets:</i>
\$10 × 5		\$50	600	19,000
\$30 + \$20		\$50	600	19,000
(\$10 w/ FINGERS CROSSED) × 5		\$50	600	19,000
(\$20 w/ FINGERS CROSSED) + (\$10 × 3)		\$50	600	19,000
(\$30 w/ FINGERS CROSSED) + (\$20 w/ FINGERS CROSSED)		\$50	600	19,000
\$50 w/ FINGERS CROSSED		\$50	600	19,000
\$50		\$50	600	19,000
\$10 × 10		\$100	600	19,000
(((\$10 w/ FINGERS CROSSED) × 5) + \$30 + \$20		\$100	600	19,000
(\$10 w/ FINGERS CROSSED) × 10		\$100	600	19,000
	2—\$10s w/ 10X	\$100	150	76,000
\$100 w/ FINGERS CROSSED		\$100	600	19,000
\$100		\$100	600	19,000
\$10 × 15		\$150	24,000	475
\$30 × 5		\$150	12,000	950
\$50 × 3		\$150	12,000	950
(((\$10 w/ FINGERS CROSSED) × 3) + (\$10 × 2)	2—\$10s w/ 10X	\$150	12,000	950
(\$30 w/ FINGERS CROSSED) + (\$20 w/ FINGERS CROSSED)	2—\$10s w/ 10X	\$150	1,714	6,650
\$50 w/ FINGERS CROSSED	2—\$10s w/ 10X	\$150	1,714	6,650
\$150 w/ FINGERS CROSSED		\$150	12,000	950
\$150		\$150	24,000	475
\$50 × 10		\$500	24,000	475
\$100 × 5		\$500	24,000	475
(((\$10 w/ FINGERS CROSSED) × 10) + \$50 + \$30 + \$20	2—\$30s w/ 10X	\$500	12,000	950
(((\$20 w/ FINGERS CROSSED) × 5) + (\$10 × 10)	2—\$30s w/ 10X	\$500	12,000	950
	2—\$50s w/ 10X	\$500	24,000	475
\$500 w/ HORSESHOE		\$500	1,200	9,500
\$500		\$500	24,000	475
\$100 × 10		\$1,000	120,000	95
(\$100 × 4) + (\$50 × 9) + \$30 + \$20	2—\$10s w/ 10X	\$1,000	120,000	95
\$500 w/ FINGERS CROSSED	2—\$50s w/ 10X	\$1,000	120,000	95
(\$500 w/ HORSESHOE) + (((\$150 w/ FINGERS CROSSED) × 2) + (\$20 × 5)	2—\$10s w/ 10X	\$1,000	120,000	95
(\$500 w/ HORSESHOE) × 2		\$1,000	120,000	95
	2—\$100s w/ 10X	\$1,000	120,000	95
\$1,000 w/ FINGERS CROSSED		\$1,000	120,000	95
\$1,000		\$1,000	120,000	95
(\$500 w/ HORSESHOE) × 10	2—\$500s w/ 10X	\$10,000	1,140,000	10
	2—\$1,000s w/ 10X	\$10,000	1,140,000	10

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>"FEELING 10X LUCKY":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 11,400,000 Tickets:</i>
\$10,000		\$10,000	1,140,000	10
\$500,000		\$500,000	1,140,000	10

Reveal a "FINGERS CROSSED" (WINPRZ) symbol, win PRIZE shown under that symbol automatically.

Reveal a "HORSESHOE" (WIN500) symbol, win \$500 instantly!

FEELING 10X LUCKY: When the prize amount in LUCKY SPOT 1 matches the prize amount in LUCKY SPOT 2, win 10 TIMES that amount! FEELING 10X LUCKY is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Feeling Lucky instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Feeling Lucky, prize money from winning Feeling Lucky instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Feeling Lucky instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Feeling Lucky or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 23-947. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF REVENUE

Pennsylvania Watts of Cash Instant Lottery Game 1648

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Watts of Cash ("Watts of Cash"). The game number is PA-1648.

2. *Price:* The price of a Watts of Cash instant lottery game ticket is \$5.

3. *Play symbols:* Each Watts of Cash instant lottery game ticket will contain one play area, which includes two "ON BULB" spots, and a "BULB BONUS" area. The "ON BULB" spots can win a prize in two ways, as described in section 7 (relating to determination of prize winners). The play symbols and their captions located in the play area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT), \$ (DLRSN) symbol and a Plug (WINALL) symbol. The play symbols and their captions, located in the two "ON BULB" spots, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions, located in "BULB BONUS" area, are: Screw (NOBONUS) symbol, Signal Tower (TRYAGAIN) symbol, Radio (NOBONUS) symbol, Toolbox (TRYAGAIN) symbol, Flashlight

(NOBONUS) symbol, Candle (TRYAGAIN) symbol, + (PLUS) symbol and a – (MINUS) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the play area, are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$75⁰⁰ (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$200,000 (TWOHUNTHO). The prize symbols and their captions, located in the two “ON BULB” spots, are: \$5⁰⁰ (FIV DOL), \$10⁰⁰ (TEN DOL), \$15⁰⁰ (FIFTEEN), \$20⁰⁰ (TWENTY), \$50⁰⁰ (FIFTY), \$75⁰⁰ (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN) and \$500 (FIV HUN).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$15, \$20, \$50, \$75, \$100, \$200, \$500, \$1,000, \$5,000 and \$200,000. The “BULB BONUS” area prizes that can be won in the two “ON BULB” spots, are: \$5, \$10, \$15, \$20, \$50, \$75, \$100, \$200 and \$500. A player can win up to 14 times on a ticket. Watts of Cash contains a feature that can multiply certain prizes. For a complete list of prizes, and how those prizes can be won, see section 8 (relating to number and description of prizes and approximate odds).

6. *Approximate number of tickets printed for the game:* Approximately 10,800,000 tickets will be printed for the Watts of Cash instant lottery game.

7. *Determination of prize winners:*

(a) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$200,000 (TWOHUNTHO) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$200,000.

(b) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(c) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$500 (FIV HUN) appears in one of the “ON BULB” spots and a prize symbol of \$200 (TWO HUN) appears in one of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$3,500.

(d) Holders of tickets upon which a Plug (WINALL) symbol appears in the play area and a prize symbol of \$500 (FIV HUN) appears in two of the “prize” areas, a prize symbol of \$200 (TWO HUN) appears in two of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in six of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,500.

(e) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(f) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$100 (ONE HUN) appears in each of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$1,000.

(g) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in eight of the “prize” areas and a prize symbol of \$50⁰⁰ (FIFTY)

appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$1,000.

(h) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$75⁰⁰ (SVY FIV) appears in each of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$750.

(i) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$75⁰⁰ (SVY FIV) appears in one of the “ON BULB” spots and a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$625.

(j) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$500.

(k) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in each of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$500.

(l) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in eight of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas, a prize symbol of \$75⁰⁰ (SVY FIV) appears in one of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500.

(m) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75⁰⁰ (SVY FIV) appears in two of the “prize” areas, a prize symbol of \$50⁰⁰ (FIFTY) appears in three of the “prize” areas, a prize symbol of \$20⁰⁰ (TWENTY) appears two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in three of the “prize” areas, on a single ticket, shall be entitled to a prize of \$375.

(n) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in one of the “ON BULB” spots and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$350.

(o) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas and a prize symbol of \$20⁰⁰ (TWENTY) appears ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$300.

(p) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$200.

(q) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in each of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$200.

(r) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$50⁰⁰ (FIFTY) appears in two of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$200.

(s) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in one of the “ON BULB” spots and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$175.

(t) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in four of the “prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in seven of the “prize” areas and a prize symbol of \$75⁰⁰ (SVY FIV) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$150.

(u) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the “ON BULB” spots and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$125.

(v) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in six of the “prize” areas, a prize symbol of \$5⁰⁰ (FIV DOL) appears in five of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$125.

(w) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$100.

(x) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the “ON BULB” spots and a prize symbol of \$5⁰⁰ (FIV DOL) appears in one of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$100.

(y) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in each of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$100.

(z) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$20⁰⁰ (TWENTY) appears in two of the “prize” areas, a prize symbol of \$10⁰⁰ (TEN DOL) appears in two of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(aa) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in four of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in eight of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(bb) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a

prize symbol of \$10⁰⁰ (TEN DOL) appears in eight of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$100.

(cc) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$75⁰⁰ (SVY FIV) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$75.

(dd) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “ON BULB” spots and a prize symbol of \$5⁰⁰ (FIV DOL) appears in one of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$75.

(ee) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in three of the “prize” areas and a prize symbol of \$5⁰⁰ (FIV DOL) appears in nine of the “prize” areas, on a single ticket, shall be entitled to a prize of \$75.

(ff) Holders of tickets upon which a Plug (WINALL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in ten of the “prize” areas, a prize symbol of \$15⁰⁰ (FIFTEEN) appears in one of the “prize” areas and a prize symbol of \$10⁰⁰ (TEN DOL) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$75.

(gg) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$50⁰⁰ (FIFTY) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$50.

(hh) Holders of tickets upon which a + (PLUS) symbol and a – (MINUS) symbol appear in the “BULB BONUS” area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in each of the “ON BULB” spots, on a single ticket, shall be entitled to a prize of \$50.

(ii) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$20⁰⁰ (TWENTY) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$20.

(jj) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$15⁰⁰ (FIFTEEN) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$15.

(kk) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$10⁰⁰ (TEN DOL) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$10.

(ll) Holders of tickets upon which a \$ (DLRSN) symbol appears in the play area and a prize symbol of \$5⁰⁰ (FIV DOL) appears in the “prize” area under that \$ (DLRSN) symbol, on a single ticket, shall be entitled to a prize of \$5.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Reveal A "\$" (DLRSN) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>"ON BULB With BULB BONUS":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$5		\$5	9.23	1,170,000
\$5 × 2		\$10	46.15	234,000
\$10		\$10	27.27	396,000
\$5 × 3		\$15	200	54,000
\$10 + \$5		\$15	200	54,000
\$15		\$15	120	90,000
\$5 × 4		\$20	300	36,000
\$10 × 2		\$20	150	72,000
\$15 + \$5		\$20	200	54,000
\$20		\$20	150	72,000
\$10 × 5		\$50	600	18,000
(\$10 × 2) + (\$5 × 2) + \$20		\$50	600	18,000
(\$20 × 2) + \$10		\$50	600	18,000
	(\$5 × 2) w/ PLUS AND MINUS	\$50	120	90,000
\$50		\$50	600	18,000
PLUG w/ ((\$5 × 10) + \$15 + \$10)		\$75	1,091	9,900
PLUG w/ ((\$10 × 3) + (\$5 × 9))		\$75	1,091	9,900
\$15 × 5		\$75	24,000	450
\$5 × 5	(\$5 × 2) w/ PLUS AND MINUS	\$75	2,000	5,400
\$15 + \$10	(\$5 × 2) w/ PLUS AND MINUS	\$75	2,000	5,400
	(\$10 + \$5) w/ PLUS AND MINUS	\$75	2,000	5,400
\$75		\$75	24,000	450
PLUG w/ ((\$10 × 8) + (\$5 × 4))		\$100	2,400	4,500
PLUG w/ ((\$15 × 4) + (\$5 × 8))		\$100	2,400	4,500
PLUG w/ ((\$20 × 2) + (\$10 × 2) + (\$5 × 8))		\$100	2,400	4,500
\$10 × 10		\$100	12,000	900
\$5 × 10	(\$5 × 2) w/ PLUS AND MINUS	\$100	2,400	4,500
\$20 + \$5	(\$10 + \$5) w/ PLUS AND MINUS	\$100	2,400	4,500
	(\$10 × 2) w/ PLUS AND MINUS	\$100	12,000	900
	(\$15 + \$5) w/ PLUS AND MINUS	\$100	12,000	900
\$100		\$100	24,000	450
PLUG w/ ((\$10 × 4) + (\$5 × 7) + \$75)	(\$5 × 2) w/ PLUS AND MINUS	\$200	4,000	2,700
PLUG w/ ((\$15 × 6) + (\$5 × 5) + \$10)	(\$10 + \$5) w/ PLUS AND MINUS	\$200	4,000	2,700
PLUG w/ ((\$50 × 2) + (\$10 × 10))		\$200	12,000	900
\$100 × 2		\$200	120,000	90
(\$50 × 2) + \$15 + \$10	(\$10 + \$5) w/ PLUS AND MINUS	\$200	24,000	450

<i>Reveal A "\$" (DLRSN) Symbol, Win Prize Shown Under That Symbol. Win With:</i>	<i>"ON BULB With BULB BONUS":</i>	<i>Win:</i>	<i>Approximate Chances Of Winning Are 1 In:</i>	<i>Approximate No. Of Winners Per 10,800,000 Tickets:</i>
\$20 × 5	(\$15 + \$5) w/ PLUS AND MINUS	\$200	24,000	450
\$75	(\$15 + \$10) w/ PLUS AND MINUS	\$200	24,000	450
	(\$20 × 2) w/ PLUS AND MINUS	\$200	24,000	450
\$200		\$200	120,000	90
PLUG w/ ((\$50 × 2) + (\$20 × 10))	(\$20 × 2) w/ PLUS AND MINUS	\$500	15,000	720
PLUG w/ ((\$50 × 8) + (\$10 × 2) + \$75 + \$5)		\$500	15,000	720
\$100 × 5		\$500	120,000	90
(\$75 × 3) + (\$50 × 2)	(\$20 + \$15) w/ PLUS AND MINUS	\$500	60,000	180
\$15 × 10	(\$50 + \$20) w/ PLUS AND MINUS	\$500	60,000	180
	(\$50 × 2) w/ PLUS AND MINUS	\$500	60,000	180
\$500		\$500	120,000	90
PLUG w/ ((\$75 × 2) + (\$50 × 3) + (\$20 × 2) + (\$10 × 2) + (\$5 × 3))	(\$75 + \$50) w/ PLUS AND MINUS	\$1,000	60,000	180
PLUG w/ ((\$100 × 8) + (\$50 × 4))		\$1,000	120,000	90
\$50 × 5	(\$75 × 2) w/ PLUS AND MINUS	\$1,000	120,000	90
	(\$100 × 2) w/ PLUS AND MINUS	\$1,000	120,000	90
\$1,000		\$1,000	120,000	90
PLUG w/ ((\$500 × 2) + (\$200 × 2) + (\$20 × 2) + (\$10 × 6))	(\$500 + \$200) w/ PLUS AND MINUS	\$5,000	1,080,000	10
\$5,000		\$5,000	1,080,000	10
\$200,000		\$200,000	1,080,000	10

Reveal a "PLUG" (WINALL) symbol, win all 12 prizes shown.

BULB BONUS: Reveal a "+" (PLUS) symbol and a "-" (MINUS) symbol, win 5 TIMES the prize shown in each ON BULB spot!

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Watts of Cash instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles

the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Watts of Cash, prize money from winning Watts of Cash instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Watts of Cash instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize

money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote Watts of Cash or through normal communications methods.

PATRICK BROWNE,
Secretary

[Pa.B. Doc. No. 23-948. Filed for public inspection July 14, 2023, 9:00 a.m.]

DEPARTMENT OF STATE

Election for the Office of Judge of the Court of Common Pleas of Philadelphia County

On June 16, 2023, the Secretary of the Commonwealth (Secretary) received written notice that Judge Rayford A. Means has revoked his declaration of candidacy for retention as a Judge of the Court of Common Pleas of Philadelphia County. Under the Constitution and laws of the Commonwealth, an election for the judicial office held by Judge Means will occur as part of the Municipal Election to be held November 7, 2023.

In the Municipal Election, the electors of Philadelphia County will now elect 11 Judges of the Court of Common Pleas of Philadelphia County. Each elector will be entitled to vote for up to 11 candidates, with the 11 candidates receiving the largest number of valid votes being elected.

In the Municipal Primary held May 16, 2023, the electors of the Democratic Party nominated ten candidates for the office of Judge of the Court of Common Pleas of Philadelphia County. No Republican candidates appeared on the ballot in the Republican Municipal Primary. Now, due to Judge Means' retention revocation, by law, each of the certified Statewide political parties of the Commonwealth—the Democratic Party, the Republican Party and the Libertarian Party—will be permitted to nominate one additional candidate for Court of Common Pleas of Philadelphia County by submitting to the Secretary, no later than September 18, 2023, a nomination certificate in the form prescribed by law and prepared in accordance with the applicable rules of the political party. See 25 P.S. §§ 2938.3, 2953 and 2954. Political bodies will be permitted to nominate a candidate by filing with the Secretary, no later than September 18, 2023, nomination papers prepared and submitted in accordance with the requirements of the Pennsylvania Election Code (25 P.S. §§ 2600—3591).

Additional information is available on the Department of State's publicly accessible web site at www.vote.pa.gov.

AL SCHMIDT,
Secretary

[Pa.B. Doc. No. 23-949. Filed for public inspection July 14, 2023, 9:00 a.m.]

GAME COMMISSION

Chronic Wasting Disease—Designation of Disease Management Areas and Endemic States and Canadian Provinces Order # 13

Executive Order

Whereas, Chronic Wasting Disease (CWD) is an infectious and progressive neurological disease that is found in, and always proves fatal to, members of the family Cervidae (deer, elk or moose, and other susceptible species, collectively called cervids); and

Whereas, There are no known treatments for CWD infection, no vaccines to protect against CWD infection, and no approved tests that can detect the presence of CWD in live cervids; and

Whereas, CWD is designated as a “dangerous transmissible disease” of animals by order of the Secretary of Agriculture under 3 Pa.C.S. § 2321(d) (relating to dangerous transmissible diseases); and

Whereas, The Game and Wildlife Code (Code) (34 Pa.C.S. §§ 101 et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the PGC to regulate activities relating to the protection, preservation, and management of game and wildlife, including cervids; and

Whereas, On March 28, 2017 (effective May 16, 2017), the Commission added 58 Pa. Code § 137.35 (relating to Chronic Wasting Disease Restrictions) to give more permanent status and structure to the CWD requirements and restrictions previously established and maintained over the prior decade by and through executive orders; and

Whereas, Section 137.35(d) provides the Executive Director with the authority to designate CWD Disease Management Areas (DMAs) and Established Areas (EAs) within this Commonwealth; and

Whereas, Previous executive orders concerning designation of CWD DMAs and EAs within this Commonwealth were issued by the Commission on June 1, 2017, July 24, 2017, October 6, 2017, February 16, 2018, May 21, 2018, October 22, 2018, June 17, 2019, June 2, 2020, May 28, 2021, October 21, 2021, April 5, 2022, and August 18, 2022; and

Whereas, The Commission has determined that further designations of CWD DMAs and EAs are required to implement necessary updates to the Commission's CWD program.

Now Therefore, I, BRYAN J. BURHANS, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following:

1. DMAs within this Commonwealth are designated as set forth below. These DMAs are more graphically illustrated on the maps titled “DMA 2,” “DMA 3,” “DMA 4,” “DMA 5,” “DMA 6,” “DMA 7,” “DMA 8” and “DMA OVERVIEW” attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundaries and maps of DMA 2, DMA 3, DMA 4, DMA 5, DMA 6, DMA 7, DMA 8 and DMA OVERVIEW, the written descriptions shall prevail.

a. *DMA 1:* Eliminated.

b. *DMA 2:* Adams, Bedford, Blair, Cambria, Centre, Clearfield, Cumberland, Franklin, Fulton, Huntingdon,

Indiana, Juniata, Mifflin, Perry, Snyder, Somerset, Union, Westmoreland, and York counties, bounded and described as follows: Beginning at the intersection of Taneytown Road (State Highway 134) and the Maryland State Line, proceed north on State Highway 134 for approximately 4 miles to US Highway 15. Follow US Highway 15 north for 36.4 miles to the intersection where State Route 581 becomes US-11. Continue north on US Highway 11 for 2.4 miles to the point it meets the west shore of the Susquehanna River at Front Street in Wormleysburg. Follow the Susquehanna River north for approximately 62.6 miles to the river bridge (State Highway 45) in Lewisburg. Continue west on State Highway 45 for approximately 45.6 miles to State Highway 144 in Old Fort. Continue south on State Highway 144 for approximately 3.8 miles to US Highway 322 in Potters Mills. Proceed west on US 322 for approximately 17 miles, merging onto Interstate 99 and continuing west along Interstate 99 for approximately 7.2 miles to Exit 62 and returning to US Highway 322. Continue west on US 322 for another 10.9 miles to State Highway 504 in Philipsburg. Proceed west on State Highway 504 and follow 0.6 miles to State Highway 53. Continue west on State Highway 53 for 9.5 miles to State Route 153 in Houtzdale. Proceed south on State Route 153 for 5.9 miles to State Highway 253 (Viola Pike). Follow State Highway 253 south for 8.6 miles to State Highway 53 in Van Ormer. Continue south on State Highway 53 for 1.7 miles to Marina Road. Continue west on Marina Road for 5.5 miles where the road becomes Glendale Lake Road. Continue west on Glendale Lake Road for 3 miles State Highway 36. Follow State Highway 36 west for .5 miles into the town of Patton. Continue north on State Highway 36 for 3.5 miles to Bridge Street. Continue west on Bridge Street for 1.6 miles to Spangler Street. Follow Spangler Street south for .9 miles to Municipal Road (SR 4016). Proceed north on Municipal Road for 3.6 miles west to US Highway 219 (Crawford Avenue) in Northern Cambria. Follow US Highway 219 south for 1.3 miles to State Highway 271. Follow State Highway 271 south for 2.8 miles to State Highway 553 near Nicktown. Follow State Highway 553 west for 6.9 miles to State Highway 403 near Heilwood. Continue south on State Highway 403 for 15.8 miles to US Highway 22. Follow US Highway 22 west for 14 miles to State Highway 217 South in Blairsville. Continue south on State Highway 217 for 12.5 miles to US Highway 30. Follow US Highway 30 east for 21.3 miles to US Highway 219. Proceed south along State Highway 219 for 32.6 miles to the Maryland border. Finally, continue east along the Maryland border 100.05 miles to Taneytown Road (State Highway 134) at the place of beginning.

c. *DMA3*: Armstrong, Cambria, Clarion, Clearfield, Elk, Indiana, and Jefferson counties, bounded and described as follows: Beginning at the intersection of Campbells Mill Road and US Highway 119 in the town of Black Lick, proceed north on US Highway 119 for 5.3 miles to State Highway 56. Follow State Highway 56 east for 5.5 miles to State Highway 259. Continue north on State Highway 259 for 5.4 miles to US Highway 422. Follow US Highway 422 west for 3.4 miles to State Highway 553. Follow State Highway 553 east for 1.9 miles to Spaulding Road. Continue north on Spaulding Road for 3 miles to State Highway 403. Follow State Highway 403 north for 2.2 miles to State Highway 286. Continue east on State Highway 286 for 4.9 miles to State Highway 240. Follow State Highway 240 east for 8.5 miles to US Highway 219. Follow US Highway 219 north for 2.4 miles to Sylvis Road. Follow Sylvis Road east for 5.8 miles to State Highway 36. Follow State

Highway 36 east for 8.8 miles to La Jose Road (SR-3016) in Newburg. Follow La Jose Road east for 3.6 miles becoming Cherry Corner Road (SR-3005) for another .3 mile to Marron Road (SR-3016). Proceed northeast on Marron Road for 2.7 miles to State Road 729. Follow State Road 729 north for .9 miles to Old Station Road. Follow Old Station Road (SR-2012) east for 2.4 miles to Douglas Road (SR-3007). Continue east on Douglas Road for .3 miles to Zion Road (SR-2012) near New Millport. Follow Zion Road east for 4.5 miles to Faunce Road (SR-2012). Follow Faunce Road east for 3.1 miles becoming Sanborn Road (SR-2012). Continue east on Sanborn Road for 2.5 miles to State Highway 153. Follow State Highway 153 north for 5 miles to Valley Road (SR-2027). Follow Valley Road north for 2.1 miles becoming Hogback Hill Road (SR-2027). Continue north on Hogback Hill Road for 1 mile to Main Street in Mineral Springs. Continue east on Main Street for .2 miles to Bigler Cutoff Road. Follow Bigler Cutoff Road north for .1 miles to US Highway 322. Proceed east on US Highway 322 for .7 miles to State Highway 970. Follow State Highway 970 north for 1.5 miles to Interstate Highway 80. Follow I-80 west for 26.4 miles to State Highway 219. Follow State Highway 219 north for 21.2 miles to Boot Jack becoming State Route 948. Follow State Route 948 for 4.2 miles to the Clarion River in Ridgway. Follow the Clarion River west for 28.3 miles to Bridge Road. Continue south on Bridge Road for 0.05 mile to State Highway 949. Proceed west on State Highway 949 for 16.3 miles to US Highway 322 in Corsica. Follow US Highway 322 east for 0.3 miles to State Highway 949. Follow State Highway 949 south for 4.2 miles to State Highway 28. Follow State Highway 28 south for 13.2 miles to State Highway 839 in New Bethlehem. Follow State Highway 839 south for 21 miles to State Highway 85. Follow State Highway 85 south for 3.9 miles to State Highway 210. Continue south on State Highway 210 for 10.5 miles. Proceed north on US Highway 422 for 0.5 mile to Girty Road. Follow Girty Road west for 7.3 miles to State Highway 156. Follow State Highway 156 south for 2 miles to West Lebanon Road. Continue east on West Lebanon Road for 0.3 mile to Olivet Road. Continue south on Olivet Road for 3.1 miles which becomes Iselin Road. Continue south on Iselin Road for 3.3 miles to State Highway 286. Follow State Highway 286 east for 6.5 miles to State Highway 217. State Highway 217 south for 1.4 miles to Black Lick Road. Follow Black Lick Road southeast for 6 miles to Campbells Mill Road. Continue east on Campbells Mill Road 0.4 mile to US Highway 119 at the place of beginning.

d. *DMA 4*: Lancaster County, bounded and described as follows: Beginning in the city of Litiz, at the intersection of state Route 772 and State Route 501, proceed north on State Route 501 for 5.1 miles to US Route 322. Proceed west on US Route 322 for 1.2 miles to Interstate 76 (Pennsylvania Turnpike). Continue east on Interstate 76 (Pennsylvania Turnpike) for 16.9 miles to State Route 625 (Reading Road). Follow State Route 625 (Reading Road) south for 6.4 miles to State Route 23. Continue west on State Route 23 for 0.3 miles to State Route 897. Follow State Route 897 south for 0.6 miles to U.S. Route 322 (28th Division Highway). Follow U.S. Route 322 (28th Division Highway) east for 0.1 miles to State Route 897 (Spring Valley Road). Follow State Route 897 south for 4.2 miles to Seldomridge Road (T-513). Continue east on Seldomridge Road (T-513) for 1.8 miles to Cambridge Road (T-907). Follow Cambridge Road south for 1.6 miles to State Route 340 (Old Philadelphia Pike). Continue west on State Route 340 (Old Philadelphia Pike) for 0.4 miles to State Route 897 (White Horse Road). Continue

south on State Route 897 for 4.0 miles to U.S. Route 30. Follow U.S. Route 30 west for 0.3 miles to State Route 41 (Newport Pike). Continue south on State Route 41 for 3.0 miles to Pine Creek. Follow Pine Creek south for 0.9 miles to East Branch Octoraro Creek. Continue south on East Branch Octoraro Creek for 18.2 miles to Octoraro Creek. Follow Octoraro Creek south along the Chester/Lancaster County border for 13.1 miles to the intersection with the Maryland border. Continue west along the Maryland border for 4.7 miles to the shoreline of the Susquehanna River. Proceed north along the Susquehanna River shorelines for 26.0 miles to a point abeam State Route 999. Continue east on State Route 999 for 7.0 miles to State Route 741 (Rohrerstown Road). Follow State Route 741 (Rohrerstown Road) north for 3.6 miles to U.S. Route 30 (Lincoln Highway). Continue east on U.S. Route 30 for 2.4 miles to State Route 4011 (Fruitville Pike). Follow State Route 4011 (Fruitville Pike) north for 6.7 miles to State Route 772 (Orange Street). Continue east on State Route 772 east for 3.6 miles to State Route 501 at the place of beginning.

e. *DMA 5*: Warren County, bounded and described as follows: Beginning at the intersection of the Allegheny River and the New York State Line, proceed south on the west shore of the river for 27.8 miles to the bridge at Pennsylvania Ave East (Business U.S. Route 6) in Warren. Continue south on Pennsylvania Ave East (Business U.S. Route 6) for 0.1 mile to U.S. Route 6. Follow U.S. Route 6 west for 11.6 miles to West Main St (State Route 27) in Youngsville. Continue northeast on West Main St (State Route 27) for 0.5 mile to State Route 27 (Matthews Run Road). Follow State Route 27 (Matthews Run Road) north for 7.2 miles to State Route 69 (Jackson Run Road). Continue north on State Route 69 (Jackson Run Road) for 3 miles to State Route 957 (Main St) in Sugar Grove. Follow State Route 957 east for 0.2 miles to Jamestown Street. Continue north on Jamestown Street for 0.7 miles to where Jamestown Street becomes Busti Road. Continue north on Busti Road for 1 mile to the New York border. Finally, follow the New York border east for 18.1 miles to the Allegheny River at the place of beginning.

f. *DMA 6*: Clearfield, Elk, and Jefferson Counties, bounded and described as follows: Beginning in the town of Kersey at the intersection of Chicken Hill Road and State Route 948, proceed south on Chicken Hill Road for 0.9 mile where the road becomes South Kersey Road. Follow South Kersey Road south for 1.4 miles where the road becomes Boone Mountain Road. Continue south on Boone Mountain Road for 6.5 miles to State Route 153. Follow State Route 153 south for 4.9 miles to State Route 255. Follow State Route 255 south for 9.5 miles to Interstate Highway 80. Follow Interstate Highway 80 west for 4.4 miles to State Highway 219. Continue north on State Highway 219 for 21.1 miles to State Route 948. Follow State Route 948 east for 5.3 miles to Chicken Hill Road in Kersey at the place of beginning.

g. *DMA 7*: Columbia, Lycoming, Montour, Northumberland, and Sullivan Counties, bounded and described as follows: Beginning in the town of Trout Run at the intersection of State Route 15 and State Route 14, proceed north on State Route 14 for 4.5 miles to Field Station Road. Continue southeast on Field Station Road for 2.3 miles to Beech Valley Road. Follow Beech Valley Road southeast for 0.9 mile to Calvert Road. Follow Calvert Road south for 0.1 mile to Southard Road. Continue east on Southard Road for 2.5 miles to Wallis Run Road. Follow Wallis Run Road east for 7.6 miles to Hoppestown Road in the town of Proctor. Continue northeast on Hoppestown Road for 5.9 miles to State Route 87

at Hillsgrove. Follow State Route 87 south for 2.4 miles to Ogdonia Road in the town of Ogdonia. Continue south on Ogdonia Road for 3.0 miles Loyalsock Trail Road. Continue south on Loyalsock Trail Road, becoming Route 3005, then State Route 2083, and then Deer Lake Road for 6.6 miles to State Route 220. Continue east on State Route 220 for 5.6 miles to State Route 42 in Beech Glen. Follow State Route 42 south for 17.1 miles to State Route 254 in Millville. Continue southwest on State Route 254 for 3.5 miles to State Route 44 in Jerseytown. Follow State Route 44 west for 10.8 miles to State Route 54 in Turbotville. Continue northwest on State Route 54 for 10.9 miles to State Route 15. Follow State Route 15 northwest for 6.5 miles to Interstate 180 in Williamsport. Continue west on Interstate 180 for 2.0 miles returning to State Route 15 at Exit 29. Continuing north on State Route 15 for 12.7 miles to State Route 14 in Trout Run at the place of beginning.

h. *DMA 8*: Dauphin, Lebanon, Northumberland, and Schuylkill Counties, bounded and described as follows: Beginning at the intersection of Interstate 81 and US Highway 22, proceed west on Interstate 81 for 2.1 miles to the west shore of the Susquehanna River. Follow the west shore of the Susquehanna River north for 48.8 miles to State Route 147 in Shamokin Dam. Continue east on State Route 147 for 0.47 mile to State Route 61. Follow State Route 61 east for 2.6 miles to State Route 890. Continue southeast on State Route 890 for 9.0 miles to State Route 225. Continue east on State Route 225 for 6.2 miles to State Route 61. Follow State Route 61 southeast for 0.3 mile to State Route 125. Continue south on State Route 125 for 21 miles to Interstate 81. Follow Interstate 81 south for 17.5 miles to Fisher Avenue at exit 90 near Bordnersville. Continue west on Fisher Avenue for 3.1 miles to Clement Avenue. Follow Clement Avenue west for 2.4 miles where Clement Avenue becomes State Route 443. Continue west on State Route 443 for 17.7 miles to US Highway 22. Follow US Highway 22 south for 3.6 miles to Interstate 81 at the place of beginning.

2. Established areas within this Commonwealth are designated as set forth below. The sole EA is more graphically illustrated on the map titled "DMA 2" attached hereto and incorporated by reference herein. Should any conflict exist between the below-listed written boundary and map of "DMA 2", the written descriptions shall prevail.

a. *Established Area in DMA 2*: Bedford, Blair, Franklin, Fulton, and Huntingdon counties, bounded and described as follows: Beginning at the intersection of State Highway 75 (Fort Loudon Road) and the Maryland State Line near Kasiesville, proceed north on State Highway 75 (Fort Loudon Road) for 13.9 miles to US Highway 30. Follow US Highway 30 west for 7.8 miles to US Highway 522 just north of McConnellsburg. Continue north on US Highway 522 for 37.5 miles to US Highway 22. Follow US 22 west for 42.4 miles to Old Route 22 in Duncansville. Continue west on Old Route 22 for 2.0 miles to Valley Forge Road. Follow Valley Forge Road south for 3.4 miles to the Poplar Run Road. Continue southeast on Poplar Run Road for 0.5 mile to Knob Run Road. Follow Knob Run Road southwest for 4.3 miles where the road becomes Knob Road. Continue south on Knob Road for 3.4 miles to the Bedford/Blair County Line, where the road becomes Blue Knob Road. Follow Blue Knob Road south for approximately 1.0 mile to State Forrest Road in Blue Knob State Park. Follow State Forrest Road south for 3.5 miles where the road becomes Pavia Road. Continue south on Pavia Road for 0.25 miles to State Highway 869. Follow State Highway 869 south for 3.4 miles to State

Highway 96. Continue south on State Highway 96 south for 14.4 miles to US Highway 30 in Schellsburg. Follow US Highway 30 east 4.75 miles to State Highway 31. Follow State Highway 31 southwest for 3.4 miles to State Highway 96 in Manns Choice. Continue south on State Highway 96 for 22.25 miles to the Maryland border. Finally, follow along Maryland border east for 47.1 miles to State Route 75 at place of beginning.


3. The previous executive order concerning designation of CWD DMAs and CWD-endemic States and Canadian Provinces within this Commonwealth that was issued by


the Commission on August 18, 2022, and published in the *Pennsylvania Bulletin* on September 3, 2022, at 52 Pa.B. 5747, is hereby rescinded in its entirety and replaced by this Order.


4. This Order is effective immediately and shall remain in effect until rescinded or modified by subsequent order.


Given under my hand and seal of the Pennsylvania Game Commission on this 22nd day of June, 2023.


BRYAN J. BURHANS,
Executive Director














[Pa.B. Doc. No. 23-950. Filed for public inspection July 14, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Insurance Coverages or Risks Eligible for Export by Insurance Commissioner

Under section 1604(2)(ii) of The Insurance Company Law of 1921 (40 P.S. § 991.1604(2)(ii)), the Insurance Commissioner declares the following insurance coverages to be generally unavailable in the authorized market at the present, and thus exportable, and adopts the following export list. Accordingly, for those insurance coverages which are included on the export list, a diligent search among insurers admitted to do business in this Commonwealth is not required before placement of the coverages in the surplus lines market.

Export List

Active Assailant Coverage

Amusements
Amusement Parks and their Devices
Animal Rides
Recreational and Sporting Events
Special Short Term Events
Theatrical Presentations

Aviation
Fixed Base Operations

Bridge and Tunnel Contractors (liability only)

Chemical Spray and/or Drift

Commercial Cyber Insurance (inclusive of first party and/or third party commercial cyber insurance coverage)

Crane and Rigging Contractors (liability and physical damage only)

Crop Dusters (aircraft liability and aircraft hull coverage only)

Day Care Centers, including Sexual Abuse Coverage

Demolition Contractors Liability

Disability Insurance—Excess

Dog Bite Liability (monoline)

Firework Sales/Manufacturing

Flood Insurance

Fuel and Explosive Haulers (excess auto liability and auto physical damage only)

Guides and Outfitters (liability only)

Hazardous Waste Haulers (excess auto liability and auto physical damage only)

Hazardous Waste Storage and Disposal (liability only)

Homeshare Business Multi-Peril Insurance (on-demand short-term)

Hunting Clubs

Kidnapping, Ransom and Extortion Insurance

Liquor Liability (monoline)

Medical Malpractice Liability with or without related General Liability Coverages

Medicinal Cannabis Cultivation, Processing/Harvesting, Manufacturing, Testing, Transportation/Delivery, Retail Distribution and/or Lessors/Property Managers

Miscellaneous Errors and Omissions or Professional Liability except architects and engineers, medical malpractice, lawyers, personnel agencies, travel agents, real estate brokers and insurance agents and brokers

Nightclubs

Nursing Home Liability with or without other Affiliated Elder Care Services

Paint and Coating Manufacturers—Liability

Pest Control (Exterminators) Liability

Pollution Liability and/or Environmental Impairment Coverage

Products Liability (monoline) for the Manufacturing of:
Aircraft and Component Parts
Automotive and Component Parts
Farm and Industrial Equipment
Firearms
Medical Equipment
Petrochemicals
Pharmaceuticals

Products Recall (monoline) for the Manufacturing of:
Aircraft and Component Parts
Automotive and Component Parts
Farm and Industrial Equipment
Firearms
Medical Equipment
Petrochemicals
Pharmaceuticals

Railroad, including Consultants, Contractors and Suppliers

Real-Estate Environmental Impairment Coverage

Scrap Metal Dealers/Recycling Centers with Off-Site Disassembling (general liability only)

Security/Detective/Patrol Agencies

Tattoo Parlors

Taxicab Liability

Title Insurance Agents Errors and Omissions

Vacant Properties (excluding 1—4 family unit residential dwellings and individually owned residential units in larger residential buildings)

Wire Transfer Fraud Coverage for Title Agents with or without Other Cybersecurity Coverage

This list becomes effective on the date of its publication in the *Pennsylvania Bulletin* and supersedes the list published at 52 Pa.B. 2194 (April 9, 2022), and shall remain in effect until superseded by a subsequent list as published in the *Pennsylvania Bulletin*.

Questions regarding the Export List may be directed to Lori Rumpf, lrumpf@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-951. Filed for public inspection July 14, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Pennsylvania Compensation Rating Bureau; Workers' Compensation Loss Cost Filing

On June 23, 2023, the Insurance Department received from the Pennsylvania Compensation Rating Bureau (Bureau) a filing to revise its experience rating plan for workers' compensation insurance. The filing was made in accordance with section 709(c)(1)(iv) of the Workers' Compensation Act (77 P.S. § 1035.9(c)(1)(iv)).

The filing proposes an April 1, 2024, effective date for both new and renewal business and includes revisions to the following:

- The eligibility criteria, which, if approved, will result in more employers qualifying for the experience rating plan.

- Various parameters used in the experience rating plan including the re-introduction of variable split points, which vary by the size of the employer, and function as a per accident maximum limit for the actual primary losses used in the experience rating plan's algorithm.

- The annual caps that apply to changes to an individual employer's experience rating modifier (E-Mod):

- Currently, there are two mechanisms that cap an employer's E-Mod: 1) a \pm 25% cap that applies to the annual change in an employer's E-Mod; and 2) a secondary "cap" that sets an employer's E-Mod at 1.000 if it would have been less than 1.000 if not for the application of the -25% cap. These caps are being eliminated, although they will continue to apply through a "transition period" until March 31, 2026.

- Replacing the previously-mentioned existing caps are: 1) A formula-based maximum E-Mod that will vary based on the expected losses of an individual employer (meaning that smaller employers will generally have lower maximum E-Mod). This new cap will begin to apply on April 1, 2024, in conjunction with the current capping rules; and 2) A +40% cap that applies to the annual change in an employer's E-Mod. This new cap will begin to apply on April 1, 2026, after the transition period ends.

The entire April 1, 2024, experience rating plan filing is available for review on the Bureau's web site at www.pcrb.com by clicking on "Industry Resources," then "Filings."

Interested parties are invited to submit written comments, suggestions or objections by means of e-mail to Eric Zhou, Insurance Department, Office of Insurance Product Regulation, gzhou@pa.gov, within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-952. Filed for public inspection July 14, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the termination of the insured's homeowners policy. The proceedings will be held in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for August 3, 2023, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before August 1, 2023.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17130.

Appeal of Deborah Reichert; State Automobile Mutual Insurance Company; File No. 23-116-281386; Doc. No. P23-06-021; August 29, 2023, 1 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously-referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-953. Filed for public inspection July 14, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Transamerica Life Insurance Company; Rate Increase Filing for Individual LTC Form ICC10 TLC-3 (AEGB-133713478); Rate Filing

Transamerica Life Insurance Company is requesting approval to increase the premium an aggregate 23.12% on 351 policyholders with the following individual LTC policy form ICC10 TLC-3.

Unless formal administrative action is taken prior to September 29, 2023, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at www.insurance.pa.gov. To view these filing notices, hover the cursor over the word "Consumers," then select "Pending Long Term Care Filings."

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actuary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, jlaverty@pa.gov within 30 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-954. Filed for public inspection July 14, 2023, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-23-018, Dated May 31, 2023. The Executive Board Resolution authorizes the side letter with SEIU 668 on salary adjustments for certain UC Supervisors.

Governor's Office

Management Directive No. 210.01—Directives Management System, Amended June 26, 2023.

AMY J. MENDELSON,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 23-955. Filed for public inspection July 14, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

General Rule Transaction

A-2023-3041606. Atlas 2022 Holdings Limited and Vodafone US, Inc. Joint application of Atlas 2022 Holdings Limited and Vodafone US, Inc. for all approvals of a general rule transaction.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 31, 2023. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Commission's web site at www.puc.pa.gov or at 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

Applicants: Atlas 2022 Holdings Limited; Vodafone US, Inc.

Through and By Counsel: Sarah C. Stoner, Esquire, Norman J. Kennard, Esquire, Eckert Seamans Cherin & Mellott, 213 Market Street, 8th Floor, Harrisburg, PA 17101, (717) 237-6000, sstoner@eckertseamans.com, nkennard@eckertseamans.com; Jonathan Slade and Jackie Dickie, Slaughter and May, One Bunhill Row, London EC1Y 8YY, +32 (0)2 737 9436; +44 (0)20 7090 5221, jonathan.slade@slaughterandmay.com, jack.dickie@slaughterandmay.com; Luke C. Platzer, Jenner & Block, LLP, 1099 New York Avenue, NW, Suite 900, Washington,

DC 20001-4412, (202) 639-6000, fax (202) 639-6066, lplatzer@jenner.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-956. Filed for public inspection July 14, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Investigation into Conservation Service Provider and Other Third-Party Access to Electric Distribution Company Customer Data; Doc. No. M-2021-3029018

On April 16, 2019, Enerwise Global Technologies, LLC, d/b/a CPower (Enerwise) applied to become a licensed electric generation supplier (EGS) within the Commonwealth of Pennsylvania, at Docket No. A-2019-3009271. In its application, Enerwise acknowledged that it would not provide electric marketing services within the Commonwealth. Enerwise stated that it applied for an EGS license solely for the purpose of obtaining access to EDC data systems on behalf of its customers. This access would allow Enerwise to verify customer performance in demand response programs and assist the customers in analyzing their electricity usage and capabilities.

Prior to entry of the Final Order on Enerwise's application, the Pennsylvania Public Utility Commission (Commission) entered a Tentative Order.¹ Through the Tentative Order, the Commission, among other things, requested comments regarding Enerwise's application for it, as a CSP, to obtain customer usage information electronically from EDC data systems.²

By Final Order entered October 7, 2021,³ the Commission denied Enerwise's application, determining that voluntary licensing of a conservation service provider (CSP) as an EGS is not permitted under the Code. The Final Order also directed the Commission's Office of Competitive Market Oversight (OCMO), Law Bureau and Bureau of Technical Utility Services (TUS) to initiate a new proceeding to determine if a safe, acceptable path exists for registered CSPs and other third parties to gain access to customer data electronically from EDC data systems, with customer consent, as permitted under Section 2807(f) of the Code, 66 Pa.C.S. § 2807(f).⁴

In response to the comments and reply comments received and the Commission's directive in the Final Order, the Commission initiated a new proceeding at Docket No. M-2021-3029018 to determine whether a secure method could be found to allow third parties to

¹ License Application of Enerwise Global Technologies, LLC, d/b/a CPower for Approval to Offer, Render, Furnish, or Supply Electricity or Electric Generation Services, Docket No. A-2019-3009271 (Order entered May 24, 2021) (Tentative Order).

² Tentative Order at page 6.

³ License Application of Enerwise Global Technologies, LLC, d/b/a CPower for Approval to Offer, Render, Furnish, or Supply Electricity or Electric Generation Services, Docket No. A-2019-3009271 (Order entered October 7, 2021) (Final Order).

⁴ In addition, in the Tentative Order the Commission referred this matter to OCMO for any further action as may be deemed warranted to modify the Commission's Submission of the Electronic Data Exchange Working Group's Web Portal Working Group's Solution Framework for Historical Interval Usage and Billing Quality Interval Use Final Order, Docket No. M-2009-2092655 (Order entered June 30, 2016). See the Tentative Order at Docket No. A-2019-3009271 (entered May 24, 2021), at Ordering Paragraph 5.

access EDC customer data. Accordingly, on February 8, 2022, the Commission issued a Secretarial Letter with a list of questions regarding CSP and other third-party access to EDC customer data.

On August 4, 2022, the Commission approved a Petition by Metropolitan Edison Company, Pennsylvania Electric Company, Pennsylvania Power Company, and West Penn Power Company (collectively FirstEnergy) at Docket No. P-2021-3030012, et al., for approval of the Default Service Plan (DSP) from 6/1/23 through 5/31/27. The FirstEnergy DSPs include a third-party data access tariff that (1) establishes a registration process for CSPs to obtain electronic access to FirstEnergy customer data and (2) imposes continuing obligations on registered third parties to ensure the confidentiality of customer data.⁵

On September 6, 2022, the Commission issued a second Secretarial Letter at Docket No. M-2021-302918 with a list of follow up questions regarding the First Energy third-party data access tariff.

A potential path for third-party access has been shown through the approval of FirstEnergy's DSP proceeding and related tariff. An EDC can voluntarily file a limited non-EGS third-party data access tariff and, upon Commission approval of that tariff, can grant non EGS third parties' access to its data systems under the conditions established in the approved tariff. Therefore, this proceeding at Docket No. M-2021-3029018 is closed.

If there are any technical questions regarding the investigation, please contact Jeremy Haring of TUS at jharing@pa.gov or 717-783-6175. If there are any questions related to the comment and approval processes, please contact either Scott Thomas, sjthomas@pa.gov, 717-783-2812, or Christian McDewell, cmcdewell@pa.gov, 717-787-7466, of the Law Bureau.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-957. Filed for public inspection July 14, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2023-3041609. Pine-Roe Natural Gas Company, Inc. Pine-Roe Natural Gas Company, Inc. (Pine-Roe) hereby requests permission from the Pennsylvania Public Utility Commission (Commission) to acquire the customers, pipelines, meters and regulators of Blue Flame effective August 1, 2023. As a result of this acquisition, Pine-Roe and Blue Flame submit this application requesting permission for the expansion of Pine-Roe's service territory to include the area of Toby Township and Porter Township, Clarion County, and for Pine-Roe to be permitted to provide natural gas service under its existing tariff to those customers presently served by Blue Flame.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 31, 2023. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA

⁵ Under the FirstEnergy tariffs, access to data is limited to CSPs registered with the Commission or curtailment service providers that are PJM members and identified on PJM's list of demand response providers.

17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Commission's web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicants: Pine-Roe Natural Gas Company, Inc., 95 Brook Road, P.O. Box 146, Clarion, PA 16214, John Habjan, President; Blue Flame Gas, Inc., 1513 Borovick Road, Sligo, PA 16214, Sharon A. Borovick, President

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-958. Filed for public inspection July 14, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Recovery of Purchased Gas Costs; Doc. No. L-00840102

The regulation promulgated by the Pennsylvania Public Utility Commission (Commission) in 52 Pa. Code § 53.64(a) (relating to filing requirements for natural gas distributors with gross intrastate annual operating revenues in excess of \$40 million) directs the Commission to annually publish a schedule of filing dates for jurisdictional natural gas utilities subject to the procedure of 66 Pa.C.S. § 1307(f) (relating to sliding scale of rates; adjustments) for the recovery of purchased gas costs (PGC).

The 2024 schedule of § 53.64(a) filing dates is applicable to the listed natural gas distribution companies and city natural gas distribution operation (collectively, natural gas public utilities) as follows:

February 1, 2024: National Fuel Gas Distribution Corporation

March 1, 2024: Philadelphia Gas Works

April 1, 2024: Columbia Gas of Pennsylvania, Inc.; Peoples Natural Gas¹ Company, LLC

June 1, 2024: PECO—Gas Division; UGI Utilities—Gas Division

The § 53.64(c) prefilings are due 30 days earlier than the listed dates. Each PGC filing under 66 Pa.C.S. § 1307(f) will be addressed at a utility-specific docket

¹ Only Peoples Natural Gas Company, LLC, (PNGC) is listed above. In its 2023 § 1307(f) filing at Docket No. R-2023-3037928, PNGC stated that PNGC and Peoples Gas had merged.

number to be assigned when the § 53.64(c) pre-filing is filed to begin the utility-specific proceeding.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-959. Filed for public inspection July 14, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 31, 2023. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by July 31, 2023. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2023-3037749. G5 Taxi, Inc. (8 Maple Lane, Wilkes-Barre, Luzerne County, PA 18702) to transport, as a common carrier, by motor vehicle, persons in call or demand service, from points in Lackawanna and Luzerne Counties, to points in Pennsylvania, and return.

A-2023-3041225. Wordu Enterprise, LLC (1380 Wandering Way, Harrisburg, Dauphin County, PA 17110) in paratransit service, from points in the Counties of Cumberland, Dauphin, Lancaster, Lebanon and York, to points in Pennsylvania, and return.

A-2023-3041232. Priority Safety Travels, LLC (2714 North Dover Street, Philadelphia, Philadelphia County, PA 19132) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2023-3041253. Philly Safety Rides, LLC (3022 Fairdale Road, Philadelphia, Philadelphia County, PA 19154) for the right to begin to transport, as a common carrier, by motor vehicle in wheelchair and stretcher vans, persons in paratransit service, between points in the City and County of Philadelphia.

A-2023-3041503. Sarah Car Care, Inc. (7147 Lynford Street, Philadelphia, Philadelphia County, PA 19149-1113)

to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Berks, Bucks, Chester, Dauphin, Lancaster, Lehigh, Montgomery, Northampton and York, to points in Pennsylvania, and return.

Application of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.*

A-2023-3041533. Roadrunner Express, Inc. (11 Depot Street, Youngwood, Westmoreland County, PA 15697) for the discontinuance and cancellation of its right, to transport as a common carrier, by motor vehicle, persons in call or demand service, in the Counties of Allegheny, Butler, Fayette, Washington and Westmoreland, as originally captioned at Docket A-2019-3010367.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-960. Filed for public inspection July 14, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Transfer by Sale

A-2023-3041570. Peoples Natural Gas Company, LLC (Peoples Gas Division). Application of Peoples Natural Gas Company, LLC (Peoples Gas Division) for approval of the transfer by sale of real property known as 205 North Main Street, Butler.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before July 15, 2023. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: Peoples Natural Gas Company, LLC, Peoples Gas Division, 375 North Shore Drive, Pittsburgh, PA 15212

Through and By Counsel for: Michael Turzai, Esquire, 375 North Shore Drive, Pittsburgh, PA 15212, Michael.turzai@peoples-gas.com; Meagan Moore, Esquire, 375 North Shore Drive, Pittsburgh, PA 15212, Meagan.moore@peoples-gas.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-961. Filed for public inspection July 14, 2023, 9:00 a.m.]

**PUBLIC SCHOOL EMPLOYEES’
RETIREMENT BOARD**

Hearing Scheduled

A hearing has been scheduled, as authorized by 24 Pa.C.S. Part IV (relating to Public School Employees’ Retirement Code), in connection with the Public School Employees’ Retirement System’s (System) denial of claimant’s request concerning the indicated account.

The hearing will be held before a hearing examiner at the Public School Employees’ Retirement System, 5 North Fifth Street, Harrisburg, PA 17101.

November 8, 2023	Account of Jill H. Kaszubowski (Purchase of Out-of-State Service)	10 a.m.
------------------	--	---------

Persons with a disability who wish to attend the previously listed hearing and require an auxiliary aid, service or other accommodation to attend the proceeding should contact the Appeal Docket Clerk at (717) 720-4888 to discuss how the System may best accommodate their needs.

Parties may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearing will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 22 Pa. Code § 201.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

TERRILL J. SANCHEZ,
Executive Director

[Pa.B. Doc. No. 23-962. Filed for public inspection July 14, 2023, 9:00 a.m.]

**STATE EMPLOYEES’
RETIREMENT BOARD**

Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees’ Retirement Code), in connection with the State Employees’ Retirement System’s denial of claimant’s request concerning the indicated account.

The hearings will be held before a hearing examiner at the State Employees’ Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

August 14, 2023	Justin L. Weaver Disability Retirement Benefit	10:30 a.m.
August 23, 2023	Justin Weaver Disability Retirement Benefit	10 a.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOSEPH A. TORTA,
Executive Director

[Pa.B. Doc. No. 23-963. Filed for public inspection July 14, 2023, 9:00 a.m.]