

NOTICES

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending August 15, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustrsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
08-10-2023	MCS Bank Milroy Mifflin County	200 North Logan Boulevard Burnham Mifflin County	Approved
08-15-2023	CNB Bank Clearfield Clearfield County	926 Parade Street Erie Erie County	Approved

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Acting Secretary

[Pa.B. Doc. No. 23-1146. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Wild Resource Conservation Program; Public Hearing

The Department of Conservation and Natural Resources (Department) will hold a public hearing Wednesday, October 11, 2023, to comment on the applications submitted to the Wild Resource Conservation Program for grant funding in Fiscal Year 2023-2024. The hearing will be held at 11 a.m. in the 6th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA.

Questions concerning this hearing can be directed to Jennifer Girton, (717) 787-3212, jgirton@pa.gov or Rebecca Bowen, (717) 772-0258, rebbowen@pa.gov. Individuals who plan to make comments should contact either Jennifer Girton or Rebecca Bowen.

Persons in need of accommodations as provided for the Americans with Disabilities Act of 1990 should contact Rebecca Bowen directly at (717) 772-0258 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 23-1147. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0223802	Joint DEP/PFBC Pesticides Permit	New	Maronda Farms HOA P.O. Box 688 Canonsburg, PA 15317-0688	Findlay Township Allegheny County	SWRO
0913863	Joint DEP/PFBC Pesticides Permit	Renewal	Yang Maria 1435 Pheasant Run Circle Yardley, PA 19067-3921	Lower Makefield Township Bucks County	SERO
0913879	Joint DEP/PFBC Pesticides Permit	Renewal	Timber Ridge Home Owner Assoc 975 Easton Road Suite 102 Warrington, PA 18976-1858	Upper Makefield Township Bucks County	SERO
0923815	Joint DEP/PFBC Pesticides Permit	New	Reserve at Northampton Comm Assoc 950 Town Center Drive Suite B25 Langhorne, PA 19047-1866	Northampton Township Bucks County	SERO
1513839	Joint DEP/PFBC Pesticides Permit	Renewal	East Goshen Township Chester County 1580 Paoli Pike West Chester, PA 19380-6107	East Goshen Township Chester County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
2023808	Joint DEP/PFBC Pesticides Permit	New	Sandra Grinarm 19531 Skeltontown Road Cambridge Springs, PA 16403-2153	Cussewago Township Crawford County	NWRO
2523802	Joint DEP/PFBC Pesticides Permit	New	Jill Faulkner 7911 Bargain Road Erie, PA 16509-4219	McKean Township Erie County	NWRO
6123803	Joint DEP/PFBC Pesticides Permit	New	Daniel Slagle 306 Wallaceville Road Titusville, PA 16354-8462	Oakland Township Venango County	NWRO
1500421	Land Application and Reuse of Sewage Individual WQM Permit	Amendment	Upper Uwchlan Township Municipal Authority 140 Pottstown Pike Chester Springs, PA 19425-9516	Upper Uwchlan Township Chester County	SERO
0605411	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Amity Township Berks County 2004 Weavertown Road Douglassville, PA 19518-8971	Amity Township Berks County	SCRO
2987401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Todd Township Fulton County 2998 East Dutch Corner Road McConnellsburg, PA 17233	Todd Township Fulton County	SCRO
NNOEXSC48	No Exposure Certification	Renewal	TE Connectivity Corp 1590 Kauffman Road Landisville, PA 17538-1400	East Hempfield Township Lancaster County	SCRO
NNOEXSC84	No Exposure Certification	Renewal	Sherwin Williams Co. 1 Sherwin Williams Drive Fredericksburg, PA 17026	Bethel Township Lebanon County	SCRO
NOEXNW184	No Exposure Certification	Renewal	Advanced Finishing USA Inc. 7401 Klier Drive Fairview, PA 16415-2462	Fairview Township Erie County	NWRO
NOEXNW209	No Exposure Certification	Transfer	Burckhardt Compression US Inc. 488 Geesey Road Indiana, PA 15701	White Township Indiana County	NWRO
NOEXSC170	No Exposure Certification	Transfer	601 Memory LN Owner LLC 4 Radnor Corporate Center Radnor, PA 19087-4525	Springettsbury Township York County	SCRO
NOEXSE165	No Exposure Certification	Renewal	Veolia Wts USA Inc. 3600 Horizon Boulevard Feasterville Trevose, PA 19053-4945	Bensalem Township Bucks County	SERO
NOEXSE165	No Exposure Certification	Transfer	Veolia Wts USA Inc. 3600 Horizon Boulevard Feasterville Trevose, PA 19053-4945	Bensalem Township Bucks County	SERO
NOEXSW244	No Exposure Certification	Renewal	Emerson Proc Management Power & Water Solutions Inc. 200 Beta Drive Pittsburgh, PA 15238-2918	Ohara Township Allegheny County	SWRO
PAG032359	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Norfolk Southern Railway Co. 650 W Peachtree Street NW Box 13 Atlanta, GA 30308-1925	Bethlehem City Lehigh County	NERO
PAG032409	PAG-03 NPDES General Permit for Industrial Stormwater	New	Amazon Com Service LLC P.O. Box 80842 Seattle, WA 98108-0842	Frailey Township Schuylkill County	NERO

NOTICES

5283

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033799	PAG-03 NPDES General Permit for Industrial Stormwater	New	York County Transportation Authority dba Rabbittransit 415 N Zarfoss Drive York, PA 17404-8705	West Manchester Township York County	SCRO
PAG034056	PAG-03 NPDES General Permit for Industrial Stormwater	New	DF Stauffer Biscuit Co. 360 S Belmont Street York, PA 17403-2616	Spring Garden Township York County	SCRO
PAG035003	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	C & S Wholesale Grocers Inc. P.O. Box 80818 Simpsonville, SC 29680-0014	DuBois City Clearfield County	NCRO
PAG036556	PAG-03 NPDES General Permit for Industrial Stormwater	New	Gladiator Energy LLC 146 Painter-Koser Road Smithton, PA 15479-8722	Smithton Borough Westmoreland County	SWRO
PAG038326	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	M & B Redi Mix Inc. dba Dubrook 15303 Route 322 Clarion, PA 16214-6265	Evans City Borough Butler County	NWRO
PAG038361	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Pro Waste Service Inc. 813 E 18th Street Erie, PA 16503-2147	Erie City Erie County	NWRO
PAG038489	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	United Parcel Service Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	North Apollo Borough Armstrong County	NWRO
PAG038502	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Electric Materials Co. P.O. Box 390 50 South Washington Street North East, PA 16428-0390	North East Borough Erie County	NWRO
PAG038503	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Corry Forge Co. 441 E Main Street Corry, PA 16407-2013	Corry City Erie County	NWRO
PAG038538	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Weaber Inc. 11117 Skyline Drive Titusville, PA 16354-1375	Oil Creek Township Crawford County	NWRO
PAG038542	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Erie Region Airport Authority 4411 W 12th Street Erie, PA 16505-3035	Millcreek Township Erie County	NWRO
PAG038546	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Glen Gery Corp 433 S Pottsville Pike Shoemakersville, PA 19555-9742	Summerville Borough Jefferson County	NWRO
PAG038550	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Joseph McCormick Const Co. Inc. P.O. Box 176 3340 Pearl Avenue Erie, PA 16512-0176	Wesleyville Borough Erie County	NWRO
PAG038554	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Matson Lumber Co. 132 Main Street Brookville, PA 15825-1213	Brookville Borough Jefferson County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038561	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Saint Marys Area Airport Authority Elk County 159 Cessna Road Saint Marys, PA 15857-3053	Saint Marys City Elk County	NWRO
PAG044825	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Hall Cecil P.O. Box 129 Woodland, PA 16881-0129	Bradford Township Clearfield County	NCRO
PAG049240	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Kaulbach Melissa 6011 Bridlewood Drive Fairview, PA 16415-2709	Fairview Township Erie County	NWRO
PAG136368	PAG-13 NPDES General Permit for MS4s	Renewal	Potter Township Beaver County 206 Mowry Road Monaca, PA 15061-2224	Potter Township Beaver County	SWRO
0621406	Pump Stations Individual WQM Permit	Amendment	Reading City Berks County 503 N 6th Street Reading, PA 19601-3085	Reading City Berks County	SCRO
PA0233315	Single Residence STP Individual NPDES Permit	Transfer	Spink James 631 Bear Gap Road Elysburg, PA 17824-9115	Cleveland Township Columbia County	NCRO
PA0239500	Single Residence STP Individual NPDES Permit	Transfer	Rodgers Dillen 2200 Brickyard Road North East, PA 16428-2828	North East Township Erie County	NWRO
0223403	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Gilliland Jonathan 175 Audubon Road Sewickley, PA 15143-9013	Sewickley Heights Borough Allegheny County	SWRO
1722403	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Hall Cecil P.O. Box 129 Woodland, PA 16881-0129	Bradford Township Clearfield County	NCRO
1922401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Spink James 631 Bear Gap Road Elysburg, PA 17824-9115	Cleveland Township Columbia County	NCRO
2623400	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Peck Jeremy 101 Cabin Road Normalville, PA 15469-1145	Springfield Township Fayette County	SWRO
3123402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Vreeland Justin K 7024 Willow Brook Road Alexandria, PA 16611-2014	Logan Township Huntingdon County	SCRO
4323411	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Churchill Linda 2425 Mercer Butler Pike Grove City, PA 16127-3523	Liberty Township Mercer County	NWRO
WQG012232	WQG-01 WQM General Permit	New	Bower Neil 6968 Bake Oven Road Germansville, PA 18053-2309	Heidelberg Township Lehigh County	NERO
WQG018339	WQG-01 WQM General Permit	Transfer	Rodgers Dillen 2200 Brickyard Road North East, PA 16428-2828	North East Township Erie County	NWRO
WQG018451	WQG-01 WQM General Permit	Transfer	Kaulbach Melissa 6011 Bridlewood Drive Fairview, PA 16415-2709	Fairview Township Erie County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northeast Regional Office

PA0020176, Sewage, SIC Code 4952, **Slatington Joint Client (Slatington Borough and Slatington Borough Authority)**, 125 S Walnut Street, Slatington, PA 18080-2099. Facility Name: Slatington WWTP. This existing facility is located in Slatington Borough, **Lehigh County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Lehigh River (TSE, MF), is located in State Water Plan watershed 2-C and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.50 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.50 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Nov 1 - Apr 30	Report	Report Daily Max	XXX	25.0	50.0	50.0
May 1 - Oct 31	Report	Report Daily Max	XXX	25.0	50.0	50.0

The proposed effluent limits for Outfall 001 are based on a design flow of 1.50 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Ammonia-Nitrogen	Report	Report Daily Max	XXX	20.0	40.0 Daily Max	40.0

The proposed effluent limits for Outfall 001 are based on a design flow of 1.50 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (ug/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Copper, Total	0.54	0.64 Daily Max	XXX	43.2	51.4 Daily Max	108.0

The proposed effluent limits for Outfall 001 are based on a design flow of 1.50 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Aluminum, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Iron, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Manganese, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.50 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.50	XXX	1.00

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Temperature (deg F) (°F)	XXX	XXX	Report Inst Min	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	312	500	XXX	25.0	40.0	50.0
CBOD ₅ Minimum % Removal (%)	85	XXX	XXX	XXX	XXX	XXX
	Min Mo Avg					
Total Suspended Solids	375	563	XXX	30.0	45.0	60.0
Total Suspended Solids Minimum % Removal (%)	85	XXX	XXX	XXX	XXX	XXX
	Min Mo Avg					
Total Dissolved Solids	Report	Report	XXX	1,000.0	2,000.0	2,500.0
		Daily Max			Daily Max	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Nitrate as N	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Nitrite an N	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Total Kjeldahl Nitrogen	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Total Phosphorus	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Zinc, Total (ug/l)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Stormwater Outfall Nos. 002 and 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Internal Monitor Point/Outfall 101 are based on a design flow of NA MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
Raw Sewage Influent						
Temperature (deg F) (°F)	XXX	XXX	Report	XXX	XXX	XXX
Raw Sewage Influent			Inst Min			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						

In addition, the permit contains the following major special conditions:

- Stormwater Prohibition; Necessary Property Rights; Residuals Management; Chlorine Minimization; Notification of Responsible Lead Certified Operator; WWTP Upgrade to Meet DRBC Docket Limits for Ammonia-N; High Flow Management Plan; Influent Flow Meter/Chamber & Flow Proportional Influent Composite Sampler; Oil & Gas Wastewater; Changes to Existing Stream/Discharge; Solids Management Condition; Water Quality-Based Effluent Limitations for Toxic Pollutants (Copper); Whole Effluent Toxicity (WET) Conditions; Requirements Applicable to Stormwater Outfalls.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is not in effect.

Northeast Regional Office

PA0276073, Sewage, SIC Code 4952, **Lemon Township, Tunkhannock Township, Joint Municipal Sewer Authority**, 26 Billings Mill Road, Tunkhannock, PA 18657-7807. Facility Name: Lake Carey WWTP. This existing facility is located in Tunkhannock Township, **Wyoming County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for discharge of treated sewage.

The receiving stream, Tunkhannock Creek (TSF, MF), is located in State Water Plan watershed 4-F and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.120 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Minimum	Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.120 MGD.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average	Instant. Minimum	Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.60
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	25.0	40.0	XXX	25.0	40.0	50.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	30.0	45.0	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	25.0	XXX	XXX	25.0	Report Daily Max	50.0
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	Report Daily Max	XXX
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Lead, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX
Mercury, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) Effluent Net	XXX	0.0 Total Annual	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) Effluent Net	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) Effluent Net	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) Effluent Net	XXX	0.0 Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0061069, Industrial, SIC Code 3229, **SCHOTT North America, Inc.**, 400 York Avenue, Duryea, PA 18642-2036. Facility Name: SCHOTT North America, Inc. This existing facility is located in Duryea Borough, **Luzerne County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Lackawanna River (CWF), is located in State Water Plan watershed 5-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0146 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Chloroform	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD (Stormwater).

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD (Stormwater).

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Chesapeake Bay Nutrient Requirements
- Chemical Additives
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0046680, Industrial, SIC Code 4953, **Republic Service of PA LLC**, 4400 Mount Pisgah Road, York, PA 17406-8240. Facility Name: Modern Landfill. This existing facility is located in Windsor and Lower Windsor Townships, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Kreutz Creek (WWF, MF) and Unnamed Tributary to Kreutz Creek (WWF, MF), are located in State Water Plan watershed 7-I.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.25	XXX	0.81
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41.7	83.4	XXX	10	20	25
Total Suspended Solids	41.7	83.4	XXX	10	20	25
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	129	183	322
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli. (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	12.5	25.0	XXX	3.0	6.0	7.5
Nov 1 - Apr 30						
May 1 - Oct 31	4.17	8.34	XXX	1.0	2.0	2.5
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Antimony, Total	XXX	XXX	XXX	Report	Report	XXX
Arsenic, Total	XXX	XXX	XXX	Report	Report	XXX
Boron, Total	17.2	23.0	XXX	4.12	5.52	10.3
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Cobalt, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	XXX	XXX	XXX	Report	Report	XXX
Cyanide, Free	XXX	XXX	XXX	Report	Report	XXX
Dissolved Iron	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Manganese, Total	XXX	XXX	XXX	Report	Report	XXX
Nickel, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Zinc, Total	0.27	0.47	XXX	0.065	0.11	0.16
a-Terpineol	0.013	0.026	XXX	0.0031	0.0063	0.0077
Benzoic Acid	0.058	0.096	XXX	0.014	0.023	0.034
Bis(2-Ethylhexyl) Phthalate	0.062	0.11	XXX	0.015	0.025	0.037
p-Cresol	0.011	0.020	XXX	0.0027	0.0048	0.0067
Phenol	0.029	0.038	XXX	0.0069	0.0090	0.017
Trichloroethylene	0.032	0.050	XXX	0.0078	0.012	0.020
Tritium (pCi/L)	XXX	XXX	XXX	XXX	Report	XXX
Uranium	XXX	XXX	XXX	XXX	Report	XXX
Aldrin (ug/l)	XXX	XXX	XXX	Report	Report	XXX
Beta-BHC (ug/l)	XXX	XXX	XXX	Report	Report	XXX
Beta-Endosulfan (ug/l)	XXX	XXX	XXX	Report	Report	XXX
Heptachlor Epoxide (ug/l)	XXX	XXX	XXX	Report	Report	XXX
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFAS (ng/l)	XXX	XXX	XXX	XXX	XXX	Report
Color (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units) Downstream Monitoring	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units) Upstream Monitoring	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Minimum</i>	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.25	XXX	0.81
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	41.7	83.4	XXX	10	20	25
Total Suspended Solids	41.7	83.4	XXX	10	20	25
Total Dissolved Solids	Report	XXX	XXX	Report	XXX	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	85.9	134	215
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli. (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	12.5	25.0	XXX	3.0	6.0	7.5
Nov 1 - Apr 30						
May 1 - Oct 31	4.17	8.34	XXX	1.0	2.0	2.5
Total Phosphorus	XXX	XXX	XXX	2.0	XXX	4
Antimony, Total	0.063	0.096	XXX	0.015	0.023	0.038
Arsenic, Total	0.11	0.18	XXX	0.027	0.042	0.067
Boron, Total	17.2	23.0	XXX	4.12	5.52	10.3
Cadmium, Total	XXX	XXX	XXX	Report	Report	XXX
Chromium, Total	XXX	XXX	XXX	Report	Report	XXX
Cobalt, Total	XXX	XXX	XXX	Report	Report	XXX
Copper, Total	0.23	0.35	XXX	0.055	0.085	0.14
Cyanide, Free	0.046	0.071	XXX	0.011	0.017	0.027
Dissolved Iron	3.34	5.25	XXX	0.80	1.26	2.01
Iron, Total	16.8	26.1	XXX	4.02	6.27	10.05
Manganese, Total	11.18	17.43	XXX	2.68	4.18	6.70
Nickel, Total	XXX	XXX	XXX	Report	Report	XXX
Selenium, Total	0.054	0.088	XXX	0.013	0.021	0.033
Zinc, Total	0.27	0.47	XXX	0.065	0.11	0.16
a-Terpineol	0.013	0.026	XXX	0.0031	0.0063	0.0077
Benzoic Acid	0.058	0.096	XXX	0.014	0.023	0.034
Bis(2-Ethylhexyl) Phthalate	0.018	0.027	XXX	0.0042	0.0065	0.010
p-Cresol	0.011	0.020	XXX	0.0027	0.0048	0.0067

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Phenol	0.029	0.038	XXX	0.0069	0.0090	0.017
Trichloroethylene	0.032	0.050	XXX	0.0078	0.012	0.020
Tritium (pCi/L)	XXX	XXX	XXX	XXX	Report	XXX
Uranium	XXX	XXX	XXX	XXX	Report	XXX
Aldrin (ug/l)	0.00021	0.00042	XXX	0.05	0.10	0.125
Beta-BHC (ug/l)	0.00042	0.00067	XXX	0.10	0.16	0.26
Beta-Endosulfan (ug/l)	0.00063	0.00096	XXX	0.15	0.23	0.38
Heptachlor Epoxide (ug/l)	0.00021	0.00042	XXX	0.05	0.10	0.125
PFOA (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFOS (ng/L)	XXX	XXX	XXX	XXX	XXX	Report
PFAS (ng/l)	XXX	XXX	XXX	XXX	XXX	Report
Color (Pt-Co Units)	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units) Downstream Monitoring	XXX	XXX	XXX	Report	Report	XXX
Color (Pt-Co Units) Instream Monitoring	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average</i>	<i>Average</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	<i>Instant.</i>
	<i>Monthly</i>	<i>Weekly</i>		<i>Monthly</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Total Iron	XXX	XXX	XXX	XXX	Report	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania’s Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Monthly</i>	<i>Annual</i>	<i>Monthly</i>	<i>Monthly</i>	<i>Maximum</i>	<i>Instant.</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Average</i>	<i>Maximum</i>	
Ammonia-N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl-N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX
Net Total Nitrogen (lbs)*	XXX	50,803	XXX	XXX	XXX	XXX
Net Total Phosphorus(lbs)*	XXX	300	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department’s Chapter 96 regulations (Water Quality Standards). The conditions include the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- A requirement that monitoring for PFOA, PFOS, and PFAS shall use draft analytical method 1633.
- A re-opener clause indicating that the permit can be amended during its term and permit limits added for PFOA, PFOS, and/or PFAS if Federal effluent guideline limitations are developed for this industry that include these parameters or if surface water quality criteria are promulgated for these parameters. Any such permit amendment would be considered a formal major DEP permitting action subject to applicable permit modification procedures.
- An option for the permittee to collect and submit to DEP site-specific data to verify or refine the new Water-Quality Based Effluent Limits for 14 parameters which are scheduled to take effect following a three-year compliance schedule, subject to the permittee’s input during the draft permit’s comment period.
- A requirement to conduct a Toxics Reduction Evaluation, commencing 120 days from the final permit’s effective date, for the 14 parameters with new Water-Quality Based Effluent Limits.
- A requirement for the permittee to submit progress reports every six months towards achieving the final limits for the 14 parameters with new Water-Quality Based Effluent Limits.
- A requirement for the permittee to continue to report separately the volume of groundwater discharged at outfall 001; the volume of on-site leachate discharged; the volume of other industrial wastewater generated on-site and discharged; and the volume and source of leachate from off-site introduced to the treatment plant. The permittee is required to report these items on a monthly basis on the Daily Effluent Monitoring Supplemental Reporting Form or as an attachment to the Supplemental DMR forms.

- A requirement to notify DEP in writing at least 30 days before introducing to the treatment plant any leachate that is not generated on-site. DEP retains the right to not authorize the acceptance of said leachate, or to request additional information if needed.
- Compliance with the requirements of the facility's DEP-issued waste permit.
- Notification requirements for Chemical Additives to be used by the permittee and restrictions on their usage.
- A requirement to electronically submit DEP's Annual Chesapeake Bay Spreadsheet to record nutrient concentrations and loads, any credits purchased, and any offsets applied.
- Requirements to conduct semi-annual inspections for stormwater management; follow Best Management Practices to keep pollutants out of stormwater discharges; maintain a Preparedness, Prevention, and Contingency Plan; and submit to DEP a Stormwater annual report.

Members of the public may make an appointment to review the DEP files on this permit by calling the DEP SCRO File Review Coordinator at 717-705-4732. An electronic copy of the draft permit and the associated Fact Sheet are also accessible for review at: NPDES and WQM Public Notice (pa.gov) (www.dep.pa.gov/Business/Water/CleanWater/WastewaterMgmt/Pages/NPDES-and-WQM-Public-Notice.aspx.) From the webpage, click on the link 'Applications Received with Comment Periods Report'. Proceed to uncheck the 'Null' boxes before entering data in fields, enter the *Pennsylvania Bulletin* publication date or a range of *Pennsylvania Bulletin* publication dates in the *Pennsylvania Bulletin* fields shown, the permit number PA0046680 in the field labeled 'Application No.', and 'No' in the 'Open Comments Period' field. Click on 'View Report' button. Click on the links to Draft Permit and to Draft Fact Sheet.

The EPA Waiver is not in effect due to the existence of a significant Chesapeake Bay discharge.

Southcentral Regional Office

Application No. PA0294098, Concentrated Animal Feeding Operation (CAFO), **Wesley Burkholder (Wesley Burkholder Turkey Farm)**, 4715 Fort McCord Road, Chambersburg, PA 17202-9559.

Wesley Burkholder has submitted an application for an Individual NPDES permit for a new CAFO known as Wesley Burkholder Turkey Farm, located in Hamilton Township, **Franklin County**.

The CAFO is situated near Back Creek (TSF, MF) in Watershed 13-C, which is classified for Trout Stocking and Migratory Fishes. The CAFO will be designed to maintain an animal population of approximately 406.32 animal equivalent units (AEUs) consisting of 18,900 Turkey Tom Brooders and 18,900 Turkey Heavy Toms. All solid turkey manure will be stored on the floor of the turkey barns. There are no manure storages located on this operation. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southcentral Regional Office

Application No. PA0294110, Concentrated Animal Feeding Operation (CAFO), **Kevyn Musser (Kevyn Musser Farm CAFO)**, 878 S Colebrook Road, Manheim, PA 17545-8676.

Kevyn Musser has submitted an application for an Individual NPDES permit for a new CAFO known as Kevyn Musser Farm CAFO, located in Rapho Township, **Lancaster County**.

The CAFO is situated near Chiques Creek (WWF, MF) in Watershed 7-G, which is classified for Warm Water Fishes and Migratory Fishes. The CAFO will be designed to maintain an animal population of approximately 810.99 animal equivalent units (AEUs) consisting of 5,200 Swine Grow Finish. Liquid Swine Manure is collected in two existing swine underbarn storages. The operation is proposing the construction of a third swine barn with underbarn storage. Prior to operation of the new swine manure storage facility, the design engineer will be required to submit certification that the facility was constructed in accordance with appropriate PA Technical Guide Standards. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southeast Regional Office

Application No. PA0058301, Sewage, SIC Code 8811, **Richard Maurer**, 807 Ridge Road, Telford, PA 18969-1528. Facility Name: Maurer SRSTP. This existing facility is located in Salford Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Ridge Valley Creek, is located in State Water Plan watershed 3-E and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	10.0	XXX	20.0
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	6.0
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	1.5	XXX	3.0

In addition, the permit contains the following major special conditions:

Proposed Part C Conditions:

- I. Other Requirements
 - A. AMR to DEP
 - B. DMR to DEP
 - C. Depth of Septage
 - D. Solids Removal from Septic Tanks
 - E. No Stormwater
 - F. Necessary Property Rights
 - G. Proper Sludge Disposal
 - H. Abandon STP when Municipal Sewers Available
 - I. UV Handling

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0021148, Sewage, SIC Code 4952, **Municipal Authority of Westmoreland County**, 124 Park & Pool Road, New Stanton, PA 15672. Facility Name: Mt Pleasant Borough STP. This existing facility is located in Mount Pleasant Borough, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Shupe Run (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	Report	Report	XXX	Report	Report	XXX
Benzo(k)Fluoranthene (ug/L)	Report	Report	XXX	Report	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Dichlorobromomethane (ug/L)	Report	Report	XXX	Report	Report	XXX
Bis(2-Ethylhexyl)Phthalate (ug/L)	Report	Report	XXX	Report	Report	XXX
Chloroform (ug/L)	Report	Report	XXX	Report	Report	XXX
Indeno(1,2,3-cd)Pyrene (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.10

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.011	XXX	0.035

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Copper, Total (ug/L)	0.12	0.18	XXX	9.46	14.2	14.2
Cyanide, Free (ug/L)	0.051	0.079	XXX	4.06	6.33	10.1
Benzo(k)Fluoranthene (ug/L)	0.0001	0.0002	XXX	0.012	0.018	0.029
Dichlorobromomethane (ug/L)	0.014	0.021	XXX	5.78	9.02	14.4
Bis(2-Ethylhexyl)Phthalate (ug/L)	0.005	0.007	XXX	0.37	0.58	0.93
Chloroform (ug/L)	0.072	0.11	XXX	5.78	9.02	14.4
Indeno(1,2,3-cd)Pyrene (ug/L)	0.00001	0.00002	XXX	0.001	0.002	0.003

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	220.0	335.0	XXX	17.0	27.0	36
Nov 1 - Apr 30						
May 1 - Oct 31	125.0	185.0	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	310.0	475.0	XXX	25.0	38.0	50
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	40.0	XXX	XXX	3.2	4.8	6.4
Nov 1 - Apr 30						
May 1 - Oct 31	23.9	XXX	XXX	1.91	3.82	XXX
Iron, Dissolved (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

Southwest Regional Office

PA0205681, Sewage, SIC Code 4952, **Somerset Township Municipal**, P.O. Box 247, Somerset, PA 15501-0247. Facility Name: SCI Somerset STP. This existing facility is located in Black Township, **Somerset County**.

Description of Existing Activity: The application is for NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), UNT to Laurel Run (WWF), is located in State Water Plan watershed 19-F and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Copper, Total (ug/L)	XXX	XXX	XXX	Report	Report Daily Max	XXX
Zinc, Total (ug/L)	XXX	XXX	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.06	XXX	0.18

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Copper, Total (ug/L)	XXX	XXX	XXX	9.15	13.7 Daily Max	13.7
Zinc, Total (ug/L)	XXX	XXX	XXX	117.0	118.0 Daily Max	118

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Maximum	
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .42 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	0.420	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	35.0	52.5	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	35.0	52.5	XXX	10.0	15.0	20
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30				200 Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Ammonia-Nitrogen	9.28	XXX	XXX	2.65	XXX	5.3
Nov 1 - Apr 30						
May 1 - Oct 31	6.66	XXX	XXX	1.9	XXX	3.8

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Northeast Regional Office

Applicant: **SJC Hoffman Lane Holdings, LLC, c/o Salvator Rizutto**

Applicant Address: 6341 Hoffman Lane, Coopersburg, PA 18036-3025

Application Number: **PAD390275**

Application Type: New

Municipality/County: Lower Milford Township, **Lehigh County**

Project Site Name: Limeport Commons

Total Earth Disturbance Area (acres): 7.57 acres

Surface Waters Receiving Stormwater Discharges: Saucon Creek via EV Wetlands (HQ-CWF, MF) (EV Wetlands) and UNT to Saucon Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: SJC Hoffman Lane Holdings, LLC is proposing 11 twin housing units and 2 single-family homes. Improvements to the site include a private cul-de-sac street, landscaping, lighting, stormwater management BMPs and new utilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Borough of Quakertown**

Applicant Address: 35 N. Third Street, Quakertown, PA 18951

Application Number: **PAD090092**

Application Type: New

Municipality/County: Quakertown Borough and Richland Township, **Bucks County**

Project Site Name: Quakertown Wastewater Treatment Plant Upgrade

Total Earth Disturbance Area (acres): 4.16 acres

Surface Waters Receiving Stormwater Discharges: Tohickon Creek (TSF, MF), Tohickon Creek (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Install a new reception building and driveway, cogeneration facility structures, and replacement stormwater basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northcentral Regional Office

Applicant: **Brian Haggy**

Applicant Address: 724 Swart Road Lewisburg PA 17837

Application Number: **PAD600012**

Application Type: New

Municipality/County: Buffalo Township, **Union County**

Project Site Name: Brian Haggy Agricultural Development

Total Earth Disturbance Area (acres): 3.5 acres

Surface Waters Receiving Stormwater Discharges: UNT to Black Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project is located in Buffalo Township, Union County, PA. The project consists of the development of 5.0 acres of existing farmstead and agricultural field into a transportation company with building, access drives, on-lot stormwater management, and associated improvements. The development will be situated along Swartz Road (T-410) on an existing farmstead approximately 0.8 mile west of the intersection of Swartz Road (T-410) and Spruce Run Road SR 1001. The project will disturb approximately 3.5 acres.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **LandPro Equipment**

Applicant Address: 1756 Lundquist Drive, Falconer, NY 14733

Application Number: **PAD140099**

Application Type: New

Municipality/County: Potter Township, **Centre County**

Project Site Name: LandPro Equipment—Centre Hall

Total Earth Disturbance Area (acres): 6.63 acres

Surface Waters Receiving Stormwater Discharges: Spring Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project is for the construction of a 16,000 SF building, customer parking, outdoor display area, stormwater management facilities, and on-lot wastewater disposal.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **UGI Utilities, Inc.**

Applicant Address: 1 UGI Drive, Denver, PA 17517

Application Number: **PAD530015**

Application Type: New

Municipality/County: Sharon Township, **Potter County**

Project Site Name: Route 44 Gas Main Replacement

Total Earth Disturbance Area (acres): 6.1 acres

Surface Waters Receiving Stormwater Discharges: Oswayo Creek (HQ-CWF) and Wildcat Creek (CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project is for installation of approx. 13,315 ft of 8 and 2-inch HDPE gas main and associated gas service lines via HDD and direct burial to replace a section of existing gas main.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northcentral Regional Office

Applicant: **UGI Utilities, Inc.**

Applicant Address: 1 UGI Drive, Denver, PA 17517

Application Number: **PAD530016**

Application Type: New

Municipality/County: Sweden Township and Eulalia Township, **Potter County**

Project Site Name: Roberts Road Gas Main Replacement

Total Earth Disturbance Area (acres): 1.73 acres

Surface Waters Receiving Stormwater Discharges: Mill Creek and Trout Run (HQ-CWF0) Wild Trout

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project is for installation of approx. 11,228 ft of 6, 4, and 2-inch HDPE gas main and associated gas service lines via HDD and direct burial to replace a section of existing gas main.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **DEPG Mosier Associates, LP**

Applicant Address: 1000 Fayette St., Conshohocken, PA 19428

Application Number: **PAD450013 A-5**

Application Type: Renewal

Municipality/County: Smithfield Township, **Monroe County**

Project Site Name: Smithfield Gateway Phase 1A-2

Total Earth Disturbance Area (acres): 34.89 acres

Surface Waters Receiving Stormwater Discharges: UNT to Brodhead Creek (TSF, MF), Brodhead Creek (TSF, MF), Marshall's Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Development of Phase 1A-2 of Smithfield Gateway for the construction of a Convenience Store and restaurant, including utilities and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Stoltzfus Enterprises LTD**

Applicant Address: 26 East Main Street, Elverson, PA 19520

Application Number: **PAD150308**

Application Type: New

Municipality/County: West Nantmeal Township, **Chester County**

Project Site Name: 626 Bulltown Road

Total Earth Disturbance Area (acres): 3.895 acres

Surface Waters Receiving Stormwater Discharges: French Creek (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: A single family home and barn is proposed with public water and sewer. The drainage area is divided into a Bypass Area (controlled by a proposed culvert) and an area controlled by BMP's including vegetation, swales, and an infiltration basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Jake Vida Management Corp of PA**

Applicant Address: 60 Davinci Drive, Bohemia, NY 11716

Application Number: **PAD480192**

Application Type: New

Municipality/County: City of Bethlehem, **Northampton County**

Project Site Name: 2897 Easton Avenue Apartments

Total Earth Disturbance Area (acres): 2.6 acres

Surface Waters Receiving Stormwater Discharges: Nancy Run (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project will construct two (2) multi-family apartment buildings with a total of fifty-four (54) residential units (14 one-bedroom units and 40 two-bedroom units). The project will also include construction of associated parking and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northcentral Regional Office

Applicant: **Brian Haggy**

Applicant Address: 724 Swartz Road, Lewisburg, PA 17837

Application Number: **PAD600012**

Application Type: New

Municipality/County: Buffalo Township, **Union County**

Project Site Name: Brian Haggy Agricultural Development

Total Earth Disturbance Area (acres): 3.5 acres

Surface Waters Receiving Stormwater Discharges: UNT to Black Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project is located in Buffalo Township, Union County, PA. The project consists of the development of 5.0 acres of existing farmstead and agricultural field into a transportation company with building, access drives, on-lot stormwater management, and associated improvements. The development will be situated along Swarts Road (T-410) on an existing farmstead approximately 0.8 mile west of the intersection of Swartz Road (T-410) and Spruce Run Road SR 1001. The project will disturb approximately 3.5 acres.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Southeast Regional Office

Applicant: **Philadelphia Department of Aviation**

Applicant Address: 8500 Essington Ave, Philadelphia, PA 19153

Application Number: **PAD230012 A-19**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: PHL Runway 8-26 EMAS System

Total Earth Disturbance Area (acres): 7.974 acres

Surface Waters Receiving Stormwater Discharges: Lower Schuylkill/Delaware River South (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Philadelphia International Airport is building a standard safety area and installing an Engineered Material Arresting System (EMAS) at the end of Runway 8-26 to comply with current FAA Standards. The safety area has a limit of disturbance greater than 1 acre and converting a large portion of turf area to asphalt. A large rain garden/bio retention system will be located at the end of the new safety area.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Kenneth Schuchman**

Applicant Address: P.O. Box 404, Marshalls Creek, PA 18335

Application Number: **PAD450072**

Application Type: Renewal

Municipality/County: Smithfield Township, **Monroe County**

Project Site Name: JMS/Hallet-Buttermilk Falls Corporate Center

Total Earth Disturbance Area (acres): 3.5 acres

Surface Waters Receiving Stormwater Discharges: Candle Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Renewal of NPDES Permit for Construction of a 26,600 square foot building with parking, utilities and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: **Andrew III**

Applicant Address: 2143 East Mount Hope Road, Manheim, PA 17545

Application Number: **PAD360106**

Application Type: New

Municipality/County: Penn Township, **Lancaster County**

Project Site Name: Andrew III

Total Earth Disturbance Area (acres): 9.38 acres

Surface Waters Receiving Stormwater Discharges: UNT to Shearers Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of new animal heavy use area and feed bunkers.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Northeast Regional Office

Applicant: **Bethlehem Parking Authority**

Applicant Address: 85 W. North St., Bethlehem, PA 18018

Application Number: **PAD480191**

Application Type: New

Municipality/County: City of Bethlehem, **Northampton County**

Project Site Name: Walnut Street Parking Garage

Total Earth Disturbance Area (acres): 1.39 acres

Surface Waters Receiving Stormwater Discharges: Monocacy Creek—HQ-CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project proposes improvements to the site, including: the demolition of 56,486 square feet garage, and rock stabilization.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southcentral Regional Office

Applicant: **Boing US Holdco, Inc.**

Applicant Address: 440 South Church Street, Suite 700, Charlotte, NC 28202

Application Number: **PAD210098**

Application Type: New

Municipality/County: Middlesex Township, and North Middleton Township, **Cumberland County**

Project Site Name: Take 5 Car Wash & Oil Change

Total Earth Disturbance Area (acres): 1.4 acres

Surface Waters Receiving Stormwater Discharges: Letort Spring Run, (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a drive through car wash and oil change building.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **M&G Realty Inc.**

Applicant Address: 2295 Susquehanna Trail, Suite C, York, PA 17404

Application Number: **PAD070014A-1**

Application Type: Major Amendment

Municipality/County: Antis Township, **Blair County**

Project Site Name: Rutters # 82—Waste Haul Road

Total Earth Disturbance Area (acres): 2.76 acres

Surface Waters Receiving Stormwater Discharges: UNT to Sandy Run (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The major amendment adds a temporary haul road to the already approved earth disturbances for the proposed construction of a Rutter's convenience store with fuel dispensing facilities, parking lot, and stormwater best management practices.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southwest Regional Office

Applicant: **Peoples Natural Gas Company LLC**

Applicant Address: 375 North Shore Drive, Suite 600, Pittsburgh, PA 15212

Application Number: **PA630005D**

Application Type: New

Municipality/County: Beallsville Borough and Deemston Borough, North Bethlehem Township, Somerset Township, West Bethlehem Township, and West Pike Run Township, **Washington County**.

Project Site Name: Goodwin Tombaugh System Conversion Phase 3 Areas 10—12

Total Earth Disturbance Area (acres): 30 acres

Surface Waters Receiving Stormwater Discharges: Center Branch Pigeon Creek (WWF), Plum Run (TSF), Daniels Run (TSF), and Pigeon Creek (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Project consists of the installation of 10 miles of new 2-inch, 3-inch, 4-inch and 6-inch plastic gas pipeline in Beallsville Borough, Deemston Borough, North Bethlehem Township, Somerset Township, West Bethlehem Township, and West Pike Run Township, Washington County, PA. PNG intends to complete a portion of the Project using Horizontal Directional Drilling (HDD) to reduce earth disturbance and limit environmental impacts. The remainder of the Project will be installed via trenching methods. Use of the existing pipeline will be abandoned. The pipeline will remain in place except for sections of exposed pipeline within streams and wetlands, which will be removed. Additionally, the abandoned pipeline will either be removed or capped at all stream and wetland crossings in accordance with PA DEP requirements. In-lieu of grouting the abandoned line at resource crossings, PNG shall maintain liability of the abandoned line. If there are any environmental concerns or any issues identified due to the abandoned pipe, PNG will be responsible to correct the issue. The Project will be restored to pre-construction conditions and no new permanent impervious areas are proposed.

Special Conditions: Earth disturbance may not commence in Chapter 105 regulated areas until all Chapter 105 authorizations have been obtained.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Southwest Regional Office

Applicant: **North Allegheny Wind, LLC**

Applicant Address: 115 Industrial Drive, Cresson, PA 16630

Application Number: **PAD110016**

Application Type: New

Municipality/County: Cresson Township, Juniata Township, Portage Township and Washington Township, **Cambria County** and **Blair County**

Project Site Name: North Allegheny Wind Repower

Total Earth Disturbance Area (acres): 82.45 acres

Surface Waters Receiving Stormwater Discharges: UNT 46071 to Spring Run (CWF), UNT 46099 to Bens Creek (CWF), UNT 46053 to Trout Run (CWF), UNTs to Bobs Creek (CWF-HQ), Bobs Creek (CWF-HQ), UNTs to Trout Run; Trout Run (CWF), UNT 46103 to Bens Creek (CWF), UNT 46111 to Little Conemaugh River (CWF), UNT 16368 to Blair Run (CWF) and UNTs 16496, 16497 to Poplar Run (CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: North Allegheny Wind Repower Project proposes to repower the existing turbines with newer technology turbines. The project includes repowering 33 turbines out of the existing 35 turbines within Cambria and Blair Counties. The repower work proposes additional gravel areas during the repowering process by expanding the turning radius to facilitate crane mobilization. After the completion of work, these locations will be restored to their original conditions. As no additional permanent impervious areas are proposed, the project is considered as a Site Restoration Project. As part of site restoration, the immediate area surrounding the pads near each turbine will be treated with permanent seeding.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Northwest Regional Office

Applicant: **Millfair Holdings LLC**

Applicant Address: 10 Peninsula Drive, Erie, PA 16505

Application Number: **PAD250021**

Application Type: New

Municipality/County: McKean Township, **Erie County**

Project Site Name: Sterretania Road RV Parking

Total Earth Disturbance Area (acres): 5.7 acres

Surface Waters Receiving Stormwater Discharges: UNT to Walnut Creek HQ, CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a RV parking area, stormwater conveyance system, and rain garden.

Special Conditions: A—L

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northeast Regional Office

Applicant: **WIP Allentown Redevelopment, LLC c/o Matthew Hainzl**

Applicant Address: 100 Passaic Avenue, Suite 240, Fairfield, NJ 07004-3520

Application Number: **PAD390278**

Application Type: New

Municipality/County: City of Allentown, **Lehigh County**

Project Site Name: South 12th Street Redevelopment

Total Earth Disturbance Area (acres): 8.6 acres

Surface Waters Receiving Stormwater Discharges: Trout Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposal includes the demolition of an existing commercial retail site and construction of a new 133,000 SF warehouse facility with associated improvements including parking areas, walkways, access drives, truck loading docks and storage spaces, utilities, stormwater management systems and landscaping.

Special Conditions: N/A—No site-specific special conditions proposed

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

**STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Garret Moyer 1200 Red Bank Road Middleburg, PA 17842	Snyder County	153.9	726.9	Swine	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northcentral Region: Waste Management Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Lisa D. Houser, P.E., Facilities Manager, 570 327-3740.

WMGR163NC002. Highland Field Services, LLC, 2000 Westinghouse Drive, Suite 400, Cranberry Township, PA 16066-5238, Chatham Township, **Tioga County.** Application to construct a temporary gravel pad to store and transfer produced fluid for beneficial reuse. Application received: August 10, 2023.

Comments or questions concerning the application should be directed to Lisa D. Houser, P.E., Facilities Manager, 570-327-3740, Northcentral Region, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101–4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

101728. Armada Waste OH-PA, LLC, 3490 Piedmont Road, Suite 1350, Atlanta, GA 30305, Crescent Township, **Allegheny County**. Application for a municipal waste transfer facility permit to accept municipal and residual waste at their facility located at 1306 Main Street, Glenwillard, PA 15046. The applicant currently operates under general permit WMGM043SW005 at this location. Application received: October 16, 2020. Deemed administratively complete: June 29, 2023.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001–4015), 25 Pa. Code Chapters 121–145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401–7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00070A: Atlantic Metal Industries, 600 Susquehanna Trail, Liverpool, PA 17045, Point Township, **Northumberland County**. Application received: February 9, 2023. The Department intends to issue a plan approval for the construction and operation of a 40 ton per hour Texas model 80104 scrap metal shredder at the proposed Railroad Street facility. The Department of Environmental Protection's (Department) review of the information submitted by Atlantic Metal Industries indicates that the air contamination source to be constructed will comply

with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the proposed construction. The emissions from the proposed source included in this project will not exceed the following limits: 4.20 tons of volatile organic compounds per year, 3.03 tons of particulate matter less than 10 microns, 0.87 ton of particulate matter less than 2.5 microns, and 0.24 ton of hazardous air pollutants. The facility is a State Only (Synthetic Minor) facility. If the Department determines that the source is constructed and operated in compliance with the plan approval conditions and the specifications of the application for Plan Approval 49-00070A, the requirements established in the plan approval will be incorporated into a State Only (Synthetic Minor) Operating Permit pursuant to 25 Pa. Code § 127.421. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.3636.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

15-0054D: Highway Materials, Inc./Malvern, 680 Morehall Rd, Frazer, PA 19355, East Whiteland Township, **Chester County**. Application received: June 19, 2023. This plan approval revises the mass emission limits and emission factors of the hot mix batch asphalt plant (Source 101) when firing natural gas or propane fuels at their existing facility. The revisions will be based on the results of the stack test conducted on the asphalt plant on August 9, 2022. The plan approval will also convert previously established short-term mass emission limits of the asphalt plant when firing liquid fuels from pound per ton values to pound per hour values. There are no proposed changes or modifications to the asphalt plant or its control devices. Stack testing shall be conducted on a recurring basis, once every five (5) years. The facility shall continue to comply with all other requirements of their State Only Operating Permit 15-00054 and shall retain a synthetic minor status by limiting facility-wide emissions to below major source thresholds. The plan approval will include monitoring, recordkeeping, and reporting requirements designed to address all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Correction—previously published on June 17, 2023

09-0197B: Hiossen, Inc., 85 Ben Fairless Dr, Fairless Hills, PA 19030-5012, Falls Township, **Bucks County**. Application received: January 30, 2023. The proposed project has been modified as follows: the installation and operation of (a) a new acid etching unit (Source ID 103) that will vent to the existing back-up packed tower scrubber (Source ID C103); and (b) the existing acid etching unit (Source ID 102) that will vent only to the primary packed tower scrubber (Source ID C102). The potential emissions from the project remain the same: 0.59 TPY hydrochloric acid (HCl) and 0.39 TPY sulfuric acid (H₂SO₄). The plan approval contains all applicable

requirements including monitoring, recordkeeping, reporting and work practice requirements to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft plan approval can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00045, Hamilton Liberty LLC, 151 Liberty Lane, Towanda, PA 18848, Asylum Township, **Bradford County**. Application received: October 19, 2022. The Department intends to issue the Acid Rain Permit, TIVOP 08-00045, for the Hamilton Liberty Generation Plant facility. This Title V facility is subject to the Acid Rain Requirements of Title IV of the Clean Air Act. The application is subject to the regulatory requirements specified in 40 CFR Part 72. The Acid Rain Permit will cover the two (2) combined cycle combustion turbine units at the facility. The Acid Rain Permit incorporates the applicable requirements to the units, as specified in 25 Pa. Code § 127.531 and 40 CFR Parts 72—80. The SO₂ allowance allocated by the Acid Rain Program pursuant to 40 CFR Part 73 for this facility is zero. The Title IV permit includes special permit conditions for the allowance tracking system. The units are not subject to the NO_x emission limitations of 40 CFR Part 96 since they are only authorized to combust natural gas for operation. Based on the information previously presented and included in the application for the Acid Rain Permit, TIVOP 08-00045, the Department intends to issue TIVOP 08-00045 for the Hamilton Liberty facility. The Acid Rain Permit will be incorporated into the Title V operating permit for the facility. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570.327.3636. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments; identification of the proposed permit (specify TIVOP 08-00045) and concise statements regarding the relevancy of the information or objections to issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspa-

per or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701.

41-00084, Hamilton Patriot LLC, 50 Patriot Lane, Montgomery, PA 17752, Clinton Township, **Lycoming County**. Application received: November 7, 2022. The Department intends to issue the Acid Rain Permit, TIVOP 41-00084, for the Hamilton Patriot Generation Plant facility located in Clinton Township, Lycoming County. This Title V facility is subject to the Acid Rain Requirements of Title IV of the Clean Air Act. The application is subject to the regulatory requirements specified in 40 CFR Part 72. The Acid Rain Permit will cover the two (2) combined cycle combustion turbine units at the facility. The Acid Rain Permit incorporates the applicable requirements to the units, as specified in 25 Pa. Code § 127.531 and 40 CFR Parts 72—80. The SO₂ allowance allocated by the Acid Rain Program pursuant to 40 CFR Part 73 for this facility is zero. The Title IV permit includes special permit conditions for the allowance tracking system. The units are not subject to the NO_x emission limitations of 40 CFR Part 96 since they are only authorized to combust natural gas for operation. Based on the information previously presented and included in the application for the Acid Rain Permit, TIVOP 41-00084, the Department intends to issue TIVOP 41-00084 for the Hamilton Patriot Generation Plant facility. The Acid Rain Permit will be incorporated into the Title V operating permit for the facility. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636. Any person(s) wishing to provide the Department of Environmental Protection with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the Department of Environmental Protection at the address shown in the preceding paragraph. A 30-day comment period from the date of this publication will exist for the submission of comments. Each written comment must contain the name, address and telephone number of the person submitting the comments; identification of the proposed permit (specify TIVOP 41-00084) and concise statements regarding the relevancy of the information or objections to issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department of Environmental Protection determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Muhammad Q. Zaman, Environmental Program Manager, Department of Environmental Protection, Air Quality Program, Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick, 570-826-2409.

54-00004, Gilberton Power Co./John B. Rich Memorial Power Station, 81 Eleanor Avenue, Frackville, PA 17931-2301, Mahanoy Township, **Schuylkill County**. Application received: December 23, 2022. The Department intends to issue a renewal Title V Operating Permit for the electric generation facility located in Mahanoy Township, Schuylkill County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code Chapter 127, Subchapter G. The main sources at this facility consist of two (2) fluidized bed boilers, an auxiliary boiler, ash handling system, and a diesel fire pump. The sources are controlled by baghouses. These sources have the potential to emit major quantities of regulated pollutants above Title V emission thresholds. On April 23, 2016, the Pennsylvania Department of Environmental Protection (PA DEP) published 25 Pa. Code §§ 129.96—129.100, Additional RACT Requirements for Major Sources of NO_x and VOC, also known as Reasonably Available Control Technology (RACT II). Gilberton Power Co./John B. Rich Memorial Power Station qualifies as a major source of NO_x emissions because facility-wide potential NO_x emissions are above the RACT II major source threshold (i.e., 100 tons per year). As a result, the NO_x emitting operations at the facility will be subject to the provisions of the RACT II rule. The NO_x emitting sources at the facility are Source ID # 031 and Source ID # 032, the Circulating Fluidized Bed (CFB) Boilers, Source ID # 033, an Auxiliary Boiler, and Source ID # 200, a Diesel Fire Pump. The Presumptive RACT II requirements are included in the TV operating permit. Chapter 129 §§ 129.111—129.115—Effective on November 12, 2022, upon its publication in the *Pennsylvania Bulletin*, the Environmental Quality Board (EQB) amended Chapter 129 to establish additional presumptive reasonable available control technology (RACT) requirements and RACT emission limitations for certain major stationary sources of oxides of nitrogen (NO_x), and volatile organic compounds (VOC) emissions in existence on or before August 3, 2018. These additional requirements and limitations, collectively known as RACT III, address the Federal requirements for the 2015 8-hour ozone National Ambient Air Quality Standards (NAAQS). Gilberton operates several sources subject to RACT, including Source ID # 031 and Source ID # 032, the Circulating Fluidized Bed (CFB) Boilers, Source ID # 033, an Auxiliary Boiler, and Source ID # 200, a Diesel Fire Pump, however, the requirements for these sources were previously incorporated into the Title V Operating Permit under RACT II. The Presumptive RACT III requirements are included in the TV operating permit. The proposed Title V operating permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00125, Sunlight Crematory of Wilkes-Barre LLC, 628 Nanticoke St, Hanover Township, PA 18706, Hanover Township, **Luzerne County**. Application re-

ceived: May 4, 2023. The Department intends to issue a renewal State-Only Operating Permit for their cremation units. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

43-00294, Intl Timber & Veneer/Jackson Commerce Park, 75 McQuiston Dr, Jackson Center, PA 16133-1635, Jackson Township, **Mercer County**. Application received: September 15, 2022. The Department intends to issue a renewal State Only Natural Minor Operating Permit for the hardwood veneer and plywood manufacturing facility. The facility's primary emission sources include: a 23.9 mmBtu/hr wood fired boiler controlled by primary and secondary cyclones, an 8.4 mmBtu/hr natural gas boiler, three space heaters, four veneer dryers, and sawing, grinding and chipping sources controlled by cyclones for the processing of hardwood logs into veneer. The PM, SO_x, NO_x, CO, and VOC emissions are less than 22 TPY, 3 TPY, 30 TPY, 69 TPY, and 8 TPY, respectively; thus, the facility is a natural minor. The wood-fired boiler is subject to the requirements of 40 CFR 63, Subpart JJJJJJ—NESHAP for Industrial, Commercial, and Institutional Boilers at Area Sources. The permit will contain emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

24-00161, Greentree Landfill Gas Company, 5087 Junction Road, Lockport, NY 14094, Horton Township, **Elk County**. Application received: August 29, 2022. The Department intends to renew a State Only Operating Permit for Greentree Landfill Gas Company's Brockway Booster Station. The sources at the facility are an emergency generator and 2 Caterpillar Model G3512LE compressor engines rated at 1,004 bhp at 1,400 rpm. The 2 compressor engines are each equipped with a catalyst. The facility is a Natural Minor. The potential emissions from the facility are as follows: 3.73 tpy CO, 39.83 tpy NO_x, 0.72 tpy PM, 0.04 tpy SO_x, 3.21 tpy VOC, and 1.5 tpy formaldehyde. Engines # 1 and # 2 are subject to 40 CFR Part 63 Subpart ZZZZ, the NESHAPs for Stationary Reciprocating Internal Combustion Engines. The conditions of the previous plan approval are incorporated into the renewal permit. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

10-00381, Mountain Gathering LLC, 190 Thorn Hill Rd, Warrendale, PA 15086, Forward Township, **Butler County**. Application received: August 26, 2022. The Department intends to renew a State Only Operating Permit for Mountain Gathering LLC's Forward Compressor Station. The primary emissions sources are six 1,775 Hp compressor engines, two Triethylene Glycol dehydrators and reboilers, line heaters, condensate and water storage tanks, a gun barrel tank, and fugitive emissions at the facility. Potential emissions from the facility are less than the Title V emission thresholds. The facility is a Natural Minor. The potential emissions from the facility are as follows: 54.09 tpy NO_x; 26.51 tpy CO; 40.49 tpy VOCs; 0.19 tpy SO_x; 3.34 tpy PM₁₀; 3.34 tpy PM_{2.5}; 5.11 tpy HAPs. Actual reported emissions for the calendar

year 2022 were 43.82 tons NO_x; 8.72 tons CO; 17.70 tons VOC; 0.18 ton SO_x; 3.27 tons PM₁₀; 3.27 tons PM_{2.5}; 2.518 tons HAPs; and 37,285 tons CO₂. Sources at this facility are subject to the following Federal emission standards: 40 CFR Part 60 Subpart JJJJ, the standards of performance for stationary spark ignition internal combustion engines; and 40 CFR Part 60 Subpart OOOO, the standards of performance for crude oil and natural gas production, transmission and distribution; and 40 CFR Part 63 Subpart HH, the national emission standards for hazardous air pollutants from oil and natural gas production facilities. The conditions of the previous plan approvals are incorporated into the renewal permit. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03078, Carlisle Coatings & Waterproofing Inc., 1275 Ritner Hwy., Carlisle, PA 17013, Carlisle Borough, **Cumberland County**. Application received: April 24, 2023. To issue a State Only Operating Permit for its asphalt roofing materials plant. Potential air emissions from the facility are estimated to be 2.19 tpy NO_x, 3.44 tpy CO, 1.49 tpy PM₁₀, 5.75 tpy VOCs and < 1 tpy SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR Part 60, Subpart UU—Standards of Performance for Asphalt Processing and Asphalt Roofing Manufacture and 40 CFR Part 63, Subpart AAAAAA—National Emission Standards for Hazardous Air Pollutants for Area Sources: Asphalt Processing and Asphalt Roofing Manufacturing.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-03035, V & S Lebanon Galvanizing, LLC, 153 Micro Drive, Jonestown, PA 17038, Union Township, **Lebanon County**. Application received: May 9, 2023. To issue a State Only Operating Permit for the metal coating facility. The potential emissions from the facility are estimated at 6.80 tpy of NO_x, 5.72 tpy of CO, 4.76 tpy of PM₁₀, 0.04 tpy of SO_x, 0.37 tpy of VOC and 1.47 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

36-05157, Ivy Creek Custom Cabinetry, Inc., 99 Elmwood Avenue, Landisville, PA 17538-1305, East Hempfield Township, **Lancaster County**. Application received: April 27, 2023. To issue a State-Only Operating Permit for the operation of their wood furniture surface coating facility. Past actual emissions from the facility for 2022 were estimated to be 2.99 tpy VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the

applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52.

38-03022, Murry's Inc., 1501 Willow Street, Lebanon, PA 17042, City of Lebanon, **Lebanon County**. Application received: April 28, 2023. To issue a State-Only Operating Permit for operation of their frozen food processing plant. The subject facility has the potential-to-emit 6.11 tpy CO, 7.27 tpy NO_x, 6.01 tpy PM₁₀/PM_{2.5}, 0.04 tpy SO_x, and 2.18 tpy VOC. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.11 and 123.22.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00062, Oldcastle Infrastructure Inc./Telford, 200 Keystone Dr, Telford, PA 18969, West Rockhill Township, **Bucks County**. Application received: February 28, 2023. For operation of a concrete casting and coating facility. The facility is classified as a Synthetic Minor for Volatile Organic Compound (VOC) emissions and Hazardous Air Pollutant (HAP) emissions; facility-wide VOC emission limit is less than 25 tons per year and the facility-wide HAP emission limit is less than 25 tons per year, any combination HAP, and less than 10 tons per year, any single HAP. The permit will include monitoring, record-keeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

09-00132, McAdoo & Allen Inc., 201 S Hellertown Rd, Quakertown, PA 18951-1768, Quakertown Borough, **Bucks County**. Application received: April 5, 2023. A State Only Operating Permit renewal application for their facility, Quaker Color Division, which is a pigment dispersions manufacturer for the automotive and industrial coatings markets. The Quaker Color Division is also a manufacturer of polymers and all components of the waterborne coatings for the architectural market. The primary emission sources include the chip manufacturing process, which is comprised of roll mills (chip granulators) and paddle blenders generating VOC/HAP emissions, the dispersion process, which is comprised of includes (4) dust collectors on closed dispersion vats to capture powder emission (particulate matter) during additions, diesel dual fuel-fired emergency generator and miscellaneous VOC emission sources (i.e., chip granulators and paddle blenders) and insignificant eight insignificant natural gas-fired boilers with rated heat input capacities ranging from 0.54—2.4 MMBtu/hr. This is the fourth renewal of the operating permit. The renewed permit will include monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. The pollutant emission sources at McAdoo & Allen/Quaker Color Division are subjected to restrictions to ensure that the total emission rates for VOCs are below the major source threshold limits of 24.9 tons per year (tpy). To remain a minor or area source of HAPs, the facility is restricted to

a limit of 10 tpy for any single individual HAP and 25 tpy for any combination of HAPs. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunc-

tion with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 30810703. NPDES No. PA0236438. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill Township, **Greene County**. To renew the permit and related NPDES permit. Application received: June 28, 2023. Accepted: August 3, 2023.

Mining Permit No. 30121301. NPDES No. PA 0236195. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Morris and Center Townships, **Greene County**. To revise the permit and related NPDES permit to change 4,219 acres of the underground permit area and subsidence control plan area from underground development mining to longwall mining. Application received: July 6, 2023. Accepted: August 4, 2023.

Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill and Morris Townships, **Greene and Washington Counties**. To revise the permit and related NPDES permit for installation of degas boreholes. Application received: July 13, 2023. Accepted: August 7, 2023.

Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill and Aleppo Townships, **Greene County**. To revise the permit and related NPDES permit to revise alignments of 10L-4 and 11L-4 borehole access roads. Application received: July 28, 2023. Accepted: August 8, 2023.

Mining Permit No. 56111601. NPDES No. PA0236098 and GP12-56111601. Laurel Prep Plant, LLC, 1501 Ligonier Street, Latrobe, PA 15650, Shade Township, **Somerset County**. To renew the permit and related NPDES permit. Includes renewal of Air Quality GPA/GP12 Authorization. Application received: June 20, 2023. Accepted: August 9, 2023.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert 724-925-5500 RA-EPNEWSTANTON@pa.gov.

Mining Permit No. Government Financed Contract Number 26-23-01. NPDES No. PA0278599. Stash Mining, LLC, 675 Old Route 51, Waltersburg, PA 15488, Franklin Township, **Fayette County**. Application for commencement, operation and restoration for a Government Financed Construction Contract and associated NPDES permit, affecting 7.8 acres. Receiving streams: Unnamed tributary to Redstone Creek, classified for the following use: WWF. Application received: July 26, 2023.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

Alkalinity must always exceed acidity.
pH must always be greater than 6.0; less than 9.0.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 41230801. GP-104 No. PAM223006. Zachary Cleaver, 7207 Sulphur Springs Road, Montgomery, PA 17752, Washington Township, **Lycoming County**. New permit application for a small noncoal (industrial minerals) operation affecting 5.0 acres. Receiving stream(s): Unnamed tributary to Spring Creek classified for the following use(s): TSF. Application received: August 9, 2023. Accepted: August 9, 2023.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern

industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality-based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

NPDES No. PA0279510. Mining Permit No. 56160101. Berwind Coal Sales Company, 509 15th Street, Windber, PA 15963, Paint Township, **Somerset County**. Renewal of an NPDES permit affecting 159.2 acres related to a coal mining activity permit. Receiving stream: Weaver Run, classified for the following use: Cold Water Fishes—CWF. This receiving stream is included in the Kiski-Conemaugh TMDL. Application received: July 20, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following treated wastewater outfalls discharge to Weaver Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate (MGD)</i>
001	Existing	Treatment	0.186
002	Existing	Treatment	0.186
003	Existing	Sediment	0.186
004	Existing	Sediment	1.42

The proposed effluent limits for the previously listed outfalls are as follows:

Mine Drainage Treatment and Stormwater Control Outfalls discharging to infiltration galleries; 002, 004

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	-	-	9.0
Total Suspended Solids (mg/L)	-	-	-	90.0
Iron, Total (mg/L)	-	-	-	7.0
Manganese, Total (mg/L)	-	-	-	5.0
Aluminum, Total (mg/L)			Report	
Net Alkalinity (as CaCO ₃ , mg/L)			Report	

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Alkalinity, Total (as CaCO ₃ , mg/L)	0.0	N/A	N/A	N/A
Acidity, Total (as CaCO ₃ , mg/L)				
Flow (gpm)				
Temperature (°C)				
Specific Conductance (µmhos/cm)				
Sulfate, Total (mg/L)				

Mine Drainage Treatment Outfall 001

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	-	-	9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Iron, Total (mg/L)		1.5	3.0	3.7
Manganese, Total (mg/L)		1.0	2.0	2.5
Aluminum, Total (mg/L)				
Net Alkalinity (as CaCO ₃ , mg/L)				
Alkalinity, Total (as CaCO ₃ , mg/L)	0.0	N/A	N/A	N/A
Acidity, Total (as CaCO ₃ , mg/L)				
Flow (gpm)				
Temperature (°C)				
Specific Conductance (µmhos/cm)				
Sulfate, Total (mg/L)				

Stormwater Control Outfall 003

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	-	-	9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Iron, Total (mg/L)		1.5	3.0	3.7
Manganese, Total (mg/L)		1.0	2.0	2.5
Aluminum, Total (mg/L)		0.75	0.75	0.75
Net Alkalinity (as CaCO ₃ , mg/L)				
Alkalinity, Total (as CaCO ₃ , mg/L)	0.0	N/A	N/A	N/A
Acidity, Total (as CaCO ₃ , mg/L)				
Flow (gpm)				
Temperature (°C)				
Specific Conductance (µmhos/cm)				
Sulfate, Total (mg/L)				

Outfalls which represent emergency spillways in response to precipitation that exceeds a 10 yr/24 hr event: 004

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	-	-	9.0
Total Suspended Solids (mg/L)	-	-	-	90.0
Iron, Total (mg/L)	-	-	-	3.7
Manganese, Total (mg/L)	-	-	-	2.5
Aluminum, Total (mg/L)	-	-	-	0.75
Net Alkalinity (as CaCO ₃ , mg/L)				
Alkalinity, Total (as CaCO ₃ , mg/L)	0.0	N/A	N/A	N/A
Acidity, Total (as CaCO ₃ , mg/L)				
Flow (gpm)				
Temperature (°C)				
Specific Conductance (µmhos/cm)				
Sulfate, Total (mg/L)				

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2, 814-342-8101.

NPDES No. PA0269573 (Mining Permit No. 17060101). Waroquier Coal Company, P.O. Box 128, Clearfield, PA 16830. Renewal of an NPDES permit for discharge of water resulting from coal surface mining in Lawrence Township,

Clearfield County, affecting 203 acres. Receiving stream(s): unnamed tributaries to Little Clearfield Creek, classified for the following use(s): HQ-CWF. This receiving stream is included in the Clearfield Creek TMDL. Application received: April 27, 2023.

The following outfalls require a non-discharge alternative:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Pond G	No Discharge
004	Existing	Treatment Pond J	No Discharge
005	Existing	Treatment Pond K	No Discharge
006	Existing	Sediment Pond A	No Discharge
007	Existing	Sediment Pond B	No Discharge
008	Existing	Sediment Pond C	No Discharge
009	Existing	Sediment Pond D	No Discharge
010	Existing	Sediment Pond E	No Discharge
012	Existing	Sediment Pond L&M	No Discharge
013	Existing	Sediment Pond N	No Discharge

There is no proposed surface discharge from the previously listed facilities to the receiving stream due to the implementation of Best Management Practices in the form of NDA (Non-Discharge Alternative system comprised of non-discharging distribution manifolds). Instantaneous maximum BAT limits will be applied to the outfall effluent entering the NDA systems for the protection of the groundwater.

The following outfalls discharge to tributaries to Little Clearfield Creek:

<i>Outfall Nos.</i>	<i>New Outfall (Y/N)</i>	<i>Type</i>
006	N	Sediment Pond Emergency Spillway
007	N	Sediment Pond Emergency Spillway
008	N	Sediment Pond Emergency Spillway
009	N	Sediment Pond Emergency Spillway
010	N	Sediment Pond Emergency Spillway
012	N	Sediment Pond Emergency Spillway
013	N	Sediment Pond Emergency Spillway

The only potential point source discharges to surface water are the discharges from the emergency spillway of a sediment pond during precipitation that exceeds a 10 yr/24 hr event.

Effluent limits for the emergency spillways are as follows:

Outfalls: 006, 007, 008, 009, 010, 012, & 013 Sediment

Pond Emergency Spillway

(Discharge after >10-yr/24-hr Precipitation Event)

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Iron (mg/L)	N/A	N/A	1.5
Manganese (mg/L)	N/A	N/A	1.0
Aluminum (mg/L)	N/A	N/A	0.75
Total Suspended Solids (mg/L)	N/A	N/A	10.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	

pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.

Alkalinity must exceed acidity at all times.

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

NPDES No. PA0107433. Mining Permit No. 3074SM13. Allegheny Mineral Corporation, P.O. Box 1022, Kittanning, PA 16201, Slippery Rock Township, **Butler County**. Renewal of an NPDES permit. Application received: April 20, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to unnamed tributaries to Wolf Creek and Slippery Rock Creek.

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate: MGD</i>
002	Existing	SWO	0.02
003	Existing	SWO	0.04
004	Existing	SWO	0.05
005	Existing	SWO	0.16
007	Existing	SWO	0.05
008	Existing	SWO	0.06

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate: MGD</i>
010	Existing	SWO	0.07
012	Existing	TFO	0.13

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		2.0	4.0	5.0
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Osmotic Pressure (milliosmoles/kg)				50.0
Alkalinity greater than acidity ¹				

¹The parameter is applicable at all times.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0226297. Mining Permit No. 64132501. Kevin Schrader, P.O. Box 262, Lake Como, PA 18437, Buckingham Township, **Wayne County**. New NPDES Permit on General Permit for Bluestone Mining affecting 12.0 acres. Receiving stream: No Discharge to the UNT to Equinunk Creek, classified for the following uses: HQ-CWF, MF. The first downstream potable water supply intake from the point of discharge is NRG Energy Portland Generating Station. Non-discharging Best Management Practices will be in effect. Application received: May 9, 2022.

NPDES Permit No. PA0226387. Mining Permit No. 45152801. Elmer F. Possinger & Sons, Inc., P.O. Box 520, Bartonsville, PA 18321, Hamlin Township, **Monroe County**. New NPDES permit affecting 5.0 acres. Receiving stream: McMichaels Creek, classified for the following uses: HQ-CWF, MF. The operation does not discharge to waters of the Commonwealth. Non-discharging Best Management Practices will be in effect. Application received: February 21, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4802223-001. Chester Franklin Group, LLC, 664 Northampton Street, Easton, PA 18042, City of Easton, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: March 16, 2023.

To construct and maintain the following water obstructions and encroachments associated with the Grand Riverview Hotel project: 1) A fill in the floodway of the Delaware River (WWF, MF) consisting of the widening of SR 611, the installation of roadside curbing, the construction of two (2) 38-foot wide entrance roads adjoining SR 611, and associated grading. This impact will result in 5,640 ft³ of net fill within the floodway. 2) A utility line crossing within the floodway of the Delaware River (WWF, MF) consisting of a 14-inch diameter x 23-inch diameter reinforced concrete elliptical stormwater pipe and concrete inlet box. 3) A utility line crossing within the floodway of the Delaware River (WWF, MF) consisting of a 12-inch diameter reinforced concrete stormwater pipe and two (2) concrete inlet boxes. The project is located at 289 S. Delaware Avenue, approximately 0.23 mile northwest of the intersection of SR 611 and E. Nesquehoning Street (Easton, PA Quadrangle Latitude: 40° 41' 8", Longitude: -75° 12' 13") in the City of Easton, Northampton County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E4306223-003. Greenville Borough. 125 Main Street, Greenville, PA 16125, Greenville Borough, **Mercer County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: July 19, 2023.

To construct and maintain two infiltration basins to be constructed partially within Tributary 36166 to Shenango River (WWF) and partially in the floodway with 700 linear feet of 36-inch storm sewer to alleviate flooding along North Third Street in Greenville Borough, Mercer County with miscellaneous site work due to earth disturbances all temporarily impacting approximately 0.52 acre of floodway and permanently impacting approximately 0.09 acre of watercourse and 0.58 acre of floodway. Latitude: 41.403852°, Longitude: -80.398232°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E2103223-004. Mr. Mark A Malarich, Borough of Carlisle, 53 West South Street, Carlisle, PA 17013, Carlisle Borough, **Cumberland County.** U.S. Army Corps of Engineers Baltimore District. Application received: June 21, 2023.

To install an 8" force main under Letort Spring Run (EV, MF) via an open cut trench. The project proposes to temporarily impact approximately 32 square feet of Letort Spring Run (EV, MF) and 55 square feet of its floodway. The project proposes to permanently impact approximately 1,375 square feet of Letort Spring Run (EV, MF) and 7,249 square feet of its floodway. All impacts are for the purpose of accommodating the additional flow capacity resulting from new development. All wetland impacts are below de minimis. Latitude: 40.1937°, Longitude: -77.1932°.

E6703123-008. PennDOT Engineering District 8-0, 2140 Herr Street, Harrisburg, PA 17103, East Hopewell Township, and Fawn Township, **York County.** U.S. Army Corps of Engineers Baltimore District. Application received: July 6, 2023.

To remove existing structure and to install and maintain a 49.5-foot x 30.63-foot bridge over South Branch Muddy Creek (HQ-CWF-MF) with riprap scour protection, for the purpose of improving transportation safety. The project proposes to permanently impact 79 linear feet and temporarily 82 linear feet of stream channel. The project is located in East Hopewell and Fawn Townships, York County (39.7728°, -76.5136°) Latitude: 39.7728°, Longitude: -76.5136°.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E6305221-010. Rivendale Farms Pittsburgh, LLC, 1357 Valleyview Road, Bulger, PA 15019, Robinson Township, **Washington County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: September 15, 2021.

The applicant proposes to:

1. Operate and maintain a 20-foot long, 36-inch diameter smooth lined corrugated plastic pipe (SLCPP) culvert within an unnamed tributary (UNT) to Little Raccoon Run (WWF);

2. Operate and maintain a 22-foot long, 48-inch diameter SLCPP culvert at another location within the preceding UNT;

3. Modify an existing dam in the preceding UNT, by lowering the dam height to 2.3 feet. The dam is located in a stream not exceeding 50 feet in width;

4. Operate and maintain a pond across the preceding UNT. The pond has an approximate area of 0.06 acre and a maximum storage volume of 6,071 cubic feet behind the aforementioned dam;

5. Operate and maintain a 25-foot long, 8-foot-wide wooden bridge with a gravel surface across a second UNT to Little Raccoon Run (WWF);

6. Operate and maintain a 30-foot long, 9-foot-wide wooden bridge with a gravel surface at another location across the preceding UNT;

7. Operate and maintain a 25-foot long, 8-foot-wide wooden bridge with a gravel surface at another location across the preceding UNT;

8. Operate and maintain a 6-inch diameter PVC outfall structure at another location within the preceding UNT, which serves as an underdrain for the adjacent flat vegetated area;

9. Operate and maintain a 25-foot long, 10-foot-wide wooden bridge with a gravel surface across Little Raccoon Run;

10. Operate and maintain a 25-foot long, 18-inch diameter SLCPP culvert within a third UNT to Little Raccoon Run (WWF), which has a drainage area less than 100 acres;

11. Operate and maintain a 99-foot long, 15-inch diameter SLCPP culvert at another location within the preceding UNT;

12. Construct, operate, and maintain a 42-foot-long, 21-foot-wide concrete bridge at another location across Little Raccoon Run (WWF);

13. Construct, operate, and maintain an outfall structure within the floodway of Little Raccoon Run, consisting of a 15-foot by 19-foot R-4 riprap apron, in association with the construction of a stormwater management pond.

For the purpose of providing property access for farm equipment and livestock. Cumulatively, the project will permanently impact 205 linear feet of perennial stream, temporarily impact 503 linear feet of perennial stream, permanently impact 0.12 acre of floodway, and temporarily impact 0.86 acre of floodway. As compensation for the permanent stream impacts, approximately 303 linear feet of Little Raccoon Run will be enhanced by installing streambank stabilization BMPs, consisting of log deflectors, a rock cross vane, log toe with branch layering, and toe wood with branch layering. The project site is located at 1357 Valleyview Road (Sub-basin 20D). Latitude: 40° 24' 2", Longitude: -80° 19' 27".

E0405223-007. Wright Brothers Development, VII, LLC, 1200 Sharon Road, Suite 1, Beaver, PA 15009, Vanport Township, **Beaver County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: July 17, 2023.

The applicant proposes to: Place and maintain fill in 0.136 acre of PEM wetland for the purpose of developing a clean fill site to mitigate an abandoned quarry high wall. The project will permanently impact 0.136 acre of PEM wetland. The applicant proposes to purchase 0.14 acre of PEM wetland mitigation banking. The project

site is located behind parcels that front 3rd Street, South Walnut Lane, Georgetown Lane and Olivia Street (Sub-basin 20B). Latitude: 40° 41' 20", Longitude: -80° 19' 19".

E04-361. Tri-State River Products, Inc., P.O. Box 218, Beaver, PA 15009, Ambridge Borough, Center Township, Conway Borough, Hopewell Township, Monaca Borough, Potter Township, Freedom Township, South Heights Borough, Vanport Township, City of Aliquippa, **Beaver County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: December 12, 2022.

The applicant proposes to: Amend DEP Permit No. E04-361, which authorizes the performance of commercial sand and gravel dredging in the Ohio River (WWF), to

1.) include the areas where commercial sand and gravel dredging is authorized by Permit No. E04-363 (i.e. to combine Permit Nos. E04-361 and E04-363 into one, single authorization), and

2.) continue to perform commercial sand and gravel dredging operations in the following areas of the Ohio River (WWF):

- from Ohio River Mile 15.9 to Ohio River Mile 16.35, (Upstream beginning point: Ambridge, PA Quadrangle N: 14.5 inches W: 15.0 inches; Latitude: 40° 34' 49", Longitude: -80° 14' 0". Downstream end point: Ambridge, PA Quadrangle N: 15.6 inches W: 15.3 inches; Latitude: 40° 35' 10", Longitude: -80° 14' 7"; originally permitted as E02-584-A18 and most recently authorized by Permit No. E04-363), right and left descending banks;

- from Ohio River Mile 16.35 to Ohio River Mile 16.4 (Upstream beginning point: Ambridge, PA Quadrangle N: 15.6 inches W: 15.3 inches; Latitude: 40° 35' 10", Longitude: -80° 14' 7". Downstream end point: Ambridge, PA Quadrangle N: 15.8 inches W: 15.4 inches; Latitude: 40° 35' 14", Longitude: -80° 14' 9"; originally permitted as E02-584-A18 and most recently authorized by Permit No. E04-363), left descending bank;

- from Ohio River Mile 21.9 to Ohio River Mile 22.3 (Upstream beginning point: Baden, PA Quadrangle N: 6.7 inches W: 17.2 inches; Latitude: 40° 39' 46", Longitude: -80° 15' 0". Downstream end point: Beaver, PA Quadrangle N: 7.6 inches W: 0.5 inches; Latitude: 40° 40' 4", Longitude: -80° 15' 15"), right and left descending banks, in Center Township and Conway Borough, Beaver County.

- from Ohio River Mile 22.3 to Ohio River Mile 22.7, (Upstream beginning point: Beaver, PA Quadrangle N: 7.7 inches W: 0.6 inch; Latitude: 40° 40' 2.51", Longitude: -80° 15' 14". Downstream end point: Beaver, PA Quadrangle N: 8.5 inches W: 0.8 inches; Latitude: 40° 40' 24", Longitude: -80° 15' 20"; originally permitted as E02-919-A13), right and left descending banks;

- from Ohio River Mile 22.7 to Ohio River Mile 23.3 (Upstream beginning point: Beaver, PA Quadrangle N: 8.5 inches W: 0.5 inches; Latitude: 40° 40' 24", Longitude: -80° 15' 20". Downstream end point: Beaver, PA Quadrangle N: 10.2 inches W: 0.8 inch; Latitude: 40° 40' 54", Longitude: -80° 15' 22"; originally permitted as E02-919-A13), right descending bank; and

- from Ohio River Mile 26.2 to Ohio River Mile 27.92 (Upstream beginning point: Beaver, PA Quadrangle N: 11.8 inches W: 6.8 inches; Latitude: 40° 41' 24", Longitude: -80° 17' 56". Downstream end point: Beaver, PA Quadrangle N: 9.9 inches W: 11.0 inches; Latitude: 40° 40' 48", Longitude: -80° 19' 45", originally permitted as E02-919 and E02-919-A14), right and Left Descending banks. Mitigation for the proposed impacts includes elevating the river bottom in a scoured area approximately

1 mile downstream of Phyllis Island in order to improve river habitat, within the Montgomery Pool of the Ohio River (WWF). The commercial sand and gravel dredging operations are located in the previously noted areas, in the Boroughs of Ambridge Conway, Monaca, Freedom, Beaver, South Heights, and Vanport, and the Townships of Center, Hopewell and Potter, and the City of Aliquippa, Beaver County. Latitude: 40° 34' 49", Longitude: -80° 14' 0".

E0205222-026. PA Department of General Services on Behalf of the PA Army National Guard, 1800 Herr Street, Arsenal Building, Harrisburg, PA 17125, Moon Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: September 12, 2022.

The applicant proposes to: 1. Construct and maintain a PVC 240' x 0.5" stream culvert underneath a parking lot, starting at the spring head water and carrying an unnamed tributary (UNT) to McClarens Run (WWF), 2. Construct and maintain a parking lot in 0.39 acre of the floodway of the same UNT to McClarens Run as previously noted, 3. To place and maintain fill in 0.005 acre of the floodway of a second UNT to McClarens Run (WWF), 4. To place and maintain fill in 0.031 acre of the floodway of the second UNT to McClarens Run, 5. To construct and maintain a security fence and associated gates in and along the second UNT to McClarens Run, 6. To remove an existing 45" CMP culvert (approximately 40' long) which carries an internal access road over a third UNT to McClarens Run (WWF), and to construct and maintain a replacement 45" CMP culvert. For the purpose of constructing a Combined Support Maintenance Shop for the PA Army National Guard. The project will cumulatively and permanently impact 280 LF of watercourse and 0.426 acre of floodway. The project will cumulatively and temporarily impact 0.55 acre of floodway. The project site is located at 1101 McClaren Road, Moon Township, PA 15108-7759 (Oakdale, PA; Sub-basin 20G). Latitude: 40° 28' 38", Longitude: -80° 12' 35".

E6505223-005. Laurel Valley Golf Club, P.O. Box 435, Ligonier, PA 15658, Ligonier Township, **Westmoreland County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: May 1, 2023.

The applicant proposes to: 1. Remove an existing 32 LF long 18-inch HDPE culvert which carries a cart path over Tributary 43755 to the Loyalhanna Creek (CWF), and to construct and maintain two (2) 18-inch diameter x 33 LF long culverts at another location in Tributary 43755; 2. Construct and maintain stream bank restoration along another 280 LF section of Tributary 43755, consisting of rock-lined bottoms and sod/turf banks, and vegetated banks; 3. Construct and maintain a 441 LF relocation of another section of Tributary 43755; 4. Place and maintain fill within an existing 0.12-acre water hazard pond and remove the outlet weir structure; 5. Dredge and maintain a second 0.19-acre pond to its original storage capacity; 6. Place and maintain fill within an existing 0.27-acre pond and remove the outlet weir structure, and to construct and maintain 249 LF of watercourse in its place; 7. The project will also permanently impact 1.8 acres of the floodway of Tributary 43755 to Loyalhanna Creek by grading to accommodate the proposed stream restoration and relocation. For the purpose of remediating bank failures due to erosion and water ponding, along an approximately 771 LF section of Tributary 43755 to Loyalhanna Creek and making improvements to the golf course. The project site is located at 175 Palmer Drive, Ligonier, PA 15658, Ligonier, PA (Sub-basin 18C). Latitude: 40° 13' 40", Longitude: -79° 14' 13".

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Niamh Hays, Water Program Specialist, 717-772-5959.

EA6715223-003. York County Rail Trail Authority, P.O. Box 335, Seven Valleys, PA 17360, Heidelberg Township, **York County.** U.S. Army Corps of Engineers Baltimore District. Application received: July 13, 2023.

The applicant proposes to restore Oil Creek and unnamed tributaries to Oil Creek (WWF, MF), by removing approximately 104,200 cubic yards of legacy sediment and other historic fills from the floodplain. The total length of channel being temporarily impacted during construction is approximately 7,600 linear feet, and the total area being temporarily impacted during construction and within the limits of disturbance is approximately 63 acres. The project proposes to restore approximately 17.7 acres of integrated wetland, stream and floodplain areas. Additional restoration activities proposed include: to place log sills, root wads, and other wood grade control structures and habitat structures in restored channels and floodplain areas; to place rock underlayment for grade control and bank armoring for bank stability; to construct temporary stream crossings, rock construction entrances, and other erosion controls during restoration activities; to construct a pedestrian bridge for public recreation. The restoration project consists of two project sites in Heidelberg Township, York County, PA. Site A includes approximately 3,300 linear feet of Oil Creek, located north of Hanover Road and west of Jacob's Road in Spring Grove, PA. Site B includes approximately 2,300 linear feet of Oil Creek, located north of Hanover Road and east of Jacob Mills Road in Hanover, PA Latitude: 39.834674°, Longitude: -76.923339°.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

EA0405223-003. US Army Corps of Engineers, Pittsburgh District, 1000 Liberty Avenue, Pittsburgh, PA 15222, Industry Borough, Potter Township and Raccoon Township, **Beaver County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: July 11, 2023. Latitude: 40° 38' 54.55", Longitude: -80° 23' 7.29".

The applicant proposes to:

1. Remove a portion of the existing dam and auxiliary lock chamber, at USACE's Montgomery locks and dam structure, and to construct and maintain a replacement 110 Linear Feet (LF) wide x 600 LF long lock chamber, within the Ohio River (WWF, N);
2. Operate and maintain the remaining portions of the existing dam and main lock chamber (existing main lock chamber to function as the auxiliary lock chamber, after construction);
3. Construct and maintain a 1,475 LF guard wall and bullnose coffer cells, in the Ohio River, at the downstream end of the new lock chamber;
4. Construct and maintain a 1,027 LF guard wall and bullnose coffer cells, in the Ohio River, at the upstream end of the new lock chamber;
5. Dredge approximately 640,000 CY of material from the Ohio River, in association with these construction activities—a majority of this material will be reused on site;

6. Construct and maintain five (5) river navigation dikes upstream, and one (1) river navigation dike downstream, in the Ohio River, for safer travel of barges through the lock;

7. Construct and maintain 270 LF of derrick stone along the downstream face of the existing dam, to fill existing scour holes;

8. Construct temporary coffer cells and other temporary erosion and sediment pollution control structures, which will be removed after construction;

For the purpose of replacing the deteriorating auxiliary chamber of the Montgomery locks and dam, with a new river chamber, in order to improve navigation on the Ohio River.

This project will cumulatively impact approximately 5,240 linear feet (24.8 acres) of the Ohio River, and will temporarily impact an additional 4,631 LF of the Ohio River. This project is the third phase of the Corps' improvements to its existing Montgomery locks and dam structure. DEP previously granted state water quality certification for two (2) other phases of this project—The Montgomery Concrete Batch Plant Project (DEP File No. EA0405223-001) and the Montgomery Slough Habitat Mitigation Project (DEP File No. EA0405223-002). These improvements to the Montgomery locks and dam structure are only one component of USACE's Upper Ohio River Navigation (UON) Project, which will include future improvements to its Emsworth and Dashields locks and dam structures. To provide aquatic habitat mitigation for the entire UON Project, USACE will improve habitat for fish and invertebrates within the Montgomery Slough through placement of brush reefs, consisting of large woody debris, in a 3.0-acre area of the Montgomery Slough (PA DEP File: EA0405223-002). The Montgomery Slough is an embayment of the Ohio River, which is located just upstream of the Montgomery Dam.

The project site is located in the Ohio River, at River Mile 31.7, off of Montgomery Dam Road (Midland, PA USGS topographic quadrangle; N: 40°, 38', 54.55"; W: -80°, 23', 7.29"; Sub-basins 20B and 20D; USACE Pittsburgh District), in Industry Borough, Potter Township, and Raccoon Township, in Beaver County.

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Individuals wishing to comment on the proposed permit are invited to submit a statement to the appropriate DEP Regional Office listed above the application within 30 days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held

after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Applications Received Under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: William Stevens, Clerical Supervisor 2, 412-442-4134.

ESCGP-3 # **ESCP # ESP0765230001-00**

Applicant Name **CNX Midstream Operating Company, LLC—Slickville Trunkline**

Contact Person Andrew Kinter

Address 1000 Horizon Vue Drive, Suite 1200

City, State, Zip Canonsburg, PA 15317-6506

Township(s) Bell Township, Loyalhanna Township, Salem Township

County **Westmoreland County**

Receiving Stream(s) and Classification(s) Trib 42946 to Beaver Run and UNTs; TSF, Trib 42951 to Beaver Run and UNTs; TSF, 43086 to Wolford Run and UNTs; WWF, Trib 43089 to Wolford Run and UNTs; WWF, Trib 43099 to Wolford Run and UNTs; WWF, Trib 43101 to Wolford Run and UNTs; WWF, Trib 42994 to Beaver Run and UNTs; HQ-CWF, Trib 42996 to Beaver Run; HQ-CWF, Trib 42997 to Beaver Run; HQ-CWF, Trib 43013 to Beaver Run and UNTs; HQ-CWF, Trib 43021 to Beaver Run; HQ-CWF, Trib 43023 to Beaver Run; HQ-CWF, Trib 43030 to Beaver Run and UNTs; HQ-CWF, Trib 43031 to Beaver Run and UNTs; HQ-CWF, Trib 43034 to Beaver Run; HQ-CWF, Beaver Run and UNTs; HQ-CWF, Trib 43007 to Porters Run; HQ-CWF, Porters Run and UNTs; HQ-CWF; Latitude 40.458951 Longitude -79.545078

Application received: August 19, 2023

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPpublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA030001D	Chapter 102 Individual NPDES Permit	Issued	RIDC 611 William Penn Place Suite 600 Pittsburgh, PA 15219	South Buffalo Township Armstrong County	NWRO
PA300005D	Chapter 102 Individual NPDES Permit	Issued	Peoples Natural Gas Co. LLC 375 North Shore Drive Suite 600 Pittsburgh, PA 15212-5866	Washington Township Greene County	SWRO
PAD020005	Chapter 102 Individual NPDES Permit	Issued	Almono LP 225 Fifth Avenue Pittsburgh, PA 15222	Pittsburgh City Allegheny County	SWRO
PAD060030	Chapter 102 Individual NPDES Permit	Issued	Dave and Ruth Mast 784 Memorial Highway Oley, PA 19547-8781	Oley Township Berks County	SCRO
PAD150094	Chapter 102 Individual NPDES Permit	Issued	Stoltzfus Enterprises 23 E Main Street Elverson, PA 19520-9385	East Nantmeal Township Chester County	SERO
PAD360103	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Allentown, PA 18104-9342	Heidelberg Township Lancaster County	SCRO
PAD390072	Chapter 102 Individual NPDES Permit	Issued	Brinley Court, LLC 2312 N Broad Street Colmar, PA 18915	Upper Saucon Township Lehigh County	NERO
PAD450053	Chapter 102 Individual NPDES Permit	Issued	Running Lane LLC 563 Carlton Road Tobyhanna, PA 18466-9737	Pocono Township Monroe County	NERO
PAD450182	Chapter 102 Individual NPDES Permit	Issued	Leeward Const Inc. 239 Golf Hill Road Honesdale, PA 18431-4169	Paradise Township Monroe County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD520005	Chapter 102 Individual NPDES Permit	Issued	Pocono Ranch Lands 112 Ranchlands Drive Bushkill, PA 18324-9080	Lehman Township Pike County	NERO
PAD560009	Chapter 102 Individual NPDES Permit	Issued	Conemaugh Township Somerset County 113 South Main Street Davidsville, PA 15928	Conemaugh Township Somerset County	SWRO
PAD640040	Chapter 102 Individual NPDES Permit	Issued	Snehal LLC 1242 Hamlin Highway Lake Ariel, PA 18436-9365	Salem Township Wayne County	NERO
PAD670076	Chapter 102 Individual NPDES Permit	Issued	Holstein Capital Management LLC 10 Bentzel Road York, PA 17404	York Township York County	SCRO
PA0244937	Industrial Stormwater Individual NPDES Permit	Issued	A Marinelli & Sons Inc. 405 North Walnut Street West Chester, PA 19380	Upper Darby Township Delaware County	SERO
0123804	Joint DEP/PFBC Pesticides Permit	Issued	Gettysburg Battlefield Resort 1960 Emmitsburg Road Gettysburg, PA 17325-7196	Cumberland Township Adams County	SCRO
0621804	Joint DEP/PFBC Pesticides Permit	Issued	Goodrich Lonnie 33 Docwill Drive Barto, PA 19504-8740	Washington Township Berks County	SCRO
0813813	Joint DEP/PFBC Pesticides Permit	Issued	Lake Omeadows Lake Owners Association P.O. Box 354 Little Meadows, PA 18830-0354	Warren Township Bradford County	NCRO
0913879	Joint DEP/PFBC Pesticides Permit	Issued	Timber Ridge Home Owner Assoc 975 Easton Road Suite 102 Warrington, PA 18976-1858	Upper Makefield Township Bucks County	SERO
0913884	Joint DEP/PFBC Pesticides Permit	Issued	Wolfe Don 71 Sweetbriar Road Perkasie, PA 18944-3866	Bedminster Township Bucks County	SERO
0913931	Joint DEP/PFBC Pesticides Permit	Issued	Peterson Eric 2597 Street Road Box 127 Lahaska, PA 18931	Buckingham Township Bucks County	SERO
0923810	Joint DEP/PFBC Pesticides Permit	Issued	Rufe Kenneth 2645 Steinsburg Road Quakertown, PA 18951-3837	Milford Township Bucks County	SERO
0923814	Joint DEP/PFBC Pesticides Permit	Issued	Klein Joe 1 Sarah Drive Newtown, PA 18940-4129	Wrightstown Township Bucks County	SERO
0923815	Joint DEP/PFBC Pesticides Permit	Issued	Reserve at Northampton Comm Assoc 950 Town Center Drive Suite B25 Langhorne, PA 19047-1866	Northampton Township Bucks County	SERO
1513839	Joint DEP/PFBC Pesticides Permit	Issued	East Goshen Township Chester County 1580 Paoli Pike West Chester, PA 19380-6107	East Goshen Township Chester County	SERO
1523829	Joint DEP/PFBC Pesticides Permit	Issued	Saunders Alison 2010 Newcomen Road Chester Springs, PA 19425-2027	Charlestown Township Chester County	SERO

NOTICES

5321

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
1723801	Joint DEP/PFBC Pesticides Permit	Issued	Irvona Municipal Authority Clearfield County P.O. Box 247 Irvona, PA 16656-0247	Chest Township Clearfield County	NCRO
3613858	Joint DEP/PFBC Pesticides Permit	Issued	Safe Harbor Water Power Corp 126 Lambertson Lane Hawley, PA 18428-7606	Manor Township Lancaster County	SCRO
4614808	Joint DEP/PFBC Pesticides Permit	Issued	Superior Tube Inc. 3900 Germantown Pike Collegeville, PA 19426-3112	Collegeville Borough Montgomery County	SERO
5323801	Joint DEP/PFBC Pesticides Permit	Issued	Brenda and Larry Kauffman 101 Huntingwood Drive Lancaster, PA 17602-1390	Ulysses Township Potter County	NCRO
6513818	Joint DEP/PFBC Pesticides Permit	Issued	Redstone Presb Seniorcare Inc. 6 Garden Center Drive Greensburg, PA 15601-1351	North Huntingdon Township Westmoreland County	SWRO
PAI133544	MS4 Individual NPDES Permit	Issued	Penbrook Borough 150 S 28th Street Harrisburg, PA 17103-1910	Penbrook Borough Dauphin County	SCRO
PA0096342	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Fairchance Georges Joint Municipal Sewer Authority 141 Big Six Road Smithfield, PA 15478-1601	Georges Township Fayette County	SWRO
PA0090328	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Green Valley Packing Inc. 2992 Green Valley Road Claysville, PA 15323-1360	Buffalo Township Washington County	SWRO
PA0092274	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Unity Township Municipal Authority 370 Pleasant Unity Mutual Road Greensburg, PA 15601-6388	Unity Township Westmoreland County	SWRO
1171403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Cambria Township Sewer Authority P.O. Box 247 Revloc, PA 15948-0247	Cambria Township Cambria County	SWRO
2410402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Benezette Township P.O. Box 45 16 Trout Run Road Benezette, PA 15821-0045	Benezette Township Elk County	NWRO
5088402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Landisburg Municipal Authority Perry County 77 W High Street Landisburg, PA 17040-8000	Tyrone Township Perry County	SCRO
6570410	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Jones Estates Stanton Hills PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-5798	Hempfield Township Westmoreland County	SWRO
NNOEXSC29	No Exposure Certification	Issued	Carpenter Co. 2337 E Pleasant Valley Boulevard Altoona, PA 16601-8965	Antis Township Blair County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXNW083	No Exposure Certification	Issued	Erie Ceramic Arts Co. LLC 1501 Michigan Street Sidney, OH 45365-3500	Millcreek Township Erie County	NWRO
NOEXNW232	No Exposure Certification	Issued	Berry Global Inc. 316 W 16th Street Erie, PA 16502-1807	Erie City Erie County	NWRO
NOEXSC198	No Exposure Certification	Issued	Carpenter Co. 5016 Monument Avenue Richmond, VA 23230-3620	Lititz Borough Lancaster County	SCRO
NOEXSW240	No Exposure Certification	Issued	Sensia LLC 1000 McClaren Woods Drive Coraopolis, PA 15108-7766	Findlay Township Allegheny County	SWRO
PAG030116	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	121 CD Assoc LP 106 Pintail Pointe Road New Hope, PA 18938	Richland Township Bucks County	SERO
PAG030163	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Central Bucks School District 320 W Swamp Road Doylestown, PA 18901-2401	Doylestown Township Bucks County	SERO
PAG030175	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Graphic PKG International LLC 1035 Longford Road Phoenixville, PA 19460	Upper Providence Township Montgomery County	SERO
PAG030186	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Intigral Inc. 365 Victoria Road Austintown, OH 44515-2006	Quakertown Borough Bucks County	SERO
PAG030240	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Republic Service of PA LLC 1235 Westlakes Drive Suite 310 Berwyn, PA 19312-2401	Philadelphia City Philadelphia County	SERO
PAG030280	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Silvi Concrete of Downingtown LLC 355 Newbold Road Fairless Hills, PA 19030	East Caln Township Chester County	SERO
PAG030286	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	PEL Healthcare LLC 650 Cathill Road Sellersville, PA 18960-1512	West Rockhill Township Bucks County	SERO
PAG032304	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Effort Foundry Inc. 6980 Chrisphalt Drive Bath, PA 18014-8505	East Allen Township Northampton County	NERO
PAG032348	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	United Parcel Service Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Scranton City Lackawanna County	NERO
PAG032394	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fabri-Kal LLC 150 Lions Drive Hazle Township, PA 18202-1166	Hazle Township Luzerne County	NERO
PAG033685	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Richland Partners LLC P.O. Box 659 Douglassville, PA 19518-0659	Mount Joy Township Lancaster County	SCRO

NOTICES

5323

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033686	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Richland Partners LLC d/b/a Leffler Energy P.O. Box 659 21 Unionville Road Suite 300 Douglassville, PA 19518-0659	Union Township Berks County	SCRO
PAG033695	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Aquatic Co. 40 Industrial Road Elizabethtown, PA 17022-9425	West Donegal Township Lancaster County	SCRO
PAG034002	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Champion Home Bldr Inc. 101 Garden Spot Road Ephrata, PA 17522-9760	East Cocalico Township Lancaster County	SCRO
PAG034860	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Under Pressure Connections LLC 825 US Highway 15 South Williamsport, PA 17702-8501	Armstrong Township Lycoming County	NCRO
PAG036395	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	HRI Inc. 1750 W College Avenue State College, PA 16801-2719	Richland Township Cambria County	SWRO
PAG036404	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	DB Pipe LLC 5790 Kennedy Avenue Export, PA 15632	McKeesport City Allegheny County	SWRO
PAG036467	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	FS Elliott Co. LLC P.O. Box 335 Youngstown, PA 15696-0335	Penn Township Westmoreland County	SWRO
PAG066103	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	Homestead Borough 221 E 7th Avenue Homestead, PA 15120-1511	Homestead Borough Allegheny County	SWRO
PAG136132	PAG-13 NPDES General Permit for MS4s	Waived	Dunlevy Borough P.O. Box 18 2 Walnut Street Dunlevy, PA 15432-0018	Dunlevy Borough Washington County	SWRO
1023409	Sewer Extensions Individual WQM Permit	Issued	Butler Area Sewer Authority 100 Litman Road Butler, PA 16001-3256	Butler Township Butler County	NWRO
1123401	Sewer Extensions Individual WQM Permit	Issued	Highland Sewer & Water Authority 120 Tank Drive Johnstown, PA 15904-3251	Richland Township Cambria County	SWRO
PA0209783	Single Residence STP Individual NPDES Permit	Issued	Novosel Jerry 41 Gearhart Road Pulaski, PA 16143-1117	Shenango Township Mercer County	NWRO
PA0239054	Single Residence STP Individual NPDES Permit	Issued	Deinert Gary W 16548 Sunwood Oval Strongsville, OH 44136-7500	Wayne Township Crawford County	NWRO
PA0263974	Single Residence STP Individual NPDES Permit	Issued	Clark Mariah 138 Saint Joe Road Butler, PA 16002-0050	Oakland Township Butler County	NWRO
PA0265608	Single Residence STP Individual NPDES Permit	Issued	Hall Dale 1242 Nebraska Road Tionesta, PA 16353	Green Township Forest County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0293261	Single Residence STP Individual NPDES Permit	Issued	Ziegler Ryan 8660 Baron Road McKean, PA 16426-1155	McKean Township Erie County	NWRO
1012401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Clark Mariah 138 Saint Joe Road Butler, PA 16002-0050	Oakland Township Butler County	NWRO
1500417	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Wight Briana 595 Cricket Lane Downingtown, PA 19335-4838	East Nantmeal Township Chester County	SERO
2523415	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Ziegler Ryan 8660 Baron Road McKean, PA 16426-1155	McKean Township Erie County	NWRO
PA0058548	Small Flow Treatment Facility Individual NPDES Permit	Issued	Keelersville Club 2522 Ridge Road Perkasie, PA 18944	East Rockhill Township Bucks County	SERO
PA0087564	Small Flow Treatment Facility Individual NPDES Permit	Issued	Roundtop Self Storage & Rentals LLC 3574 Taneytown Road Gettysburg, PA 17325-8635	Cumberland Township Adams County	SCRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090625	PAG-02 General Permit	Issued	M. Properties, LLC 1678 Pennington Road Ewing, NJ 08618-1315	Middletown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215.345.7577 x 110 RA-EPNPDES_SERO@ pa.gov
PAC090605	PAG-02 General Permit	Issued	Fairwinds Holdings, LLC 311 Sinclair Road Bristol, PA 19007-1524	Buckingham Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC510275	PAG-02 General Permit	Issued	Wexford Science and Technology 3675 Market Street Suite 200 Philadelphia, PA 19104	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC610024	PAG-02 General Permit	Issued	Cardinal Solar, LLC 3402 Pico Boulevard Santa Monica, CA 90405	Cranberry Township Venango County	Venango County Conservation District 4871 US 322 Franklin, PA 16323 814-676-2832
PAC370068	PAG-02 General Permit	Issued	New Castle (Wilmington) DPP LLC 9010 Overlook Boulevard Brentwood, TN 37027	Neshannock Township Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512

NOTICES

5325

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC430092	PAG-02 General Permit	Issued	Gill Development Group LLC 17 Westminster Place Grove City, PA 16127	Jackson Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC500056	PAG-02 General Permit	Issued	James Osborne 607 Sunbury Path Millerstown, PA 17062	Greenwood Township Perry County	Perry County Conservation District 31 West Main Street P.O. Box 36 New Bloomfield, PA 17068 717-582-8988
PAC440030	PAG-02 General Permit	Issued	Mifflin County School District 700 Pitt Street Lewistown, PA 17044	Derry Township Mifflin County	Mifflin County Conservation District 20 Windmill Hill Suite 4 Burnham, PA 17009 717-248-4695
PAC670632	PAG-02 General Permit	Issued	York Airport Properties LLC 950 Smile Way York, PA 17404	Jackson Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670636	PAG-02 General Permit	Issued	Robinson Lesh LLC 1640 West Lisburn Road Mechanicsburg, PA 17050	Washington Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAD630004A-9	PAG-02 General Permit	Issued	Wilderness Wildlife Center Foundation, Inc. 227 W Monroe Street Suite 500 Chicago, IL 60606	Robinson Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC630277	PAG-02 General Permit	Issued	339 Justabout Land Co, LLC 333 Technology Drive Suite 108 Canonsburg, PA 15317	Peters Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC650361	PAG-02 General Permit	Issued	To The Range Properties, LLC 6466 State Route 30 Jeannette, PA 15644	Hempfield Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271
PAC650364	PAG-02 General Permit	Issued	Stanton Farm, LLC 174 Tomlinson Drive Zelienople, PA 16063	South Huntingdon Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271

Permit Number	Permit Type	Action Taken	Applicant Name & Address	Municipality, County	Office
PAC130008	PAG-02 General Permit	Issued	First Northern Bank & Trust c/o Richard Strauss Fourth Street & Lafayette Avenue Palmerton, PA 18071	Mahoning Township Carbon County	Carbon County Conservation District 5664 Interchange Road Lehighon, PA 18235 610-377-4894 RA-EPWW-NERO@pa.gov

**STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

Agricultural Operation Name and Address	County	Total Acres	Animal Equivalent Units	Animal Type	Special Protection Waters (HQ or EV or NA)	Approved or Disapproved
Zack Akers 1218 Cherry Lane Clearville, PA 15535	Bedford County	221.3	117.18	Ducks/ Beef	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-

3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Ryan Fox, Environmental Engineering Specialist, 570-826-2533.

Construction Permit No. 6623501MA, Minor Amendment, Public Water Supply.

Applicant **Clarendon Acres Water Company**
 Address 105 Fieldcrest Dr.
 Tunkhannock, PA 18657
 Municipality Tunkhannock Township
 County **Wyoming County**
 Consulting Engineer Michael P. Goodwin, P.E.
 12 Frear Hill Road
 Tunkhannock, PA 18657
 Application Received February 8, 2023
 Permit Issued August 10, 2023
 Description Construction permit for 4-Log treatment system improvements.

Construction Permit No. 6423503, Major Amendment, Public Water Supply.

Applicant **Worobey Transport, Inc.**
 Address 539 Shehawken Road
 P.O. Box 72
 Preston Park, PA 18455
 Municipality Preston Township
 County **Wayne County**
 Consulting Engineer Max E. Stoner
 3705 Trindle Rd.
 Camp Hill, PA 17011
 Application Received May 5, 2023
 Permit Issued August 9, 2023
 Description Addition of Pennsylvania American Water Co. Lake Scranton as a bulk water hauling source.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Joseph Mattucci, Program Manager, 717-705-4931.

Transfer Permit No. 7360129, Public Water Supply.

Applicant **Pennsylvania American Water Company**
 Address 852 Wesley Drive
 Mechanicsburg, PA 17055
 Municipality Providence Township
 County **Lancaster County**
 Application Received May 1, 2023
 Permit Issued August 10, 2023
 Description The Department issued a transferred comprehensive operation permit to Pennsylvania American Water Company for its Creekside Water System.

Construction Permit No. 6723515 MA, Minor Amendment, Public Water Supply.

Applicant **Dillsburg Area Authority**
 Address 98 West Church Street
 Dillsburg, PA 17019
 Municipality Franklin Township
 County **York County**
 Consulting Engineer Joel Kostelac, P.E.
 225 Grandview Avenue
 Camp Hill, PA 17011
 Application Received July 24, 2023
 Permit Issued August 10, 2023
 Description The Department issued a permit to Dillsburg Area Authority for the rescission of the operation permit and the abandonment of Well No. 1.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

Operation Permit 0522505 MA. PWSID No. **4050467**. **Sac, Inc.**, 4588 Business Rt 220, Bedford, PA 15522, East Providence Township, **Bedford County**. Application received: July 24, 2023. Permit Issued: August 8, 2023. This permit approves operation of the 4-log disinfection system approved under construction permit 0522505 MA.

Emergency Permit 2823509 E. PWSID No. **7210043**. **Shippensburg Borough Authority**, 111 North Fayette Street, Shippensburg, PA 17257, Lurgan Township, **Franklin County**. Application received: August 8, 2023. Permit Issued: August 11, 2023. This emergency permit authorizes the removal of the existing underdrain in filter # 2, the installation of a new underdrain in the filter, and the replacement of the media above the underdrain.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

NCWSA Operation Permit 7011011. PWSID No. **7011011**. **R&L Orchard Co**, 495 Clines Church Road, Gardners, PA 17324, Menallen Township, **Adams County**. Application received: August 1, 2023. Permit Issued: August 10, 2022. Installation of a cation exchange system for hardness removal.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 2122502. PWSID No. **7210886**. **Calvary Chapel Harrisburg**, 702 Lisburn Road, Camp Hill, PA 17011, Silver Spring Township, **Cumberland County**. Application received: August 14, 2023. Permit Issued: August 15, 2023. New water system and 4-log treatment of viruses.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

4-log Treatment of Viruses for Groundwater Sources Permit 1122511GWR. PWSID No. **4110003**. **Northern Cambria Municipal Authority**, 1202 Philadelphia Avenue, Northern Cambria, PA 15714, Northern Cambria Borough, **Cambria County**. Application re-

ceived: November 30, 2022. Permit Issued: August 9, 2023. 4-log treatment of Viruses for Groundwater Sources for the Hazeltine Mine Source (Source 004).

Water Allocation Permit WA56-1013A. PWSID No. 4560046. **Somerset Township Municipal Authority**, P.O. Box 247, Somerset, PA 15501, **Somerset County**. Application received: December 27, 2022. Permit Issued: August 9, 2023. Right to purchase up to 950,000 gallons of water per day, peak month, 30-day average from the Municipal Authority of the Borough of Somerset.

Operation Permit 1123509MA. PWSID No. 4110017. **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, Croyle Township, **Cambria County**. Application received: August 1, 2023. Permit Issued: August 11, 2023. Approximately 8,550 linear feet of 12-inch diameter waterline and appurtenances along Frankstown Road (SR 2006) and Lake Road.

Operation Permit 1123501MA. PWSID No. 4110017. **Highland Sewer & Water Authority**, 120 Tank Drive, Johnstown, PA 15904, Summerhill Township, **Cambria County**. Application received: June 2, 2023. Permit Issued: August 14, 2023. Use of the flow-weighted average of the individual filter effluent (IFE) turbidities to report the combined filter effluent (CFE) turbidity at the Beaverdam Water Treatment Plant.

Operation Permit 5622507. PWSID No. 4560037. **Hooversville Borough**, 50 Main Street P.O. Box 176, Hooversville, PA 15936, Hooversville Borough, **Somerset County**. Application received: August 7, 2023. Permit Issued: August 14, 2023. Interconnection with the Cone-maugh Township Municipal Authority (including 9,000 linear feet of waterline and appurtenances and the Hooversville Pump Station) and approximately 14,000 linear feet of waterline and appurtenances throughout the Hooversville distribution system.

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie Wilt, Sewage Planning Specialist II, 717-705-4755.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Dallastown Borough	175 East Broad Street Dallastown, PA 17313	York County

Plan Description:

Colonial Park, A3-67804-033-3m. Supplemental information received to update an Act 537 minor revision of Dallastown Borough, **York County**. The project is known as Colonial Park. The plan provides for a change in location for a pump station previously proposed in a minor plan revision approved on September 17, 2015. The location change will shorten the length of required force main. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-67804-033-3m and the APS ID is 874075.

Contact: Noah D. Niedererr, Sewage Planning Specialist, 717-705-4768.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Logan Township	7228 Diamond Valley Road Alexandria, PA 16611	Huntingdon County

Plan Description:

Justin Vreeland, A3-31922-047-3S. Approval of a revision to the official plan of Logan Township, **Huntingdon County**. The project is known as the Justin Vreeland Small Flow Treatment Facility (SFTF) proposal. The plan provides a SFTF to serve an existing single-family residential dwelling on 1.04 acres with total estimated sewage flows of 400 gpd. The SFTF will replace a malfunctioning on-lot disposal system. There will be a proposed stream discharge to Shaver Creek. The proposed development is located at 7024 Willow Brook Road in Logan Township, Huntingdon County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-31922-047-3S and the APS ID is 1091426. Any permits must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREMABLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Homes at Thackston Park Phase 2, Primary Facility ID # **854009**, 300-342 W College Avenue, York, PA 17401, City of York, **York County**. Element Environmental Solutions, Inc., 61 Willow Street, P.O. Box 921, Adamstown, PA 19501, on behalf of York Housing Authority, 31 South Broad Street, York, PA 17403, submitted a Final Report concerning remediation of soil contaminated with metals. The Final Report is intended to document remediation of the site to meet the site-specific standards.

U-Haul of Lebanon, Primary Facility ID # **866241**, 1435 West Cumberland Street, Lebanon, PA 17042, City of Lebanon, **Lebanon County**. United Environmental Services, Inc., 1143 Long Run Road, Schuylkill Haven, PA 17972, on behalf of U-Haul Storage of Harrisburg, 14 Laurel Street, Lebanon, PA 17046, submitted a Final Report concerning remediation of soil contaminated with leaded gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREMABLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the

abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

CVS Pharmacy No. 11040, Primary Facility ID # **824870**, 131 East Main Street, Hummelstown, PA 17063, Hummelstown Borough, **Dauphin County**. ECS Mid-Atlantic, LLC, 52-6 Grumbacher Road, York, PA 17406, on behalf of Pennsylvania CVS Pharmacy, LLC, One CVS Drive, Woonsocket, RI 02895, submitted a Final Report concerning remediation of soil and groundwater contaminated with petroleum related compounds. The Final Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: August 8, 2023.

Lion Auto Service, Inc., Primary Facility ID # **857804**, 781 Delta Road, Red Lion, PA 17365, Windsor Township, **York County**. United Environmental Services, Inc., 1143 Long Run Road, Schuylkill Haven, PA 17972, on behalf of Lion Auto Service, Inc., 781 Delta Road, Red Lion, PA 17365, submitted a Final Report concerning remediation of soil contaminated with No. 2 Heating Oil. The Final Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: August 9, 2023.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

WMGM015NW001. Dirt Works Organics, LLC, 4735 Shannon Road, Erie, PA 16510, Harborcreek Township,

Erie County. This General Permit covers the processing and beneficial use of wood and timber waste (i.e. tree stumps, limbs, cleanwood, untreated and unpainted wood and pallets) and the leaf and yard waste as mulch and compost. Application received: November 11, 2022. Denied: July 25, 2023.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AG5-14-00005A: Superior Midstream Appalachian, LLC, 400 Town Center Blvd, Suite 220, Canonsburg, PA 15317, Snow Shoe Township, **Centre County**. The Department approved authorization for the continued operation of one (1) 40 million standard cubic feet per day triethylene glycol dehydration unit equipped with a flash tank and a 1.0 MMBtu/hr natural gas-fired reboiler burner, one (1) 10.5 MMscf/d triethylene glycol dehydration unit equipped with a flash tank and an associated 1.0 MMBtu/hr natural gas-fired reboiler burner, one (1) 8,820-gallon waste fluids storage tank with truck loadout, one (1) 500-gallon triethylene glycol tank, one (1) natural gas-fired tank heater rated at 0.08 MMBtu/hr along with piping and associated fugitive components pursuant to the General Plan Approval and/or General Operating Permit BAQ-GPA/GP-5 for Natural Gas Compression Stations, Processing Plants, and Transmissions Stations (BAQ-GPA/GP-5) at the Snow Shoe Dehydration Station. Application received: June 27, 2023. Authorized: August 10, 2023. Expiration date: August 9, 2028.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Mark J Wejkszner, Air Quality Program Manager, 570-826-2511.

GP3-35-034: Mellott Company, LLC, 100 Mellott Drive, Warfordsburg, PA 17267, Covington Township, Archbald Borough, **Lackawanna County**. For the construction and operation of a portable crushing operation with water sprays. Application received: July 20, 2023. Issued: August 9, 2023.

GP11-35-020: Mellott Company, LLC, 100 Mellott Drive, Warfordsburg, PA 17267, Covington Township, Archbald Borough, **Lackawanna County**. For the operation of IC engines. Application received: July 20, 2023. Issued: August 9, 2023.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2507

AG5A-58-00056A: Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, Jessup Township, **Susquehanna County**. For the construction and opera-

tion of one (1) 690 BHP Caterpillar G3508J 4SLB natural gas-fired compressor engine controlled by an oxidation catalyst, and seven (7) small heaters <5 MMBtu/hr each, pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) located at Rag Apple LLC Pad 1. Application received: June 8, 2023. Issued: July 27, 2023.

AG5A-58-00057A: Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, Jessup Township, **Susquehanna County**. For the construction and operation of one (1) 690 BHP Caterpillar G3508J 4SLB natural gas-fired compressor engine controlled by an oxidation catalyst, and four (4) small heaters <5 MMBtu/hr each, pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) located at JHHC Pad 1. Application received: June 29, 2023. Issued: July 25, 2023.

AG5A-58-00058A: SWN Production Company, LLC, P.O. Box 12359, Spring, TX 77391, New Milford Township, **Susquehanna County**. For the construction and operation of two (2) 1,380 BHP Caterpillar G3516B 4SLB natural gas-fired compressor engine controlled by oxidation catalysts, and six (6) small heaters <5 MMBtu/hr each, pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) located at RU-75 SGL A Pad. Application received: July 14, 2023. Issued: August 9, 2023.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

AG5A-58-00059A: Coterra Energy, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, Springville Township, **Susquehanna County**. **AG5A-58-00059A: Coterra Energy** (2000 Park Lane, Suite 300, Pittsburgh, PA 15275) on August 7, 2023 a general Operating Permit GP5A issued for the construction & operation of a Unconventional Natural Gas Well Site at Russo, B. Pad 1 located in Springville Twp., Susquehanna County. Application received: July 20, 2023. Issued: August 7, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, Environmental Engineer Manager, 814-332-6328.

AG5-03-00016A: EXCO Appalachia Midstream, LLC, 12377 Merit Drive, Suite 1700, Dallas, TX 75251, Kittanning and Plumcreek Townships, **Armstrong County**. The Department authorized the continued operation of one (1) 1,380 bhp 2011 model year Caterpillar model G3516B four-stroke lean-burn natural gas-fired compressor engines equipped with an Emit oxidation catalyst, one (1) 30 MMscf/day Exterran dehydration unit equipped with a 1.0 MMBtu/hr natural gas-fired reboiler and flash tank, one (1) 17 kW Generac Guardian emergency generator powered by a 22.8 bhp natural gas-fired engine, one (1) 8,820-gallon produced water tank, one (1) 1,000-gallon compressor oil tank, one (1) 250-gallon waste oil tank along with truck load-out operations, miscellaneous gas venting, pigging operations, fugitive emissions from component leaks and access road emissions at the Sawmill Compressor Station pursuant to the General Plan Approval and/or General Operating Permit for Compression Stations, Processing Plants and Transmission Stations (BAQ-GPA/GP-5). Application received: March 2, 2023. Renewal issued: August 10, 2023. New expiration date: August 9, 2028.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, New Source Review Section Chief, 814-332-6328.

37-00013H: CEMEX Construction Materials Atlantic, LLC, 2001 Portland Park, Wampum, PA 16157-3913, Wampum Borough, **Lawrence County**. The Department issued a Plan Approval for re-activation of the bagging machines used to package cement. The facility's cement operations were deactivated in 2010. The facility currently operates under Title V permit 37-00013 as a transfer station/cement terminal. The project includes three bagging machines, each of which is controlled by an existing baghouse. Current emissions, including this project, are below Title V permitting thresholds; however, plan approval 37-00013G, issued on October 6, 2022 was issued prior to the Title V Operating Permit renewal, and so its status as a Title V facility was maintained. The plan approval contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications of the application for plan approval, an initial Operating Permit amendment application addressing the inclusion of the plan approval may be submitted for the facility per 25 Pa. Code Chapter 127. Application received: February 24, 2023. Issued: August 8, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05106C: Premier Custom Built, Inc., 110 Short Street, New Holland, PA 17557, East Earl Township, **Lancaster County**. For the installation of a spray booth at their cabinet manufacturing facility. Plan Approval No. 36-05106C is for the installation of a Global Finishing Solutions model DFECG-120815-NSB-SD-SP-FW fully enclosed spray booth. The booth will have an airflow of 9,600 scfm and will be controlled by dry panel filters. Coatings will be applied using HVLP guns that will ensure a high transfer efficiency. Additionally, the booth will be equipped with a 0.7857 mmBtu/hr natural gas direct fired make-up air unit. Application received: April 24, 2023. Issued: August 8, 2023.

22-03109A: Dimon Funeral Home & Cremation Services, Inc., 201 East Market Street, Williamstown, PA 17098, Williamstown Borough, **Dauphin County**. For a new crematory unit at their funeral home. Application received: February 10, 2023. Issued: August 8, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief: 484-250-5920.

23-0038F: Delcora STP, 3201 W Front St, Chester, PA 19013-1829, City of Chester, **Chester County**. This action is for an extension for construction and operation of a new air pollution control system for each of the two

multiple hearth incinerators, comprising quench, multi-venturi scrubber, wet electrostatic precipitator and regenerative thermal oxidizer. Each of the incinerators were modified to remove the afterburner function from the incinerators' upper hearths and replace that with the RTO downstream. Application received: August 4, 2023. Issued: August 8, 2023.

09-0152G: Gelest Inc., 11 Steel Rd E, Morrisville, PA 19067-3613, Falls Township, **Bucks County**. This action is for the installation and operation of ten (10) reactor vessels and one (1) filter dryer at a specialty chemical manufacturing facility. Application received: January 11, 2023. Issued: August 14, 2023.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05001E: Magnesita Refractories Co., 425 South Salem Church Road, York, PA 17408-5955, West Manchester Township, **York County**. For the refractory manufacturing facility. Plan Approval No. 67-05001E authorizes the increased capacity in the facility's rotary kilns. The rotary kilns and cure oven will be fitted with additional natural gas burners to increase production by an estimated 118 tons product per hour. The rotary kilns will have additional NO_x and SO_x controls installed as part of this plan approval. The plan approval was extended. Application received: July 25, 2023. Issued: August 8, 2023.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-03003E: Bayer Healthcare, LLC, 400 West Stoever Avenue, Myerstown, PA 17067, Myerstown Borough, **Lebanon County**. For the installation of a Combined Heat and Power (CHP), 2.0 MW, Siemens Model KG2 3G (or similar) natural gas fired combustion turbine. The turbine will be equipped with a heat recovery steam generator (HRSG). NO_x emissions will be controlled by a Dry Low Emissions (DLE) combustion system. The CHP system will be installed at the Myerstown plant. The plan approval was extended. Application received: July 28, 2023. Issued: August 8, 2023.

Plan Approval(s) Denied, Terminated, Modified, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and the Provisions of 25 Pa. Code §§ 127.13b and 127.13c.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0244: MM Metals/Falls, 53 Middle Drive, Fairless Hills, PA 19030, Falls Township, **Bucks County**. A minor modification to the plan approval for the installation of a new low-carbon ferrochrome alloy manufacturing and for the installation of a new replacement plasma arc furnace associated with Source ID 104 (Low Carbon Ferrochrome Production), now listed as Source ID 104A. Application received: June 7, 2023. Issued: August 8, 2023.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

16-00132: Clarion Boards, LLC, P.O. Box 340, Shippenville, PA 16254, Paint Township, **Clarion County**. The Department renewed the Title V Operating Permit for the operation of Clarion Boards, a manufacturer of medium density fiberboard. The facility's primary emission sources include: 137 million Btu/hr wood dust burner and drying and press system controlled by a RTO; sawing, sanding, and finishing systems; 2 diesel-fueled emergency engines; and 4 natural gas fueled 5,966 hp electric generators. The facility is a major source of CO and NO_x. Actual reported emissions for the facility for 2022 were: 84 tons NO_x; 19 tons SO_x; 68 tons CO; 32 tons PM₁₀; 2 tons PM_{2.5}; 11.94 tons VOCs; 8.7689 tons all HAPs combined; and 192,289 tons CO₂. This facility is subject to the following Standards of Performance of 40 CFR Part 60: Subpart JJJJ for Stationary Spark Ignition Internal Combustion Engines. It is also subject to the following National Emission Standards for Hazardous Air Pollutants in 40 CFR Part 63: Subpart ZZZZ for Stationary Reciprocating Internal Combustion Engines. The facility is subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The conditions of the previous plan approvals and Operating Permit are incorporated into the renewal permit. Application received: June 9, 2020. Renewal issued: July 14, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

28-05002: Letterkenny Army Depot—US Department of Defense, AMLD-EN, One Overcash Avenue, Chambersburg, PA 17201, Greene Township and Letterkenny Township, **Franklin County**. For the Letterkenny Army Depot. The Title V permit was renewed. Application received: October 20, 2022. Issued: August 9, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00038: Xylem Water Solutions Zelienople, LLC, 455 East 8th Street, Watsontown, PA 17777, Delaware Township, **Northumberland County**. The Department issued a renewal State Only Operating Permit for the Xylem Water Solutions facility. The State Only Operating Permit contains all applicable regulatory requirements including testing, monitoring, recordkeeping and reporting conditions to ensure compliance with State and Federal regulations. Application received: November 17, 2022. Renewal issued: August 1, 2023. New expiration date: July 31, 2028.

47-00010: Kurt Weiss Danville, LLC, 233 PPL Road, Danville, PA 17821, Anthony Township, **Montour County**. The Department issued a renewal State Only (Natural Minor) Operating Permit for the greenhouse facility. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions to ensure compliance with State and Federal regulations. Application received: October 31, 2022. Renewal issued: August 10, 2023. New expiration date: August 9, 2028.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00152: Triangle Gasoline Co, 1100 N Main St., Ext, Butler, PA 16001-1958, Butler Township, **Butler County**. The Department issued a renewal of the State Only Operating Permit for the bulk gasoline plant (three gasoline storage tanks) with vapor recovery system. The facility also has a small parts washer. The facility is subject to the NESHAPs for Area Sources for Gasoline Bulk Plants in 40 CFR 63 Subpart BBBB. The gasoline throughput from the facility is less than 20,000 gallons per day. The potential VOC emissions from the facility are approximately 3 TPY. The facility is located in Butler Township, Butler County. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: May 18, 2022. Renewal issued: August 11, 2023.

10-00030: Concast Metal Products Company, 131 Myoma Road, Mars, PA 16046-2227, Adams Township, **Butler County**. The Department issued a renewal of the State Only Operating Permit of a foundry that produces continuous cast and wrought copper alloy products. Permitted sources at the facility are electric induction furnaces and associated casters, machining operations, and two natural gas-fired emergency generators. The natural gas-fired emergency generators are EPA-certified generator sets, which are subject to 40 CFR 60 Subpart JJJJ pertaining to New Source Performance Standards (NSPS) for Stationary Spark Ignition Internal Combustion Engines. With PTEs of 33.79, 3.43, 2.01, 0.17, 0.01, and 0.03 for PM₁₀, NO_x, CO, VOC, SO_x, and HAPs, respectively, the facility is Natural Minor for permitting purposes. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: April 19, 2022. Renewal issued: August 8, 2023.

23-00019: Forest State Correctional Institute, One Woodland Dr, Marienville, PA 16239, Jenks Township, **Forest County**. The Department intends to issue a renewal of the State Only Operating Permit for the State Correctional Institution (a.k.a. Forest SCI). The primary sources at the facility include 2 natural gas fueled boilers rated at 25 million Btu/hr each and 1 natural gas fueled boiler rated at 12.5 million Btu/hr, several small natural gas fueled heaters, two 2,931 hp No. 2 oil fueled emergency generators, and a 149 hp oil fueled emergency generator. The facility is a Synthetic Minor. Actual emissions reported from the facility for 2022 were as follows: 3.65 tons CO; 1.87 tons NO_x; 0.31 ton PM₁₀; 0.37 ton SO_x; and 0.25 ton VOC. Potential emissions are as follows: PM

16.49 tpy; NO_x 81.76 tpy; SO_x 13.14 tpy; CO 70.92 tpy; VOC 17.47 tpy. The facility is subject to 40 CFR Part 60 Subpart Dc, Standards of Performance Small Industrial—Commercial—Institutional Steam Generating Units. It is also subject to 40 CFR Part 63 Subpart CCCCC, National Emission Standards for Hazardous Air Pollutants for Gasoline Dispensing Facilities. The 149 hp emergency generator is subject to 40 CFR Part 60 Subpart IIII, New Source Performance Standards for Stationary Compression Ignited Internal Combustion Engines. The permit incorporates plan approvals previously issued to the facility and contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: July 12, 2022. Renewal issued: July 23, 2023.

62-00018: Warren State Hospital, 33 Main Dr., Warren, PA 16365, Conewango Township, **Warren County**. The Department issued the renewal of the State Only Operating Permit for Warren State Hospital. The significant sources at this facility are 6 dual-fueled boilers, various natural gas fueled small space and water heaters, and 10 diesel-fueled emergency power generators. The 7 emergency generators installed prior to 2006 are each limited to a maximum of 325 hours of operation in any 12 consecutive month period. The boilers primarily burn natural gas. Periodic testing of liquid fuels in the boilers shall not exceed a combined total of 48 hours during any calendar year. Two of the emergency power generators are subject to 40 CFR 60, Subpart IIII, the New Source Performance Standards for Stationary Compression Ignition Internal Combustion Engines. Actual emissions reported from the facility for 2022 were as follows: 5.68 tons CO; 6.76 tons NO_x; 0.21 ton PM₁₀; 0.05 ton SO_x; and 0.40 ton VOC. This facility is a Synthetic Minor. The potential emissions from this facility are as follows: 32.98 tpy CO; 61 tpy NO_x; 5.74 tpy PM₁₀; 17.42 tpy SO_x; and 2.8 tpy VOC. The conditions of the previous plan approvals and Operating Permit are incorporated into the renewal permit. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: June 30, 2022. Renewal issued: August 7, 2023.

25-00964: FMC Technologies, Inc., 1602 Wagner Ave, Erie, PA 16510-1444, City of Erie, **Erie County**. The Department issued a renewal State Only Natural Minor Operating Permit for the manufacturing facility. The facility's primary emission sources include natural gas space heaters (16.202 mmBtu/hr total), two (2) paint booths, parts wash stations, a steam jenny, two (2) natural gas-fueled emergency generators, a diesel-fired water pump engine, and a heat treat oven. The potential emissions of the primary pollutants from the facility are as follows: 12.34 TPY NO_x, 13.05 TPY CO, 7.94 TPY VOC, 0.78 TPY PM₁₀ and PM_{2.5}, and 0.11 TPY SO_x; thus, the facility is a natural minor. Emergency Generator 2 (R&D) is subject to 40 CFR Part 60 Subpart JJJJ, the New Source Performance Standards for Stationary Spark Ignition Internal Combustion Engines. The diesel-fired water pump engine is subject to 40 CFR 60 Subpart IIII, NSPS for Stationary Compression Ignition Internal Combustion Engines. The renewal permit contains emission restrictions, recordkeeping, work practices, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: July 19, 2022. Renewal issued: August 8, 2023.

61-00147: PA DHS Polk Center, Route 62, P.O. Box 94, Polk, PA 16342, Polk Borough, **Venango County**. The Department issued the renewal of the State Only Operating Permit for PA DHS Polk Center for the intermediate care facility. The facility is a Synthetic Minor. The primary sources at the facility consist of three coal boilers limited to 2,500 tons of coal for each boiler, 28.6 MMBtu/hr natural gas boiler, miscellaneous natural gas fired units rated less than 2.5 MMBtu/hr, emergency generators. The actual reported emissions for this facility in 2022 are (TPY): 21.4 NO_x, 16.2 SO_x, 4.3 CO, 1.8 PM, 0.8 VOC, 0.5 HAPs, and 7,736.7 CO₂. The renewal permit also contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: July 11, 2022. Issued: August 8, 2023.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Edward Wiener, Chief, Source Registration 215-685-9426.

OP23-000016: Comcast OTN, Office & Call Center, 11400 Northeast Avenue, Philadelphia, PA 19116, City of Philadelphia, **Philadelphia County**. The City of Philadelphia, Air Management Services (AMS) issued a renewal of the Natural Minor Operating Permit (NMOP) for the operation of an office and call center in the City of Philadelphia, Philadelphia County. The facility's air emission sources include six diesel-fired emergency generators with ratings from 230 kilowatts to 1,111 kilowatts. Application received: April 28, 2023. Issued: August 9, 2023.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00016: Plastic Development Company, P.O. Box 4007, Williamsport, PA 17701, Woodward Township, **Lycoming County**. The Department issued a revised Title V Operating Permit for a change in the responsible official and permit contact for their PDC Spas manufacturing facility. Application received: July 17, 2023. Effective: August 10, 2023. Revised: August 10, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

42-00154: Bradford Hospital, 116 Interstate Pkwy., Bradford, PA 16701, City of Bradford, **McKean County**. The Department issued an administrative amendment of the State Only Operating Permit for the facility to incorporate the change of responsible official and permit contact. Application received: May 8, 2023. Revised: July 25, 2023.

43-00270: CCL Container Advanced Monobloc Aerosol Division, 1 Llodio Drive, Hermitage, PA 16148, City of Hermitage, **Mercer County**. The Department issued an administrative amendment of the Title V Operating Permit for the facility to incorporate the new responsible official and permit contact. Application received: June 21, 2023. Revised: August 3, 2023.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-03029: GAF, formerly Elk Corporation of Texas, 401 Weavertown Road, P.O. Box 228, Myerstown, PA 17067-0228, Jackson Township, **Lebanon County**. Pursuant to 25 Pa. Code 127.449(i), this *Pennsylvania Bulletin* Notice is for de minimis emissions increases of 0.42 ton/yr of PM/PM₁₀, 0.18 ton/yr of VOC, 0.01 ton/yr of SO₂, 0.65 ton/yr of NO_x, 1.09 ton/yr of CO, and 0.003 ton/yr of HAP resulting from increasing asphalt shingle production from 90 tons/hour to 100 tons/hour for the shingle manufacturing facility. This is the first de minimis increase at the facility during the term of the current Operating Permit.

36-03066: Perdue Agribusiness, LLC, 1609 River Road, Marietta, PA 17547-9504, East Donegal Township, **Lancaster County**. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for the de minimis emissions increase of 0.60 tpy PM₁₀, resulting from the transloading of feed and feed products (such as soymeal) through the rail transload. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

36-05136: Energy Developments Honey Brook, LLC, 481 South Churchtown Road, Narvon, PA 17555, Caernarvon Township, **Lancaster County**. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for a de minimis emissions increase of 0.005 tpy of PM₁₀, 0.13 tpy of SO₂, 0.01 tpy of NO_x, 0.20 tpy of CO, and 0.0005 tpy of VOCs for the operation of a temporary flare at the LFG-to-energy facility. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

61-00011: Sasol Chemicals USA, LLC, 292 State Route 8, Oil City, PA 16301-5626, Cornplanter Township, **Venango County**. The facility ceased operation at this site and is no longer operating any air contamination sources which require an Air Quality Operating Permit. The permit was therefore revoked. Application received: July 6, 2023. Revoked: July 24, 2023.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 56140702. NPDES No. PA0236306. Laurel Prep Plant, LLC, 1501 Ligonier Street, Latrobe, PA 15650, Shade Township, **Somerset County**. To revise the NPDES permit to remove TDS effluent limits from outfall 001. Application received: April 12, 2023. Accepted: April 12, 2023. Issued: July 11, 2023.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17980104. NPDES No. PA0237922. Swisher Contracting, Inc., P.O. Box 1223, Clearfield, PA 16830, Lawrence Township, **Clearfield County**. Renewal of a bituminous surface coal mine and associated NPDES permit, for reclamation only with the continued operation and maintenance of mine drainage water treatment systems, affecting 84.0 acres. This renewal does not contain revisions to the existing operation. Receiving stream(s): Moose Creek classified for the following use(s): CWF, MF. Application received: December 13, 2022. Accepted: December 28, 2022. Issued: August 10, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 19950101. Blaschak Anthracite Corp., P.O. Box 12, Mahanoy City, PA 17948, Conyngham Township and Centralia Borough, **Columbia County**. Renewal of an anthracite surface mine, coal refuse disposal and coal preparation plant operation affecting 1,374.29 acres. Receiving streams: Shamokin Creek and Mahanoy Creek. Application received: March 24, 2021. Renewal issued: August 14, 2023.

Mining Permit No. 19950101. GP104 Permit No. PAM111046. Blaschak Anthracite Corp., P.O. Box 12, Mahanoy City, PA 17948, Conyngham Township and Centralia Borough, **Columbia County.** Renew coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP-GP-104). Receiving streams: Shamokin Creek and Mahanoy Creek. Application received: March 24, 2021. Coverage issued: August 14, 2023.

Mining Permit No. 13070101. Lehigh Anthracite, LP, 1233 East Broad Street, Tamaqua, PA 18252, Nesquehoning Borough, **Carbon County.** Renewal of an anthracite surface mine operation affecting 252.3 acres. Receiving stream: Nesquehoning Creek. Application received: August 30, 2022. Renewal issued: August 14, 2023.

Mining Permit No. GP12 Permit No. GP12-19950101. Blaschak Anthracite Corp., P.O. Box 12, Mahanoy City, PA 17948, Conyngham Township and Centralia Borough, **Columbia County.** Renewal of general Operating Permit to operate a coal preparation plant. Application received: March 24, 2021. Coverage issued: August 14, 2023.

Mining Permit No. 40663028. Ebervale Mining Division, LLC, 100 Hazlebrook Road, PA 18201, Hazle Township, **Luzerne County.** Transfer of an anthracite surface mine, coal refuse reprocessing and refuse disposal operation from Pagnotti Enterprises, Inc. and increase the permitted acres to 536.0 acres. Receiving stream: Black Creek. Application received: February 23, 2023. Transfer issued: August 14, 2023.

Mining Permit No. 40663028. GP104 Permit No. PAM123005. Ebervale Mining Division, LLC, 100 Hazlebrook Road, PA 18201, Hazle Township, **Luzerne County.** Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: Black Creek. Application received: February 23, 2023. Coverage issued: August 14, 2023.

Noncoal Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 42232801. Duffy, Inc., P.O. Box 374, Smethport, PA 16749, Keating Township, **McKean County.** Commencement, operation and restoration of a small industrial minerals mine. Application received: May 3, 2023. Issued: August 14, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 58232502. MM Quarries, Inc., 1202 Marshwood Road, Throop, PA 18512, Lenox Township, **Susquehanna County.** Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving stream: UNT to East Branch Tunkhannock Creek. Application received: December 29, 2022. Permit issued: August 8, 2023.

Mining Permit No. 58232502. GP104 Permit No. PAM123003. MM Quarries, Inc., 1202 Marshwood Road, Throop, PA 18512, Lenox Township, **Susquehanna County.** Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT

to East Branch Tunkhannock Creek. Application received: December 29, 2022. Coverage issued: August 8, 2023.

Mining Permit No. 58232503. Blue Ridge Aggregates, LLC, 3 Export Lane, Archbald, PA 18403, Lenox Township, **Susquehanna County.** Commencement, operation and restoration of a GP105 quarry operation affecting 10.0 acres. Receiving streams: UNT to East Branch Tunkhannock Creek. Application received: January 30, 2023. Permit issued: August 14, 2023.

Mining Permit No. 58232503. GP104 Permit No. PAM123004. Blue Ridge Aggregates, LLC, 3 Export Lane, Archbald, PA 18403, Lenox Township, **Susquehanna County.** Coverage under the General NPDES Stormwater Permit for stormwater discharges associated with mining activities (BMP-GP-104). Receiving stream: UNT to Tunkhannock Creek. Application received: January 30, 2023. Coverage issued: August 14, 2023.

ABANDONED MINE RECLAMATION PRIMACY BOND FORFEITURE PROJECT

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500/724-925-5500.

Contact: Jeffrey Parr.

Primacy Bond Forfeiture Project No.	PBF 26840110.3
Municipality	Luzerne Township
County	Fayette County
Description	Luzerne Township Mine William J. Bane and James Rumble
Contractor Name and Address	Wayne Mills dba Mills Excavating
Address	753 Flatwoods Road
City, State, Zip	Vanderbilt, PA 15486
Amount	\$226,707.00
Date of Award	August 10, 2023

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 15234106. Rock Work, Inc., 1257 Dekalb Pike, Blue Bell, PA 19422, East Whiteland Township, **Chester County.** Construction blasting for Anfield Development. Application received: August 3, 2023. Permit issued: August 8, 2023. Expiration date: September 1, 2024.

Permit No. 67234107. Douglas Explosives, Inc., 2052 Philipsburg Bigler Highway, Philipsburg, PA 16866, Conewago Township, **York County.** Construction blasting for Fox Run Heights. Application received: August 4, 2023. Permit issued: August 8, 2023. Expiration date: April 15, 2024.

Permit No. 40234112. Maurer & Scott Sales, Inc., 122 Thomas Street, Coopersburg, PA 18036, Pittston Township, **Luzerne County**. Construction blasting for Wilkes-Barre Airport Taxiway B Extension. Application received: August 6, 2023. Permit issued: August 11, 2023. Expiration date: August 3, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E5402223-001. PPL Electric Utilities Corporation, 1639 Church Road, Allentown, PA 18104-9342, Butler Township, **Schuylkill County**. U.S. Army Corps of Engineers Philadelphia District.

To permanently impact 0.17 acre of PEM wetlands, for the replacement of the existing Frackville substation, resulting in 0.17 acre of wetland mitigation being required. Latitude: 40°46'38", Longitude: -76°14'43". Application received: February 21, 2023/August 9, 2023.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2506222-001. Millcreek Ventures LLC, 500 Seneca Street, Suite 508, Buffalo, NY 14204, Millcreek Township, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District.

Millcreek Ventures, LLC was found to be in violation of Water Obstruction and Encroachment Permit # E2506222-001. Specifically, failure to provide the Department within 45-days of the issuance of the permit, proof of transfer of the approved credit amounts and types of compensatory wetland credits and acceptance of liability by First Pennsylvania Resource, LLC in violation of Paragraph 19.D of the WOE Permit. Pursuant to 25 Pa. Code § 105.21(b) and Paragraph 19.D of the permit, the Department has revoked Water Obstruction and Encroachment Permit # E2506222-001. Latitude: 42.061050°, Longitude: -80.11340°. Application received: March 3, 2022. Revoked: August 10, 2023.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E3603222-010. Suburban Lancaster Sewer Authority, 280 Granite Run Drive, Lancaster, PA 17601, Lancaster Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District.

To stabilize and maintain an existing outfall structure impacting 29.0-lineal feet (568.0-square feet) of a UNT to the Conestoga River (WWF, MF) as well as 5,037.0-square feet of the associated floodway and to remove an existing gravel bar impacting 84.0-lineal feet (5,460.0-square feet) of the Conestoga River (WWF, MF). The project is located at 1220 New Danville Pike, Lancaster, PA 17603 (Latitude: (40.0168), Longitude: (-76.3036)). There will be no wetland impacts associated with the project. Latitude: 40.0168°, Longitude: -76.3036°. Application received: September 23, 2022. Issued: July 5, 2023.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601222-017. Borough of Hatboro, 414 South York Road, Hatboro, PA 19040, Hatboro Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

To perform stream and streambank restoration to a tributary to Pennypack Creek (TSF-MF) as part of their MS4 program. This activity will result in 1,200 linear feet (34,800 square feet, 0.78 acre) of permanent watercourse impact, 34,800 square feet (0.78 acre) of permanent floodway impact, 1,200 linear feet (30,000 square feet, 0.69 acre) of temporary watercourse impact, and 30,000 square feet (0.69 acre) of temporary floodway impact. Restoration work includes grading of banks, placement of rock boulder revetment, toe armoring, and cross vanes to

maintain stream bed elevation. This project is located in Hatboro Memorial Park, Montgomery County (USGS PA Hatboro Quadrangle). Latitude: 40.181798°, Longitude: -75.110791°. Application received: August 1, 2022. Issued: August 9, 2023.

E1501123-006. Pennsylvania Department of Transportation, 7000 Geerdes Boulevard, King of Prussia, PA 19406, Londonderry Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the SR 0041/SR 0926 Roundabout Project: 1) To place fill within a wetland area (W1, PEM) associated with the construction of roadway embankment resulting in 0.47 acre of permanent wetland impact and 0.09 acre of temporary wetland impact due to erosion and sedimentation control and construction access. This activity also includes the construction and maintenance of two 18-inch diameter outfalls. 2) To remove a 72-foot-long, 48-inch diameter, reinforced concrete pipe culvert carrying an unnamed tributary to Middle Branch of White Clay Creek (Stream 1, TSF-MF) and to construct and maintain a 71-foot-long, 54-inch diameter reinforced concrete pipe culvert (including the placement of riprap rock apron) directly downstream under the newly constructed SR 0041 leg of the roundabout. This activity will result in 104 linear feet (0.01 acre) of permanent watercourse impact, 31 linear feet (0.01 acre) of temporary watercourse impact, 0.21 acre of permanent floodway impact, and 0.01 acre of temporary floodway impact. 3) To perform grading within a wetland area (W2, PEM) associated with an adjacent wetland mitigation site resulting in 0.02 acre of permanent wetland impact. The objective of this mitigation is to establish a combined total of 0.49 acre wetland creation and restoration, and streambank stabilization for the 72 linear feet daylighted section of the culvert. This project is located at the Gap Newport Pike and Street Road intersection in Londonderry Township, Chester County (USGS PA West Grove Quadrangle). Latitude: 39.868353°, Longitude: -75.866970°. Application received: March 23, 2023. Issued: August 10, 2023.

E0901223-005. Chalfont Borough, 40 North Main Street, Chalfont, PA 18914, Chalfont Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

To propose the construction and maintenance of 1,380 linear feet of 8 feet wide bituminous multi-use on-grade trail associated with The Northern Neshaminy Greenway Trail, along the west bank of the North Branch of Neshaminy Creek (TSF). There are no wetland impacts. There is approximately 500 sq feet of permanent floodway impacts. The trail will connect the Patriot Place, Lindenfield, and Chestnut Street neighborhoods. The site is located in the northeast portion of Chalfont Borough along the North Branch Neshaminy Creek (Doylestown, PA USGS Map) in Chalfont Borough, Bucks County. Latitude: 40.293416°, Longitude: -75.207579°. Application received: May 3, 2023. Issued: August 15, 2023.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205221-001. Plum Borough, 4575 New Texas Road, Pittsburgh, PA 15239, Plum Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: Revised to include wetland waived impact and revise impact to UNT to Abers Creek. 1. Enlarge through excavation an existing stormwater basin which is approximately 5' deep with a maximum storage volume of approximately 44,800 CF to a proposed maximum depth of 10' deep and maximum storage volume of approximately 286,000 CF, 2. Permanently impact a 0.23-acre PEM wetland through excavation within the existing stormwater basin, 3. Relocate approximately 120' by 12' of an intermittent stream, UNT to Abers Creek (TSF), through a proposed rip rap apron with end wall and into the previously proposed stormwater basin, 4. Remove an approximately 4,000 sf riprap emergency spillway, and a standard concrete outlet control structure with 24" RCP outfall pipe, 5. Remove 70 LF of an existing 24" CPP, end wall, and rip rap apron, 6. Remove a manhole, 50 LF of an existing 36" RCP, end wall, and, rip rap apron, 7. Remove 36 LF of an existing 24" RCP, 8. Remove 12 LF of an existing 24" CPP and rip rap apron, 9. Remove a rip rap apron, 50 LF of a 24" RCP, and outlet control structures, 10. Construct and maintain a new approximately 2,000 sf emergency spillway, 11. Construct and maintain a new 10' by 4' inlet control structure to three (3) 15" RCPs, end wall and rip rap apron to the expanded detention basin, 12. Construct and maintain an outlet control structure consisting of a 58 LF of 24" RCP, 25 LF of a 6" perforated underdrain, rip rap, and end wall, and 13. Construct and maintain a second outlet control structure consisting of a 70 LF of 24" RCP, 25 LF of a 6" perforated underdrain, rip rap, and end wall. For the purposes of increasing stormwater detention and flood protection of properties adjoining Aber's Creek. The project will permanently impact approximately 804 LF of Abers Creek, 120 LF of a UNT to Abers Creek, 0.23 acre of PEM wetland, 1.2 acres of floodway of both streams, and 0.18 acre of floodplain. The project site is located 0.8 mile north of the intersection of New Texas Road along the east side of O'Block Road (Murrysville, PA; Sub-basin 19A). Latitude: 40° 27' 50", Longitude: -79° 43' 11". Application received: January 27, 2021. Issued: August 2, 2023.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsyl-

vania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 ESG070223003-00

Applicant Name **Olympus Energy, LLC—**

Midas To Hermes Waterline

Contact Person Jennifer Hoffman, (412) 380-2355

jennifer.hoffman@HHenergyCo.com

Address 0.3 mile east of Kerr Road and

Coxcomb Hill Road

City, State, Zip New Kensington, PA 15068

Township(s) Plum Borough, Murrysville Borough

County **Allegheny County, Westmoreland County**

Receiving Stream(s) and Classification(s) 001. Lat 40.53115, Long -79.76474, Allegheny River, Ch 93 Class: WWF 002. Lat 40.52726, Long -79.75969, Bodies Run, Ch 93 Class: WWF 003. Lat 40.52135, Long -79.75813, Trib 42269 to Little Plum Creek, Ch 93 Class: WWF 004. Lat 40.51800, Long -79.5256, Trib 42268 to Little Plum Creek, Ch 93 Class: WWF 005. Lat 40.50852, Long -79.74783, Little Plum Creek, Ch 93 Class: WWF 006. Lat 40.49904, Long -79.71117, Trib 42274 to Little Plum Creek, Ch 93 Class: WWF 007. Lat 40.49801, Long -79.70286, Trib 42275 to Little Plum Creek, Ch 93 Class: WWF

Application received: August 15, 2023

Issued: August 14, 2023

ESCGP # 3 ESG073023012-00

Applicant Name **EQT Prod Co—Shalennial Well Site**

Contact Person Todd Klaner, (724) 746-9043

TKlaner@eqt.com

Address 0.25 Mile east of Earnest Hill Road

City, State, Zip New Freeport, PA 15352

Township(s) Springhill Township

County **Greene County**

Classification(s) 001. Lat 39.73611, Long -80.50446, UNT Knob Run, Ch 93 Class WWF 002. Lat 39.73589, Long -80.50717, UNT Knob Run, Ch 93 Class WWF 003. Lat 39.73705, Long -80.51002, UNT Knob Run, Ch 93 Class WWF 004. Lat 39.73704, Long -80.51280, UNT Knob Run, Ch 93 Class WWF 005. Lat 39.73705, Long -80.51843, UNT Knob Run, Ch 93 Class WWF 006. Lat 39.74050, Long -80.51688, UNT PA Fork Fish, Ch 93 Class WWF 007. Lat 39.74073, Long -80.51437, UNT PA Fork Fish, Ch 93 Class WWF 008. Lat 39.73966, Long -80.51213, UNT PA Fork Fish, Ch 93 Class WWF 009. Lat 39.74104, Long -80.51119, UNT PA Fork Fish, Ch 93 Class WWF 010. Lat 39.74091, Long -80.50773, UNT PA Fork Fish, Ch 93 Class WWF

Application received: May 8, 2023

Issued: August 14, 2023

ESCGP # 3 ESG076323007-00

Applicant Name **Range Resources Appalachia LLC—**

Hickory Partners 17812 Well Site

Contact Person Karl Matz, (724) 873-3090

kmatz@rangeresources.com

Address 0.4 mile south of Donaldson Road and

Herderson Road

City, State, Zip Washington, PA 15301

Township(s) Mount Pleasant Township

County **Washington County**

Receiving Stream(s) and Classification(s) 001. Lat 40.27949, Long -80.32455, UNT to Chartiers Run, Ch 93 WWF 002. Lat 40.27930, Long -80.32390, UNT to Chartiers Run, Ch 93 WWF 003. Lat 40.28289, Long -80.32125, UNT to Chartiers Run, Ch 93 WWF

Application received: May 15, 2023

Issued: August 14, 2023

STORAGE TANKS

SITE-SPECIFIC INSTALLATION PERMITS

The Following Storage Tank Site-Specific Installation Permit(s), Under the Authority of the Storage Tank Spill Prevention Act (35 P.S. §§ 6021.304, 6021.504, 6021.1101 and 6021.1102) and Under 25 Pa. Code Chapter 245, Subchapter C, Have Been Issued by the Bureau of Environmental Cleanup and Brownfields, Director, P.O. Box 8763, Harrisburg, PA 17105-8763.

SSIP Application No.	23002
Applicant Name	United Refining Company
Address	15 Bradley St.
City, State, Zip	Warren, PA 16365
County	Warren County
Municipality	City of Warren
Tank Type	One AST storing petroleum products
Tank Capacity	5,118,078 gallons
Application Received	June 23, 2023
Permit Issued	August 15, 2023

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager, 570-826-2511.

J.A. & W.A. Hess Ready Mix, Storage Tank Facility ID # **40-51043**, 10 Hess Road, Hazleton, PA 18202, Hazle Township, **Luzerne County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of J.A. & W.A. Hess, Inc., 10 Hess Road, Hazleton, PA 18202 submitted a Remedial Action Plan concerning remediation of soil contaminated with diesel. The plan is intended to document the remedial actions for meeting site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Pennington Citgo, Storage Tank Facility ID # **09-32284**, 415 W. Trenton Ave., Morrisville, PA 19067, Falls Township, **Bucks County**. On-Site Environmental Inc., 119 Shepherds Way, Coatesville, PA 19320, on behalf of Gus McKee, 415 W. Trenton Ave., Morrisville, PA 19067 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Sunoco 8000 0452, Storage Tank Facility ID # **46-20322**, 300 N. Lewis Rd., Royersford, PA 19468, Limerick Township, **Montgomery County**. Aquaterra Technologies, Inc., 901 S. Bolmar Street, Suite A, West Chester, PA 19382, on behalf of Evergreen Resources Group, LLC, 2 Righter Parkway, Suite 120, Wilmington, DE 19803 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation stan-

dard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Murphys Mini Mart, Storage Tank Facility ID # **53-35296**, 1327 E 2nd St, Coudersport, PA 16915, Coudersport Borough, **Potter County**. McKee Environmental, Inc., 86 Quartz Drive, Bellefonte, PA 16823, on behalf of Murphys Mini Mart, 1327 E 2nd St, Coudersport, PA 16915 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with Petroleum. The plan residential demonstrated attainment of the Statewide health standards and was approved by DEP on July 31, 2023.

Fuel On 2, Storage Tank Facility ID # **19-00603**, 711 Market Street, Bloomsburg, PA 17815, City of Bloomsburg, **Columbia County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Fuel on 2, 711 Market Street, Bloomsburg, PA 17815 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan nonresidential demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on August 3, 2023.

Rays Gulf, Storage Tank Facility ID # **49-70630**, 150 North Oak Street, Mount Carmel, PA 17851, Mount Carmel Borough, **Northumberland County**. Letterle & Associates Inc., 2022 Axemann Rd, Suite 201, Bellefonte, PA 16823, on behalf of Rays Gulf, 150 North Oak Street, Mount Carmel, PA 17851 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan residential demonstrated attainment of the Statewide health standards and was approved by DEP on July 27, 2023.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Chris, 724-598-2206.

AFI Edinburg, Storage Tank Facility ID # **37-91014**, 645 Route 224, Edinburg, PA 16116, Mahoning Township, **Lawrence County**. Letterle & Associates, Inc., 191 Howard State, Suite 108, Franklin, PA 16323, on behalf of Reed Oil Company, 511 Montgomery Avenue, New Castle, PA 16102 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel fuel. The report nonresidential demonstrated attainment of the Statewide health standards and was approved by DEP on August 9, 2023.

Reds Place for Car Care, Storage Tank Facility ID # **37-20525**, 101 S New Castle St, New Wilmington, PA 16142, New Wilmington Borough, **Lawrence County**. Letterle & Associates, 191 Howard St, Suite 108, Franklin, PA 16323, on behalf of Reds Place for Car Care, 101 S New Castle St, New Wilmington, PA 16142 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan residential and nonresidential was acceptable to meet the site-specific standards and was approved by DEP on August 11, 2023.

Contact: Lee, 814-332-6127.

Jim's Auto, Storage Tank Facility ID # **25-90455**, 13250 Route 6, Corry, PA 16407, Wayne Township, **Erie County**. Insite Group, Inc., 611 S Irvine Ave, Sharon, PA 16146, on behalf of Sibble Enterprises, 13250 Route 6, Corry, PA 16047 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel fuel. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on August 9, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Michael Stefanic, P.G., Project Officer, 717-705-4705.

Former Herbert W. Heffner Trucking, Storage Tank Facility ID # **06-10401**, 5291 Pottsville Pike, Reading, PA 19605, Ontelaunee Township, **Berks County**. Scientific Based Solutions, LLC, 612 Carsonia Avenue, Reading, PA 19606, on behalf of CHIPT Reading Ontelaunee, LLC, 3819 Maple Avenue, Dallas, TX 75219 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel fuel constituents. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on August 10, 2023.

SPECIAL NOTICES

WASTE, AIR, RADIATION AND REMEDIATION

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: 717-783-3594 Austyn Shank.

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

In the month of July 2023, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name Address</i>	<i>Certification</i>	
Johnathan Musselman	517 Park Avenue Harleysville, PA 19438-1751	Testing Individual
Musselman Home Inspection, LLC	517 Park Avenue Harleysville, PA 19438-1751	Testing Firm
Bradley Longosky	101 N Sycamore Street Newtown, PA 18940-1512	Testing Individual
Seymour Levine	198 Rose Hill Drive New Cumberland, PA 17070-2357	Testing Individual
Seymour Levine	198 Rose Hill Drive New Cumberland, PA 17070-2357	Mitigation Individual
Amber Robson	27 Telescope Street Pittsburgh, PA 15203-2521	Testing Individual
D-Tech, Inc.	P.O. Box 902 Blue Bell, PA 19422-0198	Testing Firm
Raymond Matthews	27 Telescope Street Pittsburgh, PA 15203-2521	Testing Individual
Raymond Matthews	27 Telescope Street Pittsburgh, PA 15203-2521	Mitigation Individual
Ryan McGrady	1000 Dunham Drive Suite B Dunmore, PA 18512-2666	Testing Individual
Anthony Carrozza, Jr.	770 Fairview Road Mount Joy, PA 17552-8558	Testing Individual

<i>Name Address</i>	<i>Certification</i>	
Jeffrey Hunt	P.O. Box 1402 Chadds Ford, PA 19317-1402	Testing Individual
Troy Rudy	P.O. Box 4214 Lancaster, PA 17604-4214	Testing Individual
Jerry Pickholtz	1475 Naugahyde Road Westmister, MD 21157	Testing Individual
Stephen Murphy	104 Great Oaks Drive Lincoln University, PA 19352-9389	Testing Individual
Sean Weaver	4145 Pechin Street Philadelphia, PA 19128-3515	Testing Individual
David Freeman	1029 Carlisle Street Natrona Heights, PA 15065-1015	Testing Individual
GC Scheer Inspection and Testing, LLC	474 McCollum Road Montrose, PA 18801-7681	Mitigation Firm
Ryan Hubbard	1524 Yardley Newtown Road Yardley, PA 19067-4041	Testing Individual
Michael Gelsick	537 Maurus Street Saint Marys, PA 1587-1021	Mitigation Individual
A-Z Tech Home Inspections, Inc.	100 Upper Middletown Road Smock, PA 15480-1104	Testing Firm
Safe Shelter Environmental	346 N Pottstown Pike Exton, PA 19341-2220	Testing Firm
Safe Shelter Environmental	346 N Pottstown Pike Exton, PA 19341-2220	Mitigation Firm
Dominick Peda	40 N Feathering Lane Media, PA 19063-1908	Testing Individual
Robert Meyer	247 Mine Bank Road Wellsville, PA 17365-9540	Mitigation Individual
A.B.E. Radiation Measurement Labs	1005 Old Route 22 Lenhartsville, PA 19534-9292	Testing Firm
A.B.E. Radiation Measurement Labs	1005 Old Route 22 Lenhartsville, PA 19534-9292	Laboratory Firm
Anthony Lamastra	1005 Old Route 22 Lenhartsville, PA 19534-9292	Testing Individual
Anthony Lamastra	1005 Old Route 22 Lenhartsville, PA 19534-9292	Laboratory Individual

NOTICE OF PUBLIC MEETING

*Moshannon District Mining Office, 186 Enterprise Drive,
Philipsburg, PA 16866, 814-342-8200.*

Contact: Cassie Stanton.

Notice is hereby given that the Pennsylvania Department of Environmental Protection (Department) will hold a public hearing on September 26, 2023 concerning the applications for a new large industrial minerals (noncoal) surface mining permit and associated NPDES permit submitted by **Bishop Brothers Construction Company, Inc.**, which is located at 1376 Leisure Drive, Towanda PA 18848. The proposed mine site is referred to as the Minard Mine and is located in Athens Township, **Bradford County**, PA. The mining permit application number is 08230301 and the NPDES permit application number is PA0270041. All interested parties are encouraged to attend the hearing. The application is being reviewed by the Department's Moshannon District Mining Office located at 186 Enterprise Drive, Philipsburg, PA, 16866. The phone number for the Moshannon office is 814-342-8200. The email address for the Moshannon office is RA-EPMOSHANNON@pa.gov.

The proposed site consists of 360.7 acres and is situated at on the property of Jeanette Minard. The proposed permit area is situated 0.5 mile south of the intersection of Mile Lane Road (SR-4020) and Meadowlark Drive (T-303). The Sayre 7.5 Minute U.S.G.S. Topographic Map contains the area described. Mining of sandstone and sand and gravel is proposed within the permit area.

The site is located within the Chemung River and Tutelow Creek watersheds. The associated NPDES application proposes discharges of stormwater from the support/processing area and discharges of treated water from the mining pit to Tutelow Creek, which is designated as Warm Water Fishes, Migratory Fishes. The draft NPDES permit document and fact sheet are available on the DEP webpage (see the following details). A draft NPDES permit notice was published in the *Pennsylvania Bulletin* on August 5, 2023.

The application includes proposals for three (3) variances to conduct mining activities within 100 feet of the Chemung River and Tutelow Creek; to conduct blasting; and to change the postmining land use from cropland to unmanaged water impoundment and forest to unmanaged

natural habitat. The stream encroachment activities consist of: installation of a bridge to cross Tutelow Creek, installation of a culvert to cross unnamed tributary 1 to Tutelow Creek, and three (3) encroachments of Tutelow Creek for mining support activities and mineral extraction as described in the application documents.

The public hearing will be held at the Athens Area High School Auditorium, 401 W Frederick St, Athens, PA 18810, on Tuesday, September 26, 2023, starting at 6:00 p.m. and ending at 8:00 p.m. or sooner if testimony is complete. Doors will open at 5:30 p.m. The public hearing is for the collection of comments only. Department staff do not directly answer questions during the hearing. During the hearing, Department staff will first give a brief update on the status of the applications, then accept oral comments of three minutes or less regarding the permit applications. A transcript of the public hearing, including all oral comments, will be produced by a stenographer.

To register to testify at the hearing, contact Jordi Comas, Environmental Justice Coordinator, at jcomas@pa.gov or 570-327-3656. Onsite registrations to testify will also be taken as space allows.

Anyone wishing to submit written comments may give a copy to the Department during the hearing. Written comments will also be accepted until September 26, 2023, and should be sent to John Mital, Licensed Professional Geologist, Moshannon District Mining Office, via email at jmital@pa.gov or via mail to the Moshannon District Mining Office. All comments, whether provided orally or in writing, will be given equal consideration and will be addressed by DEP in a comment and response document when the permit decision is issued.

Paper copies of the applications are available for public inspection at the Athens Township Municipal Building, 45 Herrick Avenue, Sayre, PA 18840, and electronically at <https://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Community-Information/Pages/Minard-Mine.aspx>. You also may find the webpage by searching for "Minard Mine" via search engine.

If you are a person with a disability wishing to attend this meeting and require an auxiliary aid, service, or other accommodation to participate in the proceedings, please contact Jordi Comas to discuss how we may best accommodate your needs. If necessary, you may use the Pennsylvania Hamilton Relay Service by calling 1-800-654-5984 (TDD Users) or 1-800-654-5988 (Voice Users) and request that your call be relayed to Jordi Comas.

[Pa.B. Doc. No. 23-1148. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Coastal Zone Grant Program

The Department of Environmental Protection's (Department) Compacts and Commissions Office invites interested parties to apply for a Federal Fiscal Year 2024 Coastal Zone Grant beginning Monday, August 28, 2023.

Applicants must meet certain eligibility requirements (for example, an applicant must be an authority, an incorporated nonprofit organization, a political subdivi-

sion or an educational institution). Projects must be located within the Delaware Estuary Coastal Zone or the Lake Erie Coastal Zone boundaries as noted in the Coastal Program Grant Application Instruction Guide. Proposals must support the mission of the Department's Coastal Resources Management Program to protect and enhance coastal resources in this Commonwealth.

The Coastal Zone Grant Program guidelines and application instructions are available online through the Department's web site at www.dep.pa.gov (select the "Grants" icon and scroll down under "Schools" and select "Coastal Zone Grant—for protecting water quality and shorelines in the Delaware Estuary and Lake Erie Coastal Zone") or by contacting the Department's Coastal Resources Management Program at RA-epcoastalzone@pa.gov or (717) 772-5622.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site at www.esa.dced.state.pa.us/Login.aspx. Hard copy applications will not be accepted. The Department will begin accepting applications on Monday, August 28, 2023. Applications must be received by midnight on Monday, October 16, 2023.

For more information regarding the Coastal Zone Grant Program, contact the Department of Environmental Protection, Compacts and Commissions Office, 400 Market Street, P.O. Box 8465, Harrisburg, PA 17105-8465, RA-epcoastalzone@pa.gov or (717) 772-5622. Information is also available on the Department's web site at www.dep.pa.gov (select "Businesses," then "Water," then "Compacts and Commissions," then "Coastal Resources Management Program," then "Grants").

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1149. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Driving PA Forward Initiative; Fiscal Year 2021-2022 Pennsylvania State Clean Diesel Grant Program

The Department of Environmental Protection (Department) announces an opportunity to apply for \$3,659,904 in grants offered through the Fiscal Year 2021-2022 Pennsylvania State Clean Diesel Grant Program (Grant Program). A portion of funding has been made available for this opportunity through the United States Environmental Protection Agency (EPA) and the Federal Diesel Emission Reduction Act (DERA). Most of the funding for this offering, approximately \$2.6 million, is from the settlement of a lawsuit with Volkswagen Group—USA, relating to diesel vehicle emission violations, and is being used as the Commonwealth's voluntary match funding under the DERA program. Funding is available for eligible diesel emission reduction projects that will improve air quality and protect public health and the environment by reducing emissions from diesel-powered vehicles and engines.

The Department is seeking applications for projects that will replace or retrofit fleet diesel-powered highway and nonroad vehicles, engines and equipment. Most of the vehicle or engine's annual operation time must occur

within this Commonwealth. Public and private entities that operate diesel-powered fleets throughout this Commonwealth should apply. These entities may include school districts, municipal authorities, political subdivisions, State agencies, nonprofit entities, corporations, limited liability companies or partnerships incorporated or registered in this Commonwealth, air quality or transportation organizations and metropolitan or rural planning organizations. Projects must use technologies certified or verified by the EPA or the California Air Resources Board to lower diesel emissions, unless otherwise noted in the Grant Program guidelines. The technology may be a single technology or a combination of available technologies.

The Department will not reimburse grant recipients for project costs incurred prior to the grant performance period set forth in the applicable grant agreement. The Grant Program guidelines and application instructions are available on the Department's Driving PA Forward webpage at www.dep.pa.gov/DrivingPAForward.

A recorded presentation providing an overview of the Grant Program and application process is available on the Department's Driving PA Forward webpage. Applicants can contact the Bureau of Air Quality at ra-epvwmittigation@pa.gov or (717) 787-9495 with questions about this grant offering.

Applications must be submitted online through the Commonwealth's Electronic Single Application web site, eGrants, at <https://www.esa.dced.state.pa.us/Login.aspx>. The Department is now accepting applications. Applications must be received by 11:59 p.m. on October 20, 2023. The Department will review and score applications after the application period closes.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1150. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Grants through the Small Business Advantage Grant Program

The Department of Environmental Protection (Department) announces the availability of at least \$1 million in grant funding for the 20th year of the Commonwealth's Small Business Advantage Grant Program (Program). The Program assists small businesses undertaking energy efficiency, pollution prevention or natural resource conservation projects. With nearly 1 million small businesses in this Commonwealth, well-designed projects can help small businesses cut operating costs and grow the Commonwealth's economy, while simultaneously protecting the environment.

The Program is a first-come, first-served grant program that provides matching grants, ranging from a maximum of 50% or \$5,000, up to 80% or \$8,000, whichever is less. Maximum funding will vary based on project location and environmental impact. Eligible projects must save the small business a minimum of \$500 per year and at least 20% in annual energy consumption or pollution-related expenses.

Natural resource protection projects are exempt from the minimum cost savings requirements but may need to meet minimum pollution reduction goals; projects must

provide enough information to allow quantification of the sediment and nutrient diversion from the directly related receiving waterway to be eligible.

To be eligible, the applicant's business must be Commonwealth-based, be registered to do business in the Commonwealth, and be a for-profit small business with 100 or fewer full-time equivalent employees. The project to which the grant will apply must be undertaken in or on a facility located in this Commonwealth. Applicants may not have current environmental violations or obligations due to the Commonwealth. Applications will be accepted beginning when the application period opening is announced on the Small Business Advantage Grant web site through March 22, 2024, or when funds are exhausted, whichever occurs first.

Application guidance, required forms and information are located on the Department's web site at www.dep.pa.gov (select "Residents," then "Grants, Loans and Rebates," then under the Businesses headline "Small Business Advantage Grant—for energy efficiency, pollution prevention, or natural resource protection efforts," then "Small Business Advantage Grant program").

For applicants who are deaf, hard of hearing, deafblind or have a speech disorder, the Pennsylvania Hamilton Relay Service is available by calling (800) 654-5984 (TTD users) or (800) 654-5988 (voice users), and request that the call be relayed to Samantha Harmon at (717) 783-0909.

ATTENTION: If you speak another language other than English, language assistance services can be made available to you. Call (717) 783-0909.

ATENCIÓN: Si habla otro idioma que no sea el inglés, los servicios de asistencia lingüística pueden estar disponibles para usted. Llame al (717) 783-0909.

ACHTUNG: Wenn Sie eine andere Sprache als Englisch sprechen, können Ihnen Sprachunterstützungsdienste zur Verfügung gestellt werden. Rufen Sie (717) 783-0909 an.

注意：如果您说英语以外的其他语言，可以为您提供语言帮助服务。请致电 717.783.0909。

주의: 영어 이외의 다른 언어를 사용하는 경우 언어 지원 서비스를 이용할 수 있습니다. 전화 717.783.0909.

ध्यान दें: यदि आप अंग्रेजी के अलावा अन्य भाषा बोलते हैं, तो भाषा सहायता सेवाएं आपको उपलब्ध कराई जा सकती हैं। 717.783.0909 पर कॉल करें।

For further information, contact the Small Business Ombudsman Office by e-mail at RA-epAdvantageGrant@pa.gov or by telephone at (717) 783-9640.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1151. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.dep.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a document should contact the person whose name and phone number are listed with each document.

Draft TGD: Substantive Revision

DEP ID: 361-0300-002. **Title:** Land Application of Manure—A Supplement to Manure Management for Environmental Protection. **Description:** Manure Management for Environmental Protection and its supplements (Manure Management Manual) provide guidelines that comply with Department regulations concerning animal manures and agricultural process wastewaters. The criteria established in this TGD are required to be followed by all operations applying manure or agricultural process wastewater, farms that pasture animals and farms managing an Animal Concentration Area (ACA) unless the operators obtain a permit or approval from the Department to implement alternative practices. The substantive revisions in this draft TGD include the following:

- **Manure Management Plan Short Form**—The Manure Management Plan Short Form (Short Form) is a new form. If the guidelines on the Short Form are followed, then the water quality risks associated with the agricultural operation are deemed to be minimal and the short form will satisfy the planning requirements for the operation set forth in 25 Pa. Code § 91.36(b) (relating to pollution control and prevention at agricultural operations).

- **Manure Management Plan Workbook**

- **Operation Information**—In addition to clarifying existing language, the following points have been added or modified on the Operation Information Page:

- **Animals on the Operation**—Modified to a check item. If answered yes, the Animals Worksheet must be completed.

- **Environmentally Sensitive Areas**—Included springs for clarification.

- **Agricultural Process Wastewater**—New check item. If answered yes, the Agricultural Process Wastewater Worksheet must be completed.

- **Manure Spreader Calibration**—New check item. The operator must identify that the manure spreader will be calibrated according the recommendations in Agronomy Facts 68 (Appendix 3) prior to manure application.

- **Animals Worksheet**—New worksheet to be completed by any operator with animals housed onsite. Includes an Animal Equivalent Unit Calculation. If after completion of the worksheet, it is determined that the operation is regulated under the Nutrient Management Act (P.L. 112, No. 38), the operation should contact a certified nutrient management specialist before proceeding with the remainder of the Manure Management Plan.

- **Environmentally Sensitive Areas Worksheet**—Included springs for clarification.

- **Winter Spreading Worksheet**—Included language related to "vegetative cover." No changes to winter manure spreading requirements.

- **Manure Management Plan Summary**

- New check box identifying that soils tests taken in the last 3 years indicated phosphorous levels are less than 200 ppm.

- Clarification language indicating that no single manure application can exceed 9,000 gallons per acre unless it is applied in accordance with 25 Pa. Code § 83.294(e) (relating to nutrient application procedures).

- **Operation Map**—New blank page inserted to facilitate hand drawing or remind the planner to include a map, or both.

- **Agricultural Process Wastewater Worksheet**—New worksheet to facilitate planning for agricultural process wastewater management. Though, there are no changes to the requirement to address the agricultural process wastewater in the Manure Management Plan.

- **Manure Storage and Stacking Worksheet**—Updated the former "Manure Storage Facilities Worksheet" to facilitate planning for stacking and stockpiling of manure.

- **Pasture Management Worksheet**

- Clarification of vegetation requirements needed to maintain pasture.

- Added installation quantities and dates to obtain the necessary information to report pasture best management practices (BMP) in Manure Management Plans towards implementation of the Commonwealth's Phase 3 Chesapeake Bay Watershed Implementation Plan.

- **ACA Worksheet**—Added installation quantities and dates to obtain the necessary information to report pasture BMPs in Manure Management Plans towards implementation of the Commonwealth's Phase 3 Chesapeake Bay Watershed Implementation Plan.

- **Appendix 1: Manure Application Rate Tables**—Simplified rate tables to include only application rates for phosphorus removal of common crops and manure types in this Commonwealth.

- **Appendix 2: Agronomy Facts 54**—New appendix to assist with completion of the Animals Worksheet.

- **Appendix 3: Agronomy Facts 68**—New appendix to assist with manure calibration.

Written Comments: Interested persons may submit written comments on this draft TGD by Monday, September 25, 2023. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are urged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments should be submitted to the Technical Guidance Coordinator,

Department of Environmental Protection, Policy Office,
Rachel Carson State Office Building, P.O. Box 2063,
Harrisburg, PA 17105-2063.

Contact: Questions regarding this TGD can be directed
to Kathryn Bresaw at (717) 772-5650 or kbresaw@pa.gov.

Effective Date: Upon publication of notice as final in
the *Pennsylvania Bulletin*.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1152. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Pennsylvania Agriculture Energy Efficiency Rebate Program

The Department of Environmental Protection (Department) announces the availability of a rebate program for agriculture energy efficiency projects to Commonwealth agriculture producers under the Pennsylvania Agriculture Energy Efficiency Rebate Program (Program). The Program provides rebates to assist agricultural producers with the purchase of LED lighting systems, efficient ventilation equipment, and efficient milk pumping and cooling equipment for their farming operations.

To qualify for the rebate, the applicant must meet the definition of a normal agricultural operation under the act of June 10, 1982 (P.L. 454, No. 133), known as the Pennsylvania Right to Farm Law and the application must be submitted to the Department prior to the installation of the project. Equipment purchase costs after July 1, 2023, are eligible. The rebate will be offered on a first-come, first-served basis in the order in which they are received, until no later than December 31, 2023. Approved applicants will be issued a voucher, then install eligible equipment and submit a payment request form with required documentation to the Department to receive rebate moneys.

The following rebates are offered:

- \$7,500 rebate for LED lighting systems (up to 50% of equipment purchase costs).
- \$7,500 rebate for efficient ventilation (up to 50% of equipment purchase costs).
- \$7,500 rebate for dairy and refrigeration or cooling equipment (up to 50% of equipment purchase costs).
- \$7,500 for variable frequency drives (up to 50% of equipment purchase costs).
- Installation costs of up to \$2,000 may be included for each technology category.

Applicants may apply under each category, but no more than a total of \$7,500 in rebates will be issued to any one applicant.

Information on how to apply will be available on the Department's agriculture energy webpage at www.dep.pa.gov/agricultureenergy.

Questions concerning the rebate program can be directed to Michelle Ferguson at miferguson@pa.gov or (570) 327-3783.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1153. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 201.3 (relating to definitions), specifically the definition of nurse aide:

Cole Place
1001 East Second Street
Coudersport, PA 16915
FAC ID # 031802

Green Home, Inc.
37 Central Avenue
Wellsboro, PA 16901
FAC ID # 072202

The following long-term care nursing facilities are seeking an exception to 28 Pa. Code § 205.7 (relating to basement or cellar):

Hollidaysburg Veterans' Home
P.O. Box 319
Hollidaysburg, PA 16648
FAC ID # 341402

Seton Manor Nursing and Rehabilitation Center
1000 Seton Drive
Orwigsburg, PA 17961
FAC ID # 096902

Saint Anne's Retirement Community
3952 Columbia Avenue
Columbia, PA 17512
FAC ID # 450102

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1154. Filed for public inspection August 25, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Medical Assistance Program Fee Schedule Revisions; 2023 Healthcare Common Procedure Coding System Updates; Fee Adjustments; Prior Authorization Requirements

The Department of Human Services (Department) announces changes to the Medical Assistance (MA) Program Fee Schedule. These changes are effective for dates of service on and after September 5, 2023.

The Department is adding and end-dating procedure codes as a result of the 2023 updates published by the Centers for Medicare & Medicaid Services to the Healthcare Common Procedure Coding System (HCPCS). The Department is also adding other procedure codes and making changes to procedure codes currently on the MA Program Fee Schedule, to include setting limitations and making fee adjustments. As follows, some of the procedure codes being added to the MA Program Fee Schedule will require prior authorization.

Procedure Codes Being Added or End-dated

The Department is adding the following procedure codes, and procedure code and modifier combinations to the MA Program Fee Schedule as a result of the 2023 HCPCS updates. These procedure codes may include the modifiers 80 (assistant surgeon), SG (ASC/SPU facility support component), TC (technical component), 26 (professional component), NU (purchase) or RR (rental).

Procedure Codes and Modifiers

15778	15778 (80)	30469	30469 (SG)	49591
49591 (SG)	49591 (80)	49592	49592 (SG)	49592 (80)
49593	49593 (SG)	49593 (80)	49594	49594 (SG)
49594 (80)	49595	49595 (SG)	49595 (80)	49596
49596 (80)	49613	49613 (SG)	49613 (80)	49614
49614 (SG)	49614 (80)	49615	49615 (SG)	49615 (80)
49616	49616 (80)	49617	49617 (80)	49618
49618 (80)	49621	49621 (80)	49622	49622 (80)
49623	49623 (80)	55867	55867 (80)	76883
76883 (TC)	76883 (26)	81449	81456	84433
87467	87468	87469	87478	87484
93569	93573	93574	93575	A4239
D0372	D0373	D0374	D7509	D7509 (SG)
D9953	E0183 (NU)	E0183 (RR)	E2103 (NU)	E2103 (RR)

The Department is adding the following procedure codes, and procedure code and modifier combinations to the MA Program Fee Schedule based upon clinical review or provider request. These procedure codes may include modifiers FP (family planning) SG, 26, TC, RR or NU.

Procedure Codes and Modifiers

55874	55874 (SG)	81445	81450	81455
87563	87563 (FP)	92136	92136 (TC)	92136 (26)
99473	A4238	A4453	A4459	A4663
A4670	D4342	D4342 (SG)	E0766 (RR)	E2102 (NU)
E2102 (RR)	K0455 (NU)	K0455 (RR)		

The Department is end-dating the following procedure codes from the MA Program Fee Schedule as a result of the 2023 HCPCS updates:

Procedure Codes

49560	49561	49565	49566	49568
49570	49572	49580	49582	49585
49587	49590	49652	49653	49654
49655	49656	49657	99217	99218
99219	99220	99224	99225	99226
99241	99251	99318	99324	99325
99326	99327	99328	99334	99335
99336	99337	99343	K0553	K0554

Prior Authorization Requirements

The following procedure codes being added to the MA Program Fee Schedule will require prior authorization, under section 443.6(b)(7) of the Human Services Code (code) (62 P.S. § 443.6(b)(7)) regarding reimbursement of certain medical assistance items and services:

Procedure Codes

84433	A4453	A4459
-------	-------	-------

The following dental procedure codes and modifier combinations being added to the MA Program Fee Schedule will require prior authorization, under section 443.6(b)(5) of the code:

Procedure Codes

D4342	D4342 (SG)
-------	------------

The following durable medical equipment (DME) procedure code and modifier combinations being added to the MA Program Fee Schedule will require prior authorization. Procedure codes with the NU modifier require prior authorization for purchase, under section 443.6(b)(2) of the code and procedure codes with the RR modifier require prior authorization after 3 months of rental under section 443.6(b)(3) of the code.

Procedure Codes and Modifiers

E0183 (NU)	E0183 (RR)	K0455 (NU)	K0455 (RR)
------------	------------	------------	------------

The Department will require prior authorization for procedure code and modifier combination E0766 (RR) being added to the MA Program Fee Schedule with the first month's rental, as authorized under section 443.6(b)(3) of the code.

*Updates to Procedure Codes Currently on the MA Program Fee Schedule**Physicians' Services*

The Department is updating the unit and service limitations to the following evaluation and management (E&M) procedure code as a result of clinical review and National Correct Coding Initiative edits as indicated as follows:

<i>Procedure Code</i>	<i>Present Unit Limit</i>	<i>New Unit Limit</i>	<i>Present Limit</i>	<i>New Limit</i>
99292	1:46	1:8	46 per day	8 per day

Application of Topical Fluoride Varnish

The Department is updating the service limitation for procedure code 99188, for the application of topical fluoride varnish, from "4 per calendar year" to "6 per calendar year" as a result of clinical review.

Laboratory Services

The Department is adjusting the MA Program fee for the following laboratory procedure code as 55 Pa. Code § 1150.62(a) (relating to payment levels and notice of rate setting changes) requires that no MA fee exceed the Medicare Upper Payment Limit.

<i>Procedure Code</i>	<i>Description</i>	<i>Current Fee</i>	<i>New Fee</i>
81243	FMR1 (fragile X mental retardation 1) (for example, fragile X mental retardation) gene analysis; evaluation to detect abnormal (for example, expanded) alleles	\$93.14	\$45.63

DME and Medical Supplies

The Department is updating units and service limitations to the following medical supply procedure codes as a result of clinical review:

<i>Procedure Code</i>	<i>Present Unit Limit</i>	<i>New Unit Limit</i>	<i>Present Service Limit</i>	<i>New Service Limit</i>
A4224	1:1	1:5	Once per week	5 per calendar month
A4351	1:30	1:200	30 per 30 days	Any combination of A4351, A4352, A4353; 200 Intermittent Catheter per calendar month
A4352	1:30	1:200	30 per 30 days	
A4353	1:30	1:200	30 per 30 days	

The Department is adjusting the MA Program fees as identified as follows for the following medical supply procedure codes based on clinical review and provider request:

<i>Procedure Code</i>	<i>Description</i>	<i>Current Fee</i>	<i>New Fee</i>
A4224	Supplies for maintenance of insulin infusion catheter, per week	\$18.12	\$21.58

<i>Procedure Code</i>	<i>Description</i>	<i>Current Fee</i>	<i>New Fee</i>
A4351	Intermittent urinary catheter; straight tip, with or without coating (Teflon, silicone, silicone elastomer or hydrophilic, and the like), each	\$1.73	\$1.83
A4352	Intermittent urinary catheter; Coude (curved) tip, with or without coating (Teflon, silicone, silicone elastomeric or hydrophilic, and the like), each	\$1.99	\$6.83
A4353	Intermittent urinary catheter, with insertion supplies	\$5.40	\$7.44
A4362	Skin barrier; solid, 4 x 4 or equivalent; each	\$0.56	\$3.70

The Department is end-dating the U7 pricing modifier for medical supply procedure code A4353 as there is only one fee for this procedure code, so the pricing modifier is no longer necessary.

Dental Services

The Department will no longer require procedure codes D1310 and D1330 be billed together as a result of clinical review. Each procedure can now be billed separately.

The Department is updating the service limitation to include a lifetime limit for the following dental procedure code as a result of clinical review:

<i>Procedure Code</i>	<i>Present Limit</i>	<i>New Limit</i>
D1354	1 per tooth per day, maximum of 10 teeth per day, 4 times per tooth per year	1 per tooth per day, maximum of 10 teeth per day, 4 times per tooth per year, 6 times per tooth per lifetime

The Department is end-dating the following PT/Spec/Place of Service (POS) combinations, as indicated as follows, from dental procedure code D1354 with and without the SG modifier as these settings were determined to be clinically inappropriate for this service:

<i>Procedure Code</i>	<i>End-dated PT/Spec/POS</i>
D1354 (SG)	01 (Inpatient Hospital)/021 (Short Procedure Unit)/24 (Ambulatory Surgical Center)
	02 (Ambulatory Surgical Center)/020 (Ambulatory Surgical Center)/24
D1354	27 (Dentist)/All/21 (Inpatient Hospital)
	27/All/24

The Department is updating the unit limitation to the following dental procedure code as a result of clinical review:

<i>Procedure Code</i>	<i>Present Unit Limit</i>	<i>New Unit Limit</i>
D4341	1:4	1:2

The Department is updating the service limitations to the following dental procedure codes as a result of clinical review:

<i>Procedure Code</i>	<i>Present Limit</i>	<i>New Limit</i>
D1110	Any combination of D1110, D1120, D4346, D4910, for routine prophylaxis and periodontal maintenance, totaling 3 per year.	1 per 180 days
D1120		1 per 180 days
D4346		1 per 180 days
D4910		1 per 90 days

Telehealth—All Provider Types

The Department is adding POS 10, (Telehealth Provided in a Patient's Home) for the following procedure codes and procedure code and modifier combinations for all PT/Spec combinations as the Department determined this setting is appropriate for the performance of these services. These procedure codes may include modifiers FP, GN (speech pathology), HD (pregnant/parenting women's program), HQ (group therapy), TC, TJ (Childhood Nutrition Weight Management Services), TM (School-Based ACCESS Program), UA (audiology), UB (pricing), U3 (pricing), U4 (pricing), U5 (pricing), U6 (pricing), U7, U8 (pricing), U9 (pricing), 24 (unrelated E&M service by the same physician or other qualified health care professional during a postoperative period), 25 (significant, separate identifiable E&M service by the same physician or other qualified health care professional on the same day of the procedure or other service), 26, 27 (multiple outpatient hospital E&M encounters on the same date), 57 (decision for surgery).

Procedure Codes with the Addition of POS 10

77427	90791 (U3) (TM)	90791 (U4) (TM)	90832 (U3) (TM)
90853 (U3) (TM)	92002	92002 (24)	92002 (25)

92002 (27)	92002 (57)	92004	92004 (24)
92004 (25)	92004 (27)	92004 (57)	92012
92012 (24)	92012 (25)	92012 (27)	92012 (57)
92014	92014 (24)	92014 (25)	92014 (27)
92014 (57)	92507	92507 (U3) (TM)	92507 (U4) (TM) (UA)
92507 (U9) (TM) (HQ)	92507 (UB) (TM) (GN)	92508	92508 (U3) (TM)
92521 (U9)	92522 (U9)	92523 (U9)	92523 (U3) (TM)
92523 (U4) (TM) (GN)	92523 (U5) (TM)	92523 (U6) (TM)	92524 (U9)
92526	92550	92552	92553
92555	92556	92557	92563
92565	92567	92568	92570
92587	92587 (TC)	92587 (26)	92588
92588 (TC)	92588 (26)	92601	92602
92603	92604	92610	92625
92625 (52)	92626	92627	94002
94003	94004 (U7)	94664	95970
95971	95972	95983	95984
96040	96040 (24)	96040 (25)	90640 (27)
96040 (57)	96105	96105 (TC)	96105 (26)
96110	96112	96113	96125
96127	96130	96131	96132
96133	96136	96137	96156 (TJ)
96156 (U5) (TJ)	96156 (U3) (TM)	96156 (U4) (TM)	96158 (U3) (TJ)
96159 (U3) (TJ)	96160	96160 (FP)	96161
96164 (TJ)	96165 (TJ)	96167 (TJ)	96168 (TJ)
97110	97110 (U3) (TM)	97110 (U8) (TM) (HQ)	97112
97116	97129	97130	97161 (U8)
97162 (U8)	97162 (U3) (TM)	97163 (U8)	97164 (U8)
97164 (U3) (TM)	97165 (U8)	97166 (U8)	97166 (U3) (TM)
97167 (U8)	97168 (U8)	97168 (U3) (TM)	97530
97530 (U7)	97530 (U3) (TM)	97530 (U8) (TM) (HQ)	97550
97755	99188	G0108	G0109
G9016 (HD)	H0004 (U8) (HD)	H0004 (U9) (HD)	H0031 (U3) (TM)
H0031 (U4) (TM)	H0046 (U3) (TM)	H0046 (U7) (TM)	H0046 (U7) (TM) (HQ)
H1002 (HD)	H2027 (TM) (HQ)	H2027 (U3) (TM)	S9152
S9152 (U3) (TM)	S9152 (U4) (TM)	S9436 (HD)	S9437 (HD)
S9444 (HD)	S9451 (HD)	S9470 (U3) (TJ)	S9470 (U7) (HD)
T1023	T1023 (U3) (TM)	D0140	D1206
D1310	D1320	D1330	

The Department is end-dating the POS 02 (Telehealth Provided Other than in a Patient's Home) for all provider types for the following procedure codes and procedure code and modifier combinations as the Department determined that telehealth is not appropriate for these services. These procedure codes may include modifiers TC, TM, U1 (pricing), U3, U7, 22 (increased procedural services), 52 (incomplete EPSDT screen), 26.

Procedure Codes

90993 (U7)	90993 (U7) (22)	92630	92633	93224
93226	93227	93228	93268	93270
93271	93272	93278	93278 (TC)	93278 (26)
93292	93292 (TC)	93292 (26)	93293	93293 (TC)
93293 (26)	93294	93295	93296	93297

93298	93724	93724 (TC)	93724 (26)	93750
94010	94010 (TC)	94010 (26)	94060	94060 (TC)
94060 (26)	94150	94150 (TC)	94150 (26)	94200
94200 (TC)	94200 (26)	94375	94375 (TC)	94375 (26)
94642	94644	94645	94660	94662
94680	94680 (TC)	94680 (26)	94681	94681 (TC)
94681 (26)	94690	94690 (TC)	94690 (26)	94726
94726 (TC)	94726 (26)	94727	94727 (TC)	94727 (26)
94728	94728 (TC)	94728 (26)	94729	94729 (TC)
94729 (26)	94760	94761	94772	94777
95004	95017	95018	95024	95027
95028	95044	95070	95076	95079
95115	95117	95165	95180	95250
95251	95782	95782 (TC)	95782 (26)	95783
95783 (TC)	95783 (26)	95805	95805 (TC)	95805 (26)
95807	95807 (TC)	95807 (26)	95808	95808 (TC)
95808 (26)	95810	95810 (TC)	95810 (26)	95811
95811 (TC)	95811 (26)	95812	95812 (TC)	95812 (26)
95813	95813 (TC)	95813 (26)	95816	95816 (TC)
95816 (26)	95819	95819 (TC)	95819 (26)	95822
96110 (U1)	96161 (52)	97533 (U3) (TM)	99172 (U3) (TM)	99172 (U4) (TM)
99173	99490	99491	99499	G2066
S0618	T1002 (U3) (TM)			

The Department is end-dating the GT (telemedicine) modifier for the following procedure codes, as a result of the addition of POS 02 and POS 10 to procedure codes that the Department has determined are appropriate for delivery by telehealth:

Procedure Codes

90791	90832	90853	92521	92522
92523	92524	97161	97162	97163
97164	97165	97166	97167	97168
S9152				

Fiscal Impact

The estimated cost for Fiscal Year 2023-2024 is \$1.815 million (\$0.824 million in State funds and \$0.991 million in Federal funds). The estimated annualized cost is \$2.177 million (\$0.989 million in State funds and \$1.188 million in Federal funds).

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1588. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$824,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$989,000; (4) 2022-23 Program—\$746,852,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) MA—Fee-for-Service; (8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 23-1155. Filed for public inspection August 25, 2023, 9:00 a.m.]

INDEPENDENT REGULATORY REVIEW COMMISSION

Notice of Comments Issued

Section 5(g) of the Regulatory Review Act (71 P.S. § 745.5(g)) provides that the Independent Regulatory Review Commission (Commission) may issue comments within 30 days of the close of the public comment period. The Commission comments are based upon the criteria contained in section 5.2 of the Regulatory Review Act (71 P.S. § 745.5b).

The Commission has issued comments on the following proposed regulation. The agency must consider these comments in preparing the final-form regulation. The final-form regulation must be submitted within 2 years of the close of the public comment period or it will be deemed withdrawn.

<i>Reg. No.</i>	<i>Agency/Title</i>	<i>Close of the Public Comment Period</i>	<i>IRRC Comments Issued</i>
106-14	Environmental Hearing Board Practice and Procedure 53 Pa.B. 3193 (June 17, 2023)	07/17/23	08/16/23

Environmental Hearing Board Regulation # 106-14 (IRRC # 3377)

Practice and Procedure

August 16, 2023

We submit for your consideration the following comments on the proposed rulemaking published in the June 17, 2023 *Pennsylvania Bulletin*. Our comments are based on criteria in Section 5.2 of the Regulatory Review Act (Act) (71 P.S. § 745.5b). Section 5.1(a) of the Act (71 P.S. § 745.5a(a)) directs the Environmental Hearing Board (Board) to respond to all comments received from us or any other source.

Section 1021.51. Commencement, form and content.— Implementation procedures; Clarity.

Subsection (f)

Subsection (f)(1)(iv) and (2)(vi)(C), regarding electronic and conventional filing, respectively, provide for an appellant to serve a copy of a notice of appeal on any potentially adversely affected person in accordance with the Pennsylvania Rules of Civil Procedure or a document evidencing the action by the Department of Environmental Protection. The general citation to the Pennsylvania Rules of Civil Procedure is vague and does not provide clear guidance to an appellant. We ask the Board to clarify these provisions by citing specific Pennsylvania Rules of Civil Procedure regarding service.

Subsection (j)

Subsection (j) outlines the procedures to intervene in an appeal. Interested persons identified under subsection (h)(4) who wish to intervene are required to file under Section 1021.81 “unless otherwise specified in the order of the Board.” The comment to Section 1021.81 states that subsection (j) allows persons to intervene “by simply filing an entry of appearance.” However, this subsection only provides this method of filing for persons identified under subsection (h)(2) and (3). We have two questions regarding implementation. First, is an interested person identified by the Board under subsection (h)(4) required to file a petition to intervene or an entry of appearance? Second, what intervention procedure is typically included in the previously-referenced order? We ask the Board to respond to these questions in the Preamble to the final-form regulation. Further, we ask the Board to consider clarify-

ing this subsection so that it is consistent with the comment to Section 1021.81.

GEORGE D. BEDWICK,
Chairperson

[Pa.B. Doc. No. 23-1156. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Apex Adjustment Associates, LLC; Public Adjuster License Denial Appeal; Doc. No. AG23-08-019

Under the act of December 20, 1983 (P.L. 260, No. 72) (63 P.S. §§ 1601—1608), referred to as the Public Adjuster Licensing Law, Apex Adjustment Associates, LLC has appealed the denial of an application for an insurance public adjuster license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for September 26, 2023, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before September 22, 2023. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before September 12, 2023. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before September 22, 2023.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1157. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Reciprocal Jurisdiction Reinsurer

Fidelis Underwriting Limited has applied for an initial designation as a reciprocal jurisdiction reinsurer in this Commonwealth. The application was received on November 2, 2022, and was made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Monique Miller, Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, monmiller@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1158. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Reciprocal Reinsurer

Fidelis Insurance Bermuda Limited has applied for an initial designation as a reciprocal reinsurer in this Commonwealth. The application was received on December 27, 2022, and was made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Monique Miller, Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, monmiller@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1160. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Reciprocal Reinsurer

Conduit Reinsurance Limited has applied for an initial designation as a reciprocal reinsurer in this Commonwealth. The application was received on February 10, 2023, and was made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Monique Miller, Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, monmiller@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1159. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Reciprocal Reinsurer

Lancashire Insurance Company Limited has applied for an initial designation as a reciprocal reinsurer in this Commonwealth. The application was received on October 26, 2022, and was made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Monique Miller, Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, monmiller@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1161. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Reciprocal Reinsurer

Liberty Special Markets Bermuda Limited has applied for an initial designation as a reciprocal reinsurer in this Commonwealth. The application was received on November 16, 2022, and was made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Monique Miller, Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, monmiller@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1162. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for September 7, 2023, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before September 5, 2023.

The hearing will be held at the Department of Insurance, c/o Bureau of Hearings and Appeals, 801 Market Street, 4th Floor, Fairmount Hearing Room # 4129, Philadelphia, PA 19107.

Appeal of Nicholas W. Trubisky; Nationwide General Insurance Company; File No. 23-119-283308; Doc. No. P23-07-028; September 14, 2023, 1 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1163. Filed for public inspection August 25, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the termination of the insured's homeowners policy. The proceedings will be held in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for September 7, 2023, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before September 5, 2023.

The hearing will be held at the Department of Insurance, c/o Bureau of Hearings and Appeals, 801 Market Street, 4th Floor, Fairmount Hearing Room # 4129, Philadelphia, PA 19107.

Appeal of Francine Holly Maultz, Esquire; Truck Insurance Exchange; File No. 23-115-283618; Doc. No. P23-07-026; September 14, 2023, 3 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1164. Filed for public inspection August 25, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before September 11, 2023. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by September 11, 2023. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2023-3041801. Hijos Del Rey, LLC (141 South Wyoming Street, Apartment 1, Hazleton, Luzerne County, PA 18201) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Hazleton Area School District to Hazleton Area School District Schools, and return.

A-2023-3042041. Classic Car Service, LLC (275 Glen Riddle Road, Apartment H21, Media, Delaware County, PA 19063-5886) persons in group and party service, in vehicles seating between 11 and 15 persons, including the driver, from points in the Counties of Bucks, Chester, Delaware and Montgomery, to points in Pennsylvania, and return; excluding areas under the jurisdiction of the Philadelphia Parking Authority.

A-2023-3042074. Andy J. Mast (928 Swartz Road, Lewisburg, Union County, PA 17837) for the right to

begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating motor vehicles, between points in Union County, and from points in Union County, to points in the Counties of Dauphin, Lackawanna and Lancaster, and return.

A-2023-3042143. Ace Transit Management, LLC (580 Buckstone Drive, Southampton, Bucks County, PA 18966) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Bucks, Chester and Montgomery, to points in Pennsylvania, and return.

A-2023-3042158. Feroz, LLC (265 Rivercrest Drive, Phoenixville, Montgomery County, PA 19460) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in Montgomery County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2023-3042170. Helping Hands Transportation, LLC (2839 West Girard Avenue, Floor 1, Philadelphia, Philadelphia County, PA 19130) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

Applications of the following for the approval of the right and privilege to *discontinue/abandon operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under each application.*

A-2023-3042151. Gegen, LLC (175 Greenwich Street, Floor 47, New York, NY 10007) for the discontinuance and cancellation of the right to operate as a broker, to arrange for the transportation of persons, between points in Pennsylvania, as originally docketed at Docket A-2012-2317300.

A-2023-3042152. Gegen, LLC (175 Greenwich Street, Floor 47, New York, NY 10007) for the discontinuance and cancellation of the right to transport persons, in limousine service, between points in Pennsylvania, as originally docketed at Docket A-2012-2339043.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1165. Filed for public inspection August 25, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Telecommunications

A-2023-3042281. Brightspeed of Pennsylvania, LLC and Earthgrid PBC. Joint petition of Brightspeed of Pennsylvania, LLC and Earthgrid PBC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Brightspeed of Pennsylvania, LLC and Earthgrid PBC, by their counsel, filed on August 16, 2023, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Brightspeed of Pennsylvania, LLC and Earthgrid PBC joint petition are available for inspection at the Commission's web site at www.puc.pa.gov and at the applicant's business web site.

The contact person is Kimberly Hafner, Director, Office of Special Assistants, (717) 705-3822.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1166. Filed for public inspection August 25, 2023, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than September 11, 2023. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicant or attorneys, or both.

Doc. No. A-23-08-04. Alfa Motors, LLC, t/a Alfa Limo (106 Spring Flower Court, Huntingdon Valley, PA 19006): An application for a limousine certificate of public convenience to transport persons and their baggage in luxury limousine service on an exclusive basis, arranged for in advance, between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David Temple, Esq., 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 23-1167. Filed for public inspection August 25, 2023, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Commission Meeting

The Susquehanna River Basin Commission (Commission) will conduct its regular business meeting on September 14, 2023, at 9 a.m. in person and digitally from the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110. Details concerning the matters to be addressed at the business meeting are in the Supplementary Information section as follows. The Commission published a document in the *Federal Register* at 88 FR 44436 (July 12, 2023), concerning its public hearing on August 10, 2023, in Harrisburg, PA.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, fax (717) 238-2436, joyler@srbc.gov. Also see the Commission's web site at www.srbc.gov.

Supplementary Information

The business meeting will include actions or presentations on the following items: (1) adoption of the Commission's Fiscal Year (FY) 2025 Budget; (2) adoption of member jurisdictions allocation for FY 2025; (3) approval of contracts, grants and agreements; (4) adoption of a resolution regarding climate change; (5) adoption of a resolution regarding Artesian Water Maryland, Inc. withdrawal; (6) adoption of a compliance settlement agreement; and (7) actions on 22 regulatory program projects.

This agenda is complete at issuance, but other items may be added and some stricken without further notice. Listing an item on the agenda does not necessarily mean that the Commission will take final action at this meeting. When the Commission does take final action, notice of these actions will be published in the *Federal Register* after the meeting. Actions specific to projects will also be provided directly to project sponsors in writing.

The meeting will be conducted in-person at the Commission's Harrisburg headquarters and digitally. The public is invited to attend the Commission's business meeting. Individuals can access the business meeting remotely by means of Zoom at <https://us02web.zoom.us/j/82472805136?pwd=VlpHaElpeWF2U0RhWVVFQRHhTbU40UT09> then enter meeting ID 824 7280 5136 and passcode SRBC4423! or by telephone at (309) 205-3325 or (312) 626-6799. The meeting ID is 824 7280 5136.

Except for the actions on the 22 regulatory program projects subject to the August 10, 2023, public hearing and comment process that closed on August 21, 2023, written comments about any other items on the agenda at the business meeting may be mailed to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788, or submitted electronically through www.srbc.net/about/meetings-events/business-meeting.html. Comments are due to the Commission on or before September 8, 2023. Comments will not be accepted at the business meeting noticed herein.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806—808

Dated: August 11, 2023

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 23-1168. Filed for public inspection August 25, 2023, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from July 1, 2023, through July 31, 2023.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified.

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. Pennsylvania General Energy Company, LLC; Pad ID: COP Tract 726 Pad E; ABR-202307001; Plunketts Creek Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 17, 2023.

2. Coterra Energy, Inc.; Pad ID: StarzecE P1; ABR-201306009.R2; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: July 23, 2023.

3. Coterra Energy, Inc.; Pad ID: VandermarkR P1; ABR-201107029.R2; Dimock Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: July 23, 2023.

4. Repsol Oil & Gas USA, LLC; Pad ID: Lynn 719; ABR-201207012.R2; Liberty Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: July 23, 2023.

5. Seneca Resources Company, LLC; Pad ID: DCNR 100 PAD B; ABR-201107035.R2; Cogan House and McIntyre Townships, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 23, 2023.

6. Seneca Resources Company, LLC; Pad ID: DCNR Tract 007 Pad D; ABR-201807001.R1; Delmar Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 23, 2023.

7. SWN Production Company, LLC; Pad ID: Heckman Camp (Pad F); ABR-201307001.R2; Herrick Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: July 23, 2023.

8. SWN Production Company, LLC; Pad ID: King N (Pad NW1); ABR-201307004.R2; Franklin Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: July 23, 2023.

9. SWN Production Company, LLC; Pad ID: TNT LTD PART WEST; ABR-201307002.R2; New Milford Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: July 23, 2023.

10. SWN Production Company, LLC; Pad ID: Whipple (Pad 14); ABR-201307003.R2; Herrick Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: July 23, 2023.

11. Alliance Petroleum Corporation; Pad ID: Sterling Run Club 4; ABR-201706003.R1; Burnside Township, Centre County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: July 27, 2023.

12. Alliance Petroleum Corporation; Pad ID: Sterling Run Club 5; ABR-201706004.R1; Burnside Township, Centre County, PA; Consumptive Use of Up to 3.0000 mgd; Approval Date: July 27, 2023.

13. Blackhill Energy, LLC; Pad ID: NICHOLS 2H Pad; ABR-201107020.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 4.9900 mgd; Approval Date: July 27, 2023.

14. Chesapeake Appalachia, LLC; Pad ID: Brown Homestead; ABR-201207005.R2; Wyalusing Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 27, 2023.

15. Chesapeake Appalachia, LLC; Pad ID: CDJ; ABR-201207018.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 27, 2023.

16. Chesapeake Appalachia, LLC; Pad ID: Cherrymills; ABR-201207019.R2; Cherry Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: July 27, 2023.

17. EQT ARO, LLC; Pad ID: MAC Pad B; ABR-201805002.R1; Cascade Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 27, 2023.

18. Repsol Oil & Gas USA, LLC; Pad ID: ALDERSON (05 269); ABR-201807002.R1; Pike Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: July 27, 2023.

19. Repsol Oil & Gas USA, LLC; Pad ID: BROADLEAF HOLDINGS (01 115); ABR-201807003.R1; Columbia, Springfield and Troy Townships, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: July 27, 2023.

20. Repsol Oil & Gas USA, LLC; Pad ID: MOUNTAIN RUN HUNTING CLUB (02 153); ABR-201107050.R2; Union Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: July 27, 2023.

21. Seneca Resources Company, LLC; Pad ID: DCNR 595 Pad G; ABR-201107033.R2; Blossburg Borough and Blossburg Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 27, 2023.

22. Seneca Resources Company, LLC; Pad ID: Rich Valley Pad E; ABR-201107032.R2; Shippen Township, Cameron County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 27, 2023.

23. Seneca Resources Company, LLC; Pad ID: Taft 851 ALT; ABR-202307002; Middlebury Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: July 27, 2023.

24. Blackhill Energy, LLC; Pad ID: CRANE Pad; ABR-201107023.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 4.9900 mgd; Approval Date: July 28, 2023.

25. Blackhill Energy, LLC; Pad ID: HOLCOMBE 1H Pad; ABR-201107022.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 4.9900 mgd; Approval Date: July 28, 2023.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18
CFR Parts 806 and 808

Dated: August 11, 2023

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 23-1169. Filed for public inspection August 25, 2023, 9:00 a.m.]
