

NOTICES

DEPARTMENT OF AGRICULTURE

List of Pesticides Which May be used by Medical Marijuana Growers and Processors

Under section 702(c) of the Medical Marijuana Act (35 P.S. § 10231.702(c)), the Department of Agriculture (Department) is required to annually review, update and transmit to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*, a list of pesticides that may be used by licensed growers and processors of medical marijuana. The following pesticide active ingredients may be used legally in the growing and processing of seeds, immature medical marijuana plants, medical marijuana plants or medical marijuana and in accordance with the Pennsylvania Pesticide Control Act of 1973 (3 P.S. §§ 111.21—112). To qualify, products containing the following active ingredients must be registered in the Commonwealth, and labeled for use in greenhouses on unspecified food crops, unspecified herbs, or both. Commonwealth pesticide registration can be checked at <https://www.paplants.pa.gov/ProductRegFSA/BrandSearch.aspx>.

The Department evaluates potential pesticide active ingredients for inclusion on this list on an annual basis. Persons seeking review of an active ingredient for addition to this list must submit an application to the Department by June 1st of the calendar year. This submission must include the name of the active ingredi-

ent, the Environmental Protection Agency (EPA) registration number for a pesticide containing the active ingredient and a recent market label for a pesticide containing this active ingredient. This list will be reviewed and updated in September of each calendar year. Deletions of active ingredients will occur on an as-needed basis. Applications may be sent to the Department of Agriculture, Attn: Pesticide Registration, 2301 North Cameron Street, Harrisburg, PA 17110.

The Department will utilize the following criteria when evaluating active ingredients for inclusion on the list:

1. The active ingredient is in at least one EPA registered pesticide, or is exempt under section 25(b) of the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. § 136w(b)).
2. Pesticides containing this ingredient are labeled for unspecified food or herb crops.
3. The active ingredient is exempt from the requirements of a tolerance on all food crops.

The Department may also consider other factors, such as pyrolysis data or whether addition of an active ingredient may likely lead to widespread misuse. This notice will become effective immediately upon publication in the *Pennsylvania Bulletin*. This publication supersedes all previously published notices related to pesticide active ingredients for use by Medical Marijuana Growers and Processors.

List of Pesticide Active Ingredients Approved for Use by Medical Marijuana Growers/Processors

<i>EPA Status</i>	<i>Pesticide Type</i>	<i>Comments</i>	<i>Active Ingredient</i>
25(b)	Insecticide		Castor Oil
25(b)	Insecticide		Cedarwood Oil
25(b)	Insecticide		Cinnamon
25(b)	Fungicide, Insecticide		Cinnamon Oil
25(b)	Fungicide, Insecticide		Citric Acid
25(b)	Bactericide, Fungicide		Clove
25(b)	Insecticide		Clove Oil
25(b)	Fungicide		Corn Oil
25(b)	Insecticide		Cornmint Oil
25(b)	Insecticide		Cottonseed Oil
25(b)	Insecticide		Garlic
25(b)	Insect Repellent		Garlic Oil
25(b)	Fungicide		Geraniol
25(b)	Insecticide		Geranium Oil
25(b)	Fungicide, Insecticide		Lemon Grass Oil
25(b)	Insecticide		Peppermint Oil
25(b)	Fungicide		Potassium Sorbate
25(b)	Insecticide		Rosemary
25(b)	Insecticide		Rosemary Oil
25(b)	Fungicide, Insecticide, Miticide		Sesame Oil
25(b)	Fungicide, Insecticide		Sodium Lauryl Sulfate

<i>EPA Status</i>	<i>Pesticide Type</i>	<i>Comments</i>	<i>Active Ingredient</i>
25(b)	Insecticide		Soybean Oil
25(b)	Fungicide		Thyme
25(b)	Fungicide, Insecticide, Miticide		Thyme Oil
25(b)	Insecticide		White Pepper
Sec 3 Products	PGR		24-Epibrassinolide
Sec 3 Products	Insecticide		Azadirachtin
Sec 3 Products	Fungicide		<i>Bacillus amyloliquifaciens</i> strain D747
Sec 3 Products	Fungicide		<i>Bacillus pumilus</i> strain GHA 180
Sec 3 Products	Fungicide		<i>Bacillus subtilis</i> QST713 strain
Sec 3 Products	Insecticide		<i>Bacillus thuringiensis</i> ssp. aizawai
Sec 3 Products	Insecticide		<i>Bacillus thuringiensis</i> ssp. israelensis
Sec 3 Products	Insecticide		<i>Bacillus thuringiensis</i> ssp. kurstaki strain EVB-113-19
Sec 3 Products	Insecticide		<i>Beauveria bassiana</i> strain ANT-03
Sec 3 Products	Insecticide		<i>Beauveria bassiana</i> strain GHA
Sec 3 Products	Insecticide		<i>Burkholderia</i> ssp. strain A396
Sec 3 Products	Insecticide		Canola Oil
Sec 3 Products	Insect Repellent		Capsicum Oleoresin Extract
Sec 3 Products	Insecticide		<i>Chromobacterium</i> sub strain PRAA4-1 Cells
Sec 3 Products	Fungicide, Insecticide		Clarified Hydrophobic Extract of Neem Oil
Sec 3 Products	Fungicide		<i>Clonostachys rosea</i> strain J1446 (formerly known as <i>Gliocladium catenulatum</i> strain J1446)
Sec 3 Products	Fungicide		Copper Octanoate
Sec 3 Products	PGR		Cytokinin (Kinetin)
Sec 3 Products	Insecticide		Diatomaceous Earth
Sec 3 Products	PGR		Gibberellins (Gibberellic Acid)
Sec 3 Products	PGR		Harpin Alpha Beta
Sec 3 Products	PGR		Homobrassinolide
Sec 3 Products	Antimicrobial, Fungicide	Post-harvest application prohibited	Hydrogen Peroxide
Sec 3 Products	PGR		IBA (Indole-3-Butyric Acid)
Sec 3 Products	Insecticide		<i>Isaria fumosorosea</i> Apopka strain 97
Sec 3 Products	Insecticide		<i>Isaria fumosorosea</i> strain FE 9901
Sec 3 Products	Insecticide, PGR		Kaolin
Sec 3 Products	Insecticide		Mineral Oil
Sec 3 Products	Fungicide		Mono- and Dipotassium Salts of Phosphorous Acid
Sec 3 Products	Insecticide		Monopotassium Phosphate

<i>EPA Status</i>	<i>Pesticide Type</i>	<i>Comments</i>	<i>Active Ingredient</i>
Sec 3 Products	Nematicide		Myrothecium verrucaria
Sec 3 Products	Fungicide, Insecticide		Neem Oil, Cold Pressed
Sec 3 Products	Antimicrobial, Fungicide		Peroxyacetic Acid
Sec 3 Products	Fungicide		Potassium Bicarbonate
Sec 3 Products	Insecticide		Potassium Laurate
Sec 3 Products	Fungicide, Insecticide		Potassium Salts of Fatty Acids
Sec 3 Products	Fungicide		<i>Pseudomonas chlororaphis</i> strain AF5009
Sec 3 Products	Insecticide		Pyrethrins
Sec 3 Products	Fungicide		<i>Reynoutria sachalinensis</i> extract
Sec 3 Products	Molluscicide		Sodium Ferric EDTA
Sec 3 Products	Fungicide		<i>Streptomyces lydicus</i> WYEC 108
Sec 3 Products	Fungicide	Foliar spray prohibited	<i>Streptomyces</i> sp. strain K61
Sec 3 Products	Insecticide, Miticide		Sucrose Octanoate Esters
Sec 3 Products	Insecticide, Fungicide	Only EPA-registered products are approved for use on medical marijuana. Burning sulfur for pest control is prohibited.	Sulfur
Sec 3 Products	Fungicide		<i>Trichoderma asperellum</i> strain ICC 012
Sec 3 Products	Fungicide		<i>Trichoderma asperellum</i> strain T34
Sec 3 Products	Fungicide		<i>Trichoderma gamsii</i> strain ICC080
Sec 3 Products	Fungicide		<i>Trichoderma harzianum</i> Rifai strain T-22
Sec 3 Products	Fungicide		<i>Trichoderma virens</i> strain G-41

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 23-1249. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 5, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY
BANKING INSTITUTIONS
Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
08-31-2023	Elderton State Bank Elderton Armstrong County	<i>To:</i> 2014 River Road North Apollo Armstrong County <i>From:</i> 1906 River Road North Apollo Armstrong County	Accepted
09-05-2023	Reliance Savings Bank Altoona Blair County	<i>To:</i> 1300 11th Avenue Altoona Blair County <i>From:</i> 1119 Twelfth Street Altoona Blair County	Accepted

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Acting Secretary

[Pa.B. Doc. No. 23-1250. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF
BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of October 2023

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of October 2023, is 6 3/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.30 to which was added 2.50 percentage points for a total of 6.80 that by law is rounded off to the nearest quarter at 6 3/4%.

WENDY S. SPICHER,
Acting Secretary

[Pa.B. Doc. No. 23-1251. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF COMMUNITY AND
ECONOMIC DEVELOPMENT

Pennsylvania Housing Advisory Committee Meeting; 2024—2028 Consolidated Plan

The Department of Community and Economic Development (Department) is preparing the Commonwealth's 2024—2028 Consolidated Plan (Plan). The Plan is designed to help states and local jurisdictions to assess their affordable housing and community development needs and market conditions and to make data-driven, place-based investment decisions.

The consolidated planning process serves as the framework for a Statewide dialogue to identify housing and community development priorities that align and focus funding from the United States Department of Housing and Urban Development's Community Planning and Development formula block grant programs:

- **CDBG:** Community Development Block Grant Program
- **HOME:** HOME Investment Partnerships Program
- **ESG:** Emergency Solutions Grant Program
- **HOPWA:** Housing Opportunities for Persons with AIDS Program
- **HTF:** National Housing Trust Fund

1st Public Hearing
Tuesday, September 26, 2023
10 a.m.

The first public hearing for the Plan will be conducted electronically by means of Microsoft Teams on Tuesday, September 26, 2023, at 10 a.m. This hearing will be held virtually. Those who wish to make comment or discuss policy may participate directly from their phone, personal computer or from a public computer (for example, public library).

Individuals or organizations may give testimony or comments during this meeting. Comments will be accepted about topics related to the needs of the Commonwealth in the following areas: community development; housing including special needs; homelessness; and economic development. The Commonwealth encourages public participation in this process.

Registration is not required and individuals may join the meeting directly on Microsoft Teams at https://teams.microsoft.com/l/meetup-join/19%3ameeting_ODhkNTBjYjctMjBhNi00MGJhLThkM2UtN2EwMWU5OTZmYmYx%40thread.v2/0?context=%7b%22id%22%3a%22418e2841-0128-4dd5-9b6c-47fc5a9a1bde%22%2c%22oid%22%3a%22ed73e8d-d048-425b-93cc-055ce4231b52%22%7d. The meeting ID is 233 843 689 845. The passcode is BekcBC.

Individuals who wish to attend the meeting may join by phone at (267) 332-8737. The conference ID is 177 357 620#.

The hearing will be recorded for public record. The hearing will be shortened if there is no one to testify or there is minimal response.

Individuals who have a disability or limited English proficiency and wish to participate in the public hearing should contact David Grey, dgrey@pa.gov, (717) 214-5341 or TDD (717) 346-0308 at a minimum of 72 hours prior to the meeting to discuss how the Department accommodate their needs.

RICK SIGER,
Secretary

[Pa.B. Doc. No. 23-1252. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF EDUCATION

Designation of School Districts to Receive Duquesne City School District's Senior High School Students

The Duquesne City School District (Duquesne) eliminated its senior high school program in 2007. Section 14 of the act of July 20, 2007 (P.L. 278, No. 45) (Act 45) governed the reassignment of Duquesne's senior high school students until Act 45 was declared unconstitutional by the Commonwealth Court in 2010. In part, Act 45 authorized the Secretary of Education to designate two or more school districts to accept Duquesne's high school students. Under Act 45, the East Allegheny School District (East Allegheny) and the West Mifflin Area School District (West Mifflin) were designated to accept Duquesne's senior high school students on a tuition basis.

Shortly after Act 45 was struck down, the act of November 23, 2010 (P.L. 1350, No. 123) (Act 123) was enacted. The enactment of Act 123 resulted in significant amendments to section 1607 of the Public School Code of 1949 (School Code) (24 P.S. § 16-1607). Section 1607 of the School Code authorizes the Secretary of Education to designate two or more school districts to accept Duquesne's high school students. When Act 123 was enacted, East Allegheny and West Mifflin were designated to continue to accept Duquesne's senior high school students.

In 2012, Duquesne sought and received the approval of the Department of Education (Department) to alter/curtail its junior high school program (grades 7 and 8). Accordingly, East Allegheny and West Mifflin were designated to also accept Duquesne's junior high school students. The designation of East Allegheny and West Mifflin to accept Duquesne's 9–12 grade students remained unchanged.

Beginning with the 2021-2022 school year, Duquesne began to again operate a 7th grade program. Beginning with the 2022-2023 school year, Duquesne again operated an 8th grade program. However, the designation of East Allegheny and West Mifflin to accept Duquesne's 9–12 grade students remained unchanged.

For the 2023-2024 school year, the designation of East Allegheny and West Mifflin to accept Duquesne's 9–12 grade students remains. The Department provides the following information regarding the assignment of Duquesne's 9–12 grade students to East Allegheny and West Mifflin.

Assignment of Students

- Students entering grades 10, 11 or 12 shall be assigned to the same district to which they were assigned during the previous school year.
- Private, religious or charter school students who are residents of Duquesne and who wish to enroll in Duquesne and attend East Allegheny or West Mifflin must register as Duquesne students at the Duquesne Education Center to be assigned to either East Allegheny or West Mifflin.
- Students transferring into Duquesne will be given a choice between East Allegheny and West Mifflin and will be assigned to the district they choose.

Per-Pupil Tuition Rate

The per pupil tuition rate that the designated districts shall receive for the 2023-2024 school year is \$16,876.90.

DR. KHALID N. MUMIN,
Secretary

[Pa.B. Doc. No. 23-1253. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

Section *Category*

- | | |
|-----|--|
| I | Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received |
| II | Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs |
| III | Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity |

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0913925	Joint DEP/PFBC Pesticides Permit	Renewal	Moskovitz David 910 Old Dolington Road Newtown, PA 18940-2702	Upper Makefield Township Bucks County	SERO
0913929	Joint DEP/PFBC Pesticides Permit	Renewal	Pine Run Lakeview 777 Ferry Road Doylestown, PA 18901-2102	Doylestown Township Bucks County	SERO
0916825	Joint DEP/PFBC Pesticides Permit	Renewal	The Villages of Flowers Mill 968 Daylily Drive Langhorne, PA 19047-1795	Langhorne Borough Bucks County	SERO
0921822	Joint DEP/PFBC Pesticides Permit	Amendment	Spock Robert 420 W Thatcher Road Quakertown, PA 18951-2512	Richland Township Bucks County	SERO
0923813	Joint DEP/PFBC Pesticides Permit	New	Moczydlowski Steve 849 Haycock Run Road Kintnersville, PA 18930-9431	Haycock Township Bucks County	SERO
0923816	Joint DEP/PFBC Pesticides Permit	New	Grove Valley Farm 3438 Pruss Hill Road Pottstown, PA 19464-3326	Warrington Township Bucks County	SERO
0923817	Joint DEP/PFBC Pesticides Permit	New	Johnston Wayne 1206 Diamond Street Sellersville, PA 18960-2904	Hilltown Township Bucks County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0923818	Joint DEP/PFBC Pesticides Permit	New	Arbours at Morgan Creek HOA 1245 Heron Court Quakertown, PA 18951-2857	Richland Township Bucks County	SERO
0923820	Joint DEP/PFBC Pesticides Permit	New	Warwick Mill HOA 27 Ryans Mill Road Jamison, PA 18929-1704	Warwick Township Bucks County	SERO
0923822	Joint DEP/PFBC Pesticides Permit	New	Glorioso Robert 1228 Township Line Road Chalfont, PA 18914-1054	Hilltown Township Bucks County	SERO
0923823	Joint DEP/PFBC Pesticides Permit	New	Colonial Woods Family Campground 545 Lonely Cottage Road Upper Black Eddy, PA 18972-9345	Nockamixon Township Bucks County	SERO
1523832	Joint DEP/PFBC Pesticides Permit	New	Elling Janet 440 Burnt Mill Road Chadds Ford, PA 19317-9261	Kennett Township Chester County	SERO
2023810	Joint DEP/PFBC Pesticides Permit	New	Mark Zadrozny 25079 Plank Road Cambridge Springs, PA 16403-2349	Venango Township Crawford County	NWRO
2313808	Joint DEP/PFBC Pesticides Permit	Renewal	Collingdale Borough Delaware County 800 Macdade Boulevard Collingdale, PA 19023-3826	Collingdale Borough Delaware County	SERO
2313823	Joint DEP/PFBC Pesticides Permit	Renewal	Gross Valetta 55 Woodridge Road Thornton, PA 19373-1088	Thornbury Township Delaware County	SERO
2523803	Joint DEP/PFBC Pesticides Permit	New	Chris Fruehlich 11466 Springfield Road Girard, PA 16417-7232	Girard Township Erie County	NWRO
3623810	Joint DEP/PFBC Pesticides Permit	New	South Laurel Pond HOA 1181 S Bristol Drive Lititz, PA 17543-8391	Manheim Township Lancaster County	SCRO
4323808	Joint DEP/PFBC Pesticides Permit	New	Regis Rinko 1139 Sunol Road Cochran, PA 16314-2931	French Creek Township Mercer County	NWRO
4613887	Joint DEP/PFBC Pesticides Permit	Renewal	The Reserve at Gwynedd 347 Primrose Drive Upper Gwynedd, PA 19446-5692	Upper Gwynedd Township Montgomery County	SERO
5823803	Joint DEP/PFBC Pesticides Permit	New	Deskiewicz Mike 8006 Glenwood Court New Tripoli, PA 18066-2955	Auburn Township Susquehanna County	NERO
6413821	Joint DEP/PFBC Pesticides Permit	Amendment	Lake Quinn Assoc Inc. P.O. Box 64 South Canaan, PA 18459-0064	South Canaan Township Wayne County	NERO
0623404	Land Application and Reuse of Sewage Individual WQM Permit	New	Burkholder Nevin Z & Stella Z 1205 Richmond Road Fleetwood, PA 19522	Maidencreek Township Berks County	SCRO
4523401	Land Application and Reuse of Sewage Individual WQM Permit	New	Lindenmere Sports & Arts Box 160A Route 715 Henryville, PA 18332	Pocono Township Monroe County	NERO
4600421	Land Application and Reuse of Sewage Individual WQM Permit	Renewal	Montgomery County SPCA 19 E Ridge Pike Conshohocken, PA 19428-2116	Upper Frederick Township Montgomery County	SERO

NOTICES

5789

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
08775-S	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Clairton City Municipal Authority Allegheny County 1 N State Street Clairton, PA 15025-2172	Clairton City Allegheny County	SWRO
3223201	Manure Storage and Wastewater Impoundments Individual WQM Permit	New	Gruppo EF Tech USA LLC 12 E 10th Street New York, NY 10003-5927	Center Township Indiana County	NWRO
0221205	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Harwick Oper Co. LLC 12601 Plantside Drive Louisville, KY 40299-6386	Springdale Borough Allegheny County	SWRO
NOEXSC268	No Exposure Certification	Renewal	Brentwood Ind Inc. 500 Spring Ridge Drive Reading, PA 19610-1069	Reading City Berks County	SCRO
NOEXSC404	No Exposure Certification	New	Saia Motor Freight Line LLC 11465 Johns Creek Parkway Suite 400 Duluth, GA 30097-1574	Allegheny Township Blair County	SCRO
PAG032237	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Harrys U Pull It 1510 E Jonathan Street Allentown, PA 18109-1528	Allentown City Lehigh County	NERO
PAG032412	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Highway Materials Inc. 402 Tatamy Road Nazareth, PA 18064-2535	Upper Nazareth Township Northampton County	NERO
PAG032414	PAG-03 NPDES General Permit for Industrial Stormwater	New	Ces Biogas LLC 4444 Westheimer Road Houston, TX 77027-4800	Foster Township Schuylkill County	NERO
PAG034065	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Patrick Ind Inc. 20 Eby Chiques Road Mount Joy, PA 17552-9335	Mount Joy Borough Lancaster County	SCRO
PAG034821	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	SOS Metals Inc. 320 State Route 54 Mount Carmel, PA 17851-2500	Mount Carmel Township Northumberland County	NCRO
PAG035037	PAG-03 NPDES General Permit for Industrial Stormwater	New	Centre Concrete Co. P.O. Box 859 State College, PA 16804-0859	White Deer Township Union County	NCRO
PAG035038	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	XPO Logistics Freight Inc. 2211 Old Earhart Road Ann Arbor, MI 48105-2963	Bradford Township Clearfield County	NCRO
PAG036562	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Carry All Products Inc. 1015 Blackstone Avenue Connellsville, PA 15425-0201	East Huntingdon Township Westmoreland County	SWRO
PAG038309	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Advanced Drainage System Inc. P.O. Box 10 22793 Route 66 Shipperville, PA 16254-0010	Shipperville Borough Clarion County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038351	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	JJ Kennedy Inc. P.O. Box 69 Zelienople, PA 16063-0069	Paint Township Clarion County	NWRO
PAG038539	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Heniff Transportation System LLC 1569 Hooker Road Karns City, PA 16041-1517	Fairview Township Butler County	NWRO
PAG038564	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	United Parcel Service Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Vernon Township Crawford County	NWRO
PAG038576	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	TForce Freight Inc. 1000 Semmes Avenue Richmond, VA 23224-2246	Millcreek Township Erie County	NWRO
PAG038577	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Transflo Terminal Service Inc. 500 Water Street, J-975 Jacksonville, FL 32202	Butler City Butler County	NWRO
PAG038579	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Heath Oil Inc. P.O. Box 1128 Oil City, PA 16301-0628	Barkeyville Borough Venango County	NWRO
PAG066130	PAG-06 NPDES General Permit for Combined Sewer Systems	Renewal	Export Borough Westmoreland County 5821 Johnson Avenue Export, PA 15632	Export Borough Westmoreland County	SWRO
PAG123854	PAG-12 NPDES General Permit for CAFOs	Amendment	LHF Enterprises LLC 932 Turner Camp Road Schellsburg, PA 15559-7334	Napier Township Bedford County	SCRO
PAG123854	PAG-12 NPDES General Permit for CAFOs	Amendment	LHF Farms LLC 932 Turner Camp Road Schellsburg, PA 15559-7334	Napier Township Bedford County	SCRO
4816202	Pump Stations Individual WQM Permit	Amendment	Easton Area Joint Sewer Authority Northampton County 50A S Delaware Drive Easton, PA 18042-9405	Easton City Northampton County	NERO
6517403	Sewer Extensions Individual WQM Permit	Amendment	Westmoreland County Municipal Authority 124 Park & Pool Road New Stanton, PA 15672	Mount Pleasant Borough Westmoreland County	SWRO
2523423	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Bardwell Marjorie 2839 Hershey Road Erie, PA 16506-5002	Summit Township Erie County	NWRO
6223402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Anderson Michael K 213 Deerfield Lane Tidioute, PA 16351-6625	Deerfield Township Warren County	NWRO
WQG02022302	WQG-02 WQM General Permit	New	Deer Creek Drainage Basin Authority P.O. Box 449 Mars, PA 16046-0449	West Deer Township Allegheny County	SWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0232319, Sewage, SIC Code 4952, **Hepler, Gail M.**, 128 Mabel Road, Ashland, PA 17921-9103. Facility Name: Gail Hepler SRSTP. This existing facility is located in Lock Haven City, **Clinton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP Sewage.

The receiving stream(s), West Branch Susquehanna River (WWF, MF), is located in State Water Plan watershed 9-B and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0004 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276669, Storm Water, SIC Code 3086, **FXI Inc.—Archbald**, 103 Power Boulevard, Archbald, PA 18403-2012. Facility Name: Fxi Inc. This proposed facility is located in Archbald Borough, **Lackawanna County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Lackawanna River (HQ-CWF, MF), is located in State Water Plan watershed.

5-A and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Zinc, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276723, Storm Water, SIC Code 4215, **United Parcel Service Inc.**, 55 Glenlake Parkway, Atlanta, GA 30328-3474. Facility Name: United Parcel Service Inc. Lehigh Valley Automated Hub. This proposed facility is located in Easton City, **Northampton County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Bushkill Creek (HQ-CWF, MF) and Shoeneck Creek (WWF, MF), is located in State Water Plan watershed 1-F and is classified for High Quality—Cold Water, Migratory Fish, Warm Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0093718, Sewage, SIC Code 8211, **Karns City Area School District**, 1446 Kittanning Pike, Karns City, PA 16041-1818. Facility Name: Sugarcreek Elementary School. This existing facility is located at 1290 State Route 268, Cowansville, PA 16218 in Sugarcreek Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Huling Run (TSF), is located in State Water Plan watershed 17-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0075 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	0.0075	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	8.5	XXX	17.0
Total Suspended Solids	XXX	XXX	XXX	25.0	XXX	50.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	10,000	XXX
Oct 1 - Apr 30				Geo Mean	Daily Max	
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	5.5
Nov 1 - Mar 31				2.7		
Apr 1 - Oct 31	XXX	XXX	XXX	8.1	XXX	16.2
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0240036, Sewage, SIC Code 8800, **Jack Brinling**, 7928 E Lake Road, Erie, PA 16511-1633. Facility Name: Jack Brinling SRSTP. This existing facility is located in Harborcreek Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Stream, is located in State Water Plan watershed and is classified for aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>	<i>Minimum</i>	<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0265659, Sewage, SIC Code 4952, 8800, **Clyde Roberts**, 1289 Mercer Grove City Road, Mercer, PA 16137-6243. Facility Name: Clyde Roberts SRSTP. This existing facility is located in Findley Township, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Pine Run (TSF), is located in State Water Plan watershed 20-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0006 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0265730, Sewage, SIC Code 4952, 8800, **Beth Wyszomierski**, 3819 Chewton Wurttemberg Road, Ellwood City, PA 16117. Facility Name: Beth Wyszomierski SRSTP. This existing facility is located in Wayne Township, **Lawrence County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Duck Run (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0271675, Sewage, SIC Code 4952, 8800, **Ashley Sonney**, 10333 Lake Pleasant Road, Waterford, PA 16441. Facility Name: Ashley Sonney SRSTP. This existing facility is located in Greene Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to East Branch LeBoeuf Creek (TSF), is located in State Water Plan watershed 16-A and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Total Residual Chlorine (TRC) will be report only once a month.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0271764, Sewage, SIC Code 8800, **Aaron & Heather Sickles**, 45 E Townhall Road, Waterford, PA 16441. Facility Name: Aaron & Heather Sickles SRSTP. This existing facility is located in Summit Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Walnut Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report Avg Mo	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0293075, Sewage, SIC Code 8800, **David S Carnahan**, 310 Evans Road, Zelienople, PA 16063-3008. Facility Name: David Carnahan SRSTP. This proposed facility is located in Jackson Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Connoquenessing Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
	Annl Avg					

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295230, Sewage, SIC Code 4952, 8811, **James R Koehler**, 17946 State Highway 198, Saegertown, PA 16433-3640. Facility Name: James Koehler SRSTP. This proposed facility is located in Hayfield Township, **Crawford County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Kerns Run (WWF), is located in State Water Plan watershed 16-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295256, Sewage, SIC Code 8800, **Jonathan Bees**, 51 Willadell Road, Transfer, PA 16154. Facility Name: Jonathan Bees SRSTP. This proposed facility is located in Delaware Township, **Mercer County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0033766, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater Inc.**, 762 W Lancaster Avenue, Bryn Mawr, PA 19010-3402. Facility Name: North Heidelberg Sewer Co. STP. This existing facility is located in Jefferson Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of a NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Northkill Creek (CWF), is located in State Water Plan watershed 3-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.1 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instanta- neous Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	<i>Instanta- neous Maximum</i>
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Ultraviolet light intensity (µw/cm ²)	XXX	XXX	Report	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	21	33	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	25	40	XXX	30	45	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	16	XXX	XXX	20	XXX	40
Total Phosphorus	0.83	XXX	XXX	1.0	XXX	2

Outfall 001 limits, continued:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		
	<i>Average Quarterly</i>	<i>Weekly Average</i>	<i>Instanta- neous Minimum</i>	<i>Average Quarterly</i>	<i>Weekly Average</i>	<i>Instanta- neous Maximum</i>
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Reporting to DEP sludge or biosolids production and disposal
- Reporting to DEP hauled-in municipal or residual wastes

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

PAI133514, MS4, **Silver Spring Township, Cumberland County**, 8 Flowers Drive, Mechanicsburg, PA 17050-1701.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Silver Spring Township, **Cumberland County**. The receiving stream(s), Trindle Spring Run (HQ-CWF, MF), Hogestown Run (CWF, MF), Unnamed Tributary of Simmons Creek (WWF, MF), Unnamed Tributary to Simmons Creek (WWF, MF), Simmons Creek (WWF, MF), Unnamed Tributary to Conodoguinet Creek (WWF, MF), and Conodoguinet Creek (WWF, MF), is located in State Water Plan watershed 7-B and is classified for High Quality—Cold Water, Migratory Fish, Warm Water Fishes, Migratory Fishes, and Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southcentral Regional Office

PAI133523, MS4, **Terre Hill Borough, Lancaster County**, P.O. Box 250, Terre Hill, PA 17581-0250.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Terre Hill Borough, **Lancaster County**. The receiving stream(s), Temple Creek (CWF, MF), Unnamed Tributary to Black Creek (HQ-WWF, MF) and Unnamed Tributary to Conestoga River (WWF, MF), is located in State Water Plan watershed 7-J and 15-A and is classified for High Quality—Cold Water Fishes, Cold Water Fishes, Migratory Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

The applicant has submitted the following plan(s) with the application to reduce pollutant loads to impaired waters:

- A Pollutant Reduction Plan (PRP)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

Southcentral Regional Office

PAS803504, Storm Water, SIC Code 4213, **TForce Freight Inc.**, 1000 Semmes Avenue, Richmond, VA 23224-2246. Facility Name: TForce Freight Mechanicsburg. This existing facility is located in Hampden Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of stormwater associated with industrial activity.

The receiving stream(s), Unnamed Tributary to Trindle Spring Run (HQ-CWF, MF), is located in State Water Plan watershed 7-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs), including applicable BMPs from Appendix L from the PAG-03 (effective 3/24/2023)
- Routine Inspections
- Preparedness, Prevention, and Contingency (PPC) Plan
- Stormwater Monitoring Requirements (including Benchmarks for TSS, Oil and Grease)
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southwest Regional Office

PA0285129, Sewage, SIC Code, **Consol PA Coal Co. LLC**, 275 Technology Drive, Canonsburg, PA 15317-9565. Facility Name: Bailey Mine 6 South 3 Portal. This proposed facility is located in Aleppo Township, **Greene County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated sewage.

The receiving stream(s), South Fork Dunkard Fork (TSF), is located in State Water Plan watershed 20-E and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .015 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly Daily Max		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	Inst Min 6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 25.0	XXX	50.0
Ammonia-Nitrogen	XXX	XXX	XXX	25.0	XXX	50.0
Nov 1 - Apr 30	XXX	XXX	XXX	16.5	XXX	33.1
May 1 - Oct 31	XXX	XXX	XXX	16.5	XXX	33.1

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0003832, Industrial, SIC Code 2869, **INEOS Composites US, LLC**, 5200 Blazer Parkway, Dublin, OH 43017. Facility Name: Neville Island Plant. This existing facility is located in Neville Township, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Ohio River (WWF), is located in State Water Plan watershed 20-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for IMP 101 are based on a design flow of 0.320 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	30.0	60.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX

The proposed effluent limits for IMP 201 are based on a design flow of 0.336 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	1.0	XXX
Temperature (°F)	XXX	XXX	XXX	XXX	XXX	110
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	30.0	60.0	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Oil and Grease	XXX	XXX	XXX	15.0	20.0	XXX

The proposed effluent limits for IMP 301:

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPM)	Report	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Flow (Total Volume) (M Gal)	Report Total Monthly	XXX	XXX	XXX	XXX	XXX
Duration of Discharge (hours)	XXX	XXX	XXX	Report	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	Report	XXX	0.05
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	7.0
Benzene	XXX	XXX	XXX	XXX	XXX	0.0025
BTEX, Total	XXX	XXX	XXX	XXX	XXX	0.25

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0264113, Storm Water, SIC Code 2951, 3273, **Tresco Concrete Products Inc. Joint Client**, 415 Unity Center Road, Pittsburgh, PA 15239-3409. Facility Name: Tresco Paving Asphalt Supply. This proposed facility is located in Salem Township, **Westmoreland County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Unnamed Tributary to Beaver Run (HQ-CWF) and Unnamed Tributary to Thorn Run (HQ-CWF), is located in State Water Plan watershed 18-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfalls 001—004 are based on a design flow of 0 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum		
pH (S.U.)	XXX	XXX	Report	XXX	Report	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	
Oil and Grease	XXX	XXX	XXX	Report	XXX	
Total Nitrogen	XXX	XXX	XXX	Report	XXX	
Total Phosphorus	XXX	XXX	XXX	Report	XXX	
Aluminum, Total	XXX	XXX	XXX	Report	XXX	
Iron, Total	XXX	XXX	XXX	Report	XXX	
Manganese, Total	XXX	XXX	XXX	Report	XXX	

The proposed effluent limits for Outfalls 001—004 are based on a design flow of 0 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Instant. Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum		
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	30.0	XXX	
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	
Oil and Grease	XXX	XXX	XXX	5.0	XXX	
Total Nitrogen	XXX	XXX	XXX	2.0	XXX	
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	
Aluminum, Total	XXX	XXX	XXX	Report	XXX	
Iron, Total	XXX	XXX	XXX	Report	XXX	
Manganese, Total	XXX	XXX	XXX	Report	XXX	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

*Southeast Regional Office*Applicant: **Sea Horse Partners LP**

Applicant Address: 38 Thornbird Way, Newtown Square, PA 19073-2723

Application Number: **PAD150301**

Application Type: New

Municipality/County: Willistown Township, **Chester County**

Project Site Name: Sea Horse Farm—231 Spring Road

Total Earth Disturbance Area (acres): 8.307 acres

Surface Waters Receiving Stormwater Discharges: UNT to Crum Creek (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project proposes the demolition of driveways, walks, and patios existing on the site; the restoration of historic structures on the property; and the construction of a new single family residence, detached garage, driveway, walks, patios, and other associated improvements.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northeast Regional Office*Applicant: **MA Bushkill Holdings, LLC, c/o Rudy Amelio**

Applicant Address: 1348 Hamilton Street, Allentown, PA 18102-4329

Application Number: **PAD480077**

Application Type: Renewal

Municipality/County: Bushkill Township, **Northampton County**

Project Site Name: Colonial Walk Estates

Total Earth Disturbance Area (acres): 6.43 acres

Surface Waters Receiving Stormwater Discharges: UNT to Bushkill Creek, HQ-CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Development of six (6) Lots remaining in the Colonial Walk Estates subdivision along with conversion of the sediment basin to the detention basin.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*Applicant: **Bestway Enterprises, Inc.**

Applicant Address: 387 Lurker Road, Cortland, IL 13045

Application Number: **PAD450184**

Application Type: New

Municipality/County: Barrett Township, **Monroe County**

Project Site Name: Bestway Facility Expansion

Total Earth Disturbance Area (acres): 9.4 acres

Surface Waters Receiving Stormwater Discharges: Cranberry Creek, HQ-CWF, MF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Expansion of the existing manufacturing and warehouse use. Construction of 2 storage buildings, a proposed shop, truck fueling station and a proposed office.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **James A Nolen III Dynasty Trust**

Applicant Address: 950 West Valley Forge Road, King of Prussia, PA 19406-4534

Application Number: **PAD230071**

Application Type: New

Municipality/County: Newtown Township, **Delaware County**

Project Site Name: Stoney Knoll

Total Earth Disturbance Area (acres): 34.07 acres

Surface Waters Receiving Stormwater Discharges: UNT to Crum Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Land Development of 18 new residential homes on a cul-de-sac street.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Regional Permit Coordination Office

Applicant: **Pennsylvania Turnpike Commission**

Applicant Address: 700 S. Eisenhower Blvd, Middletown, PA 17057

Application Number: **PAD150077 A-1**

Application Type: Renewal

Municipality/County: Upper Uwchlan Township, **Chester County**

Project Site Name: Replacement of Bridge EB-719 (Park Road)

Total Earth Disturbance Area (acres): 7.18 acres

Surface Waters Receiving Stormwater Discharges: Marsh Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450. Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation. Project Description: Permit No. PAD150077 was issued in November 2018 for the construction of the Park Road Bridge (EB-719) over the Pennsylvania Turnpike at Milepost 310.36 in Upper Uwchlan Township, Chester County, PA. The issued permit allowed for the mitigation of volume and runoff increases by means of an infiltration basin, along with several other BMPs. The permitted infiltration basin was constructed in November 2022 and shortly thereafter, the basin was observed to not function as intended. The basin was found to be infiltrating inefficiently causing water to pond for longer than 72 hours. Additional infiltration testing was completed within the basin footprint in January 2023 and confirmed that infiltration rates were lower than what had previously been documented and an infiltration BMP would not be feasible. The amendment is to convert the infiltration basin to a MRC basin. The existing permit expires in November 2023 and is requesting to be renewed to complete the project.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Southwest Regional Office

Applicant: **General Electric Company**

Applicant Address: 1 River Road, 7W-711B, Schenectady, NY 12345

Application Number: **PAD020079**

Application Type: New

Municipality/County: West Mifflin Borough, **Allegheny County**

Project Site Name: Former Training Center Site Restoration

Total Earth Disturbance Area (acres): 1.96 acres

Surface Waters Receiving Stormwater Discharges: Thompson Run (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project includes soil remediation activities at the General Electric Company (GE) former Pittsburgh Training Center located at 4930 Buttermilk Hollow Road in West Mifflin, PA (Parcel ID 243-P-50; GE Site) and at the Union Railroad Company, LLC (URC) property, parcel ID 237-F-390 (URC Property), which is located north of the GE Site. Soil remediation activities on both properties are being performed in accordance with USEPA approved self-implementing cleanup and disposal plans.

Special Conditions: 1.) All limitations, conditions, procedures, testing, and monitoring which is in the Soil Management Plan (SMP) and/or any Act 2 remediation plan or site characterization are to be followed. No deviation from the SMP is permitted without written authorization from the Department (DEP). i.) If contaminants or conditions with the potential to cause pollution are found during construction which are beyond the scope of the SMP or Act 2 considerations, DEP and the County Conservation District shall be notified and measures implemented to contain potential pollution sources immediately upon discovery. ii.) Any contaminated material to be transported and disposed of off-site including but not limited to pumped groundwater may require permitting with DEP's Waste Management or Clean Water programs. These permits should be anticipated and shall be secured prior to earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

Southcentral Regional Office

Applicant: **Market Industrial LLC**

Applicant Address: 254 West 31st Street, 4th Floor, New York, NY 10001

Application Number: **PAD670090**

Application Type: New

Municipality/County: Springettsbury Township, **York County**

Project Site Name: Pr. Industrial Facility for Market Industrial LLC

Total Earth Disturbance Area (acres): 14.89 acres

Surface Waters Receiving Stormwater Discharges: UNT to Kreutz Creek (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a proposed 287,000 square foot industrial building with associated parking facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **Matrix Shippensburg Lots 11 and 12, LLC**

Applicant Address: Forsgate Drive, CN 4000, NJ 08512

Application Number: **PAD280017**

Application Type: New

Municipality/County: Southampton Township, **Franklin County**

Project Site Name: Matrix Shippensburg Lots 11 and 12, LLC

Total Earth Disturbance Area (acres): 108.2 acres

Surface Waters Receiving Stormwater Discharges: Furnace Run (CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a 900,000 square foot industrial/warehouse with truck parking, access drive, and stormwater facilities.

Special Conditions: Wetland Monitoring Criteria

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **Rands Group LTD**

Applicant Address: 210 North 2nd Street, Dillsburg, PA 17019

Application Number: **PAD670078**

Application Type: New

Municipality/County: Carroll Township, **York County**

Project Site Name: R and S Fence Company, York Road

Total Earth Disturbance Area (acres): 9.85 acres

Surface Waters Receiving Stormwater Discharges: UNT to Dogwood Run (CWF, MF) and Dogwood Run (CWF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a retail/office and assembly building for a fencing contractor.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **Ammon Stoltzfus**

Applicant Address: 114 Morrison Mill Road, Kirkwood, PA 17536

Application Number: **PAD670080**

Application Type: New

Municipality/County: Lower Chanceford Township, **York County**

Project Site Name: 94 Pine Grove Road

Total Earth Disturbance Area (acres): 4.38 acres

Surface Waters Receiving Stormwater Discharges: UNT to Susquehanna River (WWF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new house, barns and driveway.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **South Ramona 100 Real Estate, LLC**

Applicant Address: 101 South Ramona Road, Myerstown, PA 17067

Application Number: **PAD380028**

Application Type: New

Municipality/County: Jackson Township, **Lebanon County**

Project Site Name: South Ramona 100 Real Estate

Total Earth Disturbance Area (acres): 8.80 acres

Surface Waters Receiving Stormwater Discharges: UNT to Tulpehocken Creek, UNT to Tulpehocken Creek via EV Wetlands, and Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 18 Residential Lots/Homes and associated PCSM BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **FirstEnergy**

Applicant Address: 2800 Pottsville Pike, Reading, PA 19612

Application Number: **PAD500021**

Application Type: New

Municipality/County: Saville Township, Tuscarora Township, Milford Township, Beale Township, Turbett Township and Granville Township, **Perry County, Juniata County and Mifflin County.**

Project Site Name: Lewistown-Hummelstown, Section 1 OPGW Replacement

Total Earth Disturbance Area (acres): 65.03 acres

Surface Waters Receiving Stormwater Discharges: UNT to Juniata River (HQ-CWF), UNT to East Licking Creek (CWF), Markee Creek (CWF), UNT to Markee Creek (CWF), Tuscarora Creek (CWF), UNT to Tuscarora Creek (CWF), UNT to Jinnie Gap Run (CWF), UNT to Panther Creek (HQ-CWF), Buffalo Creek (HQ-CWF), UNT to Buffalo Creek (HQ-CWF), Little Buffalo Creek (HQ-CWF), and UNT to Little Buffalo Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Installation of 25 miles of optical ground wire for utility maintenance.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

Southcentral Regional Office

Applicant: **Louis Martin**

Applicant Address: 483 Old Road, East Earl, PA 17519

Application Number: **PAD360107**

Application Type: New

Municipality/County: East Earl Township, **Lancaster County**

Project Site Name: Proposed Poultry Barns for Louis Martin

Total Earth Disturbance Area (acres): 8.26 acres

Surface Waters Receiving Stormwater Discharges: UNT to Black Creek (CWF, MF) and EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 2 poultry barns, manure stacking shed, and related appurtenances.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4732.

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38

NUTRIENT MANAGEMENT PLANS

CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Groff's Pork and Beans Farm LLC 262 Pawling Road Lewisburg, PA 17837	Union County	0	643.61	Swine	NA	Renewal
Hickory Lane Farm 230 Clarks Run Road Blain, PA 17006	Perry County	420.9	1,773.65	Swine	HQ	Renewal
Wetzel Poultry Farm 2450 Mummasburg Road Gettysburg, PA 17325	Adams County	115	405.71	Tom Turkeys	NA	New
Shadow Ridge Ram—Phil Good 2418 Bachman Road Lancaster, PA 17602	Lancaster County	156.6	1,027.05	Layers/ Heifers	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of

this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

**Application(s) Received Under the Pennsylvania
Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bair, Clerk II, 570-327-0551.

Application No. 1423508, Construction, Public Water Supply.

Applicant **Niagara Bottling LLC**
 Address 217 Aqua Penn Drive
 Howard, PA 16841
 Municipality Boggs Township
 County **Centre County**
 Responsible Official John Khairzada
 1440 Bridgegate Drive
 Diamond Bar, PA 91765
 Consulting Engineer Gary J Toplak
 112 Pineview Road
 Baden, PA 15005
 Application Received August 28, 2023
 Description Permitting existing facility with
 bottled water operations.

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Sterrett, Environmental Engineer, 814-332-6899.

Application No. 3223504, Construction/Operation, Public Water Supply.

Applicant **Indiana County Municipal Services Authority**
 Address 602 Kolter Drive
 Indiana, PA 15701
 Municipality White Township and Ernest
 Borough
 County **Indiana County**
 Responsible Official Marty Maschak
 Executive Director
 602 Kolter Drive
 Indiana, PA 15701
 Consulting Engineer Christopher Wharton, P.E.
 Gibson-Thomas Engineering
 1004 Ligonier Street
 Box 853
 Latrobe, PA 15650
 Application Received August 22, 2023
 Description Construct new East Pike Pump
 Station, Demolish existing East
 Pike Pump Station and Replace
 2-inch PRV in Ernest Borough
 PRV Vault.

Application No. 2023503, Construction, Public Water Supply.

Applicant **Saegertown Borough**
 Address P.O. Box 588
 Saegertown Borough, PA 16433
 Municipality Saegertown Borough
 County **Crawford County**
 Responsible Official Charles Lawrence Jr.
 Borough Manager
 P.O. Box 558
 Saegertown, PA 16433

Consulting Engineer Darren C. Pike, P.E.
 Greenman-Pedersen
 8 Gibson Street
 North East, PA 16428

Application Received August 31, 2023
 Description New Well No. 9; PFAS
 Treatment; New Water
 Treatment Plant.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.

Application No. 0923514, Construction, Public Water Supply.

Applicant **Carousel Farm Education Center**
 Address 226 Grenoble Road
 Ivyland, PA 18974
 Municipality Northampton Township
 County **Bucks County**
 Responsible Official Mario LaGrotte
 226 Grenoble Road
 Ivyland, PA 18974-1200
 Consulting Engineer S & G Water Conditioning, Inc.
 P.O. Box 2868
 Warminster, PA 18974-0087

Application Received August 28, 2023
 Description Installation of Nitrate and PFAS
 removal systems.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSWSDW@pa.gov.

Application No. 2623511, Construction, Public Water Supply.

Applicant **North Fayette County Municipal Authority**
 Address 1634 University Drive
 P.O. Box 368
 Dunbar, PA 15431
 Municipality Dunbar Township
 County **Fayette County**
 Responsible Official Kenny Martray
 Manager
 1634 University Drive
 P.O. Box 368
 Dunbar, PA 15431

Consulting Engineer Herbert, Rowland, and Grubic,
 Inc.
 220 West Kensinger Drive
 Suite 100
 Cranberry Township, PA 16066

Application Received September 1, 2023
 Description Application for construction of a
 replacement liner and cover for
 the Porter Hill Reservoir, as well
 as the relocation of the system
 entry point for the purposes of
 using the rehabilitated Porter
 Hill Reservoir for contact time.

BIOSOLIDS INDIVIDUAL PERMITS (PABIG AND PABIS)

The following parties have applied for either an Individual Site Permit (PABIS) or an Individual Generator Permit (PABIG) for beneficial use of sewage sludge (biosolids) by land application. Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to land apply biosolids subject to certain requirements in the permit.

Individuals wishing to comment on a proposed permit are invited to submit a statement to the Field Office indicated as the office responsible within 30-days from the date of this public notice. Comments received within this 30-day period will be considered in the formulation of the final determination regarding an application. A response should include the name, address and telephone number of the writer and a concise statement of a comment and the relevant facts upon which it is based. A public hearing may be held if the Regional Office considers the public response significant.

Following the 30-day comment period, the Regional Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, comments received and other information on file and may be inspected and arrangements made for copying at the responsible DEP Regional Office indicated before the application.

Individuals in need of accommodations to participate in the proceedings should contact the Secretary to the Board at 717-787-3483. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984 or (800) 654-5988 (voice users).

Northcentral Region: Clean Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Rebecca Renner, Biosolids Coordinator; 570-980-4696.

PABIG No. 4801, Robinson Septic Service, Inc., 306 Runville Road, Bellefonte, PA 16823, Walker Township, **Centre County**. Wade Robbins, 306 Runville Road, Bellefonte, PA 16823. renewal of an individual permit at the Robert A. Reese Farm, 205 Snyderstown Road, Howard, PA 16841. Application received: January 20, 2023

PABIS No. 4821, Leslie's Septic Service, 491 Yahn Rd., Galeton, PA 16922, Pike Township, **Potter County**. Lauren Hinman, 491 Yahn Rd., Galeton, PA 16922. Circle H Ranch Farm in Pike Township, **Potter County**. Special Conditions: In addition to applicable conditions of the Farm Conservation Plan, an unharvested grass or hay buffer strip, at least 15 feet wide, shall be maintained along the downslope perimeter of each field closest to Pine Creek. This buffer strip shall not be utilized for the application of treated septage. The buffer strip shall be visually monitored monthly and after, or during, major

precipitation events for evidence of runoff beyond the buffer strip. A written record of the date, time, weather conditions and observations concerning the buffer strip conditions shall be maintained and made available to the Department on request. Any evidence of treated septage runoff beyond the buffer strip shall be reported immediately to the Department by telephone and within 48 hours via e-mail. Application received: July 7, 2023.

PABIS No. 4824, Leslie's Septic Service, 491 Yahn Rd., Galeton, PA 16922, Pike Township, **Potter County**. Lauren Hinman, 491 Yahn Rd., Galeton, PA 16922, Woodcock Farm in Clymer Borough, **Tioga County**. Special Conditions: The generation, or storage, of treated septage at the Woodcock Farm is prohibited. Application received: July 7, 2023.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the

remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Donald Conrad Residence, Primary Facility ID # **862565**, 157 Hemlock Road, Clearfield, PA 16830, Boggs Township, **Clearfield County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601 on behalf of Donald Conrad, 157 Hemlock Road, Clearfield, PA 16830, submitted a Notice of Intent to Remediate. The NIR concerns the remediation of soil contaminated with heating oil. The applicant proposes to remediate the site to meet the Statewide health standard. The Notice of Intent to Remediate was published in *The Progress* on August 10, 2023. Application received: August 25, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

56 & 60 West Marshall Avenue, Primary Facility ID # **824326**, 56 & 60 West Marshall Road, Lansdowne, PA 19050, Lansdowne Borough, **Delaware County**. Kevin Davis, PE, Pennoni Associates, Inc., 1900 Market Street, Philadelphia, PA 19103 on behalf of Mark Fuessinger, One Creative, 16 Campus Boulevard, Newtown Square, PA 19073, submitted a Notice of Intent to Remediate. Chlorinated compounds were detected in soil and groundwater at the site. The site will continue to be used for commercial/industrial purposes. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Daily Times and Sunday Times* on September 23, 2021. Application received: July 19, 2023.

Parkway Plaza, Primary Facility ID # **868172**, 120 North Adams Street, 130 North Adams Street, 329 East Gay Street, West Chester, PA 19380, West Chester Borough, **Chester County**. Stephen Huxta, Huxta Environmental LLC, 461 Merlin Road, Phoenixville, PA 19460 on behalf of Eli Kahn, 314 East Chestnut Street Associates, LP, 120 Pennsylvania Avenue, Malvern, PA 19355, submitted a Notice of Intent to Remediate. Soil and groundwater at the site have been found to be impacted by VOCs. The proposed future use of the property will remain nonresidential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Daily Local News* on July 7, 2023. Application received: July 14, 2023.

DETERMINATION OF APPLICABILITY FOR MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Municipal Waste Regulations for Determination of Applicability for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGM039SW002. Michael Brothers Mt. Pleasant LLC, 901 Horning Road, Pittsburgh, PA 15236, East Huntingdon Township, **Westmoreland County**. An application for coverage under Municipal Waste General Permit No. WMGM039SW002 at the Michael Brothers Mt. Pleasant Facility, located at 1215 Route 31 West, Mt. Pleasant, PA 15666, was received. This permit authorizes processing and beneficial use of post-consumer asphalt shingles (tear-offs) and pre-consumer asphalt shingles (i.e., imperfections, tabs, trimming scraps, etc., generated in the manufacturing of new asphalt shingles and damaged, unused shingles) as an ingredient in hot-mix and cold-mix asphalt paving material, a component of a sub-base material, as dust control on rural roads when applied with a binder, and as a component or ingredient in fuel used in cement or lime manufacturing or in the generation of electricity or steam. The processing is limited to transferring, screening, shredding, grinding, sorting and magnetic removal of ferrous metal. Application received: August 11, 2023. Deemed administratively complete: August 24, 2023.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

WMGR123SW056, EQM Gathering OPCO, LLC, 2200 Energy Drive, Canonsburg, PA 15317, Jackson Township, **Greene County**. An application was received to modify the piping design of the EQM Marlin AST Facility under General Permit No. WMGR123SW056.

Application received: August 4, 2023. Deemed administratively complete: August 17, 2023.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Marden Environmental Transport, LLC, 87 Laurel Hill Road, Brookfield, CT 06804. **License No. PA-AH 0939.** Accepted: July 31, 2023.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Veolia ES Technical Solutions, LLC, 1 Eden Lane, Flanders, NJ 07836. **License No. PA-AH 0500.** Accepted: August 2, 2023.

Miller Environmental Group, Inc., 538 Edwards Avenue, Calverton, NY 11933. **License No. PA-AH 0501.** Accepted: August 29, 2023.

REGULATED MEDICAL AND CHEMOTHERAPEUTIC WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003) and Act 93 of June 28, 1988 (P.L. 525, No. 93) and Regulations to Transport Regulated Medical and Chemotherapeutic Waste License.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Hamilton Pet Meadow, Inc., 1500 Klockner Road, Hamilton, NJ 08619. **License No. PA-HC 0227.** Accepted: August 29, 2023.

Lewis Environmental, LLC, P.O. Box 639, Royersford, PA 19468. **License No. PA-HC 0280.** Accepted: August 3, 2023.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operat-

ing Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2507.

48-00003I: Keystone Cement Co., Route 329, Bath, PA 18014-0058, East Allen Township, **Northampton County**. Application received: April 14, 2023. Notice is hereby given in accordance with 25 Pa. Code §§ 127.44(b) and 127.424(b), that the Department of Environmental Protection (DEP) intends to issue a Plan Approval # 48-00003I to Keystone Cement Co., Route 329, Bath, PA 18014-0058, for their facility located in East Allen Township, Northampton County. The facility currently operates pursuant to a Title V Operating Permit No. 48-00003. In accordance with 25 Pa. Code § 127.450, this plan approval will be incorporated into the Title V Operating Permit through an administrative amendment at a later date, and the action will be published as a notice in the *Pennsylvania Bulletin*. Plan Approval No. 48-00003I is for the installation of an additional new baghouse to control existing clinker processing sources for reduced particulate loading to the existing baghouses and additional particulate control. The facility currently has a Title V Operating Permit, No. 48-00003. The project does not increase production capacity and does not trigger the requirements of 40 CFR 52.21 related to Prevention of Significant Deterioration (PSD), or those of 25 Pa. Code Chapter 127, Subchapter E related to Nonattainment New Source Review (NSR). The proposed new baghouse will collect 99.9% of particulate emissions before discharging into atmosphere. The use of baghouses capable of removing 99.9% of emissions meets Department's BAT criteria for this type of process. The company will operate the baghouse in accordance with good operating practices to assure proper operation of the system. The plan approval will contain additional recordkeeping, testing and operating restrictions designed to keep the facility operating within all applicable air quality requirements. The existing sources which are controlled by this additional baghouse are subject to Subpart LLL National Emission Standards for Hazardous Air Pollutants from the Portland Cement Manufacturing Industry. There are no emission increases associated with this project. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915. Any person wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No. 48-00003I and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments

or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Environmental Engineer Manager, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, phone 570-826-2511 within 30 days after publication date.

Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.

Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.

IP23-000016: Philadelphia Water Department Northeast Water Pollution Control Plant, 3899 Richmond Street, Philadelphia, PA 19107, City of Philadelphia, **Philadelphia County**. Application received: January 19, 2023. The City of Philadelphia, Air Management Services (AMS) intends to issue a Plan Approval No. IP23-000016 at the Philadelphia Water Department (PWD) Northeast Water Pollution Control Plant (NE WPCP). IP23-000016 is for the installation of the following sources: three (3) 23.354 million British Thermal Units per hour (MMBtu/hr) boiler firing natural gas, one (1) 23.364 MMBtu/hr boiler firing digester gas, and two (2) 13.788 MMBtu/hr boilers firing both natural gas and No. 2 oil. The proposed boilers are replacements for six (6) existing boilers. IP23-000016 also extends the operation of one (1) 33.54 MMBtu/hr boiler and two (2) 14.27 MMBtu/hr boilers, all firing natural gas, which were permitted under Installation Permit Nos. IP23-000117, IP23-000118, and IP23-000227 as temporary replacements for the existing boilers. Both the two (2) temporary boilers and the six (6) existing boilers will be removed from the facility after the six (6) replacement boilers are installed and operational. The plan approval will contain operating, monitoring, and recordkeeping requirements to ensure operation within all applicable requirements. The plan approval will be issued under 25 Pa. Code, Philadelphia Code Title 3 and Air Management Regulation XIII. Permit copies and other supporting information are available for public inspection by contacting the Source Registration Unit at 215-685-7572 or DPHAMS_Service_Requests@phila.gov. Persons wishing to file protest or comments on the previously listed operating permit must submit the protest or comments within 30 days from the date of this notice. Any protests or comments filed with AMS must include a concise statement of the objections to the permit issuance and the relevant facts upon which the objections are based. Based upon the information received during the public comment period, AMS may modify the operating permit or hold a public hearing. Protests, comments, and requests for a public hearing must be mailed to Source Registration, Air Management Services, 321 University Ave., Philadelphia, PA 19104 or e-mailed to DPHAMS_Service_Requests@phila.gov with "Northeast Water Pollution Control Plant IP23-000016" in the subject line. AMS suggests submitting any mailed correspondence also by e-mail. Individuals in need of accommodations and/or interpretation should contact AMS at DPHAMS_Service_Requests@Phila.Gov and/or 215-685-7572. Please include: (1) the name and contact information of the person requesting an accommodation and/or interpretation; (2) the name of the program, service, activity, or location of the request; and (3) a description of the modification and/or interpretation being requested.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

31-03041A: New Enterprise Stone & Lime Co., Inc. Union Furnace Quarry, P.O. Box 77, New Enterprise, PA 16664, Spruce Creek Township, **Huntingdon County**. Application received: August 1, 2023. For the installation of a crushing facility at the limestone quarry. PM emissions from the crushing facility will be controlled by wet suppression. PTE for 8,760-hr operation of the facility is 12.9 tpy PM, 4.7 tpy PM₁₀, and 0.8 tpy PM_{2.5}. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 60 Subpart OOO Standards of Performance for Nonmetallic Mineral Processing Plants. Based on these findings, the Department proposes to issue a plan approval for the construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval may be incorporated into an operating permit pursuant to provisions of 25 Pa. Code Chapter 127.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

38-03072A: Lebanon County Department of Emergency Services, 400 South 8th Street, Room 12, Lebanon, PA 17042-6794, North Cornwall Township, **Lebanon County**. Application received: May 18, 2023. For the installation of two engines to provide mission critical electric power to their new facilities at 1805 Cornwall Road. The engines will also participate in PJM's Emergency Load Response Program. The first engine (Source ID 101) is a 1,468 hp natural gas fired Caterpillar G3512 engine equipped with a 1,000 kW generator. The 4-stroke lean-burn non-emergency RICE will be equipped with a carbon monoxide (CO) oxidation catalyst and automatic air to fuel (A/F) ratio controls. The second engine (Source ID 102) is a 1,829 hp diesel fired Caterpillar C32 engine equipped with a 1,250 kW generator. The non-emergency engine is equipped with selective catalytic reduction (SCR) and a CO oxidation catalyst. Potential emissions from the project are estimated to be: 7.06 tpy CO, 7.76 tpy NO_x, 0.03 tpy PM/PM₁₀/PM_{2.5}, 0.04 tpy SO_x, 3.73 tpy VOC, and 0.71 tpy of a single HAP (formaldehyde). DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 123.13, 123.21, 127.1 and 127.12 and 40 CFR 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines and Subpart III—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the

requirements established in the plan approval may be incorporated into an operating permit pursuant to provisions of 25 Pa. Code Chapter 127.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

15-0094D: Metallurgical Products Company, 810 Lincoln Avenue, West Chester, PA 19381, West Goshen Township, **Chester County**. Application received: July 1, 2023. This action is for the installation of a new ETA Engineering Inc. multi-mode dust collector system, including associated auxiliary equipment and a new in-duct natural gas-fired burner (C06) at the existing copper alloying facility. The baghouse will be located at the Metallurgical Products West Chester Plant. The new baghouse is intended to replace two (2) existing baghouses (Control Device IDs C01 and C03) permitted under Synthetic Minor Operating Permit (SMOP) No. 15-00094. The new baghouse will be used to control particulate matter (PM) emissions from Source IDs 111 and 140. Post control potential to emit (PTE) particulate matter (PM) from Source IDs 111 and 140 combined is 24.04 tons per year. However, per SMOP No. 15-00094, Source ID 111 has a post-control PM emissions limit of 14.63 tons per year. PTE from the in-duct burner are as follows: 1.91 tons of NO_x per year; 3.87 tons of CO per year; 0.07 ton PM per year; and less than 1 ton per year of VOC and SO₂. The plan approval will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-30-00072J: Consol Pennsylvania Coal Company, LLC, 1000 Consol Energy Drive, Canonsburg, PA 15317, Richhill Township, **Greene County**. Application received: September 8, 2014. Pursuant to 25 Pa. Code §§ 127.44—127.46, the Department intends to issue Air Quality plan approval for authorization to increase the annual raw coal throughput limitation applicable to the Consol Bailey Coal Preparation Plant ("Bailey") from 41,300,000 tons per year to 51,000,000 tons per year. Bailey is a Title V facility and a major facility for volatile organic compounds (VOCs). The proposed increase in raw coal throughput ("project") at Bailey does not involve the construction, reconstruction, or modification of any air contamination sources or controls. The emissions increases associated with the proposed project will not exceed 74.0 tpy PM₁₀, 35.0 tpy PM_{2.5}, and 27.0 tpy volatile organic compounds (VOCs). The resulting facility-wide projected actual emissions will not exceed 162.0 tpy PM₁₀, 45.0 tpy PM_{2.5}, and 256.0 tpy VOCs. The proposed Air Quality plan approval for Bailey includes conditions that specify an annual raw coal throughput limitation of 51,000,000 tons per year and additional recordkeeping requirements. Each source at Bailey affected by the proposed project is also subject to applicable requirements specified in 25 Pa. Code and 40 CFR Part 60 (Subpart A—General Provisions and Subpart Y—Standards of

Performance for Coal Preparation and Processing Plants), which include emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and Best Available Technology (BAT) and work practice requirements. These applicable requirements are specified in other air quality authorizations currently in force at Bailey which ensures compliance with 25 Pa. Code. The prior BAT determinations for the control of fugitive and point source emissions at Bailey will not change due to the project. Bailey is no longer a major stationary source under 40 CFR 52.21 related to the Prevention of Significant Deterioration (PSD) program and the proposed project is not subject to additional applicable requirements under the PSD program. Bailey remains a major facility for VOCs under 25 Pa. Code Chapter 127, Subchapter E related to Nonattainment New Source Review (NNSR), but the project neither results in a significant emissions increase nor a significant net emissions increase for VOCs, and does not subject the proposed project to additional requirements under the NNSR program. The plan approval application, the Department's Air Quality review memorandum, and the proposed Air Quality plan approval for the proposed project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To schedule an appointment to review the Air Quality plan approval application or proposed Air Quality plan approval, or to receive an electronic copy of the Department's Air Quality review memorandum or the proposed Air Quality plan approval for the proposed project, a person may contact the Department's Southwest Regional Office File Review Coordinator at 412.442.4000. A file review can be scheduled through the Department's website at <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx>. A person may oppose the proposed Air Quality plan approval by filing a written protest with the Department or may submit written comments through Devin P. Tomko, P.E., Air Quality Engineer, via the U.S. Postal Service to the Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; via email to dtomko@pa.gov; or via fax to 412.442.4194. Each protest and set of written comments must contain the name, address, and telephone number of the person submitting the protest or comments, identification of the proposed plan approval (PA-30-00072J), and concise statements of the objections and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication. A protest to the proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.44 (relating to public notice). A public hearing may be held, if the Department, in its discretion, determines that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in a newspaper of general circulation in the county in which the source is located and the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written requests for a public hearing should be directed to Sheri L. Guerrieri, P.E., New Source Review Chief, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222, or via email to shguerrier@pa.gov.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

18-00005, Eastern Gas Transmission & Storage, Inc., 6603 West Broad Street, Richmond, VA 23230, Leidy Township, **Clinton County**. Application received: December 29, 2022. In accordance with 25 Pa. Code §§ 129.111—129.115, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the Finnefrock Compressor Station facility located in Leidy Township, Clinton County and owned and operated by Eastern Gas Transmission & Storage, Inc. In accordance with 25 Pa. Code § 127.521, the Department of Environmental Protection intends to modify the facility's Title V Operating Permit. The proposed permit revision also includes applicable presumptive RACT III requirements for other existing sources at the facility. The facility is located at Finnefrock Station Lane, Renovo, PA 17764. The facility's representative to contact concerning this application is Mr. Glenn Boutillier, Environmental Specialist III, phone number is 804-356-1364. The facility's major emission sources include four natural gas-fired Ajax boilers with Btu input ratings of 2.75 million, 2.5 million and two at 4.2 million Btu per hour, one 1,100 brake-horsepower natural gas-fired Ingersoll Rand model KVG-ML compressor engine, one 4,000 brake-horsepower natural gas-fired Cooper model 10V-275C2 compressor engine, one 6,000 brake-horsepower natural gas-fired Cooper model 12W-330C2 compressor engine, one 4,200 brake-horsepower natural gas-fired Dresser-Rand model TCV-10 compressor engine, one 16,000 brake-horsepower natural gas-fired Solar Mars model 100 turbine engine and one 11,026 brake-horsepower natural gas-fired Solar Taurus model 70M turbine engine along with two emergency generator engines and several storage tanks for lubricating oils, ethylene glycol and waste fluids. The facility has the potential to emit 275.3 tons of nitrogen oxides (NO_x) per year, 241.84 tons of carbon monoxide (CO) per year, 4.86 tons of volatile organic compounds (VOCs) per year, 4.86 tons of sulfur oxides per year (SO_x), 18.87 tons of particulate matter (PM/PM₁₀) per year, 32.34 tons of hazardous air pollutants (HAPs) per year and 155,430 tons of greenhouse gases (GHGs) per year. The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 2015 National Ambient Air Quality Standard (NAAQS) for ozone. The proposed amendments to the RACT III determinations, if finally approved, will be incorporated into a revised operating permit (18-00005) for the facility. The relevant RACT III requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal; this includes the provisions of the

Department's presumptive RACT III requirements in accordance with 25 Pa. Code § 129.112, as they apply to existing sources. The emission limits, throughput limitations and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. The following is a summary of the proposed amendments to the RACT III determination for this operation that will be submitted to the EPA as a SIP revision:

- Source P104 (Engine No. 4) hours of operation shall not exceed 4,000 in any twelve consecutive month period.
- The company will be required to keep records of the hours of operation of Source P104 on a monthly basis and submit semi-annual reports verifying compliance with the limitation.
- Source P105 (Engine No. 5) hours of operation shall not exceed 2,800 in any twelve consecutive month period.
- The company will be required to keep records of the hours of operation of Source P105 on a monthly basis and submit semi-annual reports verifying compliance with the limitation
- Source P106 (Engine No. 6) hours of operation shall not exceed 8,000 in any twelve consecutive month period.
- The company will be required to keep records of the hours of operation of Source P106 on a monthly basis and submit semi-annual reports verifying compliance with the limitation

A public hearing will be held if requested by November 1, 2023, to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on November 1, 2023, at 1:00 PM at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Megan Lehman at 570-327-3659. The last day to pre-register to speak at a hearing, if one is held, will be October 25, 2023. Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at <https://www.dep.pa.gov/About/Regional/North-central-Regional-Office/Community-Information/Pages/default.aspx>. Please contact Megan Lehman at 570-327-3659 or monitor the Web site to determine if a hearing will be held. Persons wishing to present testimony at the hearing should contact Megan Lehman at 570-327-3659 at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. A 30-day comment

period from the date of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT III Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT III Plan. All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3636. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Megan Lehman at 570-327-3659 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

19-00015, HRI, Inc., 1750 West College Avenue, State College, PA 16801, Hemlock Township, **Columbia County**. Application received: November 14, 2022. The Department intends to issue a renewal State Only Permit for the Bloomsburg asphalt plant. The facility's main sources include one (1) 250-ton per hour batch asphalt plant. The subject facility has the following potential emissions: 42.93 TPY of CO; 18.90 TPY of NO_x; 45.90 TPY of SO_x; 2.65 TPY of PM/PM₁₀; 18.03 TPY of VOC; 10,032 TPY of CO_{2e} and 2.09 TPY of total HAPs. The Department has determined that the sources at the facility satisfy best available technology (BAT) requirements, pursuant to 25 Pa. Code §§ 127.1 and 127.12, as well as the New Source Performance Standards Subpart I sections 60.90—60.93. The State Only Permit renewal contains all applicable requirements including the testing, monitoring, recordkeeping, reporting, work practice other compliance conditions as necessary to verify compliance with the applicable requirements as derived from the PA DEP air quality rules and regulations under 25 Pa. Code Article III, Chapters 121 and 145, relating to Air Resources. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-03080, Rohrer's Quarry Lititz, 70 Lititz Road, P. O. Box 365, Lititz, PA 17543, Warwick Township, **Lancaster County**. Application received: April 27, 2023. To issue a State-Only Operating Permit for operation of their quarry and stone crushing facility. The subject facility has the potential-to-emit 29.23 tpy PM, 10.89 tpy PM₁₀ and 0.81 tpy PM_{2.5}. The Operating Permit will include emission limits and work practice standards along

with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.63 and 40 CFR 60, Subpart OOO—Standards of Performance for Nonmetallic Mineral Processing Plants.

06-03079, DS Smith Packaging, 100 Grace Street, Reading, PA 19611, City of Reading, **Berks County**. Application received: February 23, 2023. To issue a State Only Operating Permit for the corrugated fiber products. The potential emissions from the facility are estimated at 46 tpy of NO_x, 77 tpy of CO, 7 tpy of PM, 9 tpy of VOC and less than a ton of other pollutants. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60, Subpart Dc and 40 CFR 63, Subpart ZZZZ.

28-03012, Hartman Snack Group, Inc./Gibble Foods, 6647 Molly Pitcher Hwy, Chambersburg, PA 17202, Antrim Township, **Franklin County**. Application received: April 29, 2023. For operation of a potato chip manufacturing facility. The facility potential emissions are 5.82 tons of CO, 10.09 tons of NO_x, 3.17 tons of PM, 0.01 ton of SO_x, and 0.86 ton of VOC. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 1901, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

23-00102, Brandywine Veterinary Hospital, 1270 Baltimore Pike, Chadds Ford, PA 19317, Chadds Ford Township, **Delaware County**. Application received: March 15, 2023. This action is a renewal of a State Only Natural Minor Operating Permit. Potential emissions at the facility are as follows: 0.49 ton per year of Nitrogen Oxides (NO_x); 0.49 ton per year of volatile organic compounds (VOC); 1.64 tons per year of carbon monoxide (CO); 1.15 tons of particulate matter (PM) and 0.41 ton per year of sulfur oxides (SO₂). The permit will include monitoring, recordkeeping and reporting requirements designed to keep the facility within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00190, Dickson Investment Hardware, 386 East Church Road, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. Application received: October 5, 2022. This action is for the renewal of the Natural Minor Operating Permit for the operation of two (2) burn off ovens, one (1) emergency engine at an existing small steel foundry. The annual facility-wide potentials to emit are less than 25 tons VOC and NO_x and any combination HAP, less than 10 tons of any individual HAP, and less than 100 tons of PM; therefore,

the facility is categorized as a natural minor facility. The NESHAP requirements of 40 CFR Part 63 Subpart ZZZZZ (Iron and Steel Foundries Area Sources) are included with the renewal permit. The permit will include monitoring, testing, recordkeeping and reporting requirements designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity

permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.
Alkalinity must always be greater than acidity.

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 56773708. Miller Springs Remediation Management, Inc., 5 Greenway Plaza, Suite 110, Houston, TX 77046, Conemaugh and Tire Hill Townships, **Somerset County**. To revise the permit for post-mining reclamation for full removal of refuse. Application received: July 13, 2023. Accepted: August 22, 2023.

Mining Permit No. 11051301. NPDES No. PA0235652. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Cresson, Allegheny, Munster and Washington Townships; Cresson and Sankertown Boroughs, **Cambria County**. To revise the permit and related NPDES permit for the addition of the Lower Kittanning Coal Seam to the existing Subsidence Control Plan Area. Application received: July 7, 2023. Accepted: August 23, 2023.

CORRECTION—previously published on August 26, 2023

Mining Permit No. 30841316. NPDES No. PA0213535. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill and Aleppo Townships, **Greene County**. To revise the permit and related NPDES permit to revise alignments of 10L-4 and 11L-4 borehole access roads, affecting 3.4 proposed surface acres. Application received: July 28, 2023. Accepted: August 8, 2023.

CORRECTION—previously published on August 26, 2023

Mining Permit No. 30841317. NPDES No. PA0213527. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Richhill and Morris Townships, **Greene and Washington Counties**. To revise the permit and related NPDES permit for installation of degas boreholes, affecting 8.5 proposed surface acres. Application received: July 13, 2023. Accepted: August 7, 2023.

Mining Permit No. 11031301. NPDES No. PA0235539. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Jackson, Cambria, Croyle and Summerhill Townships, **Cambria County**. To renew the permit and related NPDES permit. Application received: July 28, 2023. Accepted: August 30, 2023.

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 56920114. NPDES No. PA0212334. J & J Svonavec Excavating, Inc., 110 Windermere Lane, Somerset, PA 15501, Southampton Township, **Somerset County**. Permit transfer from Mountaineer Mining Corp., 1010 Garrett Shortcut Road, Berlin, PA 15530, for continued operation and restoration of a bituminous surface and auger mine affecting 278.5 acres. Receiving streams: unnamed tributaries to North Branch of Jennings Run, Jennings Run & unnamed tributaries to Jennings Run classified for the following use: CWF. Application received: August 29, 2023.

Mining Permit No. 32230101. NPDES No. PA0279889. Simkol Corporation, 550 Beagle Road, Rockwood, PA 15557, Young Township, **Indiana County**. Commencement, operation and restoration of a bituminous surface mine affecting 22.8 acres. Receiving streams: Nesbit Run to Blacklegs Creek, classified for the following use: CWF & CWF. Application received: August 29, 2023.

Mining Permit No. 32831602. NPDES No. PA0214515. General Trade Corporation, 745 Power Plant Road, New Florence, PA 15944, West Wheatfield Township, **Indiana County**. Renewal to the NPDES permit and mining activity permit for The Central Prep Plant affecting 28.3 acres. Receiving streams: Unnamed Tributary to Conemaugh River classified for the following use: CWF. Application received: September 5, 2023.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 33110101. MSM Coal Company, Inc., P.O. Box 243, DuBois, PA 15801, Beaver Township, **Jefferson County**. Revision to an existing bituminous surface mine to include a post mining land use change from "Forestland" to "Unmanaged Natural Habitat" on the Kenneth Raybuck and Janet McBride properties. Receiving streams: Unnamed tributary No. 1 to Reitz Run, classified for the following use: CWF. Application received: August 25, 2023.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 2

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 31180301. NPDES No. PA0279668. U.S. Silica Company, 12942 Oriskany Road, Mapleton Depot, PA 17042, Brady Township, **Huntingdon County**. Renewal of NPDES permit affecting 85.5 acres. Receiving stream: Mill Creek, classified for the following uses: TSF & MF. Application received: August 29, 2023.

Mining Permit No. 56230801. PAM423001-GP104. Griffith Excavation, Inc., 152 Blough Road, Boswell, PA 15531, Jenner Township, **Somerset County**. Commencement, operation and restoration of a small noncoal (industrial minerals) operation Coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104). Receiving streams: Stonycreek River classified for the following use: CWF. Application received: September 1, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 6575SM5. NPDES Permit No. PA0225789. Heidelberg Materials US Cement, LLC, 7660 Imperial Way, Allentown, RI 18195, Ross Township, **Monroe County**. Renew NPDES Permit on a quarry operation affecting 37.4 acres. Receiving stream: Aquashicola Creek, classified for the following uses: HQ-CWF, MF. Application received: August 23, 2023.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3, 724-769-1100.

NPDES No. PA0235571. Mining Permit No. 17031301. Rosebud Mining Company, 301 Market Street, Kittanning, PA 16201, Burnside Township, **Clearfield County.** Application received: July 12, 2021. Accepted: September 8, 2021.

To revise the permit and related NPDES permit to add outfall 004 in Burnside Township, Clearfield County, affecting 56.5 surface acres and 5,382.0 underground acres. Receiving stream(s): Unnamed Tributary ("A") Kilns Run, classified for the following use: CWF. West Branch Susquehanna River Watershed TMDL.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 004 discharging to Unnamed Tributary ("A") Kilns Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow (mgd)	-	-	-	Report
Iron (mg/l)	-	1.5	3.0	3.8
Manganese (mg/l)	-	1.0	2.0	2.5
Aluminum (mg/l)	-	0.75	0.75	0.75
Suspended Solids (mg/l)	-	35	70	90
pH (s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃ (mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃ (mg/l)	-	-	-	Report
Alkalinity, Net (mg/l)	0.0	-	-	-
Osmotic Pressure (mOs/kg)	-	-	-	Report
Total Dissolved Solids (mg/l)	-	2,000	4,000	5,000
Sulfate (mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

Noncoal NPDES Draft Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0226360. Mining Permit No. 13760301. New Enterprise Stone & Lime Co., Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, Towamensing Township, **Carbon County.** Application received: December 12, 2022.

NPDES permit affecting 137.5 acres. Receiving stream: Buckwa Creek, classified for the following uses: HQ-CWF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Buckwa Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate (MGD)</i>
001	Existing	TFO	0.04

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Acidity, Total (mg/L)				Report
Alkalinity, Total (mg/L)				Report
Net Alkalinity (mg/L)	0.0			
Flow (gpm)				Report

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant state requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jared Jacobini, Aquatic Biologist 1, 570-327-3707.

E4704223-003. Mahoning Township, 849 Bloom Rd, Danville, PA 17821, Mahoning Township, **Montour County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 1, 2023.

Mahoning Township is applying to regrade and reshape 210 linear feet of Blizzards Run as noted to remove accumulated sediment within the channel. The proposed work implies that the capacity of the channel to be impaired and the project will alleviate nuisance flooding from the channel overtopping. The alternatives analysis states a no build option does not provide a more defined flood bench needed to eliminate secondary overflow channels occurring via erosion and not meet the goals of the project. No proposed stability within the channel or on the banks of the project reaches are proposed within the application. Blizzards Run is designated under Chapter 93 as Cold Water-Migratory Fish. Latitude: 40°, 58', 0"; Longitude: -76°, 36', 9".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4002223-018. Bridging Pennsylvania Developer I, LLC, Nova Tower 1, Suite 300, 1 Allegheny Square East, Pittsburgh, PA 15212-5318, White Haven Borough, **Luzerne County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 18, 2023.

To authorize the following water obstructions and encroachments associated with the SR 0080 Sec 08B bridge replacement project: 1. To remove the existing Eastbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 855-foot, width of 56.0-foot and approximate minimum underclearance of 36.56-foot. Structure will be shifted approximately 56 feet south. 2. To remove the existing Westbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 770-foot, width of 44.0-foot and approximate minimum underclearance of 36.56-foot. 3. To extend an existing stream enclosure by adding 31.5-foot to an existing 12-foot by 6-foot concrete box culvert for a total length of 274.5-foot carrying Tributary Lehigh River. The project is located at SR 008 Segment 2728 Offset 0000 Eastbound and SR 0080 Segment 2729 Offset 0000 Westbound crossing of Lehigh River (HQ-CWF, MF) in White Haven Borough, Luzerne County. (White Haven, PA Quadrangle, Latitude: 41.055875; Longitude: -75.770622). The project occurs in both Luzerne and Carbon Counties and is associated with Permit E1302223-003.

E4002223-017. Bridging Pennsylvania Developer I, LLC, Nova Tower 1, Suite 300, 1 Allegheny Square East, Pittsburgh, PA 15212-5318, Black Creek Township, Nescopeck Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District. Application received: August 16, 2023.

To authorize the following water obstructions and encroachments associated with the SR 0080 Sec 352 bridge replacement project: 1. To remove the existing Eastbound structure and to construct and maintain a 4-span prestressed bulb tee beam bridge having a span of 518-foot, width of 73.5-foot and approximate minimum underclearance of 36.56-foot. 2. To remove the existing Westbound structure and to construct and maintain a 4-span prestressed bulb tee beam bridge having a span of 472-foot, width of 57.5-foot and approximate minimum underclearance of 36.56-foot. The project is located at SR 008 Segment 2504 Offset 1414 Eastbound and SR 0080 Segment 2505 Offset 491 Westbound crossing of Nescopeck Creek (TSF, MF) in Black Creek Township and Nescopeck Township, Luzerne County. (Berwick PA Quadrangle, Latitude: 41.007445; Longitude: -76.164480).

E1302223-003. Bridging Pennsylvania Developer I, LLC, Nova Tower 1, Suite 300, 1 Allegheny Square East, Pittsburgh, PA 15212-5318, East Side Borough, Kidder Township, **Carbon County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 18, 2023.

To authorize the following water obstructions and encroachments associated with the SR 0080 Sec 08B bridge replacement project: 1. To remove the existing Eastbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 855-foot, width of 56.0-foot and approximate minimum underclearance of 36.56-foot. Structure will be shifted approximately 56 feet

south. 2. To remove the existing Westbound structure and to construct and maintain a 4-span continuous steel girder bridge having a span of 770-foot, width of 44.0-foot and approximate minimum underclearance of 36.56-foot. 3. To extend an existing stream enclosure by adding 31.5-foot to an existing 12-foot by 6-foot concrete box culvert for a total length of 274.5-foot carrying Tributary Lehigh River. The project is located at SR 008 Segment 2728 Offset 0000 Eastbound and SR 0080 Segment 2729 Offset 0000 Westbound crossing of Lehigh River (HQ-CWF, MF) in East Side Borough and Kidder Township, Carbon County. (White Haven, PA Quadrangle, Latitude: 41.055875; Longitude: -75.770622). The project occurs in both Luzerne and Carbon Counties and is associated with Permit E4002223-018.

E5402223-005. Port Carbon Borough, 301 First Street, Port Carbon, PA 17965, Port Carbon Borough, Palo Alto Borough, **Schuylkill County**. U.S. Army Corps of Engineers Philadelphia District. Application received: July 24, 2023.

To construct and maintain the following water obstructions and encroachments associated with the Mill Creek and Schuylkill River Bypass Project: 1) An intake along the bank Mill Creek (CWF, MF) consisting of a 1,493-ft long, 35-ft wide, 5-ft high concrete box culvert with a concrete headwall, concrete weir, and R-8 riprap. 2) A stream enclosure of Mill Creek (CWF, MF) consisting of a 1,493-ft long, 35-ft wide, 5-ft high concrete box culvert having a 1% longitudinal slope, concrete headwalls, and R-8 riprap on the upstream and downstream ends of the enclosure. 3) An outfall along the bank of the Schuylkill River (CWF, MF) consisting of a 35-ft wide, 5-ft high concrete box culvert and R-8 riprap apron. The intake portion of the culvert is located in Mill Creek, approximately 250-ft west of the intersection of Canal Street and Rose Avenue. The outfall portion of the culvert is located in the Schuylkill River, approximately 750-ft north of intersection of East Bacon Street and George Street (Pottsville, PA Quadrangle Latitude: 40° 41' 41.01"; Longitude: -76° 10' 10.46") in Port Carbon Borough and Palo Alto Borough, Schuylkill County.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E6106223-001. Department of Conservation and Natural Resources, P.O. Box 8451, Harrisburg, PA 17105, Cornplanter Township, **Venango County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 5, 2023.

To construct and maintain a ten feet wide, paved, grade bicycle trail with associated stormwater management facilities consisting of the replacement of three stream culverts, installation of two stormwater culverts, tree clearing, and minor grading in Oil Creek State Park, Cornplanter Township, Venango County directly impacting three unnamed tributaries to Oil Creek, the floodway and flood plain of Oil Creek, and three wetlands totaling approximately 0.01 acre of permanent stream impact, 0.01 acre of permanent wetland impacts, and 0.97 acre of permanent floodway impact while temporarily impacting 0.02 acre of stream, 0.01 acre of wetland, and 0.27 acre of floodway. Latitude: 41.511561°, Longitude: -79.679804°.

E4306223-002. Combined Systems Inc., 388 Kinsman Road, Jamestown, PA 16134, Greene Township, **Mercer County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 20, 2023.

Applicant is seeking after-the-fact permit coverage for one existing 36-inch culvert that crosses an unnamed tributary to Sugar Creek, one existing 48-inch culvert that crosses Sugar Creek, and one existing ford that crosses an unnamed tributary to Sugar Creek. Latitude: 41.47403°, Longitude: -80.48064°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E3803223-002. North Lebanon Township, 725 Kimmerlings Road, Lebanon, PA 17046, North Lebanon Township, **Lebanon County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 30, 2023.

To 1) restore approximately 2,150 linear feet of the shoreline around the lake, 2) maintain an existing 48" and two 24" CMPs, 3) remove an existing small island and diving pier and providing project signage. All impacts are for the purpose of improving the park for recreation and safety. The project is located at Lion's Lake in North Lebanon Township (Latitude: 40.358, Longitude: -76.453) There are no impacts to wetland areas or streams on the site proposed.

E0503121-002. PA Department of Transportation Engineering District 9-0, 1620 North Juniata Street, Holidaysburg, PA 16648, East Saint Clair Township, and West Saint Clair Township, **Bedford County**. U.S. Army Corps of Engineers Baltimore District. Application received: March 24, 2021.

To remove existing structures and to 1) install and maintain a 98-inch x 63-inch culvert with 1-foot uniform depression in UNT Barfoot Run (WWF, MF), 2) repair an existing bridge over Barefoot Run (WWF, MF), 3) repair an existing bridge over Dunning Creek (WWF, MF) and 4) install two rock veins and perform stream remediation in Barefoot Run (WWF, MF). This is for the purpose of improving transportation safety in East and West Saint Clair Townships, Bedford County (40.1683°, -78.5946°). The project proposes to permanently impact 140 linear feet of stream channel with 126 linear feet of temporary stream channel impacts.

E5003223-002. Susquehanna Crossing, MRPI Amity Hall, LLC, 509 South Exeter Street, Baltimore, MD 21202, Watts Township, **Perry County**. U.S. Army Corps of Engineers Baltimore District. Application received: May 18, 2023.

To 1) permanently fill 264 linear feet of UNT to the Susquehanna River (WWF, MF) in the western portion of the site. 2) 20 linear feet of impact to the Susquehanna River (WWF, MF) in the southern portion of the site for the installation of a stormwater outfall. Ninety-one linear feet of stream will also be temporarily impacted. 3) permanently impact approximately 80 linear feet of two UNT to Susquehanna River and their floodways by installing a sanitary sewer force main and water main. All proposed work is for the purpose of constructing two warehouse buildings totaling approximately 1,947,088 square feet. The project site is bordered by Amity Road to the north, US-22 and US-322 to the west, and US-11 and US-15 to the south and east, with Taylor Road laterally bisecting the site. (Latitude: 40.431505, Longitude: -77.0039). There are no wetland impacts proposed.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205223-008. Atlantic Industrial Space, LLC, 696 McKeesport Road, Elizabeth, PA 15037, Elizabeth Township and Lincoln Borough, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: April 7, 2023.

The applicant proposes to: Construct and maintain driveway improvements, including a low flow 4 feet by 2 feet box culvert in Wylie Run (WWF). For the purpose of crossing Wylie Run, to reach the property recently purchased by Atlantic Industrial Space, LLC. The project will permanently impact 34 LF of Wylie Run (or 0.016 acre), and 0.026 acre of the floodway, and will have 0.026 acre of temporary stream impact and 0.044 acre of temporary floodway impact. The project site is located midway between the Monongahela River and Lincoln Blvd (Elizabeth, PA USGS Glassport topographic quadrangle; Sub-basin 19) Latitude: 40° 16' 51", Longitude: -79° 52' 34".

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D45-322EA. Foster Schaffer, Pennsylvania Game Commission, 2001 Elmerton Ave., Harrisburg, PA 17110, Tunkhannock Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 30, 2023.

Applicant proposes to remove the Dilldown Dam to eliminate a threat to public safety and to restore approximately 200 feet of stream channel to a free-flowing condition. The project is located across Dilldown Creek (HQ-CWF) (Blakeslee, PA Quadrangle, Latitude: 41.0345, Longitude: 75.5460).

D15-406EA. Scott Bush, Open Land Conservancy of Chester County, 410 Eagleview Blvd., Exton, PA 19341, Tredyffrin Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 29, 2023.

Applicant proposes to remove the Lorimer Reserve Upper Pond Dam to eliminate a threat to public safety and to restore approximately 140 feet of stream channel to a free-flowing condition. The proposed restoration project includes sediment removal within the limits of the impoundment and proposes grading of the stream channel in the historic alignment. The project is located across a tributary to Valley Creek (EV, MF) (Valley Forge, PA Quadrangle, Latitude: 40.0707, Longitude: 75.4898).

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

EA2506223-001. U.S. Army Corps of Engineers, 1776 Niagara Street, Buffalo, NY 14207, City of Erie, **Erie County**. U.S. Army Corps of Engineers Buffalo District. Application received: May 9, 2023.

The U.S. Army Corp of Engineers is seeking Water Quality Certification under Section 401 of the Federal Clean Water Act to dredge and discharge material from the Federal navigation channels of the Erie Harbor in order to maintain sufficient depth for the passage of deep-draft commercial vessels. The proposal involves removing approximately 250,000 cubic yards of material from Erie Harbor Federal navigation channels and placing the material at the existing, authorized one-mile square open-lake discharge area in Lake Erie within Pennsylvania waters. The project is anticipated to occur between June 15 and September 15, 2024. The proposed dredging is located within the Erie Harbor including the Entrance Channel, Harbor Basin, Approach Area, and two Harbor Areas. The proposed discharge location is three and one-third miles from the Erie Harbor Pierhead light at an azimuth of 0009°00' within open waters of Lake Erie, (USGS Quadrangle Erie North-PA). Latitude: 42.140203118255144°, Longitude: -80.11592313241843°.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the "Final Actions Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dept of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dept of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dept. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dept of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA320001D	Chapter 102 Individual NPDES Permit	Issued	New Leaf Energy, Inc. 55 Technology Drive Suite 102 Lowell, MA 01851	Green Township Indiana County	NWRO
PAD060080	Chapter 102 Individual NPDES Permit	Issued	Wise Galen L 915 Greenville Road Denver, PA 17517-9402	Penn Township Berks County	SCRO
PAD070031	Chapter 102 Individual NPDES Permit	Issued	Sheetz Inc. 242 Sheetz Way Claysburg, PA 16625-8345	Greenfield Township Blair County	SCRO
PAD100005	Chapter 102 Individual NPDES Permit	Issued	Maronda Homes Inc. 11 Timberglen Drive Imperial, PA 15126-9267	Buffalo Township Butler County	NWRO
PAD100021	Chapter 102 Individual NPDES Permit	Issued	Buffalo Township Municipal Authority 707 South Pike Road Sarver, PA 16055	Buffalo Township Butler County	NWRO

NOTICES

5823

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD130042	Chapter 102 Individual NPDES Permit	Issued	Beltzville Enterprises LLC 7355 Interchange Road Lehighton, PA 18235-5436	Lower Towamensing Township Carbon County	NERO
PAD160007	Chapter 102 Individual NPDES Permit	Issued	Modern Living Solutions 92 Modern Solutions Ways Knox, PA 16232	Knox Borough Clarion County	NWRO
PAD360065	Chapter 102 Individual NPDES Permit	Issued	Warwick School District 301 W Orange Street Lititz, PA 17543-1814	Lititz Borough Lancaster County	SCRO
PAD390058	Chapter 102 Individual NPDES Permit	Issued	Primo Enterprises LP 2100 Hoover Avenue Allentown, PA 19109	Hanover Township Lehigh County	NERO
PAD390064	Chapter 102 Individual NPDES Permit	Issued	Brookshire Partners LP 409 Stenton Avenue Flourtown, PA 19031-1327	Upper Milford Township Lehigh County	NERO
PAD390270	Chapter 102 Individual NPDES Permit	Issued	Ronca Development LLC 2295 NW Corporate Boulevard Boca Raton, FL 33431-7373	Bethlehem City Lehigh County	NERO
PAD450169	Chapter 102 Individual NPDES Permit	Issued	Stadden Group 121 Alger Avenue Tannersville, PA 18372-7833	Pocono Township Monroe County	NERO
PAD480017	Chapter 102 Individual NPDES Permit	Issued	Green Knight Economic Development Corp 2147 Pen Argyl Road Pen Argyl, PA 18072-9805	Bushkill Township Plainfield Township Northampton County	NERO
PAD510224	Chapter 102 Individual NPDES Permit	Issued	Tacony Realty LLC 320 Nassau Boulevard Garden City, NY 11530-5314	Philadelphia City Philadelphia County	SERO
PA0255211	Industrial Stormwater Individual NPDES Permit	Issued	Clairton Slag Inc. P.O. Box 532 1000 Madison Avenue West Elizabeth, PA 15088-0532	Jefferson Hills Borough Allegheny County	SWRO
0113804	Joint DEP/PFBC Pesticides Permit	Issued	Carroll Valley Borough Adams County 5685 Fairfield Road Fairfield, PA 17320-9611	Carroll Valley Borough Adams County	SCRO
0223802	Joint DEP/PFBC Pesticides Permit	Issued	Maronda Farms HOA P.O. Box 688 Canonsburg, PA 15317-0688	Findlay Township Allegheny County	SWRO
0913859	Joint DEP/PFBC Pesticides Permit	Issued	Camp Nockamixon 249 Traugers Crossing Road Kintnersville, PA 18930-9651	Nockamixon Township Bucks County	SERO
0913865	Joint DEP/PFBC Pesticides Permit	Issued	R&G Properties 220 Farm Lane Doylestown, PA 18901-4714	Buckingham Township Bucks County	SERO
0913875	Joint DEP/PFBC Pesticides Permit	Issued	Plumstead Township 5186 Stump Road Pipersville, PA 18947-1014	Plumstead Township Bucks County	SERO
0913925	Joint DEP/PFBC Pesticides Permit	Issued	Moskovitz David 910 Old Dolington Road Newtown, PA 18940-2702	Upper Makefield Township Bucks County	SERO
0913929	Joint DEP/PFBC Pesticides Permit	Issued	Pine Run Lakeview 777 Ferry Road Doylestown, PA 18901-2102	Doylestown Township Bucks County	SERO
0916825	Joint DEP/PFBC Pesticides Permit	Issued	The Villages Of Flowers Mill 968 Daylily Drive Langhorne, PA 19047-1795	Langhorne Borough Bucks County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0918812	Joint DEP/PFBC Pesticides Permit	Issued	Ziegler Janet and Al 5 Quail Drive Doylestown, PA 18901	Doylestown Township Bucks County	SERO
0921822	Joint DEP/PFBC Pesticides Permit	Issued	Spock Robert 420 W Thatcher Road Quakertown, PA 18951-2512	Richland Township Bucks County	SERO
0923813	Joint DEP/PFBC Pesticides Permit	Issued	Moczydlowski Steve 849 Haycock Run Road Kintnersville, PA 18930-9431	Haycock Township Bucks County	SERO
0923816	Joint DEP/PFBC Pesticides Permit	Issued	Grove Valley Farm 3438 Pruss Hill Road Pottstown, PA 19464-3326	Warrington Township Bucks County	SERO
0923817	Joint DEP/PFBC Pesticides Permit	Issued	Johnston Wayne 1206 Diamond Street Sellersville, PA 18960-2904	Hilltown Township Bucks County	SERO
0923818	Joint DEP/PFBC Pesticides Permit	Issued	Arbours at Morgan Creek HOA 1245 Heron Court Quakertown, PA 18951-2857	Richland Township Bucks County	SERO
0923822	Joint DEP/PFBC Pesticides Permit	Issued	Glorioso Robert 1228 Township Line Road Chalfont, PA 18914-1054	Hilltown Township Bucks County	SERO
0923823	Joint DEP/PFBC Pesticides Permit	Issued	Colonial Woods Family Campground 545 Lonely Cottage Road Upper Black Eddy, PA 18972-9345	Nockamixon Township Bucks County	SERO
1523832	Joint DEP/PFBC Pesticides Permit	Issued	Elling Janet 440 Burnt Mill Road Chadds Ford, PA 19317-9261	Kennett Township Chester County	SERO
2023810	Joint DEP/PFBC Pesticides Permit	Issued	Mark Zadrozny 25079 Plank Road Cambridge Springs, PA 16403-2349	Venango Township Crawford County	NWRO
2123804	Joint DEP/PFBC Pesticides Permit	Issued	Chronister Lee R 1322 Leidigh Drive Boiling Springs, PA 17007-9659	Monroe Township Cumberland County	SCRO
2313808	Joint DEP/PFBC Pesticides Permit	Issued	Collingdale Borough 800 Macdade Boulevard Collingdale, PA 19023-3826	Collingdale Borough Delaware County	SERO
2313823	Joint DEP/PFBC Pesticides Permit	Issued	Gross Valetta 55 Woodridge Road Thornton, PA 19373-1088	Thornbury Township Delaware County	SERO
2523803	Joint DEP/PFBC Pesticides Permit	Issued	Chris Fruehlich 11466 Springfield Road Girard, PA 16417-7232	Girard Township Erie County	NWRO
3623809	Joint DEP/PFBC Pesticides Permit	Issued	Rheems Fire Department 350 Anchor Road Elizabethtown, PA 17022-2807	West Donegal Township Lancaster County	SCRO
3623810	Joint DEP/PFBC Pesticides Permit	Issued	South Laurel Pond HOA 1181 S Bristol Drive Lititz, PA 17543-8391	Manheim Township Lancaster County	SCRO
4323808	Joint DEP/PFBC Pesticides Permit	Issued	Regis Rinko 1139 Sunol Road Cochranton, PA 16314-2931	French Creek Township Mercer County	NWRO
4613884	Joint DEP/PFBC Pesticides Permit	Issued	Cairnrun HOA P.O. Box 661 Bryn Athyn, PA 19009-0661	Bryn Athyn Borough Montgomery County	SERO

NOTICES

5825

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4613887	Joint DEP/PFBC Pesticides Permit	Issued	The Reserve at Gwynedd 347 Primrose Drive Upper Gwynedd, PA 19446-5692	Upper Gwynedd Township Montgomery County	SERO
1584404	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Nottingham Manor Mobile Home Court 1207 Delaware Avenue Wilmington, DE 19806	West Nottingham Township Chester County	SERO
1596417	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	New Garden Township Chester County	SERO
1701407	Major Sewage Treatment Facility Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 906 Beaver Drive Du Bois, PA 15801-2539	Sandy Township Clearfield County	NCRO
5123401	Major Sewage Treatment Facility Individual WQM Permit	Issued	Philadelphia Water Department 1101 Market Street 6th Floor Philadelphia, PA 19107-2934	Philadelphia City Philadelphia County	SERO
PA0002593	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Alleima Precision Tube LLC 220 Franklin Avenue Scottdale, PA 15683-1206	Scottdale Borough Westmoreland County	SWRO
PA0253553	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	TMS International LLC 516 Delwar Road Pittsburgh, PA 15236-1352	West Mifflin Borough Allegheny County	SWRO
PA0254851	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Ford City Borough 1000 4th Avenue Ford City, PA 16226-1214	Ford City Borough Armstrong County	NWRO
PA0025534	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	USDA Forest Service 4 Farm Colony Drive Warren, PA 16365-5206	Hamilton Township McKean County	NWRO
PA0040665	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Stone Barn Inc. 100 Stone Barn Drive Kennett Square, PA 19348	West Marlborough Township Chester County	SERO
PA0081051	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Round Top Sewer Cooperative Inc. 2 N Riverside Plaza Suite 800 Chicago, IL 60606-2682	Cumberland Township Adams County	SCRO
PA0084603	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Fairmount Homes 333 Wheat Ridge Drive Ephrata, PA 17522-8558	West Earl Township Lancaster County	SCRO
PA0239577	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	USDA Forest Service 4 Farm Colony Drive Warren, PA 16365-5206	Hamilton Township McKean County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0028983	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	McVeytown Borough Authority Mifflin County P.O. Box 321 McVeytown, PA 17051-0321	McVeytown Borough Mifflin County	SCRO
PA0032093	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA DCNR Shawnee State Park 132 State Park Road Schellsburg, PA 15559-7300	Napier Township Bedford County	SCRO
PA0053279	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	The McKee Group 1490 Durham Road New Hope, PA 18938	Buckingham Township Bucks County	SERO
0589201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Sandy Run Landfill LLC 995 Landfill Road Hopewell, PA 16650-8653	Broad Top Township Bedford County	SCRO
6594203	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Alleima Precision Tube LLC 220 Franklin Avenue Scottdale, PA 15683-1206	Scottdale Borough Westmoreland County	SWRO
NNOEXSC84	No Exposure Certification	Issued	Sherwin Williams Co. 1 Sherwin Williams Drive Fredericksburg, PA 17026	Bethel Township Lebanon County	SCRO
NOEXNE014	No Exposure Certification	Issued	Snap On Ind Brands 19 Bert Collins Drive Scranton, PA 18512-1509	Throop Borough Lackawanna County	NERO
NOEXSC252	No Exposure Certification	Issued	Arsenal Rd York LLC 600 Arsenal Road York, PA 17405	Springettsbury Township York County	SCRO
NOEXSC383	No Exposure Certification	Issued	Altium PKG LLC 2500 Windry Ridge Parkway Suite 1400 Atlanta, GA 30339	Muhlenberg Township Berks County	SCRO
NOEXSW242	No Exposure Certification	Issued	Westinghouse Air Brake Tech Corp d/b/a Wabtec 3004 Venture Court Export, PA 15632-8949	Penn Township Westmoreland County	SWRO
PAG030140	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lane Enterprises LLC 3905 Hartzdale Drive Suite 514 Camp Hill, PA 17011-7837	Upper Merion Township Montgomery County	SERO
PAG030141	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rossi Auto Salvage Inc. 1700 Dekalb Street King of Prussia, PA 19406	Upper Merion Township Montgomery County	SERO
PAG030214	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Johnson & Johnson Consumer Inc. 7050 Camp Hill Road Fort Washington, PA 19034	Whitemarsh Township Montgomery County	SERO

NOTICES

5827

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030228	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SEPTA 1234 Market Street 6th Floor Philadelphia, PA 19107	Middletown Township Delaware County	SERO
PAG030242	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	A Jon Const Inc. 719 Old Marple Road Springfield, PA 19064-1237	Springfield Township Delaware County	SERO
PAG030251	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SEPTA 1234 Market Street Floor 6 Philadelphia, PA 19107-3701	Philadelphia City Philadelphia County	SERO
PAG033577	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Winfield Salvage Co. LLC 860 Wolf Hollow Road Big Cove Tannery, PA 17212	Thompson Township Fulton County	SCRO
PAG033709	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Marstellar Concrete Inc. 2011 State Road Duncannon, PA 17020-9572	Penn Township Perry County	SCRO
PAG033732	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	LB Foster Co. 415 Holiday Drive Pittsburgh, PA 15220-2729	Bedford Township Bedford County	SCRO
PAG033742	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mellott Wood Preserving Co. Inc. P.O. Box 209 1398 Sawmill Road Needmore, PA 17238-0209	Belfast Township Fulton County	SCRO
PAG033768	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	EF Smith P.O. Box 73 Roaring Spring, PA 16673-0073	Taylor Township Blair County	SCRO
PAG033917	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Champion Home Bldr Inc. 755 W Big Beaver Road Suite 1000 Troy, MI 48084-4900	Greenfield Township Blair County	SCRO
PAG034841	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Buckeye Energy Service LLC 5002 Buckeye Road Emmaus, PA 18049-5347	Armstrong Township Lycoming County	NCRO
PAG034888	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Midland Asphalt Materials Inc. 88 Barrett Road Woodland, PA 16881-9364	Bradford Township Clearfield County	NCRO
PAG034895	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cabinetworks Group Michigan LLC 217 Lamoka Road Sayre, PA 18840-9418	Athens Township Bradford County	NCRO
PAG034932	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	RJ Corman RR Co. 650 Corman Way Clearfield, PA 16830-2568	Clearfield Borough Clearfield County	NCRO
PAG034937	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Young Ind Inc. 16 Painter Street Muncy, PA 17756-1407	Muncy Borough Lycoming County	NCRO
PAG035034	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	UFP Parker LLC 2801 E Beltline Avenue NE Grand Rapids, MI 49525-9680	DuBois City Clearfield County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036102	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lindy Paving Inc. 1807 Shenango Road New Galilee, PA 16141-2241	Lower Burrell City Westmoreland County	SWRO
PAG036109	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fed Express 3620 Hacks Cross Road Bldg B Fl 3 Memphis, TN 38125-8800	Aliquippa City Beaver County	SWRO
PAG036122	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cronimet Corp 1 Pilarsky Way Aliquippa, PA 15001-5421	Aliquippa City Beaver County	SWRO
PAG036191	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fullerton Terminals DE LLC 80 William Street Suite 400 Wellesley, MA 02481-3705	Neville Township Allegheny County	SWRO
PAG036222	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cameron A Schlumberger Co. 1614 E Roy Furman Highway Carmichaels, PA 15320-2415	Carmichaels Borough Greene County	SWRO
PAG036225	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Beaver Concrete & Supply Inc. 10 Industrial Park Road Monaca, PA 15061-1878	Rochester Borough Beaver County	SWRO
PAG036242	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Drilling Tools International 3701 Briarpark Drive Houston, TX 77042-5276	Charleroi Borough Washington County	SWRO
PAG036247	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	MPLX Terminals LLC 539 S Main Street Findlay, OH 45840-3229	Industry Borough Beaver County	SWRO
PAG036258	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	CPV Fairview LLC 1 N Lexington Avenue Suite 1400 White Plains, NY 10601-1724	Jackson Township Cambria County	SWRO
PAG036289	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	ABF Freight System Inc. 3801 Old Greenwood Road Fort Smith, AR 72903-5937	Hempfield Township Westmoreland County	SWRO
PAG036356	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	All Clad Metalcrafters LLC 424 Morganza Road Canonsburg, PA 15317-5716	Cecil Township Washington County	SWRO
PAG036387	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Josh Steel Co. Inc. 46 6th Street Braddock, PA 15104-1948	Rankin Borough Allegheny County	SWRO
PAG036409	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Nelson Wire & Steel LLC 1015 New Salem Road New Salem, PA 15468-1175	Menallen Township Fayette County	SWRO
PAG036443	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Hoys Const Co. Inc. P.O. Box 957 Waynesburg, PA 15370-0957	Franklin Township Greene County	SWRO
PAG036455	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fedex Ground PKG System Inc. 1000 Fed Ex Drive Moon Twp, PA 15108-9373	Pittsburgh City Allegheny County	SWRO

NOTICES

5829

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG036461	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Precision Kidd Steel Co. 1 Quality Way Aliquippa, PA 15001-2459	Findlay Township Allegheny County	SWRO
PAG036472	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Savage Service Corp 1258 Old Route 119 S Mt Pleasant, PA 15666	Mount Pleasant Borough Westmoreland County	SWRO
PAG036506	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	PPG Ind Inc. 440 College Park Drive Monroeville, PA 15146-1553	Monroeville Borough Allegheny County	SWRO
PAG036509	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	USPS Penn Hills 11650 Penn Hills Drive Pittsburgh, PA 15235-9721	Penn Hills Township Allegheny County	SWRO
PAG036511	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	ELG Metals Inc. 369 River Road McKeesport, PA 15132	Port Vue Borough Allegheny County	SWRO
PAG036513	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Watco Transloading LLC 2701 Midland Beaver Road Industry, PA 15052-1709	Industry Borough Beaver County	SWRO
PAG036518	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Millerstown Pick A Part Inc. 6375 A V R R Pittsburgh, PA 15201-2124	Fawn Township Allegheny County	SWRO
PAG036519	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	D & D Auto Salvage LLC 6375 A V R R Pittsburgh, PA 15201-2124	Fawn Township Allegheny County	SWRO
PAG036520	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BFI Waste System of North American LLC 5092 Aber Road Williamsburg, OH 45176-9532	Fallowfield Township Washington County	SWRO
PA0240214	Single Residence STP Individual NPDES Permit	Issued	Burick Corey 7673 E Lake Road Erie, PA 16511-1646	Harborcreek Township Erie County	NWRO
PA0260746	Single Residence STP Individual NPDES Permit	Issued	Perchard David J 6227 Big Creek Road Clearville, PA 15535-5017	Monroe Township Bedford County	SCRO
PA0265179	Single Residence STP Individual NPDES Permit	Issued	Ayers Brian 810 Old State Road Russell, PA 16345	Pine Grove Township Warren County	NWRO
PA0265365	Single Residence STP Individual NPDES Permit	Issued	Simendinger Francis 1182 E Lake Road Transfer, PA 16154-2724	Delaware Township Mercer County	NWRO
PA0265381	Single Residence STP Individual NPDES Permit	Issued	Barry and Karen Smock 13001 Kline Road Edinboro, PA 16412-1767	Washington Township Erie County	NWRO
PA0265403	Single Residence STP Individual NPDES Permit	Issued	Brandon Martin and Dominique Rick 24291 State Highway 77 and 89 Spartansburg, PA 16434-3443	Sparta Township Crawford County	NWRO
PA0265756	Single Residence STP Individual NPDES Permit	Issued	Boisvert Daniel 741 Dump Road Sugar Grove, PA 16350-3815	Conewango Township Warren County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0265811	Single Residence STP Individual NPDES Permit	Issued	Pudina Tessa 137 Swamp Run Road Butler, PA 16001-0729	Center Township Butler County	NWRO
PA0271357	Single Residence STP Individual NPDES Permit	Issued	Sedor Roger 14368 Route 19 Cambridge Springs, PA 16403	Le Boeuf Township Erie County	NWRO
PA0271454	Single Residence STP Individual NPDES Permit	Issued	Casey and Kristin Rand 6365 W Stancliff Road Edinboro, PA 16412-9750	Franklin Township Erie County	NWRO
PA0271497	Single Residence STP Individual NPDES Permit	Issued	Reynolds Randall E 420 Kemmer Road Summerville, PA 15864	Limestone Township Clarion County	NWRO
PA0271586	Single Residence STP Individual NPDES Permit	Issued	Waugaman William 133 Buckwalter Road New Wilmington, PA 16142-2113	Shenango Township Mercer County	NWRO
PA0285137	Single Residence STP Individual NPDES Permit	Issued	Stauber Connie 1228 Perry Highway Portersville, PA 16051-2412	North Sewickley Township Beaver County	SWRO
PA0293997	Single Residence STP Individual NPDES Permit	Issued	Miller Ryan 278 Dreibelbis Station Road Lenhartsville, PA 19534-9310	Greenwich Township Berks County	SCRO
0223402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Glessner Cassandra 1517 Staunton Drive Coraopolis, PA 15108-8975	Shaler Township Allegheny County	SWRO
0423402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Stauber Connie 1228 Perry Highway Portersville, PA 16051-2412	North Sewickley Township Beaver County	SWRO
0623402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Miller Ryan 278 Dreibelbis Station Road Lenhartsville, PA 19534-9310	Greenwich Township Berks County	SCRO
1018402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Pudina Tessa 137 Swamp Run Road Butler, PA 16001-0729	Center Township Butler County	NWRO
2508404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Burick Corey 7673 E Lake Road Erie, PA 16511-1646	Harborcreek Township Erie County	NWRO
PA0101117	Small Flow Treatment Facility Individual NPDES Permit	Issued	Freedom First Rentals LLC P.O. Box 5205 Conneaut Lake, PA 16316-5205	Cussewago Township Crawford County	NWRO
2073407	Small Flow Treatment Facility Individual WQM Permit	Issued	Freedom First Rentals LLC P.O. Box 5205 Conneaut Lake, PA 16316-5205	Cussewago Township Crawford County	NWRO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230056	PAG-02 General Permit	Issued	Marple Associates, LP 1604 Walnut Street 4th Floor Philadelphia, PA 19103	Marple Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC190078	PAG-02 General Permit	Issued	RFF Partners, LP 190 Tyson School Rd Catawissa, PA 17820	Locust Township Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC190037 A-1	PAG-02 General Permit	Issued	Adam Felty— Calumet Enterprises 2205 Old Philadelphia Pike Lancaster, PA 17602	Hemlock Township Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17602 570-784-1310
PAC190077	PAG-02 General Permit	Issued	Pine School Solar, LLC 55 Technology Drive Lowell, MA 01851	Pine Township Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC140141 A-1	PAG-02 General Permit	Issued	Stocker Chevrolet-Subaru- Saab, Inc. 1454 Dreibelbis Road State College, PA 16801	College Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817
PAC080075	PAG-02 General Permit	Issued	Zane King, PTV 1327, LLC 400 Penn Center Blvd Bldg 4 Suite 100 Pittsburgh, PA 15235	Wysox Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18848 570-265-5539
PAC600103	PAG-02 General Permit	Issued	Aaron Reiff 288 Dorman Lane Mifflinburg, PA 17844	Lewis Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600105	PAG-02 General Permit	Issued	Patton Industrial Development, LLC (Shawn Hoffman) 18108 Russell Road Allenwood, PA 17810	Gregg Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC090633	PAG-02 General Permit	Issued	STD Associates, LP 1027 Conshohocken Road Conshohocken, PA 19428-1051	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090647	PAG-02 General Permit	Issued	SAFStor Old Lincoln, LLC 444 Seabreeze Boulevard Daytona Beach, FL 32118-3934	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090617	PAG-02 General Permit	Issued	Michael and Lisa Grezko 633 N. Main Street Doylestown, PA 18901	Buckingham Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC680054	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931	Gilpin Township Armstrong County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800
PAC330037	PAG-02 General Permit	Issued	Acquire Timber LLC 5075 Lower Valley Road Atglen, PA 19301	Warsaw Township Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC610028	PAG-02 General Permit	Issued	National Fuel Gas Distribution Corporation 1100 State Street Erie, PA 16501	Rockland Township Venango County	Venango County Conservation District 4871 US 322 Franklin, PA 16323 814-676-2832
PAC030050	PAG-02 General Permit	Issued	PTV 1330 LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	Manor Township Armstrong County	Armstrong County Conservation District 120 South Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC250192	PAG-02 General Permit	Issued	KPL Properties I LLC 729 E Columbus Avenue Corry, PA 16407	City of Corry Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC650358	PAG-02 General Permit	Issued	Weaver Development, Inc. 3121 Deerfield Court Murrysville, PA 15668	Penn Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC650204A-1	PAG-02 General Permit	Issued	Blackhorne Investors, LLC 21 Husler Place Carnegie, PA 15106	Penn Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC360527A-1	PAG-02 General Permit	Issued	PennDOT District 8-0 240 Herr Street Harrisburg, PA 17103	East Hempfield Township and Manor Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

NOTICES

5833

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC650362	PAG-02 General Permit	Issued	Battlefield Sports Complex, LLC 1051 Gombach Road Claridge, PA 15623	Penn Township Westmoreland County	Westmoreland County Conservation District 218 Donahoe Road Greensburg, PA 15601 724-837-5271 SWRO
PAC010236	PAG-02 General Permit	Issued	Oxford Township 780 Hanover Street New Oxford, PA 17350	Oxford Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC360858	PAG-02 General Permit	Issued	East Lampeter Township 2250 Old Philadelphia Pike Lancaster, PA 17602	East Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC360866	PAG-02 General Permit	Issued	Compass Mill Complex LLC 1213 Orchard Road Lititz, PA 17543	Warwick Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC360802	PAG-02 General Permit	Issued	Posh Hospitality No. 4 Flory Mill LLC 2216 Willow Park Road Bethlehem, PA 18017	Manheim Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC210300	PAG-02 General Permit	Issued	Aqua Treatment Systems 194 Hempt Road Mechanicsburg, PA 17050	Silver Spring Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210312	PAG-02 General Permit	Issued	Prologis, LP 400 Boulder Drive Breinigsville, PA 18031	North Middleton Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210313	PAG-02 General Permit	Issued	Prologis, LP 400 Boulder Drive Suite 200 Breinigsville, PA 18031	North Middleton Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210314	PAG-02 General Permit	Issued	Coldwater Capital LLC 3135 South Richmond Street Salt Lake City, UT 84106	Silver Spring Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210319	PAG-02 General Permit	Issued	P.J.C. Bar Development 224 St. Charles Way York, PA 17402	Hampden Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC210325	PAG-02 General Permit	Issued	Metropolitan Edison 2800 Pottsville Pike Reading, PA 19612	Mount Holly Springs Borough Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC210324	PAG-02 General Permit	Issued	AVA Group 2401 Park Drive Harrisburg, PA 17110	South Middleton Township Cumberland County	Cumberland County Conservation District 310 Allen Road Suite 301 Carlisle, PA 17013 717-240-7812
PAC010205	PAG-02 General Permit	Issued	FLI Thomas, LP 2121 Old Gatesburg Road State College, PA 16803	Straban Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC360177A-3	PAG-02 General Permit	Issued	Quarryville Industrial Properties, LLC 339 Christiana Pike Christiana, PA 17509	Eden Township and Quarryville Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC360821	PAG-02 General Permit	Issued	Manheim Central School District 281 White Oak Road Manheim, PA 17545	Penn Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC430097	PAG-02 General Permit	Issued	Sunrise Sandy Lake Polk Road LLC 1407 Broadway 24th Floor New York, NY 10018	Sandy Lake Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC360770A-1	PAG-02 General Permit	Issued	Robert Hershey Sr. 99 Stehman Road Lancaster, PA 17603	Conestoga Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC360766A-1	PAG-02 General Permit	Issued	Belmont Property Management Group LLC 88 Linda Avenue Lancaster, PA 17602	East Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC360673	PAG-02 General Permit	Issued	J&E Grill Manufacturing LLC 127 Meadow Creek Road New Holland, PA 17557	Earl Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17602 717-299-5361
PAC670344A-1	PAG-02 General Permit	Issued	Jed Beckman 15 Senft Road Spring Grove, PA 17362	Penn Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC670655	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 1600 Colony Drive York, PA 17408	Dover Township York County	York County Conservation District 2401 Pleasant Valley Road Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670498A-1	PAG-02 General Permit	Issued	Inch's Properties, LLC 2950 Lewisberry Road York, PA 17404	Mount Wolf Borough York County	York County Conservation District 2401 Pleasant Valley Road York, PA 17402 717-840-7430
PAC230263	PAG-02 General Permit	Issued	Printers Way Properties, LLC 940 West Sproul Road Springfield, PA 19064	Middletown Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC090633	PAG-02 General Permit	Issued	STD Associates, LP 1027 Conshohocken Road Conshohocken, PA 19428-1051	Bristol Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090617	PAG-02 General Permit	Issued	Michael and Lisa Grezko 633 N. Main Street Doylestown, PA 18901	Buckingham Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090350 A-1	PAG-02 General Permit	Issued	Faith Unity, Inc. 1581 Bristol Pike Bensalem, PA 19020-5762	Bensalem Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090647	PAG-02 General Permit	Issued	SAFStor Old Lincoln, LLC 444 Seabreeze Boulevard Daytona Beach, FL 32118-3934	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code

Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

**NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Anthony Oberholtzer 1500 Pine Grove Road Bethel, PA 19507	Berks County	210	450.51	Poultry, Broiler	NA	Approved
Ryan Rutt 524 North Garfield Road Bernville, PA 19506	Berks County	200	1,038.86	Swine and Poultry (broilers)	NA	Approved
Misty Hollow Farm— Jay Paul Nolt 611 Blattadahl Road Mohrsville, PA 19541	Berks County	67.1	115.6	Ducks	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsyl-

vania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bair, Clerk II, 570-327-0551.

Construction Permit No. 4923502, Major Amendment, Public Water Supply.

Applicant	Aqua Pennsylvania Roaring Creek
Address	204 East Sunbury Street Shamokin, PA 17872
Municipality	Butler Township
County	Schuylkill County
Consulting Engineer	Charles W Amer 289 East 5th Street Suite 1 Bloomsburg, PA 17815

Application Received March 3, 2023
 Permit Issued August 28, 2023
 Description This permit authorizes the permittee to install two (2) new 3-HP vertical multistage Goulds Series e-SV—Model 5SV-8 booster pumps and Controller Tiger Flow Series VMS-4000-VFD and controls, McCrometer Ultra Mag Flow Meter and a new Amtrol Therm-X-Trol ST-180V, 62 gallon, NSF 61 certified pressure tank and Quiet Cool Garage Fan Model No. GA ES-1500 for ventilation in Butler Township, Schuylkill County.

Construction Permit No. 6023501MA, Minor Amendment, Public Water Supply.

Applicant **PA American Water Co. White Deer/Milton**
 Address 852 Westley Drive Mechanicsburg, PA 17055
 Municipality White Deer Township
 County **Union County**
 Consulting Engineer Scott Thomas 852 Wesley Drive Mechanicsburg, PA 17055
 Application Received August 21, 2023
 Permit Issued August 31, 2023
 Description This permit authorizes upgrades to Aldrich Units 1 and 2 at the White Deer Filter Plant.

Construction Permit No. 0823502MA, Minor Amendment, Public Water Supply.

Applicant **Gillett MHC LLC**
 Address 1602 W Allen Street Allentown, PA 18102
 Municipality Ridgebury Township
 County **Bradford County**
 Consulting Engineer Anthony Coval 466 South Main Street Montrose, PA 18801
 Application Received August 21, 2023
 Permit Issued August 31, 2023
 Description This permit authorizes the water system to replace the raw water and combined filter effluent HACH 1720E turbidimeters with Pyxis LT-739 Series Turbidimeters.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Ryan Fox, E.I.T. 570-826-2533.

Construction Permit No. 6423504, Major Amendment, Public Water Supply.

Applicant **Worobey Transport, Inc.**
 Address 539 Shehawken Rd. P.O. Box 72 Preston Park, PA 18455
 Municipality Hawley Borough
 County **Wayne County**
 Consulting Engineer Sarah Bue-Morris, P.E. 275 South Sterling Rd. Newfoundland, PA 18445
 Application Received June 22, 2023
 Permit Issued August 29, 2023
 Description Addition of AQUA PA—Hawley (2640028) as a finished bulk water hauling source as well as the addition of new bulk water hauling equipment to be added as new entry point locations.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4708.

Operation Permit No. 7361073, Public Water Supply.

Applicant **265 Herr Road LLC**
 Address 725 Walnut Street Lebanon, PA 17042
 Municipality Strasburg Township
 County **Lancaster County**
 Application Received June 26, 2023
 Permit Issued August 25, 2023
 Description Transfer of all public water supply permits from Dutch Treat Motel to 265 Herr Road LLC, and installation of an online chlorine analyzer at Entry Point 100.

Operation Permit No. 2822504 MA, Public Water Supply.

Applicant **Bear Valley Joint Authority**
 Address 218 School House Rd St. Thomas, PA 17252
 Municipality Saint Thomas Township
 County **Franklin County**
 Consulting Engineer Gwin, Dobson & Foreman, Inc. 3121 Fairway Drive Altoona, PA 16602
 Application Received August 25, 2023
 Permit Issued August 29, 2023
 Description Operation of modifications at Broad Run Treatment Plant including contact piping, entry point relocation and instrumentation, 5.3 MG storage tank mixer, and rerating of the filter plant capacity.

Emergency Permit No. 5023519 E, Public Water Supply.

Applicant **Duncannon Borough**
 Address 428 North High Street
 Duncannon, PA 17020
 Municipality Duncannon Borough
 County **Perry County**
 Consulting Engineer Pennoni Associates, Inc.
 1215 Mano Drive
 Suite 100
 Mechanicsburg, PA 17055
 Application Received August 28, 2023
 Permit Issued August 28, 2023
 Description Emergency Bulk Water Hauling

Contact: Joseph Mattucci, Program Manager, 717-705-4931

Amendment Permit No. 5023512 MA, Minor Amendment, Public Water Supply.

Applicant **Perry County Non-Profit Housing Corp.**
 Address 232 Market Street
 Newport, PA 17074
 Municipality Tyrone Borough
 County **Perry County**
 Consulting Engineer Max E. Stoner, P.E.
 3705 Trindle Road
 Camp Hill, PA 17011
 Application Received July 14, 2023
 Permit Issued August 31, 2023
 Description The Perry County Non-Profit Housing Corporation applied for a well pump replacement permit.

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bair, Clerk II, 570-327-0551.

Operation Permit 4922502MA, PWSID No. **4490016**. **PA American Water Co.—Turbotville**, 852 Wesley Drive, Mechanicsburg, PA 17055, Turbotville Borough, **Northumberland County**. Application received: August 28, 2023. Permit Issued: August 29, 2023. Authorizes the water system to operate the rehabilitated 298,000-gallon Turbotville Tank 2 (North) Aquastore Tank.

Operation Permit 1423504MA, PWSID No. **4140083**. **Milesburg Borough Water Authority**, 416 Front Street P.O. Box 282, Milesburg, PA 16853, Milesburg Borough, **Centre County**. Application received: August 18, 2023. Permit Issued: August 30, 2023. This permit authorizes operation of the Eaton PowerXL DG1 variable frequency drive (VFD) to control the existing pumps at the Milesburg Water Authority Pump Station.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist, 717-705-4700.

Emergency Permit 2823509 E, PWSID No. **7210043**. **Shippensburg Borough Authority**, 111 North Fayette Street, Shippensburg, PA 17257, Lurgan Township,

Franklin County. Application received: August 21, 2023. Permit Issued: August 23, 2023. This emergency operation permit was issued to return filter No. 2 at the Gunter Valley Water Treatment Plant to service following a replacement of the underdrain and filter media.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 4440371, PWSID No. **4440371**. **Dolgencorp LLC**, 100 Mission Ridge, Goodlettsville, TN 37072, Granville Township, **Mifflin County**. Application received: April 14, 2023. Permit Issued: August 29, 2023. Comprehensive operation permit for the installation of an online chlorine analyzer, as well as transfer of ownership from JLM Real Estate Investments, LLC to Dolgencorp LLC.

Operation Permit 6722504 MA, PWSID No. **7670097**. **Wrightsville Borough Municipal Authority**, 601 Water Street, P.O. Box 187, Wrightsville Borough, PA 17368, Wrightsville Borough, **York County**. Application received: August 28, 2023. Permit Issued: August 31, 2023. Operation permit for the raw water pipe replacement between the Susquehanna River intake structure and the pump station.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

Transfer Permit 0423509-T1, PWSID No. **5040861**. **Allied Convenience LLC**, 107 Breckenridge Drive, Wexford, PA 15090, Darlington Borough, **Beaver County**. Application received: April 26, 2023. Permit Issued: August 31, 2023. Transfer of the One Stop Shopper water supply system from Ray Nixon to Allied Convenience LLC.

NCWSA Transfer Permit 5630431, PWSID No. **5630431**. **Canonsburg Sportsman's Association**, P.O. Box 298, Canonsburg, PA 15317, Chartiers Township, **Washington County**. Application received: July 27, 2023. Permit Issued: August 31, 2023. New Public Water Supply Well and treatment.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation

has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Halfmoon Township Municipal Park Release Cleanup, Primary Facility ID # **867052**, 100 Municipal Lane, Halfmoon, PA 16870, Halfmoon Township, **Centre County**. JHA Companies, 466 South Main Street, Montrose, PA 18810, on behalf of Halfmoon Township, 100 Municipal Lane, Halfmoon, PA 16870, submitted a Final Report concerning remediation of soil contaminated with Ethylene glycol. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Irvona Municipal Authority, Primary Facility ID # **8688750**, 381 Berwind Street, Irvona, PA 16656, Irvona Borough, **Clearfield County**. Insite Group, Inc., 611 S. Irvine Avenue, Sharon, PA 16146, on behalf of Irvona Municipal Authority, P.O. Box 274, Irvona, PA 16656, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Bill, 814-332-6671.

ARG Refinery, Primary Facility ID # **651768**, 77 North Kendall Avenue, Bradford, PA 16701, City of Bradford, **McKean County**. GHD, 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Fluorene, Phenanthrene, Anthracene, Pyrene, Chrysene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(a)pyrene, Benzo(g,h,i)perylene and groundwater: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene,

1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Phenanthrene, Pyrene, Chrysene for EU-1W. The Risk Assessment is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

2944 Samuel Drive, Primary Facility ID # **840740**, 2944 Samuel Drive, Bensalem, PA 19020, Bensalem Township, **Bucks County**. Natalie Griffith, REPSG, Inc., 6901 Kingsessing Avenue, Philadelphia, PA 19142, on behalf of Howard Weiss, 2944 Samuel Drive, Inc., 4250 Wisahickon Avenue, Philadelphia, PA 19129, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PAHs and inorganics. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Penn Avenue & Center Street, Primary Facility ID # **862461**, 775-799 Penn Avenue & 750-754 Wallace Avenue, Wilkinsburg, PA 15221, Wilkinsburg Borough, **Allegheny County**. KU Resources, Inc., 22 South Linden Street, Duquesne, PA 15110, on behalf of North Side Industrial Development Co., Inc., 700 River Avenue, Suite 531, Pittsburgh, PA 15219, submitted a Baseline Environmental Report concerning remediation of soil and groundwater contaminated with Cyclohexane, Acenaphthene, Barium, Ethylbenzene, Acenaphthylene, Cadmium, Isopropylbenzene, Anthracene, Chromium, Methyl cyclohexane, Benzo(ghi)perylene, Lead, Toluene, Chrysene, Mercury, 1,3,5-Trimethylbenzene, Fluoranthene, Selenium, o-Xylene, Fluorene, Silver, p/m-Xylene, 2-Methylnaphthalene, Xylenes, Naphthalene, Phenanthrene, Pyrene, Benzene, Benzo(a)anthracene, Arsenic, 1,2,4-Trimethylbenzene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(k)fluoranthene, Dibenzo(a,h)anthracene, Indeno-(1,2,3-cd)pyrene for soil; Acetone, Acenaphthene, Arsenic, Benzene, Benzo(a)anthracene, Barium, Cyclohexane, 2-Chloronaphthalene, Lead, Ethylbenzene, Fluoranthene, Isopropylbenzene, Fluorene, Methyl cyclohexane, 2-Methylnaphthalene, Toluene, Naphthalene, Trichloroethene, Phenanthrene, 1,3,5-Trimethylbenzene, Pyrene, 1,2,4-Trimethylbenzene, Xylenes for groundwater. The Baseline Environmental Report is intended to document remediation of the site to meet the special industrial area provision of act 2.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental

Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

GM Trucking Produced Water Release Cleanup, Primary Facility ID # **866277**, Intersection of SR 2010 and Gravel Pit Road, Wyalusing, PA 18853, Wyalusing Township, **Bradford County**. Penn Environmental & Remediation Inc., 13180 Route 6, Mansfield, PA 16933, on behalf of GM Trucking, Inc., 215 Green Mountain Drive, Athens, PA 18810, submitted a Final Report concerning remediation of soil contaminated with produced water. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 23, 2023.

Folta BRA 22HC on the Folta BRA Well Pad, Primary Facility ID # **865954**, 889 Vandervort Road, Laceyville, PA 18823, Tuscarora Township, **Bradford County**. Creston Environmental, LLC, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated

with produced water. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 3, 2023.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Bones Auto Parts, Primary Facility ID # **866332**, 1110 Wilkes-Bare Township Boulevard, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. Keystone Environmental Health & Safety Services, 1111 12th Avenue, Altoona, PA 16601, on behalf of Turkey Hill Minit Markets, LLC, 165 Flanders Road, Westborough, MA 01581, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 31, 2023.

O'Dowd SUS Pad, Primary Facility ID # **783228**, 2411 State Route 3011, Meshoppen, PA 18630, Auburn Township, **Susquehanna County**. Creston Environmental, P.O. Box 1373, Camp Hill, PA 17001, on behalf of Chesapeake Appalachia LLC, 14 Chesapeake Lane, Sayre, PA 18840, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report demonstrated attainment of the Statewide health standards. Approved: August 31, 2023.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Chris, 724-598-2206.

Dorsch Unit Unconventional Well Site, Primary Facility ID # **858926**, 201 Arden Drive, Harmony, PA 16037, Lancaster Township, **Butler County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16336, on behalf of PennEnergy Resources, LLC, 3000 Westinghouse Drive, Suite 300, Cranberry Township, PA 16066, submitted a Final Report concerning remediation of soil contaminated with Statewide health standard in soil for benzene, toluene, ethylbenzene, xylene, sec-butyl benzene, tert-butyl benzene, cyclohexane, 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, cumene, naphthalene, acenaphthene, anthracene, benzo(a)anthracene, benzo(b)fluoranthene, benzo(g,h,i)perylene, chrysene, fluoranthene, fluorene, indeno(1,2,3-c,d)pyrene, 2-methylnaphthalene, phenanthrene, pyrene, 1,1-biphenyl, phenol, aluminum, barium, boron, chloride, iron, lithium, manganese, strontium, zinc, and selenium. Background Standard in soil for vanadium. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: September 1, 2023.

Contact: Nick, 814-332-6978.

Pastore 1 Well, Primary Facility ID # **868333**, Bonnie Brae Street, Erie, PA 16511, Harborcreek Township, **Erie County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, on behalf of PPP Future Development Inc., 9489 Alexander Road, Alexander, NY 14005, submitted a Final Report concerning remediation of soil contaminated with benzene, toluene, ethyl benzene, xylene, sec-butyl benzene, tert-butyl benzene, cyclohexane, 1,3,4-trimethylbenzene, 1,3,5-trimethylbenzene, cumene, naphthalene, acenaphthene, anthracene, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, Benzo(g,h,i)perylene, Fluoranthene, fluorene, indeno(1,2,3-c,d)pyrene, 2-methylnaphthalene, phenanthrene, pyrene, and 1,1 biphenyl. The Final Report demonstrated attainment of the Statewide health standards. Approved: August 30, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Lombard Commons, Primary Facility ID # **849782**, 100 East Broad Street, Dallastown, PA 17313, Dallastown Borough, **York County**. RT Environmental Services, Inc., 215 West Church Road, King of Prussia, PA 19406, on behalf of Lombard Commons, LP c/o Woda Cooper Companies, Inc., 500 South Front Street, 10th Floor, Columbus, OH 43215, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with Arsenic. The Report demonstrated attainment of the site-specific standards. Approved: August 31, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

1700 North 49th Street, Primary Facility ID # **816258**, 1700 North 49th Street, Philadelphia, PA 19131, City of Philadelphia, **Philadelphia County**. Meredith Braverman, Arcadis U.S., Inc., 1007 North Orange Street, Suite 411 and 412, Wilmington, DE 19801, on behalf of Michael Grygo, Comcast of Philadelphia, LLC, 380 Horizon Boulevard, Suite 300, Trevese, PA 19053, submitted a Final Report concerning remediation of groundwater contaminated with No. 2 fuel oil. The Final Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: August 17, 2023.

Laboratory Testing, Inc., Primary Facility ID # **862328**, 2331 Topaz Drive, Hatfield, PA 19440, Hatfield Township, **Montgomery County**. Lisa R. Whited, PG, LVL Engineering Group, 559 Main Street, Suite 230, Bethlehem, PA 18018, on behalf of Mike McVaugh, MTJ Properties, LP, 2331 Topaz Drive, Hatfield, PA 19440, submitted a Remedial Investigation Report concerning remediation of groundwater contaminated with trichloroethylene. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: August 17, 2023.

Phoenixville Crossing LP, Primary Facility ID # **833749**, 622 Hares Hill Road, Phoenixville, PA 19460, East Pikeland Township, **Chester County**. Stephen D. Brower, PG, Environmental Standards, Inc., 140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19842, on behalf of Ken Gibson, Phoenixville Area School District, 386 City Line Avenue, Phoenixville, PA 19460, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with arsenic. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: August 4, 2023.

319 West Gay Street, Primary Facility ID # **780952**, 319 West Gay Street, West Chester, PA 19383, West Chester Borough, **Chester County**. John Sunkler, EnviroSure, Inc., 1 North Bacton Hill Road, Suite 208, Malvern, PA 19355, on behalf of Chad Weldon, CRW Realty, LP, 319 West Chester Gay Street, West Chester, PA 19382, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with leaded and unleaded gasoline. The Report did not demonstrate attainment of the site-specific standards. Issued an administrative deficiency letter: August 22, 2023.

723 Wheatland Street, Primary Facility ID # **832853**, 723 Wheatland Street, Phoenixville, PA 19460, Phoenixville Borough, **Chester County**. Marc Chartier, Pennoni Associates, Inc., 1900 Market Street, Suite 300, Philadelphia, PA 19103, on behalf of Jon Herzog, CSW Wheatland Associates, Inc., 1300 Virginia Drive, Suite 215, Fort Washington, PA 19034, submitted a Final Report concerning remediation of soil and groundwater contaminated with arsenic and PCE. The Final Report demonstrated attainment of the site-specific standards. Approved: August 17, 2023.

Harrison Senior Living Facility, Primary Facility ID # **702399**, 300 Strode Avenue, Coatesville, PA 19320, East Fallowfield Township, **Chester County**. Christopher J. Horan, PG, Synergy Environmental, Inc., 155 Railroad Plaza, 1st Floor, Royersford, PA 19468, on behalf of Harrison Saunders, Harrison Senior Living, 300 Strode Avenue, Coatesville, PA 19468, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of groundwater contaminated with No. 2 fuel oil. The Final Report demonstrated attainment of the site-specific standards. Approved: August 17, 2023.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Former Matthews International Property, Primary Facility ID # **845030**, 6515 Penn Avenue, Pittsburgh, PA 15206, City of Pittsburgh, **Allegheny County**. American Geosciences, Inc., 3925 Reed Boulevard, Suite 400, Murrysville, PA 15668, on behalf of Walnut Capital Management, Inc., 5500 Walnut Street, Suite 300, Pittsburgh, PA 15232, submitted a Final Report concerning remediation of soil and groundwater contaminated with Cis-1,2-Dichloroethene, Chlorobenzene, 1,4-Dichlorobenzene, 1,2,4-Trichlorobenzene, Aroclor 1248, Aroclor 1254, Aroclor 1260, Benzo(a)anthracene, Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(k)luoranthene, Dibenz(a,h)anthracene, Indeno(1,2,3-cd)pyrene, Arsenic, and copper in soil; Cis-1,2-Dichloroethene, 1,4-Dichlorobenzene, Benzene, Tetrachloroethene, Trichloroethene, Vinyl Chloride, Aroclor 1254, Aroclor 1260 for groundwater. The Final Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: August 28, 2023.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101–6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Transporter License Issued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Marden Environmental Transport, LLC, 87 Laurel Hill Road, Brookfield, CT 06804. **License No. PA-AH 0939**. Application received: July 31, 2023. Effective August 30, 2023.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Veolia ES Technical Solutions, LLC, 1 Eden Lane, Flanders, NJ 07836. **License No. PA-AH 0500**. Application received: August 2, 2023. Effective August 30, 2023.

Miller Environmental Group, Inc., 538 Edwards Avenue, Calverton, NY 11933. **License No. PA-AH 0501**. Application received: August 29, 2023. Effective August 30, 2023.

**REGULATED MEDICAL AND
CHEMOTHERAPEUTIC WASTE TRANSPORTER
LICENSE**

Action(s) Taken on Regulated and Chemotherapeutic Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); Act 93 of June 28, 1988 (P.L. 525, No. 93); and Regulated Medical and Chemotherapeutic Regulations to Transport Regulated Medical and Chemotherapeutic Waste.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Hamilton Pet Meadow, Inc., 1500 Klockner Road, Hamilton, NJ 08619. **License No. PA-HC 0227**. Received on August 29, 2023. Effective August 29, 2023.

Lewis Environmental, LLC, P.O. Box 639, Royersford, PA 19468. **License No. PA-HC 0280**. Received on August 3, 2023. Effective August 30, 2023.

**OPERATE WASTE PROCESSING OR
DISPOSAL AREA OR SITE**

Action(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Waste Management Program Manager.

100281. Greenridge Reclamation, LLC, 234 Landfill Road, Scottdale, PA 15683, East Huntingdon Township, **Westmoreland County**. Eastern expansion of the Greenridge Reclamation Landfill located at 234 Landfill Road, Scottdale, PA 15683. Application received: April 5, 2019. Issued: August 29, 2023.

Persons interested in reviewing the permit may contact Regional Files, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2507.

GP9-40-043: Mericle Construction, Inc., 100 Baltimore Drive, Wilkes-Barre, PA 18702, Hanover Township, **Luzerne County**. For the relocation of the engines associated with the portable nonmetallic mineral processing plant equipment to the Hanover Industrial Estates site in Hanover Township, Luzerne County. Application received: August 9, 2023. Issued: August 28, 2023.

GP3-40-043: Mericle Construction, Inc., 100 Baltimore Drive, Wilkes-Barre, PA 18702, Hanover Township, **Luzerne County**. For the relocation of portable nonmetallic mineral processing plant equipment with water sprays to the Hanover Industrial Estates site in Hanover Township, Luzerne County. Application received: August 9, 2023. Issued: August 28, 2023.

GP9-40-042: Rossi Excavating Company, 10 Cent-town Road, Beaver Meadows, PA 18216, Hazle Township, **Luzerne County**. For the installation and operation of one engine associated with portable nonmetallic mineral processing plant equipment at the Beaver Brook development site in Hazle Township, Luzerne County. Application received: August 2, 2023. Issued: August 31, 2023.

GP3-40-042: Rossi Excavating Company, 10 Cent-town Road, Beaver Meadows, PA 18216, Hazle Township, **Luzerne County**. For the installation and operation of portable nonmetallic mineral processing plant equipment with water sprays at the Beaver Brook development site in Hazle Township, Luzerne County. Application received: August 2, 2023. Issued: August 31, 2023.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

GP4-2-22-03042: Edwin L. Heim Co., P.O. Box 2247, Harrisburg, PA 17105, City of Harrisburg, **Dauphin County**. For the existing burn-off oven, under GP4, at the facility located at 1900 Greenwood Street. The general permit authorization was renewed. Application received: August 7, 2023. Issued: August 30, 2023.

GP4-22-03114: Edwin L. Heim Co., P.O. Box 2247, Harrisburg, PA 17105, City of Harrisburg, **Dauphin County**. To move an existing burn-off oven, under GP4, from the facility located at 1900 Greenwood Street, to the facility located on 1001 South 14th Street. Application received: August 7, 2023. Issued: August 30, 2023.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05004V: Pixelle Specialty Solutions, LLC, 228 S. Main St., Spring Grove, PA 17362-1000, Spring Grove Borough, **York County**. For the installation of a 4.84 mmBtu/hr burner to the No. 3 Recovery boiler (ID 037) for the purpose of rerouting ID192 LVHC NCG (low volume, high concentration non condensable gas) stream from combustion in the No. 5 Power Boiler (ID 036) to ID 037. ID 036 will become the secondary control for ID 192. The project will occur at the pulp and paper mill. Application received: January 23, 2023. Issued: August 30, 2023.

44-05013E: Glenn O. Hawbaker, Inc., Milroy Quarry, 475 Naginey Road, Milroy, PA 17063, Armagh Township, **Mifflin County**. For the addition of a baghouse to the tertiary crusher of the limestone quarry. Application received: August 28, 2023. Issued: August 29, 2023.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05069AD: East Penn Manufacturing Co., Inc., Deka Rd., P.O. Box 147, Lyon Station, PA 19536, Richmond Township, **Berks County**. For the transfer from Anew Environmental, LLC to East Penn Manufacturing, Inc. of 47 tpy of NO_x emission reduction credits (ERCs) in accordance with 25 Pa. Code Chapter 127, Subchapter E. In addition, East Penn Manufacturing Co., Inc. is proposing to (A) install one new continuous pasting line equipped with one 0.8 million Btu/hr burner and remove two existing panel pasting lines and (B) install one new stripcasting machine equipped with one 6.0 million Btu/hr burner and remove four existing book molds each equipped with one 1.0 million Btu/hr burner. These changes concern the Battery Assembly plant. Application received: December 21, 2023. Issued: August 29, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0226B: NOSCO ODSC, 1504 Grundy Ln, Units 4-8, Bristol, PA 19007-1521, Bristol Township, **Bucks County**. This action is for the installation of a new HP Indigo 35000, seven-color digital printer at an existing facility. The proposed HP Indigo 35000 digital printer will be replacing an older, existing HP Indigo 30000 digital printer. Application received: June 12, 2023. Issued: August 30, 2023.

15-0078I: Janssen Biotech, Inc., 200 Great Valley Pkwy, Malvern, PA 19355-1307, East Whiteland Township, **Chester County**. This action is for a plan approval for the installation and operation of two natural gas fired, internal combustion engine/electric generators (EGEN) to serve the needs of Building M6 and M11. Application received: February 1, 2023. Issued: August 30, 2023.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.

42-004K: American Refining Group, 77 North Kendall Ave, Bradford, PA 16701, City of Bradford, **McKean County**. Has issued a plan approval extension to allow the facility more time for project shakedown activities. This is a 6-month extension. Application received: August 1, 2023. Issued: August 28, 2023.

62-00032P: Ellwood National Forge Company, 1 Front Street, Irvine, PA 16329, Brokenstraw Township, **Warren County**. Has issued a plan approval extension to allow additional time for processing a plan approval to amend the facility's emission PM limits. This extension keeps the existing plan approval active while the new plan approval application is reviewed. This is a 6-month extension. Application received: July 6, 2023. Issued: August 28, 2023.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03102B: The City of Reading, 815 Washington Street, Reading, PA 19601, City of Reading, **Berks County**. For upgrades to the Reading Waste Water Treatment Plant on Fritz Island. The plan approval was extended, with a compliance schedule. Application received: August 14, 2023. Issued: August 29, 2023.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

59-00005: Eastern Gas Transmission & Storage, Inc., 6603 West Broad Street, Richmond, VA 23230, Clover Township, **Tioga County**. The Department issued a Title V Operating Permit (renewal) for the Eastern Gas Transmission & Storage, Inc. Sabinsville Transmission Station. The permit includes all applicable conditions in the Title V Operating Permit, the requirements of applicable Federal standards of 40 CFR Parts 60 and 63, and the requirements of all applicable regulations of Chapters 121—145 including revisions pertaining to the Department's RACT III regulation pursuant to 25 Pa. Code Sections 129.111 through 129.115. Application received: September 22, 2022. Renewal issued: August 31, 2023. New expiration date: August 30, 2028.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norm Frederick 570-826-2409.

45-00005: Sanofi Pasteur, Swiftwater Facility, 1 Discovery Drive, Swiftwater, PA 18370-9100, Pocono Township, **Monroe County**. The Department issued a renewal Title V Operating Permit for the Pharmaceutical Preparations facility in Pocono Township, Monroe County. As a major source, the facility is subject to the Title V permitting requirements of the Clean Air Act Amendments as adopted by the Commonwealth under 25 Pa. Code, Chapter 127, Subchapter G. The main

sources at this facility consist of boilers, vaccine production, emergency generators, and egg waste processing area. The control devices are an RTO and Hepa filters. These sources have the potential to emit major quantities of regulated pollutants above Title V emission thresholds. The Title V Operating Permit contains applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: June 9, 2022. Renewal issued: August 30, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

10-00028: Armstrong Cement & Supply, 100 Clearfield Rd, Cabot, PA 16023, Winfield Township, **Butler County**. The Department issued a renewal of the Title V Permit to Armstrong Cement and Supply for the operation of a cement manufacturing facility. The facility's major emission sources include raw material stockpiles, primary and secondary crushers for raw materials, material conveyance systems, cement kilns, finish mills, and miscellaneous support operations. The permit contains the National Emission Standards for Hazardous Air Pollutants (NESHAPs) from the Portland Cement Manufacturing Industry (40 CFR 63 Subpart LLL) and the NESHAPs for Stationary Reciprocating Internal Combustion Engines (40 CFR 63, Subpart ZZZZ). The permit contains the applicable Federal and State requirements to ensure compliance with the Air Pollution Control Act. The permit incorporates the RACT III presumptive requirements (Sections 129.111, 129.112, and 129.115). The facility is a major stationary source as defined in Title I, Part D of the Clean Air Act Amendments due to its potential to emit particulate matter less than ten microns in diameter, sulfur oxides, and nitrogen oxides. The facility is therefore subject to the Title V Operating Permit requirements adopted in 25 Pa. Code Chapter 127, Subchapter G. The actual emissions reported by the facility for 2021 were 31.9 TPY CO, 289.6 TPY NO_x, 3.74 TPY PM₁₀, 1.45 TPY PM_{2.5}, 683.21 TPY SO_x, and 2.35 TPY VOC. Application received: March 29, 2022. Issued: August 17, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00074: Bayard Printing Group, One Maynard Street, Williamsport, PA 17701, City of Williamsport, **Lycoming County**. The Department issued a renewal State Only Operating Permit for the company's Williamsport printing facility. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions to ensure compliance with State and Federal regulations. Application received: August 15, 2022. Renewal issued: August 28, 2023. New expiration date: August 27, 2028.

41-00028: Koppers, Inc., 50 Koppers Lane, Montgomery, PA 17752, Clinton Township, **Lycoming County**. The Department issued a renewal State Only (Natural Minor) Operating Permit for the company's railroad tie

treatment plant. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions to ensure compliance with State and Federal regulations. Application received: November 9, 2022. Renewal issued: September 5, 2023. New expiration date: September 4, 2028.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

03-00215: Allegheny Mineral Corp., P.O. Box 1022 One Glade Park East, Kittanning, PA 16201, West Franklin Township, **Armstrong County**. The Department issued the renewal of the State Only Operating Permit for Allegheny Mineral Corps. Worthington Plant for the limestone processing plant. The facility is a Natural Minor. The primary sources at the facility consist of crushers, screens, conveyors and storage piles. The potential emissions for this facility are estimated at 69.65 tpy PM. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: July 22, 2022. Issued: September 5, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

34-03011: Champion Home Builders Inc., Liverpool Plant 41, 755 West Big Beaver Road, Suite 1000, Troy, MI 48084, Liverpool Township, **Juniata County**. For the operation of an existing modular home production facility. Application received: January 11, 2023. Issued: August 28, 2023.

67-03132: Voith Hydro, Inc., P.O. Box 712, York, PA 17405-0712, West Manchester Township, **York County**. For the hydro-electric turbine equipment manufacturing and refurbishing facility. The State-Only permit was renewed. Application received: February 5, 2023. Issued: August 29, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00051: Allan Myers Materials/Devault Quarry, Route 29 and Charlestown Rd, Devault, PA 19432, Charlestown Township, **Chester County**. This action is for the renewal of the Synthetic Minor Permit for a Drum Mix Hot Asphalt Plant and a Recycled Asphalt Pavement Crusher. Application received: November 18, 2022. Issued: August 29, 2023.

09-00089: American Cremation Services, 1859 Stout Dr., Warminster, PA 18974-1157, Warwick Township, **Bucks County**. This action is for the renewal of the Natural Minor Permit for the operation of crematory units. Application received: March 7, 2023. Issued: August 29, 2023.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03172: Panebaker Funeral Home & Cremation Care Center, Inc., 311 Broadway, Hanover, PA 17331-2505, Heidelberg Township, **York County**. For a crematory facility. The State-Only permit was administratively amended in order to incorporate the provisions of Plan Approval No. 67-03172B. Application received: July 24, 2023. Issued: September 1, 2023.

28-05002: US Army Letterkenny Army Depot, AMLD-EN, Chambersburg, PA 17201-4150, Letterkenny Township, **Franklin County**. For the Letterkenny Army Depot. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 28-05002S. Application received: July 5, 2023. Issued: August 29, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00112: Palmer International, Inc., 2036 Lucon Rd, Skippack, PA 19474, Skippack Township, **Montgomery County**. Pursuant to 25 Pa. Code § 127.450, the State Only Operating Permit has been amended to incorporate Plan Approval No. 46-0112H. Pursuant to 25 Pa. Code § 129.449, this State Only Operating Permit also authorizes a de minimis increase in VOC emissions resulting during the Grinding and Screening Bypass scenario (Source ID 130). Application received: June 21, 2023. Issued: August 29, 2023.

De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

01-03020: Genlyte Thomas Group LLC, 100 Craftway Drive, Littlestown, PA 17340, Littlestown Borough, **Adams County**. Pursuant to 25 Pa. Code § 127.449(i), this *Pennsylvania Bulletin* Notice is for a de minimis emissions increase of 0.24 tpy of PM₁₀, for the operation of a shot blast machine controlled by cartridge filters at the lighting fixture manufacturing facility. This is the first de minimis emissions increase at the facility during the term of the current Operating Permit.

Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

46-00253: Valley Forge, Inc., 450 East Valley Forge Road, King of Prussia, PA 19406, Upper Merion Township, **Montgomery County**. This action is for the revocation of the State Only (Synthetic Minor) Operating Permit for the facility. On February 14, 2023, Valley Forge, Inc., relinquished possession of the facility and all sources to PECO Energy Company through Condemnation/Eminent

Domain Proceedings. As Valley Forge, Inc. no longer retains access to or control of the facility and sources, the State Only Operating Permit is no longer needed and is revoked. Since the facility has been shut down for less than 1 year, DEP has maintained the facility's air contaminants in the Commonwealth's air contaminant emission inventory (AIMS), pending a potential request for Emission Reduction Credits (ERCs) as per 25 Pa. Code §§ 127.206—127.208. Application received: March 1, 2023. Revoked: August 29, 2023.

GP5-15-00001A: Columbia Gas Transmission, 310 Fellowship Road, Chester Springs, PA 19425, West Vincent Township, **Chester County**. Columbia Gas Transmission owns and operates the Eagle Compressor Station in West Vincent Township, Chester County. The General Plan Approval and Operating Permit (GP5-15-00001A) was revoked because the Sources 701—704 located at the facility have been permanently shut down and removed. Application received: June 1, 2023. Revoked: August 30, 2023.

15-00130: Schramm West Chester Facility, 800 Lincoln Ave, West Chester, PA 19380-4411, West Goshen Township, **Chester County**. The Department performed a closure inspection on May 31, 2023 that revealed the permanent cessation of all operations regulated under State Only Operating Permit (SOOP) No. 15-00130. Therefore, in accordance with the Air Pollution Control Act, the Act of January 8, 1960, P.L. 2119, as amended, and with Chapter 127 regulations, 25 Pa. Code § 127, the DEP revokes SOOP No. 15-00130. Application received: March 31, 2023. Revoked: August 29, 2023.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 11070201. Ridge Energy Company, 265 Swamp Road, Clymer, PA 15728, Washington Township, **Cambria County**. Renewal for reclamation

only of a coal refuse reprocessing surface affecting 87.8 acres. Receiving streams: unnamed tributary to/and Bear Rock Run and Burgoon Run classified for the following use: CWF. Application received: July 7, 2023. Renewal issued: August 30, 2023.

Mining Permit No. 56070107. NPDES No. PA0262382. Coal Loaders, Inc., 210 East Main Street, P.O. Box 556, Ligonier, PA 15658, Brothersvalley and Summit Townships, **Somerset County**. Permit transfer from Fieg Brothers, P.O. Box 38, Berlin, PA 15530, for the continued operation and restoration of a bituminous surface and auger mine affecting 267.7 acres. Receiving streams: Buffalo Creek and Piney Run to Casselman River classified for the following uses: CWF and WWF. Application received: December 13, 2022. Issued: August 29, 2023.

Mining Permit No. 32120103. Beth Contracting, Inc., 815 Rock Run Road, Glen Campbell, PA 15742, Banks Township, **Indiana County**. Permit renewal for reclamation only on a bituminous surface mine affecting 36 acres. Receiving streams: unnamed tributary to/and Horton Run, unnamed tributary to Cush Creek, classified for the following use: CWF. Application received: February 27, 2023. Renewal issued: August 31, 2023.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert. RA-EPNEWSTANTON@pa.gov.

Permit No. 63234104. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141, Morris Township, **Washington County**. Blasting activity permit issued for a commercial development with an expiration date of December 23, 2024. Application received: August 28, 2023.

Permit No. 02234103. Wampum Hardware Company, 636 Paden Road, New Galilee, PA 16141, Findlay Township, **Allegheny County**. Blasting Activity Permit for a commercial development with an expiration date of December 31, 2023. Application received: September 1, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 38234114. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, North Cornwall Township, **Lebanon County**. Construction blasting for North Cornwall Commons. Application received: August 22, 2023. Permit issued: August 28, 2023. Expiration date: August 21, 2024.

Permit No. 38234115. Douglas Explosives, Inc., 2052 Philipsburg Bigler Highway, Philipsburg, PA 16866, South Annville Township, **Lebanon County**. Construction blasting for First Energy Substation Eagle Point. Application received: August 25, 2023. Permit issued: August 29, 2023. Expiration date: December 30, 2023.

Permit No. 15234107. Valley Rock Solutions, LLC, P.O. Box 246, Macungie, PA 18062, West Brandywine Township, **Chester County**. Construction blasting for Harvest Run Phase 1. Application received: August 23, 2023. Permit issued: August 30, 2023. Expiration date: March 31, 2024.

Permit No. 22234105. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Middletown Borough, **Dauphin County**. Construction blasting for Woodland Hills Phase 4, 5 & 7. Application received: August 28, 2023. Permit issued: August 30, 2023. Expiration date: August 24, 2024.

Permit No. 67234108. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Fairview Township, **York County**. Construction blasting for Sienna Phase 1 & 2. Application received: August 21, 2023. Permit issued: August 30, 2023. Expiration date: August 21, 2024.

Permit No. 09234108. Maine Drilling & Blasting, Inc., P.O. Box 1140, Gardiner, ME 04345, Middletown Township, **Bucks County**. Construction blasting for NFI Middletown Warehouse. Application received: August 23, 2023. Permit issued: August 31, 2023. Expiration date: August 28, 2024.

Permit No. 67234109. M & J Explosives, LLC, 104 East Main Street, Carlisle, PA 17015, Conewago Township, **York County**. Construction blasting for Stonegate IV. Application received: August 28, 2023. Permit issued: August 31, 2023. Expiration date: August 24, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Kipp Starks, Aquatic Biologist 2, 814-342-8110.

E1404223-002. US Fish and Wildlife Service, 110 Radnor Rd, Suite 101, State College, PA 16801, Boggs Township, Centre County. U.S. Army Corps of Engineers Baltimore District.

The applicant is proposing to restore 700 feet of Wallace Run (HQ—CWF, MF) by establishing a more stable alignment and reducing streambank erosion. The proposed alignment will return the stream to its 1971 location. The project involves excavation of sediment from two inside bends gravel bars, filling two outside bends where the stream is eroding the bank, and installation of six log vanes. The log vanes are designed to reduce bank erosion through the realigned reach and provide habitat for aquatic organisms. The project will permanently impact 0.361 acre of stream channel by the realignment. There are no wetlands within the limits of disturbance and no known threatened or endangered species in the area. Latitude: 40° 56' 50.23", Longitude: -77° 49' 44.11". Application received: April 24, 2023. Permit issued: August 23, 2023.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4802122-007. PA Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, Bath Borough, Northampton County. U.S. Army Corps of Engineers Philadelphia District.

The following impacts are associated with the SR 0248 Section 05S project: 1. To remove the existing structure and to construct and maintain a 53' wide single span composite plank beam bridge carrying SR 0248 across Monocacy Creek (HQ—CWF, MF) having a 28' normal clear span and a 4.65' minimum underclearance and to construct and maintain appurtenant structure features. 2. To conduct approximately 125-LF of streambank grading, both upstream and downstream of the proposed bridge, will occur to accommodate the proposed structure. In addition, approximately 40-LF of stream bank protection consisting of a mudsill structure will be installed on the western upstream bank. 3. To construct and maintain an outfall in the floodway of Monocacy Creek (HQ—CWF) consisting of an 18" pipe. The project is located along SR

0248 Sec 05S, Segment 0280 Offset 2456, approximately 0.1 mile south of the SR 0248/SR 987 intersection (Cata-sauqua, PA Quadrangle Latitude: 40.726908°N, Longitude: -75.395322°W). Application received: October 19, 2022. Issued: August 30, 2023.

E3902122-003. PA Department of Transportation, Eng District 5-0, 1002 Hamilton Street, Allentown, PA 18101, South Whitehall Township, Upper Macungie Township, Lehigh County. U.S. Army Corps of Engineers Philadelphia District.

To authorize the following water obstructions and encroachments associated with the SR 0309 Section 12M Project: Outfalls 1. To construct and maintain an outfall in the floodway of Cedar Creek (HQ—CWF, MF) consisting of a 24" diameter CMP, an endwall and a riprap apron. Wetland Fill 2. To impact a de minimus area of PEM wetland equal to 0.02 acre due to construction of the proposed roadway slope embankment and the construction of a stormwater basin. Floodway Fill 3. To impact approximately 0.27 acre of floodway of Little Cedar Creek (HQ—CWF, MF) for the placement of fill and stream restoration related grading. Stream Enclosure Maintenance 4. To perform maintenance on an existing stream enclosure that carries SR 309 across Little Cedar Creek that includes replacing a portion of the downstream side of the structure. The proposed enclosure will be 134-ft wide with a normal clear span of 17-ft and a 5-ft minimum underclearance. Stream Restoration 5. To impact 360-LF of Little Cedar Creek (HQ—CWF, MF) for multiple activities upstream and downstream of the culvert carrying SR 309 over Little Cedar Creek. The proposed work includes the removal of existing concrete channel lining, the construction of a preformed scour hole, streambed grading, and the placement of riprap in the watercourse and on the streambanks. The proposed project is located along SR 309 and extends from the US-22 interchange ramps and continues south to the I-78 interchange ramps. (Allentown West, PA Quadrangle: Latitude: 40.599575 Longitude: -75.559253 to Latitude: 40.581269; Longitude: -75.552633) in South Whitehall and Upper Macungie Townships, Lehigh County. Application received: March 4, 2022. Issued August 31, 2023.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E2506223-002. Maleno Land Development Co LLC, 2340 West Grandview Boulevard, Suite 1, Erie, PA 16506, Harborcreek Township, Erie County. U.S. Army Corps of Engineers Pittsburgh District.

Impact 0.25 acre of wetland (PFO) for the construction of a residential subdivision at the end of Elsie Street ACOE Pittsburgh District (Erie North, PA Quadrangle N: 42.15888°; W: -80.00121°) in Harborcreek Township, Erie County. Mitigation for project impacts is through payment to DEP's PIECES Fund. Latitude: 42.15888°, Longitude: -80.00121°. Application received: April 11, 2023. Issued: September 1, 2022.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-705-4802.

E6703222-008. NorthPoint Development, 3315 North Oak Trafficway, Kansas City, MO 64116, Manchester Township, York County. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain a 13.63-foot high by 39.0-foot wide by 96.0-foot long open-bottom, precast, arch culvert stream crossing of a UNT to Little Conewago Creek (TSF, MF); install and maintain a 12.0-inch ductile iron water main, a 15.0-inch HDPE stormwater pipe, and an 8.0-inch ductile iron sanitary sewer line, all within the roadway fill above a UNT to Little Conewago Creek (TSF, MF); place and maintain fill in 954 linear feet of stream channel between three (3) separate UNTs to Little Conewago Creek (TSF, MF); place and maintain fill in 3.80 acres of floodway between ten (10) separate UNTs to Little Conewago Creek (TSF, MF), and place and maintain fill in 0.37 acre of palustrine wetlands between eight (8) separate wetlands, all located at the southwest corner of Canal Road and Route 83 in Manchester Township, York County (Latitude: 40.0469; Longitude: -76.7558). The project will also include 1.36 acres of palustrine wetland creation/enhancement and 1,017 linear feet of stream channel & floodway restoration of a UNT to Codorus Creek (WWF, MF; Latitude: 40.0122; Longitude: -76.7364) as compensatory mitigation for the unavoidable water resource impacts associated with the project. Latitude: 40.0122°, Longitude: -76.7364°. Application received: September 22, 2022. Issued: August 31, 2023.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601222-016. Southeastern Pennsylvania Transportation Authority (SEPTA), 1234 Market Street, Philadelphia, PA 19107, Conshohocken Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain parking improvements for the SEPTA Conshohocken Train Station. The project includes a parking structure, a parking lot for SEPTA customers, sidewalks, shared use path, and stormwater management, etc., within the floodway/floodplain of the Schuylkill River (WWF-MF), associated with the improved access to the rail transit for the residents. The site is about 0.25-mile northeast of 10 Washington Street (Norristown, PA USGS Quadrangles) in Conshohocken Borough, Montgomery County. Latitude: 40.07460°, Longitude: -75.31360°. Application received: June 30, 2022. Issued: August 28, 2023.

E5101222-016. Woods Grove Capital, LLC, 15 Woods Grove Road, Westport, CT 06880, City of Philadelphia, **Philadelphia County**. U.S. Army Corps of Engineers Philadelphia District.

Woods Grove Capital, LLC is proposing to perform the following water obstruction and encroachment activities associated with the construction of a 40,165 sq ft warehouse: 1) To fill wetland area (Wetland A PEM) for site development resulting in 197 linear feet (13,456 sq ft, 0.309 acre) of permanent wetland impact. 2) To fill wetland area (Wetland B PEM) for site development resulting in 95 linear feet (4,818 sq ft, 0.11 acre) of permanent wetland impact. This project is located at 13000 McNulty Road, Philadelphia, PA 19154, City of Philadelphia, Philadelphia County (USGS PA Beverly Quadrangle). Latitude: 40.110240°, Longitude: -74.981106°. Application received: October 5, 2022. Issued: August 28, 2023.

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: D. J. Stevenson, 412-442-4281.

E3007223-006. CNX Midstream Operating Company LLC, 1000 Horizon Vue Drive, Canonsburg, PA 15317, Morris Township, **Greene County**. U.S. Army Corps of Engineers Pittsburgh District. Latitude: 40.010166°, Longitude: -80.289138°. Application received: June 13, 2023. Issued: August 31, 2023.

This small project joint permit application proposes to expose approximately 380 LF of three (3) existing pipelines, one (1) 12" HDPE combination (fresh/produced) water and two (2) 10" steel gas pipelines, through Regulated Waters of the Commonwealth in preparation for longwall mining activities under these pipelines. Exposure of Pipeline exposure is anticipated to last approximately one (1) year and will result in temporary impacts to one (1) stream and two (2) associated stream floodways (UNTs to Bates Fork, a High-Quality Warm Waters Fishery). Total proposed earth disturbance for this project is 27.8 acres. Proposed project impacts include excavation to expose the existing pipelines, stockpiling of soils, installation of temporary flume pipe, installation of monitoring equipment, installation of erosion and sediment controls, maintenance as necessary to repair flume pipe and/or pipelines through these resources in the event of damage due to subsidence, and site restoration post-construction.

<i>Resource Name</i>	<i>Aquatic Resource Type</i>	<i>Activity</i>	<i>Chapter 93 Designation</i>	<i>Impact Area Temp. (SF)</i>	<i>Impact Area Temp. (LF)</i>	<i>Impact Area Temp. (Ac)</i>	<i>Impact Area Perm. (Ac)</i>
Stream 7 (UNT to Bates Fork)	Intermittent	Flume Pipe	HQ—WWF	180 SF	60 LF	0.004	-
Stream 7 (UNT to Bates Fork)	Intermittent	Excavation	HQ—WWF	135 SF	45 LF	0.003	-
Stream 7 (UNT to Bates Fork) floodway	Intermittent	Floodway Activity (Excavation; Construction)	HQ—WWF	14,586 SF	-	0.33 Ac	-
Stream 11 (UNT to Bates Fork) floodway	Intermittent	Floodway Activity (Excavation; Construction)	HQ—WWF	12,425 SF	-	0.29 Ac	-
<i>Total Impacts</i>				27,191 SF	60 LF	0.63 Ac	-

Contact: Dana Drake, Program Manager, 412-442-4000.

E0205223-002. Pennsylvania American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055, City of Pittsburgh, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District.

The applicant has been given consent to: Construct and maintain utility line crossings of twelve (12) unnamed tributaries (UNTs) to Becks Run (WWF), Becks Run (WWF), and four (4) PEM wetlands, consisting of two (2) parallel 42-inch diameter pipes, for the purpose of abandoning and replacing approximately 1.8 miles of existing raw water mains, consisting of three (3) existing 24-inch diameter mains, within Becks Run Road in Baldwin Borough and the City of Pittsburgh. In addition, a 36-inch diameter temporary pipe will be installed within an existing easement for a 36-inch diameter water main which runs parallel to Becks Run Road to maintain service during construction. The proposed project will result in the following total impacts: • 720 square feet (0.017 acre) and 40 linear feet of permanent stream impacts • 1,999 square feet (0.046 acre) and 351 linear feet of temporary stream impacts • 2,733 square feet (0.063 acre) of permanent floodway impacts • 9,310 square feet (0.214 acre) of temporary floodway impacts • 8,355 square feet (0.192 acre) of temporary wetland impacts. The project site is located along and in Becks Run Road between East Carson Street and Agnew Road (Pittsburgh East, PA USGS topographic quadrangle; Sub-basin 19A). Latitude: 40° 24' 38", Longitude: -79° 57' 23". Application received: January 17, 2023. Issued: August 29, 2023.

ENVIRONMENTAL ASSESSMENTS

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D19-016EA. Mark Baker, Veolia Water Pennsylvania, 6310 Allentown Blvd, Ste 104, Harrisburg, PA 17112, City of Bloomsburg and Montour Township, **Columbia County**. U.S. Army Corps of Engineers Baltimore District.

The Department of Environmental Protection, Division of Dam Safety (Department) has reviewed and approved the restoration plan to remove the Boone Dam to eliminate a threat to public safety and to restore approximately 4,500 feet of stream channel to a free-flowing condition. The entire spillway will be removed but the left abutment will remain for bank stability. The project is located across Fishing Creek (WWF, MF) (Catawissa, PA Quadrangle, Latitude: 40.9871°, Longitude: 76.4753°). Application received: May 25, 2023. Approved: August 29, 2023.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

EA3206223-001. Indiana County Conservation District, 435 Hamill Road, Indiana, PA 15701, White Township, **Indiana County**. U.S. Army Corps of Engineers Pittsburgh District.

The Lucerne 3A Passive Treatment System project, which involves the replacement of an existing failing active lime silo doser treatment system with a passive treatment system for the abatement of abandoned mine drainage. This system will include two 1,800-ton Vertical

Flow Ponds and a 1/2 acre aerobic wetland. This system will prevent >70 tons of pollution from entering Two Lick Creek annually, providing additional recreational opportunities through improved water quality. A Growing Greener Grant has been received for this project. Latitude: 40.597743°, Longitude: -79.122069°. Application received: July 11, 2023. Issued: August 21, 2023.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOPR@pa.gov.

ESCGP # 3 ESG295823012-00

Applicant Name **Coterra Energy Inc.**

Contact Person Kenneth Marcum

Address 2000 Park Lane, Suite 300

City, State, Zip Pittsburgh, PA 15275

Township(s) Dimock Township

County **Susquehanna County**

Receiving Stream(s) and Classification(s) UNT to White Creek (CWF, MF), West Creek (CWF, MF)

Application received: June 1, 2023

Issued: September 5, 2023

ESCGP # 3 ESG290823010-00

Applicant Name **Chesapeake Appalachia LLC**

Contact Person Eric Haskins

Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840

Township(s) Wysox Township

County **Bradford County**

Receiving Stream(s) and Classification(s) Trib. 29978 to Rummerfield Creek (WWF, MF), Trib. 30067 to Johnson Creek (CWF, MF)
 Application received: July 27, 2023
 Issued: September 5, 2023

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG073023015-00**
 Applicant Name **EQM Gathering Opco LLC**
 Contact Person Thomas Glisson, (412) 295-1697
 TGlisson@equitransmidstream.com
 Address 0.1 mile east of Mankey Road and Browns Creek Road
 City, State, Zip Graysville, PA 15337
 Township(s) Morris Township
 County **Greene County**
 Receiving Stream(s) and Classification(s) 001. Lat 39.97504, Long -80.32854, UNTs to Browns Creek, Ch 93
 Class: HQ—WWF
 Application received: July 12, 2023
 Issued: August 29, 2023

ESCP # **ESP07652300100E**
 Applicant Name **Hyperion Midstream, LLC**
 Contact Person Brian Dillemath, (724) 754-0110
 bdillemath@olympusenergy.com
 Address 501 Technology Drive, Suite 1200
 City, State, Zip Canonsburg, PA 15317
 Township(s) Salem Township, Washington Township and Murrysville Borough
 County **Westmoreland County**
 Receiving Stream(s) and Classification(s)—Unnamed Tributaries (42980, 42985, 42987, 42991, and 42992) to Thorn Run (HQ—CWF), Thorn Run (HQ—CWF), Unnamed Tributaries (37434 and 37429) to Steels Run (HQ—CWF), Unnamed Tributaries (43018, 43017, 43013, 43022, 43023, 43021, and 43013) to Beaver Run (HQ—CWF), Beaver Run (HQ—CWF), Porters Run (HQ—CWF)
 Application received: July 11, 2023
 Issued: August 30, 2023

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contami-

nants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northcentral Region: Environmental Cleanup & Brownfields Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Randy Farmerie, P.G., Environmental Program Manager, 570-327-3716.

Kratzer Oil Shamokin Dam, Storage Tank Facility ID # **55-24517**, 2986 N Susquehanna Trail, Shamokin Dam, PA 17876, Shamokin Dam Borough, **Snyder County**. Gary C Calvert LLC, 513 Allegheny Street, Suite 1, Hollidaysburg, PA 16648, on behalf of Kratzer Oil Company, 150 East Drive, Sunbury, PA 17801 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health and site-specific standards.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Former H. John Davis Oil Company, Storage Tank Facility ID # **45-10210**, 1180 Corporate Center Drive, Tobyhanna, PA 18466, Coolbaugh Township, **Monroe County**. Environmental Consulting Inc., 2002 Renaissance Blvd, Suite 110, King of Prussia, PA 19406, on behalf of Imperial Realty Group, LLC, 1611 Pond Road, Suite 200, Allentown, PA 18104 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report is intended to document the remedial actions for meeting Statewide health standards.

Former Boyer's Service Station, Storage Tank Facility ID # **35-50045**, Routes 435 and 502, Covington Township, PA 18444, Covington Township, **Lackawanna County**. Liberty Environmental, 315 West James Street, Suite 205, Lancaster, PA 17603, on behalf of Doug Boyer, 6025 Marella Drive, Sarasota, FL 34243 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting site-specific standards.

Sunoco 0364 1891, Storage Tank Facility ID # **40-24243**, 64 State Route 93, West Hazleton, PA 18202, Sugarloaf Township, **Luzerne County**. EnviroTrac, 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sunoco, Inc., 2 Wrighter Parkway, Suite 102, Wilmington, DE 19803 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report is intended to document the remedial actions for meeting Statewide health standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Ben, 814-350-5132.

Ceriani Transport, Inc., Storage Tank Facility ID # **24-29293**, 1274 Toby Road, Brockport, PA 15823, Horton Township, **Elk County**. Gary C. Calvert LLC, P.O. Box 504, Hollidaysburg, PA 16648, on behalf of Ceriani Transport, Inc., 1274 Toby Road, Brockport, PA 15823 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Unleaded Gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Contact: Natalie, 814-332-6648.

Creekside Mushrooms LTD, Storage Tank Facility ID # **03-07916**, 1 Moonlight Drive, Worthington, PA 16262, West Franklin Township, **Armstrong County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101, on behalf of Creekside Mushroom Ltd, 1 Moonlight Drive, Worthington, PA 16262 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with Unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

Chester Delta, Storage Tank Facility ID # **15-42590**, 1209 Wilmington Pike, West Chester, PA 19382, Thornbury Township, **Chester County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A-2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Brentzel Management, Storage Tank Facility ID # **65-21283**, 10891 Route 993, Irwin, PA 15642, North Irwin Borough, **Westmoreland County**. RT Environmental Services, Inc., 2001 Waterdam Plaza Drive, Suite 205, Canonsburg, PA 15317, on behalf of Brentzel Management, LLC, 10891 Route 993, Irwin, PA 15942 submitted a Remedial Action Plan concerning remediation of soil contaminated with unleaded gasoline and diesel fuel. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

PSK Auto Repair, Storage Tank Facility ID # **02-01036**, 1901 Lincoln Way, White Oak, PA 15131, White Oak Borough, **Allegheny County**. Flynn Environmental, Inc., 5640 Whipple Avenue Northwest, North Canton, OH 44720, on behalf of Michael Maleski, 1901 Lincoln Way, White Oak, PA 15131, submitted a Remedial Action Completion Report concerning remediation of soil contaminated with unleaded gasoline. The report is in-

tended to document the remedial actions for meeting residential Statewide health standards.

Greensburg Cemetery, Storage Tank Facility ID # **65-10207**, 179 Donohoe Road, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. DMS Environmental Services, LLC, 103 South Spring Street, Bellefonte, PA 16823, on behalf of Roman Catholic Diocese of Greensburg, 179 Donohoe Road, Greensburg, PA 15601 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

421 Rodi Road, Storage Tank Facility ID # **02-29678**, 421 Rodi Road, Pittsburgh, PA 15235, Penn Hills Township, **Allegheny County**. Synergy Environmental, Inc., 7135 North Lima Road, Youngstown, OH 44514, on behalf of Energy Realty OP II LP, 645 West Hamilton Street, Suite 400, Allentown, PA 18101 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

BFS Connellsville, Storage Tank Facility ID # **26-31699**, 1014 Morrell Avenue, Connellsville, PA 15425, City of Connellsville, **Fayette County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Bruceton Farm Service, Inc., 116 Shannon Drive, Morgantown, WV 26508 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential site-specific standards.

Easy Trip # 353, Storage Tank Facility ID # **02-26628**, 1717 Freeport Road, Natrona Heights, PA 15065, Harrison Township, **Allegheny County**. BJAAM Environmental, Inc., P.O. Box # 523, Canal Fulton, OH 44614, on behalf of EZ Energy USA, Inc., 121 North Leavitt Road, # 155, Amherst, OH 44001 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

Fueland # 220, Storage Tank Facility ID # **02-82479**, 710 Brown Avenue, Turtle Creek, PA 15145, Wilkins Township, **Allegheny County**. Letterle & Associates, Inc., 2859 Oxford Boulevard, Allison Park, PA 15101, on behalf of Superior Petroleum Company, 8199 McKnight Road, Pittsburgh, PA 15237 submitted a Remedial Action Plan concerning remediation of soil contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting residential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Southwest Region: Environmental Cleanup & Brownfields Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Kam Miseikyte, Clerical Assistant 2, 412-442-4091.

Tony's Auto Center, Storage Tank Facility ID # **02-81181**, 5607 Library Road, Bethel Park, PA 15102, Bethel Park Borough, **Allegheny County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101, on behalf of Anthony Colavecchia, 5607 Library Road, Bethel Park, PA 15102 submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline and used motor oil. The combined plan and report nonresidential did not demonstrate attainment of the Statewide health and site-specific standards and was disapproved by DEP on August 29, 2023.

SPECIAL NOTICES

WATER PROGRAMS

Applications Received under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and section 302 of the Flood Plain Management Act (32 P.S. § 679.302).

Central Office: Regional Permit Coordination Office, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: RA-EPREGIONALPERMIT@pa.gov.

FEDERAL WATER POLLUTION CONTROL ACT, SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water

Quality Certification have been received by the Department. Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341) requires the Commonwealth to certify that the involved projects will not violate the sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317) as well as relevant State requirements. Persons objecting to approval of a request for certification under section 401 of the FWPCA, the issuance of a Dam Permit or Water Obstruction and Encroachment Permit or the approval of an Environmental Assessment shall submit comments, suggestions or objections within 30 days of the date of this notice as well as any questions to the Regional Permit Coordination Office as noted before the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The Department may conduct a fact-finding hearing or an informal conference in response to comments if deemed necessary. Each individual will be notified, in writing, of the time and place of a scheduled hearing or conference concerning the certification request to which the comment, objection or suggestion relates.

More information regarding the permit applications related to this proposed project may be available online (dep.pa.gov/pipelines) or in the Department's Regional Permit Coordination Office. The Department's Regional Permit Coordination Office can be contacted at 717-772-5987 or RA-EPREGIONALPERMIT@pa.gov.

Comments on the applications can be emailed or sent via postal mail to the Department of Environmental Protection, Regional Permit Coordination Office, Rachel Carson Building, 400 Market Street, 10th Floor, Harrisburg, PA 17101, RA-EPREGIONALPERMIT@pa.gov.

Persons with a disability that require an auxiliary aid, service or other accommodation should contact the specified Department office. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service at (800) 654-5984.

E1583223-013. Texas Eastern Transmission, LP, 11 East Superior Street, Suite 125, Duluth, MN 55802. Spring City Borough & Upper Providence Township, **Chester County** and **Montgomery County**, U.S. Army Corps of Engineers, Philadelphia District.

To construct and maintain a 20-inch diameter natural gas pipeline across the Schuylkill River (WWF, MF) via Horizontal Directional Drill. The project proposes impacts to approximately 398 feet of the Schuylkill River, 4.88 acres of floodway, 0.67 acre of temporary impacts to a PEM wetland (EV), and 0.78 acre of a permanent conversion to a PFO wetland (EV). The project will also remove the existing 20-inch natural gas pipeline across the river.

The proposed project is located within the Schuylkill River, approximately 850 feet downstream of the Spring City Boat Launch (Phoenixville, PA Quadrangle, Latitude: 40.172553°; Longitude: -75.534734°) in Spring City Borough, Chester County and Upper Providence Township, Montgomery County.

[Pa.B. Doc. No. 23-1254. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of National Pollutant Discharge Elimination System General Permit for Discharges from the Application of Pesticides (PAG-15)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice, informs the public of the availability of the final National Pollution Discharge Elimination System (NPDES) General Permit for Discharges from the Application of Pesticides (PAG-15) for a new 5-year term. The PAG-15 General Permit will become effective on October 29, 2023, and will expire on October 28, 2028.

The PAG-15 General Permit is intended to provide NPDES permit coverage to persons applying pesticides that result in discharges to surface waters of this Commonwealth where applicants meet the eligibility requirements of the PAG-15 General Permit.

Notice of the availability of a draft PAG-15 General Permit was published at 53 Pa.B. 2810 (May 20, 2023). A 30-day comment period was provided, and interested parties were directed to submit comments to the Department's eComment system. The Department received comments from one individual. A comment response document has been developed to address the comments received.

Significant changes were not made to the final PAG-15 General Permit in comparison to the draft PAG-15 General Permit that was published at 53 Pa.B. 2810.

Permittees with existing coverage under the PAG-15 General Permit will be required to submit a renewal Notice of Intent (NOI) to maintain continued coverage under the PAG-15 General Permit by October 28, 2023. The Department will transmit notification to all existing PAG-15 permittees explaining the changes to the terms and conditions of General Permit coverage.

The PAG-15 NOI fee is \$2,500 to be paid in \$500 annual increments. The NOI fee does not apply to entities satisfying the criteria for an exemption under 25 Pa. Code § 92a.26(i) (relating to application fees).

Under 25 Pa. Code § 92a.23(c) (relating to NOI for coverage under an NPDES general permit), an NOI will not be required for permittees who apply pesticides below the thresholds listed in the PAG-15 General Permit. The potential for toxic impacts to nontarget species is expected to be low when used according to the pesticides label, and these discharges are not expected to have a cumulative impact on surface waters of this Commonwealth.

The PAG-15 General Permit package can be accessed online through the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "PAG-15—NPDES General Permit for Point Source Discharges to Waters from PA from Application of Pesticides 3800-PM-BCW0345").

In accordance with 25 Pa. Code § 92a.84(c)(3) (relating to public notice of general permits), the Department will

publish notice in the *Pennsylvania Bulletin* for every approval of coverage under the PAG-15 General Permit.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1255. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of National Pollutant Discharge Elimination System General Permit for Operation of Concentrated Animal Feeding Operations (PAG-12)

Under The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and sections 1905-A, 1917-A and 1920-A of The Administrative Code of 1929 (71 P.S. §§ 510-5, 510-17 and 510-20), the Department of Environmental Protection (Department), by this notice, informs the public of the availability of the final National Pollution Discharge Elimination System (NPDES) General Permit for Operation of Concentrated Animal Feeding Operations (CAFO) (PAG-12) for a new 5-year term. The PAG-12 General Permit will become effective on January 1, 2024, and will expire on December 31, 2028.

The PAG-12 General Permit is intended to provide NPDES permit coverage to persons who own or operate CAFOs that must obtain permit coverage under State (25 Pa. Code § 92a.29(a)—(d) (relating to CAFO) and Federal (40 CFR 122.23(a) (relating to concentrated animal feeding operations (applicable to State NPDES programs, see § 123.25)) regulations. The PAG-12 General Permit may not be used for discharges to waters designated for special protection under 25 Pa. Code Chapter 93 (relating to water quality standards) or other discharges that do not meet eligibility requirements of the PAG-12 General Permit.

Notice of the availability of a draft PAG-12 General Permit was published in the *Pennsylvania Bulletin* at 52 Pa.B. 6265 (October 1, 2022). A 30-day comment period was provided and interested parties were directed to submit comments to the Department's eComment system. The comment period ended on October 31, 2022. The Department received comments from four individuals and organizations during the comment period. A comment and response document has been developed by the Department.

The following significant change was made to the final PAG-12 General Permit documents in comparison to the draft General Permit published on October 1, 2022:

- In the draft PAG-12, the Department had proposed a requirement for CAFO applicants to complete and submit a "Best Management Practice (BMP) Checklist for Total Maximum Daily Load (TMDL) Waters" with a PAG-12 renewal Notice of Intent (NOI) when the CAFO is located within a watershed with an approved TMDL. The Department has removed this checklist from the final PAG-12 General Permit package and has replaced it with an internal evaluation process that will be used to guide decision-making concerning PAG-12 eligibility when a CAFO is located in a watershed that is impaired for sediment or nutrients, or both, as explained in the final PAG-12 fact sheet.

Permittees with existing coverage under the PAG-12 General Permit will be required to submit a renewal NOI to maintain continued coverage under the PAG-12 General Permit by December 31, 2023. The Department will transmit notification to all existing PAG-12 permittees explaining the changes to the terms and conditions of General Permit coverage.

There is no NOI fee for PAG-12 coverage when: a CAFO is new (proposed); an operation will be considered a CAFO for the first time due to expansion, changes to standard animal weights or designation by the Department; and an NOI is submitted to remain covered under a reissued or modified PAG-12. There is a \$500 NOI fee when an existing CAFO with an individual permit seeks coverage under PAG-12 and when an existing CAFO with PAG-12 coverage seeks to amend that coverage. In addition, there is a \$500 annual NOI installment fee that is due by December 31 each year to remain covered under PAG-12.

The PAG-12 General Permit package can be accessed online through the Department's eLibrary web site at www.depgreenport.state.pa.us/elibrary/ (select "Permit and Authorization Packages," then "Clean Water," then "PAG-12 NPDES General Permit for Operation of Concentrated Animal Feeding Operations 3800-PM-BCW0032").

In accordance with 25 Pa. Code § 92a.84(c)(2) (relating to public notice of general permits), the Department will publish notice of receipt of every PAG-12 NOI (form 3800-PM-BCW0032b) and every approval of coverage under the PAG-12 General Permit in the *Pennsylvania Bulletin*.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1256. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Availability of Technical Guidance

Technical guidance documents (TGD) are available on the Department of Environmental Protection's (Department) web site at www.depgreenport.state.pa.us/elibrary/. The "Technical Guidance Final Documents" heading is the link to a menu of the various Department bureaus where each bureau's final TGDs are posted. The "Technical Guidance Draft Documents" heading is the link to the Department's draft TGDs.

Ordering Paper Copies of Department Technical Guidance

The Department encourages the use of the Internet to view and download TGDs. When this option is not available, persons can order a paper copy of any of the Department's draft or final TGDs by contacting the Department at (717) 783-8727.

In addition, bound copies of some of the Department's documents are available as Department publications. Check with the appropriate bureau for more information about the availability of a particular document as a publication.

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular

document should contact the person whose name and phone number are listed with each document.

Interim-Final TGD: Substantive Revision

DEP ID: 015-0501-002. *Title:* Environmental Justice Policy. *Description:* This policy outlines the administration of the Department's Policies and Programs, which includes a process for enhanced engagement with individuals and communities in Environmental Justice (EJ) areas during the Department's environmental permit application review process. Additionally, the interim-final policy describes how the Department will integrate EJ considerations into Department-wide operations including: interagency collaboration and EJ planning; EJ mapping, resource and data development; grant program practices; translation processes; the Department's compliance and enforcement strategy; and EJ training for Department staff and external partners. This document is replacing Document Number 012-0501-002.

DEP ID: 015-0501-003. *Title:* Pennsylvania Environmental Justice Mapping and Screening Tool (PennEnviroScreen) Methodology Documentation 2023. *Description:* The purpose of the PennEnviroScreen Methodology Documentation is to explain rationale behind the PennEnviroScreen tool used to implement the EJ Policy (EJ Policy) (Document Number 015-0501-002). PennEnviroScreen is available online at <https://gis.dep.pa.gov/PennEnviroScreen/> and will replace the EJ Areas Viewer in implementation of the new policy and as a tool for understanding EJ concerns.

Submitting Comments: The public comment period will cover comments on both Document Number 015-0501-002 EJ Policy and Document Number 015-0501-003 PennEnviroScreen Methodology Documentation 2023. Written and spoken testimony both carry the same weight. Language interpretation services are available upon request and written comments are accepted in any language. Persons in need of language interpretation services must contact Jennifer McLuckie at (717) 772-5633 or RA-EPOEJ@pa.gov a week in advance of each meeting to allow time to find an interpretation service.

Written Comments: Interested persons may submit written comments on this draft policy through Sunday, October 29, 2023. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit written comments using the Department's online eComment tool for Policies at www.ahs.dep.pa.gov/eComment or by e-mail to ecomment@pa.gov. Written comments can be mailed to the Technical Guidance Coordinator, Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Individuals should include or reference Document Number 015-0501-002 when submitting their comments.

Public Comment Meetings: The Department is holding two virtual public comment meetings and seven in-person public comment meetings for the purpose of accepting comments on the interim-final EJ Policy and related PennEnviroScreen Methodology Documentation. During the meeting portion of the event, the Department will describe the EJ Policy and PennEnviroScreen tool. The meeting will include time for public questions on the EJ Policy and PennEnviroScreen.

After the meeting portion, a public hearing will be held at the same location as the public information meeting. The hearing is intended to allow for public testimony on the EJ Policy and PennEnviroScreen tool. The Department will record testimony and receive written comments

at the hearing portion of the meeting. Written and spoken testimony both carry the same weight, so commentators can present in the method most convenient to them. Verbal testimony is limited to 5 minutes for each witness. Organizations are limited to designating one witness to present testimony on their behalf at one meeting to allow time for residents and community members to testify. There is no limit to the number of community residents testifying on their own behalf. Witnesses at the virtual public comment meetings may provide testimony by means of telephone or Internet connection. In-person public comment meetings will not have a virtual component. The meetings will be held as follows:

Wednesday, October 11, 2023, 5 p.m.—7 p.m.
Virtual—See www.dep.pa.gov/EJPolicyRevision for registration information.

Thursday, October 12, 2023, 6 p.m.—8 p.m.
Brady Fire Company (Banquet Hall)
700 Maple Street
Ranshaw, PA 17866

Monday, October 16, 2023, 6 p.m.—8 p.m.
University of Scranton Loyola Science Center
100 Linden Street, Room 133
Scranton, PA 18510

Wednesday, October 18, 2023, 5 p.m.—8 p.m.
Erie Center for Arts and Technology
Lawrence Community Room
650 East Avenue
Erie, PA 16503

Wednesday, October 18, 2023, 6 p.m.—7:30 p.m.
North Side Institution GOGIC
Banquet Hall
302 West North Avenue
Pittsburgh, PA 15212

Thursday, October 19, 2023, 6 p.m.—8 p.m.
YMCA Camp Curtin
2135 North Sixth Street
Harrisburg, PA 17110

Saturday, October 21, 2023, 10 a.m.—12 p.m.
ACCESS Community Center
701 Booth Street
Chester, PA 19013

Wednesday, October 25, 5 p.m.—7 p.m.
Virtual—See www.dep.pa.gov/EJPolicyRevision for registration information.

Thursday, October 26, 2023, 5 p.m.—9 p.m.
Drexel University
3141 Chestnut Street
Philadelphia, PA 19104

Persons wishing to reserve time to present testimony at a meeting must contact Jennifer McLuckie at (717) 772-5633 or RA-EPOEJ@pa.gov at least 24 hours in advance of the hearing.

Information on how to access the virtual public comment meetings and additional information on the in-person comment meetings will be available on the EJ webpage and found through the Public Participation tab on the Department's web site at www.dep.pa.gov/EJPolicyRevision. Prior to each meeting, individuals are encouraged to visit the EJ webpage for the most current information for accessing each meeting.

Members of the public wishing to observe the public comment meetings without providing testimony are also

encouraged to access the EJ webpage and register in advance to ensure there is adequate space for both the virtual and in-person comment meetings. If time allows, attendees who haven't previously registered will be allowed to testify.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact (717) 772-5633 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Contact: Questions regarding this policy can be directed to Jennifer McLuckie at RA-EPOEJ@pa.gov or (717) 772-5633.

Language Services: Persons in need of language interpretation services must contact Jennifer McLuckie at RA-EPOEJ@pa.gov or (717) 772-5633.

Effective Date: Upon publication of notice as final in the *Pennsylvania Bulletin*.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1257. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Rescission of Technical Guidance

The Department of Environmental Protection (Department) announces the rescission of the Technical Guidance Document (TGD) listed as follows. TGDs are available on the Department's web site at www.depgreenport.state.pa.us/elibrary/ (select "Technical Guidance Draft Documents" or "Technical Guidance Final Documents" to view a menu of various Department bureaus where TGDs are listed).

Changes to TGDs

Following is the current list of recent changes. Persons who have questions or comments about a particular document should contact the person whose name and phone number are listed with each document.

Rescission of Technical Guidance

DEP ID: 012-0501-002. *Title:* Environmental Justice Public Participation Policy. *Description:* The purpose of this policy was to implement the public participation recommendations of the Environmental Justice Working Group Report of June 2001. Specifically, it provided direction and guidance to Department staff on how to identify an Environmental Justice area using the area of concern as it relates to specific permit applications and demographic data, and how to enhance public participation during the permitting process for some permits in these areas. This guidance is being updated and replaced with the Document Number 015-0501-002 Environmental Justice Policy. Therefore, this guidance is no longer needed.

Contact: Questions regarding the rescission of this guidance can be directed to Jennifer McLuckie at RA-EPOEJ@pa.gov or (717) 772-5633.

Effective Date: September 16, 2023

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1258. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Sewage Advisory Committee Meeting Postponed

The September 13, 2023, meeting of the Sewage Advisory Committee (Committee) is being postponed. The rescheduled date, time and place of the meeting will be published in a future issue of the *Pennsylvania Bulletin* when scheduled.

Information about Committee meetings, including agendas, meeting materials, and in-person and remote partici-

pation options, will be available on the Committee's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Advisory Committees," then "Water," then "Sewage Advisory Committee").

Individuals are encouraged to visit the Committee's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the Committee can be directed to Janice Vollero at jvollero@pa.gov or (717) 772-5157.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-2360 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1259. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Jefferson Surgery Center—Langhorne	28 Pa. Code § 551.3 (relating to definitions)
	28 Pa. Code § 555.31(a) (relating to principle)
Regional Hospital Surgery Center	28 Pa. Code § 551.3
	28 Pa. Code § 559.2(1)—(5) (relating to director of nursing)
	28 Pa. Code § 559.3(c) (relating to nursing personnel)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1260. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
Crozer-Chester Medical Center	28 Pa. Code § 101.4 (relating to definitions)
	28 Pa. Code § 109.7 (relating to nursing staff qualifications)
Grove City Hospital	28 Pa. Code § 103.31 (relating to the chief executive officer)
Heritage Valley Beaver	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Heritage Valley Sewickley	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Regional Hospital of Scranton	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Saint Vincent Hospital	28 Pa. Code § 103.31
Wellspan Chambersburg Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Wellspan Ephrata Community Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
	28 Pa. Code § 139.33(d) (relating to formula preparation)
Wellspan Gettysburg Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Wellspan Good Samaritan Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Wellspan Waynesboro Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Wellspan York Hospital	28 Pa. Code § 139.33(d)

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr^{1,2}</i>
Allegheny Valley Hospital	2.1-3.5.2.1(2) general	22-O
	2.1-3.5.2.3(2)(a) handwashing station or hand scrub facilities	22-O
Uniontown Hospital	2.2-2.2.2.2(1) space requirements	22
	2.2-2.11.4 special patient care rooms	22

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1261. Filed for public inspection September 15, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facilities are seeking exceptions to 28 Pa. Code § 201.3 (relating to definitions):

Abington Manor
100 Edella Road
Clarks Summit, PA 18411
FAC ID # 053202

Country Meadows Nursing Center of Bethlehem
4025 Green Pond Road
Bethlehem, PA 18020
FAC ID # 096802

Laurel Lakes Rehabilitation and Wellness Center
201 Franklin Farm Lane
Chambersburg, PA 17202
FAC ID # 061302

Willowbrooke Court Skilled Care Center at Lima Estates
411 North Middletown Road
Lima, PA 19037
FAC ID # 151902

WillowBrooke Court Skilled Care Center at Normandy Farms Estates
8000 Twin Silo Drive
Blue Bell, PA 19422
FAC ID # 142502

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1262. Filed for public inspection September 15, 2023, 9:00 a.m.]

FISH AND BOAT COMMISSION

Special Regulation Designations

The Fish and Boat Commission (Commission) has approved guidelines regarding encouraging public partici-

pation on possible changes to the designation of streams, stream sections or lakes for special regulation programs. Under 58 Pa. Code Chapter 65 (relating to special fishing regulations), the Commission designates or redesignates certain streams, stream sections and lakes as being subject to special fishing regulations. These designations and redesignations are effective after Commission approval when they are posted at the site and a notice is published in the *Pennsylvania Bulletin*. Under the Commission's guidelines, a notice concerning the proposed designation or redesignation of a stream, stream section or lake under special regulations ordinarily will be published in the *Pennsylvania Bulletin* before the matter is reviewed by the Board of Commissioners.

At the next Commission meeting on October 23, 2023, the Commission will consider taking the following actions with respect to waters subject to special fishing regulations under 58 Pa. Code Chapter 65, effective upon publication in the *Pennsylvania Bulletin*.

58 Pa. Code § 65.14. Catch and release fly-fishing only

The Commission will consider extending the limit to one stream section managed under the catch and release fly-fishing only regulation under 58 Pa. Code § 65.14 (relating to catch and release fly-fishing only):

County	Water
Lawrence	Slippery Rock Creek, Section 4, Heinz Camp lower property line downstream to the lower McConnells Mill State Park boundary line

Persons with comments, objections or suggestions concerning the designations are invited to submit comments in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, within 30 days after publication of this notice in the *Pennsylvania Bulletin*. Comments submitted by facsimile will not be accepted.

Comments may also be submitted electronically to RA-pfbcregulations@pa.gov. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,
Executive Director

[Pa.B. Doc. No. 23-1263. Filed for public inspection September 15, 2023, 9:00 a.m.]

GAME COMMISSION

Recission of Rabbit Hemorrhagic Disease—Designation of Disease Management Area # 1

Executive Order

Whereas, Rabbit Hemorrhagic Disease (RHD) is a rapidly spreading, fatal disease in lagomorphs and is considered a foreign animal disease in the United States; and

Whereas, RHD has been designated a “dangerous transmissible disease” of animals by order of the Secretary of Agriculture under the provisions of the Domestic Animal Law (3 Pa.C.S. §§ 2301 et seq.) at 3 Pa.C.S. § 2321(d); and

Whereas, Rabbit Hemorrhagic Disease Virus Serotype 2 (RHDV2), a unique variant of RHD, has been detected in the United States in recent years and can infect all ages of a wide range of domestic and wild lagomorphs, including North American wild species of hares, jackrabbits, and cottontails; and

Whereas, In August 2022, RHDV2 was detected in a domestic rabbit facility in the City of Uniontown, Fayette County, Pennsylvania; and

Whereas, On September 28, 2022, the Executive Director of the Pennsylvania Game Commission (Commission) issued an executive order titled “RABBIT HEMORRHAGIC DISEASE—DESIGNATION OF DISEASE MANAGEMENT AREA # 1” to mitigate risks to wild lagomorphs within the Commonwealth; and

Whereas, The Commission’s RHD Management Plan states “[i]f no additional RHDV2 detections occur throughout the entire [RHD-Disease Management Area for 12 consecutive months, the RHD-DMA may be dissolved”]; and

Whereas, The Commission has recognized no additional RHDV2 detections within RHD—DISEASE MANAGEMENT AREA # 1 for the 12 consecutive months; and

Whereas, The Game and Wildlife Code (34 Pa.C.S. §§ 101, et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1, et seq.) collectively provide broad authority to the Commission to regulate activities relating to the protection, preservation, and management of all game and wildlife and their respective habitats (C.f. 34 Pa.C.S. §§ 322, 2101, and 2102); and

Whereas, Section 137.34 of the *Pennsylvania Code* (58 Pa. Code § 137.34) provides specific emergency authority to the Executive Director of the Commission to mitigate risk factors and determine the prevalence and geographic distribution of transmissible wildlife diseases of wild birds and mammals, excluding those species under Federal jurisdiction, if the introduction or spread of such diseases poses a threat to human, domestic and wild animal, or environmental health and safety within or adjacent to this Commonwealth; and

Whereas, The Commission has determined that rescission of the executive order creating RHD—DISEASE MANAGEMENT AREA # 1 is necessary to implement the Commission’s RHD Management Plan.

Now Therefore, I, Bryan J. Burhans, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct that the previous executive order titled “RABBIT HEMORRHAGIC DISEASE—DESIGNATION OF DISEASE MANAGEMENT AREA # 1” is hereby rescinded in its entirety.

2. This Order is effective immediately and shall remain in effect until replaced by subsequent order.

Given under my hand and seal of the Pennsylvania Game Commission on this 1st day of September, 2023.

BRYAN J. BURHANS,
Executive Director

[Pa.B. Doc. No. 23-1264. Filed for public inspection September 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Designation as a Reciprocal Jurisdiction Reinsurer

Hamilton Re Ltd. has applied for an initial designation as a reciprocal jurisdiction reinsurer in this Commonwealth. The application was received on November 22,

2022, and was made under section 319.1 of The Insurance Company Law of 1921 (40 P.S. § 442.1) and 31 Pa. Code § 161.3a (relating to requirements for certified reinsurers).

Persons who wish to comment on the application are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Monique Miller, Licensing Specialist, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, monmiller@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1265. Filed for public inspection September 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Transitions Healthcare Chambersburg, LLC

Transitions Healthcare Chambersburg, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at Transitions Healthcare Shook Home in Chambersburg, PA. The initial filing was received on September 5, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1266. Filed for public inspection September 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Michael Robert Mey; Consent Order; Doc. No. CO19-04-015

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relat-

ing to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.36 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for October 4, 2023, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before October 2, 2023. A hearing shall occur on October 18, 2023, at 1 p.m. in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before September 20, 2023. The e-mail address to be used for the Administrative Hearings Office shall be ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before October 2, 2023.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing should contact Joseph Korman at (717) 787-4429 or jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1267. Filed for public inspection September 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurer has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The hearing will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for October 3, 2023, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before September 29, 2023.

The hearing will be held at the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of American Family Connect Property and Casualty Insurance Company; Brock and Katie Glassford; File No. 23-116-284299; Doc. No. P23-08-040; October 18, 2023, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will

be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1268. Filed for public inspection September 15, 2023, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Governor's Office

Manual No. 110.01—2024-25 Budget Instructions, Amended August 15, 2023.

Management Directive No. 525.12—Payment of Back Pay Due to Reinstatement of a Separated Employee or Reduction of Disciplinary Suspension, Amended August 11, 2023.

Administrative Circular No. 23-14—Holidays—2024, Dated August 16, 2023.

AMY J. MENDELSON,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 23-1269. Filed for public inspection September 15, 2023, 9:00 a.m.]

PENNSYLVANIA INFRASTRUCTURE INVESTMENT AUTHORITY

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Environmental Assessment Approval for PENNVEST Funding Consideration

Scope: Clean Water and Drinking Water State Revolving Fund Projects for consideration at the October 18, 2023, Pennsylvania Infrastructure Investment Authority (PENNVEST) Board meeting.

Description: PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF)

and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the following projects. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the project will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Monday, October 16, 2023. Comments, including comments submitted by e-mail, must include the commentator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at www.ahs.dep.pa.gov/eComment. Written comments can also be submitted by e-mail to ecomment@pa.gov or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the CWSRF and DWSRF Programs, contact Richard Wright, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059, riwright@pa.gov, or visit the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx.

Comments received during the comment period, along with the Department's comment and response document, will be available on the Department's web site at www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx.

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST's web site at www.pennvest.pa.gov.

CWSRF Projects Being Considered:

<i>Applicant:</i>	Deer Creek Drainage Basin Authority
<i>County:</i>	Allegheny
<i>Applicant Address:</i>	945 Little Deer Creek Valley Road Russellton, PA 15076

Project Description: The Deer Creek Drainage Basin Authority proposes to replace an existing extended aeration treatment facility which was originally permitted in 1975. The new facility will keep the same hydraulic design capacity of 0.04 million gallons per day (MGD). The facility will have a peak instantaneous flow of 0.16 MGD and an organic design capacity of 95 lbs. 5-day biological oxygen demand per day. The plant will be replaced with a new precast concrete treatment plant including aeration, clarification and disinfection. There will be also 500 linear feet of site piping and restoration. In addition, the Deer Creek Drainage Basin Authority proposes to clean and replace or repair existing sanitary sewer collection system piping and appurtenances throughout its system. The work will consist of repairing 10,031 linear feet of 8-inch pipe through steam cured

lining installed by pre-cleaning, pre-televising and post-televising in areas containing defects within the lines. About 3,000 linear feet will be heavily cleaned and four district areas will have active infiltration control. Approximately 45 protruding taps are anticipated to be removed and 180 connections reinstated. In addition, dig and replace areas are proposed as infrastructure repairs in correcting the defects of the lines within the system.

Problem Description: The Deer Creek Drainage Basin Authority proposes to replace the existing sewage treatment plant serving the Hampshire Estates residential development in West Deer Township, Allegheny County. The existing Hampshire Estates Sewage Treatment Plant was constructed in the 1970's. The existing treatment facility is an underground steel structure experiencing structural distress with heavy corrosion and has reached the end of its useful life. The replacement or rehabilitation, or both, of existing sanitary sewer system components will correct defects by either lining or replacing pipes and manholes. During significant rainfall events, the Deer Creek Drainage Basin Authority is experiencing sanitary sewer overflows at the Rich Hill Pump Station (PS). This is due to the multiple defects within the collection system. These defects need to be corrected for improved infrastructure health of the collection system due to the inflow and infiltration the defects are causing.

<i>Applicant:</i>	Rimersburg Borough Municipal Authority
<i>County:</i>	Clarion
<i>Applicant Address:</i>	27 Main Street Rimersburg, PA 16248

Project Description: The Rimersburg Borough Municipal Authority is proposing to upgrade its existing wastewater treatment plant (WWTP). The upgrades to the WWTP include increasing the capacity from 200,000 gallons per day (GPD) to 400,000 GPD, installing a grit removal chamber and automated bar screening system and building, installing a second sequencing batch reactor (SBR) and installing new mechanical components for the existing SBR. It also includes lining the existing lagoon and permitting for use as an equalization basin, upgrading the supervisory control and data acquisition system, blowers and control building, and installing a new chlorine sterilization and dechlorination system to replace the existing chlorine system.

Problem Description: The WWTP was constructed in the early 1970's with a permitted hydraulic capacity of 200,000 GPD. It currently comprises of a manual bar rack, two SBRs, digester and chlorine contact tank. The plant does not contain solids handling equipment, therefore liquid sludge is periodically hauled from the site in trucks to other plants for disposal. It is undersized and antiquated. On average, the plant overflows 4-5 times each year. Additionally, it does not have automated sampling controls or telemetry so that the operator can make treatment adjustments remotely.

<i>Applicant:</i>	Aqua Pennsylvania
<i>County:</i>	Luzerne
<i>Applicant Address:</i>	762 Lancaster Avenue Bryn Mawr, PA 19010

Project Description: Aqua Pennsylvania proposes to upgrade the Laurel Lakes WWTP. This upgrade includes

replacing or rehabilitating multiple treatment components at the plant, including the comminutor and bypass bar racks, influent splitter box and the extended aeration wastewater treatment tanks. Additionally, a third treatment train and pumps will be added to ensure that the components can be taken offline for maintenance activities, while also ensuring redundancy. The existing aeration blowers will be removed from the operations building and relocated, and additional tank covers and grating with Institutional Biosafety Committee approved service platforms, walkways and railing systems will be installed.

Problem Description: The Laurel Lakes WWTP, located in Rice Township, Luzerne County, is approaching the end of its useful life and needs replacement or rehabilitation to operate more efficiently and safely. Additionally, there are multiple public and environmental health concerns including staff exposure to excessive noise levels caused by the existing aeration blowers and potential for slips and trips on service platforms, walkways and railing systems.

<i>Applicant:</i>	Aqua Pennsylvania
<i>County:</i>	Luzerne
<i>Applicant Address:</i>	762 Lancaster Avenue Bryn Mawr, PA 19010

Project Description: Aqua Pennsylvania proposes to upgrade the Rivercrest WWTP. This upgrade includes replacing or rehabilitating multiple treatment components at the plant. At the headworks of the plant, the influent sampling location will be moved as well as adding an automatically controlled pH adjustment system. The secondary treatment tank will be repaired or replaced. The aeration blowers will be replaced and relocated. The sludge holding tank will be replaced or repaired and be upgraded to allow for the ability to control the wasting and decanting processes. The disinfection system will be upgraded from a sodium hypochlorite system to an ultra-violet disinfection system. A dechlorination process will also be added to the facility. The waste from the existing bathroom in the operations building will also be re-routed to the WWTP instead of the existing onlot disposal system.

Problem Description: The Rivercrest WWTP is in Tunkhannock Township, Wyoming County. The treatment plant has been in service for over 50 years and some treatment components such as the secondary treatment tank, sludge holding tank and existing aeration blowers are approaching the end of their useful lives, while other components need upgraded to operate more efficiently and safely. The pH adjustment of the influent is currently controlled manually and is not operator friendly. The existing dechlorination process is not efficient and effective. Additionally, there are multiple public and environmental health concerns including staff exposure to excessive noise levels caused by the existing aeration blowers and the existing bathroom in the operations building discharges into an onlot disposal system of an unknown condition.

<i>Applicant:</i>	Lancaster Area Sewer Authority
<i>County:</i>	Lancaster
<i>Applicant Address:</i>	130 Centerville Road Lancaster, PA 17603

Project Description: The Silver Spring PS upgrade includes replacing the existing PS with a new wet-pit submersible PS, a new approximately 4,200 linear feet 10-inch force main and new mechanical and electrical systems. Three Flygt submersible sewage pumps will be installed at the PS. The pumps will discharge through a valve/meter vault to the new force main which will convey the PS effluent to an existing manhole. This new system will separate the Silver Spring PS from Farmdale PS, which currently share a force main.

Problem Description: The Silver Spring PS is in West Hempfield Township in the village of Silver Spring. The pump capacity is exceeded during wet weather peak flow events, resulting in the wet well surcharging and the immediate upstream manhole overflowing. As a result, the Lancaster Area Sewer Authority has been restricting the connection of new dwelling units. Additionally, the Lancaster Area Sewer Authority’s consulting engineer concluded that the underground steel dry well has reached the end of its useful life and has a high risk of failure.

<i>Applicant:</i>	Lancaster Area Sewer Authority
<i>County:</i>	Lancaster
<i>Applicant Address:</i>	130 Centerville Road Lancaster, PA 17603

Project Description: The Landisville 1 PS upgrade includes replacing the existing PS with a new wet-pit submersible pumping station, replacing the existing mechanical and electrical systems, upgrading the capacity of the upstream influent gravity interceptor and diverting the PS effluent around the existing downstream gravity interceptors through a new 9,000 linear feet 8-inch force main. The pumps will discharge through a valve/meter vault to the new force main, which will convey the PS effluent to an existing manhole.

Problem Description: The Landisville 1 PS is in East Hempfield Township between the villages of Landisville and Salunga. The pump capacity is exceeded during wet weather peak flow events. As a result, the Lancaster Area Sewer Authority is forced to request upstream industries to stop operations when the PS is overloaded. The station is original to the Lancaster Area Sewer Authority’s system and the underground steel dry well needs to be replaced due to its condition and risk of failure. Due to the station’s limitations, the Lancaster Area Sewer Authority has had to refuse requests for additional capacity.

DWSRF Projects Being Considered:

<i>Applicant:</i>	Conemaugh Township Municipal Authority
<i>County:</i>	Somerset
<i>Applicant Address:</i>	P.O. Box 429 113 South Main Street Davidsville, PA 15928

Project Description: This project mainly consists of the installation of approximately 50,000 linear feet of various

waterline sizes, approximately 14,000 linear feet of service lines, the replacement of approximately 561 curb stop assemblies and installation of approximately 561 meter pits. This project also consists of rehabilitating the Jerome and Davidsville PSs. The PSs will receive new variable frequency drives and related equipment, a direct replacement of pumps and motors and valve replacements. This project will eliminate the frequent leaks and greatly lower maintenance costs. The project will affect approximately 561 customers in Conemaugh Township and Jenner Township. These customers will have new water service lines and meter pit assemblies installed.

Problem Description: The Conemaugh Township Municipal Authority (CTMA) owns and operates the water treatment facility and distribution system located in Somerset County. CTMA's existing water facilities were largely installed in the 1980's and are approximately 40 years old. Some parts of the system are even older. The existing waterline is already passed its design life and is not feasible to maintain. These leaks have led to decreased water quality, distribution system operation issues and decreased pressure to CTMA customers.

<i>Applicant:</i>	Schuylkill County Municipal Authority
<i>County:</i>	Schuylkill
<i>Applicant Address:</i>	221 South Centre Street Pottsville, PA 17901

Project Description: The Schuylkill County Municipal Authority (SCMA) proposes the construction of a 2.3-million gallon (MG) finished water storage tank to provide for operational flexibility and additional supply to provide resiliency for operations in their Broad Mountain system. The proposed Broad Mountain tank No. 2 will be located in New Castle Township, Schuylkill County, at the same site as the existing Broad Mountain tank No. 1 near the Broad Mountain Water Treatment Plant (WTP). The tank's influent and effluent piping will be connected to the existing WTP's 24-inch main. Broad Mountain tank No. 2 is a proposed 2.3-MG prestressed concrete water tank that will be designed, fabricated and erected in accordance with the American Water Works Association D110 Standard. The tank will be equipped with appropriate appurtenances including overflow, pressure-vacuum relief vent, access hatches, inlet/outlet piping, drain piping, safety ladders and safety devices. Access hatches and vents will be equipped with locking devices. The overflow elevation of proposed Broad Mountain tank No. 2 will match the existing tank No. 1's overflow elevation. This overflow elevation provides a minimum pressure of 30 pounds per square inch (psi) throughout the SCMA main system during normal system conditions, consistent with accepted waterworks practice. Similarly, the storage facilities can provide a minimum pressure of 20 psi throughout the main system during fire flow conditions.

Problem Description: Problems addressed by this project include resolving limited emergency water storage to offset temporary supply concerns, providing for operational flexibility and addressing the difficulties encountered in taking the existing 1.0-MG Broad Mountain tank No. 1 out of service for repair as it is crucial for system operations. Proposed improvements will enhance SCMA's

ability to operate and maintain the system and increase the reliability of service.

RICHARD NEGRIN,
Secretary
Department of Environmental Protection

ROBERT H. BOOS,
Executive Director
Pennsylvania Infrastructure Investment Authority

[Pa.B. Doc. No. 23-1270. Filed for public inspection September 15, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2023-3042659. Columbia Gas of Pennsylvania, Inc. Application for approval of abandonment of natural gas service by Columbia Gas of Pennsylvania, Inc. to two inactive residential premises in Fayette County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 1, 2023. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. The parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: Columbia Gas of Pennsylvania, Inc., 121 Champion Way, Suite 100, Canonsburg, PA 15317

Through and By Counsel for: Candis A. Tunilo, Esquire (ID # 89891), 800 North Third Street, Suite 204, Harrisburg, PA 17102, ctunilo@nisource.com; Theodore J. Gallagher, Esquire (ID # 90842), 121 Champion Way, Suite 100, Canonsburg, PA 15317, tjgallagher@nisource.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1271. Filed for public inspection September 15, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth

have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 2, 2023. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 2, 2023. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2023-3041954. MHAKAIDAR, LLC (1209 Hale Street, Philadelphia, Philadelphia County, PA 19111) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the City and County of Philadelphia, to points in Pennsylvania, and return.

A-2023-3042570. Wyatt's Transport, LLC (1308 Meetinghouse Road, Meadowbrook, Montgomery County, PA 19046) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in Montgomery County, to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

Application of the following for approval to begin operating as a broker for transportation of persons as described under the application.

A-2023-3042635. Motus Holdings, LLC (1729 West Tilghman Street, Suite 2, Allentown, Lehigh County, PA 18104) for the right to begin to arrange transportation of passengers, between points in Pennsylvania.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1272. Filed for public inspection September 15, 2023, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than October 2, 2023. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-23-08-07. Uthman Zahra Trans, Inc. (4227 Passmore Street, Philadelphia, PA 19135): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-23-08-08. Chirnoor Trans, Inc. (7005 Pennsylvania Avenue, Upper Darby, PA 19082): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-23-08-09. Prabhu Trans, Inc. (7005 Pennsylvania Avenue, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

Doc. No. A-23-08-10. Y. Singh Trans, Inc. (211 Glendale Road, Upper Darby, PA 19082): An application for a medallion taxicab certificate of public CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 23-1273. Filed for public inspection September 15, 2023, 9:00 a.m.]

