

NOTICES

DEPARTMENT OF AGING

Pharmaceutical Assistance Advisory Board Meeting

The Pharmaceutical Assistance Advisory Board will hold a meeting by means of Microsoft Teams on Monday, October 2, 2023, from 10 a.m. to 11:30 a.m. The discus-

sion will be on pharmacy reimbursements. For connection information or any questions, contact Megan McDaniel, memcdaniel@pa.gov, (717) 787-7313.

JASON KAVULICH,
Secretary

[Pa.B. Doc. No. 23-1287. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending September 12, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity.

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-05-2023	MCS Bank Milroy Mifflin County	200 North Logan Boulevard Burnham Mifflin County	Opened

Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
09-12-2023	Fidelity Deposit and Discount Bank Dunmore Lackawanna County	<i>To:</i> 101 South 3rd Street Easton Northampton County <i>From:</i> 46 Centre Square Easton Northampton County	Accepted

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Acting Secretary

[Pa.B. Doc. No. 23-1288. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF CONSERVATION AND NATURAL RESOURCES

Conservation and Natural Resources Advisory Council Public Meeting

The Conservation and Natural Resources Advisory Council (Council) to the Department of Conservation and Natural Resources (Department) will hold a public meeting on September 27, 2023, at 10 a.m. at the Tiadaghton Resource Management Center, 10 Lower Pine Bottom Road, Waterville, PA 17776. The public meeting may be attended by means of Microsoft Teams through a link found on the Council's web site prior to the public meeting at www.dcnr.pa.gov/cnrac.

Questions concerning this public meeting or agenda items can be directed to Gretchen Leslie at (717) 772-9084. For public comment to be considered at the public meeting, follow the instructions on the Council's web site.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact Aara Vinsh directly at (717) 787-9306 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department may accommodate their needs.

CINDY ADAMS DUNN,
Secretary

[Pa.B. Doc. No. 23-1289. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public

comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the "Applications Received with Comment Periods Report" (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the "Applications Received with Comment Periods Report" on DEP's website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed above.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0923819	Joint DEP/PFBC Pesticides Permit	New	Bucks County Conserv District 1456 Ferry Road Doylestown, PA 18901-2391	Bristol Borough Bucks County	SERO
4318804	Joint DEP/PFBC Pesticides Permit	Renewal	Mercer County 24 Avalon Court Mercer, PA 16137	Fairview Township Mercer County	NWRO

NOTICES

5935

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
3215200	Major Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Homer City Generation LP 1750 Power Plant Road Homer City, PA 15748	Center Township Indiana County	NWRO
PA0022209	Major Sewage Facility with CSOs Individual NPDES Permit	DEP-Initiated Minor Amendment	Bedford Borough Municipal Authority 244 W Penn Street Bedford, PA 15522-1226	Bedford Borough Bedford County	SCRO
1015403	Major Sewage Treatment Facility Individual WQM Permit	Amendment	Cranberry Township 2525 Rochester Road Cranberry Township, PA 16066-6420	Cranberry Township Butler County	NWRO
PA0035289	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Jones Estates Glen Lake PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-4900	Pine Township Mercer County	NWRO
0800402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Troy Borough 49 Elmira Street Troy, PA 16947-1230	Troy Borough Bradford County	NCRO
1793411	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Country Place MHC P.O. Box 275 Lake Hiawatha, NJ 07034-0275	Sandy Township Clearfield County	NCRO
2290401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Dauphin Borough P.O. Box 487 Dauphin, PA 17018-0487	Dauphin Borough Dauphin County	SCRO
4398409	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Jones Estates Glen Lake PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-4900	Pine Township Mercer County	NWRO
5701401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	Davidson Township Municipal Authority 32 Michelle Road Sonestown, PA 17758-5358	Davidson Township Sullivan County	NCRO
NOEXNW107	No Exposure Certification	Renewal	Controlled Molding Inc. 3043 Perry Highway Hadley, PA 16130-1923	Perry Township Mercer County	NWRO
NOEXSE118	No Exposure Certification	Renewal	Draeger Medical System Inc. 3135 Quarry Road Telford, PA 18969-1042	West Rockhill Township Bucks County	SERO
NOEXSW022	No Exposure Certification	Renewal	Philips Respironics 174 Tech Center Drive Mount Pleasant, PA 15666-1076	Mount Pleasant Township Westmoreland County	SWRO
PAG030198	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Glaxosmithkline LLC 1250 S Collegeville Road P.O. Box 5089 Collegeville, PA 19426-2990	Upper Providence Township Montgomery County	SERO
PAG030298	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	XPO Logistics Freight Inc. 2211 Old Earhart Road Suite 100 Ann Arbor, MI 48105-2963	Concord Township Delaware County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030299	PAG-03 NPDES General Permit for Industrial Stormwater	New	Ward Trucking LLC P.O. Box 1553 Altoona, PA 16603-1553	Bensalem Township Bucks County	SERO
PAG033772	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Mountain Ridge Metals Inc. 1517 Rt 209 Millersburg, PA 17061	Upper Paxton Township Dauphin County	SCRO
PAG034064	PAG-03 NPDES General Permit for Industrial Stormwater	New	Pkg Corp of American 1530 Fruitville Pike Lancaster, PA 17601-4006	Lancaster City Lancaster County	SCRO
PAG034066	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	XPO Logistics Freight Inc. 2211 Old Earhart Road Suite 100 Ann Arbor, MI 48105-2963	Exeter Township Berks County	SCRO
PAG036563	PAG-03 NPDES General Permit for Industrial Stormwater	New	Amazon Com Service LLC P.O. Box 80842 Seattle, WA 98108-0842	New Stanton Borough Westmoreland County	SWRO
PAG038334	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Keenes Scrap Metal LLC P.O. Box 217 Sligo, PA 16255-0217	Toby Township Clarion County	NWRO
PAG038344	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Durham School Service LP 2601 Navistar Drive Lisle, IL 60532-3661	Wattsburg Borough Erie County	NWRO
PAG038357	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	USR Holdings LLC 409 Smalls Ferry Road New Castle, PA 16102-2831	Sharon City Mercer County	NWRO
PAG038367	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Meadville Redi Mix Concrete Inc. P.O. Box 418 19824 Cochran Road Meadville, PA 16335-0418	West Mead Township Crawford County	NWRO
PAG038583	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Lincoln Recycling Inc. 986 French Street Meadville, PA 16335-3582	Meadville City Crawford County	NWRO
PAG038584	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Lincoln Recycling Inc. 1602 Selinger Avenue Erie, PA 16505-4526	Millcreek Township Erie County	NWRO
PAG038585	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Luxfer Magtech Inc. 955 Saxonburg Boulevard Saxonburg, PA 16056-2317	Clinton Township Butler County	NWRO
PAG038590	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	John A Carter d/b/a Mercer Auto Wreckers 748 Wilson Avenue Mercer, PA 16137-4124	Mercer Borough Mercer County	NWRO
0210402	Pump Stations Individual WQM Permit	Amendment	Aleppo Township 100 North Drive Suite 2 Sewickley, PA 15143-2383	Aleppo Township Allegheny County	SWRO
6123402	Pump Stations Individual WQM Permit	Amendment	Cornplanter Township 21 Seneca Street Oil City, PA 16301-1379	Oil City City Venango County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
08494-S	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
2023405	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Susan & Tom Brown 19557 Irish Road Edinboro, PA 16412-4847	Cussewago Township Crawford County	NWRO
2523424	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Corey & Katelyn Morris 10520 Greenlee Road Waterford, PA 16441-8732	McKean Township Erie County	NWRO
4323414	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Mueller Gary 395 Vernon Road Greenville, PA 16125-9256	West Salem Township Mercer County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0228524, Sewage, SIC Code 4952, **Duncan Township**, 42 Duncan Township Road, Wellsboro, PA 16901-8544. Facility Name: Duncan Township WWTF. This existing facility is located in Duncan Township, **Tioga County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Wilson Creek (CWF), is located in State Water Plan watershed 9-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
Dissolved Oxygen INTERIM	XXX	XXX	Report	XXX	XXX	XXX
Dissolved Oxygen FINAL	XXX	XXX	Inst Min	4.0	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	6.0	10	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	7.5	11	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	Report	XXX	XXX	Geo Mean	XXX	XXX
				Report		

In addition, the permit contains the following major special conditions:

- Solids Management
- Compliance Schedule

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Northcentral Regional Office

PA0233439, Sewage, SIC Code 4952, **Kristina R. Kula-Wright**, 12866 Wallis Run Road, Trout Run, PA 17771-8523. Facility Name: Kristina R. Kula-Wright SRSTP. This proposed facility is located in Plunketts Creek Township, **Lycoming County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), King Run (EV (existing use)), is located in State Water Plan watershed 10-B and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

Southcentral Regional Office

Application No. PA0294179, Concentrated Animal Feeding Operation (CAFO), **Mark Bender (Mark Bender Farm)**, 1735 Church Road, Mifflinburg, PA 17844-7737.

Mark Bender has submitted an application for an Individual NPDES permit for a new CAFO known as Mark Bender Farm, located in West Buffalo Township, **Union County**.

The CAFO is situated near Unnamed Tributary to Buffalo Creek (CWF, MF) in Watershed 10-C, which is classified for Cold Water Fishes and Migratory Fishes. The CAFO will be designed to maintain an animal population of approximately 321.13 animal equivalent units (AEUs) consisting of 119,000 Broiler and 3 Beef Finishers. Solid manure will be stored on a solid stacking pad and in an existing roofed solid storage shed. The operation is proposing to construct a roofed dual use solid storage. There is a liquid concrete circular storage located on the operation that is no longer in use. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Northeast Regional Office

PA0060411 A-1, Sewage, SIC Code 4952, **Aqua Pennsylvania Wastewater, Inc.**, 1 Aqua Way, White Haven, PA 18661-1115. Facility Name: Thornhurst WWTP. This existing facility is located in Thornhurst Township, **Lackawanna County**.

Description of Existing Activity: The application is for an amendment to a NPDES permit for an existing discharge of treated sewage.

The receiving stream, Pond Creek (EV, MF), is located in State Water Plan watershed 2-A and is classified for Exceptional Value Waters and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Dissolved Solids	XXX	XXX	XXX	1,000 Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.

Parameters	Mass Units (lbs/day)		Instantaneous Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.1
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	20.0	XXX	40.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅) Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
CBOD ₅ Minimum % Removal (%)	XXX	XXX	XXX	Report Min Mo Avg	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Total Suspended Solids Raw Sewage Influent	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	Report	Report	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18.0
May 1 - Oct 31	XXX	XXX	XXX	3.0	XXX	6.0
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	2.0

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northeast Regional Office

PA0276651, Storm Water, SIC Code 4225, **Nestle USA—Breinigsville District Center**, 555 Nestle Way, Breinigsville, PA 18031-1518. Facility Name: Nestle USA—Breinigsville District Center. This proposed facility is located in Upper Macungie Township, **Lehigh County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream(s), Iron Run (HQ-CWF, MF), is located in State Water Plan watershed 2-C and is classified for High Quality—Cold Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	30.0
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges

- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-826-5472.

The EPA Waiver is in effect.

Northwest Regional Office

PA0025569, Sewage, SIC Code 4952, **Slippery Rock Municipal Authority**, P.O. Box 157, Slippery Rock, PA 16057-0157. Facility Name: Slippery Rock STP. This existing facility is located in Slippery Rock Borough, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Slippery Rock Creek (CWF) and an Unnamed Tributary to the Slippery Rock Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	250.0	400.0	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	300.0	450.0	XXX	30.0	45.0 Daily Max	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	XXX	Report Daily Max	XXX	XXX
Ammonia-Nitrogen Nov 1 - Apr 30	250.0	XXX	XXX	25.0	XXX	50
May 1 - Oct 31	94.0	XXX	XXX	9.4	XXX	18.8
Total Nitrogen	XXX	Report Daily Max	XXX	Report Daily Max	XXX	XXX
Total Phosphorus	XXX	Report Daily Max	XXX	Report Daily Max	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 1.2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Instantaneous Maximum</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	250.0	500.0	XXX	25.0	XXX	50.0
Total Suspended Solids	300.0	600.0	XXX	30.0	XXX	60.0

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Instantaneous Maximum		Average Monthly	Maximum	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30						
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (mW/cm ²)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	Report	Report	XXX	Report	XXX	Report
Ammonia-Nitrogen	36.0	72.0	XXX	3.6	XXX	7.2
Nov 1 - Apr 30						
May 1 - Oct 31	12.0	24.0	XXX	1.2	XXX	2.4
Total Phosphorus	Report	Report	XXX	Report	XXX	Report
Barium, Total (ug/L)	Report	Report	XXX	Report	XXX	Report
Zinc, Total (ug/L)	Report	Report	XXX	Report	XXX	Report
Benzene (ug/L)	Report	Report	XXX	Report	XXX	Report
Chlorodibromomethane (ug/L)	0.0099	0.0198	XXX	0.99	XXX	1.98
1,1,2-Trichloroethane (ug/L)	0.0068	0.0136	XXX	0.68	XXX	1.36

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls
- Emergency Outfall 002

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0027367, Sewage, SIC Code 4952, **Greenville Borough Sanitary Authority**, P.O. Box 604, Greenville, PA 16125-0604. Facility Name: Greenville Sanitary Authority STP. This existing facility is located at 183 Hamburg Road, Greenville, PA 16125 in Greenville Borough, **Mercer County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Shenango River (WWF), is located in State Water Plan watershed 20-A and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 4.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Daily Min	0.19	XXX	0.62
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	667.0	1,000.0	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,000.0	1,500.0	XXX	30.0	45.0	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
				XXX		
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Annl Avg			Annl Avg		

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Ammonia-Nitrogen Nov 1 - Apr 30	700.0	XXX	XXX	21.0	XXX	42
May 1 - Oct 31	233.0	XXX	XXX	7.0	XXX	14
Total Phosphorus	33.0	XXX	XXX	1.0	XXX	2
Aluminum, Total	36.0	XXX	XXX	1.08	XXX	2.16
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Cyanide, Free	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Zinc, Dissolved	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity (WET)

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0034380, Sewage, SIC Code 4952, **Quadland Corporation**, 7041 Truck World Boulevard, Hubbard, OH 44425-3254. Facility Name: Emlenton Service Plaza. This existing facility is located at Exit 43 on Interstate 80 in Scrubgrass Township, **Venango County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage and stormwater.

The receiving stream, an Unnamed Tributary to the Allegheny River (CWF (existing use)), is located in State Water Plan watershed 16-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.02 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.09	XXX	0.30
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Nov 1 - Apr 30				Geo Mean		
May 1 - Oct 31	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Aluminum	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Iron	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		
Total Manganese	XXX	XXX	XXX	Report	XXX	XXX
				Annl Avg		

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Solids Management
- Requirements Applicable to Stormwater Outfalls

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0093360, Sewage, SIC Code 4952, **Lake Arthur Estates, LLC**, 2925 New Castle Road, Portersville, PA 16051-1223. Facility Name: Lake Arthur Estates MHP. This existing facility is located in Muddycreek Township, **Butler County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Muddy Creek (WWF), is located in State Water Plan watershed 20-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.425 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	88.6	XXX	Daily Min XXX	25.0	XXX	50
Total Suspended Solids	106.0	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	37.2	XXX	XXX	10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	12.4	XXX	XXX	3.5	XXX	7
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Daily Max		
Copper, Total	120.5	XXX	XXX	0.034	XXX	0.068
Lead, Total	42.5	XXX	XXX	0.012	XXX	0.024

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0103292, Sewage, SIC Code 4952, **Hamilton Township**, P.O. Box 23, Ludlow, PA 16333. Facility Name: Hamilton Township Ludlow STP. This existing facility is located at 275 State Highway 6, Ludlow, PA 16333 in Hamilton Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Twomile Run (HQ-CWF), is located in State Water Plan watershed 16-F and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.07 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Wkly Avg				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	14.5	XXX	XXX	25.0	XXX	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	17.5	XXX	XXX	30.0	XXX	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	11.6	XXX	XXX	20.0	XXX	40
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0295264, Sewage, SIC Code 8800, **Michael Czachowski**, 475 Stanford Road, Prospect, PA 16052-2715. Facility Name: Michael Czachowski SRSTP. This proposed facility is located in Muddycreek Township, **Butler County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Yellow Creek (CWF), is located in State Water Plan watershed 20-C and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0265110, Industrial, SIC Code 4941, **Stoneboro Borough Mercer County**, 59 Lake Street, Stoneboro, PA 16153-9807. Facility Name: Stoneboro Borough WTP. This existing facility is located on Steckler Road, Stoneboro, PA 16153.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Sawmill Run (WWF), is located in State Water Plan watershed 16-G and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .036 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min XXX	XXX	9.0 Daily Max XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0292745, Storm Water, SIC Code 4953, **Veolia ES Alaron, LLC**, 2138 State Route 18, Wampum, PA 16157-2926. Facility Name: Veolia ES Alaron LLC d/b/a Alaron Nuclear Services. This proposed facility is located in New Beaver Borough, **Lawrence County**.

Description of Proposed Activity: The application is for a new NPDES permit for a new discharge of treated industrial stormwater.

The receiving stream, an Unnamed Tributary to the Beaver River (WWF), is located in State Water Plan watershed 20-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Cyanide, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Selenium, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Cyanide, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Selenium, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Arsenic, Total	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total	XXX	XXX	XXX	XXX	Report	XXX
Cyanide, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Lead, Total	XXX	XXX	XXX	XXX	Report	XXX
Manganese, Total	XXX	XXX	XXX	XXX	Report	XXX
Mercury, Total	XXX	XXX	XXX	XXX	Report	XXX
Selenium, Total	XXX	XXX	XXX	XXX	Report	XXX
Silver, Total	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Stormwater Outfalls and Authorized Non-Stormwater Discharges
- Best Management Practices (BMPs)
- Routine Inspections
- Preparedness, Prevention and Contingency (PPC) Plan
- Stormwater Monitoring Requirements
- Other Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0024902, Sewage, SIC Code 4952, **Upper Allen Township**, 100 Gettysburg Pike, Mechanicsburg, PA 17055-5604. Facility Name: Upper Allen Township Grantham WWTP. This existing facility is located in Upper Allen Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Yellow Breeches Creek (CWF), is located in State Water Plan watershed 7-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	229	367	XXX	25.0	40.0	50
Nov 1 - Apr 30						
May 1 - Oct 31	183	275	XXX	20.0	30.0	40
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	275	413	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	201	XXX	XXX	22.0	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	18.3	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Bromide	Report	XXX	XXX	Report	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	20,091	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		
	Monthly	Annual		Monthly Average	Maximum	Instant. Maximum
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	2,679 Total Annual	XXX	XXX	XXX	XXX

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0080225, Sewage, SIC Code 4952, **Washington Township Municipal Authority**, 11102 Buchanan Trail East, Waynesboro, PA 17268-9503. Facility Name: Washington Township MA WWTP. This existing facility is located in Washington Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), East Branch Antietam Creek (CWF, MF), is located in State Water Plan watershed 13-C and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.85 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	385	615	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	460	690	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	194	XXX	XXX	12.6	XXX	25.2
Nov 1 - Apr 30						
May 1 - Oct 31	64	XXX	XXX	4.2	XXX	8.4
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Copper, Total	Total Mo Report	Report	XXX	Report	Report	XXX
Iron, Dissolved	Report	Report	XXX	Report	Daily Max Report	XXX
Zinc, Total	Report	Report	XXX	Report	Daily Max Report	XXX
Chloroform	0.38	0.6	XXX	0.0249	Daily Max 0.0388	0.0622

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs)	XXX	35,433	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs)	XXX	Total Annual Report	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs)	XXX	4,724	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0080799, Sewage, SIC Code 4952, **Newburg Hopewell Township Authority**, P.O. Box 128, Newburg, PA 17240-0128. Facility Name: Newburg Hopewell Township STP. This existing facility is located in Hopewell Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Newburg Run (WWF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .072 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	15	24	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	18	27	XXX	30	45	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light intensity ($\mu\text{w}/\text{cm}^2$)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo	10.8	XXX	XXX	18.0	XXX	XXX
Ammonia-Nitrogen						
Nov 1 - Apr 30						
May 1 - Oct 31	3.6	XXX	XXX	6.0	XXX	12
Ammonia-Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	XXX	XXX	XXX
Total Mo	0.9	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
Total Mo						

The proposed effluent limits for Outfall 001 are based on a design flow of .072 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Total Nitrogen (Total Load, lbs)	XXX	3,380	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Effluent Net						
Total Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Ammonia-Nitrogen (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	Report	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Total Phosphorus (Total Load, lbs)	XXX	325	XXX	XXX	XXX	XXX
(lbs)		Total Annual				
Effluent Net						

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

Southcentral Regional Office

PA0084191, Sewage, SIC Code 4952, **Peters Township Municipal Authority**, P.O. Box 19, Lemasters, PA 17231-0019. Facility Name: Mercersburg Junction STP. This existing facility is located in Peters Township, **Franklin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Conococheague Creek, is located in State Water Plan watershed 13-C and is classified for, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .25 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .25 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Daily Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	52	83	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	63	94	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	XXX	XXX	XXX
(lbs)	Total Mo					

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

Application No. PA0294152, Concentrated Animal Feeding Operation (CAFO), **Bleacher Farms LLC (Bleacher Farms LLC)**, 1206 Breneman Road, Conestoga, PA 17516-9309.

Bleacher Farms LLC has submitted an application for an Individual NPDES permit for a new CAFO known as Bleacher Farms LLC, located in Manor Township, **Lancaster County**.

The CAFO is situated near Indian Run (WWF, MF) in Watershed 7-J, which is classified for Warm Water Fishes and Migratory Fishes. The CAFO will be designed to maintain an animal population of approximately 498.52 animal equivalent units (AEUs) consisting of 158,191 Layers, and 6 Beef Calf. Solid manure will be stored in two roofed manure stack sheds and liquid wash water between flocks will be stored in a circular concrete manure pit. A release or discharge to waters of the Commonwealth under normal operating conditions is not expected. Normal operating conditions are defined as conditions below a 100-year, 24-hour storm event.

The Department has conducted administrative and technical reviews of the application. Based on the preliminary review and application of lawful standards and regulations, the Department has made a tentative determination to issue an NPDES permit for the operation subject to the terms and conditions and monitoring and reporting requirements specified in the permit.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The Environmental Protection Agency (EPA) permit waiver provision under 40 CFR 123.24(e) does not apply to this NPDES permit.

Southwest Regional Office

PA0044431, Sewage, SIC Code 4952, **Fairfield Manor Inc.**, P.O. Box 17039, Pittsburgh, PA 15235-0039. Facility Name: Fairfield Manor MHP STP. This existing facility is located in Fairfield Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, Unnamed Tributary to Loves Hollow (TSF), is located in State Water Plan watershed 18-D and is classified for Trout Stock Fisheries, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.5

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.05	XXX	0.17

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	0.03	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	6.0 Inst Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25.0	XXX	50.0
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 4.5	XXX	9.0
Ammonia-Nitrogen	XXX	XXX	XXX	4.5	XXX	9.0
Nov 1 - Apr 30	XXX	XXX	XXX	2.0	XXX	4.0
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report
Manganese, Total	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following major special conditions:

- Requirements for Total Residual Chlorine (TRC)—A schedule for the facility to come into compliance with the final TRC limit of 0.05 mg/L is included with this permit. The facility shall be in compliance with final TRC limits within the first year of the permit duration.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0098477, Sewage, SIC Code 4952, **Highland Tank & Manufacturing Co.**, 1 Highland Road, Stoystown, PA 15563-6456. Facility Name: Highland Tank & Manufacturing Co. This existing facility is located in Quemahoning Township, **Somerset County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Oven Run (CWF), is located in State Water Plan watershed 18-E and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0003 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.1
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0 Geo Mean	XXX	XXX

In addition, the permit contains the following major special conditions:

- Requirements applicable to stormwater outfalls (002-008).

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 007 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Aluminum, Total	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX
Zinc, Total	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0219240, Sewage, SIC Code 4952, **Fortuna Wayne S**, 108 Hamilton Drive, Sewickley, PA 15143-8410. Facility Name: Wayne S Fortuna SRSTP. This existing facility is located in Bell Acres Borough, **Allegheny County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Little Sewickley Creek (HQ-TSF), is located in State Water Plan watershed 20-G and is classified for High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Annual Average	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Total Residual Chlorine (TRC)	Annl Avg XXX	XXX	XXX	Report Avg Mo XXX	XXX	Report
pH (S.U.)	XXX	XXX	6.0 Inst Min XXX	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	6.0

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0253537, Industrial, SIC Code 0273, **Rolling Rock Club**, P.O. Box 747, Ligonier, PA 15658-0747. Facility Name: Rolling Rock Club Trout Hatchery. This existing facility is located in Ligonier Township, **Westmoreland County**.

Description of Existing Activity: The application is for renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Rolling Rock Creek (HQ-CWF), is located in State Water Plan watershed 18-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.216 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	6.0	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	XXX	10.0	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	20.0	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	20.0	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	3.0	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Cadmium, Total (µg/L)	XXX	XXX	XXX	0.4	0.62	0.99

In addition, the permit contains the following major special conditions: requirement to develop and implement a Best Management Practices (BMPs) plan; requirements for solids control, material storage, maintenance, and recordkeeping; and requirements for drug and chemical usage.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0217425, Storm Water, SIC Code 5541 & 5812, **Pilot Travel Centers LLC**, P.O. Box 10146, Knoxville, TN 37939-0146. Facility Name: Pilot Travel Center # 348. This existing facility is located in Bentleyville Borough, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream, Pigeon Creek (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (GPM)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX
MBAS	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Internal Monitoring Point 101 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Quarterly</i>	<i>Maximum</i>		<i>Quarterly</i>	<i>Maximum</i>	
Flow (GPM)	Report	Report	XXX	XXX	XXX	XXX
Oil and Grease	XXX	XXX	XXX	15.0	30.0	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Internal Monitoring Point 201 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (GPM)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX
MBAS	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Internal Monitoring Point 301 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average</i>	<i>Daily</i>	<i>Minimum</i>	<i>Average</i>	<i>Daily</i>	
	<i>Monthly</i>	<i>Maximum</i>		<i>Monthly</i>	<i>Maximum</i>	
Flow (GPM)	XXX	Report	XXX	XXX	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
BTEX, Total	XXX	XXX	XXX	XXX	Report	XXX
MBAS	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Northeast Regional Office

Applicant: **Larken Associates**

Applicant Address: 1250 Route 28, Suite 101, Branchburg, NJ 08876-3389

Application Number: **PAD480190**

Application Type: New

Municipality/County: Forks Township, **Northampton County**

Project Site Name: Legacy at Sullivan Trail

Total Earth Disturbance Area (acres): 34.07 acres

Surface Waters Receiving Stormwater Discharges: Bushkill Creek (HQ-CWF, MF) & UNT to Bushkill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves construction of a residential development consisting of 19 apartments consisting of 420 apartment units, 2 mixed use buildings, a recreation center/clubhouse, walking trails, playground, dog park and associated stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **RB Dwellings, LLC**

Applicant Address: 1011 Ridge Road, Pottstown, PA 19465

Application Number: **PAD090090**

Application Type: New

Municipality/County: Springfield Township, **Bucks County**

Project Site Name: Cooks Creek

Total Earth Disturbance Area (acres): 15.32 acres

Surface Waters Receiving Stormwater Discharges: UNT to Cooks Creek (EV)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: 11 Lot Subdivision on existing vacant 17.19 Ac lot.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Southeast Regional Office

Applicant: **Honeywell International Inc.**

Applicant Address: 6100 Philadelphia Pike, Claymont, DE 19703

Application Number: **PAD230072**

Application Type: New

Municipality/County: Marcus Hook Borough, **Delaware County**

Project Site Name: Honeywell Delaware Works

Total Earth Disturbance Area (acres): 2 acres

Surface Waters Receiving Stormwater Discharges: UNT to Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed work includes the removal and offsite disposal of onsite concrete, asphalt, dirt, dirt-stone, wood debris piles, and soil sampling. Additional excavation/post excavation sampling (as necessary) will be completed, and excavation area will be backfilled with certified clean fill and compacted. All disturbed areas will be restored with topsoil, seeding and stabilized.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northeast Regional Office

Applicant: **Blue Heron Woods Property Owners Association**

Applicant Address: P.O. Box 606, Hawley, PA 18428

Application Number: **PAD520017**

Application Type: Renewal

Municipality/County: Lackawaxen Township, Blooming Grove Township, Palmyra Township, **Pike County**

Project Site Name: Blue Heron Woods

Total Earth Disturbance Area (acres): 25.00 acres

Surface Waters Receiving Stormwater Discharges: Decker Creek (HQ-CWF, MF), Blooming Grove Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: 149-Lot Subdivision in Lackawaxen, Blooming Grove, and Palmyra Townships in Pike County, PA.
Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northwest Regional Office

Applicant: **PA DCNR Bureau of State Parks**

Applicant Address: 400 Market Street, P.O. Box 8551, Harrisburg, PA 17105

Application Number: **PAD620005**

Application Type: New

Municipality/County: Pleasant Township, **Warren County**

Project Site Name: Chapman Dam Campsites

Total Earth Disturbance Area (acres): 3.87 acres

Surface Waters Receiving Stormwater Discharges: West Branch Tionesta Creek HQ CWF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of improvements to existing camp sites within Chapman State Park, including extending the length of camp sites and providing electric, sewer, and water service.

Special Conditions: No site-specific special conditions.

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northwest Regional Office

Applicant: **Bridging Pennsylvania Developer I LLC**

Applicant Address: 2601 Market Place, Unit 100, Harrisburg, PA 17110

Application Number: **PAD160003**

Application Type: Major Amendment

Municipality/County: Beaver Township, **Clarion County**

Project Site Name: I-80 Canoe Creek Bridges

Total Earth Disturbance Area (acres): 130 acres

Surface Waters Receiving Stormwater Discharges: Canoe Creek and UNT's Canoe Creek HQ-CWF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project proposes the replacement of two bridge structures and the required roadway realignments necessary to align with the existing roadway. The two structures to be replaced carry both eastbound and westbound lanes of I-80 over Tippecanoe Rd. and Canoe Creek, with the 2-mi project resulting in a total of 130-ac of earth disturbance.

Special Conditions: • Pollution of any waterway with harmful chemicals, fuels, oils, greases, bituminous material, acid, or other harmful or polluting materials, is prohibited. • The permittee shall follow the measures specified in the APR Handling Work Plan during construction. The permittee shall maintain a copy of the Plan on-site at all times during construction, train staff to use and implement this plan, and have this plan available to provide at the request of any Department inspector.

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Southeast Regional Office

Applicant: **City of Philadelphia Dept. of Aviation**

Applicant Address: 8500 Essington Ave, Philadelphia, PA 19153

Application Number: **PAD230012 A-20**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: East Campus Stockpile Relocation

Total Earth Disturbance Area (acres): 17.63 acres

Surface Waters Receiving Stormwater Discharges: Lower Schuylkill via storm sewer (WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Relocation approx. 100,000 CY of stockpiled material from one DOA-owned parcel to another.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Regional Permit Coordination Office

Applicant: **D&J Pallet Services, Inc.**

Applicant Address: P.O. Box 212, Shermans Dale, PA 17090

Application Number: **PAD500020**

Application Type: New

Municipality/County: Centre Township, **Perry County**

Project Site Name: D&J Pallet Services

Total Earth Disturbance Area (acres): 3.1 acres

Surface Waters Receiving Stormwater Discharges: Little Juniata Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 17,000 square feet of manufacturing and storage buildings with associated parking and truck staging facilities. The stormwater will be handled by a single, large, shallow infiltration basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Regional Permit Coordination Office

Applicant: **Brandon Frankhouser**

Applicant Address: 12878 Weilder Rd, Petersburg, PA 16669

Application Number: **PAD310014**

Application Type: New

Municipality/County: Jackson Township, **Huntingdon County**

Project Site Name: Brandon Frankhouser Ag Operation

Total Earth Disturbance Area (acres): 10.63 acres

Surface Waters Receiving Stormwater Discharges: Standing Stone Creek (HQ-CWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a new poultry operation inclusive of two breeder barns, egg room, compost building gravel driveway, and gravel pads. The stormwater management includes vegetative swales and a large infiltration basin.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-772-5987.

Northcentral Regional Office

Applicant: **Brian Wynn—Wynn Tec Inc.**

Applicant Address: 70 EJ Commerce Drive, Loganton, PA 17747

Application Number: **PAD180029 A-1**

Application Type: Major Amendment

Municipality/County: Green Township, **Clinton County**

Project Site Name: Wynn Development

Total Earth Disturbance Area (acres): 13.6 acres

Surface Waters Receiving Stormwater Discharges: Mill Creek HQ-CWF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: A 6,400 sf commercial garage and a 15,000 sf commercial garage with parking, utilities, and stormwater managements.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

Northeast Regional Office

Applicant: **CRG Services Management, LLC, c/o Fred Ferraro**

Applicant Address: 300 Barr Harbor Drive, Suite 720, Conshohocken, PA 19428

Application Number: **PAD390265**

Application Type: New

Municipality/County: Lowhill Township, **Lehigh County**

Project Site Name: 2951 Betz Court Site

Total Earth Disturbance Area (acres): 28.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Jordan Creek (HQ-CWF, MF) & EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of one new warehouse/distribution center totaling approximately 299,880 square feet of gross floor area. Development of the site will also include construction of two access driveways, truck courts, employee parking areas, site utilities, landscaping amenities, a stormwater collection and conveyance system and other related site improvements. Access to the site will be provided through two proposed driveway connections to Betz Court.

Special Conditions: See Draft Permit for additional detail related to Riparian Buffer Implementation Requirements, Sinkholes & Potential Impacts to EV Wetlands.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

STATE CONSERVATION COMMISSION

PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at

the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Funk Family Farm 18255 Ft Davis Road Mercersburg, PA 17236	Franklin County	354	641.85	Swine	NA	Renewal
Hidden Acres Farms, LLC— J Kevin Rohrer 2115 Rohrer Road Manheim, PA 17545	Lancaster County	397.5	1,107.07	Swine/Beef	NA	Renewal
Zugstead Farm, Inc. 558 Freed Road Mifflintown, PA 17059	Juniata County	1,160.7	1,930.00	Dairy	NA	Renewal

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Central Office: Safe Drinking Water Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-772-4477.

Contact: Jacob Fogarty.

Application No. 9996632, Bottled Vended Bulk Retail, Public Water Supply.

Applicant	Culligan Water
Address	P.O. Box 160 Vincent, OH 45784
Municipality	Out of State
County	Out of State
Responsible Official	Steve Byus P.O. Box 160 Vincent, OH 45784
Application Received	August 15, 2023
Description	Application to sell Culligan Water in PA.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Joseph Mattucci, Program Manager, 717-705-4931.

Application No. 3623533, Construction, Public Water Supply.

Applicant	Speedway # 6780
------------------	------------------------

Address	2281 Beaver Valley Pike New Providence, PA 17560
Municipality	Providence Township
County	Lancaster County
Responsible Official	Brandie Lehman 500 Speedway Drive Enon, OH 45323
Consulting Engineer	Charles A. Kehew, II, P.E. 18 South George Street Suite 300 York, PA 17401
Application Received	July 24, 2023
Description	This project includes the installation of a new acid neutralizer, sediment filters, water softener, nitrate treatment, and UV disinfection system.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

Application No. 0223520, Construction, Public Water Supply.

Applicant	University of Pittsburgh Medical Center Children's Hospital of Pittsburgh
Address	4401 Penn Avenue Pittsburgh, PA 15224
Municipality	City of Pittsburgh
County	Allegheny County
Responsible Official	James Majsak Senior Director of Support Services 4401 Penn Avenue Pittsburgh, PA 15224
Consulting Engineer	Allen & Shariff 22412 Perry Highway Zelienople, PA 16063
Application Received	August 23, 2023
Description	Application for the installation of a Barclay iChlor® monochloramine secondary drinking water treatment feed system at UPMC Children's Hospital of Pittsburgh.

WATER ALLOCATIONS

Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northwest Region: Safe Drinking Water Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Sterrett, P.E., Environmental Engineer Specialist, 814-332-6846.

WA32-1000B, Water Allocations. **Indiana County Municipal Services Authority**, 602 Kolter Drive, Indiana, PA 15701, White Township, **Indiana County**. Emergency

Interconnection between Indiana County Municipal Services Authority—Crooked Creek System and Pennsylvania American Water Company—Indiana System, requesting 576,000 gallons per day at the East Pike Interconnection when Indiana County Municipal Services Authority cannot meet the bypass requirements in Crooked Creek. Application received: September 5, 2023.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the site(s) identified below, proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the date specified below. During this comment period the municipality may request that the individual identified below, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager listed above the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Square One 103, Primary Facility ID # **687445**, 158-160 South Third Street, Easton, PA 18042, City of Easton, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Lisa Dell'Alba and Brenda Rosado, P.O. Box AA, Hellertown, PA 18055, submitted a Notice of Intent to Remediate. Soil and groundwater were contaminated by a release of heating oil. The Notice of Intent to Remediate was published in *The Morning Call* on August 26, 2023. Application received: September 7, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

901 North 9th Street, Primary Facility ID # **856326**, 901 North 9th Street, Philadelphia, PA 19123, City of Philadelphia, **Philadelphia County**. Stephen D. Brower, PG, Environmental Standards, 1140 Valley Forge Road, P.O. Box 810, Valley Forge, PA 19482 on behalf of Elise Halter, Post Quaker Property Owner, LLC, 1021 North Hancock Street, Suite 1, Philadelphia, PA 19123, submitted a Notice of Intent to Remediate. Soil at the site has been found to be contaminated with solvents from past property uses. The proposed future use of the property will be mixed-used commercial and residential. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Metro* on July 26, 2023. Application received: July 31, 2023.

1204 East Duval Street, Primary Facility ID # **868476**, 1204 East Duval Street, Philadelphia, PA 19138, City of Philadelphia, **Philadelphia County**. Alexander Ostrobrod, Union Technical Group, P.O. Box 8123, Pelham, NY 10803 on behalf of Louis J. Mastro, HOP Energy, LLC, 625 Sawkill Road, Kingston, NY 12401, NY 12401, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with heating oil compounds. The proposed future use of the property will be residential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *Philadelphia Tribune* on July 20, 2023. Application received: July 31, 2023.

HAZARDOUS WASTE TRANSPORTER LICENSE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Advant-Edge Solutions of Middle Atlantic, Inc., 17 Shea Way, Newark, DE 19713. **License No. PA-AH 0937**. Accepted: July 19, 2023.

Ziron Environmental Services, Inc., 302-306 E 25th Street, Chicago Heights, IL 60411. **License No. PA-AH 0938**. Accepted: July 24, 2023.

Ecotech Hydro Excavation LLC, 349 Buck Road, Quarryville, PA 17566. **License No. PA-AH 0941**. Accepted: July 24, 2023.

Renewal Applications Received

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Waste Recovery Solutions LLC, 343 King Street, Myerstown, PA 17067. **License No. PA-AH 0683**. Accepted: September 6, 2023.

Island Pump and Tank, LLC, 40 Doyle Court, East Northport, NY 11731. **License No. PA-AH 0915**. Accepted: September 6, 2023.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Raymond Kempa, New Source Review Chief, 570-826-2531.

54-00022G: Hydro Extrusion USA, LLC 53 Pottsville Street, Cressona, PA 17929, Cressona Borough, **Schuylkill County**. Application received: April 3, 2023.

Hydro Extrusion USA, LLC has submitted an application to the Pennsylvania Department of Environmental Protection for plan approval to install equipment in order to increase the melting and casting capacity of pre and post-consumer aluminum scrap at their facility in Cressona Borough, Schuylkill County. Plan Approval No. 54-00022G is for installation of one (1) new aluminum scrap shredder, associated scrap bunkers, one (1) new 21.0 Million British thermal units per hour (MMBtu/hr) natural gas fired reverberatory melting furnace and two (2) new 7.8 (MMBtu/hr) natural gas/propane fired saw heaters to increase the melting and casting capacity of pre and post-consumer aluminum scrap. The Facility is subject to 25 Pa. Code § 123.13 for Particulate Matter (PM), 25 Pa. Code § 123.21 for Oxides of Sulfur (SO_x) and 40 CFR Part 63, Subpart RRR: National Emission Standards for Hazardous Air Pollutants for Secondary Aluminum Production. The Facility will meet all emissions limits for the proposed melting furnace through the use of work practices rather than the use of an air pollution control devices. HAP emission increases from this equipment are not to exceed 21.76 tons/year. The Plan Approval and Operating permit will contain additional recordkeeping and operating restrictions designed to keep the facility operating within all applicable air quality requirements. Copies of the application, DEP's analysis and other documents used in the evaluation of the application are available for public review during normal business hours at Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915. Any person(s) wishing to provide DEP with additional information, which they believe should be considered prior to the issuance of this

permit, may submit the information to the address shown in the preceding paragraph. Each written comment must contain the name, address and telephone number of the person submitting the comments, identification of the proposed permit No.: 54-00022G and a concise statement regarding the relevancy of the information or objections to the issuance of the permit. A public hearing may be held, if the Department of Environmental Protection, in its discretion, decides that such a hearing is warranted based on the comments received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or the *Pennsylvania Bulletin* or by telephone, where DEP determines such notification is sufficient. Written comments or requests for a public hearing should be directed to Ray Kempa, Chief, New Source Review Section, Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, Phone 570-826-2511 within 30 days after publication date.

PLAN APPROVALS

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-00840: Eastern Gas Transmission and Storage, Inc., 267 McIlvaine Road, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. Application received: December 19, 2022.

Pursuant to 25 Pa. Code §§ 127.44—127.46 for intent to issue Air Quality plan approval for authorization to construct and temporarily operate sources associated with the South Oakford Compressor Station, a Title V facility in Hempfield Township, Westmoreland County.

The proposed project will add Selective Catalytic Reduction (SCR) units to each of two compressor engines, in order to achieve the presumptive RACT III requirements for each engine. The addition of the SCR will result in a reduction of NO_x emissions from this existing facility.

Presumptive RACT III conditions are included in the plan approval for the other equipment at the compressor station as needed, including one natural gas-fired boiler, one glycol dehydration unit, one produced fluids tank, one parts washer, four compressors driven by the two compressor engines, one auxiliary generator, and fugitive emissions sources.

After the completion of the project, the facility will be limited to 78.5 tons/12-consecutive month period (12-cmp) of NO_x, 159 tons/12-cmp of CO, 15.5 tons/12-cmp of PM₁₀, 15.5 tons/12-cmp of PM_{2.5}, 0.5 ton/12-cmp of SO_x, 66 tons/12-cmp of VOC, 22.5 tons/12-cmp of formaldehyde, and 31.5 tons/12-cmp total HAPs.

The proposed project is subject to and has been conditioned to ensure compliance with all applicable requirements specified in Title 25 of the Pa. Code and 40 CFR Part 60 and includes emissions restrictions, operational restrictions, testing, monitoring, recordkeeping, reporting, and work practice requirements. The project does not trigger the requirements of 40 CFR 52.21 related to

Prevention of Significant Deterioration (PSD), or those of 25 Pa. Code Chapter 127 Subchapter E related to Nonattainment New Source Review (NSR).

The plan approval application, the Department's Air Quality review memorandum, and the proposed Air Quality plan approval for the proposed project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. To schedule an appointment to review the Air Quality plan approval application or proposed Air Quality plan approval, or to receive an electronic copy of the Department's Air Quality review memorandum or the proposed Air Quality plan approval for the proposed project, a person may contact the Department's Southwest Regional Office File Review Coordinator at 412.442.4000.

A person may oppose the proposed Air Quality plan approval by filing a written protest with the Department or may submit written comments through Sheri Guerrieri, P.E., New Source Review Chief, via the U.S. Postal Service to the Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; via email to shguerrieri@pa.gov; or via fax to 412.442.4194. Each protest and set of written comments must contain the name, address, and telephone number of the person submitting the protest or comments, identification of the proposed plan approval (PA-65-00840) and a concise statement of the objections to plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication. A protest to the proposed action shall be filed with the Department within 30 days of the date that notice of the proposed action was published under 25 Pa. Code § 127.44 (relating to public notice).

A public hearing may be held, if the Department, in its discretion, determines that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification is sufficient. Written requests for a public hearing should be directed to Sheri Guerrieri, P.E., New Source Review Chief, Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222, or via email to shguerrieri@pa.gov.

OPERATING PERMITS

Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

49-00020, Truck Accessories Group, 3560 Housels Run Road, Milton, PA 17847, Milton Borough, **Northumberland County**. Application received: October 13, 2022. In accordance with 25 Pa. Code §§ 129.111—129.115, the Pennsylvania Department of Environmental Protection has made a preliminary determination to approve a RACT III plan and an amendment to the State Implementation Plan (SIP) for the TAG East facility located in Milton Borough, Northumberland County and owned and

operated by Truck Accessories Group, Inc. In accordance with 25 Pa. Code § 127.521, the Department of Environmental Protection intends to issue a permit renewal for the facility's Title V Operating Permit. The proposed permit renewal includes applicable presumptive RACT III requirements for other existing sources at the facility. The facility is located at 3560 Housel Run Road, Milton, PA 17847. The facility's representative to contact concerning this application is Mr. John Stroup, Director of Operations, phone number is 570-742-2647. The facility's major emission sources include forty-three (43) natural gas-fired space heaters, one (1) propane-fired emergency generator engine, a fiberglass reinforced plastic molding and assembly operation, a truck cap and Tonneau Cover assembly and finishing area, aluminum truck cap assembly and finishing area and three (3) solvent recovery units. The facility has the potential to emit 181.03 tons per year of volatile organic compounds (VOCs), 91.61 tpy of volatile hazardous air pollutant (VHAP) emissions, 9.97 tpy of carbon monoxide (CO), 7.26 tpy of nitrogen oxides (NO_x), 0.05 tpy of sulfur oxides (SO_x), 1.80 tpy of particulate matter (PM/PM₁₀) and 10,715 tpy of carbon dioxide equivalent (CO₂e). There are no changes to emission limits proposed in this Title V operating permit. The proposed SIP revision does not adopt any new regulations. It incorporates the provisions and requirements contained in the amended RACT III approval for the facility, which are intended to satisfy the requirements for the 2015 National Ambient Air Quality Standard (NAAQS) for ozone. The proposed amendments to the RACT III determinations, if finally approved, will be incorporated into a revised operating permit (49-00020) for the facility. The relevant RACT III requirements will be submitted to the U.S. Environmental Protection Agency (EPA) as a revision to Pennsylvania's State Implementation Plan and will remain in effect until replaced pursuant to 40 CFR 51 and approval by the EPA. Requirements that are not part of the RACT III determination will be excluded from the SIP submittal; this includes the provisions of the Department's presumptive RACT III requirements in accordance with 25 Pa. Code § 129.112, as they apply to existing sources. The emission limits, throughput limitations and work practice standards along with testing, monitoring, record-keeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. The proposed amendments to the RACT III determination that will be submitted to the EPA as a SIP revision will consist of incorporating all existing RACT II conditions into the permit to satisfy the requirements of RACT III. A public hearing will be held if requested by November 8, 2023, to accept oral comments on the proposed operating permit revision and the proposed SIP revision. The hearing will be held, if requested, on November 8, 2023, at 1:00 PM at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. To request a hearing, to register to speak at a hearing, or to inquire if a hearing will be held, please contact Megan Lehman at 570-327-3659. The last day to pre-register to speak at a hearing, if one is held, will be November 1, 2023. Please note that any updates made to any aspect of the hearing, including whether or not a hearing will be held, will be posted online at: <https://www.dep.pa.gov/About/Regional/Northcentral-Regional-Office/Community-Information/Pages/default.aspx>. Please contact Megan Lehman at 570-327-3659 or monitor the Web site to determine if a hearing will be held. Persons wishing to present testimony at the hearing should contact Megan Lehman at 570-327-3659

at least one week in advance of the hearing to reserve a time to present testimony. Oral testimony will be limited to a maximum of 10 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing, if it is held, may submit three (3) copies of a written statement and exhibits within 10 days thereafter to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Persons wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to Muhammad Q. Zaman, Environmental Program Manager, Pennsylvania Department of Environmental Protection Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. A 30-day comment period from the date of this notice will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT III Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the proposed RACT III Plan. All pertinent documents are available for public review between 8 a.m. and 4 p.m. at the DEP Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review may be made by calling the Department at 570-327-3636. Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Megan Lehman at 570-327-3659 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

60-00027, Mifflinburg Area School District, 178 Maple St., Mifflinburg, PA 17844, Mifflinburg Borough, **Union County**. Application received: August 16, 2023. To issue a State Only Operating Permit for their campus. The campus biomass boiler is currently operating under Plan Approval 60-00027A. The facility's main sources include one 8.5 MMBtu/hr Hurst Boiler and Welding Company, Inc. model FB-1325 biomass-fired boiler, equipped with a Clarage, Inc. model MTSA-6-9CYT high efficiency multiple cyclone; one 6.0 MMBtu/hr, Hurst S2-P2-150-125W, No. 2 fuel oil-fired boiler; two 2.0 MMBtu/hr, Cleaver Brooks FLX-100-200, No. 2 fuel oil-fired boilers; one 42 kW Kohler 35RZG propane-fired emergency generator; one 100 kW Kohler 100REOZJF, diesel-fired emergency generator; two 60 kW Kohler 60REOZK, diesel-fired emergency generators. The facility has potential emissions of 8.40 TPY of CO; 14.71 TPY of NO_x; 0.99 TPY of SO_x; 9.21 TPY of PM/PM₁₀; 0.77 TPY of VOCs; 0.78 TPY HAPs; 14,702 TPY GHGs. All boilers are subject to 40 CFR 63, Subpart JJJJJ,

NESHAPS for Industrial, Commercial, and Institutional Boilers Area Sources. The diesel-fired emergency generators are subject to 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines and 40 CFR 60, Subpart IIII—Standards of Performance for Stationary Compression Ignition Internal Combustion Engines. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of Title 25 Pa. Code Chapters 121—145, as well as 40 CFR Parts 60 and 63. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00149, Bridon-Bekaert Corp, 101 Stevens Ln, Exeter, PA 18643, Exeter Borough, **Luzerne County**. Application received: August 15, 2023. The Department intends to issue an initial State-Only Operating Permit for the operation of wire extrusion lines at their facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05073, Bollman Hat Co., 110 East Main Street, Adamstown, PA 19501, Adamstown Borough, **Lancaster County**. Application received: March 9, 2023. For the hat manufacturing operations. This is for renewal of the existing state-only permit. The subject facility's reported 2022 emissions were 1.51 tpy of VOCs, 2.31 tpy of NO_x, 2.10 tpy of CO, 0.30 tpy of HAPs, 0.12 tpy of PM₁₀, and 0.02 tpy of SO_x. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

23-00110, Bryn Hill Ind Inc, 407 Industrial Park Drive, Yeadon, PA 19050, Yeadon Borough, **Delaware County**. Application received: February 8, 2023. This action is for the renewal of a Synthetic Minor Operating Permit for Bryn Hill Industries, Inc. This facility manufactures urethane foam. The sources of emissions include a mold release process and a foam production line. The

company has an emission limit of 24.9 tons per year of VOC's. No changes to the current operating process have been proposed. There are no new changes to the renewal permit. Monitoring, record-keeping and reporting requirements have been added to the permit to address applicable limitations. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

46-00186, Tri-Valley Crematory, 667 Harleysville Pike, Telford, PA 18969, Franconia Township, **Montgomery County**. Application received: February 27, 2023. This action is for the renewal of a Natural Minor Operating Permit. The Natural Minor Operating Permit was last renewed on November 20, 2018. This renewed operating permit reflects the continued operation of Source ID 101 (Crematory). The facility also operates three (3) identical air conditioning and heating systems that operate on propane. There are no other sources of emissions at this facility. The potential emissions of the permitted sources at the facility are less than 1.0 tons per year for NO_x, SO_x, and VOC each; 1.55 tons per year PM; and 2.37 tons per year CO. Emissions of PM from the Crematory are expected to be less than 0.08 grains per dry standard cubic feet, corrected to 7 percent O₂. Emissions of SO_x from the Crematory are expected to be less than 500 ppmv. The permit will continue to contain monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and

Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 17814000. Rob Holland Enterprises, 52 Holland Lane, Curwensville, PA 16833, Penn Township, **Clearfield County.** Permit renewal for application for a bituminous surface coal mine permit affecting 23.8 acres. The renewal is for reclamation only. Receiving stream(s): Irish Run and Unnamed Tributaries to Irish Run classified for the following use(s): CWF. Application received: August 31, 2023. Accepted: September 5, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54900101. Blackwood, Inc., P.O. Box 639, Wind Gap, PA 18019, Reilly, Branch and Tremont Townships, **Schuylkill County.** Renewal of an anthracite surface mine, coal refuse reprocessing, coal refuse disposal and preparation plant operation affecting 1,850.6 acres. Receiving stream: Swatara Creek, classified for the following uses: CWF, MF. Application received: September 8, 2023.

Mining Permit No. 54900101. Blackwood, Inc., P.O. Box 639, Wind Gap, PA 18019, Reilly, Branch and Tremont Townships, **Schuylkill County.** Correction to update the post-mining land use from unmanaged natural habitat to cropland on 240.9 acres of the 1,850.0 acres of an anthracite surface mine, coal refuse reprocessing, coal refuse disposal and preparation plant operation. Receiving stream: Swatara Creek, classified for the following uses: CWF, MF. Application received: September 8, 2023.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l

pH must always be greater than 6.0; less than 9.0.

Alkalinity must always be greater than acidity.

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

NPDES No. PA0269042. Mining Permit No. 11120201. Robindale Energy Services, Inc., 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, East Taylor Township, **Cambria County.** Renewal of an NPDES permit affecting 95.5 acres related to a coal mining activity permit. Receiving stream: unnamed tributaries to Little Conemaugh River, classified for the following use: CWF. The receiving streams are included in the Kiski-Conemaugh TMDL. Application received: March 6, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The following outfalls discharge to unnamed tributaries to Little Conemaugh River:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Stormwater	Precipitation Induced
002	Existing	Stormwater	Precipitation Induced
003	Existing	Stormwater	Precipitation Induced
004	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	1.5	3.0	3.7
Total Manganese (mg/L)	XXX	1.0	2.0	2.5
Total Aluminum (mg/L)	XXX	0.75	0.75	0.75
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

NPDES No. PA0234699. Mining Permit No. 56980103. Wilson Creek Energy, LLC, P.O. Box 260, Friedens, PA 15541, Jenner and Lincoln Townships, **Somerset County.** Renewal of an NPDES permit affecting 138.0 acres related to a coal mining activity permit. Receiving stream: unnamed tributary to Quemahoning Creek, classified for the following use: CWF. The receiving stream is included in the Kiski-Conemaugh TMDL. Application received: July 26, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for coal mining activities.

The following outfalls discharge to unnamed tributary to Quemahoning Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
004	Existing	Treatment	0.069 MGD

The proposed effluent limits for the above listed outfall(s) are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	1.5	3.0	3.7
Total Manganese (mg/L)	XXX	1.0	2.0	2.5
Total Aluminum (mg/L)	XXX	0.75	1.5	1.8
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

Noncoal NPDES Draft Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

NPDES No. PA0124532. Mining Permit No. 4275SM14T. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Warriors Mark and Snyder Townships, **Huntingdon and Blair Counties.** Renewal of an NPDES permit affecting 353 acres related to a noncoal mining activity permit. Receiving stream: Logan Spring Run, unnamed tributary to and Little Juniata River, classified for the following use: WWF and HQ-CWF. Application received: May 9, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following outfalls discharge to Logan Spring Run, unnamed tributary to/and Little Juniata River:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility	Intermittent
002	Existing	Stormwater	Intermittent
003	Existing	Stormwater	Intermittent

The proposed effluent limits for the above listed outfall(s) are as follows:

Outfalls: 001, 002, and 003 (All Discharges)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (ml/L)	XXX	19.0	38.0	48.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

NPDES No. PA0262846. Mining Permit No. 56090301. New Enterprise Stone & Lime Co., Inc., P.O. Box 77, New Enterprise, PA 16664, Jefferson Township, **Somerset County**. Revision of an NPDES permit affecting 359 acres related to a noncoal mining activity permit. Receiving stream: unnamed tributaries to Kooser Run, classified for the following use: HQ-CWF. Application received: May 11, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described above for noncoal mining activities.

The following outfalls discharge to unnamed tributaries to Kooser Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001 (Emergency Spillway)	Existing	Stormwater	Precipitation Induced in Excess of 100-yr/24-hr Storm
002	Existing	Stormwater	Precipitation Induced
003	Existing	Stormwater	Precipitation Induced
005	Existing	Pumped Pit Water	0.22 MGD
006	Existing	Stormwater	Precipitation Induced

There will be no point source discharge from outfall 001 except for precipitation events in excess of the 100-year 24-hour storm event. All pumped groundwater and stormwater discharges from outfall 001 up to the 100-year 24-hour storm event will be handled through a non-discharge alternative in the form of an injection well.

The proposed effluent limits for the above listed outfall(s) are as follows:

Outfall 001 (Emergency Spillway Discharge in excess of 100-yr/24-hr Storm)

<i>Discharge Parameter</i>	<i>Limit (mg/l)</i>	<i>Measurement Frequency</i>	<i>Type</i>
Carbonaceous Biochemical Oxygen Demand (COBD ₅)	Monitor and Report	During discharge	Grab
Total Suspended Solids	Monitor and Report	During discharge	Grab
Ammonia (NH ₃ -N)	Monitor and Report	During discharge	Grab
Nitrates/Nitrites (NO ₂ /NO ₃ -N)	Monitor and Report	During discharge	Grab
Phosphorus	Monitor and Report	During discharge	Grab
Total Residual Chlorine (TRC)	Monitor and Report	During discharge	Grab
Lead, Total	Monitor and Report	During discharge	Grab
Copper, Total	Monitor and Report	During discharge	Grab
Iron, Total	Monitor and Report	During discharge	Grab
Sulfate	Monitor and Report	During discharge	Grab
Aluminum, Total	Monitor and Report	During discharge	Grab
Total Dissolved Solids	Monitor and Report	During discharge	Grab
Zinc, Total	Monitor and Report	During discharge	Grab

Waters entering the infiltration system (I-2) for all discharges from outfall 001 must meet the following instantaneous limitations:

<i>Discharge Parameter</i>	<i>Limit (mg/l)</i>	<i>Measurement Frequency</i>	<i>Type</i>
Iron, total	7.0	During discharge	Grab
Total Suspended Solids	90.0	During discharge	Grab
pH	6.0—9.0 (S.U.)	During discharge	Measured
Flow	Report (gpm)	During discharge	Measured

Outfalls 005 (All Discharges)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (ml/L)	XXX	20.0	40.0	50.0
Total Iron (mg/L)	XXX	1.5	3.0	3.7
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	0.75	1.5	1.8
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

Outfalls: 002, 003, and 006 (All Discharges)

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Suspended Solids (ml/L)	XXX	20.0	40.0	50.0
pH (S.U.)	6.0	XXX	XXX	9.0
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

NPDES No. PA0280518. Mining Permit No. 20910306. R. Hunter, Inc., 15428 Sheets Road, Guys Mills, PA 16327, Richmond Township, **Crawford County.** Renewal of an NPDES permit. Application received: July 14, 2023.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301–303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311–1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Stephen Kardohely, Project Manager, 814-342-8216.

E1704223-003. City of DuBois, 16 W. Scribner Ave, DuBois, PA 15801, City of DuBois, **Clearfield County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: August 29, 2023.

The City of DuBois is applying for a Chp. 105 Small Projects permit for additions and improvements to the City Park including construction of an artificial turf softball field, pickleball court, relocate the basketball courts and construct additional parking. There are no anticipated adverse impacts to waters of the U.S. or aquatic resources from this construction project. The project is located within the floodplain of Sandy Lick Creek which is listed in the 25 Pa. Code Chapter 93 designation use of Trout Stocked Fishery (TSF). Latitude: 41° 7' 24.26", Longitude: -78° 45' 42.46".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E0306223-003. Armstrong Terminal Inc., P.O. Box 58, Woodland, PA 16881, Gilpin Township, **Armstrong County.** U.S. Army Corps of Engineers Pittsburgh District. Application received: May 17, 2023.

To construct and maintain a new 400-foot long barge dock facility consisting of driven steel sheet piling to be installed approximately 4 feet in front of the existing steel piling with mooring rings, tiebacks, gravel backfill between the new and existing sheet piling, and an approximately 30 foot wide by 400 foot long concrete work surface along the left bank of the Allegheny River within Pool # 5. This project in part modifies the existing dock area authorized for maintenance under DEP Permit No.

E03-228 originally issued to Shenley Barge Terminal in March 1989 and transferred to Armstrong Terminal, Inc. on March 4, 1992. Latitude: 40.686445°, Longitude: -79.664151°.

Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: 717-704-4802.

E0603223-015. Mount Penn Borough Municipal Authority, 200 N. 25th St., Reading, PA 19606, Lower Alsace Township, **Berks County**. U.S. Army Corps of Engineers Philadelphia District. Application received: July 14, 2023.

To 1) Demolish an existing 1.0 million gallon concrete water storage tank, construct and maintain a new 1.0 million gallon concrete water storage tank, and grade and maintain the floodway of an Unnamed tributary (UNT) to Antietam Creek (CWF, MF), resulting 12,618 square feet permanent floodway impact; 2) Install and maintain a 16-foot long, 27-inch wide, 6-inch depressed RCP culvert within a UNT to Antietam Creek (CWF, MF) resulting in 16 linear feet (37 square feet) of permanent impact; 3) Install and maintain a 24-foot long, 48-inch wide, 6-inch depressed, HDPE culvert, with rubber baffles and a headwall and endwall, within a UNT to Antietam Creek (CWF, MF) resulting in 24 linear feet (96 square feet) of permanent impact; 4) Install and maintain a 12-inch water main under a UNT to Antietam Creek (CWF, MF) resulting in 2 linear feet (2 square feet) of permanent impact; 5) Install and maintain a 12-inch water main under a UNT to Antietam Creek (CWF, MF) resulting in 4 linear feet (4 square feet) of permanent impact; 6) Install and maintain an electric utility line under a UNT to Antietam Creek (CWF, MF) resulting in 2.25 linear feet of permanent impact; 7) Remove an existing pipe enclosure, resulting in 129 linear foot (517 square feet) of permanent impact to a UNT to Antietam Creek (CWF, MF); 8) Relocate, grade, and maintain 150 linear feet of a UNT to Antietam Creek (CWF, MF), resulting in 150 linear feet of permanent impact. All for the purpose of ensuring continued water quality serviced to the local community and continued site access. The project is located along Spook Lane in Lower Alsace Township, Berks County. No wetlands will be impacted by this project. Latitude: 40.340722°, Longitude: -75.887584°.

E0503223-002. Pennsylvania Game Commission, 2001 Elmerton Avenue, Harrisburg, PA 17110, Monroe Township, **Bedford County**. U.S. Army Corps of Engineers Baltimore District. Application received: June 28, 2023.

1) Construct and maintain a 50-foot long, 14-foot wide, single span, steel beam, timber deck bridge with reinforced 14-foot by 2-foot concrete abutments across Elk Lick Creek (HQ-CWF, MF) and in the floodway of Elk Lick Creek (HQ-CWF, MF) resulting 16 linear feet (224 square feet) of permanent stream impact and 56 square feet of permanent floodway impact (Latitude: 39.864161, Longitude: -78.474939); 2) place and maintain 14-feet by 4-feet of R-4 rock rip rap for scour protection at each abutment in the floodway of Elk Lick Creek (HQ-CWF, MF) and grade and maintain 34 linear feet (476 square feet) of the floodway of Elk Lick Creek (HQ-CWF, MF); 3) Construct and maintain a 50-foot long, 14-foot wide, single span, steel beam, timber deck bridge with reinforced 14-foot by 2-foot concrete abutments across Elk Lick Creek (HQ-CWF, MF) and in the floodway of Elk Lick Creek (HQ-CWF, MF) resulting 16 linear feet

(224 square feet) of permanent stream impact and 56 square feet of permanent floodway impact (Latitude: 39.870797, Longitude: -78.471554); 4) place and maintain 14-feet by 4-feet of R-4 rock rip rap for scour protection at each abutment in the floodway of Elk Lick Creek (HQ-CWF, MF) and grade and maintain 34 linear feet (476 square feet) of the floodway of Elk Lick Creek (HQ-CWF, MF); all for the purpose of providing safe and reliable access to inaccessible portions of State Game Lands 097. The project is located within State Game Lands 097 in Monroe Township, Bedford County. No wetlands will be impacted by this project. Latitude: 39.864161°, Longitude: -78.474939°.

E3603123-006. PennDOT Engineering District 8-0, 2140 Herr St., Harrisburg, PA 17103, West Cocalico Township, **Lancaster County**. U.S. Army Corps of Engineers Baltimore District. Application received: July 27, 2023.

To remove existing structure and to install and maintain a 77-foot x 30-foot bridge over Cocalico Creek (WWF, MF) with riprap scour protection, for the purpose of improving transportation safety. The project proposes to permanently impact 81 linear feet and temporarily impact 102 linear feet of stream channel. The project is located in West Cocalico Township, Lancaster County Latitude: 40.2727°, Longitude: -76.1554°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601223-018. Upper Providence Township, 1286 Black Rock Road, Phoenixville, PA 19460, Upper Providence Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: March 15, 2023.

Demolition and removal of existing house, accessory structure, foundations, pads, slabs, walkways, driveway, and other site improvements. Backfill of disturbed areas of the property to uniform grade with adjacent undisturbed area(s) with suitable clean fill material and minimum six (6) inches of topsoil. Removal of non-native invasive plants. Preservation of existing native trees and vegetation. Restoration of disturbed areas of the property with lawn ground cover along the floodplain of the Schuylkill River (WWF-MF) associated with the Floodplain Management Site Restoration. The site is located at 946, 954, and 960 Port Providence Road, Phoenixville PA 19460, (Collegeville PA USGS Quadrangle Latitude N 40.128033, Longitude W 75.490273; Latitude N 40.128012, Longitude W 75.489833; Latitude N 40.128038, Longitude W 75.489598) in Upper Providence Township, Montgomery County.

EA1501223-001, WV1501223-006. Brandywine Red Clay Alliance, 1760 Unionville-Wawaset Road, West Chester, PA 19382, East Marlborough Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: August 31, 2023.

To restore and rehabilitate approximately 3,400 feet of Upper East Branch Red Clay Creek, Quartz Creek, and its UNT (TSF-MF) associated with the applicant's request for 105.12(a)(16) waiver to conduct stream restoration and enhancement. The proposed rehabilitation will include the following: 1) The removal of legacy sediments. 2) To improve the hydrologic, aquatic, riparian, and chemical functions of the stream. 3) Enhance riparian habitat, decrease sedimentation to downstream areas, and improve water quality. 4) Stabilize the streambanks,

create floodplain benches, and install aquatic habitat enhancement structures such as j-hooks, straight vanes, and root wads to improve the available cover for aquatic species, etc. 5) The proposed project will not increase flood elevations or adversely impact upstream, downstream, or adjoining properties and structures. 6) Temporary wetland impacts will be approximately 0.43 acre and there are no Permanent wetland impacts. The project is located about 1,500 feet northwest of Walnut and Longwood Roads (Kennett Square, PA USGS Quadrangle) in East Marlborough Township, Chester County. Latitude: 39.871101°, Longitude: -75.707997°.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D35-004EA. Bilal Baqai, Pennsylvania Department of Conservation and Natural Resources, Facility Design and Construction, 2808 Three Mile Run Road, Perkasie, PA 18944, Plains Township, **Lackawanna County**. Applicant proposes to remove the Olyphant No. 2 Dam to eliminate a threat to public safety and to restore approximately 520 feet of stream channel to a free-flowing condition. The proposed restoration project includes full sediment removal within the limits of the impoundment and proposes grading of a pilot channel to encourage channel development in the stream's historic alignment. The project is located across Grassy Island Creek (CWF, MF) (Olyphant, PA Quadrangle, Latitude: 41.4654, Longitude: 75.5342), Latitude: 41.4654°, Longitude: -75.5342°. Application received: September 6, 2023.

D35-001EA. Gary Gimbert, Natural Lands Trust, 1031 Palmer Mill Road, Media, PA 19063, Glenburn Township, **Lackawanna County**. Applicant proposes to breach the Glenburn Dam to eliminate a threat to public safety and to restore approximately 2,300 feet of stream channel to a free-flowing condition. Approximately 2.5 feet of the vertical extent of the dam will remain intact to sequester sediment impounded by the dam. Some sediment will be removed to prevent downstream sediment migration. The stream bed will be gradually ramped to the new top-of-dam elevation to provide fish passage. The project is located across Ackerly Creek (TSF, MF) (Dalton, PA Quadrangle, Latitude: 41.5190, Longitude: -75.7278). Application received: April 14, 2023.

D35-003EA. Bilal Baqai, Pennsylvania Department of Conservation and Natural Resources, Facility Design and Construction, 2808 Three Mile Run Road, Perkasie, PA 18944, Plains Township, **Lackawanna County**. Applicant proposes to remove the Olyphant No. 3 Dam to eliminate a threat to public safety and to restore approximately 947 feet of stream channel to a free-flowing condition. The proposed restoration project includes full sediment removal within the limits of the impoundment and proposes grading of a pilot channel to encourage channel development in the stream's historic alignment. The project is located across Grassy Island Creek (CWF, MF) (Olyphant, PA Quadrangle, Latitude: 41.4654, Longitude: -75.5342). Application received: September 6, 2023.

EROSION AND SEDIMENT CONTROL

The following parties have applied for an Erosion and Sediment Control Permit (ESCP) for an earth disturbance activity associated with either a road maintenance or timber harvesting operation.

Unless otherwise indicated, on the basis of preliminary review and application of lawful standards and regulations, the Department of Environmental Protection (DEP) proposes to issue a permit to discharge, subject to certain limitations set forth in the permit conditions. These proposed determinations are tentative. Limitations are provided as erosion and sediment control best management practices (BMPs) which restrict the rate and quantity of sediment discharged.

Individuals wishing to comment on the proposed permit are invited to submit a statement to the appropriate DEP Regional Office listed above the application within 30-days of this public notice. Comments reviewed within this 30-day period will be considered in the formulation of the final determinations regarding this application. Responses should include the name, address, and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and relevant facts upon which it is based. A public hearing may be held after consideration of comments received by the appropriate DEP Regional Office during the 30-day public comment period.

Following the 30-day comment period, the appropriate Regional Office Program Manager will make a final determination regarding the proposed permit. Notice of this determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The application and related documents, including the erosion and sediment control plan for the earth disturbance activity are on file and may be inspected at the office identified in this notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Applications Received Under Sections 5 and 402 of the Clean Streams Law (35 P.S. §§ 691.5 and 691.402).

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP-3 # ESP07302300100E
 Applicant Name **CNX Gas Co**
 Contact Person Kevin Quinn, kevinquinn@CNX.com
 Address 1000 Horizon Vue Drive
 City, State, Zip Canonsburg, PA 15317
 Township(s) Richhill Township
 County **Greene County**
 Receiving Stream(s) and Classification(s) UNT Dunkard Fork. Non-SP.
 Application received: August 30, 2023

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir.

2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0088846	CAFO Individual NPDES Permit	Issued	Wenger Farms Pork Products Network LLC 101 W Harrisburg Avenue Box 26 Rheems, PA 17570	Oliver Township Perry County	SCRO
PAD140099	Chapter 102 Individual NPDES Permit	Issued	Landpro Equip 1756 Lindquist Drive Falconer, NY 14733-9710	Potter Township Centre County	NCRO
PAD160003	Chapter 102 Individual NPDES Permit	Issued	Bridging Pennsylvania Development I LLC 2550 Oakland Avenue Indiana, PA 15701-3388	Beaver Township Clarion County	NWRO
PAD160006	Chapter 102 Individual NPDES Permit	Issued	Columbia Gas of PA, Inc. 4000 Energy Drive Bridgeville, PA 15017-2561	Beaver Township Clarion County	NWRO
PAD330009	Chapter 102 Individual NPDES Permit	Issued	National Fuel Gas Distr Corp 1100 State Street Erie, PA 16501-1912	Barnett Township Heath Township Jefferson County	NWRO
PAD390093	Chapter 102 Individual NPDES Permit	Issued	Big Bear Management Fund P.O. Box 8 7475 Hamilton Boulevard Trexlerstown, PA 18087-0008	Lower Macungie Township Lehigh County	NERO
PAD450045	Chapter 102 Individual NPDES Permit	Issued	Poconos Hospitality LLC 590 NY-211 Middletown, NY 10941	Pocono Township Monroe County	NERO
PAD450070	Chapter 102 Individual NPDES Permit	Issued	Pocono Manor Investors LP P.O. Box 38 Pocono Manor, PA 18349-0038	Tobyhanna Township Monroe County	NERO
PAD510225	Chapter 102 Individual NPDES Permit	Issued	Alliance 51st St LLC 40 Morris Avenue Suite 230 Bryn Mawr, PA 19010-3300	Philadelphia City Philadelphia County	SERO
PAD540032	Chapter 102 Individual NPDES Permit	Issued	PPL Electric Utilities Corp 1639 Church Road Allentown, PA 18104-9342	Butler Township Schuylkill County	NERO
PAD570002	Chapter 102 Individual NPDES Permit	Issued	Bagley James W 602 Ellis Road Forks ville, PA 18616-8846	Elkland Township Sullivan County	NCRO
PAD590015	Chapter 102 Individual NPDES Permit	Issued	Watrous Water Association Inc. 2430 Elk Run Road Gaines, PA 16921-9540	Gaines Township Tioga County	NCRO
PAD600011	Chapter 102 Individual NPDES Permit	Issued	Martin Floyd L 1265 Cold Run Road Millmont, PA 17845-9117	Lewis Township Union County	NCRO
0923819	Joint DEP/PFBC Pesticides Permit	Issued	Bucks County Conserv District 1456 Ferry Road Doylestown, PA 18901-2391	Bristol Borough Bucks County	SERO
4318804	Joint DEP/PFBC Pesticides Permit	Issued	Mercer County 24 Avalon Court Mercer, PA 16137	Fairview Township Mercer County	NWRO
PAI136151	MS4 Individual NPDES Permit	Issued	Municipal of Monroeville 2700 Monroeville Boulevard Monroeville, PA 15146	Monroeville Borough Allegheny County	SWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
467S032	Major Sewage Treatment Facility Individual WQM Permit	Issued	Mon Valley Sewer Authority 20 S Washington Street Donora, PA 15033-1394	Carroll Township Washington County	SWRO
6008403	Major Sewage Treatment Facility Individual WQM Permit	Issued	Gregg Township Municipal Authority 16436 US Route 15 Allenwood, PA 17810-9137	Gregg Township Union County	NCRO
PA0204935	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Charles J Merlo Inc. 234 Merlo Road Mineral Point, PA 15942-5703	Cambria Township Cambria County	SWRO
PA0101737	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Wilderness MHP LLC 100 Mountain Laurel Vlg Spring Brook Township, PA 18444-6373	Pleasant Township Warren County	NWRO
PA0057011	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Aqua PA Wastewater Inc. 762 West Lancaster Avenue Bryn Mawr, PA 19010-3402	Thornbury Township Chester County	SERO
PA0114715	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Hemlock Municipal Sewer Cooperative P.O. Box 243 Bloomsburg, PA 17815-0243	Hemlock Township Columbia County	NCRO
1198201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Charles J Merlo Inc. 234 Merlo Road Mineral Point, PA 15942-5703	Cambria Township Cambria County	SWRO
0695404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Bally Borough 425 Chestnut Street Bally, PA 19503-9614	Bally Borough Berks County	SCRO
3294401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Central Indiana County Joint Sewer Authority 603 S Main Street P.O. Box 7 Homer City, PA 15748-1615	Center Township Indiana County	NWRO
6110402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Rouseville Borough P.O. Box 317 Rouseville, PA 16344-0317	Cornplanter Township Venango County	NWRO
6274403	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Wilderness MHP LLC 100 Mountain Laurel Vlg Spring Brook Township, PA 18444-6373	Pleasant Township Warren County	NWRO
NOEXNE006	No Exposure Certification	Issued	Quality Carriers Inc. 102 Pickering Way Suite 105 Exton, PA 19341-1330	Scranton City Lackawanna County	NERO
NOEXNE052	No Exposure Certification	Issued	Advanced Recycling Tech 5060 Commerce Park Circle Pensacola, FL 32505-1869	Whitehall Township Lehigh County	NERO

NOTICES

5977

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXNW048	No Exposure Certification	Issued	Rebeo Inc. 650 Brandy Camp Road Kersey, PA 15846-1904	Fox Township Elk County	NWRO
NOEXNW055	No Exposure Certification	Issued	Parker Hannifin Corp 201 Titusville Road Union City, PA 16438-8601	Union City Borough Erie County	NWRO
NOEXNW089	No Exposure Certification	Issued	Plastek Ind Inc. 2425 W 23rd Street Erie, PA 16506-2920	Millcreek Township Erie County	NWRO
NOEXNW090	No Exposure Certification	Issued	Plastek Ind Inc. 2425 W 23rd Street Erie, PA 16506-2920	Erie City Erie County	NWRO
NOEXNW093	No Exposure Certification	Issued	Plastek Ind Inc. 2425 W 23rd Street Erie, PA 16506-2920	Millcreek Township Erie County	NWRO
NOEXSE083	No Exposure Certification	Issued	Zeks Compressed Air Solutions 1302 Goshen Parkway West Chester, PA 19380-5985	West Goshen Township Chester County	SERO
NOEXSE118	No Exposure Certification	Issued	Draeger Medical System Inc. 3135 Quarry Road Telford, PA 18969-1042	West Rockhill Township Bucks County	SERO
PAG030005	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Marine Lubricants Inc. 4700 Basin Bridge Road Philadelphia, PA 19112-1610	Philadelphia City Philadelphia County	SERO
PAG030012	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Harrys U Pull It 2557 Geryville Pike Pennsburg, PA 18073-2202	Upper Hanover Township Montgomery County	SERO
PAG030121	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amazon Com Service LLC P.O. Box 80842 Attn: NA Environmental Dept Seattle, WA 98108-0842	Philadelphia City Philadelphia County	SERO
PAG030164	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Coopers Creek Chemicals Corp 884 River Road W Conshohocken, PA 19428-2699	Upper Merion Township Montgomery County	SERO
PAG030180	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Telford Auto Parts LLC 2010 Ridge Road Telford, PA 18969-1614	Upper Salford Township Montgomery County	SERO
PAG030250	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SEPTA 1234 Market Street 6th Floor Philadelphia, PA 19107	Conshohocken Borough Montgomery County	SERO
PAG032228	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Republic Service of New Jersey LLC 1200 N Irving Street Allentown, PA 18109-3321	Allentown City Lehigh County	NERO
PAG032236	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tredegear Film Products Inc. 30 Maple Avenue Pottsville, PA 17901-9137	Norwegian Township Schuylkill County	NERO
PAG032340	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ringtown Wilbert Vault Works Inc. P.O. Box 215 Ringtown, PA 17967-0215	Ringtown Borough Schuylkill County	NERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG032373	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Alleima USA LLC 982 Griffin Pond Road South Abington Township, PA 18411-9214	Scott Township Lackawanna County	NERO
PAG032382	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	International Paper Co. 533 Forest Road Hazleton, PA 18202	Hazle Township Luzerne County	NERO
PAG032397	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mactac 802 E Corey Street Scranton, PA 18505-3515	Moosic Borough Lackawanna County	NERO
PAG032404	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Deer Park Lumber Inc. 3042 SR 6 Tunkhannock, PA 18657-7797	Tunkhannock Township Wyoming County	NERO
PAG033532	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Big Valley Concrete 629 E Rolling Ridge Drive Bellefonte, PA 16823-8135	Brady Township Huntingdon County	SCRO
PAG033556	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Boose Quality Castings 402 Schaeffer Road Lebanon, PA 17042	South Lebanon Township Lebanon County	SCRO
PAG033712	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mifflin County Solid Waste Authority P.O. Box 390 Lewistown, PA 17044-0390	Derry Township Mifflin County	SCRO
PAG033737	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Danzer Lumber North American Inc. P.O. Box 111 22510 Croghan Pike Shade Gap, PA 17255-0111	Dublin Township Huntingdon County	SCRO
PAG033832	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Arkema Inc. 1112 Lincoln Road Birdsboro, PA 19508-1804	Exeter Township Berks County	SCRO
PAG033933	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Graham Recycling Co. LP 505 Windsor Street York, PA 17403-1054	Spring Garden Township York County	SCRO
PAG033945	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	United Parcel Service Inc. 55 Glenlake Parkway Atlanta, GA 30328-3474	Chambersburg Borough Franklin County	SCRO
PAG034828	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	St Engineering Hackney Inc. 914 Saegers Station Road Montgomery, PA 17752-8501	Montgomery Borough Lycoming County	NCRO
PAG034852	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Patriot Metal Products 1005 N Vine Street Berwick, PA 18603-2026	Berwick Borough Columbia County	NCRO
PAG034921	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Auwarter Auto Salvage Inc. 742 N Williamson Road Covington, PA 16917-9427	Covington Township Tioga County	NCRO
PAG034934	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Forum US Inc. 1102 Industrial Park Road Clearfield, PA 16830-6020	Clearfield Borough Clearfield County	NCRO

NOTICES

5979

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG034935	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Oak Hill Veneer Inc. P.O. Box 304 Troy, PA 16947-0304	Troy Township Bradford County	NCRO
PAG034950	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Staiman Recycling Hanover 201 Hepburn Street Williamsport, PA 17701-6501	Williamsport City Lycoming County	NCRO
PAG034962	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	M & B Redi Mix Inc. d/b/a Dubrook 15303 Route 322 Clarion, PA 16214-6265	DuBois City Clearfield County	NCRO
PAG036173	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Henwil Corp 899 Third Street Newell, PA 15466	Newell Borough Fayette County	SWRO
PAG036199	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Heidelberg Materials NE LLC 2200 Springfield Pike Connellsville, PA 15425-6412	Braddock Borough Allegheny County	SWRO
PAG036243	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Boyd Roll Off Service Inc. 1107 Thompson Avenue McKees Rocks, PA 15136	McKees Rocks Borough Allegheny County	SWRO
PAG036363	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Szuch Jerry S 176 Flaugherty Run Road Coraopolis, PA 15108-9790	Moon Township Allegheny County	SWRO
PAG036384	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ridc SW PA 611 William Penn Place Suite 600 Pittsburgh, PA 15219-6901	East Pittsburgh Borough Allegheny County	SWRO
PAG036388	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Josh Steel Co. Inc. 46 6th Street Braddock, PA 15104-1948	Braddock Borough Allegheny County	SWRO
PAG036401	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Allegheny County Airport Authority Pgh Int Airport Landside Term 4th Floor Mezz P.O. Box 12370 Pittsburgh, PA 15231-0370	West Mifflin Borough Allegheny County	SWRO
PAG036442	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Perryman Co. 2045 W Pike Street Houston, PA 15342-1000	Chartiers Township Washington County	SWRO
PAG036548	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sandvik Mining & Const USA LLC P.O. Box 282 6701 National Pike Brier Hill, PA 15415-0282	Redstone Township Fayette County	SWRO
PAG036549	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Adv Pultrusions LLC dba Liberty Pultrusions 1575 Lebanon School Road West Mifflin, PA 15122-3433	West Mifflin Borough Allegheny County	SWRO
PAG133717	PAG-13 NPDES General Permit for MS4s	Waived	PA Department of Corrections Camp Hill State Correctional Institution 2500 Lisburn Road P.O. Box 598 Camp Hill, PA 17011-8005	Lower Allen Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG134832	PAG-13 NPDES General Permit for MS4s	Waived	South Centre Township 6260 4th Street Bloomsburg, PA 17815-8731	South Centre Township Columbia County	NCRO
PAG136262	PAG-13 NPDES General Permit for MS4s	Waived	New Eagle Borough 157 Main Street New Eagle, PA 15067-1160	New Eagle Borough Washington County	SWRO
PAG136366	PAG-13 NPDES General Permit for MS4s	Waived	Stowe Township 555 Broadway Avenue McKees Rocks, PA 15136-3027	Stowe Township Allegheny County	SWRO
PAG136379	PAG-13 NPDES General Permit for MS4s	Waived	Centerville Borough 100 East End Road Brownsville, PA 15417	Centerville Borough Washington County	SWRO
1023410	Pump Stations Individual WQM Permit	Issued	Cranberry Township 2525 Rochester Road Cranberry Township, PA 16066-6420	Cranberry Township Butler County	NWRO
4800402	Pump Stations Individual WQM Permit	Issued	Lower Saucon Township 3706 Old Philadelphia Pike Bethlehem, PA 18015-5426	Lower Saucon Township Northampton County	NERO
2223401	Sewer Extensions Individual WQM Permit	Issued	Lower Paxton Township Authority 425 Prince Street Suite 139 Harrisburg, PA 17109	Lower Paxton Township Dauphin County	SCRO
PA0233404	Single Residence STP Individual NPDES Permit	Issued	White Lazarus 7415 Chestnut Street Great Falls, MT 59405-8614	Woodward Township Lycoming County	NCRO
PA0239534	Single Residence STP Individual NPDES Permit	Issued	Hecei Debra L 20545 Route 6 Warren, PA 16365-3685	Glade Township Warren County	NWRO
PA0245518	Single Residence STP Individual NPDES Permit	Issued	Walker Barry 201 Little Road Perkiomenville, PA 18074	New Hanover Township Montgomery County	SERO
PA0271489	Single Residence STP Individual NPDES Permit	Issued	Anzaldi David 125 Old Route 68 Evans City, PA 16033-7613	Licking Township Clarion County	NWRO
PA0292923	Single Residence STP Individual NPDES Permit	Issued	Dickerson William 5833 Cassady Road Hermitage, PA 16148-6418	Hermitage City Mercer County	NWRO
PA0293059	Single Residence STP Individual NPDES Permit	Issued	Blosser Ronald 5925 Firman Road Erie, PA 16510-4513	Harborcreek Township Erie County	NWRO
PA0293288	Single Residence STP Individual NPDES Permit	Issued	Alan and Elaine Hemstreet 9089 Griffey Road Albion, PA 16401-7905	Conneaut Township Erie County	NWRO
PA0294071	Single Residence STP Individual NPDES Permit	Issued	Rhodes Kenneth A Jr 150 Mink Hollow Road Coasterville, PA 19320	Lincoln Township Huntingdon County	SCRO
2523409	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Blosser Ronald 5925 Firman Road Erie, PA 16510-4513	Harborcreek Township Erie County	NWRO
2523417	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Alan and Elaine Hemstreet 9089 Griffey Road Albion, PA 16401-7905	Conneaut Township Erie County	NWRO
3123401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Rhodes Kenneth A Jr 150 Mink Hollow Road Coasterville, PA 19320	Lincoln Township Huntingdon County	SCRO

NOTICES

5981

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4123401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	White Lazarus 7415 Chestnut Street Great Falls, MT 59405-8614	Woodward Township Lycoming County	NCRO
4323404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Dickerson William 5833 Cassady Road Hermitage, PA 16148-6418	Hermitage City Mercer County	NWRO
4623404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Walker Barry 201 Little Road Perkiomenville, PA 18074	New Hanover Township Montgomery County	SERO
PA0294144	Small Flow Treatment Facility Individual NPDES Permit	Issued	Knaub Marlin 802 Old Quaker Road Lewisberry, PA 17339-9207	Fairview Township York County	SCRO
6723406	Small Flow Treatment Facility Individual WQM Permit	Issued	Knaub Marlin 802 Old Quaker Road Lewisberry, PA 17339-9207	Fairview Township York County	SCRO
WQG02152209	WQG-02 WQM General Permit	Issued	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	East Whiteland Township Chester County	SERO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350162	PAG-02 General Permit	Issued	M5 Car Wash, LLC 16 Radcliffe Drive Moosic, PA 18507	Dickson City Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Rd. South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@pa.gov
PAC680052	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931	Knox Township and Washington Township Clarion County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800
PAC150100	PAG-02 General Permit	Issued	The Rubenstein Company, L.P. 2929 Arch Street 28th Floor Philadelphia, PA 19104	West Whiteland Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@pa.gov
PAC150350	PAG-02 General Permit	Issued	Rotelle Development Company 1011 Ridge Road South Coventry, PA 19465	West Vincent Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC150342	PAG-02 General Permit	Issued	Kennett Consolidated School District 300 East South Street Kennett Square, PA 19348	New Garden Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150343	PAG-02 General Permit	Issued	Beacon of South Coatesville, LLC 24 Buckingham Way Freehold, NJ 00728	South Coatesville Borough Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150349	PAG-02 General Permit	Issued	Bob Roche 637 Goshen Road West Chester, PA 19380	East Fallowfield Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC090621	PAG-02 General Permit	Issued	Warrington Township 852 Easton Road Warrington, PA 18976	Warrington Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090641	PAG-02 General Permit	Issued	East Tyburn Road, LLC 149 Newbold Road Fairless Hills, PA 19030-4309	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090610	PAG-02 General Permit	Issued	RMJ Ventures LLC 2526 N. Broad Street Colmar, PA 18915-9772	Richland Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090592	PAG-02 General Permit	Issued	Rendezvous Farm, LLC 210 Green Top Road Sellersville, PA 18960-1227	Tinicum Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215.345.7577 RA-EPNPDES_SERO@ pa.gov

NOTICES

5983

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC480168	PAG-02 General Permit	Issued	Chester Franklin Group, LLC 664 Northampton St. Suite 200 Easton, PA 18042-7490	City of Easton Northampton County	Northampton County Conservation District 14 Gracedale Ave. Greystone Building Nazareth, PA 18064-9211 610-829-6276 RA-EPWW-NERO@ pa.gov
PAC250196	PAG-02 General Permit	Issued	Conneaut Township 12500 Route 6N Albion, PA 16401	Conneaut Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC330044	PAG-02 General Permit	Issued	Corbet Construction LLC 99 Treasure Lake Dubois, PA 15801	Brookville Borough Jefferson County	Jefferson County Conservation District 1514 Route 28 Brookville, PA 15825 814-849-7463
PAC030034A1	PAG-02 General Permit	Issued	South Buffalo Township 167 Northpointe Boulevard Freeport, PA 16229	South Buffalo Township Armstrong County	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC200099	PAG-02 General Permit	Issued	National Fuel Gas Distribution Corporation 1100 State Street Erie, PA 16501	Woodcock Township Crawford County	Crawford County Conservation District 21742 German Road Meadville, PA 16335 814-763-5269
PAC100302	PAG-02 General Permit	Issued	234 Harmony LP 4041 Liberty Avenue Pittsburgh, PA 15224	Jackson Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC100305	PAG-02 General Permit	Issued	Rocky Bleier Construction Group 100 West Main Street Suite 100 Carnegie, PA 15106	Butler Township Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC620008	PAG-02 General Permit	Issued	United Refining Company 15 Bradley Street Warren, PA 16365	City of Warren Washington County	Warren County Conservation District 4000 Conewango Avenue Warren, PA 16365 814-726-1441
PAC460136	PAG-02 General Permit	Issued	Pulte Homes of PA Limited Partnership 1210 Northbrook Drive Suite 260 Trevose, PA 19053	Horsham Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x10 RA-EPNPDES_SERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC460642	PAG-02 General Permit	Issued	Alliance HSP Virginia Drive LLC 40 Morris Avenue Suite 230 Bryn Mawr, PA 19010	Upper Dublin Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460826	PAG-02 General Permit	Issued	Upper Dublin Township 801 Loch Alsh Avenue Fort Washington, PA 19034-2619	Plymouth Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC680051	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15905	Brady Township Butler County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800
PAC660035	PAG-02 General Permit	Issued	Tunkhannock Rehabilitation and Healthcare Center, LLC 410 Biden St. Scranton, PA 18503	Tunkhannock Borough Wyoming County	Wyoming County Conservation District 6052 SR 6 Tunkhannock, PA 18657 570-836-2589 RA-EPWW-NERO@ pa.gov
PAC660036	PAG-02 General Permit	Issued	Williams Solar Holdco, LLC 2000 Commerce Drive Pittsburgh, PA 15275	Clinton Township Wyoming County	Wyoming County Conservation District 6052 SR 6 Tunkhannock, PA 18657 570-836-2589 RA-EPWW-NERO@ pa.gov
PAC510298	PAG-02 General Permit	Issued	Heller Development, LLC 209 Leedom Street 2nd Floor Jenkintown, PA 19046-3263	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC590057	PAG-02 General Permit	Issued	Hume Land Development 89 Niles Road Wellsboro, PA 16901	Charleston Township Tioga County	Tioga County Conservation District 1867 Shumway Hill Road Wellsboro, PA 16901 570-724-1801
PAC080074	PAG-02 General Permit	Issued	Floyd Isbell 788 Slater Hill Road Ulster, PA 18850	Burlington Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18848 570-265-5539
PAC600106	PAG-02 General Permit	Issued	Fairfield Prospects Corp (Kevin Baker) 60 Pik Rite Lane Lewisburg, PA 17837	Buffalo Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860

NOTICES

5985

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC440031	PAG-02 General Permit	Issued	James Schmidt 1322 Creamery Road Clifford, PA 18407	Brown Township Mifflin County	Mifflin County Conservation District 20 Windmill Hill Suite 4 Burnham, PA 17009 717-248-4695
PAC220037A-2	PAG-02 General Permit	Issued	H-T Partners P.O. Box 277 Landisville, PA 17538	Middletown Borough Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220352	PAG-02 General Permit	Issued	Hanover Logistics, LLC 201 Iron Valley Drive Lebanon, PA 17042	East Hanover Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220110A-1	PAG-02 General Permit	Issued	Vistablock 150 Farmington Lane Lancaster, PA 17601	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220050A-1	PAG-02 General Permit	Issued	Phoenix Contact 586 Fulling Mill Road Middletown, PA 17057	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC220369A-1	PAG-02 General Permit	Issued	Centurion Construction Group, LLC 516 Industrial Drive Lewisberry, PA 17339	Lower Swatara Township Dauphin County	Dauphin County Conservation District 1451 Peters Mountain Road Dauphin, PA 17018 717-921-8100
PAC360868	PAG-02 General Permit	Issued	Lancaster Conservancy 117 S. West End Avenue Lancaster, PA 17603	Martic Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360256A-1	PAG-02 General Permit	Issued	John King 826 Strasburg Pike Strasburg, PA 17579	West Lampeter Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC380286	PAG-02 General Permit	Issued	Rigidply Rafters Properties, LLC 701 East Linden Street Richland, PA 17087	Richland Borough Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC380288	PAG-02 General Permit	Issued	Samuel R. Musser Revocable Living Trust 1525 King Street Lebanon, PA 17042	South Lebanon Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275

STATE CONSERVATION COMMISSION
NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR
NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
R&F Family Farms— Andrew Reitz 214 Cedar Road Paxinos, PA 17872	Northumberland County	17.9	1,865.40	Swine	NA	Approved
Joe Jurgielewicz & Son Ltd.—Sunbury Farm 1016 Plum Creek Road Sunbury, PA 17801	Northumberland County	86.07	109.10	Ducks	NA	Approved
Will-O-Bett Farm 137 Bomboy Lane Berwick, PA 18603	Luzerne County	102.4	774.40	Swine Cattle	NA	Approved
Reinholds Pig Farm, LLC—Evan Augsburg 700 Swamp Church Road Reinholds, PA 17569	Lancaster County	22.5	715.66	Swine	NA	Approved
Noah W. Kreider & Sons, LLP—Milton Grove Farm 2036 Mount Pleasant Road Mount Joy, PA 17552	Lancaster County	151.7	3,611	Layers	NA	Approved
Star Rock Dairy Inc. 175 Chestnut Grove Road Conestoga, PA 17516	Lancaster County	311	3,401.17	Dairy	NA	Approved
Joe Burkholder 1440 Division Highway Ephrata, PA 17522	Lancaster County	88	351.61	Swine Steers	NA	Approved
Meadow Vista Dairy, LLC 166 Risser Road Bainbridge, PA 17502	Lancaster County	723.3	1,409.3	Dairy	NA	Approved
Meadow Lane Dairy, LLC—Geoffrey Rohrer 3392 Blue Rock Road Lancaster, PA 17603	Lancaster County	809	1,287.71	Dairy Broilers	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bair, Clerk II, 570-327-0551.

Construction Permit No. 1923502, Major Amendment, Public Water Supply.

Applicant	Nicholas Wolff Foundation Inc.
Address	58 Camp Victory Road Millville, PA 17846
Municipality	Greenwood Township
County	Columbia County
Consulting Engineer	Peter J Jusardi 225 Gradview Avenue Suite 403 Camp Hill, PA 17011
Application Received	May 9, 2023
Permit Issued	September 12, 2023

Description	This permit grants permission to upgrade the existing Camp Victory Water System, including the addition of an AdEdge AD26 filtration system for iron and manganese removal.
-------------	---

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

Operation Permit No. 3390965, Public Water Supply.

Applicant	Northwestern Lehigh School District Northwestern Lehigh Middle School
Address	6636 Northwest Rd. New Tripoli, PA 18066-2038
Municipality	Heidelberg Township
County	Lehigh County
Consulting Engineer	Mr. Charles Myers, P.E. Operations Manager Municipal Barry Isett & Associates, Inc. 85 S Rt 100 Allentown, PA 18106

Application Received August 21, 2023

Permit Issued August 24, 2023

Description	Operations Permit for replacing the submersible well pump in-kind (35 gallons per minute (gpm)) with no increase in capacity; installing sedimentation filtration (ATS BF-E-2 Bag Filter (or equal) rated at 100 gpm); replacing the water treatment facilities in-kind for disinfection (with 20 minutes of effective contact time (CT)) and corrosion control treatment (CCT) (pH adjustment via 25 or 50% caustic soda) per the Department's Lead and Copper Rule (LCR); installing two (2) chlorine contact tanks (1,250 gallons each with a minimum volume of 2,330 gallons) plumbed in the bottom out the top for 20 minutes of effective contact time; two (2) finished water storage tanks (1,250 gallons each); a 10 HP triplex booster pump system (100 gpm at 90 psi) with variable frequency drive (VFD); and a 44-gallon hydro-pneumatic tank.
-------------	---

Operation Permit No. 3540036, Public Water Supply.

Applicant	Citizen's Water Association of Deer Lake
Address	238B Lake Front Drive Orwigsburg, PA 17961
Municipality	Deer Lake Borough
County	Schuylkill County

Consulting Engineer Ms. Jennifer Kowalonek, P.E.
Environmental Group Manager
Alfred Benesch & Company
400 One Norwegian Plaza
Pottsville, PA 17901

Application Received August 9, 2023

Permit Issued September 6, 2023

Description Operations Permit for CCT
facilities per the Lead and
Copper Rule.

Operation Permit No. 2400076-E1, Public Water
Supply.

Applicant **Veolia Water Pennsylvania,
Inc.**

Address 6310 Allentown Boulevard
Suite 104
Allentown, PA 17112

Municipality Dallas Township

County **Luzerne County**

Application Received August 1, 2023

Permit Issued September 1, 2023

Description Emergency Operations Permit
for the replacement of the
Snyder Well Pump in-kind and
the installation of a VFD.

Construction Permit No. 4022514MA, Minor Amend-
ment, Public Water Supply.

Applicant **CAN DO, Inc.**

Address 1 South Church Street
Hazleton, PA 18201

Municipality Hazle Township

County **Luzerne County**

Consulting Engineer Eric Moore, P.E.
Entech Engineering, Inc.
239 South Mountain Blvd
Mountain Top, PA 18707

Application Received November 20, 2022

Permit Issued August 4, 2023

Description Well Nos. 3, 8 and 9 Chlorine
Contact Segments

Construction Permit No. 5423502MA, Minor Amend-
ment, Public Water Supply.

Applicant **Schuylkill County
Municipal Authority**

Address 221 S. Centre Street
Pottsville, PA 17901

Municipality New Castle Township

County **Schuylkill County**

Consulting Engineer Michael T. Brown, P.E.
Gannett Fleming, Inc.
207 Senate Ave.
Camp Hill, PA 17011-2316

Application Received February 22, 2023

Permit Issued June 26, 2023

Description Broad Mountain Water Storage
Tank No. 2

Construction Permit No. 4523502MA, Minor Amend-
ment, Public Water Supply.

Applicant **Brodhead Creek Regional
Authority**

Address 410 Mill Creek Road
East Stroudsburg, PA 18301

Municipality Pocono Township

County **Monroe County**

Consulting Engineer Michael J. McCarey, P.E.
Carroll Engineering Corporation
949 Easton Road
Warrington, PA 18976

Application Received March 3, 2023

Permit Issued July 12, 2023

Description Pocono Auxiliary Storage Tank

Construction Permit No. 3923501MA, Minor Amend-
ment, Public Water Supply.

Applicant **Upper Saucon Township**

Address 5500 Camp Meeting Road
Center Valley, PA 18034

Municipality Upper Saucon Township

County **Lehigh County**

Consulting Engineer J. Bradley Youst, P.E.
Hanover Engineering Associates,
Inc.
252 Brodhead Road
Suite 100
Bethlehem, PA 18017

Application Received January 6, 2023

Permit Issued April 24, 2023

Description Landis Mill Road Pressure
Reducing Valve (PRV) Station

Construction Permit No. 3923505MA, Minor Amend-
ment, Public Water Supply.

Applicant **Lehigh County Authority**

Address 1300 Martin Luther King Jr.
Drive
Allentown, PA 18102

Municipality City of Allentown

County **Lehigh County**

Consulting Engineer Jeffrey M. Naumick, P.E.
Hazen and Sawyer, P.C.
One South Broad Street
Suite 900
Philadelphia, PA 19107

Application Received April 13, 2023

Permit Issued August 22, 2023

Description Rehabilitation of Filter Nos. 1—8

Construction Permit No. 6423505MA, Minor Amend-
ment, Public Water Supply.

Applicant **Paupack Point Water
Association, Inc.**

Address 10 James Drive
Telford, PA 18969

Municipality Paupack Township

County **Wayne County**

Consulting Engineer Brian Oram, P.G.
B.F. Environmental Consultants,
Inc.
15 Hillcrest Drive
Dallas, PA 18612

Application Received July 17, 2023

Permit Issued July 24, 2023

Description Rehabilitation and Cleaning of
Well Nos. 5 and 7

Construction Permit No. 4522501, Major Amend-
ment, Public Water Supply.

Applicant **Pennsylvania American
Water Company**

Address 852 Wesley Drive
Mechanicsburg, PA 17055

Municipality Coolbaugh Township

County **Monroe County**

Consulting Engineer Richard B. Kresge, Jr., P.E.,
Atlas Technical Consultants,
LLC
1001 Lackawanna Trail
Clarks Summit, PA 18411

Application Received February 22, 2022

Permit Issued May 26, 2022

Description Pocono Farms Well No. 7
Finished Water Storage

Construction Permit No. 4022515, Major Amend-
ment, Public Water Supply.

Applicant **OM USA, LLC
dba Nelly Travel Plaza**

Address 3765 Nuangola Road
Nuangola, PA 18707

Municipality Rice Township

County **Luzerne County**

Consulting Engineer John R. Ackerman, P.E., P.G.
Twin Oaks Consulting, LLC
820 Evans Street
Hazle Township, PA 18201

Application Received December 9, 2022

Permit Issued April 3, 2023

Description Nelly Travel Plaza Water
Treatment System

Operation Permit No. 2400054, Public Water Supply.

Applicant **Freeland Borough Municipal
Authority**

Address 711 Birkbeck Street
Freeland, PA 18224

Municipality Freeland Borough

County **Luzerne County**

Application Received August 16, 2022

Permit Issued August 23, 2023

Description Designation of Optimal Water
Quality Parameters

Operation Permit No. 3480007, Public Water Supply.

Applicant **Del-Aire MHP, LLC**

Address 365 Mola Blvd.
Elmwood Park, NJ 07407

Municipality Williams Township

County **Northampton County**

Application Received January 26, 2023

Permit Issued April 27, 2023

Description Permit Transfer

Operation Permit No. 2450122, Public Water Supply.

Applicant **Pocono Jackson Joint Water
Authority**

Address 2162 Route 715 South
Reeders, PA 18352

Municipality Jackson Township

County **Monroe County**

Application Received February 22, 2023

Permit Issued May 2, 2023

Description Installation of New Continuous
Chlorine Analyzer

Operation Permit No. 2400042, Public Water Supply.

Applicant **Beechcrest MHP, LLC**

Address 11 Katherines Way
Lancaster, PA 17602

Municipality Dennison Township

County **Luzerne County**

Application Received March 1, 2023

Permit Issued August 4, 2023

Description Permit Transfer

Operation Permit No. 3480089, Public Water Supply.

Applicant **Heritage Village
Management, LLC**

Address 2846 Main Street
Box 12A
Morgantown, PA 19543

Municipality Lehigh Township

County **Northampton County**

Consulting Engineer Mark Leuthe, Lehigh
Engineering Associates, Inc.
P.O. Box 68
499 Riverview Drive
Walnutport, PA 18088

Application Received March 16, 2023

Permit Issued April 27, 2023

Description Permit Transfer

Operation Permit No. 4819506-T1, Public Water
Supply.

Applicant **Heritage Village
Management, LLC**

Address 2846 Main Street
Box 12A
Morgantown, PA 19543

Municipality Lehigh Township

County **Northampton County**

Consulting Engineer Mark Leuthe, Lehigh Engineering Associates, Inc.
P.O. Box 68
499 Riverview Drive
Walnutport, PA 18088

Application Received March 16, 2023

Permit Issued April 27, 2023

Description Permit Transfer

Operation Permit No. 3540327, Public Water Supply.

Applicant **3C's Family Restaurant**

Address 2212 Centre Turnpike
Route 61
Orwigsburg, PA 17961

Municipality West Brunswick Township

County **Schuylkill County**

Consulting Engineer Karen C. Pollock, P.E.
Systems Design Engineering,
Inc.
1032 James Drive
Leesport, PA 19533

Application Received May 5, 2023

Permit Issued June 14, 2023

Description 4-Log treatment of viruses

Operation Permit No. 2400806, Public Water Supply.

Applicant **CAN DO, Inc.**

Address 1 South Church St.
Hazleton, PA 18201

Municipality Hazle Township

County **Luzerne County**

Consulting Engineer Karen C. Pollock, P.E.
Systems Design Engineering,
Inc.
1032 James Drive
Leesport, PA 19533

Application Received May 5, 2023

Permit Issued June 28, 2023

Description Installation of Temporary Iron and Manganese Treatment System at Well No. 8

Operation Permit No. 2580040, Public Water Supply.

Applicant **KRB Land Company, LLC**

Address 10 Jayne Road
Tunkhannock, PA 18657

Municipality Bridgewater Township

County **Susquehanna County**

Application Received June 2, 2023

Permit Issued August 31, 2023

Description Permit Transfer

Operation Permit No. 2400091-E1, Public Water Supply.

Applicant **Veolia Water Pennsylvania, Inc.**

Address 6310 Allentown Blvd.
Suite 104
Harrisburg, PA 17112

Municipality Dallas Township

County **Luzerne County**

Application Received June 6, 2023

Permit Issued June 28, 2023

Description Emergency Permit—Well Pump Replacement Barn Well Station (Overbrook Well No. 4)

Operation Permit No. 3480049, Public Water Supply.

Applicant **East Bangor Municipal Authority**

Address 555 W. Central Avenue
P.O. Box 539
East Bangor, PA 18013

Municipality East Bangor Borough

County **Northampton County**

Consulting Engineer Craig LaBarre
Portland Contractors, Inc.
403 Jones Drive
Portland, PA 18351

Application Received October 17, 2022

Permit Issued September 8, 2023

Description Designation of Optimal Water Quality Parameters

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bair, Clerk II, 570-327-0551.

Operation Permit 4123502MA. PWSID No. **4410156**. **Jersey Shore Area Joint Water Authority**, 1111 Bardo Avenue, Jersey Shore, PA 17740, Jersey Shore Borough, **Lycoming County**. Application received: August 8, 2023. Permit Issued: September 5, 2023. This permit authorizes operation of 3 bulk water loading stations at the existing fire hydrant located at 310 South Lincoln Ave, Jersey Shore, PA 17740, and the existing fire hydrant and Pine Creek WTP Service Line at 334 Tiadaghton Ave, Jersey Shore, PA 17740.

Operation Permit 1423503MA. PWSID No. **4140082**. **College Township Water Authority**, 1481 East College Avenue, State College, PA 16801, College Township, **Centre County**. Application received: September 1, 2023. Permit Issued: September 7, 2023. This permit authorizes operation of the rehabilitated Struble Finished Water Storage Tank.

Operation Permit 4900501-T1-A1. PWSID No. **4490016**. **Pennsylvania-American Water Company-Turbotville Water System**, 852 Wesley Drive, Mechanicsburg, PA 17055, Lewis Township, **Northumberland County**. Application received: August 28, 2023. Permit Issued: September 11, 2023. This permit authorizes the water system to replace the raw water HACH 1720E turbidimeter with Lovibond PTV 1000 Process Turbidimeter.

Operation Permit 1423501MA. PWSID No. **4140096**. **State College Borough Water Authority**, 1201 West Branch Road, State College, PA 16801, Patton Township, **Centre County**. Application received: September 8, 2023. Permit Issued: September 11, 2023. This permit authorizes operation of the rehabilitated 2 MG Gray's Woods Finished Water Storage Tank No. 7.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

NCWSA Operation Permit 7360439. PWSID No. **7360439. Hershey Farm Restaurant**, 240 Hartman Bridge Rd, Ronks, PA 17572, Strasburg Township, **Lancaster County**. Application received: August 23, 2023. Permit Issued: September 11, 2023. This action approves operation of the Hershey Farm Restaurant public water supply following the installation of a liquid sodium hypochlorite disinfection system and a water softening system.

NCWSA Operation Permit 3060865. PWSID No. **3060865. Huff's Union Church**, 540 Conrad Rd, Alburtis, PA 18011, Hereford Township, **Berks County**. Application received: August 24, 2023. Permit Issued: September 11, 2023. This action authorizes operation of the Huff's Union Church public water supply following construction of a sodium hypochlorite disinfection system. The disinfection system consists of a chemical feed pump, solution tank, secondary containment, and disinfection contact tanks.

Construction Permit 7380379. PWSID No. **7380379. Table Trust Brands**, P.O. Box 10, 2609 St., Rt. 22, Fredericksburg, PA 17026, Bethel Township, **Lebanon County**. Application received: May 17, 2023. Permit Issued: September 11, 2023. This action authorizes the removal of a gas chlorination system and the installation of a liquid sodium hypochlorite disinfection system at the Table Trust Brands processing facility. The new system includes a chemical feed pump, sodium hypochlorite solution certified to NSF Standard 60, solution tank, and secondary containment unit.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

Operation Permit 4050497. PWSID No. **4050497. Shellbark Campground, LLC**, 121 Pecan Road, Manns Choice, PA 15550, Napier Township, **Bedford County**. Application received: September 6, 2023. Permit Issued: September 11, 2023. Comprehensive operation permit for the operation of 4-log treatment of viruses disinfection with sodium hypochlorite.

NCWSA Construction Permit 7670385. PWSID No. **7670385. Mountain Ridge Regional Church**, 32 Big Dam Road, Dillsburg, PA 17019, Washington Township, **York County**. Application received: March 23, 2023. Permit Issued: September 11, 2023. New system including a well, pressure tank, cartridge filtration, and flow control.

WATER ALLOCATIONS

Actions Taken on Applications Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

45-1001, Water Allocations. Brodhead Creek Regional Authority, 410 Mill Creek Road, East Stroudsburg, PA 18301, Jackson Township, **Monroe County**.

Change of Ownership. WA 45-1001. Succession to Water Rights. The Department has acknowledged that Brodhead Creek Regional Authority, 410 Mill Creek Road, East Stroudsburg, PA 18301, Jackson Township, Monroe County, has given notice that it succeeded to all rights and obligations under the permit, issued to the former Pocono Jackson Joint Water Authority, P.O. Box 196, Reeders, PA 18352, Jackson Township, Monroe County on August 21, 2023. Application received: June 23, 2023. Transfer issued: August 21, 2023

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie Wilt, Sewage Planning Specialist II, 717-705-4755.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
York Township	190 Oak Road Dallastown, PA 17313	York County

Plan Description:

Major League Properties, A3-67971-708-3s. Approval of a revision to the official plan of York Township, **York County**. The project is known as Major League Properties. The plan provides for a Small Flow Treatment Facility (SFTF) proposal to replace a malfunctioning on-lot sewage disposal system serving an existing single-family residential dwelling on a 1.03-acres lot with total estimated sewage flows of 400 gpd. The lot contains two dwellings, and the one on the north side of the property is already served by a SFTF. This plan addresses the dwelling on the southeast side of the property, which will have its own SFTF, but will connect to the existing discharge point tributary to Inners Creek. The proposed development is located at 3275 Honey Valley Road in York Township, York County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-67971-708-3s and the APS Id is 1087907. Any permits must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of

concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Square One 103, Primary Facility ID # **687445**, 158-160 South Third Street, Easton, PA 18042, City of Easton, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Lisa Dell'Alba and Brenda Rosado, P.O. Box AA, Hellertown, PA 18055, submitted a Final Report concerning remediation of soil and groundwater contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health and site-specific standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

R&M Commercial Properties, LLC, Primary Facility ID # **861175**, South Reading Avenue, Boyertown, PA 19512, Douglass Township, **Berks County**. United Environmental Services, Inc., 1143 Long Run Road, Schuylkill Haven, PA 17972, on behalf of R&M Commercial Properties, LLC, 844 Prospect Avenue, Somerset, PA 15501, submitted a combined Remedial Investigation Report/Cleanup Plan/Final Report concerning remediation of soil and groundwater contaminated with Lead and Arsenic. The combined Remedial Investigation Report/Cleanup Plan/Final Report is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Thompson Property, Primary Facility ID # **865049**, 140 Thompson Road, Avondale, PA 19311, New Garden

Township, **Chester County**. Jenifer Fields, ACRI-Environmental, 3846 East Brandon Way, Doylestown, PA 18902, on behalf of Chris T. Reitman, Montrose Environmental, 1140 Valley Forge Road, Valley Forge, PA 19482, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with lead and arsenic. The Remedial Investigation Report/Risk Assessment Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Route 202N Ramp to Route 422W, Primary Facility ID # **866901**, Route 202N Ramp to Route 422W, Upper Merion, PA 19087, PA 19087, Upper Merion Township, **Montgomery County**. Richard Doran, HETI, 54 Nonset Path, Acton, MA 07120, on behalf of Chris Sharkey, DE, Walker & Sons Inc./Green Propane Inc., 63 East Broad Street, Hatfield, PA 19440, submitted a Final Report concerning remediation of soil contaminated with Heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve

or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

McElhinny Well Pad Expansion and Tank Pad Project, Primary Facility ID # **868199**, 762 Brownsdale Road, Evans City, PA 16033, Foster Township, **Butler County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, on behalf of PennEnergy Resources, LLC, 3000 Westinghouse Drive, Suite 300, Cranberry, PA 16066, submitted a Final Report concerning remediation of soil contaminated with Aquifer Statewide health standard in soil for Aluminum, Barium, Boron, Chloride, Iron, Lithium, Manganese, Selenium, and Zinc. Background Standard in soil for Strontium and Vanadium. The Final Report demonstrated attainment of the Statewide health and background standards. Approved: September 12, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Olde Liberty Square Property, Primary Facility ID # **857310**, 4807 Jonestown Road, Harrisburg, PA 17109, Lower Paxton Township, **Dauphin County**. ARM Group, LLC, 1129 West Governor Road, Hummelstown, PA 17036, on behalf of Room One Corporation, 4391 Chambers Hill Road, Harrisburg, PA 17111-0456, submitted a Final Report concerning remediation of groundwater contaminated with leaded gasoline and diesel fuel constituents. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 6, 2023.

Moser Farm Property, Primary Facility ID # **839627**, 1320 Montgomery Avenue, Bechtelsville, PA 19505, Colebrookdale Township, **Berks County**. Liberty Environmental, Inc., 505 Penn Street, Suite 400, Reading, PA 19601, on behalf of Hollenbach Swamp Creek Properties, LLC, P.O. Box 507, Boyertown, PA 19512-0507, submitted a Final Report concerning remediation of soil and groundwater contaminated with gasoline. The Final Report demonstrated attainment of the Statewide health standards. Approved: September 7, 2023.

HAZARDOUS WASTE TRANSPORTER LICENSE

Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.

New Transporter License Issued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Advant-Edge Solutions of Middle Atlantic, Inc., 17 Shea Way, Newark, DE 19713. **License No. PA-AH 0937**. Application received: July 19, 2023. Effective September 7, 2023.

Ziron Environmental Services, Inc., 302-306 E 25th Street, Chicago Heights, IL 60411. **License No. PA-AH 0938**. Application received: July 24, 2023. Effective September 5, 2023.

Ecotech Hydro Excavation, LLC, 349 Buck Road, Quarryville, PA 17566. **License No. PA-AH 0941**. Application received: July 24, 2023. Effective September 7, 2023.

Transporter License Reissued

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.

Contact: Jonathan Adams.

Waste Recovery Solutions, LLC, 343 King Street, Myerstown, PA 17067. **License No. PA-AH 0683**. Application received: September 6, 2023. Effective September 6, 2023.

Island Pump and Tank, LLC, 40 Doyle Court, East Northport, NY 11731. **License No. PA-AH 0915**. Application received: September 6, 2023. Effective September 6, 2023.

DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

WMGR123NW019. Highland Field Services, LLC—Shawmut Grade PW Facility, 51 Zents Boulevard, Brookville, PA 15825, Sergeant Township, **McKean County**. Highland Field Services, LLC intends to process, transfer, and beneficially use oil and gas liquid waste to develop or hydraulically fracture an oil or gas well. Application received: June 14, 2023. Permit issued: September 6, 2023.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

301356. Cleveland-Cliffs Steel Corporation, Route 8 South, Butler Township, PA 16003, Butler Township, **Butler County**. Cleveland-Cliffs Steel Corporation, Butler Works, No. 4 Sludge Bed Landfill—Major permit modification application to an existing captive residual waste landfill for the vertical and horizontal expansion of the landfill disposal area. Application received: September 28, 2022. Deemed administratively complete: October 24, 2022. Permit issued: September 7, 2023.

Persons interested in reviewing the permit may contact Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Mark J Wejkszner, Air Quality Program Manager, 570-826-2511.

GP3-39-019: Northledge, LLC, 930 Market Street, Bethlehem, PA 18017, Whitehall Township, **Lehigh County**. For a portable crushing operation with water sprays at the Ormrod Quarry Site Application received: August 10, 2023. Issued: September 5, 2023.

GP9-39-019: Northledge, LLC, 930 Market Street, Bethlehem, PA 18017, Whitehall Township, **Lehigh County**. For IC engines at the Ormrod Quarry Site Application received: August 10, 2023. Issued: September 5, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.

GP4-25-01031D: RAM Industrial Services, LLC, 4693 Iroquois Avenue, Erie, PA 16511-2343, Harborcreek Township, **Erie County**. Issued a new GP-4 for an existing burnoff oven to a new owner. Application received: April 25, 2023. Issued: June 20, 2023.

GP2-20-00324A: Suit Kote Corp, 10965 McHenry Street, Meadville, PA 16335, West Mead Township, **Crawford County**. Issued a Gp-2 to cover operation of

numerous existing asphalt storage tanks Application received: April 21, 2023. Issued: July 6, 2023.

GP14-42-00218E: Bradford Crematory, 105 Hilton Street, Bradford, PA 16701, City of Bradford, **McKean County**. Issued a GP-14 to authorize one new human crematory and reauthorize one existing human crematory Application received: April 4, 2023. Issued: July 28, 2023.

GP14-61-00214D: Reinsel Funeral Home & Cremation/Oil City, 116 Bissell Ave, Oil City, PA 16301-1806, City of Oil City, **Venango County**. Issued a GP-14 renewal to reauthorize operation of an existing human crematory. Application received: March 2, 2023. Issued: June 28, 2023.

GP14-32-00371C: Wilbert Funeral Services, Inc., 6 Decker Street, Blairsville, PA 15717-1225, Blairsville Borough, **Indiana County**. Issued a GP-14 renewal to reauthorize operation of an existing Matthews IE43-PPII human crematory. Application received: April 12, 2023. Issued: July 11, 2023.

GP14-61-00234A: Furever Friends, LLC, 1315 Chestnut Street, Franklin, PA 16323-1538, City of Franklin, **Venango County**. Issued a GP-14 for a new B & L Cremation Systems, Inc. animal crematory. Application received: May 10, 2023. Issued: August 4, 2023.

AG5-24-00001B (GP5-24-00177C): Pin Oak Energy Partners LLC, 2740 County Line Road, Wilcox, PA 15870, Jones Township, **Elk County**. Issued a GP-5 renewal to reauthorize operation of existing equipment at the Pin Oak Energy Partners, Mt. Jewett Interconnect Station. Application received: June 23, 2023. Issued: June 27, 2023.

AG5-16-00002B (GP5-16-00156D): Snyder Brothers, Inc., State Route 2005, New Bethlehem, PA 16242, Porter Township, **Clarion County**. Issued a GP-5 renewal to reauthorize operation of existing equipment at the Snyder Brothers Inc.—Cottage Hill Compressor Station. Application received: June 14, 2023. Issued: July 17, 2023.

AG5-32-00010A(GP5-32-00343D): Diversified Production, LLC—Dilltown Compressor Station, 1350 Bracken Road, Vintondale, PA 15961, Buffington Township, **Indiana County**. Issued a GP-5 renewal for existing equipment at the Diversified Production, LLC—Dilltown Compressor Station. Application received: April 21, 2023. Issued: July 26, 2023.

AG5-03-00003B(GP5-03-00255C): EQM Gathering Opco, LLC—Terra Compressor Station, Veahman Road, Plum Creek, PA 15736, Plumcreek Township, **Armstrong County**. Issued a GP-5 renewal to reauthorize operation of existing equipment at the EQM Gathering Opco, LLC—Terra Compressor Station. Application received: June 14, 2023. Issued: August 14, 2023.

AG5-32-00011A(GP5-32-00383C): Diversified Production, LLC—Henry Compressor Station, 2610 Deckers Point Road, Marion Center, PA 15759, East Mahoning Township, **Indiana County**. Issued a GP-5 renewal to reauthorize operation of existing equipment at the Diversified Production—Henry Compressor Station. Application received: April 27, 2023. Issued: August 30, 2023.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

40-00154A: American Custom Drying Company, 1150 Crestwood Dr, Mountaintop, PA 18707, Wright Township, **Luzerne County**. 40-00154A: American Custom Drying Company (1150 Crestwood Dr Mountaintop, PA 18707-2108) issued on September 7, 2023 for the construction and operation of a new facility that will serve the ingredients market for both food and non-food industries. Particulate emissions will be control by a baghouse from the spray dryer operations at the facility to be in Wright Township, Luzerne County. Application received: June 6, 2023. Issued: September 7, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.

32-00449A: Gruppo EF Technologie USA, LLC, 119 Business Park Lot 2, Center Township, PA 15717, Center Township, **Indiana County**. Issued a final plan approval for construction and temporary operation of a new biogas generation facility, which will anaerobically digest biomass farm waste to produce biogas which will be sold to pipeline. The proposed facility will consist of two (2) parallel anaerobic digesters, associated raw material and digestate storage tanks, biogas treatment unit, emergency flare, 550 kW natural gas-fired combined heat and power unit, and 5 MMBtu/hr natural gas-fired backup boiler. Application received: May 19, 2022. Issued: June 20, 2023.

24-00131X: SGL Carbon, LLC, 900 Theresia Street, Saint Marys, PA 15857-1832, City of Saint Marys, **Elk County**. Issued a plan approval for the installation and initial operation of 18 new furnaces and 2 scrubber control devices. This is an existing non-Title V facility. The proposed furnaces will bake newly formed carbon parts into purified graphite parts. This process will generate particulate matter emissions and chlorine emissions. Emissions from the process will be controlled by two scrubber systems. Emissions of HCl, a Hazardous Air Pollutant, generated from the source are estimated to be less than 0.24 ton per year. PM emissions generated from the source are estimated to be less than 6.80 tons per year. The Plan Approval will contain testing, recordkeeping, emission restriction, reporting, and work practice requirements designed to keep the facility operating within all applicable air quality requirements. Application received: August 8, 2022. Issued: July 12, 2023.

42-00095D: Georgia-Pacific Corrugated, LLC, 1 Owens Way, Bradford, PA 16701, Bradford Township, **McKean County**. Issued a plan approval for the installation of a natural gas-fired boiler, corrugator, flexographic folder gluer, and rotary die cutter. Equipment includes a 24.9 MMBtu/hr capacity natural gas-fired boiler, which will replace an existing boiler; installation of a 643 MSF/hr capacity corrugator, which will replace an existing corrugator; installation of a 525 MSF/hr capacity flexographic/folder/gluer (FFG) unit, which will replace an existing FFG unit and an existing specialty folder/gluer; and installation of a 621 MSF/hr capacity rotary die cutter (RDC), which will replace two existing die cutters. Based on the information provided by the applicant and DEP's own analysis, total emissions from the subject source(s) will not exceed 24.3 tons of carbon monoxide, 3.99 tons of nitrogen oxides (NO_x), 18.82 tons of volatile organic compounds (VOC), 0.06

ton of sulfur oxides (SO_x), 23.74 tons of particulate matter, 4.25 tons of methanol, and 10.01 tons of total hazardous air pollutants (HAP) per year. Application received: November 14, 2022. Issued: September 1, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0187B: SimsMetal East Morrisville Facility, 300 Steel Rd S, Morrisville, PA 19067-3614, Falls Township, **Bucks County**. This action is for the installation and operation of emission control system to reduce VOC emissions from an existing metal shredder operation. Application received: December 16, 2022. Issued: September 8, 2023.

Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.

Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

21-03034A: Penn Valley Crematory, LLC, 167 North Enola Road, Enola, PA 17025, East Pennsboro Township, **Cumberland County**. For an existing crematory and funeral home facility. The plan approval was extended. Application received: September 5, 2023. Issued: September 8, 2023.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05142C: Mars Wrigley Confectionery US, LLC, 295 South Brown Street, Elizabethtown, PA 17022, Elizabethtown Borough, **Lancaster County**. For the construction of a new cocoa bean receiving, cleaning, and storage operation at the chocolate manufacturing plant. The plan approval was extended. Application received: August 22, 2023. Issued: September 7, 2023.

36-03221A: CK Manufacturing, LLC, 330 Millwood Road, Lancaster, PA 17603, Pequea Township, **Lancaster County**. For the light-duty truck body and barn stall railings coating booth. The plan approval was extended, with a compliance schedule. Application received: August 29, 2023. Issued: September 11, 2023.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

55-00005: Wood-Mode, LLC, One 2nd St., Kreamer, PA 17833, Middlecreek Township, **Snyder County**. Was issued a renewal Title V Operating Permit for the Kreamer facility. The facility's sources include one biomass boiler, two natural gas-fired boilers, various wood handling, working and finishing operations, various storage tanks, lumber drying, veneering and gluing operations, various emergency generator engines. The Title V Operating Permit contains all applicable regulatory re-

quirements including monitoring, recordkeeping and reporting conditions. Application received: February 2, 2023. Issued: September 11, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

44-05001: Standard Steel, LLC, 500 North Walnut Street, Burnham, PA 17009-1644, Burnham Borough, **Mifflin County**. For the steel manufacturing facility. The Title V permit underwent a significant modification to add presumptive and case-by-case RACT 3 requirements for the facility. The portions of the permit related to approval of the RACT 3 case-by-case proposal will be submitted to US EPA for approval and incorporation into Pennsylvania's State Implementation Plan (SIP). Other requirements will be excluded from the SIP submittal. Application received: December 21, 2022. Issued: September 11, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00027: Fres-co System USA, Inc., 3005 State Rd, Telford, PA 18969-1021, West Rockhill Township, **Bucks County**. This action is for the renewal of a Title V Operating Permit for a printed flexible packaging process. Application received: May 12, 2023. Issued: September 7, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00081: East Lycoming School District, 349 Cemetery Street, Hughesville, PA 17737, Hulmeville Borough, **Lycoming County**. The Department issued a renewal State Only (Natural Minor) Operating Permit for the East Lycoming School District Junior/Senior High School facility. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions to ensure compliance with State and Federal regulations. Application received: November 28, 2022. Renewal issued: September 11, 2023. New expiration date: September 10, 2028.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00050: Appellation Construction Services, LLC, 999 N. Loyalsock Ave., Ste C, Montoursville, PA 17754, Woodward Township, **Lycoming County**. Was issued a renewal State Only Operating Permit for the Williamsport Plant. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: February 22, 2023. Issued: September 6, 2023.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00131: Downs Racing LP, 1280 Highway 315 Blvd, Wilkes-Barre, PA 18702, Plains Township, **Luzerne County**. The Department issued an initial State-Only Operating Permit for the operation of boilers and emergency generators. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: July 1, 2022. Accepted: July 14, 2022. Issued: August 30, 2023.

64-00007: Heidelberg Materials NE, LLC, 7660 Imperial Way, Allentown, PA 18195, Lake Township, **Wayne County**. The Department issued a renewal State-Only Operating Permit for the operation of sources at the Lake Ariel Quarry. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: July 29, 2022. Accepted: August 2, 2022. Issued: August 17, 2023.

48-00100: Tierpoint Pennsylvania Two, LLC, 3949 Schelden Cir, Bethlehem, PA 18017, Hanover Township, **Northampton County**. The Department issued a renewal State-Only Operating Permit for the operation of emergency generators at their facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 29, 2022. Accepted: December 13, 2022. Issued: August 10, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-05145: Oldcastle Building Envelope, Inc., 1551 Mount Rose Avenue, York, PA 17403, Spring Garden Township, **York County**. For the architectural door and window manufacturing facility. Application received: December 22, 2022. Issued: September 11, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00055: Highway Materials Downingtown Plant, Re: Downingtown, P.O. Box 1667, 1750 Walton Rd, Blue Bell, PA 19335, East Caln Township, **Chester County**. This action is for the renewal of a State Only, Synthetic Minor Operating Permit. Highway Materials operates a Hot Mix Asphalt Plant at this location. Application received: September 19, 2022. Issued: September 7, 2023.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.

56-00100: Highland Tank & Mfg Co., Inc., 1 Highland Road, Stoystown, PA 15563, Stoystown Borough, **Somerset County**. On September 6, 2023, the Department issued a renewal synthetic minor State Only Oper-

ating Permit for a manufacturer of storage tanks. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, record-keeping, reporting, and work practice standards requirements at the facility located in Stoystown Borough, Somerset County. Application received: May 5, 2023. Permit issued: September 6, 2023.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.

13-00013: Ampal Inc., 2125 Little Gap Road, Palmerton, PA 18071, Lower Towamensing Township, **Carbon County**. 13-00013: Ampal Inc., 2125 Little Gap Road, Palmerton, PA 18071-0124, for an amendment to incorporate process modification. The conditions from Plan Approval 13-00013B were copied into the State Only Operating Permit. Administrative Amendment of State Only Operating Permit issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. Application received: June 23, 2023. Issued: September 5, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

36-05152: Kelloggs USA, LLC, 2050 State Road, Lancaster, PA 17601-1821, East Hempfield Township, **Lancaster County**. For the breakfast cereal manufacturing facility. The State-Only permit was administratively amended in order to reflect a change of ownership. Application received: July 12, 2023. Issued: September 5, 2023.

06-05034: Texas Eastern Transmission/Bechtelsville, 467 Forgedale Road, Barto, PA 19504, Washington Township, **Berks County**. For the Bechtelsville Compressor Station. The Title V permit was administratively amended in order to incorporate the requirements of Plan Approval No. 06-05034A. Application received: June 26, 2023. Issued: September 7, 2023.

36-05166: Rutt Quality Cabinetry, LLC, 215 Diller Avenue, New Holland, PA 17557-1611, Earl Township, **Lancaster County**. For the wood cabinet manufacturing facility. The State-Only permit was administratively amended in order to reflect a change of ownership. Application received: August 24, 2023. Issued: August 30, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-00027: Fres-co System USA, Inc., 3005 State Rd, Telford, PA 18969-1021, West Rockhill Township, **Bucks County**. This action is for the issuance of a minor modification of the Title V Operating Permit for Fres-co System USA, Inc. This facility is a manufacturer of printed flexible packaging material for the coffee, pet food and agricultural industries. The manufacturing process includes laminating, rotogravure printing and flexo-

graphic printing. The Title V Operating Permit was modified to reduce the volatile organic compound (VOC) limit for Ink Mixing Process—Source ID No. 310 to 2.70 tons per year to address compliance with Reasonably Available Control Technology (RACT) III conditions for the Ink Mixing Process since the facility-wide emissions of VOC exceed the 50 tons per year threshold for RACT III applicability. RACT III is addressed through this minor modification for Source ID 901 & miscellaneous source indigo press since the Potential to Emit VOC is less than 2.7 tons per year of VOCs and subjects these sources to the presumptive RACT III requirement of installing, maintaining and operating the source in accordance with the manufacturer's specifications and with good operating practices. Source IDs 202, 203, 204 and 205 are not subject to the RACT III requirements because a RACT requirement has been established for these sources in 25 Pa. Code §§ 129.64—129.69. Source IDs 031, 032, 205, 303, 903, 904, T01, T05, 702—705 are not subject to the RACT III requirements because they have the potential to emit (PTE) less than 1.00 ton per year of VOCs. Application received: May 12, 2023. Issued: September 7, 2023.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 32000108. River Hill Coal Co., Inc., P.O. Box 141, Kylertown, PA 16847, West Wheatfield Township, **Indiana County**. Revision to change the post-mining land use from cropland to unmanaged natural habitat on a bituminous surface and auger mine affecting 759.2 acres. Receiving stream(s): unnamed tributaries to/and Conemaugh River, Richards Run and Roaring Run, classified for the following use: CWF. Application received: July 17, 2023. Permit issued: September 12, 2023.

Noncoal Permits

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. GP-105 08232502. GP-104 NPDES No. PAM223002. Canfield Quarries, Inc., 154 Warren Street, Tunkhannock, PA 18657, Tuscarora Township, **Bradford County**. Commencement, operation, and restoration of small noncoal (bluestone) surface mining operation and coverage under the General NPDES Permit for Stormwater Discharges Associated with Mining Activities (BMP GP-104 affecting 10 acres. Receiving stream(s): Tuscarora Creek classified for the following use(s): CWF. Application received: February 21, 2023. Issued: September 5, 2023.

**ABANDONED MINE RECLAMATION
PRIMACY BOND FORFEITURE PROJECT**

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Scott Hammond, Watershed Manager, 814-505-3252.

Primacy Bond Forfeiture Project No.	PBF 14080101.1
Municipality	Snowshoe and Burnside Townships
County	Centre County
Description	The intent of this project is to regrade the embankment of an existing stormwater management pond to create a wildlife wallowing pond and to build a vegetated stormwater diversion swale on Pennsylvania State Gameland # 100 located in Snowshoe and Burnside Townships, Centre County. The regraded and lowered embankment of the pond will create better access for wildlife. The stormwater diversion swale will minimize flooding of an abandoned mine drainage treatment system. All disturbed areas and the stormwater diversion swale will be revegetated with seed mixes selected by the Pennsylvania Game Commission.
Contractor Name and Address	DJ Contracting & Construction LLC
Address	64 RB Contracting Lane
City, State, Zip	Curwensville, PA 16833
Amount	45,805.00
Date of Award	September 11, 2023

**ACTIONS ON BLASTING ACTIVITY
APPLICATIONS**

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 67234110. Abel Construction Co., Inc., 3925 Columbia Avenue, Mountville, PA 17554, Codorus Township, **York County**. Construction blasting for Hills at Valley View Phase 2. Application received: September 5, 2023. Permit issued: September 7, 2023. Expiration date: June 1, 2024.

**FEDERAL WATER POLLUTION
CONTROL ACT SECTION 401**

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E5802122-015 PA Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Lathrop Township, Lenox Township, Hartford Township, **Susquehanna County**. U.S. Army Corps of Engineers Baltimore District.

To authorize the following water obstructions and encroachments associated with the SR 0011 Section RS2 Project: 1. To construct and maintain stream protection in Stream 2-AA (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-1) 2. To construct and maintain stream protection in Stream 2-Y (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-3) 3. To construct and maintain stream protection in Stream 2-X (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-4) 4. To construct and maintain stream protection in Stream 2-W (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-7) 5. To construct and maintain stream protection in Stream 2-V (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-8) 6. To construct and maintain stream protection in Stream 2-U (CWF, MF) consisting of an existing 15" pipe out-letting into proposed riprap apron protection. (Impact JPA-9) 7. To construct and maintain stream protection in Stream 2-T (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-11) 8. To construct and maintain stream protection in Stream 2-S (CWF, MF) consisting of an existing 15" pipe out-letting into proposed riprap apron protection. (Impact JPA-12) 9. To construct and maintain stream protection in Stream 2-R (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-14) 10. To construct and maintain stream protection in Stream 2-O (CWF, MF) consisting of an existing 15" pipe out-letting into proposed riprap apron protection. (Impact JPA-16) 11. To construct and maintain stream protection in Stream 2-M (CWF, MF) consisting of an existing 15" pipe out-letting into proposed riprap apron protection. (Impact JPA-17) 12. To construct and maintain stream protection in Stream 2-K (CWF, MF) consisting of an existing 15" pipe out-letting into proposed riprap apron protection. (Impact JPA-18) 13. To construct and maintain stream protection in Stream 2-I (CWF, MF) consisting of an existing 15" pipe out-letting into proposed riprap apron protection. (Impact JPA-19) 14. To construct and maintain stream protection in Stream 2-E (CWF, MF) consisting of an existing 18" pipe out-letting into proposed riprap apron protection. (Impact JPA-20) 15. To construct and maintain stream protection in Stream 2-D (CWF, MF) consisting of an existing 15" pipe out-letting into proposed riprap apron protection. (Impact JPA-22) 16. To permanently impact 0.03 acre of PEM/PSS wetlands immediately adjacent to SR 0011 associated with grading and rock apron construction. The proposed project is located along SR 0011 for approximately 3.75 miles from Segment 0180 Offset 1505 to Segment 0120 Offset 1967. (Hartford, Hop Bottom, Lenoxville and Montrose East PA Quadrangles, Latitude: 41.760645° Longitude: -75.751654° to Latitude: 41.710843°; Longitude: -75.768350°) in Lathrop, Lenox and Hartford Townships, Susquehanna County. Application received: November 22, 2022. Issued: September 5, 2023.

E4502223-003 Sean E. Pincus, 266 Krams Avenue, Philadelphia, PA 19128, Tobyhanna Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain a 4.0-foot wide by 50.0-foot long elevated walkway across PEM EV wetland, for the purpose of providing access to Arrowhead Lake. The project also includes the construction of a 10.0-foot x 15.0-foot floating dock attached to shoreline. The project is located in Arrowhead Lake at 155 Lodge Place in Tobyhanna Township, Monroe County. (Thornhurst, PA Quadrangle Latitude: 41° 09' 09.8", Longitude: -75° 34' 29.3") Latitude: 41° 09' 09.8", Longitude: -75° 34' 29.3". Application received: April 28, 2023. Issued: September 6, 2023.

E4502223-005. Drew Bernstein, 121 English Ivy Court, Long Pond, PA 18350, Tunkhannock Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain an 8.0-foot long by 4.0-foot wide with an 8.0-foot long by 8.0-foot wide section of dock within Emerald Lakes. The project also includes placement of fill in a deminimus area of PEM EV wetlands equal to 0.01 acre for construction of a walking path to Emerald Lakes. The project is located along Ivy Court approximately 0.1-mile East of intersection with Ivy Way in Emerald Lake Estates Pocono Pines Quadrangle Latitude: 41.07864°, Longitude: -75.419139°. Latitude: 41.07864°, Longitude: -75.419139°. Application received: April 28, 2023. Issued: September 6, 2023.

E1302223-001. Lehigh Canal Recreation Commission, 1 Constitution Ave., Lehighton, PA 18235-2088, Franklin Township, **Carbon County**. U.S. Army Corps of Engineers Philadelphia District.

To stabilize the western canal bank in the area of the Long Run Creek confluence with the Lehigh Canal (CWF, MF), and to restore two overflow spillways, and the reestablishment of a historic spillway south of Long Run along the Weisport Section of the Lehigh Canal. The project is located in Franklin Township, Carbon County, PA Quadrangle Latitude: 40° 50' 58" Longitude: -75° 42' 30". (Lehighton, PA Quadrangle, Latitude: 40° 05' 58"; Longitude: -75° 42' 30"). Latitude: 40° 05' 58", Longitude: -75° 42' 30". Application received: April 24, 2023. Issued: September 7, 2023.

E4002222-015. Brian Kimber, 2601 Lakeside Drive, Harveys Lake, PA 18618, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain an expansion of an existing dock/boathouse structure within normal pool elevation of Harveys Lake (HQ—CWF, MF) consisting of a 268 ft² boat slip. The project is located at 2601 Lakeside Drive (SR 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 46"; Longitude: -76° 2' 34") in Harveys Lake Borough, Luzerne County. Latitude: 41° 21' 46", Longitude: -76° 2' 34". Application received: September 28, 2022. Issued: September 7, 2023.

E3502122-013. PA Department of Transportation, Eng District 4-0, 55 Keystone Industrial Park, Dunmore, PA 18512, Moscow Borough, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District.

To authorize the following water obstructions and encroachments associated with the SR 0690 Section D50 Project: 1. To remove the existing structure and to

construct and maintain a 60' wide single span box culvert carrying SR 0690 across Van Brunt Creek (HQ—CWF, MF) having a 20' normal clear span and a 7.5' minimum underclearance and to construct and maintain appurtenant structure features. 2. To permanently impact 0.03 acre of EV wetlands for roadway embankment grading associated with the structure replacement. 3. To construct and maintain an outfall in the floodway of Van Brunt Creek (HQ—CWF) consisting of an 18" pipe and riprap protection. 4. To construct and maintain an outfall channel in the floodway of Van Brunt Creek (HQ—CWF) consisting of a 2' wide grass lined swale discharging to a 2' wide rip-rap lined channel. The project is located along SR 0690 Section D50 Segment 0100, Offset 1236, approximately 0.90 miles east of the SR 0690/SR 0380 intersection (Moscow, PA Quadrangle Latitude: 41.338398°N; Longitude: -75.541150°W. Application received: December 11, 2022. Issued: September 8, 2023.

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E3306123-002. Pennsylvania Department of Transportation District 10, 2550 Oakland Avenue, Indiana, PA 15701, McCalmont Township, Jefferson County. U.S. Army Corps of Engineers Pittsburgh District.

To remove the existing structure and to construct and maintain a precast reinforced concrete box culvert having a normal span of 12.0-ft, an underclearance of 6.0-ft (5.0-ft effective with baffles), and a length of 58.67-ft in Elk Run (CWF) resulting in a total of 98-ft of permanent stream impacts and an additional 75-ft of temporary stream impacts on SR 2023, Segment 0030 approximately 1 mile northwest of Anita. Latitude: 41.006943°, Longitude: -78.981658°. Application received: June 13, 2023. Issued: September 5, 2023.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601223-017. Upper Providence Township, 1286 Black Rock Road, Phoenixville, PA 19460, Upper Providence Township, Montgomery County. U.S. Army Corps of Engineers Philadelphia District.

Demolition and removal of existing house, accessory structure, foundations, pads, slabs, walkways, driveway, and other site improvements. Backfill of disturbed areas of the property to uniform grade with adjacent undisturbed area(s) with suitable clean fill material and minimum six (6) inches of topsoil. Removal of non-native invasive plants. Preservation of existing native trees and vegetation. Restoration of disturbed areas of the property with lawn ground cover along the floodplain of the Schuylkill River (WWF-MF) associated with the Floodplain Management Site Restoration. The site is located at 708, 913, 921 Port Providence Road, Phoenixville, PA, (Collegeville PA USGS Quadrangle) in Upper Providence Township, Montgomery County. Latitude: 40.128286°, Longitude: -75.491864°. Application received: March 15, 2023. Issued: September 7, 2023.

Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Dana Drake, Program Manager.

E0205222-003. Duquesne Light Company, 2841 New Beaver Avenue, Pittsburgh, PA 15223, City of Pittsburgh, Allegheny County. U.S. Army Corps of Engineers Pittsburgh District.

Latitude: 40° 26' 6.26", Longitude: -80° 1' 57.54". Application received: February 4, 2022. Issued: September 11, 2023.

E0205222-003, Duquesne Light Company, 2841 New Beaver Avenue, Pittsburgh, PA 15223, City of Pittsburgh, Allegheny County; Pittsburgh ACOE District.

To:

1. Construct, operate and maintain streambank protection in front of an approximately 100-foot existing sheet pile wall that will remain to provide additional support. The sloped stream bank projection will include a 67 linear feet section of riprap, and an adjacent 36 linear feet section of Fabriform concrete bags.

2. Construct, operate and maintain a 27 linear feet gabion wall with a maximum exposed height of 5 feet will be installed to protect existing features associated with the updating of existing facilities, including removing and replacing secondary containment for the existing transformer pad. Cumulatively the upgrades will impact 0.092 acre of Saw Mill Run's (WWF) floodplain.

For the purpose of permanently stabilizing the existing bank that was subject to erosive flows during recent periods of high velocities. The total length of permanent impact to the left descending bank of Saw Mill Run (WWF) is 103 linear feet.

Duquesne Light Company was previously granted an emergency permit (EP0205221-024) on November 14, 2021 for temporary stabilization of the existing sheet pile wall, with R-6 riprap. The previously installed R-6 riprap will be removed and replaced with the aforementioned slope stream bank protection.

The project site is located in the West End neighborhood of Pittsburgh, between McKnight Street and Saw Mill Run Boulevard (Pittsburgh West, PA USGS topographic quadrangle; N: -40° 26' 6.26"; W: -80° 1' 57.54"; Sub-basin 20F; USACE Pittsburgh District), in the City of Pittsburgh, Allegheny County.

E0205223-002. Pennsylvania American Water Company, 852 Wesley Drive, Mechanicsburg, PA 17055, Baldwin Borough City of Pittsburgh, Allegheny County. U.S. Army Corps of Engineers Pittsburgh District.

Latitude: 40° 24' 38", Longitude: -79° 57' 23". Application received: January 17, 2023. Issued: August 29, 2023.

E0205223-002. Pennsylvania American Water Company, 852 Wesley Drive, Mechanicsburg, PA; Pittsburgh ACOE District.

To:

Construct and maintain utility line crossings of twelve (12) unnamed tributaries (UNTs) to Becks Run (WWF), Becks Run (WWF), and four (4) PEM wetlands, consisting of two (2) parallel 42-inch diameter pipes, for the purpose of abandoning and replacing approximately 1.8 miles of existing raw water mains, consisting of three (3) existing 24-inch diameter mains, within Becks Run Road in Baldwin Borough and the City of Pittsburgh. In addition, a 36-in diameter temporary pipe will be installed within an existing easement for a 36-inch diameter water main which runs parallel to Becks Run Road to maintain service during construction

The proposed project will result in the following total impacts:

- 720 square feet (0.017 acre) and 40 linear feet of permanent stream impacts.

- 1,999 square feet (0.046 acre) and 351 linear feet of temporary stream impacts.
- 2,733 square feet (0.063 acre) of permanent floodway impacts.
- 9,310 square feet (0.214 acre) of temporary floodway impacts.
- 8,355 square feet (0.192 acre) of temporary wetland impacts.

The project site is located along and in Becks Run Road between East Carson Street and Agnew Road (Pittsburgh East, PA USGS topographic quadrangle; N: 40° 24' 38"; W: -79° 57' 23"; Sub-basin 19A; USACE Pittsburgh District), in Baldwin Borough and The City of Pittsburgh, Allegheny County.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 7177873411.

Contact: RA-EPBWEWPERMITDDS@pa.gov.

D64-021A. Pennsylvania Fish and Boat Commission, 1604 Elmerton Avenue, Harrisburg, PA 17106, Mount Pleasant Township, **Wayne County**. This project is rehabilitating Belmont Lake Dam to safely pass the spillway design flood. The rehabilitation includes removing the existing spillway, constructing a new, cast-in-place, concrete straight drop spillway, widening the spillway approach channel, ACB armoring of the widened spillway channel, extend the low-level outlet, raise the embankment crest by three feet, install an embankment drainage system and flattening the downstream slope. Orson Application received: December 30, 2020. Permit issued: August 29, 2023.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG290823011-00**

Applicant Name **Blackhill Energy, LLC**

Contact Person Matthew Pitts

Address 4600 J Barry Ct, Suite 320

City, State, Zip Canonsburg, PA 15317

Township(s) Springfield Township

County **Bradford County**

Receiving Stream(s) and Classification(s) UNT to Leonard

Creek (TSF, MF) Application received: August 14, 2023

Issued: September 8, 2023

ESCGP # 3 **ESG294123015-00**

Applicant Name **Beech Resources, LLC**

Contact Person Donald Stevenson

Address 343 Pine Street, Suite 1

City, State, Zip Williamsport, PA 17701

Township(s) Lycoming Township and Old Lycoming

Township

County **Lycoming County**

Receiving Stream(s) and Classification(s) Beautys Run

(EV, MF), Thorne Brook (EV, MF)

Application Received: July 21, 2023

Issued: September 8, 2023

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG070223007-00**

Applicant Name **Range Resources—Appalachia, LLC**

Contact Person Karl Matz, (724) 873-3090

kmatz@rangeresources.com

Address 0.5 mile South of Sun Mine Road and Anderson Road

City, State, Zip Tarentum, PA 15084

Township(s) Fawn Township

County **Allegheny County**

Receiving Stream(s) and Classification(s) 001: Lat

40.66748, Long -79.81634, UNT to Bull Creek, Ch 93

Class: TSF 002: Lat 40.66695, Long -79.81273, UNT to

Bull Creek, Ch 93 Class: TSF

Application received: August 11, 2023

Issued: September 11, 2023

ESCGP # 3 **ESG073023014-00**

Applicant Name **EQT Prod Co**

Contact Person Todd Klaner, (724) 746-9043

TKlaner@eqt.com

Address Jollytown Road

City, State, Zip New Freeport, PA 15352

Township(s) Gilmore Township

County **Greene County**

Receiving Stream(s) and Classification(s) F 001. Lat

39.76730, Long -80.36473, UNT to Bloody Run, Ch 93

class WWF 002. Lat 39.76610, Long -80.36943, UNT to

Bloody Run, Ch 93 class WWF 003. Lat 39.76507 Long

-80.37618, UNT to Bloody Run, Ch 93 class WWF 004.

Lat 39.76854 Long -80.37469, UNT to Bloody Run, Ch

93 class WWF

Application received: May 25, 2023

Issued: September 12, 2023

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of post-remediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Your Choice (Former Barron's Service Station), Storage Tank Facility ID # **40-32101**, 1130 State Route 93, Drums, PA 18222, Sugarloaf Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of SAI Sugarloaf Realty, LLC, 1 Buckhorn Road, Bloomsburg, PA 17815 submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting Statewide health and site-specific standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

PA0333-76 Chestnut St, Storage Tank Facility ID # **42-15331**, 76 Chestnut St, Bradford, PA 16701, City of Bradford, **McKean County**. Synergy Environmental, Inc., 155 Railroad Plaza, Royersford, PA 19468 on behalf of PAL UST IV, LLC, 645 West Hamilton, Suite 400,

Allentown, PA 18101 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Petroleum. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG.

Rutter's 31, Storage Tank Facility ID # **21-39506**, 1 Airport Rd, Shippensburg, PA 17257, Shippensburg Township, **Cumberland County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 N Susquehanna Trail Ste C, York, PA 17404 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report is intended to document the remedial actions for meeting Statewide health and site-specific standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

S&G Petro Service, Storage Tank Facility ID # **48-22182**, 3751 Lehigh Drive, Northampton, PA 18067, Lehigh Township, **Northampton County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of S&G Petro Service, LLC, 3751 Lehigh Drive, Northampton, PA 18067 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan demonstrated attainment of the Statewide health standards and was approved by DEP on September 5, 2023.

Convenient Food Mart 3029, Storage Tank Facility ID # **35-08517**, 330 Northern Boulevard, Clarks Summit, PA 18411, South Abington Township, **Lackawanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Convenient Food Marts of Pennsylvania, 215 Clark Avenue, Clarks Summit, PA 18411 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with gasoline. The report demonstrated attainment of the Statewide health standards and was approved by DEP on September 5, 2023.

Pottsville Fuel Stop, Storage Tank Facility ID # **54-50599**, 1471 SR 61, Pottsville, PA 17901, New Castle Township, **Schuylkill County**. United Environmental Services, P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Pottsville Fuel Stop, Inc., 1471 SR 61, Pottsville, PA 17901 submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with gasoline. The report demonstrated attainment of the site-specific standards and was approved by DEP on September 7, 2023.

Bear Mart formerly Turnpike Mobil, Storage Tank Facility ID # **40-19230**, 2999 Bear Creek Boulevard, Bear Creek, PA 18702, Bear Creek Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Zora Investments, LLC, 95 South Mountain Boulevard, Mountain Top, PA 18707 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum. The report demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on September 11, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG.

Rutter's 31, Storage Tank Facility ID # **21-39506**, 1 Airport Rd, Shippensburg, PA 17257, Shippensburg Township, **Cumberland County**. United Environmental Services, Inc., 2295 N Susquehanna Trail Ste C, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 N Susquehanna Trail Ste C, York, PA 17404 submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Petroleum Constituents. The report demonstrated attainment of the Statewide health and site-specific standards and was approved by DEP on August 30, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

007 Carwash, Storage Tank Facility ID # **23-02719**, 450 S. 69th St., Upper Darby, PA 19082, Upper Darby Township, **Delaware County**. Center Point Tank Services, Inc., 536 E. Benjamin Franklin Highway, Douglassville, PA 19518, on behalf of Eastern Darby Realty Associates, 450 South 69th Street, Upper Darby, PA 19082 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan was not acceptable to meet the nonresidential Statewide health standards and was disapproved by DEP on August 10, 2023.

Lukoil 69703, Storage Tank Facility ID # **46-42593**, 101 Crawford Ave., Conshohocken, PA 19428, West Conshohocken Borough, **Montgomery County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A-2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057 submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan was acceptable to meet the residential Statewide health standards and was approved by DEP on August 10, 2023.

SPECIAL NOTICES

WATER PROGRAMS

Public Hearing Notice for NPDES Permit Application PAD390265, 2951 Betz Court Site, Orefield, PA, Lowhill Township, Lehigh County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

On October 19, 2022, the Department of Environmental Protection (PA DEP/Department) received an NPDES Permit application for the 2951 Betz Court Site, Orefield, PA in Lowhill Township, Lehigh County. The application was deemed administratively complete on January 6, 2023. Written public comments were received during the public comment period.

The Department will hold a public hearing to accept additional comments on the documentation and plans associated with the Individual NPDES Permit Application No. PAD390265 for the discharge of stormwater from construction activities to the following receiving watercourses:

UNT to Jordan Creek (HQ-CWF, MF) and EV Wetlands

The applicant is as follows:

- CRG Services Management, LLC 300 Barr Harbor Drive, Suite 720 Conshohocken, PA 19428

Contact: Fred Ferraro, CRG Services Management, LLC.

The public hearing will be conducted on Wednesday, October 25, 2023 from 7:45 p.m.—9:15 p.m. at the Germansville Volunteer Fire Company located at 6011 Memorial Rd, Germansville, PA 18053. Representatives from the Department's Waterways & Wetlands Program,

the Lehigh County Conservation District and CRG Services Management will be in attendance.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator at: cconnolly@pa.gov. The Department will accept requests up to the day of the hearing. The Department requests that individuals limit their testimony to 5 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAD390265 documentation and plans. Written copies of oral testimony are requested. All comments, whether delivered orally during the hearing or submitted in writing will carry equal weight and consideration with DEP. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly at: coconnolly@pa.gov or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application documentation and conceptual plans are available for review at the Lehigh County Conservation District Office, 4184 Dorney Park Road, Suite 105, Allentown, PA at (610) 391-9583 and/or the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA (570) 826-2511. For further information, contact Colleen Connolly, Community Relations Coordinator of the Department's Northeast Regional Office at (570) 826-2035.

Public Hearing Notice for NPDES Permit Application PAD390269 for the Core5 at Route 100, Orefield, PA, Lowhill Township, Lehigh County.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

On February 2, 2023, the Department of Environmental Protection (PA DEP/Department) received an NPDES Permit application for the Core5 at Route 100, Orefield, PA in Lowhill Township, Lehigh County. The application was deemed administratively complete on May 5, 2023. Written public comments were received during the public comment period.

The Department will hold a public hearing to accept additional comments on the documentation and plans associated with the Individual NPDES Permit Application No. PAD390269 for the discharge of stormwater from construction activities to the following receiving watercourses:

Tributary to Jordan Creek (aka Cherith Brook) (HQ-CWF, MF).

The applicant is as follows:

- Core5 Industrial Partners, 1250 N. Mountain Road, Harrisburg, PA 17112.

Contact: Brian Reisinger, Core5 Industrial Partners.

The public hearing will be conducted on Wednesday, October 25, 2023 from 6 p.m.—7:30 p.m. at the Germansville Volunteer Fire Company located at 6011 Memorial Rd, Germansville, PA 18053. Representatives from the Department's Waterways & Wetlands Program, the Lehigh County Conservation District and Core5 Industrial Partners will be in attendance.

The Department requests that individuals wishing to testify at the hearing submit a written notice of intent to Colleen Connolly, Community Relations Coordinator at: cconnolly@pa.gov. The Department will accept requests up to the day of the hearing. The Department requests that individuals limit their testimony to 5 minutes so that all individuals have the opportunity to testify. The Department can only review comments made with regard to the NPDES Permit Application No. PAD390269 documentation and plans. Written copies of oral testimony are requested. All comments, whether delivered orally during the hearing or submitted in writing will carry equal weight and consideration with DEP. Individuals attending the hearing will have the opportunity to testify if they so desire; however, individuals who preregister to testify will be given priority on the agenda.

Persons with a disability who wish to testify and require an auxiliary aid, service or other accommodation should contact Colleen Connolly at: coconnolly@pa.gov or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD) to discuss how the Department can meet their needs.

The NPDES permit application documentation and conceptual plans are available for review at the Lehigh County Conservation District Office, 4184 Dorney Park Road, Suite 105, Allentown, PA at (610) 391-9583 and/or the DEP Northeast Regional Office, 2 Public Square, Wilkes-Barre, PA (570) 826-2511. For further information, contact Colleen Connolly, Community Relations Coordinator of the Department's Northeast Regional Office at (570) 826-2035.

WASTE, AIR, RADIATION AND REMEDIATION

Notice of Certification to Perform Radon-Related Activities in Pennsylvania.

Central Office: Radiation Protection Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: 717-783-3594 Austyn Shank.

In the month of August 2023, Department of Environmental Protection of the Commonwealth of Pennsylvania, under the authority contained in the Radon Certification Act, act of July 9, 1987, P.L. 238, No. 43 (63 P.S. §§ 2001—2014) and regulations promulgated thereunder at 25 Pa. Code Chapter 240, has certified the persons listed as follows to perform radon related activities in Pennsylvania. The period of certification is two years. (For a complete list of persons currently certified to perform radon-related activities in Pennsylvania and for information as to the specific testing devices that persons certified for testing or laboratory are certified to use, contact the Bureau of Radiation Protection, Radon Division, P.O. Box 8469, Harrisburg, PA 17105-8469, (1-800-23RADON).

<i>Name</i>	<i>Address</i>	<i>Certification</i>
Brian Kampi	2175 Ridge Drive Mars, PA 16046-4107	Testing Individual
Derek Pearsall	207 Chestnut Street Richland, PA 17087	Testing Individual
Fred Hohman	26 Windhill Drive Greensburg, PA 15601-1043	Testing Individual
Lewis Nelson, IV	460 Newell Drive Huntingdon Valley, PA 19006-4036	Testing Individual
First Choice Radon Co, Inc.	460 Newell Drive Huntingdon Valley, PA 19006-4036	Testing Firm
Joseph Poplawski	4090 Airport Road Allentown, PA 18109-9440	Testing Individual
Neil Minnucci	955 Allentown Road Allentown, PA 19446-5207	Testing Individual
Dominic Gehret	200 Route 130 North Cinnminason, NJ 08077	Laboratory Individual
Barbara Fischer	1385 N River Road Yardley, PA 19067-1327	Testing Individual
Benedict Ugorji	757 Beatty Street Trenton, NJ 08611-2525	Mitigation Individual
Jook Ro	30 Sunset Drive Carlisle, PA 17013-2125	Testing Individual
Jook Ro	30 Sunset Drive Carlisle, PA 17013-2125	Mitigation Individual
Erik Gertsen	915 Samantha Circle Chester Springs, PA 19425-2118	Testing Individual
Salena Ling	4900 Carlisle Pike #277 Mechanicsburg, PA 17050-7709	Testing Individual
Precision Inspections & Radon Solutions	4900 Carlisle Pike #277 Mechanicsburg, PA 17050-7709	Testing Firm
David Kapturowski	6951 Allentown Blvd Ste N Harrisburg, PA 17112-3374	Laboratory Individual
Albert Morris	35 Clarendon Drive Easton, PA 18040-8302	Testing Individual
George Curry	P.O. Box 508 Medford, NJ 08055-0508	Mitigation Individual
Geo Environmental	P.O. Box 508 Medford, NJ 08055-0508	Mitigation Firm
Maren Smith	4851 Tamiami Trail N Ste 200 Naples, FL 34104	Testing Individual
Charles Gutridge	1614 Laurelwood Road Pottstown, PA 19465-7834	Mitigation Individual

[Pa.B. Doc. No. 23-1290. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Issuance of General Plan Approval and/or General Operating Permit for Coal-Mine Methane En- closed Flares (BAQ-GPA/GP-21)

In accordance with section 6.1(f) of the Air Pollution Control Act (35 P.S. § 4006.1(f)) and 25 Pa. Code Chapter

127, Subchapter H (relating to general plan approvals and operating permits), the Department of Environmental Protection (Department) has issued the General Plan Approval and/or General Operating Permit for Coal-Mine Methane Enclosed Flares (BAQ-GPA/GP-21) with an effective date of September 22, 2023.

The Department published a notice regarding the availability of the proposed GP-21 for public review and comment at 53 Pa.B. 3476 (July 1, 2023), in six newspa-

pers of general circulation and sent to nearby states and the United States Environmental Protection Agency. The public comment period ended on August 15, 2023. The Department prepared a comment and response document that summarizes the comments received.

Applicants may seek authorization to use GP-21 by submitting the General Permit application to the appropriate Department regional office. Applicants must receive the Department's written approval prior to constructing or operating, or both, coal-mine methane enclosed flares authorized under this General Permit. The Department will publish notice of each authorization to use GP-21 in the *Pennsylvania Bulletin*.

A copy of the General Permit with related documents, including the comment and response document and technical support document, can be obtained by contacting David Clark, P.O. Box 8468, Harrisburg, PA 17105, (717) 772-3942, davclark@pa.gov. The documents are available on the Department's web site at <http://www.depgreenport.state.pa.us/elibrary/GetFolder?FolderID=3623>.

RICHARD NEGRIN,
Secretary

[Pa.B. Doc. No. 23-1291. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Children's Hospital of Philadelphia Brandywine Valley Specialty Care and Surgery	28 Pa. Code § 551.3 (relating to definitions)
	28 Pa. Code § 559.2(1)—(5) (relating to director of nursing)
	28 Pa. Code § 559.3(c) (relating to nursing personnel)
Chop Bucks Specialty Care and Ambulatory Surgery Center	28 Pa. Code § 551.3
	28 Pa. Code § 559.2(1)—(5)
	28 Pa. Code § 559.3(c)
GSH Outpatient Surgery Center	28 Pa. Code § 551.3
	28 Pa. Code § 559.2(1)—(5)
	28 Pa. Code § 559.3(c)
Wellspan Chambersburg Endoscopy Center, LLC	28 Pa. Code § 551.3
	28 Pa. Code § 559.2(1)—(5)
	28 Pa. Code § 559.3(c)
Wellspan Dr. Roy A. Himelfarb Surgery Center	28 Pa. Code § 551.3
	28 Pa. Code § 559.2(1)—(5)
	28 Pa. Code § 559.3(c)
Wellspan Surgery Center—Hanover	28 Pa. Code § 551.3
	28 Pa. Code § 559.2(1)—(5)
	28 Pa. Code § 559.3(c)
Wellspan Surgical Center	28 Pa. Code § 551.3
	28 Pa. Code § 559.2(1)—(5)
	28 Pa. Code § 559.3(c)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1292. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation and relating to</i>
The Children's Hospital of Philadelphia	28 Pa. Code § 101.4 (relating to definitions)
	28 Pa. Code § 109.7 (relating to nursing staff qualifications)
The Robert Packer Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Select Specialty Hospital—Central Pennsylvania Harrisburg	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Troy Community Hospital, Inc.	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Uniontown Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Wellspan Surgery and Rehabilitation Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Wellspan York Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7
Wilkes-Barre General Hospital	28 Pa. Code § 101.4
	28 Pa. Code § 109.7

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed address. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1293. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Competitive Prices and Peer Group Criteria

Peer Group Criteria

The WIC Management Information System automatically assigns stores to one of five peer groups depending on store size, number of registers and where the store is located as follows:

<i>Square footage</i>	0—999 sq/ft	1,000—4,999 sq/ft	5,000—9,999 sq/ft	10,000—19,999 sq/ft	20,000—99,999 sq/ft
<i>Peer group</i>	5	4	3	2	1
<i>Number of cash registers</i>	0-1	2—4	5—9	10—19	20+
				<i>Geography</i>	
<i>Weighting</i>			<i>Population Ranges</i>		<i>Density</i>
<i>Square footage</i>	30%		0—69,999	Remote Rural	0—50
<i>Registers</i>	30%		70,000—124,999	Rural	51—99
<i>Geography</i>	40%		125,000—249,999	Slightly Urban	100—199
			250,000—499,999	Urban	200—499
			500,000—999,999	Metro Market Edge	500—1,000
			1,000,000+	Metro Market Center	1,000+

Competitive Prices for Peer Group 1 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery methods), the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 1 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2023, through December 31, 2023, the Competitive Prices for WIC Authorization for Peer Group 1 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread (16 oz.)	1	\$4.86
Brown Rice (16 oz.)	1	\$1.66
Canned Beans (15.5—16 oz. can)	1	\$1.72
Cereal (per oz.)	1	\$0.44
Cheese—16 oz.	1	\$7.72
Cheese—Kosher—16 oz.	1	\$15.50
Dried Beans/peas (1 pound)	1	\$2.69
Fresh shell eggs (dozen)	1	\$3.32
Infant Cereal (8 oz. container)	1	\$3.70
Infant Fruits (4 oz. or 2—2 oz. pack)	1	\$1.48
Infant Meats (2 oz. container)	1	\$1.76
Infant Vegetables (4 oz. or 2—2 oz. pack)	1	\$1.51
Juice 11.5/12 oz.	1	\$3.35
Juice 48 oz.	1	\$4.88

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Juice 64 oz.	1	\$5.12
Light Tuna (5 oz. can)	1	\$1.76
Milk—Kosher—Low Fat 1/2 gallon	1	\$5.34
Milk—Low Fat 1/2 gallon	1	\$2.97
Milk—Whole—Kosher 1/2 gallon	1	\$5.69
Milk—Whole 1/2 gallon	1	\$3.37
Oats (16 oz.)	1	\$2.41
Peanut Butter (16—18 oz.)	1	\$4.11
Salmon (6 oz. can)	1	\$3.90
Sardines (3.75 oz. can)	1	\$1.90
Similac Adv Conc 13 oz.	1	\$8.33
Similac Adv Pwd 12.4 oz.	1	\$26.63
Similac Isomil Pwd 12.4 oz.	1	\$26.56
Tortilla (16 oz.)	1	\$4.17
Whole Wheat Pasta 16 oz.	1	\$2.31

Competitive Prices for Peer Group 2 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 2 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2023, through December 31, 2023, the Competitive Prices for WIC Authorization for Peer Group 2 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread (16 oz.)	2	\$5.30
Brown Rice (16 oz.)	2	\$2.15
Canned Beans (15.5—16 oz. can)	2	\$1.85
Cereal (per oz.)	2	\$0.51
Cheese—16 oz.	2	\$8.58
Cheese—Kosher—16 oz.	2	\$18.00
Dried Beans/peas (1 pound)	2	\$2.83
Fresh shell eggs (dozen)	2	\$3.48
Infant Cereal (8 oz. container)	2	\$4.37
Infant Fruits (4 oz. or 2—2 oz. pack)	2	\$1.57
Infant Meats (2 oz. container)	2	\$1.90
Infant Vegetables (4 oz. or 2—2 oz. pack)	2	\$1.57
Juice 11.5/12 oz.	2	\$4.03
Juice 48 oz.	2	\$5.49
Juice 64 oz.	2	\$6.01
Light Tuna (5 oz. can)	2	\$1.89
Milk—Kosher—Low Fat 1/2 gallon	2	\$5.72
Milk—Low Fat 1/2 gallon	2	\$3.10
Milk—Whole—Kosher 1/2 gallon	2	\$5.99
Milk—Whole 1/2 gallon	2	\$3.47
Oats (16 oz.)	2	\$2.82
Peanut Butter (16—18 oz.)	2	\$4.23
Salmon (6 oz. can)	2	\$4.68
Sardines (3.75 oz. can)	2	\$2.05
Similac Adv Conc 13 oz.	2	\$9.19
Similac Adv Pwd 12.4 oz.	2	\$29.86
Similac Isomil Pwd 12.4 oz.	2	\$29.58
Tortilla (16 oz.)	2	\$4.69
Whole Wheat Pasta (16 oz.)	2	\$2.64

Competitive Prices for Peer Group 3 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 3 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2023, through December 31, 2023, the Competitive Prices for WIC Authorization for Peer Group 3 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread (16 oz.)	3	\$5.34
Brown Rice (16 oz.)	3	\$2.31
Canned Beans (15.5—16 oz. can)	3	\$1.91
Cereal (per oz.)	3	\$0.52
Cheese—16 oz.	3	\$8.84

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Cheese—Kosher—16 oz.	3	\$19.75
Dried Beans/peas (1 pound)	3	\$2.94
Fresh shell eggs (dozen)	3	\$3.71
Infant Cereal (8 oz. container)	3	\$4.68
Infant Fruits (4 oz. or 2—2 oz. pack)	3	\$1.66
Infant Meats (2 oz. container)	3	\$2.02
Infant Vegetables (4 oz. or 2—2 oz. pack)	3	\$1.68
Juice 11.5/12 oz.	3	\$4.30
Juice 48 oz.	3	\$5.54
Juice 64 oz.	3	\$6.40
Light Tuna (5 oz. can)	3	\$1.95
Milk—Kosher—Low Fat 1/2 gallon	3	\$6.24
Milk—Low Fat 1/2 gallon	3	\$3.42
Milk—Whole—Kosher 1/2 gallon	3	\$6.49
Milk—Whole 1/2 gallon	3	\$3.59
Oats (16 oz.)	3	\$3.17
Peanut Butter (16—18 oz.)	3	\$4.30
Salmon (6 oz. can)	3	\$4.76
Sardines (3.75 oz. can)	3	\$2.20
Similac Adv Conc 13 oz.	3	\$11.70
Similac Adv Pwd 12.4 oz.	3	\$32.45
Similac Isomil Pwd 12.4 oz.	3	\$32.85
Tortilla (16 oz.)	3	\$4.77
Whole Wheat Pasta (16 oz.)	3	\$3.12

Competitive Prices for Peer Group 4 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 4 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2023, through December 31, 2023, the Competitive Prices for WIC Authorization for Peer Group 4 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread (16 oz.)	4	\$6.27
Brown Rice (16 oz.)	4	\$2.76
Canned Beans (15.5—16 oz. can)	4	\$2.47
Cereal (per oz.)	4	\$0.61
Cheese—16 oz.	4	\$10.56
Cheese—Kosher—16 oz.	4	\$21.85
Dried Beans/peas (1 pound)	4	\$3.26
Fresh shell eggs (dozen)	4	\$4.26
Infant Cereal (8 oz. container)	4	\$5.62

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Infant Fruits (4 oz. or 2—2 oz. pack)	4	\$1.89
Infant Meats (2 oz. container)	4	\$2.28
Infant Vegetables (4 oz. or 2—2 oz. pack)	4	\$1.77
Juice 11.5/12 oz.	4	\$4.78
Juice 48 oz.	4	\$6.45
Juice 64 oz.	4	\$7.45
Light Tuna (5 oz. can)	4	\$2.21
Milk—Kosher—Low Fat 1/2 gallon	4	\$6.97
Milk—Low Fat 1/2 gallon	4	\$4.04
Milk—Whole—Kosher 1/2 gallon	4	\$7.09
Milk—Whole 1/2 gallon	4	\$4.46
Oats (16 oz.)	4	\$4.90
Peanut Butter (16—18 oz.)	4	\$5.67
Salmon (6 oz. can)	4	\$5.62
Sardines (3.75 oz. can)	4	\$2.95
Similac Adv Conc 13 oz.	4	\$14.30
Similac Adv Pwd 12.4 oz.	4	\$38.23
Similac Isomil Pwd 12.4 oz.	4	\$38.99
Tortilla (16 oz.)	4	\$5.04
Whole Wheat Pasta (16 oz.)	4	\$3.56

Competitive Prices for Peer Group 5 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 5 Stores.

Competitive Prices

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective October 1, 2023, through December 31, 2023, the Competitive Prices for WIC Authorization for Peer Group 5 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread (16 oz.)	5	\$6.77
Brown Rice (16 oz.)	5	\$4.29
Canned Beans (15.5—16 oz. can)	5	\$2.78
Cereal (per oz.)	5	\$0.64
Cheese—16 oz.	5	\$13.57
Cheese—Kosher—16 oz.	5	\$23.80
Dried Beans/peas (1 pound)	5	\$3.87
Fresh shell eggs (dozen)	5	\$5.44
Infant Cereal (8 oz. container)	5	\$6.34
Infant Fruits (4 oz. or 2—2 oz. pack)	5	\$2.02
Infant Meats (2 oz. container)	5	\$2.43
Infant Vegetables (4 oz. or 2—2 oz. pack)	5	\$2.13
Juice 11.5/12 oz.	5	\$4.85

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Juice 48 oz.	5	\$7.37
Juice 64 oz.	5	\$8.91
Light Tuna (5 oz. can)	5	\$2.86
Milk—Kosher—Low Fat 1/2 gallon	5	\$7.65
Milk—Low Fat 1/2 gallon	5	\$5.42
Milk—Whole—Kosher 1/2 gallon	5	\$8.19
Milk—Whole 1/2 gallon	5	\$5.28
Oats (16 oz.)	5	\$5.85
Peanut Butter (16—18 oz.)	5	\$6.76
Salmon (6 oz. can)	5	\$5.93
Sardines (3.75 oz. can)	5	\$3.76
Similac Adv Conc 13 oz.	5	\$17.39
Similac Adv Pwd 12.4 oz.	5	\$44.71
Similac Isomil Pwd 12.4 oz.	5	\$42.17
Tortilla (16 oz.)	5	\$6.25
Whole Wheat Pasta (16 oz.)	5	\$3.86

United States Department of Agriculture (USDA) Nondiscrimination Statement:

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who require alternative means of communication to obtain program information (for example, Braille, large print, audiotope, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://www.usda.gov/sites/default/files/documents/USDA-OASCR%20P-Complaint-Form-0508-0002-508-11-28-17Fax2Mail.pdf>, from any USDA office, by calling (866) 632-9992, or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax: (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotope, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the

Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Pennsylvania WIC program is funded by the USDA. The USDA is an equal opportunity provider.

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1294. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Disproportionate Share and Supplemental Hospital Payments

The Department of Human Services (Department) is announcing its intent to allocate \$258.220 million for Fiscal Year (FY) 2023-2024 inpatient disproportionate share hospital (DSH) payments to qualifying inpatient acute care general, psychiatric and rehabilitation hospitals and qualifying psychiatric and rehabilitation units of acute care general hospitals, outpatient supplemental payments to qualifying inpatient acute care general hospitals, direct medical education payments to qualifying inpatient acute care general hospitals and certain DSH and supplemental payments to new hospitals.

The Department is not otherwise changing the State Plan provisions addressing the qualifying criteria or payment methodology for these payments. Payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment, and that no hospital may receive DSH payments in excess of its hospital-specific limit.

Fiscal Impact

The FY 2023-2024 fiscal impact is expected to be \$258.220 million in total funds for the full 12 months, upon approval by the Centers for Medicare & Medicaid Services. The amount of the fiscal impact is, however, dependent upon the reauthorization of the Statewide Quality Care Assessment.

Public Comment

Interested persons are invited to submit written comments regarding this notice to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or to RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered in determining the final payment methodology for these payments.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1590. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund; (2) Implementing Year 2023-24 is \$106,846,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000; (7) Medical Assistance—Fee-for-Service; (8)

recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 23-1295. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Managed Care Quality Strategy for the Commonwealth

The Department of Human Services (Department) is making available for public review and comment the Medical Assistance (MA) and Children's Health Insurance Program (CHIP) Managed Care Quality Strategy for the Commonwealth.

Background

The Centers for Medicare & Medicaid Services (CMS) requires states to draft and implement a written quality strategy for assessing and improving the quality of health care and services furnished by managed care organizations (MCO) that have an agreement with the Department (see 42 CFR 438.340(a) and 457.1240(e) (relating to managed care State quality strategy; and quality measurement and improvement)). As a result, the Department has developed the MA and CHIP Managed Care Quality Strategy (MCQS), which discusses the various initiatives the Department has implemented to improve the quality of care for individuals receiving services through its managed care programs. The MCQS for the Commonwealth is not intended to comprehensively describe all the activities the Department undertakes to assure the quality of care rendered to individuals who are receiving services through its managed care programs.

The MCQS is an updated version of the previous quality strategy submitted to CMS in December 2020, and describes initiatives, strategies and processes to improve, evaluate and monitor member access to high quality, timely care through the Medicaid and CHIP managed care delivery system. The novel coronavirus (COVID-19) pandemic and ongoing post-pandemic delivery system pressures have affected and changed how the MCOs deliver care. As a result of these and other changes in how the MCOs deliver care, the Department has refocused and revised its quality goals, objectives and strategies.

Discussion

As the delivery system landscape continues to respond and evolve, this MCQS provides a roadmap for the Department to support improved quality for all MA managed care and CHIP members. Across the Department and as detailed throughout the MCQS, the Department strives to improve the health of members in each of its managed care programs through the implementation of strategic initiatives that support its three main goals:

1. Increase access to health care services.
2. Improve the health outcomes of populations.
3. Promote efficient and effective use of taxpayer resources.

The MCQS takes a broad view of opportunities to improve member health by focusing on domains of increasing value, supporting health equity and addressing Social Determinates of Health (SDOH) in its managed

care programs using the MCO agreements and programmatic initiatives. The Department is working on a Value-Based purchasing strategy to align the program offices. The Department is also using several CMS-approved State directed payments to support the goals of increasing access, improving health outcomes and promoting the effective use of resources. At the same time the Commonwealth, MCOs, providers and members are all emerging from the COVID-19 pandemic with new approaches and opportunities, as well as facing ongoing challenges, including workforce and supply chain issues.

The Office of Medical Assistance Programs' (OMAP) key initiatives continue to be centered around value-based purchasing and requiring the MCOs to incorporate the use of community-based organizations in their value-based purchasing strategies to address SDOH domains. OMAP is also encouraging expanded use of Opioid Use Disorder Centers of Excellence as well as using pay-for-performance to improve the health for the population in HealthChoices.

The Office of Mental Health and Substance Abuse Services' (OMHSAS) key quality improvement initiatives include value-based purchasing arrangements, like OMAP, that incorporate the use of community-based organizations to address SDOH domains. OMHSAS continues to use Integrated Community Wellness Centers to increase SDOH screenings and promote integrated physical and behavioral health care for patients, as well as pay-for-performance to improve performance and outcomes.

The Office of Long-Term Living quality improvement initiatives included requiring value-based purchasing models for long-term services and supports, requiring a pay-for-performance program to improve the quality of nursing facility services as well as Performance Improvement Program for performance around assessments, care plans reassessments and planning after discharge, Consumer Assessment of Healthcare Providers and Systems health plan satisfaction and meeting nursing home transition benchmarks.

The CHIP key quality improvement initiatives include developing a pay-for-performance incentive for meeting or exceeding benchmarks on health care performance measures.

Finally, key quality improvement initiatives for the Adult Community Autism Program include decreasing social isolation among members.

The MCQS for the Commonwealth can be viewed at <https://www.dhs.pa.gov/healthchoices/pages/managed-care-quality-strategy.aspx>.

Public Comment

Interested persons are invited to submit comments regarding the MCQS for the Commonwealth to the Department at RA-PWQualityStrategy@pa.gov. Comments received within 30 days will be reviewed and considered before the MCQS is submitted to CMS for review.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1591. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 23-1296. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Hollow Road, Point Township, Northumberland County, approximately 0.4 mile east of the intersection with State Route 405. The parcel contains 3.362 acres of unimproved land. The estimated fair market value is \$13,500.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Jeffrey M. Wenner, PE, District Right-of-Way Administrator, Department of Transportation, 715 Jordan Avenue, Montoursville, PA 17754.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 23-1297. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following list of properties is available for sale by the Department:

1. State Route 198, Parcel No. 9, Tax ID # 4501-006, located in Saegertown Borough, Crawford County. This is an uneconomic remnant and contains 7,651 square feet of unimproved land situated at Main Street, Saegertown, PA 16433. The estimated fair market value is \$3,800. It has been determined that the land is no longer needed for present or future transportation purposes.

2. State Route 198, Parcel No. 10, Tax ID # 4501-007, located in Saegertown Borough, Crawford County. This is an uneconomic remnant and contains 8,206 square feet of unimproved land situated at Main Street, Saegertown, PA 16433. The estimated fair market value is \$4,100. It has been determined that the land is no longer needed for present or future transportation purposes.

3. State Route 198, Parcel No. 16, Tax ID # 4501-003, located in Saegertown Borough, Crawford County. This is

an uneconomic remnant and contains 1,371 square feet of unimproved land situated at Main Street, Saegertown, PA 16433. The estimated fair market value is \$170. It has been determined that the land is no longer needed for present or future transportation purposes.

Public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Deborah Knapp, Engineering District 1-0, Right-of-Way Unit, 255 Elm Street, Oil City, PA 16301.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 23-1298. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department), under the Sale of Transportation Lands Act (71 P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following property is available for sale by the Department.

Ulster, Bradford County, on the west side of State Route 220. The parcel is south of the intersection of State Route 220 and Bridge Street and north of Farr Street. The parcel contains 1,113 square feet of unimproved land. The estimated fair market value is \$3,670.

Interested public entities are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to Jeffrey M. Wenner, PE, District Right-of-Way Administrator, Department of Transportation, 715 Jordan Avenue, Montoursville, PA 17754.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 23-1299. Filed for public inspection September 22, 2023, 9:00 a.m.]

DEPARTMENT OF TRANSPORTATION

Proposed Disadvantaged Business Enterprise Goal Methodology for Participation in Federal Highway Administration Funded Contracts for Federal Fiscal Years 2024—2026

The Department of Transportation (Department) is providing notice of its proposed Federal Highway Administration Disadvantaged Business Enterprise Goal Methodology for Federal Fiscal Years 2024—2026.

The proposed methodology used in determination of the goals is available for inspection during normal business hours at the Department of Transportation, Bureau of Equal Opportunity, 400 North Street, 5th Floor, Harrisburg, PA 17120-0041, (717) 787-5891, (800) 468-4201.

The document can also be viewed online at <https://equalopportunity.penndot.pa.gov>. The document will be available for inspection for 30 days from the date of this notice. The Department will accept written comments on the methodology during this period. Comments, questions or suggestions regarding this notice may be directed in writing to Megan Peterson, Acting Director, Bureau of Equal Opportunity, at the previously listed address.

MICHAEL CARROLL,
Secretary

[Pa.B. Doc. No. 23-1300. Filed for public inspection September 22, 2023, 9:00 a.m.]

ENVIRONMENTAL QUALITY BOARD

Meeting Cancellation

The October 10, 2023, meeting of the Environmental Quality Board (Board) is cancelled. The next regular meeting of the Board is tentatively scheduled for Tuesday, November 14, 2023. The meeting will begin at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA. Individuals may attend the meeting in person or remotely.

Information on how to join the meeting, as well as agenda and meeting materials, will be available on the Board's webpage, found through the Public Participation tab on the Department of Environmental Protection's (Department) web site at www.dep.pa.gov (select "Public Participation," then "Environmental Quality Board," then "2023 Meetings").

Individuals are encouraged to visit the Board's webpage to confirm meeting date, time and location prior to each meeting. Questions concerning the November 14, 2023, meeting can be directed to Laura Griffin at laurgriffi@pa.gov or (717) 783-8727.

Persons in need of accommodations as provided for in the Americans with Disabilities Act of 1990 should contact the Department at (717) 783-8727 or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

RICHARD NEGRIN,
Chairperson

[Pa.B. Doc. No. 23-1301. Filed for public inspection September 22, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Merger of Polish National Union of America with and into The Polish National Alliance of the United States of North America

An application has been received requesting approval of the merger of Polish National Union of America, a fraternal benefit society organized under the laws of the Commonwealth, with and into The Polish National Alliance of the United States of North America, a fraternal benefit society organized under the laws of Illinois. The filing was made under section 2425 of The Insurance Company Law of 1921 (40 P.S. § 991.2425).

Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a

written statement to the Insurance Department (Department) within 5 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements must be e-mailed to Lori Rumpf, lrumpf@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1302. Filed for public inspection September 22, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insured has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for October 2, 2023, at 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before September 28, 2023.

The video hearing will be held virtually by means of Zoom. The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126 or ra-hearings@pa.gov.

Appeal of Matthew J. Wholey; Travelers Home and Marine Insurance Company; File No. 23-119-283560; Doc. No. P23-07-024; October 12, 2023, 1 p.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1303. Filed for public inspection September 22, 2023, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 3

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 3 on November 1, 2023, beginning at 9 a.m. The hearing will be held in Room 309, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 3. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2022 and 2023; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 3. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 3. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 26, 2023, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 26, 2023, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 4, 2023, Board staff shall file with the Board, in person or electronically, one hard copy and ensure receipt by all other parties of one electronic copy of:

a. A list of witnesses who will testify for Staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on October 18, 2023, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on October 24, 2023, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 12 p.m. on October 19, 2023.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL HARDBARGER,
Secretary

[Pa.B. Doc. No. 23-1304. Filed for public inspection September 22, 2023, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 5

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 5 on November 1, 2023, beginning at 9:30 a.m. The hearing will be held in Room 309, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 5. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first halves of calendar years 2022 and 2023; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 5. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 5. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 26, 2023, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 26, 2023, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 4, 2023, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for Staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on October 18, 2023, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on October 24, 2023, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 12 p.m. on October 19, 2023.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL HARDBARGER,
Secretary

[Pa.B. Doc. No. 23-1305. Filed for public inspection September 22, 2023, 9:00 a.m.]

MILK MARKETING BOARD

Hearing and Presubmission Schedule; Milk Marketing Area No. 6

Under the provisions of the Milk Marketing Law (31 P.S. §§ 700j-101—700j-1302), the Milk Marketing Board (Board) will conduct a public hearing for Milk Marketing Area No. 6 on November 1, 2023, beginning at 9:45 a.m. The hearing will be held in Room 309, Department of Agriculture Building, 2301 North Cameron Street, Harrisburg, PA.

The purpose of the hearing is to receive testimony and exhibits concerning cost replacement in Milk Marketing Area No. 6. Evidence will be limited to the following: annualized processing, packaging and delivery costs; updated costs for containers, ingredients and Class II products; updated labor, utility and insurance costs based on comparisons between costs per point for the first

halves of calendar years 2022 and 2023; skim and butterfat contents of products regulated by the Board; adjustment for shrinkage, sales of bulk products and cream processing costs; and a reasonable rate of return to milk dealers. Evidence and testimony will be considered regarding the heating fuel adjuster in Milk Marketing Area 6. Evidence and testimony will be considered regarding the diesel fuel cost adjuster in Milk Marketing Area 6. Evidence and testimony will be considered regarding the container efficiency adjustment.

The staff of the Board is deemed to be a party to this hearing, and the attorney representing staff is deemed to have entered his appearance. Other persons who wish to present evidence may be included on the Board's list of parties by: (1) having their attorney file with the Board on or before 1 p.m. on September 26, 2023, a notice of appearance substantially in the form prescribed by 1 Pa. Code § 31.25 (relating to form of notice of appearance); or (2) if unrepresented by counsel, filing with the Board on or before 1 p.m. on September 26, 2023, notification of their desire to be included as a party. Parties should indicate in their notices of appearance if alternate means of service, that is, e-mail or fax, are acceptable. Notices of appearance filed electronically should be directed to deberly@pa.gov.

The parties shall observe the following requirements for advance filing of witness information and exhibits:

1. By 2 p.m. on October 4, 2023, Board staff shall file with the Board one electronic copy and ensure receipt by all other parties of one electronic copy, of:

a. A list of witnesses who will testify for Staff, along with a statement of the subjects concerning which each witness will testify. A witness who will be offered as an expert shall be so identified, along with the witness's area or areas of proposed expertise. For expert witnesses there shall also be filed a statement of the substance of the facts and opinions to which the expert is expected to testify and a summary of the grounds for each opinion.

b. Each exhibit to be presented, including testimony to be offered in written form.

2. By 2 p.m. on October 18, 2023, each responding party shall file and serve as set forth in paragraph 1 information concerning rebuttal witnesses and copies of rebuttal exhibits.

3. By 2 p.m. on October 24, 2023, each party shall file and serve as set forth in paragraph 1 information concerning surrebuttal witnesses and copies of surrebuttal exhibits.

Parties that wish to offer in evidence documents on file with the Board, public documents or records in other proceedings before the Board, or who wish the Board to take official notice of facts, shall comply with, respectively, 1 Pa. Code § 35.164, § 35.165, § 35.167 or § 35.173. Whether these rules require production of a document as an exhibit, copies shall be provided to each Board member and to all other parties.

Requests by parties for Board staff to provide data pertinent to the hearing shall be made in writing directed to deberly@pa.gov and received by 12 p.m. on October 19, 2023.

Electronic filings should be made to deberly@pa.gov. The filing address for the Board is Milk Marketing Board, Room 110, Agriculture Building, 2301 North Cameron Street, Harrisburg, PA 17110.

CAROL HARDBARGER,
Secretary

[Pa.B. Doc. No. 23-1306. Filed for public inspection September 22, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Natural Gas Service

A-2023-3042807. National Fuel Gas Distribution Corporation. Application for approval of abandonment of service by National Fuel Gas Distribution Corporation for two natural gas service customers located in Washington Township, Armstrong County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before October 10, 2023. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available only online for inspection and copying on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov and at the applicant's business address. Parties to proceedings pending before the Commission must open and use an eFiling account through the Commission's web site at www.puc.pa.gov or they may submit the filing by overnight delivery to the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery. Large filings containing confidential or proprietary material may be submitted through the Commission's Share Point File system with advanced notice to the Commission prior to submittal.

Applicant: National Fuel Gas Distribution Corporation, 6363 Main Street, Williamsville, NY 14221

Through and By Counsel for: Anthony D. Kanagy, Garrett P. Lent, Post & Schell, PC, 17 North Second Street, 12th Floor, Harrisburg, PA 17101-1601, (717) 612-6034, akanagy@postschell.com, glent@postschell.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1307. Filed for public inspection September 22, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with

52 Pa. Code (relating to public utilities) on or before October 9, 2023. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by October 9, 2023. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.

A-2023-3041763. H2H Air Solutions Limited Liability Company (2375 Woodward Street, Apartment 803, Philadelphia, Philadelphia County, PA 19115) for the right to begin to transport, as a common carrier, by motor vehicle, persons in nonemergency medical paratransit service for the medical assistance transportation program, between points in the Counties of Bucks, Chester, Delaware and Montgomery, and the City and County of Philadelphia.

A-2023-3042292. Journey Together Transportation, LLC (2417 Welsh Road, Suite 21, Philadelphia, Philadelphia County, PA 19114) for the right to begin to transport, as a common carrier, by motor vehicle, persons who are physically, intellectually or developmentally disabled in nonemergency medical paratransit service, between points in the Counties of Berks and Dauphin, and the City and County of Philadelphia.

A-2023-3042829. Quality Care Transport Service, Ltd, t/a Quality Care & Transport Service (4111 Aston Mills Road, Aston, Delaware County, PA 19014) for the right to begin to transport, as a common carrier, by motor vehicle, clients of the organization Preparing Adolescents and Adults for Life in paratransit service, from points in Chester County, to points in Pennsylvania, and return.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1308. Filed for public inspection September 22, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due October 10, 2023, and must be made with the Secretary, Pennsylvania Public Utility Commission,

400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

**Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Scott Abreu Sprinter Services, LLC, t/a SAS Delivery;
Doc. No. C-2023-3032421**

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Scott Abreu Sprinter Services, LLC, t/a SAS Delivery, Respondent, maintains a principal place of business at 1124 Bluebird Lane, York, PA 17402.

2. On May 11, 2022, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8925109 at A-2022-3031744. Respondent was further advised "Certificate holder is advised to become familiar with the requirements of 52 Pa. Code. Failure to comply with all applicable requirements may subject the carrier to penalties, including fines, suspension of operating rights or cancellation of authority. Title 52 of the *Pennsylvania Code* may be accessed on the World Wide Web at www.pacode.com.

1. On March 20, 2023, a first class and certified letter was sent from the Harrisburg Regional Office to the respondent requesting the respondent contact PA PUC Enforcement Officer Enid Scharl within 10 days. Further attempts were made to contact the Respondent to complete the Safety Fitness Review as a requirement of the certificate of authority granted. No response has been received.

2. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8925109.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to Scott Abreu Sprinter Services, LLC, t/a SAS Delivery at PUC utility code number 8925109.

Respectfully submitted,
Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
100 Lackawanna Avenue
Room 320
Scranton, PA 18503

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowl-

edge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 2023

Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 3rd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. T & B Trucking, LLC; Doc. No. C-2023-3036766

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has del-

egated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That T & B Trucking, LLC, Respondent, maintains a mailing address of 13919 N May Avenue 204, Oklahoma City, OK 73134 and physical place of business at 326 East Franklin Street, Waynesboro, PA 15320.

2. On October 28, 2022, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8925684 at A-2022-3036369.

3. On November 28, 2022, Officer Mia Fuller attempted to contact T & B Trucking and recorded a voicemail requesting the Respondent return the call.

4. On December 5, 2022, Officer Fuller and PUC Supervisor James Murray visited the physical address and contacted a gentleman who said he would be in contact with Officer Fuller or Supervisor Murray soon.

5. On December 28, 2022, a first class and certified letter was sent from the Western Regional Office to the mailing address of the Respondent requesting contact PA PUC Enforcement Officer Mia Fuller within 10 days. The certified letter was delivered on January 3, 2023. Further attempts were made to contact the Respondent by phone and email to complete the Safety Fitness Review as a requirement of the certificate of authority granted. No response has been received.

6. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8925684.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to T & B Trucking, LLC at PUC utility code number 8925684.

Respectfully submitted,
Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement
100 Lackawanna Avenue
Room 320
Scranton, PA 18503

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 2023

Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 3rd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. K3 Trucking, LLC; Doc. No. C-2023-3037202

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That K3 Trucking, LLC, Respondent, maintains a mailing address of PO Box 641, Donora, PA 15033.

2. On November 18, 2022, by Commission Secretarial letter, Respondent was issued a certificate of public convenience by this Commission authorizing transportation, as a common carrier, by motor vehicle, property, excluding household goods in use, between points in Pennsylvania at PUC utility code no. 8925718 at A-2022-3036667.

3. On December 15, 2022, PUC Supervisor James Murray spoke to Kevin Miller, owner, and explained the Safety Fitness Review and items to be reviewed.

4. On January 6, 2023, through April 21, 2023, Supervisor Murray spoke with and/or texted Respondent requesting contact with Supervisor Murray.

5. On April 27, 2023, a first class and certified letter was sent from the Western Regional Office to the mailing address of the Respondent requesting contact PA PUC Enforcement Supervisor Murray within 10 days. The certified letter was delivered returned to the Regional Office unclaimed on June 20, 2023. No response has been received.

6. That Respondent, by failing to achieve a satisfactory evaluation on a safety fitness review, violated 66 Pa § 501(c) and, for failure to maintain adequate, efficient, and safe service and facilities, violated 66 Pa. § 1501. The penalty for this violation is cancellation of the certificate held by Respondent with this Commission at utility code 8925718.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission revoke the certificate of public convenience issued to K3 Trucking, LLC at PUC utility code number 8925718.

Respectfully submitted,
 Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement
 100 Lackawanna Avenue
 Room 320
 Scranton, PA 18503

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: 2023

Andrew Turriziani, Chief
 Motor Carrier Enforcement
 Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street, 2nd Floor
 Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
 Pennsylvania Public Utility Commission
 400 North Street, 3rd Floor
 Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

D. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

E. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1309. Filed for public inspection September 22, 2023, 9:00 a.m.]

PHILADELPHIA PARKING AUTHORITY

Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than October 10, 2023. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

Doc. No. A-23-09-01. SP Taxi, LLC (2668 Welsh Road, Philadelphia, PA 19152): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points

within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David Temple, Esq., 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

RICH LAZER,
Executive Director

[Pa.B. Doc. No. 23-1310. Filed for public inspection September 22, 2023, 9:00 a.m.]

STATE BOARD OF NURSING

Automatic Suspension of the License to Practice Practical Nursing of Dawn-Marie Lena Hunt, LPN; File No. 21-51-017088

Notice to Dawn-Marie Lena Hunt, LPN:

On September 8, 2022, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted formal administrative action against you by filing a Petition for Automatic Suspension before the State Board of Nursing (Board) alleging that your license to practice practical nursing is subject to automatic suspension under section 17.1(b) of the Practical Nurse Law, Act of March 2, 1956, P.L. 1956-1211 ("Act"). This notice is being published pursuant to 1 Pa. Code § 33.31 and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing service of process upon you by publication.

Notice

Formal disciplinary action has been filed against you. Your license to practice practical nursing in the Commonwealth of Pennsylvania shall be AUTOMATICALLY SUSPENDED under the authority of Section 17.1(b) of the Act, effective twenty days from the date of publication of this Notice UNLESS you file a response to the Petition and a request for a hearing.

If you wish to defend against the charges in the Petition or request a hearing, the procedure for doing so is explained in the Petition, Notice and Order of Automatic Suspension. You may obtain a copy of the Petition, Notice and Order by contacting the Prothonotary for the Department of State, 2601 North Third Street, P.O. Box 2649, Harrisburg, PA 17105-2649; or by telephone at (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the assistance of an attorney. All proceedings before the Board are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedure. If a response and request for a hearing are not filed within 20 days of publication of this Notice, a final order suspending your license will be issued by the State Board of Nursing. The response and any pleadings or other documents related to this matter must be filed with the Prothonotary for the Department of State at the above address. A copy of the response and request for hearing shall also be served on the prosecuting attorney identified in the Petition.

LINDA L. KMETZ, PhD, RN,
Chairperson

[Pa.B. Doc. No. 23-1311. Filed for public inspection September 22, 2023, 9:00 a.m.]

STATE CONSERVATION COMMISSION

Action on Odor Management Plans for Concentrated Animal Operations and Concentrated Animal Feeding Operations and Volunteers Complying with the Commonwealth's Facility Odor Management Program

The State Conservation Commission has taken the following actions on previously received applications for Odor Management Plans under 3 Pa.C.S. §§ 501—522 (relating to nutrient management and odor management).

Persons aggrieved by any action may appeal under 3 Pa.C.S. § 517 (relating to appealable actions), section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law) to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, (717) 787-3483. TDD users should contact the Environmental Hearing Board (Board) through the Pennsylvania Hamilton Relay Service at (800) 654-5984. Appeals must be filed with the Board within 30 days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at (717) 787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge an action, appeals must reach the Board within 30 days. A lawyer is not needed to file an appeal with the Board.

Important legal rights are at stake, so individuals interested in challenging this action should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at (717) 787-3483 for more information.

Odor Management Plan—Public Notice Spreadsheet—Actions

<i>Ag Operation Name, Address</i>	<i>County/ Township</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>New, Amended or Existing</i>	<i>Action Taken</i>
Arlyn Martin—Poultry Farm 26234 Route 522 McClure, PA 178411	Snyder County/ McClure Borough	243.7	Broilers	New	Approved
Jonathan and Miriam Stoltzfus 220 Ridge Road Spring Mills, PA 16875	Centre County/ Gregg Township	120.0	Turkey Cattle Sheep Horse	New	Approved

RUSSELL REDDING,
Chairperson

[Pa.B. Doc. No. 23-1312. Filed for public inspection September 22, 2023, 9:00 a.m.]

STATE HORSE RACING COMMISSION

Receipt of Matters Subject to Intervention

In accordance with 7 Pa. Code § 179.17(d) (relating to intervention), the State Horse Racing Commission (Commission) provides notice that it has received the following timely, substantially complete and properly filed applications or petitions seeking authorization, permission or licensure renewal, or both, to engage in certain licensed racing activities within this Commonwealth:

Vendor Renewal Applications:

- International Sound Corporation (2023-14)
- XpressBet, LLC (2023-16)
- eBet Technologies, Inc. (2023-17)
- Penn ADW, LLC (2023-18)
- Global Tote US, LLC (2023-19)
- Robert Communication, LLC (2023-15)
- CDTIC (d/b/a TwinSpires) (2023-22)
- ODS Technologies (d/b/a TGV and Fanduel Racing) (2023-12)
- Gaming and Leisure Properties, Inc. (2023-13)

- Axcis Information Network, Inc. (2023-21)
- VICI Properties, Inc. (2023-20)

Totalisator Renewal Applications:

- AmTote International, Inc. (2023-23)
- United Tote Company (2023-25)
- Global Tote US, LLC (2023-24)

Electronic Wagering Renewal Petitions:

- Bensalem Racing Association and Keystone Turf Club, Inc. (d/b/a Parx Racetrack and Casino) (2023-27)
- Downs Racing, LP (d/b/a Mohegan Pennsylvania) (2023-26)
- Washington Trotting Association, LLC and Mountain Laurel Racing, Inc. (d/b/a The Meadows Racetrack and Casino) (2023-30)
- Presque Isle Downs, LLC (d/b/a PID) (2023-31)
- Penn National Turf Club, LLC and Mountainview Thoroughbred Racing Association, LLC (d/b/a Penn National Racecourse) (2023-29)

- Chester Downs and Marina, LLC (d/b/a Harrah's Philadelphia Casino and Racetrack) (2023-28)

SPMO License Renewal Applications:

- AM West Entertainment, LLC (2023-39)

2. Premier Turf Club, LLC (2023-40)
3. NYRABets, LLC (2023-41)

Under 7 Pa. Code § 179.17(b) and (e) of the Commission's adopted procedures, persons interested in intervening in the previously listed matters may file a Petition to Intervene with the Commission within 30 days of the publication of this notice.

ANTHONY SALERNO,
Director
Bureau of Standardbred Horse Racing

THOMAS F. CHUCKAS, Jr.,
Director
Bureau of Thoroughbred Horse Racing

[Pa.B. Doc. No. 23-1313. Filed for public inspection September 22, 2023, 9:00 a.m.]

SUSQUEHANNA RIVER BASIN COMMISSION

Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from August 1, 2023, through August 31, 2023.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified.

Water Source Approval—Issued Under 18 CFR 806.22(f):

1. BKV Operating, LLC; Pad ID: Frystak Central Pad; ABR-201108012.R2; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 15, 2023.
2. Coterra Energy, Inc.; Pad ID: BiniewiczS P1; ABR-201308001.R2; Gibson Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 15, 2023.
3. EQT ARO, LLC; Pad ID: Ann C. Good Pad A; ABR-201208009.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 15, 2023.
4. EQT ARO, LLC; Pad ID: Salt Run HC Pad A; ABR-201208007.R2; Cascade Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 15, 2023.
5. Pennsylvania General Energy Company, LLC; Pad ID: COP Tract 322 Pad E; ABR-201308002.R2; Cummings Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 15, 2023.
6. Pennsylvania General Energy Company, LLC; Pad ID: SGL75 PAD B; ABR-201308004.R2; McHenry Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 15, 2023.

7. Repsol Oil & Gas USA, LLC; Pad ID: ACRES (05 229) M; ABR-201108010.R2; Windham Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: August 15, 2023.

8. Repsol Oil & Gas USA, LLC; Pad ID: STEPHANI (03 111); ABR-201108009.R2; Columbia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: August 15, 2023.

9. Repsol Oil & Gas USA, LLC; Pad ID: VANBLARCOM (03 113) R; ABR-201108003.R2; Columbia Township, Bradford County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: August 15, 2023.

10. Coterra Energy, Inc.; Pad ID: BennettC P1; ABR-201308008.R2; Jessup Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 17, 2023.

11. Coterra Energy, Inc.; Pad ID: BurkeG P1; ABR-201808001.R1; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 17, 2023.

12. Coterra Energy, Inc.; Pad ID: HauserJ P1; ABR-201808002.R1; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 17, 2023.

13. Coterra Energy, Inc.; Pad ID: MarchoW&M P1; ABR-201308009.R2; Gibson Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 17, 2023.

14. EQT ARO, LLC; Pad ID: Larry's Creek F&G Pad G; ABR-201308007.R2; Mifflin Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 17, 2023.

15. Range Resources—Appalachia, LLC; Pad ID: Dog Run HC Unit 4H—6H; ABR-201308011.R2; Cummings Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 17, 2023.

16. Range Resources—Appalachia, LLC; Pad ID: Laurel Hill 9H—11H; ABR-201308010.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 17, 2023.

17. Coterra Energy, Inc.; Pad ID: PayneD P1; ABR-201308014.R2; Harford Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 22, 2023.

18. Seneca Resources Company, LLC; Pad ID: DCNR 100 Pad G; ABR-201108032.R2; McIntyre Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 22, 2023.

19. Seneca Resources Company, LLC; Pad ID: DCNR 595 Pad L; ABR-201108033.R2; Bloss Township, Tioga County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 22, 2023.

20. Chesapeake Appalachia, LLC; Pad ID: BKT; ABR-201208012.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 27, 2023.

21. Chesapeake Appalachia, LLC; Pad ID: Harlan; ABR-201208005.R2; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 27, 2023.

22. Chesapeake Appalachia, LLC; Pad ID: Stethers; ABR-201208004.R2; Wyalusing Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 27, 2023.

23. Seneca Resources Company, LLC; Pad ID: Chaapel Hollow Unit; ABR-201305016.R2; Gamble Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: August 27, 2023.

24. Chesapeake Appalachia, LLC; Pad ID: Nina; ABR-201208003.R2; Asylum Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 28, 2023.

25. Chesapeake Appalachia, LLC; Pad ID: Ronmary; ABR-201208013.R2; Elkland Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 28, 2023.

26. Coterra Energy, Inc.; Pad ID: KeevesJ P1; ABR-201308003.R2; Brooklyn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 28, 2023.

27. Coterra Energy, Inc.; Pad ID: MeadB P1; ABR-201308013.R2; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 28, 2023.

28. Chesapeake Appalachia, LLC; Pad ID: Borek; ABR-201208021.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 29, 2023.

29. Chesapeake Appalachia, LLC; Pad ID: Tufano; ABR-201208020.R2; Overton Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 29, 2023.

30. Repsol Oil & Gas USA, LLC; Pad ID: DCNR 594 (02-207); ABR-201808003.R1; Bloss, Hamilton and Liberty Townships, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: August 29, 2023.

31. Coterra Energy, Inc.; Pad ID: CorbinJ P1; ABR-201108049.R2; Brooklyn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: August 31, 2023.

32. Repsol Oil & Gas USA, LLC; Pad ID: FREDERICK (02 109) L; ABR-201108046.R2; Hamilton Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: August 31, 2023.

33. SWN Production Company, LLC; Pad ID: Dropp-Range-Pad46; ABR-201308016.R2; Jackson Township, Susquehanna County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: August 31, 2023.

34. Chesapeake Appalachia, LLC; Pad ID: Yonkin Drilling Pad # 1; ABR-201109020.R2.1; Cherry Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: August 31, 2023.

Authority: Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

Dated: September 12, 2023

ANDREW D. DEHOFF,
Executive Director

[Pa.B. Doc. No. 23-1314. Filed for public inspection September 22, 2023, 9:00 a.m.]

