

NOTICES

DEPARTMENT OF AGRICULTURE

General Quarantine Order; Highly Pathogenic Avian Influenza Samplers

Recitals

A. Avian influenza, “. . .an infectious disease of poultry cause by Type A. influenza virus,” including highly pathogenic avian influenza (HPAI), is designated as a “dangerous transmissible disease” of animals under the provisions of the Domestic Animal Law (3 Pa.C.S.A. §§ 2301—2389), at 3 Pa.C.S.A. § 2321(a)(6).

B. The Pennsylvania Department of Agriculture (Department), under the edicts established at section 2327 of the Domestic Animal Law (3 Pa.C.S.A. § 2327) (related to disease surveillance and detection) has the authority and duty to carry out disease surveillance and detection and more specifically to regularly monitor the domestic animal population of this Commonwealth to determine the prevalence, incidence and location of transmissible diseases or contamination by hazardous substances.

C. The Department, under the provisions set forth at section 2329 of the Domestic Animal Law (3 Pa.C.S.A. § 2329) (related to quarantine) has the authority to establish three different types of quarantine orders—Interstate and International, General and Special. The Department may establish a Quarantine Order, “Whenever a dangerous transmissible disease. . .exists anywhere within or outside of this Commonwealth, or whenever it is deemed advisable to test or treat any domestic animal upon the reasonable suspicion that it has contracted or been exposed to a dangerous transmissible disease. . .or whenever the testing or treatment of a domestic animal indicates that the domestic animal has been exposed to a dangerous transmissible disease. . .so as to render future accurate testing for recent exposure of that domestic animal to that dangerous transmissible disease. . .impractical or impossible, the department shall have the power to establish and enforce quarantines of any such infected, exposed, contaminated, suspected or susceptible domestic animal. . .” (3 Pa.C.S.A. § 2329(a)).

D. The Department may establish and enforce a general quarantine order within the Commonwealth for any of the reasons set forth in section 2329(a) of the Domestic Animal Law, and provided in paragraph C above, “. . .to prevent a dangerous transmissible disease. . .from being carried into, within, from or out of the area or locality that is subject to the quarantine. . .”

E. Section 2321 (related to dangerous transmissible diseases) of the Domestic Animal Law sets forth, at subsection (a), dangerous transmissible diseases (3 Pa.C.S.A. § 2321(a)). Section 2321(d) (related to designation of additional dangerous transmissible diseases through temporary order) allows the Department to designate additional transmissible diseases determined to, “. . .present a danger to public health, to domestic animal health, to the safety or quality of the food supply or to the economic well-being of the domestic animal industries. . .” as dangerous transmissible diseases through the issuance of a temporary order (3 Pa.C.S.A. § 2321(d)).

F. The dangerous transmissible diseases listed at section 2321(a) of the Domestic Animal Law and those designated by the Department through a temporary order are known to exist within or outside of this Common-

wealth and have been determined to pose a danger to public health, domestic animal health, the safety or quality of the food supply or to the economic well-being of the domestic animal industries.

G. HPAI and other dangerous transmissible diseases of poultry are of concern to the entire Pennsylvania poultry industry and may severely limit the market for Pennsylvania poultry products or cause production losses or death in poultry flocks within and outside of the Commonwealth if not detected and controlled.

H. HPAI, in particular, has caused significant loss in the past to the Pennsylvania poultry industry and to the poultry industry in other states and as a whole.

I. Regulatory requirements for testing surveillance of poultry to determine the existence or spread of a dangerous transmissible disease in the Commonwealth exist to maintain, or to obtain, a disease-free status in the Commonwealth and the United States.

J. Regulatory surveillance for movement of poultry may be required for intrastate, interstate, and international commerce, and for entry into exhibitions or markets.

K. When HPAI has been identified in a Commonwealth flock, a Control Area (approximately a 10 kilometer radius around the infected premises), or a Surveillance Zone (approximately a 10 kilometer radius around the Control Area), or both may be placed by the Department to determine if additional flocks have been infected and to control the spread of disease.

L. Other areas may be designated for surveillance testing by the Department by a general quarantine order.

M. Surveillance testing of poultry flocks in a Control Area, Surveillance Zone or other area designated by a general quarantine order is required for surveillance purposes and, in a Control Area, for movement purposes.

N. Additional testing requirements may be placed for flocks being moved into other states by the state of destination when HPAI is identified in the Commonwealth.

O. Due to biosecurity concerns, it is preferable to reduce human and vehicular traffic onto and off a poultry premises located within a Control Area or Surveillance Zone. Additionally, Certified Poultry Technicians or poultry veterinarians who routinely sample these flocks may be unavailable to collect samples and swabs due to biosecurity concerns associated with going from one poultry premises to another.

P. Due to additional testing requirements mandated during a dangerous transmissible disease outbreak, there may be an inadequate number of Certified Poultry Technicians and poultry veterinarians available to collect samples and swabs necessary for surveillance and movement purposes.

Q. Poultry flocks located in poultry-dense areas of the Commonwealth may pose a high risk to the poultry industry and additional surveillance and testing requirements, as determined by the Department, may be implemented through an Interstate and International Quarantine Order, General Quarantine Order, or Special Quarantine Order.

R. This “General Quarantine Order; Highly Pathogenic Avian Influenza Samplers” establishes training and test-

ing requirements necessary for poultry producers or their employees, or both, to be certified by the Department as HPAI Samplers to collect swab samples from poultry on Department-prescribed premises for testing for HPAI during a Declared Disease Outbreak (HPAI) in the Commonwealth.

S. Only persons trained and certified in accordance with the provisions set forth in this “General Quarantine Order; Highly Pathogenic Avian Influenza Samplers” may act as HPAI Samplers for the collection of swab samples for testing for HPAI for regulatory purposes in prescribed locations and during a Declared Disease Outbreak (HPAI), as determined by the Department.

Order

The Department hereby establishes this “General Quarantine Order; Highly Pathogenic Avian Influenza Samplers” (Order), incorporating the foregoing recitals. This Order is entered under authority of the Domestic Animal Law (at 3 Pa.C.S.A. § 2329) and § 1702 of the Administrative Code of 1929 (71 P.S. § 442), and establishes the following quarantine restrictions and standards with respect to training and testing of persons to become certified as HPAI Samplers, and provides standards for the collection of swab samples for testing for HPAI for regulatory purposes only in Department-prescribed locations and during a Declared Disease Outbreak (HPAI) as determined by the Department.

1. General.

For purposes of this Order, the term “poultry” includes all domesticated fowl, including chickens, turkeys, ostriches, emus, rheas, cassowaries, waterfowl, and game birds, except doves and pigeons, which are bred for the primary purpose of producing eggs or meat, or as otherwise defined under subpart A of the current version of Title 9 of the *Code of Federal Regulations* (CFR)—National Poultry Improvement Plan (NPIP).

2. Purpose.

This Order allows for qualified persons to become certified as HPAI Samplers for the collection of samples and swabbing of poultry for the surveillance and detection of HPAI, during a Declared Disease Outbreak (HPAI), on Department-prescribed poultry premises, and provides standards for the collection of swabs samples for testing for the detection of HPAI. Certified HPAI Samplers will enhance the Department’s ability to surveil for and detect dangerous transmissible diseases in accordance with the Domestic Animal Law. This Order allows for a more proactive and preventative approach to quick detection and eradication of current and future dangerous transmissible diseases of poultry through surveillance, monitoring, and testing by the poultry industry. Such an approach furthers the legislative mandate of section 2327 of the Domestic Animal Law¹ (related to disease surveillance and detection) and provides greater protection to the poultry population and industry in this Commonwealth. This Order delineates education and testing criteria that will allow for and require the certification of private sector individuals to carry out domestic poultry sampling and thereby enhance monitoring, detection, and containment of dangerous transmissible diseases of poultry.

3. Scope of certification.

This Order allows persons certified as HPAI Samplers in the Commonwealth of Pennsylvania to perform the duties of a HPAI Sampler on Department-prescribed

premises only within the Commonwealth of Pennsylvania and only within a Control Area, Surveillance Zone, or other area as designated by a general quarantine order and only during a Declared Disease Outbreak (HPAI). Final certification shall be obtained prior to any person undertaking any sampling or other activity requiring certification under this Order.

4. Qualifications for certification.

(a) A Certified HPAI Sampler may carry out the duties established in this Order during a Declared Disease Outbreak (HPAI) and in any Control Area, Surveillance Zone or other area designated by a general quarantine order.

(b) Persons certified by the Department as HPAI Samplers may continue to carry out the duties and functions bestowed upon them under this Order so long as their certification remains valid and until such time as the Department has rescinded the quarantine order creating the Control Area, Surveillance Zone, or other area in which the HPAI Sampler is working.

(c) Nothing in this Order may or shall supplant the provisions of the Veterinary Medical Practice Act² or its attendant regulations regarding the practice of veterinary medicine. Persons certified as HPAI Samplers may only carry out those practices that would not rise to the level of veterinary medical practice as defined under the Veterinary Medicine Practice Act.

(d) Certification of a HPAI Sampler shall only last until the date on which the Department has rescinded the Declared Disease Outbreak (HPAI). After such rescission the authority of a Certified HPAI Sampler to carry out the duties assigned under this Order shall terminate. A person may continue to renew their annual HPAI Sampler certification, as set forth in section 9. Of this Order but, may not carry out any of the duties of a Certified HPAI Sampler until such time as the Department issues a new Declared Disease Outbreak (HPAI).

(i) If a new Declared Disease Outbreak (HPAI) occurs within 12 months after the Department’s rescission of the previous Declared Disease Outbreak (HPAI) the HPAI Sampler may resume their duties as a HPAI Sampler for the remainder of the calendar year in which the new Declared Disease Outbreak (HPAI) was issued, but must then meet the renewal standards established in section 9. of this Order unless an extension is granted by the Department due to an extended disease outbreak. Stakeholders shall be notified by the Department of any extensions.

(ii) A Declared Disease Outbreak (HPAI) occurring more than 12 months after the Department’s pronouncement of the rescission of the previous Declared Disease Outbreak (HPAI) shall require persons that have not maintained their certified status under section 9. of this Order to be recertified and meet the certification requirements of this Order prior to resuming duties and functions as a Certified HPAI Sampler.

5. General Certification Requirements.

(a) To be certified as a HPAI Sampler, a poultry producer or their employee, or both, shall:

(i) Complete the required and appropriate certification course established by this Order, including review of the current training materials provided by the Department;

¹ 3 Pa.C.S.A. § 2327.

² Veterinary Medicine Practice Act (Act of December 27, 1974, P.L. 995, No. 326, as amended) (63 P.S. § 485.1 et seq.).

(ii) Fully and accurately complete a High Path Avian Influenza PCR Submission Form; and

(iii) Demonstrate to the satisfaction of the Approved Trainer as defined in section 6.(b) of this Order proficiency in oropharyngeal swabbing (including swabbing of the choanal slit) for gallinaceous species of poultry, or cloacal swabbing of waterfowl, or both, depending on which species the HPAI Sampler will be sampling.

(b) All applicants to be certified as HPAI Samplers who will sample birds destined for a live bird market shall fully and accurately complete a live bird market HPAI poultry inspection certificate (PIC) as part of their training.

(c) Swabbing proficiency must be demonstrated within two weeks after completion of the certification course using the training materials provided by the Department as described in sections 5(a)(i), (ii), and (iii), and section 5(b) has been successfully completed.

6. Certification Training.

(a) *General.* The Department has developed the HPAI Sampler certification course in accordance with the standards established in this Order. The Department may administer the course or may approve vendors to provide training.

(b) *Approved Trainers.* All certification courses shall be conducted by a person (trainer) approved by the Department. An approved trainer shall be either a Department veterinarian or inspector, a United State Department of Agriculture veterinarian or inspector, a Certified Poultry Technician, a licensed private veterinarian with poultry experience, a Pennsylvania State University or University of Pennsylvania veterinarian or poultry specialist, or other designee of the Department. Approved trainers shall be responsible for the certification training of all HPAI Samplers.

(c) Approved trainers shall provide the trainee name, address, and contact information to the Department for each trainee, to include a working phone number for the trainee; and if available an email address for the trainee or associated contact. This information shall be provided to the Department using a Department-approved spreadsheet format.

(d) *Integrators.* For producers employed by an integrator, and their employees, on a Department-prescribed poultry premises, the integrator shall be responsible for the certification training for HPAI Samplers and shall utilize the entities designated in section 6(b) above to carry out the training using current training materials provided by the Department.

(e) *Independent Producers.* For independent producers and their employees, the training shall be conducted by the entities designated in section 6(b) above. Independent producers and their employees may be trained by the entities designated in section 6(b) above who are employed by service companies which routinely provide consultation services for the flocks for which the independent producers and their employees are seeking certification to sample.

(f) *HPAI Sampler Certification.* After receipt of the completed training log the Department will create an active HPAI Sampler account for each person who successfully completed the training. Persons wishing to act as HPAI Samplers must have an active status as a Certified HPAI Sampler with the Department before collecting swab samples for regulatory testing. The Department will provide a certificate with an expiration date for each HPAI Sampler.

(g) *Course content.* At a minimum the course content shall include information and training necessary to meet the criteria established in section 8 of this Order, including training related to applicable provisions of the Domestic Animal Law and its attendant regulations, Department Orders regarding poultry, and identification of transmissible and reportable diseases of poultry (HPAI).

7. Access to Training.

(a) *General.* Current training materials will be provided by the Department to any person designated by the Department as an approved trainer, as set forth in paragraph 6(b) of this Order. Current training materials will be provided to approved trainers on at least an annual basis, or as amendments are made to the training materials, whichever occurs first.

(i) Revisions to sampling protocols will be provided to approved trainers as they become available.

(ii) Approved trainers shall provide certified HPAI Samplers trained by them with any Department updates to training or protocol materials throughout the year in a timely manner.

(b) *Training Courses.* In-person training will be offered by the Department or designee at least once per calendar year if deemed necessary by the Department. Training courses will be offered at various locations across the Commonwealth in a manner that will assure reasonable coverage and access, especially in poultry-dense areas.

(c) *Approved Trainer Suspension.* The Department may suspend an individual trainer's privileges to provide training at the Department's discretion if there are ongoing violations from certified HPAI Samplers trained by them.

8. Certification Criteria.

(a) At a minimum, the successful completion of the training course, completion of form(s), and demonstration of swabbing of poultry, as established in sections 5 and 6 of this Order, will demonstrate an applicant's understanding of and technical knowledge and proficiency relating to the duties set forth in this Order.

(b) The certification course and training requirements for a HPAI Sampler shall, at a minimum, address proper methods for the following:

(i) The collection of swab samples of sufficient quantity and quality for regulatory testing from poultry in accordance with applicable statutory and regulatory standards, and orders of the Department.

(ii) Handling, packaging, labeling, and timely submission of samples in accordance with applicable statutory and regulatory standards, and orders of the Department, and in a biosecure manner.

(iii) Comprehensive, timely and accurate completion of sample submission forms and all other forms required by the Department or the United States Department of Agriculture.

(iv) Reporting of any flock suspected to be infected with HPAI to the Department.

(v) Understanding of basic on-farm biosecurity principles.

(c) *Criteria.* The following establish the criteria related to certification and maintaining certification under this Order:

(i) A person seeking to act as a HPAI Sampler shall complete the certification training and courses required

by this Order, including course work, swab sample collection training and demonstration of sampling competency; successful completion of a HPAI PCR Submission Form; and successful completion of a HPAI Poultry Inspection Certificate if they will be sampling birds destined for a live bird market.

(ii) A certified HPAI Sampler shall maintain certification during the Declared Disease Outbreak (HPAI) in accordance with the requirements set forth in this Order.

(iii) A certified HPAI Sampler shall conduct such sampling and other related activities in accordance with the requirements of this Order and any order issued by the Department.

9. *Renewal for HPAI Sampler certification.*

(a) The authority to continue to carry out the duties of a Certified HPAI Sampler shall end as of the date the Department rescinds the Declared Disease Outbreak (HPAI). After that date, the authority of a Certified HPAI Sampler to carry out the duties assigned under this Order shall terminate. A person may however continue to renew their annual HPAI Sampler certification, as set forth in this section but, may not carry out any of the duties of a Certified HPAI Sampler until such time as the Department issues a new Declared Disease Outbreak (HPAI).

(b) Certification as a HPAI Sampler shall expire on September 1 of each calendar year, and training as described in sections 4, 5, 6, and 8 of this Order is required for recertification or continued certification. A training log in a Department-approved format for the HPAI Sampler shall be submitted to the Department prior to September 1 of the same calendar year for the HPAI Sampler to remain active.

(b) Failure of a HPAI Sampler to be properly trained and certified and included in a training log in a Department-approved format submitted to the Department prior to September 1 of each calendar year will result in the following:

(i) The person's certification shall lapse, and the person will no longer be approved to act as a Certified HPAI Sampler.

(ii) The person may not continue to act or hold themselves out as a Certified HPAI Sampler.

(iii) Continuing to act or hold oneself out as a Certified HPAI Sampler shall be a violation of this Order and shall subject the person to the penalties provided for at sections 2383 (related to enforcement and penalties) and 2386 (related to civil remedy) of the Domestic Animal Law (3 Pa.C.S.A. §§ 2383 and 2386).

(iv) The person shall be required to successfully complete the certification training required under this Order to act as a Certified HPAI Sampler.

10. *Duties and Limitations.*

(a) Any person certified as a HPAI Sampler may engage in carrying out the duties and procedures within the scope of their certification as outlined under the provisions of this Order.

(b) A Certified HPAI Sampler may carry out the following:

(i) The collection of swab samples of sufficient quantity and quality for regulatory testing from poultry in accordance with applicable statutory and regulatory standards, and orders of the Department;

(ii) Handling, packaging, labeling, and timely submission of samples in accordance with applicable statutory and regulatory standards, and orders of the Department, and in a biosecure manner;

(iii) Comprehensive, timely and accurate completion of sample submission forms and all other forms required by the Department or USDA; and

(iv) Collect samples from the flock(s) within a Control Area, Surveillance Zone, or other area as designated by a general quarantine order, and during a Declared Disease Outbreak (HPAI).

(v) Collect samples from a flock(s) under their care on a Department-prescribed premises.

(c) Certified HPAI Samplers may only collect samples for regulatory purposes if the flock which they are sampling is located in a Control Area or Surveillance Zone in place for control of a dangerous transmissible disease and designated by the Department, or in an area otherwise designated by the Department by a general quarantine order, and during a Declared Disease Outbreak (HPAI).

(d) A Certified HPAI Sampler may only collect the type of swab sample for which they are certified.

(e) A Certified HPAI Sampler shall immediately report suspected transmissible and reportable diseases in accordance with applicable statutory and regulatory standards, and orders of the Department.

(f) Being certified as a HPAI Sampler shall not entitle the person to perform any action or function for which a veterinary license, a certification as a veterinary technician, or a certification as a Certified Poultry Technician³ is required.

(g) If contact information changes for a HPAI Sampler at any time during the calendar year, updated contact information shall be provided to the Department within 10 business days.

11. *Department oversight.* The Department may observe a Certified HPAI Sampler performing the duties of a HPAI Sampler to assure compliance with the provisions of the Domestic Animal Law and this Order, and to assure proper procedures and protocols are being instituted and followed, and may conduct sampling and testing of its own to verify and assure the accuracy of the sampling being conducted by a HPAI Sampler.

12. *Comprehension.* If the applicant fails any part of the certification training, including failure to comprehend the training materials, to demonstrate adequate skills in collecting swab samples, or to properly complete the HPAI PCR Submission Form or the HPAI PIC (if applicable), the name of that applicant shall not be submitted to the Department for certification as a HPAI Sampler.

13. *Duty to report.* Consistent with the purpose of the Domestic Animal Law and the provisions established at section 2327 (related to disease surveillance and detection) (3 Pa.C.S.A. § 2327(b)), a Certified HPAI Sampler shall, immediately upon receiving information thereof or observing clinical signs consistent with a transmissible disease or reportable foreign animal disease, report to the Department each case of any transmissible disease, dangerous transmissible disease or foreign animal disease. Failure to report shall be considered a violation of this Order.

³ Veterinary Medicine Practice Act (Act of December 27, 1974, P.L. 995, No. 326, as amended) (63 P.S. § 485.1 et seq.), General Quarantine Order; Certified Poultry Technicians (49 Pa.B. 3088) (Saturday, June 15, 2019).

14. *Violations and Penalties.*

(a) *Denial, suspension and revocation of certification.* The Department may, after written notice, including a statement of the reasons therefore, deny, suspend, or revoke the certification of a HPAI Sampler for any of the following:

(i) A violation of the Domestic Animal Law, this Order or any order issued by the Department.

(ii) Failure of a Certified HPAI Sampler to meet the requirements of certification.

(iii) Inconsistency and demonstration of a lack of knowledge in the skills and techniques necessary to carry out the duties of a Certified HPAI Sampler.

(iv) Deficiencies in sample collection, sample handling, and sample submission requirements and criteria established by the Department.

(v) Failure to complete certification training, or renew certification in the established timeframe.

(vi) Being unwilling or unable to carry out the duties of a Certified HPAI Sampler

(vii) Falsifying information, including on applications, reports, records or correspondence with the Department.

(viii) A violation of any provision of the Domestic Animal Law, or its attendant regulations, an order of the Department or any requirement of certification, record keeping or other provision of this Order.

(ix) It shall be unlawful for any person to impede, hinder or interfere with the Department entering upon a premises or elsewhere in the performance of duties imposed under a quarantine order or for the sampling or testing of a domestic animal or to refuse to confine a domestic animal so as to allow testing without undue burden on the official conducting the test or to fail to present the person's domestic animals for testing by the Department under authority of this Order after reasonable notice of the proposed testing has been given.

(x) It shall be unlawful for any person who has knowledge that a domestic animal is infected with a dangerous transmissible disease or has been exposed to a dangerous transmissible disease or has been contaminated by a hazardous substance to conceal or attempt to conceal such a domestic animal or knowledge of such a domestic animal from the Department.

(b) *Appeal and request for a hearing.* A Certified HPAI Sampler may request a hearing, in writing, within fifteen (15) days of receipt of the Department's written notice of the proposed denial, suspension or revocation of their HPAI Sampler certification or any proposed civil penalties to be assessed by the Department, as allowed under section 2383(b) of the Domestic Animal Law (3 Pa.C.S.A. § 2383(b)). The written request shall be sent to the

Bureau of Animal Health and Diagnostic Services, Agriculture Building, 2301 North Cameron Street, Harrisburg, Pennsylvania 17110. The written request for a hearing must clearly set forth the basis of any appeal, and clearly identify the relevant issues or objections to be resolved. If you deny or challenge any averment in the Department's proposed order of denial, revocation or suspension, the written appeal notice must identify that averment by number and describe the general basis for your denial or challenge. The scope of any subsequent administrative hearings or proceedings would be limited to those issues and objections set forth in the written appeal notice. No suspension, denial or revocation of certification or civil penalty issued shall become effective until the time to appeal the proposed action has expired and the proposed order has thus become final or, where a hearing is requested, a hearing in the matter has been completed and a final order of the Department has been issued.

(c) *Suspended certification.* Upon final suspension, a Certified HPAI Sampler whose certification has been suspended may not operate as a HPAI Sampler until that person has successfully completed the required certification requirements and other standards set forth in the final suspension adjudication.

(d) *Denied or Revoked certification.* A Certified HPAI Sampler whose certification has been denied or revoked may not operate as a HPAI Sampler until that person has completed the required certification requirements and any other standards established in the final order issued by the Department.

15. *Criminal and civil penalties.* The Department may impose those criminal and civil penalties specifically established at section 2383 of the Domestic Animal Law (3 Pa.C.S.A. § 2383) for any violation of the Domestic Animal Law or any rule regulation or order established thereunder.

16. *Civil remedy.* In addition to any other action or remedy sought, the Department may seek any civil remedy, as specifically established at section 2386 of the Domestic Animal Law (3 Pa.C.S.A. § 2386).

18. *Continuing authority.* This Order shall not be construed as limiting the Department's authority to establish additional requirements for initial or continued certification of HPAI Samplers or to limit any authority the Department possesses under the Domestic Animal Law or any other Act or Law administered by the Department.

19. *Effective date.* This Order is effective upon publication in the *Pennsylvania Bulletin*.

RUSSELL REDDING,
Secretary

[Pa.B. Doc. No. 23-1724. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending December 5, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies,

by e-mail to ra-bntrustrsupsrnsinq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

APPLICATIONS FOR COMMENT

BANKING INSTITUTIONS

No activity.

CREDIT UNIONS

No activity

OTHER APPLICATION ACTIVITY

BANKING INSTITUTIONS

Consolidations, Mergers and Absorptions

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Status</i>
11-30-2023	LINKBANK Camp Hill Cumberland County	Effective
	Merger of The Bank of Delmarva, Seaford, DE and Virginia Partners Bank, Fredericksburg, VA, with and into LINKBANK, Camp Hill, PA.	
	Branch offices of The Bank of Delmarva and Virginia Partners Bank, Fredericksburg, VA, will become branch offices of LINKBANK including the former main office of The Bank of Delmarva and Virginia Partners Bank located at:	
	910 Norman Eskridge Highway Seaford Sussex County, DE	
	410 William Street Fredericksburg Spotsylvania County, VA	

Branch Applications

De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
11-20-2023	1st Summit Bank Johnstown Cambria County	5150 Route 30 Greensburg Westmoreland County	Opened
12-01-2023	Somerset Trust Company Somerset Somerset County	1301 South Main Street Greensburg Westmoreland County	Accepted

Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
11-28-2023	Tompkins Community Bank Ithaca Tompkins County, NY	1 Reading Drive Wernersville Berks County	Closed
11-30-2023	Republic First Bank Philadelphia Philadelphia County	8764 Frankford Avenue Philadelphia Philadelphia County	Closed
12-01-2023	Tompkins Community Bank Ithaca Tompkins County, NY	One Belmont Avenue Bala Cynwyd Montgomery County	Closed
12-01-2023	Tompkins Community Bank Ithaca Tompkins County, NY	100 Plaza Drive Blandon Berks County	Closed

CREDIT UNIONS

No activity.

The Department's web site at www.dobs.pa.gov includes public notices for more recently filed applications.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 23-1725. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF BANKING AND SECURITIES

Maximum Lawful Rate of Interest for Residential Mortgages for the Month of January 2024

The Department of Banking and Securities (Department), under the authority contained in section 301 of the act of January 30, 1974 (P.L. 13, No. 6) (41 P.S. § 301), determines that the maximum lawful rate of interest for residential mortgages for the month of January 2024, is 7 1/4%.

The interest rate limitations under the Commonwealth's usury statute were pre-empted to a great extent by Federal law, the Depository Institutions Deregulation and Monetary Control Act of 1980 (Pub.L. No. 96-221). Further pre-emption was instituted with the signing of Pub.L. No. 96-399, which overrode State interest rate

limitations on any individual who finances the sale or exchange of residential real property which the individual owns and which the individual occupies or has occupied as his principal residence.

Each month the Department is required by State law to compute and announce the ceiling rate on residential mortgages in this Commonwealth. This maximum rate is determined by adding 2.50 percentage points to the yield rate on long-term government bonds as published by the Federal Reserve Board or the United States Treasury, or both. The latest yield rate on long-term government securities is 4.67 to which was added 2.50 percentage points for a total of 7.17 that by law is rounded off to the nearest quarter at 7 1/4%.

WENDY S. SPICHER,
Secretary

[Pa.B. Doc. No. 23-1726. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Applications, Actions and Special Notices

APPLICATIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit www.dep.pa.gov and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

<i>Section</i>	<i>Category</i>
I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.

- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.

- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Section II identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP’s tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice. Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP’s tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP’s website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5723801	Joint DEP/PFBC Pesticides Permit	New	Ganoga Lake Homeowners Assoc 114 Yale Avenue Swarthmore, PA 19081-2021	Colley Township Sullivan County	NCRO
0417201	Major Industrial Waste Treatment Facility Individual WQM Permit	Amendment	Shell Chemicals Appalachia LLC 300 Frankfort Road Monaca, PA 15061-2210	Potter Township Beaver County	SWRO
PA0026506	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Amendment Minor	W Mifflin Sanitary Sewer Municipal Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
PA0026522	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Amendment Minor	W Mifflin Sanitary Sewer Municipal Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0201402	Major Sewage Treatment Facility Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer Municipal Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0216402	Major Sewage Treatment Facility Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer Municipal Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
PA0238988	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Greene Meadows Septic Association 2130 Deer Run Trail Erie, PA 16509-5600	Greene Township Erie County	NWRO
0523402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	New	Everett Borough Area Municipal Authority 100 Mechanic Street Everett, PA 15537-1177	Everett Borough Bedford County	SCRO
2503414	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Greene Meadows Septic Association 2130 Deer Run Trail Erie, PA 16509-5600	Greene Township Erie County	NWRO
NOEXNE018	No Exposure Certification	Renewal	USPS Scranton Vehicle Maintenance Facility 2800 Stafford Avenue Scranton, PA 18505-9603	Scranton City Lackawanna County	NERO
NOEXSC316	No Exposure Certification	Renewal	Bedford Reinforced Plastics Inc. 2 Corporate Drive Bedford, PA 15522-7946	Bedford Township Bedford County	SCRO
NOEXSC333	No Exposure Certification	Renewal	Hershey Co. 19 East Chocolate Avenue Hershey, PA 17033-0819	Derry Township Dauphin County	SCRO
PAG034997	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Simsmetal East LLC 1 Linden Avenue Jersey City, NJ 07305	Madison Township Columbia County	NCRO

NOTICES

7745

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038582	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Freeport Terminal Inc. P.O. Box 72 700 Riverside Drive Freeport, PA 16229-0072	Freeport Borough Armstrong County	NWRO
PAG041236	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Susan & Tom Brown 19557 Irish Road Edinboro, PA 16412-4847	Cussewago Township Crawford County	NWRO
PAG041237	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Orelski Darrell 10850 Wattsburg Road Erie, PA 16509-7404	Venango Township Erie County	NWRO
PAG041239	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	May Mandy 479 East Jamestown Road Greenville, PA 16125	Greene Township Mercer County	NWRO
PAG048982	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Jones William D 5154 Jackson Run Road Warren, PA 16365-8635	Conewango Township Warren County	NWRO
PAG049121	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Gazdak Angela 15500 Route 6 Warren, PA 16365-9670	Pleasant Township Warren County	NWRO
PAG049310	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Martin Miler & Patty Delcamp 21355 Route 957 Columbus, PA 16405	Columbus Township Warren County	NWRO
PAG123609	PAG-12 NPDES General Permit for CAFOs	Renewal	L & W Farms LLC 4251 Fletcher Drive Greencastle, PA 17225	Antrim Township Franklin County	SCRO
PAG123611	PAG-12 NPDES General Permit for CAFOs	Renewal	Petre Daniel L 3409 Smoketown Road Spring Grove, PA 17362-8317	Manheim Township York County	SCRO
PAG123736	PAG-12 NPDES General Permit for CAFOs	Renewal	King Mervin F 637 Gault Road Gap, PA 17527-9754	Greenwood Township Perry County	SCRO
PAG123740	PAG-12 NPDES General Permit for CAFOs	Renewal	Belview Valley Farms LLC 458 Gemmill Road Delta, PA 17314-8866	Peach Bottom Township York County	SCRO
PAG123805	PAG-12 NPDES General Permit for CAFOs	Renewal	Star Rock Dairy Inc. 175 Chestnut Grove Road Conestoga, PA 17516-9317	Manor Township Lancaster County	SCRO
PAG123946	PAG-12 NPDES General Permit for CAFOs	New	Bleacher Farms LLC 1206 Breneman Road Conestoga, PA 17516-9309	Manor Township Lancaster County	SCRO
PAG152202	PAG-15 NPDES General Permit for Pesticides	Renewal	PA American Water Co. 2699 Stafford Avenue Scranton, PA 18505-3608	Dallas Township Luzerne County	NERO
4509406	Sewer Extensions Individual WQM Permit	Amendment	Stroudsburg Borough 700 Sarah Street Stroudsburg, PA 18360-2122	Stroudsburg Borough Monroe County	NERO
PA0291463	Single Residence STP Individual NPDES Permit	Transfer	Hedlund Cortney 2464 W Washington Street Bradford, PA 16701-2415	Corydon Township McKean County	NWRO
4217405	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Aloi Douglas 1318 South Avenue Bradford, PA 16701-3839	Bradford Township McKean County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4222409	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Hedlund Courtney 2464 W Washington Street Bradford, PA 16701-2415	Corydon Township McKean County	NWRO
4323417	Single Residence Sewage Treatment Plant Individual WQM Permit	New	May Mandy 479 East Jamestown Road Greenville, PA 16125	Greene Township Mercer County	NWRO
6204405	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Jones William D 5154 Jackson Run Road Warren, PA 16365-8635	Conewango Township Warren County	NWRO
WQG018328	WQG-01 WQM General Permit	Transfer	Gazdak Angela 15500 Route 6 Warren, PA 16365-9670	Pleasant Township Warren County	NWRO
WQG018516	WQG-01 WQM General Permit	Transfer	Martin Miler & Patty Delcamp 21355 Route 957 Columbus, PA 16405	Columbus Township Warren County	NWRO
WQG018647	WQG-01 WQM General Permit	Amendment	Marx Thomas 129 Dutch Road Harmony, PA 16037-9215	Jackson Township Butler County	NWRO

II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

Northcentral Regional Office

PA0024759, Sewage, SIC Code 4952, **Curwensville Municipal Authority**, 314 South Street, Curwensville, PA 16833-1237. Facility Name: Curwensville Municipal Authority Wastewater Treatment Plant. This existing facility is located in Curwensville Borough, **Clearfield County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), West Branch Susquehanna River, is located in State Water Plan watershed 8-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	104	167	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	125	188	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Copper, Total	0.4	0.63	XXX	0.096	0.15	0.24
		Daily Max			Daily Max	
Zinc, Total	3.44	5.37	XXX	0.83	1.29	2.06
		Daily Max			Daily Max	

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	13,698	XXX	XXX	XXX	XXX
Effluent Net		Total Annual				
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Total Annual	XXX	XXX	XXX	XXX
Effluent Net		1,826				
		Total Annual				

* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is not in effect.

Northwest Regional Office

PA0028371, Sewage, SIC Code 4952, **Youngsville Borough**, 40 Railroad Street, Youngsville, PA 16371-1427. Facility Name: Youngsville Borough STP. This existing facility is located in Youngsville Borough, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Brokenstraw Creek, is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.624 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min		Daily Max	

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Dissolved Oxygen	XXX	XXX	4.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	130	195	XXX	25.0	37.5	50
Biochemical Oxygen Demand (BOD ₅) Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Total Suspended Solids	156	234	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	Report	XXX	XXX	Report	XXX	XXX
Ultraviolet light dosage (mjoules/cm ²)	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .624 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX
	Avg Qrtly			Avg Qrtly		

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0032026, Sewage, SIC Code 4952, 7033, **Family Affair Campground LLC**, 1135 Tamarack Road, Waterford, PA 16441. Facility Name: Family Affair Campground. This existing facility is located at 9640 Findley Lake Road, North East, PA 16428-5330 located in North East Township, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary of Sixteenmile Creek (CWF, MF), is located in State Water Plan watershed 15-A and is classified for Cold Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .025 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	19.5	XXX	39
Nov 1 - Apr 30						
May 1 - Oct 31	XXX	XXX	XXX	6.5	XXX	13

NOTICES

7749

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Phosphorus	XXX	XXX	XXX	1.0	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	Avg Qrtly XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0046418, Sewage, SIC Code 4952, **Middleboro Municipal Authority, Erie County**, P.O. Box 189, McKean, PA 16426-0189. Facility Name: Middleboro STP. This existing facility is located in McKean Borough, **Erie County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream is Elk Creek, located in State Water Plan watershed 15-A and classified for Warm Water and Migratory Fish, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .112 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	4.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.3	XXX	1.0
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	18.7	28.0	XXX	20.0	30.0	40.0
Nov 1-Apr 30						
May 1-Oct 31	9.0	14.0	XXX	10.0	15.0	20.0
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	Report	XXX	Report	Report	XXX
Raw Sewage Influent						
Total Suspended Solids	28.0	42.1	XXX	30.0	45.0	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1-Apr 30				Geo Mean		
May 1-Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	7.0	XXX	XXX	7.5	XXX	15.0
Nov 1-Apr 30						
May 1-Oct 31	2.3	XXX	XXX	2.5	XXX	5.0
Total Phosphorus	0.9	XXX	XXX	1.0	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0222909, Sewage, SIC Code 4952, **Kinzua Warren Joint Authority**, 119 Mead Boulevard, Clarendon, PA 16313-1119. Facility Name: Kinzua Warren County WWTP. This existing facility is located at 509 Kinzua Road, Warren, PA 16365 located in Mead Township, **Warren County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Allegheny River (CWF), is located in State Water Plan watershed 16-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .3125 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .3125 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Daily Min	XXX	9.0 Daily Max	XXX
Dissolved Oxygen	XXX	XXX	4.0 Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	65	104	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	78	117	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	Report Daily Max	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000 Geo Mean	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Report Daily Max	XXX	XXX
UV Intensity (µw/cm ²)	XXX	XXX	XXX	6.6	XXX	13.2
Ammonia-Nitrogen	17	XXX	XXX	2.2	XXX	4.4
Nov 1 - Apr 30	5.7	XXX	XXX	XXX	XXX	Report
May 1 - Oct 31	XXX	XXX	XXX	XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

PA0271535, Sewage, SIC Code 8800, **James Felmlee**, 241 Stickney Trail, Bradford, PA 16701. Facility Name: James Felmlee SRSTP. This existing facility is located in Corydon Township, **McKean County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Libby Run (HQ-CWF), is located in State Water Plan watershed 16-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Annual Average	Maximum	
Flow (GPD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Southcentral Regional Office

PA0082651, Sewage, SIC Code 4952, **Landisburg Municipal Authority, Perry County**, 77 W High Street, Landisburg, PA 17040-8000. Facility Name: Landisburg STP. This existing facility is located in Tyrone Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Montour Creek (CWF), is located in State Water Plan watershed 7-A and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	6.3	10	XXX	25	40	50
Biochemical Oxygen Demand (BOD ₅)	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	7.5	11	XXX	30	45	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ammonia-Nitrogen	3.3	XXX	XXX	Geo Mean	13.5	27

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report	XXX	XXX	Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report	XXX	XXX	Annl Avg	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

PA0026085, Sewage, SIC Code 4952, **Upper Merion Sanitary and Stormwater Authority**, 175 W Valley Forge Road, King of Prussia, PA 19406-1851. Facility Name: U Merion-Matsunk STP. This existing facility is located in Upper Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum Daily</i>	
Copper, Total	Report	Report Daily Max	XXX	Report	Report Daily Max	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum Daily</i>	
Copper, Total	2.05	2.71 Daily Max	XXX	0.045	0.059 Daily Max	0.112

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,434	2,180	XXX	25.0	38.0	50
Nov 1 - Apr 30					Wkly Avg	
May 1 - Oct 31	1,033	1,549	XXX	18.0	27.0	36
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	1,721	2,582	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	1,033	XXX	XXX	18.0	XXX	36
Nov 1 - Apr 30						
May 1 - Oct 31	344	XXX	XXX	6.0	XXX	12
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX
PCBs Wet Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 5.5 MGD and Maximum Monthly Flow of 6.88 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report	XXX	XXX	1,000.0	XXX	XXX
	Avg Qrtly			Avg Qrtly		
Toxicity, Chronic - Ceriodaphnia Survival (TUC)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUC)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUC)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUC)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Optimization of Chlorine dosages
- Notification of designation of responsible operator
- Implementation of O&M plan
- Hauled-in waste restriction
- Seasonal fecal coliform
- POTW Pretreatment program implementation
- Solids management for non-lagoon system
- WQBELs for Toxic Pollutants
- WETT requirements without limits
- Requirements applicable to stormwater outfalls
- Schuylkill River PCB PMP implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0026131, Sewage, SIC Code 4952, **Upper Merion Sanitary and Stormwater Authority**, 175 W Valley Forge Road, King of Prussia, PA 19406-1851. Facility Name: Upper Merion Municipal Authority Sewer System & STP Trout Run. This existing facility is located in Upper Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Schuylkill River (WWF, MF) and Trout Creek (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 002 are based on a design flow of 6 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Copper, Total	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	

The proposed effluent limits for Outfall 002 are based on a design flow of 6 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum Daily</i>	
Copper, Total	1.33	1.56 Daily Max	XXX	0.0266	0.0312 Daily Max	0.0312

The proposed effluent limits for Outfall 002 are based on a design flow of 6 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
PCBs Dry Weather Analysis (pg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 6 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0 Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.2
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	1,251	2,000	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	Wkly Avg XXX	XXX
Raw Sewage Influent Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent Total Suspended Solids	1,500	2,250	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	Wkly Avg XXX	1,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	Geo Mean 200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	1,000	XXX	XXX	20.0	XXX	40
Nov 1 - Apr 30	750	XXX	XXX	15.0	XXX	30
May 1 - Oct 31	Report	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 6 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	Report Avg Qrtly	XXX	XXX	1,000.0	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	Report	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	XXX

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Average</i>	<i>Maximum</i>	
Oil and Grease	XXX	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Iron, Dissolved	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Optimization of Chlorine dosages
- Notification of designation of responsible operator
- Implementation of O&M Plan
- Hauled-in waste restriction
- Seasonal fecal coliform
- POTW pretreatment program implementation
- Solids management for non-lagoon system
- WQBELs for Toxic Pollutants
- WETT
- Requirements applicable to stormwater outfalls
- Schuylkill River PCB PMP implementation

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0036200, Sewage, SIC Code 6514, **Radley Run Mews Sewer Assoc**, P.O. Box 84, Pocopson, PA 19366-0084. Facility Name: Radley Run Mews STP. This existing facility is located in Birmingham Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Plum Run (WWF, MF), is located in State Water Plan watershed 3-H and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .032 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 3.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	6.7	XXX	XXX	25	XXX	50
Biochemical Oxygen Demand (BOD ₅)	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	8.0	XXX	XXX	30	XXX	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
Total Nitrogen	8.0	XXX	XXX	30.0	XXX	60
Ammonia-Nitrogen	4.0	XXX	XXX	15.0	XXX	30
Nov 1 - Apr 30						
May 1 - Oct 31	1.3	XXX	XXX	5.0	XXX	10
Total Phosphorus	0.53	XXX	XXX	2.0	XXX	4

In addition, the permit contains the following major special conditions:

- No Stormwater to Sewer
- Necessary Property Rights

- C. Proper Sludge Disposal
- D. Abandon STP when Public Sewer Become Available
- E. Chlorine Minimization
- F. Notification of the Designation of Responsible Operator
- G. Small Stream Discharge
- H. Remedial Measures if Public Nuisance
- I. Twice per Month Sampling

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

Southeast Regional Office

PA0058505, Sewage, SIC Code 4952, **Kilcar House Inc.**, 199 Union Road, Quakertown, PA 18951. Facility Name: Casey's Tavern STP. This existing facility is located in Richland Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SFTF sewage.

The receiving stream(s), Tohickon Creek (TSF, MF), is located in State Water Plan watershed 2-D and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0014 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			4.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.2
			XXX			
Carbonaceous Biochemical Oxygen Demand (CBOD ₅)	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Total Nitrogen	XXX	XXX	XXX	Geo Mean	XXX	XXX
				Report		
Ammonia-Nitrogen	XXX	XXX	XXX	20	XXX	40
Total Phosphorus	0.0058	XXX	XXX	0.5	XXX	1

In addition, the permit contains the following major special conditions:

- The permittee shall submit AMR by June 30 of each year
- The permittee shall optimize chlorine dosages used for disinfection
- No stormwater shall be admitted to sanitary sewer
- Permittee shall acquire necessary property rights
- Proper disposal of screenings, slurries and sludges
- Seasonal effluent limits for Fecal Coliform

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southeast Regional Office

PA0245101, Sewage, SIC Code 8811, **Price Jeffery P**, 709 Forest Grove Road, Wycombe, PA 18980. Facility Name: Price SRSTP. This existing facility is located in Buckingham Township, **Bucks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Mill Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Annual Average	Maximum	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Biochemical Oxygen Demand (BOD ₅)	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200.0	XXX	1,000.0

In addition, the permit contains the following major special conditions:

- Sludge use and disposal description and location(s): Septic tanks cleaned out by pump and hauler.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

Southwest Regional Office

PA0218502, Industrial, SIC Code 3273, **USACE Pittsburgh District**, 1000 Liberty Avenue, Pittsburgh, PA 15222-4186. Facility Name: Left Bank Concrete Batch Plant. This existing facility is located in Charleroi Borough, **Washington County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Monongahela River (WWF), is located in State Water Plan watershed 19-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .15 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly	Minimum	Average Monthly	Maximum	
Total Dissolved Solids	XXX	XXX	XXX	XXX	XXX	Report
Sulfate, Total	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for IMP 101.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	Report	XXX	50
Total Dissolved Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30.0
Aluminum, Total	XXX	XXX	XXX	4.0	XXX	8.0
Iron, Total	XXX	XXX	XXX	2.0	XXX	4.0
Manganese, Total	XXX	XXX	XXX	1.0	XXX	2.0

The proposed effluent limits for Outfall 002 are based on a design flow of .0014 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	35.0	XXX	90.0
Total Dissolved Solids	XXX	XXX	XXX	Report	XXX	Report
Aluminum, Total	XXX	XXX	XXX	5.0	XXX	10.0
Iron, Total	XXX	XXX	XXX	3.0	XXX	7.0
Manganese, Total	XXX	XXX	XXX	2.0	XXX	5.0
Sulfate, Total	XXX	XXX	XXX	Report	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

Southwest Regional Office

PA0217395, Storm Water, SIC Code 2435, **Danzer Veneer Americas Inc.**, 119 Aid Drive, Darlington, PA 16115-1637. Facility Name: Danzer Veneer Americas Darlington Plant. This existing facility is located in Darlington Township, **Beaver County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), North Fork Little Beaver Creek (HQ-CWF), is located in State Water Plan watershed 20-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002:

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

Northeast Regional Office

Applicant: **PPL Electric Utilities Corporation**

Applicant Address: 827 Hausman Road, Allentown, PA 18104-9392

Application Number: **PA640003D**

Application Type: New

Municipality/County: Lackawaxen Township, Palmyra Township, Honesdale Borough, Berlin Township, and Dyberry Township, **Wayne County** and **Pike County**

Project Site Name: Blooming Grove—West Damascus 69kV Line Project

Total Earth Disturbance Area (acres): 131.0 acres

Surface Waters Receiving Stormwater Discharges: UNTs to Carley Brook (HQ-CWF, MF), Carley Brook (HQ-CWF, MF), Dyberry Creek (HQ-CWF, MF), Holbert Creek (HQ-CWF, MF), Indian Orchard Brook (HQ-CWF, MF), UNTs to Indian Orchard Brook (HQ-CWF, MF), Lackawaxen River (HQ-CWF, MF), Rattlesnake Creek (HQ-CWF, MF), UNTs to Swamp Brook (HQ-CWF, MF), Swamp Brook (HQ-CWF, MF), UNTs to Tinkwig Brook (HQ-CWF, MF) and Tinkwig Brook (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of the West Damascus 69kV Line Project involving installation of approximately 15 miles of fiber and guy wires, maintenance of existing access roads, temporary access roads and temporary construction pads in Wayne and Pike County.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Northeast Regional Office

Applicant: **UGI Utilities, Inc.**

Applicant Address: 1 UGI Drive, Denver, PA 17517-9039

Application Number: **PAD480188**

Application Type: New

Municipality/County: Palmer Township, Lower Nazareth Township, and Stockertown Borough, **Northampton County**

Project Site Name: Buzzi Unicem Stockertown Gas Main

Total Earth Disturbance Area (acres): 14.68 acres

Surface Waters Receiving Stormwater Discharges: Shoeneck Creek (WWF, MF), Bushkill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project includes the installation of approximately 15,560 feet of 8" steel high-pressure gas main. It will be supplying the existing US Cement Manufacturer Buzzi Unicem, via main extension from existing UGI facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

Southeast Regional Office

Applicant: **Faith Christian Academy**

Applicant Address: 2255 Allentown Road, Quakertown, PA 18951-2129

Application Number: **PAD090076 A-2**

Application Type: Major Amendment

Municipality/County: Milford Township, **Bucks County**

Project Site Name: Faith Christian Academy: Phase 3

Total Earth Disturbance Area (acres): 10.79 acres

Surface Waters Receiving Stormwater Discharges: Unami Creek (HQ-TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This major amendment is for the construction of a stormwater management BMP and grading two athletic fields and paving the minor modification parking lot. The stormwater management BMP in conjunction with the existing stormwater management BMPs will control the increase in runoff from the previous constructed impervious areas. All other areas within the limits of disturbance are considered as site restoration area.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

Northwest Regional Office

Applicant: **Brookville Area School District**

Applicant Address: 96 Jenks Street, Brookville, PA 15825

Application Number: **PAD330010**

Application Type: New

Municipality/County: Brookville Borough, **Jefferson County**

Project Site Name: Brookville High School Football Field

Total Earth Disturbance Area (acres): 3.34 acres

Surface Waters Receiving Stormwater Discharges: UNT North Fork Redbank Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Installation of artificial turf field and associated drainage at existing high school football field.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Northwest Regional Office

Applicant: **Kokosing Construction Company Inc.**

Applicant Address: 6235 Westerville Road, Waterville, OH 43081

Application Number: **PAD160008**

Application Type: New

Municipality/County: Beaver Township, **Clarion County**

Project Site Name: 180 Canoe Creek Bridges Waste Site

Total Earth Disturbance Area (acres): 9.98 acres

Surface Waters Receiving Stormwater Discharges: UNT 49383 and UNT 49379 to Canoe Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: As primary contractor to construct the I-80 Canoe Creek Bridges Project (PAD160003), Kokosing Construction Company will need to transport approximately 250,000 cubic yards of clean fill to an off-site waste area. Access to the waste site area will be via the Good Tire Service property, south of the Canoe Ripple Road exit.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

Southwest Regional Office

Applicant: **Peoples Natural Gas Company LLC**

Applicant Address: 375 North Shore Drive, Suite 600, Pittsburgh, PA 15212

Application Number: **PA630009D**

Application Type: New

Municipality/County: Amwell Township, North Bethlehem Township and West Bethlehem Township, **Washington County**

Project Site Name: Goodwin Tombaugh Phase 2 Areas 20—22

Total Earth Disturbance Area (acres): 48 acres

Surface Waters Receiving Stormwater Discharges: Receiving Stormwater Discharges: Daniels Run, Hainers Run, Horne Run, Little Daniels Run, Little Tenmile Creek, Montgomery Run, Pine Run, South Branch Pigeon Creek, Tenmile Creek (TSF, WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Project consists of the installation of 15 miles of new 2-inch, 4-inch, and 8-inch plastic gas pipeline in Amwell, North Bethlehem and West Bethlehem Townships, Washington County, PA. PNG intends to complete a portion of the Project using Horizontal Directional Drilling (HDD) to reduce earth disturbance and limit environmental impacts. The remainder of the Project will be installed via trenching methods. Use of the existing pipeline will be abandoned. The pipeline will remain in place except for sections of exposed pipeline within streams and wetlands, which will be removed. Additionally, the abandoned pipeline will either be removed or capped at all stream and wetland crossings in accordance with PA DEP requirements. In-lieu of grouting the abandoned line at resource crossings, PNG shall maintain liability of the abandoned line. If there are any environmental concerns or any issues identified due to the

abandoned pipe, PNG will be responsible to correct the issue. The Project will be restored to re-construction conditions and no new permanent impervious areas are proposed.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

STATE CONSERVATION COMMISSION
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS
FOR NPDES PERMITS FOR CAFOs

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

ACT 38
NUTRIENT MANAGEMENT PLANS
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Cedar Pine Farm LLC 21561 Great Cove Rd McConnellsburg, PA 17233	Fulton County	1,756.1	1,947.97	Dairy Cows	NA	New

PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

SAFE DRINKING WATER

Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

Application No. 7220859, NCWSA Construction, Public Water Supply.

Applicant	East Hanover Township Dauphin County
Address	8848 Jonestown Rd Grantville, PA 17028

Municipality East Hanover Township
 County **Dauphin County**
 Responsible Official Bryan Ziegler
 Public Works Director
 8848 Jonestown Road
 Grantville, PA 17028

Consulting Engineer Herbert, Rowland, and Grubic,
 Inc.
 369 E Park Drive
 Harrisburg, PA 17111

Application Received November 20, 2023

Description This application is for a new noncommunity water system located at 8848 Jonestown Rd, Grantville, PA 17028. The proposed water system consists of a new groundwater well, cartridge filter, ultraviolet light disinfection system, pressure tank, and appurtenances.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.

Application No. 4623520, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**
 Address 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010-3402

Municipality Upper Providence Township
 County **Montgomery County**

Responsible Official Michael Fili
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010-3402

Consulting Engineer Mott McDonald
 111 Wood Avenue
 Iselin, NJ 08830-4112

Application Received November 15, 2023

Description Addition of an anion exchange with prefiltration system at the Perkiomen Woods Well Station for the removal of PFAS.

Application No. 1523524, Construction, Public Water Supply.

Applicant **Aqua PA, Inc. (Lloyd Ave)**
 Address 762 Lancaster Avenue
 Bryn Mawr, PA 19010

Municipality Bryn Athyn Borough
 Caln Township and
 Downingtown Borough

County **Chester County**

Responsible Official Michael Fili
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010

Consulting Engineer GHD, Inc.
 225 Grandview Avenue
 Suite 403
 Camp Hill, PA 17011

Application Received November 20, 2023

Description Lloyd Avenue Water Main and Rock Raymond Booster Station modifications.

Application No. 0923516, Construction, Public Water Supply.

Applicant **Aqua Pa (Chalfont)**
 Address 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010-3402

Municipality Chalfant Borough
 County **Bucks County**

Responsible Official Michael Fili
 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010-3402

Consulting Engineer Mott McDonald
 111 Wood Avenue
 South Iselin, NJ 08830-4112

Application Received September 25, 2023

Description Addition of a GAC filter system and replacing the existing 36" chlorine contact pipe with a new 60" contact pipe.

Application No. 0923515, Construction, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc. (Edgely)**
 Address 762 W. Lancaster Avenue
 Bryn Mawr, PA 19010-3402

Municipality Bristol Township
 County **Bucks County**

Responsible Official Mott McDonald
 111 Wood Avenue
 Bryn Mawr, PA 19010-3402

Consulting Engineer Mark A. Tompeck
 111 Wood Avenue
 Iselin, NJ 08830-4112

Application Received September 25, 2023

Description Project involved the addition of an AIX resin filter system at the Edgely.

Application No. 1523525, Construction, Public Water Supply.

Applicant **Willowdale Town Center**
 Address 629 Unionville Road
 Kennett Square, PA 19348

Municipality East Marlborough Township
 County **Chester County**

Responsible Official Morris W. Stroud
 629 Unionville Road
 Kennett Square, PA 19348

Consulting Engineer Earthres Group
 6912 Old Easton Road
 P.O. Box 468
 Pipersville, PA 18947-9765

Application Received December 4, 2023

Description Modify the PH adjustment chemical used in the existing PWS serving Willowdale.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epswsdw@pa.gov.

Application No. 0423518, Construction, Public Water Supply.

Applicant	Moguls Industries, LLC
Address	466 Rochester Road Zelienople, PA 16063
Municipality	New Sewickley Township
County	Beaver County
Responsible Official	Gary Fennell 466 Rochester Road Zelienople, PA 16063
Consulting Engineer	Key Environmental, Inc. 200 Third Avenue Carnegie, PA 15106
Application Received	November 22, 2023
Description	Modification to existing Rumors Tavern water system to include 4-log treatment.

WATER ALLOCATIONS

Application(s) Received Under the Act of June 24, 1939 (P.L. 842, No. 365) (35 P.S. §§ 631—641) Relating to the Acquisition of Rights to Divert Waters of the Commonwealth.

Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Kimberleigh C. Rivers, Clerical Assistant 2, 484-250-5887.

WA-09-775B, Water Allocations. **Bucks County Water & Sewer Authority**, 1275 Almshouse Road, Warrington, PA 18976, Warrington Township, **Bucks County**. Water Allocation Permit. Application received: November 29, 2023.

WA-15-1005A, Water Allocations. **Oxford Borough**, P.O. Box 380, 1 Octoraro Alley, Oxford, PA 19363-0380, Oxford Borough, **Chester County**. Water Allocation request for the existing Chester Water Authority Interconnection. Application received: October 18, 2023.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 1

Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to

Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Shaw (05-272) Well Pad, Primary Facility ID # **863846**, 1750 Gage Road, Lawton, PA 18828, Rush Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801 on behalf of Repsol Oil and Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, submitted a Notice of Intent to Remediate. Soil was contaminated a release of production fluid (brine). The Notice of Intent to Remediate was published in *The Susquehanna County Independent* on June 28, 2023. Application received: December 1, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Knapp Elementary School, Primary Facility ID # **618272**, 698 Knapp Road, Lansdale, PA 19446, Lansdale Borough, **Montgomery County**. Michael Gable, PE, LVL Engineering Group, 559 Main Street, Suite 230, Bethlehem, PA 18018 on behalf of Morgan Evans, JMT Environmental Technologies, P.O. Box 22044, Lehigh Valley, PA 18002, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with fuel oil No. 2, which has contaminated the soil on the site. The proposed cleanup standard for the site is the site-specific standard. The proposed future use of the property will be residential for school use. The Notice of Intent to Remediate was published in the *Reporter* on October 16, 2023. Application received: October 12, 2023.

National Construction Rental, Inc., Primary Facility ID # **829825**, 6401 West Passyunk Avenue, Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. Shian Knouse, TTI Environmental, Inc., 1253 North Church Street, Moorestown, NJ 08053 on behalf of Bill Baker, National Construction Rentals, Inc., 6416 Lakeview Road, Charlotte, NC 28269, submitted a Notice of Intent to Remediate. The site has been found to be contaminated with benzene, naphthalene, and lead in soil and groundwater. The proposed future use of the property will remain a storage area for rental construction materials. The proposed cleanup standard for the site is the Statewide health standard/site-specific standard. The Notice of Intent to Remediate was published in the *South Philly Review* on August 30, 2023. Application received: September 28, 2023.

1420-1432 Point Breeze Avenue, Primary Facility ID # **780698**, 1420-1432 Point Breeze Avenue, Philadelphia, PA 19146, City of Philadelphia, **Philadelphia County**. Michael Potts, Terraphase Engineering, Inc., 100 Canal Pointe Boulevard, Suite 110, Princeton, NJ 08540 on behalf of Greg Karamitopoulo, 1422 Point Breeze LLC, 6950 Norwitch Drive, Philadelphia, PA 19153, submitted a Notice of Intent to Remediate. The site formerly operated as a drycleaner and has been found to be contaminated with VOCs, specifically trichloroethene and tetrachloroethene, in soil and groundwater. The proposed future use of the property will remain residential. The proposed cleanup standard for the site is the Statewide health standard. The Notice of Intent to Remediate was published in *Metro Philadelphia* on October 16, 2023. Application received: October 23, 2023.

Booth Station, Primary Facility ID # **870690**, 3398 Garnet Mine Road, Boothwyn, PA 19060, Bethel Township, **Delaware County**. Gregory Rosenzweig, GES, Inc., 440 Creamery Way, Suite 500, Exton, PA 19341, on behalf of Zachary Stopay, Buckeye Partners, LP, 6161 Hamilton Boulevard, Allentown, PA 18106, submitted a Notice of Intent to Remediate. Soil and groundwater contamination related to organic compounds has been discovered during a subsurface site investigation. The proposed future use of the property will continue to be a nonresidential active bulk petroleum storage and distribution facility. The proposed cleanup standard for the site is the site-specific standard. The Notice of Intent to Remediate was published in *Delco Times* on September 16, 2023. Application received: November 1, 2023.

MUNICIPAL WASTE GENERAL PERMITS

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. § 4000.101—4000.1904); and Municipal Waste Regulations for a General Permit to Operate Municipal Waste Processing Facilities and/or the Beneficial Use of Municipal Waste.

Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848.

WMGM049. New Castle Sanitation Authority, 102 East Washington Street, New Castle, PA 16101, City of New Castle, **Lawrence County**. Permit authorizes the beneficial use of reclaimed water as non-contact cooling and/or process water at natural gas-fired combined cycle electric generating facilities. Application received: July 28, 2023. Deemed administratively complete: July 28, 2023.

Comments or questions concerning the application should be directed to Christina S. Wilhelm, Regional Solid Waste Program Manager, 814-332-6848, Northwest Region, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southcentral Region: Waste Management Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: John Oren, Waste Management Permits Section Chief, 717-705-4907.

1100910. Berks Waste and Rail Transfer, LLC, 25 Service Caster Way, Birdsboro, PA 19508, Cumru Township, **Berks County**. Berks Waste and Rail Transfer, LLC has submitted an application for a new municipal waste transfer facility in Cumru Township, Berks County. Application received: November 9, 2023. Deemed administratively complete: November 28, 2023.

Comments or questions concerning the application should be directed to John Oren, Waste Management Permits Section Chief, (717-705-4907), Southcentral Region, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

Contact: Regional Solid Waste Manager, 717-705-4706.

100113. Republic Services of Pennsylvania, LLC d.b.a. Modern Landfill, 4400 Mt. Pisgah Road, York, PA 17406, Windsor and Lower Windsor Townships, **York**

County. This application is to renew the Municipal Solid Waste Management Operating permit for Modern Landfill. The current operating permit will expire on December 24, 2024. DEP will accept comments from the general public recommending revisions to, and approval or denial of the application during the entire time DEP is reviewing the permit renewal application. Application received: November 14, 2023. Deemed administratively complete: November 29, 2023.

Comments or questions concerning the application should be directed to John Oren, Permitting Section Chief, 717-705-4706, Southcentral Region, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

AIR QUALITY

PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

PLAN APPROVALS

Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David G. Balog, P.E., New Source Review Section Chief, 814-332-6328.

25-00066L: Accuride Erie LP, 1015 East 12th Street, Erie, PA 16503, City of Erie, **Erie County**. Application received: October 11, 2023. For the modification of two existing scrubber control devices at their facility in the City of Erie, Erie County.

Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03013A: Georgia-Pacific Corrugated LLC, 25 Walnut Street, Mt. Wolf, PA 17347, Mount Wolf Borough, **York County**. Application received: August 24, 2023. To construct and operate a new corrugator line to replace the existing corrugator at the Mt. Wolf Container facility. Potential emissions from the facility are estimated at 9.73 tpy NO_x, 27.54 tpy CO, 18.89 tpy PM₁₀, 0.40 tpy SO_x, 15.53 tpy VOC, and 5.10 tpy HAPs. The plan approval will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code § 129.52b (Control of VOC emissions from paper, film and foil surface coating processes) and 25 Pa. Code § 129.77 (Control of emissions from the use or application of adhesives, sealants, primers and solvents). The facility is

a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and other applicable requirements. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

22-03102B: Derry Township Municipal Authority, 670 Clearwater Road, Hershey, PA 17033, Derry Township, **Dauphin County**. Application received: May 18, 2023. For the installation of an Ecoremedy gasifier and dryer system to produce syngas (that will be combusted for process heat) and Class A biosolids. The proposed process will treat solids downstream of the existing anaerobic digester. The gasification process will convert organic solids into syngas and ash residuals. The process will be controlled by a multiclone, venturi wet scrubber, packed bed scrubber, finish burner and plume abatement heat exchanger at the municipal waste facility. The expected increases in facility potential emissions as a result of the changes proposed are: NO_x 8.76 tpy, CO 23.87 tpy, SO_x 9.55 tpy, PM 21.02 tpy, VOC 4.47 tpy and HAPs 2.14 tpy. The facility is a State Only facility. DEP's review of the information submitted by the applicant indicates that the air contamination sources as constructed or modified will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12, and 40 CFR Part 61 Subpart E—National Emission Standards for Mercury. Based on these findings, the Department proposes to issue a plan approval for the proposed construction. If, after the project has been implemented, the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into an Operating Permit pursuant to the administrative amendment provisions of 25 Pa. Code § 127.450.

36-03195A: Mount Joy Wire Corporation, 1000 East Main Street, Mount Joy, PA 17552, Mount Joy Borough, **Lancaster County**. Application received: September 21, 2023. For the reactivation of the facility's Combined Heat & Power (CHP) generation unit that had been previous idled at the Lancaster Plant. The potential-to-emit for the CHP generation unit after the use of controls is about 14.5 tons per year (tpy) of NO_x, 7.24 tpy of CO, and 5.79 tpy of VOCs. DEP's review of the information submitted by the applicant indicates that the air contamination source when reactivated will comply with all regulatory requirements pertaining to air contamination sources and the emission of air contaminants including the best available technology requirement (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on these findings, the DEP proposes to issue a plan approval for the proposed reactivation of the source. If, after the project

has been implemented, the DEP determines that the source is reactivated and operating in compliance with the plan approval conditions and the specification of the application for plan approval, the requirements established in the plan approval will be incorporated into the facility's State-Only Operating Permit in accordance with 25 Pa. Code § 127.450(5).

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-65-01140A: Pennsylvania Turnpike Commission, 2200 North Center Avenue, New Stanton, PA 15672, New Stanton Borough, **Westmoreland County**. Application received: August 22, 2023.

In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (DEP) is providing notice that it intends to issue an Air Quality Plan Approval (PA-65-01140A) to Pennsylvania Turnpike Commission (PATC) to authorize installation and operation of an electric generating station rated at 1.242 MW, located at the Western Regional Office (WRO) facility at 2200 N Center Ave, New Stanton, in New Stanton Borough, Westmoreland County, PA 15672. The station includes one (1) natural gas fired Jenbacher JGS 416 engine, rated at 1,721 bhp, VHP Series 5 unit equipped with an oxidation catalyst. The facility will also contain three (3) storage tanks to store lube oil (79-gallon), lube oil daily (265-gallon) and waste lube oil (265-gallon).

In addition to the engine, the PATC will also install a 2.0 MW Solar Array facility to provide electricity to areas of the turnpike and WRO when the sun provides enough energy. The microgrid facility consisting of solar and natural gas generator will generate electricity through the combustion of natural gas in a spark ignition RICE for use at the facility and to provide excess electricity to the electric grid. The engine will be housed in an outside enclosure and will exhaust to the outdoor atmosphere.

Upon authorization of this plan approval the PATC facility's potential to emit will not exceed 5.5 tons VOC, 9.0 tons NO_x, 4.5 tons CO, 0.5 ton SO_x, 0.10 ton PM₁₀, and 6.0 tons HAPs. The PATC facility is subject to the best available technology (BAT). The emission limit restrictions, performance testing, monitoring, recordkeeping, reporting, and work standards practice conditions of the proposed plan approval have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Part 60 Subpart JJJJ and 40 CFR Part 63 Subpart ZZZZ.

The Plan Approval application, the Department's Air Quality Review Memorandum, and the Proposed Air Quality Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

To request a review of the Plan Approval Application, to receive an electronic copy of the Department's Air Quality Review Memorandum, or to receive an electronic copy of the Department's proposed Air Quality Plan Approval for this project, a person may contact Jesse Parihar at jparihar@pa.gov or 412.442.4030.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront

Drive, Pittsburgh, PA 15222; email to jparihar@pa.gov; or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-65-01140A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

PA-63-00549C: Arden Landfill Inc., 200 Rangos Lane, Washington, PA 15301, Chartiers Township, **Washington County**. Application received: May 26, 2020. To adjust the sulfur dioxide emissions limits in the plan approval, incorporation of 40 CFR Part 62, Subpart OOO, and RACT III requirements.

OPERATING PERMITS

Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

14-00025, Restek Corporation, 110 Benner Circle, Bellefonte, PA 16823, Bellefonte Borough, **Centre County**. Application received: January 19, 2023. To issue a renewal State Only Operating Permit for their Bellefonte facility. The facility has potential emissions of 1.77 TPY of CO; 2.10 TPY of NO_x; 0.02 TPY of SO_x; 0.16 TPY of PM/PM₁₀; 5.29 TPY of VOCs; and 5.29 TPY hazardous air pollutants. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00048, H & K Group, Inc., P.O. Box 196, 2052 Lucon Rd, Skippack, PA 19474, Lehman Township, **Luzerne County**. Application received: October 20, 2023. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their rock crushing facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

45-00030, United Envelope Holdings, LLC, P.O. Box 37, Mount Pocono, PA 18344, Coolbaugh Township, **Monroe County**. Application received: November 3, 2023. The

Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their envelope manufacturing facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

48-00062, H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Lower Mount Bethel Township, **Northampton County**. Application received: October 20, 2023. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their rock crushing facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

52-00002, Eureka Stone Quarry, Inc., P.O. Box 249, Chalfont, PA 18914, Milford Borough, **Pike County**. Application received: October 26, 2023. The Department intends to issue a renewal State-Only Operating Permit for the operation of sources at their rock crushing facility. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00104, Brdaric Excavating, Inc., 500 Main Street, Swoyersville, PA 18704-1254, Kingston Township, **Luzerne County**. Application received: November 8, 2023. The Department intends to issue a renewal State-Only Operating Permit for their CI engines, jaw crusher, cone crusher, triple deck screen, double deck screen, and conveyors. This also includes a CO oxidation catalyst and crusher, cone crusher, triple deck screen, chieftain, and conveyor water sprays used as a control device(s). The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

40-00025, Energy Transfer Mkt & Term LP, 60 South Wyoming Ave, Edwardsville, PA 18704-3102, Edwardsville Borough, **Luzerne County**. Application received: November 2, 2023. The Department intends to issue a renewal State-Only Operating Permit (synthetic minor) for sources such as their gasoline truck loading rack, distillate fuel truck loading rack, tanks (with internal floating and fixed roofs), pump, valve and flange VOC losses, and an oil/water separator tank (with horizontal fixed roof). This permit also includes their vapor destruction and recovery units. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

39-00022, Energy Transfer Mkt & Term LP, 2480 Main St, Whitehall, PA 18052, Whitehall Township, **Lehigh County**. Application received: November 2, 2023. The Department intends to issue a renewal State-Only Operating Permit (synthetic minor) for sources such as their gasoline truck loading rack, transmix truck loading rack, distillate truck loading rack, tanks (with internal floating and fixed roofs), a tank with 210,000-gallon capacity-Ethanol-GP2, pump, valve and flange VOC losses, and an oil/water separator tank (with horizontal

fixed roof). This permit also includes their vapor destruction and recovery units. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, record-keeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.

43-00289, Spang Power Electronics, 5421 Lake St, Sandy Lake, PA 16145, Sandy Lake Township, **Mercer County**. Application received: December 22, 2022. The Department intends to issue the renewal of the State-Only Operating Permit to a facility that manufactures transformers, and industrial power systems and controls. Permitted sources at the facility include two dip tanks for surface coating, each with an oven for curing; chemical potting operations; an emergency generator; and space heaters. The larger dip tank and the associated oven are subject to a combined VOC restriction of 16 tons during any consecutive 12-month period. The two dip tanks are subject to 25 Pa. Code § 129.52 (Surface coating processes) and/or § 129.52d (Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings). The facility is Natural Minor for permitting purposes.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.

67-03189, RH Sheppard Co Inc., 101 Philadelphia Street, Hanover, PA 17331, Hanover Borough, **York County**. Application received: June 26, 2023. To issue an initial State Only Operating Permit for the metal treatment/coating facility. Potential air emissions from the facility are estimated to be 15.75 tpy NO_x, 9.14 tpy CO, 1.84 tpy PM₁₀, 45.38 tpy VOCs, < 1 tpy SO_x and < 1 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions for Federal 40 CFR Part 60, Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines; 40 CFR Part 63, Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines; 40 CFR Part 63, Subpart JJJJJJ—National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers Area Sources; 25 Pa. Code § 129.52—Surface coating processes; 25 Pa. Code § 129.52b—Control of VOC emissions from paper, film and foil surface coating processes; and 25 Pa. Code § 129.63—Degreasing operations.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-03097, Kore Mart, Limited, 7 Hill Drive, Hamburg, PA 19526, Tilden Township, **Berks County**. Application received: December 29, 2022. For operation of their foundry mold and core manufacturing facility. The facility's potential emissions are estimated at 13.71 tpy of particulate matter, 0.55 tpy of NO_x, 0.33 tpy of VOC, 0.47 tpy of CO, and 0.03 tpy of HAPs. The Operating Permit will include emission limits and work practice

standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

36-05155, Federal Metal Co., 500 N 2nd St., Columbia, PA 17512, Columbia Borough, **Lancaster County**. Application received: July 31, 2023. For operation of a non-ferrous metal processing facility. The facility actual emissions for 2022 are 4.27 tons of CO, 2.19 tons of NO_x, 3.59 tons of PM, 0.01 ton of SO_x, 7.10 tons of VOC, 0.03 ton of combined HAP's. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include 40 CFR Part 60, Subpart M—Standards of Performance for Secondary Brass and Bronze Production Plants, 40 CFR Part 63, Subpart TTTTTT—National Emission Standards for Hazardous Air Pollutants for Secondary Nonferrous Metals Processing Area Sources and 40 CFR Part 63, Subpart ZZZZ—National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

36-05152, Kellogg USA Inc., 2050 State Road, Lancaster, PA 17604, East Hempfield Township, **Lancaster County**. Application received: September 5, 2023. To issue a State Only Operating Permit for the breakfast food processing facility. The estimated actual emissions from the facility in 2022 year are estimated at 28.18 tpy of NO_x, 24.56 tpy of CO, 38.35 tpy of PM₁₀, 0.64 tpy of SO_x, 8.50 tpy of VOC and 0.34 tpy of HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart Dc—Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units and 40 CFR Part 63 Subpart ZZZZ—National Emissions Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00161, G and A Clanton, Inc., 350 Lake Rd, Avondale, PA 19311, London Grove Township, **Chester County**. Application received: November 2, 2023. This action is for an initial State Only Operating Permit for an existing portable non-metallic mineral processing plant consisting of crushers, screens, and conveyors powered by diesel engines. The facility, located in London Grove Township, Chester County, is a non-Title V facility. The facility is a source of particulate matter (PM) and based on potential emissions, the facility is classified as a natural minor. A wet suppression system is used to minimize fugitive particulate matter (PM) emissions. Facility-wide emissions of PM are estimated at 2.80 tons per year. The Operating Permit will contain recordkeeping and operating restrictions designed to keep the facility operating within these emission rates and all applicable air quality requirements. Anyone wishing to request information regarding this action can do so by contacting the Southeast Regional Office through the contact person listed in the previously listed header. Comments on the draft permit can be submitted through the Air Quality resource account at RA-EPSEROAQPUBCOM@pa.gov.

COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's

newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Applications

Effluent Limits—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

Mining Permit No. 11130201. NPDES No. PA0269280. Ebensburg Power Company, 224 Grange Hall Road, P.O. Box 228, Armagh, PA 15920, Richland and Paint Townships, **Cambria** and **Somerset Counties**. Permit renewal for the continued operation and restoration of a bituminous surface coal refuse reprocessing mine affecting 63.6 acres. Receiving stream: Paint Creek, classified for the following use: TSF. Application received: November 28, 2023.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, 724-925-5500 or RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 26130102. PA0252344. Valhalla Mining Company, LLC, 170 Yasenosky Road, Smithfield, PA 15478, Dunbar Township, **Fayette County**. Renewal application for reclamation only to an existing bituminous surface mine site, affecting 61.6 acres. Receiving streams: Unnamed tributaries to Gist Run. Application received: December 1, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54980102. Blaschak Anthracite Corp., P.O. Box 12, Mahanoy City, PA 17948, Blythe Township, **Schuylkill County**. Transfer and renewal of an anthracite surface mine operation affecting 144.6 acres. Receiving stream: Silver Creek, classified for the following uses: CWF, MF. Application received: November 30, 2023.

Noncoal Applications

Effluent Limits—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Parameter	30-day Average	Daily Maximum	Instantaneous Maximum
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity.			
pH must always be greater than 6.0; less than 9.0.			

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.

Mining Permit No. 7574SM1. NPDES No. PA05934300. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Silver Spring Township, **Cumberland County**. NPDES Renewal on a Large Noncoal Industrial Mineral permit. Permit acres are 153.09 acres. Receiving streams: Conodoguinet Creek, classified for the following uses: WWF. Application received: November 28, 2023.

New Stanton District Mining Office: 131 Broadview Road, New Stanton, PA 15672, 724-925-5500.

Contact: Tracy Norbert, 724-925-5500 or RA-EPNEWSTANTON@pa.gov.

Mining Permit No. 03142001. Holcim-MAR, Inc., 6401 Golden Triangle Drive, Suite 400, Greenbelt, MD 20770-3202, South Bend Township, **Armstrong County**. Revision to water handling plan at an existing underground noncoal mine, affecting 101.2 surface acres and 161.5 underground acres. Receiving streams: unnamed tributary "A" to Crooked Creek, Crooked Creek to Allegheny River; classified for the following use: WWF. Application received: December 4, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 5278SM4. Pocono Sand & Stone, LLC, 540 South Sterling Road, South Sterling, PA 18460, Greene Township, **Pike County**. Correction to a quarry operation to include mine reclamation fill for reclamation affecting 67.0 acres. Receiving stream: Wallenpaupack Creek, classified for the following uses: HQ—CWF, MF. Application received: November 16, 2023.

MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

Effluent Limits for Coal Mining Activities

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Effluent Limits for Noncoal Mining Activities

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

Coal NPDES Draft Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

NPDES No. PA0236195. Mining Permit No. 30121301. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Center Township, **Greene County**. Application received: May 18, 2023. Accepted: July 5, 2023.

A revision to the permit and related NPDES permit for installation of bleeder facility and one (1) new NPDES discharge point, affecting 437.75 surface acres and 19,762.0 underground acres. Receiving stream(s): Unnamed Tributary to Browns Creek, classified for the following use: HQ-WWF. Monongahela River Watershed TMDL. Application received: May 18, 2023. Application accepted: July 5, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 007 discharging to UNT to Browns Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	0.454	0.908	1.135
Manganese	(mg/l)	-	0.055	0.11	0.137
Aluminum	(mg/l)	-	0.24	0.48	0.60
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	237	474	593
Sulfate	(mg/l)	-	26.11	52.22	65.27

The EPA Waiver is not in effect.

NPDES No. PA0236195. Mining Permit No. 30121301. Consol Pennsylvania Coal Company LLC, 275 Technology Drive, Suite 101, Canonsburg, PA 15317, Center Township, **Greene County**. Application received: July 6, 2022. Accepted: September 7, 2022.

A revision to the permit and related NPDES permit for the installation of an airshaft and two (2) new NPDES discharge points affecting 455.35 surface acres and 11,904.0 underground acres. Receiving stream(s): Unnamed Tributary 40691 to Grays Fork, classified for the following use: HQ-WWF. Monongahela River Watershed TMDL. Application received: July 6, 2022. Application accepted: September 7, 2022.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 005 discharging to UNT 40691 to Grays Fork are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	0.454	0.908	1.135
Manganese	(mg/l)	-	0.055	0.11	0.137
Aluminum	(mg/l)	-	0.24	0.48	0.60
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	237	474	593
Sulfate	(mg/l)	-	26.11	52.22	65.27

The proposed effluent limits for Outfall 006 discharging to UNT 40691 to Grays Fork are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	0.454	0.908	1.135
Manganese	(mg/l)	-	0.055	0.11	0.137
Aluminum	(mg/l)	-	0.24	0.48	0.60
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Total Dissolved Solids	(mg/l)	-	237	474	593
Sulfate	(mg/l)	-	26.11	52.22	65.27

The EPA Waiver is not in effect.

NPDES No. PA0235610. Mining Permit No. 30031301. Dana Mining Company of PA, LLC, 966 Crafts Run Road, Maidsville, WV 26541, Dunkard, Perry and Whiteley Townships, **Greene County**. Application received: October 28, 2019. Accepted: October 28, 2019.

A renewal to the NPDES permit, affecting 84.1 surface acres and 6,658.6 underground acres. Receiving stream(s): Dunkard Creek, Unnamed Tributary of Meadow Run and Watkins Run, classified for the following use: WWF. Dunkard Creek TMDL. Application received: October 28, 2019. Application accepted: October 28, 2019.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to Dunkard Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 003 discharging to Unnamed Tributary to Meadow Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	-	-	Report
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The proposed effluent limits for Outfall 005 discharging to Watkins Run are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	3.0	6.0	7.0
Manganese	(mg/l)	-	2.0	4.0	5.0
Aluminum	(mg/l)	-	1.71	3.43	3.43
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	131	262	328
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Chloride	(mg/l)	-	-	-	Report

The EPA Waiver is not in effect.

NPDES No. PA0214469. Mining Permit No. 56831602. Reitz Coal Company, LLC, 509 15th Street, Windber, PA 15963, Shade Township, **Somerset County**. Application received: June 19, 2017. Accepted: January 19, 2018.

A renewal to the NPDES permit, affecting 3.9 surface acres. Receiving stream(s): Dark Shade Creek, classified for the following use: CWF. Kiskiminetas-Conemaugh River Watershed TMDL. Application received: June 19, 2017. Application accepted: January 19, 2018.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The proposed effluent limits for Outfall 001 discharging to Dark Shade Creek are:

The following effluent limitations and monitoring requirements apply to the subject outfall from Permit Effective Date to Permit Expiration Date:

<i>Parameter</i>		<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant. Maximum</i>
Flow	(mgd)	-	-	-	Report
Iron	(mg/l)	-	1.5	3.0	3.8
Manganese	(mg/l)	-	1.0	2.0	2.5
Aluminum	(mg/l)	-	0.75	0.75	0.75
Suspended Solids	(mg/l)	-	35	70	90
pH	(s.u.)	6.0	-	-	9.0
Alkalinity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Acidity, Total as CaCO ₃	(mg/l)	-	-	-	Report
Alkalinity, Net	(mg/l)	0.0	-	-	-
Osmotic Pressure	(mOs/kg)	-	50	100	100
Total Dissolved Solids	(mg/l)	-	-	-	Report
Sulfate	(mg/l)	-	-	-	Report
Specific Conductance	(umho)	-	-	-	Report

The EPA Waiver is not in effect.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

NPDES No. PA0270059. Mining Permit No. 17230101. RES Coal LLC, 51 Airport Road, Clearfield, PA 16830, Chest Township, Ferguson Township, and Jordan Township, **Clearfield County**. Application received: October 10, 2023.

New NPDES permit for discharge of water resulting from Bituminous Coal Surface Mining permit affecting 438 acres. Receiving stream(s): tributaries to/and Wilson Run and North Witmer Run, classified for the following use(s): CWF. North Witmer Run is included in the Clearfield Creek Watershed TMDL. Wilson Run and its tributaries are included in the Chest Creek TMDL.

Unless otherwise noted for a specific outfall, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to Wilson Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	New	Treatment Pond	Intermittent (Pumped)
004	New	Sediment Pond	Precipitation Induced
005	New	Sediment Pond	Precipitation Induced
006	New	Sediment Pond	Precipitation Induced

The following outfalls discharge to an unnamed tributary to Wilson Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
002	New	Treatment Pond	Intermittent (Pumped)
003	New	Treatment Pond	Intermittent (Pumped)
007	New	Sediment Pond	Precipitation Induced
008	New	Sediment Pond	Precipitation Induced
009	New	Sediment Pond	Precipitation Induced
010	New	Sediment Pond	Precipitation Induced

The following outfall discharges to North Witmer Run:

<i>Outfall No.</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
011	New	Sediment Pond	Precipitation Induced

The proposed effluent limits for the previously listed treatment pond outfall are as follows:

<i>Outfalls: 001—003 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed sediment pond outfalls are as follows:

<i>Outfalls: 004—006 (Discharges during Dry Weather)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)		Report	
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

<i>Outfalls: 004—006</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>(Discharges after ≤10-yr/24-hr Precip. Event)</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
<i>Parameter</i>			
Iron (mg/L)	N/A	N/A	7.0
Total Settleable Solids (mL/L)	N/A	N/A	0.5
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Outfalls: 004—006
(Discharges after >10-yr/24-hr Precip. Event)
 pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.
 Alkalinity must exceed acidity at all times.

The proposed effluent limits for the previously listed sediment pond outfall are as follows:

<i>Outfalls: 007 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	3.2	6.4	8.0
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	

<i>Outfalls: 007 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed sediment pond outfalls are as follows:

<i>Outfalls: 008—010 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	2.6	5.2	6.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

The proposed effluent limits for the previously listed sediment pond outfall are as follows:

<i>Outfalls: 011 (All Discharges)</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant.</i>
<i>Parameter</i>	<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
Iron (mg/L)	3.0	6.0	7.0
Manganese (mg/L)	2.0	4.0	5.0
Aluminum (mg/L)	1.4	2.8	3.5
Total Suspended Solids (mg/L)	35.0	70.0	90.0
Sulfate (mg/L)		Report	
Flow (gpm)		Report	
Temperature (°C)		Report	
Specific Conductivity (µmhos/cm)		Report	
pH (S.U.): Must be between 6.0 and 9.0 standard units at all times.			
Alkalinity must exceed acidity at all times.			

Noncoal NPDES Draft Permits

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

PA0259454. Mining Permit No. 20910303. Don & Randy Ferris, Inc., 23733 Mackey Hill Road, Cambridge Springs, PA 16403, Rockdale Township, **Crawford County**. Renewal of an NPDES permit. Application received: October 10, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

NPDES Permit No. PA0224855. Mining Permit No. 58100302. William M. Ruark, P.O. Box 127, Meshoppen, PA 18630, Dimock Township, **Susquehanna County**. Application received: June 23, 2023.

Renew NPDES permit affecting 64.4 acres. Receiving stream: UNT to Elk Lake, classified for the following uses: CWF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to UNT to Elk Lake:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate:</i>
001	Existing	Treatment Facility Outfall	0.30 MGD

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day</i>	<i>Daily</i>	<i>Instant</i>
		<i>Average</i>	<i>Maximum</i>	<i>Maximum</i>
pH ⁱ (S.U.)	6.0			9.0
Total Alkalinity (as CaCO ₃) (mg/L)			Monitor And Report	
Total Acidity (as CaCO ₃) (mg/L)			Monitor And Report	
Net Alkalinity (mg/L)	0.0			
Total Suspended Solids (mg/L)		35.0	70.0	90.0

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Discharge (MGD)		0.30	0.70	
Total Iron (mg/L)		3.0	6.0	7.0
Total Manganese (mg/L)		2.0	4.0	5.0
Total Dissolved Solids (mg/L)			Monitor And Report	
Sulfates (mg/L)			Monitor And Report	
Chloride (mg/L)			Monitor And Report	

¹This Parameter is applicable at all times.

NPDES Permit No. PA0226033. Mining Permit No. 52970301 & 5278SM4. Pocono Sand & Stone, LLC, P.O. Box 540, Newfoundland, PA 18445, Greene Township, Pike County. Application received: June 20, 2023.

Transfer of NPDES permit affecting 172.56 acres. Receiving stream: Wallenpaupack Creek, classified for the following uses: HQ-CWF, MF.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following treated wastewater outfalls discharge to Wallenpaupack Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate:</i>
001	Existing	Stormwater	Variable

The proposed effluent limits for the perviously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH ¹ (S.U.)	6.0			9.0
Total Suspended Solids (mg/L)		35.0	70.0	90.0
Total Settleable Solids (ml/L)				0.5
Turbidity (NTU)				40.0

¹This Parameter is applicable at all times.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at

(800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

WATER OBSTRUCTIONS AND ENCROACHMENTS

Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Jake Carson, Project Manager, 570-327-3565.

E1404123-003. PA DOT Engineering District 3-0, 70 PennDot Drive, Clearfield, PA 16830, Boggs Township, Marion Twp and Spring Twp, Centre County. U.S. Army Corps of Engineers Baltimore District. Application received: July 27, 2023.

PA DOT propose a new high-speed interchange between SR-80 and I-99 at the existing SR 0026 Bellefonte on and off ramp location. The new high-speed interchange will include relocation of SR 0026, four high-speed ramps. Two ramps will be flyover type over SR 80. The project includes new bridges for the interchange, rehabilitation of existing box culverts and extensions of existing pipes. Three retaining walls will be constructed between SR 80 and Nittany Creek to avoid cutting into potentially acid bearing rock. The project will temporarily impact approximately 1.07 acres and permanently impact approximately 6.5 acres of jurisdictional wetlands. The project will

temporarily impact approximately 1.09 acres and permanently impact approximately 1.02 acres of stream. The project will temporarily impact approximately 5.78 acres and permanently impact approximately 31.89 acres of floodway. The project stream and wetland impacts will be mitigated through mitigation banking agreement. The Unnamed Tributaries to Nittany Creek and Nittany Creek are designated as High-Quality Cold Water Fisheries by 25 Pa. Code Chapter 93 Water Quality Standards and a Wild Trout Stream by PA Fish and Boat Commission. Latitude: 40° 56' 42", Longitude: -77° 43' 21".

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E5202223-002. Lucy Stewart, P.O. Box 565, Millrift, PA 18349, Shohola Township, **Pike County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 20, 2023.

To construct and maintain a driveway crossing of Sap Brook (HQ-CWF) and adjacent wetlands consisting of a 20.0-foot long precast concrete box culvert having a 6.0-foot span and a 4.5-foot underclearance with concrete headwalls and wingwalls. The project includes 0.01-acre impact to PEM/PSS EV wetlands. The project is located approximately 500 feet West of the intersection of Woodtown Road and Smokey Joe Wood Road in Shohola Twp., Pike County (Shohola, PA Quadrangle, Latitude: 41.406253, Longitude: -74.893280).

E4802223-009. Kay Mitman, LLC, 5930 Hamilton Blvd., Suite 101, Allentown, PA 18106, Forks Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 17, 2023.

To construct and maintain an outfall structure in the floodway of Bushkill Creek (HQ-CWF, MF) consisting of a 36-inch HDPE pipe with a concrete headwall and rip rap apron. The project is located on the left of Bushkill Drive approximately 1.7 miles west after the intersection with Detrich Road (SR-690) (Easton, PA Quadrangle Latitude: 40° 42' 18", Longitude: -75° 14' 27") in Forks Township, Northampton County. Latitude: 40° 42' 18", Longitude: -75° 14' 27".

Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: RA-EPWW-NWRO@pa.gov.

E4306223-004. Jackson Center Solar LLC, 110 Edison Place, Suite 312, Newark, NJ 07102, Jackson Township, **Mercer County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: October 12, 2023.

To permanently impact 0.04 acre of wetland (PEM) and temporarily impact 4.54 acres of wetland (PEM) for construction of a solar electric generation facility located on Henderson Road approximately 0.85 mile east of the intersection of SR 62 and Henderson Road. Latitude: 41.285185°, Longitude: -80.108727°.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

EA4601223-003, WV4601223-004. Lower Merion Township, 75 East Lancaster Avenue, Ardmore, PA 19003, Lower Merion Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 2, 2023.

Lower Merion Township is proposing to restore the banks of the existing stream along Glanraffan Creek (WWF). The work includes, but is not limited to, erosion and sediment control measures, protecting the mature tree canopy, excavation and regrading areas to create a vegetated food plain bench where possible, expand the vegetated riparian buffer where possible, armor the toe of the bank with coir logs (biodegradable fiber rolls), installation of rifles to help remove fine sediments and oxygenate the stream, new plantings using low-maintenance, native species to stabilize the grounds, and placement of boulders to protect existing sanitary sewer. The project limit starts along the Glanraffan Creek near 1500 Centennial Road to the exiting culvert at Mary Water Ford Road near the intersection of Centennial Road and Woodbine Avenue (Germantown, PA USGS) in Lower Merion Township, Montgomery County. Latitude: 40.029845°, Longitude: -75.240338°.

ENVIRONMENTAL ASSESSMENTS

Wilkes-Barre District Mining Office: Bureau of Abandoned Mine Reclamation, 2 Public Square, 5th Floor, Wilkes-Barre, PA 18701, 570-826-2371.

Contact: Kim Snyder, P.E., Environmental Program Manager.

EA54-2-23-001. Bureau of Abandoned Mine Reclamation, 2 Public Square, Wilkes-Barre, PA 18701, Kline Township, **Schuylkill County**, Hazle Township, **Schuylkill County**. U.S. Army Corps of Engineers Baltimore District. Application received: November 29, 2023.

The applicant proposes to backfill and reclaim 211 acres of abandoned surface mined land. The project will also fill in 0.23 acre of wetland and 1.08 acres of open water. Also, reconstruct 6,520 feet of perennial stream channel (Conyngham Quadrangle 40.90813° N, -76.01795° W) Latitude: 40.90813° N, Longitude: -76.01795° W.

DAM SAFETY

Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

D22-126EA. Anthea Stebbins, Dauphin County Commissioners, Parks and Recreation, 2 South Second Street, Harrisburg, PA 17101, Middle Paxton Township, **Dauphin County**. Applicant proposes to remove the Detweiler Park Dam to eliminate a threat to public safety and to restore approximately 350 feet of stream channel to a free-flowing condition. The proposed restoration project includes installation of valley grade control and cross vanes. The project is located across a tributary to Clark Creek (HQ-CWF, MF) (Halifax, PA Quadrangle, Latitude: 40.3915, Longitude: -76.9377), Latitude: 40.3915°, Longitude: -76.9377°. Application received: November 22, 2023.

ACTIONS

THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT
FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at www.dep.pa.gov/CWPublicNotice.

DEP office contact information to review official files relating to the final actions in Section I is as follows:

DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.

DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.

DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.

DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dept of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dept of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667

(Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA630006D	Chapter 102 Individual NPDES Permit	Issued	Peoples Natural Gas Co. LLC 375 North Shore Drive Suite 600 Pittsburgh, PA 15212-5866	Somerset Township Washington County	SWRO
PAD060071	Chapter 102 Individual NPDES Permit	Issued	Melissa and James Gerhardt 36 Timothy Drive Mertztown, PA 19539-9617	Longswamp Township Berks County	SCRO
PAD070032	Chapter 102 Individual NPDES Permit	Issued	Terry L Long Excav Inc. 132 Dirt Pushing Drive Martinsburg, PA 16662-8153	North Woodbury Township Blair County	SCRO
PAD090092	Chapter 102 Individual NPDES Permit	Issued	Quakertown Borough Bucks County 35 N Third Street Quakertown, PA 18951	Richland Township Bucks County	SERO
PAD150127	Chapter 102 Individual NPDES Permit	Issued	Immaculata University 1145 W King Road Immaculata, PA 19345	East Whiteland Township Chester County	SERO
PAD150258	Chapter 102 Individual NPDES Permit	Issued	Bentley Rene 100 Morningside Drive Elverson, PA 19520	West Brandywine Township Chester County	SERO
PAD150295	Chapter 102 Individual NPDES Permit	Issued	Dr Horton Inc. 2060 Detwiler Road Suite 103 Harleysville, PA 19438-2934	West Caln Township Chester County	SERO
PAD150297	Chapter 102 Individual NPDES Permit	Issued	Scenic Valley Bldr LLC 5259 Diem Road New Holland, PA 17557-9577	West Brandywine Township Chester County	SERO
PAD210099	Chapter 102 Individual NPDES Permit	Issued	DE & JB Lutz P.O. Box 810 Carlisle, PA 17013-0810	Middlesex Township Cumberland County	SCRO
PAD230073	Chapter 102 Individual NPDES Permit	Issued	MB Homebuilders 530 Old Forge Road Media, PA 19063-5513	Middletown Township Delaware County	SERO
PAD420011	Chapter 102 Individual NPDES Permit	Issued	PA American Water Co. 203 Sycamore Street Punxsutawney, PA 15767	Kane Borough McKean County	NWRO
PAD450072	Chapter 102 Individual NPDES Permit	Issued	Schuchman Ken P.O. Box 404 Marshalls Creek, PA 18335-0404	Smithfield Township Monroe County	NERO
PAD480194	Chapter 102 Individual NPDES Permit	Issued	One More Tumble Creek LLC 4511 Falmer Drive Bethlehem, PA 18020-9796	Williams Township Northampton County	NERO
PA0013021	Industrial Stormwater Individual NPDES Permit	Issued	PQ LLC 1201 W Front Street Chester, PA 19013-3436	Chester City Delaware County	SERO
PA0233391	Industrial Stormwater Individual NPDES Permit	Issued	Patterson Lumber Co. Inc. 101 West Avenue Wellsboro, PA 16901-1358	West Branch Township Potter County	NCRO
PA0294209	Industrial Stormwater Individual NPDES Permit	Issued	DHL Supply Chain 954 Centerville Road Newville, PA 17241-9586	Penn Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0294209	Industrial Stormwater Individual NPDES Permit	Issued	Unilever Distribution Center 954 Centerville Road Newville, PA 17241-9586	Penn Township Cumberland County	SCRO
PA0294209	Industrial Stormwater Individual NPDES Permit	Issued	Unilever Distribution Center 954 Centerville Road Newville, PA 17241-9586	Penn Township Cumberland County	SCRO
2613800	Joint DEP/PFBC Pesticides Permit	Issued	Nemacolin Woodlands Inc. 1001 Lafayette Drive Farmington, PA 15437-9754	Wharton Township Fayette County	SWRO
1506407	Land Application and Reuse of Sewage Individual WQM Permit	Issued	East Brandywine Township Municipal Authority 1214 Horseshoe Pike Downingtown, PA 19335-1132	East Brandywine Township Chester County	SERO
PAI133541	MS4 Individual NPDES Permit	Issued	Brecknock Township 1026 Dry Tavern Road Denver, PA 17517-9741	Brecknock Township Lancaster County	SCRO
2013201	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Apple Shamrock Dairy Farms LLC 32821 Guys Mills Road Townville, PA 16360-3009	Steuben Township Crawford County	NWRO
3612202	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Star Rock Farms LLC 175 Chestnut Grove Road Conestoga, PA 17516-9317	Manor Township Lancaster County	SCRO
PA0046019	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Pilot Travel Center LLC 5508 Lonas Drive Knoxville, TN 37909-3221	South Huntingdon Township Westmoreland County	SWRO
PA0265110	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Stoneboro Borough 59 Lake Street P.O. Box 337 Stoneboro, PA 16153-9807	Stoneboro Borough Mercer County	NWRO
PA0034380	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Quadland Corp 7041 Truck World Boulevard Hubbard, OH 44425-3254	Scrubgrass Township Venango County	NWRO
PA0039233	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Blair Enterprises LLC 5639 Emlenton Clintonville Road Emlenton, PA 16373-6813	Cranberry Township Venango County	NWRO
PA0080284	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	New Oxford MHC LLC 524 Meadow Avenue Loop Banner Elk, NC 28604	Mount Pleasant Township Adams County	SCRO
PA0081221	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Shover Inv Group LLC 225 Pink Hill Road Landisburg, PA 17040	Miller Township Perry County	SCRO

NOTICES

7781

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0083569	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Riverview Homeowners Association 656 Excavating Drive Roaring Spring, PA 16673-8538	West Providence Township Bedford County	SCRO
PA0093378	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Assoc Ceramics & Tech Inc. 400 N Pike Road Sarver, PA 16055-1109	Winfield Township Butler County	NWRO
PA0093718	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Karns City Area School District 1446 Kittanning Pike Karns City, PA 16041-1818	Sugarcreek Township Armstrong County	NWRO
PA0045004	Minor Sewage Facility ≥ 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Lake Meade Municipal Authority 59 Curtis Drive East Berlin, PA 17316-9220	Reading Township Adams County	SCRO
PA0209996	Minor Sewage Facility ≥ 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Salvation Army 700 North Bell Avenue P.O. Box 742 Carnegie, PA 15106	Wayne Township Lawrence County	NWRO
PA0218103	Minor Sewage Facility ≥ 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Worthington W Franklin Joint Municipal Authority 102 West Main Street Worthington, PA 16262	West Franklin Township Armstrong County	NWRO
1793411	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Country Place MHC P.O. Box 275 Lake Hiawatha, NJ 07034-0275	Sandy Township Clearfield County	NCRO
367S016	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Blair Enterprises LLC 5639 Emlenton Clintonville Road Emlenton, PA 16373-6813	Cranberry Township Venango County	NWRO
NOEX07802	No Exposure Certification	Issued	Westrock Hazleton 33 N Powell Drive Hazleton, PA 18201-7360	Hazleton City Luzerne County	NERO
NOEXNW072	No Exposure Certification	Issued	Lord Corp 124 Grant Street Cambridge Springs, PA 16403-1014	Cambridge Springs Borough Crawford County	NWRO
NOEXNW081	No Exposure Certification	Issued	Essentra Plastics LLC d/b/a Essentra Components 3123 Station Road Erie, PA 16510-6501	Erie City Erie County	NWRO
NOEXSC289	No Exposure Certification	Denied	DHL Supply Chain 954 Centerville Road Newville, PA 17241-9586	Penn Township Cumberland County	SCRO
NOEXSC316	No Exposure Certification	Issued	Bedford Reinforced Plastics Inc. 2 Corporate Drive Bedford, PA 15522-7946	Bedford Township Bedford County	SCRO

NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC333	No Exposure Certification	Issued	Hershey Co. 19 East Chocolate Avenue Hershey, PA 17033-0819	Derry Township Dauphin County	SCRO
NOEXSE310	No Exposure Certification	Issued	CP Flexible Packaging 181 Rittenhouse Circle Bristol, PA 19007-1617	Bristol Township Bucks County	SERO
NOEXSE358	No Exposure Certification	Issued	DMR Graphics Inc. 6 Union Hill Road # B Conshohocken, PA 19428	West Conshohocken Borough Montgomery County	SERO
NOEXSW239	No Exposure Certification	Issued	Versatex Bldg Products LLC 400 Steel Street Aliquippa, PA 15001-5420	Aliquippa City Beaver County	SWRO
NOEXSW246	No Exposure Certification	Issued	Wilbert Funeral Service Inc. 1029 McCartney Street Pittsburgh, PA 15220-5406	Pittsburgh City Allegheny County	SWRO
PAG030043	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Consolidated Rail Corp 330 Fellowship Road Mt. Laurel, NJ 08054	Trainer Borough Delaware County	SERO
PAG030044	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Consolidated Rail Corp 330 Fellowship Road Mt. Laurel, NJ 08054	Philadelphia City Philadelphia County	SERO
PAG030046	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Consolidated Rail Corp 330 Fellowship Road Mt. Laurel, NJ 08054	Philadelphia City Philadelphia County	SERO
PAG030135	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Milton Roy LLC 201 Ivyland Road Warminster, PA 18974-1706	Ivyland Borough Bucks County	SERO
PAG030194	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Silgan Plastics Corp 121 Wheeler Court Langhorne, PA 19047-1701	Middletown Township Bucks County	SERO
PAG030204	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lehigh Valley Dairy Farms 880 Allentown Road Lansdale, PA 19446	Upper Gwynedd Township Montgomery County	SERO
PAG030212	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Metallurgical Products Co. 810 Lincoln Avenue West Chester, PA 19380	West Goshen Township Chester County	SERO
PAG030229	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Oldcastle Infrastructure 200 Keystone Drive Telford, PA 18969	West Rockhill Township Bucks County	SERO
PAG030232	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Total Distr Service Inc. 301 West Bay Street J980 Jacksonville, FL 32202	Upper Chichester Township Delaware County	SERO
PAG030234	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BFI Waste Service of PA LLC 1 Briar Drive West Grove, PA 19390-9455	Penn Township Chester County	SERO
PAG030243	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Simsmetal East LLC 300 South Steel Road Morrisville, PA 19067	South Coatesville Borough Chester County	SERO

NOTICES

7783

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030248	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Republic Service of PA LLC 4100 Church Road Mount Laurel, NJ 08054-2221	Philadelphia City Philadelphia County	SERO
PAG030267	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Americold Logistics LLC 2525 Bergey Road Hatfield, PA 19440-1703	Hatfield Township Montgomery County	SERO
PAG032361	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Johns Manville Corp 600 Jaycee Drive Hazle Township, PA 18202-1154	Hazle Township Luzerne County	NERO
PAG033511	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Greiner Ind Inc. 1650 Steel Way Mount Joy, PA 17552-9515	Mount Joy Township Lancaster County	SCRO
PAG033536	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Zeager Bros Inc. 4000 E Harrisburg Pike Middletown, PA 17057-4651	Londonderry Township Dauphin County	SCRO
PAG033549	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Tait Towers Manu LLC 401 W Lincoln Avenue Lititz, PA 17543-8701	Lititz Borough Lancaster County	SCRO
PAG033573	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amazon Com Service LLC P.O. Box 80842 Attn: Amazon Com NA Env Dept Seattle, WA 98108-0842	Fairview Township York County	SCRO
PAG033580	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Monarch Products Co. Inc. 385 Sipe Road York Haven, PA 17370-9219	Conewago Township York County	SCRO
PAG033602	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	BWI 299 Mulberry Drive Mechanicsburg, PA 17050	Mechanicsburg Borough Cumberland County	SCRO
PAG033625	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Moses B Glick LLC 58 Hartz Road Fleetwood, PA 19522	Alsace Township Berks County	SCRO
PAG033645	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	GVM Inc. 374 Heidlersburg Road P.O. Box 358 Biglerville, PA 17307-9256	Butler Township Adams County	SCRO
PAG033692	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	The Shyft Group USA Inc. 601 Stony Battery Road Landisville, PA 17538-1401	Manor Township Lancaster County	SCRO
PAG033702	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	G & R Excav & Demolition Inc. 900 Pennsylvania Avenue Tyrone, PA 16686-1512	Snyder Township Blair County	SCRO
PAG033753	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ward Trucking LLC P.O. Box 1553 Altoona, PA 16603-1553	Lower Allen Township Cumberland County	SCRO
PAG033775	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	E & H Recycling Co. Inc. P.O. Box 1630 Zephyrhills, FL 33539-1630	York City York County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033794	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lancaster County SWMA 1299 Harrisburg Avenue Lancaster, PA 17603-2515	Manheim Township Lancaster County	SCRO
PAG033820	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Kabar Products LLC 98 E Main Street Leola, PA 17540-1940	Upper Leacock Township Lancaster County	SCRO
PAG033821	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Pitt Ohio Express LLC 15 27th Street Pittsburgh, PA 15222-4729	Swatara Township Dauphin County	SCRO
PAG033844	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SKF USA Inc. 20 Industrial Drive Hanover, PA 17331-9531	Penn Township York County	SCRO
PAG033846	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Hershey Co. 925 Reese Avenue Hershey, PA 17033-2271	Derry Township Dauphin County	SCRO
PAG033849	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	IWM International LLC 500 E Middle Street Hanover, PA 17331-2027	Spring Garden Township York County	SCRO
PAG033854	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	IWM International LLC 500 E Middle Street Hanover, PA 17331-2027	Hanover Borough York County	SCRO
PAG033877	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	JLG Ind Inc. 1 JLG Drive McConnellsburg, PA 17233	Antrim Township Franklin County	SCRO
PAG033884	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Simsmetal East LLC 300 South Steel Road Morrisville, PA 19067	Windsor Township York County	SCRO
PAG033886	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lancaster County SWMA 1299 Harrisburg Avenue Lancaster, PA 17603-2515	Harrisburg City Dauphin County	SCRO
PAG033913	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Simsmetal East LLC 1 Linden Avenue Jersey City, NJ 07305	Lower Windsor Township York County	SCRO
PAG033960	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lancaster County SWMA 1299 Harrisburg Avenue Lancaster, PA 17603-2515	Manor Township Lancaster County	SCRO
PAG034866	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Falcon Flowback LLC 1635 Se 29th Street Oklahoma City, OK 73129-7619	Asylum Township Bradford County	NCRO
PAG034876	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Cameron International Corp 5386 US Route 220 Hughesville, PA 17737-8903	Hughesville Borough Lycoming County	NCRO
PAG034966	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Keystone Filler & Manufacturing Co. 214 Railroad Street Muncy, PA 17756-1422	Muncy Creek Township Lycoming County	NCRO

NOTICES

7785

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG034968	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	H Rockwell & Son P.O. Box 197 Canton, PA 17724-0197	Canton Borough Bradford County	NCRO
PAG034974	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Glenn O Hawbaker Inc. 711 E College Avenue Pleasant Gap, PA 16823-6854	Patton Township Centre County	NCRO
PAG036136	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Giant Eagle Inc. 101 Kappa Drive Pittsburgh, PA 15238-2809	Pittsburgh City Allegheny County	SWRO
PAG036141	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Giant Eagle Inc. 101 Kappa Drive Pittsburgh, PA 15238-2809	Pittsburgh City Allegheny County	SWRO
PAG036227	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dyno Nobel Inc. 1320 Galiffa Drive Donora, PA 15033	Donora Borough Washington County	SWRO
PAG036447	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	First Student Inc. 110 Perimter Prk Suite E Knoxville, TN 37922-2200	Ellwood City Borough Beaver County	SWRO
PAG036451	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	M T S Truck Repair 5 Main Street P.O. Box 78 Smithfield, PA 15478-8942	Smithfield Borough Fayette County	SWRO
PAG038568	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Lipinski Logging & Lumber Inc. 1026 Industrial Park Titusville, PA 16354-1010	Titusville City Crawford County	NWRO
PAG053607	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	522 Park Pit Stop LLC 29459 Great Cove Road Fort Littleton, PA 17223-9637	Dublin Township Fulton County	SCRO
PAG053608	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	Mallows Service Center Inc. 311 E 25th Avenue Altoona, PA 16601-4027	Altoona City Blair County	SCRO
4623403	Pump Stations Individual WQM Permit	Issued	Breyer Master Association 8360 Old York Road Elkins Park, PA 19027-1576	Cheltenham Township Montgomery County	SERO
PA0238741	Single Residence STP Individual NPDES Permit	Issued	Neff Don W 111 Beach Road Chicora, PA 16025-4101	Concord Township Butler County	NWRO
PA0261611	Single Residence STP Individual NPDES Permit	Issued	Plank Robert E 477 Herrs Ridge Road Gettysburg, PA 17325-8821	Cumberland Township Adams County	SCRO
PA0266792	Single Residence STP Individual NPDES Permit	Issued	Alexandra Creany and Richard Davis 179 Atlas Drive Hollidaysburg, PA 16648	Frankstown Township Blair County	SCRO
PA0266825	Single Residence STP Individual NPDES Permit	Issued	Broad Top Township Bedford County 124 Hitchens Road P.O. Box 57 Defiance, PA 16633-9002	Broad Top Township Bedford County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name & Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0052451	Small Flow Treatment Facility Individual NPDES Permit	Issued	Landenberg Living LP 1200 E High Street 202 Pottstown, PA 19464-4954	New Garden Township Chester County	SERO

II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390208	PAG-02 General Permit	Issued	Washington Prime Group Jordin Horan 180 East Broad Street Columbus, OH 43215	Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC390207	PAG-02 General Permit	Issued	Valley Wide Homes LLC Keenan Miler 4678 S. Mountain Drive Emmaus, PA 18049	North Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC390205	PAG-02 General Permit	Issued	Greenleaf Fields at Parkland, LLC Phillip Malitsch 4511 Falmer Drive Bethlehem, PA 18020	North Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC390202	PAG-02 General Permit	Issued	Exeter 1112 American Land, LLC Thomas Allman 5 Radnor Corporate Center 100 Matsonford Rd. St 250 Radnor, PA 19087	Hanover Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC390035	PAG-02 General Permit	Issued	Upper Saucon Township Thomas Beil 5500 Camp Meeting Road Center Valley, PA 18034	Upper Saucon Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov

NOTICES

7787

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230098	PAG-02 General Permit	Issued	Redwood—ERC Concord, LLC 701 Maiden Choice Lane Baltimore, MD 21228-5968	Concord Township Delaware County	Delaware County Conservation District 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC350166	PAG-02 General Permit	Issued	Birney 1LP 921 Drinker Turnpike Covington Township, PA 18444	Moosic Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Rd. South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC150114	PAG-02 General Permit	Issued	Basciani Mushroom Farms 8876 Gap Newport Pike Avondale, PA 19311	New Garden Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC150109	PAG-02 General Permit	Issued	Longwood Gardens 1001 Longwood Road Kennett Square, PA 19348	Kennett Township Chester County	Chester County Conservation District 674 Unionville Road Suite 105 Kennett Square, PA 19348 610-455-1360 RA-EPNPDES_SERO@ pa.gov
PAC510277	PAG-02 General Permit	Issued	Mastery Charter Schools 5700 Wayne Avenue Philadelphia, PA 19144	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19401 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC230062	PAG-02 General Permit	Issued	Concord Ventures, L.P. 120 W. Germantown Pike Ste. 120 Plymouth Meeting, PA 19462	Concord Township Delaware County	Delaware County Conservation District 1521 N. Providence Road Media, PA 19603 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC400290	PAG-01 General Permit	Issued	Wyoming Valley Sanitary Authority 1000 Wilkes-Barre Street Wilkes-Barre, PA 18703	Wyoming Borough Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC400286	PAG-02 General Permit	Issued	City of Wilkes-Barre Charles D. McCormick 40 East Market Street Wilkes-Barre, PA 18701	City of Wilkes-Barre Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC390215	PAG-02 General Permit	Issued	Mukesh Patel 3609 Evening Star Terrace Allentown, PA 18104-4547	South Whitehall Township Lehigh County	Lehigh County Conservation District Lehigh County AG Center Suite 105 4184 Dorney Park Road Allentown, PA 18104-5728 610-391-9583 RA-EPWW-NERO@ pa.gov
PAC400298	PAG-02 General Permit	Issued	Eagle Rock Community Association Jim Sebia 1 Country Club Drive Hazle Township, PA 18202	Hazle Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC100167A1	PAG-02 General Permit	Issued	America First Enterprises LLP 1768 N Main Street Suite 4 Butler, PA 16001	Jackson Township Forward Township Evans City Borough Butler County	Butler County Conservation District 120 Hollywood Drive Suite 201 Butler, PA 16001 724-284-5270
PAC030054	PAG-02 General Permit	Issued	Coral Reef Partners 34 Northeast Drive Hershey, PA 17033	Gilpin Township Armstrong County	Armstrong County Conservation District 120 South Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC090637	PAG-02 General Permit	Issued	Foxlane Homes at Silo Hill, LLC 500 Office Center Drive Suite 200 Fort Washington, PA 19034-3219	Plumstead Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090004	PAG-01 General Permit	Issued	Triumph Building Group 2324 Second Street Pike Suite 20 Newtown, PA 18940	Wrightstown Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC370071	PAG-02 General Permit	Issued	Columbia Gas of Pennsylvania 4000 Energy Drive Bridgeville, PA 15017	Neshannock Township New Castle City Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512
PAC140159	PAG-02 General Permit	Issued	Crossman Enterprises, LLC 711 Blanchard Street Bellefonte, PA 16823	Spring Township Centre County	Centre County Conservation District 414 Holmes Ave Ste 4 Bellefonte, PA 16823 814-355-6817

NOTICES

7789

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC410039	PAG-02 General Permit	Issued	Sand Hills Partners LP 10 Alexander Drive Muncy, PA 17756	Loyalsock Township Lycoming County	Lycoming County Conservation District 542 County Farm Road Suite 202 Montoursville, PA 17754 570 433-3003
PAC470042	PAG-02 General Permit	Issued	Danville Hospital OPCO, LLC 6100 Tower Circle Suite 1000 Franklin, TN 37067	Mahoning Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC600080	PAG-02 General Permit	Issued	JM Industrial Realty, LLC 17935 Russell Road Allenwood, PA 17810	Gregg Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC360869	PAG-02 General Permit	Issued	PPL Electric Utilities Corporation 1639 Church Road Allentown, PA 18104	East Donegal Township Rapho Township West Hempfield Township and Columbia Borough Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360876	PAG-02 General Permit	Issued	Lancaster County Redevelopment Authority 28 Penn Square Suite 200 Lancaster, PA 17603	City of Lancaster Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC560082	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Brothersvalley Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652
PAC630291	PAG-02 General Permit	Issued	West Penn Power (A First Energy Company) 1500 Pennsylvania West Avenue Warren, PA 16365	South Strabane Township Washington County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098
PAC560083	PAG-02 General Permit	Issued	Peoples Natural Gas Company LLC 3115 Elton Road Johnstown, PA 15904	Jenner Township Lincoln Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652
PAC400278	PAG-02 General Permit	Issued	NEPA 424 Building, LLC Jon Fisher 5050 W. Tilghman Street Suite 435 Allentown, PA 18104	City of Hazleton Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC400283	PAG-02 General Permit	Issued	Edgewood at Sand Springs, LLC Phillip Malitsch 4511 Falmer Drive Bethlehem, PA 18020	Butler Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name & Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC400284	PAG-02 General Permit	Issued	Wyoming Valley Sanitary Authority Jeff Colella P.O. Box 33A Wilkes-Barre, PA 18703-1333	Forty Fort Borough Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@pa.gov

STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

NUTRIENT MANAGEMENT PLAN CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Kim Schlappich 1345 Main St Mohrsville, PA 19541	Berks County	9.2	89.19	Ducks	NA	Approved
Jeff Rohrer 165 Phillips Ln Mohrsville, PA 19541	Berks County	40.9	1,396.07	Swine Poultry	NA	Approved

PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the

Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free

pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

SAFE DRINKING WATER

Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Darin Horst, Environmental Engineer, 717-705-4708.

Operation Permit No. 0521508 MA, Public Water Supply.

Applicant	Evitts Creek Water Company
Address	57 North Liberty Street Cumberland, MD 21502
Municipality	Cumberland Valley Township
County	Bedford County
Consulting Engineer	CDM Smith 280 Granite Run Drive Suite 160 Lancaster, PA 17601
Application Received	November 15, 2023
Permit Issued	November 17, 2023
Description	Media replacement and cleaning of the air scour piping in Filters No. 13—18.

Construction/Operation Permit No. 0523504 MA, Public Water Supply.

Applicant	Hyndman Borough
Address	243 Clarence Street Hyndman, PA 15545
Municipality	Londonderry Township
County	Bedford County
Application Received	October 25, 2023
Permit Issued	November 21, 2023
Description	Replacement of the raw, individual filter, and combined filter effluent turbidimeters.

Operation Permit No. 7360988, Public Water Supply.

Applicant	Dutchland Farms, LLC
Address	101 West Harrisburg Avenue Rheems, PA 17570
Municipality	Rapho Township
County	Lancaster County
Application Received	August 24, 2023
Permit Issued	November 30, 2023
Description	Transfer of all public water supply permits for PWS ID 7360988 from Esbenshade, Inc. to Dutchland Farms, LLC

Construction Permit No. 3623539 MA, Public Water Supply.

Applicant	Penn Manor School District
Address	P.O. Box 1001 Millersville, PA 17551

Municipality	Martic Township
County	Lancaster County
Consulting Engineer	Steckbeck Engineering & Surveying, Inc. 279 North Zinns Mill Suite A Lebanon, PA 17042

Application Received	September 18, 2023
Permit Issued	November 30, 2023
Description	Installation of online pH analyzers and alarms.

Contact: Joseph M. Mattucci, Program Manager, 717-705-4708.

Construction Permit No. 3123513 MA, Minor Amendment, Public Water Supply.

Applicant	Dudley Carbon Coalmont Joint MA
Address	P.O. Box 276 Dudley, PA 16634
Municipality	Carbon Township
County	Huntingdon County
Consulting Engineer	Kevin J. Hartman, P.E. GHD 225 Grandview Avenue Suite 403 Camp Hill, PA 17011

Application Received	August 21, 2023
Permit Issued	November 21, 2023
Description	Construction Permit for the restoration of the existing 0.10 MG finished water tank.

Operation Permit No. 3060574, Public Water Supply.

Applicant	Rich Maiden Golf Course
Address	234 Rich Maiden Road Fleetwood, PA 19522
Municipality	Maidencreek Township
County	Berks County
Consulting Engineer	Charles Kehew, II, P.E. James R. Holley & Associates, Inc. 18 South George Street Suite 300 York, PA 17401

Application Received	October 4, 2023
Permit Issued	November 1, 2023
Description	Operation permit for the approval to use the new contact tanks.

Operation Permit No. 3060059, Public Water Supply.

Applicant	Reading Area Water Authority
Address	1801 Kutztown Road Reading, PA 19604
Municipality	Ontelaunee Township
County	Berks County

Consulting Engineer Brian Hassinger, P.E.
SSM, Inc.
1047 N Park Road
Reading, PA 19610

Application Received October 30, 2023

Permit Issued November 1, 2023

Description Comprehensive Operation
Permit for the approval to use
Filter No. 3.

Construction Permit No. 0622517 MA, Minor
Amendment, Public Water Supply.

Applicant **Reading Area Water
Authority**

Address 1801 Kutztown Road
Reading, PA 19604

Municipality Ontelaunee Township

County **Berks County**

Consulting Engineer Brian Hassinger, P.E.
SSM, Inc.
1047 N Park Road
Reading, PA 19610

Application Received July 31, 2023

Permit Issued October 11, 2023

Description Reissued Construction Permit for
the redesign of the filter to waste
backflow prevention.

Operation Permit No. 4310051, Public Water Supply.

Applicant **Emily Estates**

Address 1916 Hileman Road
Tyrone, PA 16686

Municipality Morris Township

County **Huntingdon County**

Consulting Engineer Brian D. Shura P.E.
Stiffler, McGraw and Associates
Inc.
1731 North Juniata Street
Hollidaysburg, PA 16648

Application Received September 29, 2023

Permit Issued October 11, 2023

Description Comprehensive Operation
Permit for the approval to use
the new well pump and softening
system for hardness removal.

Construction Permit No. 0623519 MA, Minor
Amendment, Public Water Supply.

Applicant **Country View MHP**

Address 3426 Faye Drive
Orefield, PA 18069

Municipality Longswamp Township

County **Berks County**

Consulting Engineer Angelica Forndran, PE
Cowan Associates, Inc.
120 Penn-Am Drive
P.O. Box 949
Quakertown, PA 18951

Application Received August 24, 2023

Permit Issued November 30, 2023

Description Construction permit for the
approval to install disinfection
contact piping and partially
buried finished water storage
tanks.

*Contact: Joseph Mattucci, Program Manager, 717-705-
4931.*

Operation Permit No. 6723515 MA, Minor Amend-
ment, Public Water Supply.

Applicant **Dillsburg Area Authority**

Address 98 West Church Street
Dillsburg, PA 17019

Municipality Franklin Township

County **York County**

Consulting Engineer Joel Kostelac, P.E.
225 Grandview Avenue
Camp Hill, PA 17011

Application Received October 25, 2023

Permit Issued November 30, 2023

Description This permit approves the
abandonment of Well No. 1 as a
source of supply for the Dillsburg
Area Authority.

Construction Permit No. 3623538 MA, Minor
Amendment, Public Water Supply.

Applicant **Manheim Area Water and
Sewer Authority**

Address 18 East High Street
Manheim Borough, PA 17545

Municipality Manheim Borough

County **Lancaster County**

Consulting Engineer Jason G. Saylor, P.E.
1230 Peachtree Street, NE
Suite 1100
11th Floor
Atlanta, GA 30309

Application Received September 28, 2023

Permit Issued December 4, 2023

Description Manheim Area Water and Sewer
Authority is a community water
system and this permit gives
permission to install a mixer in
each of its two finished water
storage tanks, Small Tank (one
million gallons) and Big Tank
(two million gallons).

Transfer Permit No. 7500037, Public Water Supply.

Applicant **NJR Group, LLC**

Address 160 South Progress Avenue
Suite 1C
Harrisburg, PA 17109

Municipality Watts Township

County **Perry County**

Consulting Engineer Rani Rammouni
160 S Progress Avenue
Suite 1C
Harrisburg, PA 17109

Application Received October 20, 2023

Permit Issued December 4, 2023
 Description This comprehensive operation permit is for the transfer of ownership of Arbor Manor Apartments from KJS Arbor Manor, LLC to NJR Group, LLC

Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.

Operation Permit 4410011. PWSID No. **4410011.** **Rosedale Investors LLC**, 498 Sierra Lane, State College, PA 16801, Loyalsock Township, **Lycoming County**. Application received: July 18, 2023. Permit Issued: November 30, 2023. The permit has been transferred to Rosedale Investors, LLC from BCS Solutions, LLC.

Operation Permit 4920503. PWSID No. **4490020.** **Herndon Borough Jackson Township Joint Municipal Authority**, P.O. Box 381, Herndon, PA 17830, Herndon Borough, **Northumberland County**. Application received: September 21, 2023. Permit Issued: December 4, 2023. This permit authorizes the operation of the change in chlorination method from gas chlorine to liquid chlorine using sodium hypochlorite solution, consolidation of all chlorine applications to one location, increase of permitted flow of finished water from 30 gpm to 200 gpm, retain the existing permitted corrosion control system but run a 2" HDPE pipe from the entry point to provide finished water for the corrosion control system and SCADA changes to compute the daily max flow through the entry point based on reservoir levels.

Operation Permit 5521503. PWSID No. **4550009.** **Aqua PA Monroe Township**, 204 E Sunbury Street, Shamokin, PA 17872, Monroe Township, **Snyder County**. Application received: November 28, 2023. Permit Issued: December 5, 2023. This permit authorizes the permittee to operate the new Colonial Acres Booster Pumping Station that was constructed to accommodate a new road being placed by PennDot.

Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.

Operation Permit 2823511 MA. PWSID No. **7210043.** **Shippensburg Borough Authority**, 111 North Fayette Street, Shippensburg, PA 17257, Lurgan Township, **Franklin County**. Application received: November 28, 2023. Permit Issued: November 30, 2023. Operation of filter No. 1 and filter No. 2 at the Gunter Valley Water Treatment Plant following replacement of the media and underdrains in both filters.

NCWSA Construction Permit 7380432. PWSID No. **7380432.** **AROD Entities, LLC**, 1720 Mineral Spring Rd, Reading, PA 19602, Jackson Township, **Lebanon County**. Application received: July 31, 2023. Permit Issued: November 30, 2023. This approval is issued for a new transient noncommunity water system located at 291 W. Lincoln Ave., Myerstown, PA 17067. The system will consist of a new groundwater well, pressure tank, cartridge filter, cation exchange softening unit, second cartridge filter, and ultraviolet (UV) light disinfection unit.

NCWSA Operation Permit 7360530. PWSID No. **7360530.** **Linden Coffee, LLC**, 14 N Whisper Ln, New

Holland, PA 17557, Leacock Township, **Lancaster County**. Application received: November 17, 2023. Permit Issued: December 4, 2023. This authorization is for the operation of a new noncommunity water system located at 2916 Old Philadelphia Pike, Bird-In-Hand, PA 17505. Construction of this system was authorized under a previous NCWS approval.

Contact: Thomas Filip, Environmental Engineer, 717-705-4708.

Operation Permit 2222506. PWSID No. **7220036.** **Pennsylvania American Water**, 852 Wesley Drive, Mechanicsburg, PA 17055, Steelton Borough, **Dauphin County**. Application received: November 21, 2023. Permit Issued: November 30, 2023. Installation of a zinc orthophosphate feed system for corrosion control.

Contact: Wade Cope, P.E., Environmental Engineer, 717-705-4708.

NCWSA Operation Permit 7210864. PWSID No. **7210864.** **Midway Bowling Center**, 1561 Holly Pike, Carlisle, PA 17015, South Middleton Township, **Cumberland County**. Application received: October 24, 2023. Permit Issued: November 30, 2023. Approval to operate for two (2) 80-gallon contact tanks.

Operation Permit 2123511 MA. PWSID No. **7210041.** **Newville Borough Water and Sewer Authority**, 4 West Street, Newville, PA 17241, Newville Borough, **Cumberland County**. Application received: September 21, 2023. Permit Issued: November 30, 2023. Operation permit for combined filter effluent flow weighted average calculation using individual filter effluent turbidimeters.

Operation Permit 3066589. PWSID No. **3066589.** **Crossroads Beverage Group, LLC**, 1055 Crossroads Blvd, Reading, PA 19605, Muhlenberg Township, **Berks County**. Application received: October 12, 2023. Permit Issued: December 4, 2023. Comprehensive operation permit for a 25,000 gallon raw water tank for Pine Valley Spring No. 1.

Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.

Construction Permit 1123513. PWSID No. **4110009.** **Ebensburg Municipal Authority**, 300 West High Street, Ebensburg, PA 15931, Jackson Township and Ebensburg Borough, **Cambria County**. Application received: September 13, 2023. Permit Issued: December 1, 2023. Installation of a THM removal system (floating spray nozzle, blower/ventilation system, and submersible tank mixer) and replacement chemical feed system at the Ogen Tank and improvements to the Ebensburg Municipal Authority Water Treatment Plant (meter replacement, check valve installation, etc.).

SEWAGE FACILITIES ACT PLAN APPROVAL

Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Carrie Wilt, Sewage Planning Specialist II, 717-705-4755.

Plan Location:

<i>Municipality</i>	<i>Address</i>	<i>County</i>
Cumberland Township	1370 Fairfield Road Gettysburg, PA 17325	Adams County

Plan Description:

BR Smith Properties, LLC—Boyd's Bears Tract, A3-01911-340-2/3. Approval of a revision to the official plan of Cumberland Township, **Adams County**. The project is known as BR Smith Properties, LLC—Boyd's Bears Tract. The plan provides for the redevelopment of a 223.55-acre commercial lot containing existing facilities with total proposed sewage flows of 36,600 gpd tributary to a temporary holding tank. The holding tank will be eliminated in December 2025, when sewage flows will be diverted to a proposed on-site wastewater treatment plant. The wastewater treatment plant will be sized for 150,000 gpd in order to accommodate these flows, as well as possible future development, and it will discharge to Marsh Creek (CWF). The proposed development is located at 75 Cunningham Road in Cumberland Township, Adams County. The Department's review of the plan revision has not identified any significant impacts resulting from this proposal. The DEP Code Number for this planning module is A3-01911-340-2/3 and the APS ID is 1096241. Permits for the sewage disposal system must be obtained in the name of the property owner.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 2

The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

Shaw (05-272) Well Pad, Primary Facility ID # **863846**, 1750 Gage Road, Lawton, PA 18828, Rush Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Repsol Oil and Gas USA, LLC, 337 Daniel Zenker Drive, Horseheads, NY 14845, submitted a Final Report concerning remediation of soil contaminated with production fluid (brine). The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Chris, 724-598-2206.

Trinity Ind Plt 102 N RR Cars MFG, Primary Facility ID # **731745**, 60 Union Street, Greenville, PA 16125, Greenville Borough, **Mercer County**. WSP USA Inc., 10 Lake Center Drive, Marlton, NJ 08053 on behalf of Trinity Industries Inc., 14221 North Dallas Parkway, Suite 1100, Dallas, TX 75254, submitted a Final Report concerning remediation of soil contaminated with Tetrachloroethene, Trichloroethene, and Vinyl Chloride. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Epting Tract, Primary Facility ID # **860572**, 24 Loose Lane, Leesport, PA 19533, Leesport Borough and Ontelaunee Township, **Berks County**. Environmental Maintenance Co., Inc., 1420 East Mermaid Lane, Glenside, PA 19038, on behalf of Metropolitan Development Group, 2001 State Hill Road, Suite 205, Wyomissing, PA 19610, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil contaminated with Arsenic. The Remedial Investigation Report/Risk Assessment Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

9345 Andover Road Transformer Oil Spill, Primary Facility ID # **869884**, 9345 Andover Road, Philadelphia, PA 19114, City of Philadelphia, **Philadelphia County**. Chris Zeliznak, PG, Stantec Consulting Services, Inc., 1060 Andrew Drive, Suite 140, West Chester, PA 19380, on behalf of George Horvat, PECO Energy Company, 2301 Market Street, S7-2, Philadelphia, PA 19103, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Valenza Residence, Primary Facility ID # **870614**, 2314 Muskrat Road, Sellersville, PA 18960, East Rockhill

Township, **Bucks County**. Andrew Markoski, Patriot Environmental Management, LLC, 2404 Brown Street, Pottstown, PA 19464, on behalf of Rachel Magargal, Bucks Run Oil, LLC, 2632 Wassergrass Road, Hellertown, PA 18055, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

Inolox Chemical Company, Primary Facility ID # **619750**, 2101 South Swanson Street, Philadelphia, PA 19148, City of Philadelphia, **Philadelphia County**. David Farrington, PG, Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of David Newman, NDA Swanson, LLC, 601 Gates Road, Suite 1, Vestal, NY 13850, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with PFAS. The Remedial Investigation Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995 PREAMBLE 3

The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve

or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Eric Supey, Environmental Program Manager.

M. Abbott Pad 1, Primary Facility ID # **861864**, 524 Williams Pond Road, New Milford, PA 18834, Bridgewater Township, **Susquehanna County**. Resource Environmental Management, 50 Maple Street, Montrose, PA 18801, on behalf of Coterra Energy, Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, submitted a Final Report concerning remediation of soil contaminated with compressor oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: December 1, 2023.

Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Nick, 814-332-6978.

McElhinny Well Pad Expansion and Tank Pad Project, Primary Facility ID # **868199**, 762 Brownsdale Road, Evans City, PA 16033, Foster Township, **Butler County**. Moody & Associates, Inc., 11548 Cotton Road, Meadville, PA 16335, on behalf of PennEnergy Resources, LLC, 3000 Westinghouse Drive, Suite 300, Cranberry, PA 16066, submitted a Final Report concerning remediation of soil contaminated with Chloride, Aluminum, Barium, Boron, Zinc, Lithium, Manganese, Selenium, Strontium, and Iron. The Final Report demonstrated attainment of the Statewide health standards. Approved: November 30, 2023.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

Simms Residence, Primary Facility ID # **820174**, 535 Barts Church Road, Hanover, PA 17331, Union Township, **Adams County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Mr. Doug Simms, 535 Barts Church Road, Hanover, PA 17331, submitted a Remediation Investigation Report/Final Report concerning remediation of soil and groundwater contaminated with VOCs. The Report demonstrated attainment of the Statewide health and site-specific standards. Approved: November 30, 2023.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Charline Bass, Administrative Assistant, 484-250-5787.

Fairless Landfill Eastern Expansion Area, Primary Facility ID # **867047**, South Port Road, Morrisville, PA 19067, Falls Township, **Bucks County**. Francis T.

Adams, PE, WSP, 10 Lake Center Drive, Suite 205, Marlton, NJ 08053, on behalf of Brian Bolvin, PE, Waste Management of Fairless, LLC, 1000 New Ford Mill Road, Morrisville, PA 19067, submitted a Risk Assessment/Remedial Investigation/Final Report concerning remediation of soil contaminated with VOCs, SVOCs, PCBs vanadium and metals. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: November 21, 2023.

355 West Market Street, Primary Facility ID # **867-47**, 355 West Market Street, West Chester, PA 19382, West Chester Borough, **Chester County**. Stephen Huxta, PG, Huxta Environmental, 461 Merlin Road, Phoenixville, PA 19460, on behalf of Gary Toll, 355 West Market Associates, LLC, 120 Pennsylvania Avenue, Malvern, PA 19355, submitted a Remedial Investigation Report/Cleanup Plan concerning remediation of soil contaminated with metals and PAHs. The Report demonstrated attainment of the site-specific standards. Approved: November 29, 2022.

10 West College Avenue, Primary Facility ID # **854263**, 10 West College Avenue, Yardley, PA 19067, Yardley Borough, **Bucks County**. David Farrington, PG, ARM Brickhouse Environmental, 515 South Franklin Street, West Chester, PA 19382, on behalf of Charles Athey, Yardley Products, LLC, 1 Dixon Square, Chestertown, MD 21260, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, total xylenes, cumene, MTBE, naphthalene, 1,2,4-Trimethylbenzene, and 1,3,5-Trimethylbenzene in soil, and Trichloroethylene, cis-1,2-Dichloroethene, and vinyl chloride in groundwater. The Final Report demonstrated attainment of the Statewide health and site-specific standards. Approved: November 29, 2023.

OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.

Southeast Region: Waste Management Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Mohamad Mazid, Chief, Technical Services, E-Mail Address: RA-EPWM-SERO-PERMIT@pa.gov.

101680. Waste Management Disposal Services of Pennsylvania, Inc., 100 Brandywine Blvd., Suite 300, Newtown, PA 18940, Falls Township, **Bucks County**. This major permit modification approves several revisions to the Closure/Post-Closure Plan for the GROWS North (GROWS North) Landfill. The GROWS North Landfill is a closed municipal waste landfill located in Falls Township, Bucks County. Application received: February 24, 2023. Issued: November 29, 2023.

Persons interested in reviewing the permit may contact Waste Management Program Manager, Phone Number 484.250.5960, or by e-mail at RA-EPWM-SERO-PERMIT@pa.gov, Southeast Region, 2 East Main Street, Norristown, PA 19401, 484-250-5900. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

AIR QUALITY

Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

AP5-41-00006B: Pennsylvania General Energy Co., 120 Market St., Warren, PA 16365, Cummings Township, **Lycoming County**. For the continued operation of six 1,775 bhp Caterpillar model # G3606 LE, natural gas-fired compressor engines, each equipped with a Powertherm catalytic oxidizer; five 268.2 bhp Capstone # C200, natural gas-fired microturbines; one 1.77 MMBtu/hr, natural gas fired gun barrel heater; two 60 MMscfd Frederick Logan Co. TEG dehydration units each equipped with condenser controls and a 2.31 MMBtu/hr natural gas-fired reboiler; seven storage tanks for ethylene glycol, lube oil, waste oil and produced water; various fugitive emissions, pursuant to the General Plan Approval and/or General Operating Permit for Natural Gas Compression Stations, Processing Plants, and Transmission Stations (BAQ-GPA/GP-5) at the Tract 729 Compressor Station. Application received: November 15, 2023. Issued: December 4, 2023.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh R Patel, P.E., New Source Review Chief, 570-826-2357.

GP3-58-086: L&D Stoneworks, Inc., 2774 Stone Street, Montrose, PA 18801, Middletown Township, **Susquehanna County**. To construct and operate a Portable Crushing Operation with water sprays at 1316 Garden Lane. Application received: June 21, 2023. Issued: July 26, 2023.

GP9-58-086: L&D Stoneworks, Inc., 2774 Stone Street, Montrose, PA 18801, Middletown Township, **Susquehanna County**. To install and operate three (3) Diesel I/C engines at 1316 Garden Lane. Application received: June 21, 2023. Issued: July 26, 2023.

AG5-66-00002B: UGI Energy Services, LLC, 835 Knitting Mills Way, Wyomissing, PA 19601, Northmoreland Township, **Wyoming County**. To operate four (4) IC Engines, one (1) fuel gas heater, and one (1) condensate tanks at the Northmoreland Compressor Station. Application received: July 3, 2023. Issued: July 31, 2023.

AG5-58-00004B: Susquehanna Gathering Company I, LLC, 1429 Oliver Road, New Milford, PA 18834, Jackson Township, **Susquehanna County**. To operate twelve (12) IC Engines, one (1) emergency generator, one (1) dehydrator with reboiler and flash separator, one (1) fuel gas heater, three (3) condensate tanks, and thirty-two (32) storage tanks at the CDP No. 3 Compressor Station. Application received: July 10, 2023. Issued: August 16, 2023.

AG5-66-00003B: Regency Marcellus Gas Gathering, LLC, 101 West Third Street, Third Floor, Williamsport, PA 17701, Washington Township, **Wyoming County**. To operate three (3) IC Engines, two (2) dehydrators with

reboiler and flash separator, and two (2) condensate tanks at the Mehoopany Compressor Station. Application received: August 2, 2023. Issued: September 1, 2023.

AG5A-58-00055A: Coterra Energy Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, Auburn Township, **Susquehanna County**. For the construction and operation of one (1) 1340 bhp Caterpillar G3516TALE PLUS natural gas-fired compressor engine controlled by OXCAT pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Piggings Stations (BAQ-GPA/GP-5A) located at Powers M. Pad 1. Application received: June 22, 2023. Issued: July 28, 2023.

AG5A-58-00064A: Coterra Energy Inc., 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, Springville Township, **Susquehanna County**. For the construction and operation of one (1) 690 bhp Caterpillar G3580 natural gas-fired compressor engine controlled by OXCAT pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Piggings Stations (BAQ-GPA/GP-5A) located at Flower, T. Pad 1. Application received: September 21, 2023. Issued: October 25, 2023.

GP13-40-003: New Enterprise Stone and Lime Co. Inc., 3912 Brumbaugh Road, New Enterprise, PA 16664, Plains Township, **Luzerne County**. To operate a hot mix asphalt plant at 215 East Saylor Ave. Application received: September 7, 2023. Issued: October 17, 2023.

AG5A-58-00069A: Coterra Energy Inc., 2000 Park Lane, Ste 300, Pittsburgh, PA 15275, Rush Township, **Susquehanna County**. To operate one (1) 1340 BHP Caterpillar G3516 IC Engine with OXCAT at the Griffiths, J. Pad 1 well pad site. Application received: October 21, 2023. Issued: November 27, 2023.

Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.

GP1-10-00238D: Seneca Valley School District, 124 Seneca School Road, Harmony, PA 16037, Jackson Township, **Butler County**. Issued a GP-1 permit allow continued operation of existing 14.5 MMBtu/hr Natural Gas Fired Boilers at the facility. This expires November 30, 2028. Application received: October 11, 2023. Issued: December 1, 2023.

GP5-20-00257E (AG5-20-00003B): OWS Energy, LLC, 6321 Pettis Road, Cochran, PA 16314, East Fairfield Township, **Crawford County**. Issued a GP-5 renewal for existing sources (including a Caterpillar G342TA engine) at the Lippert Natural Gas Compressor Station. Expiration date is November 30, 2028. Application received: September 15, 2023. Issued: December 4, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

GP1-46-0112: GlaxoSmithKline, LLC/Upper Merion East, 709 Swedeland Rd, King of Prussia, PA 19406-2711, Upper Merion Township, **Montgomery County**. This action is for the issuance of a General Plan Approval for the installation of a new No. 2 fuel oil-fired boiler to be

located at the applicant's Upper Merion East Campus. Application received: November 21, 2023. Issued: November 28, 2023.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

GP1-04-00740A: Shell Chemical Appalachia, LLC, 300 Frankfort Road, Monaca, PA 15061, Potter and Center Townships, **Beaver County**. Installation of three (3) 99.94 MMBtu/hr temporary natural gas-fired boilers. Anticipated temporary operation is nine months and less than a year. Application received: November 15, 2023. Authorized: December 1, 2023.

Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Shailesh R Patel, P.E., New Source Review Chief, 570-826-2357.

48-00105B: Reeb Millwork Corporation, 1000 Maloney Circle, Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. For the installation and operation of four (4) paint spray booths. Application received: January 24, 2023. Issued: August 9, 2023.

35-00080A: SVP Aggregates, LLC, 101 Power Boulevard, Archbald, PA 18403, Archbald Borough, **Lackawanna County**. For the construction and operation of Hot Mix Asphalt (HMA) plant fueled by natural gas and using a Recycled Asphalt Pavement (RAP) system which includes one (1) inertial collector and one (1) baghouse as an air pollution control device(s). Application received: May 18, 2023. Issued: August 28, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: James Beach, New Source Review Chief, 484-250-5920.

09-0244: MM Metals, 53 Middle Dr, Morrisville, PA 19067, Falls Township, **Bucks County**. This plan approval extension is for the temporary shakedown and continued operation of a low-carbon ferrochrome alloy manufacturing facility. Application received: November 17, 2023. Issued: November 28, 2023.

Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.

PA-04-00445E: Veka, Inc., 100 Veka Drive, Fombell, PA 16123, Marion Township, **Beaver County**. Air Quality plan approval issued to authorize the construction and temporary operation of three (3) additional vinyl extrusion lamination lines (Lines 4—6) at the VEKA, Inc. Fombell Plant. The plan approval also authorizes the relocation of lamination operations to the adjoining building, reconfiguration of the local exhaust ventilation (LEV) system, relocation and installation of a larger exhaust stack, and installation of a higher capacity roof-mounted exhaust fan. Application received: June 15, 2023. Issued: November 21, 2023.

Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

41-00084: Hamilton Patriot, LLC, 50 Patriot Lane, Montgomery, PA 17752, Clinton Township, **Lycoming County**. The Department issued a Title V Operating Permit renewal for operation of the Hamilton Patriot Generation Plant facility. All applicable Federal and State regulatory requirements, including appropriate testing, monitoring, recordkeeping, reporting, and work practice are included in the renewal Operating Permit to ensure compliance with the permit conditions. Application received: November 7, 2022. Renewal issued: December 5, 2023. New expiration date: December 4, 2028.

41-00084: Hamilton Patriot, LLC, 50 Patriot Lane, Montgomery, PA 17752, Clinton Township, **Lycoming County**. The Department issued a Title IV Acid Rain Operating Permit for operation of the Hamilton Patriot Generation Plant facility. Application received: November 7, 2022. Renewal issued: December 5, 2023. New expiration date: December 4, 2028.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

54-00022: Hydro Extrusion USA, LLC, 53 Pottsville St, Cressona, PA 17929, Cressona Borough, **Schuylkill County**. The Department issued a renewal Title V Operating Permit for the operation of sources at their secondary aluminum manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: July 27, 2022. Accepted: August 2, 2022. Issued: November 20, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05065: Glen Gery Corp., 423 South Pottsville Pike, Shoemakersville, PA 19555-9742, Perry Township, **Berks County**. For the brick manufacturing facility. The Title V permit was renewed. Application received: November 21, 2022. Issued: November 30, 2023.

Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.

Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.

08-00046: Urban Personalization Center, LLC, 225 South Main Street, Athens, PA 18810, Athens Borough, **Bradford County**. The Department issued a renewal

State Only (Natural Minor) Operating Permit for the company's human crematory. The emission limits, work practice standards, monitoring, and recordkeeping requirements included in the Operating Permit will ensure the facility complies with all applicable Federal and State air quality regulations. Application received: May 15, 2023. Renewal issued: December 5, 2023. New expiration date: December 4, 2028.

Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.

40-00034: Schott North American, Inc., 2 International Dr., Ste 105, Rye Brook, NY 10573, Duryea Borough, **Luzerne County**. The Department issued a renewal State-Only Operating Permit for the operation of sources at their ophthalmic and optical glass ceramics manufacturing facility. The operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: December 12, 2022. Accepted: December 21, 2022. Issued: November 8, 2023.

48-00072: Versalift East, Inc., 2706 Brodhead Rd., Bethlehem, PA 18020, Bethlehem Township, **Northampton County**. The Department issued a renewal State-Only Operating Permit for the operation of sources at their automobile and light duty motor vehicle manufacturing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: April 6, 2023. Accepted: April 12, 2023. Issued: November 20, 2023.

66-00007: Airport Sand & Gravel Co. Inc., 500 Sweetland Ln, West Wyoming, PA 18644, Nicholson Township, **Wyoming County**. The Department issued a renewal State-Only Operating Permit for the operation of sources at their rock crushing facility. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: April 6, 2022. Accepted: April 12, 2022. Issued: November 8, 2023.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05156: Century Cabinetry of Leesport, Inc., 130 East Wall Street, Leesport, PA 19533, Leesport Borough, **Berks County**. For the operation of the wood furniture surface coating facility. Application received: January 13, 2023. Issued: December 4, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

09-00083: Hop Energy, LLC/Brinker's Fuels, 445 N West St, Doylestown, PA 18901-2538, Doylestown Township, **Bucks County**. This action is for the renewal of the State Only (Natural Minor) Operating Permit for the operation of a bulk gasoline plant, underground gasoline

storage tanks, and aboveground storage tanks for the storage of home heating oil, on-road diesel fuel, and off-road diesel fuel. Application received: April 4, 2023. Issued: November 28, 2023.

09-00019: Naceville Materials/Rushland Quarry, 887 Mill Creek Rd, Rushland, PA 18956-0461, Wrightstown Township, **Bucks County**. This action is for the renewal of a Synthetic Minor Operating Permit for a batch hot mix asphalt (HMA) plant and a reclaimed asphalt pavement (RAP) plant. Application received: July 15, 2022. Issued: November 29, 2023.

Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.

Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.

06-05094: Reading Alloys, Inc., 220 Old West Penn Avenue, P.O. Box 53, Robesonia, PA 19551-0053, South Heidelberg Township, **Berks County**. For the specialty alloy manufacturing facility. The State-Only permit underwent a significant modification to 1.) revise Section E, Group SG01, Conditions 007, 008 and 010 to update the minimum pressure differential and water flow rates of the venturi scrubber systems for Source IDs 101–103, and 2.) change the owner name, as well as the permit contact and responsible official information, and 3.) update the EPA address and DEP contact information in Section E. Application received: September 7, 2023. Issued: December 4, 2023.

Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.

15-00060: SECCRA Landfill, 219 Street Rd, West Grove, PA 19390-9230, London Grove Township, **Chester County**. In accordance with 25 Pa. Code §§ 127.462 and 127.463, the Operating Permit was modified to update and incorporate new applicable provisions of 40 CFR Part 63, Subpart AAAA—National Emission Standards for Hazardous Air Pollutants: Municipal Solid Waste Landfills (Subpart AAAA) that became effective on September 27, 2021. In addition, the previously applicable provisions under 40 CFR Part 60, Subpart WWW—“Standards of Performance for Municipal Solid Waste Landfills That Commenced Construction, Reconstruction, or Modification on or After May 30, 1991, but Before July 18, 2014” (Subpart WWW) have been removed from the Operating Permit since the provisions no longer apply. SECCRA became subject to 40 CFR Part 62, Subpart OOO, which superseded Subpart WWW, on June 21, 2021. SECCRA has elected to streamline the Operating Permit by complying with Subpart AAAA provisions instead of the provisions of Subpart OOO as allowed under Subpart OOO. The Operating Permit revisions will not result in any physical changes to the operations at SECCRA or changes to source-specific emissions limits. Application received: October 28, 2022. Issued: November 28, 2023.

ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1–1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301–3326); the Clean Streams Law (35 P.S. §§ 691.1–691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51–30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1–1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001–4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1–693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101–6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Coal Permits

California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.

Contact: Bonnie Herbert, Clerical Assistant 3.

Mining Permit No. 63091301. NPDES No. PA0236004. Tunnel Ridge, LLC, 184 Schoolhouse Lane, Valley Grove, WV 26060, Donegal, West Finley and East Finley Townships, **Washington County**. To revise the permit and related NPDES permit. This permit revision does not add acreage to the underground permit area, subsidence control plan, or surface activity site area but revises a portion (1155.75 acres) of existing underground and subsidence control plan areas from development mine only to longwall mining. Application received: May 27, 2022. Accepted: August 2, 2022. Issued: November 28, 2023.

Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.

Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.

Mining Permit No. 20072801. R. Hunter, Inc., 15428 Sheets Road, Guys Mills, PA 16327, Steuben Township, **Crawford County**. Final bond release for a small noncoal mining operation. Application received: June 29, 2023. Issued: December 5, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 54061302. NPDES Permit No. PA0224341. Rausch Creek Land, LP, 978 Gap Street, Valley View, PA 17983, Porter Township, **Schuylkill County**. Renew an underground mine operation and NPDES Permit affecting 61.3 acres. Receiving stream: UNT to Wiconisco Creek. Application received: August 8, 2022. Renewal issued: December 1, 2023.

Noncoal Permits

Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.

Contact: Melanie Ford-Wigfield, 814.472.1900, ra-epcambria@pa.gov.

Mining Permit No. 21020301. NPDES No. PA0224251. Pennsy Supply, Inc., 2400 Thea Drive, Suite 3A, Harrisburg, PA 17110, Penn Township, **Cumberland County**. Renewal of NPDES Permit. Receiving streams: unnamed intermittent tributary to Mt. Rock Spring Creek to Conodoguinet Creek to Susquehanna River classified for the following uses: WWF. Application received: August 1, 2023. Renewal issued: November 29, 2023.

Mining Permit No. 28110301. NPDES No. PA0263176. David H. Martin Excavating, Inc., 4961 Cumberland Highway, Chambersburg, PA 17202, Antrim Township, **Franklin County**. Renewal of NPDES permit affecting 116.0 acres. Receiving stream: unnamed tributaries to East Branch of the Conococheague Creek classified for the following use: WWF. Application received: August 3, 2022. Permit issued: December 5, 2023.

Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.

Contact: Cassie Stanton, Clerical Assistant 2.

Mining Permit No. 14950801. NPDES No. PA0269832. James W. Confer, 153 Confer Lane, Spring Mills, PA 16875, Potter Township, **Centre County**. Renewal of an NPDES permit for management of water on a small noncoal (industrial minerals) permit affecting 5.0 acres. Receiving stream(s): unnamed tributary to Muddy Run, classified for the following use(s): HQ—CWF, MF. There are no permitted NPDES outfalls, all water must be contained on site. Application received: July 7, 2023. Issued: November 30, 2023.

Mining Permit No. 08970302 & Mining Permit No. 08120302. NPDES No. PA0237868. Bishop Brothers Construction Company, Inc., 1376 Leisure Drive, Towanda, PA 18848, Sheshequin Township, **Bradford County**. Renewal of an NPDES permit associated with small noncoal (industrial minerals) mining sites affecting 261 acres. Receiving stream(s): Susquehanna River classified for the following use(s): WWF, MF. Application received: June 12, 2023. Issued: November 29, 2023.

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 48980301. NPDES Permit No. PA0223875. Chrin Brothers, Inc., 1225 Industrial Drive, Easton, PA 18042, Williams Township, **Northampton County**. Renew NPDES Permit on a quarry operation. Receiving stream: Lehigh River and UNT to Lehigh River. Application received: April 26, 2023. Renewal issued: November 29, 2023.

Contact: RA-EPPottsvilleDMO@pa.gov.

Mining Permit No. 39870302. NPDES Permit No. PA0594326. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, South Whitehall Township, **Lehigh County**. Renew NPDES Permit on a quarry operation. Receiving stream: Jordan Creek. Application received: May 3, 2023. Renewal issued: November 29, 2023.

Mining Permit No. 5878SM3. NPDES Permit No. PA0595691. H & K Group, Inc., P.O. Box 196, Skippack, PA 19474, Penn Forest Township, **Carbon County**. Re-

new NPDES Permit on a quarry operation. Receiving stream: Stony Creek. Application received: May 8, 2023. Renewal issued: November 29, 2023.

ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.

Blasting Permits

Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 51234101. Ed Wean Drilling & Blasting, Inc., 112 Ravin Road, Stewardsville, NJ 08886, City of Philadelphia, **Philadelphia County**. Construction blasting for St. Joseph's University Residence Hall. Application received: November 9, 2023. Permit issued: November 28, 2023. Expiration date: December 30, 2024.

Contact: RA-EPPottsvilleDMO@pa.gov.

Permit No. 52234105. Holbert Explosives, Inc., 237 Mast Hope Plank Road, Suite A, Lackawaxen, PA 18435, Blooming Grove Township, **Pike County**. Construction blasting for a foundation at 802 Saddlebrook Spur. Application received: November 20, 2023. Permit issued: November 30, 2023. Expiration date: November 20, 2024.

Permit No. 46234106. American Rock Mechanics, LLC, 7531 Chestnut Street, Zionsville, PA 18092, Towamencin Township, **Montgomery County**. Construction blasting for Delp Drive Warehouse. Application received: November 29, 2023. Permit issued: December 1, 2023. Expiration date: November 29, 2024.

FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape

from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

WATER OBSTRUCTIONS AND ENCROACHMENTS

Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.

Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.

Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.

E4002222-013. Heather Bower, 500 Long Run Road, Drums, PA 18222, Harveys Lake Borough, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To remove an existing dock/boathouse structure and to construct and maintain a 2,522 ft², pile-supported dock/boathouse structure within normal pool elevation of Harveys Lake (HQ—CWF, MF). The project is located at 2437 Lakeside Drive (SR 415) (Harveys Lake, PA Quadrangle, Latitude: 41° 21' 56"; Longitude: -76° 2' 54") in Harveys Lake Borough, Luzerne County. Latitude: 41° 21' 56", Longitude: -76° 2' 54". Application received: September 27, 2022. Issued: December 1, 2023.

Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

E4601221-018. Montgomery County, One Montgomery Plaza, P.O. Box 311, Norristown, PA 19404, Pottstown Borough, North Coventry Township, Montgomery County, **Chester County**. U.S. Army Corps of Engineers Philadelphia District.

To perform the following water obstruction and encroachment activities associated with the Keim Street Bridge Replacement Project (Montgomery County Bridge No. 190, Chester County Bridge No. 220) over the Schuylkill River (WWF-MF): To remove an existing 749-foot-long, 29-foot-wide, 8-span Warren Steel Pony Truss Bridge over the Schuylkill River (WWF-MF) and in its place, construct and maintain a 750-foot-long, 40.083-foot-wide, 5-span Prestressed Bulb Tee Beam Bridge. This activity also includes the construction and maintenance of three (3) 18-inch outfalls with grading and placement of riprap rock aprons, four (4) new piers and bridge abutments with scour protection, the placement of fill for

approach roadway embankment within a UNT to Schuylkill River (WWF-MF) and roadway reconstruction, plus three (3) red belly turtlebasking areas. These activities will result in a total of 9,722 square feet (0.223 acre) of permanent watercourse impact, 82,074 square feet (1.884 acres) of temporary watercourse impact, 3,228 square feet (0.0741 acre) of temporary wetland impact, 13,151 square feet (0.302 acre) of permanent floodway impact, and 53,213 square feet (1.222 acres) of temporary floodway impact with 29,791 square feet (0.683 acre) of permanent floodplain impact and 78,491 square feet (1.802 acres) of temporary floodplain impact. Temporary watercourse and floodway impacts include the construction and maintenance of two (2) temporary causeways to facilitate the removal of existing piers and construction of new bridge piers. The bridge replacement project is located at Keim Street between SR 0422 West Ramp and Industrial Highway in Pottstown Borough and North Coventry Township in Montgomery and Chester Counties (USGS PA Pottstown Quadrangle). Latitude: 40.234993°, Longitude: -75.634091°. Application received: November 8, 2021. Issued: December 4, 2023.

E4601222-021. Whitpain Township, 960 Wentz Road, Blue Bell, PA 19422, Whitpain Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

To Whitpain Township, associated with Cedar Brook Country Club, Wissahickon Creek Stream Stabilization & Enhancement project, proposes the following-listed water obstruction and encroachment activities associated with the rehabilitation, construction, and maintain approximately 3,150 LF of the streambank of Wissahickon Creek (TSF, MF) impacting approximately 2.35 acres of the existing floodway for the purpose of reducing flooding concerns at Cedar Brook Country Club. The proposed work will utilize bioengineering stream stabilization and enhancement methods, including the installation of jute fabric, geotextile soil wrap, rock vanes, biologists, longitudinal peaked stone toe protection (LPSTP), and streambank planting. The site is located at Cedarbrook Country Club at 180 Penllyn Pike (Ambler, PA USGS Map) in Whitpain Township, Montgomery County. Latitude: 40.164805°, Longitude: -75.245240°. Application received: September 9, 2022. Permit issued: November 30, 2023.

E4601223-028. Upper Providence Township, 1286 Black Rock Road, Phoenixville, PA 19460, Upper Providence Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

To demolish and remove the existing houses, accessory structure, foundations, pads, and other site improvements and maintain as an open lawn ground with native trees and vegetation along the floodplain of the Schuylkill River (WWF-MF) associated with the Floodplain Management Site Restoration. The site is located at 205, 227, 249, 253 Canal Street, and 115 Store Street, Mont Clare (Collegeville PA, USGS Quadrangle, Latitude 40.129226, Longitude -75.495785, and Latitude 40.128522, Longitude -75.494011) in Upper Providence Township, Montgomery County. Latitude: 40.129226°, Longitude: -75.495785°. Application received: September 12, 2023. Permit issued: November 30, 2023.

EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and

2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.

Contact: RA-EPEASTERNOGPRG@pa.gov.

ESCGP # 3 **ESG294123020-00**
 Applicant Name **PA General Energy Co, LLC**
 Contact Person Nathan Harris
 Address 120 Market Street
 City, State, Zip Warren, PA 16365
 Township(s) McHenry Township
 County **Lycoming County**
 Receiving Stream(s) and Classification(s) Left Fork Otter Run (CWF, MF), Right Fork Otter Run (CWF, MF)
 Application received: October 9, 2023
 Issued: December 1, 2023

Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.

Contact: Kate Hogue Clerical Supervisor 814-332-6868.

ESCGP # 3 **ESG083323001-00**
 Applicant Name **XTO ENERGY Inc.**
 Contact Person Melissa Breitenbach
 Address 190 Thorn Hill Rd
 City, State, Zip Warrendale, PA 15086
 Township(s) Oliver Township
 County **Jefferson County**
 Receiving Stream(s) and Classification(s) Little Sandy Creek (CWF); Middle Branch (CWF); UNT to Little Sandy Creek (CWF)
 Application received: October 17, 2023
 Approved: November 28, 2023

ESCGP # 3 **ESG081023007-00/Halterlein 2064**
 Applicant Name **Anegada Energy LLC**
 Contact Person Mike Weaver
 Address P.O. Box 400
 City, State, Zip Canonsburg, PA 15317
 Township(s) Mercer Township
 County **Butler County**
 Receiving Stream(s) and Classification(s) UNT Wolf Creek

CWF UNT Wolf Creek CWF UNT Wolf Creek CWF
 Application received: September 5, 2023
 Issued: November 17, 2023

Southwest Region: Oil and Gas Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.

Contact: RA-EPSW-OGSUBMISSION@pa.gov.

ESCGP # 3 **ESG076323016-00**
 Applicant Name **Range Resources—Appalachia, LLC—**
 Day Jon Access Road
 Contact Person Karl Matz, (724) 873-3090
 kmatz@rangeresources.com
 Address 2294 South Main Street Extension
 City, State, Zip Washington, PA 15301
 Township(s) Amwell Township
 County **Washington County**
 Receiving Stream(s) and Classification(s) 001. Lat 40.11910, Long -80.22090, UNT to Little Tenmile Creek, Ch 93 Class. TSF
 Application received: October 18, 2023
 Issued: November 30, 2023

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 2

The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511

Contact: Eric Supey, Environmental Program Manager

Clarks Summit, Storage Tank Facility ID # **35-20610**, 101 North State Street, Clarks Summit, PA 18411, Clarks Summit Borough, **Lackawanna County**. CT Consultants, 1915 North 12th Street, Toledo, OH 43604, on behalf of CVS, One CVS Drive, Woonsocket, RI 02895, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting site-specific standards.

Williams Bus Lines, Storage Tank Facility ID # **40-14533**, 532 Blackman Street, Wilkes-Barre, PA 18702, Wilkes-Barre Township, **Luzerne County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Williams Bus Lines, 532 Blackman Street, Wilkes-Barre, PA 18702, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with diesel. The plan is intended to document the remedial actions for meeting Statewide health standards.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

309 Car Wash, Storage Tank Facility ID # **46-02713**, 773 Bethlehem Pike, Montgomeryville, PA 18936, Montgomery Borough, **Montgomery County**. RMS Environmental, 1000 East Walnut Street, Perkasie, PA 18944, on behalf of 309 Car Wash, 773 Bethlehem Pike, Montgomeryville, PA 18936, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Contact: Robin L. Yerger, LPG, 717-705-4705.

Rutter's Farm Store No. 34, Storage Tank Facility ID # **67-26966**, 2210 Old Trail Road, Newberrytown, PA 17319, Newberry Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 North Susquehanna Trail, Suite C, York, PA 17404, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Carlisle Pike Exxon, Storage Tank Facility ID # **21-62169**, 4600 Carlisle Pike, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Sukhvinder Longia, 10 Hidden Meadow Drive, Mechanicsburg, PA 17050, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

CIF Hanover, Storage Tank Facility ID # **67-60540**, 1049 Carlisle Street, Hanover, PA 17331, Hampden Township, **York County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Mr. Harinderpal Sawhney, 24 John Randolph Drive, New Freedom, PA 17349, submitted a Remedial Action Plan concerning

remediation of soil and groundwater contaminated with petroleum constituents. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

51st Street Term, Storage Tank Facility ID # **51-10420**, 1630 S. 51 St., Philadelphia, PA 19143, City of Philadelphia, **Philadelphia County**. Arcadis U.S., Inc., 1 Harvard Way, Suite 5, Hillsborough, NJ 08844, on behalf of Alliance 51st Street LLC, 40 Morris Avenue, Suite 230, Bryn Mawr, PA 19010, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum products. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

9853 Bustleton Avenue Partners, Storage Tank Facility ID # **51-43012**, 9853 Bustleton Ave., Philadelphia, PA 19115, City of Philadelphia, **Philadelphia County**. Trimpi Associates, Inc., 1635 Old Plains Road, Pennsburg, PA 18073, on behalf of Z Brothers Sunoco, 9853 Bustleton Ave., Philadelphia, PA 19115, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum products. The report is intended to document the remedial actions for meeting residential and nonresidential Statewide health and site-specific standards.

Lukoil 69210, Storage Tank Facility ID # **23-42596**, 729 Highland Avenue, Chester, PA 19013, City of Chester, **Delaware County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting residential Statewide health and site-specific standards.

Hertz Rent a Car, Storage Tank Facility ID # **51-38096**, 8201 Bartram Ave., Philadelphia, PA 19153, City of Philadelphia, **Philadelphia County**. EnviroTrac, Ltd., 6 Terri Lane, Suite # 350, Burlington, NJ 08016, on behalf of The Hertz Corporation, 8501 Williams Road, Estero, FL 33928, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

CORRECTIVE ACTION UNDER ACT 32, 1989

PREAMBLE 3

Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construc-

tion details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager listed above the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.

Contact: Robin L. Yerger, LPG, 717-705-4705.

Rutter's Farm Store No. 34, Storage Tank Facility ID # **67-26966**, 2210 Old Trail Road, Newberrytown, PA 17319, Newberry Township, **York County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of CHR Corporation, 2295 North Susquehanna Trail, Suite C, York, PA 17404, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report nonresidential did not demonstrate attainment of the Statewide health standards and was disapproved by DEP on November 20, 2023.

Carlisle Pike Exxon, Storage Tank Facility ID # **21-62169**, 4600 Carlisle Pike, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. United Environmental Services, Inc., P.O. Box 701, Schuylkill Haven, PA 17972, on behalf of Sukhvinder Longia, 10 Hidden Meadow Drive, Mechanicsburg, PA 17050, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with petroleum constituents. The report nonresidential did not demonstrate attainment of the Statewide health standards and was disapproved by DEP on November 20, 2023.

CIF Hanover, Storage Tank Facility ID # **67-60540**, 1049 Carlisle Street, Hanover, PA 17331, Hanover Township, **York County**. Mountain Research, LLC, 825 25th Street, Altoona, PA 16601, on behalf of Mr. Harinderpal Sawhney, 24 John Randolph Drive, New Freedom, PA 17349, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum constituents. The plan nonresidential did not demonstrate attainment of the site-specific standards and was disapproved by DEP on November 21, 2023.

SPECIAL NOTICES

WASTE, AIR, RADIATION AND REMEDIATION

Covered Device Prohibited from Sale under Sections 302 and 507 of the Covered Device Recycling Act, Act 108 of 2010.

Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.

Contact: Teesha Truesdale 787-7382.

The Department of Environmental Protection (Department) hereby announces that a certain manufacturer of covered devices is not included on the Department's list of registered manufacturers, maintained by the Department under sections 302 and 507 of the Covered Device Recycling Act (CDRA). Accordingly, under Section 302 of the CDRA, no retailer may offer these manufacturers' products for sale within the Commonwealth.

Manufacturers of new covered devices—such as televisions, laptop and desktop computers, tablets, etc.—offered for sale in Pennsylvania are required to register with the Department prior to commencing sales per Section 304 of the CDRA. Manufacturers must also pay an annual registration fee and submit a recycling plan and annual report. Section 302 of the CDRA prohibits the sale of covered devices in the Commonwealth by unregistered manufacturers.

The Department is required to maintain a list of registered manufacturers per Section 302(b) of the CDRA. The list can be accessed by visiting dep.pa.gov.

The following manufacturer is not included on the Department's list and are therefore considered out of compliance:

Wiltronic Corp. (IVIEW)

Due to its non-compliant status and non-inclusion on the list of registered manufacturers, the Department is notifying the public, in cooperation with covered device retailers, that the CDRA prohibits the sale of devices manufactured by Wiltronic Corp. (IVIEW) within the Commonwealth, and that the sale of such devices would constitute unlawful conduct under the CDRA. Non-compliant manufacturers may once again be included on the Department's list of registered manufacturers, and their devices offered for sale in the Commonwealth, if the manufacturers return to compliance with all the applicable provisions of the CDRA.

Inquiries regarding this notification can be directed to Jordan Hoover, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at jorhoover@pa.gov or (717) 783-8973.

[Pa.B. Doc. No. 23-1727. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Board and Committee Meeting Schedules for 2024

The following is a list of 2024 advisory board and committee meetings associated with the Department of Environmental Protection (Department). Meetings will

have an in-person as well as a remote participation option. These schedules and an agenda for each meeting, including meeting materials and details about in-person and remote participation options, will be available on the Department's web site at www.dep.pa.gov through the Public Participation tab. Prior to each meeting, the Department encourages individuals to visit the web site to confirm meeting date, time, location and remote participation options.

Persons in need of accommodations, as provided for in the Americans with Disabilities Act of 1990, should contact the individual listed for each board or committee, or through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users) to discuss how the Department may accommodate their needs.

Aggregate Advisory Board

The Aggregate Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, unless otherwise noted. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

February 21, 2024

May 1, 2024

August 28, 2024—field trip (location to be determined and published in a future issue of the *Pennsylvania Bulletin*.)

November 6, 2024

Contact: Daniel E. Snowden, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at dsnowden@pa.gov or (717) 783-8846.

Agricultural Advisory Board

The Agricultural Advisory Board will meet at 9 a.m. in Susquehanna Conference Rooms A and B, Department of Environmental Protection, Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

February 21, 2024

April 17, 2024

June 18, 2024

August 21, 2024

October 16, 2024

December 18, 2024

Contact: Bob Haines, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at robhaines@pa.gov or (717) 787-7565.

Air Quality Technical Advisory Committee

The Air Quality Technical Advisory Committee will meet at 9:15 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

January 11, 2024

April 4, 2024

July 11, 2024

October 10, 2024

Contact: Joseph Martini, Bureau of Air Quality, 400 Market Street, Harrisburg, PA 17101 at martjos@pa.gov or (717) 772-5619.

Board of Coal Mine Safety

The Board of Coal Mine Safety will meet at 10 a.m. in Conference Rooms A and B, Cambria Office, 286 Industrial Park Road, Ebensburg, PA 15931. Individuals may attend the meetings in person or by remote participation. The meeting dates are as follows:

March 6, 2024

June 5, 2024

September 4, 2024

December 4, 2024

Contact: Peggy Scheloske, Bureau of Mine Safety, 131 Broadview Road, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

Citizens Advisory Council

The Citizens Advisory Council will meet at 12:30 p.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

January 9, 2024

February 13, 2024

March 12, 2024

April 9, 2024

May 14, 2024

June 11, 2024

July 9, 2024

September 10, 2024

October 8, 2024

November 12, 2024—a portion of this meeting will be held with the Environmental Justice Advisory Board

Contact: Ian Irvin, Citizens Advisory Council, P.O. Box 8459, Harrisburg, PA 17105-8459 at iirvin@pa.gov or (717) 787-8171.

Cleanup Standards Scientific Advisory Board

The Cleanup Standards Scientific Advisory Board will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

March 13, 2024

June 18, 2024

October 30, 2024

Contact: Brie Sterling, Bureau of Environmental Cleanup and Brownfields, 400 Market Street, Harrisburg, PA 17101 at bsterling@pa.gov or (717) 783-9469.

Climate Change Advisory Committee

The Climate Change Advisory Committee will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

February 20, 2024
 April 23, 2024
 June 25, 2024
 August 20, 2024
 October 22, 2024
 December 17, 2024

Contact: Lindsay Byron, Energy Programs Office, 400 Market Street, Harrisburg, PA 17101 at lbyron@pa.gov or (717) 772-8951.

Coal and Clay Mine Subsidence Insurance Fund Board

The Coal and Clay Mine Subsidence Insurance Fund Board will meet at 10 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meeting in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of the meeting by contacting the person listed as follows. The meeting date is as follows:

January 17, 2024

Contact: James Charowsky, Bureau of Mining Programs, 400 Market Street, Harrisburg, PA 17101 at jcharowsky@pa.gov or (717) 787-7007.

Coastal Zone Advisory Committee

The Coastal Zone Advisory Committee will meet at 9:30 a.m. in the Rachel Carson State Office Building, 400 Market Street, Harrisburg PA 17101, in the conference rooms listed as follows. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

January 10, 2024 10th Floor Conference Room
 June 12, 2024 12th Floor Conference Room

Contact: Joseph Sieber, Bureau of Safe Drinking Water, Coastal Resources Management Program, 400 Market Street, Harrisburg, PA 17101 at josieber@pa.gov or (717) 787-4726.

Environmental Justice Advisory Board

The Environmental Justice Advisory Board will meet at 9 a.m. in the 16th Floor Delaware Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, unless otherwise noted. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

February 21, 2024
 May 14, 2024
 August 13, 2024—meeting will begin at 1 p.m. (location to be determined and published in a future issue of the *Pennsylvania Bulletin*.)
 November 12, 2024

Contact: Jennifer McLuckie, Office of Environmental Justice, 400 Market Street, Harrisburg, PA 17101 at jmcluckie@pa.gov or (717) 772-5633.

Environmental Quality Board

The Environmental Quality Board will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Meetings will only be held when there is a sufficient number of agenda items

for consideration. Individuals may attend the meetings in person or by remote participation. The meeting dates are as follows:

January 9, 2024
 February 13, 2024
 March 12, 2024
 April 9, 2024
 May 14, 2024
 June 11, 2024
 July 9, 2024
 August 13, 2024
 September 10, 2024
 October 8, 2024
 November 12, 2024
 December 10, 2024

Contact: Laura Griffin, Environmental Quality Board, P.O. Box 8477, Harrisburg, PA 17105-8477 at laurgriffi@pa.gov or (717) 772-3277.

Laboratory Accreditation Advisory Committee

The Laboratory Accreditation Advisory Committee has not yet scheduled meetings for 2024. Notices for upcoming meetings will be published in a future issue of the *Pennsylvania Bulletin*.

Contact: Annmarie Beach, Bureau of Laboratories, 2575 Interstate Drive, Harrisburg, PA 17110 at anbeach@pa.gov or (717) 346-8212.

Low-Level Radioactive Waste Advisory Committee

The Low-Level Radioactive Waste Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meeting in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of the meeting by contacting the person listed as follows. The meeting date is as follows:

September 27, 2024

Contact: Molly Adams, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA 17101 at moadams@pa.gov or (717) 787-2480.

Mine Families First Response and Communications Advisory Council

The Mine Families First Response and Communications Advisory Council will meet at the New Stanton District Office at 10 a.m. on the following day:

October 2, 2024

Contact: Peggy Scheloske, Bureau of Mine Safety, 131 Broadview Road, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

Mining and Reclamation Advisory Board

The Mining and Reclamation Advisory Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, unless otherwise noted. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

January 4, 2024
 April 25, 2024
 July 25, 2024

October 23 and 24, 2024—field trip (location to be determined and published in a future issue of the *Pennsylvania Bulletin*.)

Contact: Daniel E. Snowden, Bureau of Mining Programs, Harrisburg, PA 17101 at dsnowden@pa.gov or (717) 783-8846.

Oil and Gas Technical Advisory Committee

The Oil and Gas Technical Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

March 19, 2024
June 13, 2024
September 5, 2024
December 5, 2024

Contact: Todd M. Wallace, Office of Oil and Gas Management, 400 Market Street, Harrisburg, PA 17101 at twallace@pa.gov or (717) 783-6395.

Pennsylvania Energy Development Authority Board

The Pennsylvania Energy Development Authority Board will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. The meeting dates are as follows:

February 22, 2024
May 9, 2024
August 22, 2024
November 7, 2024

Contact: Laura Rigge, Pennsylvania Energy Development Authority, 400 Market Street, Harrisburg, PA 17101 at lrigge@pa.gov or (717) 772-5159.

Public Water System Technical Assistance Center Board

The Public Water System Technical Assistance Center Board will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

February 14, 2024
May 23, 2024
August 14, 2024
November 14, 2024

Contact: Dawn Hissner, Bureau of Safe Drinking Water, 400 Market Street, Harrisburg, PA, dhissner@pa.gov or (717) 772-2189.

Radiation Protection Advisory Committee

The Radiation Protection Advisory Committee will meet at 10 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meeting in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of the meeting by contacting the person listed as follows. The meeting dates are as follows:

April 17, 2024
October 16, 2024

Contact: John Chipppo, Bureau of Radiation Protection, 400 Market Street, Harrisburg, PA 17101 at jchippo@pa.gov or (717) 783-9730.

Recycling Fund Advisory Committee

The Recycling Fund Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals interested in providing public comments are encouraged to sign up in advance of the meeting by contacting the person listed as follows. Individuals may attend the meeting in person or by remote participation. The meeting date is as follows:

October 9, 2024 (joint meeting with Solid Waste Advisory Committee)

Contact: Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA 17101 at lahenry@pa.gov or (717) 772-5713.

Sewage Advisory Committee

The Sewage Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. Individuals may attend the meetings in person or by remote participation. The meeting dates are as follows:

March 20, 2024
September 18, 2024

Contact: Janice Vollero, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at jvollero@pa.gov or (717) 772-5157.

Small Business Compliance Advisory Committee

The Small Business Compliance Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101 unless otherwise noted. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. Individuals may attend the meetings in person or by remote participation. The meeting dates are as follows:

January 17, 2024
April 17, 2024
July 24, 2024—this meeting will be held in the 12th Floor Conference Room
October 23, 2024

Contact: Lucas Hershey, Bureau of Air Quality, 400 Market Street, Harrisburg, PA 17101 at luchershey@pa.gov or (717) 787-7019.

Solid Waste Advisory Committee

The Solid Waste Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. Individuals may attend the meetings in person or by remote participation. The meeting dates are as follows:

February 28, 2024
June 26, 2024
October 9, 2024 (joint meeting with Recycling Fund Advisory Committee)

Contact: Laura Henry, Bureau of Waste Management, 400 Market Street, Harrisburg, PA 17101 at lahenry@pa.gov or (717) 772-5713.

State Board for Certification of Sewage Enforcement Officers

The State Board for Certification of Sewage Enforcement Officers will meet at 10 a.m. in the 12th Floor

Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

April 24, 2024
June 26, 2024
September 11, 2024
November 6, 2024

Contact: Chloe Wilson, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at RA-seotrng@pa.gov or (717) 772-2186.

State Board for Certification of Water and Wastewater Systems Operators

The State Board for Certification of Water and Wastewater Systems Operators will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. Individuals may attend the meetings in person or by remote participation. The meeting dates are as follows:

February 7, 2024
April 3, 2024
June 12, 2024
August 7, 2024
October 2, 2024
December 11, 2024

Contact: Laura Chambers, Bureau of Safe Drinking Water, 400 Market Street, Harrisburg, PA 17101 at lchambers@pa.gov or (717) 772-5158.

State Water Plan—Regional Water Resource Committees

Delaware Regional Water Resources Committee

The Delaware Regional Water Resources Committee will meet at 9 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

April 9, 2024
October 8, 2024

Contact: James Horton, Interstate Water Resources Management, 400 Market Street, Harrisburg, PA 17101 at RA-Statewaterplan@pa.gov or (717) 772-1100.

Great Lakes Regional Water Resources Committee

The Great Lakes Regional Water Resources Committee will meet at 9 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

April 24, 2024
October 23, 2024

Contact: James Horton, Interstate Water Resources Management, 400 Market Street, Harrisburg, PA 17101 at RA-Statewaterplan@pa.gov or (717) 772-1100.

Lower Susquehanna Regional Water Resources Committee

The Lower Susquehanna Regional Water Resources Committee will meet at 9 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

April 10, 2024
October 9, 2024

Contact: James Horton, Interstate Water Resources Management, 400 Market Street, Harrisburg, PA 17101 at RA-Statewaterplan@pa.gov or (717) 772-1100.

Ohio Regional Water Resources Committee

The Ohio Regional Water Resources Committee will meet at 1 p.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

April 23, 2024
October 22, 2024

Contact: James Horton, Interstate Water Resources Management, 400 Market Street, Harrisburg, PA 17101 at RA-Statewaterplan@pa.gov or (717) 772-1100.

Potomac Regional Water Resources Committee

The Potomac Regional Water Resources Committee will meet at 1 p.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

April 11, 2024
October 10, 2024

Contact: James Horton, Interstate Water Resources Management, 400 Market Street, Harrisburg, PA 17101 at RA-Statewaterplan@pa.gov or (717) 772-1100.

Upper/Middle Susquehanna Regional Water Resources Committee

The Upper/Middle Susquehanna Regional Water Resources Committee will meet at 9 a.m. in the 14th Floor Conference Room, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

April 25, 2024
October 24, 2024

Contact: James Horton, Interstate Water Resources Management, 400 Market Street, Harrisburg, PA 17101 at RA-Statewaterplan@pa.gov or (717) 772-1100.

Statewide Water Resources Committee

The Statewide Water Resources Committee will meet at 9 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals

may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

- April 16, 2024
- October 29, 2024

Contact: James Horton, Interstate Water Resources Management, 400 Market Street, Harrisburg, PA 17101 at RA-Statewaterplan@pa.gov or (717) 772-1100.

Storage Tank Advisory Committee

The Storage Tank Advisory Committee will meet at 10 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

- March 6, 2024
- June 5, 2024
- September 4, 2024
- December 4, 2024

Contact: Randy D. Martin, Bureau of Environmental Cleanup and Brownfields, Division of Storage Tanks, 400 Market Street, Harrisburg, PA 17101 at ramartin@pa.gov or (717) 772-5828.

Technical Advisory Committee on Diesel-Powered Equipment

The Technical Advisory Committee on Diesel-Powered Equipment will meet at 10 a.m. in the Westmoreland Room, New Stanton Office, 131 Broadview Road, New Stanton, PA 15672. Individuals may attend the meetings

in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

- January 10, 2024
- April 10, 2024
- July 10, 2024
- October 9, 2024

Contact: Peggy Scheloske, Bureau of Mine Safety, 131 Broadview Road, New Stanton, PA 15672 at mscheloske@pa.gov or (724) 404-3143.

Water Resources Advisory Committee

The Water Resources Advisory Committee will meet at 9:30 a.m. in Room 105, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101. Individuals may attend the meetings in person or by remote participation. Individuals interested in providing public comments are encouraged to sign up in advance of each meeting by contacting the person listed as follows. The meeting dates are as follows:

- January 18, 2024
- March 21, 2024
- May 16, 2024
- July 18, 2024
- September 19, 2024
- November 21, 2024

Contact: Bob Haines, Bureau of Clean Water, 400 Market Street, Harrisburg, PA 17101 at robhaines@pa.gov or (717) 787-7565.

JESSICA SHIRLEY,
Interim Acting Secretary

[Pa.B. Doc. No. 23-1728. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

Planning Grant Awards under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Huntingdon County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. The grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at mvottero@pa.gov or (717) 772-5719.

Act 101, Section 901 Planning Grant

Region	County	Applicant	Project	Grant
Southcentral	Huntingdon	Huntingdon County	Plan Revision	\$13,089

JESSICA SHIRLEY,
Interim Acting Secretary

[Pa.B. Doc. No. 23-1729. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF ENVIRONMENTAL PROTECTION

State Board for Certification of Sewage Enforcement Officers; Examination Schedule for 2024

The State Board for Certification of Sewage Enforcement Officers (Board) has scheduled the certification examination dates for 2024.

To qualify to sit for the certification examination, all Sewage Enforcement Officer (SEO) candidates must successfully complete the Pre-Certification Academy. Examination applications must be received (not postmarked) by the Board, complete and correct, by close of business on the dates indicated. Applications received after these dates will not be considered for examination. Applications that do not contain all the required information will be returned and will not be considered eligible for the examination. The examination schedule for 2024 is as follows:

<i>Examination Date:</i>	Friday, April 12, 2024 (12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)
<i>Examination Application Deadline:</i>	Friday, March 29, 2024
<i>Location:</i>	York County 4-H Center 771 Stoverstown Road York, PA 17408
<i>Examination Date:</i>	Friday, June 14, 2024 (12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)
<i>Examination Application Deadline:</i>	Friday, May 31, 2024
<i>Location:</i>	College Township Municipal Building 1481 East College Avenue State College, PA 16801
<i>Examination Date:</i>	Friday, August 30, 2024 (12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)
<i>Examination Application Deadline:</i>	Friday, August 16, 2024
<i>Location:</i>	Chester County Government Center 601 Westtown Road, Room 351E West Chester, PA 19382
<i>Examination Date:</i>	Friday, October 25, 2024 (12:30 p.m. registration, exam 1 p.m. to 4:30 p.m.)
<i>Examination Application Deadline:</i>	Friday, October 11, 2024
<i>Location:</i>	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001

Additional examination dates will be posted as scheduled.

Individuals are encouraged to visit the Board's webpage to confirm date, time and location prior to each examination.

The SEO written examination contains 100 multiple-choice questions covering planning requirements, administration and enforcement of the permitting program and technical criteria for soils and disposal systems with a 3 1/2-hour time limit. The passing grade is 50% correct responses in each subject area and an overall minimum of 70 correct answers on the entire examination. This is an open book examination. Applicants are not permitted to bring their own materials. Necessary reference materials will be provided at the test site.

Examination applications may be obtained by contacting the Department of Environmental Protection, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8774, Harrisburg, PA 17105-8774, ra-seotrng@pa.gov or (717) 772-2186.

Applicants will receive a confirmation e-mail from the Board prior to the date of the SEO examination.

Persons who anticipate the need for a testing accommodation due to a disability should contact the Board at (717) 772-2186 or through the Pennsylvania Hamilton Relay Service at (800) 654- 5984 (TDD users) or (800) 654-5988 (voice users) to discuss their request. This request must be submitted with the application form.

JESSICA SHIRLEY,
Interim Acting Secretary

[Pa.B. Doc. No. 23-1730. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facilities (ASF) have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to

regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Children's Dental Surgery	28 Pa. Code § 551.22(3)(ii) (relating to criteria for performance of ambulatory surgery on pediatric patient)
Huntingdon Valley Surgery Center	28 Pa. Code § 553.31(a) (relating to administrative responsibilities)
Interventional and Surgical Suites of Wilkes-Barre, LLC	28 Pa. Code § 569.35(7) (relating to general safety precautions)
Valley Pain Center	28 Pa. Code § 553.31(a)

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1731. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF HEALTH

Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr^{1,2}</i>
The Hospital of the University of Pennsylvania	2.2-3.2.2.6 patient toilet room	18-O
UPMC Presbyterian Shadyside	2.2-3.5.2.2(1)(b)(i) space requirements	22

¹ 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

² 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,
Acting Secretary

[Pa.B. Doc. No. 23-1732. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF HUMAN SERVICES

Addition of Interprofessional Consultation Services to the Medicaid State Plan and Medical Assistance Program Fee Schedule

The Department of Human Services (Department) announces the addition of interprofessional consultation services to the Medical Assistance (MA) Program Fee Schedule. These changes are effective for dates of service on and after January 1, 2024.

Discussion

On January 5, 2023, the Centers for Medicare & Medicaid Services (CMS) issued State Health Official Letter # 23-001 "Coverage and Payment of Interprofessional Consultation in Medicaid and the Children's Health Insurance Program." In this letter, CMS issued guidance to allow for coverage and payment of interprofessional consultation services when the beneficiary is not present, and the consultation is for the direct benefit of the beneficiary. CMS' previous policy prohibited coverage and payment of provider-to-provider consultation as a distinct service.

In response to CMS' change in policy, the Department will provide coverage and payment for interprofessional consultation services in the MA Program. In accordance with 55 Pa. Code § 1150.61(a) (relating to guidelines for fee schedule changes), the Department announces the addition of the following interprofessional consultation service procedure codes to the MA Program Fee Schedule, effective January 1, 2024.

<i>Procedure Code</i>	<i>National Code Description</i>	<i>MA Fee</i>
99446	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 5—10 minutes of medical consultative discussion and review	\$14.01
99447	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 11—20 minutes of medical consultative discussion and review	\$27.78
99448	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 21—30 minutes of medical consultative discussion and review	\$42.30
99449	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a verbal and written report to the patient's treating/requesting physician or other qualified health care professional; 31 minutes or more of medical consultative discussion and review	\$42.30
99451	Interprofessional telephone/Internet/electronic health record assessment and management service provided by a consultative physician or other qualified health care professional, including a written report to the patient's treating/requesting physician or other qualified health care professional, 5 minutes or more of medical consultative discussion and review	\$42.30
99452	Interprofessional telephone/Internet/electronic health record referral service(s) provided by a treating/requesting physician or other qualified health care professional, 30 minutes	\$26.03

The Department will issue an MA Bulletin to inform providers enrolled in the MA Program of the addition of the procedure codes for interprofessional consultation services.

Fiscal Impact

There is minimal fiscal impact associated with the addition of these procedure codes.

Public Comment

Interested persons are invited to submit written comments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120 or at RA-PWMAProgComments@pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revisions to the MA Program Fee Schedule.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,
Secretary

Fiscal Note: 14-NOT-1603. No fiscal impact; recommends adoption.

[Pa.B. Doc. No. 23-1733. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Maximum Pennsylvania Workers' Compensation Payable

Based upon the Statewide Average Weekly Wage, as determined by the Department of Labor and Industry for the fiscal year ending June 30, 2023, the maximum compensation payable under Article 1, sections 105.1 and 105.2 of the Workers' Compensation Act (77 P.S. §§ 25.1 and 25.2) shall be \$1,325 per week for injuries occurring on and after January 1, 2024. For purposes of calculating the update to payments for medical treatment rendered on and after January 1, 2024, the percentage increase in the Statewide Average Weekly Wage is 4.0%.

NANCY WALKER,
Secretary

[Pa.B. Doc. No. 23-1734. Filed for public inspection December 15, 2023, 9:00 a.m.]

- Community Services Block Grant
- Reintegration of Ex-Offenders
- Unemployment Insurance

This comment period provides individuals, advocates and other interested parties or organizations, or both, opportunities to present their views and recommendations regarding workforce development services in this Commonwealth.

Written comments may be submitted by mail to the Pennsylvania Workforce Development Board, 651 Boas Street, Room 514, Harrisburg, PA 17121 or by e-mail to RA-LI-PAWDB@pa.gov.

Written comments must be received no later than 5 p.m. Tuesday, January 16, 2024.

To obtain a copy of the proposed 2024—2028 WIOA Plan visit the Department's web site at <https://www.dli.pa.gov/Businesses/Workforce-Development/Pages/WIOA.aspx> and click on "2024 Draft WIOA Combined State Plan."

NANCY WALKER,
Secretary

[Pa.B. Doc. No. 23-1735. Filed for public inspection December 15, 2023, 9:00 a.m.]

DEPARTMENT OF LABOR AND INDUSTRY

Solicitation of Public Comment on the Pennsylvania Workforce Innovation and Opportunity Act Combined State Plan for 2024—2028

The Department of Labor and Industry (Department), Pennsylvania Workforce Development Board announces a period of public comment beginning December 16, 2023, for the Commonwealth's proposed Federal fiscal year 2024 Workforce Innovation and Opportunity Act (WIOA) Combined State Plan (Plan) for 2024—2028. The Plan is the blueprint for the provision of workforce development services in this Commonwealth. This notice is provided under the WIOA of 2014.

The WIOA requires the governor of each state to submit a 4-year unified or combined state plan outlining the state's workforce development strategy and modify that plan after 2 years. The Commonwealth plans to submit a Plan to include the six core programs (Adult, Dislocated Worker, Youth, Wagner-Peyser, Adult Basic Education and Vocational Rehabilitation), as well as the following optional programs:

- Career and Technical Education
- Temporary Assistance for Needy Families
- Supplemental Nutrition Assistance Program
- Trade Adjustment Assistance for Workers
- Jobs for Veterans State Grants
- Senior Community Service Employment

DEPARTMENT OF TRANSPORTATION

Findings

Under section 2002 of The Administrative Code of 1929 (71 P.S. § 512) establishing the Department of Transportation (Department), the Director of the Bureau of Design and Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the following projects. Environmental and Section 4(f) Documentation have been developed for the following identified projects to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System at <http://www.dotdom2.state.pa.us/ceea/ceeamain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the proposed projects identified below, and all reasonable steps have been taken to minimize the effects.

- **SR 2005, Section A01—Gregg Township, Centre County.**

Project Description: The project is the replacement of the existing bridge that carries SR 2005 over Sinking Creek.

Environmental Documents: CE BRPA Evaluation approved on July 20, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on June 30, 2023.

Proposed Use of Section 4(f)/2002 Resource: Approximately 0.10-acre of right-of-way (ROW) will be required from the Penns Valley Brush Valley Rural Historic District, which was determined eligible for listing on the National Register of Historic Places (NRHP).

• **SR 0044, Section 064—Jersey Shore Borough, Lycoming County.**

Project Description: The project is the replacement of the bridge that carries SR 0044 over an unnamed tributary to the West Branch of the Susquehanna River.

Environmental Documents: ED BRPA Reevaluation approved on August 3, 2023, and Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved September 16, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.092-acre of ROW will be required from the Jersey Shore Historic District, which is listed on the NRHP.

• **SR 0220, Section 122—Piatt and Woodward Township, Lycoming County.**

Project Description: The project involves safety improvements along the SR 220 Corridor.

Environmental Documents: CE 1b Reevaluation approved on August 2, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on April 16, 2019.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.38-acre of ROW will be required from the Woodward Township Elementary School, which was determined eligible for listing on the NRHP.

• **SR 9900, Section LBR—Moreland Township, Lycoming County.**

Project Description: The project is the replacement of the existing structure that carries Tome Road (T-665) over German Run.

Environmental Documents: CE BRPA Evaluation approved on July 17, 2023, a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on July 7, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.5-acre of ROW will be required from the Richard B. Farm, which was determined eligible for listing on the NRHP.

• **SR 0011, Section 357—Hunlock Township, Luzerne County.**

Project Description: The project is the replacement of the superstructure that carries SR 0011 over the Hunlock Creek.

Environmental Documents: CE BRPA Reevaluation approved on August 16, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 16, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.011-acre of ROW will be required from the Delaware, Lackawanna and Western Railroad, which was determined eligible for listing on the NRHP.

• **SR 0367, Section 550—Auburn Township, Susquehanna County.**

Project Description: The project is the replacement of the existing structure that carries SR 0367 over the unnamed tributary to Tuscarora Creek.

Environmental Documents: CE BRPA Reevaluation approved on July 31, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved July 24, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.062-acre of ROW will be required from the Leroy B. Lacey House, which was determined eligible for listing on the NRHP.

• **SR 7302, Section ELM—City of Scranton, Lackawanna County.**

Project Description: The project is the replacement of the existing structure that carries Elm Street (SR 7302) over the Lackawanna River.

Environmental Documents: CE BRPA Reevaluation approved on September 25, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on November 30, 2021.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.0074-acre of ROW will be required from the Elm Street trailhead, which is part of the Lackawanna River Heritage Trail, which qualifies as a Section 4(f)/2002 resource.

• **SR 0061, Section 14M—Saint Clair and Frackville Boroughs, and New Castle, Blythe, Ryan and West Mahanoy Townships, Schuylkill County.**

Project Description: The project includes approximately 4.5 miles of roadway reconstruction on SR 0061.

Environmental Documents: CE 2 Reevaluation approved on July 18, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on July 7, 2020.

Proposed Use of Section 4(f)/2002 Resources: Approximately 3.41-acres of ROW will be required from the approximately 2,690.60-acres State Game Lands No. 326, which qualifies as a Section 4(f)/2002 resource.

• **SR 0078, Section 13B—Hamburg Borough and Tilden Township, Berks County.**

Project Description: The project is the widening of SR 0078 from Exit 29 (SR 0061 Interchange) to Exit 30 (North 4th Street/Hamburg), and the widening of the existing bridge over the Schuylkill River and the Reading Blue Mountain and Northern Railroad.

Environmental Documents: CE 2 Reevaluation approved on July 20, 2023, five Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on April 5, 2023, and two Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on April 5, 2023.

Proposed Use of Section 4(f)/2002 Resources: The Schuylkill River is a Fish and Boat Commission designated public recreational water trail and is included in the Department of Conservation and Natural Resources' Scenic Rivers Programs in the Commonwealth. The

Schuylkill River qualifies as a Section 4(f)/2002 resource, and approximately 0.12-acre of ROW and 0.23-acre of aerial easement will be required from the resource.

The Schuylkill River Desilting Project, Impounding Basin No. 1 (Kernsville Basin) was determined to be eligible for listing on the NRHP. The Kernsville Basin is located within the Kernsville Dam Recreation Area (KDRA). The KDRA is a 252-acre day use park and conservation area, which qualifies as a Section 4(f)/2002 resource. Approximately 0.009-acre of ROW and 0.77-acre of permanent aerial easement will be required from the two resources.

Approximately 0.008-acre of permanent aerial easement will be required from the Therman Madera Switchback Trail, which is part of the Schuylkill River Trail, which qualifies as a Section 4(f)/2002 resource. Approximately 0.02-acre of ROW, 0.09-acre of aerial easement, 0.08-acre drainage easement and 0.01-acre of slope easement will be required from the 22.61-acre Hamburg Community Park, which qualifies as a Section 4(f)/2002 resource. The Hamburg Community Park is also known as the Etchberger Memorial Park. Approximately 0.01-acre of slope easement and 0.04-acre drainage easement will be required from the Schuylkill Navigation Company Canal (Port Carbon to Philadelphia), which was determined eligible for listing in the NRHP.

• **SR 0422, Section 29M—Wyomissing and West Reading Borough, City of Reading, and Exeter and Cumru Township, Berks County.**

Project Description: The project is the reconstruction of a 5-mile corridor of SR 422 including bridge replacements.

Environmental Documents: CE 2 Evaluation approved on August 31, 2023, a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 22, 2023, two Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on August 22, 2023, and five Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on August 22, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 1.12-acres of ROW will be required from the Schuylkill River Desilting Project, which was determined to be eligible for listing on the NRHP. Approximately 0.14-acre of ROW will be required from the Schuylkill Navigation Company Canal, which was determined eligible for listing on the NRHP. Approximately 0.26-acre of ROW will be required from the Lower Tulpehocken Creek Historic District, which was determined eligible for listing on the NRHP. Approximately 0.03-acre permanent will be required from the Neversink Connector Trail, owned by the City of Reading, which qualifies as a Section 4(f)/2002 resource. Approximately 0.11-acre permanent will be required from the 24.34-acre Schlegel Park, owned by the City of Reading, which qualifies as a Section 4(f)/2002 resource. Approximately 0.24-acre permanent impact will be required from the Schuylkill River Water Trail, which qualifies as a Section 4(f)/2002 resource. Bingaman Street Bridge and Buttonwood Street Bridge were determined eligible for listing on the NRHP.

• **SR 0611, Section WCW—Williams Township, Northampton County.**

Project Description: The project is the replacement of the retaining wall supporting SR 0611 alongside the Delaware Canal.

Environmental Documents: CE 2 Evaluation approved on August 23, 2023, a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 16, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on August 16, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.08-acre of ROW will be required from the Delaware Division of the Pennsylvania Canal, which is listed on the NRHP and from the approximately 830-acres Delaware Canal State Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 0011, Section 127—Carlisle Borough, Cumberland County.**

Project Description: The project includes roadway reconstruction and sidewalk improvements to SR 0011 (North Hanover Street) and SR 0034 (Carlisle Springs Road).

Environmental Documents: CE 1b Reevaluation approved on August 17, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 2, 2022.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.0044-acre of ROW will be required from the Cumberland Valley Railroad, which was determined eligible for listing on the NRHP.

• **SR 2005, Section 004—York and Springettsbury Townships, York County.**

Project Description: The project includes approximately 3 miles of roadway widening, overlay and safety improvements on SR 2005 (Camp Betty Washington Road/Haines Road) from the SR 2002 (Springwood Road) intersection to the SR 0124 (Mount Rose Avenue) intersection.

Environmental Documents: CE 1b Evaluation approved on September 21, 2023, a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on August 1, 2023, and Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on August 1, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.68-acre of ROW will be required from the Fitz Farm, which was determined eligible for listing on the NRHP. Approximately 0.176-acre of ROW will be required from the approximately 9.0-acres Mill Creek Preserve, which qualifies as a Section 4(f)/2002 resource.

• **SR 0220, Section 018—Cumberland Valley Township, Bedford County.**

Project Description: The project is approximately 5.4 miles of resurfacing of US 220 from the Maryland State Line north to Narrow Lane (T-337).

Environmental Documents: CE 1b Evaluation approved on July 17, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 30, 2023.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.15-acre of ROW will be required from the Thomas Growden Farm, which was determined eligible for listing on the NRHP.

• **SR 0068, Section 253—Butler and Summit Townships, Butler County.**

Project Description: The project is the replacement of the Karns Crossing Bridge (SR 0068) over the Buffalo and Pittsburgh Railroad and Bessemer and Lake Erie Railroad.

Environmental Documents: CE 2 Reevaluation approved on August 8, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on May 17, 2020.

Proposed Use of Section 4(f)/2002 Resources: Approximately 0.33-acre of ROW will be required from the Bessemer and Lake Erie Railroad, which was determined eligible for listing on the NRHP.

• **SR 1060, Section A20—Bell Township, Westmoreland County and Kiskiminetas Township, Armstrong County.**

Project Description: The project is the replacement of the existing Bridge Street Bridge (SR 1060) over the Kiskiminetas River and Norfolk Southern Railroad.

Environmental Documents: CE 2 Reevaluation approved on September 8, 2023, and a Nationwide/Programmatic Section 4(f) Evaluation for Projects that Necessitate the Use of Historic Bridges approved on December 28, 2020.

Proposed Use of Section 4(f)/2002 Resources: The Salina Bridge was determined eligible for listing on the NRHP.

CHRISTINE A. SPANGLER, PE,
Director
Bureau of Design and Delivery

[Pa.B. Doc. No. 23-1736. Filed for public inspection December 15, 2023, 9:00 a.m.]

GAME COMMISSION

Extension of Archery and Flintlock Muzzleloader Deer Seasons at the Middle Creek Wildlife Management Area

Order

Whereas, The Pennsylvania Game Commission (Commission) owns and manages a 6,000-acre property in Lancaster and Lebanon counties known as the Middle Creek Wildlife Management Area (Middle Creek WMA) (State Game Land No. 46); and

Whereas, Access to controlled areas and propagation areas of the Middle Creek WMA are normally restricted and closed to annual hunting and trapping seasons without a permit or written authorization issued by the Commission; and

Whereas, The Commission has determined that the permitting an archery and flintlock muzzleloader hunt outside of established hunting seasons within the controlled areas and propagation areas of the Middle Creek WMA is necessary to address elevated populations of white-tailed deer; and

Whereas, The Game and Wildlife Code (Code) (34 Pa.C.S. §§ 101 et seq.) and regulations promulgated thereunder (58 Pa. Code §§ 131.1 et seq.) collectively provide broad authority to the Commission to regulate activities relating to the protection, preservation, and management of game and wildlife, including white-tailed deer; and

Whereas, 58 Pa. Code § 139.3 (relating to authority to alter seasons and bag limits) authorizes the Executive Director of the Commission to extend hunting or trapping seasons in designated areas when a certain species is available in sufficient number the designated area or it is determined that inclement weather conditions or other factors resulted in an underharvest of certain species of wildlife in the designated area; and

Whereas, 58 Pa. Code § 135.103 (relating to controlled hunting and trapping area access permit procedures) authorizes the Executive Director to “establish the dates and number of available access permits each year for any authorized hunting or trapping activities approved for an established controlled hunting or trapping area;” and

Whereas, 58 Pa. Code § 135.161 (relating to Commission-owned or leased) permits the Executive Director to “authorize the opening of a propagation area for purposes of hunting, trapping, or both, in conformity with established seasons and bag limits.”

Now Therefore, I, BRYAN J. BURHANS, Executive Director of the Pennsylvania Game Commission, pursuant to the authority vested in me by the Code and regulations promulgated thereunder, do hereby order and direct the following:

1. *Seasons Extended:* Archery and flintlock muzzleloader deer seasons within the controlled areas and propagation areas of the Middle Creek WMA are extended to authorize a one-day special deer hunt on Wednesday, December 13, 2023.

2. *Controlled Areas and Propagation Areas Open:* This limited special deer hunt will occur within hunt zones established within designated controlled areas and propagation areas of the Middle Creek WMA, as is more graphically illustrated on the map titled “Middle Creek Special Deer Hunt” attached hereto and incorporated by reference herein.

3. *Hunting by Permit Only:* This limited special deer hunt will occur outside of regular white-tailed deer hunting seasons and requires participants to acquire and be in possession of a special deer hunt access permit prior to accessing any controlled or propagation area of the Middle Creek WMA.

4. *Permit Eligibility:* Applicants that were successfully drawn to participate in the Middle Creek WMA special deer hunts in October and November are not eligible to apply for the December special deer hunt. Participation in the December special deer hunt will be limited to persons in possession of a valid:

- a. General hunting license;
- b. One or both of the following (whichever applicable):
 - i. Archery license; or
 - ii. Muzzleloader license;
- c. One or both of the following (whichever applicable):
 - i. Wildlife Management Unit 5B antlerless deer license with an unused harvest tag (if archery or muzzleloader hunting); or

ii. Unused flintlock harvest tag (if muzzleloader hunting).

5. *Application*: Applications for the Middle Creek Special Deer Hunt shall be submitted through the Commission's Pennsylvania Automated Licensing System (PALS) at <https://huntfish.pa.gov/>. Only one application may be submitted per person. Failure to submit an application by October 27, 2023 or in compliance with the requirements of this order will result in a rejection of the application.

6. *Drawing*: The Commission will conduct a random drawing to select a total of 26 applications for the December Middle Creek WMA special deer hunt. Successful applicants will receive one (1) deer hunting access permit. The Commission will also select ten (10) alternates should one (1) or more originally drawn applicants become ineligible to participate or unable to attend the special hunt. Successful applicants will be permitted to choose one guest to receive an additional access permit to participate in the special deer hunt. Successful applicants and alternates will be notified by first class mail.

7. *Orientation*: Successful applicants and alternates are required to attend a mandatory orientation meeting scheduled by the Commission prior to participation in the special deer hunt. Failure to attend a mandatory orientation meeting will invalidate a successful applicant's approval to participate in the special deer hunt. Guests selected by successful applicants are not required to attend an orientation meeting.

8. *General hunting requirements*:

a. *Check-in and Check-out*: Participants in the special deer hunt may enter the hunt zone designated on their permit at 5:00 a.m. on the day of the hunt. Participants shall present all white-tailed deer harvested during the special deer hunt to the Commission for examination at the Visitor's Center. Participants shall check-out at the conclusion of the special deer hunt at the Visitor's Center no later than 4:00 p.m.

b. *Fluorescent Orange*: All participants in the special deer hunt shall comply with the fluorescent orange requirements applicable to the regular firearms deer season as set forth in 58 Pa. Code § 141.20(a) (relating to protective material required).

c. *Hunting Hours*: Participants in the special deer hunt deer are only authorized to hunt and take deer from start of legal hunting hours until 3:00 p.m. on the day of the hunt.

d. *Arms, Ammunition and Method of Hunt*: Participants in the special deer hunt shall comply with all other requirements and limitations concerning deer hunting activities during archery and/or flintlock muzzleloaders seasons (whichever applicable) as set forth in the Code and attendant regulations.

e. *Species Eligibility*:

i. *Antlerless Deer*: Successful applicants are authorized to harvest antlerless white-tailed deer during the special deer hunt pursuant to any valid, unused Wildlife Management Unit 5B antlerless deer license(s) or flintlock harvest tag issued to them.

ii. *Antlered Deer*: Successful applicants are authorized to harvest an antlered white-tailed deer during the special deer hunt pursuant to any valid, unused antlered deer harvest tag issued to them.

iii. *Coyote*: Successful applicants are authorized to harvest coyote under the authority of their general hunting license while lawfully hunting white-tailed deer during the special deer hunt.


iv. *Other species*: No other species of game or wildlife may be hunted or taken by participants in the special deer hunt.

9. *Access Limited*: Successful applicants are authorized to access and hunt only the hunt zone designated on their issued special deer hunt access permit. Access into other hunt zones or other controlled or propagation areas of the Middle Creek WMA is prohibited.

10. *Effective Date*: This Order is effective immediately and shall remain in effect until it reaches its natural expiration at the close of hunting hours on Wednesday, December 13, 2023 or it is otherwise rescinded or modified by subsequent order.

Given under my hand and seal of the Pennsylvania Game Commission on this 5th day of December, 2023.

BRYAN J. BURHANS,
Executive Director



[Pa.B. Doc. No. 23-1737. Filed for public inspection December 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application for Approval to Acquire Control of Synergy Comp Insurance Company

Tyler Hudson, John M. Hudson as trustee of the John M. Hudson Revocable Trust, JM Hudson Investments, LLC and Hudson Partners, LP have filed an application for approval to acquire control of Synergy Comp Insurance Company, a domestic stock casualty insurance company. The filing was received on November 16, 2023, and was made under the requirements of Article XIV of The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1414).

Persons wishing to comment on the acquisition are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the statement. Written statements should be directed to Karen Feather, Company Licensing Division, Insurance Department, 1345 Strawberry Square, Harrisburg, PA

17120, kfeather@pa.gov. Comments received will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1738. Filed for public inspection December 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Application and Request for a Certificate of Authority to Provide a Continuing Care Retirement Community by Pennwood Operating, LLC

Pennwood Operating, LLC has applied for a Certificate of Authority to operate a Continuing Care Retirement Community at WeCare at Penn Rehabilitation and Nursing Center in Pittsburgh, PA. The initial filing was received on November 14, 2023, and was made under the Continuing-Care Provider Registration and Disclosure Act (40 P.S. §§ 3201—3225).

Persons wishing to comment on the grounds of public or private interest to the issuance of a Certificate of Authority are invited to submit a written statement to the

Insurance Department (Department) within 30 days from the date of this issue of the *Pennsylvania Bulletin*. Each written statement must include name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient details to inform the Department of the exact basis of the statement. Written statements should be directed to Steven L. Yerger, Insurance Department, 1345 Strawberry Square, Harrisburg, PA 17120, fax (717) 787-8557, syerger@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1739. Filed for public inspection December 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Marlene J. Burns; Order to Show Cause; Doc. No. SC23-10-034

The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure) except as modified by order.

A prehearing telephone conference initiated by this office is scheduled for January 16, 2024, at 10 a.m. Each party will provide the Hearings Administrator a telephone number to be used for the telephone conference on or before January 12, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before January 2, 2024, with the Administrative Hearings Office. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, will be electronically filed on or before January 12, 2024.

Persons with a disability who wish to attend the previously referenced administrative proceedings and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1740. Filed for public inspection December 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Geisinger Health Plan (GSHP-133906718); Small Group HMO—Transitional Filing; Rate Filing

Geisinger Health Plan submitted a rate filing for its small group HMO nongrandfathered (that is, transitional) plans. The filing proposes a flat rate adjustment of 18.7% and will affect 1,105 members with policies renewing from June 2023 through December 2024.

Unless formal administrative action is taken prior to February 20, 2024, the subject filing may be deemed approved by operation of law.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Valerie Romig, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, vromig@pa.gov within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1741. Filed for public inspection December 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Geisinger Quality Options (GSHP-133907075); Small Group PPO—Transitional Filing; Rate Filing

Geisinger Quality Options submitted a rate filing for its small group PPO nongrandfathered (that is, transitional) plans. The filing proposes a flat rate adjustment of 8.5% and will affect 3,441 members with policies renewing from June 2023 through December 2024.

Unless formal administrative action is taken prior to February 20, 2024, the subject filing may be deemed approved by operation of law.

Interested parties are invited to submit written or e-mail comments, suggestions or objections to Michael Hibbert, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, mhibbert@pa.gov within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1742. Filed for public inspection December 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Micheal Janicki; License Denial Appeal; Doc. No. AG23-10-031

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Micheal Janicki has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for January 19, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before January 17, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before January 5, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. An-

swers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before January 17, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1743. Filed for public inspection December 15, 2023, 9:00 a.m.]

INSURANCE DEPARTMENT

Review Procedure Hearings under the Unfair Insurance Practices Act

The following insureds have requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the termination of the insureds' homeowners policy. The proceedings will be governed in accordance with the requirements of the act; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for January 4, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before January 2, 2024.

The video hearing will be held virtually by means of Zoom. The parties and their representatives and witnesses shall join the Zoom hearing through the link supplied in the invitation. The Administrative Hearings Office may be contacted at (717) 783-2126 or ra-hearings@pa.gov.

Appeal of Tera C. and Robert Bryant; Nationwide Property and Casualty Insurance Company; File No. 23-178-285967; Doc. No. P23-10-001; January 18, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will

be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,
Insurance Commissioner

[Pa.B. Doc. No. 23-1744. Filed for public inspection December 15, 2023, 9:00 a.m.]

LEGISLATIVE REFERENCE BUREAU

Documents Filed But Not Published

The Legislative Reference Bureau (Bureau) accepted the following documents during the preceding calendar month for filing without publication under 1 Pa. Code § 3.13(b) (relating to contents of *Bulletin*). The Bureau will continue to publish on a monthly basis either a summary table identifying the documents accepted during the preceding calendar month under this subsection or a statement that no documents have been received. For questions concerning or copies of documents filed, but not published, call (717) 783-1530.

Executive Board

Resolution No. CB-23-023, Dated November 2, 2023. The Executive Board Resolution authorizes the Collective Bargaining Agreement between the Commonwealth of Pennsylvania and AFSCME Council 13.

Resolution No. CB-23-024, Dated November 2, 2023. The Executive Board Resolution authorizes the Memorandum of Understanding between the Commonwealth of Pennsylvania and AFSCME.

Governor's Office

Management Directive No. 410.12—Employment-Related Religious Accommodations, Dated November 14, 2023.

Administrative Circular No. 23-19—Holiday Trees and Decorations in Commonwealth Owned or Leased Buildings, Dated November 14, 2023.

AMY J. MENDELSON,
Director
Pennsylvania Code and Bulletin

[Pa.B. Doc. No. 23-1745. Filed for public inspection December 15, 2023, 9:00 a.m.]

OFFICE OF THE BUDGET

Statutory Cost of Living Increases for Salaries of State Officials and the Heads of Departments, Boards and Commissions

Section 3(e) of the Public Official Compensation Act, the act of September 30, 1983 (P.L. 160, No. 39) as amended by Section 2 of the act of October 19, 1995 (P.L. 324, No. 51) mandates that the salaries of the Governor, Lieutenant Governor, State Treasurer, Auditor General, Attorney General, and the heads of the departments and members of boards

and commissions shall be increased by applying the percentage change in the Consumer Price Index for All Urban Consumers (CPI-U) for the Pennsylvania, New Jersey, Delaware and Maryland area for the most recent 12 month period for which figures have been officially reported by the United States Department of Labor, Bureau of Labor Statistics (BLS) immediately prior to the date adjustment is due to take effect.

As required by Section 3(e) of the Public Official Compensation Law, the Governor has determined, based on the change in the CPI-U (PA-DE-NJ-MD) over the past 12 months as reported by BLS on November 14, 2023, that the salaries covered by that law shall be increased by 3.5% effective January 1, 2024. The following chart lists the position, the salary prior to the adjustment, the percentage increase of the adjustment, and the new salary:

COLA Adjustment for Elected and Appointed Officials Receiving Salaries Contained in Act 1995-51

COLA Adjustment is Based on the Percent Change in the CPI-U for PA-DE-NJ-MD, CMSA, for the 12 Month Period Ending October 2023

<i>Position</i>	<i>Salary Prior to 1/1/2024</i>	<i>COLA Adjustment</i>	<i>Salary Effective 1/1/2024</i>
Governor	\$229,642	3.5%	\$237,679
Lieutenant Governor	\$192,897	3.5%	\$199,648
State Treasurer	\$191,061	3.5%	\$197,748
Auditor General	\$191,061	3.5%	\$197,748
Attorney General	\$191,061	3.5%	\$197,748
Large Agency Head	\$183,712	3.5%	\$190,142
Secretary of Education			
Secretary of Environmental Protection			
Secretary of Health			
Secretary of Labor and Industry			
Secretary of Human Services			
Secretary of Transportation			
Secretary of Corrections			
Medium Agency Head	\$174,527	3.5%	\$180,635
Secretary of Aging			
Secretary of Community & Economic Development			
Secretary of General Services			
Secretary of Revenue			
State Police Commissioner			
Secretary of Conservation & Natural Resources			
Small Agency Head	\$165,341	3.5%	\$171,128
Secretary of Agriculture			
Secretary of Banking & Securities			
Secretary of the Commonwealth			
Insurance Commissioner			
Secretary of Drug and Alcohol Programs *****			
Liquor Control Board			
Chairman	\$93,324	3.5%	\$96,590
Member	\$89,648	3.5%	\$92,786
Civil Service Commission****			
Chairman	\$105,012	3.5%	\$108,687
Member	\$100,973	3.5%	\$104,507
State Tax Equalization Board			
Chairman	\$32,151	3.5%	\$33,276
Member	\$29,853	3.5%	\$30,898
Milk Marketing Board			
Chairman	\$29,853	3.5%	\$30,898
Member	\$28,705	3.5%	\$29,710

<i>Position</i>	<i>Salary Prior to 1/1/2024</i>	<i>COLA Adjustment</i>	<i>Salary Effective 1/1/2024</i>
Securities Commission***			
Chairman	\$50,229	3.5%	\$51,987
Member	\$45,826	3.5%	\$47,430
Athletic Commission			
Chairman	\$24,115	3.5%	\$24,959
Member	\$22,962	3.5%	\$23,766
Board of Pardons			
Member	\$21,126	3.5%	\$21,865
Public Utility Commission			
Chairman	\$177,027	**	\$183,135
Member	\$174,527	3.5%	\$180,635
Environmental Hearing Board*			
Chairman	\$177,027	*	\$183,135
Member	\$174,527	*	\$180,635
Board of Claims*****			
Chairman	\$169,611	3.5%	\$175,547
Member	\$160,681	3.5%	\$166,305

*: The Environmental Hearing Board is not listed in Act 1995-51, but separate legislation requires that the Board's members receive the same compensation as the PUC.

** : Act 1995-51 requires that the PUC Chairman shall receive \$2,500/yr. more than PUC Members.

*** : Per Act 1998-51.

**** : Per Act 2002-140, effective November 27, 2002.

***** : Per Act 2002-118, effective October 2, 2002.

***** : The salary for the Secretary of Drug and Alcohol Programs has not yet been set by statute.

URI MONSON,
Secretary

[Pa.B. Doc. No. 23-1746. Filed for public inspection December 15, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 2, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 2, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at

www.puc.pa.gov by searching under the listed docket number as follows or by searching the applicant's web site.

Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

A-2023-3043588. John M. Butler, II (1320 Chartiers Avenue, Pittsburgh, Allegheny County, PA 15220) for the right to begin to transport, as a common carrier, by motor vehicle, persons in limousine service, from points in Allegheny County to points in Pennsylvania, and return; excluding service that is under the jurisdiction of the Philadelphia Parking Authority.

A-2023-3044470. Medishuttle Transportation, LLC (290 Andrews Road, Suite 108, Feasterville, Bucks County, PA 19053) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Bucks, Delaware and Montgomery and the City and County of Philadelphia, to points in Pennsylvania, and return. *Attorney: Samuel Ben-Samuel, Esq., 223 Upland Road, Merion Station, PA 19066.*

Application of the following for the approval of the *transfer of stock as described under the application.*

A-2023-3044532. S&S Medical Transport, LLC (575 North 65th Street, Harrisburg, Dauphin County, PA

17111) a corporation of this Commonwealth for the approval of a change in the membership of the limited liability corporation from Dilip K. Sharma to Mustafa Nuur. Upon completion of the change of membership, Mustafa Nuur will be the sole member of the limited liability corporation. *Attorney:* Salvatore P. Sciacca, Esquire, Saxton & Stump, 4250 Crums Mill Road, Harrisburg, PA 17112.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1747. Filed for public inspection December 15, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Service of Notice of Motor Carrier Formal Complaints

Formal complaints have been issued by the Pennsylvania Public Utility Commission. Answers must be filed in accordance with 52 Pa. Code (relating to public utilities). Answers are due January 2, 2024, and must be made with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy to the First Deputy Chief Prosecutor, Pennsylvania Public Utility Commission.

Pennsylvania Public Utility Commission; Bureau of Investigation and Enforcement v. Ceva Logistics U.S., Inc.; Doc. No. C-2023-3042892

COMPLAINT

The Pennsylvania Public Utility Commission (Commission) is a duly constituted agency of the Commonwealth of Pennsylvania empowered to regulate public utilities within the Commonwealth. The Commission has delegated its authority to initiate proceedings which are prosecutory in nature to the Bureau of Investigation and Enforcement and other bureaus with enforcement responsibilities. Pursuant to that delegated authority and Section 701 of the Public Utility Code, the Bureau of Investigation and Enforcement hereby represents as follows:

1. That Ceva Logistics U.S., Inc., Respondent, maintains its principal place of business at 15350 Vickery, Houston, TX 77032.

2. That respondent was issued a Certificate of Public Convenience by this Commission on February 12, 2004, at A-00116944 authorizing Respondent to transport, as a motor common carrier, property, excluding household goods in use, between points in Pennsylvania for compensation, at PUC No. 704460.

3. On September 8, 2023, a Driver/Vehicle Compliance Report was completed by PA PUC Enforcement Officer Vincent Gentile roadside at Mill Street, New Castle, Lawrence County, PA. Officer Gentile inspected a 2015 International Truck, PA registration number ZNY8878, transporting freight for compensation from New Castle, Lawrence County, PA to Oakdale, Allegheny County, PA.

4. Officer Gentile found through PUC information that the carrier does have PUC authority but the driver, Thomas Dunlap failed to have a lease agreement on board when requested by the Officer.

5. That Respondent, by transporting property between points in Pennsylvania for compensation while not possessing the lease agreement on board the vehicle, violated the Public Utility Code, 52 Pa. Code 31.32(c)(2)(Vi). The penalty for this violation is \$50.00.

Wherefore, the Bureau of Investigation and Enforcement hereby requests that the Commission fine the Respondent, Ceva Logistics U.S., Inc. Transport, Inc., the penalty of fifty dollars (\$50.00) for the illegal activity described in this Complaint and order such other remedy as the Commission may deem to be appropriate.

Respectfully submitted,
Andrew Turriziani, Chief
Bureau of Investigation and Enforcement
Motor Carrier Enforcement Division
400 North Street
Harrisburg, PA 17120

VERIFICATION

I, Andrew Turriziani, hereby state that the facts above set forth are true and correct to the best of my knowledge, information, and belief and that I expect that the Bureau will be able to prove same at any hearing held in this matter. I understand that the statements herein are made subject to the penalties of 18 Pa.C.S. § 4904 relating to unsworn falsification to authorities.

Date: October 26, 2023

Andrew Turriziani, Chief
Motor Carrier Enforcement
Bureau of Investigation and Enforcement

NOTICE

A. You must file an Answer within twenty (20) days of the date of service of this Complaint. The date of service is the mailing date as indicated at the top of the Secretarial Cover Letter for this Complaint and Notice, 52 Pa. Code § 1.56(a). An Answer is a written explanation of circumstances wished to be considered in determining the outcome. The Answer shall raise all factual and legal arguments that you wish to claim in your defense and must include the reference number of this Complaint. Your Answer must be verified, and the original shall be mailed to:

Rosemary Chiavetta, Secretary
Pennsylvania Public Utility Commission
400 North Street, 2nd Floor
Harrisburg, PA 17120

Or you may eFile your Answer using the Commission's website at www.puc.pa.gov. The link to eFiling is located under the Filing & Resources tab on the homepage. If your Answer is 250 pages or less, you are not required to file a paper copy. If your Answer exceeds 250 pages, you must file a paper copy with the Secretary's Bureau.

Additionally, a copy should either be mailed to:

Bureau of Investigation and Enforcement
Pennsylvania Public Utility Commission
400 North Street, 3rd Floor
Harrisburg, PA 17120

Or, e-mailed to: RA-PCCmplntResp@pa.gov

B. If you fail to answer this complaint within twenty (20) days, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty. The penalty could include a fine, the suspension or revocation of your certificate of public convenience or other remedy.

C. You may elect not to contest this complaint by paying the fine proposed in this Complaint by certified check or money order. Payment must be made to the Commonwealth of Pennsylvania and should be forwarded to:

Rosemary Chiavetta, Secretary
 Pennsylvania Public Utility Commission
 400 North Street Harrisburg, PA 17120

D. Your payment is an admission that you committed the alleged violation and an agreement to cease and desist from further violations. Upon receipt of your payment, the complaint proceedings shall be closed.

E. If you file an Answer, which admits or fails to deny the allegations of the Complaint, the Bureau of Investigation and Enforcement will request that the Commission issue a Secretarial Letter imposing a penalty.

F. If you file an Answer which contests the Complaint, the matter will be assigned to an Administrative Law Judge for hearing and decision. The judge is not bound by the optional fine set forth above.

G. Alternative formats of this material are available for persons with disabilities by contacting the Commission's ADA Coordinator at 717-787-8714.

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1748. Filed for public inspection December 15, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Tariff Supplement

R-2023-3043673. PECO Energy Company. Filing of PECO Energy Company for approval of a tariff supplement.

Formal complaints must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Tuesday, January 9, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the company. The documents filed in support of the filing are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the company's address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery or through the Commission's Sharepoint.

Applicant: PECO Energy Company

Through: Richard G. Webster, Jr., 2301 Market Street, S15, Philadelphia, PA 19103, dick.webster@peco-energy.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1749. Filed for public inspection December 15, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Tariff Supplement

R-2023-3043674. PECO Energy Company. Filing of PECO Energy Company for approval of a tariff supplement.

Formal complaints must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Tuesday, January 9, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the company. The documents filed in support of the filing are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the company's address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery or through the Commission's Sharepoint.

Applicant: PECO Energy Company

Through: Richard G. Webster, Jr., 2301 Market Street, S15, Philadelphia, PA 19103, dick.webster@peco-energy.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1750. Filed for public inspection December 15, 2023, 9:00 a.m.]

PENNSYLVANIA PUBLIC UTILITY COMMISSION

Tariff Supplement

R-2023-3043675. PECO Energy Company. Filing of PECO Energy Company for approval of a tariff supplement.

Formal complaints must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Tuesday, January 9, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, or on the Pennsylvania Public Utility Commission's (Commission) web site at www.puc.pa.gov, with a copy served on the company. The documents filed in support of the filing are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Commission's web site at www.puc.pa.gov and at the company's address. If a filing contains confidential or proprietary material, the filing is required to be submitted by overnight delivery or through the Commission's Sharepoint.

Applicant: PECO Energy Company

Through: Richard G. Webster, Jr., 2301 Market Street, S15, Philadelphia, PA 19103, dick.webster@peco-energy.com

ROSEMARY CHIAVETTA,
Secretary

[Pa.B. Doc. No. 23-1751. Filed for public inspection December 15, 2023, 9:00 a.m.]