

# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending December 12, 2023.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmsnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

No activity.

#### CREDIT UNIONS

No activity.

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
12-12-2023	Bank of Bird-in-Hand Bird-in-Hand Lancaster County	5414 Route 25 Suite 101 Lykens Dauphin County	Approved

#### CREDIT UNIONS

No activity.

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 23-1762. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater;

stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section Category*

I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.

DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.

DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.

DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
5523801	Joint DEP/PFBC Pesticides Permit	New	Plank James P.O. Box 1 Beavertown, PA 17813-0001	Spring Township Snyder County	NCRO
1003404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Amendment	H & H Properties Investments LLC 211 Lincoln Highway Fairless Hills, PA 19030-1101	Lancaster Township Butler County	NWRO
4311401	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Jones Estates Scenic View PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-5798	Pymatuning Township Mercer County	NWRO
PAG032417	PAG-03 NPDES General Permit for Industrial Stormwater	New	Fullerton Terminals LLC 900 S Eisenhower Boulevard Middletown, PA 17057-5503	Whitehall Township Lehigh County	NERO
PAG034073	PAG-03 NPDES General Permit for Industrial Stormwater	New	Keystone Sheets LLC 1465 Nitterhouse Drive Chambersburg, PA 17201-4825	Chambersburg Borough Franklin County	SCRO
PAG036569	PAG-03 NPDES General Permit for Industrial Stormwater	New	Accutrex Products Inc. 112 Southpointe Boulevard Canonsburg, PA 15317-9559	Cecil Township Washington County	SWRO
PAG036570	PAG-03 NPDES General Permit for Industrial Stormwater	New	Accutrex Products Inc. 112 Southpointe Boulevard Canonsburg, PA 15317-9559	Chartiers Township Washington County	SWRO
PAG036571	PAG-03 NPDES General Permit for Industrial Stormwater	New	Berwind Coal Sales Co. 509 15th Street Windber, PA 15963-1658	Shade Township Somerset County	SWRO
PAG038560	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Sintermet LLC 222 N Prk Drive W Hills Ind Prk Kittanning, PA 16201	East Franklin Township Armstrong County	NWRO
PAG043975	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Cheryl Mishler & Gerald Mishler 1040 Manada Bottom Road Harrisburg, PA 17112-8824	East Hanover Township Dauphin County	SCRO

## NOTICES

7943

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG046473	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Yakelis Joseph & Lisa 1504 State Route 18 Aliquippa, PA 15001-5996	Raccoon Township Beaver County	SWRO
PAG048989	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Montini Daniel 969 Buxton Road Titusville, PA 16354-8123	Cherrytree Township Venango County	NWRO
PAG049430	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Girting Stephen 140 Dehaven Road Beaver Falls, PA 15010-9712	Pittsfield Township Warren County	NWRO
PAG123597	PAG-12 NPDES General Permit for CAFOs	Renewal	Martin Daryl L 204 Farmers Drive Myerstown, PA 17067-1631	Bethel Township Lebanon County	SCRO
PAG123719	PAG-12 NPDES General Permit for CAFOs	Renewal	Sensenig Lamar 114 Huckleberry Road Jonestown, PA 17038	Union Township Lebanon County	SCRO
PAG123756	PAG-12 NPDES General Permit for CAFOs	Renewal	Farm Fresh Egg Products LLC 101 W Harrisburg Avenue P.O. Box 26 Rheems, PA 17570	Rapho Township Lancaster County	SCRO
PAG123773	PAG-12 NPDES General Permit for CAFOs	Renewal	Clinton J Burkholder 3099 Grand Point Road Chambersburg, PA 17202-8185	Greene Township Franklin County	SCRO
PAG123779	PAG-12 NPDES General Permit for CAFOs	Renewal	Zimmerman Justin L 201 Bartho Drive Landisburg, PA 17040-9228	Tyrone Township Perry County	SCRO
PAG123812	PAG-12 NPDES General Permit for CAFOs	Renewal	Jobo Holstein Farm LLC 200 Tall Oaks Road Gettysburg, PA 17325-7844	Mount Pleasant Township Adams County	SCRO
PAG123826	PAG-12 NPDES General Permit for CAFOs	Renewal	Weaver Garrett 1501 Eshelman Mill Road Willow Street, PA 17584-9550	West Lampeter Township Lancaster County	SCRO
PAG123849	PAG-12 NPDES General Permit for CAFOs	Renewal	Herbrucks of PA LLC 6425 West Grand River Avenue Saranac, MI 48881-9669	Montgomery Township Franklin County	SCRO
PAG123850	PAG-12 NPDES General Permit for CAFOs	Renewal	Martin A Keith 1111 Forest Hill Road Stevens, PA 17578-9680	Clay Township Lancaster County	SCRO
PAG123930	PAG-12 NPDES General Permit for CAFOs	Renewal	Wanners Pride N Joy Farm LLC 5800 Wanner Road Narvon, PA 17555-9646	Salisbury Township Lancaster County	SCRO
PAG124803	PAG-12 NPDES General Permit for CAFOs	Renewal	BDS Farms LLC 282 Troup Road Beaver Springs, PA 17812-9249	Spring Township Snyder County	SCRO
0200408	Pump Stations Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0200414	Pump Stations Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
3623405	Pump Stations Individual WQM Permit	New	Sadsbury Township Muni Auth 7182 White Oak Lane Christiana, PA 17509-9528	Sadsbury Township Lancaster County	SCRO
3623406	Pump Stations Individual WQM Permit	New	Sadsbury Township Mun Auth 7182 White Oak Lane Christiana, PA 17509-9528	Sadsbury Township Lancaster County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
466S18	Pump Stations Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority Allegheny County 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
6723407	Pump Stations Individual WQM Permit	New	PA American Water Co 852 Wesley Drive Mechanicsburg, PA 17055-4436	Fairview Township York County	SCRO
6723408	Pump Stations Individual WQM Permit	New	Dallastown Boro 175 E Broad Street Dallastown, PA 17313-1839	Dallastown Borough York County	SCRO
8512-S	Pump Stations Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9473-S	Pump Stations Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0270478	Sewer Extensions Individual WQM Permit	Amendment	Peters Creek Sanitary Authority 3502 Lincoln Avenue, Finleyville, PA 15332	Peters Township Washington County	SWRO
0271418	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0272421	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0274411	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0274435	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority Allegheny County 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
0299402	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
462S110	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
464S025	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
466S058	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
468S074	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO

## NOTICES

7945

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
8250-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
8270-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
8326	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
8335-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
8454-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
8601-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
8772-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9152-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9229-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9347-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9664-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9721-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9884-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9915-S	Sewer Extensions Individual WQM Permit	Amendment	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
1923401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Ruth Provine and Robert & Nicole Crabb 637 Fowlersville Road Bloomsburg, PA 17815-6969	North Centre Township Columbia County	NCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
6217407	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Lifestyle Support Service Inc. 201 W High Street Suite 1 Ebensburg, PA 15931-1590	Conewango Township Warren County	NWRO
WQG01042301	WQG-01 WQM General Permit	New	Yakelis Joseph & Lisa 1504 State Route 18 Aliquippa, PA 15001-5996	Raccoon Township Beaver County	SWRO
WQG018601	WQG-01 WQM General Permit	Transfer	Montini Daniel 969 Buxton Road Titusville, PA 16354-8123	Cherrytree Township Venango County	NWRO
WQG018619	WQG-01 WQM General Permit	Transfer	Girting Stephen 140 Dehaven Road Beaver Falls, PA 15010-9712	Pittsfield Township Warren County	NWRO

## II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.

### *Southcentral Regional Office*

**PA0044261**, Sewage, SIC Code 4952, **PA DCNR Facility Design & Const Bureau**, 205 Canoe Creek Road, Hollidaysburg, PA 16648-8444. Facility Name: Canoe Creek State Park. This existing facility is located in Frankstown Township, **Blair County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), New Creek (HQ-CWF), is located in State Water Plan watershed 11-A and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Avg Qrtly Report	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX
Total Phosphorus	Avg Qrtly Report	XXX	XXX	Avg Qrtly Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Lead, Total (ug/L)	XXX	XXX	XXX	Report Semi Avg	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>			<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>	<i>Minimum</i>	<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	15.0	24.0	30
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Weekly Average	
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Total Suspended Solids	XXX	XXX	XXX	15.0	24.0	30
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	6

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0084417**, Sewage, SIC Code 4952, **Quad B Enterprises LLC**, P.O. Box 487, Shermans Dale, PA 17090-0487. Facility Name: Village Square Plaza Mall. This existing facility is located in Carroll Township, **Perry County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Unnamed Tributary to Sherman Creek (WWF, MF), is located in State Water Plan watershed 7-A and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Nitrogen (Total Load, lbs)	Report	XXX	XXX	Report	XXX	XXX
(lbs)	Annl Avg			Annl Avg		
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Annl Avg	XXX	XXX
Total Phosphorus (Total Load, lbs)	Report	XXX	XXX	Report	XXX	XXX
(lbs)	Annl Avg			Annl Avg		

The proposed effluent limits for Outfall 001 are based on a design flow of .03 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		DailyMax				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
			5.0			
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ammonia-Nitrogen	XXX	XXX	XXX	11	XXX	22
May 1 - Oct 31						

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.



*Southcentral Regional Office*

**PA0087530**, Sewage, SIC Code 6514, **McAnulty Paul**, 3651 Waggoners Gap Road, Carlisle, PA 17015-9540. Facility Name: McAnulty Res. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary of Conodoguinet Creek (WWF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly</i>		<i>Annual</i>	<i>Maximum Monthly</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	Annl Avg XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0088609**, Sewage, SIC Code 4952, **Broad Top Township, Bedford County**, 124 Hitchens Road, Defiance, PA 16633-9002. Facility Name: Six Mile Run STP. This existing facility is located in Broad Top Township, **Bedford County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Sixmile Run (WWF), is located in State Water Plan watershed 11-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0833 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX
Ammonia-Nitrogen	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX
Total Kjeldahl Nitrogen	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX
Total Phosphorus	Semi Avg Report	XXX	XXX	Semi Avg Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0833 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	17	27	Inst Min XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	20	31	XXX	30	45	60

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	Report	Geo Mean XXX	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of .0833 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	Report Daily Max	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0247570**, Sewage, SIC Code 4952, **Fredericksburg S&W Authority Lebanon Co.**, 113 East Main Street, Fredericksburg, PA 17026-0161. Facility Name: Fredericksburg Authority Camp Strauss Monroe Valley. This existing facility is located in Swatara Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Swatara Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	20	33	XXX	25	40	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	25	37	XXX	30	45	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light Intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	Geo Mean XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	18	XXX	XXX	21.5	XXX	43
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .1 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Nitrate-Nitrite as N	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report Daily Max	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, Approval contingencies, Proper waste/solids management, Restriction on receipt of hauled in waste under certain conditions, SBR discharge condition and Chlorine minimization requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southcentral Regional Office

**PA0261670**, Sewage, SIC Code 4952, **Fredericksburg S&W Authority**, P.O. Box 161, Fredericksburg, PA 17026-0161. Facility Name: Fredericksburg Little Swatara STP. This existing facility is located in Bethel Township, **Lebanon County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Little Swatara Creek (WWF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .65 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Daily Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0 Inst Min	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	136	217	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	163	244	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report Daily Max	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light Intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	XXX	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	73	XXX	XXX	13.5	XXX	27
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus	11.0	XXX	XXX	2.0	XXX	4
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Zinc, Total	Report	XXX	XXX	Report	XXX	XXX
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania's Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Nitrogen (Total Load, lbs) (lbs) Effluent Net	XXX	7,306 Total	XXX	XXX	XXX	XXX
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs) Effluent Net	XXX	974 Total Annual	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department's Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

In addition, the permit contains the following major special conditions:

- Stormwater prohibition, Approval contingencies, Proper waste/solids management, Restriction on receipt of hauled in waste under certain conditions, SBR discharge condition and Chlorine minimization requirement.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is not in effect.

*Southcentral Regional Office*

**PA0261793**, Sewage, SIC Code 6514, **Laura Lee Kauffman & William S. Kauffman**, 110 Union Hall Road, Carlisle, PA 17013-8391. Facility Name: Kauffman Res. This existing facility is located in North Middleton Township, **Cumberland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Conodoguinet Creek (WWF), is located in State Water Plan watershed 7-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0005 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Annual Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report Annl Avg	XXX	XXX	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20.0
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0046302**, Industrial, SIC Code 4941, **PA American Water Company**, 200 East Canal Street, Hummelstown, PA 17036. Facility Name: PA American Water Hershey. This existing facility is located in South Hanover Township, **Dauphin County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Manada Creek (WWF, MF) and Swatara Creek (WWF, MF), is located in State Water Plan watershed 7-D and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Total Suspended Solids	Report	Report	XXX	30	60	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfalls 001 and 002 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Nitrate-Nitrite as N	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	Report Annl Avg	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report Annl Avg	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of .2 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.37	XXX	1.22
Total Suspended Solids	Report	Report	XXX	30	60	75
Aluminum, Total	Report	Report	XXX	4.0	8.0	10
Iron, Total	Report	Report	XXX	2.0	4.0	5
Manganese, Total	Report	Report	XXX	1.0	2.0	2.5

The proposed effluent limits for Outfall 003 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	XXX	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
			Daily Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	Daily Max Report Daily Max	XXX

In addition, the permit contains the following major special conditions:

- Approval contingencies
- Proper waste/solids management
- Collected screenings, slurries, sludges, and solids management
- Chlorine minimization condition
- Requirement during cleaning of lagoons

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0084450**, Industrial, SIC Code 4952, 9711, **Raven Rock Mountain Complex**, 1155 Defense Pentagon, Washington, DC 20301-1155. Facility Name: Raven Rock Mountain Complex. This existing facility is located in Liberty Township, **Adams County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Miney Branch (CWF) and Miney Branch (CWF), is located in State Water Plan watershed 13-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.051 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	XXX	XXX	110	XXX
Dec 1 - May 31					Daily Max	
Jun 1 - 30	XXX	XXX	XXX	XXX	94	XXX
Jul 1 - 31	XXX	XXX	XXX	XXX	Daily Max 86	XXX
Aug 1 - 31	XXX	XXX	XXX	XXX	Daily Max 82	XXX
Sep 1 - 30	XXX	XXX	XXX	XXX	Daily Max 71	XXX
Oct 1 - Nov 30	XXX	XXX	XXX	XXX	Daily Max 65	XXX
Oil and Grease	XXX	XXX	XXX	15.0	Daily Max XXX	30.0

The proposed effluent limits for Outfall 003 are based on a design flow of 0.12 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
CBOD <sub>5</sub>	XXX	XXX	XXX	25	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30	XXX	60
Ultraviolet light intensity (mW/cm <sup>2</sup> )	XXX	XXX	Report	XXX	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
May 1 - Sep 30				Geo Mean		
Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ammonia-Nitrogen	XXX	XXX	XXX	3.0	XXX	6
May 1 - Oct 31						
Nov 1 - Apr 30	XXX	XXX	XXX	9.0	XXX	18
Oil and Grease	XXX	XXX	XXX	15.0	XXX	30

The limitations and monitoring requirements specified for the following Outfall 003 are proposed for the draft permit, to comply with Pennsylvania's Chesapeake Bay Tributary Strategy.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Monthly</i>	<i>Concentrations (mg/L)</i>		<i>Instant. Maximum</i>
	<i>Monthly</i>	<i>Annual</i>		<i>Monthly Average</i>	<i>Maximum</i>	
Ammonia—N	Report	Report	XXX	Report	XXX	XXX
Kjeldahl—N	Report	XXX	XXX	Report	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	Report	XXX	Report	XXX	XXX
Total Phosphorus	Report	Report	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 005 are based on a design flow of 0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Total Recoverable Petroleum Hydrocarbons	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- For Outfalls 001, 004, and 005: Stormwater BMPs and petroleum marketing terminals
- For Outfall 002: Temperature 2-degree hourly change, no net addition of pollutants for NCCW, no PCBs may be discharged, cooling tower maintenance chemicals, chemical additives, and industrial stormwater requirements
- For Outfall 003: Chesapeake Bay nutrients monitoring requirements, solids management for non-lagoon system, notification of designation of responsible operator, and chemical additives

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0084638**, Industrial, SIC Code 4941, 4952, **Boyertown Borough**, 100 S. Washington Street, Boyertown, PA 19512-1521. Facility Name: Boyertown Borough Water System. This existing facility is located in Earl Township, **Berks County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to Ironstone Creek (CWF (existing use)), is located in State Water Plan watershed 3-D and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.04 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.3	XXX	0.9
Total Suspended Solids	10.0	20.0	XXX	30.0	60.0	75.0
Aluminum, Total	0.4	0.7	XXX	1.3	2.1	3.3
Iron, Total	0.7	1.3	XXX	2.0	4.0	5.0
Manganese, Total	0.3	0.7	XXX	1.0	2.0	2.5

In addition, the permit contains the following major special conditions:

- Provisions to take when cleaning the sedimentation basin

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PA0087718**, Industrial, SIC Code 2421, **Crystal Spring Hardwood Inc.**, 345 S. Valley Road, Crystal Spring, PA 15536-0034. Facility Name: Crystal Spring Hardwood. This existing facility is located in Brush Creek Township, **Fulton County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Little Brush Creek (HQ-CWF), is located in State Water Plan watershed 11-C and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0001 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	Report	XXX	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Iron, Total	XXX	XXX	XXX	XXX	XXX	Report

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

*Southcentral Regional Office*

**PAI133519, MS4, East Earl Township, Lancaster County**, 4610 Division Highway, East Earl, PA 17519.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in East Earl Township, **Lancaster County**. The receiving stream(s), Cedar Creek (WWF, MF), Muddy Creek (TSF, MF), Black Creek (HQ-WWF, MF), Unnamed Tributary to Black Creek (HQ-WWF, MF), Mill Creek (CWF, MF), and Shirks Run (WWF, MF), is located in State Water Plan watershed 7-J and is classified for Trout Stocking, Migratory Fishes, Warm Water Fishes, and Cold Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

*Southcentral Regional Office*

**PAI133531, MS4, Greene Township, Franklin County**, 1145 Garver Lane, Chambersburg, PA 17202-7487.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Greene Township, **Franklin County**. The receiving stream(s), Phillaman Run (CWF, MF), Unnamed Tributary to Phillaman Run (CWF, MF), Cold Spring Run (HQ-CWF, MF), Mountain Run (CWF, MF), Stump Run (CWF, MF), Unnamed Tributary to Conococheague Creek (CWF, MF), and Conococheague Creek (WWF, MF), is located in State Water Plan watershed 13-C and is classified for High Quality—Cold Water, Migratory Fish, Cold Water Fishes, Migratory Fishes, and Warm Water Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

*Southeast Regional Office*

**PA0026603 A-1**, Sewage, SIC Code 4952, **Borough of Ambler**, 131 Rosemary Avenue, Ambler, PA 19002-4476. Facility Name: Ambler WWTP. This existing facility is located in Ambler Borough, **Montgomery County**.

Description of Existing Activity: The application is for a NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Wissahickon Creek (TSF, MF), is located in State Water Plan watershed 3-F and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.



The proposed effluent limits for Outfall 001 are based on a design flow of 6.5 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Nov 1 - Apr 30	791.5	1,187.2	XXX	14.6	21.9	29.2
May 1 - Oct 31	395.7	593.6	XXX	7.3	10.95	14.6
Total Suspended Solids	1,626	2,439	XXX	30.0	45.0	60
Ammonia-Nitrogen Nov 1 - Apr 30	244	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	81	XXX	XXX	1.5	XXX	3
Orthophosphate Nov 1 - Mar 31	216.8	XXX	XXX	4.0	XXX	8
Apr 1 - Oct 31	54.2	XXX	XXX	1.0	XXX	2
Aluminum, Total	83.3	83.3	XXX	1.538	1.538	1.538
					Daily Max	

The proposed effluent limits for Outfall 001 are based on a design flow of 7.7 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Aluminum, Total	98.7	98.7	XXX	1.538	1.538	1.538
		Wkly Avg			Wkly Avg	

The proposed effluent limits for Outfall 001 are based on a design flow of 6.5 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Cyanide, Free (ug/L)	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX
Thallium, Total (ug/L)	XXX	XXX	XXX	Report Avg Qrtly	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 7.7 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Aluminum, Total	48.2	48.2	XXX	0.75	0.75	0.75
		Wkly Avg			Wkly Avg	

The proposed effluent limits for Outfall 001 are based on a design flow of 7.7 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Cyanide, Free (ug/L)	XXX	XXX	XXX	5.31 Avg Qrtly	XXX	13.3
Thallium, Total (ug/L)	XXX	XXX	XXX	0.32 Avg Qrtly	XXX	0.8

The proposed effluent limits for Outfall 001 are based on a design flow of 7.7 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> ) Nov 1 - Apr 30	937.6	1,406.4	XXX	14.6	21.9	29.2
May 1 - Oct 31	468.8	703.2	XXX	7.3	10.95	14.6
Total Suspended Solids	1,926.5	2,889.8	XXX	30.0	45.0	60
Ammonia-Nitrogen Nov 1 - Apr 30	289	XXX	XXX	4.5	XXX	9
May 1 - Oct 31	96.3	XXX	XXX	1.5	XXX	3
Total Phosphorus Orthophosphate	128.44	XXX	XXX	2.0	XXX	XXX
Apr 1 - Oct 31	64.22	XXX	XXX	1.0	XXX	2

The proposed effluent limits for Outfall 001 are based on a design flow of 6.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report Daily Max	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	7.0	XXX	XXX	XXX
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200 Geo Mean	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX
Nitrate-Nitrite as N	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	Report Wkly Avg	XXX
Hardness, Total (as CaCO <sub>3</sub> )	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 6.5 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instantaneous Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Dissolved Solids	XXX	XXX	XXX	1,000.0 Avg Qrtly	XXX	2,500
Antimony, Total (ug/L)	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Toxicity, Chronic - Ceriodaphnia Survival (TUc)	XXX	XXX	XXX	Avg Qrtly XXX	Report	XXX
Toxicity, Chronic - Ceriodaphnia Reproduction (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Survival (TUc)	XXX	XXX	XXX	XXX	Report	XXX
Toxicity, Chronic - Pimephales Growth (TUc)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Dissolved	XXX	XXX	XXX	XXX	Report	XXX

In addition, the permit contains the following major special conditions:

- Use of chlorine as back-up disinfection
- Notification of designation of responsible operator
- Development and implementation of O&M plan
- Continue with and update High Flow Management Plan
- Hauled-in waste restriction
- DRBC seasonal fecal coliform

- Schedule of compliance
- POTW pretreatment program implementation
- Solids management for non-lagoon system
- SCS for total copper
- SCS for total aluminum
- WQBEL for toxic pollutants
- WETT without limits
- Requirements applicable to stormwater outfalls
- Permit re-opener clause for total thallium and total antimony

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southeast Regional Office*

**PA0030023**, Sewage, SIC Code 4952, **Bryn Athyn Borough**, P.O. Box 683, Bryn Athyn, PA 19009. Facility Name: Academy of The New Church STP. This existing facility is located in Bryn Athyn Borough, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Huntingdon Valley Creek (TSF, MF), is located in State Water Plan watershed 3-J and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.065 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	Report	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.2	XXX	0.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	7.37	11.6	XXX	13.6	20.4	27.2
Nov 1 - Apr 30						
May 1 - Oct 31	3.69	5.53	XXX	6.8	10.2	13.6
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	5.4	8.1	XXX	10	15	20
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	1,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Nitrate-Nitrite as N	5.4	XXX	XXX	10	XXX	20
Total Nitrogen	Report	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	2.98	XXX	XXX	4.5	XXX	9
Nov 1 - Apr 30						
May 1 - Oct 31	0.81	XXX	XXX	1.5	XXX	3
Total Phosphorus	Report	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- No stormwater shall be directly admitted directly into sanitary sewers
- Proper disposal of screenings, slurries, sludges and other solids
- Permittee shall optimize chlorine dosages used for disinfection
- Notification of designation of responsible operator
- Permittee shall develop operations & maintenance (O & M) plan
- Fecal coliform seasonal monitoring

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0021148**, Sewage, SIC Code 4952, **Municipal Authority of Westmoreland County**, 124 Park and Pool Road, New Stanton, PA 15672. Facility Name: Mt Pleasant Borough STP. This existing facility is located in Mount Pleasant Borough, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Shupe Run (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Cyanide, Free (ug/L)	Report	Report	XXX	Report	Report	XXX
Benzo(k)Fluoranthene (ug/L)	Report	Report	XXX	Report	Report	XXX
Dichlorobromomethane (ug/L)	Report	Report	XXX	Report	Report	XXX
Bis(2-Ethylhexyl)Phthalate (ug/L)	Report	Report	XXX	Report	Report	XXX
Chloroform (ug/L)	Report	Report	XXX	Report	Report	XXX
Indeno(1,2,3-cd)Pyrene (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Maximum	
	Monthly	Weekly		Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.03	XXX	0.10

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Average	Minimum	Average	Maximum	
	Monthly	Weekly		Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.011	XXX	0.035

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Daily	Minimum	Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Copper, Total (ug/L)	0.12	0.18	XXX	9.46	14.2	14.2
Cyanide, Free (ug/L)	0.051	0.079	XXX	4.06	6.33	10.1
Benzo(k)Fluoranthene (ug/L)	0.0001	0.0002	XXX	0.012	0.018	0.029
Dichlorobromomethane (ug/L)	0.014	0.021	XXX	5.78	9.02	14.4
Bis(2-Ethylhexyl)Phthalate (ug/L)	0.005	0.007	XXX	0.37	0.58	0.93
Chloroform (ug/L)	0.072	0.11	XXX	5.78	9.02	14.4
Indeno(1,2,3-cd)Pyrene (ug/L)	0.00001	0.00002	XXX	0.001	0.002	0.003

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average	Weekly	Minimum	Average	Weekly	
	Monthly	Average		Monthly	Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 5.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	220.0	335.0	XXX	17.0	27.0	36
Nov 1 - Apr 30						
May 1 - Oct 31	125.0	185.0	XXX	10.0	15.0	20
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	310.0	475.0	XXX	25.0	38.0	50

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Total Suspended Solids Raw Sewage Influent	Report	Report	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ammonia-Nitrogen	40.0	XXX	XXX	3.2	4.8	6.4
Nov 1 - Apr 30						
May 1 - Oct 31	23.9	XXX	XXX	1.91	3.82	XXX
Iron, Dissolved (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
		Daily Max			Daily Max	
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
					Daily Max	

Following major conditions have been added to the permit:

- A compliance schedule for total residual chlorine in Part C.VIII.A
- A compliance schedule for total copper, free cyanide, chloroform, dichlorobromomethane, benzo(k) fluoranthene, bis(2-Ethylhexyl) phthalate, and indeno(1,2,3-cd) pyrene in Part C. V.C

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is not in effect.

*Southwest Regional Office*

**PA0217948**, Industrial, SIC Code 4941, **Highridge Water Authority**, 17 Maple Avenue, Blairsville, PA 15717-1232. Facility Name: Sugar Run Water Treatment Plant. This existing facility is located in Saint Clair Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream, Tributary 44984 to Conemaugh River (CWF), is located in State Water Plan watershed 18-D and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
			Inst Min			
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.123	0.288	XXX
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX
Antimony, Total (ug/L)	XXX	XXX	XXX	8.65	13.5	XXX
Arsenic, Total (ug/L)	XXX	XXX	XXX	15.4	24.1	XXX
Cadmium, Total (ug/L)	XXX	XXX	XXX	Report	Report	XXX
Cobalt, Total (ug/L)	XXX	XXX	XXX	29.3	45.8	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
Selenium, Total (ug/L)	XXX	XXX	XXX	7.71	12.0	XXX
Thallium, Total (ug/L)	XXX	XXX	XXX	0.37	0.58	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
		Daily Max				
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	0.02	XXX
Aluminum, Total	XXX	XXX	XXX	0.75	0.75	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0218073**, Industrial, SIC Code 1389, **Apollo Resources LLC**, 150 North Avenue, Yatesboro, PA 16263. Facility Name: Scottsdale Treatment Facility. This existing facility is located in East Huntingdon Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Jacobs Creek (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.16 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum		Average Monthly	Daily Maximum	
Flow (MGD)	Report	0.16	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Total Suspended Solids	XXX	XXX	XXX	30.0	60.0	XXX
Total Dissolved Solids	Report	Report	XXX	Report	Report	XXX
Osmotic Pressure (mOs/kg)	XXX	XXX	XXX	Report	Report	XXX
Oil and Grease	XXX	XXX	XXX	15	30	XXX
Acidity, Total (as CaCO <sub>3</sub> )	XXX	XXX	XXX	Report	Report	XXX
Alkalinity, Total (as CaCO <sub>3</sub> )	XXX	XXX	XXX	Report	Report	XXX
Alkalinity, Total (as CaCO <sub>3</sub> )	XXX	XXX	0.0	XXX	XXX	XXX
Effluent Net						
Iron, Dissolved	XXX	XXX	XXX	Report	Report	XXX
Iron, Total	XXX	XXX	XXX	3.5	7.0	XXX
Selenium, Total	XXX	XXX	XXX	Report	Report	XXX
Sulfate, Total	XXX	XXX	XXX	Report	Report	XXX
Chloride	XXX	XXX	XXX	Report	Report	XXX
Bromide	XXX	XXX	XXX	Report	Report	XXX

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

*Northeast Regional Office*

Applicant: **Rising Light Ridge, LLC**

Applicant Address: 588 Railroad Lane, Bear Creek Township, PA 18602

Application Number: **PAD400059 A-1**

Application Type: Major Amendment

Municipality/County: Bear Creek Township, **Luzerne County**

Project Site Name: Rising Light Ridge

Total Earth Disturbance Area (acres): 87.34 acres

Surface Waters Receiving Stormwater Discharges: Bear Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Rising Light Ridge will be constructing a learning, recreational, and ministry camps with associated infrastructure.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Air Products and Chemicals, Inc., c/o Patrick Garay**

Applicant Address: 1940 Air Products Boulevard, Allentown, PA 18106

Application Number: **PAD390271 A-1**

Application Type: Renewal and Major Amendment

Municipality/County: Upper Macungie Township, **Lehigh County**

Project Site Name: Redevelopment of Cetronia Road Site

Total Earth Disturbance Area (acres): 198.0 acres

Surface Waters Receiving Stormwater Discharges: UNT to Little Lehigh Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The redevelopment of an existing industrial campus. The proposed development will consist of 3 warehouses, including the construction of water line, sanitary sewer, and associated detention and spray irrigation facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Anthracite Scenic Trails Association**

Applicant Address: P.O. Box 212, Dallas, PA 18612

Application Number: **PAD400069**

Application Type: New

Municipality/County: Fairview Township, Hanover Township, Laurel Run Borough, **Luzerne County**

Project Site Name: D&L Trail: Oliver Mills to Mountain Top Section

Total Earth Disturbance Area (acres): 8.25 acres

Surface Waters Receiving Stormwater Discharges: 1. Big Wapwallopen Creek (HQ-CWF, MF); 2. Solomon Creek (HQ-CWF, MF); 3. Pine Creek (CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The Delaware & Lehigh (D&L) National Heritage Corridor, Inc. proposes to reconstruct the existing Mountain Top Trailhead located in the Fairview Township, Luzerne County, PA. Proposed improvements include additional paved parking area, landscaping, and stormwater management facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Cedar Crest College, c/o Kathryn Kresge**

Applicant Address: 100 College Drive, Allentown, PA 18104

Application Number: **PAD390287**

Application Type: New

Municipality/County: City of Allentown, **Lehigh County**

Project Site Name: Proposed Softball Field Relocation

Total Earth Disturbance Area (acres): 3.85 acres

Surface Waters Receiving Stormwater Discharges: UNT to Little Lehigh Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Cedar Crest College is proposing to redevelop their existing softball field located on their campus in City of Allentown, Lehigh County, PA. The proposed softball field redevelopment consists of replacing the existing dirt/grass field with a turf field. The turf field will include the addition of sidewalks, dugouts, an underground stormwater collection system and associated detention basin and spray irrigation facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Pine Hill Milford, LLC**

Applicant Address: 119 West 23rd Street, Suite 206, New York, NY 10011

Application Number: **PAD520014**

Application Type: Renewal

Municipality/County: Westfall Township, **Pike County**

Project Site Name: Pine Hill Farms Open Space & Residential Development

Total Earth Disturbance Area (acres): 42.70 acres

Surface Waters Receiving Stormwater Discharges: Cummins Branch, Crawford Branch, and Unnamed Tributary to the Delaware River are High Quality—Cold Water Fish, Migratory Fish. Deep Brook is Exceptional Value

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Residential development with associated stormwater improvements and appurtenant utilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southeast Regional Office*

Applicant: **P.J. Reilly Contracting Co., Inc.**

Applicant Address: 557 W. Uwchlan Avenue, Suite 220, Exton, PA 19341-3014

Application Number: **PAD150305**

Application Type: New

Municipality/County: Upper Uwchlan Township, **Chester County**

Project Site Name: Proposed Headquarters Building

Total Earth Disturbance Area (acres): 1.48 acres

Surface Waters Receiving Stormwater Discharges: UNT to Marsh Creek (HQ-TSF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project proposes the construction of a new headquarters building for P.J. Reilly Contracting Co., Inc. which includes an office building with garage, parking lots, access drives, associated utilities, and stormwater management facilities.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southeast Regional Office*

Applicant: **City of Philadelphia Department of Aviation (DOA)**

Applicant Address: Planning and Environmental Services, PHL Terminal D, 3rd Floor, Philadelphia, PA 19153

Application Number: **PAD510010 A-8**



Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: PNE Miscellaneous Electrical Work

Total Earth Disturbance Area (acres): 11.62 acres

Surface Waters Receiving Stormwater Discharges: Wooden Bridge Run Creek (TSF-MF) and Waltons Run Creek (WWF-MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Misc. Electrical Amendment (This Submission): Trenching for the installation of proposed electrical utility lines and demolition/installation of electrical struct

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northeast Regional Office*

Applicant: **Geisinger Wyoming Valley Medical Center**

Applicant Address: 100 N. Academy Avenue, Danville, PA 17822-2455

Application Number: **PAD400076**

Application Type: New

Municipality/County: Plains Township, **Luzerne County**

Project Site Name: Geisinger Wyoming Valley Medical Center

Total Earth Disturbance Area (acres): 20.77 acres

Surface Waters Receiving Stormwater Discharges: 1. Mill Creek (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed land development will include the construction of a 100,000 square foot 10-story bed tower addition, off-street parking, and stormwater management facilities. BMPs include existing detention/infiltration basins that will be modified.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Southcentral Regional Office*

Applicant: **150 Birch Hill Industrial Development, LLC**

Applicant Address: 5 Knowles Creek Road, New Hope, PA 18938

Application Number: **PAD060062A-1**

Application Type: Major Amendment

Municipality/County: Perry Township, **Berks County**

Project Site Name: Proposed Distribution Center and Lot Consolidation

Total Earth Disturbance Area (acres): 32.08 acres

Surface Waters Receiving Stormwater Discharges: UNT to Schuylkill River (WWF, MF) and wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed development includes the construction of a 412,500 square foot warehouse building with associated improvements such as parking, landscaping, lighting, new utility services and stormwater management BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **Maiden Creek Associates, L.P.**

Applicant Address: 120 West Germantown Pike, Suite 120, Plymouth Meeting, PA 19462

Application Number: **PAD060076**

Application Type: New

Municipality/County: Maiden creek Township, **Berks County**

Project Site Name: Proposed Warehouse Facility

Total Earth Disturbance Area (acres): 83.7 acres

Surface Waters Receiving Stormwater Discharges: Peters Creek (EV, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construct a 930,000 square foot warehouse building, access roads, associated stormwater facilities, and improvements to Allentown Pike to support the project.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

**STATE CONSERVATION COMMISSION**

**PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38**

**NUTRIENT MANAGEMENT PLANS**

**CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal / New</i>
Ken Loht 199 Road Apple Drive McClure, PA 17841	Mifflin County	0	489.15	Swine	NA	Renewal
Charles and Elanie Craig 99 King Pen Road Nottingham, PA 19362	Lancaster County	354.4	539.99	Dairy	HQ	New

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/New</i>
Noah W Kreider and Sons 1461 Lancaster Road Manheim, PA 17545	Lancaster County	2,200	15,800.42	Dairy Layers Beef	NA	Renewal
Linford Snyder 90 Court Street Bethel, PA 19507	Lebanon County	0	502.4	Layers	NA	New

## PUBLIC WATER SUPPLY PERMITS

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

## OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**300615. Trogon Development LLC**, P.O. Box 1636, Canovanas, PR 00729, Jefferson Hills Borough, **Allegheny County**. The Fern Valley Residual Waste Landfill located in Jefferson Hills Borough, Allegheny County submitted an application for a major permit modification to relocate the leachate pond effluent discharge from an unnamed tributary to discharge directly to the Monon-

gahela River. Application received: September 14, 2023. Deemed administratively complete: November 30, 2023.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in

the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

#### PLAN APPROVALS

##### **Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David G. Balog, P.E., New Source Review Section Chief, 814-332-6328.*

**10-00383B: Boylan Funeral Home and Cremation Services**, 856 Evans City Road, Renfrew, PA 16053, Connoquenessing Township, **Butler County**. Application received: November 27, 2023. For the installation and initial operation of a human crematory at their facility in Connoquenessing Township, Butler County.

##### **Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**14-00045A: GP Cabinets LLC**, 276 Spearing St., Howard, PA 16841, Howard Borough, **Centre County**. Application received: September 1, 2023. For a State Only plan approval application that would authorize the construction of a surface coating operating consisting of four spray booths that apply coatings via HVLP guns. The Department's review of the information submitted indicates that the air contamination sources to be constructed, will comply with all regulatory requirements pertaining to air contamination sources and the emission

of air contaminants including the best available technology requirements (BAT) of 25 Pa. Code §§ 127.1 and 127.12. Based on this finding, the Department proposes to issue a plan approval for the surface coating operation. The emissions from the surface coating operation is being permitted to not exceed the following limits: total VOC, and total HAP emissions from the surface coating operation (including cleanup activities) shall not exceed 7.12 tons and 1.49 tons respectively in any twelve consecutive month period. In addition, each paint booth shall be equipped with panel filters to control the particulate matter overspray. Moreover, the coatings applied in the surface coating operation shall be applied using HVLP guns and must comply with the VOC content limitations specified in 25 Pa. Code § 129.52 for wood furniture manufacturing operations. In addition to the previously listed emission, and other, limitations the other conditions that the Department intends to place in the plan approval for all sources at the facility include: testing, periodic monitoring, recordkeeping, reporting, work practice, and other requirements as necessary to verify compliance in accordance with all applicable regulatory requirements within 25 Pa. Code Chapters 121—145. The facility will be a State Only facility. If the Department determines that the sources are constructed and operated in compliance with the plan approval conditions and the specifications in the application for Plan Approval 14-00045A, the requirements established in the plan approval will be incorporated into a State Only Operating Permit pursuant to 25 Pa. Code Chapter 127, Subchapter F. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

#### OPERATING PERMITS

##### **Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**67-05001, Magnesita Refractories Co.**, 425 South Salem Church Road, York, PA 17408-5955, West Manchester Township, **York County**. Application received: December 20, 2022. Approval of a Reasonably Available Control Technology (RACT) 3 plan for the Magnesita Refractories Co. as a significant modification to its applicable Title V operating permit.

In accordance with 25 Pa. Code §§ 129.111—129.115 (relating to additional RACT requirements for major sources of NO<sub>x</sub> and VOCs for the 2015 ozone NAAQS), the Pennsylvania Department of Environmental Protection (Department, DEP) has made a preliminary determination to approve a RACT 3 plan for the Magnesita Refractories Co. The RACT 3 plan approval, if approved by the Department, will be issued as a significant modification to the facility's Title V operating permit (67-05001).

The RACT 3 Title V significant modification incorporates provisions and requirements for the control of emissions of nitrogen oxides (NO<sub>x</sub>) and/or volatile organic compounds (VOCs). These provisions and requirements are intended to address the Commonwealth's RACT obli-

gations under section 184 of the Clean Air Act for the 1997, 2008 and 2015 8-hour ozone National Ambient Air Quality Standards. The RACT 3 Title V significant modification does not adopt any new regulations. If approved by the Department, this RACT 3 plan approval will be submitted to the United States Environmental Protection Agency (EPA) for approval as a revision to the Commonwealth's State Implementation Plan (SIP). Requirements that are not part of the RACT 3 plan approval will be excluded from the SIP revision submittal.

The following is a summary of the RACT 3 plan approval requirements for this facility that are proposed to be submitted to the EPA as a revision to the Commonwealth's SIP:

This condition constitutes a case-by-case RACT 3 determination for the sources in this group:

A.) The permittee shall retrofit each rotary kiln (Sources 405 and 415) with enhanced air mixing technology for NO<sub>x</sub> reduction and shall thereafter operate and maintain the kilns as thus modified.

B.) The sources in this group shall comply with their previously SIP-ed RACT 2 case-by-case requirements, which are as follows:

I. Rotary Kilns (Sources 405 and 415)

a. Emissions from the Rotary Kilns shall not exceed the following:

1. Kiln 1: 34.0 pounds of NO<sub>x</sub> per ton of product
2. Kiln 2: 38.0 pounds of NO<sub>x</sub> per ton of product

b. The permittee shall do the following O&M activities related to the Rotary Kilns:

1. Oxygen and carbon monoxide analyzers associated with the automated combustion control system on each rotary kiln shall be inspected for proper operation at least weekly, with corrective action taken if problems are noted.

2. Kiln feed controls on each rotary kiln shall be verified for proper calibration at least every six months, with adjustments made as necessary.

3. Fuel feed controls on each kiln shall be verified for proper calibration at least annually, with adjustments made as necessary.

4. Coal mill level controls on each kiln shall be verified for proper calibration at least annually, with adjustments made as necessary.

5. Thermocouples associated with the combustion control system on each rotary kiln shall be inspected and verified for proper calibration at least annually, with adjustments made or corrective actions taken as necessary.

6. The flame pattern on each kiln shall be visually inspected at least each week, with corrective actions taken as necessary.

7. The burner pipe on each kiln shall be inspected at least annually, with corrective actions taken as necessary.

c. The permitted shall keep records of the following for the Rotary Kilns:

1. Weekly oxygen and carbon monoxide analyzer inspections, plus records of any maintenance done in response to problems noted during the inspections

2. 6-month rotary kiln feed control calibration verifications, plus records of any adjustments made as a result of the verifications

3. Annual rotary kiln fuel feed control calibration verifications, plus records of any adjustments made as a result of the verifications

4. Annual rotary kiln coal mill level control calibration verifications, plus records of any adjustments made as a result of the verifications

5. Annual rotary kiln thermocouple inspections and calibration verifications are maintained, plus adjustments or maintenance performed as a result of the inspections or verifications

6. Weekly rotary kiln flame pattern inspections, plus records of any corrective actions taken as a result of each inspection.

7. Annual rotary kiln burner pipe inspections, plus records of any corrective actions taken as a result of each inspection.

d. NO<sub>x</sub> emissions from each of Sources 405 and 415 shall be verified one time in each 5-year calendar period. This testing shall be conducted in accordance with the provisions of Chapter 139 of the Department's rules and regulations.

II. Tunnel Kilns 5 and 6 (Sources 810 and 820), Kiln 7 (Source 830), Curing Oven (Source 801)

a. The permittee shall do the following O&M activities:

1. Visually inspect each Source 801 burner at least annually.

2. Visually inspect each burner on each kiln (Sources 810 and 820) at least once each week.

3. Physically inspect each burner on each kiln (Sources 810 and 820) at least once each calendar month and adjust the air to fuel ratio if necessary.

4. Monthly change the filters for the combustion air and diffusion air (secondary air) for Source 830.

5. Physically inspect each burner for Source 830 at least every 500 hours of operation.

b. The permittee shall keep records of the following:

1. Periodic burner inspections for Sources 801, 810, 820 and 830.

2. All inspections, adjustments or maintenance related to burner or kiln operation for Sources 801, 810, 820 and 830.

3. Monthly filter changes for Source 830.

A 30-day public comment period is provided for persons wishing to file a written protest, objection, comments or additional information, which they believe should be considered prior to the issuance of a permit. The written comments, information, protests or objections may be submitted to Thomas Bianca, Environmental Engineering Manager, Air Quality Program, at 909 Elmerton Avenue, Harrisburg, PA 17110, or at [tbianca@pa.gov](mailto:tbianca@pa.gov) on or before the closing date of this 30-day public comment period. The 30-day public comment period closes on January 15, 2024.

Each written submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed RACT 3 plan approval, including the permit number, and a concise statement regarding the proposed RACT 3 plan approval provision or requirement that the person is commenting on and the relevancy of the information or objections to issuance of the RACT 3 plan approval.

Public hearing. A public hearing will be held on February 8, 2024, at 10:00 a.m. at the DEP Southcentral Regional Office, 909 Elmerton Avenue, Harrisburg, PA 17110, to accept oral comments on the proposed RACT 3 plan approval action and the proposed SIP revision. To register to speak at the hearing, please contact Thomas Bianca at 717-705-4863. Speakers must pre-register in order to testify at the hearing. The last day to pre-register to speak at the hearing will be the Friday before the hearing.

Oral testimony at the hearing will be limited to a maximum of 5 minutes per individual and two written copies of the oral testimony are requested. Each organization is requested to designate one witness to present testimony on its behalf. Persons unable to attend the hearing may submit a written statement and exhibits within 10 days thereafter to Thomas Bianca at 909 Elmerton Avenue, Harrisburg, PA 17110, or at [tbianca@pa.gov](mailto:tbianca@pa.gov).

All pertinent documents are available electronically for public review and copies can be requested by contacting Thomas Bianca at 717-705-4863 or at [tbianca@pa.gov](mailto:tbianca@pa.gov).

**01-05041, McClarin Plastics LLC**, 15 Industrial Drive, Adams, PA 17331, Conewango Township, **Adams County**. Application received: August 29, 2023. For the operation of the thermoplastic and fiberglass reinforced plastic components manufacturing facility. This is for renewal of the existing Title V permit. Actual 2022 air emissions from the facility are estimated at 23.69 tons VOC, 13.74 tons Total HAP, 8.89 tons Single HAP (Styrene), and less than 1 ton each PM<sub>10</sub>, NO<sub>x</sub>, SO<sub>x</sub>, and CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include presumptive RACT III requirements and the following regulations: 40 CFR 63 Subpart WWWW NESHAP for Reinforced Plastic Composites Production, 40 CFR 63 Subpart DDDDD NESHAP for Industrial Boilers, 40 CFR 63 Subpart VVVV NESHAP for Boat Manufacturing, and 40 CFR 63 Subpart PPPP NESHAP for Surface Coating of Plastic Parts and Products and 25 Pa. Code § 129.52d Control of VOC emissions from miscellaneous metal parts surface coating processes, miscellaneous plastic parts surface coating processes and pleasure craft surface coatings.

### OPERATING PERMITS

#### Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**41-00058, Charles Construction Co.**, 838 E. Central Ave., Jersey Shore, PA 17740, Limestone Township, **Lycoming County**. Application received: October 6, 2023. To issue a renewal State Only (Synthetic Minor) Operating Permit for the Jersey Shore Asphalt Plant. The facility's sources include one 2.24 MMBtu/hr, No. 2 fuel oil-fired asphalt tank heater, two propane-fired space heaters, two liquid asphalt tanks, one No. 2 fuel oil storage tank, one diesel fuel oil storage tank, one 50 MMBtu/hr hot mix drum asphalt concrete operation and

miscellaneous sources. The facility has potential emissions of 0.20 TPY of CO; 0.80 TPY of NO<sub>x</sub>; 2.80 TPY of SO<sub>x</sub>; 0.80 TPY of PM/PM<sub>10</sub>; 2.45 TPY of VOCs; 0.36 TPY of combined hazardous air pollutants; 895 TPY GHGs. This facility is subject to 40 CFR 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145, as well as 40 CFR Part 60. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**10-00381, Mountain Gathering LLC**, 190 Thorn Hill Rd, Warrendale, PA 15086, Forward Township, **Butler County**. Application received: August 26, 2022. The Department intends to renew a State Only Operating Permit for Mountain Gathering LLC's Forward Compressor Station. The primary emissions sources are six 1,775 HP compressor engines and six compressors, one Triethylene Glycol dehydrator, reboilers, line heaters, condensate and water storage tanks, a gun barrel tank, and fugitive emissions at the facility. Potential emissions from the facility are less than the Title V emission thresholds. The facility is a Natural Minor. The potential emissions from the facility are as follows: 54.09 tpy NO<sub>x</sub>; 26.51 tpy CO; 40.49 tpy VOCs; 0.19 tpy SO<sub>x</sub>; 3.34 tpy PM<sub>10</sub>; 3.34 tpy PM<sub>2.5</sub>; 5.11 tpy total all combined HAPs. Actual reported emissions for the calendar year 2022 were 43.82 tons NO<sub>x</sub>; 8.72 tons CO; 17.70 tons VOC; 0.18 ton SO<sub>x</sub>; 3.27 tons PM<sub>10</sub>; 3.27 tons PM<sub>2.5</sub>; 2.518 tons HAPs; and 37,285 tons CO<sub>2</sub>. Sources at this facility are subject to the following Federal emission standards: 40 CFR Part 60 Subpart JJJJ, the standards of performance for stationary spark ignition internal combustion engines; and 40 CFR Part 60 Subpart OOOO, the standards of performance for crude oil and natural gas production, transmission and distribution; and 40 CFR Part 63 Subpart HH, the national emission standards for hazardous air pollutants from oil and natural gas production facilities. The conditions of the previous plan approvals are incorporated into the renewal permit. The permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Southcentral Region: Air Quality Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**22-03051, Buse Funeral Home**, 9066 Jonestown Road, Grantville, PA 17028, East Hanover Township, **Dauphin County**. Application received: January 26, 2023. For operation of a human crematorium. The subject facility has the potential to emit NO<sub>x</sub> at 1.1 tpy, PM at 0.8 tpy, and SO<sub>2</sub> at 0.2 tpy. The Operating Permit will include emission limits and work practice standards along

with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**06-03028, Can Corporation of America**, 326 June Ave., Blandon, PA 19510-9566, Muhlenberg Township, **Berks County**. Application received: August 15, 2023. For their metal can manufacturing facility. Actual emissions from the facility in 2022 were estimated at 0.40 ton of CO, 0.48 ton of NO<sub>x</sub>, 0.04 ton of PM<sub>10</sub>, 8.44 tons of VOC, and 1.34 tons of combined HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring and recordkeeping requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 25 Pa. Code §§ 123.13, 123.52 and 129.63.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**63-00965, EQM Gathering Opco, LLC**, 477 Deems Park Road, Bentleyville, PA 15427, West Pike Run Township, **Washington County**. Application received: February 9, 2023. Natural Minor State-Only Operating Permit for the Twilight natural gas compressor station located in West Pike Run Township, Washington County. In accordance with 25 Pa. Code §§ 127.424 and 127.425, the Department of Environmental Protection (DEP) has received an application and is providing notice that it intends to issue an air quality operating permit for the previously mentioned facility. Sources of emissions consist of two (2) 3,550-HP Caterpillar G3612LE compressor engines, two (2) 2,370-HP Caterpillar G3608TALÉ compressor engines, all controlled by oxidation catalysts, one (1) 205.0 MMscf/day dehydration unit and associated 2.0 MMBtu/hr reboiler, one (1) 10.0 MMBtu/hr enclosed flare, two (2) 400-bbl storage tanks, one (1) 100-bbl methanol storage tank, venting/blowdowns, fugitives, condensate loadout, crankcase vents, pigging operations, and miscellaneous sources that includes rod packing, one (1) 4,200-gallon (100-bbl) waste oil tank, four (4) 500-gallon engine oil tanks, four (4) 500-gallon compressor oil tanks, and two (2) 500-gallon triethylene glycol (TEG) storage tanks. Pneumatic devices at this facility are compressed-air driven. The facility is required to conduct regular surveys of the site while operating to ensure compliance with visible, fugitive, and malodor emission requirements and maintain records of those surveys. The facility-wide potential-to-emit is 63.0 TPY NO<sub>x</sub>, 24.6 TPY CO, 29.9 TPY VOC, 3.9 TPY PM, 3.9 TPY PM<sub>10</sub>/PM<sub>2.5</sub>, 1.0 TPY SO<sub>x</sub>, 76,354 TPY CO<sub>2e</sub>, 9.8 TPY total HAP, and 2.7 TPY single HAP. The air quality operating permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, testing, reporting, and recordkeeping requirements for the site. Those who wish to provide the Department with additional written information that they believe should be considered prior to the issuance of the Natural Minor State-Only Operating Permit may submit the information to Tom Joseph, Environmental Engineering Manager, Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. Written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Operating Permit (63-00965) and concise statements regarding the relevancy of the information or objections to issuance of the Operating Permit. A public hearing may be held, if the Department, in its

discretion, decides that such a hearing is warranted based on the information received. All persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper or by the *Pennsylvania Bulletin*, or by telephone, where the Department determines such notification by telephone is sufficient. Written comments or requests for a public hearing should be directed to Tom Joseph, Facilities Permit Chief, at the previously listed address. All comments must be received prior to the close of business 30 days after the date of this publication. The application, DEP's Review Memorandum, and the proposed permit are available for public review during normal business hours at DEP's Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222. A file review can be scheduled through the DEP's website at: <https://www.dep.pa.gov/Citizens/PublicRecords/Pages/Informal-File-Review.aspx> and by contacting Thomas Joseph, Environmental Engineering Manager, at 412-442-4336 or [tjoseph@pa.gov](mailto:tjoseph@pa.gov). Persons with a disability who wish to comment and require an auxiliary aid, service or other accommodations to do so should contact Lauren Camarda at 412-442-4203 or the Pennsylvania Hamilton Relay Service at 1-800-654-5984 (TDD) to discuss how the Department may accommodate your needs.

## COAL & NONCOAL MINING ACTIVITY APPLICATIONS

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit applica-

tion, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

*Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l

pH must always be greater than 6.0; less than 9.0.  
Alkalinity must always be greater than acidity.

*California District Mining Office: 25 Technology Drive, Coal Center, PA 15423, 724-769-1100.*

*Contact: Bonnie Herbert, Clerical Assistant 3.*

**Mining Permit No. 56071301. NPDES No. PA0235814 and GP12-56071301. RoxCOAL, Inc.,** 1576 Stoystown Road, P.O. Box 260, Friedens, PA 15541, Stonycreek Township, **Somerset County.** To renew the permit and related NPDES permit. Includes renewal of Air Quality GPA/GP12 Authorization. Application received: November 7, 2023. Accepted: December 6, 2023.

*Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l

Alkalinity must always exceed acidity.  
pH must always be greater than 6.0; less than 9.0.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov*

**Mining Permit No. 54070301. Rolling Rock Building Stone, Inc.,** 40 Rolling Rock Road, Boyertown, PA 19512, Wayne Township, **Schuylkill County.** Correction of a quarry operation to increase the permitted acreage from 71.1 to 84.4 acres. Receiving streams: UNT to Bear Creek and UNT to Lower Little Swatara Creek. Classified for the following uses: CWF, MF. Application received: November 21, 2023.

**Mining Permit No. 5777SM4. PA0034690. Barletta Materials & Construction, Inc.,** P.O. Box 550, Tamaqua, PA 18252, Nescopeck Township, **Luzerne County.** Renew NPDES permit affecting 199.8 acres. Receiving streams: UNT to Susquehanna River and Susquehanna River, classified for the following uses: CWF, MF and WWF, MF. Application received: December 4, 2023.

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 52032803. Schmalzle Construction Co., Inc.,** 114 Melissa Lane, Hawley, PA 18428, Blooming Grove Township, **Pike County.** Stage I & II bond release of a quarry affecting 5.0 acres on property owned by JRL Family, LLC. Application received: December 8, 2023.

**MINING ACTIVITY NPDES DRAFT PERMITS**

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.



*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**NPDES No. PA0212334. Mining Permit No. 56920114. Mountaineer Mining Company**, 1010 Garrett Shortcut Road, Berlin, PA 15530, Southampton Township, **Somerset County**. Renewal of an NPDES permit affecting 278.5 acres related to a coal mining activity permit. Receiving stream: unnamed tributaries to North Branch Jennings Run, classified for the following use: CWF. Application received: May 24, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfalls discharge to unnamed tributaries to North Branch Jennings Run:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Treatment Facility	Precipitation Induced
002	Existing	Treatment Facility	Precipitation Induced
003	Existing	Treatment Facility	Precipitation Induced
004	Existing	Treatment Facility	Precipitation Induced
005	Existing	Treatment Facility	Precipitation Induced
006	Existing	Treatment Facility	Precipitation Induced
007	Existing	Stormwater Facility	Precipitation Induced
009	Existing	Stormwater Facility	Precipitation Induced
010	Existing	Stormwater Facility	Precipitation Induced
011	Existing	Stormwater Facility	Precipitation Induced
012	Existing	Stormwater Facility	Precipitation Induced
013	Existing	Stormwater Facility	Precipitation Induced
014	Existing	Stormwater Facility	Precipitation Induced
015	Existing	Stormwater Facility	Precipitation Induced

The proposed effluent limits for the previously listed outfalls are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	XXX	XXX	Report
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report

*Outfalls: 007 and 009—015 (10-yr/24-hr Precip. Event)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	XXX	XXX	7.0
Total Settleable Solids (ml/L)	XXX	XXX	XXX	0.5
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report

*Outfalls: 007 and 009—015 (>10-yr/24-hr Precip. Event)*

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Cayleigh Boniger, Clerical Supervisor 2, 814-797-0824.*

**NPDES No. PA0259462. Mining Permit No. 61130101. Hillside Stone, LLC**, 4080 Sandy Lake Road, Sandy Lake, PA 16145, Irwin Township, **Venango County**. Renewal of an NPDES permit, affecting 52.0 acres. Receiving stream: Unnamed tributary to Scrubgrass Creek, classified for the following use: CWF. TMDL: Scrubgrass Creek TMDL. Application received: October 25, 2023.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for noncoal mining activities.

The following outfall discharges to Unnamed tributary to Scrubgrass Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate: MGD</i>
001	Existing	SWO	0.12

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH <sup>1</sup> (S.U.)	6.0			9.0
Iron (mg/l)		3.0	6.0	7.0
Manganese (mg/l)		2.0	4.0	5.0
Aluminum (mg/l)		0.75	0.75	0.75
Total Suspended Solids (mg/l)		35.0	70.0	90.0
Alkalinity greater than acidity <sup>1</sup>				

<sup>1</sup>The parameter is applicable at all times.

*Noncoal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**NPDES No. PA0595861. Mining Permit No. 28900301. David H. Martin Excavating, Inc.**, 4961 Cumberland Highway, Chambersburg, PA 17202, Greene Township, **Franklin County**. Renewal of NPDES permit. Affecting 39.0 acres. Receiving stream: unnamed tributaries to East Branch of the Conococheague Creek classified for the following use: TSF. Application received: November 21, 2022.

The proposed effluent limits for all outfalls in this permit are the BAT limits described for previously noncoal mining activities.

The following stormwater outfalls discharge to unnamed tributaries to Conococheague Creek

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>
001	Existing	Stormwater Outfall
002	Existing	Stormwater Outfall
003	Existing	Stormwater Outfall

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>
004	Existing	Stormwater Outfall
005	Existing	Stormwater Outfall

The proposed effluent limits for the previously listed outfalls are as follows:

The following limits apply to all dry weather discharges from stormwater facilities to Unnamed tributary to the Rocky Springs Branch of Back Creek.

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U)	6.0	N/A	N/A	9.0
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0
Flow (gpm)	Report			

In response to precipitation events LESS THAN OR EQUAL TO the 10-year/24-hour precipitation event

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
pH (S.U)	6.0	N/A	N/A	9.0
Total Suspended Solids (mg/L)	N/A	35.0	70.0	90.0
Flow (gpm)	Report			

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E3502223-008. Lackawanna Valley Heritage Authority**, 213 Railroad Avenue, Scranton, PA 18505, Mayfield Borough, **Lackawanna County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 3, 2023.

To construct and maintain the following water obstructions/encroachments associated with the Mayfield Trailhead & Recreation Area Development Project: 1. A 20-foot long by 14-foot wide at-grade concrete-lattice boat launch within the floodway of the Lackawanna River (HQ-CWF, MF). 2. A 20-foot wide by 70-foot long at-grade paved boat launch access drive with a 70-foot by 30-foot at-grade truck turn around area within the floodway and floodplain of the Lackawanna River (HQ-CWF, MF). 3. A 5-foot wide at-grade walking trail within the floodway and floodplain of the Lackawanna River (HQ-CWF, MF). 4. An in-stream J-hook structure located within the Lackawanna River (HQ-CWF, MF) upstream of the proposed boat launch. The project is located on the right of Old Plank Road approximately 0.1 mile after the intersection with Chestnut Street (Mayfield, PA Quadrangle: Latitude: 41° 32' 37" Longitude: -75° 32' 10") in Mayfield Borough, Lackawanna County. Latitude: 41° 32' 37", Longitude: -75° 32' 10".

**E4802223-011. Lower Nazareth Township**, 623 Municipal Drive, Nazareth, PA 18064, Lower Nazareth Township, **Northampton County**. U.S. Army Corps of Engineers Philadelphia District. Application received: November 28, 2023.

To construct and maintain the following water obstructions and encroachments associated with the Hahns Meadow Park Project: 1) An impact within the floodway/floodplain of Monocacy Creek (HQ-CWF, MF) consisting an 8-foot wide, 590-foot long, at-grade gravel maintenance road. This impact will result in no net fill within the floodway/floodplain. 2) A channel change within Monocacy Creek (HQ-CWF, MF) consisting of widening the existing stream channel to construct an 8-foot wide, 2.5-foot high vegetated trapezoidal swale having 5:1 side slopes and a

0.2% longitudinal slope. 3) A fill within the floodway/floodplain of Monocacy Creek (HQ-CWF, MF) consisting a 40-foot wide, 10-foot long, 7-foot high fill area. This project will result in no net fill within the floodway/floodplain. The project is located directly southeast of the intersection of Schindler Drive and Hanoverville Road (Nazareth, PA Quadrangle Latitude: 40° 41' 26.7"; Longitude: -75° 20' 35.6") in Lower Nazareth Township, Northampton County. Latitude: 40° 41' 26.7", Longitude: -75° 20' 35.6".

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.*

**E1501223-019. Larry R. Christenson**, 1465 LeBoutillier Road, Malvern, PA 19355, Tredyffrin Township, **Chester County**. U.S. Army Corps of Engineers Philadelphia District. Application received: December 7, 2023.

Mr. Larry Christenson is proposing to construct and maintain utility line stream crossings in and along the 100-year floodway of Valley Creek (EV) as a part of installing a new drip irrigation septic system. The proposed work will include two stream crossings consisting of 1.25-inches force main and 2-inches electrical conduit underneath Valley Creek (EV) utilizing Boring method. The site is located at 1570 LeBoutillier Road (Valley Forge USGS map) in Tredyffrin Township, Chester County. Latitude: 40.04403°, Longitude: -75.28569°.

*Southwest Region: Waterways & Wetlands Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Dana Drake, Program Manager.*

**E0205223-012. Richland Holdings, LLC**, 1426 Pittsburgh Road, Valencia, PA 16059, West Deer Township, **Allegheny County**. U.S. Army Corps of Engineers Pittsburgh District. Application received: June 6, 2023.

The applicant proposes to:

1. Construct and maintain a 99 linear foot (LF), 53-inch tall by 83-inch-wide corrugated metal pipe arch culvert to carry a proposed roadway over watercourse R-1, an unnamed tributary (UNT) to Deer Creek (TSF), along with a riprap apron at the outlet, and associated roadway fill. This activity would permanently impact 167 LF of watercourse and 17,368 square feet (SF) of floodway. At the point of this impact, watercourse R-1 has less than a 100-acre drainage area.

2. Place and maintain permanent fill within the entire length, 97 LF, of watercourse R-7, a UNT to a UNT of Deer Creek (TSF), and 3,422 SF of its floodway associated with roadway fill for the aforementioned culverted crossing. At the point of this impact, watercourse R-7 has less than a 100-acre drainage area.

3. Construct and maintain five (5) utility line crossings of watercourse R-1, which will be embedded in the roadway fill above the culvert noted in item 1. Cumulatively, these utility line crossings would permanently impact 30 LF of watercourse R-1 and 5,750 SF of its floodway, these impacts completely overlap with the impact area noted in item 1 previously listed. At the point of these impacts, watercourse R-1 has less than a 100-acre drainage area. These utility line crossings consist of:

- one (1) 15-inch high-density polyethylene (HDPE) storm sewer line,
- one (1) 8-inch ductile iron pipe (DIP) potable water line,

- one (1) 4-inch copper and polyvinyl chloride (PVC) electric line,

- one (1) 6-inch HDPE gas line, and

- one (1) 8-inch PVC sanitary sewer line.

4. Place and maintain permanent fill at another location within 121 LF of watercourse R-1 and 35,760 SF of its floodway associated with grading for lot development. At the point of this impact, watercourse R-1 has less than a 100-acre drainage area.

5. Construct and maintain a sanitary sewer manhole and tie in, permanently impacting 220 SF of the floodway of watercourse R-1. At the point of this impact, watercourse R-1 has less than a 100-acre drainage area.

6. Construct and maintain five (5) outfall structures to watercourse R-1. Cumulatively, these structures would permanently impact 60 LF of watercourse R-1 and 4,221 SF of its floodway. At the point of these impacts, watercourse R-1 has less than a 100-acre drainage area.

7. To place and maintain permanent fill within 420 LF of watercourse R-2 and 42,000 SF of its associated floodway, and to construct and maintain a stream enclosure and relocation consisting of 436 LF of 6" diameter high density polyethylene (HDPE) tubing and 135 LF of 15" diameter HDPE pipe to convey this relocated reach of watercourse R-2. These impacts are associated with grading for lot development. A bark chip surfaced stormwater basin access road will be constructed on this fill slope. Additionally, a single 5 LF outfall structure that serves this piped and rerouted watercourse as well as stormwater basin BMP-3 is included in these impacts.

8. Place and maintain permanent fill in 2,052 SF of the floodway of watercourse R-2, a UNT to watercourse R-1 (TSF). At the point of this impact, watercourse R-2 has less than a 100-acre drainage area. This impact is associated with constructing stormwater basin BMP-2.

9. Place and maintain permanent fill within the entirety, 6,643 SF, of pond R-5 and piping of the groundwater source that fed it via the impact previously mentioned. This impact is associated with grading for lot development.

10. Place and maintain permanent fill within 237 LF, of watercourse R-3, a UNT to a UNT of Deer Creek (TSF), and 18,400 SF of its floodway associated with grading for lot development. At the point of this impact, watercourse R-3 has less than a 100-acre drainage area.

11. Place and maintain permanent fill within 320 LF, of watercourse R-4, a UNT to a UNT of Deer Creek (TSF), and 26,300 SF of its floodway associated with grading for lot development. At the point of this impact, watercourse R-4 has less than a 100-acre drainage area.

For the purpose of constructing a new residential development, consisting of 26 single family homes, 16 duplex units, 3,200 LF of roads, 4 stormwater basins with associated outfall structures, and necessary utility lines. Cumulatively, the project will permanently impact approximately 1,452 LF of watercourse and 155,493 SF of floodway. The project would also result in permanent impacts to 6,643 SF of waterbody. To compensate for unavoidable impacts to aquatic resources, the applicant is proposing to purchase credits from a third-party mitigation bank. The project is located approximately 1,000 feet north-northeast of the McIntyre Road/Allison Road intersection (Valencia, PA USGS topographic quadrangle; 40° 37' 54.93" N, -79° 55' 08.52" W; Sub-basin 18A; USACE Pittsburgh District). Latitude: 40° 37' 54.93", Longitude: -79° 55' 08.52".

## ACTIONS

---

**THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT**


---

**FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS**

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec’y, Dep’t of Env’tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep’t. of Env’tl. Prot.*, 1577 C.D. 2019 WL 2420667

(Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA630008D	Chapter 102 Individual NPDES Permit	Issued	Peoples Natural Gas Co. LLC 375 North Shore Drive Suite 600 Pittsburgh, PA 15212-5866	Nottingham Township Washington County	SWRO
PAD210102	Chapter 102 Individual NPDES Permit	Issued	Carlisle Borough 53 W South Street Carlisle, PA 17013-3458	Carlisle Borough Cumberland County	SCRO
PAD480081	Chapter 102 Individual NPDES Permit	Issued	Palmer Point OE LLC 1243 Easton Road Suite 205 Warrington, PA 18976-3801	Palmer Township Northampton County	NERO
PAD620005	Chapter 102 Individual NPDES Permit	Issued	PA DCNR Chapman State Park 400 Market Street Harrisburg, PA 17101-2301	Pleasant Township Warren County	NWRO
PAD670009	Chapter 102 Individual NPDES Permit	Issued	Gelest Inc. 11 Steel Road E Morrisville, PA 19067-3613	Springfield Township York County	SCRO
0991426	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Camp Menolan 1415 Doerr Road Quakertown, PA 18951-2042	Milford Township Bucks County	SERO
1598409	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Aqua PA Wastewater Inc. 762 W Lancaster Avenue Bryn Mawr, PA 19010-3402	West Pikeland Township Chester County	SERO
PAI136134	MS4 Individual NPDES Permit	Issued	Peters Township 610 E McMurray Road McMurray, PA 15317-3420	Peters Township Washington County	SWRO
PA0027570	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Western Westmoreland Municipal Authority 12441 Route 993 N Huntingdon, PA 15642-4264	North Huntingdon Township Westmoreland County	SWRO
5496403	Major Sewage Treatment Facility Individual WQM Permit	Issued	Tamaqua Joint Client 320 East Broad Street Tamaqua, PA 18252	Walker Township Schuylkill County	NERO
PA0004685	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Penna Flame Ind Inc. 1856 Route 588 Zelienople, PA 16063-3902	Franklin Township Beaver County	SWRO
PA0002879	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Union Electric Steel Corp P.O. Box 465 Carnegie, PA 15106-0465	Smith Township Washington County	SWRO
PA0097390	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Marion Township Beaver County 485 Hartzell School Road Fombell, PA 16123-1303	Marion Township Beaver County	SWRO
PA0111414	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Delaware Township Northumberland County	NCRO

## NOTICES

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0210668	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Perseus House Inc. 1511 Peach Street Erie, PA 16501-2104	Bloomfield Township Crawford County	NWRO
PA0253219	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	East Franklin Township 106 Cherry Orchard Avenue Kittanning, PA 16201-3310	East Franklin Township Armstrong County	NWRO
PA0034924	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	PA American Water Co. 852 Wesley Drive Mechanicsburg, PA 17055-4436	Paint Township Clarion County	NWRO
NOEXNC180	No Exposure Certification	Issued	Polsinello Fuels Inc. 241 Riverside Avenue Rensselaer, NY 12144-2946	Athens Township Bradford County	NCRO
NOEXNC182	No Exposure Certification	Issued	Bestway Service Garage Inc. P.O. Box 614 Milesburg, PA 16853-0614	Boggs Township Centre County	NCRO
NOEXNW006	No Exposure Certification	Issued	Erie Plating Co. 656 W 12th Street Erie, PA 16501-1509	Erie City Erie County	NWRO
NOEXNW050	No Exposure Certification	Issued	Parker Hannifin Corp 8325 Hessinger Drive Erie, PA 16509-4679	Summit Township Erie County	NWRO
NOEXNW067	No Exposure Certification	Issued	Parker Hannifin Corp 201 Titusville Road Union City, PA 16438-8601	Union City Borough Erie County	NWRO
NOEXNW091	No Exposure Certification	Issued	Plastek Ind Inc. 2425 W 23rd Street Erie, PA 16506-2920	Millcreek Township Erie County	NWRO
NOEXSC120	No Exposure Certification	Issued	Hamilton Precision Metals 1780 Rohrerstown Road Lancaster, PA 17601-2320	East Hempfield Township Lancaster County	SCRO
NOEXSC407	No Exposure Certification	Issued	National Freight Inc. 2 Cooper Street Camden, NJ 08102-2348	West Pennsboro Township Cumberland County	SCRO
NOEXSE208	No Exposure Certification	Issued	Depuy Synthes 1302 Wrights Lane E West Chester, PA 19380-3417	West Goshen Township Chester County	SERO
NOEXSW123	No Exposure Certification	Issued	RR Donnelley 218 N Braddock Avenue Pittsburgh, PA 15208-2511	Pittsburgh City Allegheny County	SWRO
PAG030062	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	FedEx Ground Pkg System Inc. 1000 FedEx Drive Coraopolis, PA 15108-9373	Upper Merion Township Montgomery County	SERO
PAG030117	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Whitford Corp 47 Park Avenue Elverson, PA 19520-9645	Elverson Borough Chester County	SERO
PAG030265	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Johnson Matthey Inc. 456 Devon Park Drive Wayne, PA 19087-1816	Tredyffrin Township Chester County	SERO

## NOTICES

7979

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030278	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Colorcon Inc. 415 Moyer Boulevard West Point, PA 19486	Upper Gwynedd Township Montgomery County	SERO
PAG030302	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Bass Environmental Philadelphia LLC 7716 Depot Road Unit 1 Lisbon, OH 44432-9433	Morrisville Borough Bucks County	SERO
PAG032211	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	D G Yuengling & Son Inc. 310 Mill Creek Avenue Pottsville, PA 17901-8692	Pottsville City Schuylkill County	NERO
PAG032218	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Alpha Bio Medical Service LLC 9220 Kirby Drive Suite 500 Houston, TX 77054	Nesquehoning Borough Carbon County	NERO
PAG032226	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	NRG Heat and Power LLC d/b/a Liberty Oil Company 2 Main Street Port Carbon, PA 17965-0005	Port Carbon Borough Schuylkill County	NERO
PAG032276	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Prime Inc. 2740 N Mayfair Avenue Springfield, MO 65803-5084	Pittston Township Luzerne County	NERO
PAG032319	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Nucor Harris Rebar Northeast LLC 1700 Riverside Drive Bethlehem, PA 18015-1277	Bethlehem City Lehigh County	NERO
PAG032327	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	UFP Gordon LLC 2801 E Beltline Avenue NE Grand Rapids, MI 49525-9680	Gordon Borough Schuylkill County	NERO
PAG032335	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Olson Tech Inc. 160 W Walnut Street Allentown, PA 18102-4915	Allentown City Lehigh County	NERO
PAG033538	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Central Transport LLC 12225 Stephens Road Warren, MI 48089-2010	Lower Allen Township Cumberland County	SCRO
PAG033579	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Wabash National LP 411 Jonestown Road Jonestown, PA 17038-9513	Union Township Lebanon County	SCRO
PAG033601	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Bollman Hat Co. 110 East Main Street Adamstown, PA 19501-5009	Adamstown Borough Lancaster County	SCRO
PAG033663	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fenner Prec Polymers 311 W Stiegel Street Manheim, PA 17545-1747	Lancaster City Lancaster County	SCRO
PAG033664	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fenner Prec Polymers 311 W Stiegel Street Manheim, PA 17545-1747	Lancaster City Lancaster County	SCRO
PAG033754	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	IFS Ind Inc. P.O. Box 1053 Reading, PA 19603-1053	Reading City Berks County	SCRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033791	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sindall Truck Service LLC 465 Diller Avenue New Holland, PA 17557-9320	New Holland Borough Lancaster County	SCRO
PAG033876	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	First Student Inc. 600 Vine Street Suite 1400 Cincinnati, OH 45202-2426	Middletown Borough Dauphin County	SCRO
PAG033986	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Hartlaub & Sons Used Auto Parts Inc. 270 Kuhn Road Littlestown, PA 17340-9444	Mount Pleasant Township Adams County	SCRO
PAG034073	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Keystone Sheets LLC 1465 Nitterhouse Drive Chambersburg, PA 17201-4825	Chambersburg Borough Franklin County	SCRO
PAG036110	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Fed Express 3620 Hacks Cross Road Bldg B Floor 2 Memphis, TN 38125	Pittsburgh City Allegheny County	SWRO
PAG036150	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	National Oilwell Varco LP 7909 Parkwood Circle Drive Houston, TX 77036-6565	Leetsdale Borough Allegheny County	SWRO
PAG036236	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	MV Transportation Inc. 72 E 8th Street Donora, PA 15033	Donora Borough Washington County	SWRO
PAG036265	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Kehm Oil Co. P.O. Box 130 Oakdale, PA 15071	North Fayette Township Allegheny County	SWRO
PAG036281	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	ABF Freight System Inc. 3801 Old Greenwood Road Fort Smith, AR 72903-5937	Pittsburgh City Allegheny County	SWRO
PAG036390	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Dura Bond Ind Inc. 5790 Kennedy Avenue Export, PA 15632	Export Borough Westmoreland County	SWRO
PAG036423	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Holcim Solutions & Products US LLC Avenue A Bldg 102 Youngwood, PA 15697	Youngwood Borough Westmoreland County	SWRO
PAG036462	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Precision Kidd Steel Co. 1 Quality Way Aliquippa, PA 15001-2459	Aliquippa City Beaver County	SWRO
PAG036483	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Golden Eagle Const Co. P.O. Box 945 Uniontown, PA 15401-0945	North Union Township Fayette County	SWRO
PAG036547	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Butchko Bros Inc. 1094 Dunbar Road Dunbar, PA 15431-2300	Dunbar Township Fayette County	SWRO

## NOTICES

7981

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038303	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Wabtec US Rail Inc. 660 Barkeyville Road Grove City, PA 16127-4802	Pine Township Mercer County	NWRO
PAG038544	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Wabtec US Rail Inc. 1503 West Main Street Extension Grove City, PA 16127-2513	Grove City Borough Mercer County	NWRO
PAG038547	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Rosebud Mining Co. 301 Market Street Kittanning, PA 16201-1504	Perry Township Jefferson County	NWRO
PAG056271	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	Catanese Bros 6400 Brooktree Court Suite 250 Wexford, PA 15090-9271	West Deer Township Allegheny County	SWRO
PAG056274	PAG-05 NPDES General Permit for Groundwater Cleanup	Issued	RC Diocese of Greensburg 179 Donohoe Road Greensburg, PA 15601-6986	Hempfield Township Westmoreland County	SWRO
PAG066121	PAG-06 NPDES General Permit for Combined Sewer Systems	Issued	Arnold City 1829 5th Avenue Arnold, PA 15068	Arnold City Westmoreland County	SWRO
PAG133574	PAG-13 NPDES General Permit for MS4s	Waived	Douglass Township 1068 Douglass Drive Boyertown, PA 19512-7621	Douglass Township Berks County	SCRO
PAG133699	PAG-13 NPDES General Permit for MS4s	Waived	West Cornwall Township 73 S Zinns Mill Road Lebanon, PA 17042-9551	West Cornwall Township Lebanon County	SCRO
PAG136243	PAG-13 NPDES General Permit for MS4s	Waived	Wall Borough 413 Wall Avenue Wilmerding, PA 15148	Wall Borough Allegheny County	SWRO
PA0262030	Single Residence STP Individual NPDES Permit	Issued	Stettler Staci 584 Bull Run Road Wrightsville, PA 17368-9045	Lower Windsor Township York County	SCRO
PA0285170	Single Residence STP Individual NPDES Permit	Issued	Peck Jeremy 101 Cabin Road Normalville, PA 15469-1145	Springfield Township Fayette County	SWRO
2623400	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Peck Jeremy 101 Cabin Road Normalville, PA 15469-1145	Springfield Township Fayette County	SWRO
6713401	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Stettler Staci 584 Bull Run Road Wrightsville, PA 17368-9045	Lower Windsor Township York County	SCRO
WQG02352301	WQG-02 WQM General Permit	Issued	Moscow Sewer Authority Lackawanna County 309 Market Street Moscow, PA 18444	Moscow Borough Lackawanna County	NERO
WQG02482301	WQG-02 WQM General Permit	Issued	Huratiak Homes LLC 416 O W Road Bangor, PA 18013-9380	Pen Argyl Borough Northampton County	NERO

---

**II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.**


---

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC230266	PAG-02 General Permit	Issued	RCI Development Corp. P.O. Box 228 Westtown, PA 19395	Chadds Ford Township Delaware County	Delaware County Conservation District Rose Tree Park Hunt Club 1521 N. Providence Road Media, PA 19063 610-892-9484 RA-EPNPDES_SERO@ pa.gov
PAC680055	PAG-02 General Permit	Issued	PA DEP Bureau of Abandoned Mine Reclamation 286 Industrial Park Road Ebensburg, PA 15931	Venango Township Butler County	DEP Cambria Office 286 Industrial Park Road Ebensburg, PA 15931 814-472-1800
PAC540037	PAG-02 General Permit	Issued	Schuylkill County Airport Authority Attn: William Willard 240 Airport Road Pottsville, PA 17901-8900	Barry Township and Foster Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC460152	PAG-02 General Permit	Issued	Mikelen LLC 460 Norristown Road Suite 110 Blue Bell, PA 19422-2344	Douglass Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460754	PAG-02 General Permit	Issued	Verus Partners LLC 155 North Wacker Drive Suite 4250 Chicago, IL 60606-1750	Limerick Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC540038	PAG-02 General Permit	Issued	611 Land Development LLC Attn: Arbir Singh 2227 Scranton-Carbondale Highway Scranton, PA 18508	Cass Township Schuylkill County	Schuylkill County Conservation District 1206 AG Center Drive Pottsville, PA 17901 570-622-3742 RA-EPWW-NERO@ pa.gov
PAC350168	PAG-02 General Permit	Issued	JLM Real Estate 950 E. Main Street P.O. Box 472 Schuylkill Haven, PA 17972	Olyphant Borough Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC090211	PAG-02 General Permit	Issued	Citadel Federal Credit Union 520 Eagleview Boulevard Exton, PA 19341-1119	Lower Southampton Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov

## NOTICES

7983

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC090604	PAG-02 General Permit	Issued	Gelest, Inc. 11 Steel Road East Morrisville, PA 19067	Falls Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC090627	PAG-02 General Permit	Issued	Antler Drive, LLC 3291 Church School Road Doylestown, PA 18901-5550	Buckingham Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC510323	PAG-02 General Permit	Issued	City of Philadelphia Department of Parks and Recreation 1515 Arch Street 10th Floor Philadelphia, PA 19102-1508	City of Philadelphia Philadelphia County	DEP, SERO 2 E. Main Street Norristown, PA 19403 484-250-5821 RA-EPNPDES_SERO@ pa.gov
PAC560085	PAG-02 General Permit	Issued	Camp Harmony 1414 Plank Road Hooversville, PA 15936	Hooversville Borough Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC021032	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Robinson Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 160 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC020981	PAG-02 General Permit	Issued	Penn Waste 121 Brickyard Road Mars, PA 16046	Stowe Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 160 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021057	PAG-02 General Permit	Issued	Golden Triangle Construction Company 8555 Old Steubenville Pike Bulger, PA 15019	Moon Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 160 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021029	PAG-02 General Permit	Issued	Bridgeway Development Corporation 310 Grant Street Suite 2800 Pittsburgh, PA 15219	City of Pittsburgh Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 160 Pittsburgh, PA 15219 412-291-8005 SWRO

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC021045	PAG-02 General Permit	Issued	Columbia Gas of PA 4000 Energy Drive Bridgeville, PA 15017	Bethel Park Borough Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 160 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC021048	PAG-02 General Permit	Issued	SIXT Rent-A-Car 1501 NW 49th Street Suite 100 Fort Lauderdale, FL 33309	Findlay Township Allegheny County	Allegheny County Conservation District 317 East Carson Street Suite 160 Pittsburgh, PA 15219 412-291-8005 SWRO
PAC260146	PAG-02 General Permit	Issued	Fayette County 61 East Main Street Uniontown, PA 15401	Menallen Township Fayette County	Washington County Conservation District 50 Old Hickory Ridge Road Suite 1 Washington, PA 15301 724-705-7098 SWRO
PAC620007A1	PAG-02 General Permit	Issued	Tidioute (62) DPP LLC 9010 Overlook Boulevard Brentwood, TN 37027	Limestone Township Warren County	Warren County Conservation District 4000 Conewango Avenue Warren, PA 16365 814-726-1441
PA320006C	PAG-02 General Permit	Issued	Indiana County Conservation District 435 Hamill Road Indiana, PA 15701	White Township Indiana County	Armstrong County Conservation District 120 S Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC030019A2	PAG-02 General Permit	Issued	PA DOT District 10 2550 Oakland Avenue Indiana, PA 15701	Boggs Township Armstrong County	Armstrong County Conservation District 120 South Grant Avenue Suite 2 Kittanning, PA 16201 724-548-3425
PAC430102	PAG-02 General Permit	Issued	PA Department of General Services 1800 Herr Street Arsenal Building Harrisburg, PA 17103	Lake Township Sandy and Lake Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC400190 A-3	PAG-02 General Permit	Issued	Geisinger Wyoming Valley Medical Center Rick Dunning 1000 East Mountain Boulevard Wilkes-Barre, PA 18711	Plains Township Luzerne County	Luzerne Conservation District 325 Smiths Pond Road Shavertown, PA 18708 570-674-7991 RA-EPWW-NERO@ pa.gov
PAC360891	PAG-02 General Permit	Issued	Doug Taylor 1573 Manheim Pike Lancaster, PA 17601	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361

## NOTICES

7985

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC360298A-2	PAG-02 General Permit	Issued	Ryan and Heather Miller 550 Frogtown Road Pequea, PA 17595	Conestoga Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC360867	PAG-02 General Permit	Issued	Gap Property, LLC 22 Spring Road Gap, PA 17527	Salisbury Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC670518A-2	PAG-02 General Permit	Issued	Good Hope Ventures WR LP 4250 Crums Mill Road Harrisburg, PA 17112	Fairview Township York County	York County Conservation District 2401 Pleasant Valley Road York, PA 17402 717-840-7430
PAC670676	PAG-02 General Permit	Issued	GN Realty Susquehanna LLC 512 Timber Springs Court Reisterstown, MD 21136	Manchester Township York County	York County Conservation District 2401 Pleasant Valley Road York, PA 17402 717-840-7430
PAC670180A-1	PAG-02 General Permit	Issued	Franklin Square Ventures, LLC 330 Dubs Church Road Hanover, PA 17331	New Freedom Borough York County	York County Conservation District 2401 Pleasant Valley Road York, PA 17402 717-840-7430
PAC670670	PAG-02 General Permit	Issued	Trail Nurseries 4912 Harmony Grove Road Dover, PA 17315	Dover Borough York County	York County Conservation District 2401 Pleasant Valley Road York, PA 17402 717-840-7430
PAC050066	PAG-02 General Permit	Issued	Covered Bridge Partners, LLC 1036 Covered Bridge Road Middleburg, PA 17842	Bedford Township Bedford County	Bedford County Conservation District 702 West Pitt Street Suite 3 Bedford, PA 17325 814-623-7900
PAC010080	PAG-02 General Permit	Issued	Hillandale Gettysburg, LP 3910 Oxford Road Gettysburg, PA 17325	Tyrone Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC010257	PAG-02 General Permit	Issued	The York Water Company 130 East Market Street York, PA 17401	Abbottstown Borough Berwick Township and Hamilton Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

## STATE CONSERVATION COMMISSION

NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR  
NPDES PERMITS FOR CAFOs

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications

for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.

#### NUTRIENT MANAGEMENT PLAN CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS

Agricultural Operation Name and Address	County	Total Acres	Animal Equivalent Units	Animal Type	Special Protection Waters (HQ or EV or NA)	Approved or Disapproved
Phill Good 2418 Bachman Road Lancaster, PA 17602	Lancaster County	156.6	1,027.05	Layers Heifers	NA	Approved
Farm Fresh Egg Products LLC 220 Eby Chiques Road Mount Joy, PA 17552	Lancaster County	84.5	2,480.6	Layers	NA	Approved

### PUBLIC WATER SUPPLY PERMITS

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

### SAFE DRINKING WATER

#### Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Joseph Mattucci, Program Manager, 717-705-4931.*

**Construction Permit No. 3623533**, Major Amendment, Public Water Supply.

Applicant	<b>Speedway # 6780</b>
Address	500 Speedway Drive Enon, OH 45353
Municipality	Providence Township
County	<b>Lancaster County</b>
Consulting Engineer	Charles A. Kehew, II, P.E. 18 South George Street Suite 300 York, PA 17401
Application Received	July 31, 2023
Permit Issued	December 7, 2023

Description Speedway, LLC applied for a construction permit for its Speedway # 6780 location to replace five of its existing treatment units, add two new components, and remove one component. This is a transient noncommunity public water system.

**Construction Permit No. 3623547 MA**, Minor Amendment, Public Water Supply.

Applicant **Nissley Vineyards**  
 Address 140 Vintage Drive  
 Bainbridge, PA 17547

Municipality Conoy Township  
 County **Lancaster County**  
 Consulting Engineer Thomas J. Acosta, P.E.  
 P.O. Box 8972  
 Lancaster, PA 17604

Application Received November 13, 2023  
 Permit Issued December 8, 2023

Description Nissley Vineyards proposes the replacement of its two existing ultraviolet (UV) disinfection units that have reached an end-of-life.

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers Clerical Assistant 2, 484-250-5887.*

**Construction Permit No. 4623518**, Major Amendment, Public Water Supply.

Applicant **Albertson Lucerne Dairy**  
 Address 847 Forty Foot Road  
 Hatfield, PA 19440

Municipality Hatfield Township  
 County **Montgomery County**  
 Consulting Engineer KMJ, Inc.  
 1036 Woods Lane  
 Ambler, PA 19002

Application Received October 11, 2023  
 Permit Issued December 11, 2023

Description Additional 2500-gallon water storage and associated piping, installed at the Pine Valley Spring site.

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Construction Permit 6023503MA**. PWSID No. 4490023. **Pennsylvania American White Deer District**, 852 Wesley Drive, Mechanicsburg, PA 17055, White Deer Township, **Union County**. Application received: September 26, 2023. Permit Issued: December 7, 2023. This permit authorizes upgrades to the wastewater and recycling systems at the White Deer Filter Plant.

**Construction Permit 1923503MA**. PWSID No. 4190008. **Veolia Water PA Inc Bloomsburg**, 6310

Allentown Blvd, Suite 104, Harrisburg, PA 17112, City of Bloomsburg, **Columbia County**. Application received: November 6, 2023. Permit Issued: December 7, 2023. This permit authorizes the restoration of the 0.3 MG Finished Water Storage Tank, including reinstalling the interior fallen rafters, welding new gusset plates on each rafter, resetting the center column, spot blasting and spot painting all welded areas using an NSF/ANSI 61 certified coating system.

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Lorrie Fritz, Clerical Assistant 2, 570-830-3048.*

**Operation Permit 2660603**. PWSID No. **2660603**. **Wyoming County Community Health Care, LLC**, 301 Shore Drive, Tunkhannock, PA 18657, Tunkhannock Township, **Wyoming County**. Application received: November 13, 2023. Permit Issued: December 11, 2023. Operations permit transfer for all PWS facilities under PWS ID No. 2660603 to the Wyoming County Community Health Care, LLC.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Filip, Environmental Engineer, 717-705-4708.*

**Operation Permit 2223513 MA**. PWSID No. **7220015**. **Veolia Water Pennsylvania, Inc.**, 6310 Allentown Boulevard, Suite 104, Harrisburg, PA 17112, Hummelstown Borough, **Dauphin County**. Application received: November 29, 2023. Permit Issued: December 8, 2023. Relocation of the chlorine entry point monitoring location.

#### SEWAGE FACILITIES ACT PLAN APPROVAL

**Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.**

*Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Noah D. Niedererr, Sewage Planning Specialist, 717-705-4768.*

#### Plan Location:

Municipality	Address	County
North Middleton Township	2051 Spring Road Carlisle, PA 17013-1059	Cumberland County

#### Plan Description:

**William Steele SFTF**, A3-21920-250-3s. Approval of a revision to the official plan of North Middleton Township, **Cumberland County**. The project is known as the William Steele Small Flow Treatment Facility (SFTF) proposal. The plan provides a SFTF to serve a proposed single-family dwelling on 3.745 acres with total estimated sewage flows of 400 gpd. There will be a proposed discharge to an unnamed tributary to Conodoguinet Creek. The proposed development is located at 590 North Middleton Road in North Middleton Township, Cumberland County. A SFTF is also proposed as a replacement system for the existing residential dwelling on Residual Lot 2, if needed in the future. The Department's review of the plan revision has not identified any significant impacts resulting from the proposal. The DEP Code Number



for the planning module is A3-21920-250-3s and the APS ID is 1098990. Any permits must be obtained in the name of the property owner.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**PPL Skytop Transformer Release**, Primary Facility ID # **871148**, 140 Leavitts Branch Road, Skytop, PA 18357, Barrett Township, **Monroe County**. Penn Environmental & Remediation, 200 Old Dublin Pike, Doylestown, PA 18901, on behalf of PPL Electric Utilities Corporation, 1639 Church Road, Allentown, PA 18104, submitted a Final Report concerning remediation of soil contaminated with transformer oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

**Rayco Eurospec Motors**, Primary Facility ID # **870812**, 715 Wyoming Avenue, Kingston, PA 18704, Kingston Borough, **Luzerne County**. Geological & Environmental Associates, 430 West Mountain Road, Plymouth, PA 18651, on behalf of Rayco Eurospec Motors, 715 Wyoming Avenue, Kingston, PA 18704, submitted a Final Report concerning remediation of soil contaminated with gasoline. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Chris, 724-598-2206.*

**Powder Mill Works**, Primary Facility ID # **625809**, 3000 Howard Drive, New Castle, PA 16102, Mahoning Township, **Lawrence County**. Environmental Resource Management, Inc., 75 Valley Stream Parkway, Ste 200, Malvern, PA 19355, on behalf of Solvary USA, 504 Carnegie Center, Princeton, NJ 08540, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Soil: 4-amino-2, 6-DNT, 2-amino-4, 6-DNT, aroclor-1260, 1,3-dinitrobenzene, 2,4-dinitrotoluene, 2,6-dinitrotoluene, 2,4,6-trinitrotoluene, benzo(a)pyrene, PCBs, arsenic, copper, iron, lead, manganese, mercury, and thallium. Groundwater: 1,3,5-trinitrobenzene, 1,3-dinitrobenzene, 2,4,6-trinitrotoluene, 2,4-dinitrotoluene, 2,6-dinitrotoluene, 2-amino-4, 6-dinitrotoluene, 2-nitrotoluene, 3-nitrotoluene, 4-nitrotoluene, RDX, nitrobenzene, p-cresol, antimony, arsenic, cobalt, and manganese. The Remedial Investigation Report/Risk Assessment Report/Cleanup Plan is intended to document remediation of the site to meet the site-specific standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

UNDER ACT 2, 1995  
PREAMBLE 3

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analy-

sis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Jordan, 814-332-6172.*

**Vista Metals, Inc., Primary Facility ID # 858012**, 189 Nolte Drive, Kittanning, PA 16201, East Franklin Township, **Armstrong County**. Cribbs & Associates, Inc., P.O. Box 44, Delmont, PA 15626, on behalf of Vista Metals, Inc., 1024 East Smithfield Street, McKeesport, PA 16135, submitted a Remediation Investigation Report/Final Report concerning remediation of soil and groundwater contaminated with Heptane. The Final Report demonstrated attainment of the site-specific standards. Approved: December 8, 2023.

## AIR QUALITY

### Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, New Source Review Chief, 570-826-2341.*

**AG5A-58-00072A: Coterra Energy, Inc.**, 2000 Park Lane, Suite 300, Pittsburgh, PA 15275, Lenox Township, **Susquehanna County**. For the construction and operation of one (1) 690 BHP Caterpillar G3508J 4SLB natural gas-fired compressor engine controlled by an oxidation catalyst, and five (5) small heaters <5 MMBtu/hr each, pursuant to the General Plan Approval and/or General Operating Permit for Unconventional Natural Gas Well Site Operations and Remote Pigging Stations (BAQ-GPA/GP-5A) located at Stoddard, T. Pad 1. Application received: November 8, 2023. Issued: December 6, 2023.

**GP3-40-046: Northledge, LLC**, 930 Market Street, Bethlehem, PA 18017, Wilkes-Barre Township, **Luzerne County**. To construct and operate a Portable Crushing Operation with water sprays at 215 East Saylor Ave. Application received: September 28, 2023. Issued: November 14, 2023.

**GP9-40-046: Northledge, LLC**, 930 Market Street, Bethlehem, PA 18017, Wilkes-Barre Township, **Luzerne County**. To install and operate four (4) Diesel I/C engines at 215 East Saylor Ave. Application received: September 28, 2023. Issued: November 14, 2023.

**GP1-54-013: US DOJ**, P.O. Box 700, Minersville, PA 17954, Butler Township, **Schuylkill County**. To operate three (3) gas fired boilers at FCI Minersville. Application received: October 18, 2023. Issued: November 28, 2023.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**GP11-28-03078: Great Cove Solar II, LLC**, 1101 McDowell Road, St. Thomas, PA 17252, Saint Thomas Township, **Franklin County**. For four non-road engines, under GP11, to power the startup of a solar installation. Application received: November 8, 2023. Issued: December 7, 2023.

**GP1-67-03024: North Metal & Chemical Co.**, 609 East King Street, P.O. Box 1985, York, PA 17405, City of York, **York County**. For an existing natural gas-fired boiler, under GP1, at the facility. The general permit authorization was renewed. Application received: November 28, 2023. Issued: December 7, 2023.

### Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, New Source Review Chief, 570-826-2341.*

**48-00003I: Keystone Cement Co.**, Route 329, Bath, PA 18014-0058, East Allen Township, **Northampton County**. The plan approval was issued for the installation of an additional new baghouse to control existing clinker processing sources for reduced particulate loading to the existing baghouses and additional particulate control. Application received: April 14, 2023. Issued: December 5, 2023.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-05106B: SFS Group USA, Inc.**, 41 Dennis Drive, Reading, PA 19606, Exeter Township, **Berks County**. For the installation of a dip and spin electrostatic coating line equipped with a 2.5 MMBtu/hr natural gas-fired curing oven at the Exeter plant. As part of the proposed construction, the plan approval also authorizes the removal of two scrubbers on the existing dip coating line. Application received: July 19, 2023. Issued: December 6, 2023.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**15-0027M: Johnson Matthey Devon Plant**, 456 Devon Park Dr, Wayne, PA 19087-1816, Tredyffrin Township, **Chester County**. This action is the extension of a Plan Approval for the installation/replacement of a dust collector for the Washcoat Batch Process and re-routing the dust collector effluent. Application received: November 6, 2023. Issued: December 7, 2023.

**46-0005AV: Merck Sharp & Dohme LLC/West Point Plant**, 770 Sumneytown Pike, West Point, PA 19486-8000, Upper Gwynedd Township, **Montgomery County**. This action is for the extension of a plan approval for construction, shakedown and operation of a new wing to Building 69 and a retrofit for part of existing Building 69D to create additional Good Manufacturing Practice (GMP) spaces. Application received: November 17, 2023. Issued: December 6, 2023.

---

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**14-00002T: Graymont (PA), Inc.**, 375 Graymont Road, Bellefonte, PA 16823, Spring Township, **Centre County**. To extend the plan approval expiration date to June 10, 2024 to authorize continued operation of several sources for the production of quicklime and hydrated lime at the Pleasant Gap facility. Application received: November 29, 2023. Revised: December 7, 2023.

---

**Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**61-00198: Handsome Lake Energy, LLC**, 1 Industrial Highway, Eddystone, PA 19022, Rockland Township, **Venango County**. The Department issued the renewal of the Title V Operating Permit for Handsome Lake Energy, LLC for the electric generating station. The facility is a Title V. The primary sources at the facility include ten combustion turbine engines used to power generators that produce electricity. The potential emissions from the facility are as following: 95.0, 72.4, 9.0, 3.1 and 13.1 for NO<sub>x</sub>, CO, VOC, SO<sub>x</sub>, and PM<sub>10</sub>, respectively. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. The facility is subject to Cross-State Air

Pollution Rule CSAPR (Subpart AAAAA, CCCCC, and GGGGG) and the Acid Rain Permit Program. Application received: July 20, 2022. Issued: December 4, 2023.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**46-00090: Tube Methods**, P.O. Box 460, Bridgeport, PA 19405-0460, Bridgeport Borough, **Montgomery County**. This action is a renewal of a Title V Operating Permit for metal tubing facility. Application received: August 4, 2022. Issued: December 5, 2023.

**ORIS 55298: Fairless Energy, LLC**, 50 Energy Dr, Fairless Hills, PA 19030, Falls Township, **Bucks County**. Acid rain renewal for Fairless Energy for their four 2,283 MMBtu/hr Combined Cycle Gas Turbine with Duct Burner. Application received: July 6, 2023. Issued: December 6, 2023.

---

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**08-00042: Northeast Bradford School District**, 526 Panther Lane, Rome, PA 18837, Orwell Township, **Bradford County**. The Department issued a renewal State-Only Operating Permit for the operation of the sources at their school campus. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 30, 2022. Issued: November 28, 2023.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**66-00006: Twin Falls Resources, LLC**, P.O. Box 25, Kingsley, PA 18826-0025, Falls Township, **Wyoming County**. The Department has issued a renewed State-Only (Natural Minor) Operating Permit for the Falls Township plant. Sources at this facility include their rock crushing plant with water sprays. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: October 13, 2023. Accepted: October 13, 2023. Issued: December 6, 2023.

**13-00017: Mountain Crest Crematory, Inc.**, 10 E. Kline Rd., McAdoo, PA 18237-2500, Banks Township, **Carbon County**. The Department has issued a renewed State-Only (Natural Minor) Operating Permit for their cremation units. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and report-

ing standards used to verify facility compliance with Federal and State air pollution regulations. Application received: October 16, 2023. Accepted: October 16, 2023. Issued: December 6, 2023.

**35-00036: Polychemie, Inc.**, 10 Stauffer Industrial Park, Taylor, PA 18517-9601, Taylor Borough, **Lackawanna County**. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for the Taylor Borough plant. Sources at this facility include their chemical product manufacturing unit and a diesel fired emergency generator. Control device(s) at this facility include a scrubber. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: September 28, 2023. Accepted: September 28, 2023. Issued: November 22, 2023.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**10-00309: Harsco Metals**, Route 8 South, Butler, PA 16001, City of Butler, **Butler County**. The Department issued the renewal of the State Only Operating Permit for Harsco Metals. The facility processes slag produced from steelmaking operations of another plant and is a natural minor. The primary sources at the facility are the slag processing and handling activities, an electric-powered screen, a torch cutting unit, and a degreaser. The facility's potential emissions are 13.17 TPY for PM<sub>10</sub> and less than 0.1 TPY each for other regulated pollutants (SO<sub>x</sub>, CO, NO<sub>x</sub>, VOC). The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: November 14, 2022. Issued: December 5, 2023.

**32-00390: Neiswonger Construction, Inc./Sewickley Mine**, 1032 Coleman Rd, Saltsburg, PA 15681, Young Township, **Indiana County**. The Department issued the renewal of the State Only Operating Permit for Neiswonger Construction, Inc. Sewickley Mine for the processing of limestone, sand, gravel, and coal. The facility is a Natural Minor. The primary sources at the facility consist of two crushers, three screens and various conveyors and storage piles. The potential emissions for this facility are estimated at 8.9 tpy PM and 2.6 tpy PM<sub>10</sub>. The renewal permit also contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act. Application received: November 10, 2022. Issued: December 5, 2023.

*Philadelphia: Air Management Services: Air Quality Program, 321 University Avenue, Philadelphia, PA 19104-4543.*

*Contact: Maryjoy Ulatowski, Chief, Source Registration, 215-685-9476.*

**OP21-000045: Equinix, LLC**, 401 N. Broad Street, PA 19108, City of Philadelphia, **Philadelphia County**. A renewal of the Natural Minor Operating Permit (NMOP) for the operation of a data center facility in the City of Philadelphia, Philadelphia County. The facility's air emission sources are three (3) emergency generators firing diesel fuel, of which one (1) rated 800 kW and two (2) rated 1500 kW. Application received: December 8, 2023. Issued: December 8, 2023.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-03007: Purina Animal Nutrition, LLC**, 475 St. Johns Church Road, Camp Hill, PA 17011-5755, Hampden Township, **Cumberland County**. For the animal feed mill. The State-Only permit was renewed. Application received: July 28, 2023. Issued: December 5, 2023.

**44-03010: Trinity Plastics, Inc.**, 13 Industrial Park Drive, Lewistown, PA 17044-9342, Granville Township, **Mifflin County**. For the polyethylene bag manufacturing facility. The State-Only permit was renewed. Application received: June 8, 2023. Issued: December 5, 2023.

**31-03008: Danzer Lumber North America, Inc.**, 22510 Croghan Pike, US Route 522, Shade Gap, PA 17255, Dublin Township, **Huntingdon County**. For the hardwood lumber processing facility. The State-Only permit was renewed. Application received: June 28, 2023. Issued: December 6, 2023.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**65-00322: PIAD Precision Casting Corp.**, 112 Industrial Park Rd., Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. On December 11, 2023, the Department issued a renewal natural minor State Only Operating Permit (SOOP) for the operation of PIAD Precision Casting Corp.'s Hempfield Township Plant in Greensburg, Westmoreland County. Equipment at this facility includes three (3) Electric Induction Furnaces controlled by a Torit Cartridge Filter Collector, twenty-four (24) Electric Resistance Furnaces controlled by a Torit Cartridge Filter Collector, twenty-four (24) Mold Quench Tanks controlled by a Torit Cartridge Filter Collector, a Kohler emergency generator engine rated at 107 Bhp, an alcohol tank, and miscellaneous grinding and cutting operations which exhaust into indoor baghouses. The facility is subject to the applicable requirements of 25 Pa. Code Article III, Chapters 121—145. The final Operating Permit includes emissions limitations, monitoring, work practice standards, reporting, and recordkeeping requirements for the facility. Application received: December 8, 2022. Deemed administratively complete: December 9, 2022.

---

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

---

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**43-00384: Davis Alloys Mfg., LLC**, 295 East High Street, Sharpsville, PA 16150, Sharpsville Borough, **Mercer County**. The permit was administratively amended to incorporate the change of responsible official and permit contact. Application received: October 24, 2023. Revised: December 7, 2023.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**46-00048: Colledgeville Holdings, LLC**, 500 Arcola Rd, Colledgeville, PA 19426-3982, Upper Providence Township, **Montgomery County**. This action is for the change of ownership of the Title V Permit. The Administrative Amendment of the Title V Operating Permit for this facility is issued under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code § 127.450. The permit contains monitoring, recordkeeping, reporting, and work practice standards designed to keep the facility operating within all applicable air quality requirements. Application received: August 21, 2023. Issued: December 5, 2023.

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**15-00081: Johnson Matthey West Whiteland Plant**, Precious Metals Division, 1401 King Rd, West Chester, PA 19380, West Whiteland Township, **Chester County**. In accordance with 25 Pa. Code Section 127.450, the amended SOOP incorporates conditions from 1. Plan Approval 15-0081C to allowed modification to the existing Metal Melt Room (Source ID: 101) and the installation of wet and dry scrubbers (chlorine scrubbers) and from 2. Plan Approval 15-0081D which superseded Plan Approval 15-0081B to allow the modification to the existing Vertical Wet Scrubbers (Nitric Scrubbers) (Source ID: C02) controlling the Acid Metal Stripping Room (Source ID: 102) to ensure compliance with the allowable limits for HCl and HNO<sub>3</sub> and to require only one scrubber unit to operate at any given time. Application received: October 26, 2023. Issued: December 6, 2023.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**65-00598: Resolution Property Group**, 651 4th Avenue, New Kensington, PA 15068, City of New Kensington, **Westmoreland County**. On December 5, 2023, the Department issued an administrative amendment of the natural minor State Only Operating Permit for Resolution Property Group located in the city of New Kensington, Westmoreland County. The facility has changed ownership from Citizens General Hospital to Resolution Property Group, Inc. The Operating Permit was modified to change the owner's name and address as well as the responsible official and permit contact person information. The permit expires on June 11, 2026. Application received: March 29, 2023. Deemed administratively complete: December 4, 2023.

**Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**53-00014: Emporium Specialties Company, Inc.**, P.O. Box 65, Austin, PA 16720, Austin Borough, **Potter County**. The Department has terminated the State Only

(Synthetic Minor) Operating Permit at the facility due the cessation of permit-related manufacturing activities at the Austin powdered metal plant. All air contaminant sources have been removed from the facility or rendered inoperable. The permit has been terminated. Application received: September 11, 2023. Revoked: December 7, 2023. Revoked: December 7, 2023.

**12-00008: Metaldyne Sintered Ridgway, LLC**, 1 Airport Road, Emporium, PA 15834, Emporium Borough, **Cameron County**. The Department has terminated the State Only Operating Permit at the facility due to the cessation of manufacturing activities at the Emporium powdered metal plant. All air contaminant sources have been removed from the facility. The permit has been terminated. Application received: March 15, 2023. Revoked: October 16, 2023. Revoked: October 16, 2023.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**10-00363: Allegheny Mineral Corporation Hilliard Plant**, P.O. Box 1022 One Glade Park East, Kittanning, PA 16201, Washington Township, **Butler County**. The facility is no longer operating, and the permit was revoked at the request of the facility. Application received: November 29, 2023. Revoked: December 5, 2023.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

**Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).** The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 11900201. NPDES No. PAPA0599051. Maple Coal Company**, 1501 Ligonier Street, Latrobe, PA 15650, Barr and Blacklick Townships, **Cambria County**. Permit renewal of a bituminous surface mine affecting 134.2 acres. Receiving stream: Elk Creek classified for the following use: CWF. Application received: July 5, 2022. Permit issued: December 6, 2023.

**Mining Permit No. 11150101. NPDES No. PA0279391. RES Coal, LLC**, 51 Airport Road, Clearfield, PA 16830, Reade Township, **Cambria County**. Permit revision for the purpose of adjusting the permit boundary and adding 5.0 acres of coal removal for continued operation and restoration of a bituminous surface-auger mine. Total SMP acres goes from 65.7 acres to 70.7 acres. Receiving streams: unnamed tributaries to and Fallentimber Run classified for the following uses: CWF. Application received: July 6, 2023. Permit issued: December 6, 2023.

#### ACTIONS ON BLASTING ACTIVITY APPLICATIONS

**Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

##### *Blasting Permits*

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 67234115. J. Roy's, Inc.**, P.O. Box 125, Bowmansville, PA 17507, Warrington Township, **York County**. Construction blasting for Updike Basement on South Winding Road. Application received: December 5, 2023. Permit issued: December 6, 2023. Expiration date: February 1, 2024.

#### FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

**Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E4502223-009. Robert & Darlene Matthews**, 37 Hickory Lane, Newton, PA 18940, Smithfield Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District.

This is a permit application to construct and maintain a 96 square foot "T" shaped dock that extends 12 feet from the shoreline into the normal pool of Arrowhead Lake (EV) for the purpose of private recreational lake access. Latitude: 41°09'22", Longitude: -75°33'39". Application received: September 1, 2023. Issued: December 5, 2023.

**E4502223-008. PA Game Commission**, 2001 Elmerston Ave., Harrisburg, PA 17110, Barrett Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District.

To construct and maintain one 50-foot bridge on State Game Lands Number 211 over Mill Creek (HQ—CWF, MF). 41°55'09", -75°18'18", Latitude: 41°55'09", Longitude: -75°18'18". Application received: June 23, 2023. Issued: December 7, 2023.

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kate Hogue, Clerical Supervisor, 814-332-6868.*

**E0308223-004, W47 To Trout Pipeline Joint Permit. Pine Run Midstream LLC**, 11400 Westmoor Circle, Suite 200A, Westminster, CO 80021, North Buffalo and West Franklin, **Armstrong County**. U.S. Army Corps of Engineers Pittsburgh District.

**E0308223-004, Pine Run Midstream, LLC**, 11400 Westmoor Circle, Suite 200A, Westminster, CO 80021. W47 to Trout Pipeline, in North Buffalo and West Franklin Townships, **Armstrong County**, ACOE Pittsburgh District, Worthington, PA Quadrangle Lat: 40.7970; Long: -79.6717. To construct, operate, and maintain 3.2 miles of 12" diameter buried steel natural gas pipeline from PennEnergy's existing W47 Well Site to the existing Trout Compressor Station. Several aquatic resources will be impacted by the project: Buffalo Creek (HQ—TSF), UNT's to Buffalo Creek (HQ—TSF), and an EV wetland. The pipeline will be open trenched with three feet of minimum cover across two UNT's Buffalo Creek (40.7919,

-79.6698), (40.8102, -79.6817). Temporary equipment crossings via timber mats will also occur at these stream crossing locations. The Buffalo Creek Crossing (40.7969, -79.6717) will be bored via horizontal directional drill and the pipeline will be approximately 10 feet below the bottom of the streambed. One palustrine unconsolidated bottom wetland (40.8102, -79.6816) will be crossed via timber mats. The project will result in 233 linear feet of temporary stream impacts, 203 linear feet of permanent stream impacts, 0.7 acre of temporary floodway impacts, 0.6 acre of permanent floodway impacts, 322 square feet (0.007 acre) of temporary wetland impacts and 16 square feet (0.0003 acre) of permanent wetland impacts. Latitude: 40.7970°, Longitude: -79.6717°. Application received: June 21, 2023. Issued: December 8, 2023.

Contact: RA-EPWW-NWRO@pa.gov.

**E0306223-005. South Buffalo Township**, 167 Northpointe Boulevard, Freeport, PA 16229, South Buffalo Township, **Armstrong County**. U.S. Army Corps of Engineers Pittsburgh District.

To remove and restore an approximately 330-foot long by 18-foot wide portion of the existing T-372 (White Rock Road) and to construct a new approximately 530-foot long by 22-foot wide section of T-372 partially within the floodplain of the Allegheny River; to remove the existing structure and to construct and maintain a 45-foot long aluminum pipe-arch culvert having a span of 13-foot 1-inch and a rise of 8 feet, 4 inches in UNT Allegheny River on a new alignment; and to construct and maintain a 114.5-foot long, 24-inch diameter HDPE stream enclosure in UNT Allegheny River on the new roadway alignment, all for the purpose of addressing flooding concerns along T-372 (Leechburg, PA Quadrangle N: 40.70508°; W: -79.59647°) in South Buffalo Township, Armstrong County. The project results in a total of 187 feet of permanent stream impacts, an additional 138 feet of temporary stream impacts, 0.07 acre of permanent wetland impacts, 0.04 acre of temporary wetland impacts, 0.41 acre of permanent floodplain impacts and 0.54 acre of temporary floodplain impacts. Project includes debit from the PA Department of Transportation, District 10-0 Armstrong County mitigation bank as compensation for project impacts. Latitude: 40.70508°, Longitude: -79.59647°. Application received: July 17, 2023. Issued: December 7, 2023.

**E6106223-001. PA Department of Conservation and Natural Resources**, P.O. Box 8451, Harrisburg, PA 17105, Cornplanter Township, **Venango County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a 10-foot wide, paved, at grade bicycle trail with associated stormwater management facilities including the replacement of three stream culverts, installation of two stormwater culverts, tree clearing, and minor grading in Oil Creek State Park, Cornplanter Township, Venango County (Titusville South, PA Quadrangle N: 41.511561°; W: -79.679804°) directly impacting three unnamed tributaries to Oil Creek, the floodway and flood plain of Oil Creek, and three wetlands totaling approximately 0.01 acre of permanent stream impact, 0.01 acre of permanent wetland impacts, and 0.97 acre of permanent floodway impact while temporarily impacting 0.02 acre of stream, 0.01 acre of wetland, and 0.27 acre of floodway. Latitude: 41.511561°, Longitude: -79.679804°. Application received: June 5, 2023. Issued: December 8, 2023.

**E4206223-001. Lewis Run Borough**, 60 Main Street, Lewis Run, PA 16738, Lewis Run Borough, **McKean County**. U.S. Army Corps of Engineers Pittsburgh District.

To construct and maintain a pedestrian bridge superstructure utilizing the existing, former railroad bridge stone abutments with a proposed span of approximately 76.34 feet, minimum underclearance of approximately 14.5 feet, and length of approximately 6 feet with proposed R-7 riprap scour protection and minimal approach work permanently impacting approximately 0.02 acre of watercourse and approximately 0.04 acre of floodway to East Branch Tunungwant Creek (Lewis Run, PA Quadrangle N: 41.866100°; W: -78.649985°) in Lewis Run Borough, McKean County. Latitude: 41.866100°, Longitude: -78.649985°. Application received: October 4, 2023. Issued: December 8, 2023.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.

**E4601223-024. Borough of Lansdale**, One Vine Street, Lansdale, PA 19446, Lansdale Borough, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

To construct, rehabilitate, and maintain outfall structure, streambanks, and retaining wall to prevent pump station within the 100-year floodway/floodplain of the UNT to Neshaminy Creek (TSF-MF), associated with the failing storm infrastructure. The site is located at 914 Ridge Street (Lansdale, PA, USGS Quadrangle) in Lansdale Borough, Montgomery County. Latitude: 40.246971°, Longitude: -75.272513°. Application received: June 29, 2023. Permit issued: December 5, 2023.

#### DAM SAFETY

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.*

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

**D62-039EA. Daniel Wisor**, Pennsylvania Fish and Boat Commission, 595 East Rolling Ridge Drive, Bellefonte, PA 16823, Farmington Township, **Warren County**. The Department has reviewed and approved a restoration plan to remove the Brown's Pond Dam to eliminate a threat to public safety and to restore approximately 1,700 feet of stream channel to a free-flowing condition. The project is located across Mud Run (CWF) (Russel, Sugar Grove, PA Quadrangles, Latitude: 41.9579, Longitude: 79.2549). The plan was approved on 12/7/23. Application received: October 6, 2023. Approved: December 7, 2023.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a differ-

ent time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kate Hogue Clerical, Supervisor, 814-332-6868.*

**ESCGP # 3 ESG081023012-00/W76 and W80 Temporary Waterlines**

Applicant Name **Pennenergy Resources, LLC**  
 Contact Person Cody Salmon  
 Address 3000 Westinghouse Drive, Suite 300  
 City, State, Zip Cranberry Township, PA 16066  
 Township(s) Buffalo Township, Clinton Township, Saxonburg Borough, Jefferson Township  
 County **Butler County**  
 Receiving Stream(s) and Classification(s) Sarver Run and UNTs to Sarver Run HQ—TSF  
 Application received: October 23, 2023  
 Issued: December 8, 2023

*Contact: Kate Hogue Clerical, Supervisor, 814-332-6868.*

**ESCGP # 3 ESG076523005-00**

Applicant Name **Hyperian Midstream, LLC**  
 Contact Person Brian Dillemath  
 Address 501 Technology Drive, Ste 1200  
 City, State, Zip Canonsburg, PA 15317-7535  
 Township(s) Salem Township  
 County **Westmoreland County**  
 Receiving Stream(s) and Classification(s) Porters Run (HQ—CWF); UNTS to Porters Run (HQ—CWF)  
 Application received: June 28, 2023  
 Approved: December 7, 2023

**ESCGP # 3 ESG080323006-00**

Applicant Name **Pine Run Midstream, LLC**  
 Contact Person Heather Wilkinson  
 Address 11400 Westmoor Cir, Ste. 200A  
 City, State, Zip Broomfield, CO 80021-2740  
 Township(s) North Buffalo Township, West Franklin Township  
 County **Armstrong County**  
 Receiving Stream(s) and Classification(s) Buffalo Creek (HQ—TSF)  
 Application received: August 8, 2023  
 Approved: December 8, 2023

**ESCGP # 3 ESG081023013-00**

Energy Petroco, LLC  
 Contact Person Jayson Johnson  
 Address P.O. Box 360  
 City, State, Zip Canonsburg, PA 15317-0360

Township(s) Allegheny Township  
 County **Butler County**  
 Receiving Stream(s) and Classification(s) North Branch Bear Creek (CWF)  
 Application received: November 9, 2023  
 Approved: December 11, 2023

**CORRECTIVE ACTION UNDER ACT 32, 1989**

**PREAMBLE 2**

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Ben, 814-350-5132.*

**Sheetz 96**, Storage Tank Facility ID # **24-38772**, 132 North Broad Street, Ridgeway, PA 15853, Ridgeway Borough, **Elk County**. EnviroTrac, Ltd., 176 Thorn Hill Road, Warrendale, PA 15086, on behalf of Sheetz, Inc., 351 Sheetz Way, Claysburg, PA 16225, submitted a Remedial Action Completion Report concerning remediation of groundwater contaminated with Gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

*Contact: Jordan, 814-332-6172.*

**Butler Citgo**, Storage Tank Facility ID # **10-90049**, 125 Pittsburgh Road, Butler, PA 16001, Butler Township, **Butler County**. Letterle & Associates, Inc., 2859 Oxford Blvd, Allison Park, PA 15101, on behalf of Frank Schons, 545 Marks Drive, Coraopolis, PA 15108, submitted a Remedial Action Completion Report concerning remedia-



tion of groundwater contaminated with unleaded gasoline. The report is intended to document the remedial actions for meeting nonresidential Statewide health standards.

Contact: Lee, 814-332-6127.

**Country Fair 59**, Storage Tank Facility ID # **25-90128**, 4526 Pine Street, Erie, PA 16504, City of Erie, **Erie County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company, 814 Lexington Avenue, Warren, PA 16365, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with Unleaded Gasoline. The report is intended to document the remedial actions for meeting residential Statewide health standards.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

**Lukoil 69243**, Storage Tank Facility ID # **46-41506**, 200 S. Eaton Rd., Glenside, PA 19038, Cheltenham Township, **Montgomery County**. EnviroTrac Ltd., 602 S. Bethlehem Pike, Suite A2 and 3, Ambler, PA 19002, on behalf of Lukoil North America, LLC, 302 Harper Drive, Suite 303, Moorestown, NJ 08057, submitted a Combined Remedial Action Plan and Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with unleaded gasoline. The combined plan and report is intended to document the remedial actions for meeting residential and nonresidential Statewide health and background standards.

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 3

**Action(s) Taken on the Following Plans and Reports Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports.

A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

Contact: Eric Supey, Environmental Program Manager.

**Archbald Express Mart**, Storage Tank Facility ID # **35-31756**, 377 North Main Street, Archbald, PA 18403, Archbald Borough, **Lackawanna County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of Danyaal, LLC, 176 Teeple Place, South Plainfield, NJ 07080, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with gasoline. The plan was acceptable to meet the site-specific standards and was approved by DEP on December 5, 2023.

**Your Choice (Former Barron's Service Station)**, Storage Tank Facility ID # **40-32101**, 1130 State Route 93, Drums, PA 18222, Sugarloaf Township, **Luzerne County**. LaBella Associates, 1000 Dunham Drive, Suite B, Dunmore, PA 18512, on behalf of SAI Sugarloaf Realty, LLC, 1 Buckhorn Road, Bloomsburg, PA 17815, submitted a Remedial Action Plan concerning remediation of groundwater contaminated with petroleum. The plan was acceptable to meet the Statewide health standards and was approved by DEP on December 5, 2023.

*Southeast Region: Environmental Cleanup & Brownfields Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

Contact: Richard M. Staron, Professional Geologist Manager, 484-250-5717.

**LC Drennen & Sons**, Storage Tank Facility ID # **15-06058**, S. 3rd St. and Mount Pleasant Rd., Oxford, PA 19363, East Nottingham Township, **Chester County**. ARM Brickhouse, 515 S. Franklin Street, West Chester, PA 19382, on behalf of McMichael, Heiney & Sebastian, LLC, P.O. Box 381, 208 E. Locust St., 3rd Floor, Oxford, PA 19363, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline & fuel oil No. 2. The plan nonresidential was acceptable to meet the Statewide health and site-specific standards and was approved by DEP on November 30, 2023.

**Upper Pottsgrove Twp Greengate Stp**, Storage Tank Facility ID # **46-45263**, 1420 Heather Pl., Pottstown, PA 19464, Upper Pottsgrove Township, **Montgomery County**. Reliance Environmental, Inc., 235 North Duke Street, Lancaster, PA 17602, on behalf of Upper Pottsgrove Township, 1409 Farmington Avenue, Pottstown, PA 19464, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The report residential demonstrated attainment of the Statewide health standards and was approved by DEP on December 7, 2023.

**Lakulish Ridge**, Storage Tank Facility ID # **46-40232**, 1100 E. Ridge Pike, Norristown, PA 19401, Plymouth Township, **Montgomery County**. Synergy Environmental, Inc., 155 Railroad Plaza, First Floor, Royersford, PA 19468, on behalf of Lakulish Ridge, LLC, 1100 E. Ridge

Pike, Norristown, PA 19401, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with unleaded gasoline. The plan residential was acceptable to meet the Statewide health stan-

dards and was approved by DEP on December 11, 2023.

[Pa.B. Doc. No. 23-1763. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code, Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from November 1, 2023, through November 30, 2023. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

#### Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
AHN North Fayette Surgery Center	§ 553.31(a) (relating to administrative responsibilities)	11/8/2023	Granted w/Conditions
North Shore Endoscopy Center, LLC	§ 553.31(a)	11/21/2023	Granted w/Conditions
Physician's Care Surgery Center	§ 553.31(a)	11/21/2023	Granted w/Conditions
Pittsburgh North Surgical Center	§ 567.53(1) (relating to sterilization control)	11/21/2023	Granted w/Conditions

#### Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Allegheny General Hospital	§ 153.1(a) (relating to minimum standards) 2.2-3.4.9.4(2)(b) staff changing area and toilet facilities	11/9/2023	Granted
The Children's Hospital of Philadelphia	§ 153.1(a) 2.2-2.2.4.6(2)(c)(i)—(iv) medical behavioral and mental health room	11/22/2023	Granted w/Conditions
Geisinger—Bloomsburg Hospital	§ 107.64 (relating to administration of drugs)	11/8/2023	Granted w/Conditions
Geisinger—Lewistown Hospital	§ 107.64	11/8/2023	Granted w/Conditions
Geisinger Medical Center Muncy	§ 107.64	11/8/2023	Granted w/Conditions
Jefferson Health—Northeast	§ 153.1(a) 2.2-3.5.1.2(1)(b)(ii) radiation protection	11/10/2023	Granted
The Milton S. Hershey Medical Center	§ 133.21 (relating to facilities)	11/10/2023	Granted w/Conditions
	§ 133.31(a) (relating to policies and procedures)	11/10/2023	Granted w/Conditions
Penn Highlands Brookville	§ 103.31 (relating to the chief executive officer)	11/14/2023	Granted W/Conditions
Penn Highlands Dubois	§ 153.1(a) 2.1-3.2.3.1(2)(a) general	11/13/2023	Granted
	§ 153.1(a) 2.1-3.2.3.2(1)(a) space requirements	11/13/2023	Granted
Penn Highlands Elk	§ 103.31	11/13/2023	Granted w/Conditions
Penn Highlands Tyrone	§ 107.62(a) and (b) (relating to oral orders)	11/10/2023	Granted w/Conditions

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Uniontown Hospital	§ 117.52(a)(1) (relating to minimum requirements for sexual assault emergency services)	11/10/2023	Granted w/Conditions
	§ 153.1(a) 2.2-2.10.3.6 patient bathroom	11/10/2023	Granted
UPMC Pinnacle Hospitals	§ 107.2 (relating to medical staff membership)	11/10/2023	Granted w/Conditions
	§ 107.61 (relating to written orders)	11/10/2023	Granted w/Conditions
Wayne Memorial Hospital	§ 107.26(b)(1) (relating to additional committees)	11/10/2023	Granted w/Conditions

#### Nursing Care Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Abbeyville Skilled Nursing and Rehabilitation Center	§ 201.3 (relating to definitions)	11/13/2023	Granted
Asbury Health Center	§ 201.3	11/6/2023	Granted
Bedford Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Bethel Park Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Bridgeville Rehabilitation and Care Center	§ 201.3	11/13/2023	Granted
Canterbury Place	§ 201.3	11/6/2023	Granted
Carlisle Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Chambersburg Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Complete Care at Lehigh, LLC	§ 201.3	11/6/2023	Granted
Cranberry Place	§ 201.3	11/6/2023	Granted
Crestview Center	§ 201.3	11/13/2023	Granted
Easton Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Fulton County Medical Center	§ 201.3	11/6/2023	Granted
The Gardens at Blue Ridge	§ 201.3	11/6/2023	Granted
The Gardens at Camp Hill	§ 201.3	11/6/2023	Granted
The Gardens at Gettysburg	§ 201.3	11/6/2023	Granted
The Gardens at Millville	§ 201.3	11/6/2023	Granted
The Gardens at Stevens	§ 201.3	11/6/2023	Granted
The Gardens at Stroud	§ 201.3	11/13/2023	Granted
The Gardens at York Terrace	§ 201.3	11/6/2023	Granted
Greetree Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Hamilton Arms Center	§ 201.3	11/20/2023	Granted
Hanover Hall for Nursing and Rehabilitation	§ 201.3	11/6/2023	Granted
Huntingdon Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Inners Creek Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Jersey Shore Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Kendal at Longwood	§ 201.3	11/20/2023	Granted
Laurel Center	§ 201.3	11/13/2023	Granted
Laurel Ridge Center	§ 201.3	11/20/2023	Granted

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Lebanon Skilled and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Meadowood	§ 201.3	11/6/2023	Granted
Messiah Lifeways at Messiah Village	§ 201.3	11/13/2023	Granted
Montgomery Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Norriton Square Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
North Hills Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Pennknoll Village	§ 201.3	11/13/2023	Granted
Peters Township Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Pittsburgh Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Pottstown Skilled Nursing and Rehabilitation Center	§ 201.3	11/20/2023	Granted
Premier at Perry Village for Nursing and Rehabilitation, LLC	§ 201.3	11/6/2023	Granted
Rolling Fields, Inc.	§ 201.3	11/6/2023	Granted
Rose City Nursing and Rehab at Lancaster	§ 201.3	11/6/2023	Granted
Saint John Specialty Care Center	§ 201.3	11/6/2023	Granted
Sarah Reed Senior Living	§ 201.3	11/6/2023	Granted
Seneca Place	§ 201.3	11/6/2023	Granted
Shadyside Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Sherwood Oaks	§ 201.3	11/6/2023	Granted
Southmont of Presbyterian Seniorcare	§ 201.3	11/20/2023	Granted
SpiriTrust Lutheran The Village at Luther Ridge	§ 201.3	11/6/2023	Granted
Spring Creek Rehabilitation and Nursing Center	§ 201.3	11/6/2023	Granted
The Summit at Blue Mountain Nursing and Rehabilitation Center	§ 201.3	11/6/2023	Granted
Sunbury Skilled Nursing and Rehabilitation Center	§ 201.3	11/6/2023	Granted
Titusville Healthcare and Rehabilitation Center	§ 201.3	11/6/2023	Granted
Townview Health and Rehabilitation Center	§ 201.3	11/6/2023	Granted
UPMC	§ 201.3	11/6/2023	Granted
Wallingford Skilled Nursing and Rehabilitation Center	§ 201.3	11/13/2023	Granted
Wayne Center	§ 201.3	11/13/2023	Granted
Waynesburg Health and Rehabilitation Center	§ 201.3	11/20/2023	Granted
Westmoreland Manor	§ 201.3	11/20/2023	Granted
York North Skilled Nursing and Rehabilitation Center	§ 201.3	11/20/2023	Granted
Yorkview Nursing and Rehabilitation	§ 201.3	11/6/2023	Granted

**Home Health**

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Advanced Home Health	§ 201.3	11/30/2023	Not Needed
Amedyisis Home Health (Butler)	§ 201.3	11/30/2023	Not Needed
Amedyisis Home Health (Lancaster)	§ 201.3	11/30/2023	Not Needed
Amedyisis Home Health at Home	§ 201.3	11/30/2023	Not Needed
Help at Home	§ 201.3	11/30/2023	Not Needed
Penn Highland Healthcare at Home (Clearfield)	§ 201.3	11/30/2023	Not Needed
Penn Highland Healthcare at Home (Saint Marys)	§ 201.3	11/30/2023	Not Needed
Traditional Home Health Care	§ 201.3	11/30/2023	Not Needed
Traditional Pediatric and Adult Skilled Home Care	§ 201.3	11/30/2023	Not Needed

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 23-1764. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Long-Term Care Nursing Facilities; Requests for Exception

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.12(f.1)(2) and (4) (relating to nursing services):

Casselman Healthcare and Rehabilitation Center  
201 Hospital Drive  
Meyersdale, PA 15552  
FAC ID # 136802

The following long-term care nursing facility is seeking an exception to 28 Pa. Code § 211.12(f.1)(4):

Carleton Healthcare and Rehabilitation Center  
10 West Avenue  
Wellsboro, PA 16901  
FAC ID # 080802

These requests are on file with the Department of Health (Department). Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Nursing Care Facilities, Room 526, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816, fax (717) 772-2163, ra-paexcept@pa.gov.

Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information.

Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of the request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Division at the previously listed address or phone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 23-1765. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Special Supplemental Nutrition Program for Women, Infants and Children (WIC Program); Competitive Prices and Peer Group Criteria

#### Peer Group Criteria

The WIC Management Information System automatically assigns stores to one of five peer groups depending on store size, number of registers and where the store is located as follows:

<i>Square footage</i>	0—999 sq/ft	1,000—4,999 sq/ft	5,000—9,999 sq/ft	10,000—19,999 sq/ft	20,000—99,999 sq/ft
<i>Peer group</i>	5	4	3	2	1
<i>Number of cash registers</i>	0-1	2—4	5—9	10—19	20+

<i>Weighting</i>		<i>Population Ranges</i>		<i>Geography</i>	
<i>Square footage</i>	30%	0—69,999	Remote Rural		0—50
<i>Registers</i>	30%	70,000—124,999	Rural		51—99
<i>Geography</i>	40%	125,000—249,999	Slightly Urban		100—199
		250,000—499,999	Urban		200—499
		500,000—999,999	Metro Market Edge		500—1,000
		1,000,000+	Metro Market Center		1,000+

**Competitive Prices for Peer Group 1 Stores**

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) (relating to selection criteria for authorization and reauthorization; and terms and conditions of participation) and 7 CFR 246.12 (relating to food delivery methods), the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 1 Stores.

*Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2024, through March 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 1 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	1	\$4.90
Brown Rice—16 oz.	1	\$1.74
Canned Beans (15.5—16 oz. can)	1	\$1.72
Cereal (per oz.)	1	\$0.43
Cheese—16 oz.	1	\$7.57
Cheese—Kosher—16 oz.	1	\$15.60
Dried Beans/peas (1 pound)	1	\$2.68
Fresh shell eggs (dozen)	1	\$3.09
Infant Cereal (8 oz. container)	1	\$3.92
Infant Fruits (4 oz. or 2—2 oz. pack)	1	\$1.48
Infant Meats (2 oz. container)	1	\$1.77
Infant Vegetables (4 oz. or 2—2 oz. pack)	1	\$1.51
Juice 11.5/12 oz.	1	\$3.59
Juice 48 oz.	1	\$4.84
Juice 64 oz.	1	\$5.14
Light Tuna 5 oz.	1	\$1.70
Milk—Kosher—Low Fat 1/2 gallon	1	\$5.36
Milk—Low Fat 1/2 gallon	1	\$2.73
Milk—Whole—Kosher 1/2 gallon	1	\$5.77
Milk—Whole 1/2 gallon	1	\$3.15
Oats—16 oz.	1	\$2.22
Peanut Butter (16—18 oz.)	1	\$4.23
Salmon 6 oz.	1	\$3.84
Sardines 3.75 oz.	1	\$1.90

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Similac Adv Conc 13 oz.	1	\$8.40
Similac Adv Pwd 12.4 oz.	1	\$26.69
Similac Isomil Pwd 12.4 oz.	1	\$26.73
Tortilla—16 oz.	1	\$4.19
Whole Wheat Pasta—16 oz.	1	\$2.30

**Competitive Prices for Peer Group 2 Stores**

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 2 Stores.

*Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2024, through March 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 2 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	2	\$5.32
Brown Rice—16 oz.	2	\$2.05
Canned Beans (15.5—16 oz. can)	2	\$1.90
Cereal (per oz.)	2	\$0.51
Cheese—16 oz.	2	\$8.40
Cheese—Kosher—16 oz.	2	\$18.20
Dried Beans/peas (1 pound)	2	\$2.89
Fresh shell eggs (dozen)	2	\$3.39
Infant Cereal (8 oz. container)	2	\$4.72
Infant Fruits (4 oz. or 2—2 oz. pack)	2	\$1.59
Infant Meats (2 oz. container)	2	\$1.95
Infant Vegetables (4 oz. or 2—2 oz. pack)	2	\$1.59
Juice 11.5/12 oz.	2	\$4.26
Juice 48 oz.	2	\$5.50
Juice 64 oz.	2	\$5.64
Light Tuna 5 oz.	2	\$1.75
Milk—Kosher—Low Fat 1/2 gallon	2	\$5.72
Milk—Low Fat 1/2 gallon	2	\$3.03
Milk—Whole—Kosher 1/2 gallon	2	\$5.98

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Milk—Whole 1/2 gallon	2	\$3.33
Oats—16 oz.	2	\$2.73
Peanut Butter (16—18 oz.)	2	\$4.37
Salmon 6 oz.	2	\$4.08
Sardines 3.75 oz.	2	\$2.06
Similac Adv Conc 13 oz.	2	\$9.31
Similac Adv Pwd 12.4 oz.	2	\$30.42
Similac Isomil Pwd 12.4 oz.	2	\$30.51
Tortilla—16 oz.	2	\$4.50
Whole Wheat Pasta—16 oz.	2	\$2.61

#### Competitive Prices for Peer Group 3 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 3 Stores.

##### *Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2024, through March 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 3 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	3	\$5.45
Brown Rice—16 oz.	3	\$2.08
Canned Beans (15.5—16 oz. can)	3	\$1.94
Cereal (per oz.)	3	\$0.52
Cheese—16 oz.	3	\$8.46
Cheese—Kosher—16 oz.	3	\$19.83
Dried Beans/peas (1 pound)	3	\$2.99
Fresh shell eggs (dozen)	3	\$3.59
Infant Cereal (8 oz. container)	3	\$4.96
Infant Fruits (4 oz. or 2—2 oz. pack)	3	\$1.68
Infant Meats (2 oz. container)	3	\$2.02
Infant Vegetables (4 oz. or 2—2 oz. pack)	3	\$1.60
Juice 11.5/12 oz.	3	\$4.41
Juice 48 oz.	3	\$5.77
Juice 64 oz.	3	\$5.77
Light Tuna 5 oz.	3	\$1.90
Milk—Kosher—Low Fat 1/2 gallon	3	\$6.24
Milk—Low Fat 1/2 gallon	3	\$3.09
Milk—Whole—Kosher 1/2 gallon	3	\$6.50
Milk—Whole 1/2 gallon	3	\$3.43
Oats—16 oz.	3	\$3.13
Peanut Butter (16—18 oz.)	3	\$4.42
Salmon 6 oz.	3	\$4.68
Sardines 3.75 oz.	3	\$2.21
Similac Adv Conc 13 oz.	3	\$11.70

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Similac Adv Pwd 12.4 oz.	3	\$32.50
Similac Isomil Pwd 12.4 oz.	3	\$32.75
Tortilla—16 oz.	3	\$4.58
Whole Wheat Pasta—16 oz.	3	\$3.12

#### Competitive Prices for Peer Group 4 Stores

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 4 Stores.

##### *Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2024, through March 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 4 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	4	\$6.33
Brown Rice—16 oz.	4	\$2.55
Canned Beans (15.5—16 oz. can)	4	\$2.24
Cereal (per oz.)	4	\$0.62
Cheese—16 oz.	4	\$10.66
Cheese—Kosher—16 oz.	4	\$22.10
Dried Beans/peas (1 pound)	4	\$3.25
Fresh shell eggs (dozen)	4	\$4.32
Infant Cereal (8 oz. container)	4	\$5.20
Infant Fruits (4 oz. or 2—2 oz. pack)	4	\$1.96
Infant Meats (2 oz. container)	4	\$2.11
Infant Vegetables (4 oz. or 2—2 oz. pack)	4	\$1.77
Juice 11.5/12 oz.	4	\$4.67
Juice 48 oz.	4	\$6.62
Juice 64 oz.	4	\$7.57
Light Tuna 5 oz.	4	\$2.35
Milk—Kosher—Low Fat 1/2 gallon	4	\$7.02
Milk—Low Fat 1/2 gallon	4	\$4.06
Milk—Whole—Kosher 1/2 gallon	4	\$7.02
Milk—Whole 1/2 gallon	4	\$4.24
Oats—16 oz.	4	\$5.24
Peanut Butter (16—18 oz.)	4	\$5.95
Salmon 6 oz.	4	\$5.60
Sardines 3.75 oz.	4	\$2.96
Similac Adv Conc 13 oz.	4	\$14.30
Similac Adv Pwd 12.4 oz.	4	\$38.30
Similac Isomil Pwd 12.4 oz.	4	\$39.18
Tortilla—16 oz.	4	\$5.02
Whole Wheat Pasta—16 oz.	4	\$3.63

**Competitive Prices for Peer Group 5 Stores**

Under 28 Pa. Code §§ 1103.4(5) and 1105.3(a)(1) and 7 CFR 246.12, the WIC Program hereby publishes notice of the Competitive Prices for Peer Group 5 Stores.

*Competitive Prices*

To remain WIC Authorized, each store must maintain the minimum inventory of the following WIC food items at, or below, the Competitive Prices listed for the store's peer group. Effective January 1, 2024, through March 31, 2024, the Competitive Prices for WIC Authorization for Peer Group 5 Stores are as follows:

<i>Description</i>	<i>Peer Group</i>	<i>Competitive Prices</i>
Bread—16 oz.	5	\$6.92
Brown Rice—16 oz.	5	\$3.41
Canned Beans (15.5—16 oz. can)	5	\$2.80
Cereal (per oz.)	5	\$0.65
Cheese—16 oz.	5	\$14.05
Cheese—Kosher—16 oz.	5	\$23.92
Dried Beans/peas (1 pound)	5	\$3.90
Fresh shell eggs (dozen)	5	\$5.44
Infant Cereal (8 oz. container)	5	\$6.48
Infant Fruits (4 oz. or 2—2 oz. pack)	5	\$2.02
Infant Meats (2 oz. container)	5	\$2.24
Infant Vegetables (4 oz. or 2—2 oz. pack)	5	\$2.16
Juice 11.5/12 oz.	5	\$4.93
Juice 48 oz.	5	\$7.61
Juice 64 oz.	5	\$9.04
Light Tuna 5 oz.	5	\$2.95
Milk—Kosher—Low Fat 1/2 gallon	5	\$7.67
Milk—Low Fat 1/2 gallon	5	\$5.43
Milk—Whole—Kosher 1/2 gallon	5	\$8.13
Milk—Whole 1/2 gallon	5	\$5.33
Oats—16 oz.	5	\$5.84
Peanut Butter (16—18 oz.)	5	\$6.89
Salmon 6 oz.	5	\$5.90
Sardines 3.75 oz.	5	\$3.75
Similac Adv Conc 13 oz.	5	\$17.54
Similac Adv Pwd 12.4 oz.	5	\$44.73
Similac Isomil Pwd 12.4 oz.	5	\$45.00
Tortilla—16 oz.	5	\$6.14
Whole Wheat Pasta—16 oz.	5	\$3.76

**United States Department of Agriculture (USDA)  
Nondiscrimination Statement:**

In accordance with Federal civil rights law and the USDA civil rights regulations and policies, this institution is prohibited from discriminating on the basis of race, color, national origin, sex (including gender identity and sexual orientation), disability, age or reprisal or retaliation for prior civil rights activity.

Program information may be made available in languages other than English. Persons with disabilities who

require alternative means of communication to obtain program information (for example, Braille, large print, audiotape, American Sign Language), should contact the responsible State or local agency that administers the program or the USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact the USDA through the Federal Relay Service at (800) 877-8339.

To file a program discrimination complaint, a complainant should complete a Form AD-3027, USDA Program Discrimination Complaint Form which can be obtained online at <https://www.usda.gov/sites/default/files/documents/USDA-OASCR%20P-Complaint-Form-0508-0002-508-11-28-17Fax2Mail.pdf>, from any USDA office, by calling (866) 632-9992, or by writing a letter addressed to the USDA. The letter must contain the complainant's name, address, telephone number and a written description of the alleged discriminatory action in sufficient detail to inform the Assistant Secretary for Civil Rights about the nature and date of an alleged civil rights violation. The completed AD-3027 form or letter must be submitted to the United States Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410, fax: (833) 256-1665 or (202) 690-7442, Program.Intake@usda.gov.

This institution is an equal opportunity provider.

Persons with a disability who require an alternative format of this listing (for example, large print, audiotape, Braille) should contact the Department of Health, Bureau of WIC, 625 Forster Street, 7th Floor West, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-1289, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Pennsylvania WIC program is funded by the USDA. The USDA is an equal opportunity provider.

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 23-1766. Filed for public inspection December 22, 2023, 9:00 a.m.]

**DEPARTMENT OF  
HUMAN SERVICES**

**Disproportionate Share Payments and Supplemental Payments to Qualifying Hospitals**

The Department of Human Services (Department) is announcing its intent to allocate funds in Fiscal Year (FY) 2023-2024 for several classes of inpatient disproportionate share hospital (DSH) payments and supplemental payments to Medical Assistance (MA) enrolled, qualifying inpatient acute care general hospitals. The Department does not intend to otherwise change the qualifying criteria or payment methodology for these payments. The qualifying criteria and payment methodology for each payment are described in Pennsylvania's Medicaid State Plan.

Payment limitations are applicable, including those limitations that the Commonwealth may not exceed its aggregate annual DSH allotment and that no hospital may receive DSH payments in excess of its hospital-specific limit.

The allocation of the funds for DSH payments described as follows is contingent on the availability of Federal financial participation for these payments.



*Allocation of Funds*

The Department intends to allocate \$61.277 million in total funds for DSH payments to qualifying acute care general hospitals that provide enhanced access to multiple types of medical care in economically distressed areas of this Commonwealth, upon approval by Centers for Medicare & Medicaid Services (CMS).

The Department intends to allocate \$1.308 million in total funds for DSH payments to qualifying acute care general hospitals to promote access to acute care services for MA eligible persons in less urban areas of this Commonwealth, upon approval by CMS.

The Department intends to allocate \$18.867 million in total funds for DSH payments to MA enrolled acute general hospitals that qualify as a trauma center for the purpose of improving access to readily available and coordinated trauma care, upon approval by CMS.

The Department intends to allocate \$59.296 million in total funds for DSH payments to qualifying acute care hospitals to promote access to comprehensive inpatient services for MA eligible persons by assuring an adequate supply of health care professionals who have been trained in high volume MA enrolled hospital settings, upon approval by CMS.

The Department intends to allocate \$9.671 million in total funds for DSH payments to qualifying acute care general hospital burn centers, upon approval by CMS.

The Department intends to allocate \$14.562 million in total funds for DSH payments to qualifying acute care general hospitals providing obstetrical and neonatal services, upon approval by CMS.

The Department intends to allocate \$0.500 million in total funds for DSH payments to qualifying teaching hospitals that provide psychiatric services to MA beneficiaries to help offset medical education costs of psychiatrists that are incurred by hospitals providing assistance to MA beneficiaries and uninsured persons, upon approval by CMS.

The Department intends to allocate \$38.518 million in total funds for DSH payments to critical access and qualifying rural hospitals, upon approval by CMS.

The Department intends to allocate \$0.719 million in total funds for DSH payments to qualifying acute care general hospitals that, in partnership with an independent facility listed as a Cleft and Craniofacial Team by the American Cleft Palate-Craniofacial Association, provide surgical services to patients with cleft palate and craniofacial abnormalities, upon approval by CMS.

The Department intends to allocate \$30.466 million in total funds for DSH payments to qualifying acute care general hospitals that serve the indigent population of cities with a per capita income significantly below the Statewide average for this Commonwealth.

The Department intends to allocate \$0.760 million in total funds funding for DSH payments made to qualifying MA enrolled acute care general hospitals that provide a high volume of inpatient services to MA eligible and low-income populations, upon approval by CMS.

The Department intends to allocate \$4.468 million in total funds for DSH payments to qualifying acute care general hospitals that qualify as academic medical centers, upon approval by CMS.

The Department intends to allocate \$24.697 million in total funds for DSH payments to qualifying acute care general hospitals to provide additional support for the

operation of academic medical programs through the medical education of health care professionals needed to treat the MA population, upon approval by CMS.

The Department intends to allocate \$7.629 million in total funds for DSH payments to qualifying acute care general hospitals that participate in an academic medical program, upon approval by CMS.

The Department intends to allocate \$9.808 million in total funds for DSH payments to qualifying acute care general hospitals that provide a high volume of services to the MA population to promote continued access to inpatient and ancillary outpatient services in this Commonwealth and to support academic medical programs for integrated patient-centered medical services, upon approval by CMS.

The Department intends to allocate \$6.103 million in total funds for DSH payments to qualifying acute care general hospitals to promote the availability of professional medical services to MA populations in less urbanized areas of this Commonwealth by supporting medical education and academic medical programs, upon approval by CMS.

The Department intends to allocate \$8.537 million in total funds for supplemental payments to qualifying acute care general hospitals that provide medical and surgical ocular services to MA beneficiaries to ensure continued access to these critical eye related services, upon approval by CMS.

The Department intends to allocate \$94.682 million in total funds for supplemental payments to qualifying acute care general hospitals that treat a high volume of opioid use disorder patients in their emergency rooms, upon approval by CMS.

The Department intends to allocate \$61.193 million in total funds for supplemental payments to qualifying acute care general hospitals that treat a high percentage of MA patients under 18 years of age, upon approval by CMS.

The Department intends to allocate \$4.927 million in total funds for supplemental payments to qualifying acute care general hospitals located in a county with an estimated general population count of less than 1 million that serve a high percent of MA patients, upon approval by CMS.

The Department intends to allocate \$5.449 million in total funds for supplemental payments to qualifying acute care general hospitals that provide a high volume of services to MA eligible and low-income populations in nonrural medically underserved areas, upon approval by CMS.

The Department intends to allocate \$0.900 million in total funds for supplemental payments to qualifying acute care general hospitals that provide a substantial portion of their inpatient services to MA beneficiaries, upon approval by CMS.

*Fiscal Impact*

The FY 2023-2024 impact, as a result of the funding allocation for these payments, is \$464.337 million in total funds (State and Federal), upon approval by CMS.

*Public Comment*

Interested persons are invited to submit written comments regarding these DSH and supplemental payments to the Department of Human Services, Office of Medical Assistance Programs, c/o Regulations Coordinator, P.O. Box 2675, Harrisburg, PA 17120, RA-PWMAProgComments@

pa.gov. Comments received within 30 days will be reviewed and considered for any subsequent revision of the notice.

Persons with a disability who require an auxiliary aid or service may submit comments using the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

VALERIE A. ARKOOSH,  
*Secretary*

**Fiscal Note:** 14-NOT-1604. Under section 612 of The Administrative Code of 1929 (71 P.S. § 232), (1) General Fund;

(7) MA—Fee-for-Service; (2) Implementing Year 2023-24 is \$113,155,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$589,137,000; 2021-22 Program—\$644,059,000; 2020-21 Program—\$808,350,000;

(7) MA—Academic Medical Centers; (2) Implementing Year 2023-24 is \$24,681,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$22,111,000; 2021-22 Program—\$21,448,000; 2020-21 Program—\$21,749,000;

(7) MA—Physician Practice Plans; (2) Implementing Year 2023-24 is \$3,500,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$9,706,000; 2021-22 Program—\$9,613,000; 2020-21 Program—\$9,618,000;

(7) MA—Autism Intervention; (2) Implementing Year 2023-24 is \$600,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$27,610,000; 2021-22 Program—\$27,493,000; 2020-21 Program—\$27,262,000;

(7) MA—Hospital-Based Burn Centers; (2) Implementing Year 2023-24 is \$4,437,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$3,975,000; 2021-22 Program—\$3,856,000; 2020-21 Program—\$3,862,000;

(7) MA—Obstetric and Neonatal Services; (2) Implementing Year 2023-24 is \$3,681,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$2,986,000; 2021-22 Program—\$2,806,000; 2020-21 Program—\$2,814,000;

(7) MA—Critical Access Hospitals; (2) Implementing Year 2023-24 is \$14,472,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$11,364,000; 2021-22 Program—\$10,927,000; 2020-21 Program—\$9,777,000;

(7) MA—Trauma Centers; (2) Implementing Year 2023-24 is \$8,656,000; (3) 1st Succeeding Year 2024-25 through 5th Succeeding Year 2028-29 are \$0; (4) 2022-23 Program—\$7,755,000; 2021-22 Program—\$7,522,000; 2020-21 Program—\$7,534,000;

(8) recommends adoption. Funds have been included in the budget to cover this increase.

[Pa.B. Doc. No. 23-1767. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF LABOR AND INDUSTRY

### Consumer Price Index Adjustment of Base Amounts on Bids Effective January 1, 2024

Each year the Department of Labor and Industry (Department) is required by the following statutes to publish changes to the base amounts triggering the requirement for public bids, telephonic bids or separate bids, or both, for certain contracts. The Department is required to announce the percentage change in the Consumer Price Index for All Urban Consumers (CPI-U): All Items (CPI-U) for the United States City Average for the 12-month period ending September 30 of each year. The Department utilizes the most current nonseasonally adjusted series, as published by the United States Bureau of Labor Statistics (BLS), which at present uses 1982—1984 as the index base period (set equal to 100). The percentage change for the 12-month period ending September 30, 2023, is 3.7%.

The change to the base rate is determined as follows:

1) Calculate the percentage change in CPI-U (I) from September 2022 to September 2023. This is derived as  $I = (CPI_{23} - CPI_{22})/CPI_{22}$ , where the subscripts refer to September 2023 and 2022 values of CPI-U. As reported by the BLS these values are  $(307.789 - 296.808)/296.808 = +10.981/296.808 = +3.6997\%$ , which when rounded to 1 decimal place = 3.7%. (This was also reported as 3.7% in Table A of the BLS News release on the Consumer Price Index Summary for September 2023.)

2) The legislation puts a floor of 0 and a cap of 3% on the percentage change to be utilized in the calculations (technically these restrictions are on the Preliminary Adjusted Base (PAB), defined in step 4, however this is mathematically equivalent). The truncated value of the percentage change to be used in the adjustment formula is denoted as PC, resulting in:

- a)  $PC = I$ , for  $0 \leq I \leq 3\%$ ,
- b)  $PC = 0$ , for  $I < 0$  and
- c)  $PC = 3\%$ , for  $I > 3\%$ .

3) The base value (either original for new legislation or the prior year's PAB) is designated as B and the product of B and PC (determined previously) is P. (There are different values of the base depending on the entity and the type of bid, so technically B could be designated with 2 subscripts. For illustration purposes, the subscripts are omitted.) Then  $P = B \cdot PC$ . A common value for the base amount in 2023 for a public bid is \$22,547.55. (The other two prior PABs, which are this year's bases for a variety of bid types, were \$12,187.86 and \$30,469.66.) For example, using  $B = \$22,547.55$ , results in  $P = \$22,547.55 * 3.0\% = \$676.43$ . (Since  $I = 3.7\%$ ,  $PC = 3\%$  as stated previously in 2c).

4) Then the Preliminary Adjusted Base,  $PAB = P + B$ , which reduces to  $\$676.43 + \$22,547.55 = \$23,223.98$ .

5) The Final Adjusted Base Amount, FAA, (which is used as the limit for the next year that is 2024) is the PAB rounded to the nearest 100. Therefore, the  $FAA = \$23,200.00$ .

<i>Entity and Legislation</i>	<i>Final Adjusted Base Amount for Use in 2024</i>			
	<i>Public Bid</i>	<i>Written / Telephonic Bid</i>	<i>Separate Bids</i>	<i>Concessions</i>
The County Code (16 P.S. §§ 1216-B, 1801—1803, 1955, 2317 and 2650)	\$23,200	\$12,600	\$23,200	
County Correctional Institutions (61 Pa.C.S. § 1735)	\$23,200	\$12,600	\$23,200	
Second Class County Code (16 P.S. §§ 3112, 5001, 5155, 5407, 5511-A, 5517 and 5704.1)	\$23,200	\$12,600	\$23,200	
Public School Code (24 P.S. §§ 1-120, 5-511, 7-751, 8-807.1, 14-1405-A, 17-1715-A and 17-1749-A)	\$23,200	\$12,600	\$23,200	
Public School Code, Thaddeus Stevens College of Technology (24 P.S. § 19-1913.1-B)	\$23,200			
Public School Code, State System of Higher Education (24 P.S. §§ 20-2003-A.1 and 20-2010-A)	\$23,200			
Prevention and Control of Floods, Flood Control Districts (32 P.S. §§ 662 and 662.1)	\$23,200			
Housing Authorities (35 P.S. § 1551)	\$23,200	\$12,600		
Intergovernmental Cooperation (53 Pa.C.S. §§ 2308, 2311 and 2312)	\$23,200	\$12,600		
General Municipal Law, Flood Control (53 P.S. § 2863)	\$23,200	\$12,600		
Political Subdivisions Joint Purchases Law (53 P.S. § 5432)	\$23,200	\$12,600		
Parking Authorities (53 Pa.C.S. § 5511)	\$31,400	\$12,600		
Municipal Authorities (53 Pa.C.S. § 5614)	\$23,200	\$12,600		
Second Class County Code—Residential Finance Authorities (16 P.S. § 5208-A)	\$23,200	\$12,600		
Public Auditorium Authorities Law (53 P.S. § 23851)	\$23,200	\$12,600		
Third Class City Code (11 Pa.C.S. §§ 11901.1, 11901.2, 11901.4, 11902, 11903.1 and 11909)	\$23,200		\$23,200	
Boroughs and Incorporated Towns (8 Pa.C.S. §§ 1402, 1403 and 1405)	\$23,200	\$12,600	\$23,200	
Incorporated Towns (53 P.S. §§ 53202, 53202.1, 53203, 53203.1 and 53205)	\$23,200	\$12,600	\$23,200	
First Class Township Code (53 P.S. §§ 56802, 56803 and 56805)	\$23,200	\$12,600	\$23,200	
Second Class Township Code (53 P.S. §§ 68102 and 68107)	\$23,200	\$12,600	\$23,200	
Economic Development Financing Law (73 P.S. § 382)	\$23,200	\$12,600		
Metropolitan Transportation Authorities (74 Pa.C.S. § 1750)	\$31,400			\$23,200

[Pa.B. Doc. No. 23-1768. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Interest Rate Notice

Under sections 806 and 806.1 of The Fiscal Code (72 P.S. §§ 806 and 806.1), the Secretary of Revenue announces that, for the calendar year beginning January 1, 2024, all underpayments of tax which became due and payable to the Commonwealth shall bear interest at the rate of 8% per annum. All overpayments of the tax paid during this calendar year under Article III of the Tax Reform Code of 1971 (72 P.S. §§ 7301—7361) shall bear interest at the rate of 8% per annum. All other overpayments of tax paid during this calendar year shall bear interest at the rate of 6% per annum. These rates will remain constant until

December 31, 2024. These rates will be codified under 61 Pa. Code § 4.2(a) (relating to rate of interest).

These rates have been established based upon the rate established by the Secretary of the Treasury of the United States under section 6621(a)(2) of the Internal Revenue Code (26 U.S.C.A. § 6621(a)(2)) to be effective January 1, 2024.

Although the Tax Reform Act of 1986 amended section 6621 of the Internal Revenue Code by requiring that the Secretary of the Treasury of the United States establish quarterly rates of interest to become effective for Federal purposes on the first month of each calendar quarter, these amendments do not affect Commonwealth law. The Fiscal Code, as previously cited, requires that the interest

rate be established effective January 1 of each calendar year without regard to any change in the Federal interest rate during the calendar year.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 23-1769. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania \$1 Million Moneybag Crossword Instant Lottery Game 1669

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania \$1 Million Moneybag Crossword (“\$1 Million Moneybag Crossword”). The game number is PA-1669.

2. *Price:* The price of a \$1 Million Moneybag Crossword instant lottery game ticket is \$20.

3. *Play symbols:* Each \$1 Million Moneybag Crossword instant lottery game ticket will feature a “YOUR LETTERS” area, three crossword puzzle play grids, known as “GRID 1,” “GRID 2” and “GRID 3,” respectively, a “20X MULTIPLIER” area and a “FAST CASH BONUS” area. Each crossword “GRID” is played separately. The “FAST CASH BONUS” area is played separately and cannot be multiplied. The play symbols located in the “YOUR LETTERS” area are: the letters A through and including Z. The play symbols located in “GRID 1,” “GRID 2” and “GRID 3” are: the letters A through and including Z. The play symbols and their captions located in the “20X MULTIPLIER” area are: Stack of Cash (TRYAGAIN) symbol, Vault (NOMULT) symbol, Key (TRYAGAIN) symbol, Lock (NOMULT) symbol, Diamond (TRYAGAIN) symbol, Necklace (NOMULT) symbol, Gem (TRYAGAIN) symbol and a Moneybag (20TIMES) symbol. The play symbols, prize amounts and their captions located in the “FAST CASH BONUS” area are: Chest (NOBONUS) symbol, Money Clip (TRYAGAIN) symbol, Bank (NOBONUS) symbol, Stack of Coins (TRYAGAIN) symbol, Gold Bar (NOBONUS) symbol, Dollar Bill (TRYAGAIN) symbol, Purse (NOBONUS) symbol, Wallet (TRYAGAIN) symbol, Jewelry Box (NOBONUS) symbol, Piggy Bank (TRYAGAIN) symbol, \$20<sup>00</sup> (TWENTY), \$30<sup>00</sup> (THIRTY), \$40<sup>00</sup> (FORTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$500 (FIV HUN) and \$1,000 (ONE THO).

4. *Prizes:* The prizes that can be won in this game are: \$20, \$30, \$40, \$50, \$100, \$200, \$400, \$500, \$1,000, \$5,000, \$10,000, \$100,000 and \$1,000,000. The prizes that can be won in the “FAST CASH BONUS” area are: \$20, \$30, \$40, \$50, \$100, \$200, \$400, \$500 and \$1,000. For a complete description of how these prizes can be won, see section 7 (relating to number and description of prizes and approximate odds). A player can win up to four times on a ticket.

5. *Approximate number of tickets printed for the game:* Approximately 9,600,000 tickets will be printed for the \$1 Million Moneybag Crossword instant lottery game.

#### 6. *Determination of prize winners:*

(a) Holders of tickets upon which the player completely matches ten entire words in “GRID 3,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets where the player completely matches nine entire words in “GRID 3,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$100,000.

(c) Holders of tickets where the player completely matches ten entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, and upon which a Moneybag (20TIMES) symbol appears in the “20X MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$100,000.

(d) Holders of tickets where the player completely matches ten entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(e) Holders of tickets where the player completely matches eight entire words in “GRID 3,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$10,000.

(f) Holders of tickets where the player completely matches six entire words in “GRID 3,” using only the letters found in the “YOUR LETTERS” area, and upon which a Moneybag (20TIMES) symbol appears in the “20X MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$10,000.

(g) Holders of tickets where the player completely matches six entire words in “GRID 1,” six entire words in “GRID 2” and five entire words in “GRID 3,” using only the letters found in the “YOUR LETTERS” area, and upon which a Moneybag (20TIMES) symbol appears in the “20X MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$10,000.

(h) Holders of tickets where the player completely matches ten entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$5,000.

(i) Holders of tickets where the player completely matches nine entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$5,000.

(j) Holders of tickets where the player completely matches six entire words in “GRID 1,” five entire words in “GRID 2” and four entire words in “GRID 3,” using only the letters found in the “YOUR LETTERS” area, and upon which a Moneybag (20TIMES) symbol appears in the “20X MULTIPLIER” area, on a single ticket, shall be entitled to a prize of \$5,000.

(k) Holders of tickets where the player completely matches nine entire words in “GRID 1,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(l) Holders of tickets where the player completely matches eight entire words in “GRID 2,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(m) Holders of tickets where the player completely matches seven entire words in “GRID 3,” using only the letters found in the “YOUR LETTERS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(n) Holders of tickets upon which a prize amount of \$1,000 (ONE THO) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$1,000.

(o) Holders of tickets where the player completely matches five entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a Moneybag (20TIMES) symbol appears in the "20X MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$1,000.

(p) Holders of tickets where the player completely matches four entire words in "GRID 3," using only the letters found in the "YOUR LETTERS" area, and upon which a Moneybag (20TIMES) symbol appears in the "20X MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$1,000.

(q) Holders of tickets where the player completely matches eight entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$500.

(r) Holders of tickets where the player completely matches seven entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$500.

(s) Holders of tickets where the player completely matches six entire words in "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$500.

(t) Holders of tickets upon which a prize amount of \$500 (FIV HUN) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$500.

(u) Holders of tickets upon which a prize amount of \$400 (FOR HUN) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$400.

(v) Holders of tickets where the player completely matches three entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, and upon which a Moneybag (20TIMES) symbol appears in the "20X MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$400.

(w) Holders of tickets where the player completely matches three entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, and upon which a Moneybag (20TIMES) symbol appears in the "20X MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$400.

(x) Holders of tickets where the player completely matches three entire words in "GRID 3," using only the letters found in the "YOUR LETTERS" area, and upon which a Moneybag (20TIMES) symbol appears in the "20X MULTIPLIER" area, on a single ticket, shall be entitled to a prize of \$400.

(y) Holders of tickets where the player completely matches seven entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(z) Holders of tickets where the player completely matches six entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(aa) Holders of tickets where the player completely matches five entire words in "GRID 3," using only the

letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$200.

(bb) Holders of tickets upon which a prize amount of \$200 (TWO HUN) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$200.

(cc) Holders of tickets where the player completely matches six entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(dd) Holders of tickets where the player completely matches five entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$100.

(ee) Holders of tickets upon which a prize amount of \$100 (ONE HUN) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$100.

(ff) Holders of tickets where the player completely matches five entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(gg) Holders of tickets where the player completely matches four entire words in "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$50.

(hh) Holders of tickets upon which a prize amount of \$50<sup>00</sup> (FIFTY) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$50.

(ii) Holders of tickets where the player completely matches four entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$40.

(jj) Holders of tickets upon which a prize amount of \$40<sup>00</sup> (FORTY) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$40.

(kk) Holders of tickets where the player completely matches four entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$30.

(ll) Holders of tickets upon which a prize amount of \$30<sup>00</sup> (THIRTY) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$30.

(mm) Holders of tickets where the player completely matches three entire words in "GRID 1," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(nn) Holders of tickets where the player completely matches three entire words in "GRID 2," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(oo) Holders of tickets where the player completely matches three entire words in "GRID 3," using only the letters found in the "YOUR LETTERS" area, on a single ticket, shall be entitled to a prize of \$20.

(pp) Holders of tickets upon which a prize amount of \$20<sup>00</sup> (TWENTY) appears in the "FAST CASH BONUS" area, on a single ticket, shall be entitled to a prize of \$20.

7. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

NOTICES

8009

<i>“GRID 1” Win With:</i>	<i>“GRID 2” Win With:</i>	<i>“GRID 3” Win With:</i>	<i>“20X MULTIPLIER” Win With:</i>	<i>“FAST CASH BONUS” Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
				\$20	\$20	60	160,000
		3 WORDS			\$20	75	128,000
	3 WORDS				\$20	30	320,000
3 WORDS					\$20	30	320,000
				\$30	\$30	30	320,000
4 WORDS					\$30	30	320,000
3 WORDS	3 WORDS				\$40	300	32,000
		3 WORDS		\$20	\$40	150	64,000
	3 WORDS			\$20	\$40	150	64,000
3 WORDS				\$20	\$40	150	64,000
				\$40	\$40	150	64,000
	4 WORDS				\$40	75	128,000
		3 WORDS		\$30	\$50	150	64,000
	3 WORDS			\$30	\$50	150	64,000
4 WORDS				\$20	\$50	150	64,000
4 WORDS		3 WORDS			\$50	150	64,000
4 WORDS	3 WORDS				\$50	150	64,000
				\$50	\$50	150	64,000
		4 WORDS			\$50	300	32,000
5 WORDS					\$50	300	32,000
		4 WORDS		\$50	\$100	300	32,000
4 WORDS	3 WORDS	3 WORDS		\$30	\$100	150	64,000
5 WORDS		4 WORDS			\$100	150	64,000
				\$100	\$100	300	32,000
	5 WORDS				\$100	300	32,000
6 WORDS					\$100	300	32,000
4 WORDS	3 WORDS	4 WORDS		\$100	\$200	3,000	3,200
5 WORDS	5 WORDS	3 WORDS		\$30	\$200	3,000	3,200
6 WORDS		4 WORDS		\$50	\$200	3,000	3,200
				\$200	\$200	3,000	3,200
		5 WORDS			\$200	3,000	3,200
	6 WORDS				\$200	3,000	3,200
7 WORDS					\$200	3,000	3,200
		3 WORDS	20X w/ MONEYBAG		\$400	1,000	9,600
	3 WORDS		20X w/ MONEYBAG		\$400	1,000	9,600
3 WORDS			20X w/ MONEYBAG		\$400	1,000	9,600
				\$400	\$400	6,000	1,600
		3 WORDS	20X w/ MONEYBAG	\$100	\$500	6,000	1,600
	3 WORDS		20X w/ MONEYBAG	\$100	\$500	6,000	1,600
3 WORDS			20X w/ MONEYBAG	\$100	\$500	6,000	1,600
				\$500	\$500	12,000	800

<i>"GRID 1" Win With:</i>	<i>"GRID 2" Win With:</i>	<i>"GRID 3" Win With:</i>	<i>"20X MULTIPLIER" Win With:</i>	<i>"FAST CASH BONUS" Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 9,600,000 Tickets:</i>
		6 WORDS			\$500	6,000	1,600
	7 WORDS				\$500	6,000	1,600
8 WORDS					\$500	6,000	1,600
		4 WORDS	20X w/ MONEYBAG		\$1,000	2,400	4,000
5 WORDS			20X w/ MONEYBAG		\$1,000	2,400	4,000
7 WORDS	6 WORDS	6 WORDS		\$100	\$1,000	4,800	2,000
				\$1,000	\$1,000	12,000	800
		7 WORDS			\$1,000	12,000	800
	8 WORDS				\$1,000	12,000	800
9 WORDS					\$1,000	12,000	800
6 WORDS	5 WORDS	4 WORDS	20X w/ MONEYBAG		\$5,000	480,000	20
	9 WORDS				\$5,000	960,000	10
10 WORDS					\$5,000	960,000	10
6 WORDS	6 WORDS	5 WORDS	20X w/ MONEYBAG		\$10,000	960,000	10
		6 WORDS	20X w/ MONEYBAG		\$10,000	960,000	10
		8 WORDS			\$10,000	960,000	10
	10 WORDS				\$10,000	960,000	10
10 WORDS			20X w/ MONEYBAG		\$100,000	960,000	10
		9 WORDS			\$100,000	960,000	10
		10 WORDS			\$1,000,000	1,920,000	5

Scratch the YOUR LETTERS to reveal 18 letters. Scratch each matching letter every time it is found in any Crossword GRID. Each letter's square, when scratched gently, will turn white.

When you have matched the letters of three (3) or more entire words in any Crossword GRID, win the corresponding PRIZE shown in the PRIZE KEY for that Crossword GRID. Only the highest PRIZE won in each Crossword GRID will be paid.

Each Crossword GRID is played separately.

20X MULTIPLIER: Reveal a "Moneybag" (20TIMES) symbol, win 20 TIMES any PRIZE won in any Crossword GRID!

FAST CASH BONUS: Reveal a cash prize amount, win that amount instantly. FAST CASH BONUS is played separately and cannot be multiplied.

Prizes, including top prizes, are subject to availability at the time of purchase.

8. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell \$1 Million Moneybag Crossword instant lottery game tickets.

9. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not

exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

10. *Unclaimed prize money:* For a period of 1 year from the announced close of \$1 Million Moneybag Crossword, prize money from winning \$1 Million Moneybag Crossword instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto.





(b) Holders of tickets matching the "CALLER'S CARD" play symbols in a DIAMOND pattern on "CARD 4," on a single ticket, shall be entitled to a prize of \$3,000.

(c) Holders of tickets matching the "CALLER'S CARD" play symbols in an X pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets matching the "CALLER'S CARD" play symbols in a 4 CORNERS pattern on "CARD 4," on a single ticket, shall be entitled to a prize of \$300.

(e) Holders of tickets matching the "CALLER'S CARD" play symbols in an X pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$300.

(f) Holders of tickets matching the "CALLER'S CARD" play symbols in an X pattern on "CARD 1," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$155.

(g) Holders of tickets matching the "CALLER'S CARD" play symbols in an X pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$150.

(h) Holders of tickets matching the "CALLER'S CARD" play symbols in a DIAMOND pattern on "CARD 3," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$95.

(i) Holders of tickets matching the "CALLER'S CARD" play symbols in a DIAMOND pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$90.

(j) Holders of tickets matching the "CALLER'S CARD" play symbols in a 4 CORNERS pattern on "CARD 3," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$65.

(k) Holders of tickets matching the "CALLER'S CARD" play symbols in a 4 CORNERS pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$60.

(l) Holders of tickets matching the "CALLER'S CARD" play symbols in a DIAMOND pattern on "CARD 2," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$55.

(m) Holders of tickets matching the "CALLER'S CARD" play symbols in a DIAMOND pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets matching the "CALLER'S CARD" play symbols in a 4 CORNERS pattern on "CARD 2," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$35.

(o) Holders of tickets matching the "CALLER'S CARD" play symbols in a 4 CORNERS pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$30.

(p) Holders of tickets matching the "CALLER'S CARD" play symbols in a LINE pattern on "CARD 4," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$25.

(q) Holders of tickets matching the "CALLER'S CARD" play symbols in a LINE pattern on "CARD 4," on a single ticket, shall be entitled to a prize of \$20.

(r) Holders of tickets matching the "CALLER'S CARD" play symbols in a DIAMOND pattern on "CARD 1," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$20.

(s) Holders of tickets matching the "CALLER'S CARD" play symbols in a DIAMOND pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$15.

(t) Holders of tickets matching the "CALLER'S CARD" play symbols in a LINE pattern on "CARD 3," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$15.

(u) Holders of tickets matching the "CALLER'S CARD" play symbols in a 4 CORNERS pattern on "CARD 1," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$15.

(v) Holders of tickets matching the "CALLER'S CARD" play symbols in a LINE pattern on "CARD 3," on a single ticket, shall be entitled to a prize of \$10.

(w) Holders of tickets matching the "CALLER'S CARD" play symbols in a 4 CORNERS pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$10.

(x) Holders of tickets matching the "CALLER'S CARD" play symbols in a LINE pattern on "CARD 2," and upon which a Shooting Star (ADD\$5) symbol appears in the "BONUS STAR" area, on a single ticket, shall be entitled to a prize of \$10.

(y) Holders of tickets matching the "CALLER'S CARD" play symbols in a LINE pattern on "CARD 2," on a single ticket, shall be entitled to a prize of \$5.

(z) Holders of tickets matching the "CALLER'S CARD" play symbols in a LINE pattern on "CARD 1," on a single ticket, shall be entitled to a prize of \$3.

8. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Scratch The CALLER'S CARD Area. Then Scratch Only The Numbers On BINGO CARDS 1—4 That Match Those Revealed In The CALLER'S CARD Area. The Center Spot On Each BINGO CARD Is A FREE Space. When Each Matched Number On A BINGO CARD Is Scratched, The Square Will Turn White. When All The Numbers Are Completely Matched In A Horizontal, Vertical Or Diagonal Line, 4 Corners, Diamond Or An X Pattern On Any Individual BINGO CARD, Win Prize Shown For The Matched Pattern In The Appropriate Legend Next To That BINGO CARD.</i> <i>Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
LINE CARD 1	\$3	10.53	798,000
LINE CARD 2	\$5	17.24	487,200
SHOOTING STAR w/ (LINE CARD 2)	\$10	33.33	252,000
4 CORNERS CARD 1	\$10	500	16,800
LINE CARD 3	\$10	500	16,800
(LINE CARD 2) + (4 CORNERS CARD 1)	\$15	333.33	25,200
SHOOTING STAR w/ (4 CORNERS CARD 1)	\$15	166.67	50,400
SHOOTING STAR w/ (LINE CARD 3)	\$15	166.67	50,400
DIAMOND CARD 1	\$15	500	16,800
(LINE CARD 2) + (DIAMOND CARD 1)	\$20	1,000	8,400
SHOOTING STAR w/ (DIAMOND CARD 1)	\$20	100	84,000
LINE CARD 4	\$20	1,000	8,400
(LINE CARD 3) + (LINE CARD 2) + (DIAMOND CARD 1)	\$30	1,000	8,400
SHOOTING STAR w/ ((LINE CARD 3) + (4 CORNERS CARD 1))	\$30	333.33	25,200
4 CORNERS CARD 2	\$30	1,000	8,400
(LINE CARD 4) + (LINE CARD 2) + (DIAMOND CARD 1)	\$40	3,000	2,800
SHOOTING STAR w/ ((LINE CARD 4) + (LINE CARD 3))	\$40	937.5	8,960
(LINE CARD 3) + (4 CORNERS CARD 2) + (4 CORNERS CARD 1)	\$50	2,400	3,500
SHOOTING STAR w/ ((LINE CARD 3) + (4 CORNERS CARD 2))	\$50	2,400	3,500
DIAMOND CARD 2	\$50	2,400	3,500
(LINE CARD 3) + (DIAMOND CARD 2)	\$60	3,000	2,800
SHOOTING STAR w/ ((LINE CARD 4) + (4 CORNERS CARD 2))	\$60	6,000	1,400
4 CORNERS CARD 3	\$60	6,000	1,400
(4 CORNERS CARD 3) + (4 CORNERS CARD 2)	\$90	12,000	700
(LINE CARD 4) + (4 CORNERS CARD 3) + (4 CORNERS CARD 1)	\$90	12,000	700
SHOOTING STAR w/ ((LINE CARD 3) + (DIAMOND CARD 2) + (DIAMOND CARD 1))	\$90	6,000	1,400
SHOOTING STAR w/ ((4 CORNERS CARD 3) + (LINE CARD 2) + (4 CORNERS CARD 1))	\$90	6,000	1,400
SHOOTING STAR w/ ((LINE CARD 4) + (4 CORNERS CARD 3))	\$90	6,000	1,400
DIAMOND CARD 3	\$90	12,000	700
(4 CORNERS CARD 3) + (4 CORNERS CARD 2) + (4 CORNERS CARD 1)	\$100	8,000	1,050
(DIAMOND CARD 3) + (4 CORNERS CARD 1)	\$100	6,000	1,400

<i>Scratch The CALLER'S CARD Area. Then Scratch Only The Numbers On BINGO CARDS 1—4 That Match Those Revealed In The CALLER'S CARD Area. The Center Spot On Each BINGO CARD Is A FREE Space. When Each Matched Number On A BINGO CARD Is Scratched, The Square Will Turn White. When All The Numbers Are Completely Matched In A Horizontal, Vertical Or Diagonal Line, 4 Corners, Diamond Or An X Pattern On Any Individual BINGO CARD, Win Prize Shown For The Matched Pattern In The Appropriate Legend Next To That BINGO CARD.</i> <i>Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
SHOOTING STAR w/ ((4 CORNERS CARD 3) + (4 CORNERS CARD 2))	\$100	4,800	1,750
SHOOTING STAR w/ ((LINE CARD 4) + (DIAMOND CARD 2) + (DIAMOND CARD 1))	\$100	5,455	1,540
SHOOTING STAR w/ ((LINE CARD 4) + (4 CORNERS CARD 3) + (LINE CARD 2))	\$100	5,455	1,540
(DIAMOND CARD 3) + (DIAMOND CARD 2) + (4 CORNERS CARD 1)	\$150	24,000	350
SHOOTING STAR w/ ((DIAMOND CARD 3) + (4 CORNERS CARD 2) + (DIAMOND CARD 1))	\$150	12,000	700
X CARD 1	\$150	24,000	350
SHOOTING STAR w/ ((LINE CARD 4) + (4 CORNERS CARD 3) + (DIAMOND CARD 2) + (X CARD 1))	\$300	60,000	140
X CARD 2	\$300	60,000	140
4 CORNERS CARD 4	\$300	60,000	140
X CARD 3	\$1,000	120,000	70
DIAMOND CARD 4	\$3,000	420,000	20
X CARD 4	\$50,000	840,000	10

BONUS STAR: Reveal a "SHOOTING STAR" (ADD\$5) symbol, add \$5 to any prize won! BONUS STAR cannot be won alone.

Prizes, including top prizes, are subject to availability at the time of purchase.

9. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Bonus Star Bingo instant lottery game tickets.

10. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will

not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

11. *Unclaimed prize money:* For a period of 1 year from the announced close of Bonus Star Bingo, prize money from winning Bonus Star Bingo instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Bonus Star Bingo instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

12. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

13. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote

Bonus Star Bingo or through normal communications methods.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 23-1771. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania Love Struck Instant Lottery Game 1673

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania Love Struck (“Love Struck”). The game number is PA-1673.

2. *Price:* The price of a Love Struck instant lottery game ticket is \$1.

3. *Play symbols:* Each Love Struck instant lottery game ticket will contain one play area, a “PRIZE” area and a “BONUS” area. The play symbols and their captions, located in the play area, are: Heart (HEART) symbol and a Lightning Bolt (BOLT) symbol. The play symbols and their captions, located in the “BONUS” box, are: Kiss (KISS) symbol, Rose (ROSE) symbol, Cupid (CUPID) symbol, Love Letter (LETTER) symbol, Ring (RING) symbol, Candy (CANDY) symbol, Key (KEY) symbol and an Arrow (4TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the “PRIZE” box, are: FREE (TICKET), \$1<sup>00</sup> (ONE DOL), \$2<sup>00</sup> (TWO DOL), \$4<sup>00</sup> (FOR DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$14<sup>00</sup> (FORTN), \$20<sup>00</sup> (TWENTY), \$40<sup>00</sup> (FORTY), \$100 (ONE HUN), \$400 (FOR HUN) and \$1,400 (FORTNHUN).

5. *Prizes:* The prizes that can be won in this game are: Free \$1 Ticket, \$1, \$2, \$4, \$5, \$10, \$14, \$20, \$40, \$100, \$400 and \$1,400. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to two times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 5,400,000 tickets will be printed for the Love Struck instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct a Perfect Match Second-Chance Drawing from the Pennsylvania Lottery for which non-winning Love Struck instant lottery game tickets may be eligible as provided in section 10.

8. *Determination of prize winners:*

(a) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$1,400 (FORTNHUN) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$1,400.

(b) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$400 (FOR HUN)

appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$400.

(c) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$100 (ONE HUN) appears in the “PRIZE” box, and upon which an Arrow (4TIMES) symbol appears in the “BONUS” box, on a single ticket, shall be entitled to a prize of \$400.

(d) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$100 (ONE HUN) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$100.

(e) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$40<sup>00</sup> (FORTY) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$40.

(f) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “PRIZE” box, and upon which an Arrow (4TIMES) symbol appears in the “BONUS” box, on a single ticket, shall be entitled to a prize of \$40.

(g) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$20.

(h) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the “PRIZE” box, and upon which an Arrow (4TIMES) symbol appears in the “BONUS” box, on a single ticket, shall be entitled to a prize of \$20.

(i) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$14<sup>00</sup> (FORTN) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$14.

(j) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$10.

(k) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal, and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$5.

(l) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$4<sup>00</sup> (FOR DOL) appears in the “PRIZE” box, on a single ticket, shall be entitled to a prize of \$4.

(m) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of \$1<sup>00</sup> (ONE DOL) appears in the “PRIZE” box, and upon which an Arrow (4TIMES) symbol appears in the “BONUS” box, on a single ticket, shall be entitled to a prize of \$4.

(n) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column

or diagonal and a prize symbol of \$2.<sup>00</sup> (TWO DOL) appears in the "PRIZE" box, on a single ticket, shall be entitled to a prize of \$2.

(o) Holders of tickets upon which three matching Lightning Bolt (BOLT) symbols appear in a row, column or diagonal and a prize symbol of FREE (TICKET) appears in the "PRIZE" box, on a single ticket, shall be entitled to

a prize of one Love Struck instant game ticket or one Pennsylvania Lottery instant game ticket of equivalent sale price which is currently on sale.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>Reveal Three "Lightning Bolt" (BOLT) Symbols In A Row, Column Or Diagonal, Win PRIZE Shown In The PRIZE Box. Win With:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
FREE	FREE \$1 TICKET	9.09	594,000
\$2	\$2	22.73	237,600
\$1 w/ ARROW	\$4	45.45	118,800
\$4	\$4	1,000	5,400
\$5	\$5	71.43	75,600
\$10	\$10	111.11	48,600
\$14	\$14	100	54,000
\$5 w/ ARROW	\$20	1,333	4,050
\$20	\$20	12,000	450
\$10 w/ ARROW	\$40	1,500	3,600
\$40	\$40	24,000	225
\$100	\$100	12,000	450
\$100 w/ ARROW	\$400	108,000	50
\$400	\$400	540,000	10
\$1,400	\$1,400	540,000	10

Reveal an "Arrow" (4TIMES) symbol in the BONUS box, win 4 TIMES any PRIZE won!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The Pennsylvania Lottery's Perfect Match Second-Chance Drawing for qualifying instant lottery game tickets ("Drawing"):

(a) *Qualifying Tickets:* Non-winning PA-1670 You Make My Heart Skip a Beat (\$5), PA-1672 My Cherry on Top (\$2) and PA-1673 Love Struck (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

- (7) Only one claimant per entry is allowed.
- (8) Entrants must be 18 years of age or older.
- (9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Perfect Match Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. December 25, 2023, through 11:59:59 p.m. February 15, 2024, will be entered into the Drawing tentatively scheduled to be held between February 20, 2024 and March 4, 2024.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1670 You Make My Heart Skip a Beat (\$5) = five entries, PA-1672 My Cherry on Top (\$2) = two entries and PA-1673 Love Struck (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first through the fourteenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(ii) The fifteenth through the sixty-fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games International, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent en-

tries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell Love Struck instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of Love Struck, prize money from winning Love Struck instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the Love Struck instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be

disseminated through media used to advertise or promote Love Struck or through normal communications methods.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 23-1772. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania MONOPOLY™ Own It All Instant Lottery Game 1668

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania MONOPOLY™ Own It All (“MONOPOLY™ Own It All”). The game number is PA-1668.

2. *Price:* The price of a MONOPOLY™ Own It All instant lottery game ticket is \$50.

3. *Play symbols:* Each MONOPOLY™ Own It All instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BONUS” area, and one “RIDE THE RAIL” area. The “RIDE THE RAIL” area is played separately. The play symbols and their captions located in the “WINNING NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), 41 (FRYONE), 42 (FRYTWO), 43 (FRYTHR), 44 (FRYFOR), 45 (FRYFIV), 46 (FRYSIX), 47 (FRYSVN), 48 (FRYEGT) and 49 (FRYNIN). The play symbols and their captions located in the “YOUR NUMBERS” area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWNIN), 30 (THIRT), 31 (THYONE), 32 (THYTWO), 33 (THYTHR), 34 (THYFOR), 35 (THYFIV), 36 (THYSIX), 37 (THYSVN), 38 (THYEGT), 39 (THYNIN), 40 (FORT), 41 (FRYONE), 42 (FRYTWO), 43 (FRYTHR), 44 (FRYFOR), 45 (FRYFIV), 46 (FRYSIX), 47 (FRYSVN), 48 (FRYEGT), 49 (FRYNIN), Hotel (HOTEL) symbol, PENNSYLVANIA AVENUE (PENNSYLVANIA AVE) symbol, BOARDWALK (BOARDWALK) symbol and a PARK PLACE (PARK PLACE) symbol. The play symbols and cash prize amounts, and their captions, located in the “BONUS” area, are: Wallet (TRYAGAIN) symbol, Stack of Coins (NOBONUS) symbol, Gold Bars (TRYAGAIN) symbol, Diamond (NOBONUS) symbol, Crown (TRYAGAIN) symbol, Gem (NOBONUS) symbol, Piggy Bank (TRYAGAIN) symbol, Star (NOBONUS) symbol, \$75 (WIN75) symbol, \$100 (WIN100) symbol, \$200 (WIN200) symbol, \$300 (WIN300) symbol, \$400 (WIN400) symbol,

\$500 (WIN500) symbol, \$1,000 (WIN1000) symbol, \$5,000 (WIN5000) symbol and a MONOPOLY™ Moneybag (WINALL) symbol. The play symbols and their captions, located in the “RIDE THE RAIL” area, are: Ring (NOBONUS) symbol, Chest (TRYAGAIN) symbol, Electric Company (NOBONUS) symbol, Waterworks (TRYAGAIN) symbol, Question Mark (NOBONUS) symbol, Car (TRYAGAIN) symbol, GO (NOBONUS) symbol, Cat (TRYAGAIN) symbol, Duck (NOBONUS) symbol, Dog (TRYAGAIN) symbol, Battleship (NOBONUS) symbol and a Railroad (RAILROAD) symbol.

4. *Prize symbols:* The prize symbols and their captions located in the “YOUR NUMBERS” area, are: \$75<sup>00</sup> (SVY FIV), \$100 (ONE HUN), \$200 (TWO HUN), \$300 (THR HUN), \$400 (FOR HUN), \$500 (FIV HUN), \$1,000 (ONE THO), \$5,000 (FIV THO), \$10,000 (TEN THO), \$50,000 (FTY THO), \$250,000 (TWHNFYTH), \$500,000 (FIVHUNTHO) and \$5MILL (FIV MIL).

5. *Prizes:* The prizes that can be won in this game are: \$75, \$100, \$200, \$300, \$400, \$500, \$1,000, \$5,000, \$10,000, \$50,000, \$250,000, \$500,000 and \$5,000,000. The prizes that can be won in the “BONUS” area, are: \$75, \$100, \$200, \$300, \$400, \$500, \$1,000 and \$5,000. The prizes that can be won in the “RIDE THE RAIL” area, are: \$75, \$100, \$200 and \$400. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to 31 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 8,400,000 tickets will be printed for the MONOPOLY™ Own It All instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct one ADVANCE TO GO™ Second-Chance Drawing for which non-winning MONOPOLY™ Own It All instant lottery game tickets may be eligible as provided for in section 10.

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5MILL (FIV MIL) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000,000. The prize shall be paid as a one-time, lump-sum cash payment.

(b) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500,000 (FIVHUNTHO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500,000.

(c) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$10,000 (TEN THO) appears in 21 of the “prize” areas, a prize symbol of \$5,000 (FIV THO) appears in eight of the “prize” areas and a prize symbol of \$250,000 (TWHNFYTH) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500,000.

(d) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$50,000 (FTY THO) appears in six of the “prize” areas, a prize symbol of \$10,000 (TEN THO) appears in 16 of the “prize” areas and a prize symbol of \$5,000 (FIV THO) appears in eight of the “prize” areas, on a single ticket, shall be entitled to a prize of \$500,000.

(e) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$250,000 (TWHNFYTH) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$250,000.

(f) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$10,000 (TEN THO) appears in 20 of the “prize” areas and a prize symbol of \$5,000 (FIV THO) appears in ten of the “prize” areas, on a single ticket, shall be entitled to a prize of \$250,000.

(g) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$50,000 (FTY THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$50,000.

(h) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$10,000 (TEN THO) appears in four of the “prize” areas, a prize symbol of \$500 (FIV HUN) appears in 11 of the “prize” areas, a prize symbol of \$400 (FOR HUN) appears in ten of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in five of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50,000.

(i) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$5,000 (FIV THO) appears in six of the “prize” areas, a prize symbol of \$1,000 (ONE THO) appears in 16 of the “prize” areas and a prize symbol of \$500 (FIV HUN) appears in eight of the “prize” areas, on a single ticket, shall be entitled to a prize of \$50,000.

(j) Holders of tickets upon which a BOARDWALK (BOARDWALK) symbol or a PARK PLACE (PARK PLACE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that BOARDWALK (BOARDWALK) symbol or PARK PLACE (PARK PLACE) symbol, on a single ticket, shall be entitled to a prize of \$25,000.

(k) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$10,000 (TEN THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10,000.

(l) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$1,000 (ONE THO) appears in five of the “prize” areas and a prize symbol of \$200 (TWO HUN) appears in 25 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$10,000.

(m) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$400 (FOR HUN) appears in 20 of the “prize” areas, a prize symbol of \$200 (TWO HUN) appears in six of the “prize” areas, a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in three of the “prize” areas and a prize symbol of \$500 (FIV HUN) appears in one of the “prize” areas, on a single ticket, shall be entitled to a prize of \$9,925.

(n) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$500 (FIV HUN) appears in 16



of the “prize” areas, a prize symbol of \$200 (TWO HUN) appears in two of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in 12 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$9,600.

(o) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(p) Holders of tickets upon which a Hotel (HOTEL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$5,000 (FIV THO) appears in the “prize” area under that Hotel (HOTEL) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(q) Holders of tickets upon which a \$5,000 Bill (WIN5000) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$5,000.

(r) Holders of tickets upon which a BOARDWALK (BOARDWALK) symbol or a PARK PLACE (PARK PLACE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that BOARDWALK (BOARDWALK) symbol or PARK PLACE (PARK PLACE) symbol, on a single ticket, shall be entitled to a prize of \$5,000.

(s) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area and a prize symbol of \$500 (FIV HUN) appears in five of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in 25 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$5,000.

(t) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area, and a prize symbol of \$400 (FOR HUN) appears in five of the “prize” areas, a prize symbol of \$200 (TWO HUN) appears in five of the “prize” areas, a prize symbol of \$100 (ONE HUN) appears in 16 of the “prize” areas and a prize symbol of \$75.00 (SVY FIV) appears in four of the “prize” areas, on a single ticket, shall be entitled to a prize of \$4,900.

(u) Holders of tickets upon which a MONOPOLY™ Moneybag (WINALL) symbol appears in the “BONUS” area, and a prize symbol of \$200 (TWO HUN) appears in 18 of the “prize” areas and a prize symbol of \$100 (ONE HUN) appears in 12 of the “prize” areas, on a single ticket, shall be entitled to a prize of \$4,800.

(v) Holders of tickets upon which a BOARDWALK (BOARDWALK) symbol or a PARK PLACE (PARK PLACE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75.00 (SVY FIV) appears in the “prize” area under that BOARDWALK (BOARDWALK) symbol or PARK PLACE (PARK PLACE) symbol, on a single ticket, shall be entitled to a prize of \$3,750.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(x) Holders of tickets upon which a Hotel (HOTEL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$1,000 (ONE THO) appears in the “prize” area under that Hotel (HOTEL) symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(y) Holders of tickets upon which a \$1,000 Bill (WIN1000) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$1,000.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$500.

(aa) Holders of tickets upon which a Hotel (HOTEL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$500 (FIV HUN) appears in the “prize” area under that Hotel (HOTEL) symbol, on a single ticket, shall be entitled to a prize of \$500.

(bb) Holders of tickets upon which a \$500 Bill (WIN500) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$500.

(cc) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$400.

(dd) Holders of tickets upon which a Hotel (HOTEL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$400 (FOR HUN) appears in the “prize” area under that Hotel (HOTEL) symbol, on a single ticket, shall be entitled to a prize of \$400.

(ee) Holders of tickets upon which a \$400 Bill (WIN400) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$400.

(ff) Holders of tickets upon which four Railroad (RAILROAD) symbols appear in the “RIDE THE RAIL” area, on a single ticket, shall be entitled to a prize of \$400.

(gg) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$300 (THR HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$300.

(hh) Holders of tickets upon which a PENNSYLVANIA AVENUE (PENNSYLVANIA AVE) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$300 (THR HUN) appears in the “prize” area under that PENNSYLVANIA AVENUE (PENNSYLVANIA AVE) symbol, on a single ticket, shall be entitled to a prize of \$300.

(ii) Holders of tickets upon which a \$300 Bill (WIN300) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$300.

(jj) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$200.

(kk) Holders of tickets upon which a Hotel (HOTEL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$200 (TWO HUN) appears in the “prize” area under that Hotel (HOTEL) symbol, on a single ticket, shall be entitled to a prize of \$200.

(ll) Holders of tickets upon which a \$200 Bill (WIN200) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$200.

(mm) Holders of tickets upon which three Railroad (RAILROAD) symbols appear in the “RIDE THE RAIL” area, on a single ticket, shall be entitled to a prize of \$200.

(nn) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING NUMBERS” play symbols and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$100.

(oo) Holders of tickets upon which a Hotel (HOTEL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$100 (ONE HUN) appears in the “prize” area under that Hotel (HOTEL) symbol, on a single ticket, shall be entitled to a prize of \$100.

(pp) Holders of tickets upon which a \$100 Bill (WIN100) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$100.

(qq) Holders of tickets upon which two Railroad (RAILROAD) symbols appear in the “RIDE THE RAIL” area, on a single ticket, shall be entitled to a prize of \$100.

(rr) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING

NUMBERS” play symbols and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in the “prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$75.

(ss) Holders of tickets upon which a Hotel (HOTEL) symbol appears in the “YOUR NUMBERS” area and a prize symbol of \$75<sup>00</sup> (SVY FIV) appears in the “prize” area under that Hotel (HOTEL) symbol, on a single ticket, shall be entitled to a prize of \$75.

(tt) Holders of tickets upon which a \$75 Bill (WIN75) symbol appears in the “BONUS” area, on a single ticket, shall be entitled to a prize of \$75.

(uu) Holders of tickets upon which one Railroad (RAILROAD) symbol appears in the “RIDE THE RAIL” area, on a single ticket, shall be entitled to a prize of \$75.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“BONUS”:</i>	<i>“RIDE THE RAIL”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
		\$75 w/ 1—RAILROAD SYMBOL	\$75	12.5	672,000
	\$75		\$75	27.78	302,400
\$75 w/ HOTEL			\$75	25	336,000
\$75			\$75	35.71	235,200
		\$100 w/ 2—RAILROAD SYMBOLS	\$100	50	168,000
	\$100		\$100	500	16,800
\$100 w/ HOTEL			\$100	125	67,200
\$100			\$100	500	16,800
		\$200 w/ 3—RAILROAD SYMBOLS	\$200	250	33,600
	\$200		\$200	500	16,800
\$200 w/ HOTEL			\$200	500	16,800
\$200			\$200	500	16,800
	\$300		\$300	500	16,800
\$300 w/ PENNSYLVANIA AVE			\$300	166.67	50,400
\$300			\$300	500	16,800
\$100 × 4			\$400	4,800	1,750
\$100 w/ HOTEL	\$100	\$200 w/ 3—RAILROAD SYMBOLS	\$400	4,800	1,750
\$300 w/ PENNSYLVANIA AVE		\$100 w/ 2—RAILROAD SYMBOLS	\$400	200	42,000
		\$400 w/ 4—RAILROAD SYMBOLS	\$400	4,800	1,750
	\$400		\$400	4,800	1,750

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>"BONUS":</i>	<i>"RIDE THE RAIL":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
\$400 w/ HOTEL			\$400	2,400	3,500
\$400			\$400	4,800	1,750
\$100 × 5			\$500	3,000	2,800
(((\$75 w/ HOTEL) × 3) + \$100	\$100	\$75 w/ 1—RAILROAD SYMBOL	\$500	2,400	3,500
\$100 w/ HOTEL		\$400 w/ 4—RAILROAD SYMBOLS	\$500	600	14,000
\$300 w/ PENNSYLVANIA AVE		\$200 w/ 3—RAILROAD SYMBOLS	\$500	800	10,500
\$300 w/ PENNSYLVANIA AVE	\$100	\$100 w/ 2—RAILROAD SYMBOLS	\$500	1,200	7,000
	\$500		\$500	1,200	7,000
\$500 w/ HOTEL			\$500	2,400	3,500
\$500			\$500	2,400	3,500
\$100 × 10			\$1,000	4,800	1,750
\$200 × 5			\$1,000	2,400	3,500
\$500 × 2			\$1,000	2,400	3,500
\$300 w/ PENNSYLVANIA AVE	\$75 × 4	\$400 w/ 4—RAILROAD SYMBOLS	\$1,000	600	14,000
(\$300 w/ PENNSYLVANIA AVE) + (((\$75 w/ HOTEL) × 5) + \$75	\$75 × 2	\$100 w/ 2—RAILROAD SYMBOLS	\$1,000	1,200	7,000
(\$300 w/ PENNSYLVANIA AVE) + (((\$100 w/ HOTEL) × 2) + \$100	\$100 × 2	\$200 w/ 3—RAILROAD SYMBOLS	\$1,000	1,200	7,000
	\$1,000		\$1,000	2,400	3,500
\$1,000 w/ HOTEL			\$1,000	2,400	3,500
\$1,000			\$1,000	6,000	1,400
	MONOPOLY MONEYBAG w/ ((\$200 × 18) + (\$100 × 12))	\$200 w/ 3—RAILROAD SYMBOLS	\$5,000	20,000	420
	MONOPOLY MONEYBAG w/ ((\$400 × 5) + (\$200 × 5) + (\$100 × 16) + (\$75 × 4))	\$100 w/ 2—RAILROAD SYMBOLS	\$5,000	24,000	350
	MONOPOLY MONEYBAG w/ ((\$500 × 5) + (\$100 × 25))		\$5,000	24,000	350
\$500 × 10			\$5,000	120,000	70
(\$75 w/ BOARDWALK OR PARK PLACE) + (((\$75 w/ HOTEL) × 6) + (\$200 × 2)	\$75 × 4	\$100 w/ 2—RAILROAD SYMBOLS	\$5,000	24,000	350

NOTICES

8023

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>"BONUS":</i>	<i>"RIDE THE RAIL":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
(\$75 w/ BOARDWALK OR PARK PLACE) + (\$300 w/ PENNSYLVANIA AVE) + ((\$100 w/ HOTEL) × 4)	(\$100 × 2) + (\$75 × 2)	\$200 w/ 3—RAILROAD SYMBOLS	\$5,000	8,000	1,050
\$100 w/ BOARDWALK OR PARK PLACE			\$5,000	60,000	140
	\$5,000		\$5,000	120,000	70
\$5,000 w/ HOTEL			\$5,000	120,000	70
\$5,000			\$5,000	120,000	70
	MONOPOLY MONEYBAG w/ ((\$400 × 20) + (\$200 × 6) + (\$75 × 3) + \$500)	\$75 w/ 1—RAILROAD SYMBOL	\$10,000	40,000	210
	MONOPOLY MONEYBAG w/ ((\$500 × 16) + (\$200 × 2) + (\$100 × 12))	\$400 w/ 4—RAILROAD SYMBOLS	\$10,000	40,000	210
	MONOPOLY MONEYBAG w/ ((\$1,000 × 5) + (\$200 × 25))		\$10,000	60,000	140
(((\$75 w/ BOARDWALK OR PARK PLACE) × 2) + ((\$500 w/ HOTEL) × 2) + (\$100 × 4)	(\$300 × 2) + (\$200 × 2)	\$100 w/ 2—RAILROAD SYMBOLS	\$10,000	120,000	70
(\$100 w/ BOARDWALK OR PARK PLACE) × 2			\$10,000	120,000	70
\$10,000			\$10,000	120,000	70
	MONOPOLY MONEYBAG w/ ((\$5,000 × 6) + (\$1,000 × 16) + (\$500 × 8))		\$50,000	1,680,000	5
	MONOPOLY MONEYBAG w/ ((\$10,000 × 4) + (\$500 × 11) + (\$400 × 10) + (\$100 × 5))		\$50,000	1,680,000	5
(\$500 w/ BOARDWALK OR PARK PLACE) × 2			\$50,000	1,680,000	5
\$50,000			\$50,000	1,680,000	5
	MONOPOLY MONEYBAG w/ ((\$10,000 × 20) + (\$5,000 × 10))		\$250,000	1,680,000	5
\$250,000			\$250,000	1,680,000	5

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>“BONUS”:</i>	<i>“RIDE THE RAIL”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 8,400,000 Tickets:</i>
	MONOPOLY MONEYBAG w/ ((\$50,000 × 6) + (\$10,000 × 16) + (\$5,000 × 8))		\$500,000	1,680,000	5
	MONOPOLY MONEYBAG w/ ((\$10,000 × 21) + (\$5,000 × 8) + \$250,000)		\$500,000	1,680,000	5
\$500,000			\$500,000	1,680,000	5
\$5,000,000			\$5,000,000	1,680,000	5

Reveal a “Hotel” (HOTEL) symbol, win prize shown under that symbol.

Reveal a “PENNSYLVANIA AVENUE” (PENNSYLVANIA AVE) symbol, win \$300 instantly.

Reveal a “BOARDWALK” (BOARDWALK) or a “PARK PLACE” (PARK PLACE) symbol, win 50 TIMES the prize shown under that symbol!

BONUS: Reveal a cash prize amount, win that amount instantly. Reveal a “MONOPOLY™ Moneybag” (WINALL) symbol, win all 30 prizes shown in the YOUR NUMBERS area!

RIDE THE RAIL: Count the number of “Railroad” (RAILROAD) symbols revealed and win corresponding prize shown in the prize legend below. RIDE THE RAIL is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The ADVANCE TO GO™ Second-Chance Drawing from the Pennsylvania Lottery for qualifying Instant and Fast Play lottery game tickets (“Drawing”):

(a) *Qualifying Tickets:* Non-winning PA-1668 MONOPOLY™ Own It All (\$50) Instant lottery game tickets and PA-5222 MONOPOLY™ Free Parking Progressive (\$10) Fast Play lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player’s name as it appears on a valid government-issued identification or tax documents;

(ii) The player’s date of birth;

(iii) The entire or last four digits of the player’s Social Security Number, or comparable equivalent;

(iv) The player’s address;

(v) The player’s telephone number;

(vi) The player’s email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing’s promotional web site, available at <https://www.palottery.com>, or the Lottery’s official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

*(c) Drawing description:*

(1) The Lottery will conduct one ADVANCE TO GO™ Second-Chance Drawing for qualifying Instant and Fast Play lottery game tickets. All time references are Eastern Prevailing Time.

(2) The entry period for Qualifying PA-1668 MONOPOLY™ Own It All Instant lottery game tickets will begin after 11:59:59 p.m. December 25, 2023 and will end at 11:59:59 p.m. February 29, 2024. The entry period for Qualifying PA-5222 MONOPOLY™ Free Parking Progressive Fast Play lottery game tickets will begin after 4:59:59 a.m. January 2, 2024 and will end at 11:59:59 p.m. February 29, 2024. All entries received during the entry periods will be entered into the Drawing tentatively scheduled to be held between March 4, 2024 and March 15, 2024.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1668 MONOPOLY™ Own It All (\$50) = 50 entries and PA-5222 MONOPOLY™ Free Parking Progressive (\$10) = ten entries.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

*(d) Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first entry selected in the Drawing will be a winning entry and the entrant who submitted that winning entry shall be entitled to a prize of \$200,000, less required income tax withholding.

(ii) The second through the fifty-first entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

*(e) Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), Hasbro, LLC., Scientific Games LLC and MDI Entertainment, LLC, (collectively "SG") and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within one (1) year of the drawing date of the Drawing in which the prize was won. If no claim is made within one (1) year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell MONOPOLY™ Own It All instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of MONOPOLY™ Own It All, prize money from winning MONOPOLY™ Own It All instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the MONOPOLY™ Own It All instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote

MONOPOLY™ Own It All or through normal communications methods.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 23-1773. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania My Cherry on Top Instant Lottery Game 1672

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania My Cherry on Top ("My Cherry on Top"). The game number is PA-1672.

2. *Price:* The price of a My Cherry on Top instant lottery game ticket is \$2.

3. *Play symbols:* Each My Cherry on Top instant lottery game ticket will contain one play area featuring a "WINNING NUMBERS" area, a "YOUR NUMBERS" area and a "CUPID'S SCOOP" area. The "CUPID'S SCOOP" area is played separately. The play symbols and their captions, located in the "WINNING NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTW), 23 (TWYTHR), 24 (TWYFOR) and 25 (TWYFIV). The play symbols and their captions, located in the "YOUR NUMBERS" area, are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTW), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV) and a Cherry (WINALL) symbol. The play symbols and their captions, located in the "CUPID'S SCOOP" area, are: NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol, NO BONUS (TRYAGAIN) symbol, TRY AGAIN (NOBONUS) symbol and a Cupid (WIN14) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the "YOUR NUMBERS" area, are: \$2<sup>00</sup> (TWO DOL), \$4<sup>00</sup> (FOR DOL), \$5<sup>00</sup> (FIV DOL), \$10<sup>00</sup> (TEN DOL), \$14<sup>00</sup> (FORTN), \$20<sup>00</sup> (TWENTY), \$30<sup>00</sup> (THIRTY), \$50<sup>00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$500 (FIV HUN), \$1,000 (ONE THO) and \$14,000 (FORTNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$2, \$4, \$5, \$10, \$14, \$20, \$30, \$50, \$100, \$200, \$500, \$1,000 and \$14,000. The prize that can be won in the "CUPID'S SCOOP" area is \$14. A player can win up to nine times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 5,400,000 tickets will be printed for the My Cherry on Top instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct one Perfect Match Second-Chance Drawing

for which non-winning My Cherry on Top instant lottery game tickets may be eligible as provided for in section 10.

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$14,000 (FORTNTHO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$14,000.

(b) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$1,000 (ONE THO) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$1,000.

(c) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in four of the "Prize" areas and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$1,000.

(d) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$500 (FIV HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$500.

(e) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$200 (TWO HUN) appears in two of the "Prize" areas, a prize symbol of \$20<sup>00</sup> (TWENTY) appears in four of the "Prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in two of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$500.

(f) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$100 (ONE HUN) appears in four of the "Prize" areas, a prize symbol of \$50<sup>00</sup> (FIFTY) appears in one of the "Prize" areas, a prize symbol of \$20<sup>00</sup> (TWENTY) appears in one of the "Prize" areas, a prize symbol of \$14<sup>00</sup> (FORTN) appears in one of the "Prize" areas and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$486.

(g) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$200 (TWO HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$200.

(h) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in three of the "Prize" areas and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in five of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$200.

(i) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in two of the "Prize" areas, a prize symbol of \$20<sup>00</sup> (TWENTY) appears in four of the "Prize" areas, a prize symbol of \$4<sup>00</sup> (FOR DOL) appears in one of the "Prize" areas and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$186.

(j) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$100 (ONE HUN) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$100.

(k) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in four of the "Prize" areas and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$100.

(l) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in five of the "Prize" areas, a prize symbol of \$20<sup>00</sup> (TWENTY) appears in one of the "Prize" areas, a prize symbol of \$14<sup>00</sup> (FORTN) appears in one of the "Prize" areas and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$86.

(m) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$50<sup>00</sup> (FIFTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$50.

(n) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$10<sup>00</sup> (TEN DOL) appears in three of the "Prize" areas and a prize symbol of \$4<sup>00</sup> (FOR DOL) appears in five of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$50.

(o) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in four of the "Prize" areas and a prize symbol of \$4<sup>00</sup> (FOR DOL) appears in four of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$36.

(p) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$30<sup>00</sup> (THIRTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$30.

(q) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$5<sup>00</sup> (FIV DOL) appears in two of the "Prize" areas, a prize symbol of \$4<sup>00</sup> (FOR DOL) appears in four of the "Prize" areas and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in two of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$30.

(r) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a prize symbol of \$4<sup>00</sup> (FOR DOL) appears in seven of the "Prize" areas and a prize symbol of \$2<sup>00</sup> (TWO DOL) appears in one of the "Prize" areas, on a single ticket, shall be entitled to a prize of \$30.

(s) Holders of tickets upon which any of the "YOUR NUMBERS" play symbols match either of the "WINNING NUMBERS" play symbols and a prize symbol of \$20<sup>00</sup> (TWENTY) appears in the "Prize" area under the matching "YOUR NUMBERS" play symbol, on a single ticket, shall be entitled to a prize of \$20.

(t) Holders of tickets upon which a Cherry (WINALL) symbol appears in the "YOUR NUMBERS" area and a



prize symbol of \$4<sup>.00</sup> (FOR DOL) appears in two of the “Prize” areas and a prize symbol of \$2<sup>.00</sup> (TWO DOL) appears in six of the “Prize” areas, on a single ticket, shall be entitled to a prize of \$20.

(u) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$14<sup>.00</sup> (FORTN) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$14.

(v) Holders of tickets upon which a Cupid (WIN14) symbol appears in the “CUPID’S SCOOP” area, on a single ticket, shall be entitled to a prize of \$14.

(w) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$10<sup>.00</sup> (TEN DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$10.

(x) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING

NUMBERS” play symbols and a prize symbol of \$5<sup>.00</sup> (FIV DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$5.

(y) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$4<sup>.00</sup> (FOR DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$4.

(z) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match either of the “WINNING NUMBERS” play symbols and a prize symbol of \$2<sup>.00</sup> (TWO DOL) appears in the “Prize” area under the matching “YOUR NUMBERS” play symbol, on a single ticket, shall be entitled to a prize of \$2.

9. *Number and description of prizes and approximate odds:* The following table sets forth the approximate number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>“CUPID’S SCOOP”:</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
\$2		\$2	10.07	536,400
\$2 × 2		\$4	29.41	183,600
\$4		\$4	75	72,000
\$5		\$5	25.86	208,800
\$2 × 5		\$10	250	21,600
\$5 × 2		\$10	250	21,600
(\$4 × 2) + \$2		\$10	250	21,600
\$10		\$10	250	21,600
\$10 + \$4		\$14	1,500	3,600
	\$14 w/ CUPID	\$14	75	72,000
\$14		\$14	1,500	3,600
CHERRY w/ ((\$4 × 2) + (\$2 × 6))		\$20	250	21,600
\$4 × 5		\$20	1,500	3,600
\$2 × 3	\$14 w/ CUPID	\$20	750	7,200
\$20		\$20	1,500	3,600
CHERRY w/ ((\$4 × 7) + \$2)		\$30	1,200	4,500
CHERRY w/ ((\$5 × 2) + (\$4 × 4) + (\$2 × 2))		\$30	1,200	4,500
\$10 × 3		\$30	24,000	225
\$4 × 4	\$14 w/ CUPID	\$30	3,429	1,575
\$10 + \$4 + \$2	\$14 w/ CUPID	\$30	3,429	1,575
\$30		\$30	24,000	225
CHERRY w/ ((\$5 × 4) + (\$4 × 4))	\$14 w/ CUPID	\$50	2,000	2,700
CHERRY w/ ((\$10 × 3) + (\$4 × 5))		\$50	2,000	2,700
\$10 × 5		\$50	24,000	225
(\$10 × 3) + (\$2 × 3)	\$14 w/ CUPID	\$50	4,800	1,125
(\$14 × 2) + (\$4 × 2)	\$14 w/ CUPID	\$50	4,800	1,125
\$50		\$50	24,000	225
CHERRY w/ ((\$10 × 5) + \$20 + \$14 + \$2)	\$14 w/ CUPID	\$100	8,000	675

<i>When Any Of YOUR NUMBERS Match Either WINNING NUMBER, Win PRIZE Shown Under The Matching Number. Win With:</i>	<i>"CUPID'S SCOOP":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
CHERRY w/ (( $\$20 \times 4$ ) + ( $\$5 \times 4$ ))		\$100	8,000	675
$\$20 \times 5$		\$100	120,000	45
$(\$14 \times 6) + \$2$	\$14 w/ CUPID	\$100	12,000	450
\$100		\$100	120,000	45
CHERRY w/ (( $\$50 \times 2$ ) + ( $\$20 \times 4$ ) + $\$4 + \$2$ )	\$14 w/ CUPID	\$200	24,000	225
CHERRY w/ (( $\$50 \times 3$ ) + ( $\$10 \times 5$ ))		\$200	24,000	225
$\$50 \times 4$		\$200	120,000	45
$\$100 + \$50 + \$20 + \$10 + \$4 + \$2$	\$14 w/ CUPID	\$200	120,000	45
\$200		\$200	120,000	45
CHERRY w/ (( $\$100 \times 4$ ) + $\$50 + \$20 + \$14 + \$2$ )	\$14 w/ CUPID	\$500	540,000	10
CHERRY w/ (( $\$200 \times 2$ ) + ( $\$20 \times 4$ ) + ( $\$10 \times 2$ ))		\$500	540,000	10
$\$100 \times 5$		\$500	540,000	10
\$500		\$500	540,000	10
CHERRY w/ (( $\$200 \times 4$ ) + ( $\$50 \times 4$ ))		\$1,000	540,000	10
\$1,000		\$1,000	540,000	10
\$14,000		\$14,000	540,000	10

Reveal a "Cherry" (WINALL) symbol, win ALL 8 PRIZES shown!

CUPID'S SCOOP: Reveal a "Cupid" (WIN14) symbol, win \$14 instantly! CUPID'S SCOOP is played separately.

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing*: The Pennsylvania Lottery's Perfect Match Second-Chance Drawing for qualifying instant lottery game tickets ("Drawing"):

(a) *Qualifying Tickets*: Non-winning PA-1670 You Make My Heart Skip a Beat (\$5), PA-1672 My Cherry on Top (\$2) and PA-1673 Love Struck (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry*:

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Perfect Match Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.

(2) All entries received after 11:59:59 p.m. December 25, 2023, through 11:59:59 p.m. February 15, 2024, will be entered into the Drawing tentatively scheduled to be held between February 20, 2024 and March 4, 2024.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1670 You Make My Heart Skip a Beat (\$5) = five entries, PA-1672 My Cherry on Top (\$2) = two entries and PA-1673 Love Struck (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first through the fourteenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(ii) The fifteenth through the sixty-fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is

selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games International, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play

through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell My Cherry on Top instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of My Cherry on Top, prize money from winning My Cherry on Top instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the My Cherry on Top instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote My Cherry on Top or through normal communications methods.

PATRICK BROWNE,  
Secretary

[Pa.B. Doc. No. 23-1774. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF REVENUE

### Pennsylvania You Make My Heart Skip a Beat Instant Lottery Game 1670

Under the State Lottery Law (72 P.S. §§ 3761-101—3761-314) and 61 Pa. Code § 819.203 (relating to notice of instant game rules), the Secretary of Revenue hereby provides public notice of the rules for the following instant lottery game:

1. *Name:* The name of the game is Pennsylvania You Make My Heart Skip a Beat (“You Make My Heart Skip a Beat”). The game number is PA-1670.

2. *Price:* The price of an You Make My Heart Skip a Beat instant lottery game ticket is \$5.

3. *Play symbols:* Each You Make My Heart Skip a Beat instant lottery game ticket will contain one play area featuring a “WINNING NUMBERS” area, a “YOUR NUMBERS” area and a “BOOMBOX BONUS” area. The play symbols and their captions located in the “WINNING NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN) and 30 (THIRT). The play symbols and their captions located in the “YOUR NUMBERS” area are: 1 (ONE), 2 (TWO), 3 (THREE), 4 (FOUR), 5 (FIVE), 6 (SIX), 7 (SEVEN), 8 (EIGHT), 9 (NINE), 10 (TEN), 11 (ELEVN), 12 (TWLV), 13 (THRTN), 14 (FORTN), 15 (FIFTN), 16 (SIXTN), 17 (SVNTN), 18 (EGHTN), 19 (NINTN), 20 (TWENT), 21 (TWYONE), 22 (TWYTWO), 23 (TWYTHR), 24 (TWYFOR), 25 (TWYFIV), 26 (TWYSIX), 27 (TWYSVN), 28 (TWYEGT), 29 (TWYNIN), 30 (THIRT) and a Musical Note (NOTE) symbol. The play symbols and their captions located in the “BOOMBOX BONUS” area are: TRY AGAIN (NOMULT) symbol, NO MULT (TRYAGAIN) symbol, TRY AGAIN (NOMULT) symbol, NO MULT (TRYAGAIN) symbol, TRY AGAIN (NOMULT) symbol, NO MULT (TRYAGAIN) symbol, 2X (2TIMES) symbol, 5X (5TIMES) symbol and a 10X (10TIMES) symbol.

4. *Prize Symbols:* The prize symbols and their captions, located in the “YOUR NUMBERS” area are: \$5<sup>.00</sup> (FIV DOL), \$10<sup>.00</sup> (TEN DOL), \$20<sup>.00</sup> (TWENTY), \$30<sup>.00</sup> (THIRTY), \$50<sup>.00</sup> (FIFTY), \$100 (ONE HUN), \$200 (TWO HUN), \$400 (FOR HUN), \$1,000 (ONE THO), \$5,000 (FIV THO) and \$100,000 (ONEHUNTHO).

5. *Prizes:* The prizes that can be won in this game are: \$5, \$10, \$20, \$30, \$50, \$100, \$200, \$400, \$1,000, \$5,000 and \$100,000. For a complete description of how these prizes can be won, see section 9 (relating to number and description of prizes and approximate odds). A player can win up to 13 times on a ticket.

6. *Approximate number of tickets printed for the game:* Approximately 5,400,000 tickets will be printed for the You Make My Heart Skip a Beat instant lottery game.

7. *Second-Chance Drawing:* The Pennsylvania Lottery will conduct one Perfect Match Second-Chance Drawing for which non-winning You Make My Heart Skip a Beat instant lottery game tickets may be eligible as provided for in section 10.

8. *Determination of prize winners:*

(a) Holders of tickets upon which any of the “YOUR NUMBERS” play symbols match any of the “WINNING





9. Number and description of prizes and approximate odds: The following table sets forth the approximate

number of winners, amounts of prizes and approximate odds of winning:

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>"BOOMBOX BONUS":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
\$5 w/ MUSICAL NOTE		\$5	20	270,000
\$5		\$5	20	270,000
\$5 × 2		\$10	300	18,000
\$5	2X	\$10	40	135,000
\$5 w/ MUSICAL NOTE	2X	\$10	37.5	144,000
\$10 w/ MUSICAL NOTE		\$10	60	90,000
\$10		\$10	300	18,000
\$5 × 4		\$20	600	9,000
(((\$5 w/ MUSICAL NOTE) × 2) + (\$5 × 2))		\$20	600	9,000
(\$5 w/ MUSICAL NOTE) + \$5	2X	\$20	120	45,000
\$10 w/ MUSICAL NOTE	2X	\$20	120	45,000
\$20 w/ MUSICAL NOTE		\$20	200	27,000
\$20		\$20	600	9,000
\$5 × 6		\$30	600	9,000
\$10 × 3		\$30	600	9,000
(\$5 w/ MUSICAL NOTE) × 3	2X	\$30	600	9,000
(\$10 w/ MUSICAL NOTE) + \$5	2X	\$30	600	9,000
\$30 w/ MUSICAL NOTE		\$30	600	9,000
\$30		\$30	600	9,000
\$10 × 5		\$50	600	9,000
\$5 w/ MUSICAL NOTE	10X	\$50	200	27,000
(\$5 w/ MUSICAL NOTE) + \$5	5X	\$50	200	27,000
(((\$10 w/ MUSICAL NOTE) × 2) + \$5)	2X	\$50	600	9,000
\$50 w/ MUSICAL NOTE		\$50	600	9,000
\$50		\$50	600	9,000
\$20 × 5		\$100	12,000	450
\$50 × 2		\$100	12,000	450
(\$5 w/ MUSICAL NOTE) + \$5	10X	\$100	1,000	5,400
(\$10 w/ MUSICAL NOTE) + (\$5 w/ MUSICAL NOTE) + \$5	5X	\$100	1,091	4,950
(((\$20 w/ MUSICAL NOTE) × 2) + (\$5 × 2))	2X	\$100	4,000	1,350
\$50 w/ MUSICAL NOTE	2X	\$100	4,000	1,350
\$100 w/ MUSICAL NOTE		\$100	2,400	2,250
\$100		\$100	12,000	450
\$50 × 4		\$200	120,000	45
\$100 × 2		\$200	120,000	45
(\$5 w/ MUSICAL NOTE) × 4	10X	\$200	12,000	450
(((\$10 w/ MUSICAL NOTE) × 2) + (\$5 × 4))	5X	\$200	8,000	675
(\$20 w/ MUSICAL NOTE) + \$20	5X	\$200	8,000	675
\$100 w/ MUSICAL NOTE	2X	\$200	30,000	180
\$200 w/ MUSICAL NOTE		\$200	120,000	45
\$200		\$200	120,000	45

<i>When Any Of YOUR NUMBERS Match Any WINNING NUMBER, Win Prize Shown Under The Matching Number. Win With:</i>	<i>"BOOMBOX BONUS":</i>	<i>Win:</i>	<i>Approximate Odds Are 1 In:</i>	<i>Approximate No. Of Winners Per 5,400,000 Tickets:</i>
\$100 × 4		\$400	120,000	45
(\$10 w/ MUSICAL NOTE) × 4	10X	\$400	24,000	225
(\$20 w/ MUSICAL NOTE) + (\$10 w/ MUSICAL NOTE) + (\$5 × 2)	10X	\$400	24,000	225
(\$50 w/ MUSICAL NOTE) + (\$5 × 6)	5X	\$400	120,000	45
\$400 w/ MUSICAL NOTE		\$400	120,000	45
\$400		\$400	120,000	45
\$200 × 5		\$1,000	1,080,000	5
(((\$10 w/ MUSICAL NOTE) × 8) + (\$5 × 4)	10X	\$1,000	1,080,000	5
(\$100 w/ MUSICAL NOTE) + (\$10 × 10)	5X	\$1,000	540,000	10
\$1,000 w/ MUSICAL NOTE		\$1,000	540,000	10
\$1,000		\$1,000	1,080,000	5
(((\$50 w/ MUSICAL NOTE) × 8) + (\$30 × 2) + (\$20 × 2)	10X	\$5,000	540,000	10
\$5,000		\$5,000	540,000	10
\$100,000		\$100,000	540,000	10

Reveal a "Musical Note" (NOTE) symbol, win prize shown under that symbol automatically.

**BOOMBOX BONUS:** Reveal a multiplier in the BOOMBOX BONUS area, multiply any prize won in the YOUR NUMBERS area by the multiplier shown!

Prizes, including top prizes, are subject to availability at the time of purchase.

10. *Second-Chance Drawing:* The Pennsylvania Lottery's Perfect Match Second-Chance Drawing for qualifying instant lottery game tickets ("Drawing"):

(a) *Qualifying Tickets:* Non-winning PA-1670 You Make My Heart Skip a Beat (\$5), PA-1672 My Cherry on Top (\$2) and PA-1673 Love Struck (\$1) lottery game tickets are eligible for entry into the Drawing.

(b) *Participation and entry:*

(1) Entrants must have a registered lottery account in order to participate in the Drawing. To create a lottery account, visit <https://www.PAiLottery.com>. Creating a lottery account is free.

(2) A registered lottery account holder is subject to the iLottery regulations and specifically agrees to be bound by the iLottery terms and conditions located at <https://www.pailottery.com/signup/terms-and-conditions/>, as well as any related policies.

(3) To establish a lottery account, players must provide the following information:

(i) The player's name as it appears on a valid government-issued identification or tax documents;

(ii) The player's date of birth;

(iii) The entire or last four digits of the player's Social Security Number, or comparable equivalent;

(iv) The player's address;

(v) The player's telephone number;

(vi) The player's email address;

(vii) Any other information established by the Lottery to be necessary to verify the age and identity of the player.

(4) An individual may be required to provide additional information or documentation, as set forth in the iLottery terms and conditions, to establish a lottery account or register for iLottery. The information may be used for iLottery registration or to confirm information provided by that individual during the registration process.

(5) To enter the Drawing, entrants must submit the identifying information from at least one Qualifying Ticket via the Drawing's promotional web site, available at <https://www.palottery.com>, or the Lottery's official mobile application during the entry period. The identifying information from a Qualifying Ticket may be submitted only once in the Drawing. Entries will automatically be awarded at the time of successful submission of a Qualifying Ticket. No other method of submission will be accepted, and entries submitted using any other method, including entries mailed or hand-delivered to the Pennsylvania Lottery, are not valid and will be disqualified.

(6) Each entry must be complete and the information supplied by the entrant must be accurate. Incomplete entries cannot be accepted.

(7) Only one claimant per entry is allowed.

(8) Entrants must be 18 years of age or older.

(9) Players may submit the identifying information from an unlimited number of Qualifying Tickets in the Drawing.

(10) Once an entry has been submitted it cannot be withdrawn or changed.

(c) *Drawing description:*

(1) The Lottery will conduct one Perfect Match Second-Chance Drawing for qualifying instant lottery game tickets. All time references are Eastern Prevailing Time.



(2) All entries received after 11:59:59 p.m. December 25, 2023, through 11:59:59 p.m. February 15, 2024, will be entered into the Drawing tentatively scheduled to be held between February 20, 2024 and March 4, 2024.

(3) The entry period for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(4) The number of entries an entrant will receive for the Drawing is determined by the purchase price of the Qualifying Ticket entered. The purchase price and corresponding number of entries for the Qualifying Ticket is as follows: PA-1670 You Make My Heart Skip a Beat (\$5) = five entries, PA-1672 My Cherry on Top (\$2) = two entries and PA-1673 Love Struck (\$1) = one entry.

(5) Players may review prizes won and their entries for the Drawing via the Drawing's promotional web site.

(d) *Prizes available to be won, determination of winners and odds of winning:*

(1) The prize entitlements described below are subject to all restrictions and limitations described in section 10(e), or those mentioned anywhere else in these rules.

(2) Lottery will conduct one Drawing from among all the entries received during the entry period as described in section 10(c)(2).

(i) The first through the fourteenth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$10,000, less required income tax withholding.

(ii) The fifteenth through the sixty-fourth entries selected in the Drawing will be winning entries and the entrants who submitted those winning entries shall each be entitled to a prize of \$100 iLottery Bonus Money.

(3) All prizes will be paid as a lump-sum cash payment or uploaded to a winning player's lottery account.

(4) Winners of iLottery Bonus Money are not required to claim a prize. Winners of iLottery Bonus Money will have the iLottery Bonus Money credited to their lottery account and will receive an email notifying them that they won a prize.

(5) The number of winning entries to be selected for the Drawing will be posted to the Pennsylvania Lottery's publicly accessible web site.

(6) The odds of winning in the Drawing depend upon the number of entries received for the Drawing.

(7) A computer-generated randomizer will be used to select the Drawing winners.

(e) *Drawing restrictions:*

(1) To be eligible to participate in the Drawing, entrants must have complied with the requirements of these rules.

(2) The Lottery is not responsible for late, lost or misdirected entries not entered into the Drawing. The Lottery is not responsible for entries that are not entered into the Drawing because of incompatible internet browsers, mobile Lottery application failure or other technical issues. The Lottery is not responsible for entries not entered due to delays in creating a lottery account or the inability to create a lottery account. If a Drawing entry is selected as a winner and rejected or otherwise disqualified during or following the Drawing, the Lottery will select one entry to replace the rejected or otherwise disqualified entry in accordance with these rules and

Lottery procedure. Entries not received for any other reason will not be considered entries.

(3) If any discrepancy exists between these rules and any material describing the Drawing, these rules shall govern.

(4) Employees of the Pennsylvania Lottery, 9Rooftops Marketing, LLC (formerly known as MARC USA, LLC), MUSL, Scientific Games International, Inc., MDI Entertainment, LLC, and their subcontractors, or a spouse, child, brother, sister or parent residing as a member of the same household in the principal place of residence of any such person are not eligible to participate in the Drawing. Offer void where prohibited or restricted.

(5) The Lottery reserves the right, in its sole discretion, to cancel or suspend the Drawing and change these rules if the Drawing cannot be conducted as planned due to errors in these rules or advertising, unauthorized intervention, tampering, fraud, technical errors, viruses, worms, bugs or any other cause that, in the Lottery's sole judgment, could corrupt or impair the administration, security, fairness, integrity or proper conduct of the Drawing.

(6) All entries shall be subject to verification by the Pennsylvania Lottery.

(7) The Lottery reserves the right, in its sole discretion, to disqualify an entrant found to be tampering with the operation of the Drawing or to be acting in violation of these rules or applicable law.

(8) The Drawing is governed by the laws of the Commonwealth of Pennsylvania. Applicable laws and regulations apply.

(9) Prizes must be claimed within 1 year of the drawing date of the Drawing in which the prize was won. If no claim is made within 1 year of the drawing date of the Drawing in which the prize was won, the right of an entrant to claim the prize won, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided by statute.

(10) Final determination of winners will be made by the Secretary, whose judgment will be final and binding.

(11) A prize awarded in the Drawing to a person who dies before receiving the prize shall be paid according to 61 Pa. Code § 811.16 (relating to prizes payable after death of a prize winner).

(12) A winner is responsible for all taxes arising from or in connection with any prize won.

(13) A player may only win the prize for which the player is first selected in the Drawing. Subsequent entries, from the same individual, selected in the same Drawing will be disqualified and one replacement entry will be selected.

(14) Winners of iLottery Bonus Money must abide by the iLottery terms and conditions, the iLottery Bonus Policy and these rules. iLottery Bonus Money will expire 90 days from the date on which the winner was notified, via email, of the prize win, as further detailed in section 10(d)(4). iLottery Bonus Money has a five times play through requirement in order to convert the iLottery Bonus Money into cash. For example, for a player winning \$100 of iLottery Bonus Money, the player is required

to place \$500 in wagers before the iLottery Bonus Money awarded is converted into cash which may be withdrawn from the player's account.

(15) Prizes are not transferrable.

(16) Other restrictions may apply.

11. *Retailer incentive awards:* The Lottery may conduct a separate Retailer Incentive Program for retailers who sell You Make My Heart Skip a Beat instant lottery game tickets.

12. *Retailer bonus:* The Lottery may offer a retailer bonus in connection with the sale of Pennsylvania instant lottery game tickets. If a retailer bonus is offered, a Lottery retailer shall be eligible for a bonus as described in this section. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$100,000 and not exceeding \$500,000 shall be paid a bonus of \$500. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$500,001 and not exceeding \$1,000,000 shall be paid a bonus of \$5,000. Lottery retailers who sell a winning ticket that entitles the ticket holder to a prize, either payable in a single installment or having a guaranteed minimum payout, of at least \$1,000,001 and not exceeding \$10,000,000 shall be paid a bonus of \$10,000. A Lottery retailer is entitled only to the largest bonus for which they qualify on a winning ticket. A bonus will be initiated for payment after the instant ticket is claimed and validated. A bonus will not be awarded to a Lottery retailer that sells a non-winning Pennsylvania Lottery instant ticket used to enter a Pennsylvania Lottery second-chance drawing or promotion that is subsequently selected to win a prize.

13. *Unclaimed prize money:* For a period of 1 year from the announced close of You Make My Heart Skip a Beat, prize money from winning You Make My Heart Skip a Beat instant lottery game tickets will be retained by the Secretary for payment to the persons entitled thereto. If no claim is made within 1 year of the announced close of the You Make My Heart Skip a Beat instant lottery game, the right of a ticket holder to claim the prize represented by the ticket, if any, will expire and the prize money will be paid into the State Lottery Fund and used for purposes provided for by statute.

14. *Governing law:* In purchasing a ticket, the customer agrees to comply with and abide by the State Lottery Law (72 P.S. §§ 3761-101—3761-314), 61 Pa. Code Part V (relating to State Lotteries) and the provisions contained in this notice.

15. *Termination of the game:* The Secretary may announce a termination date, after which no further tickets from this game may be sold. The announcement will be disseminated through media used to advertise or promote You Make My Heart Skip a Beat or through normal communications methods.

PATRICK BROWNE,  
*Secretary*

[Pa.B. Doc. No. 23-1775. Filed for public inspection December 22, 2023, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Contemplated Sale of Land No Longer Needed for Transportation Purposes

The Department of Transportation (Department) under the Sale of Transportation Lands Act (71. P.S. §§ 1381.1—1381.3), intends to sell certain land owned by the Department.

The following is available for sale by the Department:

Spring Township, Berks County. The parcel contains 11.596 acres of unimproved land located on the northwest corner of State Route 0222 and Mohns Hill Road. The estimated fair market value is \$87,000.

Interested public agencies are invited to express their interest in purchasing the site within 30 calendar days from the date of publication of this notice to the Department of Transportation, Engineering District 5-0, Attn: Right-of-Way, 1002 Hamilton Street, Allentown, PA 18101.

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 23-1776. Filed for public inspection December 22, 2023, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Proposed Exemptions to Allow for the Continued Stocking of Class A Stream Sections

The Fish and Boat Commission (Commission) intends to consider at its meeting on January 22, 2024, whether to allow trout stocking to continue on the Class A wild trout stream, at Big Moores Run, Section 03, Potter County. Under 58 Pa. Code § 57.8a (relating to Class A wild trout streams), the Executive Director will obtain approval of the Commission prior to granting permission to stock a Class A wild trout stream under 58 Pa. Code § 71.4 (relating to stocking of designated waters) which will be replaced by § 71a.8 (relating to stocking of designated waters) effective January 1, 2024. See 53 Pa.B. 5914 (September 23, 2023).

A detailed notice will be published in the *Pennsylvania Bulletin* on December 30, 2023.

Persons with comments, objections or suggestions concerning the classification of the stream listed may submit them in writing to the Executive Director, Fish and Boat Commission, P.O. Box 67000, Harrisburg, PA 17106-7000, prior to the January 22, 2024, Commission meeting. Comments submitted by facsimile will not be accepted.

Comments may also be submitted electronically to RA-pfbcregulations@pa.gov. Electronic comments submitted in any other manner will not be accepted.

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 23-1777. Filed for public inspection December 22, 2023, 9:00 a.m.]

## INDEPENDENT REGULATORY REVIEW COMMISSION

### Actions Taken by the Commission

The Independent Regulatory Review Commission met publicly at 10 a.m., Thursday, December 7, 2023, and announced the following:

*Regulations Deemed Approved Pursuant to Section 5(g) of the Regulatory Review Act—Effective December 6, 2023*

State Board of Optometry # 16A-5215: Child Abuse Reporting Requirements (amends 49 Pa. Code)

State Board of Examiners in Speech-Language Pathology and Audiology # 16A-6805: Child Abuse Reporting Requirements (amends 49 Pa. Code)

GEORGE D. BEDWICK,  
*Chairperson*

[Pa.B. Doc. No. 23-1778. Filed for public inspection December 22, 2023, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Adoption of Standards for Exemption; Notice 2023-19

By this notice, under 40 Pa.C.S. § 7143(b) (relating to adoption of exemption standards of NAIC Valuation Manual), enacted under the act of June 14, 2023 (P.L. 4, No. 2), I hereby adopt the standards for exemption specified in the January 1, 2024, Edition of the NAIC Valuation Manual.

Companies with questions regarding this notice should direct them to the company's assigned financial analyst.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 23-1779. Filed for public inspection December 22, 2023, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Application for Merger of Alaska Timber Insurance, Inc. with and into Freedom Advantage Insurance Company

An application has been received requesting approval of the acquisition of Alaska Timber Insurance, Inc., a stock casualty insurance company organized under the laws of the State of Alaska, with and into Freedom Advantage Insurance Company, a stock casualty insurance company organized under the laws of the Commonwealth. The filing was made under The Insurance Company Law of 1921 (40 P.S. §§ 991.1401—991.1414).

Persons wishing to comment on the grounds of public or private interest in this merger are invited to submit a written statement to the Insurance Department (Department) within 30 days from the date of publication of this notice in the *Pennsylvania Bulletin*. Each written statement must include the name, address and telephone number of the interested party; identification of the application to which the statement is addressed; and a concise statement with sufficient detail and relevant facts to inform the Department of the exact basis of the

statement. Written statements must be e-mailed to Lori Rumpf, lrumpf@pa.gov. Comments received will be part of the public record regarding the filing and will be forwarded to the applicant for appropriate response.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 23-1780. Filed for public inspection December 22, 2023, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Richard Allen Daniels; License Denial Appeal; Doc. No. AG23-11-034

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Richard Allen Daniels has appealed the denial of an application for an insurance producer's license. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for January 16, 2024, at 10 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before January 12, 2024. A date for a hearing shall be determined, if necessary, at the prehearing/settlement conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before January 2, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before January 12, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 23-1781. Filed for public inspection December 22, 2023, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearings under the Unfair Insurance Practices Act

The following insured has requested a hearing as authorized under section 8 of the Unfair Insurance Practices Act (act) (40 P.S. § 1171.8) in connection with the termination of the insured's homeowners policy. The proceedings will be governed in accordance with the requirements of the act, 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law), 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative

Practice and Procedure). This administrative hearing will be held as follows. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for January 17, 2024, at 2 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before January 12, 2024.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17130.

Appeal of Carla J. Valore; Lititz Mutual Insurance Company; File No. 23-115-287908; Doc. No. P23-11-016; January 31, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing should contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
Insurance Commissioner

[Pa.B. Doc. No. 23-1782. Filed for public inspection December 22, 2023, 9:00 a.m.]

**PENNSYLVANIA INFRASTRUCTURE  
INVESTMENT AUTHORITY  
DEPARTMENT OF  
ENVIRONMENTAL PROTECTION**

**Environmental Assessment Approvals for PENNVEST Funding Consideration**

*Scope:* Clean Water and Drinking Water State Revolving Fund Projects for consideration at the January 24, 2024, meeting of the Pennsylvania Infrastructure Investment Authority (PENNVEST) Board.

*Description:* PENNVEST, which administers the Commonwealth's Clean Water State Revolving Fund (CWSRF) and Drinking Water State Revolving Fund (DWSRF), is intended to be the funding source for the following projects. The Department of Environmental Protection's (Department) review of these projects, and the information received in the Environmental Report for these projects, has not identified any significant, adverse environmental impact resulting from any of the proposed projects. The Department hereby approves the Environmental Assessment for each project. If no significant comments are received during this comment period, the Environmental Assessment will be considered approved and funding for the project will be considered by PENNVEST.

To be considered, the Department must receive comments on this approval on or by Monday, January 22, 2024. Electronic comments should be submitted using the Department's eComment site at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Policy Office, Department of Environmental Protection, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Use "PENNVEST SRF-Environmental Assessment" as the subject line in written communication.

For more information about the approval of the following Environmental Assessments or the CWSRF and DWSRF Programs, contact Richard Wright, Bureau of Clean Water, Department of Environmental Protection, P.O. Box 8774, Harrisburg, PA 17105-8774, (717) 772-4059, [riwright@pa.gov](mailto:riwright@pa.gov), or visit the Department's web site at [www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx](http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/default.aspx).

Comments received during the comment period, along with the Department's comment and response document, will be available on the Department's web site at [www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx](http://www.dep.pa.gov/Business/Water/CleanWater/InfrastructureFinance/Pages/EnvironmentalReview.aspx).

Upon approval, the full list of approved projects and their costs can be found in a press release on PENNVEST's web site at [www.pennvest.pa.gov](http://www.pennvest.pa.gov).

*CWSRF Projects Being Considered:*

<i>Applicant:</i>	Elizabethtown Borough
<i>County:</i>	Lancaster
<i>Applicant Address:</i>	600 South Hanover Street Elizabethtown, PA 17022

*Project Description:* The Radio Road Interceptor Improvements Project involves replacing and rehabilitating approximately 11,400 linear feet (LF) of deteriorated and hydraulically limited sewer main. It includes replacing the existing 15-inch diameter pipe between manholes K15 and G5, upgrading the interceptor between manholes G5 and L39 from 15-inch diameter pipe to 18-inch diameter pipe, upgrading the interceptor between manholes L36 and J30 from 18-inch diameter pipe to 21-inch diameter, replacing the existing 21-inch diameter pipe between manholes J30 and C44 and realignment of various sanitary sewer mains segments to improve sewer flow. The goal of the project is to reduce infiltration and inflow and provide for adequate hydraulic capacity for existing and future flows.

*Problem Description:* The Radio Road interceptor experiences peak flows in excess of its hydraulic capacity leading to sewer back-ups and overflows during periods of wet weather and high groundwater table. The facility is under a corrective action plan (CAP) to remediate overloading. Findings from studies conducted in 2016 and later in 2020 under the CAP showed that the interceptor was deteriorated due to age and hydraulically limited causing the surcharging and overload in the sewer system.

<i>Applicant:</i>	Curwensville Municipal Authority
<i>County:</i>	Clearfield
<i>Applicant Address:</i>	314 South Street Curwensville, PA 16833

*Project Description:* This project involves rehabilitating the sanitary sewer collection system and the wastewater treatment facility (WWTF) operated by Curwensville Municipal Authority (Authority). The sanitary sewer collection system rehabilitation includes slip lining 2,300 LF of 8-inch diameter clay sewer mains, replacing 10 brick manholes with concrete manholes, replacing 400 LF of existing sewer laterals and 650 LF of 4-inch force main. The WWTF rehabilitation includes replacing existing valves, piping and appurtenances in the raw wastewater pumping system, replacing the existing utility water system, updating the WWTF's remote pumping station alarm systems and constructing an auger system for spreading out biosolids. It also includes upgrading the control building, effluent pump station tank, sewer inspection camera, sewer cleaning jet, lab equipment and the security system.

*Problem Description:* The Authority was notified in 2010 that the WWTF would be assigned annual nutrient discharge limitations as part of Pennsylvania's Chesapeake Bay Tributary Strategy. In response, the Authority prepared an Act 537 Sewage Facilities Plan Special Study to evaluate how to address the nutrient limitations and other needs within its system. Other needs identified include failing rotating biological contactors, anaerobic digesters and other existing equipment at the WWTF, hydraulic overload within the collection system causing sanitary sewer overflows and erosion of an Anderson Creek stream crossing that may lead to a sewer main break and discharge of sewage.

<i>Applicant:</i>	Shinglehouse Borough
<i>County:</i>	Potter
<i>Applicant Address:</i>	103 North Pleasant Street P.O. Box 156 Shinglehouse, PA 16748

*Project Description:* This project involves demolishing the primary clarifier, final clarifier and trickling filter at the Shinglehouse Borough wastewater treatment plant (WWTP). Construction activity includes a new headworks building to house the existing screening equipment, installing a grit removal system within the new headworks building, installing a two-channel oxidation ditch process with a preanaerobic reactor tank for biological treatment and two new final clarifiers.

*Problem Description:* Shinglehouse Borough owns and operates a wastewater collection, conveyance and treatment system that serves Shinglehouse Borough. The WWTP was constructed in 1966 and is mostly original equipment. Small repairs and modifications have been made over the past 50 years to keep the facility in operation and in compliance with the National Pollutant Discharge Elimination System permit. In 2016, the WWTP was evaluated and it was determined that the existing equipment had reached the end of its useful life and the current treatment process would not be capable of reliably meeting certain effluent limitations.

<i>Applicant:</i>	North East Township Water and Sewer Authority
<i>County:</i>	Erie
<i>Applicant Address:</i>	10300 West Main Road P.O. Box 156 North East, PA 16428

*Project Description:* This project involves the installation of approximately 3,587 LF of 2-inch high-density polyethylene (HDPE), 4,969 LF of 3-inch HDPE and 8,600 LF of 4-inch HDPE low-pressure sewer lines to extend service to additional properties located on lots that are immediately adjacent to the shore of Lake Erie between Chase Road and the Pennsylvania-New York state line. Additional activities include constructing 114 one-and-a-quarter inch HDPE lateral connections, 13 air release/vacuum valves in manholes at high points on the mains, 22 cleanout connections and 1 discharge connection.

*Problem Description:* The septic systems of many parcels between the existing gravity sewer system on Seitzinger Road and the Pennsylvania-New York state line are failing, causing direct discharges to Lake Erie and forcing property owners who address the issue to resort to expensive small flow treatment systems.

*DWSRF Projects Being Considered:*

<i>Applicant:</i>	North Warren Municipal Authority
<i>County:</i>	Warren
<i>Applicant Address:</i>	44 Hospital Drive North Warren, PA 16365

*Project Description:* The project will involve the installation of 4,450 LF of new 8-inch diameter C900 polyvinyl chloride (PVC) water main along Hillcrest Drive between the existing Water Pump Station No. 1 and the Hillcrest Development. Additionally, approximately 4,650 LF of 8-inch and 1,950 LF of 6-inch water main will be replaced with new C900 PVC waterline within the Hillcrest Development. Fourteen new fire hydrants will be installed/replaced along Hillcrest Drive and within the development. Lastly, a pressure reducing valve vault will be installed where the new Hillcrest main makes connection to the existing system.

*Problem Description:* The Hillcrest Development's water system is prone to leaks and pressurized by a booster pump station that is not capable of providing fire protection.

<i>Applicant:</i>	Sandy Lake Borough
<i>County:</i>	Mercer
<i>Applicant Address:</i>	3271 South Main Street Sandy Lake, PA 16145

*Project Description:* Sandy Lake Borough (Borough) is proposing improvements to the water system. Sandy Lake proposes replacing approximately 22,000 LF of waterline and the addition of 1,400 LF of new waterline. The proposed construction will consist of the replacement of nonPVC waterlines within the Borough and portions of Sandy Lake Township, tie-ins with new meters and meter pits to residential and commercial areas along the new waterlines, erosion and sedimentation controls, and all other appurtenances necessary, such as the installation of new curb stop boxes and valves, replacing fire hydrant assemblies and valves and replacing non-operable valves.

*Problem Description:* This project proposes problem resolution to the current water distribution system's deteriorating conditions. Certain portions of the distribution system have been replaced over time; however, a significant part of the system requires replacement, exhibiting on average about 60 waterline breaks a year. Characterization of the water line breaks generally in-

clude pipeline fractures in the cast iron, pin holes in the copper pipe, splitting in the asbestos cement materials and service saddles/fitting bolts rusting off, all indicative of acidic soil/metallic piping reactions. Another issue is that residential customers do not have metered water. This makes it more difficult to locate breaks in the system.

<i>Applicant:</i>	Southwestern Pennsylvania Water Authority
<i>County:</i>	Greene
<i>Applicant Address:</i>	1442 Jefferson Road Jefferson, PA 15344

*Project Description:* The Southwestern Pennsylvania Water Authority (SPWA) is proposing to extend the SPWA water distribution system to serve the Brave Water and Sewer Authority (BWSA) system located in Wayne Township. The project includes the extension of approximately 23,350 LF of 8-inch diameter water main and all associated valves, fittings, fire hydrants, service connections and restoration.

*Problem Description:* BWSA currently purchases its water through several districts/boards in West Virginia. BWSA has a history of exceeding the maximum contaminant level (MCL) for total trihalomethane (TTHM). This is due to receiving water that often exceeds the MCL for TTHM due to the age of the water. It is very difficult to eliminate this contaminant from the water without considerable expense. Water proposed to be furnished by SPWA to BWSA will have a lower water age and is treated to minimize the formation of disinfection by-products including total TTHM.

<i>Applicant:</i>	Washington Township Municipal Authority
<i>County:</i>	Franklin
<i>Applicant Address:</i>	11102 Buchanan Trail East Waynesboro, PA 17268

*Project Description:* This project consists of the installation of 9,700 LF of new 12-inch ductile iron (DI) water main between the Brookdale Water Treatment Plant and the Pine Hill tank, decommissioning the Green Ridge tank, relocating the Green Ridge booster pumping station to the Pine Hill tank and installing 4,800 LF of new 12 inch diameter DI water main between the new Pine Hill booster pumping station and the distribution system that feeds Tall tank.

*Problem Description:* This project aims to eliminate water service interruptions due to a demand spike (for example, fire event or main break) within the pressure zone served by Washington Township Municipal Authority's Green Ridge tank.

JESSICA SHIRLEY,  
*Interim Acting Secretary*  
*Department of Environmental Protection*  
ROBERT H. BOOS,  
*Executive Director*  
*Pennsylvania Infrastructure Investment Authority*

[Pa.B. Doc. No. 23-1783. Filed for public inspection December 22, 2023, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before January 8, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by January 8, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the listed docket number as follows or by searching the applicant's web site.

**Applications of the following for approval to begin operating as common carriers for transportation of persons as described under each application.**

**A-2023-3043893. Dale Hendricks and Linda Hendricks** (308 Shaffer Road, Mount Pleasant Mills, Snyder County, PA 17853) to transport, as a common carrier, by motor vehicle, persons in paratransit service, limited to persons whose personal convictions prevent them from owning or operating a motor vehicle, from points in the Counties of Centre, Juniata, Montour, Snyder and Union, to points in Pennsylvania, and return.

**A-2023-3044209. Our Friendly Home Care, LLC** (6189 Chatham Glenn Way, Harrisburg, Dauphin County, PA 17111) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Cumberland, Dauphin, Lancaster, Lebanon and York, to points in Pennsylvania, and return. *Attorney:* Salvatore P. Sciacca, Esquire, 5450 Crums Mill Road, Harrisburg, PA 17112.

**A-2023-3044260. Trinity Medical Transport, LLC** (6305 Aston Court, Harrisburg, Dauphin County, PA 17111) to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Cumberland, Dauphin, Lancaster and York, to points in Pennsylvania, and return. *Attorney:* Salvatore P. Sciacca, Esquire, 4250 Crums Mill Road, Harrisburg, PA 17112.

**A-2023-3044522. Over The Moon Services, LLC, t/a To The Moon Shuttle Services** (112 Spring Ridge Court, Lancaster, Lancaster County, PA 17601) for the right to begin to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Berks, Centre, Chester, Cumberland, Dauphin, Lancaster, Lehigh, Luzerne, Lycoming, Monroe, Montgomery and York to Harrisburg International Airport, Lancaster Airport, Lehigh Valley International Airport, Pocono Mountains Municipal Airport, Pottstown

Municipal Airport, Reading Regional Airport, Smoketown Airport, State College Regional Airport, Wilkes-Barre Scranton International Airport, Wilkes-Barre-Wyoming Valley Airport, Williamsport Regional Airport and York Airport, and vice versa.

**A-2023-3044523. Over The Moon Services, LLC, t/a To The Moon Shuttle Services** (112 Spring Ridge Court, Lancaster, Lancaster County, PA 17601) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, between points in the Counties of Berks, Bucks, Carbon, Chester, Columbia, Cumberland, Dauphin, Delaware, Lancaster, Lebanon, Lehigh, Luzerne, Monroe, Montgomery, Northampton, Northumberland, Schuylkill and York, and the City and County of Philadelphia.

**A-2023-3044698. Romed, Inc., t/a Romed Ambulance** (2860 Hedley Street, Suite 101, Philadelphia, Philadelphia County, PA 19137) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in Douglass Township, Berks County, and within an airline distance of 60 statutory miles of the boundaries of the municipality, to points in Pennsylvania, and return. *Attorney:* Christina M. Mellott, Esquire, Page, Wolfberg & Wirth, LLC, 5010 East Trindle Road, Suite 202, Mechanicsburg, PA 17050.

**Application of the following for the approval of the transfer of stock as described under the application.**

**A-2023-3044784. Yellow Cab Co. of Lebanon** (38 East Cumberland Street, Lebanon County, PA 17042) for the approval of the transfer of 1,000 shares of the issued stock, from Kenneth Miller, III (200 shares), M. Jacquelyn Miller (600 shares), Kenneth Miller (100 shares) and Kaylee R. Miller (100 shares), to James Halkias. *Attorney:* Craig A. Doll, P.O. Box 403, Hummelstown, PA 17042.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 23-1784. Filed for public inspection December 22, 2023, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Transfer of Control

**A-2023-3044030. Pay Tel Communications, Inc., John Vincent Townsend, III and the J. Vincent Townsend III Family Dynasty Trust and Pay Tel Communications ESOP Trust.** Joint application of Pay Tel Communications, Inc., John Vincent Townsend, III and the J. Vincent Townsend III Family Dynasty Trust and Pay Tel Communications ESOP Trust for an approval of a transfer of control of Pay Tel Communications, Inc. to Pay Tel Communications ESOP Trust.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before Monday, January 8, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission (Commission) by means of eService on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) or at 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection on the Commission's web site and at the applicant's business address.

*Applicants:* Pay Tel Communications, Inc.; John Vincent Townsend, III; The J. Vincent Townsend III Family Dynasty Trust; Pay Tel Communications ESOP Trust

*Through and By:* Sharon R. Warren, Consultant, Inteserra, Inc., 151 Southhall Lane, Suite 450, Maitland, FL 32751, (470) 672-3013, [swarren@inteserra.com](mailto:swarren@inteserra.com); Margaret Haffner, Vice President Business Development, Pay Tel Communications, Inc., P.O. Box 8179, Greensboro, NC 27419, (336) 852-7419, Ext 318, [shaffner@paytel.com](mailto:shaffner@paytel.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 23-1785. Filed for public inspection December 22, 2023, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority applications to render service as common carriers in the City of Philadelphia have been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than January 8, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The applications are available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-23-12-01. LLR Taxi, LLC** (7234 Barnard Street, 2nd Floor, Philadelphia, PA 19149): An application for a medallion taxicab certificate of public convenience (CPC) to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 12301 Church Street, Philadelphia, PA 19124.

**Doc. No. A-23-12-02. Aboalj Taxi, LLC** (3600 Conshohocken Avenue, Apartment 801, Philadelphia, PA 19131): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 12301 Church Street, Philadelphia, PA 19124.

**Doc. No. A-23-12-03. Afia-More Taxi, LLC** (601 South 60th Street, Philadelphia, PA 19143): An application for a medallion taxicab CPC to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 12301 Church Street, Philadelphia, PA 19124.

**Doc. No. A-23-12-04. Poredaka Taxi, LLC** (1341 Unruh Avenue, Philadelphia, PA 19111): An application for a medallion taxicab CPC to transport, as a common

carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* Danielle Friedman, Esq., 12301 Church Street, Philadelphia, PA 19124.

RICH LAZER,  
*Executive Director*

[Pa.B. Doc. No. 23-1786. Filed for public inspection December 22, 2023, 9:00 a.m.]

## STATE EMPLOYEES' RETIREMENT BOARD

### Hearings Scheduled

The following hearings have been scheduled, as authorized by 71 Pa.C.S. Part XXV (relating to State Employees' Retirement Code), in connection with the State Employees' Retirement System's denial of claimants' request concerning the indicated account.

The hearings will be held before a hearing examiner at the State Employees' Retirement System, 30 North Third Street, Fifth Floor, Harrisburg, PA 17101:

February 6, 2024	Jaime Minnitte Untimely Election of Multiple Service	10 a.m.
February 29, 2024	David Rasmus Unused Compensatory Leave Payout	10 a.m.
March 19, 2024	Dominic Serapiglia Post-Retirement Disability	10 a.m.

Parties in each respective case may appear with or without counsel and offer relevant testimony or evidence to support their respective positions. The hearings will be held in accordance with the requirements of 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law). Under 4 Pa. Code § 250.1 (relating to applicability of general rules), procedural matters will be in conformance with 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) unless specific exemption is granted.

JOSEPH A. TORTA,  
*Executive Director*

[Pa.B. Doc. No. 23-1787. Filed for public inspection December 22, 2023, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Consumptive Uses of Water

The Susquehanna River Basin Commission (Commission) has approved by rule the following projects from November 1, 2023, through November 30, 2023.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

### Supplementary Information

This notice lists the projects, described as follows, receiving approval for the consumptive use of water under the Commission's approval by rule process in 18 CFR 806.22(f) (relating to standards for consumptive uses of water) for the time period previously specified.

#### Water Source Approval—Issued Under 18 CFR 806.22(f):

1. RENEWAL—BKV Operating, LLC; Pad ID: Reimiller 1; ABR-201110001.R2; Meshoppen Township, Wyoming County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: November 6, 2023.

2. RENEWAL—Blackhill Energy, LLC; Pad ID: WAL-LACE Pad; ABR-201110032.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: November 6, 2023.

3. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Alkan; ABR-201110021.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 6, 2023.

4. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Cook; ABR-201111001.R2; Rush Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 6, 2023.

5. RENEWAL—Inflection Energy (PA), LLC; Pad ID: Hillegas Well Pad; ABR-201308017.R2; Upper Fairfield Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: November 6, 2023.

6. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Knapp; ABR-201111003.R2; Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 13, 2023.

7. RENEWAL—Coterra Energy, Inc.; Pad ID: FoltzJ P1; ABR-201311002.R2; Brooklyn Township, Susquehanna County, PA; Consumptive Use of Up to 4.2500 mgd; Approval Date: November 13, 2023.

8. RENEWAL—Range Resources—Appalachia, LLC; Pad ID: Sechrist, Mark; # 1H—# 3H; ABR-201111005.R2; Anthony Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: November 13, 2023.

9. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: BIM; ABR-201311006.R2; Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

10. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Coyle; ABR-201111009.R2; Albany Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

11. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Krise; ABR-201111022.R2; Leroy Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

12. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Lines; ABR-201111017.R2; Monroe Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

13. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Madigan Farms A Drilling Pad # 1; ABR-201111016.R2; Burlington Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

14. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Richard; ABR-201111010.R2; Rush Township, Susque-



hanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

15. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Robbins; ABR-201111018.R2; Ulster Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

16. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Williamson; ABR-201111019.R2; Smithfield Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 17, 2023.

17. RENEWAL—Coterra Energy, Inc.; Pad ID: AckerC P1; ABR-201311004.R2; Bridgewater Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: November 17, 2023.

18. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: DCNR 594 (02-201); ABR-201811001.R1; Liberty Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: November 17, 2023.

19. RENEWAL—Blackhill Energy, LLC; Pad ID: ASHBY Pad; ABR-201110031.R2; Athens Township, Bradford County, PA; Consumptive Use of Up to 4.9990 mgd; Approval Date: November 22, 2023.

20. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Kupscznk B Drilling Pad; ABR-201311007.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 22, 2023.

21. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Loch Drilling Pad; ABR-201311001.R2; Nicholson Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 22, 2023.

22. RENEWAL—Coterra Energy, Inc.; Pad ID: AndersonR P1; ABR-201311009.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: November 22, 2023.

23. RENEWAL—EQT ARO, LLC; Pad ID: Terry D. Litzelman Pad A; ABR-201211005.R2; Cogan House Township, Lycoming County, PA; Consumptive Use of Up to 4.0000 mgd; Approval Date: November 22, 2023.

24. RENEWAL—Repsol Oil & Gas USA, LLC; Pad ID: CLDC (02 177); ABR-201811002.R1; Ward Township, Tioga County, PA; Consumptive Use of Up to 6.0000 mgd; Approval Date: November 22, 2023.

25. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Bodolus; ABR-201111028.R2; Litchfield Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 26, 2023.

26. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Garrison West Drilling Pad; ABR-201311010.R2; Lemon Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 26, 2023.

27. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Gregerson; ABR-201111025.R2; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 26, 2023.

28. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Pond Family; ABR-201811004.R1; Colley Township, Sullivan County and Wilmot Township, Bradford County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 26, 2023.

29. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Kupetsky; ABR-201211010.R2; Nicholson Township, Wyoming County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 29, 2023.

30. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Kupscznk D Drilling Pad; ABR-201311003.R2; Springville Township, Susquehanna County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 29, 2023.

31. RENEWAL—Chesapeake Appalachia, LLC; Pad ID: Nelson Drilling Pad # 1; ABR-201111031.R2; Forks Township, Sullivan County, PA; Consumptive Use of Up to 7.5000 mgd; Approval Date: November 29, 2023.

32. RENEWAL—Coterra Energy, Inc.; Pad ID: PowersM P1; ABR-201811003.R1; Auburn Township, Susquehanna County, PA; Consumptive Use of Up to 5.0000 mgd; Approval Date: November 29, 2023.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* December 8, 2023

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 23-1788. Filed for public inspection December 22, 2023, 9:00 a.m.]

## SUSQUEHANNA RIVER BASIN COMMISSION

### Projects Approved for Minor Modifications

The Susquehanna River Basin Commission (Commission) lists the minor modifications approved for previously approved projects from August 1, 2023, through November 30, 2023.

For further information contact Jason E. Oyler, General Counsel and Secretary, (717) 238-0423, Ext. 1312, fax (717) 238-2436, joyler@srbc.gov. Regular mail inquiries may be sent to the Susquehanna River Basin Commission, 4423 North Front Street, Harrisburg, PA 17110-1788.

#### *Supplementary Information*

This notice lists previously approved projects, receiving approval of minor modifications, described as follows, under 18 CFR 806.18 (relating to approval modifications) or to Commission Resolution Nos. 2013-11 and 2015-06 for the time period previously specified.

1. Coal Mountain Development and Recreation, LLC—Eagles Ridge Golf Course, Docket No. 20230605, Ferguson Township, Clearfield County, PA; correction to Special Condition 17(b); Correction Issue Date: August 25, 2023.

2. Lancaster County Solid Waste Management Authority—Frey Farm Landfill, Docket No. 20230920, Manor Township, Lancaster County, PA; modification to add INASHCO Well MW-2 as an additional source of consumptive use; Approval Date: November 1, 2023.

*Authority:* Pub.L. No. 91-575, 84 Stat. 1509 et seq., 18 CFR Parts 806 and 808

*Dated:* December 8, 2023

ANDREW D. DEHOFF,  
*Executive Director*

[Pa.B. Doc. No. 23-1789. Filed for public inspection December 22, 2023, 9:00 a.m.]



