

# PENNSYLVANIA BULLETIN

Volume 54

Number 10

Saturday, March 9, 2024 • Harrisburg, PA

Pages 1173—1288

## Agencies in this issue

The General Assembly

The Courts

Department of Banking and Securities

Department of Community and Economic  
Development

Department of Environmental Protection

Department of Health

Department of Transportation

Fish and Boat Commission

Health Care Cost Containment Council

Insurance Department

Pennsylvania Public Utility Commission

Philadelphia Parking Authority

State Board of Vehicle Manufacturers, Dealers  
and Salespersons

**Detailed list of contents appears inside.**



**Latest Pennsylvania Code Reporter  
(Master Transmittal Sheet):**

**No. 592, March 2024**

CUT ON DOTTED LINES AND ENCLOSE IN AN ENVELOPE

**CHANGE NOTICE/NEW SUBSCRIPTION**

If information on mailing label is incorrect, please email changes to [info@pbulletin.com](mailto:info@pbulletin.com) or mail to:

**FRY COMMUNICATIONS, INC.**  
Attn: *Pennsylvania Bulletin*  
800 W. Church Rd.  
Mechanicsburg, PA 17055-3198

CUSTOMER NUMBER (6 digit number above name on mailing label)

NAME OF INDIVIDUAL

OFFICE NAME—TITLE

ADDRESS (Number and Street)

(City) (State) (Zip Code)

TYPE OR PRINT LEGIBLY

**PENNSYLVANIA**



**BULLETIN**

(ISSN 0162-2137)

The *Pennsylvania Bulletin* is published weekly by Fry Communications, Inc. for the Commonwealth of Pennsylvania, Legislative Reference Bureau, 641 Main Capitol Building, Harrisburg, Pennsylvania 17120, under the policy supervision and direction of the Joint Committee on Documents under 45 Pa.C.S. Part II (relating to publication and effectiveness of Commonwealth documents). The subscription rate is \$87.00 per year, postpaid to points in the United States. Individual copies are \$2.50. Checks for subscriptions and individual copies should be made payable to "*Fry Communications, Inc.*" Periodicals postage paid at Harrisburg, Pennsylvania.

Postmaster send address changes to:

FRY COMMUNICATIONS, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198  
(717) 766-0211 ext. 2340  
(800) 334-1429 ext. 2340 (toll free, out-of-State)  
(800) 524-3232 ext. 2340 (toll free, in State)

Orders for subscriptions and other circulation matters should be sent to:

Fry Communications, Inc.  
Attn: *Pennsylvania Bulletin*  
800 West Church Road  
Mechanicsburg, Pennsylvania 17055-3198

Copyright © 2024 Commonwealth of Pennsylvania

Editorial preparation, composition, printing and distribution of the *Pennsylvania Bulletin* is effected on behalf of the Commonwealth of Pennsylvania by FRY COMMUNICATIONS, Inc., 800 West Church Road, Mechanicsburg, Pennsylvania 17055-3198.

# CONTENTS

## THE GENERAL ASSEMBLY

### COMMISSION ON SENTENCING

Adopted 8th edition sentencing guidelines; correction . . . . . 1180

## THE COURTS

### ALLEGHENY COUNTY RULES

Rule of judicial administration of the court of common pleas; No. AD-2024-67-PJ . . . . . 1181

### LOCAL COURT RULES

#### Crawford County

In the matter of the modification of local civil rules of procedure; No. AD 2008-1807 . . . . . 1185

#### Greene County

Office of president judge administrative order; court administration doc. No. 3 of 2024 . . . . . 1186

#### Lancaster County

Addition of local rule of judicial administration rules 5102—5104; order No. 24-01441 AD 2024 . . . . . 1187

#### Lehigh County

Rules of judicial administration 5102—5104; No. 2024-J-0029 . . . . . 1190

#### McKean County

Adoption of local rules of criminal, juvenile, civil and orphan's court procedure custody of exhibits; 5 AD 2024 . . . . . 1192

#### Warren and Forest Counties

Custody of exhibits during and after court proceedings; No. 25 of 2024 . . . . . 1193

### PHILADELPHIA RULES

Adoption of Philadelphia Court of Common Pleas Civil Rules \*4002.1 and \*4003.8; president judge general court regulation; No. 4 of 2024 . . . . . 1181

## EXECUTIVE AND INDEPENDENT AGENCIES

### DEPARTMENT OF BANKING AND SECURITIES

#### Notices

Actions on applications . . . . . 1195

### DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT

#### Notices

Availability of draft 2023 consolidated annual performance and evaluation report . . . . . 1196

### DEPARTMENT OF ENVIRONMENTAL PROTECTION

#### Notices

Applications, actions and special notices . . . . . 1197

Draft National Pollutant Discharge Elimination System general permit for discharges of stormwater associated with construction activities (PAG-02) . . . . . 1263

Federal consistency under the Coastal Zone Management Act; United States Army Corps of Engineers proposed maintenance dredging at Conneaut Harbor, Ashtabula County, Ohio . . . . . 1265

Household Hazardous Waste Education Grant Award under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988 . . . . . 1266

### DEPARTMENT OF HEALTH

#### Notices

Ambulatory surgical facilities; requests for exceptions . . . . . 1266

Decisions on requests for exceptions to health care facility regulations . . . . . 1267

Fentanyl and xylazine detected in a urine drug screening performed under Act 43 of 2023 . . . . . 1268

Hospitals; requests for exceptions . . . . . 1269

Sexual assault victim emergency services regulation listing of hospitals that may not provide emergency contraception and hospitals that may not provide any sexual assault emergency services; corrected notice . . . . . 1270

### DEPARTMENT OF TRANSPORTATION

#### Notices

Findings . . . . . 1271

Pedalcycle and Pedestrian Advisory Committee meeting . . . . . 1272

### FISH AND BOAT COMMISSION

#### Notices

Mentored Youth Fishing Day Program; trout—2024 . . . . . 1273

### HEALTH CARE COST CONTAINMENT COUNCIL

#### Notices

Special reports and requests for data . . . . . 1273

### INSURANCE DEPARTMENT

#### Notices

Zel R. Metzler; license denial appeal; doc. No. AG24-02-013 . . . . . 1280

Principal Life Insurance Company; rate increase filing for group LTC form FR 601 (MEAM-133985320); rate filing . . . . . 1280

Review procedure hearings; cancellation or refusal of insurance . . . . . 1280

### PENNSYLVANIA PUBLIC UTILITY COMMISSION

#### Notices

Electric generation supplier license cancellation of companies with an expired financial security, insufficient financial security amount or language . . . . . 1281

Revocation of natural gas supplier licenses of companies that did not file a natural gas supplier annual report or pay past due annual or supplemental fees . . . . . 1282

---

Available Online at <http://www.pacodeandbulletin.gov>

---

Service of notice of motor carrier applications..... 1284  
Telecommunications (2 documents)..... 1285  
Wastewater service ..... 1285

**PHILADELPHIA PARKING AUTHORITY**

**Notices**

Service of notice of motor carrier applications in the  
City of Philadelphia..... 1286  
Service of notice of transportation network company  
applications in the City of Philadelphia ..... 1286

**STATE BOARD OF VEHICLE MANUFACTURERS,  
DEALERS AND SALESPERSONS**

**Notices**

Commonwealth of Pennsylvania, Bureau of Profes-  
sional and Occupational Affairs v. Miguel  
Angel Acevedo-Hernandez, respondent; case  
No. 20-60-007800 ..... 1286

# READER'S GUIDE TO THE PENNSYLVANIA BULLETIN AND THE PENNSYLVANIA CODE

## *Pennsylvania Bulletin*

The *Pennsylvania Bulletin* is the official gazette of the Commonwealth of Pennsylvania. It is published weekly. A cumulative subject matter index is published quarterly.

The *Pennsylvania Bulletin* serves several purposes. It is the temporary supplement to the *Pennsylvania Code*, which is the official codification of agency rules and regulations, Statewide court rules, and other statutorily authorized documents. Changes in the codified text, whether by adoption, amendment, rescission, repeal or emergency action, must be published in the *Pennsylvania Bulletin*.

The following documents are published in the *Pennsylvania Bulletin*: Governor's Executive Orders; Summaries of Enacted Statutes; Statewide and Local Court Rules; Attorney General Opinions; Motor Carrier Applications before the Pennsylvania Public Utility Commission; Applications and Actions before the Department of Environmental Protection; Orders of the Independent Regulatory Review Commission; and other documents authorized by law.

The text of certain documents published in the *Pennsylvania Bulletin* is the only valid and enforceable text. Courts are required to take judicial notice of the *Pennsylvania Bulletin*.

### **Adoption, Amendment or Repeal of Regulations**

Generally an agency wishing to adopt, amend or rescind regulations must first publish in the *Pennsylvania Bulletin* a Proposed Rulemaking. There are limited instances when the agency may omit the proposal step; it still must publish the adopted version.

The Proposed Rulemaking contains the full text of the change, the agency contact person, a fiscal note required by law and background for the action.

The agency then allows sufficient time for public comment before taking final action. A Final Rulemaking must be published in the *Pennsylvania Bulletin* before the changes can take effect. If the agency wishes to adopt changes to the Proposed Rulemaking to enlarge the scope, it must repropose.

## **Citation to the *Pennsylvania Bulletin***

Cite material in the *Pennsylvania Bulletin* by volume number, a page number and date. Example: Volume 1, *Pennsylvania Bulletin*, page 801, January 9, 1971 (short form: 1 Pa.B. 801 (January 9, 1971)).

## ***Pennsylvania Code***

The *Pennsylvania Code* is the official codification of rules and regulations issued by Commonwealth agencies, Statewide court rules and other statutorily authorized documents. The *Pennsylvania Bulletin* is the temporary supplement to the *Pennsylvania Code*, printing changes when they are adopted. These changes are then permanently codified by the *Pennsylvania Code Reporter*, a monthly, loose-leaf supplement.

The *Pennsylvania Code* is cited by title number and section number. Example: Title 10 *Pennsylvania Code* § 1.1 (short form: 10 Pa. Code § 1.1).

Under the *Pennsylvania Code* codification system, each regulation is assigned a unique number by title and section. Titles roughly parallel the organization of Commonwealth government.

### **How to Find Rules and Regulations**

Search for your area of interest in the *Pennsylvania Code*. The *Pennsylvania Code* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

Source Notes give the history of regulations. To see if there have been recent changes not yet codified, check the List of *Pennsylvania Code* Chapters Affected in the most recent issue of the *Pennsylvania Bulletin*.

A chronological table of the history of *Pennsylvania Code* sections may be found at [www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde\\_index.cfm](http://www.legis.state.pa.us/cfdocs/legis/CH/Public/pcde_index.cfm).

A quarterly List of *Pennsylvania Code* Sections Affected lists the regulations in numerical order, followed by the citation to the *Pennsylvania Bulletin* in which the change occurred.

The *Pennsylvania Bulletin* is available at [www.pacodeandbulletin.gov](http://www.pacodeandbulletin.gov).

**Subscription Information: (717) 766-0211**  
**General Information and Finding Aids: (717) 783-1530**

### Printing Format

#### *Rules, Regulations and Statements of Policy in Titles 1—107 of the Pennsylvania Code*

Text proposed to be added is printed in **underscored bold face**. Text proposed to be deleted is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and sections are printed in regular type to enhance readability. Final rulemakings and statements of policy are printed in regular type.

Ellipses, a series of five asterisks, indicate text that is not amended.

In Proposed Rulemakings and proposed Statements of Policy, existing text corresponds to the official codified text in the *Pennsylvania Code*.

#### *Court Rules in Titles 201—246 of the Pennsylvania Code*

Added text in proposed and adopted court rules is printed in **underscored bold face**. Deleted text in proposed and adopted court rules is enclosed in brackets [ ] and printed in **bold face**.

Proposed new chapters and rules are printed in regular type to enhance readability.

Ellipses, a series of five asterisks, indicate text that is not amended.

### Fiscal Notes

Section 612 of The Administrative Code of 1929 (71 P. S. § 232) requires the Governor's Budget Office to prepare a fiscal note for regulatory actions and administrative procedures of the administrative departments, boards, commissions and authorities receiving money from the State Treasury. The fiscal note states whether the action or procedure causes a loss of revenue or an increase in the cost of programs for the Commonwealth or its political subdivisions. The fiscal note is required to be published in the *Pennsylvania Bulletin* at the same time as the change is advertised.

A fiscal note provides the following information: (1) the designation of the fund out of which the appropriation providing for expenditures under the action or procedure shall be made; (2) the probable cost for the fiscal year the program is implemented; (3) projected cost estimate of the program for each of the 5 succeeding fiscal years; (4) fiscal history of the program for which expenditures are to be made; (5) probable loss of revenue for the fiscal year of its implementation; (6) projected loss of revenue from the program for each of the 5 succeeding fiscal years; (7) line item, if any, of the General Appropriation Act or other appropriation act out of which expenditures or losses of Commonwealth funds shall occur as a result of the action or procedures; and (8) recommendation, if any, of the Secretary of the Budget and the reasons therefor.

The omission of an item indicates that the agency text of the fiscal note states that there is no information available with respect thereto. In items (3) and (6) information is set forth for the first through fifth fiscal years, following the year the program is implemented, which is stated. In item (4) information is set forth for the current and two immediately preceding years. In item (8) the recommendation, if any, made by the Secretary of the Budget is published with the fiscal note. "No fiscal impact" means no additional cost or revenue loss to the Commonwealth or its local political subdivision is intended. See 4 Pa. Code Chapter 7, Subchapter R (relating to fiscal notes).

### Reproduction, Dissemination or Publication of Information

Third parties may not take information from the *Pennsylvania Code* and *Pennsylvania Bulletin* and reproduce, disseminate or publish information except as provided by 1 Pa. Code § 3.44:

#### § 3.44. General permission to reproduce content of *Code* and *Bulletin*.

Information published under this part, which information includes, but is not limited to, cross references, tables of cases, notes of decisions, tables of contents, indexes, source notes, authority notes, numerical lists and codification guides, other than the actual text of rules or regulations may be reproduced only with the written consent of the [Legislative Reference] Bureau. The information which appears on the same leaf with the text of a rule or regulation, however, may be incidentally reproduced in connection with the reproduction of the rule or regulation, if the reproduction is for the private use of a subscriber and not for resale. There are no other restrictions on the reproduction of information published under this part, and the Commonwealth hereby consents to a reproduction.



## List of Pa. Code Chapters Affected

The following numerical guide is a list of the chapters of each title of the *Pennsylvania Code* affected by documents published in the *Pennsylvania Bulletin* during 2024.

<b>4 Pa. Code (Administration)</b>		<b>67 Pa. Code (Transportation)</b>	
<b>Adopted Rules</b>		<b>Adopted Rules</b>	
6 .....	7	171a .....	719
		171b .....	719
<b>Statements of Policy</b>		<b>204 Pa. Code (Judicial System General Provisions)</b>	
9 .....	16, 496, 730	<b>Adopted Rules</b>	
		71 .....	138
<b>12 Pa. Code (Commerce, Trade and Local Government)</b>		303a .....	1180
<b>Adopted Rules</b>		<b>Proposed Rules</b>	
145 .....	145	71 .....	714
		81 .....	1041
<b>28 Pa. Code (Health and Safety)</b>		87 .....	1041
<b>Statements of Policy</b>		<b>231 Pa. Code (Rules of Civil Procedure)</b>	
51 .....	148	<b>Adopted Rules</b>	
		200 .....	138
<b>40 Pa. Code (Liquor)</b>		<b>234 Pa. Code (Rules of Criminal Procedure)</b>	
<b>Adopted Rules</b>		<b>Proposed Rules</b>	
5 .....	145	4 .....	919
		7 .....	919
<b>Proposed Rules</b>		10 .....	919
3 .....	722	<b>246 Pa. Code (Minor Court Civil Rules)</b>	
5 .....	722	<b>Proposed Rules</b>	
9 .....	722	300 .....	714
11 .....	722	500 .....	714
<b>49 Pa. Code (Professional and Vocational Standards)</b>		<b>249 Pa. Code (Philadelphia Rules)</b>	
<b>Adopted Rules</b>		Unclassified .....	617, 1181
23 .....	368	<b>252 Pa. Code (Allegheny County Rules)</b>	
45 .....	375	Unclassified .....	1181
		<b>255 Pa. Code (Local Court Rules)</b>	
<b>Proposed Rules</b>		Unclassified .....	11, 12, 13, 14, 139, 140, 355, 361, 366, 617, 618, 716, 717, 955, 959, 1042, 1043, 1044, 1046, 1048, 1052, 1185, 1186, 1187, 1190, 1192, 1193
27 .....	1060		
40 .....	383		
<b>Statements of Policy</b>			
21 .....	148		
<b>55 Pa. Code (Human Services)</b>			
<b>Statements of Policy</b>			
1 .....	148		
<b>58 Pa. Code (Recreation)</b>			
<b>Adopted Rules</b>			
75 .....	1054		
97 .....	1056		
107 .....	1057		
111 .....	1056, 1058		

# THE GENERAL ASSEMBLY

## Title 204—JUDICIAL SYSTEM GENERAL PROVISIONS

### COMMISSION ON SENTENCING PART VIII. CRIMINAL SENTENCING [ 204 PA. CODE CH. 303a ]

#### Adopted 8th Edition Sentencing Guidelines; Correction

An error occurred in Annex B under § 303a.13(b) published at 53 Pa.B. 5361 (August 26, 2023). Annex B is corrected as follows. The remainder of Annex B was accurate as published.

#### Annex B

### TITLE 204. JUDICIAL SYSTEM GENERAL PROVISIONS

#### PART VIII. CRIMINAL SENTENCING

#### CHAPTER 303a. SENTENCING GUIDELINES, 8TH EDITION

#### § 303a.13. POG/PRS tables.

\* \* \* \* \*

(b) *Prior record score (PRS) categories.*

Prior Offense Group	Number of prior adjudications and convictions in group.	PRS Categories				
		PRS 0	PRS 1	PRS 2	PRS 3	PRS 4
	0	•				
<b>POG1</b> (1-1-2)	1		•			
	2		•			
	3+			•		
<b>POG2</b> (2-2-3)	1			•		
	2			•		
	3+				•	
<b>POG3</b> (2-3-3)	1			•		
	2				•	
	3+				•	
<b>POG4</b> (3-4-4)	1				•	
	2					•
	3+					•

[Pa.B. Doc. No. 24-291. Filed for public inspection March 8, 2024, 9:00 a.m.]



# THE COURTS

## Title 249—PHILADELPHIA RULES

### PHILADELPHIA COUNTY

#### Adoption of Philadelphia Court of Common Pleas Civil Rules \*4002.1 and \*4003.8; President Judge General Court Regulation; No. 4 of 2024

##### Order

*And Now*, this 23rd day of February, 2024, the Board of Judges of Philadelphia County having voted at the Board of Judges' meeting held on February 15, 2024, to adopt Philadelphia Court of Common Pleas Civil Rules \*4002.1, and \*4003.8 as follows to this Order, and, as required by Pa.R.J.A. 103, the Supreme Court Civil Procedural Rules Committee has reviewed the following local rules, has determined that Rules \*4002.1, and \*4003.8 are not inconsistent with applicable statewide rules, and has authorized their promulgation.

*Now*, therefore, it is hereby *Ordered* and *Decreed* that Philadelphia Court of Common Pleas Civil Rules \*4002.1, and \*4003.8 are adopted, as follows, effective thirty days after publication in the *Pennsylvania Bulletin*.

As required by Pa.R.J.A. 103(d), the local rule which follows this Order was submitted to the Supreme Court of Pennsylvania Civil Procedural Rules Committee for review, and written notification has been received from the Rules Committee certifying that the local rule is not inconsistent with any general rule of the Supreme Court. This Order and the following local rule shall be filed with the Office of Judicial Records (formerly the Prothonotary, Clerk of Courts and Clerk of Quarter Sessions) in a docket maintained for Administrative Orders issued by the First Judicial District of Pennsylvania. As required by Pa.R.J.A. 103(d)(5)(ii), two certified copies of this Administrative Order and the following local rule, as well as one copy of the Administrative Order and local rule shall be distributed to the Legislative Reference Bureau on a computer diskette for publication in the *Pennsylvania Bulletin*. As required by Pa.R.J.A. 103(d)(6) one certified copy of this Administrative Order and local rule shall be filed with the Administrative Office of Pennsylvania Courts, shall be published on the website of the First Judicial District at <http://www.courts.phila.gov>, and shall be incorporated in the compiled set of local rules no later than 30 days following publication in the *Pennsylvania Bulletin*. Copies of the Administrative Order and local rules shall also be published in *The Legal Intelligencer* and will be submitted to American Lawyer Media, Jenkins Memorial Law Library, and the Law Library for the First Judicial District.

*By the Court*

HONORABLE NINA WRIGHT-PADILLA,  
*President Judge*  
*Court of Common Pleas*

#### Rule \*4002.1. Deposition Procedure in Mass Tort Cases.

All plaintiffs in cases assigned to the Mass Tort Program shall be made available for deposition in Philadelphia unless otherwise agreed by all parties or upon motion and for good cause shown.

*Note:* See also General Court Regulation No. 2024-04. Effective April 8, 2024.

## PROPOSED PHILADELPHIA CIVIL RULE \*4003.8. PRE-COMPLAINT DISCOVERY.

### Rule \*4003.8. Pre-Complaint Discovery.

As authorized by Pa.R.C.P. Nos. 4003.8, a request for pre-complaint discovery, or an objection thereto, whether in the nature of discovery for preparation of pleadings (see Pa.R.C.P. No. 4001(c)), or in the nature of written interrogatories and depositions for the purpose of preparing a complaint (see Pa.R.C.P. Nos. 4005(a) and 4007.1(c)) must comply with all requirements of Discovery Motions as set forth in Phila.Civ.R. \*208.3(a)(4).

*Explanatory Note:* Pa.R.C.P. No. 4003.8 authorizes pre-complaint discovery. In order to create a full record, requests for pre-complaint discovery as well as objections to pre-complaint discovery commenced without court approval shall be drafted and assigned for disposition pursuant Phila.Civ.R. \*208.3(a)(4), the local rule which governs discovery motions. This ensures uniformity in that requests for pre-complaint discovery, motions for protective orders and other pre-judgment discovery motions are assigned to discovery court.

*Note:* Adopted by the Board of Judges of the Court of Common Pleas on May 15, 2008, amended on April 8, 2024.

[Pa.B. Doc. No. 24-292. Filed for public inspection March 8, 2024, 9:00 a.m.]

## Title 252—ALLEGHENY COUNTY RULES

### ALLEGHENY COUNTY

#### Rule of Judicial Administration of the Court of Common Pleas; No. AD-2024-67-PJ

##### Order of Court

*And Now*, this 28th day of February, 2024, it is hereby *Ordered* that the attached proposed Local Rules of Judicial Administration of the Court of Common Pleas of Allegheny County, Pennsylvania, shall be effective thirty (30) days after publication in the *Pennsylvania Bulletin*:

ALLEGHENY COUNTY RULES OF JUDICIAL ADMINISTRATION 5101.1—5103.1. CIVIL DIVISION: CUSTODY OF EXHIBITS IN COURT PROCEEDINGS

ALLEGHENY COUNTY RULES OF JUDICIAL ADMINISTRATION 5101.2—5103.2. ORPHANS' COURT DIVISION: CUSTODY OF EXHIBITS IN COURT PROCEEDINGS

ALLEGHENY COUNTY RULES OF JUDICIAL ADMINISTRATION 5101.3—5103.3. CRIMINAL DIVISION: CUSTODY OF EXHIBITS IN COURT PROCEEDINGS

*By the Court*

SUSAN EVASHAVIK DiLUCENTE,  
*President Judge*

**Allegheny County Rules of Judicial Administration.  
Civil Division: Custody of Exhibits in Court Proceedings.**

**Rule 5101.1. Civil Division Custody of Exhibits. Definitions.**

(a) The following words and phrases when used in these rules shall have the following meanings, unless the context clearly indicates otherwise, or the particular word or phrase is expressly defined in the chapter in which the particular rule is included:

1. “*Court proceeding.*” Any trial, hearing, argument or similar event before a judge, panel, or hearing officer where evidence, if entered, is on the record. It does not include a proceeding before a Magisterial District Court, a non-record proceeding before a judicial arbitration matter pursuant to Pa.R.Civ.P. 1301 et sec., or any other proceeding excluded by Local Rule of Judicial Administration 5103.1(e);

2. “*Custodian.*” The person or persons designated by local rule of judicial administration to safeguard and maintain exhibits offered into evidence in a court proceeding. The custodian shall be the proponent of the exhibit. Custodian shall also include the custodian’s designee. However, where circumstances occur that that the proponent is unable to serve as custodian, a member of court staff, court reporter, clerk of court, and/or hearing officer may serve as custodian;

3. “*Exhibit.*” A document, record, object, photograph, model, or similar item offered into evidence whether or not admitted, in a court proceeding;

4. “*Proponent.*” A party seeking the admission of an exhibit into the record in a court proceeding; and

5. “*Records office.*” the Allegheny County, Department of Court Records, Civil/Family Division (“Department of Court Records”) will serve as the records office for the Allegheny County Court of Common Pleas Civil Division.

(b) For any words and phrases not defined by these rules, meaning may be discerned through examination of its dictionary definition and its legal meaning may be gleaned from its use in an application body of law.

**Rule 5102.1. Civil Division Custody of Exhibits. General Provisions.**

(a) In all Civil Division court proceedings, as defined by Local Rule 5101.1, all parties must designate an individual who shall serve as that party’s custodian of exhibits throughout the court proceedings and until which time as the court proceedings concludes.

1. The custodian of exhibits shall be identified at the outset of the court proceedings, and all parties’ custodian’s names shall be placed on the record.

2. The Court shall identify a court custodian whose role during the court proceedings shall be limited to locking the Courtroom at the conclusion of each day of the court proceedings and opening the Courtroom at the beginning of each day of the court proceedings.

3. If the Court determines that a pro se party is unable to perform the duties of a custodian, the court custodian shall assume the duties of the custodian during and after the trial, including all duties identified in this local rule.

(b) During and throughout the court proceedings, the custodian(s) shall secure and maintain all exhibits, including breaks and recesses, unless otherwise provided in Pa.R.J.A. 5103(c)-(d).

(c) After court proceedings the custodian(s) shall:

1. Retain or take custody of all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected during the court proceedings;

2. File all documentary exhibits, photographs, and photographs of non-documentary exhibits with the Department of Court Records office within five (5) business days of the conclusion of the court proceedings unless otherwise directed by the court.

a. The custodians filing exhibits shall include an index of exhibits.

b. The index shall identify the exhibit using the number or letter used by the proponent during the court proceedings to refer to that exhibit, whether the exhibit was admitted or rejected from evidence, and a description or identification of the exhibit.

3. Secure and maintain all other non-documentary exhibits as directed by the Court, or as agreed by the parties.

4. After the court proceedings the court custodian shall confirm that the proponent-custodian(s) filed all exhibits with the Department of Court Records.

a. If a proponent-custodian determines that another party’s proponent-custodian has not filed the exhibits pursuant to this rule within five (5) business days, the complying party or parties may seek appropriate relief with the court regarding the non-compliant proponent-custodian’s failure to file their exhibits.

*Note:* The Parties may benefit from working collaboratively to stipulate to those unobjectionable trial exhibits, prior to trial, and file said stipulation(s) with accompanying index of exhibits, and exhibits, with the Department of Court Records.

**Rule 5103.1. Civil Division Custody of Exhibits. Special Provisions.**

(a) Oversized exhibits and large photographs exceeding 8 1/2 × 11 inches shall be reduced in size and/or photographed so that the copy or photograph of the physical exhibit can be photocopied/scanned on to 8 1/2” × 11” inch paper for filing.

1. In addition to photocopying the oversized physical exhibit (e.g. medical device, tire, axel, blueprint, map, large photograph etc.), the party seeking to admit said physical exhibit shall be responsible for maintaining said physical exhibit until the conclusion/completion of the trial, all post-trial events, appeals and appellate procedures.

2. A proponent who provides a reduced copy of an oversized exhibit shall ensure that the reproduced document is clear and capable of further reproduction to transfer to digital media.

(b) *Use of Digital Media.* A proponent shall ensure that an exhibit in digital format entered into the record is in a format acceptable to the court.

(c) *Duplicates.* The court may direct that the original item, and not a duplicate, be entered into the record.

(d) *Exhibits Under Seal.* If an exhibit offered into evidence contains confidential information or confidential documents as defined by the Case Records Public Access Policy of the Unified Judicial System of Pennsylvania (“Policy”), the proponent shall file a copy of the exhibit and a certification prepared in compliance with the Policy,

and the Department of Court Records requirement, with the Department of Court Records.

1. Any exhibit sealed by the court during the court proceedings shall not be accessible to the public.

(e) *Exclusion.* This rule does not apply to record hearings that may be appealed de novo to the court of common pleas or upon which exceptions or objections can be filed to a court of common pleas, such as hearings before the Board of Viewers and/or arbitration hearings where a party elects to have the arbitration hearing recorded.

(f) Parties shall provide copies of exhibits to the trial Judge, at the time of the trial;

(g) The Court of Common Pleas, Civil Division will not store or maintain exhibits following the conclusion of the trial or court proceedings for which the exhibits were used.

**Allegheny County Rules of Judicial Administration.  
Orphans' Court Division: Custody of Exhibits in  
Court Proceedings.**

**Rule 5101.2. Orphans' Court Division Custody of  
Exhibits. Definitions.**

(a) The following words and phrases when used in these rules shall have the following meanings, unless the context clearly indicates otherwise, or the particular word or phrase is expressly defined in the chapter in which the particular rule is included:

1. "*Court proceeding.*" Any trial, hearing, argument or similar event before a Judge or Master where evidence, if entered, is on the record;

2. "*Custodian.*" The person or persons designated by local rule of judicial administration to safeguard and maintain exhibits offered into evidence in a court proceeding. The custodian shall be the proponent of the exhibit. Custodian shall also include the custodian's designee. However, in circumstances where the proponent is unable to serve as custodian, a member of the court staff may serve as custodian;

3. "*Exhibit.*" A document, record, object, photograph, model, or similar item offered into evidence whether or not admitted, in a court proceeding;

4. "*Proponent.*" A party seeking the admission of an exhibit into the record in a court proceeding; and

5. "*Records office.*" The Allegheny County, Department of Court Records, Wills/Orphans' Court Division ("Department of Court Records") shall serve as the Records Office for the Allegheny County Court of Common Pleas Orphans' Court Division.

(b) For any words and phrases not defined by these rules, meaning may be discerned through examination of its dictionary definition and its legal meaning may be gleaned from its use in an applicable body of law.

**Rule 5102.2. Orphans' Court Division Custody of  
Exhibits. General Provisions.**

(a) In all Orphans' Court Division proceedings, all parties must designate an individual who shall serve as that party's custodian of exhibits throughout the court proceedings and until such time as the court proceedings concludes.

1. The custodian of exhibits shall be identified at the outset of the court proceedings, and all parties' custodian's names shall be placed on the record.

2. The Court shall identify a Court custodian, whose role during the court proceedings shall be limited as set forth in (3) below.

3. If the Court determines that a pro se party is unable to perform the duties of a custodian, the Court custodian shall assume the duties of that party only during and after the trial, including all duties identified in this local rule.

(b) During and throughout the court proceedings, the custodian(s) shall be responsible for securing and maintaining all documentary exhibits, photographs, and photographs of non-documentary exhibits, including breaks and recesses, unless otherwise provided in Pa.R.J.A. 5103(c)-(d).

(c) After court proceedings the custodian(s) shall:

1. Take custody of and retain all documentary exhibits, photographs, and photographs of non-documentary exhibits offered into evidence, whether admitted or not admitted, during the court proceedings;

2. File all documentary exhibits, photographs, and photographs of non-documentary exhibits with the Department of Court Records within five (5) business days of the conclusion of the court proceedings, unless otherwise directed by the court, including an index of exhibits stating the following:

a. The exhibit number or letter used by the proponent to refer to the exhibit;

b. A description of the exhibit; and

c. Whether the exhibit was admitted into evidence.

3. Secure and maintain all non-documentary exhibits as directed by the Court, or as agreed by the parties.

4. After the court proceedings, the Court custodian shall confirm that the custodian designated by each party has complied with subsections (c)(1), (2), (3). If the custodian designated by each party has failed to comply, the Court custodian shall promptly notify the Court, who may impose sanctions.

*Comment:* The Parties may benefit from working collaboratively to stipulate to those unobjectionable trial exhibits prior to trial, and file said stipulation(s) with accompanying index of exhibits and exhibits, with the Department of Court Records.

**Rule 5103.2. Orphans' Court Custody of Exhibits.  
Special Provisions.**

(a) Oversized exhibits and large photographs exceeding 8 1/2 × 11 inches shall be reduced in size and/or photographed so that the copy or photograph of the physical exhibit can be photocopied/scanned on to 8 1/2" × 11" inch paper for filing.

1. The actual oversized exhibit or large photograph shall be maintained by the party seeking to admit it until the conclusion/completion of the trial, all post-trial events, appeals and appellate procedures.

2. A proponent who provides a reduced copy of an oversized exhibit shall ensure that the reproduced document is clear and capable of further reproduction to transfer to digital media.

(b) *Use of Digital Media.* A proponent shall ensure that an exhibit in digital format entered into the record is in a format acceptable to the court.

(c) *Duplicates.* The court may direct that the original item, and not a duplicate/photocopy, be entered into the record.



(d) *Exhibits Under Seal.* If an exhibit offered into evidence contains confidential information or confidential documents as defined by the Case Records Public Access Policy of the Unified Judicial System of Pennsylvania (“Policy”), the custodian shall file the exhibit and a certification prepared in compliance with the Policy, and the Department of Court Records requirement, with the Department of Court Records. Any exhibit sealed by the court during the court proceedings shall not be accessible to the public.

(e) Parties shall provide copies of exhibits to the Court at the time of the proceeding; however, the Court shall not be responsible for filing the exhibits, except if the Court custodian is acting on behalf of a pro se party.

(f) The Court of Common Pleas, Orphans’ Court Division will not store or maintain exhibits following the conclusion of the proceeding for which the exhibits were used.

**Allegheny County Rules of Judicial Administration.  
Criminal Division: Custody of Exhibits in Court Proceedings.**

**Rule 5101.3. Criminal Division Custody of Exhibits. Definitions.**

(a) The following words and phrases when used in these rules shall have the following meanings, unless the context clearly indicates otherwise, or the particular word or phrase is expressly defined in the chapter in which the particular rule is included:

1. “*Court proceeding.*” Any trial, hearing, argument or similar event before a judge, panel, or hearing officer where evidence, if entered, is on the record. It does not include a proceeding before a Magisterial District Court.

2. “*Custodian.*” The custodian shall be the proponent of the exhibit. Custodian shall also include the custodian’s designee. However, where circumstances occur that the proponent is unable to serve as custodian, either a member of court staff, court reporter, clerk of court, and/or hearing officer may serve as custodian, as designated by the presiding judge, consistent with Rule of Judicial Administration 5103(d).

3. “*Exhibit.*” A document, record, object, photograph, model or similar item offered into evidence whether or not admitted, in a court proceeding.

4. “*Proponent.*” A party seeking the admission of an exhibit into the record in a court proceeding.

5. “*Records office.*” The Allegheny County Department of Court Records, Criminal Division (“Department of Court Records”) will serve as the records office for the Allegheny County Court of Common Pleas Criminal Division.

(b) For any words and phrases not defined by these rules, meaning may be discerned through examination of its dictionary definition and its legal meaning may be gleaned from its use in an application body of law.

**Rule 5102.3. Criminal Division Custody of Exhibits. General Provisions.**

(a) In all Criminal Division court proceedings, the trial judge must designate an individual who shall serve as that party’s custodian of exhibits throughout the court proceedings and until such time as the court proceedings conclude.

1. The custodian of exhibits shall be identified at the outset of the court proceedings, and all parties’ custodian’s names shall be placed on the record. The default

custodian shall be the trial for each party who enters an appearance in the particular proceeding.

2. The Court shall identify a Court custodian whose role during the court proceedings shall be limited to locking the Courtroom at the conclusion of each day of the court proceedings and opening the Courtroom at the beginning of each day of the court proceedings. The default court custodian shall be the courtroom tipstaff.

3. If the Court determines that a pro se party is unable to perform the duties of a custodian, stand-by counsel will serve as the custodian. In the event that stand-by counsel has not been appointed, the Public Defender’s Office will be appointed as custodian.

(b) During and throughout the court proceedings, including breaks and recesses, the custodians shall secure and maintain all exhibits, unless otherwise provided in Pa.R.J.A. 5103(c)-(d).

(c) The trial court judge shall maintain a paper record of all exhibits along with an index, using the number or letter used by the proponent, noting whether the exhibit was admitted or rejected.

(d) After court proceedings the exhibit custodian(s) shall:

1. Retain or take custody of all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected during the court proceedings. All other physical evidence, including but not limited to weapons, drugs and biological material will remain in the custody of the affiant.

2. File all documentary exhibits, photographs, and photographs of non-documentary exhibits with the Department of Court Records office within five (5) business days of the conclusion of the court proceedings unless otherwise directed by the Court;

a. Prior to the filing, the exhibit custodians shall reconcile the exhibit index with the Court.

b. The custodians filing exhibits shall include an index of exhibits.

c. The index shall identify the exhibit using the number or letter used by the proponent during the court proceedings, whether the exhibit was admitted or rejected from evidence, and provide a description of the exhibit.

d. A stamped copy of the filed index of exhibits shall also be provided to the court custodian after filing with the Department of Court Records.

3. Secure and maintain all other non-documentary exhibits as directed by the Court, or as agreed to by the parties.

4. If one or both parties fails to file the exhibit index, the Court, sua sponte or at the behest of either party, may issue an order granting appropriate relief and/or schedule a hearing.

a. If a custodian determines that another party’s custodian has not filed the exhibits pursuant to this rule within five (5) business days, the complying party or parties may seek appropriate relief with the Court regarding the non-compliant custodian’s failure to file their exhibits.

*Comment:* The Parties may benefit from working collaboratively to stipulate to those unobjectionable trial exhibits, prior to trial, and file said stipulation(s) with accompanying index of exhibits, and exhibits, with the Department of Court Records.

**Rule 5103.3. Criminal Division Custody of Exhibits. Special Provisions.**

(a) Oversized exhibits and large photographs exceeding 8 1/2 x 11 inches shall be reduced in size and/or photographed so that the copy or photograph of the physical exhibit can be photocopied/scanned on to 8 1/2" x 11" inch paper for filing. This shall be done by the custodian of such exhibits.

1. In addition to photocopying the oversized physical exhibit the party seeking to admit said physical exhibit shall be responsible for maintaining said physical exhibit until the conclusion/completion of the trial, all post-trial events, appeals and appellate procedures.

2. A proponent who provides a reduced copy of an oversized exhibit shall ensure that the reproduced document is clear and capable of further reproduction or transfer to digital media.

(b) *Use of Digital Media.* A proponent shall ensure that an exhibit in digital format entered into the record is in a format compatible with court equipment.

(c) *Duplicates.* The Court may direct that the original item and not a duplicate, be entered into the record.

(d) *Exhibits Under Seal.* If an exhibit offered into evidence contains confidential information or confidential documents as defined by the Case Records Public Access Policy of the Unified Judicial System of Pennsylvania ("Policy"), the proponent shall file a copy of the exhibit and a certification prepared in compliance with the Policy, and Department of Court Records requirements, with the Department of Court Records.

1. Any exhibit sealed by the Court during the court proceedings shall not be accessible to the public.

(e) *Exclusion.* This Rule does not apply to record hearings that may be appealed de novo to the Court of Common Pleas, Criminal Division.

(f) Parties shall provide copies of exhibits to the trial judge, at the time of the trial, however, neither the Court custodian of the exhibits, nor the trial judge shall be responsible to file exhibits.

(g) The Court of Common Pleas, Criminal Division will not store or maintain exhibits following the conclusion of the trial or court proceedings for which the exhibits were used.

[Pa.B. Doc. No. 24-293. Filed for public inspection March 8, 2024, 9:00 a.m.]

**Title 255—LOCAL COURT RULES**

**CRAWFORD COUNTY**

**In the Matter of the Modification of Local Civil Rules of Procedure; No. AD 2008-1807**

**Order**

*And Now*, February 26, 2024, the Court *Orders* as follows:

1. Local Rule of Civil Procedure 51 (concerning the title and purpose of the local rules of civil procedure), is amended in the form presented as follows, in which an addition to the rule is shown in bold type and underlined;

2. Local Rule of Civil Procedure 1028(c) (concerning preliminary objections and briefs), is amended in the form presented as follows, in which deletions are shown in bold and brackets, and additions are shown in bold and underlined;

3. Exhibit 1034(a) to Cra.R.Civ.P. 1034 (Motion for Judgment on the Pleadings), is hereby replaced by Exhibit 1034(a) in the form as follows hereto;

4. Exhibit 1035.2(a) to Cra.R.Civ.P. 1035.2(a) (Motion for Summary Judgment) is hereby replaced by Exhibit 1035(a) in the form as follows hereto; and

5. This Order shall be processed in accordance with Pa.R.J.A. 103(d), and effective thirty days after publication in the *Pennsylvania Bulletin*.

*By the Court*

JOHN F. SPATARO,  
*President Judge*

**Rule L51. Title of Rules. Purpose.**

These Local Rules of Civil Procedure are intended to implement the Pennsylvania Rules of Civil Procedure to which their numbers correspond. They may be cited as "Cra.R.Civ.P. \_\_\_\_\_."

**Rule L1028(c). Preliminary Objections. Briefs [ Scheduling Order ].**

Preliminary objections shall be processed and disposed of in accordance with the rule governing arguments and argument lists, **except that no praecipe for argument may be filed within twenty days after service of a copy of preliminary objections.** Briefs shall conform to Cra.R.Civ.P. 210 and Cra.R.Civ.P. 307 [ **Cra.R.C.P. 210 and 307 are published at: County Local Rules Home** ].

**EXHIBIT 1034(a)**

**IN THE COURT OF COMMON PLEAS OF CRAWFORD COUNTY, PENNSYLVANIA**

**CIVIL ACTION**

\_\_\_\_\_,  
Plaintiff(s),  
v. \_\_\_\_\_,  
Defendant(s)

No. \_\_\_\_\_ 20 \_\_\_\_\_ - \_\_\_\_\_

SCHEDULING ORDER

AND NOW, \_\_\_\_\_, 20\_\_\_\_, upon receipt of a motion for judgment on the pleadings filed by \_\_\_\_\_, argument on said motion shall be set on the next available argument list.

Any responding party must file a brief no less than **five** business days prior to the date set for argument, and promptly serve a true and correct copy of said brief on all other parties and the court.

FOR THE COURT,

\_\_\_\_\_  
Court Administrator

EXHIBIT 1035.2(a)

IN THE COURT OF COMMON PLEAS OF CRAWFORD COUNTY, PENNSYLVANIA  
CIVIL ACTION

\_\_\_\_\_  
Plaintiff(s) , :  
 :  
v. : No. \_\_\_\_\_ 20\_\_\_\_ - \_\_\_\_\_  
 :  
\_\_\_\_\_  
Defendant(s) , :  
 :

SCHEDULING ORDER

AND NOW, \_\_\_\_\_, 20\_\_\_\_, upon receipt of a motion for summary judgment filed by \_\_\_\_\_, argument on said motion shall be set on the next available argument list.

Any responding party must file a brief no less than **five** business days prior to the date set for argument, and promptly serve a true and correct copy of said brief on all other parties and the court.

FOR THE COURT,

\_\_\_\_\_  
Court Administrator

[Pa.B. Doc. No. 24-294. Filed for public inspection March 8, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

GREENE COUNTY

Office of President Judge Administrative Order;  
Court Administration Doc. No. 3 of 2024

Order

Local Rules G5102 and G5103 Custody of Exhibits

And Now, this 23rd day of February, 2024, it is hereby Ordered that Local Rule G5102 and Rule G5103 of the Rules of Judicial Administration of the Court of Common Pleas of the 13th Judicial District of Pennsylvania, Greene County, is to be effective thirty (30) days after publication in the *Pennsylvania Bulletin*.

It is further Directed that the District Court Administrator of Greene County shall comply with all publishing requirements set forth in PA.R.J.A. 103. One (1) copy of this Order shall be filed with the Administrative Office of Pennsylvania Courts. Two (2) paper copies and one (1) electronic copy shall be distributed to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*. A copy of this Order shall be published on the Greene County Court's website and the local rule shall be incorporated into the complete set of Greene County Local Rules. Filing one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

So Ordered and Decreed

LOUIS DAYICH,  
President Judge

Local Rules G5102 and G5103—JUDICIAL ADMINISTRATION—CUSTODY OF EXHIBITS.

Rule G5102. Custody of Exhibits. General Provisions.

Unless otherwise provided by the presiding judge, the docketing office where the action is filed is now designated as the "Custodian," as defined by Pa.R.J.A. 5101(a)(2), for all exhibits accepted or rejected during court proceedings.

(a) Any digital exhibit that cannot be printed (i.e., audio or video recording) shall be entered into the record on a Universal Serial Bus (USB) flash drive (or other format if expressly approved by the Court). If one party has multiple digital exhibits, they may be submitted together on one USB flash drive.

Rule G5103. Custody of Exhibits. Special Provisions.

Unless otherwise provided by the presiding judge, at the conclusion of the court proceeding, the Custodian shall retain all non-documentary evidence for safekeeping as required by any applicable retention schedule, statute, rule, regulation, or policy, or until further order of court.

[Pa.B. Doc. No. 24-295. Filed for public inspection March 8, 2024, 9:00 a.m.]

**Title 255—LOCAL COURT RULES**

**LANCASTER COUNTY**

**Addition of Local Rule of Judicial Administration  
Rules 5102—5104; Order No. 24-01441 AD 2024**

**Administrative Order**

And Now, this 28th day of February 2024, it is hereby Ordered that the following Local Rules of Judicial Administration of the Court of Common Pleas of the 2nd Judicial District of Pennsylvania, Lancaster County, are adopted as indicated, to be effective thirty (30) days after publication in the *Pennsylvania Bulletin*.

The Lancaster County District Court Administrator is Ordered to do the following:

1. File one (1) copy to the Administrative Office of Pennsylvania Courts via email to adminrules@pacourts.us.
2. File two (2) paper copies and one (1) electronic copy in a Microsoft Word format only to bulletin@palrb.us with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.
3. Publish these Rules on the Lancaster County Court website at www.court.lancastercountypa.gov.
4. Incorporation of the local rule into the set of local rules on www.court.lancastercountypa.gov within thirty (30) days after the publication of the local rule in the *Pennsylvania Bulletin*.
5. File one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

By the Court

DAVID L. ASHWORTH,  
*President Judge*

**Rule 5102. Custody of Exhibits. General Provisions.**  
*During Court Proceedings*

(a) The custodian(s) shall be the proponent seeking the admission of an exhibit during the court proceeding. Exhibits for contiguous hearings/trials may remain in the assigned locked courtroom or the custodian may retain possession. Exhibits for non-contiguous hearings/trials remain with the custodian and must be returned at the continuation of the hearing/trial.

*After Court Proceedings*

(b) Absent agreement of the parties to the contrary and such agreement being filed with the court, the custodian(s) designated in section 5102(a) shall remain the custodian after the court proceeding. In the event of the departure or death of the custodian/proponent from the firm or office, the firm or office shall retain exhibits. Upon agreement of the parties, one custodian can agree to retain custody of one or all of the exhibits. Documentation of this must be included on the index of exhibits.

*Custodian*

(ii) Records office requirements: Prothonotary Office requires all exhibits and custody of exhibits forms be electronically filed. Clerk of Courts Office requires all exhibits and custody of exhibits forms be brought to their office for filing. Each office will indicate in docket entries that an index of exhibits has been filed.

*Index of Exhibits*

(2) Index of exhibits. Index of exhibits form must be completed, signed, and submitted to the appropriate Records office with all exhibits sized at 8-1/2 x 11 inch documents.

**IN THE COURT OF COMMON PLEAS OF LANCASTER COUNTY, PENNSYLVANIA**

**CIVIL—CRIMINAL**

vs.

:  
:  
:  
:  
:  
:

Docket No:

**INDEX OF EXHIBITS**

<i>Hearing Date(s)</i>	<i>Filing Office (circle one):</i>	<i>Judge:</i>
	Clerk of Courts      Prothonotary	
<i>Custodian / Proponent Name:</i>		<i>Custodian / Proponent / Firm / Office Address:</i>
<i>Company / Firm Name:</i>		<i>Phone number:</i>

<i>Exhibit</i>	<i>Description</i>	<i>Admitted</i>		<i>Rejected</i>







*Relief*

**(4) Upon the failure of the custodian/proponent to comply with filing the exhibits, any interested party may file a petition for a show cause hearing to be held.**

**Rule 5103. Custody of Exhibits. Special Provisions.**

**(g) Absent agreement of the parties, a court order is required before destruction of any exhibits, which includes non-documentary exhibits. The parties' agreement to destroy exhibits shall be filed with the court. All interested parties should be given notice of the request for an order to destroy the exhibits.**

**Rule 5104. Local Rule. Prohibition.**

*Optional Provision*

**(b) The following hearings are excluded from this provision; Support, De Novo, Dependency, Orphan's Court, and Delinquency with the exception of Contested Adjudication Hearings.**

[Pa.B. Doc. No. 24-296. Filed for public inspection March 8, 2024, 9:00 a.m.]

## Title 255—LOCAL COURT RULES

### LEHIGH COUNTY

**Rules of Judicial Administration 5102—5104; No. 2024-J-0029**

#### Administrative Order

*And Now*, this 26th day of February, 2024;

*It Is Ordered* that Lehigh County Rule of Civil Procedure 223.1 is rescinded and replaced with the following Lehigh County Rules of Judicial Administration 5102—5104, effective thirty (30) days after publication in the *Pennsylvania Bulletin*.

*It Is Further Ordered* that the Court Administrator of Lehigh County shall:

1. File one (1) copy of the Order and Lehigh County Rules of Judicial Administration 5102—5104 with the Administrative Office of Pennsylvania Courts via e-mail to [adminrules@pacourts.us](mailto:adminrules@pacourts.us).

2. Mail one (1) copy to the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*; and e-mail another copy in Microsoft Word format to [bulletin@palrb.us](mailto:bulletin@palrb.us).

3. Publish the local rules on the court's website.

4. Incorporate the local rules into the set of local rules on the court's website no later than thirty (30) days following publication in the *Pennsylvania Bulletin*.

5. File one (1) copy with the Lehigh County Clerk of Judicial Records for public inspection and copying.

*By the Court*

J. BRIAN JOHNSON,  
*President Judge*

**Rule 5102. Custody of Exhibits. General Provisions.**

(a) *During Court Proceedings Before Judge.*

(1) The Court Reporter/Court Monitor shall be designated as the custodian of all documentary exhibits and photographs of non-documentary exhibits accepted or rejected during the court proceedings.

(b) *After Court Proceedings Before Judge.* The Court Reporter/Monitor shall be designated as the custodian of all documentary exhibits and photographs of non-documentary exhibits after court proceedings have concluded.

(1) The Court Reporter/Monitor shall:

(i) file all documentary exhibits, photographs, photographs of non-documentary exhibits, and corresponding Index of Exhibits with the Clerk of Judicial Records within five (5) business days of the conclusion of the court proceeding unless otherwise directed by the court. In accordance with Lehigh County Rules of Civil Procedure 205.4, the Court Reporter/Court Monitor may also electronically file all exhibits, if practical to do so, via File and Serve. Electronic filing of the exhibits is at the discretion of the Court Reporter/Court Monitor.

(2) The Index of Exhibits shall be prepared and maintained by the Court Reporter/Court Monitor and shall include all of the following information in conformity with the form attached as Appendix I:

(i) the case number;

(ii) the title of the court proceeding;

(iii) initial start date of the court proceeding and of each successive session;

(iv) the name of the presiding judge;

(v) the exhibit number;

(vi) a written description of each exhibit;

(vii) the proponent of each exhibit;

(viii) the date on which the exhibit was offered, admitted, or not admitted into evidence; and

(ix) the name of the Court Reporter/Court Monitor.

**Rule 5103. Custody of Exhibits. Special Provisions.**

(a) *Documentary Exhibits.*

(1) If a proponent offers into evidence an exhibit that is larger than 8-1/2 × 11 inches or a photograph, the proponent shall ensure that a copy of the document reduced to 8-1/2 × 11 inches is entered into the record. Items larger than 8-1/2 × 11 inches may be used for illustration during the court proceedings.

(2) A proponent who provides a reduced copy of an oversized exhibit or a copy of a photograph shall ensure that the reproduced exhibit or photograph is clear and capable of further reproduction or transfer to digital media.

(3) If a proponent offers into evidence a deposition of a witness via digital media, the digital media shall be marked as an exhibit. The submission of same must be accompanied by a transcript of the deposition, which shall also be marked as an exhibit and retained in the record of the proceedings.



Appendix II
TRANSFER OF EXHIBITS DURING COURT PROCEEDING
Acknowledgement of Receipt by Successor Custodian

Leh.R.J.A. 5102(a)(3)

Case Caption: \_\_\_\_\_ No. \_\_\_\_\_

Name of Delivering Custodian: \_\_\_\_\_

Name of Successor Custodian: \_\_\_\_\_

On this date I accepted from the Delivering Custodian:

[ ] Index of Exhibits of Court Proceeding begun: \_\_\_\_\_

[ ] Exhibits: (list all exhibits by Proponent and Number)

Date: \_\_\_\_\_

Signature of Successor Custodian

Appendix III
TRANSFER OF EXHIBITS AT CONCLUSION OF COURT PROCEEDING
Acknowledgement of Receipt by Clerk of Judicial Records Staff

Leh.R.J.A. 5102(b)(1)(i.)

Case Caption: \_\_\_\_\_ No. \_\_\_\_\_

Name of Delivering Custodian: \_\_\_\_\_

Name of Receiving Clerk of Judicial Records Staff: \_\_\_\_\_

On this date I accepted the following from Delivering Custodian for e-filing pursuant to Leh.R.J.A. 5103(b)(1)(i.):

[ ] Index of Exhibits of Court Proceeding begun: \_\_\_\_\_ and completed on \_\_\_\_\_ ;

and

[ ] Exhibits: (list all exhibits by Proponent and Number)

Date: \_\_\_\_\_

Signature of Receiving Clerk of Judicial Records staff

[Pa.B. Doc. No. 24-297. Filed for public inspection March 8, 2024, 9:00 a.m.]

Title 255—LOCAL COURT RULES

McKEAN COUNTY

Adoption of Local Rules of Criminal, Juvenile, Civil and Orphan’s Court Procedure Custody of Exhibits; 5 AD 2024

Order of Court

And Now, this 26th day of February 2024, effective March 1, 2024 or thirty (30) days after publication in the Pennsylvania Bulletin, in accordance with Pa.R.J.A. 5101—5105, which address Exhibit Retention and were issued by an Order of the Pennsylvania Supreme Court (to take effect on April 1, 2024), the Local Rules of the McKean County Court of Common Pleas are hereby amended to include the new local rules 5102 and 5103 which are set forth as follows.

The McKean County District Court Administrator is Ordered and Directed to do the following:

1. File one (1) copy to the Administrative Office of Pennsylvania Courts via email to admin.rules@pacourts.us.

2. File two (2) paper copies and one (1) electronic copy in a Microsoft Word format only to bulletin@palrb.us with the Legislative Reference Bureau for publication in the Pennsylvania Bulletin.

3. Publish these Rules on the McKean County Court website at www.mckeancountypa.gov.

4. Incorporation of the local rule into the set of McKean County local rules within thirty (30) days after the publication of the local rule in the Pennsylvania Bulletin.

5. File one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

By the Court

JOHN H. PAVLOCK,
President Judge

CHAPTER II. CUSTODY OF EXHIBITS.

Rule 5102. General Provisions.

Local Rules 5102 and 5103 are issued to align McKean County Court of Common Pleas practice and procedure with Pa.R.J.A. 5101—5105. Reference to Pa.R.J.A. 5102—5105 shall be made when interpreting McKean County Local Rules 5102 and 5103 and when determining the procedure and practice for Exhibit Retention in McKean County.

The court recorder/monitor or court reporter for all, or a portion, of a court proceeding shall be designated as the “Custodian,” as defined by Pa.R.J.A. 5101(a)(2), for all

documentary exhibits, photographs, and photographs of non-documentary exhibits accepted during the court proceeding.

(a) If only one custodian is involved with a proceeding, they shall file with the appropriate records office (Prothonotary/Clerk of Courts or Orphan's Court) all submitted exhibits, with the exception of non-documentary exhibits, and index of exhibits within 5 business days of the conclusion of the proceeding.

(b) The proponent shall assure that document evidence is in a format, including size and material, that is compatible with being filed and easily stored by the records office. If, due to the nature of the proceeding and the requirement that an oversized or undersized document exhibit be entered into evidence that is not easily capable of storage by the records office, then the records office may request that alternate measures be undertaken for storage of this document evidence, including that the proponent retain custody in conformance with Rule 5103 for physical evidence.

(c) If multiple custodians are involved with a proceeding, the first custodian shall provide the subsequent custodian (and so on, if more than two custodians) with the submitted exhibits and index of exhibits. The custodian at the conclusion of the proceeding shall file with the appropriate records office all submitted exhibits and index of exhibits within 5 business days of the conclusion of the proceeding.

#### **Rule 5103. Custody of Exhibits. Special Provisions.**

(a) The proponent (party that moved Exhibit into evidence) shall retain custody of physical evidence (including, but not limited to weapons, cash, other items of value, drugs, or other dangerous materials) and bulky, oversized, or otherwise physically impractical exhibits at all times during and after a court proceeding. The court may issue an order in exceptional circumstances for the court to retain said exhibits.

(1) These non-documentary exhibits must be photographed by the proponent, converted to a letter sized document, and appropriately marked and produced during the court proceeding for inclusion in the documentary record.

(2) Digital media such as CDs, thumb drives, etc. shall also be retained by the records office.

(3) Unless otherwise provided by the presiding judge, at the conclusion of the court proceeding, non-documentary evidence shall be returned to the proponent for safekeeping.

(4) Document exhibits shall be retained by the records office in accordance with existing authority for record retention.

(5) Non-documentary exhibits such as, but not limited to, knives, firearms, drugs, car parts, etc., shall be held by the proponent until an appropriate order such as: Order for Forfeiture; Order for Destruction; Order for Return, etc. is obtained. When addressing such a request the court will consider the nature of the action, the status of the proceedings including whether there is an active appeal or the potential for future litigation and the position of the opposing party.

(b) Any digital exhibit that cannot be printed (i.e., audio or video recording) shall be entered into the record

on a Universal Serial Bus (USB) flash drive (or other format if expressly approved by the court). If one party has multiple digital exhibits, they may be submitted together on one USB flash drive.

(c) Any exhibit containing confidential information or equivalent to any of the categories enumerated in Pa. Access Policy § 8.0 shall include a Confidential Document Form so that the document can be properly sealed by the record office.

#### *iii. Exceptions:*

Excluded from the requirements of these Exhibit Retention Local Rules are record hearings that may be appealed de novo to a court of common pleas or upon which exceptions or objections can be filed to a court of common pleas from the provisions of this chapter, such as: proceedings before hearing officers in divorce, custody, support, delinquency, and dependency matters.

[Pa.B. Doc. No. 24-298. Filed for public inspection March 8, 2024, 9:00 a.m.]

## **Title 25—LOCAL COURT RULES**

### **WARREN AND FOREST COUNTIES**

#### **Custody of Exhibits During and After Court Proceedings; No. 25 of 2024**

##### **Administrative Order**

*And Now*, this 28th day of February, 2024, it is hereby Ordered and Decreed that the Warren/Forest County Court of Common Pleas adopts Local Rule of Judicial Administration Rule R.J.A. L5102 and Rule R.J.A. L5103 governing the Custody of Exhibits effective thirty (30) days after publication in the *Pennsylvania Bulletin*.

The Warren/Forest District Court Administrator is Ordered to do the following:

1. File one (1) copy to the Administrative Office of Pennsylvania Courts via email to [adminrules@pacourts.us](mailto:adminrules@pacourts.us).

2. File one (1) paper copy and one (1) electronic copy in a Microsoft Word format only to [bulletin@palrb.us](mailto:bulletin@palrb.us) with the Legislative Reference Bureau for publication in the *Pennsylvania Bulletin*.

3. Publish these Rules on the Warren/Forest County Court website at [www.warrenforestcourt.org](http://www.warrenforestcourt.org).

4. File one (1) copy of the local rule in the appropriate filing office for public inspection and copying.

*By the Court*

MAUREEN A. SKERDA,  
*President Judge*

#### **Rule R.J.A.L5102. Custody of Exhibits. General Provisions.**

(a) *During Court Proceedings before Judge.*

(1) The Official Court Reporter shall be designated as the custodian of all documentary exhibits and photographs of non-documentary exhibits accepted or rejected during the court proceedings.

(2) The Official Court Reporter shall maintain the Index of Exhibits and shall use a form which shall be in the following format:

Index of Exhibits

<i>Exhibit No.</i>	<i>Description / Title</i>	<i>Proponent</i>	<i>Marked</i>	<i>Rejected</i>	<i>Admitted</i>	<i>Confidential Information Sheet (If required)</i>
--------------------	----------------------------	------------------	---------------	-----------------	-----------------	---

(3) If the Official Court Reporter is not present during court proceedings, the Court or a designated tipstaff shall secure all exhibits accepted or rejected during the court proceedings and file them with the Official Court Reporter.

(4) If the court proceedings are audio-recorded, the Court or a designated tipstaff shall secure all exhibits accepted or rejected during the court proceedings and file them with the Official Court Reporter.

(b) *After Court Proceedings before Judge.*

(1) The Official Court Reporter shall:

(a) Secure and maintain all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected during the court proceedings, and;

(b) Secure and maintain all non-documentary exhibits as directed by the Court or agreed to by the parties.

(2) The Official Court Reporter shall file a copy of the Index of Exhibits with copies of the exhibits in the Prothonotary's Office

(c) *Proceedings before the Court Hearing Officer:*

(1) In proceedings before the Court Hearing Officer, the Hearing Officer shall be the custodian of the documentary exhibits.

(2) The Court Hearing Officer shall retain all documentary exhibits, photographs, and photographs of non-documentary exhibits accepted or rejected during the court proceedings.

(3) The Court Hearing Officer shall prepare the Index of Exhibits and secure and maintain the Index of Exhibits with the exhibits.

**Rule R.J.A.L5103. Custody of Exhibits. Special Provisions.**

(a) *Documentary Exhibits: Generally.*

(1) If a document is larger than 8 1/2 × 11 inches, the Official Court Reporter shall be provided with a copy of the same sized 8 1/2 × 11 inches. Items larger than 8 1/2 × 11 inches may be used for illustration during the court proceedings.

(2) Original depositions presented at trial shall remain in the proponent's possession. The proponent shall simultaneously submit copies of depositions as an exhibit.

(b) *Non-documentary Exhibits: Generally.*

(1) If the exhibit is oversized or bulky, the proponent shall maintain custody of the exhibit. A photograph shall be taken by the proponent of the oversized or bulky exhibit and submitted to the Official Court Reporter either before or during the court proceedings.

(2) Copies of audio and/or video recordings presented during the court proceedings shall be submitted to the Official Court Reporter either before or during the court proceedings.

[Pa.B. Doc. No. 24-299. Filed for public inspection March 8, 2024, 9:00 a.m.]



# NOTICES

## DEPARTMENT OF BANKING AND SECURITIES

### Actions on Applications

The Department of Banking and Securities (Department), under the authority in the Banking Code of 1965 (7 P.S. §§ 101—2204), the Department of Banking and Securities Code (71 P.S. §§ 733-1—733-1203) and 17 Pa.C.S. (relating to Credit Union Code), has taken the following actions on applications received for the week ending February 27, 2024.

Under section 503.E of the Department of Banking and Securities Code (71 P.S. § 733-503.E), any person wishing to comment on the following applications, may file comments in writing with the Department, for Bank Supervision, by e-mail to ra-bnbnksbmssnspt@pa.gov or for credit unions, by e-mail to ra-bncusubmissions@pa.gov and trust companies, by e-mail to ra-bntrustsuprvsninq@pa.gov. Comments must be received no later than 30 days from the date that the notice regarding acceptance of the application is published in the *Pennsylvania Bulletin*. The nonconfidential portions of the applications are on file at the Department and are available for public inspection, by appointment only, during regular business hours. To schedule an appointment, for banks (717) 783-8240, or for credit unions or trust companies (717) 783-2253.

### APPLICATIONS FOR COMMENT

#### BANKING INSTITUTIONS

No activity.

#### CREDIT UNIONS

No activity.

### OTHER APPLICATION ACTIVITY

#### BANKING INSTITUTIONS

##### Branch Applications

##### De Novo Branches

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
02-22-2024	CNB Bank Clearfield Clearfield County	235 High Street Extension Unit 2 Victor Ontario County, NY	Approved
02-16-2024	Somerset Trust Company Somerset Somerset County	1301 South Main Street Greensburg Westmoreland County	Opened
02-23-2024	Wayne Bank Honesdale Wayne County	983 Wyoming Avenue Forty Fort Luzerne County	Approved

##### Branch Relocations

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
02-26-2024	Greenville Savings Bank Greenville Mercer County	<i>To:</i> 108 South Market Street New Wilmington Lawrence County  <i>From:</i> 3302 Wilmington Road New Castle Lawrence County	Accepted

##### Branch Discontinuances

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
12-31-2023	Univest Bank and Trust Co. Souderton Montgomery County	800 Maple Avenue Harleysville Montgomery County (Limited-Service Facility)	Closed
12-31-2023	Univest Bank and Trust Co. Souderton Montgomery County	3250 State Road Sellersville Bucks County (Limited-Service Facility)	Closed

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
12-31-2023	Univest Bank and Trust Co. Souderton Montgomery County	235 North Washington Street Telford Bucks County (Limited-Service Facility)	Closed
12-31-2023	Univest Bank and Trust Co. Souderton Montgomery County	2343 Bethlehem Pike Hatfield Bucks County (Limited-Service Facility)	Closed

**CREDIT UNIONS**

**Branch Applications**

**De Novo Branches**

<i>Date</i>	<i>Name and Location of Applicant</i>	<i>Location of Branch</i>	<i>Status</i>
02-26-2024	Franklin-Oil Region Credit Union Franklin Venango County	206 S. Marin Street Titusville Crawford County	Accepted

The Department's web site at [www.dobs.pa.gov](http://www.dobs.pa.gov) includes public notices for more recently filed applications.

WENDY S. SPICHER,  
*Secretary*

[Pa.B. Doc. No. 24-300. Filed for public inspection March 8, 2024, 9:00 a.m.]

**DEPARTMENT OF COMMUNITY AND ECONOMIC DEVELOPMENT**

**Availability of Draft 2023 Consolidated Annual Performance and Evaluation Report**

The Department of Community and Economic Development (Department) is preparing its 2023 Consolidated Annual Performance and Evaluation Report (CAPER) on the progress and accomplishments made during the 2023 program year in implementing the Commonwealth's Consolidated Plan for Federal Fiscal Years 2019—2023. This document must be submitted to, and approved by, the United States Department of Housing and Urban Development (HUD) for the Commonwealth and organizations within this Commonwealth to receive funding under most HUD housing and community development programs. The Consolidated Plan creates a unified strategy for housing, homelessness and community development programs, as well as the necessary linkages for building successful neighborhoods and communities.

The Commonwealth has allocated funds under several programs, namely Community Development Block Grant, HOME Investment Partnerships Program, Emergency Solutions Grant, Housing Opportunities for People with AIDS Program and the Housing Trust Fund. Additionally, this CAPER will detail accomplishments from supplemental funding from HUD appropriations under the Neighborhood Stabilization Program, Community Development Block—Disaster Recovery Program, Community Development Block Grant—Coronavirus Aid Relief and Economic Security (CARES) Act and the Emergency Solutions Grant—CARES Act. The CAPER discusses accomplishments in relation to goals and objectives identified in the 2023 Annual Action Plan of the 2019—2023 Consolidated Plan.

The CAPER assesses the goals and objectives of this strategic plan, discusses how the Commonwealth is affirmatively furthering fair and affordable housing, reviews the activities of the Continuums of Care, and appraises how well resources in community development, homelessness and housing are being leveraged.

*Public Comments*

Individuals or organizations may provide written comments regarding this draft version of the CAPER. This report will be available on March 9, 2024, at <https://dced.pa.gov/library/?wpdmc2=capers-2019-2023/>. Written comments will be accepted about the CAPER content and the process by which public input is gathered. The Commonwealth encourages public participation in this process.

Persons with a disability or limited English proficiency who wish to comment and require an auxiliary aid, service or other accommodation to participate should contact David Grey, Department of Community and Economic Development, Center for Community and Housing Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225, (717) 214-5341 or TDD (717) 346-0308, to discuss how the Department may best accommodate their needs.

Written comments will be accepted until 4 p.m. on March 25, 2024, and should be sent to David Grey, Department of Community and Economic Development, Center for Community and Housing Development, Commonwealth Keystone Building, 400 North Street, 4th Floor, Harrisburg, PA 17120-0225 or e-mailed to [dcedchdpubliccomments@pa.gov](mailto:dcedchdpubliccomments@pa.gov). Submission of the CAPER to HUD should be on or near March 30, 2024.

RICK SIGER,  
*Secretary*

[Pa.B. Doc. No. 24-301. Filed for public inspection March 8, 2024, 9:00 a.m.]

# DEPARTMENT OF ENVIRONMENTAL PROTECTION

## Applications, Actions and Special Notices

---

### APPLICATIONS

---

#### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT

#### APPLICATIONS FOR NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMITS AND WATER QUALITY MANAGEMENT (WQM) PERMITS UNDER THE CLEAN STREAMS LAW AND FEDERAL CLEAN WATER ACT

This notice provides information about persons who have applied to the Department of Environmental Protection (DEP) for a new, renewed, or amended NPDES or WQM permit, or a permit waiver for certain stormwater discharges, or have submitted a Notice of Intent (NOI) for coverage under a General Permit. The applications and NOIs concern, but are not limited to, effluent discharges from sewage treatment facilities and industrial facilities to surface waters or groundwater; stormwater discharges associated with industrial activity (industrial stormwater), construction activity (construction stormwater), and municipal separate storm sewer systems (MS4s); the application of pesticides; the operation of Concentrated Animal Feeding Operations (CAFOs); and the construction of sewage, industrial waste, and manure storage, collection and treatment facilities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES and WQM permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Wastewater Management, and NPDES and WQM Permitting Programs).

*Section*            *Category*

I	Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received
II	Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs
III	Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity

Section I identifies the following applications and NOIs that have been received by DEP:

- Individual and General WQM Permit Applications Received—DEP provides a 15-day public comment period for Individual WQM Permit Applications for new and reissued permits. There is no public comment period for General WQM Permit NOIs.
- General Chapter 92a NPDES Permit NOIs Received—There is no public comment period for General NPDES NOIs received.
- All Transfer and Minor Amendment Applications/NOIs Received—Transfer and Minor Amendment Applications/NOIs received for Individual and General WQM Permits and Individual and General NPDES Permits, excluding PAG-01 and PAG-02, are identified but do not have public comment periods. DEP provides a 15-day public comment period for Individual WQM Permit Applications for amendments.

Additional information on these applications and NOIs may be reviewed by generating the “Applications and NOIs without Comment Periods Report” or, for Individual WQM Permit Applications, the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Section II identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to sewage, industrial waste, industrial stormwater, MS4s, pesticides and CAFOs. A 30-day public comment period applies to these applications and draft permits, except when a site-specific water quality criterion is used to establish effluent limitations, in which case a 45-day public comment period applies. The period for comment may be extended at the discretion of DEP for one additional 15-day period. Additional information, including links to draft permits and fact sheets that explain the basis for DEP's tentative determinations may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice). Notification of 15-day extensions for comment will be provided in the “Applications Received with Comment Periods Report” (Comments column).

Section III identifies individual NPDES permit applications received and draft permits indicating DEP's tentative determination relating to stormwater discharges associated with construction activities. A 30-day public comment period applies to these applications and draft permits. The period for comment may be extended at the discretion of the Department for one additional 15-day period. Additional information may be reviewed by generating the “Applications Received with Comment Periods Report” on DEP's website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

Applications, NOIs and draft permits, where applicable, may be reviewed at the DEP office that received the application or NOI. Members of the public are encouraged to use DEP's website to obtain additional information as discussed previously.

Comments received within the appropriate comment periods for WQM and NPDES permit applications will be retained by DEP and considered in the final determinations regarding the applications. A comment submittal should include the name, address and telephone number of the writer and a concise statement to inform DEP of the exact basis of a comment and the relevant facts upon which it is based.

DEP office contact information to review applications and NOIs and to submit comments for those applications, when applicable, is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for permits in Sections I & II; RA-EPWW-SERO@pa.gov for permits in Section III.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for permits in Sections I & II; RA-EPWW-NERO@pa.gov for permits in Section III.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for permits in Sections I & II; RA-EPWW-SCRO@pa.gov for permits in Section III.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for permits in Sections I & II; RA-EPWW-NCRO@pa.gov for permits in Section III.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for permits in Sections I & II; RA-EPWW-SWRO@pa.gov for permits in Section III.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6340. Email: RA-EPNPDES\_NWRO@pa.gov for permits in Sections I & II; RA-EPWW-NWRO@pa.gov for permits in Section III.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

DEP will also accept requests or petitions for public hearings on applications. The request or petition must indicate the interest of the party filing and the reasons why a hearing is warranted. A hearing will be held if DEP determines that there is a significant public interest. If a hearing is scheduled, a notice of the hearing will be published in the *Pennsylvania Bulletin* and a newspaper of general circulation within the relevant geographical area. DEP will postpone its final determination until after a public hearing is held.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**I. Individual and General WQM Permit Applications/NOIs Received, General NPDES Permit NOIs Received, and All Transfer and Minor Amendment Applications/NOIs Received.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0814801	Joint DEP/PFBC Pesticides Permit	Transfer	4Q Real Estate Investment LLC 2205 Old Philadelphia Pike Lancaster, PA 17602-3400	Overton Township Bradford County	NCRO
3613850	Joint DEP/PFBC Pesticides Permit	Renewal	Ephrata Township 265 Akron Road Ephrata, PA 17522-2611	Ephrata Township Lancaster County	SCRO
4616817	Joint DEP/PFBC Pesticides Permit	Amendment	Spring Ford CC 48 Country Club Road Royersford, PA 19468-1517	Limerick Township Montgomery County	SERO
5724801	Joint DEP/PFBC Pesticides Permit	New	4Q Real Estate Investment LLC 2205 Old Philadelphia Pike Lancaster, PA 17602-3400	Elkland Township Sullivan County	NCRO
PA0102822	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Jones Estates Rolling Valley PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	Connoquenessing Township Butler County	NWRO
PA0113221	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Transfer	Carta David 4935 Schwaben Creek Road Leck Kill, PA 17836-7726	Upper Augusta Township Northumberland County	NCRO



## NOTICES

1199

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0228346	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	DEP- Initiated Minor Amendment	Huston Township Municipal Authority 11837 Bennetts Valley Highway Penfield, PA 15849-5433	Huston Township Clearfield County	NCRO
6319200	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	PA Transformer Tech LLC 30 Curry Avenue Canonsburg, PA 15317-1786	Cecil Township Washington County	SWRO
6389202	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	PA Transformer Tech LLC 30 Curry Avenue Canonsburg, PA 15317-1786	Cecil Township Washington County	SWRO
6390201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Amendment	PA Transformer Tech LLC 30 Curry Avenue Canonsburg, PA 15317-1786	Cecil Township Washington County	SWRO
1073410	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Jones Estates Rolling Valley PA LLC 2310 S Miami Boulevard Durham, NC 27703-5798	Connoquenessing Township Butler County	NWRO
1092405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Jones Estates Franklin Village PA LLC 2310 S Miami Boulevard Suite 238 Durham, NC 27703-4900	Franklin Township Butler County	NWRO
4986408	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Transfer	Carta David 4935 Schwaben Creek Road Leck Kill, PA 17836-7726	Upper Augusta Township Northumberland County	NCRO
NOEXNW238	No Exposure Certification	New	Specialty Fabrication & Powder Coating LLC 455 Allegheny Boulevard Franklin, PA 16323-6209	Franklin City Venango County	NWRO
NOEXNW239	No Exposure Certification	New	Metal Powder Products Co. 700 Martha Street Punxsutawney, PA 15767-1838	Punxsutawney Borough Jefferson County	NWRO
NOEXSC210	No Exposure Certification	Renewal	Bradley Lifting Corp 1030 Elm Street York, PA 17403-2508	York City York County	SCRO
NOEXSC211	No Exposure Certification	Renewal	Bradley Lifting Corp 1030 Elm Street York, PA 17403-2508	York City York County	SCRO
NOEXSC293	No Exposure Certification	Renewal	Snap On Tools Corp 6320 Flank Drive Harrisburg, PA 17112-2779	Lower Paxton Township Dauphin County	SCRO
NOEXSC321	No Exposure Certification	Renewal	GXO Logistics Supply Chain Inc. 4406 Industrial Park Road Camp Hill, PA 17011-5736	Hampden Township Cumberland County	SCRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
NOEXSC420	No Exposure Certification	New	Activated Carbon Innovations PA LLC 35 US Highway 202 Unit 206 Suite 14 Far Hills, NJ 07931-7009	Holidaysburg Borough Blair County	SCRO
NOEXSE367	No Exposure Certification	New	Frontida Biopharm LLC 7722 Dungan Road Philadelphia, PA 19111-2779	Philadelphia City Philadelphia County	SERO
NOEXSW012	No Exposure Certification	Renewal	Quality Carriers Inc. 102 Pickering Way Suite 105 Exton, PA 19341-1330	Robinson Township Allegheny County	SWRO
PAG032271	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Cap Glass Allentown LLC 799 Smith Lane Northampton, PA 18067-1500	Northampton Borough Northampton County	NERO
PAG032272	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Cap Glass Allentown LLC 799 Smith Lane Northampton, PA 18067-1500	Northampton Borough Northampton County	NERO
PAG032422	PAG-03 NPDES General Permit for Industrial Stormwater	New	Rock Hard Stone Inc. 1202 Marshwood Road Scranton, PA 18512	Bridgewater Township Susquehanna County	NERO
PAG032424	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Anthracite Auto Exchange Inc. 900 5th Avenue Scranton, PA 18504-3164	Scranton City Lackawanna County	NERO
PAG032427	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Tempur Production USA LLC dba Mountain Top Foam 25 Elmwood Road Mountaintop, PA 18707	Wright Township Luzerne County	NERO
PAG032428	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Aspire Bakeries 6080 Center Drive Los Angeles, CA 90045-9209	Hazleton City Luzerne County	NERO
PAG036460	PAG-03 NPDES General Permit for Industrial Stormwater	Amendment	Greenridge Reclamation LLC 234 Landfill Road Scottsdale, PA 15683-7762	East Huntingdon Township Westmoreland County	SWRO
PAG038325	PAG-03 NPDES General Permit for Industrial Stormwater	Renewal	Roser Tech Inc. 347 E Industrial Drive Titusville, PA 16354-7805	Titusville City Crawford County	NWRO
PAG041226	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Elizabeth and Mark Kleindienst 4409 New Castle Road Pulaski, PA 16143-1331	Wilmington Township Mercer County	NWRO
PAG041298	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Carulli Garrett L 2607 Old Fryburg Road Lucinda, PA 16235	Knox Township Clarion County	NWRO
PAG041300	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Senger Paul 21638 Fry Road Saegertown, PA 16433-2716	Cussewago Township Crawford County	NWRO
PAG044864	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Alexander Michelle 7912 Coryland Road Gillett, PA 16925-7808	Wells Township Bradford County	NCRO

## NOTICES

1201

<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG045163	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Swartz Kirsten T 4833 Muncy Exchange Road Turbotville, PA 17772-8844	Anthony Township Montour County	NCRO
PAG045300	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	New	Ruth Provine and Robert and Nicole Crabb 637 Fowlersville Road Bloomsburg, PA 17815-6969	North Centre Township Columbia County	NCRO
PAG049019	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Transfer	Sippy Lon 17380 State Highway 198 Saegertown, PA 16433-3628	Hayfield Township Crawford County	NWRO
PAG123591	PAG-12 NPDES General Permit for CAFOs	Renewal	King Sam J 75 Blaine Avenue Leola, PA 17540-1402	Bethel Township Berks County	SCRO
PAG123595	PAG-12 NPDES General Permit for CAFOs	Renewal	Loren and Matthew Ehst 93 Deck Road Womelsdorf, PA 19567-9137	Tulpehocken Township Berks County	SCRO
PAG123807	PAG-12 NPDES General Permit for CAFOs	Renewal	White Oak Hollow Farms LLC 766 White Oak Hollow Road Warfordsburg, PA 17267-8562	Bethel Township Fulton County	SCRO
PAG123863	PAG-12 NPDES General Permit for CAFOs	Renewal	Reppert James 119 Mill Road Hamburg, PA 19526-8019	Tilden Township Berks County	SCRO
PAG123877	PAG-12 NPDES General Permit for CAFOs	Renewal	Sunset Family Farms LLC 221 Sunset Drive Fredericksburg, PA 17026-9484	Bethel Township Lebanon County	SCRO
PAG123912	PAG-12 NPDES General Permit for CAFOs	Renewal	Martin Neil 749 Bloody Spring Road Bethel, PA 19507-8943	Upper Tulpehocken Township Berks County	SCRO
PAG123925	PAG-12 NPDES General Permit for CAFOs	Renewal	Hoover Andrew 155 Mayapple Lane Mifflintown, PA 17059-9103	Milford Township Juniata County	SCRO
PAG124814	PAG-12 NPDES General Permit for CAFOs	Renewal	Snook Michael S 1510 White Church Road Middleburg, PA 17842-9343	Franklin Township Snyder County	SCRO
PAG124875	PAG-12 NPDES General Permit for CAFOs	Renewal	Aurand Poultry LLC 513 Century Road Danville, PA 17821-8137	Madison Township Columbia County	SCRO
PAG136372	PAG-13 NPDES General Permit for MS4s	Renewal	Glen Osborne Borough P.O. Box 97 601 Thorn Street Sewickley, PA 15143	Glen Osborne Borough Allegheny County	SWRO
2224401	Pump Stations Individual WQM Permit	New	Steelton Borough 123 N Front Street Steelton, PA 17113-2238	Steelton Borough Dauphin County	SCRO
0224401	Sewer Extensions Individual WQM Permit	New	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
3452	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Application Type</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
4163	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Munhall Borough Allegheny County	SWRO
5583	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
6201	Sewer Extensions Individual WQM Permit	Transfer	Allegheny County Sanitary Authority ALCOSAN 3300 Preble Avenue Pittsburgh, PA 15233-1025	Pittsburgh City Allegheny County	SWRO
0888401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Alexander Michelle 7912 Coryland Road Gillett, PA 16925-7808	Wells Township Bradford County	NCRO
1024402	Single Residence Sewage Treatment Plant Individual WQM Permit	New	James R and Kimberly D Shay 403 Game Reserve Road Butler, PA 16002-9353	Clearfield Township Butler County	NWRO
1624401	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Smith Barry A 4932 S Mechanicsville Road Clarion, PA 16214-4734	Limestone Township Clarion County	NWRO
2523433	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Sanmar Woodlands LLC 5501 Route 89 North East, PA 16428-5054	Franklin Township Erie County	NWRO
5611401	Single Residence Sewage Treatment Plant Individual WQM Permit	Transfer	Fleegle Harland and Patricia 2934 Penn Avenue Boswell, PA 15531-2005	Jenner Township Somerset County	SWRO
6324400	Single Residence Sewage Treatment Plant Individual WQM Permit	New	Godley Sara 226 Rankin Road Washington, PA 15301-3182	South Strabane Township Washington County	SWRO
1192401	WQG-01 WQM General Permit	New	Ruth Provine and Robert and Nicole Crabb 637 Fowlersville Road Bloomsburg, PA 17815-6969	North Centre Township Columbia County	NCRO
WQG01431801	WQG-01 WQM General Permit	Transfer	Elizabeth and Mark Kleindienst 4409 New Castle Road Pulaski, PA 16143-1331	Wilmington Township Mercer County	NWRO
WQG018326	WQG-01 WQM General Permit	Transfer	Sippy Lon 17380 State Highway 198 Saegertown, PA 16433-3628	Hayfield Township Crawford County	NWRO
WQG018826	WQG-01 WQM General Permit	Transfer	Gaffney Stephen J 2101 Brickyard Road North East, PA 16428-2825	North East Township Erie County	NWRO
WQG02024301	WQG-02 WQM General Permit	New	The York Water Co. 130 Market Street York, PA 17401-1219	Straban Township Adams County	SCRO
WQG02224401	WQG-02 WQM General Permit	New	Lower Paxton Township Authority 425 Prince Street Suite 139 Harrisburg, PA 17109	Lower Paxton Township Dauphin County	SCRO

**II. Individual NPDES Permits—New, Renewal, and Major Amendment Applications and Draft Permits for Discharges Relating to Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides and CAFOs.**

*Northcentral Regional Office*

**PA0114308**, Sewage, SIC Code 4952, **Orange Township**, 2028 State Route 487, Orangeville, PA 17859-9029. Facility Name: Orange Township STP. This existing facility is located in Orange Township, **Columbia County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Fishing Creek (WWF), is located in State Water Plan watershed 5-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.013 MGD.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min Report	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	2.7	4.3	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Total Suspended Solids	3.3	4.9	XXX	30.0	45.0	60
Total Suspended Solids	Report	Report	XXX	Report	XXX	XXX
Raw Sewage Influent		Daily Max				
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	Report	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	XXX	Daily Max Report	XXX
					Daily Max	

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 570-327-3693.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0020141**, Sewage, SIC Code 4941, 4952, **Brookville Municipal Authority**, 720 Water Plant Road, Brookville, PA 15825. Facility Name: Brookville Municipal Authority. This existing facility is located in Brookville Borough, **Jefferson County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Redbank Creek (TSF), is located in State Water Plan watershed 17-C and is classified for Trout Stocking, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	313	500	Daily Min XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	375	563	XXX	30.0	45.0	60

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Bis(2-Ethylhexyl)Phthalate	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 1.5 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min 4.0	XXX	Daily Max XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	313	500	Daily Min XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> ) Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Total Suspended Solids Raw Sewage Influent	375	563	XXX	30.0	45.0	60
Total Suspended Solids Raw Sewage Influent	Report	XXX	XXX	Report	XXX	XXX
Fecal Coliform (No./100 ml) Oct 1 - Apr 30	XXX	XXX	XXX	2,000	XXX	10,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Ultraviolet light intensity (µw/cm <sup>2</sup> )	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total	XXX	XXX	XXX	Report	XXX	XXX
Zinc, Total	XXX	XXX	XXX	Avg Qrtly Report	XXX	XXX
Bis(2-Ethylhexyl)Phthalate	XXX	XXX	XXX	Avg Qrtly Report	0.0468	0.0702 Daily Max 0.0936

In addition, the permit contains the following major special conditions:

- Solids Management
- Whole Effluent Toxicity (WET)
- Requirements Applicable to Stormwater Outfalls
- Water Quality-Based Effluent Limitations for Toxics Pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is not in effect.

Northwest Regional Office

**PA0023591**, Sewage, SIC Code 4952, **Washington Township Municipal Authority**, P.O. Box 124, Fryburg, PA 16326-0124. Facility Name: Washington Township STP. This existing facility is located in Washington Township, **Clarion County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the East Sandy Creek (CWF), is located in State Water Plan watershed 16-G and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.085 MGD.—Interim Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
			5.0		XXX	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	17.7	28.3	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	21.3	32.0	XXX	30.0	45.0	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	7.4	XXX	XXX	10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	2.5	XXX	XXX	3.5	XXX	7
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Lead, Total (ug/L)	Report	Report	XXX	Report	Report	XXX
Zinc, Total (ug/L)	Report	Report	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.085 MGD.—Final Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
			5.0		XXX	
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	17.7	28.3	XXX	25.0	40.0	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	21.3	32.0	XXX	30.0	45.0	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	7.4	XXX	XXX	10.5	XXX	21
Nov 1 - Apr 30						
May 1 - Oct 31	2.5	XXX	XXX	3.5	XXX	7
Total Phosphorus	XXX	XXX	XXX	Report	XXX	XXX
Copper, Total (ug/L)	0.011	0.017	XXX	16.4	24.6	32.8
Lead, Total (ug/L)	0.0041	0.0061	XXX	5.81	8.71	11.62
Zinc, Total (ug/L)	0.099	0.148	XXX	140.0	210.0	280

In addition, the permit contains the following major special conditions:

- Solids Management
- Water Quality-Based Effluent Limitations for Toxics Pollutants

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0092550**, Sewage, SIC Code 4952, **Bradys Bend Township Water and Sewer Authority**, 697 State Route 68, East Brady, PA 16028-2817. Facility Name: Bradys Bend Water and Sewer Authority. This existing facility is located in Bradys Bend Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Sugar Creek (WWF), is located in State Water Plan watershed 17-C and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.05 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Average Monthly</i>	<i>Maximum</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
Dissolved Oxygen	XXX	XXX	Daily Min	XXX	Daily Max	XXX
			4.0		XXX	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.5	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	10.0	XXX	XXX	25.0	XXX	50
Biochemical Oxygen Demand (BOD <sub>5</sub> )	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Total Suspended Solids	12.0	XXX	XXX	30.0	XXX	60
Total Suspended Solids	Report	XXX	XXX	Report	XXX	XXX
Raw Sewage Influent						
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	Report
Ammonia-Nitrogen	10.0	XXX	XXX	25.0	XXX	50
Nov 1 - Apr 30						
May 1 - Oct 31	6.4	XXX	XXX	16.0	XXX	32
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Daily Max	XXX
					Report	
Total Aluminum	XXX	XXX	XXX	XXX	Daily Max	XXX
					Report	
Total Iron	XXX	XXX	XXX	XXX	Daily Max	XXX
					Report	
Total Manganese	XXX	XXX	XXX	XXX	Daily Max	XXX
					Report	
					Daily Max	

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0218138**, Sewage, SIC Code 4952, **Armstrong County Industrial Development Authority**, 402 East Market Street, Kittanning, PA 16201-1409. Facility Name: Armstrong County Industrial Development Authority STP. This existing facility is located in North Buffalo Township, **Armstrong County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Nicholson Run (WWF), is located in State Water Plan watershed 17-E and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.—Interim Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	83.4	125.1	Inst Min XXX	25.0	37.5	50
Total Suspended Solids	100.0	151.1	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	18.0	27.0	XXX	5.4	8.1	10.8
Nov 1 - Apr 30						
May 1 - Oct 31	6.0	9.0	XXX	1.8	2.7	3.6
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Annl Avg Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	Avg Qrtly Report	Daily Max Report	XXX	Avg Qrtly Report	Daily Max Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0.4 MGD.—Final Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	Daily Max XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	83.4	125.1	Inst Min XXX	25.0	37.5	50
Total Suspended Solids	100.0	151.1	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean XXX	XXX	Report
Ultraviolet light transmittance (%)	XXX	XXX	XXX	Report	Report	XXX
Ammonia-Nitrogen	18.0	27.0	XXX	5.4	8.1	10.8
Nov 1 - Apr 30						
May 1 - Oct 31	6.0	9.0	XXX	1.8	2.7	3.6
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Annl Avg Report	XXX
Zinc, Total	Report	Report	XXX	Report	Report	XXX
Copper, Total	Avg Qrtly 0.036	Daily Max 0.054	XXX	Avg Qrtly 0.011	Daily Max 0.016	0.022

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

Northwest Regional Office

**PA0222038**, Sewage, SIC Code 8800, **Kenny Boylan**, 3111 Trails End Lane, Sigel, PA 15860-5719. Facility Name: Kenny Boylan SRSTP. This existing facility is located in Barnett Township, **Jefferson County**.



Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated SRSTP sewage.

The receiving stream(s), Unnamed Tributary to Cathers Run (HQ-CWF), is located in State Water Plan watershed 17-B and is classified for High Quality Waters—Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .0004 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Daily Maximum	Maximum	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	Annl Avg	XXX	6.0	XXX	XXX	9.0
Total Residual Chlorine (TRC)	XXX	XXX	Inst Min	Report	XXX	Report
Biochemical Oxygen Demand (BOD <sub>5</sub> )	XXX	XXX	XXX	10.0	XXX	20
Total Suspended Solids	XXX	XXX	XXX	10.0	XXX	20
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	200	XXX	XXX

In addition, the permit contains the following major special conditions:

- TRC Monitoring for Discharges to HQ/EV Waters.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0240001**, Sewage, SIC Code 4952, 7032, **PA DCNR**, 38 Clear Creek Park Road, Sigel, PA 15860-9502. Facility Name: Clear Creek State Park. This existing facility is located in Barnett Township, **Jefferson County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream, the Clarion River (CWF), is located in State Water Plan watershed 17-B and is classified for Cold Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.00535 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Oct 1 - Apr 30	XXX	XXX	Inst Min	XXX	XXX	9.0
May 1 - Sep 30	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min	XXX	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	4.0	XXX	XXX	XXX
May 1 - Sep 30	XXX	XXX	Daily Min	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	XXX	50
Total Suspended Solids	XXX	XXX	XXX	30.0	XXX	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30	XXX	XXX	XXX	Geo Mean	XXX	1,000
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
E. Coli (No./100 ml)	XXX	XXX	XXX	Geo Mean	XXX	XXX
Ultraviolet light intensity ( $\mu\text{w}/\text{cm}^2$ )	XXX	XXX	XXX	Report	XXX	XXX
Oct 1 - Apr 30	XXX	XXX	XXX	Report	XXX	XXX
May 1 - Sep 30	XXX	XXX	XXX	Report	XXX	XXX
Ammonia-Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Avg Qrtly	XXX	XXX
				Report	XXX	XXX
				Avg Qrtly		

In addition, the permit contains the following major special conditions:

- Solids Management

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA Waiver is in effect.

*Northwest Regional Office*

**PA0272612**, Pesticides, SIC Code 4959, **US DOI Fish and Wildlife Service**, 5050 Commerce Drive, Ludington, MI 49431-9308.

Description of Existing Activity: The application is for a renewal of an NPDES permit for a discharge of lampricide to control invasive sea lamprey populations associated with the application of pesticides in tributary streams to Lake Erie in multiple townships, **Erie** and **Crawford Counties**.

The receiving streams are in State Water Plan 15X in the Lake Erie watershed and are classified under the following designated uses; Cold Water Fishes, Warm Water Fishes, Migratory Fishes and Special Protection for aquatic life, water supply and recreation. Applicators are required to follow product labeling instructions of pesticides, which may include provisions to reduce application doses and notify public water suppliers in the event applications are conducted near public water supply intakes. The discharges associated with the pesticide applications are not expected to affect public water supplies.

PA DEP has made a tentative determination to issue the NPDES permit subject to the terms and conditions of the permit. An anti-degradation analysis has been completed to document that pesticide application activities in High Quality (HQ) or Exceptional Value (EV) waters will be conducted in a manner that minimizes adverse environmental effects. The proposed permit contains conditions that require implementation of Pest Management Measures, Recordkeeping and Annual Reporting Requirements, Corrective Action Documentation and Reporting, and a Pesticides Discharge Management Plan.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 814-332-6078.

The EPA waiver is in effect.

*Southcentral Regional Office*

**PA0042528**, Sewage, SIC Code 6515, **Margaretta MHP**, 1446 Prayer Mission Road, York, PA 17406-8624. Facility Name: Margaretta MHP. This existing facility is located in Lower Windsor Township, **York County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Cabin Creek (WWF), is located in State Water Plan watershed 7-I and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .018 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 001 are based on a design flow of .018 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	61.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	Inst Min 5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	XXX	XXX	XXX	0.50	XXX	1.6
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	25.0	40.0	50
Total Suspended Solids	XXX	XXX	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Nitrate-Nitrite as N	XXX	XXX	XXX	Geo Mean		
Nitrate-Nitrite as N (Total Load, lbs) (lbs)	Report	XXX	XXX	Report	XXX	XXX
Total Nitrogen	Total Mo	XXX	XXX	XXX	XXX	XXX
	XXX	XXX	XXX	Report	XXX	XXX

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		Instant. Maximum
	Average Monthly	Average Weekly		Average Monthly	Weekly Average	
Total Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report	XXX	XXX
Nov 1 - Apr 30						
May 1 - Oct 31	Report	XXX	XXX	11.0	XXX	23
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Kjeldahl Nitrogen (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	Report	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	Report Total Mo	XXX	XXX	XXX	XXX	XXX

The proposed monitoring requirements and effluent limits for implementation of Pennsylvania’s Chesapeake Bay Watershed Implementation Plan are as follows for Outfall 001.—Limits.

Parameters	Mass Units (lbs/day)		Monthly	Concentrations (mg/L)		Instant. Maximum
	Monthly	Annual		Monthly Average	Maximum	
Total Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Ammonia-Nitrogen (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX
Total Phosphorus (Total Load, lbs) (lbs)	XXX	Report Total Annual	XXX	XXX	XXX	XXX

\* This permit contains conditions which authorize the permittee to apply nutrient reduction credits to meet the Net Total Nitrogen and the Net Total Phosphorus effluent mass limits, under the Department’s Chapter 96 regulations. The condition includes the requirement to report the application of these credits in Supplemental Discharge Monitoring Reports (DMRs) submitted to the Department.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 717-705-4732.

The EPA Waiver is in effect.

Southeast Regional Office

**PA0052272**, Industrial, SIC Code 2952, **Henry Co.**, 336 Coldstream Road, Phoenixville, PA 19460-4788. Facility Name: Henry Kimberton Facility. This existing facility is located in East Pikeland Township, **Chester County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial waste.

The receiving stream(s), Unnamed Tributary to French Creek (TSF, MF), is located in State Water Plan watershed 3-D and is classified for Trout Stocking and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of .009 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Daily Maximum	
Flow (GPD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (deg F) (°F)	XXX	XXX	Inst Min	XXX	XXX	110
Trichloroethylene	XXX	XXX	XXX	0.001	0.002	0.0025
Trichloroethylene Industrial Influent	XXX	XXX	XXX	Report	Report	XXX

The proposed effluent limits for Outfall 009 are based on storm event.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	Report
Phenol	XXX	XXX	XXX	XXX	XXX	Report

The proposed effluent limits for Outfall 010 are based on storm event.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average Monthly	Average Weekly		Average Monthly	Maximum	
pH (S.U.)	XXX	XXX	XXX	XXX	XXX	Report
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	XXX	Report
Total Suspended Solids	XXX	XXX	XXX	XXX	XXX	Report
Oil and Grease	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	XXX	XXX	Report
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
Iron, Dissolved	XXX	XXX	XXX	XXX	XXX	Report
Phenol	XXX	XXX	XXX	XXX	XXX	Report

In addition, the permit contains the following conditions:

Proposed Part C Conditions:

- I. Stormwater Outfalls and Authorized Non-Stormwater Discharges
- II. Best Management Practices (BMPs)
- III. Routine Inspections
- IV. Preparedness, Prevention, and Contingency (PPC) Plan
- V. Stormwater Monitoring Requirements

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southeast Regional Office*

**PAI130007, MS4, Richland Township, Bucks County**, 1328 California Road, Suite A, Quakertown, PA 18951-4517.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Richland Township, **Bucks County**. The receiving stream(s), Beaver Run (TSF, MF), Morgan Creek (TSF, MF), Unnamed Tributary to Unami Creek (HQ-TSF, MF), and Tohickon Creek (TSF, MF), is located in State Water Plan watershed 2-D and 3-E and is classified for Trout Stocking, High Quality Waters—Trout Stocking, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southeast Regional Office*

**PAI130031, MS4, Abington Township**, 1176 Old York Road, Abington, PA 19001-3731.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Abington Township, **Montgomery County**. The receiving stream(s), Jenkintown Creek (WWF, MF), Pennypack Creek (TSF, MF), Unnamed Tributary to Jenkintown Creek (WWF, MF), Unnamed Tributary to Tacony Creek (WWF, MF), Robinhood Brook (TSF, MF), Tacony Creek (WWF, MF), Sandy Run (TSF, MF), Terwood Run (TSF, MF), and Unnamed Tributary to Wissahickon Creek (TSF, MF), is located in State Water Plan watershed 3-F and 3-J and is classified for Trout Stocking, Warm Water Fishes, and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southeast Regional Office*

**PAI130038, MS4, Bristol Township, Bucks County**, 2501 Bath Road, Bristol, PA 19007.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Bristol Township, **Bucks County**. The receiving stream(s), Delaware River (WWF, MF), Unnamed Tributary to Mill Creek (WWF, MF), Mill Creek (WWF, MF), and Unnamed Stream, is located in State Water Plan watershed 2-E and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southeast Regional Office*

**PAI130040**, MS4, **Northampton Township, Bucks County**, 55 Township Road, Richboro, PA 18954.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Northampton Township, **Bucks County**. The receiving stream(s), Unnamed Tributary to Little Neshaminy Creek (WWF, MF), Neshaminy Creek (WWF, MF), Unnamed Tributary to Neshaminy Creek (WWF, MF), and Mill Creek (WWF, MF), is located in State Water Plan watershed 2-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s and is not in effect for large MS4s.

*Southeast Regional Office*

**PAI130053**, MS4, **Londonderry Township**, 103 Daleville Road, Cochranville, PA 19330.

The application is for a renewal of an individual NPDES permit for the discharge of stormwater from a regulated municipal separate storm sewer system (MS4) to waters of the Commonwealth in Londonderry Township, **Chester County**. The receiving stream(s), East Branch Big Elk Creek (HQ-TSF, MF) and Unnamed Tributary to East Branch Big Elk Creek (HQ-TSF, MF), is located in State Water Plan watershed 7-K and is classified for Migratory Fishes and High Quality Waters—Trout Stocking, aquatic life, water supply and recreation. The applicant is classified as a small MS4.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA waiver is in effect for small MS4s, and is not in effect for large MS4s.

*Southeast Regional Office*

**PA0244422**, Storm Water, SIC Code 4011, **Norfolk Southern Railway Co.**, 650 W Peachtree Street NW, Atlanta, GA 30308-1925. Facility Name: Norfolk Southern King of Prussia Facility. This existing facility is located in Upper Merion Township, **Montgomery County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated industrial stormwater.

The receiving stream(s), Schuylkill River (WWF, MF), is located in State Water Plan watershed 3-F and is classified for Warm Water Fishes and Migratory Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 001 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
PCBs, Total (pg/L)	XXX	XXX	XXX	Report	XXX	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
pH (S.U.)	XXX	XXX	XXX	XXX	Report	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	XXX	XXX	XXX	XXX	Report	XXX



<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
Chemical Oxygen Demand (COD)	XXX	XXX	XXX	XXX	Report	XXX
Total Suspended Solids	XXX	XXX	XXX	XXX	Report	XXX
Oil and Grease	XXX	XXX	XXX	XXX	Report	XXX
Total Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Kjeldahl Nitrogen	XXX	XXX	XXX	XXX	Report	XXX
Total Phosphorus	XXX	XXX	XXX	XXX	Report	XXX
Iron, Total	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Average Weekly</i>		<i>Daily Maximum</i>	<i>Daily Maximum</i>	
PCBs, Total (pg/L)	XXX	XXX	XXX	Report	XXX	XXX

In addition, the permit contains the following major special conditions:

- Authorized non-stormwater discharge
- BMPs
- Stormwater monitoring requirements with benchmark values
- Routine inspection
- PPC plan
- One Total PCB sampling requirement

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 484-250-5910.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0098396**, Sewage, SIC Code 4952, **Mt Pleasant MHP LLC**, 600 Laurelview Drive, Mt Pleasant, PA 15666. Facility Name: Laurel View Manor MHP STP. This existing facility is located in Bullskin Township, **Fayette County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for an existing discharge of treated sewage.

The receiving stream(s), Tributary 37940 to Jacobs Creek (WWF), is located in State Water Plan watershed 19-D and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Total Nitrogen	XXX	XXX	XXX	Report	XXX	XXX
Total Phosphorus	XXX	XXX	XXX	Daily Max Report	XXX	XXX
				Daily Max		

The proposed effluent limits for Outfall 001 are based on a design flow of 0.03 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Daily Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Weekly Average</i>		<i>Average Monthly</i>	<i>Weekly Average</i>	
Flow (MGD)	Report	XXX	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	9.0	XXX
					Daily Max	
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	6.20	9.3	XXX	25.0	37.5	50
Total Suspended Solids	7.5	11.2	XXX	30.0	45.0	60
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
				Geo Mean		
Ultraviolet light transmittance (%)	XXX	XXX	Report	XXX	XXX	XXX

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Weekly Average	Daily Minimum	Average Monthly	Weekly Average	
Ammonia-Nitrogen Nov 1 - Apr 30	Report	XXX	XXX	3.1	XXX	6.2
May 1 - Oct 31	XXX	XXX	XXX	2.0	XXX	4.0

In addition, the permit contains the following major special conditions:

- None.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

*Southwest Regional Office*

**PA0000469**, Industrial, SIC Code 3353, 8731, and 8734, **Arconic Technologies LLC**, 100 Technical Drive, New Kensington, PA 15068-9001. Facility Name: Arconic Technology Center. This existing facility is located in Upper Burrell Township, **Westmoreland County**.

Description of Existing Activity: The application is for a renewal of an NPDES permit for any discharges of treated industrial waste, treated sewage, non-contact cooling water, and stormwater.

The receiving streams, Unnamed Tributaries of Pine Run (WWF), are located in State Water Plan watershed 18-B and is classified for Warm Water Fishes, aquatic life, water supply and recreation. The discharge is not expected to affect public water supplies.

The proposed effluent limits for Outfall 001 are based on a design flow of 0.0011 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	0.02	XXX

The proposed effluent limits for Outfall 002 are based on a design flow of 0.0097 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	0.02	XXX

The proposed effluent limits for Outfall 003 are based on a design flow of 0.0016 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Minimum	Average Monthly	Daily Maximum	
Temperature (°F)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 004 are based on a design flow of 0.075 MGD.—Limits.

Parameters	Mass Units (lbs/day)			Concentrations (mg/L)		IMAX
	Average Monthly	Daily Maximum	Instant. Minimum	Average Monthly	Daily Maximum	
Flow (MGD)	0.075	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Dissolved Oxygen	XXX	XXX	5.0	XXX	XXX	XXX
Total Residual Chlorine (TRC)	0.011	Report	XXX	0.020	XXX	0.060
Carbonaceous Biochemical Oxygen Demand (CBOD <sub>5</sub> )	15.6	Report	XXX	25.0	XXX	50.0
Total Suspended Solids	18.8	Report	XXX	30.0	XXX	60.0
Fecal Coliform (No./100 ml)	XXX	XXX	XXX	2,000	XXX	10,000
Oct 1 - Apr 30				Geo Mean		
May 1 - Sep 30	XXX	XXX	XXX	200	XXX	1,000
Ultraviolet light transmittance (%)	XXX	XXX	Report	Geo Mean	XXX	XXX
Total Nitrogen	XXX	XXX	XXX	Report	XXX	Report
Ammonia-Nitrogen	1.72	Report	XXX	2.75	XXX	5.50
Nov 1 - Apr 30						
May 1 - Oct 31	0.98	Report	XXX	1.57	XXX	3.14
Total Phosphorus	XXX	XXX	XXX	XXX	XXX	Report
E. Coli (No./100 ml)	XXX	XXX	XXX	XXX	XXX	Report
Aluminum, Total	0.47	Report	XXX	0.75	0.75	XXX
	Semi Avg			Semi Avg		

NOTICES

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Iron, Total	0.94	Report	XXX	1.5	3.0	XXX
	Semi Avg			Semi Avg		
Manganese, Total	0.63	Report	XXX	1.0	2.0	XXX
	Semi Avg			Semi Avg		

The proposed effluent limits for Outfall 005 are based on a design flow of 0.055 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Instant. Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Flow (MGD)	Report	Report	XXX	XXX	XXX	XXX
pH (S.U.)	XXX	XXX	6.0	XXX	XXX	9.0
Temperature (°F)	XXX	XXX	XXX	XXX	40.8	XXX
Jan 1—31						
Feb 1—29	XXX	XXX	XXX	XXX	40.8	XXX
Mar 1—31	XXX	XXX	XXX	XXX	48.0	XXX
Apr 1—15	XXX	XXX	XXX	XXX	54.2	XXX
Apr 16—30	XXX	XXX	XXX	XXX	60.2	XXX
May 1—15	XXX	XXX	XXX	XXX	65.4	XXX
May 16—31	XXX	XXX	XXX	XXX	74.4	XXX
Jun 1—15	XXX	XXX	XXX	XXX	81.8	XXX
Jun 16—30	XXX	XXX	XXX	XXX	85.8	XXX
Jul 1—31	XXX	XXX	XXX	XXX	88.0	XXX
Aug 1—15	XXX	XXX	XXX	XXX	87.9	XXX
Aug 16—31	XXX	XXX	XXX	XXX	87.9	XXX
Sep 1—15	XXX	XXX	XXX	XXX	84.7	XXX
Sep 16—30	XXX	XXX	XXX	XXX	78.7	XXX
Oct 1—15	XXX	XXX	XXX	XXX	72.7	XXX
Oct 16—31	XXX	XXX	XXX	XXX	66.7	XXX
Nov 1—15	XXX	XXX	XXX	XXX	58.8	XXX
Nov 16—30	XXX	XXX	XXX	XXX	50.6	XXX
Dec 1—31	XXX	XXX	XXX	XXX	42.6	XXX
Total Suspended Solids	XXX	XXX	XXX	19.5	41.0	XXX
Oil and Grease	XXX	XXX	XXX	12.0	20.0	XXX
Aluminum, Total	XXX	XXX	XXX	0.5	1.0	XXX
Chromium, Hexavalent	XXX	XXX	XXX	0.01	0.02	XXX
Copper, Total	XXX	XXX	XXX	0.039	0.060	XXX
Lead, Total	XXX	XXX	XXX	0.022	0.044	XXX
Nickel, Total	XXX	XXX	XXX	0.6	1.2	XXX
Selenium, Total	XXX	XXX	XXX	0.005	0.008	XXX
Zinc, Total	XXX	XXX	XXX	0.17	0.34	XXX
Iron, Total	XXX	XXX	XXX	1.5	3.0	XXX
				Semi Avg		
Manganese, Total	XXX	XXX	XXX	1.0	2.0	XXX
				Semi Avg		
PFOA (µg/L)	XXX	XXX	XXX	XXX	Report	XXX
PFOS (µg/L)	XXX	XXX	XXX	XXX	Report	XXX
PFBS (µg/L)	XXX	XXX	XXX	XXX	Report	XXX
HFPO-DA (µg/L)	XXX	XXX	XXX	XXX	Report	XXX

The proposed effluent limits for Outfall 006 are based on a design flow of 0.0024 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	0.02	XXX

The proposed effluent limits for Outfall 008 are based on a design flow of 0.0011 MGD.—Limits.

<i>Parameters</i>	<i>Mass Units (lbs/day)</i>		<i>Minimum</i>	<i>Concentrations (mg/L)</i>		<i>IMAX</i>
	<i>Average Monthly</i>	<i>Daily Maximum</i>		<i>Average Monthly</i>	<i>Daily Maximum</i>	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	0.02	XXX

The proposed effluent limits for Outfall 009 are based on a design flow of 0.0010 MGD.—Limits.

Parameters	Mass Units (lbs/day)		Minimum	Concentrations (mg/L)		IMAX
	Average	Daily		Average	Daily	
	Monthly	Maximum		Monthly	Maximum	
Total Residual Chlorine (TRC)	XXX	XXX	XXX	XXX	0.02	XXX

Outfalls 001—003, 006, 008, 009, 501—509, 511, 512, and 514—521 are authorized to discharge stormwater that is not exposed to industrial activities. Outfalls 001—003, 006, 008, and 009 also are authorized to discharge the following non-stormwater sources: periodic fire hydrant flushing (001, 002, 006, 008, 009); periodic building sprinkler flow tests (001, 002, 008); condensate from cryogenic tanks (002, 003); air conditioning condensate (006); and springs, foundation and footing drains (001—003, 006, 008, 009), which are subject to discharge-dependent limits.

In addition, the permit contains the following major special conditions: requirements for stormwater discharges including “no exposure” requirements; requirements for water quality-based effluent limits below quantitation limits; and requirements for chemical additives.

You may make an appointment to review the DEP files on this case by calling the File Review Coordinator at 412-442-4000.

The EPA Waiver is in effect.

---

### III. Individual NPDES Permit Applications for Discharges of Stormwater Associated with Construction Activity.

---

#### *Southeast Regional Office*

Applicant: **650 Mansfield, LLC**

Applicant Address: 112 S. 19th Street, Philadelphia, PA 19103-4629

Application Number: **PAD510233**

Application Type: New

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: 2701 Bridge Street

Total Earth Disturbance Area (acres): 2.06 acres

Surface Waters Receiving Stormwater Discharges: Delaware River (MF, WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposed development consists of one (1) 40,000 SF industrial building with loading docks, truck parking and commuter parking. Additionally, three (3) curb cuts are proposed for circulations.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

#### *Southeast Regional Office*

Applicant: **NP Falls Township Industrial, LLC**

Applicant Address: 3315 N. Oak Trafficway, Kansas City, MO 64116-2775

Application Number: **PAD090082 A-2**

Application Type: Major Amendment

Municipality/County: Falls Township, **Bucks County**

Project Site Name: Keystone Trade Center—Phase 2 Development Part A.2

Total Earth Disturbance Area (acres): 310.19 acres

Surface Waters Receiving Stormwater Discharges: Delaware River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Phase 2 demo/fill Part A.1 redevelopment of KTC site will include demolition activities and three (3) new warehouse building pads consisting of imported fill. Future post construction stormwater management volume controls are deferred to future NPDES permitting Part A.2. Purpose of Major Amendment No. 1: Phase 2 Construction

Part A.2 redevelopment of KTC site will include one (1) 1,177,656 SF warehouse building, two (2) 1,035,696 SF warehouse buildings with associated loading docks and employee parking areas. Other improvements include a road extension of Ben Fairless Drive and road relocation of South Port Road, along with site utilities, landscaping, lighting, and stormwater management facilities. Purpose of Major Amendment No. 2: Several changes were made for Major Amendment No. 2. These changes from the approved July 7, 2022 plans (Major Amendment No. 1) include: On Lot 14, Building # 4 main building total footprint was revised to 1,188,676 SF, a 65,335 SF parking garage was added at the eastern edge of the site, the pump house building was moved to the northern edge of the site, and the gatehouse was reduced to 520 SF. The associated loading docks, driveways, and storm sewer piping were updated per these changes. Likewise, the stormwater management calculations were updated to reflect the revised impervious coverage on Lot 14. Only minor changes were made to Lot 15 (Building 5) and Lot 16 (Building 6), including connection points of proposed gas, water, and industrial waste utilities to existing infrastructure. Additionally, MRC Basin A at the northwestern edge of the disturbance (near corner of Old Bordentown Road and S. Port Road) was added to manage stormwater from the southern shoulder of Old Bordentown Road and the northern portions of the proposed railroad tracks along S. Port Road. MRC Basin A outlets to a stormwater ditch north of Old Bordentown Road at a new Discharge Point (DP 002). The southernmost portions of the proposed railroad track drainage continue to outlet across S. Port Road to Dry Extended Detention Basins directed to DP 001. The stormwater management calculations were updated to reflect these changes. As a result of changes for Major Amendment No. 2, the Overall Limit of Disturbance/Project Site Boundary was increased by 4.48 acres to 310.19 acres.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southeast Regional Office*

Applicant: **Ambler Lakeview Development, LP**

Applicant Address: 201 S. Maple Avenue, Suite 100, Ambler, PA 19002-5534

Application Number: **PAD460082**

Application Type: New

Municipality/County: Ambler Borough and Upper Dublin Township, **Montgomery County**

Project Site Name: The Ambler

Total Earth Disturbance Area (acres): 2.24 acres

Surface Waters Receiving Stormwater Discharges: Wissahickon Creek (TSF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The proposal is to redevelop the existing vacant property located at 5-9 North Maple Street in the Borough of Ambler, into a residential apartment building. The development also includes the installation of utilities, landscaping, and stormwater management controls necessary to support the development.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northeast Regional Office*

Applicant: **Lackawanna Valley Heritage Authority**

Applicant Address: 213 Railroad Avenue, Scranton, PA 18505

Application Number: **PAD350043**

Application Type: New

Municipality/County: Mayfield Borough, **Lackawanna County**

Project Site Name: Mayfield Trailhead & Recreation Area Development Project

Total Earth Disturbance Area (acres): 4.67 acres

Surface Waters Receiving Stormwater Discharges: Lackawanna River (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the construction of a proposed river access and boat launch; connections to existing trail spurs and addition of more discovery trails, various park amenities (picnic tables, trash receptacles, and benches); proposed raingarden, vegetated swales, and planted meadows and trees to be added.



Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **Nyles and Kitty Possinger**

Applicant Address: 291 NE Belmont Pike, Stroudsburg, PA 18360

Application Number: **PAD450075**

Application Type: Renewal

Municipality/County: Hamilton Township, **Monroe County**

Project Site Name: Frangelli Property Renewal

Total Earth Disturbance Area (acres): 2.33 acres

Surface Waters Receiving Stormwater Discharges: Appenzel Creek, HQ-CWF

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a two-story commercial building, parking areas, access driveways, stormwater and related facilities.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northeast Regional Office*

Applicant: **County of Northampton**

Applicant Address: 151 Country Club Road, Easton, PA 18045

Application Number: **PAD480059**

Application Type: Renewal

Municipality/County: Bushkill Township, Plainfield Township, **Northampton County**

Project Site Name: Two Rivers Trail Corridor—Gap 9A

Total Earth Disturbance Area (acres): 5.15 acres

Surface Waters Receiving Stormwater Discharges: Bushkill Creek (HQ-CWF, MF), UNT to Bushkill Creek (HQ-CWF, MF), Little Bushkill Creek (HQ-CWF, MF), EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: To construct a 10-foot-wide multi-use trail that will span approximately 1.6 miles along the Route 33 right-of-way. The project also includes a parking lot and trailhead within non-wetland areas along Filetown Road.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

*Northcentral Regional Office*

Applicant: **Mineral Basin Solar Power, LLC**

Applicant Address: 470 Atlantic Avenue, Boston, MA 02210

Application Number: **PAD 170004**

Application Type: New

Municipality/County: Girard Township and Goshen Township, **Clearfield County**

Project Site Name: Mineral Basin Solar

Total Earth Disturbance Area (acres): 2,676 acres

Surface Waters Receiving Stormwater Discharges: Surveyor Run, Bald Hill Run, Deer Creek, Little Trout Run, West Branch Susquehanna River

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a 400-Megawatt solar project and associated necessary infrastructure on approximately 2.676 acres in Girard and Goshen Townships, Clearfield County. The facility will consist of solar panels racking system, inverters, mounted and buried cables, substation, switchyard, laydown yard, stormwater controls and perimeter fencing.

Special Conditions: This permit shall not be valid on any lands that are under the jurisdiction of an active mining permit as detailed in 25 Pa. Code Chapter 87 until all requirements of reclamation have been sufficiently satisfied and all requirements for release of bonds as detailed in Chapter 86.174 for Stage 2 reclamation have been met and the permittee has successfully completed mining and reclamation operations in accordance with the approved reclamation plan so that the land is capable of supporting its approved postmining land use. Documentation shall be provided that any NPDES outfalls permitted under a Mining NPDES permit, and that would overlap with this NPDES permit, have been terminated.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-327-3693.

*Southeast Regional Office*

Applicant: **Philadelphia Energy Solutions Refinery and Marketing LLC**

Applicant Address: 3144 W Passyunk Avenue, Philadelphia, PA 19145-5208

Application Number: **PAD510217 A-2**

Application Type: Major Amendment

Municipality/County: City of Philadelphia, **Philadelphia County**

Project Site Name: The Bellwether District Industrial Major Amendment 2—Lot 16

Total Earth Disturbance Area (acres): 48.24 acres for Major Amendment 2

Surface Waters Receiving Stormwater Discharges: Schuylkill River (WWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: This project includes the demolition and redevelopment of a portion of the former Philadelphia Energy Solutions site. This application is for phase 1 of the overall project and includes site demolition and earthwork for site preparation in support of future development. Future applications will be submitted for the proposed site development. This application does not propose modifications to existing permits. The application for major amendment of phase 1 of the overall project and included the development of Lot 15 which proposes a one-story industrial warehouse with associated parking and loading spaces, landscaping areas, and a basin for stormwater management. It also included the construction of Hartranft Street and Frances Harper Drive as well as improvements being done on 26th Street. This application is for Major Amendment 2 of the overall project and includes the development of Lot 16 which proposes a one-story industrial warehouse with associated parking and loading spaces, landscape areas, and two basins for stormwater management.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Northwest Regional Office*

Applicant: **Indiana County Municipal Service Authority**

Applicant Address: 602 Kolter Drive, Indiana, PA 15701

Application Number: **PA320002D**

Application Type: New

Municipality/County: Buffington Township and Pine Township, **Indiana County**

Project Site Name: WR22 SR 403/SR 2020 Camerons Road Waterline Extension

Total Earth Disturbance Area (acres): 8.34 acres

Surface Waters Receiving Stormwater Discharges: UNT to Carney Run (CWF), Downey Run (CWF), UNT to Little Yellow Creek (HQ CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The installation of approximately 25,933 feet of 8-inch waterline and appurtenances in Buffington and Pine Townships in Indiana County.

Special Conditions: Standard Part C IX—K

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

*Northwest Regional Office*

Applicant: **Indiana County Municipal Service Authority**

Applicant Address: 602 Kolter Drive, Indiana, PA 15701

Application Number: **PA320003D**

Application Type: New

Municipality/County: Green Township and Cherryhill Township, **Indiana County**

Project Site Name: WR22 Penns Manor to Uniontown Waterline Extension

Total Earth Disturbance Area (acres): 12.1 acres

Surface Waters Receiving Stormwater Discharges: Whitaker Run (HQ-CWF), Sides Run (HQ-CWF), UNT South Branch of Twolick Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The installation of approximately 38,365 feet of 8-inch waterline and appurtenances in Green and Cherryhill Townships, Indiana County.

Special Conditions: Standard Part C IX—L

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

*Northwest Regional Office*

Applicant: **Lucerne Landings LP**

Applicant Address: 3405 N 6th Street, Harrisburg, PA 17110

Application Number: **PAD320001**

Application Type: Renewal

Municipality/County: White Township, **Indiana County**

Project Site Name: Lucerne Landings

Total Earth Disturbance Area (acres): 24.4 acres

Surface Waters Receiving Stormwater Discharges: UNT Lick Creek (CWF), EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of 140 unit townhouse development.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

*Northwest Regional Office*

Applicant: **CLP Camperland LLC**

Applicant Address: 713 Broad Acres Road, Naberth, PA 19072

Application Number: **PAD200005**

Application Type: Renewal

Municipality/County: Summit Township, **Crawford County**

Project Site Name: Conneaut Lake Camperland

Total Earth Disturbance Area (acres): 9.95 acres

Surface Waters Receiving Stormwater Discharges: UNT Conneaut Lake (HQ-WWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of an expansion to the existing Conneaut Lake Camperland campground facility.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

*Northwest Regional Office*

Applicant: **Franklin Solar LLC**

Applicant Address: 880 Apollo Street, Suite 333, El Segundo, CA 90245

Application Number: **PAD200009**

Application Type: New

Municipality/County: Athens Township, **Crawford County**

Project Site Name: Franklin Solar

Total Earth Disturbance Area (acres): 164 acres

Surface Waters Receiving Stormwater Discharges: Muddy Creek, Oil Creek

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a 20 MW AC solar electric generation facility and associated infrastructure including solar arrays, equipment pads, gravel access roads, fencing, substation, transmission lines, and stormwater infiltration berms and rain gardens.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 814-332-6078.

*Southeast Regional Office*

Applicant: **Grove Meadow Developers LLC**

Applicant Address: 1171 Lancaster Avenue, Berwyn, PA 19312

Application Number: **PAD150321**

Application Type: New

Municipality/County: East Goshen Township, **Chester County**

Project Site Name: Millstone Meadows

Total Earth Disturbance Area (acres): 8.80 acres

Surface Waters Receiving Stormwater Discharges: UNT to Ridley Creek (HQ-CWF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Existing tract of land to be developed into a 14-Lot Single Family Residential Subdivision.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 484-250-5910.

*Southcentral Regional Office*

Applicant: **Curtis Hoover**

Applicant Address: 4442 Ridge Road, McVeytown, PA 17051

Application Number: **PAD440029**

Application Type: New

Municipality/County: Wayne Township, **Mifflin County**

Project Site Name: Truck Garage for Curtis Hoover

Total Earth Disturbance Area (acres): 4.35 acres

Surface Waters Receiving Stormwater Discharges: UNT to Musser Run (HQ-CWF, MF) and Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of commercial truck garage and associated PCSM BMPs

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **72 Storage, LLC**

Applicant Address: 2247 West Cumberland Street, Lebanon, PA 17042

Application Number: **PAD380032**

Application Type: New

Municipality/County: North Cornwall Township, **Lebanon County**

Project Site Name: 72 Storage, LLC

Total Earth Disturbance Area (acres): 4.42 acres

Surface Waters Receiving Stormwater Discharges: Snitz Creek (TSF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of storage units and associated PCSM BMPs.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **Shrewsbury Commons Joint Venture**

Applicant Address: RD # 1, Box 131 SS, Seven Valleys, PA 17360

Application Number: **PAD670102**

Application Type: New

Municipality/County: Shrewsbury Township, **York County**

Project Site Name: Pr. Industrial Building (McClain Tract)

Total Earth Disturbance Area (acres): 48.43 acres

Surface Waters Receiving Stormwater Discharges: UNT to Deer Creek (CWF, MF) and Deer Creek (CWF, MF) via EV Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Warehouse/industrial building with associated parking areas and access drives.

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southcentral Regional Office*

Applicant: **Mid-Atlantic Interstate Transmission, A FirstEnergy Company**

Applicant Address: 2800 Pottsville Pike, P.O. Box 16001, Reading, PA 19612

Application Number: **PAD440027**

Application Type: New



Municipality/County: Derry Township, **Mifflin County**

Project Site Name: Yeagertown Substation Expansion

Total Earth Disturbance Area (acres): 9.50 acres

Surface Waters Receiving Stormwater Discharges: Kishacoquillas Creek (HQ-CWF, MF), UNTs to Kisacoquillas Creek (HQ-CWF, MF) and Wetlands

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Expansion of existing electrical grid substation and associated PCSM BMPs

Special Conditions: N/A

You may review the permit application file by contacting DEP's File Review Coordinator at 717-705-4802.

*Southwest Regional Office*

Applicant: **PennDOT District 11-0**

Applicant Address: 45 Thoms Run Road, Bridgeville, PA 15017

Application Number: **PAD020075**

Application Type: New

Municipality/County: City of Pittsburgh, **Allegheny County**

Project Site Name: SR 376 Section A62 Commercial Street Bridge Replacement

Total Earth Disturbance Area (acres): 13.21 acres

Surface Waters Receiving Stormwater Discharges: Nine Mile Run (TSF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: The project involves the replacement of the SR 0376 bridge over Nine Mile Run, Frick Park and Commercial Street. The proposed improvement consists primarily of replacing the existing structure with an arched steel delta frame bridge and roadway improvements along Commercial Street. Both Commercial Street and SR 0376 will remain on the same existing alignment. The proposed construction will also include drainage improvements, guide rail updates, utility relocations and stormwater management facilities.

Special Conditions: This permit does not authorize any obstructions or encroachments to any regulated watercourse or floodway. All permitting required for impacts to regulated watercourses or their floodway are subject to 25 Pa. Code Chapter 105. Appropriate authorization for impacts which require permitting under Chapter 105 must be obtained prior to beginning earth disturbance.

You may review the permit application file by contacting DEP's File Review Coordinator at 412-442-4286.

*Northeast Regional Office*

Applicant: **Glenn Strys and Mary Ann Hale**

Applicant Address: 647 Route 739, Hawley, PA 18428

Application Number: **PAD520053**

Application Type: New

Municipality/County: Milford Township, **Pike County**

Project Site Name: Milford Highlands Lot 35

Total Earth Disturbance Area (acres): 1.10 acres

Surface Waters Receiving Stormwater Discharges: Crawford Branch, High Quality—Cold Water Fish, Migratory Fish (HQ-CWF, MF)

Proposed Effluent Limitations: The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

Rate or Frequency of Discharge: Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

Project Description: Construction of a single-family dwelling with on-site septic system, well, and stormwater management.

Special Conditions: N/A—No site-specific special conditions proposed.

You may review the permit application file by contacting DEP's File Review Coordinator at 570-826-5472.

**STATE CONSERVATION COMMISSION  
PROPOSED NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS  
FOR NPDES PERMITS FOR CAFOs**

This notice provides information about agricultural operations that have submitted nutrient management plans (NMPs) for approval under 3 Pa.C.S. Chapter 5 and that have or anticipate submitting applications for new, amended or renewed (National Pollutant Discharge Elimination System) NPDES permits, or Notices of Intent (NOIs) for coverage under a general permit, for CAFOs, under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Based upon preliminary reviews, the State Conservation Commission (SCC) or County Conservation Districts (CCD) working under a delegation agreement with the SCC have completed an administrative review of NMPs described. These NMPs are published as proposed plans for comment prior to taking final actions. The NMPs are available for review at the CCD office for the county where the agricultural operation is located. A list of CCD office locations is available at <http://www.nacdnet.org/about/districts/directory/pa.phtml> or can be obtained from the SCC at the office address listed or by calling 717-787-8821.

Individuals wishing to comment on an NMP are invited to submit a statement outlining their comments on the plan to the CCD, with a copy to the SCC for each NMP, within 30-days from the date of this public notice. Comments received within the respective comment periods will be considered in the final determinations regarding the NMPs. Comments should include the name, address and telephone number of the writer and a concise statement to inform the SCC of the exact basis of the comments and the relevant facts upon which they are based. Comments should be sent to the SCC, Agriculture Building, Room 310, 2301 North Cameron Street, Harrisburg, PA 17110.

Individuals in need of accommodations should contact the SCC through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

**ACT 38  
NUTRIENT MANAGEMENT PLANS  
CAFO PUBLIC NOTICE SPREADSHEET—APPLICATIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Renewal/ New</i>
Noah W Kreider and Sons LLP—Grantville Farm 36 Pleasant View Road Grantville, PA 17028	Lebanon County	288.44	9,106	Layers	NA	New
McCartney Inc. 17275 South Dry Run Road Dry Run, PA 17220	Franklin County	852.2	1,382.42	Heifers Horses	NA	New
Robert and David Bomberger Meadow Wood Farm 2075 Colebrook Road Lebanon, PA 17042	Lebanon County	480	1,198.05	Dairy	NA	Renewal
Lexington Acres Dan Bollinger 306 E Lexington Road Lititz, PA 17543	Lawrence County	67.2	401.56	Swine Pullets Steers	NA	Renewal

**PUBLIC WATER SUPPLY PERMITS**

Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17), the following parties have applied for Public Water Supply (PWS) permits to construct or substantially modify public water systems.

Individuals wishing to comment on permit applications are invited to submit statements to the office listed before the application within 30-days of this public notice. Comments received within this 30-day comment period will be considered in the formulation of the final determinations regarding an application. A comment should include the name, address and telephone number of the

writer and a concise statement to inform the Department of Environmental Protection (DEP) the exact basis of a comment and the relevant facts upon which it is based. A public hearing may be held after consideration of comments received during the 30-day public comment period.

Following the comment period, DEP will make a final determination regarding the proposed permit. Notice of this final determination will be published in the *Pennsylvania Bulletin* at which time this determination may be appealed to the Environmental Hearing Board.

The permit application and related documents are on file at the office listed before the application and available

for public review. Arrangements for inspection and copying information should be made with the office listed before the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### SAFE DRINKING WATER

#### Application(s) Received Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Application No. 4924502**, Construction, Public Water Supply.

Applicant	<b>Milton Jellystone Park</b>
Address	670 Hidden Paradise Road Milton, PA 17847
Municipality	Milton Borough
County	<b>Northumberland County</b>
Responsible Official	Lindsey Tawney 670 Hidden Paradise Road Milton, PA 17847
Consulting Engineer	Kenneth R EStep 2049 West Market Street Lewisburg, PA 17837
Application Received	February 21, 2024
Description	Addition of a contact segment to modify disinfection system to meet 4-log.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**Application No. 3624503**, Construction, Public Water Supply.

Applicant	<b>Mark-V Hospitality, LLC</b>
Address	6725 Fieldcrest Dr. Delmont, PA 15626
Municipality	Penn Township
County	<b>Lancaster County</b>
Responsible Official	Dhaval Patel 6725 Fieldcrest Dr. Delmont, PA 15626
Consulting Engineer	Charles A. Kehew, II, P.E. James R. Holley & Associates 18 S George St. Suite 300 York, PA 17401
Application Received	February 22, 2024
Description	This application is for the addition of a third cation exchange unit and 12 additional disinfection contact tanks.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 1

#### Acknowledgment of Notice(s) of Intent to Remediate Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).

Sections 302—305 of the Land Recycling and Environmental Remediation Standards Act (Act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* an acknowledgment noting receipt of any Notices of Intent (NOI) to Remediate. An acknowledgment of the receipt of a NOI to Remediate is used to identify a site where an individual proposes to, or has been required to, respond to a release of a regulated substance at a site. Individuals intending to use the background standard, Statewide health standard, the site-specific standard, or who intend to remediate a site as a special industrial area, must file a NOI to Remediate with DEP. A NOI to Remediate filed with DEP provides a brief description of the location of the site, a list of known or suspected contaminants at the site, the proposed remediation measures for the site, and a description of the intended future use of the site. An individual who demonstrates attainment of one, or a combination of the cleanup standards, or who receives approval of a special industrial area remediation identified under the Act, will be relieved of further liability for the remediation of the site for any contamination identified in reports submitted to and approved by DEP. Furthermore, an individual shall not be subject to citizen suits or other contribution actions brought by responsible individuals not participating in the remediation.

Under Sections 304(n)(1)(ii) and 305(c)(2) of the Act, there is a 30-day public and municipal comment period for sites proposed for remediation using a site-specific standard, in whole or in part, and for sites remediated as a special industrial area. This period begins when a summary of the NOI to Remediate is published in a newspaper of general circulation in the area of the site. For the following identified site(s), proposed for remediation to a site-specific standard or as a special industrial area, the municipality, within which the site is located, may request to be involved in the development of the remediation and reuse plans for the site if the request is made within 30-days of the following specified date. During this comment period the municipality may request that the following identified individual, as the remediator of the site, develop and implement a public involvement plan. Requests to be involved, and comments, should be directed to the remediator of the site.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following Notice(s) of Intent to Remediate.



*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**86 Sunnyside Road**, Primary Facility ID # **862673**, 86 Sunnyside Road, Gouldsboro, PA 18424, Clifton Township, **Lackawanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013 on behalf of Bernard Schweizer, 8 Museum Way, Apartment 2304, Cambridge, MA 01141, submitted a Notice of Intent to Remediate. Soil was contaminated with heating oil from an underground storage tank. The Notice of Intent to Remediate was published in *The Scranton Times* on January 19, 2024. Application received: February 21, 2024.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Lee, 814-332-6127.*

**W 5th St Orphan UST**, Primary Facility ID # **873699**, North side of West 5th Street, Erie, PA 16501, City of Erie, **Erie County**. Environmental Remediation & Recovery, Inc., 4250 Route 6N, Edinboro, PA 16412 on behalf of City of Erie, 626 State Street, Room 400, Erie, PA 16501, submitted a Notice of Intent to Remediate. Benzene, toluene, ethylbenzene, total xylenes, cumene, methyl-tert-butyl-ether (MTBE) 1,2,4 trimethylbenzene, 1,3,5 trimethylbenzene and naphthalene The Notice of Intent to Remediate was published in *Erie Times* on February 21, 2024. Application received: February 23, 2024.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.*

**Sandy Ridge Wind SR 14, SR 15 and SR 16**, Primary Facility ID # **873616**, 140 Big Fill Run, Tyrone, PA 16686, Snyder Township, **Blair County**. Keystone Environmental Health & Safety Svc., 1111 12th Avenue, Altoona, PA 16601 on behalf of Sandy Ridge Wind, LLC, 140 Big Fill Run, Tyrone, PA 16686, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil contaminated with Hydraulic Oil. The site will be remediated to the Statewide health standard. Future use of the site is nonresidential. The Notice of Intent to Remediate was published in *The Daily Herald* on February 3, 2024. Application received: January 31, 2024.

**Cumberland Perry Area CTC**, Primary Facility ID # **873659**, 110 Old Willow Mill Road, Mechanicsburg, PA 17050, Silver Spring Township, **Cumberland County**. Aquaterra Technologies, Inc., 901 South Bolmar Street, Suite 1A, West Chester, PA 19382 on behalf of Cumberland Perry Area CTC, 110 Old Willow Mill Road, Mechanicsburg, PA 17050, submitted a Notice of Intent to Remediate. Notice of Intent to Remediate soil and groundwater contaminated with No. 2 Heating Oil. The site will be remediated to the Statewide health standard. Future use of the site is residential. The Notice of Intent to Remediate was published in *The Patriot News* on January 7, 2024. Application received: January 16, 2024.

## DETERMINATION OF APPLICABILITY FOR RESIDUAL WASTE GENERAL PERMITS

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Residual Waste Regulations for Determination of Applicability for a General Permit to Operate Residual Waste Processing Facilities and/or the Beneficial Use of Residual Waste Other than Coal Ash.**

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**WMGR123SW027, Range Resources—Appalachia, LLC**, 3000 Town Center Blvd, Canonsburg, PA 15317, Hopewell Township, **Washington County**. An application to modify coverage under WMGR123SW027 was received. Range Resources—Appalachia, LLC is proposing to increase capacity at the Hopewell 18 Tank Pad Reuse Water Storage Facility. Application received: February 5, 2024. Deemed administratively complete: February 20, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

**WMGR123SW058, Range Resources—Appalachia, LLC**, 3000 Town Center Blvd, Canonsburg, PA 15317, Hanover Township, **Washington County** and **Beaver County**. An application to modify coverage under WMGR123SW058 was received. Range Resources—Appalachia, LLC is proposing to increase capacity at the Hanover 32 Tank Pad Reuse Water Storage Facility. Application received: February 5, 2024. Deemed administratively complete: February 20, 2024.

Comments or questions concerning the application should be directed to RA-EP-EXTUPLSWRO@pa.gov, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact the Department through the Pennsylvania Hamilton Relay Service, (800) 654-5984. Public comments must be submitted within 60 days of this notice and may recommend revisions to, and approval or denial of the application.

## HAZARDOUS WASTE TRANSPORTER LICENSE

**Application(s) Received Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

*Renewal Applications Received*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Freehold Cartage, Inc.**, P.O. Box 5010, Freehold, NJ 07728. **License No. PA-AH 0067**. Accepted: January 31, 2024.

**Environmental Specialists, Inc.**, 1000 Andrews Avenue, Youngstown, OH 44505. **License No. PA-AH 0587**. Accepted: February 8, 2024.

**Suttles Truck Leasing, Inc.**, P.O. Box 129, Demopolis, AL 36732. **License No. PA-AH 0856**. Accepted: January 31, 2024.

**Bennett Heavy & Specialized, LLC**, 1001 Industrial Parkway, McDonough, GA 30253. **License No. PA-AH 0896**. Accepted: January 31, 2024.

## AIR QUALITY

### PLAN APPROVAL AND OPERATING PERMIT APPLICATIONS

The Department of Environmental Protection (DEP) has developed an integrated plan approval, State Operating Permit and Title V Operating Permit program. This integrated approach is designed to make the permitting process more efficient for DEP, the regulated community and the general public. This approach allows the owner or operator of a facility to submit permitting documents relevant to its application for all sources related to a facility or a proposed project, affords an opportunity for public input, and provides for a decision on the issuance of the necessary permits.

The DEP received applications for Plan Approvals or Operating Permits from the following facilities. Copies of the application, DEP's analysis, all pertinent documents used in the evaluation of the application and subsequently prepared proposed plan approvals/operating permits are available for public review during normal business hours at the appropriate DEP Regional Office. Appointments for scheduling a review must be made by calling the appropriate DEP Regional Office. The address and telephone number of the Regional Office is listed before the application notices.

Individuals wishing to file a written protest or provide comments or additional information, which they believe should be considered prior to the issuance of a permit, may submit the information to the DEP's Regional Office. A 30-day comment period from the date of this publication will exist for the submission of comments, protests and information. Each submission must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval/Operating Permit including the permit number and a concise statement regarding the relevancy of the information or objections to issuance of the permit.

Any individual wishing to request a hearing may do so during the 30-day comment period. A public hearing may be held, if DEP, in its discretion, decides that a hearing is warranted based on the information received. Persons submitting comments or requesting a hearing will be notified of the decision to hold a hearing by publication in the newspaper, the *Pennsylvania Bulletin* or by telephone, when DEP determines this type of notification is sufficient. Requests for a public hearing and any relevant information should be directed to the appropriate DEP Regional Office.

Permits issued to the owners or operators of sources subject to 25 Pa. Code Chapter 127, Subchapter D or E, or located within a Title V facility or subject to 25 Pa. Code § 129.51(a) or permits issued for sources with limitations on their potential to emit used to avoid otherwise applicable Federal requirements may be submitted to the United States Environmental Protection Agency for review and approval as a revision to the State

Implementation Plan. Final Plan Approvals and Operating Permits will contain terms and conditions to ensure that the sources are constructed and operating in compliance with applicable requirements in the Air Pollution Control Act (35 P.S. §§ 4001—4015), 25 Pa. Code Chapters 121—145, the Federal Clean Air Act (42 U.S.C.A. §§ 7401—7671q) and regulations adopted under the Federal Clean Air Act.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### PLAN APPROVALS

**Application(s) Received for Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B That May Have Special Public Interest. These Plan Approval Applications are in Review and No Decision on Disposition Has Been Reached.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, P.E., Environmental Group Manager.*

**54-00022H: Hydro Extrusion USA, LLC**, 53 Pottsville Street, Cressona, PA 17929, Cressona Borough, **Schuylkill County**. Application received: February 23, 2024. For the installation of a new homogenizing furnace.

**Notice of Intent to Issue Plan Approval(s) and Notice of Intent to Issue or Amend Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter B. These Actions May Include the Administrative Amendments of an Associated Operating Permit.**

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-04-00443A: Desotec US LLC**, 118 Park Road, Darlington, PA 16115, Darlington Township, **Beaver County**. Application received: January 5, 2024.

In accordance with 25 Pa. Code §§ 127.44 and 127.45, the Pennsylvania Department of Environmental Protection (PA-DEP) is providing notice that it intends to issue an Air Quality Plan Approval modification (PA-04-00443A) to Desotec US LLC ("Desotec") to authorize in kind replacement of one (1) existing Rotary Kiln Shell (Source ID 101) at Darlington. Desotec regenerates spent activated carbon and operates a RCRA (Resource Conservation and Recovery Act) Part B storage and carbon reactivation facility named "Darlington Carbon Reactivation Facility" located in Darlington Township, Beaver County.

The proposed kiln 1 is not considered as stationary air contamination sources. There will be no emission increase due to the replacement of kiln shell. The BAT regulation is not applicable to the proposed modification application since no new source is proposed; however, it will continue to be subject to the previously established plan approval conditions and the State regulations including 25 Pa. Code Chapters 123 and 127. Plan approval conditions may include emission limits, operational restrictions, monitoring requirements, work practice standards, associated recordkeeping, and reporting requirements.



Once compliance with the Plan Approval is demonstrated, the applicant will be required to revise the existing State Only Operating Permit (“SOOP”) application in accordance with 25 Pa. Code Subchapter F. Plan Approval application, the Department’s Air Quality Review Memorandum, and the Air Quality draft Plan Approval for this project are available for review by any interested party at the Pennsylvania Department of Environmental Protection, Southwest Regional Office, 400 Waterfront Drive, Pittsburgh, PA 15222.

To request a review of the Plan Approval Application, to receive an electronic copy of the Department’s Air Quality Review Memorandum, or to receive an electronic copy of the Department’s proposed Air Quality Plan Approval for this project, a person may contact Jesse S. Parihar at [jparihar@pa.gov](mailto:jparihar@pa.gov) or 412.442.4030.

A person may oppose the proposed Plan Approval by filing a written protest with the Department through Jesse Parihar via the U.S. Postal Service to Pennsylvania Department of Environmental Protection, 400 Waterfront Drive, Pittsburgh, PA 15222; email to [jparihar@pa.gov](mailto:jparihar@pa.gov); or fax to 412.442.4194. Additional written comments may also be submitted. Each protest or set of written comments must contain the name, address and telephone number of the person submitting the comments, identification of the proposed Plan Approval (PA-04-00443A) and a concise statement of the objections to the plan approval issuance and the relevant facts upon which the objections are based. All comments must be received prior to the close of business 30 days after the date of this publication.

#### OPERATING PERMITS

---

##### **Notice of Intent to Issue Title V Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

---

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**01-05003, Columbia Gas Transmission, LLC**, 2029 Granite Station Rd # 1937, Gettysburg, PA 17325, Straban Township, **Adams County**. Application received: April 28, 2023. To issue a Title V Operating Permit for the Gettysburg Compressor Station. This is for renewal of the Title V permit. The facility 2022 actual air emissions were the following: 0.60 ton VOC, 1.32 tons PM<sub>10</sub>, 1.32 tons PM<sub>2.5</sub>, 0.11 ton HAP total, 39.12 tons NO<sub>x</sub>, 0.09 ton SO<sub>x</sub>, and 25.20 tons CO. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other requirements in the permit, certain sources at the facility are subject to the requirements of 40 CFR 60 Subpart GG—Standards of Performance for Stationary Gas Turbines, 40 CFR 60 Subpart KKKK—Standards of Performance for Stationary Combustion Turbines, and 40 CFR 60 Subpart JJJJ—Standards of Performance for Stationary Spark Ignition Internal Combustion Engines.

---

##### **Notice of Intent to Issue Operating Permit(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

---

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**60-00021, Iddings Quarry Inc.**, 900 Chestnut St., Mifflinburg, PA 17844, Limestone Township, Mifflinburg, **Union County**. Application received: April 13, 2023. To issue a renewal State Only Operating Permit for their Limestone Township Quarry. The facility’s main sources include a stone screening and crushing operation and four diesel-fired engines. Particulate emissions from the stone screening and crushing operation are controlled by a water spray dust suppression system. The facility has potential emissions of 9.2 tons per year (tpy) of particulate matter, 81.8 tpy of nitrogen oxides, 17.6 tpy of carbon monoxide, 6.6 tpy of volatile organic compounds, 1.4 tpy of hazardous air pollutants, and 3,060 tpy of greenhouse gases. No emission or equipment changes are being proposed by this action. The emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145 and 40 CFR Part 63 Subpart ZZZZ. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department’s Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**14-00010, Snow Shoe Refractories, LLC**, 895 Clarence Rd, Clarence, PA 16829, Snow Shoe Township, **Centre County**. Application received: November 14, 2023. State Only Synthetic Minor Operating Permit renewal authorization to permit continued operation of their Clarence Plant source operations. The facility is comprised of various refractor crushing and other processing operations, such as dryers, kilns. The type and quantity of pollutants emitted on a facility-wide basis are, as follows: 62.2 tons per year (tpy) PM<sub>10</sub>; 0.3 tpy SO<sub>2</sub>; 24.5 tpy NO<sub>x</sub>; 20.6 tpy CO; 2.7 tpy VOC; 9.5 tpy total HAPs; and 29,151.6 tpy CO<sub>2</sub>. There was a minor significance change to the facility over the permit cycle, including the 2021 RFD that authorized the project associated with new Source IDs P205 and P206. The State Only Permit renewal authorization incorporates the source approved by RFD and their applicable requirements including necessary compliance demonstration requirements. The facility’s renewal permit contains all applicable Federal and State air quality requirements including testing, monitoring, recordkeeping, reporting, work practice other compliance conditions as necessary to verify compliance in accordance with 25 Pa. Code Article III, Chapters 121—145 of the Department’s rules and regulations. Sources that or part of the processing of crushed nonmetallic minerals at this facility are also subject to 40 CFR Part 60 Subpart OOO, in addition to applicable State requirements. The applicable requirements are derived from the rules and regulations under 25 Pa. Code Article III, Chapters 121 and 145, relating to Air Resources. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the PA DEP’s Northcentral Regional Office, 208 West Third Street,

Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

**41-00020, Keystone Filler and Manufacturing Co.**, 214 Railroad St., Muncy, PA 17756, Muncy Creek Township, **Lycoming County**. Application received: December 14, 2023. To issue a renewal State Only Operating Permit for the Muncy Coal Prep Plant. The facility's sources include one 0.15 MMBtu/hr, natural gas-fired boiler, three coal dryers, three coal mills, a material storage operation, two portable coal crushing plants, two portable coal screening plants, one parts degreaser and one portable welder. The facility has potential emissions of 3.83 tpy of CO; 8.70 tpy of NO<sub>x</sub>; 0.09 tpy of SO<sub>x</sub>; 69.64 tpy of PM/PM<sub>10</sub>; 4.99 tpy of VOCs; 0.49 tpy of combined hazardous air pollutants; 4,065 tpy GHGs. The emission limits and work practice standards along with testing, monitoring, recordkeeping and reporting requirements have been included in the operating permit to ensure the facility complies with all applicable Federal and State air quality regulations. These operating permit conditions have been derived from the applicable requirements of 25 Pa. Code Chapters 121—145. All pertinent documents used in the evaluation of the application are available for public review during normal business hours at the Department's Northcentral Regional Office, 208 West Third Street, Suite 101, Williamsport, PA 17701. Appointments for scheduling a review must be made by calling 570-327-3636.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**64-00021, Harris Crematorium LLC**, P.O. Box 6, Liberty, NY 12754-0006, Damascus Township, **Wayne County**. Application received: February 8, 2024. The Department intends to issue an initial State-Only Operating Permit (natural minor) for their human crematory incinerator with afterburner. The proposed operating permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations.

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Matthew Williams, Facilities Permitting Chief, 814-332-6940.*

**16-00148, RV Burns Crematorium Inc.**, 638 Wood Street, Clarion, PA 16214, Clarion Township, **Clarion County**. Application received: October 30, 2023. The Department intends to issue the renewal of the State Only Operating Permit for RV Burns Crematorium Inc. for the facility that operates a natural gas incinerator. The facility is a Natural Minor. The unit is a Crawford Industrial Group Model C-10000 with a capacity of 150 pounds per hour. The potential emissions from the facility are less than the following: 3.3, 2.3, 1.0 and 0.8 tpy for CO, particulate, NO<sub>x</sub>, VOC, and SO<sub>x</sub> respectively. The renewal permit contains emission restrictions, recordkeeping, work practice, and additional requirements to ensure compliance with the Clean Air Act and the Air Pollution Control Act.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-03034, Penn Valley Crematory, LLC**, 167 N. Enola Road, Enola, PA 17025, East Pennsboro Township, **Cumberland County**. Application received: November 28, 2023. For the operation of a human crematory at the facility. This is for an initial state-only permit. Potential air emissions from the facility are estimated at 3.17 tpy PM, 3.63 tpy NO<sub>x</sub>, 3.02 tpy CO, 0.27 tpy VOC, 1.44 tpy SO<sub>2</sub>, and 0.02 tpy HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**28-05027, WellSpan Chambersburg Hospital**, 112 N 7th St., Chambersburg, PA 17201-1720, Chambersburg Borough, **Franklin County**. Application received: April 5, 2023. For the operation of the hospital. This is for renewal of the existing State-Only Permit. Potential air emissions from the facility are estimated at 6.54 tpy PM, 45.60 tpy NO<sub>x</sub>, 23.55 tpy CO, 1.91 tpy VOC, and less than 1 tpy of SO<sub>2</sub> and HAPs. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations.

**21-05027, Sunoco Midstream, LLC**, 125 Simpson Ferry Road, Mechanicsburg, PA 17050, Hampden Township, **Cumberland County**. Application received: December 15, 2023. To issue a State Only Operating Permit for the Mechanicsburg petroleum terminal. Facility-wide actual emissions in 2022 were estimated to be the following: VOC—29.60 tpy, Total HAPs—6.87 tpy. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from Subpart Kb—Standards of Performance for Volatile Organic Liquid Storage Vessels (Including Petroleum Liquid Storage Vessels) for Which Construction, Reconstruction, or Modification Commenced After July 23, 1984 and Subpart BBBBBB—National Emission Standards for Hazardous Air Pollutants for Source Category: Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**36-05099, Pennsy Supply, Inc.**, P.O. Box 4688, Lancaster, PA 17604-4688, East Hempfield Township, **Lancaster County**. Application received: April 27, 2023. To issue a State Only Operating Permit for the operation of a Hot Mix Asphalt (HMA) Plant. This is a renewal of the State-Only Air Quality Operating Permit. The subject facility has the potential-to-emit CO at 80.5 tpy, PM<sub>10</sub> at 5.4 tpy, NO<sub>x</sub> at 5.0 tpy, VOCs at 4.9 tpy, and HAPs at 1.6 tpy. The Operating Permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR Part 60, Subpart I—Standards of Performance for Hot Mix Asphalt Facilities.

**36-03108, West Lake Pipe & Fittings**, 88 Newport Road, Leola, PA 17540, Upper Leacock Township, **Lancaster County**. Application received: October 26,

2023. To issue a State-Only Operating Permit for the PVC pipe manufacturing plant. This is a renewal of the facility's State-Only Air Quality Operating Permit. The subject facility has potential emissions of 6.7 tpy of VOC and 3.9 tpy of PM. The operating permit will include emission limits and work practice standards along with monitoring, recordkeeping and reporting requirements to ensure the facility complies with the applicable air quality regulations. Among other items, the conditions include provisions derived from 40 CFR 60 Subpart JJJJ and 25 Pa. Code § 129.63.

**COAL & NONCOAL MINING ACTIVITY APPLICATIONS**

Applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21).

Mining activity permits issued in response to such applications are also subject to applicable permitting requirements of the following statutes: the Air Pollution Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1003).

The following permit applications to conduct mining activities have been received by the Department of Environmental Protection (DEP). A copy of the application is available for inspection at the District Mining Office indicated above each application. Requests for 401 Water Quality Certifications are included in individual application only if noted.

Written comments or objections, or requests for an informal conference, or a public hearing, as applicable, on a mining permit application may be submitted by any

person or any officer or head of any Federal, State or Local Government Agency or Authority to DEP at the address of the District Mining Office indicated above each application within 30-days of this publication, or within 30-days after the last publication of the applicant's newspaper advertisement, as provided by 25 Pa. Code §§ 77.121—77.123 and 86.31—86.34 (relating to public notices of filing of permit applications, opportunity for comment, and informal conferences). Such comments or objections should contain the name, address and phone number of persons submitting comments or objections; application number; and a statement of sufficient detail to inform DEP on the basis of comment or objection and relevant facts upon which it is based.

In addition, requests for an informal conference, or a public hearing, as applicable, on a mining permit application, as provided by 25 Pa. Code § 77.123 (relating to public hearing-informal conferences) or § 86.34 (relating to informal conferences), must also contain a brief summary of the issues to be raised by the requestor at the conference and a statement whether the requestor desires to have the conference conducted in the locality of the proposed mining activities.

Where a National Pollutant Discharge Elimination System (NPDES) number is listed, the mining activity permit application is associated with an application for an NPDES permit. A separate notice will be provided for the draft NPDES permit.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

*Coal Applications*

*Effluent Limits*—The following range of effluent limits (Table 1) will apply to NPDES permits issued in conjunction with the associated coal mining activity permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

Table 1

Parameter	30-Day Average	Daily Maximum	Instantaneous Maximum
Iron (total)	1.5 to 3.0 mg/l	3.0 to 6.0 mg/l	3.5 to 7.0 mg/l
Manganese (total)	1.0 to 2.0 mg/l	2.0 to 4.0 mg/l	2.5 to 5.0 mg/l
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Aluminum (Total)	0.75 to 2.0 mg/l	1.5 to 4.0 mg/l	2.0 to 5.0 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 3366BSM84. NPDES No. PA0248797. Penn Coal Land, Inc.,** P.O. Box 68, Boswell, PA 15531, Brothersvalley Township, **Somerset County.** NPDES renewal for the mine drainage treatment—reclamation only of a bituminous surface mine affecting 12.5 acres. Receiving stream: Tubs Run classified for the following use: CWF. Application received: February 20, 2024.

**Mining Permit No. 56080108. NPDES No. PA0262692. PBS Coals, Inc.,** P.O. Box 260, Friedens, PA 15541, Brothersvalley Township, **Somerset County.** Permit renewal for the continued operation and restoration of a bituminous surface and auger mine affecting 377.7 acres. Receiving streams: unnamed tributary to Blue Lick Creek; unnamed tributary to Swamp Creek; and unnamed tributary to Buffalo Creek, classified for the following use: CWF. Application received: February 23, 2024.



*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.*

**Mining Permit No. 16190102. Reichard Contracting, Inc.,** 212 Olean Trail, New Bethlehem, PA 16242, Porter Township, **Clarion County**. Renewal of an existing bituminous surface mine for reclamation only. Application received: February 23, 2024.

*Moshannon District Mining Office: 186 Enterprise Drive, Philipsburg, PA 16866, 814-342-8200.*

*Contact: Cassie Stanton, Clerical Assistant 2.*

**Mining Permit No. 17980117. NPDES No. PA0238104. Junior Coal Contracting, Inc.,** 2330 Six Mile Road, Philipsburg, PA 16866, Decatur Township, **Clearfield County**. Permit renewal application for a bituminous surface coal mine and associated NPDES permit affecting 2.5 acres. Remaining mining activities consist only of operation and maintenance of a post-mining mine drainage water treatment system. Receiving stream(s): Laurel Run and Little Laurel Run classified for the following use(s): CWF. Application received: February 27, 2024. Accepted: February 27, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 54921601. Gale Mining Company,** 1441 Oak Road, Pottsville, PA 17901, Rush Township, **Schuylkill County**. Renew an anthracite coal preparation plant operation affecting 17.1 acres. Receiving stream: UNT to Little Schuylkill River, classified for the following uses: CWF, MF. Application received: February 16, 2024.

**Mining Permit No. 54860107. Reading Anthracite Company,** P.O. Box 1200, Pottsville, PA 17901, Cass, New Castle and Norwegian Townships, **Schuylkill County**. Renew an anthracite surface mine, coal refuse reprocessing and coal refuse disposal operation affecting 786.0 acres. Receiving stream: West Branch Schuylkill River, classified for the following uses: CWF, MF. Application received: February 16, 2024.

**Mining Permit No. 54870101. Kuperavage Enterprises, Inc.,** P.O. Box 99, Middleport, PA 17953, Blythe Township, **Schuylkill County**. Renew an anthracite surface mine and coal refuse reprocessing operation affecting 638.0 acres. Receiving stream: Schuylkill River, classified for the following uses: CWF, MF. Application received: February 16, 2024.

**Mining Permit No. 54870101. Kuperavage Enterprises, Inc.,** P.O. Box 99, Middleport, PA 17953, Blythe Township, **Schuylkill County**. Correction of an anthracite surface mine and coal refuse reprocessing operation to update the post-mining land use affecting 638.0 acres. Receiving stream: Schuylkill River, classified for the following uses: CWF, MF. Application received: February 16, 2024.

#### *Noncoal Applications*

*Effluent Limits*—The following Table 2 effluent limits apply to NPDES permits issued in conjunction with a noncoal mining permit. Additional effluent limits will be listed as part of the publication of the draft NPDES permit.

*Table 2*

<i>Parameter</i>	<i>30-day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Suspended solids	10 to 35 mg/l	20 to 70 mg/l	25 to 90 mg/l
Alkalinity must always exceed acidity. pH must always be greater than 6.0; less than 9.0.			

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.*

**Mining Permit No. 24092801. NPDES No. PA0280640. S. E. Dyne Stone Sales, LLC,** P.O. Box 733, Kane, PA 16735, Highland Township, **Elk County**. Renewal of an NPDES permit. Application received: February 22, 2024.

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Mining Permit No. 58112511. David P. Compton,** 909 Glenwood Road, Hop Bottom, PA 18824, Apolacon Township, **Susquehanna County**. Stage I and II bond release on a quarry operation affecting 4.7 acres on property owned by Elsie Kilmer. Application received: February 14, 2024.

**Mining Permit No. 6574SM1. NPDES Permit No. PA0225941. Pocono Industries, Inc.,** 506 Hickory Valley Road, Stroudsburg, PA 18630, Hamilton Township, **Monroe County**. Renew NPDES Permit on a quarry operation affecting 42.4 acres. Receiving stream: McMichael Creek, classified for the following uses: HQ-CWF, MF. Application received: February 14, 2024.

### MINING ACTIVITY NPDES DRAFT PERMITS

This notice provides information about applications for a new, amended or renewed National Pollutant Discharge Elimination System (NPDES) permits associated with mining activity (coal or noncoal) permits. The applications concern industrial waste (mining) discharges to surface water and discharges of stormwater associated with mining activities. This notice is provided in accordance with 25 Pa. Code Chapters 91 and 92a and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376).

The Department of Environmental Protection (DEP) has prepared a draft NPDES permit and made a tentative determination to issue the NPDES permit in conjunction with the associated mining activity permit.

*Effluent Limits for Coal Mining Activities*

For coal mining activities, NPDES permits, when issued, will contain effluent limits that are the more stringent of technology-based (BAT) effluent limitations or Water Quality Based Effluent Limits (WQBEL).

The BAT limits for coal mining activities, as provided in 40 CFR Part 434 and 25 Pa. Code Chapters 87—90 are as follows:

<i>Parameter</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instantaneous Maximum</i>
Iron (Total)	3.0 mg/l	6.0 mg/l	7.0 mg/l
Manganese (Total)	2.0 mg/l	4.0 mg/l	5.0 mg/l
Suspended solids	35 mg/l	70 mg/l	90 mg/l
pH must always be greater than 6.0; less than 9.0.			
Alkalinity must always be greater than acidity.			

A settleable solids instantaneous maximum limit of 0.5 ml/l applies to: surface runoff (resulting from a precipitation event of less than or equal to a 10-year 24-hour event) from active mining areas; active areas disturbed by coal refuse disposal activities; mined areas backfilled and revegetated; and all other discharges and drainage (resulting from a precipitation event of greater than 1-year 24-hour to less than or equal to a 10-year 24-hour event) from coal refuse disposal piles. Similarly, modified BAT limits apply to iron, manganese and suspended solids in surface runoff, discharges and drainage resulting from these precipitation events and those of greater magnitude in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

Exceptions to BAT effluent limits may be applicable in accordance with 25 Pa. Code §§ 87.102, 88.92, 88.187, 88.292, 89.52 and 90.102.

*Effluent Limits for Noncoal Mining Activities*

The limits for noncoal mining activities as provided in 25 Pa. Code § 77.522 are pH 6 to 9 and other parameters DEP may require.

Discharges from noncoal mines located in some geologic settings (for example, in the coal fields) may require additional water quality based effluent limits. If additional effluent limits are needed for an NPDES permit associated with a noncoal mining permit, then the permit description specifies the parameters.

*Coal NPDES Draft Permits*

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**NPDES No. PA0269280. Mining Permit No. 11130201. Ebensburg Power Company**, 11 Lloyd Avenue, Suite 200, Latrobe, PA 15650, Richland Township, **Cambria County**. Renewal of an NPDES permit affecting 63.6 acres related to a coal mining activity permit. Receiving stream: Paint Creek, classified for the following use: TSF. The receiving stream is included in the Kiski-Conemaugh TMDL. Application received: February 27, 2024.

Unless otherwise noted, the proposed effluent limits for all outfalls in this permit are the BAT limits described previously for coal mining activities.

The following outfall discharge to Paint Creek:

<i>Outfall Number</i>	<i>New or Existing</i>	<i>Type</i>	<i>Discharge Rate</i>
001	Existing	Stormwater	Precipitation Induced

The proposed effluent limits for the previously listed outfall are as follows:

<i>Parameter (unit)</i>	<i>Minimum</i>	<i>30-Day Average</i>	<i>Daily Maximum</i>	<i>Instant Maximum</i>
Total Iron (mg/L)	XXX	3.0	6.0	7.0
Total Manganese (mg/L)	XXX	2.0	4.0	5.0
Total Aluminum (mg/L)	XXX	2.0	4.0	5.0
Total Suspended Solids (mg/L)	XXX	35.0	70.0	90.0
pH (S.U.)	6.0	XXX	XXX	9.0
Net Alkalinity (mg/L)	0.0	XXX	XXX	XXX
Total Alkalinity (mg/L)	XXX	XXX	XXX	Report
Total Acidity (mg/L)	XXX	XXX	XXX	Report
Flow (gpm)	XXX	XXX	XXX	Report
Temperature (°C)	XXX	XXX	XXX	Report
Specific Conductance (µmhos/cm)	XXX	XXX	XXX	Report
Sulfate (mg/L)	XXX	XXX	XXX	Report
Osmotic Pressure (9mOs/kg)	XXX	XXX	XXX	Report



This proposed mine site also contains or is hydrologically connected to substandard discharges for which there is no responsible party. Pursuant to 25 Pa. Code § 87.201, effluent limits for those discharges will be based upon the existing baseline pollution load, or the standards found at 25 Pa. Code § 87.102(a) Group A, whichever is least stringent.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The following permit applications, requests for Environmental Assessment approval and requests for 401 Water Quality Certification have been received by the Department of Environmental Protection (DEP). Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341), requires the State to certify that the involved projects will not violate the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), as well as relevant State requirements. Individuals objecting to approval of a request for certification under Section 401 or to the issuance of a Dam Permit or Water Obstruction and Encroachment Permit, or the approval of an Environmental Assessment must submit any comments, suggestions or objections within 30-days of the date of this notice, as well as any questions to the office noted above the application. Comments should contain the name, address and telephone number of the person commenting, identification of the certification request to which the comments or objections are addressed, and a concise statement of comments, objections or suggestions including the relevant facts upon which they are based.

The DEP may schedule a fact-finding hearing or an informal conference in response to comments if deemed necessary. Maps, drawings and other data pertinent to the certification request are available for inspection between the hours of 8:00 a.m. and 4:00 p.m. on each working day at the office noted above the application.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### WATER OBSTRUCTIONS AND ENCROACHMENTS

#### Applications Received Under the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27) and Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and Requests for Certification Under Section 401 of the Federal Water Pollution Control Act (33 U.S.C.A. § 1341(a)).

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**E5729223-010. Chesapeake Appalachia LLC**, 14 Chesapeake Lane, Sayre, PA 18840, Cherry Township, Sullivan County. U.S. Army Corps of Engineers Baltimore District. Application received: December 26, 2023.

To construct, operate, and maintain:

1. (Wetland 1R, Stream 1R, 2R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 487 square feet of an exceptional value palustrine emergent (EV-PEM) wetland, 20 linear feet of an unnamed tributary to Little Loyalsock Creek (EV), 20 linear feet of another unnamed tributary Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.523866°, -76.415807°);

2. (Wetland 2R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 1,259 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Dushore, PA Quadrangle 41.523843°, -76.415522°);

3. (Stream 3R) One 16-inch diameter temporary surface waterline impacting 20 linear feet of an unnamed tributary Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.521505°, -76.418492°);

4. (Wetland 3R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 12,064 square feet of an exceptional value palustrine emergent (EV-PEM) wetland (Dushore, PA Quadrangle 41.523227°, -76.427263°);

5. (Stream 4R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 50 linear feet of an unnamed tributary Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.521032°, -76.432439°);

6. (Stream 6R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 20 linear feet of an unnamed tributary Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.519832°, -76.435837°);

7. (Stream 7R) One 16-inch diameter temporary surface waterline and temporary timber mats impacting 20 linear feet of an unnamed tributary Little Loyalsock Creek (EV) (Dushore, PA Quadrangle 41.520397°, -76.437903°);

The project will result in 150 linear feet of temporary stream impacts and 13,810 square feet (0.318 acre) of temporary wetland impacts all for the purpose of installing a temporary fresh waterline in Cherry Township, Sullivan County.

*Southcentral Region: Waterways & Wetlands Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4800.*

**E0603123-018. PennDOT Engineering District 5-0**, 1002 Hamilton Street, Allentown, PA 18101, Rockland Township, Berks County. U.S. Army Corps of Engineers Philadelphia District. Application received: September 5, 2023.

To remove existing structure and to: (1) to install and maintain a 52.17 foot × 42.97 foot bridge over Bieber Creek (EV, MF) and (2) install two outfalls to Bieber Creek all for the purpose upgrading the roadway drainage to maintain transportation safety and roadway standards. The project proposes to permanently impact 65 linear feet of stream change with 229 linear feet of temporary impacts. The project is located along SR 1021 in Rockland Township, Berks County (Latitude: 40.4193 Longitude: -75.7637).

### DAM SAFETY

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101.*

*Contact: Douglas W. Caylor, Chief—Western Section, 717-772-5945.*

**D52-214. Pocono Woodland Lakes POA**, 141 Mari-gold Lane, P.O. Box C, Milford, PA 18337, Dingman Township, Pike County. Application to modify, operate and maintain improvements to the auxiliary spillway, stabilization of the embankment, and installation of chimney and toe drain as well as a filter diaphragm for

the Pocono Woodland Lake No. 2 dam, Latitude: 41.325287°, Longitude: -74.877260°. Application received: January 7, 2021.

Contact: Josh Fair, Water Program Specialist, 717-772-5988.

**D39-012EA. John Bohman, Permit Coordinator, Pennsylvania Department of Transportation**, 1002 Hamilton Street, Allentown, PA 18101, Upper Milford Township, **Lehigh County**. Applicant proposes to remove the Ice Dam to eliminate a threat to public safety and to restore approximately 50 feet of stream channel to a free-flowing condition. The project is located across

Leibert Creek (HQ-CWF, MF) (Allentown West, PA Quadrangle, Latitude: 40.5340°, Longitude: -75.5150°). Application received: February 19, 2024.

**D28-103EA. David Brunner, Washington Jewish Community Camp Corp**, 11300 Rockville Pike, Suite 407, Rockville, MD 20852, Washington Township, **Franklin County**. Applicant proposes to remove Comet Lake Dam to eliminate a threat to public safety and to restore approximately 600 feet of stream channel to a free-flowing condition. The project is located across a tributary to Red Run (CWF, MF) (Smithsburg, PA Quadrangle, Latitude: 39.7424°, Longitude: -77.5059°). Application received: February 5, 2024.

---

## ACTIONS

---

### THE PENNSYLVANIA CLEAN STREAMS LAW AND THE FEDERAL CLEAN WATER ACT FINAL ACTIONS TAKEN FOR NPDES PERMITS AND WQM PERMITS

The Department of Environmental Protection (DEP) has taken the following actions on previously received applications for new, amended, and renewed National Pollutant Discharge Elimination System (NPDES) and Water Quality Management (WQM) permits, applications for permit waivers, and Notice of Intent (NOIs) for coverage under General Permits, as listed in the following tables. This notice of final action is published in accordance with 25 Pa. Code Chapters 91, 92a, and 102 and 40 CFR Part 122, implementing provisions of The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). The official file for each listed action can be reviewed at the DEP or delegated County Conservation District (CCD) office identified in the table for the action. DEP/CCD office contact information is listed as follows for Section I and is contained within the table for Section II. Additional information for permits issued under 25 Pa. Code Chapters 91 and 92a and Individual permits under 25 Pa. Code Chapter 102, including links to Individual Chapter 92a NPDES and WQM Permits, may be reviewed by generating the “Final Actions Report” on DEP’s website at [www.dep.pa.gov/CWPublicNotice](http://www.dep.pa.gov/CWPublicNotice).

DEP office contact information to review official files relating to the final actions in Section I is as follows:

*DEP Southeast Regional Office (SERO)—2 E. Main Street, Norristown, PA 19401-4915. File Review Coordinator: 484-250-5910. Email: RA-EPNPDES\_SERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SERO@pa.gov for Chapter 102 permits.*

*DEP Northeast Regional Office (NERO)—2 Public Square, Wilkes-Barre, PA 18701-1915. File Review Coordinator: 570-826-5472. Email: RA-EPNPDES\_NERO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NERO@pa.gov for Chapter 102 permits.*

*DEP Southcentral Regional Office (SCRO)—909 Elmerton Avenue, Harrisburg, PA 17110. File Review Coordinator: 717-705-4732. Email: RA-EPNPDES\_SCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SCRO@pa.gov for Chapter 102 permits.*

*DEP Northcentral Regional Office (NCRO)—208 W. Third Street, Suite 101, Williamsport, PA 17701. File Review Coordinator: 570-327-3693. Email: RA-EPNPDES\_NCRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NCRO@pa.gov for Chapter 102 permits.*

*DEP Southwest Regional Office (SWRO)—400 Waterfront Drive, Pittsburgh, PA 15222. File Review Coordinator: 412-442-4286. Email: RA-EPNPDES\_SWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-SWRO@pa.gov for Chapter 102 permits.*

*DEP Northwest Regional Office (NWRO)—230 Chestnut Street, Meadville, PA 16335. File Review Coordinator: 814-332-6078. Email: RA-EPNPDES\_NWRO@pa.gov for Chapter 91 & 92a permits; RA-EPWW-NWRO@pa.gov for Chapter 102 permits.*

*DEP Bureau of Clean Water (BCW)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-787-5017. Email: RA-EPNPDES\_Permits@pa.gov.*

*DEP Regional Permit Coordination Office (RPCO)—400 Market Street, Harrisburg, PA 17105. File Review Coordinator: 717-772-5987. Email: RA-EPREGIONALPERMIT@pa.gov.*

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono

representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

For actions taken on applications for pipelines that are regulated by the Federal Energy Regulatory Commission (FERC).

Any person aggrieved by this action may challenge it in an appropriate legal forum. The State and Federal courts are currently split on whether the proper forum to challenge a Department permit, authorization or approval for a facility or activity subject to the Federal Natural Gas Act, 15 U.S.C.A. §§ 717 et seq., is the United States Court of Appeals for the Third Circuit or the Pennsylvania Environmental Hearing Board. See *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 833 F.3d 360 (3d Cir. 2016); *Delaware Riverkeeper Network v. Sec'y, Dep't of Env'tl. Prot.*, 903 F.3d 65 (3d Cir. 2018), cert. denied, 139 S. Ct. 1648, 203 L. Ed. 899 (2019) and *Cole v. Dep't. of Env'tl. Prot.*, 1577 C.D. 2019 WL 2420667 (Pa. Cmwlth Ct. June 15, 2021) (Pet. for Allowance of Appeal pending); *West Rockhill Twp. v. Dep't of Env'tl. Prot.*, No. 1595 C.D. 2019 WL 2426014 (Pa. Cmwlth. June 15, 2021) (Pet. for Allowance of Appeal pending).

**I. Final Action(s) on NPDES and WQM Permit Application(s) and NOIs for Sewage, Industrial Waste, Industrial Stormwater, MS4s, Pesticides, CAFOs and Individual Construction Stormwater.**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0261955	CAFO Individual NPDES Permit	Issued	S & A Kreider & Sons Inc. 761 Spring Valley Road Quarryville, PA 17566-9773	East Drumore Township Lancaster County	SCRO
PAD020056	Chapter 102 Individual NPDES Permit	Issued	Raynor Lane Holdings P.O. Box 250 Cheswick, PA 15024-0250	Fox Chapel Borough Allegheny County	SWRO
PAD090076	Chapter 102 Individual NPDES Permit	Issued	Faith Christian Academy 2255 Allentown Road Quakertown, PA 18951-2129	Milford Township Bucks County	SERO
PAD090090	Chapter 102 Individual NPDES Permit	Issued	RB Dwellings LLC 1011 Ridge Road South Coventry, PA 19465	Springfield Township Bucks County	SERO
PAD140077	Chapter 102 Individual NPDES Permit	Issued	The PA State University 139J Physical Plant Building University Park, PA 16802-1118	State College Borough Centre County	NCRO
PAD140092	Chapter 102 Individual NPDES Permit	Issued	The PA State University 139J Physical Plant Bldg University Park, PA 16802-1119	College Township Centre County	NCRO
PAD140104	Chapter 102 Individual NPDES Permit	Issued	Herr Christian J 6103 Penns Valley Road Aaronsburg, PA 16820-9115	Haines Township Centre County	NCRO
PAD150121	Chapter 102 Individual NPDES Permit	Issued	Jim and Ann Lim 1294 Farm Lane Berwyn, PA 19312-2065	Willistown Township Chester County	SERO
PAD210100	Chapter 102 Individual NPDES Permit	Issued	Kevin Haney and Nancy Strelau P.O. Box 546 Conifer, CO 80433-0546	Dickinson Township Cumberland County	SCRO
PAD210101	Chapter 102 Individual NPDES Permit	Issued	Mechanicsburg Carlisle Pike Tract 2 LLC 430 N Front Street Wormleysburg, PA 17043-1114	Silver Spring Township Cumberland County	SCRO
PAD380030	Chapter 102 Individual NPDES Permit	Issued	Raber Joel P.O. Box 110 Hopeland, PA 17533-0110	Heidelberg Township Lebanon County	SCRO
PAD390234	Chapter 102 Individual NPDES Permit	Issued	PA DOT Engineering District 5 0 1002 W Hamilton Street Allentown, PA 18101-1013	South Whitehall Township Lehigh County	NERO
PAD400076	Chapter 102 Individual NPDES Permit	Issued	Geisinger Wyoming Valley Medical Center 100 N Academy Avenue Danville, PA 17822-9800	Plains Township Luzerne County	NERO



<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAD480188	Chapter 102 Individual NPDES Permit	Issued	UGI Utilities Inc. 1 UGI Drive Denver, PA 17517-9039	Lower Nazareth Township Stockertown Borough Palmer Township Northampton County	NERO
PAD480205	Chapter 102 Individual NPDES Permit	Issued	Moravian College 1200 Main Street Bethlehem, PA 18018-6614	Bethlehem City Northampton County	NERO
PAD510010	Chapter 102 Individual NPDES Permit	Issued	City of Philadelphia Division of Aviation Phl Terminal D Third Floor Planning and Environmental Stewardship Philadelphia, PA 19153	Philadelphia City Philadelphia County	SERO
PAD670090	Chapter 102 Individual NPDES Permit	Issued	Market Ind LLC 7307 York Road Towson, MD 21204-7601	Springettsbury Township York County	SCRO
PA0276065	Industrial Stormwater Individual NPDES Permit	Issued	Amazon Com Service LLC P.O. Box 80842 Attn: Amazon Com NA Env Dept Seattle, WA 98108-0842	Covington Township Lackawanna County	NERO
PA0276758	Industrial Stormwater Individual NPDES Permit	Issued	Adusa Distr LLC 2110 Executive Drive Salisbury, NC 28147-9007	Bethlehem Township Northampton County	NERO
PA0294331	Industrial Stormwater Individual NPDES Permit	Issued	Grove US LLC 1565 Buchanan Trail East P.O. Box 21 Shady Grove, PA 17256	Antrim Township Franklin County	SCRO
PAS123501	Industrial Stormwater Individual NPDES Permit	Issued	Treehouse Private Brands Inc. 336 Hill Road Womelsdorf, PA 19567-9200	Heidelberg Township Berks County	SCRO
0620801	Joint DEP/PFBC Pesticides Permit	Issued	Wyomissing Borough 22 Reading Boulevard Wyomissing, PA 19610-2038	Wyomissing Borough Berks County	SCRO
2124801	Joint DEP/PFBC Pesticides Permit	Issued	Creekview Lake Properties LLC 1114 Hillside Drive Carlisle, PA 17013-3500	Upper Mifflin Township Cumberland County	SCRO
2824801	Joint DEP/PFBC Pesticides Permit	Issued	Jason and Jennifer Drake 3944 Orchard Lane Chambersburg, PA 17202-7510	Greene Township Franklin County	SCRO
4013821	Joint DEP/PFBC Pesticides Permit	Issued	Lake Pinecrest Sportsmen Club P.O. Box 35 Huntington Mills, PA 18622-0035	Huntington Township Luzerne County	NERO
4616817	Joint DEP/PFBC Pesticides Permit	Issued	Spring Ford CC 48 Country Club Road Royersford, PA 19468-1517	Limerick Township Montgomery County	SERO
5814804	Joint DEP/PFBC Pesticides Permit	Issued	Stoddard Tom 518 State Route 2045 Kingsley, PA 18826-7000	Lenox Township Susquehanna County	NERO
0908201	Land Application and Reuse of Industrial Waste Individual WQM Permit	Issued	Bucks County Public Works Department 1265 Almshouse Road Doylestown, PA 18901-2835	Nockamixon Township Bucks County	SERO

## NOTICES

1237

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0991417	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Scott E and Brittany F Andersen 1651 Stony Road Warminster, PA 18974-1041	Warwick Township Bucks County	SERO
3615403	Land Application and Reuse of Sewage Individual WQM Permit	Issued	Turkey Hill LP 165 Flanders Road Westborough, MA 01581-1032	Drumore Township Lancaster County	SCRO
PAI132267	MS4 Individual NPDES Permit	Issued	Middle Smithfield Township 147 Municipal Drive East Stroudsburg, PA 18302	Middle Smithfield Township Monroe County	NERO
PA0020320	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Lititz Borough Sewer Authority 50 Lititz Run Road Lititz, PA 17543-8503	Lititz Borough Lancaster County	SCRO
PA0024902	Major Sewage Facility >= 1 MGD and < 5 MGD Individual NPDES Permit	Issued	Upper Allen Township 100 Gettysburg Pike Mechanicsburg, PA 17055-5604	Upper Allen Township Cumberland County	SCRO
0400406	Major Sewage Treatment Facility Individual WQM Permit	Issued	Economy Borough Municipal Authority 2860 Conway Wallrose Road Baden, PA 15005-2306	Economy Borough Beaver County	SWRO
2109402	Major Sewage Treatment Facility Individual WQM Permit	Issued	Mechanicsburg Borough 36 W Allen Street Mechanicsburg, PA 17055-6257	Mechanicsburg Borough Cumberland County	SCRO
3683415	Major Sewage Treatment Facility Individual WQM Permit	Issued	Lancaster City 120 N Duke Street Lancaster, PA 17602-2825	Lancaster City Lancaster County	SCRO
4709402	Major Sewage Treatment Facility Individual WQM Permit	Issued	Danville Borough Municipal Authority P.O. Box 179 12 West Market Street Danville, PA 17821-0179	Danville Borough Montour County	NCRO
4779403	Major Sewage Treatment Facility Individual WQM Permit	Issued	Danville Borough Municipal Authority P.O. Box 179 12 West Market Street Danville, PA 17821-0179	Danville Borough Montour County	NCRO
2811202	Manure Storage and Wastewater Impoundments Individual WQM Permit	Issued	Stoners Hijos Hill Inc. 7678 Oellig Road Mercersburg, PA 17236-9549	Peters Township Franklin County	SCRO
PA0239828	Minor Industrial Waste Facility with ELG Individual NPDES Permit	Issued	Wilkinson Aggregates Inc. P.O. Box 703 Meadville, PA 16335-0703	Le Boeuf Township Erie County	NWRO
PA0046302	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	PA American Water Co. 200 East Canal Street Hummelstown, PA 17036	South Hanover Township Dauphin County	SCRO



<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0063142	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Chrin Bros Inc. 1225 Industrial Drive Easton, PA 18042-6829	Williams Township Northampton County	NERO
PA0114545	Minor Industrial Waste Facility without ELG Individual NPDES Permit	Issued	Troy Car Wash LLC 4587 Route 6 Troy, PA 16947-9250	Troy Township Bradford County	NCRO
PA0033936	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	Denny Ridge MHP LLC 4463 Pitts Road Adamsville, PA 16110-1323	Hayfield Township Crawford County	NWRO
PA0094757	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	CS Sewer Plant Inc. 320 Beech Avenue Altoona, PA 16601-4239	Allegheny Township Cambria County	SWRO
PA0114111	Minor Sewage Facility < 0.05 MGD Individual NPDES Permit	Issued	US Acoe Baltimore District 710 Ives Run Lane Tioga, PA 16946-8643	Lawrence Township Tioga County	NCRO
PA0030023	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Bryn Athyn Borough P.O. Box 683 Bryn Athyn, PA 19009	Bryn Athyn Borough Montgomery County	SERO
PA0247570	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Fredericksburg S&W Authority 113 East Main Street P.O. Box 161 Fredericksburg, PA 17026-0161	Swatara Township Lebanon County	SCRO
PA0261670	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Fredericksburg S&W Authority Lebanon Co. P.O. Box 161 Fredericksburg, PA 17026-0161	Bethel Township Lebanon County	SCRO
PA0263851	Minor Sewage Facility >= 0.05 MGD and < 1 MGD Individual NPDES Permit	Issued	Keating Township 7160 Route 46 Smethport, PA 16749-4700	Keating Township McKean County	NWRO
PA0021237	Minor Sewage Facility with CSOs Individual NPDES Permit	Issued	Newport Borough Municipal Authority 101 Mulberry Street Newport, PA 17074-1533	Newport Borough Perry County	SCRO
0891201	Minor and Non-NPDES Industrial Waste Treatment Facility Individual WQM Permit	Issued	Troy Car Wash LLC 4587 Route 6 Troy, PA 16947-9250	Troy Township Bradford County	NCRO

## NOTICES

1239

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
0523402	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Everett Borough Area Municipal Authority 100 Mechanic Street Everett, PA 15537-1177	Everett Borough Bedford County	SCRO
1183407	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	CS Sewer Plant Inc. 320 Beech Avenue Altoona, PA 16601-4239	Allegheny Township Cambria County	SWRO
2072405	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Denny Ridge MHP LLC 4463 Pitts Road Adamsville, PA 16110-1323	Hayfield Township Crawford County	NWRO
2204404	Minor and Non-NPDES Sewage Treatment Facility Individual WQM Permit	Issued	Lenker Estates Homeowners Assoc P.O. Box 123 Dauphin, PA 17018-0123	Halifax Township Dauphin County	SCRO
NOEX11002	No Exposure Certification	Issued	Bimbo Bakeries USA Inc. 325 Kiwanis Boulevard West Hazleton, PA 18202-1163	West Hazleton Borough Luzerne County	NERO
NOEXSC210	No Exposure Certification	Issued	Bradley Lifting Corp 1030 Elm Street York, PA 17403-2508	York City York County	SCRO
NOEXSC211	No Exposure Certification	Issued	Bradley Lifting Corp 1030 Elm Street York, PA 17403-2508	York City York County	SCRO
NOEXSC293	No Exposure Certification	Issued	Snap On Tools Corp 6320 Flank Drive Harrisburg, PA 17112-2779	Lower Paxton Township Dauphin County	SCRO
NOEXSC321	No Exposure Certification	Issued	GXO Logistics Supply Chain Inc. 4406 Industrial Park Road Camp Hill, PA 17011-5736	Hampden Township Cumberland County	SCRO
NOEXSC328	No Exposure Certification	Issued	Kalas Manufacturing Inc. 167 Greenfield Road Lancaster, PA 17601-5814	East Lampeter Township Lancaster County	SCRO
NOEXSC416	No Exposure Certification	Issued	Sunny Lane Foods 2750 Hanford Drive Lebanon, PA 17046-2677	North Lebanon Township Lebanon County	SCRO
NOEXSC417	No Exposure Certification	Issued	Walmart Fulfillment Svcs LLC 1915 Ebberts Spring Court Greencastle, PA 17225-3302	Antrim Township Franklin County	SCRO
NOEXSC418	No Exposure Certification	Issued	Re:Cycle Reverse Logistics LLC 121-123 Commerce Avenue Greencastle, PA 17225-9451	Antrim Township Franklin County	SCRO
NOEXSC420	No Exposure Certification	Issued	Activated Carbon Innovations PA LLC 35 US Highway 202 Unit 206 Suite 14 Far Hills, NJ 07931-7009	Hollidaysburg Borough Blair County	SCRO
PAG030006	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	B & J Group Inc. 1001 New Ford Mill Road Morrisville, PA 19067-3704	Falls Township Bucks County	SERO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG030039	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Morton Salt Inc. 12 Solar Drive Fairless Hills, PA 19030	Falls Township Bucks County	SERO
PAG030109	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Maryland & Virginia Milk Producers Cooperative Association Inc. 13921 Park Center Road Suite 200 Herndon, VA 20171	Philadelphia City Philadelphia County	SERO
PAG030113	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amazon Com Service LLC P.O. Box 80842 Attn: NA Environmental Department Seattle, WA 98108-0842	Bristol Township Bucks County	SERO
PAG030283	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Durham School Service LP 2601 Navistar Drive Lisle, IL 60532-3661	Philadelphia City Philadelphia County	SERO
PAG030308	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Highway Materials Inc. 409 Stenton Avenue Flourtown, PA 19031-1327	East Caln Township Chester County	SERO
PAG032238	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Diaz Stone & Pallet Inc. 7686 SR 167 Kingsley, PA 18826	Brooklyn Township Susquehanna County	NERO
PAG033555	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Reading Equipment & Distribution 825 E Wyomissing Boulevard Reading, PA 19611-1759	Brecknock Township Lancaster County	SCRO
PAG033575	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Concrete Pipe & Precast LLC 401 S Carlisle Street Greencastle, PA 17225-1565	Greencastle Borough Franklin County	SCRO
PAG033617	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amazon Com Service LLC Attn: Amazon Com NA Environmental Dept P.O. Box 80842 Seattle, WA 98108-0842	West Donegal Township Lancaster County	SCRO
PAG033749	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	DLA Susquehanna Installation Management 5730 3rd Street Building 750 New Cumberland, PA 17070-5076	Fairview Township York County	SCRO
PAG033765	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	LKQ Northeast Inc. 2956 Lincoln Way W Chambersburg, PA 17202-8694	Hamilton Township Franklin County	SCRO
PAG033781	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Hershey Co. 400 Running Pump Road Lancaster, PA 17603-2269	East Hempfield Township Lancaster County	SCRO
PAG033815	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Mt Airy Lumber Co. 209 Mount Airy Road New Providence, PA 17560-9762	Providence Township Lancaster County	SCRO

## NOTICES

1241

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG033885	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Sims Metal East LLC 300 South Steel Road Morrisville, PA 19067	Straban Township Adams County	SCRO
PAG033947	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Amcor Flexibles North American Inc. 2301 Industrial Drive Neenah, WI 54956-4857	South Lebanon Township Lebanon County	SCRO
PAG034053	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	APEX Tool Group LLC 3990 E Market Street York, PA 17402-2769	Springettsbury Township York County	SCRO
PAG035006	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Novey Recycling Inc. P.O. Box 485 Clearfield, PA 16830-0485	Lawrence Township Clearfield County	NCRO
PAG035015	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	ACPI Wood Products LLC 100 Industrial Park Road Mifflinburg, PA 17844-7991	Mifflinburg Borough Union County	NCRO
PAG036201	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	AMG Resources Corp 2045 Lincoln Boulevard Elizabeth, PA 15037-2900	Lincoln Borough Allegheny County	SWRO
PAG038321	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Metalico Bradford Inc. 286 High Street Bradford, PA 16701-2169	North East Township Erie County	NWRO
PAG038357	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Diversified Environmental Reclamation LLC 409 Smalls Ferry Road New Castle, PA 16102-2831	Sharon City Mercer County	NWRO
PAG038464	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Waste Management PA Inc. 4562 Route 119 Highway S Homer City, PA 15748-7221	Center Township Indiana County	NWRO
PAG038465	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	SGL Carbon LLC 900 Theresia Street Saint Marys, PA 15857-1832	Saint Mary's City Elk County	NWRO
PAG038502	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Electric Materials Co. P.O. Box 390 50 South Washington Street North East, PA 16428-0390	North East Borough Erie County	NWRO
PAG038516	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	TA Operations LLC 24601 Center Ridge Road Suite 200 Westlake, OH 44145-5634	Harborcreek Township Erie County	NWRO
PAG038527	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Armstrong Power LLC 2313 SR 156 Shelocta, PA 15774-3005	South Bend Township Armstrong County	NWRO
PAG038554	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Matson Lumber Co. 132 Main Street Brookville, PA 15825-1213	Brookville Borough Jefferson County	NWRO
PAG038565	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Ernest J Bizzarro d/b/a Comm Auto Recycling 2540 Manchester Road Erie, PA 16506-1042	Fairview Township Erie County	NWRO

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PAG038577	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Transflo Terminal Service Inc. 500 Water Street J-975 Jacksonville, FL 32202	Butler City Butler County	NWRO
PAG038606	PAG-03 NPDES General Permit for Industrial Stormwater	Issued	Wilbert Funeral Service Inc. 3500 College Boulevard Leawood, KS 66211-1901	Girard Borough Erie County	NWRO
PAG041248	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	MJO Real Estate LLC 10085 Route 19 Waterford, PA 16441	Waterford Township Erie County	NWRO
PAG041261	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Snider Randy A 839 Mercer Road Greenville, PA 16125	Delaware Township Mercer County	NWRO
PAG041267	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Drescher Porter Patricia Jo 110 Carmona Road Grove City, PA 16127-3704	Liberty Township Mercer County	NWRO
PAG041275	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Wilson Nathaniel A 1110 Old Petroleum Center Road Titusville, PA 16354-8040	Cherrytree Township Venango County	NWRO
PAG043959	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Warnke Christopher J 20177 Amberson Road Spring Run, PA 17262-9713	Fannett Township Franklin County	SCRO
PAG043985	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Byler Ben 220 N Potato Point Road Newburg, PA 17240-9339	Hopewell Township Cumberland County	SCRO
PAG048391	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Sergent Nathan A 209 Vilsack Road Glenshaw, PA 15116-2016	Limestone Township Warren County	NWRO
PAG048489	PAG-04 NPDES General Permit for Small Flow Treatment Facilities	Issued	Connie and Robert Chovan 565 Mercer Road Greenville, PA 16125-9797	Hempfield Township Mercer County	NWRO
PAG136343	PAG-13 NPDES General Permit for MS4s	Waived	Robinson Township 8400 Noblestown Road McDonald, PA 15026	Robinson Township Washington County	SWRO
4323419	Pump Stations Individual WQM Permit	Issued	Grove City Borough 123 W Main Street Grove City, PA 16127-1221	Grove City Borough Mercer County	NWRO
4816202	Pump Stations Individual WQM Permit	Issued	Easton Area Joint Sewer Authority 50A S Delaware Drive Easton, PA 18042-9405	Easton City Northampton County	NERO
461S066	Sewer Extensions Individual WQM Permit	Issued	W Mifflin Sanitary Sewer & Stormwater Authority 1302 Lower Bull Run Road West Mifflin, PA 15122-2902	West Mifflin Borough Allegheny County	SWRO
9784-S	Sewer Extensions Individual WQM Permit	Issued	Greater Johnstown Water Authority 640 Franklin Street Johnstown, PA 15901-2630	Westmont Borough Cambria County	SWRO



**NOTICES**

**1243**

<i>Application Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Permittee Name &amp; Address</i>	<i>Municipality, County</i>	<i>DEP Office</i>
PA0285234	Single Residence STP Individual NPDES Permit	Issued	Vrabel Charles 13 Dewey Lane Gibsonia, PA 15044-4910	Fawn Township Allegheny County	SWRO
0223405	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Vrabel Charles 13 Dewey Lane Gibsonia, PA 15044-4910	Fawn Township Allegheny County	SWRO
4398407	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Connie and Robert Chovan 565 Mercer Road Greenville, PA 16125-9797	Hempfield Township Mercer County	NWRO
6117402	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Wilson Nathaniel A 1110 Old Petroleum Center Road Titusville, PA 16354-8040	Cherrytree Township Venango County	NWRO
6289404	Single Residence Sewage Treatment Plant Individual WQM Permit	Issued	Sergent Nathan A 209 Vilsack Road Glenshaw, PA 15116-2016	Limestone Township Warren County	NWRO
WQG01212401	WQG-01 WQM General Permit	Issued	Byler Ben 220 N Potato Point Road Newburg, PA 17240-9339	Hopewell Township Cumberland County	SCRO
WQG01281701	WQG-01 WQM General Permit	Issued	Warnke Christopher J 20177 Amberson Road Spring Run, PA 17262-9713	Fannett Township Franklin County	SCRO

**II. Final Action(s) on PAG-01 and PAG-02 General NPDES Permit NOIs.**

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC080082	PAG-02 General Permit	Issued	James Miller JLM Real Estate Investments, LLC P.O. Box 472 950 E. Main Street Schuylkill Haven, PA 17972	Ridgebury Township Bradford County	Bradford County Conservation District 200 Lake Rd Ste E Towanda, PA 18848 570-265-5539
PAC170082	PAG-02 General Permit	Issued	Pennsylvania-American Water Co c/o Bruce Brubaker Philipsburg-Bigler Hwy (322) West Decatur, PA 16878	Boggs Township Clearfield County	Clearfield County Conservation District 6395 Clearfield-Woodland Hwy Suite 2 Clearfield, PA 16830 814-765-2629
PAC170077	PAG-02 General Permit	Issued	Walmart Inc. c/o Mark Goldsmith 702 SW 8th St Mail Stop 0505 Bentonville, AR 72716	Bradford Township Clearfield County	Clearfield County Conservation District 6395 Clearfield-Woodland Hwy Suite 2 Clearfield, PA 16830 814-765-2629
PAC170071	PAG-02 General Permit	Issued	CL-Green Acres LLC Glidepath Ventures LLC d/b/a Prospect 14 c/o Carl Jackson 40 E. Montgomertry Ave 4th Floor Ardmore, PA 19003	Bigler Township Clearfield County	Clearfield County Conservation District 6395 Clearfield-Woodland Hwy Suite 2 Clearfield, PA 16830 814-765-2629

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC190079	PAG-02 General Permit	Issued	Cottontail Solat 9, LLC 400 Montgomerty St 8th Floor San Francisco, CA 94104	Montour Township Columbia County	Columbia County Conservation District 702 Sawmill Rd Ste 204 Bloomsburg, PA 17815 570-784-1310
PAC410097	PAG-02 General Permit	Issued	Ashler Inc. 276 Ashler Manor Drive Muncy, PA 17756	Muncy Township Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754-0218 570-433-3003
PAC410098	PAG-02 General Permit	Issued	SCI Muncy 6454 Route 405 Muncy, PA 17756	Clinton Township Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003
PAC410100	PAG-02 General Permit	Issued	A&B Building Associates Inc. 800 West 4th St Williamsport, PA 17701	Muncy Township Lycoming County	Lycoming County Conservation District 542 County Farm Rd Suite 202 Montoursville, PA 17754 570-433-3003
PAC470042 A-1	PAG-02 General Permit	Issued	Danville Hospital OPCO, LLC 6100 Tower Circle Suite 1000 Franklin, TN 37067	Mahoning Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC470044	PAG-02 General Permit	Issued	Brian Hummer 193 Trump Road Danville, PA 17821	Valley Township Montour County	Montour County Conservation District 1210 Bloom Road Danville, PA 17821 570-271-1140
PAC590061	PAG-02 General Permit	Issued	Pennsylvania Fish and Boat Commission 595 East Rolling Ridge Drive Bellefonte, PA 16823	Clymer Township Tioga County	Tioga County Conservation District 1867 Shumway Hill Road Wellsboro, PA 16901 570-724-1801
PAC600098 Maj Amend	PAG-02 General Permit	Issued	NDA Lewisburg, LLC David Newman 8601 West Branch Hwy Lewisburg, PA 17837	Kelly Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC600112	PAG-02 General Permit	Issued	Creekside Mennonite School John B. Martin Hummel Road Mifflinburg, PA 17844	Limestone Township Union County	Union County Conservation District 155 N 15th St Lewisburg, PA 17837 570-524-3860
PAC460354	PAG-02 General Permit	Denied	Audubon Land Development 2620 Egypt Road Norristown, PA 19403-2302	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov

NOTICES

1245

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC560024	PAG-02 General Permit	Issued	Tom McClintock 104 Samuels Road Somerset, PA 15501	Brothersvalley Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC560022	PAG-02 General Permit	Issued	PBS Coals, Inc. 1576 Stoystown Rd P.O. Box 260 Friedens, PA 15541	Stonycreek Township Somerset County	Somerset County Conservation District 6024 Glades Pike Suite 103 Somerset, PA 15501 814-445-4652 SWRO
PAC250214	PAG-02 General Permit	Issued	Kyocera AVX 5300 Knowledge Park Suite 100 Erie, PA 16563	Harborcreek Township Erie County	Erie County Conservation District 1927 Wager Road Erie, PA 16509 814-825-6403
PAC320011C	PAG-02 General Permit	Issued	Indiana County Municipal Services Authority 602 Kolter Drive Indiana, PA 15701	Cherryhill Township Pine Township Indiana County	Indiana County Conservation District 435 Hamill Road Indiana, PA 15701 724-471-4751
PAC430103	PAG-02 General Permit	Issued	MC Solar I LLC 16105 West 113th Street Suite 150 Lenexa, KS 66219	West Salem Township Mercer County	Mercer County Conservation District 24 Avalon Court Suite 300 Mercer, PA 16137 724-662-2242
PAC460819	PAG-02 General Permit	Issued	Toll Mid-Atlantic LP Company Inc 1140 Virginia Drive Fort Washington, PA 19034-1140	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460816	PAG-02 General Permit	Issued	Cedar Hill Development Group LLC 632 Germantown Pike Lafayette, PA 19444-1641	Lower Gwynedd Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC460398	PAG-02 General Permit	Issued	Toll Brothers Inc 1140 Virginia Drive Fort Washington, PA 19034-1140	Upper Providence Township Montgomery County	Montgomery County Conservation District 143 Level Road Collegeville, PA 19426-3313 610-489-4506 x 10 RA-EPNPDES_SERO@ pa.gov
PAC370078	PAG-02 General Permit	Issued	Wampum Borough P.O. Box 65 Wampum, PA 16157	Wampum Borough Lawrence County	Lawrence County Conservation District 430 Court Street New Castle, PA 16101 724-652-4512

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC350172	PAG-02 General Permit	Issued	Skinner Systems, LLC 410 Charles Street Throop, PA 18512	South Abington Township Lackawanna County	Lackawanna County Conservation District 1027 S. Abington Road South Abington Township, PA 18411 570-382-3086 RA-EPWW-NERO@ pa.gov
PAC010253	PAG-02 General Permit	Issued	Hanover Soccer Club P.O. Box 254 Hanover, PA 17331	Conewago Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC090471 A-1	PAG-02 General Permit	Issued	Holy Properties, LLC 324 School House Road Chalfont, PA 18914-1817	New Britain Township Bucks County	Bucks County Conservation District 1456 Ferry Road Doylestown, PA 18901-5550 215-345-7577 RA-EPNPDES_SERO@ pa.gov
PAC380162 A-1	PAG-02 General Permit	Issued	The Hershey Company 1025 Reese Avenue Hershey, PA 17033	South Annville Township North Londonderry Township Lebanon County	Lebanon County Conservation District 2120 Cornwall Road Suite 5 Lebanon, PA 17042 717-277-5275
PAC360512 A-1	PAG-02 General Permit	Issued	Americold Logistics, LLC 10 Glenlake Parkway Suite 600 South Tower Atlanta, GA 30328	West Hempfield Township Lancaster County	Lancaster County Conservation District 1383 Arcadia Road Room 200 Lancaster, PA 17601 717-299-5361
PAC670697	PAG-02 General Permit	Issued	TWH Jackson Square Road LLC 987 Jackson Square Road Spring Grove, PA 17362	Jackson Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC670688	PAG-02 General Permit	Issued	Seth M Weaver 47 North Street Wellsville, PA 17365	Monaghan Township York County	York County Conservation District 2401 Pleasant Valley Rd. Suite 101 Room 139 York, PA 17402 717-840-7430
PAC010262	PAG-02 General Permit	Issued	The Brethren Home Community 2990 Carlisle Pike New Oxford, PA 17350	Oxford Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636

<i>Permit Number</i>	<i>Permit Type</i>	<i>Action Taken</i>	<i>Applicant Name &amp; Address</i>	<i>Municipality, County</i>	<i>Office</i>
PAC010222	PAG-02 General Permit	Issued	Ben Myers 160 Ram Drive Hanover, PA 17331	Abbottstown Borough and Berwick Township Adams County	Adams County Conservation District 670 Old Harrisburg Road Suite 201 Gettysburg, PA 17325 717-334-0636
PAC040145	PAG-02 General Permit	Issued	PTV 1338, LLC 400 Penn Center Boulevard Building 4 Suite 1000 Pittsburgh, PA 15235	New Sewickley Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC040077A-1	PAG-02 General Permit	Issued	BeaveRun Founders Development, LLC 0201 Penndale Road Wampum, PA 16157	Big Beaver Borough Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAD300009	PAG-02 General Permit	Issued	Greene County 93 East High Street Waynesburg, PA 15370	Franklin Township Greene County	Greene County Conservation District 22 West High Street Suite 204 Waynesburg, PA 15370 724-852-5278 SWRO
PAD040146	PAG-02 General Permit	Issued	Wright Brothers Dairy, LLC 415 Concord Church Road Beaver Falls, PA 15010	North Sewickley Township Beaver County	Beaver County Conservation District 156 Cowpath Road Aliquippa, PA 15001 724-378-1701 SWRO
PAC110116	PAG-02 General Permit	Issued	Glendale Yearound Corp. P.O. Box 89 Flinton, PA 16640	Chest Township Cambria County	Cambria County Conservation District 401 Candlelight Drive Suite 240 Ebensburg, PA 15931 814-472-2120 SWRO

**STATE CONSERVATION COMMISSION**  
**NUTRIENT MANAGEMENT PLANS RELATED TO APPLICATIONS FOR**  
**NPDES PERMITS FOR CAFOs**

The State Conservation Commission has taken the following actions on previously received applications for nutrient management plans under 3 Pa.C.S. Chapter 5, for agricultural operations that have or anticipate submitting applications for new, amended or renewed NPDES permits or NOIs for coverage under a general permit for CAFOs under 25 Pa. Code Chapter 92a. This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law and the Federal Clean Water Act.

Persons aggrieved by an action may appeal under 3 Pa.C.S. § 517, section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704 to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary of the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decision law.

For individuals who wish to challenge actions, appeals must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for pro bono representation. Call the Secretary of the Board at 717-787-3483 for more information.



**NUTRIENT MANAGEMENT PLAN  
CAFO PUBLIC NOTICE SPREADSHEET—ACTIONS**

<i>Agricultural Operation Name and Address</i>	<i>County</i>	<i>Total Acres</i>	<i>Animal Equivalent Units</i>	<i>Animal Type</i>	<i>Special Protection Waters (HQ or EV or NA)</i>	<i>Approved or Disapproved</i>
Ken Loht 199 Road Apple Drive McClure, PA 17841	Mifflin County	0	489.15	Swine	NA	Approved
Linford Snyder Swatara Creek Poultry LLC 90 Court Street Bethel, PA 19507	Lebanon County	0	502.4	Layers	NA	Approved

**PUBLIC WATER SUPPLY PERMITS**

The Department has taken the following actions on applications received under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17) for the construction, substantial modification or operation of a public water system.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board’s rules of practice and procedure may be obtained from the Board. The appeal form and the Board’s rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this document to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

**SAFE DRINKING WATER**

**Actions Taken Under the Pennsylvania Safe Drinking Water Act (35 P.S. §§ 721.1—721.17).**

*Northcentral Region: Safe Drinking Water Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Nadera Bellows, Clerical Assistant II, 570-327-0551.*

**Construction Permit No. 6023504**, Major Amendment, Public Water Supply.

Applicant	<b>Hidden Valley Camping Resort</b>
Address	1623 Hidden Valley Lane Mifflinburg, PA 17844
Municipality	West Buffalo Township
County	<b>Union County</b>
Consulting Engineer	Irina O. Holt 466 South Main Street Montrose, PA 18801
Application Received	November 27, 2023
Permit Issued	February 22, 2024
Description	This permit authorizes the permittee to modify the existing treatment process to include the addition of an existing groundwater well (Well No. 4) and necessary chemical treatment required to achieve 4-log disinfection capability, as well as Groundwater Rule compliance attainment in West Buffalo Township, Union County.

**Construction Permit No. 1723501**, Major Amendment, Public Water Supply.

Applicant	<b>Brady Township Troutville Borough Water Association</b>
Address	P.O. Box 126 Luthersburg, PA 15848
Municipality	Brady Township
County	<b>Clearfield County</b>
Consulting Engineer	Anthony Coval 466 South Main Street Montrose, PA 18801
Application Received	October 23, 2023
Permit Issued	February 26, 2024
Description	This permit authorizes modifications to the Troutville WTP and Luthersburg WTP. Modifications at the Luthersburg WTP will consist of replacing the existing diaphragm sodium hypochlorite chemical feed pumps with Blue-White M1 Peristaltic Metering Pumps.

Upgrading the existing softening unit with a new PLC controller, actuating valving, a new bulk salt tank and pump, and the proposed addition of a water meter to the softener. Also, the proposed removal of the currently permitted sodium permanganate system. Modifications at the Troutville WTP will consist of replacing the existing diaphragm sodium hypochlorite chemical feed pumps with Blue-White M1 Peristaltic Metering Pumps, and removal of the currently permitted sodium permanganate system.

*Northeast Region: Safe Drinking Water Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Lorrie Fritz, Clerical Assistant 2, 570-830-3048.*

**Construction Permit No. 4023517MA**, Public Water Supply.

Applicant **Pennsylvania American Water Company**  
 Address 852 Wesley Drive Mechanicsburg, PA 17055  
 Municipality Jenkins Township  
 County **Luzerne County**  
 Consulting Engineer Joseph S. Durkin, P.E. Reilly Associates 49 South Main Street Suite 200 Pittston, PA 18640  
 Application Received November 9, 2023  
 Permit Issued February 12, 2024  
 Description Approval to construct the 1.0 MG Old Boston Tank No. 3 in the applicant's Watres distribution system.

**Construction Permit No. 4023511**, Public Water Supply.

Applicant **Pennsylvania American Water Company**  
 Address 852 Wesley Drive Mechanicsburg, PA 17055  
 Municipality Newport Township Shickshinny Borough  
 County **Luzerne County**  
 Consulting Engineer Maureen Coleman, P.E. Pennsylvania-American Water Company 2699 Stafford Ave Scranton, PA 18505  
 Application Received September 27, 2023  
 Permit Issued February 16, 2024  
 Description Approval to replace the pumps at Glen Lyon PS and Shickshinny PRV/PS.

**Operation Permit No. 3546634**, Public Water Supply.

Applicant **Ice Cream Caboose, LLC**  
 Address 94 West Donaldson Street Tremont, PA 17981  
 Municipality Norwegian Township  
 County **Schuylkill County**  
 Consulting Engineer Mr. Edward E Davis, P.E. Director of Engineering Miller Bros Construction, Inc 950 East Main Street Schuylkill Haven, PA 17972  
 Application Received January 8, 2024  
 Permit Issued February 9, 2024  
 Description Reissuance of PWS Permit No. 3546634 dated 2/07/2024 to correct typographical errors in the Special Condition page.

*Contact: Ryan Fox, Env. Engineering Specialist, 570-826-2533.*

**Construction Permit No. 5434510MA**, Minor Amendment, Public Water Supply.

Applicant **Schuylkill County Municipal Authority**  
 Address 221 South Centre Street Pottsville, PA 17901  
 Municipality Saint Clair Borough Blythe Township New Castle Township and Ryan Township  
 County **Schuylkill County**  
 Consulting Engineer Alfred Benesch & Company 400 One Norwegian Plaza Pottsville, PA 17901  
 Application Received February 21, 2024  
 Permit Issued February 21, 2024  
 Description PWS Construction Permit issued for construction of SR0061 Sec. 14M Waterline Relocation Project.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Darin Horst, Environmental Engineer, 717-705-4948.*

**Operation Permit No. 7360108**, Public Water Supply.

Applicant **Tom Knight's Properties, LLC**  
 Address P.O. Box 274 Port Deposit, MD 21904  
 Municipality Fulton Township  
 County **Lancaster County**  
 Consulting Engineer James R. Holley & Associates, Inc. 18 South George Street Suite 300 Paradise, PA 17562  
 Application Received January 23, 2024  
 Permit Issued February 9, 2024

Description Addition of a flow switch for control of the caustic soda feed pump.

*Contact: Joseph Mattucci, Program Manager, 717-705-4931.*

**NCWSA Operation Permit No. 7360926**, Public Water Supply.

Applicant **Constellation Energy Generation, LLC**

Address 2569 Shures Landing Road  
Darlington, MD 21034

Municipality Martic Township

County **Lancaster County**

Consulting Engineer Amir Hammad  
2569 Shures Landing Road  
Darlington, MA 21034

Application Received November 2, 2023

Permit Issued February 22, 2024

Description This Noncommunity Water System action approves operation of a transient noncommunity system with a rehabilitated finished water storage tank.

**Transfer Permit No. 7360109**, Public Water Supply.

Applicant **Tamarack & Spread Eagle**

Address 7335 River Road  
Conestoga, PA 17516

Municipality Providence Township

County **Lancaster County**

Consulting Engineer Beverly Steudler  
7335 River Road  
Conestoga, PA 17516

Application Received December 22, 2024

Permit Issued February 26, 2024

Description This transferred comprehensive operation permit is for two matters: (1) the transfer of ownership of Tamarack and Spread Eagle Mobile Home Park from the decedent (Frederick W. Steudler, Jr.) to the executor of the decedent's estate (Beverly Steudler) and (2) the operation of Well No. 2.

*Southeast Region: Safe Drinking Water Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Kimberleigh Rivers, Clerical Assistant 2, 484-250-5887.*

**Construction Permit No. 4623520**, Major Amendment, Public Water Supply.

Applicant **Aqua Pennsylvania, Inc.**

Address 762 W. Lancaster Avenue  
Bryn Mawr, PA 19010-3402

Municipality Upper Providence Township

County **Montgomery County**

Consulting Engineer Mott MacDonald  
111 Wood Avenue South  
Iselin, NJ 08830-4112

Application Received November 15, 2023

Permit Issued February 23, 2024

Description Addition of an anion exchange with prefiltration system at the Perkiomen Woods Well Station for the removal of PFAS.

**Construction Permit No. 0924501**, Major Amendment, Public Water Supply.

Applicant **Bedminster Municipal Authority**

Address 442 Elephant Road  
Perkasie, PA 18944

Municipality Bedminster Township

County **Bucks County**

Consulting Engineer CKS Engineers, Inc.  
429 W. Swamp Road  
Doylestown, PA 18902

Application Received January 3, 2024

Permit Issued February 23, 2024

Description Project aims to install a green sand filter system by Galene at the Stonebridge Water Booster Station Facility to address Iron & Manganese concerns in Bedminster Square area.

*Southcentral Region: Safe Drinking Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Daniel J. Cannistraci, Environmental Engineering Specialist.*

**NCWSA Operation Permit 7500882**. PWSID No. **7500882**. **Perdix Fire Company No. 1, d/b/a Cove Mountain Farm Market**, 2 Firehouse Rd, Duncannon, PA 17020, Penn Township, **Perry County**. Application received: February 20, 2024. Permit Issued: February 22, 2024. This action authorizes the operation of a new well pump and flow restrictor at Cove Mountain Farm Market.

*Southwest Region: Safe Drinking Water Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Renee Diehl, Program Manager, ra-epsdsw@pa.gov.*

**Operation Permit 5623515**. PWSID No. **4560382**. **Roxcoal, Inc.**, 1576 Stoystown Road, Friedens, PA 15541, Stonycreek Township, **Somerset County**. Application received: February 6, 2024. Permit Issued: February 22, 2024. Well No. 2 and the modified Horning Water Treatment Plant (addition of filtration, softening, and sodium hypochlorite disinfection).

**NCWSA Operation Permit 504037**. PWSID No. **5040317**. **Promise Camp by Family Guidance**, 227 Lance Road, Clinton, PA 15026, Hanover Township, **Beaver County**. Application received: February 21, 2024. Permit Issued: February 22, 2024. Addition of ion exchange water softeners to the Promise Camp water system.



## SEWAGE FACILITIES ACT PLAN APPROVAL

### Plan Approvals Granted Under the Pennsylvania Sewage Facilities Act, Act of January 24, 1966, P.L. 1535, as Amended, 35 P.S. § 750.5.

*Southcentral Region: Clean Water Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Maria D. Bebenek, Program Manager, 717-705-4795.*

#### Plan Location:

Municipality	Address	County
Granville Township	100 Helen Street Lewistown, PA 17044	Mifflin County

#### Plan Description:

**Strodes Mills to Junction WWTP, C1-44908-ACT.** The proposal consists of redirecting sewage flows currently being treated at the Strodes Mills WWTP to Granville Township's Junction WWTP for treatment. Along with redirecting flows to the Junction WWTP, the project will install approximately 25,500 linear feet of new sanitary sewer force main and 1,700 linear feet of sanitary sewer gravity main. The installation of the new force main and gravity sewer lines will also serve residents of Granville Township that currently use on-lot septic systems along Middle Road, Aqueduct Drive, Mainline Road, Packetboat Road, and Blue Juniata Drive. The selected alternatives are alternatives A1 (Strodes Mills to MH 4-37) and B1 (PS 7 and PS 9 utilizing common force main to MH 1-18). The plan provides for an expansion of the sewer service area. The submission is consistent with the planning requirements in Chapter 71 of DEP's regulations.

*Contact: Noah Niedererr, Sewage Planning Specialist, 717-705-4768.*

#### Plan Location:

Municipality	Address	County
North Middleton Township	2051 Spring Road Carlisle, PA 17013	Cumberland County

#### Plan Description:

**Gabrielle Trayer SFTF, A3-21920-251-3s.** Approval of a revision to the official plan of North Middleton Township, **Cumberland County**. The project is known as the Gabrielle Trayer Small Flow Treatment Facility (SFTF) proposal. The plan provides a SFTF to replace an existing holding tank serving a single-family dwelling on 0.61 acre with total estimated sewage flows of 400 gpd. There will be a proposed stream discharge to Conodoguinet Creek. The proposed development is located at 431 Trayer Lane in North Middleton Township, Cumberland County. The Department's review of the plan revision has not identified any significant impacts resulting from the proposal. The DEP Code Number for the planning module is A3-21920-251-3s and the APS ID is 1106128. Any permits must be obtained in the name of the property owner.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 2

**The Following Plans and Reports Were Submitted Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.908).**

Provisions of Sections 301—308 of the Land Recycling and Environmental Remediation Standards Act (act) (35 P.S. §§ 6026.301—6026.308) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the act's remediation standards. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis for selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling analytical results which demonstrate that remediation has attained the cleanup standard selected. Submission of plans and reports, other than the final report, will also be published in the *Pennsylvania Bulletin*. These include the remedial investigation report, risk assessment report and cleanup plan for a site-specific standard remediation. A remedial investigation report includes conclusions from the site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The Department has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**86 Sunnyside Road**, Primary Facility ID # **862673**, 86 Sunnyside Road, Gouldsboro, PA 18424, Clifton Township, **Lackawanna County**. MEA, 1365 Ackermanville Road, Bangor, PA 18013, on behalf of Bernard Schweizer, 8 Museum Way, Apartment 2304, Cambridge, MA 01141, submitted a Final Report concerning remediation of soil contaminated with heating oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Bill, 814-332-6671.*

**ARG Refinery**, Primary Facility ID # **651768**, 77 North Kendall Avenue, Bradford, PA 16701, Bradford Township, **McKean County**. GHD Services Inc., 410 Eagleview Boulevard, Suite 110, Exton, PA 19341, on behalf of American Refining Group, Inc., 77 North Kendall Avenue, Bradford, PA 16701, submitted a Risk Assessment concerning remediation of soil and groundwater contaminated with soil: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-

Fluorene, Phenanthrene, Anthracene, Pyrene, Chrysene, Benzo(a)anthracene, Benzo(b)fluoranthene, Benzo(a)pyrene, Benzo(g,h,i)perylene and groundwater: Benzene, Toluene, Ethyl Benzene, Xylenes (total), Cumene (Isopropylbenzene), Methyl tert-Butyl Ether, Naphthalene, Trimethyl benzene, 1,2,4-(Trimethyl benzene, 1,3,4-), Trimethyl benzene, 1,3,5-, Phenanthrene, Pyrene, Chrysene for EU-6. The Risk Assessment is intended to document remediation of the site to meet the site-specific standards.

Contact: Jordan, 814-332-6172.

**Jackson Property**, Primary Facility ID # **848614**, 7019 Forrest Trail Road, Butler, PA 16002, Penn Township, **Butler County**. CORE Environmental Services, Inc., 3960 William Flinn Highway, Suite 100, Allison Park, PA 15101-3603, on behalf of Robert Jackson, 7019 Forrest Trail Road, Butler, PA 16002, submitted a Final Report concerning remediation of soil and groundwater contaminated with benzene, toluene, ethylbenzene, isopropylbenzene, methyl tert-butyl ether, naphthalene, 1,2,4-trimethylbenzene (TMB), and 1,3,5-TMB. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

*Southcentral Region: Environmental Cleanup & Brownfields Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

Contact: Environmental Cleanup & Brownfields Program Manager, 717-705-4705.

**Sandy Ridge Wind SR14, SR15 & SR16**, Primary Facility ID # **873616**, 140 Big Fill Run, Tyrone, PA 16686, Snyder Township, **Blair County**. Keystone Environmental Health & Safety Svc., 1111 12th Avenue, Altoona, PA 16601, on behalf of Sandy Ridge Wind, LLC, 140 Big Fill Run, Tyrone, PA 16686, submitted a Final Report concerning remediation of soil contaminated with Hydraulic Oil. The Final Report is intended to document remediation of the site to meet the Statewide health standards.

## LAND RECYCLING AND ENVIRONMENTAL REMEDIATION

### UNDER ACT 2, 1995 PREAMBLE 3

**The Department Has Taken Action on the Following Plans and Reports Under the Land Recycling and Environmental Remediation Standards Act (35 P.S. §§ 6026.101—6026.907).**

Section 250.8 of 25 Pa. Code and administration of the Land Recycling and Environmental Remediation Standards Act (act) require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of its final actions on plans and reports. A final report is submitted to document cleanup of a release of a regulated substance at a site to one of the remediation standards of the act. A final report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or non-residential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected. Plans and reports required by the act for compliance with selection of remediation to a site-specific standard, in addition to a final report, include a remedial investigation report, risk assessment report and cleanup plan. A remedial investigation report includes conclusions from the

site investigation; concentration of regulated substances in environmental media; benefits of reuse of the property; and, in some circumstances, a fate and transport analysis. If required, a risk assessment report describes potential adverse effects caused by the presence of regulated substances. If required, a cleanup plan evaluates the abilities of potential remedies to achieve remedy requirements. A work plan for conducting a baseline remedial investigation is required by the act for compliance with selection of a special industrial area remediation. The baseline remedial investigation, based on the work plan, is compiled into the baseline environmental report to establish a reference point to show existing contamination, describe proposed remediation to be done and include a description of existing or potential public benefits of the use or reuse of the property. The DEP may approve or disapprove plans and reports submitted. This notice provides DEP's decision and, if relevant, the basis for disapproval.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

The DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

Contact: Eric Supey, Environmental Program Manager.

**Bethlehem Commerce Center-Lots 53 and 54**, Primary Facility ID # **621613**, 1355 and 1405 Easton Road, Bethlehem, PA 18015, City of Bethlehem, **Northampton County**. HDR Engineering, 1720 Spillman Drive, Suite 280, Bethlehem, PA 18015, on behalf of Lehigh Valley Industrial Park, 1720 Spillman Drive, Suite 150, Bethlehem, PA 18015, submitted a Final Report concerning remediation of soil contaminated with manganese from historic site operations. The Final Report demonstrated attainment of the site-specific standards. Approved: February 21, 2024.

**6241 South Delaware Drive Property**, Primary Facility ID # **868161**, 6241 South Delaware Drive, Bangor, PA 18013, Lower Mount Bethel Township, **Northampton County**. Barry Isett & Associates, 5420 Crackersport Road, Allentown, PA 18104, on behalf of New Enterprise Stone & Lime Company, Inc., P.O. Box 77, New Enterprise, PA 16664, submitted a Final Report concerning remediation of soil contaminated with fuel oil. The Final Report demonstrated attainment of the Statewide health standards. Approved: February 26, 2024.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

Contact: Chris, 724-598-2206.

**Powder Mill Works**, Primary Facility ID # **625809**, 3000 Howard Drive, New Castle, PA 16102, Mahoning Township, **Lawrence County**. Environmental Resource Management, Inc., 75 Valley Stream Parkway, Ste 200, Malvern, PA 19355, on behalf of Solvay USA, 504 Carnegie Center, Princeton, NJ 08540, submitted a Remedial Investigation Report/Risk Assessment Report/Cleanup Plan concerning remediation of soil and groundwater contaminated with Soil: 4-amino-2,6-dinitrotoluene (DNT), 2-amino-4,6-DNT, Aroclor-1260, 1,3-dinitrobenzene



(DNB), 2,4-DNT, 2,6-DNT, 2,4,6-trinitrotoluene (TNT), benzo(a)pyrene, arsenic, copper, iron, lead, manganese, mercury and thallium. Groundwater: 1,3,5-trinitrobenzene, 1,3-DNB, 2,4,6-TNT, 2,4-DNT, 2,6-DNT, 2-amino-4,6-DNT, 4-amino-2,6-DNT, 2-nitrotoluene, 3-nitrotoluene, 4-nitrotoluene, hexahydro-1,3,5-trinitro-1,3,5-triazine (RDX), nitrobenzene, p-cresol (4-methylphenol), benzene, antimony, arsenic, cobalt, and manganese. The Report did not demonstrate attainment of the site-specific standards. Issued a technical deficiency letter: February 26, 2024.

#### HAZARDOUS WASTE TRANSPORTER LICENSE

**Action(s) Taken on Hazardous Waste Transporter License Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); and Hazardous Waste Regulations to Transport Hazardous Waste.**

##### *Transporter License Reissued*

*Central Office: Waste Management Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-7561.*

*Contact: Jonathan Adams.*

**Freehold Cartage, Inc.**, P.O. Box 5010, Freehold, NJ 07728. **License No. PA-AH 0067.** Application received: January 31, 2024. Effective February 21, 2024.

**Environmental Specialists, Inc.**, 1000 Andrews Avenue, Youngstown, OH 44505. **License No. PA-AH 0587.** Application received: February 8, 2024. Effective February 21, 2024.

**Suttles Truck Leasing, Inc.**, P.O. Box 129, Demopolis, AL 36732. **License No. PA-AH 0856.** Application received: January 31, 2024. Effective February 21, 2024.

**Bennett Heavy & Specialized, LLC**, 1001 Industrial Parkway, McDonough, GA 30253. **License No. PA-AH 0896.** Application received: January 31, 2024. Effective February 21, 2024.

#### OPERATE WASTE PROCESSING OR DISPOSAL AREA OR SITE

**Actions(s) Taken on Permit(s) Under the Solid Waste Management Act of July 7, 1980 (P.L. 380, No. 97) (35 P.S. §§ 6018.101—6018.1003); the Municipal Waste Planning, Recycling and Waste Reduction Act (53 P.S. §§ 4000.101—4000.1904); and Regulations to Operate Solid Waste Processing or Disposal Area or Site.**

*Southwest Region: Waste Management Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Waste Management Program Manager.*

**300615. Trogon Development LLC**, P.O. Box 1636, Canovanas, PR 00729, Jefferson Hills Borough, **Allegheny County**. An individual permit was reissued to Trogon Development LLC for the Fern Valley Ash Dis-

posal Site located on Route 837 in Jefferson Hills Borough, Allegheny County due to a change in ownership. The permit was previously issued to GenOn Power Midwest, LP. Application received: May 21, 2021. Permit issued: February 22, 2024.

Persons interested in reviewing the permit may contact Regional Files, 412-442-4000, Southwest Region, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000. TDD users may contact DEP through the Pennsylvania Hamilton Relay Service, 800-654-5984.

#### AIR QUALITY

**Actions(s) Taken on General Plan Approval(s) and Operating Permit(s) Usage Authorized Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127 to Construct, Modify, Reactivate or Operate Air Contamination Sources and Associated Air Cleaning Devices.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**GP4-41-478: Jersey Shore Steel Company**, 70 Maryland Ave, Jersey Shore, PA 17740, Loyalsock Township, **Lycoming County**. To continue to operate one (1) 21 lb/hr Guspro model 404836 natural gas-fired burn off oven pursuant to the General Plan Approval and General Operating Permit for Burn Off Ovens (BAQ-GPA/GP-4) at their Metal Fabrication Plant. Application received: January 22, 2024. Issued: February 5, 2024.

*Southcentral Region: Air Quality Program, 909 Elmer-ton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**GP14-06-03153: Peach Tree Cremation Services, LLC**, 223 Peach Street, Leesport, PA 19533, Ontelaunee Township, **Berks County**. For the two existing cremation units (1 human and 1 animal) under GP14, at the facility. The general permit authorization was renewed. Application received: February 13, 2024. Issued: February 27, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**GP14-26-00521B: Gates Funeral Home and Crematory, LLC**, 136 N. Gallatin Avenue, Uniontown, PA 15401, City of Uniontown, **Fayette County**. Authorized for use to Gates Funeral Home and Crematory, LLC for cremating human remains with a natural gas-fired Human Crematory Incinerator, manufactured by All Crematory 2000 Elite, Model No. 2000 Elite, Serial No. A0180598, rated at 100 lbs/hr. The unit is equipped with a Primary Chamber Burner rated at 0.7 MMBtu/hr and a Secondary Chamber Burner rated at 1.3 MMBtu/hr operated at 1,800°F. Model No. of Primary & Secondary Chambers is

Muta-102. The facility located in Uniontown City in Fayette County. Application received: February 13, 2024. Authorized: February 23, 2024.

**30-00217D/AG5-30-00007A: CNX Midstream Operating Co, LLC**, 293 Stringtown Road, Graysville, PA 15337, Richhill Township, **Greene County**. Authorization for the use of a GP-5 to CNX Midstream Operating Co, LLC for the continued use of their existing sources which include: Three (3) 2,370 bhp Caterpillar G3608 lean burn NG-fired compressor engines controlled by three (3) Miratech oxidation catalysts. Five (5) 2,500 bhp Caterpillar G3608 A4 lean burn NG-fired compressor engines controlled by five (5) DCL oxidation catalysts. One (1) 200 MMscfd triethylene glycol dehydrator unit No. 1 with associated 2.0 MMBtu/hr reboiler and controlled by one (1) 6.0 MMBtu/hr enclosed flare. One (1) 400 MMscfd triethylene glycol dehydrator unit No. 2 with associated 2.5 MMBtu/hr reboiler and controlled by one (1) 5.0 MMBtu/hr enclosed flare. Truck load-out operations. Three (3) tanks including: one (1) 450 bbl gun barrel tank, one (1) 400 bbl produced water tank, and one (1) 400 bbl condensate tank. Tank and truck loadout operation emissions are controlled by one (1) 18.4 MMBtu/hr ABUTECH 200 back up vapor destruction unit (VDU). Two (2) intermittent bleed pneumatic controllers. Facility fugitives, venting blowdowns, and pigging operations are controlled by one (1) 4,584 MMBtu/hr open station flare. One (1) 250kW Cummins QSL9-G7 diesel-fired emergency generator engine. One (1) 1,000kW Cummins 1000DQFAD diesel-fired emergency generator engine. Application received: December 20, 2023. Accepted: February 26, 2024.

**PA-63-00990C: Donora Dock, LLC**, 1501 Ligonier Street, Latrobe, PA 15650, Carroll Township, **Washington County**. For additional time for temporary operation, for conducting an Initial Permit Inspection, and for processing the minor source State Only Operating Permit. Application received: February 14, 2024. Issued: February 23, 2024.

**GP5A-63-01018B: CNX Gas Company LLC**, 194 Ash Road, East Finley, PA 15377, East Finley Township, **Washington County**. Received authorization under GP-5A for construction and/or operation of twelve (12) natural gas wells; eight (8) gas processing units (GPU), each rated at 1.75 MMBtu/hr; two (2) unheated gas processing units (GPU); four (4) produced water storage tanks; one (1) sand separator storage tank; one (1) truck load out operations; fugitive emission components; blowdowns and venting; fifty-three (53) intermittent bleed pneumatic controllers; and one (1) Vapor Destruction Unit (VDU, enclosed combustor) rated at 8.75 MMBtu/hr at its MOR-42 Well Pad facility located in East Finley Township, Washington County. Application received: January 5, 2024. Authorized: February 6, 2024.

**AG5A-63-00002B (GP5A-63-01016B): Range Resources Appalachia, LLC**, 300 Town Center Boulevard, Canonsburg, PA 15317, Hopewell Township, **Washington County**. For authorization under GP-5A for construction and/or operation of sources and controls associated with natural gas production operations at its Brownlee Kelley Unit 12333 Well Pad. Application received: December 13, 2023. Authorized: February 23, 2024.

**AG5A-63-00036A (GP5A-63-01077A): Range Resources Appalachia, LLC**, 300 Town Center Boulevard, Canonsburg, PA 15317, Buffalo Township, **Washington County**. For authorization under GP-5A for construction

and/or operation of sources and controls associated with natural gas production operations at its Brownlee Michael Unit 11860 Well Pad. Application received: November 30, 2023. Authorized: February 7, 2024.

**Actions(s) Taken on Plan Approval(s) Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and Regulations in 25 Pa. Code Chapter 127, Subchapter B Relating to Construction, Modification and Reactivation of Air Contamination Sources and Associated Air Cleaning Devices.**

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Shailesh Patel, Air Quality Engineer, 570-826-2341.*

**54-00100A: J.W. Zaprazny, Inc.**, 2401 Summer Valley Road, New Ringgold, PA 17960, East Brunswick Township, **Schuylkill County**. For the installation and operation of an end of the life vehicle (ELV) shredding operation controlled by a water suppression system at the facility to be located in East Brunswick Twp., Schuylkill County. Application received: July 25, 2023. Issued: February 22, 2024.

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief—Telephone: 484-250-5920.*

**09-0251: Metals USA**, 50 Cabot Blvd E, Langhorne, PA 19047-1802, Falls Township, **Bucks County**. This action is for an extension for the operation of two Peddinghaus Plate Processors to perform cutting (oxyfuel and plasma) activities on carbon steel workpieces which is controlled by a dust collector at this facility. Application received: February 16, 2024. Issued: February 22, 2024.

**09-0254: Mount Materials/Keystone Trade Center**, 15 Energy Dr, Morrisville, PA 19067, Falls Township, **Bucks County**. This is a plan approval extension for installation and operation of crusher, screens, conveyors and diesel engines at their concrete recycling facility. Application received: January 22, 2024. Issued: February 22, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Sheri Guerrieri, P.E., New Source Review Chief, 412-442-4174.*

**PA-63-01056A: Bloom Engineering Company, Inc.**, 100 Vista Drive, Charleroi, PA 15022, Fallowfield Township, **Washington County**. Mod. is issued to Bloom Engineering Co. Inc. to modify the existing plan approval by deleting a natural gas oven B&B Oven at 1.0MMBtu/hr and remove 10% opacity limitation during testing fuels. The facility has now three ovens: one (1) Remote (Portable) Curing Oven at 1.0 MMBtu/hr and two (2) Drying Ovens each rated at 2.0 MMBtu/hr at their existing Charleroi location in Fallowfield Township, Washington County. Application received: January 12, 2023. Issued: February 27, 2024.

**Plan Approval Revision(s) Issued Including Extension(s), Minor Modification(s) and Transfer(s) of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code §§ 127.13, 127.13a and 127.32.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**14-00003J: Penn State University**, 208 Office of Physical Plant, University Park, PA 16802, State College Borough, **Centre County**. Was issued a plan approval extension on the modified Ag Digester project associated with Source ID P201 at their University Park Campus to allow for the completion of the proposed carbon adsorption technology installation and subsequent compliance evaluations, upon the resumption of operation of the existing Source ID P201 Ag digester process. The plan approval has been extended for an additional 180 days. Application received: December 13, 2023. Revised: December 21, 2023.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-03102B: The City of Reading**, 815 Washington Street, Reading, PA 19601, City of Reading, **Berks County**. For upgrades to the Reading Waste Water Treatment Plant on Fritz Island. The plan approval was extended, with a compliance schedule. Application received: February 14, 2024. Issued: February 22, 2024.

**36-05142C: Mars Wrigley Confectionery US, LLC**, 295 South Brown Street, Elizabethtown, PA 17022, Elizabethtown Borough, **Lancaster County**. For the construction of a new cocoa bean receiving, cleaning, and storage operation at the chocolate manufacturing plant. The plan approval was extended. Application received: February 16, 2024. Issued: February 22, 2024.

**Plan Approval(s) Denied, Terminated, Modified, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and the Provisions of 25 Pa. Code §§ 127.13b and 127.13c.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: James Beach, New Source Review Chief, 484-250-5920.*

**46-0081D: Optimova Plymouth Meeting**, 435 School Ln, Plymouth Meeting, PA 19462-2744, Plymouth Township, **Montgomery County**. This action is for the revocation of a Plan Approval as the facility will use the RTO as a primary control device with the CATOX used as the backup control for emissions from their extrusion processes. Application received: February 19, 2024. Issued: February 22, 2024.

**Title V Operating Permit(s) Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter G.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**18-00030: First Quality Tissue LLC**, 904 Woods Ave, Lock Haven, PA 17745, Castanea Township, Lock Haven, **Clinton County**. Was issued a renewal Title V Operating Permit for the operation of their facility. The facility's

emission sources include multiple paper manufacturing machines each with a dedicated natural gas-fired boiler. The Title V Operating Permit contains all applicable regulatory requirements including monitoring, record-keeping and reporting conditions. Application received: February 3, 2023. Issued: February 26, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**65-00840: Eastern Gas Transmission and Storage, Inc.**, 267 McLlvaine Road, Greensburg, PA 15601, Hempfield Township, **Westmoreland County**. The Department issued a renewal Title V Operating Permit for EGTS—South Oakford, a natural gas compressor station. The Operating Permit includes conditions relating to applicable emission restrictions, testing, monitoring, record-keeping, reporting, and work practice standards requirements at the facility located in Hempfield Township, Westmoreland County. Application received: November 7, 2022. Issued: February 21, 2024.

**Operating Permit(s) for Non-Title V Facilities Issued Under the Air Pollution Control Act (35 P.S. §§ 4001—4015) and 25 Pa. Code Chapter 127, Subchapter F.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**41-00054: P-Stone, Inc.**, P.O. Box 254, Jersey Shore, PA 17740, Limestone Township, **Lycoming County**. Was issued a renewal State Only Operating Permit for their facility. The State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping and reporting conditions. Application received: February 21, 2023. Issued: February 7, 2024.

*Northeast Region: Air Quality Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Norman Frederick, Facility Permitting Chief, 570-826-2409.*

**48-00064: Ungerer & Company**, 110 N Commerce Way, Bethlehem, PA 18017-7266, Hanover Township, **Northampton County**. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for the Hanover Township facility. Sources at this facility include their spray dryers. This permit also contains scrubbers as control devices. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, recordkeeping, and reporting standards used to verify facility compliance with Federal and State air pollution regulations. Application received: November 17, 2023. Accepted: November 17, 2023. Issued: February 21, 2024.

**35-00048: Pioneer Aggregates, Inc.**, 220 S River Street, Plains, PA 18705-1137, Fell Township, **Lackawanna County**. The Department has issued a renewal State-Only (Natural Minor) Operating Permit for the Fell Township facility. Sources at this facility include their primary jaw crusher, secondary cone crusher, double deck screen, and triple deck screen. This permit also contains water sprays as control devices. The Operating Permit contains all applicable requirements for emission limitations, work practice standards, testing, monitoring, record-keeping, and reporting standards used to verify facility



compliance with Federal and State air pollution regulations. Application received: December 27, 2023. Accepted: December 27, 2023. Issued: February 27, 2024.

*Southcentral Region: Air Quality Program, 909 Elmerston Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: Thomas Bianca, PE, West Permit Section Chief, 717-705-4862.*

**21-05067: Carlisle Construction Materials LLC**, P.O. Box 7000, Carlisle, PA 17013-0925, Carlisle Borough, **Cumberland County**. For the rubber sheet roofing manufacturing facility. The State-Only permit was renewed. Application received: February 2, 2023. Issued: February 22, 2024.

**67-03144: KRB Machinery**, 1058 Cool Creek Road, Wrightsville, PA 17368-9126, Lower Windsor Township, **York County**. For the machinery manufacturing facility. The State-Only permit was renewed. Application received: June 30, 2023. Issued: February 23, 2024.

*Contact: Thomas Hanlon, PE, East Permit Section Chief, 717-705-4862.*

**06-03140: McNeilus Truck & Mfg., Inc.**, 941 Hemlock Road, P.O. Box 219, Morgantown, PA 19543-9767, Caernarvon Township, **Berks County**. For the truck repair facility. The State-Only permit was renewed. Application received: May 12, 2023. Issued: February 22, 2024.

*Southwest Region: Air Quality Program, 400 Waterfront Drive, Pittsburgh, PA 15222-4745, 412-442-4000.*

*Contact: Thomas Joseph, P.E., Facilities Permitting Chief, 412-442-4336.*

**63-00899: Pleiger Plastics Company**, 498 Crile Road, Washington, PA 15301, South Strabane Township, **Washington County**. On February 27, 2024, the Department of Environmental Protection issued a renewed natural minor State-Only Operating Permit to Pleiger Plastics Company custom polyurethane molding facility located in South Strabane Township, Washington County. This facility is subject to the applicable requirements of 25 Pa. Code, Chapters 121–145 and 40 CFR Part 63 Subpart T. The air quality Operating Permit includes emission limitations, operating requirements, monitoring requirements, work practice standards, reporting, and recordkeeping requirements for the site. Application received: March 22, 2023. Deemed administratively complete: March 29, 2023.

**Operating Permit Revisions Issued Including Administrative Amendments, Minor Modifications or Transfer of Ownership Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.412, 127.450, 127.462 and 127.464.**

*Northcentral Region: Air Quality Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Muhammad Q. Zaman, Program Manager, 570-327-3648.*

**08-00048: Beaver Dam Energy, LLC**, 14302 FNB Parkway, Omaha, NE 68154, Canton Township, **Bradford County**. Issued a revised State Only Operating Permit for a change in mailing address, responsible official and contact person. This revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and re-

porting conditions. Application received: February 12, 2024. Revised: February 14, 2024.

**08-00047: Milan Energy, LLC**, 14302 FNB Parkway, Omaha, NE 68154, Smithfield Township, **Bradford County**. Issued a revised State Only Operating Permit for a change in mailing address, responsible official and contact person. This revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions. Application received: February 12, 2024. Revised: February 14, 2024.

**08-00049: Alpaca Energy, LLC**, 14302 FNB Parkway, Omaha, NE 68154, Canton Township, **Bradford County**. Issued a revised State Only Operating Permit for a change in mailing address, responsible official and contact person. This revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions. Application received: February 12, 2024. Revised: February 14, 2024.

**08-00054: Wolf Run Energy, LLC**, 14302 FNB Parkway, Omaha, NE 68154, **Bradford County**. Issued a revised State Only Operating Permit for a change in mailing address, responsible official and contact person. This revised State Only Operating Permit contains all applicable regulatory requirements including monitoring, recordkeeping, and reporting conditions. Application received: February 12, 2024. Revised: February 14, 2024.

**De Minimis Emissions Increases Authorized under 25 Pa. Code § 127.449.**

*Northwest Region: Air Quality Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: David Balog, P.E., New Source Review Section Chief, 814-332-6328.*

**AG5A-10-00004B: XTO Energy Inc.—Mountain Gathering Wellpad**, 200 Hicks Road, Renfrew, PA 16053, Penn Township, **Butler County**. Authorizes a de minimis increase of VOCs of 0.01 tpy. Increase is due to XTO installing a blanket gas system on the produced water tanks at the Mountain Gathering wellpad. This will be used to control the operating pressure of the tanks. There have been no other de minimis increases authorized at this location at this time. Section 127.449 allows up to 1 tpy VOC increase per source during the permit term.

**Operating Permit(s) Denied, Terminated, Suspended or Revoked Under the Air Pollution Control Act (35 P.S. §§ 4001–4015) and 25 Pa. Code §§ 127.431 and 127.461.**

*Southeast Region: Air Quality Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Janine Tulloch-Reid, Facilities Permitting Chief, 484-250-5920.*

**23-00088: Southco, Inc.**, 210 N Brinton Lake Rd, Concordville, PA 19331, Concord Township, **Delaware County**. The Operating Permit for a plastic products manufacturing facility and office space was revoked because of the permanent shutdown and removal of significant air emitting sources at the site location. The remaining boilers and engines at this facility meet the permitting exemption criteria. Application received: February 21, 2024. Issued: February 26, 2024.

## ACTIONS ON COAL AND NONCOAL APPLICATIONS

Actions on applications under the Surface Mining Conservation and Reclamation Act (52 P.S. §§ 1396.1—1396.31); the Noncoal Surface Mining Conservation and Reclamation Act (52 P.S. §§ 3301—3326); the Clean Streams Law (35 P.S. §§ 691.1—691.1001); the Coal Refuse Disposal Control Act (52 P.S. §§ 30.51—30.66); the Bituminous Mine Subsidence and Land Conservation Act (52 P.S. §§ 1406.1—1406.21). The final action on each application also constitutes action on the National Pollutant Discharge Elimination System (NPDES) permit application and, if noted, the request for a Section 401 Water Quality Certification. Mining activity permits issued in response to such applications will also address the application permitting requirements of the following statutes; the Air Quality Control Act (35 P.S. §§ 4001—4015); the Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27); and the Solid Waste Management Act (35 P.S. §§ 6018.101—6018.1103). Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

### Coal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 32230101.** NPDES No. PA0279889. **Simkol Corporation**, 550 Beagle Road, Rockwood, PA 15557, Young Township, **Indiana County**. Commencement, operation and restoration of a bituminous surface mine affecting 22.8 acres. Receiving streams: Nesbit Run to Blacklegs Creek, classified for the following use: CWF and CWF. Application received: August 29, 2023. Permit issued: February 26, 2024.

*Knox District Mining Office: P.O. Box 669, 310 Best Avenue, Knox, PA 16232-0669, 814-797-1191.*

*Contact: Alicia Cook, Clerical Assistant 3, 814-797-0815.*

**Mining Permit No. 61130101.** NPDES No. PA0259462. **Hillside Stone, LLC**, 4080 Sandy Lake Road, Sandy Lake, PA 16145, Irwin Township, **Venango County**. Renewal of an existing bituminous surface mine and associated NPDES permit. Application received: October 25, 2023. Issued: February 26, 2024.

### Noncoal Permits

*Cambria District Mining Office: 286 Industrial Park Road, Ebensburg, PA 15931-4119, 814-472-1800.*

*Contact: Melanie Ford-Wigfield, 814-472-1900, ra-epcambria@pa.gov.*

**Mining Permit No. 32030301.** NPDES No. PA0249408. **Britt Energies, Inc.**, P.O. Box 515, Indiana, PA 15701, Center Township, **Indiana County**. Renewal of NPDES permit. Receiving streams: unnamed tributary to Yellow Creek and Tearing Run classified for the following use: CWF. Application received: June 29, 2022. Renewal issued: February 27, 2024.

## ACTIONS ON BLASTING ACTIVITY APPLICATIONS

Action(s) Taken on Application(s) Under the Explosives Acts of 1937 and 1957 and 25 Pa. Code § 211.124. **Blasting Activity Performed as Part of a Coal or Noncoal Mining Activity will be Regulated by the Mining Permit for that Coal or Noncoal Mining Activity.**

### Blasting Permits

*Pottsville District Mining Office: 5 West Laurel Boulevard, Pottsville, PA 17901, 570-621-3118.*

*Contact: RA-EPPottsvilleDMO@pa.gov.*

**Permit No. 22244001.** **Newville Construction Services, Inc.**, 34 N. Corporation Street, Newville, PA 17241, Swatara Township, **Dauphin County**. Construction blasting for I-83 29th Street Bridge Demolition. Application received: February 5, 2024. Permit issued: February 21, 2024. Expiration date: December 31, 2024.

**Permit No. 22244101.** **Maine Drilling & Blasting, Inc.**, P.O. Box 1140, Gardiner, ME 04345, Derry Township, **Dauphin County**. Construction blasting for Cocoa Packs. Application received: February 20, 2024. Permit issued: February 22, 2024. Expiration date: February 16, 2025.

**Permit No. 40244102.** **Hayduk Enterprises, Inc.**, 257 Riverside Drive, Factoryville, PA 18619, Black Creek, Hazle and North Union Townships, **Luzerne and Schuylkill Counties**. Construction blasting for Eagle Rock Resort. Application received: February 1, 2024. Permit issued: February 22, 2024. Expiration date: April 30, 2025.

**Permit No. 40244103.** **M & J Explosives, LLC**, 104 East Main Street, Carlisle, PA 17015, Hazle Township, **Luzerne County**. Construction blasting for Hazleton Logistics. Application received: February 14, 2024. Permit issued: February 22, 2024. Expiration date: February 14, 2025.

**Permit No. 54244001.** **Dykon Explosive Demolition Corp.**, 16849 South Yale Avenue, Bixby, OK 74008, Kline Township, **Schuylkill County**. Demolition of 250 foot shell smoke stack. Application received: February 15, 2024. Permit issued: February 22, 2024. Expiration date: February 25, 2024.

## FEDERAL WATER POLLUTION CONTROL ACT SECTION 401

The Department of Environmental Protection (DEP) has taken the following actions on previously received permit applications, requests for Environmental Assessment approval, and requests for Water Quality Certification under Section 401 of the Federal Water Pollution Control Act (FWPCA) (33 U.S.C.A. § 1341).

Except as otherwise noted, DEP has granted 401 Water Quality Certification certifying that the construction and operation described will comply with the applicable provisions of Sections 301—303, 306 and 307 of the FWPCA (33 U.S.C.A. §§ 1311—1313, 1316 and 1317), and that the construction will not violate applicable Federal and State Water Quality Standards.

Individuals aggrieved by these actions may appeal, pursuant to Section 4 of the Environmental Hearing Board Act, 35 P.S. § 7514, and the Administrative Agency Law, 2 Pa.C.S. Chapter 5A, to the Environmental Hearing Board, Second Floor, Rachel Carson State Office



Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Environmental Hearing Board within 30-days of publication of this notice in the *Pennsylvania Bulletin*, unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create any right of appeal beyond that permitted by applicable statutes and decisional law.

If you want to challenge this action, your appeal must reach the Board within 30-days. You do not need a lawyer to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so you should show this notice to a lawyer at once. If you cannot afford a lawyer, you may qualify for free pro bono representation. Call the Secretary to the Board 717-787-3483 for more information.

#### WATER OBSTRUCTIONS AND ENCROACHMENTS

##### **Action(s) Taken on Application(s) for the Following Activities Filed Under The Dam Safety and Encroachments Act (32 P.S. §§ 693.1—693.27), Section 302 of the Flood Plain Management Act (32 P.S. § 679.302) and the Clean Streams Law and Notice of Final Action for Certification Under Section 401 of the FWPCA.**

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-787-3411.*

*Contact: Robert Graves, Completed Projects Section Chief, 717-783-7480.*

**E6512221-001. PA Department of General Services,** 1800 Herr St, Harrisburg, PA 17103, City of Greensburg, Hempfield Township, **Westmoreland County.** U.S. Army Corps of Engineers Pittsburgh District. Latitude: N: 40° 18' 34", Longitude: -W: 79° 32' 20". Application received: February 27, 2024. Issued a technical deficiency letter: February 27, 2024. Permit issued: February 27, 2024.

The permit is requested for a flood protection project with the following activities associated with the construction of the project in and along approximately 2,089 linear feet (~10.61 acres) of an unnamed tributary to Jacks Run (perennial, WWF):

1. The upstream end of the project is approximately 126-feet north of Northmont Street. The upstream end of the project is a 91-foot long trapezoidal reinforced earth channel debris basin emptying through a bollard style trash rack into a 10-foot long concrete inlet structure.

2. A 5-feet high rectangular concrete box culvert will connect the inlet structure to a rectangular concrete channel downstream of Kenneth Street. This culvert will extend for a distance of 476-feet and replace an existing 42-inch RCP of approximately the same length. The culvert will transition from a width of 8-feet to a width of 6-feet at approximately 80-feet downstream of the inlet structure.

3. A 6-feet wide rectangular concrete channel will continue 120-feet from downstream of Kenneth Street to an unnamed alley.

4. A 6-feet wide by 5-foot high rectangular concrete box culvert will continue 25-feet under the unnamed alley connecting two sections of rectangular concrete channel and replace an existing 72-inch RCP of approximately the same length.

5. A 6-feet wide rectangular concrete channel will continue 120-feet from downstream of the unnamed alley to upstream of Beaver Street.

6. A 6-feet wide by 5-foot high rectangular concrete box culvert will continue 630-feet downstream of Beaver Street and running under Harvey Avenue and continuing 240-feet past Harvey Avenue to a trapezoidal reinforced earth channel. This will replace an existing culvert with sections consisting of 72-inch RCP, 72-inch CMP and a 6-feet wide by 6-foot high rectangular box culvert of approximately the same length.

7. A 6-feet wide trapezoidal reinforced earth channel will continue 178-feet downstream to a concrete channel.

8. A 10-foot wide rectangular concrete channel will continue 101-feet from the trapezoidal reinforced earth channel to the SR119 New Alexander Way Bridge. The initial 20-feet will be a concrete transition from the 6-foot wide trapezoidal channel to the 10-foot wide rectangular concrete channel.

9. The invert of the SR119 New Alexander Way Bridge will be paved with concrete for a length of 33 lineal feet. The interior dimensions between the bridge abutments is 9-feet width with a height of 5-feet to the existing low chord from the paved invert.

10. A 10-foot wide rectangular concrete channel will continue 49-feet to Roosevelt Way.

11. The Roosevelt Way Bridge will be replaced with a 10-wide by 4 1/2-foot high box culvert extending 42-feet downstream connecting the rectangular concrete channel to a reinforced earth channel with precast block walls. The box culvert will be slightly longer than the existing bridge that is an angled crossing.

12. A 10-foot wide a reinforced earth channel with precast block walls continue 215-feet from downstream of the Roosevelt Way box culvert to the confluence with Jacks Run.

*Northcentral Region: Waterways & Wetlands Program, 208 W. 3rd Street, Suite 101, Williamsport, PA 17701-6448, 570-327-3636.*

*Contact: Andrew Ross, Project Manager, 570-327-3565.*

**E4904223-005. Central Susquehanna Riverboat Society,** 493 King Street, Northumberland, PA 17857, Northumberland Borough, **Northumberland County.** U.S. Army Corps of Engineers Baltimore District.

The applicant is authorized construction and maintenance of a boat ramp, boat slip, paved walkways, gravel parking, a ticket booth, and underground utilities at Pineknott Park in Northumberland Borough. The purpose for this project is to provide convenient access to the West Branch Susquehanna River (WWF, MF) for launching, docking, and removal of the Riverboat. The project need is for a safe and proper functioning docking area to provide the desired boating opportunity in the region. The project proposes no wetland impacts, .05 acre of permanent stream impacts, and .53 acre of permanent floodway

impact. Latitude: 40.886973°, Longitude: -76.799641°. Application received: December 21, 2023. Issued: February 20, 2024.

*Northeast Region: Waterways & Wetlands Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Michele Lauer, Clerical Assistant 2, 570-830-3077.*

**E3502223-005. Jessup Borough**, 395 Lane Street, Jessup, PA 18434, Jessup Borough, **Lackawanna County**. U.S. Army Corps of Engineers Baltimore District.

To construct and maintain an outfall structure in the floodway of Lackawanna River (HQ—CWF, MF) consisting of a 36-inch HDPE pipe with a riprap apron. The project is located along Lackawanna Valley Heritage Trail approximately 800 feet Southeast of the Winton Road and Winthrop Street intersection in Jessup Borough, Lackawanna County. (Olyphant, PA Quadrangle, Latitude: 41.481957, Longitude: -75.553211). Application received: August 8, 2023. Issued: February 20, 2024.

**E4002223-017. Bridging Pennsylvania Developer I, LLC**, Nova Tower 1, Suite 300, 1 Allegheny Square East, Pittsburgh, PA 15212-5318, Black Creek Township, Nescopeck Township, **Luzerne County**. U.S. Army Corps of Engineers Baltimore District.

To authorize the following water obstructions and encroachments associated with the SR 0080 Sec 352 bridge replacement project: 1. To remove the existing Eastbound structure and to construct and maintain a 4-span prestressed bulb tee beam bridge having a span of 518-foot, width of 73.5-foot and approximate minimum underclearance of 36.56-foot. 2. To remove the existing Westbound structure and to construct and maintain a 4-span prestressed bulb tee beam bridge having a span of 472-foot, width of 57.5-foot and approximate minimum underclearance of 36.56-foot. The project is located at SR 008 Segment 2504 Offset 1414 Eastbound and SR 0080 Segment 2505 Offset 491 Westbound crossing of Nescopeck Creek (TSF, MF) in Black Creek Township and Nescopeck Township, Luzerne County. (Berwick PA Quadrangle, Latitude: 41.007445, Longitude: -76.164480). Application received: August 16, 2023. Issued: February 22, 2024.

**E4502223-002. Monroe County Commissioners**, One Quaker Plaza, Stroudsburg, PA 18360, Hamilton Township, **Monroe County**. U.S. Army Corps of Engineers Philadelphia District.

To remove the existing structure and to construct and maintain a 27.17-foot wide single-span concrete encased, steel I-beam bridge across Lake Creek (HQ—CWF, MF) having a 25.00-foot span and a 7.10-foot underclearance. Fill will be placed within the floodway for the new roadway approaches, also resulting in a 169.00-foot permanent wetland impact. 40° 55' 09", -75° 18' 18". Application received: April 12, 2023. Issued: February 23, 2024.

*Northwest Region: Waterways & Wetlands Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: RA-EPWW-NWRO@pa.gov.*

**E2506223-005. International Recycling Group, Inc.**, 1001 State Street, Erie, PA 16501, City of Erie, **Erie County**. U.S. Army Corps of Engineers Pittsburgh District.

Permanently impact 0.03 acre of Palustrine Emergent Wetland for construction of a plastics recycling plant and

associated features along SR 5 approximately 0.25 mile east of the intersection of Gilson Avenue. Latitude: 42.140738°, Longitude: -80.048929°. Application received: November 16, 2023. Issued: February 22, 2024.

*Southeast Region: Waterways & Wetlands Program, 2 East Main Street, Norristown, PA 19401, 484-250-5900.*

*Contact: Elaine Henderson, Clerical Assistant 3, 484-250-5157.*

**WV4601223-006, EA4601223-005. PSI Atlantic Horsham PA, LLC**, 530 Oak Court Drive, Suite 155, Memphis, TN 38117, Horsham Township, **Montgomery County**. U.S. Army Corps of Engineers Philadelphia District.

PSI Atlantic Horsham PA, LLC is proposing to demolish existing obstructions (building and accessory parking lot) within the floodway of Tributary 02663 to Park Creek (WWF-MF) associated with construction activities outside the floodway. This activity will result in a total of 2,620 square feet of temporary floodway impact due to the removal of floodway obstructions and is considered a restoration activity under 105.12(a)(11). This project is located at 901 Horsham Road in Horsham Township, Montgomery County (USGS PA Ambler Quadrangle). Latitude: 40.199326°, Longitude: -75.165970°. Application received: December 1, 2023. Issued: February 21, 2024.

#### DAM SAFETY

*Central Office: Waterways & Wetlands Program, Rachel Carson State Office Building, 400 Market Street, Harrisburg, PA 17101, 717-783-5784.*

*Contact: Curtis Brown, Chief, Eastern Section, 717-783-7917.*

**D64-012. Pennsylvania Fish and Boat Commission**, 595 East Rolling Ridge Drive, Bellefonte, PA 16823, Clinton Township, **Wayne County**. Application to modify, operate, and maintain White Oak Pond Dam across the tributary to West Branch Lackawaxen River, (HQ—CWF, MF) impacting 0.22 acre of wetlands (PEM/PSS) and 0 feet of stream and providing 0.22 acre of wetland mitigation, for the purpose of rehabilitating the dam to comply with the Commonwealth's regulations. Application received: February 25, 2021. Permit issued: February 16, 2024.

#### EROSION AND SEDIMENT CONTROL

The following Erosion and Sediment Control permits have been issued.

Persons aggrieved by an action may appeal that action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act and 2 Pa.C.S. §§ 501—508 and 701—704. The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street, P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law.

For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board.

Individuals in need of accommodations should contact the Environmental Hearing Board through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

Important legal rights are at stake, however, so individuals should show this notice to a lawyer at once. Persons who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information.

*Eastern District: Oil and Gas Management Program, 208 West Third Street, Williamsport, PA 17701-6448.*

*Contact: RA-EPEASTERNOGPRG@pa.gov.*

**ESCGP # 3 ESG290824002-00**

Applicant Name **Chesapeake Appalachia, LLC**

Contact Person Eric Haskins

Address 14 Chesapeake Lane

City, State, Zip Sayre, PA 18840

Township(s) Monroe Township and Overton Township

County **Bradford County**

Receiving Stream(s) and Classification(s) S-SLH-027 (HQ—CWF, MF), S-SLH-028 (HQ—CWF, MF), S-SLH-029 (HQ—CWF, MF), Schrader Creek (HQ—CWF, MF), Millstone Creek (HQ—CWF, MF), UNT Millstone Creek (HQ—CWF, MF)

Application received: January 18, 2024

Issued: February 21, 2024

*Northwest Region: Oil and Gas Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Kate Hogue Clerical Supervisor, 814-332-6868.*

**ESCGP # 3 ESX180190017-01**

Applicant Name **Lola Energy Petroco, LLC**

Contact Person Mr. Jayson Johnson

Address 4600 JBarry Ct, Ste 310

City, State, Zip Canonsburg, PA 15317

Township(s) Allegheny Township

County **Butler County**

Receiving Stream(s) and Classification(s) Tributary 51143 to Lowrey Run (WWF); Tributary 64604 of North Branch Bear Creek (CWF);

Secondary: Lowrey Run (WWF), North Branch Bear Creek (CWF)

Application received: August 16, 2023

Issued: February 21, 2024

## CORRECTIVE ACTION UNDER ACT 32, 1989

### PREAMBLE 2

---

**The Following Plan(s) and Report(s) Were Submitted Under the Storage Tank and Spill Prevention Act (35 P.S. §§ 6021.101—6021.2104).**

---

Provisions of 25 Pa. Code Chapter 245, Subchapter D, Administration of the Storage Tank and Spill Prevention Program, require the Department of Environmental Protection (DEP) to publish in the *Pennsylvania Bulletin* a notice of submission of plans and reports. A remedial action plan is submitted to summarize the site characterization, document the design and construction details for the remedial action, and describe how the remedial action will attain the selected remediation standard. The remedial action plan also provides results of studies performed and data collected to support the remedial action and a description of postremediation care requirements. A remedial action completion report is submitted to document cleanup of a release of a regulated substance at a site to

the selected remediation standard. A remedial action completion report provides a description of the site investigation to characterize the nature and extent of contaminants in environmental media, the basis of selecting the environmental media of concern, documentation supporting the selection of residential or nonresidential exposure factors, a description of the remediation performed and summaries of sampling methodology and analytical results which demonstrate that the remediation has attained the cleanup standard selected.

For further information concerning plans or reports, please contact the Regional Office Program Manager previously listed in the notice.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DEP has received the following plans and reports.

*Northeast Region: Environmental Cleanup & Brownfields Program, 2 Public Square, Wilkes-Barre, PA 18701-1915, 570-826-2511.*

*Contact: Eric Supey, Environmental Program Manager.*

**Fast Fill**, Storage Tank Facility ID # **13-07749**, 24 Blakeslee Boulevard East, Lehighton, PA 18235, Lehighton Borough, **Carbon County**. Synergy Environmental, 155 Railroad Plaza, Royersford, PA 19468, on behalf of Vista Fuels, LLC, 2083 West Penn Pike, Suite 16, Andreas, PA 18221, submitted a Remedial Action Completion Report concerning remediation of soil and groundwater contaminated with diesel. The report is intended to document the remedial actions for meeting Statewide health standards.

**Just Furniture**, Storage Tank Facility ID # **48-98313**, 2499 Northampton Street, Easton, PA 18045, Palmer Township, **Northampton County**. Brownfield Science & Technology, 3157 Limestone Road, Cochranville, PA 19330, on behalf of 25th and Northampton Streets Associates, LP, 283 Second Street Pike, Suite 110, Southampton, PA 18966, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with petroleum. The plan is intended to document the remedial actions for meeting Statewide health standards.

*Northwest Region: Environmental Cleanup & Brownfields Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact: Jordan, 814-332-6172.*

**Kwik Fill S0010**, Storage Tank Facility ID # **10-29324**, 631 West New Castle Street, Zelienople, PA 16063, Zelienople Borough, **Butler County**. Groundwater & Environmental Services, Inc., 508 Thomson Park Drive, Cranberry Township, PA 16066, on behalf of United Refining Company, 814 Lexington Avenue, Warren, PA 16365, submitted a Remedial Action Plan concerning remediation of soil and groundwater contaminated with Unleaded Gasoline. The plan is intended to document the remedial actions for meeting nonresidential site-specific standards.

---

## SPECIAL NOTICES

---

### WATER PROGRAMS

---

**Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.**

---



*Southcentral Region: Clean Water Program, 909 Elmerton Avenue, Harrisburg, PA 17110-8200, 717-705-4700.*

*Contact: 717-705-4802.*

This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Stormwater Management, and Construction Stormwater Programs).

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities from the project site named as follows to surface waters of the Commonwealth.

*Applicant: PDC Northeast LPIV, LLC*

*Applicant Address: 2442 Dupont Drive, Irvine, CA 92612*

*Application Number: PAD060089*

*Application Type: New*

*Project Site Name: Southern Berks Industrial Park*

*Project Site Address: Route 10 (Morgantown Road), New Morgan, PA 19543*

*Municipality/County: New Morgan Borough, Berks County*

*Total Earth Disturbance Area: 234.23 acres*

*Surface Waters Receiving Stormwater Discharges: Tulpehocken Creek, Conestoga River and Hay Creek (CWF, WWF, EV)*

*Project Description: Construction of 2,653,960 square feet of industrial warehouses, associated impervious cover, stormwater facilities and riparian buffers.*

The Department of Environmental Protection (DEP) has made a tentative decision to deny the application for the Individual NPDES Permit. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 717.705.4732.

---

**Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.**

---

*DEP Southcentral Regional Office: Waterways and Wetlands Program Manager, 909 Elmerton Ave. Harrisburg, PA 17110-8200, 717-705-4802, email: RA-EPWW-SCRO@pa.gov.*

This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Stormwater Management, and Construction Stormwater Programs).

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES

Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities from the project site named as follows to surface waters of the Commonwealth.

*Applicant: American Land Development Corp.*

*Applicant Address: 1150 First Avenue, Suite # 920, King of Prussia, PA 19406*

*Application Number: PAD060094*

*Application Type: New*

*Project Site Name: Highland Place*

*Project Site Address: Amity Park Road, Douglassville, PA 19518*

*Municipality/County: Amity Township, Berks County*

*Total Earth Disturbance Area: 24.65 acres*

*Surface Waters Receiving Stormwater Discharges: UNT to Monocacy Creek (WWF, MF)*

*Project Description: Proposal of 189 single family detached and 148 single family semi-detached dwellings contained within 5 phases.*

The Department of Environmental Protection (DEP) has made a tentative decision to deny the application for the Individual NPDES Permit. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 717.705.4732.

---

**Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.**

---

*DEP Southcentral Regional Office: Waterways and Wetlands Program Manager, 909 Elmerton Ave. Harrisburg, PA 17110-8200, 717-705-4802, email: RA-EPWW-SCRO@pa.gov.*

This notice is provided in accordance with 25 Pa. Code Chapter 92a and 40 CFR Part 122, implementing The Clean Streams Law (35 P.S. §§ 691.1—691.1001) and the Federal Clean Water Act (33 U.S.C.A. §§ 1251—1376). More information on the types of NPDES permits that are available can be found on DEP's website (visit [www.dep.pa.gov](http://www.dep.pa.gov) and select Businesses, Water, Bureau of Clean Water, Stormwater Management, and Construction Stormwater Programs).

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities from the project site named as follows to surface waters of the Commonwealth.

*Applicant: Mountain Village LP*

*Applicant Address: 2620 Egypt Road, Norristown, PA 19403-2302*

*Application Number: PAD060090*

*Application Type: New*

*Project Site Name: Mountain Village*

*Project Site Address: Mountain Village Drive, Macungie, PA 18062*

*Municipality/County: Longswamp Township, Berks County*

*Total Earth Disturbance Area:* 28.9 acres

*Surface Waters Receiving Stormwater Discharges:* West Branch Perkiomen Creek (CWF, MF), Perkiomen Creek (HQ-CWF, MF) and Wetlands

*Project Description:* Construction of 105 additional units with related improvements which include new roadways, public water and sanitary sewer, lighting, landscaping, storm sewer, and stormwater management facilities.

The Department of Environmental Protection (DEP) has made a tentative decision to deny the application for the Individual NPDES Permit. Interested persons may submit written comments to DEP at the previously listed address for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 717.705.4732.

---

**Application for National Pollutant Discharge Elimination System (NPDES) Permit for Discharges of Stormwater Associated with Construction Activities.**

---

*Southwest Regional Office: Waterways and Wetlands Program Manager, 400 Waterfront Drive, Pittsburgh, PA 15222, 412-442-4000.*

The Department of Environmental Protection (DEP) has received an application for an Individual NPDES Permit from the applicant named as follows to authorize discharges of stormwater associated with construction activities to surface waters of the Commonwealth. In addition, DEP has made a tentative decision to issue an Individual NPDES Permit to the applicant. Interested persons may submit written comments to DEP at the previously listed address within 30 days of the publication of this notice for DEP's consideration in taking a final action on the permit application. You may also review the permit application file by contacting DEP's File Review Coordinator at 412-442-4284.

*Applicant:* **PennDOT District 11-0**

*Applicant Address:* 45 Thoms Run Road, Bridgeville, PA 15017

*Application Number:* PAD020075

*Application Type:* New

*Project Site Name:* **SR376, Sec A62 Commercial Street Bridge Replacement**

*Project Site Address:* SR376, Sec A62 Commercial Street Bridge

*Municipality/County:* City of Pittsburgh, **Allegheny County**

*Total Earth Disturbance Area:* 13.21 acres

*Surface Waters Receiving Stormwater Discharges:* Nine Mile Run (TSF)

*Proposed Effluent Limitations:* The draft permit requires implementation of an Erosion and Sediment Control (E&S) Plan and a Post-Construction Stormwater Management (PCSM) Plan and compliance with Federal technology-based effluent standards at 40 CFR Part 450.

*Rate or Frequency of Discharge:* Stormwater discharges during and following earth disturbance activities are precipitation-induced and will vary depending on factors such as the area of impervious surfaces, the size and placement of best management practices (BMPs) and the intensity of precipitation.

*Project Description:* The project involves the replacement of the SR 0376 bridge over Nine Mile Run, Frick Park & Commercial Street. The proposed improvement consists primarily of replacing the existing structure with an arched steel delta frame bridge and roadway improvements along Commercial Street. Both Commercial Street and SR 0376 will remain on the same existing alignment. The proposed construction will also include drainage improvements, guide rail updates, utility relocations and stormwater management facilities

This permit does not authorize any obstructions or encroachments to any regulated watercourse or floodway. All permitting required for impacts to regulated watercourses or their floodway are subject to 25 Pa. Code Chapter 105. Appropriate authorization for impacts which require permitting under Chapter 105 must be obtained prior to beginning earth disturbance.

All limitations, conditions, procedures, testing, and monitoring which is part of the Soil Management Plan (SMP) and/or any Act 2 remediation plan or site characterization provided with this application are to be followed. No deviation from the SMP is permitted without written authorization from the Department (DEP).

- The contractor shall develop a written SMP using the SMP guidelines provided with this application prior to beginning earth disturbance. The plan shall be submitted to the Department prior to conducting earth disturbance. Should this plan cause any alterations to the approved E&S/PCSM Plans, an amendment application shall be submitted immediately.

- If contaminants or conditions with the potential to cause pollution are found during construction which are beyond the scope of the SMP or Act 2 considerations, DEP and the County Conservation District shall be notified and measures implemented to contain potential pollution sources immediately upon discovery.

- Any contaminated material to be transported and disposed of off-site including but not limited to pumped groundwater may require permitting with DEP's Waste Management or Clean Water programs. These permits should be anticipated and shall be secured prior to earth disturbance.

Proposed BMPs which are design alternatives to the E&S and/or PCSM Manuals shall be maintained and their effectiveness documented appropriately to evaluate effectiveness during their first 4 weeks of use. After this period, documentation of performance shall be submitted to the Conservation District and Department for consideration. Should review of this information indicate that the BMP(s) are failing to perform adequately to meet the guidance in the Manual(s) and Chapter 102, the Plan(s) shall be modified to meet these requirements and an amendment may be required. The following BMPs are subject to this condition: Channel outfalls which collect sediment laden water discharging to stilling basins and rock filters, Rock Filter Level Spreaders.

**WASTE, AIR, RADIATION AND REMEDIATION**

**Solid Waste and Residual Waste Site Clean-Up Under The Solid Waste Management Act of July 7, 1980.**

*Northwest Region: Waste Management Program, 230 Chestnut Street, Meadville, PA 16335-3481, 814-332-6945.*

*Contact:* Kyle Smith, 814-332-6107.

**Scrubgrass Reclamation Company, LP Solid Waste and Residual Waste Site, 2151 Lisbon Road, Ken-**



nerdell, PA 16374. The Site is located in Scrubgrass Township, **Venango County**.

On November 9, 2023, the Department of Environmental Protection (Department), under the authority of the Solid Waste Management Act of July 7, 1980, P.L. 380, as amended, 35 P.S. §§ 6018.101—6018.1003; and the Clean Streams Law, Act of June 22, 1937, P.L. 1987, as amended, 35 P.S. §§ 691.1—691.1001, entered into a Consent Order and Agreement (COA) with Scrubgrass Reclamation Company, LP (Scrubgrass) for the removal of waste coal ash that has accumulated at the Scrubgrass Power Plant in Scrubgrass Township, Venango County, PA.

Since 2007, Scrubgrass has been utilizing their conditioning area, constructed from coal ash, to allow new coal ash to go through an exothermic reaction prior to being loaded onto a truck to be transported offsite. The COA identifies and addresses coal ash that has accumulated for more than one year and exceeded the limits of that pad and requires removal of coal ash in accordance with an approved schedule. It also addresses approximately 3.52 acres of earth disturbance activities associated with constructing a small scale solar power facility that Scrubgrass conducted prior to obtaining all of the necessary permit from the Department. Specifically, the COA requires Scrubgrass to, among other things: (1) remove all of the coal ash under a schedule that provides for complete removal by January 1, 2026; (2) submit an administratively complete NPDES permit application for the solar project within 60 days of the COA; and (3) pay a civil penalty in the amount of \$28,800.

The COA is available for public review. An electronic copy or hard copy of the COA may be requested by contacting Kyle Smith at (814) 332-6107 or [kyasmit@pa.gov](mailto:kyasmit@pa.gov).

Persons aggrieved by this action may appeal this action to the Environmental Hearing Board (Board) under section 4 of the Environmental Hearing Board Act (35 P.S. § 7514) and 2 Pa.C.S. §§ 501—508 and 701—704 (relating to Administrative Agency Law).

The appeal should be sent to the Environmental Hearing Board, Second Floor, Rachel Carson State Office Building, 400 Market Street P.O. Box 8457, Harrisburg, PA 17105-8457, 717-787-3483. Appeals must be filed with the Board within 30-days of publication of this notice in the *Pennsylvania Bulletin* unless the appropriate statute provides a different time period. Copies of the appeal form and the Board's rules of practice and procedure may be obtained from the Board. This paragraph does not, in and of itself, create a right of appeal beyond that permitted by applicable statutes and decisional law. For individuals who wish to challenge an action, the appeal must reach the Board within 30-days. A lawyer is not needed to file an appeal with the Board. Individuals who cannot afford a lawyer may qualify for free pro bono representation. Call the Secretary to the Board at 717-787-3483 for more information. The appeal form and the Board's rules of practice and procedure are also available in Braille or on audiotape from the Secretary to the Board at 717-787-3483. Important legal rights are at stake, however, so individuals should contact a lawyer at once.

Individuals in need of accommodations should contact DEP through the Pennsylvania Hamilton Relay Service at

(800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

[Pa.B. Doc. No. 24-302. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Draft National Pollutant Discharge Elimination System General Permit for Discharges of Stormwater Associated with Construction Activities (PAG-02)

The Department of Environmental Protection (Department) is announcing the availability of a draft National Pollutant Discharge Elimination System (NPDES) General Permit for Discharges of Stormwater Associated with Construction Activities (PAG-02). The draft General Permit and related documents are available on the Department's eLibrary at [www.depgreenport.state.pa.us/elibrary/](http://www.depgreenport.state.pa.us/elibrary/) (select "Permit and Authorization Packages," then "Clean Water," and then "PAG-02 NPDES General Permit for Discharges of Stormwater Associated with Construction Activities 3800-PM-BCW0405").

The PAG-02 General Permit is intended to provide NPDES permit coverage to persons discharging stormwater associated with construction activities to surface waters of this Commonwealth in satisfaction of State (25 Pa. Code §§ 102.5(a) and 92a.1(b) (relating to permit requirements; and purpose and scope)) and Federal (40 CFR 122.26(b)(14)(x) and (b)(15) (relating to storm water discharges (applicable to State NPDES programs, see § 123.25))) NPDES permit requirements. The PAG-02 General Permit applies to eligible projects proposing an earth disturbance activity that involves 1 or more acres of earth disturbance, or an earth disturbance on any portion, part or during any stage of, a larger common plan of development or sale that involves 1 or more acres of earth disturbance. If a project is ineligible for PAG-02 and requires NPDES permit coverage, an applicant may submit an application for an individual NPDES permit.

Notices of Intent (NOI) to use the PAG-02 General Permit for NPDES permit coverage must be submitted to county conservation districts (CCD) that are delegated by the Department to complete reviews of NPDES permit applications under 25 Pa. Code Chapter 102 (relating to erosion and sediment control), or in the absence of a delegated CCD, a regional office of the Department.

The Department is proposing the following significant changes in the draft PAG-02 General Permit (2024 General Permit) in comparison to the PAG-02 General Permit that became effective on December 8, 2019, and will expire on December 7, 2024 (2019 General Permit):

- *Impairment Causes*—The 2019 General Permit requires the use of nondischarge alternatives or anti-degradation best available combination of technologies best management practices (BMP) when stormwater discharges are proposed to surface waters (including tributaries to the Chesapeake Bay) that are impaired for causes of siltation, turbidity, suspended solids, water/flow variability, flow modifications/alterations or nutrients. Since 2019, the Department has renamed several of these causes through the Department's Integrated Water Quality Report. The Department is proposing to revise the list of causes as siltation, turbidity, Total Suspended Solids,

algae, eutrophication, nutrients, flow regime modifications and habitat alterations to be consistent with the latest Integrated Water Quality Report.

- *Authorized Non-Stormwater Discharges*—The Department is proposing to identify specific types of non-stormwater discharges that are authorized during earth disturbance activities to be consistent with other Department general permits for stormwater discharges.

- *EPA Technology-Based Standards*—The Department is proposing to incorporate the United States Environmental Protection Agency's (EPA) technology-based standards at 40 CFR Part 450 (relating to construction and development point source category) into the effluent limitation requirements, along with two new requirements for construction dewatering water. Discharges would need to be treated by an approved series of at least two BMPs.

- *Site Inspections*—The Department is proposing to require that site inspections be conducted only by qualified personnel. Three options would be available to demonstrate that a person is qualified. Existing permittees would be provided 1 year from the effective date of the 2024 General Permit to implement this provision.

- *Definitions*—The Department is proposing to add or revise definitions to clarify certain conditions of the General Permit. For example, the Department is proposing a definition for the term “operator co-permittee” to distinguish between an operator, as defined at 25 Pa. Code § 102.1 (relating to definitions), who is a co-permittee, and co-applicants that become co-permittees upon approval of coverage.

- *Instrument Recording*—The 2019 General Permit requires that proof of the recording of an instrument for post-construction stormwater management (PCSM) stormwater BMPs, which are now referred to as stormwater control measures (SCM), be submitted to the Department or CCD with the Notice of Termination (NOT) or a Transfer Application. The Department is proposing that the full recording and proof of the recording be submitted before the pre-construction meeting is scheduled and then again upon submission of the NOT to ensure compliance with 25 Pa. Code § 102.8(m) (relating to PCSM requirements).

- *Co-Permittees*—The Department is proposing to eliminate the requirement to submit the Co-Permittee Acknowledgement Form for Chapter 102 Permits (3800-FM-BCW0271a) and the Co-Permittee Liability Release Form (3800-FM-BCW0271).

- *Imported Fill and Soil and Groundwater Contamination*—The Department is proposing to clarify requirements concerning the importation of fill to a project site and the discovery of soil and groundwater contamination during construction.

- *Erosion Potential (EP) Analysis*—The Department is proposing that the 2024 PAG-02 NOI will require the completion of an EP Analysis, using Department Form No. 3800-FM-BCW0271h, for stormwater discharges during and following construction that will not directly enter a surface water to evaluate the stability of the flow path up to the 10-year/24-hour storm event.

- *Annual Report*—The Department is proposing to require that an annual report be submitted each year by December 7, which would be the anniversary of the General Permit's expiration date, to provide information on the status of the project.

- *SCM Construction Certification Form*—The Department is proposing the use of a standard form, 3800-FM-BCW0271j, to document the completion of each structural PCSM SCM. The form would need to be signed by a licensed professional and submitted to the Department or CCD within 30 days of completion of each SCM.

- *Construction Confirmation Testing for Infiltration Capacity*—For infiltration-based SCMs, the Department is proposing to require post-construction testing to determine whether as-built ponding time or drawdown time are within a tolerance range of the design ponding time or drawdown time. The results would be submitted to the Department or CCD with the SCM Construction Certification Form.

- *New Property Owner Notification Form*—The Department is proposing to require permittees that sell property within the project site that contains or will contain PCSM SCMs to provide a copy of the New Property Owner Notification Form (3800-FM-BCW0271i) to the new property owner, along with record drawings or other documentation of SCMs and the long-term Operation and Maintenance Plan. Permittees would need to submit the form to the Department or CCD within 30 days of the date of property transfer.

- *Impervious Surfaces for Residential Subdivisions*—The Department is proposing that the 2024 PAG-02 NOI will include questions concerning the area of post-construction impervious surface that is planned. For residential subdivisions, the Department expects that the area of impervious surface used in the stormwater analysis will be either the maximum area of impervious surface for a lot under a municipal ordinance or the anticipated impervious area with a factor of safety of at least 10%. This approach is expected to streamline the process when impervious surfaces are added to individual lots during construction of a larger common plan of development or after the sale of a lot and in other circumstances where a change to PCSM SCMs may be needed. This approach also is expected to reduce the administrative burden on the permittee and the Department or CCD by decreasing the number of permit amendments during construction.

In addition, the Department will update the Erosion and Sediment Module 1 and PCSM Module 2 to be consistent with the revisions to the 2024 General Permit upon permit reissuance. Additional information on these proposals may be found in the draft PAG-02 General Permit Fact Sheet and other supporting documents.

Applicants must submit a \$500 administrative filing fee to the delegated CCD with the NOI package and any additional fees the CCD requires. Applicants must also submit a fee in the amount of \$100 for each disturbed acre to the Department. If a project is located in a county without a delegated CCD, the disturbed acre fee and the administrative filing fee must be submitted to the Department.

For existing permittees, the Department is proposing that a renewal NOI to remain covered under the reissued PAG-02 General Permit must be submitted by December 7, 2024, using form 3800-FM-BCW0405h. A \$500 administrative filing fee must accompany the renewal NOI.

*Written Comments:* Interested persons are invited to submit written comments regarding the draft PAG-02 General Permit and associated documents through Monday, April 8, 2024. Commentators are encouraged to submit comments using the Department's online eComment system at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written

comments can also be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Department of Environmental Protection, Policy Office, Rachel Carson State Office Building, P.O. Box 2063, Harrisburg, PA 17105-2063. Comments, including comments submitted by e-mail, must include the originator's name and address. Comments submitted by facsimile will not be accepted.

Written comments submitted during the 30-day comment period will be retained by the Department and considered in finalizing the General Permit. The Department will provide an opportunity for any interested person or group of persons, any affected State, any affected interstate agency, the EPA or any interested agency, to request or petition for a public hearing with respect to the draft General Permit. The request or petition for public hearing, which must be filed within the 30-day period allowed for filing of written comments, must indicate the interest of the party filing the request and the reasons why a hearing is warranted. A hearing will be held if there is significant public interest.

JESSICA SHIRLEY,  
*Acting Interim Secretary*

[Pa.B. Doc. No. 24-303. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Federal Consistency under the Coastal Zone Management Act; United States Army Corps of Engineers Proposed Maintenance Dredging at Conneaut Harbor, Ashtabula County, Ohio

This notice is published under section 306(d)(14) of the Federal Coastal Zone Management Act of 1972 (CZMA) (16 U.S.C. § 1455(d)(14)), regarding public participation in consistency determinations. The Department of Environmental Protection (Department), Coastal Resources Management Program, has received notice that the United States Army Corps of Engineers (applicant) is proposing to conduct maintenance dredging of the Federal navigation channels at Conneaut Harbor in Ashtabula County, Ohio (Project).

The applicant anticipates the need to dredge and manage sediments excavated from the authorized Federal navigation channels of Conneaut Harbor, located on the southern shore of Lake Erie at the mouth of the Conneaut Creek, in order to maintain sufficient water depths for deep-draft commercial and recreational navigation under section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. § 403) and section 404 of the Federal Clean Water Act (CWA) (33 U.S.C. § 1344). Federal navigation channels within the harbor include the Outer Harbor Channel, Inner Harbor Channel and Municipal Access Channel. The applicant may dredge up to an additional 1 foot of sediment to ensure proper maintenance of the minimum authorized depth and to account for dredging tolerance in Conneaut Harbor. The applicant proposes to dredge an estimated total of approximately 100,000 cubic yards of sediment from the Conneaut Harbor Federal navigation channels annually over a 3-year period from 2024 to 2026. The applicant proposes that predominantly fine-grain sediment dredged from the Inner and Outer

Harbor Channels would be discharged at an existing open-lake placement area in Lake Erie, located 4 miles from the West Breakwater light, at an azimuth of 314°00'. However, if section 401 of the CWA (33 U.S.C. § 1341) regarding Water Quality Certification conditions does not allow for placement of sediment within the existing "deep water" open-lake placement area in excess of 10,000 cubic yards, the applicant may place the sediment (if sufficient Federal funding is available) at the City of Conneaut upland placement facility, located south of the Federal navigation channels and adjacent to Conneaut Creek. (Public Notice Figure 1.) In the past, sediment from the Municipal Access Channel of Conneaut Harbor has been found to be primarily coarse-grain in nature and determined to be suitable for use as littoral nourishment. This was the case in 2004, when 25,000 cubic yards were removed from the Municipal Access Channel and placed in the existing authorized nearshore placement area, located approximately 1,500 feet east of the Conneaut Harbor East Breakwater Extension. Since this time, numerous evaluations of sediment within the Municipal Access Channel have indicated that the sediment is now predominantly fine grain in nature and contains total organic carbon concentrations above the recommended threshold. However, it remains a possibility that deposited material within the Municipal Access Channel in a given year could consist of predominantly coarse-grain sediment with low total organic carbon and would therefore be suitable for placement in the authorized nearshore placement area. Placement of the coarse-grain Municipal Access Channel dredged sediment in the nearshore zone may cost significantly more when compared to "deep water" open-water placement due to shallow water depths. The applicant proposes that nearshore placement, if suitable sediments are recovered, would take place between -11 and -8 feet below Low Water Datum (LWD). The applicant proposes to place the recovered sediment at the shallowest depth possible (-8 feet LWD) if there are no increased costs when compared to the costs for placement at the -11-foot LWD depth. If placement in the nearshore zone at depths of -8 feet LWD cost significantly more than open water placement, the applicant states that a non-Federal partner will need to pay the increased cost of nearshore placement.

This Project is subject to Department review for Federal consistency because it is a Federal agency activity and will have reasonably foreseeable interstate effects on this Commonwealth's coastal resources or uses.

In accordance with section 307 of the CZMA (16 U.S.C. § 1456) and the National Oceanic and Atmospheric Administration (NOAA) regulations at 15 CFR Part 930, Subpart C (relating to consistency for Federal agency activities) and Subpart I (relating to consistency of Federal activities having interstate coastal effects), the applicant has determined that the proposed activity will be conducted in a manner consistent with the applicable enforceable policies of the Commonwealth's NOAA-approved Coastal Resources Management Program. Interested parties may request a copy of the Federal Consistency Certification from the Department contact listed as follows.

Questions regarding this review should be directed to Matthew Walderon, Federal Consistency Coordinator, at (717) 772-2196 or [RA-Fed\\_Consistency@pa.gov](mailto:RA-Fed_Consistency@pa.gov).

The Department will consider all comments received on or before March 24, 2024. Comments submitted by fac-



simile will not be accepted. Comments, including comments submitted by electronic mail, must include the originator's name and address. Commentators are encouraged to submit comments using the Department's online eComment tool at [www.ahs.dep.pa.gov/eComment](http://www.ahs.dep.pa.gov/eComment). Written comments can be submitted by e-mail to [ecomment@pa.gov](mailto:ecomment@pa.gov) or by mail to the Department of Environmental

Protection, Policy Office, 400 Market Street, P.O. Box 2063, Harrisburg, PA 17105-2063.

JESSICA SHIRLEY,  
*Interim Acting Secretary*

[Pa.B. Doc. No. 24-304. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF ENVIRONMENTAL PROTECTION

### Household Hazardous Waste Education Grant Award under Section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act, Act 101 of 1988

The Department of Environmental Protection announces the following grant to Centre County under section 901 of the Municipal Waste Planning, Recycling and Waste Reduction Act (Act 101) (53 P.S. § 4000.901) and section 208 of the Small Business and Household Pollution Prevention Program Act (35 P.S. § 6029.208).

Planning grants are awarded to counties for 80% of approved costs for preparing municipal waste management plans, as required by Act 101, for carrying out related studies, surveys, investigations, inquiries, research and analysis, including those related to siting, environmental mediation, education programs on pollution prevention and household hazardous waste (HHW) and providing technical assistance to small businesses for pollution prevention. Grants may be awarded for feasibility studies and project development for municipal waste processing or disposal facilities, except for facilities for the combustion of municipal waste that are not proposed to be operated for the recovery of energy. Grant awards are predicated on the receipt of recycling fees required by sections 701 and 702 of Act 101 (53 P.S. §§ 4000.701 and 4000.702) and the availability of funds in the Recycling Fund.

Inquiries regarding the grant offering can be directed to Mark Vottero, Department of Environmental Protection, Bureau of Waste Management, Division of Waste Minimization and Planning, Rachel Carson State Office Building, P.O. Box 8472, Harrisburg, PA 17105-8472, at [mvottero@pa.gov](mailto:mvottero@pa.gov) or (717) 772-5719.

#### Act 101, Section 901 HHW Education Grant

<i>Region</i>	<i>County</i>	<i>Applicant</i>	<i>Project</i>	<i>Grant</i>
Northcentral	Centre	Centre County	HHW Education	\$75,000

JESSICA SHIRLEY,  
*Interim Acting Secretary*

[Pa.B. Doc. No. 24-305. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Ambulatory Surgical Facilities; Requests for Exceptions

The following ambulatory surgical facility (ASF) has filed a request for an exception under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license ASFs under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following request for an exception relates to regulations governing ASF licensure in 28 Pa. Code Chapters 29, 51 and 551—571 (relating to miscellaneous health provisions; general information; and ambulatory surgical facilities).

<i>Facility Name</i>	<i>Regulation</i>
Nemours Children's Hospital, Surgery Center, Malvern	28 Pa. Code § 555.32(a) (relating to administration of anesthesia)

The previously listed request is on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, [ra-paexcept@pa.gov](mailto:ra-paexcept@pa.gov). Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and Ambulatory Care at (717) 783-8980, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-306. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Decisions on Requests for Exceptions to Health Care Facility Regulations

Under 28 Pa. Code § 51.33 (relating to requests for exceptions), effective June 6, 1998, the Department of Health (Department) has published in the *Pennsylvania Bulletin* all requests by entities licensed under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b), for exceptions to regulations contained in 28 Pa. Code Part IV Subparts B—G.

Section 51.33(d) of 28 Pa. Code provides that the Department will publish notice of all approved exceptions on a periodic basis. The Department has determined that it will publish notice of all exceptions, both approved and denied. The following list contains the decisions made on exception requests published in the *Pennsylvania Bulletin* from February 1, 2024, through February 29, 2024. Future publications of decisions on exception requests will appear on a quarterly basis.

Requests for additional information on the exception request and the Department's decision should be made to the relevant division of the Department. Inquiries regarding hospitals, abortion facilities and ambulatory surgical facilities shall be addressed to Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980. Inquiries regarding long-term care facilities shall be addressed to Susan Williamson, Director, Division of Nursing Care Facilities, Room 528, Health and Welfare Building, Harrisburg, PA 17120, (717) 787-1816. Inquiries regarding Home Health agencies should be directed to Linda Chamberlain, Director, Division of Home Health, Forum Place, Suite 701, 555 Walnut Street, Harrisburg, PA 17101, (717) 783-1379.

#### Ambulatory Surgical Facilities

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Children's Dental Surgery	§ 551.22(3)(ii) (relating to criteria for performance of ambulatory surgery on pediatric patients)	02/12/2024	Granted Temporary
Pittsburgh North Surgical Center	§ 571.1 (relating to minimum standards) A2.1-3.2.4.2(1)(c) space requirements	02/16/2024	Granted w/Conditions
Slate Hill Surgery Center, LLC	§ 569.35(7) (relating to general safety precautions)	02/12/2024	Granted w/Conditions
UPMC Center for Reproductive Endocrinology and Infertility	§ 553.1 (relating to principle)	02/12/2024	Granted w/Conditions
	§ 557.2(a)—(d) (relating to plan)	02/12/2024	Granted w/Conditions
	§ 557.3(a)—(f) (relating to Quality Assurance and Improvement Program)	02/12/2024	Granted w/Conditions

#### Hospitals

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Allegheny General Hospital	§ 153.1(a) (relating to minimum standards) 2.2-3.4.9.4(2)(c) staff changing area and toilet facilities	02/12/2024	Granted
The Children's Hospital of Philadelphia	§ 153.1(a) 2.1-7.2.2.1(2) corridor width	02/12/2024	Granted
	§ 153.1(a) 2.1-7.2.2.3(2)(b)(i) doors and door hardware	02/12/2024	Granted
Lehigh Valley Hospital	§ 153.1(a) 2.2-3.5.2.2(1)(b)(i) and (ii) space requirements	02/13/2024	Granted
	§ 153.1(a) 2.2-3.5.2.2(1)(c)(i) and (ii) space requirements	02/15/2024	Granted
Lower Bucks Hospital	§ 103.31 (relating to the chief executive officer)	02/12/2024	Granted Probationary
Penn Highlands Connellsville	§ 153.1(a) 2.1-8.4.3.2(2) handwashing station sinks	02/12/2024	Granted
The Robert Packer Hospital	§ 103.31	02/12/2024	Granted w/Conditions
Suburban Community Hospital	§ 103.31	02/12/2024	Granted Probationary w/Conditions
Titusville Area Hospital	§ 153.1(a) 2.1-7.2.2.2 ceiling height	02/20/2024	Granted
Troy Community Hospital, Inc.	§ 103.31	02/12/2024	Granted w/Conditions
UPMC Pinnacle Hospitals	§ 153.1(a) 2.1-2.4.3.9(1)(c) special design elements	02/12/2024	Granted



<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
	§ 153.1(a) 2.1-8.5.2.3(2)(a) telecommunications room (TR)	02/12/2024	Granted
	§ 153.1(a) 2.5-2.2.8.5 multipurpose room	02/12/2024	Granted
UPMC Presbyterian Shadyside	§ 153.1(a) 2.2-3.4.5.8(12) support areas for pre- and postoperative patient care areas	02/12/2024	Granted

**Nursing Care Facilities**

<i>Facility Name</i>	<i>28 Pa. Code Regulation</i>	<i>Dec. Date</i>	<i>Decision</i>
Kadima Rehabilitation and Nursing at Luzerne	§ 211.12(f.1)(4) and (5) (relating to nursing services)	02/12/2024	Denied
Kadima Rehabilitation and Nursing at Pottstown	§ 211.12(f.1)(4) and (5)	02/12/2024	Denied
Pleasant Ridge Manor—West	§ 205.20 (relating to resident bedrooms)	02/12/2024	Not Nec.
Preston Residence	§ 205.33 (relating to utility room)	02/12/2024	Withdrawn
The Williamsport Home	§ 204.4(a) (relating to basement)	02/12/2024	Granted

Persons with a disability who require an alternative format of this notice (for example, large print, audiotape, Braille) should contact the Division of Acute and Ambulatory Care or the Division of Nursing Care Facilities at the previously referenced address or telephone number, or for speech and/or hearing-impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-307. Filed for public inspection March 8, 2024, 9:00 a.m.]

**DEPARTMENT OF HEALTH**

**Fentanyl and Xylazine Detected in a Urine Drug Screening Performed under Act 43 of 2023**

The act of December 14, 2023 (P.L. 378, No. 43) (Act 43) amended 35 Pa.C.S. (relating to health and safety) to require fentanyl and xylazine testing when a urine drug screening is conducted in an emergency department within an acute care hospital to assist in diagnosing a patient's condition. Xylazine testing is only required if testing is available as part of the urine drug screening panel. If the urine drug screening performed under Act 43 detects fentanyl or xylazine, the de-identified results shall be reported to the Department of Health (Department). Under Act 43, the Department is required, in consultation with stakeholders, to set the screening threshold for the reporting of test results and the manner of submission of test results and to thereafter transmit notice of the same to the *Pennsylvania Bulletin* for publication.

*Screening threshold*

Emergency departments should use minimal threshold values as appropriately determined for tests used when reporting to the Department. After consulting with stakeholders, the Department determined that the following screening threshold shall apply. Under 42 CFR 493.1253 (relating to standard: Establishment and verification of performance specifications), laboratories are required to establish and verify test system performance specifications. Laboratories should follow manufacturer's instructions for waived tests. Laboratories should follow 42 CFR

493.1253 for nonwaived tests (Federal Drug Administration (FDA)-cleared, FDA-approved and laboratory developed tests).

*Submission*

After consulting with stakeholders, the Department has determined that, effective June 1, 2024, de-identified test results for fentanyl or xylazine shall be submitted in aggregate form to the Department monthly on the Act 43 of 2023—Urine Drug Screening Reporting—Fentanyl and Xylazine Form, which will be available on the Department's web site. The emergency department conducting the urine drug screening is permitted to identify an appropriate reporter to submit this form to the Department. Reporting of a positive test result for fentanyl is not required if a health care practitioner determines that the positive result is due to a legally prescribed course of treatment for the patient.

For additional information or for persons with a disability who wish for more information regarding this notice and require auxiliary aid, service or other accommodation to do so contact Raina Workman at (717) 547-3059. Speech and/or hearing-impaired persons use V/TT (717) 783-6514 or the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TT).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-308. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Hospitals; Requests for Exceptions

The following hospitals have filed requests for exceptions under 28 Pa. Code § 51.33 (relating to requests for exceptions) with the Department of Health (Department), which has authority to license hospitals under the Health Care Facilities Act (35 P.S. §§ 448.101—448.904b). The following requests for exceptions relate to regulations governing hospital licensure in 28 Pa. Code Chapters 51 and 101—158 (relating to general information; and general and special hospitals).

<i>Facility Name</i>	<i>Regulation</i>
Albert Einstein Medical Center	28 Pa. Code § 29.33(6) (relating to requirements for abortion)
Conemaugh Memorial Medical Center	28 Pa. Code § 103.31 (relating to the chief executive officer)
Conemaugh Meyersdale Medical Center	28 Pa. Code § 103.31
Conemaugh Miners Medical Center	28 Pa. Code § 103.31
Good Shepherd Penn Partners Specialty Hospital at Rittenhouse	28 Pa. Code § 149.3 (relating to facilities)
Lehigh Valley Hospital—Macungie	28 Pa. Code § 107.2 (relating to medical staff membership)
UPMC Hamot	28 Pa. Code § 103.31
UPMC Hanover	28 Pa. Code § 107.32 (relating to meetings and attendance)
UPMC Memorial	28 Pa. Code § 107.32
UPMC Northwest	28 Pa. Code § 103.31

The following hospitals have filed requests for exceptions under 28 Pa. Code § 153.1 (relating to minimum standards). Requests for exceptions under this section relate to minimum standards that hospitals must comply with under the *Guidelines for Design and Construction of Hospitals—2018 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2018 Edition* or the *Guidelines for Design and Construction of Hospitals—2022 Edition*, *Guidelines for Design and Construction of Outpatient Facilities—2022 Edition*. The following list includes the citation to the section under the *Guidelines* that the hospital is seeking an exception.

<i>Facility Name</i>	<i>FGI Guidelines Section and relating to</i>	<i>Yr<sup>1,2</sup></i>
Jefferson Health—Northeast	2.1-3.2.2.2(a)(i) and (ii) single-patient exam/observation room	22-O
	2.1-3.2.3.2(1)(a) space requirements	22-O
	2.1-3.2.3.2(2)(a)(i) and (ii) space requirements	22-O
Penn Highlands Huntingdon	2.1-2.2.9.3 medical gas and vacuum systems	22
	2.2-2.5.2.5 handwashing station	22
	2.2-2.5.4.2(1) airborne infection isolation (AII) room	22
Pennsylvania Hospital of the University of PA Health System	2.2-2.6.2.6(1) toilet room or human waste disposal room	22
Saint Luke's Hospital—Anderson Campus	2.2-2.9.8.17(2)(a)(i) and (b) infant feeding preparation facilities	22
Saint Luke's Hospital of Bethlehem, Pennsylvania	2.1-3.2.2.1(1) and (2)(a) space requirements	22
Titusville Area Hospital	2.2-3.1.3.1(2) general	22
UPMC Presbyterian Shadyside	2.2-3.5.2.2(1)(b)(i) space requirements	22

<sup>1</sup> 2018 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

<sup>2</sup> 2022 Year FGI Regulations for Outpatient Facilities are indicated by “-O.”

The previously listed requests are on file with the Department. Persons may receive a copy of a request for exception by requesting a copy from the Department of Health, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, Harrisburg, PA 17120, (717) 783-8980, fax (717) 772-2163, ra-paexcept@pa.gov. Persons who wish to comment on an exception request may do so by sending a letter by mail, e-mail or facsimile to the Division at the previously listed contact information. Comments received by the Department within 10 days after the date of publication of this notice will be reviewed by the Department before it decides whether to approve or disapprove the request for exception.

Persons with a disability who wish to obtain a copy of a request and/or provide comments to the Department and require an auxiliary aid, service or other accommodation to do so should contact the Director, Division of Acute and

Ambulatory Care at (717) 783-8980, for speech and/or hearing impaired persons V/TT (717) 783-6154, or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-309. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF HEALTH

### Sexual Assault Victim Emergency Services Regulation Listing of Hospitals That May Not Provide Emergency Contraception and Hospitals That May Not Provide Any Sexual Assault Emergency Services; Corrected Notice

This corrected notice replaces, in its entirety, the notice that was previously published at 54 Pa.B. 856 (February 17, 2024).

The Department of Health (Department) published final-form sexual assault victim emergency services regulations at 38 Pa.B. 573 (January 26, 2008). The sexual assault victim emergency services regulations became effective on January 26, 2008, and amended 28 Pa. Code Part IV, Subpart B (relating to general and special hospitals) to add specific requirements for hospitals relating to the provision of sexual assault emergency services. See 28 Pa. Code §§ 117.51—117.58 (relating to sexual assault victim emergency services).

Hospitals that decide they may not provide emergency contraception due to a stated religious or moral belief contrary to providing this medication are required to give

notice to the Department of the decision. See 28 Pa. Code § 117.57 (relating to religious and moral exemptions). Hospitals that refer all emergency patients to other hospitals after institution of essential life-saving measures and decide not to provide any sexual assault emergency services are required to give notice to the Department of the decision. See 28 Pa. Code § 117.58 (relating to exemption for hospitals providing limited emergency services).

Sections 117.57(1)(ii) and 117.58(1)(ii) of 28 Pa. Code state that the Department will annually publish the lists of hospitals in the *Pennsylvania Bulletin* that have chosen not to provide emergency contraception under 28 Pa. Code § 117.57 or any sexual assault emergency services under 28 Pa. Code § 117.58. The following lists are published in accordance with those provisions and do not create any new obligations for hospitals or relieve hospitals of any existing obligations.

#### *Hospitals that may not Provide Emergency Contraception*

Under 28 Pa. Code § 117.57(1)(ii), the Department publishes the following list of hospitals that have provided notice to the Department that the hospital may not provide emergency contraception due to a stated religious or moral belief:

<i>Hospital Name</i>	<i>City, Zip Code</i>
Geisinger Jersey Shore Hospital	Jersey Shore, 17740
Mercy Fitzgerald Hospital—Mercy Catholic Medical Center Campus	Darby, 19023
Nazareth Hospital	Philadelphia, 19152
Penn State Health Holy Spirit Medical Center	Camp Hill, 17011
Penn State Health St. Joseph	Reading, 19603
Physicians Care Surgical Hospital	Royersford, 19468
Regional Hospital of Scranton	Scranton, 18501
Saint Luke’s Hospital of Bethlehem, Pennsylvania—Sacred Heart Campus	Allentown, 18102
St. Mary Medical Center	Langhorne, 19047
Suburban Community Hospital	East Norriton, 19401
UPMC Mercy	Pittsburgh, 15219
UPMC Muncy	Muncy, 17756
UPMC Williamsport	Williamsport, 17701

#### *Hospitals that may not Provide any Sexual Assault Emergency Services*

Under 28 Pa. Code § 117.58(1)(ii), the Department publishes the following list of hospitals that have provided notice to the Department that the hospital may not provide any sexual assault emergency services due to the limited services provided by the hospital:

<i>Hospital Name</i>	<i>City, Zip Code</i>
Allied Services Institute of Rehabilitation Medicine	Scranton, 18501
Holy Redeemer Hospital	Meadowbrook, 19046
John Heinz Institute of Rehabilitation Medicine	Wilkes-Barre Township, 18702
OSS Health	York, 17402

<i>Hospital Name</i>	<i>City, Zip Code</i>
Physicians Care Surgical Hospital	Royersford, 19468
Rothman Orthopedic Specialty Hospital	Bensalem, 19020
WellSpan Surgery & Rehabilitation Hospital	York, 17403

Additional information regarding the sexual assault victim emergency services regulations and emergency contraception and an up-to-date list of hospitals not providing emergency contraception under 28 Pa. Code § 117.57 or not providing any sexual assault emergency services under 28 Pa. Code § 117.58 is available on the Department's web site at [www.health.pa.gov](http://www.health.pa.gov).

The notice in the *Pennsylvania Bulletin* or on the Department's web site of the lists of hospitals not providing emergency contraception under 28 Pa. Code § 117.57, or not providing any sexual assault emergency services under 28 Pa. Code § 117.58, may not be deemed an acknowledgement or confirmation by the Department that the hospitals are in compliance with the requirements of the regulations.

Persons with a disability who require an alternative format of this notice (for example, large print, audiotope, Braille) should contact Garrison E. Gladfelter, Jr., Director, Division of Acute and Ambulatory Care, Room 532, Health and Welfare Building, 625 Forster Street, Harrisburg, PA 17120-0701, (717) 783-8980, fax (717) 772-2163 or for speech and/or hearing impaired persons, call the Pennsylvania Hamilton Relay Service at (800) 654-5984 (TDD users) or (800) 654-5988 (voice users).

DR. DEBRA L. BOGEN,  
*Acting Secretary*

[Pa.B. Doc. No. 24-310. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Findings

Under section 2002 of The Administrative Code of 1929 (71 P.S. § 512) establishing the Department of Transportation (Department), the Director of the Bureau of Design and Delivery, as delegated by the Secretary of Transportation, makes the following written findings:

The Department is planning the following projects. Environmental and Section 4(f) Documentation have been developed for the following identified projects to evaluate the potential environmental impacts caused by these projects. The Section 4(f) documents also serve as the Section 2002 Evaluation. The approved documents are available in the CE/EA Expert System at <http://www.dotdom2.state.pa.us/ceea/ceeamain.nsf>. The environmental, economic, social and other effects of the proposed projects have been considered. Based upon studies, there is no feasible and prudent alternative to the use of the Section 2002 resources for the proposed projects identified, and all reasonable steps have been taken to minimize the effects.

• **SR 0390, Section D50—Greene and Palmyra Townships, Pike County.**

*Project Description:* The project is the replacement of the existing structure that carries SR 0390 over an Unnamed Tributary to Lower Lake.

*Environmental Documents:* CE 2 Evaluation approved on November 20, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on September 29, 2023, and Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on September 29, 2023.

*Proposed Use of Section 4(f)/2002 Resource:* Approximately 0.83-acre of right-of-way (ROW) will be required from the approximately 3,042-acres Promised Land State Park, which is considered eligible for listing on the National Register of Historic Places (NRHP) and qualifies as a Section 4(f)/2002 resource.

• **SR 0611, Section 11M—Pocono Township, Monroe County.**

*Project Description:* The project consists of work necessary to provide for the safe and efficient flow of traffic between Interstate 80 (I-80) at Exits 298, 299 and the surrounding roadway network. The project will include the widening of SR 0611 and SR 0715, realignment of Sullivan Trail Road (SR 4004) and a portion of SR 0715, replacement and retiming of traffic signals, modifications of existing ramps to I-80 and replacement of an existing structure over Pocono Creek.

*Environmental Documents:* CE 2 Reevaluation, approved on October 25, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land approved on August 27, 2020.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 1.27-acres of ROW and approximately 0.10-acre of drainage easement will be required from the 10.43-acres Pocono Township's TLC Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 0896, Section SIP—New London, Franklin and London Britain Townships, Chester County.**

*Project Description:* The project is for roadway improvements to SR 0896 from Cobblers Lane to just south of Chambers Rock Road.

*Environmental Documents:* CE 1b Reevaluation, approved on December 4, 2023, and Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved November 27, 2019.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.13-acre of ROW will be required from the 86-acres McKean Farm, which was determined eligible for listing on the NRHP.

• **SR 0030, Section 146—East Lampeter Township, Lancaster County.**

*Project Description:* The project involves interchange improvements with SR 0030 and SR 0462.

*Environmental Documents:* CE 1b Evaluation, approved on November 28, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on November 7, 2023.



*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.009-acre of ROW will be required from the State Police Troop J Headquarters, which was determined eligible for listing on the NRHP.

• **SR 0036, Section 31B—City of Altoona, Blair County.**

*Project Description:* The project is for the replacement of the existing structure that carries PA 36 over Mill Run.

*Environmental Documents:* ED 1b Evaluation, approved on November 1, 2023, a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties approved on September 1, 2023.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.015-acre of ROW will be required from the Allegheny Furnace complex, which is listed on the NRHP.

• **SR 3007, Section 006—Lower Yoder Township and the City of Johnstown, Cambria County.**

*Project Description:* The project is the resurfacing, culvert rehabilitation and slide correction on SR 3007 from T-377 to PA 56.

*Environmental Documents:* ED 2 Evaluation, approved on November 17, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land for Aspen Way Park, approved on October 13, 2023, and for Stackhouse Park approved on November 01, 2023.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.148-acre of sidewalk easement will be required from the Aspen Way Park and 0.66-acre of ROW will be required from Stackhouse Park both, which qualify as a Section 4(f)/2002 resource.

• **SR 0030 Section 103—Greene Township, Franklin County.**

*Project Description:* The project is the replacement of the bridge that carries SR 0030 over Rocky Mountain Creek.

*Environmental Documents:* CE 2 Revaluation, approved on November 06, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land, approved on August 19, 2019.

*Proposed Use of Section 4(f)/2002 Resource:* Approximately 0.16-acre of ROW will be required from the 1,125-acres Caledonia State Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 0915, Section 03B—Wells Township, Fulton County.**

*Project Description:* The project is the replacement of the existing structure that carries SR 0915 over the Unnamed Tributary to Laurel Fork.

*Environmental Documents:* CE 1b Evaluation, approved on October 16, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Historic Properties, approved October 10, 2023.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.0789-acre of ROW, 0.0080-acre channel easement, 0.1936-acre slope easement and 0.0083-acre drainage easement will be required from the 122-acres Mosebey Farm, which was considered eligible for listing on the NRHP.

• **SR 3004, Section A16—Bridgeville Borough, Allegheny County.**

*Project Description:* The project is the replacement of the existing structure that carries SR 3004 over McLaughlin Run.

*Environmental Documents:* ED 2 Evaluation, approved on October 20, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land, approved on June 27, 2023.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.0037-acre of ROW will be required from the 9.66-acres McLaughlin Run Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 7301, Section LOC—City of Pittsburgh, Allegheny County.**

*Project Description:* The project is the emergency replacement of the existing structure that carries Forbes Avenue over Frick Park.

*Environmental Documents:* CE 1a Reevaluation, approved on October 30, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land, approved on July 27, 2023.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.12-acre of ROW will be required from the 644-acres Frick Park, which qualifies as a Section 4(f)/2002 resource.

• **SR 0928, Section 04B—Ayr Township, Fulton County.**

*Project Description:* The project is the replacement of the existing structure that carries SR 0928 over Esther Run.

*Environmental Documents:* ED BRPA Evaluation, approved on October 13, 2023, and a Determination of Section 4(f) De Minimis Use Section 2002 No Adverse Use Public Parks, Recreation Areas, Wildlife and/or Waterfowl Refuges, State Forest Land and State Game Land, approved on September 28, 2023.

*Proposed Use of Section 4(f)/2002 Resources:* Approximately 0.319-acre of ROW will be required from the 514-acres Kerper Tract of the 71,638-acres Buchanan State Forest, which qualifies as a Section 4(f)/2002 resource.

CHRISTINE A. SPANGLER, PE,  
Director  
Bureau of Design and Delivery

[Pa.B. Doc. No. 24-311. Filed for public inspection March 8, 2024, 9:00 a.m.]

## DEPARTMENT OF TRANSPORTATION

### Pedalcycle and Pedestrian Advisory Committee Meeting

The Pedalcycle and Pedestrian Advisory Committee will hold a meeting on Tuesday, March 12, 2024. The meeting will be held in person at the Commonwealth Keystone Building, 400 North Street, Forest Room, Plaza Level,

Harrisburg, PA 17102 at 12 p.m. There will also be a remote Microsoft Teams option and the meeting will be recorded. For more information, contact the Multimodal Deputate, (717) 787-8197, BikePedPA@pa.gov. To call into the meeting, dial (267) 332-8737 and enter 641004756# as the meeting code.

To view the meeting agenda, visit the Department of Transportation’s web site at [www.penndot.pa.gov](http://www.penndot.pa.gov) (click on “About PennDOT” at the bottom of the webpage under “About Us,” then select “Commissions & Committees” under “What We Do,” then select “Pedalcycle and Pedestrian Advisory Committee,” then “Learn more about the Pedalcycle and Pedestrian Advisory Committee”).

MICHAEL CARROLL,  
*Secretary*

[Pa.B. Doc. No. 24-312. Filed for public inspection March 8, 2024, 9:00 a.m.]

## FISH AND BOAT COMMISSION

### Mentored Youth Fishing Day Program; Trout—2024

Acting under the authority of 58 Pa. Code § 65.20 (relating to Mentored Youth Fishing Day Program), the Executive Director has designated March 30, 2024, as Mentored Youth Fishing Day for trout, beginning at 8 a.m. and ending at 7:30 p.m., in stocked trout waters designated under 58 Pa. Code § 63.3 (relating to fishing in stocked trout waters) and the waters identified as follows that are normally closed to trout fishing on those dates. This designation under § 65.20 will be effective upon publication of this notice in the *Pennsylvania Bulletin*.

To participate, anglers 16 years of age or older (adult anglers) must possess a valid Pennsylvania fishing license and current trout permit and be accompanied by a youth (under 16 years of age) who has obtained a mentored youth permit or a voluntary youth license from the Fish and Boat Commission (Commission). Youth anglers must possess a 2024 mentored youth permit or voluntary youth license obtained from the Commission and be accompanied by a licensed adult angler to participate.

Although waters included in the Mentored Youth Fishing Day Program (Program) will be open to accompanying adult anglers, only youth anglers with a 2024 voluntary youth license or mentored youth permit may possess a total of two trout (combined species) with a minimum length of 7 inches. Adult anglers are prohibited from possessing trout. Other Commonwealth inland regulations will apply. It is unlawful to fish in waters designated as part of the Program except in compliance with the requirements of § 65.20 when participating in the Program.

The waters included in the Program on March 30, 2024, are the stocked trout waters Statewide. Special regulation areas are not included in the Program. A listing of stocked trout waters is published in the Commission’s “Summary of Fishing Regulations and Laws” available from the Commission at P.O. Box 67000, Harrisburg, PA 17106-7000. The map of stocked trout waters can also be found at <https://pfbc.maps.arcgis.com/apps/webappviewer/index.html?id=3292981a1fcf415e9ce4a4a7a3ce98e2>. In addition, the Executive Director has identified the following waters as being included in the Program on March 30, 2024:

County	Water
Cambria	Bens Creek (section 2—Portage Water Authority Dam to 0.56 mile downstream Scanlon Hill Road (State Route 2012) bridge)
Cambria	Carrolltown Rod and Gun Club Dam
Centre	Beauty Run (sections 1 and 2—headwaters to mouth)
Centre	Eddy Lick Run (sections 1 and 2—headwaters to mouth)
Centre	Little Sandy Run Ponds
Centre	Sandy Run (sections 1 and 2—headwaters to mouth)
Centre	South Fork Beech Creek (sections 1, 2 and 3—headwaters to mouth)
Centre	Wolf Run (sections 1, 2 and 3—headwaters to mouth)
Clarion	Pine Creek (section 1—headwaters to mouth)
Elk	Blue Valley Pond
Erie	Girard Borough Park Pond
Erie	Harborcreek Community Pond
Erie	Hirtzel Pond
Jefferson	Ferguson Run (section 1—headwaters to mouth)
Lancaster	Donegal Creek (200 yards upstream and 200 downstream of Route 772 bridge)
Somerset	Flaugherty Creek (section 3—Glade City Road (State Route 2006) to mouth)
Somerset	Quemahoning Rod and Gun Club Dam
Somerset	Rhoades Creek (section 1—headwaters to mouth)
Somerset	Wells Creek (section 1—headwaters at T593 to mouth)
Somerset	Windber Sportsmen’s Association Dam
York	Starview Sportsmen’s Association Dam
York	Unnamed Tributary to Leibs Creek (0.25 mile upstream and 0.25 mile downstream of Route 851)

TIMOTHY D. SCHAEFFER,  
*Executive Director*

[Pa.B. Doc. No. 24-313. Filed for public inspection March 8, 2024, 9:00 a.m.]

## HEALTH CARE COST CONTAINMENT COUNCIL

### Special Reports and Requests for Data

Under 35 Pa.C.S. § 3304(d)(7) (relating to powers and duties of council), the Health Care Cost Containment Council (Council) is required to publish a list of all special reports and data that have been prepared during the previous calendar year. The following represents a summary of the reports and requests for data generated by the Council in calendar year 2023. The data files and list of data fields that are included in the standard public use files are located on the Council’s web site at

www.phc4.org (select “Purchase Customized Data,” then select “Available Data and Pricing”). Questions about procedures for obtaining access to Council data should be addressed to JoAnne Z. Nelson, Manager of Special Requests, Health Care Cost Containment Council, 225 Market Street, Suite 400, Harrisburg, PA 17101, (717) 232-6787, jnelson@phc4.org.

*Applicant and Project Description*

**Agency for Healthcare Research & Quality—Jenny Schnaier, MA/Pamela Owens, PhD**

Statewide 2022 inpatient discharge and inpatient revenue code detail datasets and ambulatory/outpatient procedure and ambulatory/outpatient revenue code detail dataset with derived data (number of days to admission, days to procedure and age). The data will be combined with other data source’s data and used in the Healthcare Cost and Utilization Project (HCUP), which uses the information for multiple databases (State Inpatient Databases, State Ambulatory Surgery and Services Databases, National Inpatient Sample, Kids’ Inpatient Database, Nationwide Readmissions Database and Nationwide Ambulatory Surgery Sample), reports and tools and products. The HCUP databases enable research on a broad range of health policy issues, including cost and quality of health services, medical practice patterns, access to health care programs and outcomes of treatments at the National, regional, state and local levels.

**Allegheny County Health Department—LuAnn Brink, PhD, MPH**

Standard regional 2022 inpatient discharge and 2017 through 2022 ambulatory/outpatient procedure datasets for Region 1 to be used for public health surveillance, identify high risk groups within Allegheny County and study preventable hospitalizations, nonfatal injuries, including falls and motor vehicle crashes and acute outcomes that may be associated with environmental quality, including asthma and cardiovascular events.

**Capital Health—Jeremye Cohen**

Standard regional 2022 inpatient discharge and ambulatory/outpatient procedure datasets for Region 8 and 9 will be developed into reports prepared by Capital Health’s consultants, NERA Economic Consulting, for planning purposes for their health system to assist in determining public demand.

**Columbia Law School—Jeffrey Fagan**

Standard Statewide 2010 through 2022 inpatient discharge and ambulatory/outpatient procedure datasets to use for a study entitled, Racial Inequality in Police Violence: Injuries and Fatalities from Police Use of Force. The data will be combined with other states’ data to assess racial disparities in rates and predictors of injuries incurred from police use of force. The project will integrate data on nonfatal injuries from legal interventions with data on police-caused fatalities to create a continuum of police use of force across counties and will generate a unique database on police violence for broad use. The researchers will analyze the relative risks of police-caused injury or death by civilian race, institutional contexts of police agencies and actions and population demography. Outcomes from the study may be published in high-impact peer-reviewed journals representing the interdisciplinary nature of this work, published in open access journals and findings presented to professional associations, scientific meetings and practice conferences.

**Doylestown Hospital—Allyson Gilmore**

Standard Statewide 2022 inpatient discharge and ambulatory/outpatient procedure datasets will be developed into reports prepared by Doylestown Hospital’s consultant, Sg2, to analyze market share for outpatient and ambulatory services in order to identify healthcare needs, gaps in care and growth in preparation to adjust medical services offered.

**Evangelical Community Hospital—Nicole Lohr**

A 2022 custom inpatient discharge dataset of Region 4 and 5 cases with derived data (number of days from prior discharge) and standard regional ambulatory/outpatient procedure dataset for Region 4 and 5 to be used for conducting an internal study of Evangelical Community Hospital’s market share and to gain a better understanding of the population it serves.

**Excelsa Health—Allison Panosky**

Standard Statewide 2022 through first quarter 2023 inpatient discharge and ambulatory/outpatient procedure dataset to be developed into reports prepared by Excelsa Health’s consultant, Sg2, to examine state, county and hospitals inpatient and outpatient market share.

**Geisinger Health System—Rachel Manotti, MHA**

Standard Statewide 2022 through first quarter 2023 inpatient discharge and ambulatory/outpatient procedure dataset to be used for market demand, market share, patient origin, payer mix and distribution, patient demographics, diagnosis/procedure distribution, facility and physician profile or distribution and trend analysis.

**Good Shepherd Rehab Network—Cindy Buchman, MHA**

Standard Statewide third quarter 2021 through 2022 inpatient discharge dataset to use for internal analysis for Good Shepherd Rehab Networks services.

**Guthrie Clinic Ltd—Joshua Stout**

Custom 2022 inpatient discharge and ambulatory/outpatient procedure dataset for patients who reside in Bradford, Sullivan, Susquehanna, Tioga and Wyoming Pennsylvania Counties or Broome, Chemung, Cortland, Schuylker, Steuben, Tioga and Tompkins New York Counties to conduct annual and ad hoc market assessments to understand facility market share by service line, areas of opportunity for expanded services and as an indicator to effectiveness of new service offerings or physician recruitment.

**Health Advisory Board of the City of Chester—Ronald Renzi, DPM**

Custom 2016 through 2022 inpatient discharge dataset of infants who reside in Delaware County born with specific diagnoses and inpatient discharges of patients who reside in Delaware County with an asthma diagnosis to develop data on birth outcomes and to develop a trend in the incidence of severe asthma for residents of the City of Chester in Pennsylvania in Delaware County.

**Healthgrades Marketplace, LLC—Zach Ehasz**

Standard Statewide 2021 inpatient discharge dataset to measure hospital’s mortality or complication, or both, rates for consumers, employers and payers to make better informed healthcare choices. Healthgrades offers services and decision-support tools to their clients that measure and evaluate quality of medical services at facilities and provides quality analysis on hospitals using the data in combination with data from Centers for Medicare and Medicaid Services (CMS).



**Highmark Health—Andrew P. Charland**

Standard Statewide 2022 through first quarter 2023 inpatient discharge, ambulatory/outpatient procedure and inpatient and ambulatory/outpatient revenue code detail datasets to be used for ongoing operational analysis and business planning purposes. Highmark Health will perform analysis of hospitals and ambulatory surgery centers with respect to issues including service offerings, payer mix, patient travel patterns, service areas, provider market shares, in addition to analysis of factors including hospital capacity and utilization, service line offerings and bed counts, revenues and costs, including trends and changes over time. Further analysis will be performed related to regulatory compliance and Integrated Healthcare Delivery Network/Integrated Delivery and Financing System efforts related to evaluate hospital competition, further develop AHN services and offer high-value insurance products.

**Hospital & Healthsystem Association of Pennsylvania—Graycen Hunt**

A custom first quarter through third quarter 2022 inpatient discharge readmission analysis data report of hospitals' 7-day and 30-day rates for different conditions and demographic information, a 2022 through first quarter 2023 custom Statewide inpatient discharge dataset with derived data (number of days from prior discharge) and standard inpatient revenue code detail dataset, a standard Statewide first quarter 2023 ambulatory/outpatient procedure dataset and standard restated 2020 financial data report. The Hospital and Healthsystem Association of Pennsylvania (HAP) will use the data to conduct ongoing monitoring of Statewide, regional and hospital-specific financial information and outcomes. HAP may, from time to time, release aggregate results of its monitoring research. HAP intends to use analysis of the information for member research and data or results of data analysis will be used in some form of publication. Data, including prior purchased data, will be developed on dashboards and other data visualizations.

**Hospital & Healthsystem Association of Pennsylvania—Sushma Sharma, PhD**

Standard 2022 financial data report of volume 1 hospitals to conduct ongoing monitoring of Statewide, regional and hospital-specific financial information and outcomes. HAP may, from time to time, release aggregate results of its monitoring research and use analysis of the information for member research. Data or results of data analysis will be used in some form of publication.

**Hunterdon Healthcare—Kim Tennant, MBA**

Custom 2021 and 2022 inpatient discharge and 2018 through 2022 ambulatory/outpatient procedure dataset of patients who reside in the state of New Jersey and were hospitalized in Region 7, 8 or 9 and 2018 through 2022 standard Statewide inpatient and ambulatory/outpatient revenue code detail datasets to assess market share within Hunterdon Healthcare service area.

**Intellimed—Chad Smith**

Standard Statewide 2022 inpatient discharge, ambulatory/outpatient procedure and inpatient and ambulatory/outpatient revenue code detail dataset to be linked with ESRI demographic data to use for hospital performance, resource utilization, patient access to care, operations and delivery analysis as part of Intellimed's Healthcare Provider Strategic Decision Support and Data Access System project in an IntelliClient™ Application. The application provides the ability to analyze and improve quality of

care, competitive market assessment and performance, identify service line adjustments and optimization, payor-mix shifts, patient demographic shifts, resource utilization assessments and review similar dynamics of other providers identified in the dataset.

**Jian Strategic Marketing—Heidi Orié**

Standard 2022 through first quarter 2023 Statewide inpatient discharge dataset and regional ambulatory/outpatient procedure dataset for Regions 1—7 to analyze trends in the market for nonprofit health care providers for consulting purposes to help guide marketing and communication tactic to providers and consumers.

**Lehigh University—Chad Meyerhoefer, PhD**

Standard Statewide 2018 through 2022 inpatient discharge and 2000 through 2022 ambulatory/outpatient procedure dataset linked with area-level socioeconomic demographics, environmental quality, health insurance market structure data and hospital characteristics for a study entitled, Analysis of Health Care Costs, Organization and Quality in Hospitals and Outpatient Facilities. The researchers will examine how the organization of the hospital and outpatient facility markets affect the cost and quality of health care services and analyze the impact of Federal and State health care policies on health care cost and quality in these markets.

**Lehigh Valley Health Network—Vanessa J. Vilverde, MBA**

Standard Statewide 2022 through first quarter 2023 inpatient discharge and ambulatory/outpatient procedure dataset for service area analyses, competitive analyses, product line trends and analyses and incidence rate comparisons and trends for program development. The data will also be used for research population based health issues, to promote health and well-being of targeted vulnerable populations; internal quality control research; internal resource utilization research; support development of continuum of care research; and community based health needs that target chronic illnesses.

**LifePoint Health—Jeff Duncan**

Standard Statewide 2022 inpatient discharge dataset will be developed into reports prepared by LifePoint Health's consultant, Trilliant Health, to help assess the opportunities and needs in areas that their hospitals operate in and will conduct analysis to help leaders in the company make decisions for the operations of the hospitals.

**Main Line Health—Praveen Shanbhag**

Standard 2022 through first quarter 2023 Statewide inpatient discharge dataset and regional ambulatory/outpatient procedure dataset for Regions 8 and 9 to use for market assessments, internal facility and service line planning purposes to evaluate consumer need and identify underserved geographic and clinical areas in Main Line Health's market.

**Meritus Medical Center, Inc.—David White**

Standard regional 2019 through second quarter 2022 inpatient discharge and ambulatory/outpatient procedure dataset for Region 5 to conduct market share analysis in Meritus Medical Center's out-of-state service area and to better guide their health systems' strategic planning.

**Mount Nittany Health—Jennifer Scanlon**

Standard Statewide 2022 inpatient discharge and ambulatory/outpatient procedure dataset will be devel-



oped into reports prepared by Mount Nittany Health's consultant, Sg2, for internal market share analysis.

**Nemours/Alfred I. duPont Hospital for Children—  
Lovedeep Kaur/Stacey Milunsky**

A custom 2022 and first quarter 2023 inpatient discharge dataset for obstetric delivery cases and an inpatient discharge and ambulatory/outpatient procedure dataset for pediatric cases with an age indicator. The data will be used for understanding the current marketplace and impact of service offerings at other institutions throughout the Delaware Valley and Commonwealth to understand market share to make decisions about services offered at the hospital and outpatient locations throughout Delaware, New Jersey and Pennsylvania.

**New Jersey Hospital Association—Sean Hopkins**

A custom 2021 through 2022 inpatient discharge and ambulatory/outpatient procedure dataset for patients who are residents of New Jersey and a data report for the percentage of total inpatient admissions and outpatient visits that were residents of New Jersey. The data will be used for New Jersey Hospital Association's project titled Medical Services Sought by New Jersey Residents in Neighboring States. The data will be utilized to understand the flow of patients among neighboring states, the services sought elsewhere, the demographic characteristics of such patients as well as the types of services residents sought in neighboring states. The information will improve healthcare services and benefits to the overall healthcare service delivery system.

**Penn Highlands Healthcare—Gregory P. Bauer**

Standard Statewide 2022 inpatient discharge, ambulatory/outpatient procedure and inpatient and ambulatory/outpatient revenue code detail datasets will be developed into market share reports by Penn Highlands Healthcare's consultant, Sg2, to use in preparation of strategic plans as well as in the development of physician recruitment plans for Penn Highlands Healthcare.

**Penn Highlands Mon Valley—Lynn Matusik**

Standard regional first and second quarter 2022 inpatient discharge and ambulatory/outpatient procedure datasets for Region 1 and Statewide inpatient and ambulatory/outpatient revenue code detail datasets to analyze clinical data to identify gaps in services in order to offer new services to Penn Highlands Mon Valley community.

**Penn State Hershey Health System—Joshua Campos**

Standard Statewide 2022 through first quarter 2023 inpatient discharge and ambulatory/outpatient procedure datasets to understand the health care market by examining utilization patterns, which will inform Penn State Hershey Health System's health resource planning and improve access for the communities they serve. The community needs analysis will include trends by geography, payor, service and patient migration.

**Pennsylvania Department of Aging—Thomas Snedden**

Custom 2017 through second quarter 2022 inpatient discharge dataset for patients who are enrolled in Pharmaceutical Contact for the Elderly (PACE) with derived data (number of days to admission, number of days from discharge and match type flag indicator) linked with PACE data to be used for a study entitled Research & Evaluation of Prescription Drug Utilization and Health Outcomes in PACE/PACENET. The study will expand

research on health outcomes of prescription drug use by the elderly. Specific analyses include, hospitalization outcomes and costs associated with beneficiary nonadherence to drug therapy and the development of interventions among providers and beneficiaries to address nonadherence; quantify the impact of "super-utilizers" for mental health, congestive heart failure and chronic obstructive pulmonary disease utilizers; describe hospitalizations and rehospitalization rates for classes of drugs and with respect to polypharmacy; identify hospitalization utilization and access to drug therapy of rural elderly in this Commonwealth and health status needs among elderly by geography; understand access and availability of antidepressant therapy among rural residents; evaluate hospitalization outcomes for specific therapeutic classes of prescription drug in combination with disease states; examine health services access and geographic location of older persons; examine prescriber behaviors and utilization changes brought about by trends in pharmacy benefit management, including increases in the use of electronic prescribing; examine burden of anticholinergic drugs and adverse drug events; analyze opioid-related hospitalization outcomes and costs associated among the elderly; evaluate hospitalization outcomes related to the novel coronavirus (COVID-19) among the elderly; and examine possible impact of current Academic Detailing initiatives completed by PACE, prescriber behavior and hospitalization outcomes. Possible topics include congestive heart failure, opioid-related hospitalizations and diabetes.

**Pennsylvania Department of Health—Brian Wright**

Standard Statewide 2022 inpatient discharge dataset to be used by the Pennsylvania Department of Health's (PA DOH) Bureau of Health Promotion and Risk Reduction (BHPRR) Division of Violence Prevention Program and Division of Nutrition and Physical Activity Program. BHPRR will use the data to help identify groups at high risk for injury, specific injury topics and identifying risk factors, and effective injury prevention, planning and evaluation strategies; produce various injury reports, fact sheets, infographics, asthma-related reports and burden of chronic disease reports; respond to requests for aggregate data pertaining to injury, chronic diseases and the like; and disseminate in aggregate on PA DOH's Enterprise Data Dissemination Informatics Exchange system and dashboard.

**Pennsylvania Department of Health—Carrie Thomas Goetz, PhD**

Standard Statewide 2012 through 2022 inpatient discharge dataset will be used for a project, Drug User Health Data Analysis and Report Creation to support the Office of Drug Surveillance and Misuse Prevention (ODSMP) in creating, maintaining and analyzing surveillance data that will be used to create a report describing the infection and noninfectious disease consequences on substance use in this Commonwealth. The data will be utilized to understand what other conditions, if any, people present with substance use experienced over the 10-year period of interest. The ODSMP are interested in understanding the healthcare costs for people present with substance use, insurance status, county of residence and demographic factors like age, sex, race and ethnicity.

**Pennsylvania Department of Health—Jun Yang, PhD**

A custom 2010 through 2021 inpatient discharge and ambulatory/outpatient procedure dataset for patients who received a colonoscopy screening with derived data (number of days to procedure and match type flag indicator)

linked with 2010 through 2020 Department of Health Commonwealth cancer registry data. The data will be used to establish the relationship of colonoscopy screening and colorectal cancer incidence and mortality and the impact of the COVID-19 pandemic on this relationship in this Commonwealth.

**Pennsylvania Department of Health—Zhen-qiang Ma, MD, MPH, MS**

A 2022 standard Statewide ambulatory/outpatient procedure dataset and custom Statewide inpatient discharge dataset with a derived field (admission) to use for a study entitled, Health Effects Associated with Environmental Factors in Pennsylvania. The objective is to assess the health impacts associated with various environmental factors in the Commonwealth. Additionally, the data will be used to provide summary information to the Centers for Disease Control and Prevention's Environmental Public Health Tracking Network for five conditions (acute myocardial infarction, asthma, carbon monoxide poisoning, chronic obstructive pulmonary disease and heat stress).

**Pennsylvania Department of Human Services—Mara Perez**

Custom third quarter 2020 through second quarter 2021 inpatient discharge dataset from the corrected self-pay database and 2019 through 2021 financial data of the 3-year average percent of uncompensated care to use in part to compute payments to hospitals for the Hospital Uncompensated Care and Extraordinary Expense program established under the Tobacco Settlement Act of 2001.

A custom third quarter 2020 through second quarter 2021 inpatient discharge dataset of records for cases with a Major Diagnostic Category (MDC) 14 or MDC 15 from general acute care hospitals and specialty general acute care hospitals to be used to determine eligibility and calculate payments to disproportionate share hospitals under the Pennsylvania State Plan approved by CMS for obstetrical and neonate services.

**Pennsylvania Department of Human Services—Michele Minter**

Custom 2021 and 2022 financial data report of hospital's net patient revenue, days, discharges and visits distribution by payer to be used for the Statewide and Philadelphia Hospital Assessment programs.

A custom third quarter 2021 through second quarter 2022 inpatient discharge dataset of records for cases with a MDC 14 or MDC 15 from general acute care hospitals and specialty general acute care hospitals to be used to determine eligibility and calculate payments to disproportionate share hospitals under the Pennsylvania State Plan approved by CMS for obstetrical and neonate services.

**Pennsylvania Department of the Auditor General—Jo Anne Walchak**

Standard Statewide third quarter 2021 through second quarter 2022 inpatient discharge dataset to be used to review data that will be used to calculate Tobacco Settlement entitlements to hospitals in this Commonwealth prior to the Department of Human Services' (PA DHS) calculation of the payment amounts. Pennsylvania Department of the Auditor General will review data that will be provided to PA DHS for use in making Uncompensated Care Tobacco Fund payments in 2024.

**Pennsylvania Housing Finance Agency—Bryce Maretzki**

Statewide third quarter 2019 through second quarter 2022 custom inpatient discharge dataset with derived data (number of days between cases), standard ambulatory/outpatient procedure dataset and standard inpatient and ambulatory/outpatient revenue code detail datasets. The Pennsylvania Housing Finance Agency (PHFA) will use the data to explore the creation of health and housing programs to incentivize health sector investment in the creation of affordable housing. Data reports prepared by PHFA's consultant, Corporation for Supportive Housing, will be utilized to conduct a Statewide assessment of the intersection of housing and health needs. The project will identify and prioritize areas of the Commonwealth for health and housing investment by focusing on social determinants of health. The data will be overlaid in a Geographic Information System with datasets addressing housing cost, rent burden and homelessness.

**Pennsylvania Office of Attorney General—Tracy W. Wertz**

Standard Statewide second quarter through fourth quarter 2022 inpatient discharge, ambulatory/outpatient procedure, inpatient and ambulatory/outpatient revenue code detail datasets and 2021 and 2022 financial data report. The data will be used in analyzing hospital mergers and hospital conduct matters pursuant to the Office of Attorney General's authority to enforce the antitrust laws on behalf of the Commonwealth and its citizens. The review of hospital mergers is to ensure that the mergers are in compliance with antitrust laws, and the information may be disclosed for official law enforcement purposes or disclosed in litigation related to Federal antitrust laws or other state and Federal laws. The data may be shared with the Federal Trade Commission or the United States Department of Justice to be used for investigations that are conducted jointly with the Pennsylvania Office of Attorney General.

**Pennsylvania Patient Safety Authority—Shawn Kepner, MS**

Custom second quarter 2022 through first quarter 2023 inpatient discharge data quarterly reports on the number of cases by hospital to serve as normalization denominator figure relative to facility numerator statistics from the Pennsylvania Patient Safety Authority's (PA PSA) data in the Pennsylvania Patient Safety Reporting System, which assist PA PSA's analytic capabilities and supporting PA PSA's overall mission. Computations based on the data will be used in an annual data summary article in PA PSA's journal and articles on patient safety topics.

Custom second quarter 2022 through first quarter 2023 ambulatory/outpatient procedure quarterly data reports on the number of cases by ambulatory surgery center to calculate rates that will be used for internal reporting for peer comparisons. Computations based on the data will be used in an annual data summary article in PA PSA's journal and a few other articles on patient safety topics.

**Philadelphia Department of Public Health—Megan Todd, PhD**

Standard regional 2022 inpatient discharge and ambulatory/outpatient procedure dataset for Region 8 and 9 to be used for a variety of analyses that allow tracking of diseases. Data will be used for the estimation and evaluation of the geographic distribution, temporal trends, rates and costs of hospitalization for specific conditions by specific diagnoses: violence-related injuries

(for example, stabbings, gunshot wounds and the like); hypertension, cancer-screening, diabetes (including complications: lower extremity amputations, myocardial infarction, stroke and the like); asthma, influenza-like illness, pelvic inflammatory disease and, if any, emerging infectious diseases, and the like; examination of temporal trends in disparities in hospital outcomes (including in-hospital mortality, rehospitalization and the like); and by race/ethnicity, gender, residential location and age-group. Data will be used in evaluation of HIV/AIDS surveillance system and as part of Ryan White Part A, trends in HIV/AIDS utilization and costs over time. Data will be used to perform descriptive analyses on demographic patient data for patients with an HIV/AIDS-related diagnosis, on infectious disease cases, on visits for lead, vector or other environmental exposures. The data will be also be used to examine obstetrical services, high-risk pregnancies and ongoing research of birth outcomes and in needs assessment activities for both Healthy Start and Title V. Results of analyses in aggregate may be shared with other city agencies and health advisory groups.

**Philadelphia Inquirer—Dylan Purcell**

Standard Statewide 2021 and 2022 inpatient discharge dataset to be used for analysis and general use in reporting news articles related to public health.

**Renzi Podiatry/Save Your Soles Campaign—Ronald M. Renzi, DPM**

A custom 2010 through 2022 inpatient discharge dataset of patients who reside in this Commonwealth suffering a major lower extremity amputation with a critical limb ischemia, peripheral artery disease (PAD) or diabetes diagnosis will be used for the Save Your Soles program, which is to reduce amputations in the Philadelphia area. The number of amputation rates will be developed by zip code to compare amputation prevention strategies and effectiveness and to develop the trend in major amputations from critical limb ischemia, PAD or diabetes.

**Roswell Park Comprehensive Cancer Center—Michael Trznadel**

Standard Statewide 2019 through 2021 inpatient discharge and ambulatory/outpatient procedure dataset will be developed into reports prepared by Roswell Park Comprehensive Cancer Center's consultants, Sg2 and DataGen, to examine inpatient and outpatient market share, focusing on the cancer service line.

**RWJBarnabas Health System—Elizabeth McNutt**

Standard regional and facility 2022 inpatient discharge dataset for Regions 7–9 and Lehigh Valley Health/Pocono and Saint Luke's Monroe Campus will be combined with New Jersey and New York data to be used for market analysis. The information will be used for Health Reform Act of 1992 Data Reporting and Utilizations Requirements, to fulfill certificate of need requirements, internal market analysis and to comply with Community Health Needs Assessment and Population Health Needs Assessment and Population Health Improvement Mandates of PPACA, which is to enhance data reporting, quality improvement and marketing activities.

**Shriners Hospitals for Children—Staci Luna, MPH, PMP**

Standard Statewide 2019 through 2021 inpatient discharge dataset will be used to assist Shriners Hospitals for Children in understanding the needs of the community. The information will be utilized to measure Shriners

Hospitals for Children's position within the state of healthcare in this Commonwealth and to help in the development of a strategic approach to the future care provided and potential partnerships.

**St. Clair Hospital—Reva Hunt**

Standard Statewide 2022 inpatient discharge, ambulatory/outpatient procedure and ambulatory/outpatient revenue code detail datasets will be used to determine St. Clair Hospital's market share across service lines.

**Syntellis Performance Solutions, LLC—Erin Thompson**

Standard Statewide 2021 and 2022 inpatient discharge and inpatient revenue code detail datasets and 2022 ambulatory/outpatient procedure dataset will be combined with other states' data to help healthcare providers increase the quality of care they provide to their patients by effectively benchmarking their quality, safety, satisfaction, cost and utilization of their peers. The data will be used for creating benchmarks at the APR-DRG and MS-DRG level accessible through files in conjunction with hospital-client decision support systems and a web-based tool (Axiom Clinical Analytics for Healthcare). The data is also used internally to benchmark Syntellis Performance Solutions' clients service line utilization and costs compared to the states to help inform service line planning.

**Temple University Health System—Nicholas Barcellona, MBA/Michael DiFranco, CPA**

Standard Statewide 2022 inpatient discharge and ambulatory/outpatient procedure dataset will be developed into reports prepared by Temple University Health System's consultant, Sg2, for ongoing analysis of market demand for various healthcare services and healthcare resource management.

**Texas Christian University—Elizabeth Plummer, PhD, CPA**

Standard Statewide 2021 ambulatory/outpatient revenue code detail dataset will be combined with financial data from PHC4's Financial Analysis Volume 2 public report for a descriptive research study entitled, Financial Profitability and Outpatient Procedures: Evidence from Pennsylvania ASCs. The information will be utilized to determine the relationship between ambulatory surgery center profitability, procedures and volume.

**University of Pennsylvania—Alice Abernathy, MD**

Standard Statewide 2019 through first quarter 2023 ambulatory/outpatient procedure dataset will be combined with the American Community Survey data and Myers Abortion Facility Database to be used for a study entitled Changes in Contraception and Sterilization Use Patterns Among Reproductive Age Males and Females in Pennsylvania, which will evaluate changes in contraception use and sterilization procedures for males and females, before and after the Dobbs decision in this Commonwealth. The objective of this study is to determine if, and how, the Supreme Court decision on *Dobbs v. Jackson Women's Health* shifted patterns of contraception use and sterilization procedures.

**University of Pennsylvania—Catherine Auriemma, MD, MSHP**

A custom second quarter 2013 through 2022 inpatient discharge dataset for a cohort of Penn lung transplant recipients linked to the Penn lung transplant recipient study identifier with derived data (number of days to admission and match type flag indicator) will be used for



a study entitled, Using Hospital-Free Days to Understand the Impact of Lung Allocation Policy Changes on Older Lung Transplant Recipients, which is to determine hospital-free and institution-free days in the year post-lung transplant with the goal of understanding patient-centered impact of a Federal policy change that occurred in 2017 and shifted transplants towards older and generally sicker recipients, and to inform future policy by providing key preliminary data for a planned NIH R01 proposal to develop new allocation strategies that optimize hospital-free days among recipients using an ongoing 10-center prospective cohort study.

**University of Pittsburgh—Christina Mair, PhD, MPH**

Standard Statewide 2018 through 2022 inpatient discharge dataset will be used for a study entitled, Examining the Relationship Between Housing Eviction and Alcohol-Related Harms in Pennsylvania, which is to understand the potential relationship between neighborhood-level factors, particularly housing instability and different types of mental health and substance use related outcomes. The prevalence of substance use and mental health-related diagnoses will be assessed and linked with eviction court filing rates and community sociodemographic characteristics to examine spatial relationship between housing instability and different types of substance use and mental health-related diagnoses; housing instability relationship differences associated across demographic groups will be assessed and trends that occurred during COVID-19 pandemic.

**University of Pittsburgh—Lindsay Sabik, PhD**

Standard Statewide 2022 through first quarter 2023 inpatient discharge and ambulatory/outpatient procedure dataset will be used for a study entitled, Impacts of Recent Payment, Coverage, and Systems Changes on Patterns of Care Delivery and Disparities in Care, which will assess the impacts of recent health care provider payment, patient insurance coverage and healthcare systems changes on access to and quality of care in this Commonwealth, as well as how these changes have impacted disparities in care by race/ethnicity, geography and socioeconomic status. Further, the researchers seek to understand how the unanticipated and unprecedented changes to care under COVID-19 impacted providers and patients and whether recent policy changes or hospital organizational characteristics mitigated the impact of COVID on facilities and their patients.

**University of Pittsburgh Medical Center (UPMC)—Matthew W. Michaels**

Standard Statewide 2022 through first quarter 2023 inpatient discharge and ambulatory/outpatient procedure dataset to produce various research reports including: patient origin for UPMC hospitals, UPMC market share in various geographies and for various service lines, utilization trends in volume and market share over different time periods and physician volumes at UPMC and other hospitals.

**University of Rochester Medical Center—William Csont**

Standard Statewide 2022 inpatient discharge and ambulatory/outpatient procedure dataset will be developed into reports prepared by University of Rochester Medical Center's consultant, Sg2, for planning and marketing in conjunction with the Medical Center's current and future goals and objectives.

**Veralon Partners, Inc.—Clare O'Mara, MHA, MSG**

A custom 2019 through third quarter 2022 inpatient discharge dataset for cases with specified zip codes to analyze future healthcare needs of the Pottstown community relative to the future resources that will be available to meet the community's needs. The data will be used to understand historical hospital utilization and to estimate the future need for inpatient services in the community. A highly summarized aggregated final report on utilization by major service line, facility and year, as well as aggregated payer mix for the community may become public document as part of Veralon Partner's clients Community Health Needs Assessment that could be accessed by other parties in addition to their primary client.

**Vizient, Inc.—Tanya Chin-Fatt**

Standard Statewide 2022 through first quarter 2023 inpatient discharge, ambulatory/outpatient procedure, and inpatient and ambulatory/outpatient revenue code detail datasets. Vizient will use the data in aggregate online platform applications, desktop tools and summary reports (Market Demand Forecast, State Data Analysis Tools, State Data Export Tool and Navigate). The data prepared through these tools will provide enhanced data visualization and insights of market share by service lines and service areas to support their clients' operational and strategic planning efforts to develop data-driven strategic plans by clinical area and geography, to improve both the quality and availability of healthcare in the communities they serve.

**Washington Health System—Lawrence Pantuso, BSN, RN, MBA, FACHE**

A custom first and second quarter 2022 inpatient discharge dataset of patients who reside in Regions 1 and 3 to be used for future strategic planning and incorporated into the organization's fiscal year 2024 strategic plan.

**WellSpan Health—David Kimpel**

Standard Statewide 2022 through first quarter 2023 inpatient discharge and ambulatory/outpatient procedure dataset to be used for an internal assessment of the delivery of healthcare services within the region WellSpan Health serves and beyond for comparative purposes. Service area utilization of services and analysis are the primary purpose for obtaining the data.

**West Virginia University Medicine—Jackson Cramer, MBA**

Standard Statewide 2022 inpatient discharge dataset and first and second quarter 2022 ambulatory/outpatient procedure dataset to assess and analyze market conditions for West Virginia University Medicine facilities located in this Commonwealth and bordering counties in this Commonwealth.

**West Virginia University Medicine—Jennifer Finnell Dorman**

Standard Statewide third quarter 2022 ambulatory/outpatient procedure dataset to assess and analyze market conditions for West Virginia University Medicine facilities located in this Commonwealth and bordering counties in this Commonwealth.

BARRY BUCKINGHAM,  
*Executive Director*

[Pa.B. Doc. No. 24-314. Filed for public inspection March 8, 2024, 9:00 a.m.]



## INSURANCE DEPARTMENT

### Zel R. Metzler; License Denial Appeal; Doc. No. AG24-02-013

Under Article VI-A of The Insurance Department Act of 1921 (40 P.S. §§ 310.1—310.99a), Zel R. Metzler has appealed the denial of the application for a 1033 Written Waiver to engage in the business of insurance. The proceedings in this matter will be governed by 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure) and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure).

A prehearing telephone conference initiated by this office is scheduled for April 2, 2024, at 11 a.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before March 29, 2024. A date for a hearing shall be determined, if necessary, at the prehearing conference.

Protests, petitions to intervene or notices of intervention, if any, must be electronically filed on or before March 19, 2024. The e-mail address to be used for the Administrative Hearings Office is ra-hearings@pa.gov. Answers to protests, petitions to intervene or notices of intervention, if any, shall be electronically filed on or before March 29, 2024.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodations to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-315. Filed for public inspection March 8, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Principal Life Insurance Company; Rate Increase Filing for Group LTC Form FR 601 (MEAM-133985320); Rate Filing

Principal Life Insurance Company is requesting approval to increase the premium an aggregate 104% on 30 Pennsylvania policyholders of Principal Group LTC form FR 601.

Unless formal administrative action is taken prior to May 14, 2024, the subject filing may be deemed approved by operation of law.

A copy of the filing is available on the Insurance Department's web site at [www.insurance.pa.gov](http://www.insurance.pa.gov). To view these filing notices, hover the cursor over the word "Consumers," then select "Other Rate Filings," then "Approved Long-Term Care Rate Filings," and then click on "Pending Long-Term Care Rate Filings" under "Resources" on the right.

Interested parties are invited to submit written comments, suggestions or objections to James Laverty, Actu-

ary, Insurance Department, Insurance Product Regulation, Room 1311, Strawberry Square, Harrisburg, PA 17120, [jlaverty@pa.gov](mailto:jlaverty@pa.gov) within 20 days after publication of this notice in the *Pennsylvania Bulletin*.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-316. Filed for public inspection March 8, 2024, 9:00 a.m.]

## INSURANCE DEPARTMENT

### Review Procedure Hearings; Cancellation or Refusal of Insurance

The following insurer has requested a hearing as authorized by the act of June 17, 1998 (P.L. 464, No. 68) (Act 68) in connection with the termination of the insured's automobile insurance policy. The proceedings will be governed in accordance with the requirements of Act 68; 2 Pa.C.S. §§ 501—508, 561—588 and 701—704 (relating to Administrative Agency Law); 1 Pa. Code Part II (relating to General Rules of Administrative Practice and Procedure); and 31 Pa. Code §§ 56.1—56.3 (relating to Special Rules of Administrative Practice and Procedure). This administrative hearing will be held in the Insurance Department's Administrative Hearings Office in Harrisburg, PA. Failure by the appellant to appear at the scheduled hearing may result in dismissal with prejudice.

A prehearing telephone conference initiated by this office is scheduled for March 26, 2024, 1 p.m. Each party shall provide the Hearings Administrator a telephone number to be used for the telephone conference on or before March 22, 2024.

The hearing will be held in the Administrative Hearings Office, Capitol Associates Building, Room 200, 901 North Seventh Street, Harrisburg, PA 17102.

Appeal of Root Insurance Company; Alexandria M. Ross; File No. 23-118-290688; Doc. No. P24-02-001; April 10, 2024, 10 a.m.

Following the hearing and receipt of the stenographic transcript, the Insurance Commissioner (Commissioner) will issue a written order resolving the factual issues presented at the hearing and stating what remedial action, if any, is required. The Commissioner's Order will be sent to those persons participating in the hearing or their designated representatives. The Order of the Commissioner may be subject to judicial review by the Commonwealth Court.

Persons with a disability who wish to attend the previously referenced administrative hearing and require an auxiliary aid, service or other accommodation to participate in the hearing, contact Joseph Korman, (717) 787-4429, jkorman@pa.gov.

MICHAEL HUMPHREYS,  
*Insurance Commissioner*

[Pa.B. Doc. No. 24-317. Filed for public inspection March 8, 2024, 9:00 a.m.]

**PENNSYLVANIA PUBLIC  
UTILITY COMMISSION**

**Electric Generation Supplier License Cancellation  
of Companies with an Expired Financial Security,  
Insufficient Financial Security Amount or  
Language**

Public Meeting held  
February 22, 2024

*Commissioners Present:* Stephen M. DeFrank, Chairperson; Kimberly Barrow, Vice Chairperson; Ralph V. Yanora; Kathryn L. Zerfuss; John F. Coleman, Jr.

*Electric Generation Supplier License Cancellation of  
Companies with an Expired Financial Security,  
Insufficient Financial Security Amount or Language;  
M-2024-3045251*

**Tentative Order**

*By the Commission:*

The Commission’s regulations at 52 Pa. Code § 54.40(a) state that an Electric Generation Supplier (EGS) license will not be issued or remain in force until the licensee furnishes a bond or other security approved by the Commission. In addition, 52 Pa. Code § 54.40(d) states that the maintenance of an EGS license is contingent on the licensee providing proof to the Commission that a

bond or other approved security in the amount directed by the Commission has been obtained.

Each EGS must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA, 17120, prior to the EGS’s current security expiration date. Each financial instrument must be an original document that displays a “wet” signature or digital signature, preferably in blue ink, and displays a “raised seal” or original notary stamp. The name of the principal on the original financial instrument must match exactly with the name that appears on the EGS’s license issued by the Commission.

Failure to file before the financial security’s expiration date may cause Commission staff to initiate a formal proceeding that may lead to the following: cancellation of each company’s electric supplier license, removal of each company’s information from the Commission’s website, and notification to all electric distribution companies, in which each company is licensed to do business, of the cancellation of the license.

As of February 13, 2024, each EGS listed in the Supplier Table below has not provided proof to the Commission that it has a bond or other approved security in the amount or language directed by the Commission, to replace a bond which is expired, or which is non-compliant with Commission regulations.

*Supplier Table—List of Electric Generation Suppliers*

<i>Docket Number</i>	<i>Company Name</i>	<i>Financial Security Expiration Date</i>	<i>Commission Approved Amount or Language</i>
A-110173*	AMERICAN POWERNET MANAGEMENT, LP	10/2/2024	No
A-2016-2534371	CQI ASSOCIATES, LLC	2/1/2024	Yes
A-2019-3015155	FIDELIS UNITED ENERGY SOLUTIONS, LLC	1/2/2024	Yes
A-110131	UNITIL RESOURCES, INC.	11/1/2022	Yes

\*Taking title to electricity

As part of its EGS license validation procedures, the Commission’s Bureau of Technical Utility Services sent a 90-day Security Renewal Notice email to each entity in the Supplier Table above stating that original documentation of a bond, or other approved security in the amount or language directed by the Commission, must be filed within 30-days prior to each entity’s security expiration date. None of the companies listed in the Supplier Table provided the required documentation.

Based on the above facts, we tentatively conclude that the EGSs listed in the Supplier Table are not in compliance with 52 Pa. Code § 54.40(a) and (d) and therefore it is appropriate to initiate the cancellation process for the EGS license of each company listed in the Supplier Table, without the necessity of a formal complaint, as being in the public interest;

*Therefore,*

*It Is Ordered That:*

1. Cancellation of the Electric Generation Supplier License of each company listed in the Supplier Table is hereby tentatively approved as being in the public interest.

2. The Secretary (i) serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, all electric generation distribution companies, and all of the Electric Generation Suppliers listed in the Supplier Table; (ii) publish a copy of this Tentative Order in the *Pennsylvania Bulletin* with a 30-day comment period; and (iii) file a copy of this Tentative Order at

each Electric Generation Supplier's assigned docket number.

3. To the extent any of the Electric Generation Suppliers listed in the Supplier Table challenge the cancellation of their license, they must file comments within thirty (30) days after publication of this Tentative Order in the *Pennsylvania Bulletin*. Written comments referencing Docket No. M-2024-3045251 must be eFiled to the Pennsylvania Public Utility Commission through the Commission's eFiling System. You may set up a free eFiling account with the Commission at <https://efiling.puc.pa.gov/> if you do not have one. Filing instructions may be found on the Commission's website at [http://www.puc.pa.gov/filing\\_resources.aspx](http://www.puc.pa.gov/filing_resources.aspx). Comments containing confidential information should be emailed to Commission Secretary Rosemary Chiavetta at [rchiavetta@pa.gov](mailto:rchiavetta@pa.gov) rather than eFiled.

4. Alternatively, Electric Generation Suppliers listed in the Supplier Table may provide the Commission an approved security up to and within thirty (30) days after publication in the *Pennsylvania Bulletin*. The Electric Generation Supplier must file an original bond, letter of credit, continuation certificate, amendment, or other approved financial instrument displaying a "wet" signature or digital signature, preferably in blue ink, and displaying a "raised seal" or original notary stamp with Rosemary Chiavetta, Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA, 17120.

5. Absent the timely (i) filing of comments challenging the cancellation of the Electric Generation Supplier's license, or (ii) the filing of an approved security within 30-days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services, shall prepare a Final Order for entry by the Secretary revoking the license of each Electric Generation Supplier that fails to respond.

6. Upon entry of the Final Order, Electric Generation Suppliers that remain listed as not in compliance with 52 Pa. Code § 54.40(a) and (d) will be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission's website, and notifications be sent to all electric distribution companies in which the Electric Generation Suppliers are licensed to do business.

7. Upon entry of the Final Order, Electric Generation Suppliers that fail to respond will be prohibited from providing electric generation supply services to retail electric customers. That upon entry of the Final Order described in Ordering Paragraph No. 5, each electric distribution company in which the Electric Generation Suppliers are licensed to do business, shall return the customers of the Electric Generation Suppliers to default service.

ROSEMARY CHIAVETTA,  
Secretary

ORDER ADOPTED: February 22, 2024

ORDER ENTERED: February 22, 2024

[Pa.B. Doc. No. 24-318. Filed for public inspection March 8, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Revocation of Natural Gas Supplier Licenses of Companies that Did Not File a Natural Gas Supplier Annual Report or Pay Past Due Annual or Supplemental Fees

Public Meeting held  
February 22, 2024

*Commissioners Present:* Stephen M. DeFrank, Chairperson; Kimberly Barrow, Vice Chairperson; Ralph V. Yanora; Kathryn L. Zerfuss; John F. Coleman, Jr.

*Revocation of Natural Gas Supplier Licenses of  
Companies that did not File a Natural Gas Supplier  
Annual Report or Pay Past Due Annual or Supplemental  
Fees; M-2024-3045253*

#### Tentative Order

*By the Commission:*

The Public Utility Code authorizes the Pennsylvania Public Utility Commission (Commission) to establish, by order or rule, on a reasonable cost basis, fees to be charged for annual activities related to the oversight of natural gas suppliers (NGS). 66 Pa.C.S. § 2208(h). NGSs are required to pay these fees. In addition, NGSs are required to file annual reports with the Commission by April 30 of each year identifying their gross Pennsylvania intrastate operating revenues from the prior calendar year. 52 Pa. Code § 62.110(a)(1).

Both the Code, 66 Pa.C.S. § 2208(c)(2), and Commission regulations, 52 Pa. Code § 62.113(a)(5), state that the failure of an NGS to comply with applicable provisions of the Code or the rules, regulations, orders, or directives of the Commission shall be cause for the Commission to revoke the license of the NGS. Through this Order, the Commission tentatively finds that the NGSs identified in Table 1 (failure to pay fees) and Table 2 (failure to report revenue) are not in compliance with their obligations under the Code and Commission regulations and initiates this proceeding to revoke their NGS licenses.

#### *Annual and Supplemental Fees*

Act 155 of 2014 authorized the Commission to establish annual fees to fund the Commission's oversight of NGSs. 66 Pa.C.S. § 2208(h). These fees were established by order of the Commission<sup>1</sup> as (1) a flat annual fee of \$350 to be paid by all licensed suppliers and brokers regardless of reported gross intrastate operating revenues and (2) a supplemental fee—to be paid only by suppliers—based on each NGS's gross intrastate operating revenues.

NGSs are required to pay the \$350 flat annual fee to the Commission's Bureau of Administration by July 1 of each year. Suppliers with reported gross intrastate operating revenues are also required to pay the supplemental fee to the Commission within thirty days of receiving the Commission issued supplemental fee invoice.

Although an NGS is not a "public utility," see 66 Pa.C.S. §§ 102, 2202 and 52 Pa. Code § 62.141 (relating to the definitions of "public utility" and "natural gas supplier"), it is a licensed entity subject to the power and authority of the Commission, and it must comply with applicable

<sup>1</sup> Final Implementation Order on Implementation of Act 155 of 2014, at pgs. 3—8, Docket No. M-2014-2448825 (Order entered April 24, 2015) (Final Implementation Order).



provisions of the Code, Commission regulations, and Commission orders. 66 Pa.C.S. §§ 501 and 2208(e). The Commission has the authority, consistent with due process, to suspend or revoke an NGS's license for the NGS's failure to comply with applicable provisions of the Code, Commission regulations, and Commission orders. 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code. § 62.113(a)(5). An NGS that fails to pay either or both of its annual or supplemental fee violates both the Code, 66 Pa.C.S. § 2208(h), and the Commission's directives contained in the Final Implementation Order. Therefore, such an NGS is subject to fines and having its license revoked by the Commission.

On May 1, 2023, the Commission sent all NGS brokers and suppliers an Annual Fee Invoice with payment due

by July 1, 2023. On July 20, 2023, a past due balance letter was sent to delinquent NGS brokers and suppliers requesting that the past due annual fee be paid within 20 days of the date of the letter.

On September 6, 2023, the Commission sent NGS suppliers a Supplemental Fee invoice and an explanation of the Supplemental Fee with payment due within 30 days of receipt of the invoice. On October 24, 2023, the Commission sent past due balance letters to delinquent NGS suppliers stating that the past due supplemental fee must be paid within 20 days of the date of the letter.

As of February 13, 2024, the NGS brokers and suppliers listed in Table 1 below have not paid either or both of their annual or supplemental fees through 2023.

Table 1—Failure to Pay Annual and/or Supplemental Fees

<i>Docket Number</i>	<i>Company Name</i>	<i>Annual or Supplemental</i>
A-2015-2495690	BEST PRACTICE ENERGY, LLC	Annual
A-2016-2571988*	EDF ENERGY SERVICES, LLC	Annual
A-2015-2484489	ENEL X NORTH AMERICA, INC. (ENEL X)	Annual
A-2019-3011398	ENERGY CX, LLC	Annual
A-2021-3026565	ENERGY PRICE MANAGEMENT GROUP, LLC	Annual
A-2013-2384046*	ENGIE POWER AND GAS, LLC	Supplemental
A-2015-2478258	ENVIRON ENERGY, LLC	Annual
A-2021-3025463	EXCELSIOR GAS AND ELECTRIC, LLC	Annual
A-2022-3032904	FRONT LINE POWER SOLUTIONS, LLC	Annual
A-2018-3006471	NAVIGATE POWER, LLC	Annual
A-2022-3034851	RELIABLE POWER ALTERNATIVES CORPORATION	Annual
A-2015-2469003	SPRAGUE ENERGY SOLUTIONS, INC.	Annual
A-2021-3026145	VALLEY CHOICE ENERGY CORP	Annual
A-2017-2622058*	WORLD FUEL SERVICES, INC.	Annual

\*Taking title to natural gas.

*Annual Report*

All NGS suppliers must also file an Annual Report with the Commission by April 30 each year. 52 Pa. Code § 62.110(a). The Annual Report must include, among other things, the NGS's total gross receipts from the sale of natural gas supply services in the preceding calendar year. 52 Pa. Code § 62.110(a)(1). This information is used by the Commission to calculate the supplemental fee in accordance with the terms of the Final Implementation Order.

As previously noted, the Commission has the authority, consistent with due process, to suspend or revoke an NGS's license for the NGS's failure to comply with applicable provisions of the Code, Commission regulations, and Commission orders. 66 Pa.C.S. § 2208(c)(2) and 52 Pa. Code. § 62.113(a)(5). An NGS that fails to file an annual report violates the Commission's regulations at 52 Pa. Code § 62.110(a). Therefore, such an NGS is subject to fines and having its license revoked by the Commission.

The Commission sent an NGS Requirements Letter to all NGS suppliers in February 2023 advising them of their annual filing requirements and the due dates. In December 2023, the Commission sent a Failure to Submit Annual Report Notice (Notice) to NGS suppliers that

failed to file a 2023 Annual Report with the Commission. The Notice stated that the past due Annual Report must be filed within 30 days of the Notice.

As of February 13, 2024, the NGS suppliers listed in Table 2 below have not filed a 2023 Annual Report, reporting their 2022 gross receipts, with the Commission.

Table 2—Failure to File a Natural Gas Supplier Annual Report

<i>Docket Number</i>	<i>Company Name</i>
A-2021-3028142*	GRAND ENERGY, LLC
A-2017-2353838*	WORLD FUEL SERVICES, INC.

\*Taking title to natural gas.

*Disposition*

Based on the above facts, we tentatively find that the NGSs listed in Table 1 are not in compliance with the Public Utility Code, 66 Pa.C.S. § 2208(c)(2), (h) and the Final Implementation Order, and the NGSs listed in Table 2 are not in compliance with the Public Utility Code, 66 Pa.C.S. § 2208(c)(2), and the Commission's regulations at 52 Pa. Code § 62.110(a). Therefore, it is appropriate to initiate the NGS license revocation process



for each company listed in Table 1 and Table 2 as being in the public interest; *Therefore*,

*It Is Ordered That:*

1. Revocation of the Natural Gas Supplier License of each company listed in Table 1 and Table 2 is hereby tentatively approved as being in the public interest.

2. The Secretary (i) serve a copy of this Tentative Order upon the Office of Consumer Advocate, the Office of Small Business Advocate, the Bureau of Investigation & Enforcement, all natural gas distribution companies, and all of the Natural Gas Suppliers listed in Table 1 and Table 2; (ii) publish a copy of this Tentative Order in the *Pennsylvania Bulletin* with a 30-day comment period; and (iii) file a copy of this Tentative Order at each Natural Gas Supplier's assigned docket number.

3. To the extent any of the Natural Gas Suppliers listed in Table 1 and Table 2 challenge the revocation of their license, they must file comments within thirty (30) days after publication of this Tentative Order in the *Pennsylvania Bulletin*. Written comments referencing Docket No. M-2024-3045253 should be eFiled to the Pennsylvania Public Utility Commission through the Commission's eFiling System. You may set up a free eFiling account with the Commission at <https://efiling.puc.pa.gov/> if you do not have one. Comments containing confidential information should be sent to the Commission via overnight service rather than eFiled.

4. Alternatively, Natural Gas Suppliers listed in Table 1 may pay their outstanding fee balance up to and within thirty (30) days after publication in the *Pennsylvania Bulletin*. Payment shall be sent to the Pennsylvania Public Utility Commission, Attn: Fiscal Office, Commonwealth Keystone Building, 400 North Street, 3rd Floor, Harrisburg, PA 17120. Checks shall be made payable to "Commonwealth of Pennsylvania."

5. Alternatively, Natural Gas Suppliers listed in Table 2 may file their outstanding 2023 annual revenue report within thirty (30) days after publication in the *Pennsylvania Bulletin*. Any completed 2023 annual revenue reports shall be sent to the Pennsylvania Public Utility Commission, Attn: Secretary's Bureau, Commonwealth Keystone Building, 400 North Street, Harrisburg, PA 17120.

6. Absent the timely (i) filing of comments challenging the revocation of the Natural Gas Supplier's license; (ii) payment of the Natural Gas Supplier's outstanding fee balance; or (iii) filing of the Natural Gas Supplier's 2023 annual revenue report within 30-days after publication in the *Pennsylvania Bulletin*, the Bureau of Technical Utility Services, in conjunction with the Bureau of Administration, shall prepare a Final Order for entry by the Secretary revoking the license of each Natural Gas Supplier that fails to respond.

7. Upon entry of the Final Order, Natural Gas Suppliers that fail to respond will be prohibited from providing natural gas supply services to retail gas customers. Any customers served by the Natural Gas Supplier will be returned to the appropriate Natural Gas Distribution Company's provider of last resort service as set forth in the Final Order.

8. Upon entry of the Final Order, Natural Gas Suppliers that fail to respond will be stricken from all active utility lists maintained by the Commission's Bureau of Technical Utility Services and the Assessment Section of the Bureau of Administration, removed from the Commission's website, and notifications will be sent to all natural

gas distribution companies in which the Natural Gas Suppliers were licensed to do business.

ROSEMARY CHIAVETTA,  
*Secretary*

ORDER ADOPTED: February 22, 2024

ORDER ENTERED: February 22, 2024

[Pa.B. Doc. No. 24-319. Filed for public inspection March 8, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Service of Notice of Motor Carrier Applications

The following temporary authority and/or permanent authority applications for the right to render service as a common carrier or contract carrier in this Commonwealth have been filed with the Pennsylvania Public Utility Commission (Commission). Formal protests, petitions to intervene and answers must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 25, 2024. Filings must be made electronically through eFiling to the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120, with a copy served on the applicant by March 25, 2024. Individuals can sign up for a free eFiling account with the Secretary of the Commission through the Commission's eFiling system at <https://www.puc.pa.gov/efiling/Default.aspx>. A protest shall indicate whether it applies to the temporary authority application, the permanent authority application, or both. Protests may only be filed if there is evidence that the applicant lacks fitness. Protests based on endangering or impairing operations of an existing carrier will not be honored. The documents filed in support of the application are only available for inspection through the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) by searching under the listed docket number as follows or by searching the applicant's web site.

### Applications of the following for approval to *begin operating as common carriers for transportation of persons as described under each application.*

**A-2024-3046337. A&J Caring Hearts, LLC** (3 Clemson Drive, Camp Hill, Cumberland County, PA 17011) to transport persons, by motor vehicle, in paratransit service, from points in Counties of Cumberland and Dauphin, to points in Pennsylvania, and return.

**A-2024-3046342. Peak's Logistic Services, LLC** (441 Wells Road, Doylestown, Bucks County, PA 18901) for the right to begin to transport, as a common carrier, by motor vehicle, persons in airport transfer service, from points in the Counties of Bucks and Montgomery to all airports in Pennsylvania, and vice versa.

**A-2024-3046826. Discount Cab Service, LLC** (1000 Scenery Drive, Harrisburg, Dauphin County, PA 17109) for the right to begin to transport, as a common carrier, by motor vehicle, persons in paratransit service, from points in the Counties of Fayette, Indiana, Somerset and Westmoreland to points in Pennsylvania, and return. *Attorney:* Ali M. Audi, Esquire, 20 Briarcrest Square, Suite 206, Hershey, PA 17033.

**Applications of the following for approval of the beginning of the exercise of the right and privilege of operating motor vehicles as common carriers for the transportation of household goods as described under each application.**

**A-2024-3046642. Northeastern Movers, Inc.** (6103 Strickland Avenue, Brooklyn, NY 11234) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania. *Attorney:* Andrew J. Horowitz, Esquire, Obermayer Rebmann Maxwell & Hippel, LLP, 525 William Penn Place, Suite 1710, Pittsburgh, PA 15219.

**A-2024-3046754. Wissahickon Moving Company** (429 West Sedgwick Street, Philadelphia, Philadelphia County, PA 19119) for the right to begin to transport, as a common carrier, by motor vehicle, household goods in use, between points in Pennsylvania.

**Application of the following for the approval of the transfer of stock as described under the application.**

**A-2024-3046567. Adult Transport Services, LLC** (306 Primrose Lane, First Floor, Mountville, Lancaster County, PA 17554) a corporation of this Commonwealth—for the approval of a change in the membership of the limited liability corporation from Dadi Kafley and Kamal Kafley to Yagneshkumar Patel, Srutivallabh Swami and Pragneshkumar Patel. Upon completion of the change of membership, Yagneshkumar Patel, Srutivallabh Swami and Pragneshkumar Patel will be the sole members of the limited liability corporation. *Attorneys:* Edward J. Cyran, Esquire, 747 Constitution Drive, Suite 100, Exton, PA 19341 and Jay Waldman, Esquire, 501 North Park Road, Wyomissing, PA 19610.

**Application of the following for the approval of the right and privilege to *discontinue/abandon* operating as common carriers by motor vehicle and for cancellation of the certificate of public convenience as described under the application.**

**A-2024-3046387. Lockheart Limousine, Inc., t/a Shamrock Limousine** (4214 Campbells Run Road, Pittsburgh, Allegheny County, PA 15205) discontinuance of service and cancellation of its brokerage license, at A-2008-2060695, to arrange for the transportation of persons, between points in Pennsylvania.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-320. Filed for public inspection March 8, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2024-3046836. Verizon Pennsylvania, LLC and Pennsylvania MSA, LLC.** Joint petition of Verizon Pennsylvania, LLC and Pennsylvania MSA, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon Pennsylvania, LLC and Pennsylvania MSA, LLC, by their counsel, filed on February 27, 2024, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon Pennsylvania, LLC and Pennsylvania MSA, LLC joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kimberly Hafner, Director, Office of Special Assistants, (717) 705-3822.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-321. Filed for public inspection March 8, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Telecommunications

**A-2024-3046839. Verizon North, LLC and Pennsylvania MSA, LLC.** Joint petition of Verizon North, LLC and Pennsylvania MSA, LLC for approval of an interconnection agreement under section 252(e) of the Telecommunications Act of 1996.

Verizon North, LLC and Pennsylvania MSA, LLC, by their counsel, filed on February 27, 2024, at the Pennsylvania Public Utility Commission (Commission), a joint petition for approval of an interconnection agreement under sections 251 and 252 of the Telecommunications Act of 1996.

Interested parties may file comments concerning the petition and agreement. Filings must be made electronically through eFiling with the Secretary, Pennsylvania Public Utility Commission, 400 North Street, Harrisburg, PA 17120. Comments are due on or before 10 days after the date of publication of this notice. The documents filed in support of Verizon North, LLC and Pennsylvania MSA, LLC joint petition are available for inspection at the Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business web site.

The contact person is Kimberly Hafner, Director, Office of Special Assistants, (717) 705-3822.

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-322. Filed for public inspection March 8, 2024, 9:00 a.m.]

## PENNSYLVANIA PUBLIC UTILITY COMMISSION

### Wastewater Service

**A-2024-3046777. Aqua Pennsylvania Wastewater, Inc.** Application of Aqua Pennsylvania Wastewater, Inc. for approval to begin to offer, render, furnish and supply wastewater service to the public in an additional portion of New Garden Township, Bancroft Road Subdivision, Chester County.

Formal protests and petitions to intervene must be filed in accordance with 52 Pa. Code (relating to public utilities) on or before March 25, 2024. Filings must be made with the Secretary of the Pennsylvania Public Utility Commission, 400 North Street, 2nd Floor, Harrisburg, PA 17120, with a copy served on the applicant. The documents filed in support of the application are available for inspection and copying at the Office of the Secretary between 8 a.m. and 4:30 p.m., Monday through Friday, on the Pennsylvania Public Utility Commission's web site at [www.puc.pa.gov](http://www.puc.pa.gov) and at the applicant's business address.

*Applicant:* Aqua Pennsylvania Wastewater, Inc.

*Through and By Counsel:* Frances P. Orth, Esquire, Vice-President and Senior Managing Counsel, Aqua Pennsylvania Wastewater, Inc., 762 West Lancaster Avenue, Bryn Mawr, PA 19010, (610) 645-1126, [FPOrth@aquamerica.com](mailto:FPOrth@aquamerica.com)

ROSEMARY CHIAVETTA,  
*Secretary*

[Pa.B. Doc. No. 24-323. Filed for public inspection March 8, 2024, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Motor Carrier Applications in the City of Philadelphia

The following permanent authority application to render service as a common carrier in the City of Philadelphia has been filed with the Philadelphia Parking Authority's (PPA) Taxicab and Limousine Division (TLD). Formal protests must be filed in accordance with 52 Pa. Code Part II (relating to Philadelphia Parking Authority) with the TLD's Office of the Clerk, 2415 South Swanson Street, Philadelphia, PA 19148, no later than March 25, 2024. The nonrefundable protest filing fee is \$5,000 payable to the PPA by certified check or money order. The application is available for inspection at the TLD between 9 a.m. and 4 p.m., Monday through Friday (contact TLD Director Peter Carnival at (215) 683-9653 to make an appointment) or may be inspected at the business addresses of the respective applicants or attorneys, or both.

**Doc. No. A-24-02-02. Tasara, LLC** (6534 Dorel Street, Philadelphia, PA 19142): An application for a medallion taxicab certificate of public convenience to transport, as a common carrier, persons in taxicab service between points within the City of Philadelphia and from points in the City of Philadelphia to points in Pennsylvania, and return. *Attorney for Applicant:* David Temple, Esq., 111 Buck Road, Building 500, Suite 1, Huntingdon Valley, PA 19006.

RICH LAZER,  
*Executive Director*

[Pa.B. Doc. No. 24-324. Filed for public inspection March 8, 2024, 9:00 a.m.]

## PHILADELPHIA PARKING AUTHORITY

### Service of Notice of Transportation Network Company Applications in the City of Philadelphia

The following application to render service as a transportation network company in the City of Philadelphia under 53 Pa.C.S. Chapter 57A (relating to transportation network companies) has been filed with the Philadelphia Parking Authority's Taxicab and Limousine Division. Protests or objections to the following application are prohibited. See 53 Pa.C.S. § 57A05(f) (relating to license issuance and appeal of denial).

**Doc. No. A-24-02-03. GoVysh Technologies, LLC:** An application for a transportation network company license to provide transportation network service in the City of Philadelphia using a digital network through the GoVysh Technologies, LLC application that matches a passenger and transportation network driver in advance of a prearranged ride. *Attorney for Applicant:* Jon A. Thielen, Esq., Company Counsel, LLC, Two Bala Plaza, Suite 300, Bala Cynwyd, PA 19004.

RICH LAZER,  
*Executive Director*

[Pa.B. Doc. No. 24-325. Filed for public inspection March 8, 2024, 9:00 a.m.]

## STATE BOARD OF VEHICLE MANUFACTURERS, DEALERS AND SALESPERSONS

### Commonwealth of Pennsylvania, Bureau of Professional and Occupational Affairs v. Miguel Angel Acevedo-Hernandez, Respondent; Case No. 20-60-007800

*Notice to Miguel Angel Acevedo-Hernandez:*

On January 19, 2023, the Commonwealth of Pennsylvania, Department of State, Bureau of Professional and Occupational Affairs, instituted a formal administrative action against you by filing an Order to Show Cause, before the State Board of Vehicle Manufacturers, Dealers and Salespersons, alleging that you have violated certain provisions of the Pennsylvania Board of Vehicles Act, act of December 22, 1983, P.L. 306, No. 84 ("Act"), as amended, 63 P.S. §§ 818.101—818.704; 63 Pa.C.S. Chapter 31 ("Chapter 31"); and Rule 430 of the Pennsylvania Rules of Civil Procedure, 231 Pa. Code Rule 430, providing for service of process upon you by publication.

#### Notice

Formal disciplinary action has been filed against you. You may lose your license, certificate, registration or permit to practice your profession or occupation. You may be subject to civil penalties of up to \$10,000 for each violation, and the imposition of costs of investigation.

If you wish to defend against the charges in the attached Order to Show Cause or to present evidence to mitigate any penalty that may be imposed, the procedures for doing so are explained in the Order to Show Cause. You may obtain a copy of the Order to Show Cause from the Prothonotary for the Department of State, 2601

North Third Street, P.O. Box 2649, Harrisburg, PA 17105, telephone number, (717) 772-2686.

You have the right to retain an attorney. Although you may represent yourself without an attorney, you are advised to seek the help of an attorney. You also have the right to have an interpreter provided should you request one.

All proceedings are conducted under the Administrative Agency Law and the General Rules of Administrative Practice and Procedures.

You are directed to respond to the charges by filing a written answer within thirty (30) days of this NOTICE. IF YOU DO NOT FILE AN ANSWER, DISCIPLINARY ACTION MAY BE TAKEN AGAINST YOU WITHOUT A HEARING. To file your answer, you must bring or send an original and three (3) copies of your answer and any

pleadings or other documents related to this matter to the following address:

Prothonotary  
Department of State  
2601 North Third Street  
P.O. Box 2649  
Harrisburg, PA 17105

You must also send a separate copy of your answer and any other pleadings or documents related to this case to the prosecuting attorney named in the Order to Show Cause.

KIRK A. DAVIS,  
*Chairperson*

[Pa.B. Doc. No. 24-326. Filed for public inspection March 8, 2024, 9:00 a.m.]



